Notes Ck'd by	Survey of	F.B. 2394 Pg.
Map No.	JN Tape Std °F	
Office Work	Surveyed by	
Checked	Notes Date	
Date	Indexed	

Page	Job	Description
		TICK CANYON ROAD - J.N. 0075.10
5-69	Cont. Line	Prelim. transit line from Soledad Cyn. Rd. up Tick Cyn. to Davenport Rd, thru Sec. 7, 6, 5 & 32, T4 & 5N, R14W.
71-84	Sec. Line	Sec. lines-6/5;32; 32/33, T4 & 5N, R14W.
85-155	B.M.	Bench mark location & levels up Tick Cyn. from S.P.R.R. & return.
157-166	P-Line	Retracement of P-line fr. T-47 N'ly to T-58 & T-62.
167-204	Profile	Profile level check.

2394

Microfilmed April '86

Notes Ck'd by W. J. BRENNER
Map No.
Checked
Date

Survey of TICK CYN. RD
W. O. 9975.30 Tape No. St'd. °F
Notes C. L. W. Date 1938
Indexed

F. B. 2394 Pg. 3

INDEX - - -
PRELIMINARY LINE
THRU TICK CYN. FROM
SOLEDAD CYN. RD. TO DAVENPORT RD.

℄ DAVENPORT RD.

SEE F.B. 1260 FOR THIS PART.

31

32

T5N

T4N

R15W

R14W

6

5

8

18

TICK CANYON

℄ SOLEDAD CYN. RD.

INDICATES LINES RUN

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TUCK CYN. RD.
JN 75.76 Tape 48 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 16 JUNE '55
Indexed R. C. JOWERS

F. B. 2394 PG. 5

TRANSIT LINE FROM THE SOUTH 1/4 COR. TO THE S.W. SEC. COR., SEC. 7, T4N, R14W.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

REFERENCES
C.S.B.-1983
F.B. 738
C.S.B.-145-1
C.S.B.-351

PARTY:
C. L. WRIGHT
R. C. BOWERS JR.
C. W. ADAMS
T. MELTON
J. R. FULTON JR.

763098 CE #247—7-53

F.B. 2394 PG. 6

SEE PG. 7

A-4
SET 1 X 2 ℄ NAIL
BOT. DRAW
9+81 57

9+81 52

1.80

0.05

FD 1 X 2 ℄ NAIL
T-80° MARKED
#13

T-80°
25527 @ 18-49 = 24.63
25498 @ 18-38 = 24.61
16075 @ 28-19 = 14.51
16000 @ 27-50 = 14.49

24.62
14.50
383.12
0.01
383.11

383.11

℄ LINE

A-3
SET 1 X 2
℄ NAIL
TOP PRK.
5+98 46

FD 1 X 2 ℄ NAIL
5+16 09
MAIN
8.71

N 11° 69
42° E MAG.

90.17

T-78°
9294 @ 14-01 = 90.17
9256 @ 13-02 = 90.18

90.17

CALC. 7.80

A-2
FD 1 X 2 ℄ NAIL
TOP OF MAIN
RIDGE
5+08 29

2.18

FD 1 X 2 ℄ NAIL

RIDGE T-76°
17608 @ 14-13 = 170.69
17627 @ 14-26 = 170.71
25851 @ 9-13

170.70
25517

425.85

425.87
0.02
425.85

SEC. 7

SEC. 18

A-1
FD 1 X 2 ℄ NAIL
TOP SPUR
0+82 44

SEE CSB 1983

COUNTY SURVEYOR'S MONUMENT
T4N
SEC 7
CR
SEC 18
1/4 COR.
14W

TRANSIT

T-74°
93322 @ 27-49 = 82.45
93346 @ 28-05 = 82.46

82.45
01
82.44

MARKED
FD. C.S. MON. UP 12"
0+00

SEE PG 22 FOR THIS LINE

1/4 COR.
SEC 7-18
T4N
R14W

SET 1 X 2 ℄ NAIL
LINE PROD. FROM WEST
SEE PG 22

RECEIVED
DEC 16 '82
LOS ANGELES COUNTY ENGINEER

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Pore

Survey of TICK CYN. RD.
JN 00 75.70 Tape 148 Std 84 °F
Surveyed by C. L. W. LEWRIGHT
Notes C. L. W. Date 16 JUNE '59
Indexed C. Johnson

F. B. 2394 Pg. 7

T4N R14W

SEC PAGE 8

W.S.16-52

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

765098 CE #247 7-53

A-6
SET 1X2 ℄ NAIL
13+91 02

T 86
90.16 @ 2-06
90.10

90.10
24.50
24.20

13+66 92
FD. R.W. 2X2, NAIL & TAG #LS. 2371

2 27

PAGE 15
102.14

SET 1X2 ℄ NAIL

℄ ± EDISON CO. POWER LINE

T-80°
22885 @ 19-29 = 215.75
22895 @ 19-32 = 215.77
215.76
01
215.75

SEE P. 15 FOR INT. OF TRANSIT LINE FROM SOUTH ℄ THIS LINE

215.75

12+88 8

A-5
SET 1X2 ℄ NAIL
TOP LOW SPUR
11+75 27

T-8
SET 1X2 ℄ NAIL
P. 15

TRANSIT
193.70

T 82°
19831 @ 12-22 = 193.71
19849 @ 12-38 = 193.68
193.70

A-4
SET 1X2 ℄ NAIL
BOT. DRAW
9+81 57

SEE P. 6

F. B. 2994 PG. 8

SEE PG 9

A-8
SET 1X2 ℄ NAIL
IN SADDLE ON TOP OF RIDGE
37° W
TOP
20+51 98
20+51 92
19+79 96
FD 1X2 ℄ NAIL
106.34 @ 6-50 = 105.58

RIDGE

20+85 48

COUNTY ENGINEER
R15W
13 1/8
12 7
R14W
P.E. 5869
P.C.C. COR.

33.50
33.56

FD. 60d WIRE SPIKE MARKED
SET 1X2 ℄ NAIL
384
FD 3/4" I.P. UP 24"
20+35 14
015
342

SET C.E. MON. 2" I.P. BRASS CAP IN CONC. - W.C.
SEC COR. UP 3"
SOME ONE HAS PREVIOUSLY DUG IN THIS SAME SPOT. W.C.

SEC. COR. SET BY PROPORTION BETWEEN THE S. 1/4 COR & SW. SEC COR., SEC. 7 AS PER C.S. B-1985 & C.S. B-551
T 84°

101.45 @ 8-07 = 100 43
199.07 @ 9-33 = 196 31
296 74

296.74

A-7
SET 1X2 ℄ NAIL
17+88 74
537
33.15

FD 1X2 ℄ NAIL
17+83 37
413

17+55 59
FD. OLD 1X2 ℄ NAIL
041

397.72

TRANSIT

C/L WASH
TICK 1± WIDE
C/L
150±

053

14+70 72
FD. OLD 1X2 ℄ NAIL
T 86°
156.68 @ 1-15 = 156 64
241.07 @ 0-15 = 241 07
397 71
397 72

230'±
79.70

A-6
SET 1X2 ℄ NAIL
13+91 02

SEE PG. 7

SEC. 7

SEE PG. 8

11-15-82

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TICK CYN. RD.
JN 75.70 Tape 145 Std 54 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 16 JUNE '59
Indexed C. Johnson

F. B. 2394 Pg. 9

T 4N R 14W

SEE Pg 10

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

763093 CE #247—7-53

SEC 10

A-10
SET 1x2 NAIL
27+32.21

57'

TRANS-CONTINENTAL TEL

TRACK

ROAD DIRT

LINE

371.03

T 84°
145.13 @ 3-59 = 144.78

225'

91°

226.31 @ 1-18 = 226.25
371.03

TRANSIT

A-9
SET 1x2 NAIL
23+61.18

92.2

23.30

23+51.96

FD 1x2 NAIL
MARKED #3

EDISON POLE LINE

1.14

27.0

22+90.82

FD 1x2 NAIL
MARKED #2

275.70

T 84°
277.07 @ 5-42 = 275.70

20+89.78

0.08

FD 60d WIRE
SPIKE & TIN

4.30

A-8
SET 1x2 NAIL
TOP RIDGE
BEARING N-37°W

20+85.48

SEE Pg 8

F. B. 2394 PG. 10

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

11-15-82

Sec. 13

END OF LINE

SEE C.S. B-1983

R15W

MONUMENT
SURVEYOR'S
T4N
R15W
13 | 12
18 | 7
R14W
SEC. COR.

MARKED
29+41 35

FD. C.S. MON.
COR. SECS.
7-18
13-12
R14W
R15W
T4N

RANGE LINE

209.14'

T86°
217.90 @ 16-18 = 209.14'
217.57 @ 16-00 = 209.14'
209.14'

27+52 59

0.65

FD 1/2" x 2" NAIL

20.38

R14W

A-10
SET 1/2" x 2"
NAIL
27+32 21

SEE P. 9

Sec. 18

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of Tick Cyn. Rd.
JN 0075.70 Tape 148 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 7-JUNE'59
Indexed C. JOHNSON

F. B. 2394 PG. 11

SOLEDAD CYN. RD. BETWEEN
P.I. 15B & P.I. 15C.
TRANSIT LINE FROM ℄
SOLEDAD CYN. RD. N'EAST'LY
THRU TICK CYN.

REFERENCES
R.R. DEPT. F.B. 254 - 20
C.S. B-1983

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-59

F. B. 2394 PG. 12



CURVE DATA:
Δ 17° 48' 00"
R = 1000'

115.16-03

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TICK CYN. RD.
JN 00 75.2 Tape 148 Std. 84 °F
Surveyed by C. L. Wiseman
Notes C. K. W. Date 17 JUNE '59
Indexed C. Johnson

F. B. 2394 Pg. 13

W.S. 16-53

SEE PAGE 36/14

4+16 — 25 E — TELEPHONE LINE

TEL. POLE NO NUMBER — T-3 SET 1x2 & NAIL

119

4+045 — 25 — SWITCH POLE #1155207E SV26E

T 92° LEVEL 88.46'

88.46

88°

EDISON POWER

T-2 SET 1x2 & NAIL — 3+27 90'

T-92°
300.59 @ 1-15 + 300.52'
.02'
300.54'

300.54

0+74 — 56 — P. POLE #1155206E 20'+

0'

P. POLE TILE 47.8 @ 10-24 - 47.8

ANCHOR GUY — 53

74

T-1 SET 1x2 TOP OF CUT BANK — 0+27 36

T 92° LEVEL 27.36'

27.36'

92° 24' PAGE 12

SEE PG. 12 FOR THIS POINT

℄ SOLEDAD — 0+00 — CYN. ROAD

797.50 TO P.I. #5B

SET SQ SPK W/ CT FLUSH IN PVMT.

885.38 TO P.I. #5C

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

765098 CE #247—7-53

SEE PAGE 15

F. B. 2394 PG. 14

10+57.77

T-6 SET 1X2 & NAIL

P. POLE # 1248564E

ANCHOR GUY

GUY WIRE 38.2 CALC.

31° 03'

14°

8+94.3

8+92.7

T-92°

228.74 @ 2-00 = 228.60

01

228.61

59° 35' 00"

59° 10' 00"

59 35 00

228.61

67.1

FD. 2X2 & TAG # LS. 2371

CALC 46.57

76.0 @ 12-47 = 74.1 TO ANCHOR GUY

T 94°

56.05 @ 15-33 = 54.00

54.00

T-5 SET 1X2 & NAIL TOP SPUR

CALC. 27.34

8+29.16

68.3 @ 10-41 = 67.1 TO P. POLE # 1248564E

T 94°

65.80 @ 13-06 = 64.09

64.09

POWER

CALC. 47.32

42°

CALC. 43.22

7+81.94

FD 1X2 & NAIL (NEW)

42° 24' 40"

84° 49' 00"

42 24 30

T-94°

180.26 @ 4-34 = 179.69

01

179.70

FD. 1X2 & NAIL

7+34.92

EDISON

85.50

179.70

P. P. # 1248565E

89

85.44 CALC.

Lot 76.3

268

6+49.46

T-4 SET 1X2 & NAIL

50°

6+44.42

36.70

233.10

FD. 1X2 & NAIL (NEW)

T-92°

LEVEL 66.92

166.19 @ 0-48 = 166.17

233.09

01

233.10

4+16.36

T-3 SET 1X2 & NAIL

SEE PAGE 13

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by W. J. BRENNER	Survey of TUCK CYN. P.D.	F. B. 2394	Pg. 15
Map No.	JN 00 75 79 Tape 148 Std. 84 °F		
Office Work	Surveyed by B.L. WRIGHT		
Checked	Notes C. L. W. Date 17 JUNE 59		
Date	Indexed C. Johnson		

W.S. 16-B2

SEE PAGE 16

T-96°
103.38 @ 8-30 =
102.75
102.16

SET 1x2¢ NAIL @ TOP OF LOW SPUR
15+71 89
51.67

A-6 1x2¢ NAIL FOR POLE 7

T 80°
53.59 @ 5-23 = 51.67

T-8
SET 1x2¢ NAIL - INT.
102.16

TRANSIT LINE BETWEEN S 1/4 COR. AND S.W. COR. SEC. 7 T4N R14W
15+20 22
12+88 86 W

POWER
205.73
92°
53'
25"

T-92°
134.00 @ 7-40 = 132.80
73.33 @ 6-03 = 72.92
205.72
.01
205.73

①	92	53	20
②	11	33	50
③	197	20	30
	92° - 53' - 25"		

EDGE

SET 1x2¢ NAIL T-7 TOP SPUR
13+14 49

PPOLE #11552 10E
T 100°
183.23 @ 3-56 = 182.80
12+98 02

FD 1x2¢ NAIL TOP SPUR
CALC. 48.75
12+33 27

FD 1x2¢ NAIL
CALC. 64.37
12+26 18

T 100°
260.05 @ 9-13 = 256.69
.03
256.72

CALC. 176.20
CALC. 168.41
256.72

①	20	55	00
②	41	50	00
	20°	55'	00"

①	15	28	00
②	30	55	40
	15	27	50

T-100°
180.38 @ 2-02 = 180.27
180.29
T-4
SET 1x2¢ NAIL
10+57 77

T-100°
LEVEL 103.56
.01
103.57

①	29	29	00
②	58	58	00
	29°	29'	00"

FD. 1x2¢ NAIL (NEW)

SEE PAGE 14

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

763098 CE #247—7-53

F. B. 2394 Pg. 16

SEE Pg 17



SEE PAGE 15

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TICK CYN. RD.
JN 00757 Tape 148 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date 8 JUNE '59
Indexed K. C. Johnson

F. B. 2394 PG. 17

SEE PG 18

Δ	159	42	00
⊕	278	47	40
⑤	238	11	40

159° - 41' - 56 2/3"

T-14
SET 1X2 C NAIL
TOP OF N. BRK.
LOW SPUR
28+52.1

28+94.32
CALC. 41.6
CALC. 84.2
56 2/3" OS AH
946

To P Pole:
103.3 @ 23-41 = 94.6
P. Pole #1248559E

159°
42'
54'
63°
T-86°
LEVEL -
74.00
164.49 @ 3-27 = 164.19
238.19
POWER
238.19'
27+34.9
73.7 CALC.
P Pole #1248560E
43° 05'
107.9
CALC. 78.81
To P Pole #1248560E
115.8 @ 21-17 = 107.9
26 2/3" 35 AH
26+56.13
T-13
SET 1X2 C NAIL
S. BRK. LOW SPUR
52'
T 84°
212.76 @ 5-04 = 21.93
157°
211.9'
EDISON

Δ	157	52	30
⊕	271	30	00
⑥	227	14	40
	157°	52'	26 2/3"

T-12
SET 1X2 C NAIL
TOP LOW SPUR
24+44.20

SEE PG 16

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247 — 7-53

F. B. 2394 PG. 18



W.S. 16-82

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TUCK CYN. RD.
JN 75.10 Tape 148 Std. 59 °F
Surveyed by E. L. WRIGHT
Notes C.L.W. Date 8 JUNE 59
Indexed C. Johnson

F. B. 2394 Pg. 19

W. S. 16-B2

SEE PG. 20

T-19
SET 1X2 C NAIL
BOTTOM OF
DRAW

⓪	137	45	20
ⓐ	191	01	00
ⓒ	106	31	40
	137°	45'	16 2/3"

48+08 17

T 70°
255.66 @ 1-42 = 255.55
.02
255.53

45+52 64

T-18A
SET 1X2 C NAIL
ON POINT OF
SPUR

T 68°
LEVEL = 9.13

T-18
SET 1X2 C NAIL
ON POINT OF
SPUR

45+43 51

43+38 59 N

T-17A
SEE PG. 32
FOR THIS INT

E-W ℄

555.06

SEC. 7.

T-100
255.91 @ 5-48 254.60
300.48 @ 1-21 300.40
555.00
.06
555.06

T-17
SET 1X2 C NAIL
IN FLAT

39+88 45

T-100
LEVEL 87.34
300.42 @ 2-55 = 300.03
387.37
.04
387.41

387.41

T-16
SET 1X2 C
NAIL TOP
BLUNT SPUR

36+01 04

SEE PG. 18

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

763098 CE #247—7-59

F. B. 2394 PG. 20



RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by W. J. BRENNER	Survey of TUCK SYN. RD.
Map No.	JN 0075.79 Tape 148 Std. 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes C.L.W. Date 25 JUNE'53
Date	Indexed C. Johnson

F. B. 2394 PG. 21

THE N.-S. ℄ SEC. 7
T4N, R14W

REFERENCE:
C.S.B-1983

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Ruled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

763098 CE #247—7-53

F. B. 2394 PG. 22

SEE PG. 23



T-84°

22.95 @ 7-26 = 211.75
22.65 @ 7-10 = 211.78
125.03 @ 2-15 = 124.93
336.69

B-3 SET 1X2" NAIL S. TOP RIBCIE 7+16.58'N

336.69' LINE

B-2 SET 1X2" NAIL TOP SPUR 3+79.89'N

325.57' SECTION

T-88°

263.04 @ 18-04 = 250.07
263.46 @ 18-21 = 250.06
76.48 @ 9-11 = 75.50
325.56
.01
325.57

B-1 SET 1X2" NAIL TOP SPUR 0+54.32'N

54.32' CENTER

T-84°

60.03 @ 25-12 = 54.32
60.67 @ 26-27 = 54.32
54.32

SEC 7

250'±

FD. 1X2" NAIL PAGE 6'

SEE PG. 6 FOR THIS LINE

SEE PG. 6
1/4 COR. SEC. 7-18
FD. C.S. MON. 74N
MARKED R14W
SEE C.S. B- 1983

800'±

T4N
SEC. 7
SEC. 18
1/4 COR.
MONUMENT

SEC 18

88° 28' 30"
88° 28' 30"
33 53 40
61 70 51 00
88° 28' 30"

SET 1X2" NAIL TOP SPUR
LINE PROD FROM NORTH.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER	Survey of Tick Cyn. Rd.	F. B. 2394 Pg. 23
Map No.	JN 75-76 Tape 198 Std. 34 °F	
Office Work	Surveyed by C. L. Wright	
Checked	Notes C. L. W. Date 25 JUNE 56	
Date	Indexed C. Johnson	

SEE Pg. 24

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red. Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

763098 CE #247—7-55

T4N R14W
SEC. 7

B-6 SET 1X2 NAIL TOP SPUR — 17+80.81 N — TICK CYN. LINE

237.02

T 94°
240.64 @ 10-00 = 236.98
240.75 @ 10-06 = 237.02
237.00
.02
237.02

B-5 SET 1X2 NAIL TOP SHARP SPUR — 15+43.79 N — SECTION

381.64

T-74°
289.24 @ 5-40 = 287.83
LEVEL 19.37
LEVEL 10.06
64.40 @ 2-58 = 64.40
381.66
.02
381.64

MAIN DIBBLE RIDGE

B-4 SET 1X2 NAIL TOP MAIN RIDGE — 11+62.15 N

N 12° E MAG

445.57 — CENTER

T 82°
184.78 @ 10.06 = 181.92
184.54 @ 9-41 = 181.91
198.59 @ 2-39 = 198.33
65.76 @ 6-30 = 65.34
445.58
.01
445.57

B-3 SET 1X2 NAIL S. TOP RIDGE — 7+16.58 N

SEE Pg. 22

F. B. 2394 PG. 24

SEE PG. 25

B-10
SET 1X2 & NAIL TOP BRK

E-W @ SEC. 7

27+46.35 N

SEE PG 31 FOR. CEN. SEC. 7

26+98.68 N INT.

26+87.94 W. T 88°

107.36 @ 8-01 = 102.10

107.08 @ 7-33 = 102.10

102.10

102.10 LINE

B-9
SET 1X2 & NAIL TOP BRK.

26+44.25 N

T 78°

174.10 @ 11-36 = 170.54

174.25 @ 11-51 = 170.54

170.54

170.53

B-8
SET 1X2 & NAIL TOP LONG SPUR

24+73.72 N

T 72°

292.41 @ 14-29 = 283.12

292.23 @ 14-22 = 283.09

283.10

283.08

283.08 SECTION

B-7
SET 1X2 & NAIL ON NOSE OF SPUR

21+90.64 N

T 84°

139.02 @ 6-35 = 138.10

300.41 @ 25-15 = 271.71

300.71 @ 25-21 = 271.79

271.73

409.83

409.83 CENTER

B-6
SET 1X2 & NAIL TOP SPUR

17+80.81 N.

SEE PG. 23

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TEA CYN. RD.
JN 00715.70 Tape 148 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. S. W. C. Johnson Date 26 JUNE 59
Indexed

F. B. 2394 PG. 25

W.S. 11-82

SEE PG. 26

B-12
SET 1X2" NAIL ON SHARP SPUR.

32+28 58N

T 1N R 14W SEC. 1

T 80°
232.31 @ 16-50 = 222.36
232.87 @ 17-17 = 222.36
222.36
01
222.35

222.35

B-11
SET 1X2" NAIL BOTTOM WIDE DRAW

30+06 23N

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

152 59 20
305 58 40
152 59 20

259.88

T-86°
261.86 @ 7-03 = 259.88

59' 20"
15°

SECTION

B-10
SET 1X2" NAIL TOP BRK.

27+46 35N.

21.80

FD. OLD 3/4" IP. UP 36" NO PLUG.

5.60

48.64

48.64

T-84°
49.06 @ 7-30 = 48.64

SEE PG. 31 FOR INT. OF E-W & ℄ THIS LINE FOR CEN. SEC.

26+98 29

24.54 CALC.

FD. 1X2" NAIL TOP SPUR

T-84°
57.35 @ 19-34 = 54.93
54.04

FD. 1 3/4" I.P. W/ OGEE PLUG NAIL & TAG # L.S. 2371 UP 2"

26+97 71

CENTER

SEE PG. 24

76308S CE #247—7-55

F. B. 2394 PG. 26

SEE PG 27

B-15
SET 1X2 & NAIL NEAR TRANSCONTINENTAL TEL. LINES
38+23.02 N
T 80°
257.65 @ 14-46 = 249.14
257.37 @ 14-31 = 249.15
249.14
.01
249.13
38+17
38+13
TRANS-CONTINENTAL TEL. LINES
TEL. POLE # 4275 & PT. IN PACIFIC LINES
249.1
LINE
T.4N R.14W
SEC. 7.
FD. 1X2 & NAIL TOP SPUR
B-14
SET 1X2 & NAIL TOP SPUR
35+73.89 N
144° 28' 35"
CALC. 22.93
SECTION
217.47
CALC. 23.19
35+50.96
32.61
45° 19'
Δ 45 19 00
Δ 90 38 00
45 ÷ 19 - 00"
FD. #60 & WIRE SPIKE & TIN (OLD)
T 80°
218.04 @ 4-07 = 217.48
.01
217.47
Δ 144 28 20
Δ 217 54 20
Δ 146 51 30
144° 28' 35"
B-13
SET 1X2 & NAIL TOP SPUR
33+56.42 N
T-80°
128.60 @ 6-14 = 127.84
65'
3.11
3.18
32+53.31
FD. 1X2 & NAIL TOP SPUR
127.84
CENTER
TO & PG. 31
B-12
SET 1X2 & NAIL TOP SHARP SPUR
32+28.58 N

SEE PG. 25

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TICK CYN RD.
JN 00 75 70 Tape 198 Std 84 °F
Surveyed by C. E. WRIGHT
Notes C. L. W. Date 29 JUNE 59
Indexed C. Johnson

F. B. 2394 PG. 27

COUNTY ENGINEER B.M. T 201 R. E. 5868

SEE PG 28

T-96° 45+08 05 N.
269.16 @ 1-24 = 269.08
.02
269.10

B.M. T 201 SET C.E. BUTTON MONUMENT UP 5" ON N-S. & SEC. MARKED

269.10 LINE

T4N R14W

SEC. 7

CYN. FL. FL. WASH

T+00

136'

B-17 SET 1X2 NAIL IN BOTTOM OF TICK CYN.

42+38 95 N

T-88°

269.87 @ 4-07 =

269.17
.01
269.18

269.18

58 1/3'

0 61

T-24 N SEE PG. 66

FD 1X2 ¢ NAIL TOP BRK

B-16 SET 1X2 ¢ NAIL TOP BRK.

39+69 22 N

T 84°

148.26 @ 8-11 =

146.75

SEE PG 43-44 FOR THIS INT.

"T" LINE

SECTION LINES

B-15

38+28 02 N

SET 1X2 ¢ NAIL NEAR TEL. POLE # 4275

POWER

EDISON CO.

CENTER

SEE PG 26

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

763095 CE #247—7-53

F. B. 2394 PG. 28



RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER	Survey of TICK CYN. RD.	F. B. 2394	PG. 29
Map No.	JN 0075.70 Tape 196 Std 84 °F		
Office Work	Surveyed by C. L. WRIGHT		
Checked	Notes C. L. W. Date 7/14/59		
Date	Indexed C. Johnson		

THE E. ½ W. ½ SEC. 7
T 4 N, R 14 W.

REFERENCE:
C.S. B-1983

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Data and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-53

F. B. 2394 PG. 30



RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 16-82

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TICK. CYN. RD
JN 00751 Tape 198 Std 84 °F
Surveyed by C. L. LUKMAN
Notes C. L. W Date 1 JULY 59
Indexed C. Johnson

F. B. 2394 PG. 31

SEC 7

SEE PG 32

317 49 94 W.

SEE PG 32 FOR THIS ANGLE

T 4 N R 14 W

C-8 SET 1x2 NAIL TOP SPUR

T-96°

283.93 @ 1-45 = 283.80 + .02 = 283.82

283.82

LINE

283.82

28+66 12 W

C-7 SET 1x2 NAIL TOP SPUR

7.45

T-96°

152.10 @ 6-53 = 151.00 + .01 = 151.01

28+58 67 W

FD. OLD 1x2 NAIL TOP SPUR

0.91

151.01

COUNTY ENGINEER R 14 W T 4 N CTR. SEC. 7 R.E. 5869 1/4 COR

SECTION

TO B-13 PG 36.

C-6 SET 1x2 NAIL TOP SPUR

27+15 11 W.

T 94°

29.98 @ 25-01 = 27.17

30.48 @ 27-00 = 27.16

27.17

2.74

27+12 37 W

FD. OLD 1x2 NAIL AS PD. ON PG 25

0.94

27.17

27+46 35 N

B-10 FD. 1x2 NAIL ON TOP BRK. PG. 24-25

B-12 FD 1x2 NAIL PG. 25

SET C.E. MON. 2" I.P. BRASS CAP UP 3" MARKED

47.67

CENTER

SECTION LINE

26+87 94 W. = 26+98 68 N.

INT. OF STRAIGHT LINES BETWEEN THE E. & W. AND THE N. & S. 1/4 SEC. CORS. OF SEC 7. T 4 N R 14 W = CEN. SEC. 7

T-94°

48.84 @ 2-34 = 47.67

48.97 @ 13-15 = 47.67

CENTER

91°

20 CALC.

SEE PG 30

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
7700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-55

F. B. 2394 PG. 32



RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER	Survey of Tick Cyn. Rd.	F. B. 2344	Pg. 33
Map No.	JN 0075.10 Tape 148 Std 84 °F		
Office Work	Surveyed by C. L. WRIGHT		
Checked	Notes C.L.W. Date 6 JULY 59		
Date	Indexed C. Johnson		

T4N

WS 16-32

SEC 12

END OF LINE

56+09.87 W

1/4 COR FD C.S. MONUMENT MARKED R14W T4N

COUNTY SURVEYOR'S MONUMENT R15W SEC 12 + SEC 7 R14W T4N

SEE CSB-1983

R14W

SEC 12

T-100°

226.37 @ 0-28 = 226.36

194.42 @ 3-09 = 194.43

LEVEL 422.79

984.12

LINE

300.08 @ 6-47 = 297.98

136.39 @ 3-45 = 136.10

984.02

984.12

46+25.75 W

C-11 SET 1x2 C NAIL NORTH SIDE OF KNOB

653.96

300'± SECTION

T 100°

193.68 @ 11-19 = 189.91

193.44 @ 10-59 = 189.90

189.90

LEVEL 177.93

294.16 @ 13-29 = 286.05

294.34 @ 13-37 = 286.07

286.06

653.89

653.96

SINGLE DIRT TRACK RD.

C-10 SET 1x2 C NAIL TOP OF SPUR

39+71.79 W.

96.7 @ 24-02 = 88.3

88.3

CENTER

TRANS CONTINENTAL TEL. POLE # 4252

25'±

38+74.8 W

TELEPHONE LINES

SEE PG 32

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 700 LOS ANGELES COUNTY ENGINEERING BLDG.

76FSOBS CE #247 8-57

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TICK CYN. RD.
JN 00758 Tape 148 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 14 JULY '59
Indexed C. Yonkers

F. B. 2394 Pg. 35

THE EAST ½ OF THE NORTH LINE OF SECTION 7 T4N, R14W

REFERENCE:
F.B. 738
C.S.B-1983

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE #247—3-57

F. B. 2394 Pg. 36

SEE Pg 37

T 4 N R 14 W

WS 16-32

D-5
SET 1x2 6" NAIL TOP SPUR (E. BRK.)
4+10 42
9.48

T 92°
LEVEL 9.48

D-4
FD OLD 1x2 NAIL TOP SPUR
4+00 94
19.91

T 92°
LEVEL 19.91

LINE

D-3
FD. OLD 1x2 NAIL W. BRK SPUR
3+81 03
341.59

T 92°

259.67 @ 3-58 = 259.05

89.70 @ 23-04 = 82.53
89.35 @ 22-33 = 82.52

82.52
341.57
341.59

D-2
FD. OLD 1x2 6" NAIL E. BRK. - SPUR
0+39 44

SECTION

12.69

91°

27'

33 1/3"

LEVEL 12.69

① 91-27-40
② 5+ 90- 30
③ 88-45-25
91-27-35 1/3"

D-1
FD. OLD 1x2 6" NAIL W. BRK SPUR
0+26 75

T 94°
32.98 @ 35-47 = 26.75
31.86 @ 32-56 = 26.74

26.75

26.75

SURVEYOR
COUNTY
RAW
SEC 6
SECT
1/4 COR.
R 21 W

SEE Pg 41 FOR THIS △

MARKED

TO CEN. SEC. Pg 31

FD. 1/4 COR PAGE 28

SEE C.S. B-1983

B-18 FD 1x2 NAIL Pg. 28

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TICK CYN. RD.
JN 00 75.70 Tape 148 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date 14 JULY '59
Indexed C. Johnson

F. B. 2394 PG. 37

T4N R14W

SEE PG 38

D-8
SET 1"x2" NAIL
BOT. TICK CYN.

10+93.26

263.64

TICK FL.

FT. WASH

84696

T = 98°
263.84 @ 2-21 = 263.62
.02
263.64

40'

SET C.E. BUTTON
MONUMENT TOP
LOW SHARP SPUR UP 5"
B.M. T 202
MARKER

8+29.62

T = 98°
148.166 @ 1-36 = 148.60
.01
148.61

LINE
148.61

COUNTY ENGINEER
20
R. E. 5808

SEE PG 36

Fd. 1" I.P. No Plug UP 66"

6+86.0

5°

D-6
SET 1"x2" NAIL
BOT. DRAW

6+81.01

SEE PG 37

5+75.62

Fd 2" I.P. No Plug UP 48"

SECTION
115.20
270.59

T = 98°
295.78 @ 23-50 = 270.56
295.28 @ 23.36 = 270.58
270.57
.02
270.59

T = 98°
134.00 @ 30-43 = 115.20
.01
115.21

D-5
SET 1"x2" NAIL
E. BRK. SPUR

4+10.42

SEE PG 36

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F309S CE #247 8-57

F.B. 2394 Pg. 38



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of Tick Cyn. Rd.
JN 20757 Tape 148 Std 84 °F
Surveyed by C. L. WRIGHT
Notes
Date 5 JULY '59
Indexed

F. B. 2394 Pg. 39

SEE PG 40

FD. 1" I.P. NO PLUG UP 4.8"

26+18.1

1.1

D-14 SET 1"x2" NAIL TOP SPUR

26+17.01

T 86°

300.60 @ 16-57 = 287.54
300.43 @ 16-50 = 287.56 = 287.55
64.72 @ 0-24 = 64.72
352.27

352.27 LINE

FD. 1/2" I.P. WITH 1/2" EYEBOLT DRIVEN INSIDE UP 60"

0.10

22+68.3

3.6

D-13 SET 1"x2" NAIL TOP SPUR

22+64.74

T 88°

221.23 @ 21-39 = 205.62
221.68 @ 21-57 = 205.61 = 205.61
205.62

205.62 LINE

D-12 SET 1"x2" NAIL TOP LOW SPUR

20+59.12

3.1

20+56.0

0.08

FD. 3/4" I.P. WITH 1/2" EYEBOLT DRIVEN INSIDE UP

T 90°

285.37 @ 8-24 = 282.31
282.32

282.32 SECTION

D-11 SET 1"x2" NAIL TOP BRK.

17+76.80

3.0

17+46.6

FD. 1" I.P. WITH 1/2" I.P. DRIVEN INSIDE UP 60"

0.10

SEE PG 38

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F9088 CE #247 9-57

F. B. 2394 Pg. 40

T4N R14W

N 45.46 W 82.18

SEC 5

SEC 6

SEC 7

C.S.B-1983

END OF LINE

MARKED F.B. 738-87
FD. SEC. COR. P.B.C. MON.

27+30.98

T 84°
44.15 @ 12-32 = 43.10
43.98 @ 11-29 = 43.10 = 43.10

43.10

FD. W.C. SEC. COR.
P.B.C. MON.
MARKED

26+87.88

F.B. 738
Pg. 75-87

C.S.B-1983

T-84°
72.81 @ 13-15 = 70.87
72.66 @ 12-44 = 70.87 = 70.87

70.87

SECTION LINE

D-14
SET 1×2 & NAIL
TOP SPUR

26+17.01

SEE Pg. 39

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TICK CYN RD.
JN 80 75 1/2 Tape 198 Std. 84 °F
Surveyed by C. L. WARNER
Notes C. L. W. Date 5-JULY '59
Indexed E. O. Johnson

F. B. 2394 PG. 41

W.S. 16-32

C.S. B-1983

SEC 6

1/4 COR FD P.B.C. MON. PG. 36

PAGE 36 26.75

D-1 FD. 1X2 & NAIL PG. 36

TAN RANN

To T-24A Pg. 6

SEC 7

39° 10' 49" 66

LINE

91° 27' PAGE 36

T 82°
252.33 @ 4-16 = 251.63
LEVEL 48.67
194.45 @ 3.07 = 194.16
494.46
.01
494.45

PAGE 28 494.54

494.45

SECTION

B-18 FD 1X2 & NAIL Pg. 28, 36

①	176	53	20
②	347	34	20
③	341	21	40
	176°	53'	36 2/3"

CENTER

SEE Pg. 28

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-55

Notes Ck'd by W. J. BRENNER	Survey of Tick Canyon Rd.
Map No.	JN 00 15.70 Tape 148 Std. 84 °F
Office Work	Surveyed By C. L. Wright
Checked	Notes C. L. W. Date 28 July '59
Date	Indexed A. C. Johnson

F. B. 2394 PG. 43

W5 16-82

T-88° SEE PG. 44

LEVEL 70.45

NORTH 70.45 SOUTH

LEVEL 16.93

B-16 1x2 FD. NAIL & PAGE

T-24 INT. SET 1x2 ℄ NAIL

57+94 43

57+77 50 16.93

T-23 SET 1x2 ℄ NAIL ON NOSE OF SPUR

46 CALC. 70.4 52.7 CALC.

TEL POLE # 4275

ANCHOR GUY

℄ SEC 7

72.2 @ 2-02-70.4

40° 30'

LEVEL

217.98

TELEPHONE

TEL POLE # 4276

80.2 @ 13-20-77.8

68

ANCHOR GUYS 56+37

5° 02'

#4277 #J 21-78 #E-39

ANCHOR GUYS

TRANSCONTINENTAL

CALC. 77.5

56+06

T-80°

219.14 @ 5-55 = 217.99

.01

217.98

56+05.3

40° 35' 47° 25' 51° 00'

SAG

51.98 CALC.

50.9 CALC.

56+00.7

TEL. POLES #2

ANCHOR GUYS

71.7 67.7 46.5 77.7 CALC. 65.5 CALC.

55+59 52

T-22 SET 1x2 ℄ NAIL TOP SPUR

SEE PG. 20

79.2 @ 24-45 = 71.7

75.2 @ 25-24 = 67.7

72.2 @ 24-30 = 65.5

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

763095 CE #247—7-59

F. B. 2394 PG. 44

SEE Pg. 45

62+49 1

62+47 97

T-27
SET 1x2
ENAIL
TOP SPUR

CALC. 1½

37° @ 14-10 = 35?

35?

P. POLE #1155226E

T 96°

184.27 @ 4-56 = 183.59
183.81
183.60

① 156 36 40
② 266 26 40
③ 219 40 10
156° - 36' - 41⅓"

15° 40'
64° 40'

60+64 37

T-26
SET 1x2 NAIL
ON S.H.

ANCHOR GUY

60+63±

1°
7½

P POLE #
1155225E

EDISON

T 94°
186.35 @ 2-19 = 186.20
.01
186.21

186.21

67° 52'
67 15"

To T-25A

1008.46
SEE PG 67

POWER

TELEPHONE LINES

58+78 16

T-25
SET 1x2 NAIL

92⅓ @ LEVEL =
83° @ 8-22

92⅓

82

71°
CALC.

58+X85

70⅔
CALC.

TEL. POLE
42-74
2ATT

SEE PG. 27
NORTH-SOUTH R. SEC. 7

49° 40'

CALC.
4½

58+107?

34° 21' 35"

30° 05'

P POLE
1155224E

TRANSMISSION LINE

① 34 - 21 - 30
② 137 - 26 - 40
③ 206 - 09 - 30
34° - 21' - 35"

T 88°
LEVEL
83.73

T-24
SET 1x2 NAIL INT.

57+94 43

SEE Pg. 43

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of Tick Cyn. Rd.
JN 0075.79 Tape 14' Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 28 July 59
Indexed C. Johnson

F. B. 2394 Pg. 45

SEE Pg. 46

①	155	54	40
②	26	38	20
③	221	27	10
	156°	54'	31 2/3"

69+52 ℄

35℄ @ 9-03 = 33 ✓

TEL. POLE #4260 #J2A-73

P. POLE #1155228E

T.B.M. SET ON THIS POLE

68+53 ℄

68+29.20 ℄ T=29 SET 1X2 & NAIL TOP OF SPUR

130 ✓ @ 9-23 = 129 ✓

247.78

T-100' LEVEL

245.58 @ 5-23 =

	3.25
	244.50
	247.75
	.03
	247.78 ✓

T=28 SET 1X2 & NAIL TOE OF SLOPE

P. POLE #1155227E

65+81.42 ✓

65+80.3

333.45 ✓

T-96' LEVEL

300.39 @ 7-24 =

	35.53
	297.89 ✓
	333.42 ✓
	.03 ✓
	333.45 ✓

IDENTICAL

62+47.97 ✓

T-27 SET 1X2 & NAIL TOP SPUR

SEE Pg. 44

POWER

EDISON

TELEPHONE

TRANSCON TIDELAND

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247 7-59

SEE PG. 47

F. B. 2994 PG. 46

T-33 SET 1X2 & NAIL

80+04 50

T 90°

259.84 @ 3-04 = 259.47

01

259.48

91.53

20 Adj

+0 1/3

259.48

T 90° @ 4-38 = 91.53

91.83

91.53

123° 00' Calc'd PC

77+45 02

T-32 SET 1X2 & NAIL INT. PG. 38 REPLACED WITH 3/4" I.P. W/ CONC. PLUG & L.A. CO. ENGR TAG, AT SAME ELEV 1-OCT-64 J.GR.

T 90°

D-9 FD. 1X2 & NAIL PAGE 38

141.73

141.79 @ 1-51 = 141.72

01

141.73

SEC. 6

SEC. 1

T 4 N R 14 W

T-31 SET 1X2 NAIL ON S.H.

76+03 29

445.02

T 84°

234.06 @ 2-09 = 233.90

LEVEL 211.12

445.02

POWER

T-30 SET 1X2 & NAIL

71+58 27

REPLACED WITH 3/4" I.P. W/ CONC. PLUG & LA. CO. ENGR TAG, AT SAME ELEV 1-OCT. 64 J.GR.

329.07

T 84°

225.69 @ 3-05

225.36

69+52 P POLE # 1155228E

39 S

GUY WIRE

104.54 @ 1-13 = 103.71

329.07

122.8

68+29 20

T-29 SET 1X2 & NAIL TOP SPUR PG. 45

EDISON

SEE PG. 45

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TUCK CANYON RD.
JN 007 S.7 Tape 148 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 29-JULY-59
Indexed C. Johnson

F. B. 2394 PG. 47

SEE PG. 48

T-36
SET 1X2 ℄ NAIL

TRANS CONTINENTAL CABLE SUSPENDED

104'±

92+56 55

80' ±

91+52 5

RIVER

TELEPHONE

WASH

FL.

CYN. LINES BOTTOM

508.03

88+88 5

T-102°

207.94 @ 3-42 = 207.51

300.61 @ 1-49 = 300.46

507.97
.06
508.03

CYN FL.

140'±

TICK FL.

87+48 50

T-35
SET 1X2 ℄ NAIL
TOP CUT BANK

T-94°

54.06 @ 8-03 = 53.53

300.66 @ 1-02 = 300.61

354.19
.02
354.16

354.16

GUY WIRES

POLE # 1155233E

398

83+94 34

29°

T-34
SET 1X2 ℄ NAIL

REPLACED WITH 3/4" I.P. W/ CONC. PLUG & L.A. CO. ENGR. TAG AT SAME ELEV. 1-OCT-49 J.G.R.

389.84

T-94°
LEVEL 89.78

300.16 @ 1-41 = 300.03

389.81
.03
389.84

POWER

EDISON

TO P.B. 37-38 PG. 69

11°10'15" PG. 69

80+04 50

T-33
SET 1X2 ℄ NAIL

SEE PG. 46

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763095 CE #247 7-59

F. B. 2394 PG. 48

SEE PG 49

①	162	33	00
②	290	11	10
③	255	16	40
	162°	32'	46 2/3"

SECTION

101+82 18
T-38
SET 1X2
& NAIL

REPLACED WITH
3/4" I.P. W/ CONC.
PLUG | L.A.CO. ENGR.
TRS. AT SAME ELEV.
SD P-64 - J.G.R

133.43

40 ANJ

POWER

W.S. 16-82

SEE Pg. 64
SET 1X2 INT.
101+38 24 "T" LINE =
20+13 06 N. SEC LINE.

162°

100+49 18

RD

DIRT

T4N
R14W

568.96

Pg. 64
37° 31' 20" E
2.54

98+93

SEC. 5

LINE

EDISON

TRACK

T-104°
120.57 @ 7-07 = 119.64
LEVEL
193.83 @ 0-24 = 255.42
193.83
568.89
.07
568.96

2980

672.74 TO T-37A
SEE M. 68

ONE

T-37
SET 1X2
& NAIL

96+13 22

356.69

9°
Pg. 68
55'
00 1/3"

T-104°
232.41 @ 2-07 = 232.25
124.50 @ 2-27 = 124.39
356.64
.05
356.69

T-36
SET 1X2 & NAIL

92+56 53

SEE PG. 47

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TICE CYN. RD.
JN 00 15; 10 Tape 148 Std. 34 °F
Surveyed by G. L. WILKINSON
Notes C.L.W. Date 30-JULY'53
Indexed C. Johnson

F. B. 2394 PG. 49



CALC. 120±
SEE PG. 59 107+64±
TEL. POLE 42/4
127±
71° +12'
CALC. 405'
128' @ 7-28
107+23.5±
T-40
SET 1X2 ℄NAIL
ANCHOR GDY
51°
CALC.
105+50±
TEL. POLE # 42/6
33° 48'
249.51'
CALC. 76'
92° T
249.96 @ 1-/5 =
249.50
.01
249.51
92± @ 8-17 = 91± 9/16
104+74.01'
T-39
SET 1X2℄NAIL
POWER
92° T
291.95 @ 1-48 =
291.81
.02
291.83
159' @ 1-38 =
P.P.
103+36'
CALC. 399
P. POLE # 11 55239E
TEL. POLE # 42/9
102+60±
31°
47.5
CALC.
291.83'
CALC. 153±
CALC. 78±
1/59.01
91± @ 6-41 = 91 1/3
9/13
T-38
101+82 18'
SET 1X2 ℄NAIL
REPLACED SEE PG. 48
EDISON
SEE PG. 48

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763095 CE #247—7-53

F. B. 2394 PG. 50

SEE PG. 51



SEE PG. 49

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER	Survey of TICK CYN. RD.	F. B. 2394 Pg. 51
Map No.	JN 07570 Tape 148 Std 84 °F	
Office Work	Surveyed by C. L. WRIGHT	
Checked	Notes C. L. W. Date 30 JULY 59	
Date	Indexed C. Johnson	

W5-16-60

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-59

SEE PG 52

131+28.2 CALC 19 P. POLE #1155249E

CALC 102 37° 59, 129.5

PAVED

130+26.06 T-46

SET 1X2 & NAIL BOTTOM TICK CYN.

8.04 487

130+18.02

FD 3/4" I.P., PLUG & TAG #L.S. 2747

130+04.7

TICK CYN. RD. WASH

36'

129+68.7

P POLE # 1155248E 129+12.8

59½

FIRST

EDISON

ROAD

T=110°

LEVEL

14° 11'

300.32 @ 5-33 = 48.40 / 298.91 / 347.31 / .06 / 347.37

241.5 @ LEVEL

241.5 290.23 347.37

SEWER

456° 21'-1

T-45 SET 1X2 & NAIL TOP ROUNDING SPUR 126+78.69

①	156	22	00
②	265	27	00
③	218	11	00
	156°	21'	50"

50=

559 @ 17-58 = 532

532

520.61

PPOLE #1155247E

T-102°

221.66 @ 6-51 = 220.08

300.56 @ 8-48 = 300.53

520.61 / .06 / 520.67

126+43.8

121+58.02

T-44 SET 1X2 & NAIL

SEE PG 50

F. B. 2394 PG. 52

SEE PG. 53

THIS INFO. ADDED 18-MARCH '60 C.L.W.



SEE PG. 51

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of Tick Cyn. Rd.
JN 00775.70 Tape 148 Std 84 °F
Surveyed by C.L. & W.A. Gantt
Notes C.L.W. Date 3 Aug. '59
Indexed C. Johnson

F. B. 2394 Pg. 53

SEE Pg. 54

T-50
SET 1x2 & NAIL
141+97 68

252.80

T-90°
253.63 @ 4-40 = 252.79
.01
252.80

T 49
SET 1x2 ø
NAIL TOP
LOW SPUR
139+44 88

3 ANCHOR GUYS

T-88°
156.69 @ 5-48 = 155.89
95.45 @ 3-59 = 95.42
251.31
.01
251.32

52.1 CALC.
137+52 9

TRANSFORMER POLE #
120935 IE

251.32

CALC. 50.3

79° @ 2-40 = 78 9

86° @ 3-16 = 85 9

136+93 56

T-48
SET 1x2 ø
NAIL

21.1 CALC.

85 9

83.1 CALC.

P. POLE (SERVICE POLE TO CABIN) #35519E

136+71 9

T-84°
63.67 @ 3-17 = 63.57
300.36 @ 5-42 = 298.87
362.44

TO CABIN

362.44

EDISON

T-47
SET 1x2
& NAIL
TOP ROUNDING SPUR
133+31 12
REPLACED SEE PG. 52

SEE Pg. 52

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763095 CE #247—7-59


SEE Pg. 55
F.B. 2394 Pg. 54
62 17 20 1
124 34 20 11
62° 17' 10" T 90°
42.83 @ 13-10 = 41.70
62° 17'
CALC. 93.9
CALC. 36.92
145+93.2
FD. 2x2 & TACK
145+96.41
53.6 CALC.
56°
41.70
POLE # 209354E
ANCHOR GUYS
T-51
SET 1x2 & NAIL ON RIM ROCK
145+77.9
POWER
28.7 CALC.
106°
N 1° T S N
SEC 32
10 1/4 COR Pg. 65
SEC 5
T 4 N
R 14 W
LINE
45.4 @ 7-25
45.0
11.0
56.01
LEVEL
EDISON
145+48.29
127.13
SET BOLT SPK. IN ROCK Pg. 65
C.S.B. 1983
CALC. 73.0
18. Pg 65
32"
WITNESS COR. SEC. 5-32 T4N-T5N R14W Pg 65 FB. 1260-57
79.34
TELEPHONE
T 92°
153.44 @ 2-28 = 149.82
153.27 @ 2-1/2 = 149.81
149.81
34.56
194.95
379.32
.02
379.34
144+27.20
SET CH. NAIL
LEVEL
32.6 @ 10-33 = 32°
190.48 @ 7-09 =
320
35'
TEL. POLE # 4162
146
229.52
83°
13'
40"
TRANSCONTINENTAL
64.12 @ 1-19 = 64.10
92° 57'
CALC. 7.56
142+05.24
141+97.68
CALC. 63.65
64.10
WOOD FRAME CABIN
123.0
68.93
20.22
T-50
SET 1x2 & NAIL
141+94.13
3.58 CALC.
68.84 CALC.
68.95 @ 1-19 = 68.93
SEE Pg 53
RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
45-C6

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of Tick Cyn. Rd.
JN 00752 Tape 148 Std 84 °F
Surveyed by C.E. Workman
Notes Date 13 Aug 59
Indexed K. C. Johnson

F. B. 2394 Pg. 55

W5-64-26

SEE PG. 56

T-53
SET 1x2
9 NAIL TOP
BRK

153+32.19

T-100°
125.32 @ 5-57 = 124.64
300.41 @ 3-03 = 299.98
424.62
04
424.66

424.66

66.8 @ 26-39 = 59.7

REPLACED WITH
3/4" I.P. CONC PLUG,
L.S. CO. END TAG
F.B. 1260-234
DEC '64
C.L.W.

149+07.53

T-52
SET 1x2
9 NAIL ON
C.H.

59.7

CALC. 24.3

155° 24' 10" A

155° 24'

60°

54.5
CALC.

148+83.2

ANCHOR GUY

P POLE #
209355E

EDISON

330.51

T 90°
LEVEL
286.71 @ 0-43 = 43.81
286.69
330.50
01
330.51

POWER

145+93.2 53.2

P. POLE # 209354E
PAGE 54

T-51
SET 1x2
9 NAIL ON
RIM ROCK

145+77.02

SEE PG. 54

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

763095 CE #247—7-53


F. B. 2394 PG. 56
SEE PG. 57
48'
163+36
REPLACED WITH 3/4" I.P. CONC. PLUG L.A. CO. ENGR TAG @ SAME ELEV. C.L.W. DEC. '64 PG. 162
T-56
SET 1"x2" 10P SPIKE & NAIL BRK.
T 98°
140.92 @ 3-56 = 140.59
186.91 @ 4-35 = 186.31
326.90
.03
326.93
S 26° E
139'
75°
10'
P. POLE #/209359E
C10 @ 8-40 = 59.3
160+24.75
CALC 57.3
CALC 1.52
160+09.55
T-55
SET 1"x2" SPIKE & NAIL
T 98°
59.52 @ 8-58 = 58.79
300.05 @ 1-00 = 300.00
358.79
.03
358.82
358.82
156+79.8
165 06 50
300 27 00
270 40 20
165° 06' 43 1/3"
49° 45'
33.2 CALC
45.3
39.4 CALC
P. POLE # 209358E
45.5 @ 14° 23' 44"
44'
156+50.73
T-54
SET 1"x2" & NAIL TOP SPUR
REPLACED WITH 3/4" I.P. CONC. PLUG L.A. CO. ENGR TAG @ SAME ELEV. DEC. '64 C.L.W. PG. 161
POWER
90°
318.54
T 100°
LEVEL 18.20
300.45 @ 1-44 = 300.34
318.54
.03
318.54
EAVES
T-53
SET 1"x2" & NAIL
153+32.19
SEE PG. 55
RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TICK CYN. Rd.
JN 0075.70 Tape 142 Std. 84 °F
Surveyed by C.L. LaFrenier
Notes C.L.W. Date 3-Aug 59
Indexed C. Johnson

F. B. 2394 Pg. 57

W.S. 32-C9

SEE PG 58

T-58
SET 1X2"
NAIL ON S.H.
TOP BRK.
REPLACED WITH
3/4" I.P. W/ CONC. PLUG
L.A. CO. ENGR. TAG
AT SAME ELEV.
SEP-64 J.G.R.
J.G. RANDALL

174+69.56

443.69

T-64°
LEVEL
298.29 @ 4-02 =
LEVEL

17.12
297.55
129.08
443.75
.06
443.69

T-57
SET 1X2" NAIL
ON S.H.

170+25.87

POWER

689.39

T-90°
139.89 @ 7-48 = 138.60
254.07 @ 3-57 = 253.47
297.39 @ 1-31 = 297.29
689.36
.03
689.39

50' N
46 2/3

55° 50'

P. POLE #
1209360E

22'

163+51.8

292 @ 20-31 =
27 3

22.6

@ 151 22 40
@ 245 31 00
@ 188 16 40
151 - 22 - 46 2/3

27 3

15 3

163+36.48

T-56
SET 1X2" NAIL
TOP BRK.
REPLACED WITH
3/4" I.P. CONC. PLUG
L.A. CO. ENGR. TAG @
SAME ELEV.
C.L.W. DEC. '64
PG. 162

15'

EDISON

SEE PG 56

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

783093 CE #247 7-53

F. B. 2394 PG. 58



① 158 19 40
② 273 18 00
231 56 40
158° 19' 26 2/3"

174° 42 20
338 49 40
328 14 50
174° 42' 28 1/3"

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made and Name of Person Making Change. Ink With Date and Circled in Red

Notes Ck'd by W. J. BRENNER	Survey of TIEK C/N. RD.
Map No.	JN 00/5.70 Tape 148 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date 23-SEPT'59
Date	Indexed C. Johnson

F. B. 2394 PG. 59

VS 72-C6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-53

SET BOAT SPK & T. ON ℄ OF DAVENPORT ROAD
SEE PAGE 60 T-62 190+54 48

THIS LINE

SEE PG. 60 FOR ℄ DAVENPORT RD.

21.18

23 1/3 20 ADJ T-70° LEV. 21.18

123.60 PG.

T-61 SET 1X2 ℄ NAIL S. SHOULDER OF DAVENPORT RD. SEE PG. 60 190+33 30

SEE PG. 60 FOR THIS LINE

T-64 SET 1X2 ℄ NAIL

558.01

7° 62'

199.98 @ 17-14 = 191.00 = 191.00
199.32 @ 6-36 = 191.01
168.51 @ 8 29 = 166.67
200.89 @ 3-56 = 200.42
558.09
.08
558.01

85° 50" 7° 28' 25" 190.99

T 80°
191.02 @ 0-57 = 190.99

①	140	06	00
②	280	23	20
③	240	35	00
	160°	05'	50"

T-60 184+75 29 SET 1X2 NAIL ON S.H. - TOP BRK.

①	7	28	20
②	29	53	40
③	44	50	30
	7 - 28 - 25		

SEE Pg. 61

F. B. 2394 PG. 60

P.I. #15A
FD. 1" I.P. WOOD PLUG & NAIL ON S.H.
F.B. 1260-76

①	96	08	40
②	24	35	10 ✓
③	246	52	40
	96°	08'	46 2/3"

FD 1x2 & NAIL TOP LOW HILL

48.93

T 68°
53.17 @ 23-02 = 48.93
52.78 @ 21-59 = 48.94 ✓ = 48.94
.01
48.93

35.11

FD 3/4" DRILL STEEL - UP 4" TOP BRK.

T-76°
300.83 @ 3-08 = 300.38 ✓
LEV. 12.74

T 70°
LEV. 35.11

T 70°
145.35 @ 9-52 = 143.20
LEV. 108.24
LEV. 203.65
455.09
.05
455.04

55.04

SEE Pg. 59

313.12
.02
313.10

T-63
SET BOAT SPK W. & T.

T-64
SET 1x2 & NAIL ON S.H. TOP BRK.
SEE Pg. 59

96° 08' 46 2/3"

202.49

SEE Pg. 59

T-70°
LEV. 202.51
.02
202.49

21.18

T-61
SET 1x2 & NAIL ON S. SHOULDER OF DAVENPORT ROAD

T-62 Pg. 59
SET BOAT SPK W. & T. ON ℄ ± DAVENPORT RD.

ROCKSIDE ROAD

173°

31'

①	123	31	20
②	134	05	20
③	21	08	20
	123°	31'	23 1/3"

20 ± ℄

820.15

DAVENPORT

T-72°
LEV. 300.36
LEV. 94.75
LEV. 11.66

300.71 @ 8-28 = 297.43
116.29 @ 4-00 = 116.01
820.21
.06
820.15

FD. 3/4" DRILL STEEL & MARKERS "TAN. PROD." USED THIS POINT FOR ℄ PROD. TO EAST.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T.S. 88-C6

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TUCK CYN. RD.
JN 00575.70 Tape 146 Std 84 °F
Surveyed by C. L. W. & HWY
Notes C. L. W. Date 24 SEPT 58
Indexed C. Johnson

F. B. 2394 PG. 61

W.J. 5.78.66

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-53

EAST WIND

DAVENPORT RD.

003

FD. 1" I.P. WOOD PLUG & NAIL UP 3"
R.P.P.I. #15A
F.B. 1260 - 76

T - 64°
185.49 @ 4-35 = 179.51
185.99 @ 15-10 = 179.51
179.51
.02
179.49

T - 78°
89.71 @ 9-16 = 83.60

FD 1" I.P. WOOD PLUG & NAIL TAN. PROD.
P.P.P.I. #16
F.B. 1260 - 79
83.60
002

R.P. P.I. #15A
FD. 1" I.P. WOOD PLUG & NAIL UP 2"
ON S.H. F.B. 1260 - 76

001

179.49

T - 62°
81.74 @ 17-40 = 77.88
81.55 @ 17-15 = 77.88
77.88
.01
77.87

FB. 1260 PG. 79
FD. 1" I.P. WOOD PLUG & PUNCH MARKS UP 2"
T - 75°
LEV. W. 93

93

ROAD

55° 16' 15" 46 3/3

P.I. #16A

FD 1" I.P. WOOD PLUG & NAIL UP 2"
F.B. 1260 - 79

FD NAIL, TAG & TIN IN PVMT. IN ROAD CUT NEAR SUMMIT OF GRADE. TAG # LS. 2747

PROD.
77.87

DAVENPORT

FD. 1X2 & NAIL TOP OF RIDGE TAN. PROD.

FD 1" I.P. - WOOD PLUG & NAIL ON S.H. PG 60
F.B. 1260 - 76

P.I. #15A

① 55	16	50
@ 221	07	20
6331	40	40
55°	16'	46 2/3"

48.93

F.B. 1260 PG. 76

003

FD 1X2 & NAIL PG 60

F. B. 2394 PG. 62

EAST WIND

M.S. 16-B2

SEE PG 63

5+33.49 N

E-2 SET 1X2 9 NAIL-TOP BRK

T4N R14W

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T 84°

33.65 @ 6-48 = 33.41

69.25 @ 8-43 = 68.45

101.86

Top of N 44 W

① 174 16 20
② 337 05 20
③ 325 38 00
174 16 30

70"

4+32.50 N

FD. 2X2 C NAIL

SPUR 0.11

0.88

SEC. 6

174°

4+31.63 N

SEC. 5

E-1 SET 1X2 9 NAIL TOP SPUR

① 91 12 30
② 4 50 00
③ 187 15 00
91 12 30

T-78°

LEVEL

17.59

431.63

221.15 @ 15-25 = 23.19

221.52 @ 15-47 = 23.18

222.61 @ 25-32 = 200.87

222.26 @ 25-20 = 200.88

431.65

.02

431.63

30"

9° 12'

To N. 1/4 COR. SEC. 7

43.10

0+00 N

SEC COR. FD. C.S. MON. PG 40 MARKED

F.B. 738-87

0.02

W.C. SEC COR. SEE PG. 40 F.B. 738-87 MARKED

C.S.B. 1983

COUNTY SURVEYOR T4N R14W 6 5 7 8 W.C. SEC R.E. 2177

COUNTY SURVEYOR T4N R14W 6 5 7 8 R.E. 2177

SEC. 7

SEC. 8

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of Tuck Cyn. Rd.
JN 00 Tp. Tape 148 Std. 84 °F
Surveyed by C. L. WORTHY
Notes C. L. W. Date 24-SEPT 58
Indexed C. TOBIAS

F. B. 2394 PG. 63

SEE PG 64

13+24 42 N
E-5 P.T. 1x24" NAIL TOP SPUR

322.86

T 90°
69.93 @ 9-17 = 69.01
254.91 @ 5-15 = 253.84
322.85
01
322.86

10+01 56 N
E-4 SET 1x2 ¢ NAIL

5.19

9+96 37
FD. 2x2 ¢ NAIL - MOUND OF ROCK
0 25

337.17

T 84°
55.46 @ 4-38 = 55.28
300.93 @ 20-29 = 281.90
300.95 @ 20-30 = 281.89
337.17

6+64 39 N
E-3 SET 1x2 ¢ NAIL ON S.H.

3.34

6+61 05 N
FD. 2x2 ¢ NAIL & MARKER "LOT 83-SW. COR."
0 18

130.90

T 82°
48.35 @ 28.58 = 42.30
48.16 @ 28.34 = 42.30 = 42.30

101.16 @ 28-51 = 88.60
101.53 @ 29-14 = 88.60 = 88.60
130.90

5+33 49 N
E-2 SET 1x2 ¢ NAIL TOP BRK.

SEE PG. 62

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763DS CE #247—7-53

SEE Pg. 71 FOR CONTINUATION

F.B. 2394 Pg. 64

T4N R14W

26+86.82 N

FD. C.S. MON. ON S.H. MARKED C.S.B. 1983

164.99

T-84°
9-42 = 164.99
167.38 @

25+21.83 N

SET 1x2" NAIL TOP SPUR E-8

T-86°
300.66 @ 23-33 = 275.62
300.45 @ 23-22 = 275.64 = 275.63
185.78 @ 9-56 = 182.99
185.70 @ 9-47 = 183.00 = 183.00

458.63

20+63.19 N

458.64

E-7

SET 1x2" NAIL

T-98°
50.84 @ 9-41 = 50.12

50.12

101+82.18 "T" LINE

T-38 FD. 1x2" NAIL Pg. 48-49 REPLACED SEE PG. 48 - JCR

43.94

44.15 @ 5-39 = 43.94

20+130.7 N =

SET 1x2" NAIL

E-6

①	37	31	20
④	150	05	20
⑥	225	08	00
	37°	31'	20"

78'

DIRT ROAD

FL

WASH

FL

SEE

688.65

TO T-37 Pg. 48

37°

TRAVELED

20"

TICK CYN.

TICK CYN.

T-94°
93.71 @ 8-00 = 92.80
163.56 @ 3-11 = 163.31
241.05 @ 6-16 = 239.61

FD. U.S. LAND OFFICE 1½" IP AND 2" BRASS CAP MARKED

13+44.12 N

T-94°
21.55 @ 23-56 = 19.70

4.30'

19.70

200.58 @ 15-56 = 192.87
200.83 @ 16-09 = 192.90 = 192.89

688.61
688.65

13+24.42 N

E-5

SET 1x2" NAIL TOP SPUR

SEE Pg. 63

COUNTY SURVEYOR T4N R14W SEC. 6 SEC. 5 W.S.B.L.M. 1947 ¼ COR. R.E. 2177

U.S. GENERAL LAND OFFICE 1950 PENCIL OFFICE SURVEY FOR REMOVAL S1/16 S5 S6 1947

RETURN TO LOS ANGELES COUNTY ENGINEER 100 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

R15 16-B2

Notes Ck'd by W. J. BRENNER	Survey of Tick Cyn Rd.
Map No.	JN 00 75.70 Tape 148 Std 84 °F
Office Work	Surveyed by C. L. Interrante
Checked	Notes C. & W. Date 25 Sept 53
Date	Indexed C. Johnson

F. B. 2394 Pg. 65

R14W

INTERSECTION OF "T" LINE AND ■ TOWNSHIP LINE T4N, T5N-R14W

Pg. 80

1/4 COR. FD. C.S. MON. ON S. SLOPE OF ROCK-A-SPUR MARKED C.S.B-1983

SURVEYOR'S 1/4 COR. T4N R14W USE LM 1947 T5N R14W

T 76°

75.17 @ 8-42 = 74.31 ✓

75.15 @ 8-32 = 74.32 ✓

= 74.31 ✓

①	61	48	40
②	247	14	40
⑥	10	52	00
	61°	48'	40"

T 76°

31.81 @ 25-23 = 28.74 ✓

31.08 @ 22-25 = 28.73 ✓

28.73

INT. SET BOAT SPK. IN ROCK

74.31 ✓

145 + 48.29 ✓

SEE PG. 76 FOR NEW INTERSECTION

"T" LINE TO T-50

SEC. 32 T 5 N

SEC. 5 T 4 N

145 × 77.92

61° 48' 40" ✓

106° 11' 29"

34.4

SET CONC. NAIL IN ROCK

T-51 FD. 1X2 & NAIL TOP TRIM ROCK PG. 54-55

11° 29' 51 1/3"

138.18 ✓

127.13

123.69 ✓

T-72°

130.48 @ 18-34 = 123.69 ✓

130.19 @ 18-10 = 123.70 ✓

= 123.70 .01 / 123.69

T 86°

145.78 @ 18-35 = 138.18 ✓

145.53 @ 18-17 = 138.18 ✓

= 138.18

Pg. 54, 76, 80

WITNESS 1/4 COR. FD. C.S. MON. IN BOTTOM OF TICK CYN MARKED

F.B. 1260-57 C.S.B-1983

①	11	29	50
②	45	59	00
⑥	28	59	10
	11 -	29	51 1/3

SURVEYOR'S 1/4 COR. T5N R14W WIT. SEC. 32 SEC. 5 T4N R14W USE LM 1947

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-53

F. B. 2394 PG. 66



①	39	49	30
④	159	17	40
⑥	238	56	30
	39°	49'	25"

①	76	25	30
④	305	42	00
⑥	98	33	20
	76°	25'	33 1/3"

①	63	45	00
④	255	00	00
⑥	22	29	50
	63°	44'	58 1/3"

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER	Survey of Jack Cyn. Rd.
Map No.	JN 2075.70 Tape 148 Std 64 °F
Office Work	Surveyed by G. L. WRIGHT
Checked	Notes C. L. W. Date 29 SEPT 59
Date	Indexed C. Johnson

F. B. 2394 PG. 67

T-25 A
SET 1x2 & NAIL
IN BOTTOM OF DRAW

T 78°

153.81 @ 7-25 = 152.52
214.87 @ 8-36 = 212.45
203.60 @ 7-17 = 201.96
221.22 @ 8-16 = 218.92
224.50 @ 7-22 = 222.65
1008.50
.04
1008.46

1008.46

T-27
FD. 1x2 & NAIL
TOP SPUR.
PG.

67° 52' 15"

①	67	52	20
②	271	29	00
③	47	13	30
	67°	52'	15"

T-25
FD. 1x2 & NAIL
PG. 44 -

Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-53

F. B. 2394 PG. 68



T-37A
SET 1X2 & NAIL
ON POINT OF
SPUR

672.74

T 86°
271.23 @ 7-41 = 268.79
197.68 @ 3-10 = 197.38
206.69 @ 2-03 = 206.56
672.73
01
672.74

0 99 55 10
@ 30 40 20
@ 239 30 40
99' - 55' - 06 2/3"

06 2/3"
55'
9°
9°

568.96 TO T-38
PG. 48

"T" LINE

T-37
FD. 1X2 & NAIL
PG. 48

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TICK CYN. RD.
JN 00757 Tape 148 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date 5-Oct-59
Indexed C. Johnson

F. B. 2394 Pg. 69

① 11 - 10 - 20
④ 44 - 41 - 00
⑥ 67 - 01 - 30
11° 10' 15"

T. 34 FD. 1X2 C NAIL PG. 47

T4N R14W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

11° 10' 15"

123° 00' CALC.

20 1/3

45° 49' 26 2/3"

T-32, FD. 1X2 NAIL PG. 46

LINE

SECTION

① 45 - 49 - 40
④ 183 - 17 - 40
⑥ 274 - 56 - 40
45 - 49 26 2/3

D-8 FD. 1X2 C NAIL - BOTTOM OF TICK CYN. PG. 37-38

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-59

Notes Ck'd by W. J. BRENNER	Survey of TICK CYN. RD.
Map No.	W. 0.75.70 Tape No. 148 St'd. 89 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes R. C. POWERS Date 28 OCT 59
Date	Indexed C. C. Johnson 12-8-59

F. B. 2394 Pg. 71

T 4 N
R 14 W

N

CONT. BOT PG. 72

Set E-15 1X2 ⊕N. — 34+26.98 N

T = 78°
300.24 @ 15°43' = 289.01
300.49 @ 15°53' = 289.02
= 289.01
26.37 @ Lev = 26.37
315.38
.01
315.37

00° 00' 10 4/3 W — SOUTH — 315.37

Set E-14 1X2 ⊕N, Bot. of Cyn. — 31+11.61 N

T = 76°
177.51 @ 5°16' = 176.76
.01
176.75

176.75

SEC. 6 — FROM — SEC. 5

Set E-13 1X2 ⊕N. on Top Brk, W. Side hill — 29+34.86 N

T = 78°
222.18 @ 0°51' = 222.16
25.89 @ Lev = 25.89
248.05
.01
248.04

PROD. LINE

248.04

0 00 00 20
0 00 01 00
0 00 01 40
0 00' 16 2/3"

COUNTY SURVEYOR
T4N
R14W
SEC. 6
SEC. 5
USBLM
1947
¼ COR
N.E. 21 7

MARKED

FD. 2" I.P. BRASS CAP SET CONC. ON EAST S.H.

26+86.82 N — ¼ COR PG 64 — ALSO F.B. 738-89-C.S.B-1983

COUNTY SURVEYOR
T4N
R14W
6 5
7 8
N.E. 21 7

FD. C.S. MON. 2" I.P. BRASS CAP ON N. S. H. MARKED F.B. 738-87 C.S.B-1983

SEC. COR. PG. 62

SEC. 7 — SEC. 8

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3099 S&E #247. 8-54

F. B. 2394 PG. 72



RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER	Survey of TICK CYN. RD.
Map No.	W. O. 8715.79 Tape No. 145 St'd. 54 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes Date 6-NOV-59
Date	Indexed C. Johnson

F. B. 2394 Pg. 73

W.S. 78-66

R-17-W

SEC. 31 T 5N

SEC. 32

T 4N

SEC. 6

SEC. 5

MONUMENT PLAN SEC 31 S32 + S6 S5 USB&M COR. 1947 T4N R14W

MARKED

S3+67.54N = 0+00E

FD. C.S. MON. ON S. S.H.

C.S. B-1983 & F.B. 738-88, 102

C.S. 8754

SEE PG. 74

POINTS ON THIS LINE DESIGNATED BY "F"

①	36	41	00
②	346	44	20 ✓
③	160	06	50 ✓

86° - 41' - 08 1/3"

1/3 1 Acre

A 316.68

86

FD. OLD 2x2 & NAIL

0.74

1/32

T-66°

163.49 @ 1-56 = 163.40 ✓

159.62 @ 16-09 = 153.32 ✓

159.90 @ 16-29 = 153.33 ✓

153.32 ✓

316.72 ✓

.04

316.68 ✓

E-20 + SET 1x2 & NAIL IN TOP OF CURB

50+50.86N ✓

516.77

T-66°

199.81 @ 1-19 = 199.76 ✓

121.79 @ 31-25-00 = 103.94 ✓

122.15 @ 31-42-00 = 103.93 ✓

223.70 @ 17-41 = 213.13 ✓

224.09 @ 17-59 = 213.14 ✓

213.13 ✓

516.83 ✓

.06

516.77 ✓

E-19 + SET 1x2 & NAIL TOP OF CURB

45+34.09N ✓

SEE PG. 72

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S S&E #247. 8-54

F. B. 2394 PG. 74 — See Pg. 75

SET #100 NAIL ON RAZORBACK ROCK RIDGE (NOT ON GOOD LINE)

11+81.47 E

R14W

T-80° LEV. 3.22

233.35 @ 22-57 = 214.88
218.10
01
218.09

218.09

F-2 SET 1X2 ENAIL TOP & PUNCH

9+63.38 E

T4N

SEC. 5

T 78°

45.51 @ 19-38 = 42.86
45.19 @ 18-29 = 42.86

42.86

LEV. 264.92

183.74 @ 17-41 = 175.06
183.64 @ 17-36 = 175.04

175.05

88.39 @ 3-04 = 86.10
88.25 @ 2-42 = 86.09

86.09

LEV. 27.14

598.06
02
598.04

T 5N SEC. 32

DIRT ROAD

27.5'

598.04

F-1 SET 1X2 ENAIL TOP RIDG

3+65.34 E

12.4

FD OLD 1X2 ENAIL

0.05

T 76°

126.59 @ 24-06 = 115.56
126.00 @ 23-28 = 115.58

115.57

265.35 @ 20-01 = 249.79
266.00 @ 20-06 = 249.80

= 249.79

365.36
02
365.34

365.34

SEC. COR. FD. C.S. MON. PG 73

C. S. B-1983-C.S. 8754

SEC 31

SEC 6

RETURN TO LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER	Survey of Tick Cyn Rd
Map No.	W. O. 00 75.76 Tape No. 195 St'd. 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C.L.W Date 2/16/59
Date	Indexed C. Johnson

F. B. 2394 Pg. 75

R14W

SEE Pg 76

① 1 - 50 30
⑦ 7 22 00
⑪ 11 03 00
1° - 50' - 30"

1° - 50' - 30"

F-4
Set 1x2 9 NAIL Top Brk - E. S. H.
21+57.28E

T-78°
214.84 @ 13-21 = 209.03
214.91 @ 13-25 = 209.04

209.03
.01
209.02

209.02

SEC 32
T5N

131

FD. RECENTLY SET 1x2 9 NAIL

SEC. 5
T4N

N 70° 01' W

F-3
Set 1x2 9 NAIL Top Dipr
19+48.26E

3.15

FD. OLD 1x2 9 NAIL

0.53

T 78°
252.88 @ 8-45 = 249.94
90.95 @ 3-15 = 90.80

766.79

226.68 @ 16-00 = 217.30
226.81 @ 16-07 = 217.90 = 217.90
155.52 @ 21-16 = 144.93
67.89 @ 21-19 = 63.25
766.82
.03
766.79

Set #10D Nail Top Razor Back Rock Ridge (Ch. Pt. Only)
11+81.47 E

SEE Pg 74

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F309S S&E #247. 8-54

F. B. 2394 PG. 76



RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

12.5.78-66

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TICK CYN. RD.
W. 8° 57' 32" Tape No. 48 St'd. 84° °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 6 Nov '59
Indexed C. Johnson

F. B. 2394 Pg. 77

IRS 72-CG

SEE PG. 78

46+40.12E — E-10 SET 1x2 & NAIL BOTTOM OF DRAW

T 68°
173.99 @ 3-57 =
173.58
.02
173.56

173.56

FD. MOUND OF ROCK

47+47.71E

10
66'

F-11 SET 1/2 & NAIL BOTTOM DRAIN

ELEV. 61.85

48+13.68E

48+75.52E

0.82

FD. 1¼" I.P. NO PLUG, MOUND OF ROCK UP 5'

48+92.5E

FD. RECENT MOUND OF ROCK

52+25.06E

T 66°
238.47 @ 5-08 =
176.42 @ 8-40 =
237.51
173.92
411.43
.05
411.38

411.38

F-12 SET CASE HARDENED NAIL IN ROCK

RECENT MOUND OF ROCK

T 5N
SEC. 32

T 4N
SEC 5

327.84

T 66°
198.62 @ 6-33 =
132.22 @ 9-05 =
197.32
130.56
327.88
.04
327.84

SEC. COR. FD. 2" I.P. BRASS CAP UP 12" IN MOUND OF ROCK MARKED-

55+52.90E

SEE PG. 81 FOR THIS LINE

COUNTY SURVEYOR'S MONUMENT
T 5N R 14W S 32
T 4N R 14W S 5
S 5 S 4
USBLM 1947

C.S. B-1983
F.B. 738-81,82,102

SEC 4

SEC 33

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 S&E #247. 8-54

F. B. 2394 Pg. 78

SEE PG. 79

R14W

T4N
SEC 5

T5N
SEC 32

F-7 Set 1x2 & Nail Top Brk. 41+88.80 E

28.88

42+17.68 E

0.17

182.49

186.94 @ 12-30 = 182.51 = 182.51
186.83 @ 12-20 = 182.52 .02
182.49

T 66°

US General Land Office Resurvey 1947 Penn. 1256 S 32 S 5

Marked Fd. 1½" I.P. 2" Brass Cap Up 10"

F-8 Set 1x2 & Nail Top Brk. 43+71.29 E

93.67

95.06 @ 9-46 = 93.68 .01 93.67

F-9 Set 1x2 & Nail Top Brk. 44+64.96 E

36.7 8.1

Fd. 1x2 & Nail 0.17 44+68.63 E

Middle of Rock

76.8°

79.32 @ 4-46 = 79.05 .01 79.04

79.04

175.16

T 68°

175.44 @ 3-06 = 175.18 .02 175.16

Fd. 1¼" I.P. 1.89 45+43.98 E

No Plug Up 6" Mound of Rock.

F-10 46+40.12 E

Set 1x2 & Nail Bottom of Drain

SEE PG 77

RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY
ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of TICK CYN RD
W.O. 8875.79 Tape No. 148 St'd 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date 6 NOV 59
Indexed C. Johnson

F.B. 2394 Pg. 79

SEE PG. 80

29+97.98 E

F-5 SET 1X2 ℄ NAIL TOP ℄ SPUR

242.59

221.27
21.36

FD. WHITE TOP 2×2, NAIL & TAG # R.E. 509

01

493.11

32+40.57 E

T-70°
221.27 @ 0-42 = 221.25
282.19 @ 15-31 = 271.90
282.14 @ 15-29 = 271.90

271.90
493.15
.04
493.11

FD. OLD MOUND OF ROCK TOP ℄ SPUR

25 E

T 4 N
SEC 5

F-6 SET 1X2 ℄ NAIL TOP BRK

34+91.09 E

T 5 N
SEC 32

T-70°
77.20 @ 5-32 = 76.84
LEVEL 126.53
LEVEL 42.39
300.00 @ 9-44 = 295.68

697.71

FD. # 160 NAIL LATH MARKER

1.10 ℄

156.32

40+32.48 E

166.99 @ 20-34 = 156.35
166.87 @ 20-29 = 156.32

156.33
697.77
.06
697.71

"X"

F-7 SET 1X2 ℄ NAIL

41+88.80 E

SEE PG. 78

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-81

F. B 2394 PG. 80

SET NAIL NEAR TOP OF SPUR LINE PROJ FROM EAST

To SEC. COR.

R.14W.

LOS-TBC-6

①	00	10	00
④	00	40	10
⑤	01	00	10
	00°	10'	01 2/3"

F.B. 1260-57 C.S.B-1983
F.B. 738-102

26+82.75E — ED. W.C. 1/4 SEC COR. PG 65, 76

COUNTY SURVEY USBLM 1947 R14W T5N SEC 5 SEC 32 T4N 1/4 COR. MONUMENT

198.00 PG. 65

T4N SEC 5

T5N SEC 32

28+80.75E — 0°04' — 1/4 COR. FD. C.S. MON. PG. 65 MARKED ALSO C.S.B-1983 F.B. 7260-57

COUNTY SURVEY R14W USBLM 1947 T4N T5N 32 5 1/4 COR. MONUMENT

LEVEL 22.57

29+03.32E 00 1 — FD. SHIP SPK. IN ROCK

29+06.48E 0 39 3 16 — 117.23 N

FD. #1 G.B. WIRE SPK. & TIN IN ROCK

T-70°

127.19 @ 22-49 = 117.24
126.59 @ 22-09 = 117.25

117.24
01
117.23

SET 1X12" NAIL TOP SPUR

F-5 29+97.98E

SEE PG. 79

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER | Survey of TICK CYN RD. | F.B. 2394 Pg. 81
Map No. | W.O. 8075.78 Page No. 148 St'd. 64 °F
Office Work | Surveyed by C. L. WHITAKER
Checked | Notes C. L. W. C. Johnson Date 17 Nov 59
Date | Indexed

W.S. 7846

SEE PG 82

EAST WIND

8+77.28 N

C-3
SET 1x2 & NAIL ON SPUR

T-66°

266.44 @ 17-25 = 254.22
266.25 @ 17-17 = 254.23
146.38 @ 27-22 = 130.00
146.58 @ 27-31 = 130.00

254.22
130.00
384.22
.05
384.17

384.17

4+93.11 N

C-2
SET 1x2 & NAIL ON NORTH S.H.

T-64°

58.86 @ 21-08 = 54.90
58.79 @ 20-57 = 54.90

54.90
.01
54.89

54.89

4+38.22 N

C-1
SET SHIP SPK. & WASHER ON NORTH BRK - E.-W. RIDGE

T-64°

LEVEL 7.97

300.05 @ 5-55 = 298.45
132.96 @ 7-22 = 131.86

438.28
.06
438.22

438.22

① 92-48-30
② 11-14-20
③ 196-51-40
92°-48'-36⅔"

SEC. 32

SEC. 33
T 1 S R 14 W

SEC. COR.
C.S.B-1983 - FB 738-81,82,102
FD. 2" I.P. BRASS CAP UP 12"
IN MOUND OF ROCK
MARKED

SEC. 5

40 AM

SET 1x2 & NAIL
TOP SPUR - LINE
PROD. FROM NORTH

COUNTY SURVEYOR
T 5 N
R 14 W
S 32 S 33
S 5 S 4
U.S.B.L.M. 1947
T 4 N
MONUMENT

SEC. 4
T 4 N

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F309S 247 2-61

F.B. 2394 Pg. 82

SEE PG 83

WINDY

18+55 77N — G-6 SET 1X2 ¢ NAIL TOP BRK.

T 5N R 14W

T = 80°

370.78

156.49 @ 13-50 = 151.95
156.12 @ 13-21 = 151.90 = 151.92
220.68 @ 7-20 = 218.87
370.79
.01
370.78

RETURN TO
LOS ANGELES COUNTY SURVEYOR
723 LOS ANGELES COUNTY
ENGINEERING BLDG.

14+84 99N — G-5 SET 1X2 ¢ NAIL TOP SPUR ON S. BRK

SEC. 32

SEC. 33

T 78°

173.56

186.83 @ 21-43 = 173.57
186.96 @ 21-49 = 173.57 = 173.57
.01
173.56

ONE TRACK

FD. 2" I.P. CONC. PLUG NAIL & TAG L.S. 2572 UP 4'

13+22 97N

11.54

13+11 93N — G-4 SET 1X2 ¢ NAIL BOT CYN.

T = 74°

434.15

218.99 @ 12-01 = 214.19
219.19 @ 12-15 = 214.20 = 214.19
55.10 @ 16-38 = 52.79
55.34 @ 17-27 = 52.79 = 52.79
174.39 @ 16-31 = 167.19
174.06 @ 16-07 = 167.22 = 167.20
434.18
.03
434.15

DRY STREAM BED

TRANSMISSION & TEL. LINES

TEL. POLE #4119

TEL. POLE #4120

ANCHOR GUY

ANCHOR GUY

8+77 28N — G-3 SET 1X2 ¢ NAIL ON SPUR

SEE PG. 81

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of Tick Cyn. Rd
JN 60-T-76 Tape 148 Std 54 °F
Surveyed by C. L. Wahlstrom
Notes C. L. W. Date 7-Nov-59
Indexed C. Johnson

F. B. 2394 PG. 83

WIND

SEE PG 84

T. 5 N.
R 14 W.

22+31 46 N

SEC. 32

G-8 SET 1"x2" NAIL TOP BRK ON NORTH SH.

T-72°

SEC. 33

146.74 @ 12-31 = 143.25 ✓
146.93 @ 12-52 = 143.24 ✓
99.40 @ 13-1/6 = 96.75 ✓
99.57 @ 13.41 = 96.74 ✓

143.24 ✓
96.74
239.98 ✓
.02
239.96 ✓

239.96

19+91 50 N

G-7 SET 1"x2" NAIL TOP RIDGE

FD. 1 1/2" I.P. NO PLUG UP 14" 4' LATH MARKER IN PILE SAYS 1/4 1/4 1/4 COR

51

01 ℄

19+86 ℄

24.34

135.73

FD #1 GD NAIL & TIN

02 ℄

T-76°

136.36 @ 5-27 = 135.74
.01
135.73 ✓

00 08

FD. #1 GD NAIL IN GROUND & LATH MARKER

18+67 19

11.92

18+55 77 N

G-6 SET 1"x2" NAIL TOP BRK.

SEE PG 82

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

763098 CE #247—7-53

F. B. 2394 PG. 84

SEC 29

ALSO SEE F.B. 1260 Pg. 31 AND F.B. 97-38

SEC 28

SEC. COR. F.D. 2" I.P. BRASS CAP SET CONC. IN MARK OF ROCKS MARKED C.S. B-900-1

COUNTY SURVEYOR'S MONUMENT T 5N R 14W S 29 S 28 S 32 S 33 USBLM 1947 1925

T 5N R 14W

SEC. 32

SEC. 33

T 5N R 14W

DAVENPORT ROAD

FOR THIS INTERSECTION ℄ DAVENPORT R.B. SEE F.B. 1260 Pg 31

①	179	59	40
④	359	59	10
⑤	359	58	40
	179	59	46 2/3

179° 59' 46 2/3" 500.00'

FB. 97-37 ALSO SEE F.B. 1260 Pg. 31

26+49.69 N

1/4 COR FD. C.S. MON. 2" I.P. BRASS CAP SET CONC. UP 6" MARKED C.S. B-900-1

COUNTY SURVEYOR'S MONUMENT T 5N R 14W 1/4 S 32 S 33 1/4 SEC. COR. USBLM 1947

EAST WIND

T 76°

LEVEL 21.43

114.09 @ 23-17 = 104.80

114.41 @ 23-43 = 104.75 = 104 77

418.23

DEEP NARROW CANYON

292.09 @ 1-00 = 292 05

418.25

02

418.23

22+31.46 N

G-8 SET 1"X2" NAIL ON NORTH SH.

SEE Pg. 93

RETURN TO LOS ANGELES COUNTY ENGINEER 900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Tick Canyon Rd.
JN 0075.79 Tape 148 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date 7-FEB 60
Indexed C. Johnson 2-10-60

F. B. 2394 Pg. 85

T 4 N
R 14 W

T 62°
LEV. 34.22
41.86
76.08
.01
76.07

To 1/4 Cor Sec. 5-6

T 62°
LEV. 64.82
.01
64.81

COUNTY ENGINEER
B.M.
T-203
R.E. 5869

T-203
SET C.E.
64.81
76.07

MARKED BUTTON MONUMENT UP 6"

LINES

SET NAIL IN S. SIDE TEL. POLE # 4215 UP 60"

TELEPHONE

TRANS-CONTINENTAL

SET NAIL IN S.E. SIDE TEL. POLE # J-28-59 UP 60" 4220

55.72

T 62°
SL. 05 @ 6-06 = 55.73
.01
55.72

SEC. 6

E-7
FD 1X2" NAIL
PG. 64

SEC. 5

T-38

LINE

FD 1X2" NAIL

50.12
PG. 64

PG. 48
3.94

E-6 INT. FD 1X2" NAIL PG. 64

"T"

LINE

SEC.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763095 CE #247—7-53

F. B. 2394 Pg. 86



MARKED B.M. T-204 SET C.E. BUTTON MONUMENT U.P. 5" DIRT RD

22'

TIE CUNE

T - 48
FD. 1x2 NAIL
PG 53

75°

54'

40"

LINE

① 75 - 54 - 40
② 303 - 38 - 40
③ 95 - 28 - 00
75 - 54 - 40

① 65 41 40
② 262 46 50
③ 34 10 30
65 - 41 45

38° 23' 30"

T

362.44
PG. 53

EXISTING

① 38 23 40
② 153 34 00
③ 230 21 00
38° - 23' - 30"

T-47
FD. 1x2 NAIL
PG 52, 53

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of TICK CYN RD.
Map No.	IN 00 75 70 Tape 148 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date 7- FEB. '60
Date	Indexed C. JOHNSON

F. B. 2394 PG. 87

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

T-57
FD. 1"x2" C/NAIL PG. 57

T-72°
212.40 @ 6-41 = 210.96
02
210.94

① 19 23 20
② 17 33 88
③ 16 18 30
19° 23' 15"

210.94
19° 23' 15"

℄ LINE

"T"

T-56
FD. 1"x2" C/NAIL

B.M. T-205
SET C.E. BUTTON
MONUMENT - E. SIDE
TICK CYN. ON N.W.
SIDE HILL
MARKED

COUNTY ENGINEER
BM
T-205
R.E. 5869

763098 CE #247—7-55

F. B. 2394 Pg. 88

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Fd. Drill Stem
Pg. 60

℄ DAVENPORT Rd.

20"

46° 34'

Fd. T-62- Pg 59, 60
Bt. Spk. W. ℄ T.

"T"

LINE

T=44°
Lev = 146.74 = 146.70

146.70

Fd T-63- Pg. 60
Bt. Spk. W. ℄ T

T-206
SET Std. Co. Engr.
Button Br. Cap Mon.
Set in Conc.
Up 3"
MARKED

COUNTY ENGINEER
B M
T-206
R.E. 6869

℗ 146° 34' 10"
℗ 226° 17' 20"
146° 34' 20"

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. Division No.
No. Date Survey of TICK CANYON ROAD
X-Sec. Notes Chkd. Checked Survey by C.L. WRIGHT Notes R.C.E. Date 4 OCT. 1955
No. Date Date Map No. Index C. Tabulation

F.B. 2394 Pg. 89

STATION	B. S.	H. I.	F. S.	ELEV.	
		LEVEL CIRCUT FOR TICK CANYON ROAD			
B.M. M 486				1685 725 ✓	Fd. BM. M 486 U.S. 4784. 0.2 Mi. S.W. along the Southern Pacific Co. R.R. from the station at Lang, 4½ poles N.E. of Milepole 439 at a 24" C.P.C. N.E. of wooden bridge 438.94, in the top of the S.E. conc. head wall. 1.3 N.E. of the S.W. end, 22.5' S.E. of the S.E. rail of the main track, and about 1½' lower than the main track. Br disk Stamped M 486 1955 1955 USC & GS. Adj. EL = 1685.725
	5470	1691 195 ✓			
T.P.			11 345	1679 850 ✓	
	1 780	1681 630 ✓			
T.P.			8 080	1673 550 ✓	
	2860	1676 410 ✓			
T.P.			6 885	1669 525 ✓	
	2 330	1671 855 ✓			
T.P.			3 185	1668 670 ✓	
	6230	1674 900 ✓			
T.P.			6 010	1668 890 ✓	
	5900	1674 790 ✓			
T.P.			3 325	1671 465 ✓	
	1695	1673 160 ✓			
State B.M. 25			2 520	1670 640 ✓	Fd. BM. 25 SQ. spk. in lead S.E. Cor. of P.C.C. S. ab 111.0' N'ly. from & stripe of Soledad Canyon Rd. 46' E'ly. from P.P.# 10 59484 E. - Slab now used as a porch for a trailer State El. = 1671.27
	2 845	1673 485 ✓			
T.P.			2 020	1671 465 ✓	
	5510	1676 975 ✓			
T.P.			4 820	1672 155 ✓	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2394 Pg. 90 | Job No. | Division No. | Notes Red. | Plotted | No. | Profile
Survey of TICK CANYON ROAD | Date | Date | No. | X-Sec.
Survey by C.L. WRIGHT | Notes R.C. BOWERS | Notes Chkd. | Checked
Indexed C. Johnson | Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.	
T.P.				1672 155	
	3280	1675 435			
T.P.			7865	1667 570	
	3720	1671 290			
State B.M. 24			8220	1663 070	Fd. B.M. 24 Sq. Spk. in lead in S.E. wingwall of 6" C.M.P. culvert 22.4' So. of ℄ stripe of Soledad Canyon Rd. Ret. of cement block stairway to top of bank on No. side of Rd. State El = 1663.65
	6700	1669 770			
T.P.			6865	1662 905	
	4000	1666 905			
T.P.			5785	1661 120	
	5000	1666 120			
T.P.			4620	1661 500	
	6150	1667 650			
T.P.			3465	1664 185	
	6260	1670 445			
State B.M. 23			4240	1666 205	Fd. B.M. 23 Std. Br. Cap in 2" I.P. S'ly from ℄ stripe of Soledad Canyon Rd. 2.50' E'ly from chain link gate to Curtis-Wright prop. At E'ly end of small thru cut. 4.4 mi. E'ly from Solemint along Soledad Canyon Rd. State EL = 1666.77
	4245	1670 450			
T.P.			6280	1664 170	
	3365	1667 535			
T.P.			6050	1661 485	
	4470	1665 955			
			4845	1661 110	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				1661 110		
	5 560	1666 670				
T.P.			3 770	1662 900		
	6 840	1669 740				
State B.M. 24			6 665	1663 075	Fd. sq. spk. in lead in S.E. Wingwall of 6" C.M.P. culvert 22.4' So. of ℄ Stripe of Soledad Canyon Rd. Rt. of Cement block stairway to top of bank on No. side of Road. State El = 1663.65 Pg 90	
	8 520	1671 595				
T.P.			4 020	1667 575		
	7 030	1674 605				
T.P.			2 470	1672 135		
	4 790	1676 925				
T.P.			5480	1671 445		
	1 940	1673 385				
State B.M. 25			2 760	1670 625	Fd. B.M. 25 Sq. spk. in lead S.E. Cor. of P.C.C. slab 111.0' N'ly. from ℄ Stripe of Soledad Canyon Rd. 46' E'ly. from P.P. #1059484E. Slab now used as a porch for Trailer State El = 1671.22 Pg 89	
	6 005	1676 630				
T.P.			7 755	1668 875		
	6 010	1674 885				
T.P.			6 220	1668 665		
	3 105	1671 770				
T.P.			2 260	1669 510		
	6 750	1676 260				
T.P.			2 720	1673 540		

Profile Notes Red. Plotted Job No. Division No.
No. Date Date Survey of TICK CANYON ROAD
X-Sec. Notes Chkd. Checked Survey by C.L. WEIGHT Notes R.C.E. Date 6 Oct. 1959
No. Date Date Map No. Indexed C. JOHNSON Date

F. B. 23394 Pg 91

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 23394 Pg. 92 | Job No. | Division No. | Notes Red | Plotted | Profile
Survey of Tick Canyon Road | Date | Date | No.
Survey by C. L. Wright | Notes R. C. Bowers | Notes Chkd. | Checked | X-Sec.
Indexed C. Johnson | Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				1673 540		
	8 115	1681 655				
T.P.			1 825	1679 830		
	10 510	1690 340				
B.M. M 486			4 660	1685680	B.M. M 486 - Starting B.M. Pg. 89	EL = 1685.725

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No. | Notes Red. Date | Plotted Date | Job No. Survey of TICK CYN. RD. | Division No. Notes C.L.W. Date 2-[illegible]-1956

Notes Chkd. Date | Checked Date | Survey by [illegible] | Map No. Index [illegible] C. Johnson

F. B. 2394 Pg. 93

STATION	B. S.	H. I.	F. S.	ELEV.	
BENCH LEVELS FROM ℄ STATE HI-WAY B.M. (F486) -23 WEST'LY TO ℄ STATE HI-WAY B.M. (F-486) -22 AND RETURN					
STATE B.M. F486-23.				1666.205 ✓	FD. BRASS CAP-SET CONC. SOUTH'LY FROM ℄ STRIPE, SOLEDAD CYN. RD. 250' EAST'LY FROM CURTISS WRIGHT CH. LINK. FN. 3 STATE. STATE ELEV. 1666.77 Pg. 90
	7752	1673.957 ✓			
			7733	1666.224 ✓	
	3581	1669.305 ✓			
			6022	1663.783 ✓	
	3954	1667.737 ✓			
			6528	1661.209 ✓	
	3802	1665.011 ✓			
STATE B.M. F486-22			6071	1658.940 ✓	FD. SQ. SPK. IN LEAD TOP N.W. WINGWALL TO TIMBER BRIDGE ACROSS TICK CYN. WASH 20' NORTH OF ℄ STRIPE SOLEDAD CYN. RD. STATE ELEV. 1659.50
	6758	1665.698 ✓			
			3165	1662.533 ✓	
	5530	1668.063 ✓			
			4957	1663.106 ✓	
	7277	1670.333 ✓			
			4000	1666.383 ✓	
	5544	1671.927 ✓			
STATE B.M. F486-23			5720	1666.207 ✓	FD. BRASS CAP SET CONC. SEE 16 LINES ABOVE

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 23394 Division No.
No. X-Sec. Date Date Survey of Tick Cyn. Rd.
Notes Chkd. Checked Survey by Notes Date
No. Date Map No. Indexed by

F. B. 23394 Pg. 95

STATION	B. S.	H. I.	F. S.	ELEV.	
	FRENCH LEVELS FROM STATE B.M. F486-22 NORTH EAST'LY TO B.M. T-200, AND RETURN				
STATE B.M. F486-22				1658.940	FD. 2" SQ. SPK IN LEAD TOP N.W. WING WALL TO TIMBER BRIDGE ACROSS TICK CYN. WASH 20' NORTH OF ℄ STAPE, SOLEDAD CYN. RD. STATE ELEV. 1659.50 Pg. 93
	0.951	1659.891			
TP			4.542	1655.349	
	7.166	1663.115			
TP			1.171	1661.944	
	6.498	1668.442			
T.B.M.			1.400	1667.042	SET. SHP. SPK. W. ℄ T. E. SIDE RR. #1248.65E UP 12"
	5.437	1672.479			
TP			3.423	1669.056	
	7.757	1676.813			
TP			2.394	1674.419	
	7.451	1681.870			
T.P.			0.783	1681.087	
	9.418	1690.505			
TP			2.721	1687.784	
	10.678	1698.462			
TP			0.591	1697.871	

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2394 Pg. 96 Job No. Division No. Profile
Survey of Tie Chk. Re. Notes Red. Plotted. No. X-Sec.
Survey by C.L.W. Notes Chkd. Checked. No.
Indexed C. C. Johnson Date 18 FEB '60 Date Date

STATION	B. S.	H. I.	F. S.	ELEV.	
T.P.				1697.871	
	10748	1708.619			
T P			3935	1704.684	
	7754	1712.438			
T.B.M.			1840	1710.598	SET SHIP SPK W. OF T ON E. SIDE OF PP# 1155214E UP 12"
	6491	1717.089			
T.P			8118	1708.971	
	7391	1716.362			
T P			1397	1714.965	
	8222	1723.187			
T P			1462	1721.725	
	6877	1728.602			
B.M. T-200			0738	1727.864	SET B.M. T-200 C.E. BRASS CAP MON. MARKED 255.29' S. WEST'LY OF T-15 ON LINE PROD FROM NORTH-EAST. PG. 18 UP 4"
	0667	1723.531			
T P			6806	1721.725	
	1559	1723.279			
T.P.			8316	1714.963	
	1239	1716.202			
T P			7231	1709.971	
	8144	1717.135			
T.B.M.			6512	1710.623	SET SHIP SPK. W. OF T. ON E. SIDE P.P.# 1155214E UP 12"

COUNTY ENGINEER
B. M.
T-200
R. E. 5869

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
T.B.M.				1710.596	
	1.837	1712.433			
TP			7.752	1704.681	
	3.915	1708.596			
TP			10.731	1697.865	
	0.598	1698.463			
TP			10.638	1687.825	
	2.767	1690.592			
TP			9.402	1681.190	
	0.717	1681.907			
TP			7.384	1674.523	
	2.403	1676.926			
TP			7.725	1669.201	
	2.410	1672.26			
T.B.M.			5.416	1667.045	Fd. Spk. Sq. Spk. E. Side P.P. # 1249 45E UP 12" Pg. 95
	1.400	1668.445			
TP			6.495	1661.950	
	1.274	1663.224			
TP			7.873	1655.351	
	4.286	1659.637			
STATE			0.685	1658.952	Fd. Sq. Spk. in Lead N.W. Wing Wall - Bridge Across Tick C-in. Wash 20' N. of ℄ Stripe Pg. 93, 95

Profile
Notes Red. Plotted. Job No. 75.70 Division No.
No. X-Sec. Date Date Survey of Tick Cyn Rd.
Notes Chkd. Checked Survey by C.L.W. Notes C.L.W. Date 12-11-75
No. Date Date Map No. Index C. Johnson Date

F. B. 2394 Pg. 97

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted. Job No. 2575.72 Division No.
No. X-Sec. Date Survey of Tick Cyn Rd.
No. Date Notes Chkd. Date Checked Survey by C. L. Wynn Notes C.L.W. Date 12 Feb '60
No. Date Map No. Index No. C. Johnson

F. B. 2394 Pg. 99

STATION	B. S.	H. I.	F. S.	ELEV.		
	BENCH LEVELS FROM B.M. T-200 NORTHERLY TO BM T-201 AND RETURN					
B.M. T-200				727.864	Fd. B.M. T-200, C.E. BRASS CAP MON. MARKED 255.23' S. WESTERLY OF T-15 ON LINE PROD. FROM N.E. Pg. 18, 96 UP 4"	
	1 147	728 999				
T.P.			4 907	724 092		33+06 T.I.NC
	4 717	728 809				
T.P.			3 472	725 337		
	8 347	733 684				
T.P.			2 578	731 106		
	7 944	739 050				
T.P.			2 695	736 355		
	8 010	744 365				
T.P.			2 354	742 011		
	10 250	752 261				
T.P.			1 745	750 516		
	8 972	759 488				
T.B.M.			10 13	758 475	SET SPIKE & W. 2" T. S.E. SIDE TEL. POLE # 4288, 32A-86	
	3 526	762 001				
T.P.			4 460	757 541		

COUNTY OF L.A. B.M. T-200 R.E. 5869

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 23394 Pg. 100 Job No. 007570 Division No. Profile
Survey of Tick Cyn. Rd. Date No. X-Sec.
Survey by C.L. Wright Notes C.L.W. Notes Cktd. Checked
Indexed C. Johnson Date 18-FEB-60 Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.	
TP				1757.541	
	6.977	1764.518			
TP			2.282	1762.236	
	9.853	1772.139			
TP			1.675	1770.464	
	6.117	1776.581			
T.B.M.			0.538	1776.043	SET SHIN SPK. IN ST. E. SIDE TEL. POLE # 4278 UP 12" (S. POLE OF A CLOSE GROUP OF 3 POLES, W. OF TICK CYN. DRY WASH)
	5.406	1781.449			
TP			4.314	1777.135	
	5.734	1782.899			
TP			3.104	1779.795	
	5.132	1784.837			
			3.970	1780.867	
	5.131	1786.098			
			0.629	1785.469	
	8.629	1794.107			
B.M. T-201			1.453	1792.654	SET B.M. T 201 C.E. BRASS CAP MON. ON N. E. & SEC 7. T 4N. R 14W 100'± NEW. OF F. L. TICK CYN. WASH ON TOP OF BANK, TOE OF SLOPE P.C. 27 UP 5"
	1.408	1794.062			
TP			8.594	1785.468	
	0.927	1786.402			
TP			5.442	1780.961	

COUNTY ENGINEER
B.M.
T-201
R.E. 5869

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
TP				1785.96	
	3.852	1791.812			
TP			5.113	1779.700	
	3.044	1782.744			
TP			5.672	1777.072	
	4.311	1781.383			
T.I.H.			5.346	1776.037	Ed. Ship Stk W&T. E. Side Tel Pole #4276 up 12" Pg. 100
	0.481	1776.518			C.S. Pole on A Close Group of 3 Poles W. Side Tick Cyn. Drainage
T.P.			6.060	1770.458	
	1.743	1772.201			
TP			9.921	1762.280	
	2.348	1764.628			
TP			7.095	1757.533	
	4.444	1761.977			
T.S.H.			3.510	1758.467	Ship Stk W&T. S.E. Side Tel. Pole # 4289 J2A-90 up 24" Pg. 100
	0.947	1759.414			
TP			8.905	1750.509	
	1.759	1752.268			
TP			10.267	1742.001	
	2.360	1744.361			
TP			8.020	1736.341	

Profile Notes Red. Plotted. Job No. 00757.70 Division No.
No. X-Sec. Date Date Survey of Tick Cyn Rd.
No. Notes Chkd. Checked Survey by C.L. Hamm Notes C.L.H. Date 12-15-56
No. Date Date Map No. Inked C. Jones Date

F. B. 2304 Pg. 101

76L-298 S & E #207—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2394 Pg. 102 Job No. 2075.10 Division No. ____ Profile
Survey of Tick Canyon Rd. Plotted ____ No. ____
Survey by C.L. Hayhurst Notes C.L.H. Date ____ X-Sec.
Indexed C. Johnson Date 8-Feb '60 Notes Red ____ Date ____ No. ____
Notes Chkd ____ Date ____
Checked ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
TP				1736.341		
	2.646	1738.987				
TP			7.897	1731.090		
	2.615	1733.705				
TP			8.390	1725.315		
	3.489	1728.804				
TP			4.740	1724.064		3730' "T" LINE
	5.028	1729.092				
BM T-200			1.258	1727.834	FD. BM. T-200 C.E. BRASS CAP MON. 255.29' S. WEST'LY OF T-[illegible] LINE PROD. FROM N.E. UP 4" Pg 18, 99	

COUNTY ENGINEER
B M
T 200
R.E. 5869

76L-295 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
		BENCH LEVELS FROM B.M. T-201 NORTH-EASTLY TO B.M. T-202 AND RETURN.			
B.M. T-201				1792.64	FD. B.M. T-201 C.E. BRASS CAP BUTTON MON. ON N.-S. ½ SEC. LINE 74 N R14W 100'± N.W. OF F.L. TICK CYN. WASH ON TOP OF BANK, GREEN SLOPE. UP 5' PG. 27, 100
	4321	1796.975			
TP			6460	1790.515	
	6144	1796.659			
TP			1620	1795.039	
	8[illegible]	1803.039			
T.B.M.			1746	1801.293	SET SPIKE & WASH. E. SIDE P.P. # 1155228E UP 1½"
	6564	1807.557			
			4331	1803.526	
	6917	1810.308			
			0649	1809.659	
	10129	1819.823			
			2035	1817.788	
	8084	1825.872			
B.M. T-202			2570	1823.302	SET B.M. T-202 C.E. BRASS CAP BUTTON MON. ON E.-W. ½ SEC. LINE BETWEEN SEC. 6 & 7, T4N R14W 100'± W. OF F.L. TICK CYN. WASH ON TOP OF LOW SHARP SPUR PG. 37
	2515	1825.817			
TP			8030	1817.787	

COUNTY ENGINEER B.M. • T-201 R.E. 5869

COUNTY ENGINEER B.M. T-202 R.E. 5869

Profile Notes Red. Plotted Job No. 60-75-79 Division No.
No. X-Sec. Date Survey of TICK CYN RD.
No. Notes Chkd. Date Checked Survey by [illegible] Notes [illegible] Date 12-12-60
No. Date Date Map No. Indexed [illegible] Date

F. B. 2394 Pg. 103

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2394 Pg. 104 Job No 007570 Division No Profile
Survey of Tick Can Rd. No X-Sec.
Survey by C. L. WRIGHT Notes C. L. W. Checked
Indexed C. Johnson Date 18-FEB '60 Notes Red Plotted
Notes Chkd Date
Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.	
TP				1817.797 ✓	
	1.700	1819.497 ✓			
TP			9.790	1809.697 ✓	
	0.642	1810.339 ✓			
TP			6.807	1803.532 ✓	
	4.324	1807.856 ✓			
T.BM.			6.557	1801.299 ✓	FD. SHIPSPKE W. 9T. E. SIDE PP # 1155228E UP 14" Pg. 103
	1.836	1803.135 ✓			
TP			8.092	1795.043 ✓	
	1.462	1796.505 ✓			
TP			5.990	1790.515 ✓	
	6.434	1796.949 ✓			
BM T-201			4.300	1792.649 ✓	FD. BM. T-201 C.E. BUTTON ON N.S. & SEC. 7 T4N, R14W 100'± N.W. OF E.L. TICK CYN. WASH ON TOP OF BANK, TOE OF SLOPE UP 5" Pg. 27 Pg. 103

COUNTY ENGINEER R.E. 5869 BM T 201

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 00757 Division No.
No. X-Sec. Date Date Survey of Tick Cyn. Rd.
No. Notes Chkd. Checked Survey by C.L. Wright Notes C.L.W. Date Feb. 1960
No. Date Date Map No. Notes C. Johnson Date

F. B. 2394 Pg. 105

STATION	B. S.	H. I.	F. S.	ELEV.		
	BENCH LEVELS FROM B.M. T-202 NORTHEASTERLY TO B.M. T-203 AND RETURN					
B.M. T-202				1323 302	FD. C.E. BRASS CAP BUTTON MON. ON E-W SEC. LINE BETWEEN SEC 6 - SEC 7 T4N R14W 100' W. OF F.L. TICK CYN WASH ON TOP OF LOW SHARP SPUR PG 37) 103	
	3 566	1826 868			MARKED	
T.P.			9 532	1817 336	COUNTY ENGINEER BM T-202 R. E. 5869	
	2 279	1819 615				
T.P.			1 872	1817 743		
	11 407	1829 150				
T.P.			9 352	1828 795		
	9 930	1838 728				
T.B.M.			1459	1837 269	SET SHIP SPK. IN N.W. SIDE P.P. #1248554E	
	7 378	1844 674				
T.P.			3 053	1841 594		
	1 777	1845 371				
T.P.			10 771	1832 600		
	10 846	1843 446				
T.P.			3 302	1840 144		
	11 474	1851 618				
T.P.			2 752	1848 866		
	10 737	1859 603				

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 23394 Pg. 106 Job No 007570 Division No. Notes Red Plotted Profile
Survey of Tick Canyon Rd. Date Date No. X-Sec.
Survey by C.L. WRIGHT Notes C.L.W. Notes Ckkd. Checked No.
Indexed E. C. Johnson Date FEB 1960 Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		1559603				
T.P.			0781	1558822		
	11256	1870778				
T.P.			2071	1868707		
	8700	1877407				
T.P.M.			2822	1874585	SET SHIP SPK - S.E. SIDE UP 6"	P.P.# 1155233E
	5963	1880554				
T.P.			2669	1877885		
	11071	1888956			MARKED	
T.P.			2742	1886214		
	11225	1897439				
T.P.M.			0591	1896848	SET 8" SHIP SPK @ GROUND LEVEL ON S.E. SIDE TEL. POLE # J-2A '59, 4220	
	8634	1905482				
B.M. T-203			2076	1903406	SET C.E. BUTTON MON. 100' N.W. OF T-386 ON N-S. SEC. LINE S-SEC 5, SEC 6 TAN RIAW Pg. 85	
	1940	1905406				
T.P.M.			8557	1896849	SET 8" SHIP SPK @ GROUND LEVEL ON S.E. SIDE TEL POLE # J-2A-59, 4220	
	0283	1897332				
T.P.			10915	1886417		
	2725	1888942				
T.P.			11066	1877332		
	2669	1880546				

COUNTY ENGINEER BM • T-203 R.E. 5869

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 00 75.79 Division No.
No. Date Date Survey of Tick Canyon Rd.
X-Sec. Notes Chkd. Checked Survey by C. L. Watkins Notes C.L.W. Date
No. Date Date Map No. Index C. C. Johnson

F. B. 2394 Pg. 107

STATION	B. S.	H. I.	F. S.	ELEV.	
		1880.546			
T.B.M.			5.965	1874.581	To Conc. Spike in S.E. Side P. Pole # 1155233E Pg. 106
	2.652	1877.213			
T.P.			8.511	1868.702	
	1.989	1870.691			
T.P.			11.870	1858.821	
	0.547	1859.368			
T.P.			10.503	1848.865	
	2.682	1851.547			
T.P.			11.408	1840.139	
	3.299	1843.438			
T.P.			10.837	1832.601	
	10.556	1843.157			
T.P.			1.562	1841.595	
	4.278	1845.873			
T.B.M.			8.600	1837.273	To Conc. Spike in N.W. Side P. Pole # 1248554E Pg. 105
	1.523	1838.796			
T.P.			9.997	1828.799	
	0.869	1829.668			
T.P.			11.923	1817.745	
	1.253	1818.998			

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2394 Pg. 108

Survey of Tick Cyn. Rd. Job No. 007570 Division No. Profile
Survey by C.L. Ackerman Notes Red Date No. Misc.
Index C. Jones Date Feb '58 Notes Calcd. Date Checked Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1818 998 ✓				
TP			1660	1817 329 ✓		
	9 530	1826 859 ✓				
MT-202			3 563	1823 296 ✓	P.B. 37, 103, 105 FD. C.E. BRASS CAP BUTTON MON. ON E-W. SEC LINE SEC 6, SEC 7 T 4 N R 14 W 100' ± W OF F.L. TICK CYN. WASH TOP OF LOW SHARP SPUR.	

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted. Job No. 7570 Division No.
No. X-Sec. Date Date Survey of Tick Cañon Road
No. Notes Chkd. Checked Survey by C.L. Wright Notes R.C.B. Date 6 Aug 1952
No. Date Date Map No. Index C. Tobiasz

F. B. 2394 Pg. 109

PROFILE OF T LINE, TICK CYN, STA. 0+00 N. to 43+38.59 N.

NOTE: VARIOUS POINTS (1x2 STK & N) HAVE REPLACED: WITH 1" I.P. W/ L.A.CO. ENGR. TAG. EXISTING ELEV. 8-OCT-64 - J.G. RANDALL
SEE P-LINE NOTES THIS BOOK: F.B. 2394

STATION	B. S.	H. I.	F. S.	ELEV.	
				1658 94	✓Fd Sq. Spk. in lead in top of N.W. Wingwall to timber bridge across Tick Cyn Wash 20' No. of ℄ Stripe of Soledad Cyn Rd. - 4.2 Mi. E'ly from Solemint along Soledad Cyn Rd. El = 1658.940 F.B. 2394-93 STATE El = 1659.50
	6 00	1664 94✓			
0-12			4 95	1659 99✓	So. Edge Pav't., Soledad Cyn. Rd.
0+00			4 96	59 98✓	℄ " " "
0+12			4 88	60 06✓	No. Edge Pav't " " "
0+27.36=T-1			0 92	64 02✓	Top bank
0+50			9 22	55 72✓	Toe Slope
1+00			11 04	53 90✓	" "
1+50			10 37	54 57✓	
2+00			9 00	55 94✓	
2+50			8 53	56 41✓	
3+00 - T.P.			7 07	1657 87✓	
T-2	9 45	1667 32✓			
3+27.90 N			8 81	1658 51✓	
3+50			9 11	58 21✓	
4+00			8 11	59 21✓	
4+50			6 88	60 44✓	
5+00			5 65	61 67✓	
5+ 50			4 46	62 86✓	

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2394 Pg. 110 — Job No. 00 75.70 — Division No. — Profile No. — Notes Red — Date — Notes Chkd — Date — X-Sec. No. — Checked — Date

Survey of Tick Canyon Road — Date

Survey by C.L. Wright Notes R.C. Bowers

Indexed C. Johnson Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		1667 32 ✓				
6+00			323	166409 ✓		
T-4 6+49.46 N			265	6467 ✓		
Fd T.B.M.			032	166700 ✓	Fd T.B.M. ship spk., W. of T. on E. Side P.P. #1248565 E EL=1667.04 Pg. 95	
Fd T.B.M.				166704 ✓	Fd T.B.M. above	
	757	1674 61 ✓				
7+00			918	166543 ✓		
7+50			691	6770 ✓	Toe Slope	
7+75			086	7375 ✓	Side hill	
8+00 - T.P.			080	167381 ✓	" "	
	1053	1684 34 ✓				
T-5 8+29.16 N.			290	168144 ✓	" "	
8+50			699	7735 ✓	" "	
T.P.			1102	167332 ✓		
	403	1677 35 ✓				
9+00			790	166945 ✓	Toe Slope	
9+50			748	6987 ✓		
10+00			542	7193 ✓		
10+50			293	7442 ✓		
T-6 10+57.77N			249	7486 ✓		

76298 S & E #307- 55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
		1677 35			
11+00=T.P.			060	1676 75	
	11 87	1688 62			
11+50			9 15	1679 47	
12+00			7 15	81 47	
12+40=T.P.			2.80	1685 82	Toe Slope
	11 52	1697 34			
12+50			7 57	1689 77	Side hill
T.P.			0 19	1697 15	
	1167	1708 82			
T.P.			0 91	1707 9N	
	11 95	1719 86			
13+00 T-7			8 37	1711 49	Side hill
13+14.49			0 41	19 45	Top Ridge
13+50			4 49	15 37	Side hill
13+90			6 42	13 44	" "
14+00			10 94	08 92	" "
T.P.			11 59	1708 27	
	103	1709 30			
14+50			9 25	1700 05	" "
T.P.			11 91	1697 39	

Profile Notes Red. Plotted Job No. 75.70 Division No. F. B. 23994 Pg. 111
No. Date Date Survey of TICK CANYON ROAD
X-Sec. Notes Chkd. Checked Survey by C. L. WRIGHT Notes C. C. B. Date 6 Aug 1959
No. Date Date Map No. Indexed C. JOHNSON Date

762? E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2394 Pg. 1/12 | Job No. 007570 Division No. | Notes Red. Date | Plotted Date | No. | X-Sec. No.
Survey of Tick Canyon Road | Notes Chkd. Date | Checked Date | Profile No.
Survey by C. L. Wright | Notes R. C. Bowers Date
Indexed C. Johnson Date

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				1697 39 ✓		
	1034	1707 73 ✓				
15+00			1186	1695 87 ✓	Side hill	
T-8 15+20.22 N			1306	1694 67 ✓	" "	Sec. line Int. (2° Boot)
15+50			820	1699 53 ✓	" "	
T-9 15+71.89 N			0 70	1707 03 ✓	Top Spur	
T.P.			11 31	1696 42 ✓		
	883	1705 25 ✓				
16+00			1026	1694 99 ✓	Toe Slope	
16+50			12 21	93 04 ✓	(1° Boot)	
17+00			1012	95 13 ✓	Toe Slope	
T.P.			046	1704 79 ✓		
	1073	1715 52 ✓				
17+50			629	1709 23 ✓	Side hill	
T.P.			083	1714 69 ✓		
	692	1721 61 ✓				
T-10 17+89.27 N			366	1717 95 ✓	" "	
18+00			397	17 64 ✓	" "	
18+50			817	13 44 ✓	" "	
18+75-T.P.			11 52	1710 09 ✓	" "	
	332	1713 41 ✓				

FORM 307 10M 10-46

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Rod Plotted Job No 75.70 Division No
No Date Date Survey of TICK CANYON ROAD
X-Sec. Notes Ckld. Checked Survey by C.L. WRIGHT Notes R.C.B. Date 7 AUG 1959
No Date Date Map No Inked Date

F.B. 2394 Pg. 113

STATION	B. S.	H. I.	F. S.	ELEV.		
		1713 41 ✓				
19+00			7 58	1705 83 ✓	Top Spur	
19+25			12 70	1700 71 ✓	Toe Slope	(1° boot)
19+50			14 45	1698 96 ✓		(3° boot)
20+00			15 35	1698 06 ✓		(4° boot)
20+50			13 71	1699 70 ✓		(2° boot)
21+00			13 98	1699 43 ✓	Toe Slope	(2° boot)
T.P.			0 53	1712 88 ✓		
	8 84	1721 72 ✓				
21+50			6 26	1715 46 ✓	Side hill	
T-11						
21+64.82 N			0 69	21 03 ✓	Top Spur	
22+00			14 92	0680 ✓	Toe Slope	(3° boot)
22+50			15 02	0670 ✓		(4° boot)
23+00			15 10	0662 ✓		(4° boot)
23+50			15 52	0620 ✓		(4° boot)
23+80			15 00	0672 ✓	Toe Slope	(3° boot)
24+00			13 60	0812 ✓		(2° boot)
T-12						
24+44.20 N			5 99	15 73 ✓	Top Spur	
24+50			6 00	15 72 ✓	Side hill	
24+75			8 32	13 40 ✓	" "	
T.B.M.			11 11	1710 61 ✓	T.B.M. Shld Spk W. of T-E. Side P.P. #1153214E	8.96 EL 1710.60

FORM 307 10M 10-46

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No.
Notes Red Plotted
Date Date
Notes Chkd Checked
Date Date
Division No. 8875.70
Job No. 8875.70
Survey of Tick Canyon Road
Survey by C.L. Wright Notes R.C. Bowers
Indexed C. Tabulation Date
F.B. 2394 Pg. 114

STATION	B. S.	H. I.	F. S.	ELEV.	
T.B.M.				1710 60	T.B.M. chip spk. W. of T. on E. Side P.P.* 11552/4E Pg. 96
	11 31	1721 91			
25+00			11 19	1710 72	Toe Slope
25+50			9 42	12 49	
26+00			7 10	14 81	
26+19			4 12	17 79	Toe Slope
T.P.			0 52	1721 39	
	10.70	1732 09			
T.P			0 97	1731 12	
	11.37	1742 49			
26+50 T-13			8 00	1734 49	Side hill
26+56.13N			6 35	36 14	Top Spur
27+00			2 49	~~40.09~~ 39 55	Side hill
T.P.			1 22	1741 27	
	11.04	1752 31			
27+50			9 00	1743 31	" "
28+00			7 40	44 91	" "
28+50 T-14			4 85	47 46	" "
28+94.32N			4 80	47 51	Top Spur
29+00			5 22	47 09	Top Brk
T.P.			11 81	1740 50	

FORM 307 10M 10-46

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				1740.50		
	2.89	1743.39				
T.P.			11.44	1731.95		
	2.96	1734.91				
29+50			6.47	1728.44	Side hill	
BM. T-200			7.03	1727.88	BM T-200 El.=1727.86	Pg. 18, 96
BM. T-200				1727.86	BM T-200 El=1727.86	Pg 18, 96
	1.56	1729.42				
29+81			11.06	1718.36	Toe Slope	
30+00			11.25	18.17		
30+50			10.19	19.23		
31+00			8.85	20.57		
31+50			7.66	21.76		
32+00			7.09	22.33		
32+50			6.05	23.37		
T-15 32+83.35N			5.61	23.81		
33+00			5.35	24.07		
33+50-T.P.			7.10	1722.32		
	11.02	1733.34				
34+00			9.16	1724.18		

Profile Notes Red Plotted Job No. 00735.70 Division No.
No. Date Date Survey of Tice Canyon Road
X-Sec. Notes Ckkd. Checked Survey by C.L. Wright Notes R.C.B. Date 7 July 1952
No. Date Date Map No. Inspected C. Jarrett
F.B. 3904 Pg. 115

FORM 307 10M 10-46

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 7394 PG. 116 | Job No. 0075.70 Division No. Notes Red Plotted Profile No.
Survey of Tick Canyon Road Date Date X-Sec. No.
Survey by C.C. Wright Notes R.C. Bowers Notes Chkd Checked
Indexed Date Date

STATION	B. S.	H. I.	F. S.	ELEV.	
		1733 34 ✓			
34+50			7 52	1725 82 ✓	
35+00			4 63	28 71 ✓	
35+25			3 38	29 96 ✓	Toe Slope
T.P.			0 90	1732 44 ✓	
	9 67	1742 11 ✓			
35+50			1 49	1740 62 ✓	Top. Brk.
T.P.			062	1741 49 ✓	
	7 75	1749 24 ✓			
35+60			53	1743 9 ✓	Top Spur
36+00 T-16			0 01	49 23 ✓	
36+01.04 N			+ 010	49 34 ✓	Top Brk
36+50			4 40	44 84 ✓	
37+00			9 72	39 52 ✓	
T.P.			11 45	1737 79 ✓	
	1 96	1739 75 ✓			
37+50			784	1731 91 ✓	Toe Slope
38+00			5 44	34 31 ✓	
38+50			4 78	34 97 ✓	
39+00			4 23	35 52 ✓	
39+50			4 86	1734 89 ✓	

FORM 307 10M 10-46

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 00 75.70 Division No.
No. Date Date Survey of Tick Canyon Road
X-Sec. Notes Chkd Checked Survey by C. L. Wright Notes R. C. E. Date 7 Aug. 1959
No. Date Date Map No. Map C. Johnson Date

F.B. 3394 Pg. 117

STATION	B. S.	H. I.	F. S.	ELEV.		
		1739.75 ✓				
T-17						
39+88.45N			5.25	1734.50 ✓		
40+00			4.85	34.90 ✓		
40+50			3.98	35.77 ✓		
41+00			2.72	37.03 ✓		
41+50-T.P.			1.37	1738.38 ✓		
	11.45	1749.83 ✓				
42+00			9.78	1740.05 ✓		
42+50			8.63	41.20 ✓		
43+00			7.13	42.70 ✓		
T-17A=C-9						
43+38.59N			5.50	44.33 ✓	Int. T Line & E-W. ctr. Sec. 7	
T.P.			0.73	1749.10 ✓		
	9.48	1758.58 ✓				
Fd. T.B.M.			0.19	1758.39 ✓	Fd T.B.M. ship spk, w. #T. on E. Side T.P.# 4288 & J2A-86 El. = 1758.47 Pg. 99	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 60-257-70 Division No.
No. Date Date Survey of Tract C-1001 R.P.
X-Sec. Notes Chkd. Checked Survey by C.L. Barnhart Notes C.L.B. Date 12-7-70
No. Date Date Map No. Notes C. Johnson Date
F. B. 2394 Pg. 119

STATION	B. S.	H. I.	F. S.	ELEV.		
	BENCH LEVELS FROM B.M. T-203 NORTH EASTERLY TO B.M. T-204 AND RETURN.					
B.M. T-203				1903.466	FD. C.E. BRASS CAP MON. 100'± N.W. OF T-38 ON N-S. SEC. LINE SEC. 5, SEC. 6 T4N R14W	Pg 85, 106
	4.372	1907.838				
T.P.			9.328	1898.510		
	5.444	1903.954				
T.B.M.			3.357	1900.597	SET SHIP SPK. IN N.W. SIDE	P.P. #1155240E
	6.094	1906.691				
T.P.			10.228	1896.463		
	2.345	1898.808				
T.P.			11.537	1887.271		
	6.841	1894.112				
T.P.			5.422	1888.690		
	6.186	1894.876				
T.B.M.			2.547	1892.329	SET SHIP SPK. IN S.E. SIDE OF (THIS POLE IS GUYED)	P.P. #1155243E UP 8"
	6.690	1899.019				
T.P.			3.538	1895.481		
	10.040	1905.521				
T.P.			1.698	1903.823		
	11.764	1915.587				

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2394 Pg. 20 | Job No. 00575.76 | Division No. | Notes Red. | Plotted | Profile
Survey of Tick Cyn. Rd. | Date | Date | No.
Survey by C. L. Wright Notes CLW | Notes Chkd. | Checked | X-Sec.
Indexed A. C. Johnson Date Feb '60 | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1915.587				
TP			0.687	1914.900		
	1.442	1926.342				
T.B.M.			5.596	1920.746	SET SHIP SPK.	S.E. SIDE PP #1155246.E
	5.221	1925.967				
T.P.			4.923	1921.044		
	10.275	1931.319				
TP			8.105	1923.214		
	2.542	1925.756				
TP			1.910	1923.846		
	8.250	1932.096				
TP			1.222	1930.874		
	6.848	1937.722				
TP			1.107	1936.615		
	7.392	1944.207				
B.M. T-204			1.055	1943.152	SET C.E. BRASS CAP BUTTON MON. 22'± W OF ℄ TRAVELED DIRT RD. W. SIDE TICK CYN. PROXIMITY OF T-48 PL. 86	
	0.968	1944.120				
TP			7.505	1936.615		
	1.304	1937.919				
TP			7.041	1930.878		
	1.202	1932.080				

COUNTY ENGINEER
B M
T-204
R. E. 5869

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1932080 ✓				
TP			8233	1923847 ✓		
	1846	1925693 ✓				
TP			2475	1923218 ✓		
	8937	1932155 ✓				
TP			11106	1921049 ✓		
	4901	1925950 ✓				
T.B.M.			5202	1920748 ✓	Fd. Ship Sol	In S.E. Side P.P. # 1155246E Pc 120
	5623	1926371 ✓				
TP			11472	1914899 ✓		
	0636	1915535 ✓				
TP			11712	1903823 ✓		
	1686	1905509 ✓				
TP			10028	1895481 ✓		
	3520	1899001 ✓				
T.B.M.			6675	1892326 ✓	Fd. Ship Spk Pc 119	In S.E. Side P.P. # 1155243E Up 3'
	2457	1894813 ✓				
TP			6125	1888688 ✓		
	5217	1893905 ✓				
TP			6640	1887265 ✓		
	11253	1898518 ✓				

Profile Notes Red. Plotted Job No. 80757B Division No.
No. Date Date Survey of Tick Cyn. Rd.
X-Sec. Notes Chkd. Checked Survey by C.A.Hall & Assoc. Notes C.A.H. Date Feb. 20
No. Date Date Map No. Inked Ck. Tabs Date

F. B. 23394 Pg. 121

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2394 Pg. 122 | Job No. 0075.70 Division No. | Notes Red. | Plotted | Profile
Survey of TICK CANYON | Date | Date | No.
Survey by C.L. WRIGHT Notes C L W | Notes Chkd. | Checked | X-Sec.
Indexed A. C. Johnson Date FEB '60 | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1898.518 ✓				
			2062	1896.456 ✓		
	10377	1906.933 ✓				
TBM			6249	1900.593 ✓	FD. SHIPSAK N.W. SIDE P.P. #1155240E	
	3365	1903.958 ✓				
TP			5453	1898.505 ✓		
	9482	1907.981 ✓				
BM T-203			4525	1903.462 ✓	FD. C.E. MON. PG. 85, 104, 119 FD C.E. BRASS CAP BUTTON MON 100' I N.W. OF T-38 ON N-S, SEC LINE SEC. 5, SEC 6 T4N R14W	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red. ____ Plotted ____ Job No. ____ Division No. ____
X-Sec. No. ____ Date ____ Date ____ Survey of TICK CYN. RD. Date 1-5-60
Notes Ckkd. ____ Date ____ Checked ____ Survey by C.L. [illegible] Notes C.L.W. Map No. ____ Indexed by [illegible]

F. B. 2394 Pg. 123

BENCH LEVELS FROM BM T-204 NORTHEAST'LY TO BM T-205 AND RETURN

STATION	B. S.	H. I.	F. S.	ELEV.		
BM T-204				1943.152	FD. C.E. BRASS MONUMENT DIRT RD. W. SIDE TICK CYN. Pg. 86, 120	22'± W. OF ℄ TRAVELED PROMINENCE OF T-48
	9270	1952.422				
TP			2884	1949.538		
	6362	1955.898				
TP			4844	1951.054		
	5806	1956.860				
TP			0486	1956.374		
	7379	1963.753				
T.B.M.			4.300	1959.453	SET SHIP CRK. E SIDE UP 8" P.P. THIS POLE HAS TWO GUY WIRES	1209.53E
	6155	1965.608				
B.M.			1929	1963.679	FD. W.C. ¼ COR. SEC. 32, C.S. MON. FB. 1260 Pg 57 FB 2394-54, 65	SEC 5 T4N-T5N-R14W SET POL ON +
	4580	1968.259				
TP			3050	1965.209		
	10638	1975.847				
			2328	1973.519		
	11534	1985.053				
			1464	1983.589		
	9322	1992.911				

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2394 Pg. 124 Job No. 00575.79 Division No. Notes Red. Plotted
Survey of Tick Cyn. Rd. Date Date
Survey by C.L.WRIGHT Notes C.L.W. Notes Chkd. Checked
Indexed K.C. Johnson Date FEB. '60 Date Date
Profile No. X-Sec. No.

STATION	B. S.	H. I.	F. S.	ELEV.	
		1992911			
TP			2403	1990508	
	10387	2000895			
TP			2043	1998852	
	9518	2008370			
TP			1604	2006766	
	10478	2017244			
T.B.M.			1730	2015514	SET SPIKE S.E. SIDE UP 6" P.P. #1209350L THIS POLE HAS TWO ANCHOR GUYS
	7467	2023181			
TP			0512	2022669	
	11346	2034015			
TP			1042	2032973	
	10872	2043545			
TP			0677	2043168	
	11343	2054511			
L.M. T-205			1487	2053024	SET C.E. BUTTON MON. E. SIDE OF TICK CYN. S.E. OF T-57 Pg. 87
	1404	2054428			
T.P.			11260	2043168	
	0841	2044009			
TP			11044	2032965	
	1527	2034492			

COUNTY ENGINEER
B.M.
T-205
R.E. 5869

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		2034492				
TP			11832	2022660		
	0332	2022992				
TCM			7486	2015506	D. SHIP SPK E. SIDE	TP # 1209359E Pg 124
	1633	2017139				
TP			10382	2006757		
	1511	2008268				
TP			9430	1998838		
	2067	2000905				
TP			10411	1990494		
	1604	1992098				
TP			8526	1983572		
	1487	1985059				
TP			11557	1973502		
	2329	1975822				
TP			10629	1965193		
	3041	1968234				
TCM			4574	1963660	FD. W.C. ¼ COR SEC 32, SEC 5 T4N-T5N R14W FB 1260-57 FB 2394-54, 65, 123	
	2058	1965718				
TCM			6285	1959433		
	4494	1963927				

Profile
Notes Red. Plotted Job No. 00757 Division No.
No. Date Date Survey of TICK CYN. RD.
X-Sec. Notes Chkd. Checked Survey by C.L. WATKINS Notes C.L.W. Date FEB. 1960
No. Date Date Map No. Index No. C. Johnson Date

F. B. 2394 Pg. 125

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2394 Pg. 126 Job No. 0575 Division No. Profile
Survey of Tick Cyn. Rd. No. X-Sec.
Survey by C. L. Wright Notes C. L. W. Plotted Notes Red. Notes Chkd. Checked
Indexed K. C. Johnson Date Date Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1963 927 ✓				
TP			7572	956355 ✓		
	1051	957406 ✓				
TP			6368	951038 ✓		
	4692	955730 ✓				
TP			6204	949526 ✓		
	2773	952299 ✓				
BM. T-204			9157	943142 ✓	FD. C.E. BRASS CAP BUTTON MON. W. SIDE TICK CYN 22'± W. OF ℄ TRAVELED DIRT RD. PROXIMITY OF T-98 86, 120, 123	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED IN, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 2075.78 Division No.
No. Date Date Survey of Tick Cyn. Rd.
X-Sec. Notes Chkd. Checked Survey by C.L. Mc Knight Notes C.L.M. Date Feb '60
No. Date Date Map No. Indexed C. Peterson Date

F. B. 2394 Pg. 127

STATION	B. S.	H. I.	F. S.	ELEV.	
	REMOVALS FROM BM T-205 NORTHEASTERLY TO B.M. #4 (F.B. 1260-49) & RETURN				
B.M. T-205				2053.024	Fd. C.E. Brass Cap Button Mon. E. Side Tick Cyn. S.E. of T-57 Pg. 87, 124
	10.388	2063.412			
TP			0.562	2062.850	
	7.732	2070.582			
TP			0.263	2070.319	
	11.384	2081.703			
TP			0.942	2080.761	
	11.457	2092.218			
TP			1.691	2090.527	
	0.694	2095.621			
TBM			1.889	2096.732	Set Ship Spk E. Side of N.W. of Int. Old Dirt Davenport Rd. & Tick Cyn. Rd. Pg. 58
	0.962	2095.694			
TP			7.760	2087.934	
	11.811	2101.745			
TP			0.464	2101.281	
	11.950	2113.231			
			0.538	2112.693	
	11.437	2124.130			

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2394 Pg. 128 | Job No. 007570 Division No. | Notes Red. | Plotted | Profile
Survey of Tick Canyon Rd. | Date | No.
Survey by C.L. WRIGHT Notes S.L.W. | Notes Chkd | Checked | X-Sec.
Indexed K.C. Johnson Date FEB. '60 | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		2124	12.6			
TP			0.215	2123.911		
	10767	2134	6.8			
TP			0.921	2133.751		
	11367	2145	11.8			
TP			0.214	2144.904		
	10942	2155	9.6			
TP			0.297	2155.349		
	10458	2166	00.7			
TP			0.188	2165.819		
	11815	2177	6.4			
TP			0.287	2177.347		
	10781	2188	12.8			
TP			0.456	2187.672		
	10091	2197	7.6			
TP			0.236	2197.527		
	10475	2208	00.2			
TP			0.340	2207.662		
	11851	2219	5.3			
			0.264	2219.249		
	9823	2229	0.2			

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 0075.70 Division No.
No. X-Sec. Date Date Survey of Tick Canyon Rd.
Notes Chkd. Checked Survey by C. L. Wright Notes C. L.W. Date Feb. '60
No. Date Date Map No. Inked C. Johnson Date

F. B. 2394 Pg. 129

STATION	B. S.	H. I.	F. S.	ELEV.	
		2229.012			
TP			0.204	2228.867	
	1.769	2230.637			
TP			1.195	2229.442	
	7.321	2236.963			
TP			0.269	2236.694	
	1.089	2237.782			
[illegible] 74			2.055	2235.727	Fd. U.S.G.S. Button Monument R.E. 3.29 Top of Cut Bank S. side old Davenport Rd, 3.5' E. of Lot. 111 W.W. Fn. 22' N. of N.W. Cor. Old Frame House F.B. 1260-49 Rec. Elev. 2255.926
	1.978	2237.705			
TP			1.014	2236.691	
	0.340	2237.031			
TP			7.585	2229.446	
	1.142	2230.588			
TP			1.7/8	2228.870	
	0.227	2229.097			
T.P.			9.846	2219.251	
	0.291	2219.542			
T.P.			1.877	2207.665	
	0.348	2208.013			
TP			10.483	2197.530	
	0.446	2197.976			

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F. B. 2394 Pg. 130 Job No. 00757.72 Division No. Profile
Survey of Title Cvr. Rec. Notes Red. Plotted. No.
Survey by C.L.W./RIGHT Notes C.L.W. Date Date X-Sec.
Indexed K. C. Johnson Date FEB. 60 Notes Chkd. Checked. No.
Date

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.
		2197976		
TP			10.302	2187674
	0643	2188317		
TP			10.961	2177356
	0617	2177973		
TP			11.920	2166053
	0370	2166423		
TP			10.868	2155555
	0240	2155795		
TP			10.889	2144906
	0499	2145405		
TP			11.650	2133755
	1214	2134969		
TP			11.055	2123914
	0256	2124170		
TP			11.473	2112697
	0638	2113335		
TP			11.896	2101439
	0477	2101916		
TP			11.982	2089934
	8253	2095174		

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		2098/74				
T.B.M.			1447	2096727	Fd. Ship Spk. E. Side PP# 1209364 E	Pg 58, 127
	2.202	2098.939				
T.P.			8402	2090537		
	1666	2092/93				
T.P.			11435	2080758		
	0934	2081692				
T.P.			11373	2070319		
	0238	2070557				
T.P.			7717	2062840		
	0588	2063728				
B.M. 205			10712	2053016	Fd. C.E. Brass Cap Button Mon. E. Side of Tick Cyn. S.E. of T-57 Pg 87, 124 127	

Profile
No. Notes Red Plotted Job No. 007572 Division No.
Date Date Survey of Tick Cyn. Rd.
X-Sec. Notes Chkd Checked Survey by C.L.W. Notes C.L.W. Date Feb. '60
No. Date Date Map No. Index C. Johnson

F.B. 2394 Pg. 131

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red_____ Plotted_____ Job No. 007579 Division No._____
No._____ Date_____ Date_____ Survey of TICK CYN RD.
X-Sec. Notes Chkd._____ Checked_____ Survey by C.L.W. & WRIGHT Notes C.L.W. Date FEB. '66
No._____ Date_____ Date_____ Map No._____ Index C. JOHNSTON

F.B. 2394 Pg. 133

STATION	B. S.	H. I.	F. S.	ELEV.	
	BENCH LEVELS FROM BM# 4 NORTH-WEST THRU B.M. T-206 TO BM# 3 (1/4 SEC. COR, SEC. 29-3 2TSN R14W)				
				2255926	FD C.S. BUTTON MON. R.E. 329 ON TOP OF CUT BANK S. SIDE OLD DAVENPORT RD. 3.5'E. OF LPT IN W.W.FN. 22' N OF N.W. COR. OLD FRAME HOUSE
B.M.#4					F.B. 1260-149, F.B. 2345-129
	2010	2257936			REC. ELEV 2255926
TP			11043	2246893	I CHECKED INTO THIS B.M. APPROX. 020 LOWER THAN THE RECORD. SEE PG. 129 C.L.W.
	9350	2256243			
TP			7823	2248425	
	4000	2252425			
TP			11331	2241086	
	0529	2241615			
TP			11479	2230136	
	0336	2230472			
TP			8838	2221634	
	0727	2222361			
TP			11908	2210453	
	0467	2210920			
TP			11645	2199275	
	0988	2200263			
TP			8842	2191421	
	0639	2192060			



76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2394 Pg. 134 Job No. 8075-70 Division No. Notes Red. Plotted
Survey of Tick Cyn. Rd. No. Date Profile
Survey by C.L. WRIGHT Notes C.L.W. Date X-Sec.
Indexed C. Johnson Notes Chkd. Checked
Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.	
		2192060			
TP			7140	2184320	
	3664	2188587			
TP			5489	2183098	
	3840	2186935			
B.M. T-206			5900	2181035	SET C.E. BUTTON, MON. N. SIDE DAVENPORT RD. W. SIDE TICK CYN. ON POINT OF ROCKY SPUR 60± N. OF ℄ Pg. 88 FOR LOCATION
	6725	2187760			
TP			5594	2182166	
	11469	2193626			
TP			4032	2189594	
	7990	2197584			
TP			2403	2195181	
	7095	2202276			
TP			2580	2199696	
	9216	2208912			
TP			0488	2208424	
	11143	2219567			
TP			0497	2219070	
	11430	2230500			
T.P.			0350	2230150	
	11270	2241420			

COUNTY ENGINEER
BM
•
T-206
R. E. 5869

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		2241 42.5				
TP			0 503	2240 91.7		
	11 750	2252 66.7				
TP			0 230	2252 43.7		
	11 083	2263 52.0				
TP			0 184	2263 33.6		
	11 581	2274 91.7				
TP			0 190	2274 72.7		
	11 930	2286 65.7				
TP			0 134	2286 47.3		
	10 790	2297 26.3				
TP			0 577	2296 68.6		
	11 744	2308 43.0				
			1 125	2307 30.5		
	8 987	2316 29.2				
BM #3			1 562	2314 73.0	FD. C.S. MON. WITH SCREW IN TOP 1/4 SEC. COR., SEC. 29-32 T5N R14W F.B. 1260-46 REC. ELEV. 2314.724	

Profile
No. _____ Notes Red _____ Plotted _____ Job No. 00375.70 Division No. _____
X-Sec. _____ Date _____ Date _____ Survey of TUCK GYM Rd.
No. _____ Notes Chkd _____ Checked _____ Survey by C.L.W. Notes C.L.W. Date FEB '60
Date _____ Date _____ Map No. _____ Index No. _____ C. JOHNSON

F.B. 2394 Pg. 135

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 20757D Division No.____
No.____ Date____ Date____ Survey of Tick Cyn. Rd.
X-Sec. Notes Chkd.____ Checked____ Survey by C.L. Wright Notes R.C.B. Date 26 Feb 1960
No.____ Date____ Date____ Map No.____ Index C.L. Jobnotes

F.B. 23394 Pg. 137

STATION	B. S.	H. I.	F. S.	ELEV.		
PROFILE OVER "T" LINE						
Sta. 41+50 = T.P.				1738 38 ✓	Fd Sta. 41+50. T.P Pg. 117	El. = 1738.38
	7 582	1745 962 ✓				
T.P.			1057	1744 905 ✓		
	11 161	1756 066 ✓				
T.P.			0 704 ✓	1755 362 ✓		
	11 611	1766 973 ✓				
T.P.			1 673	1765 300 ✓		
	4 768	1770 068 ✓				
T-18			1 135 ✓	1768 933 ✓	T-18 1X2¢N	
T-18A			3 173 ✓	1766 895 ✓	T-18A 1X2¢N & Pt.	
T.P.			11 821	1758 247 ✓		
	2 670	1760 917 ✓				
T.P.			9 829	1751 088 ✓		
	5 462	1756 559 ✓				
T.P.			0 240 ✓	1756 310 ✓		
	11 153	1767 463 ✓				
T-19			6 924 ✓	1760 539 ✓	T-19 1X2¢N	
T.P.			0 202	1767 261 ✓		
	11 981	1779 242 ✓				
T.P.			0 232 ✓	1779 010 ✓		

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2394 Pg/38 Job No 0075.70 Division No. Profile
Survey of Tick Crk Rd. No. X-Sec.
Survey by C.L. Wright Notes E.C. Bowers Notes Chkd Checked
Indexed E. G. Johnson Date Date Date Date Date Date

STATION		B. S.	H. I.	F. S.	ELEV.	
	T.P.				1779 010 ✓	
		11 756	1.790 766 ✓			
	T.P.			0 173	1790 593 ✓	
		11 545	1802 138 ✓			
	T.P.			0 188	1801 950 ✓	
		11 629	1813 579 ✓			
T-20				9 869	1803 710 ✓	T-20, & Pt., 1X2¢N
	T.P.			11 725	1801 854 ✓	
		0 388	1802 242 ✓			
T-21				11 195	1791 047 ✓	T-21 1X2¢N
	T.P.			0 280	1801 962 ✓	
		11 906	1813 868 ✓			
	T.P.			9 211	1813 657 ✓	
		11 679	1825 336 ✓			
	T.P.			1 283	1824 053 ✓	
		7 974	1832 027 ✓			
T-22				6 161	1825866 ✓	T-22, & Pt., 1X2¢N.
		0 736	1826 602 ✓			
	T.P.			10 905	1815 697 ✓	
		0 330	1816 027 ✓			
T-23	T.P.			11 323	1804 704 ✓	T-23 1X2¢N

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.			
T.P.				1804 704	T.P.		
	0 899	1805 603					
T-24			4 612	1800 991	T-24	T-Line ℄ Sec. "B" Line Int.	1X2 ℄ N.
T-25 = T.P.			2 088	1803 515	T-25	1X2 ℄ N	
	11 602	1815 117					
T.P.			0 328	1814 789			
	9 527	1824 316					
T-26			11 651	1812 665	T-26	1X2 ℄ N	
T.P.			0 352	1823 964			
	6 887	1830 851					
T-27			0 130	1830 721	T-27	1X2 ℄ N	
T.P.			11 811	1819 040			
	0 171	1819 211					
T.P.			11 838	1807 373			
	1 098	1808 421					
T.P.			11 809	1796 612			
	2 275	1798 887					
T.P.			11 288	1787 599			
	8 239	1795 838					
T-28 = T.P.			0 220	1795 618	T-28	1X2 ℄ N	

Profile
No. ____ Notes Red ____ Plotted ____ Job No. ____ Division No. ____
Date ____ Date ____ Survey of TICK CYN RD.
X-Sec. Notes Chkd ____ Checked ____ Survey by C.L. WRIGHT Notes C.C.B. Date 27 FEB 60
No. ____ Date ____ Date ____ Map No. ____ Indexed ____ C. Johnson Date ____

F.B. 2394 Pg. 139

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2394 PG. 140 Job No. Division No. Notes Red. Plotted. Profile
Survey of Tick Cyn. Rd. Date. No. X-Sec.
Survey by C.L. WRIGHT Notes R.C. BOWERS Notes Chkd. Checked
Indexed C. JOHNSON Date. Date. Date. No.

STATION	B. S.	H. I.	F. S.	ELEV.		
T-28 = T.P.				1795 618 ✓	T-28 1X2 ℄N.	
	11653	1807 271 ✓				
T.P.			0 612	1806 659 ✓		
	11 138	1817 797 ✓				
T.P.			5 300	1812 497 ✓		
	8 401	1820 898 ✓				
T-29			0 430	1820 468 ✓	T-29 ℄ Pt. 1X2 ℄N	
T.P.			8 401	1812 497 ✓		
	0 226	1812 723 ✓				
T.B.M.			11 515	1801 208 ✓	T.B.M. Ship Spk., W℄N. EL = 1801.293	P.P.# 115522BE PC 103-104
"				1801 293 ✓		
	10 478	1811 771 ✓				
TP			0 462	1811 309 ✓		
	11 085	1822 394 ✓				
T-30			3 174	1819 220 ✓		FD 1X2 ℄ NAIL
	7 350	1826 570 ✓				
TP			3 165	1823 405 ✓		
	10 429	1833 834 ✓				
T-31			4 587	1829 247 ✓		FD 1X2 ℄ NAIL - N.W. S.H.
	1 582	1830 829 ✓				
T-32			8 184	1822 645 ✓		FD 1X2 ℄ NAIL - INT. SEC. LINE

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T-32				1822645 ✓		FD 1x2 ¢ NAIL - INT. STREET LINE
	10819	1833464 ✓				
T.P.			1543	1831921 ✓		
	9280	1841201 ✓				
T-33			3572	1837629		FD 1x2 ¢ NAIL
T.B.M.			3961	1837240 ✓	FD. SHIP SPK IN N.W. SIDE PG 105	P.P. 1248554E
	11298	1848538 ✓				
			0844	1847694 ✓		
	7230	1854924 ✓				
T-34			5000	1849924 ✓		FD 1x2 ¢ NAIL
T-35			4203	1850721 ✓		" " "
	0301	1851022 ✓				
T.P.			11485	1839537 ✓		
	3636	1843173 ✓				
T.P.			0845	1842328 ✓		
	11670	1853998 ✓				
T.P.			3402	1850596 ✓		
	11035	1861631 ✓				
T-36			7518	1854113 ✓	T-36	1x2 ¢ N
T.P.			5144	1856487 ✓		

Profile Notes Red ____ Plotted ____ Job No. ____ Division No. ____
No. ____ Date ____ Date ____ Survey of Tick Canyon Rd
X-Sec. Notes Chkd ____ Checked ____ Survey by C.L. Wright Notes C.C.B. Date 2 March 1960
No. ____ Date ____ Date ____ Map No. ____ Index No. ____ Joe Torres

F.B. 2394 PG. 141

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2394 Pg. 142 | Job No. | Division No. | Notes Red | Plotted | No. | Profile
Survey of Tick Cyn. Rd. | Date | Date | No. | X-Sec.
Survey by C.L. Wright | Notes E.C. Bowers | Notes Chkd | Checked
Indexed C. Johnson | Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				1856 487 ✓		
	10 805	1867 292 ✓				
T.P.			1 458	1865 834 ✓		
	10 245	1876 079 ✓				
T-37			7 168	1868 911 ✓	T-37 1X2 ¢N.	
T.B.M.			1 564	1874 515 ✓	T.B.M. Fd. Ship Spk, W. ¢T Pg 106	P.P.# 1155233E EL = 1874.585
T.B.M.				1896 848 ✓	T.B.M Fd Ship spk, W. ¢T Pg 106 on	T.P.# J2A-59 ¢ 4220
	2 380	1899 228 ✓				
T-38			10 015	1889 213 ✓	T-38 1X2 ¢N	
	10 225	1899 438 ✓				
T.B.M.			2 590	1896 848 ✓	T.B.M. Fd. Ship spk, W¢T Pg 106 on	T.P.# J 2A-59 ¢ 4220 EL=1896.848
				1900 597	T.B.M Fd Ship spk, W. ¢T	P.P.# 1155240E Pg. 119
	7 227	1907 819 ✓				
T-39			9 370	1898 449 ✓	T-39 1X2 ¢N	
T-40 = T.P.			3 168	1904 651 ✓	T-40 1X2 ¢N	
	3 130	1907 781 ✓				
T.B.M.			7 182	1900 599 ✓	T.B.M Fd Ship spk. Pg. 119	P.P.# 1155240E El=1900.597

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.B.M.				1900.599	V.T.B.M. Fd. Ship Spk. in P.P.*	1155240E Pg. 119
	8818	1909.417				
T.P.			0.212	1909.205		
	11.550	1920.755				
T-41			2.179	1918.576	T-41 1X2¢N	
	5.048	1923.624				
T.P.			11.242	1912.382		
	7.435	1919.817				
T-42			11.602	1908.215	T-42 ✱ Pt. 1X2¢N	
T-43 = T.P.			3.790	1916.027	T-43 1X2¢N.	
	10.692	1926.719				
T-44 = T.P.			0.440	1926.279	T-44 1X2¢N	
	3.522	1929.801				
T.B.M			9.085	1920.716	T.B.M. Fd. Ship Spk. P.P.*	1155246E EL=1920.746 Pg. 120
T.B.M.				1920.746	T.B.M. Fd. Ship Spk. = P.P.*	1155246E Pg. 120
	10.803	1931.549				
T.P.			0.685	1930.864		
	11.842	1942.706				
T.P.			0.200	1942.506		

Profile
No. Notes Red Plotted Job No. Division No.
Date Date Survey of Tick Cyn Rd.
X-Sec. Notes Chkd Checked Survey by C.L. Wright Notes E.C.B. Date 2 March 1960
Map No. Date Map No. Date

F.B. 2394 Pg. 143

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2394 Pg. 144 | Job No. | Division No. | Notes Red | Plotted | Profile
Survey of Tice Cyn. Rd | No. | Date | Date | No. | X-Sec.
Survey by C. G. Wright | Notes R. C. Bowers | Notes Chkd | Checked
Indexed C. G. Johnson | Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				1942 506 ✓		
	7 932	1950 438 ✓				
T-45			2 190	1948248 ✓	T-45	4 Pt. 1x2 ¢N
T.P.			11 835	1938 603 ✓		
	1 035	1939 638 ✓				
T.P.			11 598	1928 040 ✓		
	4 440	1932 480 ✓				
T-46			10 845	1921 635 ✓	T-46	1x2 ¢N.
	6 612	1928 247 ✓				
T.P.			1 748	1926 499 ✓		
	11 099	1937 598 ✓				
T.P.			0 210	1937 388 ✓		
	11 805	1949 193 ✓				
T.P.			0 251	1948 942 ✓		
	11 199	1960 141 ✓				
T.P.			0 188	1959 953 ✓		
	11 351	1971 304 ✓				
T.P.			0 269	1971 035 ✓		
	5597	1976 632 ✓				
T-47			0 656	1975 976 ✓	T-47	4 Pt. 1x2 ¢N.
T.P.			11 638	1964 994 ✓		

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				1964 994 ✓		
	0 530	1965 524 ✓				
T.P.			11 638	1953 886 ✓		
	0 695	1954 581 ✓				
T-48			5 622	1948 959 ✓	T-48 1X2¢N.	
BM. T-204			11 508	1943 073 ✓	BM T-204 Co. Engr. Br. Cap	Button Mon. El = 1943.152 Pg. 120
BM. T-204				1943 152 ✓	BM T-204 Above	Pg. 120
	11 856	1955 008 ✓				
T.P.			0 392	1954 616 ✓		
	11 790	1966 406 ✓				
T.P.			0 449	1965 957 ✓		
	6 550	1972 507 ✓				
T-49			1 332	1971 175 ✓	T-49 1X2¢N	
T.P.			10 134	1962 373 ✓		
	1 311	1963 684 ✓				
T.P.			11 745	1951 939 ✓		
	10 135	1962 074 ✓				
T-50			10 619	1951 455 ✓	T-50 1X2¢N	
T.P.			0 175	1961 899 ✓		

Profile
No. Notes Red Plotted Job No. Division No.
X-Sec. Date Date Survey of Tick Gyn Rd.
No. Notes Chkd Checked Survey by C. L. Wright Notes R.C.B. Date 3 March 1960
No. Date Date Map No. Indexed By Date

F.B. 2354 Pg. 145

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2394 PG 146 | Job No. | Division No. | Notes Red. | Plotted | Profile
Survey of Tick Cyn Rd. | Date | No. | X-Sec.
Survey by C.L. Wright Notes R.C. Bowers | Notes Chkd | Checked
Indexed C. Jones | Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				1961 899 ✓		
	10850	1972 749 ✓				
T.P.			0 350	1972 399 ✓		
	3153	1975 552 ✓				
T.P.			0 579	1974 973 ✓		
B.M.			11 909	1963 643 ✓	B.M. = W.C. 1/4 Sec Cor 32 & 5, T. 4 N, R. 14 W., C.S. Mon. F.B. 1260 - 157 El = 1963.679 (Use + in ctr.) F.B. 2394 - 54, 65, 123	
B.M.				1963 679 ✓	B.M. W.C. 1/4 Sec Cor 32 & 5 Above	
	11 851	1975 530 ✓				
T.P.			0 260	1975 270 ✓		
	11 312	1986 582 ✓				
T.P.			0 615	1985 967 ✓		
	10 147	1996 114 ✓				
T.P.			0 755	1995 359 ✓		
	10928	2006 287 ✓				
T.P.			0 471	2005 818 ✓		
	10 235	2016 051 ✓				
T-51			3 385	2012 ~~673~~ 663 ✓	T-51 1 X 2 & N.	
T.P.			10 239	2005 812 ✓		
	2 930	2008 742 ✓				
T-52 (side shot)			0 403	2008 339 ✓	T-52 & Pt. 1 X 2 & N.	

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		2008 742 ✓				
T.P.			11 240	1997 502 ✓		
	10 635	2008 137 ✓				
T-53			3 922	2004 215 ✓	T-53 1X2¢N.	
T.P.			0 205	2007 932 ✓		
	11 479	2019 411 ✓				
T-54 = T.P.			0 732	2018 679 ✓	T-54, 4 Pt., 1X2¢N.	
	7 412	2026 091 ✓				
T-55			4 269	2021 822 ✓	T-55 1X2¢N.	
T.P.			0 510	2025 581 ✓		
	11 822	2037 403 ✓				
T.P.			0 445	2036 958 ✓		
	11 360	2048 318 ✓				
T-56			2 583	2045 735 ✓	T-56 4 Pt. 1X2¢N.	
	3 150	2048 885 ✓				
T.P.			1 085	2047 800 ✓		
	7 149	2054 949 ✓				
BM. T-205			1 940	2053 009 ✓	BM. T-205 Co Engr. Br. Cap Button Mon. El = 2053.024	Pg. 124
BM. T-205				2053 024 ✓	B.M. T-205 Above	Pg 124
	11 305	2064 329 ✓				

Profile
No. Notes Red Plotted Job No. Division No.
Date Date Survey of Tick Cyn. Rd
X-Sec. Notes Chkd Checked Survey by C.L. Wright Notes R.C.B. Date 3 March 1960
No. Date Map No. Index
F.B. 2394 Pg. 147

76L298 307 10-51

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2394 Pg. 48 | Job No. | Division No. | Notes Red. | Plotted | Profile
Survey of Tick Cyn. Rd. | No. | Date | Date | No.
Survey by C.L. Wright | Notes R.C. Bowers | Notes Chkd | Checked | X-Sec.
Indexed C. Johnson | Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		2064 329				
T.P.			0 348	2063 981		
	10228	2074 209				
T.P.			0 240	2073 969		
	10362	2084 331				
T-57			9 106	2075 225	T-57	1X2 ⊄N.
T.P.			0 250	2084 081		
	11 565	2095 646				
T.P.			2 864	2092 782		
	10149	2102 931				
T-58			2096	2100 835	T-58	⊄ Pt. 1X2 ⊄N.
T.B.M.			6 211	2096 720	T.B.M.	Ship spk P.P.# 1209364E El=2096.732 Pg. 59, 127
T.B.M.				2096 732	T.B.M.	Above Pg. 59, 127
	11 131	2107 883				
T.P.			0 403	2107 448		
	11 724	2119 172				
T.P.			0 178	2118 994		
	10924	2129 918				
T.P.			0 308	2129 610		

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
T.P.				2129 610 ✓	
	11 782	2141 392 ✓			
T-59			0 450	2140 942 ✓	T-59 ℄ Pt. 1X2 ℄N.
	4 821	2145 763 ✓			
T.P.			0195	2145 568 ✓	
	11 856	2157 424 ✓			
T.P.			9 787	2156 637 ✓	
	11 281	2167 918 ✓			
T-60			5 360	2162 558 ✓	T-60 1X2 ℄N.
T-64 = T.P.			2 975	2164 943 ✓	T-64 ℄ Pt. 1X2 ℄N.
	11 792	2176 735 ✓			
T.P.			1 430	2175 305 ✓	
	11 600	2186 905 ✓			
T-61			5 055	2181 850 ✓	T-61 1X2 ℄N.
T-62			5 632	2181 273 ✓	T-62 Br. Spk., W. ℄T. & Int. Davenport Rd ℄ T-Line
T-63			5 339	2181 566 ✓	T-63 " " " " " " " " (Alt. Route) 8.434
B.M. T-206			6 103	2180 802 ✓	B.M. T-206 L.A.C. Engr. Br. Cap Button Mon. El = 2181.035

NOTE: THIS ELEV. APPROX. 020 HIGHER AS IT WAS RUN FROM DIFFERENT CIRCUIT.

Profile
No. Notes Red Plotted Job No. Division No.
X-Sec. Date Date Survey of Tick Cyn. Rd.
No. Notes Chkd Checked Survey by C.L. Wright Notes R.C.B. Date 4 March 1960
Date Date Map No. Inked C. Johnson

F.B. 2394 Pg. 149

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. Division No.
No. Date Date Survey of Tick Cyn Rd.
X-Sec. Notes Chkd Checked Survey by C. L. Wright Notes E.C.B. Date 2 March 1960
No. Date Date Map No. Inspector C. Johnson

F.B. 2394 Pg. 151

STATION	B. S.	H. I.	F. S.	ELEV.	
		ELEV.		of T-24 A (TILT CONTROL PT.)	
T.B.M.				1776 043	Fd. Strip Spk, W. of T., E. Side of T.P. # 4278, up 12' Cs. Pole of a group of 3 Poles) El = 1776.043 Pg. 100
	5 740	1781 783			
T.P.			2 708	1779 075	
	8 122	1787 197			
T.P.			1 419	1785 778	
	11 022	1796 800			
T.P.			1 135	1795 665	
	11 590	1807 255			
T-24 A			3 186	1804 069	Fd. T-24A 1X2 ft N.
	3 068	1807 137			
T.P.			11 469	1795 668	
	1 697	1797 365			
T.P.			11 595	1785 770	
	1 565	1787 335			
T.P.			8 267	1779 068	
	3 310	1782 378			
T.B.M.			6 348	1776 030	Fd. starting T.B.M. Pg. 100 T.B.M. Strip Spk., W. of T, T.P. # 4278 El = 1776.043

76L298 307 10-51

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No.
Plotted Date Checked Date
Notes Red Date Notes Chkd Date
Division No. Notes R.C. Bowers Date
Job No. Date
Survey of Tick Cyn. Rd.
Survey by C.L. Wright Notes
Indexed C. Johnson

T.B.2394 Pg. 52

STATION	B. S.	H. I.	F. S.	ELEV.	
		ELEV. OF T-37A (TILT CONTROL PT.)			Fd Ship Spk. on P.P.# 1155233E, E. Side
T.B.M.				1874 585 ✓	El= 1874.585 Pg. 106
	11 478	1886 063 ✓			
T.P.			1 055	1885 008 ✓	
	10 664	1895 672 ✓			
T.P.			0·270	1895 402 ✓	
	10 051	1905 453 ✓			
T.P.			9 702	1904 751 ✓	
	11 632	1916 383 ✓			
T.P.			0 318	1916 065 ✓	
	9 261	1925 326 ✓			
T-37A			0 853	1924 473 ✓	T-37A 1X2"N. Pg.
	0 617	1925 090 ✓			
T.P.			9 024	1916 066 ✓	
	0 303	1916 369 ✓			
T.P.			11 618	1904 751 ✓	
	1 030	1905 781 ✓			
T.P.			10 378	1895 403 ✓	
	0 861	1896 264 ✓			
T.P.			11 262	1885 002 ✓	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				1885 002 ✓		
	1150	1886 152 ✓				
T.B.M.			11 572	1874 580 ✓	Starting T.B.M. P.P.# 1155233 El=1874.585	Pg. 106
		Elev. of	J-25A		(TILT Control Pt.)	
T-25				1803 515 ✓	T-25 1X2"N Elev. = 1803.515	Pg. 139
	11 633	1815 148 ✓				
T.P.			0 431	1814 717 ✓		
	11 165	1825 882 ✓				
T.P.			0 272	1825 610 ✓		
	11 571	1837 181 ✓				
T.P.			0284	1836 897 ✓		
	11298	1848 195 ✓				
T.P.			0 317	1847 878 ✓		
	11875	1859 753 ✓				
T.P.			0675	1859 078 ✓		
	11162	1870 240 ✓				
T.P.			0 430	1869 810 ✓		
	11 349	1881 159 ✓				
T.P.			0350	1880809 ✓		

Profile Notes Red. Plotted Job No. Division No.
No. Date Date Survey of Tick Cyn Rd.
X-Sec. Notes Chkd. Checked Survey by C.L. Wright Notes E.C.B. Date 2 March 1960
No. Date Date Map No. Indexed C. Jackson Date

F. B. 23394 Pg. 153

76296 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2394 Pg. 154 | Job No. | Division No. | Notes Red. | Plotted | No. | Profile
Survey of Tick Cyn. Rd. | Date | Date | No. | X-Sec.
Survey by C.L. Wright | Notes R.C. Bowers | Notes Chkd. | Checked
Indexed | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				1880 809 ✓		
	11 019	1891 828 ✓				
T.P.			0391	1891 437 ✓		
	11 770	1903 207 ✓				
T.P.			0205	1903 002 ✓	18" Marker - Red	Tag in Burned Tree
	11 599	1914 601 ✓				
T.P.			0268	1914 333 ✓		
	11 223	1925 556 ✓				
T.P.			0635	1924 921 ✓		
	11 815	1936 736 ✓				
T.P.			0420	1936 316 ✓		
	10139	1946 455 ✓				
T-25 A			1472	1944 983 ✓	T-25A 1 N 2 E N.	
	1 204	1946 187 ✓				
T.P.			9872	1936 315 ✓		
	0531	1936 846 ✓				
T.P.			11 929	1924 917 ✓		
	0715	1925 632 ✓				
T.P			11 302	1914 330 ✓		
	0190	1914 520 ✓				
T.P.			11 521	1902 999 ✓		

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				1902 999 ✓		
	0 310	1903 309 ✓				
T.P.			11 880	1891 429 ✓		
	0 569	1891 998 ✓				
T.P.			11 190	1880 808 ✓		
	0 260	1881 068 ✓				
T.P.			11 254	1869 814 ✓		
	0 345	1870 159 ✓				
T.P.			11 081	1859 078 ✓		
	0 754	1859 832 ✓				
T.P.			11 949	1847 883 ✓		
	0 470	1848 353 ✓				
T.P.			11 455	1836 898 ✓		
	0 369	1837 267 ✓				
T.P.			11 655	1825 612 ✓		
	0 320	1825 932 ✓				
T.P.			11 210	1814 722 ✓		
	0 490	1815 212 ✓				
T-25			11 695	1803 517 FN ✓	T-25 1X2 FN	FN = 1803.515 Pg. 139,153

Profile Notes Red. Plotted Job No. Division No.
No. Date Date Survey of Tick Cyn. Rd.
X-Sec. Notes Chkd. Checked Survey by C. L. Wright Notes L.E.C.E. Date 18 March
No. Date Map No. Indexed C. L. Job No.

F. B. 23394 Pg. 155

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of TICK CYN. RD.
JN 0075.70 Tape 175 Std 72 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date DEC '64
Indexed C. J. GALLI DEC 28 '64

F. B. 2394 PG. 57

TICK CYN. RD.
RETRACEMENT - PORTION PRELIMINARY LINE FROM T-47 N'LY TO T-58 & T-62

J.N. 0075.70

REFERENCES:
F.B. 1260
" 2457

PARTY:
C. L. WRIGHT
C. R. YASUI
B. A. PEAVY
T. H. KENNEY
H. B. MITCHELL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

7-62 3095 CE 4310

F. B 2394 PG. 158



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of TICK CYN RD.
JN 5570 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date DEC '64
Indexed C. J. GALLI

F. B. 2394 PG. 159

CONT. TO PT PG 160

T-60°
249.29 @ 10-21 = 245.23
249.51 @ 10-37 = 245.24
245.23
245.24
245.19

245.19 ℄ LINE A

T-50A
SET 1x2 N

134.15

T-61°
135.49 @ 8-01 = 134.17
135.67 @ 8-32 = 134.17
134.17
134.17

T-50
FD 1x2 N
TG. 53, 54

252.83

T-62°
253.73 @ 4-44 = 252.86
253.66 @ 4-30 = 252.88
252.87
252.83

T-49
FD 1x2 N
TOP LOW SPUR PG 53

T-64°
155.40 @ 5-59 = 154.55
155.28 @ 5-31 = 154.56
97.03 @ 4-12 = 96.77
97.12 @ 4-43 = 96.79
154.55
96.78
251.33
251.30

251.30

PRELIMINARY

TO T-79
ALSO FB 1260-
PG 158
S 03-05-00 E 209

	5	03	00
	200	12	30
	30	18	30
	5°	03'	05"

CONT. TOP PG 158

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3098 C.E. #310 6-62

CONT. BOT PG 161

F. B. 2394 PG. 160



T-60°

LEV 19.03

299.71 @ 1-41 = 299.58

299.69 @ 1-32 = 299.58 = 299.58

318.61

.05

318.56

318.56 ↙ LINE

T-53
FD. 1x2 ⊙N
PG. 55, 56

T-60°

128.63 @ 5-08 = 128.11

128.52 @ 4-41 = 128.09 = 128.10

296.95 @ 2-50 = 296.59

297.06 @ 3-11 = 296.60 = 296.59

474.69

.07

474.62

474.62 ↙ PARALLAX

	185	24	20
⑤	241	37	40
⑥	212	26	30
	155°	24'	25" ↙

T-52
FD. 3/4" I.P. -
REPLACEMENT
FOR 1x2 ⊙N
PG. 55
F.B. 1260 - 234

T-60°

LEV. 43.92

286.73

330.65

.05

330.60 ↙

330.60 ↙

T-51
FD 1x2 ⊙N
TOP RIM ROCK
PG 54, 55

CONT. TOP PG 159

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of TICK CYN RD.
Map No.	JN 057320 Tape 175 Std. 74 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W Date DEC '64
Date	Indexed C. J. GALLI

F. B. 2394 PG. 161

CONT. FOR PG. 162



T-66
LEV
187.08 @ 4-59 = 186.37 ✓ 140.66
187.14 @ 5-14 = 186.36 ✓ 186.36
327.02
.04
326.98 ✓

T-55
FD 1X2½ N

PRELIMINARY

T-64
LEV.
293.92 @ 1-06 293.87 ✓ 65.10
293.90 @ 0-58 = 293.86 ✓ 293.86
358.96
.06
358.90 ✓

358.90

165° 07' 07"

T-54
FD. ¾" I.P. CONC.
PLUG L.A. CO. ENGR.
TAG Pg. 56
F.B. 12660-234

LINE

165.51 ✓

①	165	07	10
④	300	28	20
⑥	270	42	40
	165°	07'	07"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F3093 CE #330 6-62

F. B. 2394 PG. 162

CONT. BOT. PG 163

443.81 ✓

PRELIMINARY

T-68°

LEV.

297.22 @ A-12 = 296.42 ✓ 18.38

297.14 @ A-02 = 296.40 ✓ = 296.41

129.07

443.86 ✓

.65

443.81 ✓

T-57
FD 1X2 CC
TOP BRK
PG 57

T-68°

94.23 @ 6-59 = 93.53 ✓

94.11 @ 6-22 = 93.53 ✓ = 93.53

299.13 @ 4-57 = 298.01 ✓

299.22 @ 5-07 = 298.03 ✓ 298.02 ✓

298.10 @ 1-56 = 297.93 ✓

298.07 @ 1-44 = 297.93 ✓ = 297.93 ✓

689.48

.07

689.41

①	151	23	00
②	242	32	00
③	188	17	50
	151°	22'	58"

689.41

151° 22' 58" ✓

LINE

T-56
FD. 1X2 ¼ N PG. 56
REPLACED WITH
3/4" I.P. CONC. PLUG
LA CO. ENGR TAG
@ SAME ELEV.

326.98

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of TICK CYN RD.
JN 00757 Tape 175 Std 24 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date DEC '64
Indexed C. J. GALLI

F. B. 2394 PG. 163

CONT. FROM T.G 165

T-70°

225.35 @ 14 LEV -32 = 218.14 ✓ 21.61
225.07 @ 14 -16 = 218.13 ✓ 218.13
152.41 @ C -04 = 151.56 ✓ 151.55
152.33 @ S -49 = 151.55 ✓ 151.55
176.17 @ O -54 = 176.15 ✓ 176.15
192.93 @ 7-55 = 191.09 ✓
192.77 @ 7-35 = 191.08 ✓ 191.08
184.76 @ 4-30 = 184.19 ✓
184.79 @ 4-42 = 184.17 ✓ 184.18
292.26 @ 1-23 LEV = 292.17 ✓ 39.59
292.26 @ 1-21 = 292.18 ✓ 292.17
290.74 @ 1-15 = 290.67 ✓ 290.66
290.70 @ 1-04 = 290.65 ✓

1565.12
.14
1564.98

1564.98



T-58
FD. 3/4" I.P.
CONC. PLUG -
L.A.CO. ENGR. TAG
F.B. 1260 - 203

①	157	59	30
②	271	57	50
③	227	56	40
	157°	59'	27"

CONT. TOP PG 167

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3085 CE #330 6-62

F. B 2394 PG. 164



TANG. PROD.
FD. 3/4" DRILL STEEL
FB. 2394 - 60
" 1260 - 184

①	57	28	40
②	229	54	50
③	341	55	40
	57°	28°	45'

FB. 1260 - 184
820.31
DAVEN PKWY. RD.

T-62
FD BOAT SPK W.T.
EL. IN PVMT
FB. 1260 - 184
" 2394 - 60, 166

FB. 1260 - 184
123° 30' 45"
118° 34' 02"

①	118	34	00
②	114	16	00
③	351	24	10
	118°	34'	01 2/3"

TO Z-1A - 187
FB. 1260 - 54
" 2457 - 54
" 2394 - 166
74° 57' 28° 45'

1564.98'

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

CONT TOP PG 163

Notes Ck'd by M. OSHITA	Survey of TICK CYN RD	F. B. 2394 PG. 165
Map No.	JN 0075.70 Tape Std °F	
Office Work	Surveyed by C. L. WRIGHT	
Checked	Notes C. L. W Date 12-6-70	
Date	Indexed C. J. GALLI	

TICK CYN. RD. - PHOTO CONTROL -

B SIDE CTR. PT.

FIGURE -

27A, T-62, T-71, T-72

J. N. 0075.70

REFERENCES

F.B. 1260

" 2457

PARTY:

C. L. WRIGHT
C. R. YASUI
B. A. PRAVY
T. H. KENNY
H. B. MITCHELL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S S&E #247 11-68

F. B. 2394 PG. 166



①	169	50	50
④	319	29	00
⑥	299	04	40
	169°	50'	47" ✓

①	71	09	20
④	284	37	50
⑥	356	56	30
	71°	09'	25" ✓

①	119	00	00
④	115	59	20
⑥	353	59	80
	118	59	50 ✓

①	17	42	50
④	70	51	20
⑥	106	17	60
	17°	42'	50" ✓

①	22	54	00
④	91	36	40
⑥	137	24	50
	22°	54'	08" ✓

①	5	24	10
④	21	36	30
⑥	32	25	10
	5°	24'	12" ✓

①	85	56	50
④	243	46	40
⑥	155	40	00
	85°	56'	40" ✓

①	4	44	40
④	18	59	10
⑥	28	29	80
	4°	44'	50" ✓

①	43	17	20
④	173	09	50
⑥	259	44	40
	43°	17'	27" ✓

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this tide of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of TICK CANYON RD
Map No.	JN 00750 Tape 235 Std 84 °F
~~Office Work~~	~~Surveyed by L.V. SMITH~~
Checked	Notes MOODY Date 6-66
Date	Indexed C. J. GALLI JL 2 7 68

F. B. 2394 Pg. 167

TICK CANYON ROAD

JN 00750

AERIAL MAPPING PROFILE CHECK

JUNE 66

PARTY
L.V. SMITH
J.A. MOODY
E.M. GOSHORN
T.W. PETERSON

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 CE #310 6-62

F. B. 2394 PG 168

SHEET #1



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of TICK CANYON RD
JN 007570 Tape 235 Std 84 °F
Surveyed by L.V. SMITH
Notes MOODY Date 6-30-66
Indexed C. J. GALLI

F. B. 2394 PG. 169

SHEET #2

T-28
FD. 3/4" IP & LA
CO. ENGR. TAG & N.
IN CONC. PLUG. FL.
PER. FB. 2394-48

E=
SET 1X2 & H.
FL. ON TOP
OF RIDGE

LINE-"F"

"G"-LINE

1. = 133-31-00
4. = 174-04-20
6. = 31-06-40
Ar. = 133-31-05

05"
31'
33°

T-29
FD. 1X2 & N FL.
ON TOP SPUR
PER FB. 2394-46

T-78
FD 3/4" IP & LA.
CO. ENGR. TAG #11.
IN CONC. PLUG UP
1" ON TOP RIDGE
PER. FB 1260-213

LINE-"D"

"E"-LINE

T-27
FD. 1X2 & H FL.
TOP OF SPUR PER.
FB. 2394-44 & 45

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 2394 Pg. 170

SHEET # 3



I. = 101°-32'-00"
Δ. = 206-08-30
G. = 129-13-15
Ar. = 141-32-12

I. = 11°-50'-00"
Δ. = 47-19-30
G. = 70-58-45
Ar. = 11-49-47

K
SET 1X2 &
N. ON RIDGE

K-LINE

T-47
FD 3/4" IP
& L.H. CO. ENG.
TAG & H. IN
CONC. PLUG
PER. FB 2394
-52

11°-49'-47"

141°-32'-12"

41°-21'-00"

I-LINE

J-LINE

T-45
FD. 3/4" IP &
L.H. CO. ENG. TAG
& H. PER FD.
2394-51

I
SET 1X2 & N.
FL. ON RIDGE

J
SET 1X2
& N. FL. ON
RIDGE

I. = 41-21-00
Δ. = 165-24-00
G. = 208-06-00
Ar. 41-21-00

T-38
FD 3/4" IP & L.H. CO.
ENG. TAG & H. IN
CONC. PLUG PER.
FB 2394-48

I. = 76-28-00
Δ. = 305-51-30
G. = 98-47-15
Ar. 76-27-52

LINE H

76°-27'-52"

T 29
FD. 1X2 & H. FL
ON TOP SPUR
PER FB 2394-46

H
SET 1X2 & N
FL. ON SPUR

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of TICK CANYON RD.
JN 00751 Tape 235 Std 84 °F
Surveyed by L.V SMITH
Notes M0000V Date 7-11-66
Indexed G. J. GATTI

F. B. 2394 PG. 171

SHEET # 1

I. = 30°51'-00"
D. = 123-25-00
R. = 185-07-30
AV. = 30-51-15

I. = 117°18'45"
D. = 109-14-30
R. = 343-51-30
AV. = 117-18-35

Z-7A
FD 3/4" IP & LA.CO.ENGR TAG IN CONE PER FB 1260 -187

T-59
FD. 1X2 & N. ON ROCKY SPUR. PER FB 2394-58

LINE-Q →

117°-18'-35"

LINE-R

LINE-O →

30°-51'-15"

T-58
FD. 3/4" I.P. & LA.CO. ENGR. TAG & N. IN CONC. PLUG ON SIDE HILL

Q
SET 1X2 & N. FL. ON KNOLL

O
SET 1X2 & N. FL. ON RIDGE

T-54
FD. 3/4" I.P. & LA.CO.ENGR TAG & N. IN CONC. PLUG PER FB. 2394-56

M
SET 1X2 & N. FL. ON RIDGE

L
SET 1X2 & N FL. ON RIDGE

50°-17'-10"

13°-04'-50"

LINE-L →

LINE-M →

← N-LINE

I. = 50°17'15"
D. = 201-08-45
R. = 301-43-00
AV. 50-17-10

I = 13°05'00"
D = 52-19-30
R = 78-29-00
AV. = 13-04-50

T-52
FD. 3/4" I.P. & LA.CO. ENGR. TAG & N. IN CONC. PLUG PER FB. 2394-55

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Rad. _____ Plotted _____ Job No. 0075-70 Division No. _____ F.B. 2394 Pg. 173

Date _____ Date _____ Survey of TICK CANYON ROAD

Notes Chkd. _____ Checked _____ Survey by L.V.SMITH Notes L.V.S. Date 6-66

Date _____ Date _____ Map No. _____ Indexed _____ Date JUL 7 '66

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

REMARKS Station	Left	Right	Vertical Distance + −	Height of Instrument	Difference Elevation + −	Back Sight +
TICK CANYON ROAD						
J.N. 0075.70						
PROFILE NOTES FOR CHECK OF AERIAL MAPS						
						1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21

Elevation of Point	Vertical Angle + −	Horiz. Distance	Horizontal Angle 0° to 360° Right	Stadia Rod	Stadia Distance	Stadia Intercepts	Sight on	Transit at
JULY 66								

PARTY
L.V. SMITH
J.A. MOODY
A. GOBLE
E.M. GOSHORN
N. SMITH
T.W. PETERSON

Add'l Inform.

Form 301 10M 3-34

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
T-13	"A" LINE							1736.1	5.1		1741.2	STA.	SEE PG 168		
	A-1		65.8	5.1	0 0	58.9	2626	1706.8		29.3			BOT. BREAK DR.		
	A-2		107.0	5.1	0 0	103.0	15 40	1707.2		28.9			CTR. DRAIN		
	A-3		137.4	5.1		134.2	12 11	1707.1		29.0			BOT. BREAK DR.		
	A-4		297.0	5.1		295.8	5 18	1708.7		27.4		2+95.8	1x2		
A-4	"A" LINE							1708.7	5.1						
	A-5		26.4	5.1	0 0		0 0	1708.7					CTR. DIRT RD.		
	A-6		166.0	5.1	0 0	166.+	1.4	1713.6		+ 4.9			" POLE LINE		
	A-7		298.8	5.1	0 0	298.2 +	1.38	1717.2		+ 8.5		5+94.0	GROUND		
A-7	"A" LINE							1717.2	4.7						
	A-8		62.7	4.7	0 0	62.2 +	1.59	1719.4		+ 2.2			TOP BCK WASH		
	A-9		70.1	4.7		70.1 +	0.11	1717.4		+ 0.2			BOT " "		
	A-10		117.2	4.7		117.2 +	1.37	1720.5		+ 3.3			TOP " "		
	A-11		299.6	4.7		299.5 +	1.33	1725.3		+ 8.1			1x2		
A-11	"A" LINE							1725.3	4.7			8+93.5			
	A-12		169.8	4.7		169.4 +	3.46	1736.8		+ 11.2			GROUND		
A-12	"A" LINE							1736.5	4.7			10+62.9	1x1		
	A13		114.6	4.7		114.6 +	1.21	1739.2		+ 2.7			GROUND		
	A14		240.6	4.7		240.5 +	1.53	1744.4		+ 7.9			TOE SLOPE		
	A-15		295.5	4.7		292.9 +	6.46	1771.3		+ 34.8		13+55.8	1x2 ON SLOPE		

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
R45	"A" LINE				° '		— ° '	1771 3	1 4°	—		13455 8			
	"A"		62 4	4°		52 4	+ 32 55	1805 2	2	+ 33 9			1X2 TOP SPUR		
F*	"A" LINE						—	1805 2	3 47	—		14408 2			
	T-13			4 7		1408 2 CALC	2 50	1735 5	4	— 69 7			T-13 - 3/4" I.P.		
					PROFILE "B" LANE				6				SEE PG 16B		
F13	"B" LINE						—	1736 1	4 5	— 06	17406				
	B-1		102 5	4 5		102 3	+ 3 15	17419	8	+ 58			1X1 BREAK IN GRADE		
	B-2		117 4	6 5		117 3	+ 2 35	17394	9	+ 33			1X1 BOT. SWALE		
	B-3		135 7	4 5		135 6	+ 2 36	17423	10	+ 62			1X1 BREAK IN GRADE		
	B-4		233 0	4 5		232 8	+ 2 16	17453	11	+ 92			1X2		
B9	"B" LINE						—	1745 3	12 4 5	—					
	B-5		76 8	4 5		72 7	— 18 45	17206	13	— 24 7			BOT. BREAK 1X1		
	B-6		126 7	4 5		123 4	— 13 12	17164	14	— 28 9			1X1 TOP BREAK		
	B-7		166 0	4 5		163 0	— 10 50	17141	15	— 31 2			1X1 SANDY WASH		
	B-8		197 1	4 5		194 9	— 8 30	17162	16	— 29 1			1X1 TOP BREAK		
	B-9		297 3	4 5		295 6	— 5 24	1717 3	17	— 28 0			1X SANDY WASH		
B9	"B" LINE						—	1717 3	18 4 5	—					
	B-10		164 3	4 5		164 3	+ 1 26	1721 4	19	+ 41					
	B-11		297 1			297 0	+ 1 25	17246	20	+ 73					
									21						

Notes Rad. Plotted
Date Date Date
Notes Chkd. Checked Survey of TUCK CANYON ROAD
Survey by L.V. SMITH Notes 170024 Date 6-22
Date Map No. Indexed C.J. GALL Date
Job No. 2075.72 Division No. F.B. 2394 PG 95

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
									1						
B-11	"B" LINE							1724 6	4 6						
	B-12		169 4	4 6		169 4	+ 1.12	1728 1	2	+ 3 5			1X1 SANDY WASH		
	B-13		298 1	4 6		298 3	+ 1.11	1730 8	3	+ 6 2			" "		
B-13	"B" LINE							1730 8	4 7						
	B-14		161	4 7		161 0	+ 0.40	1732 7	5	+ 1 9			" "		
	B-15		202 1	4 7		202 1	+ 1.19	1735 4	6	+ 4 6			1X1 TOP BREAK		
	B-16		297 7	4 7		297 6	+ 1.15	1737 3	7	+ 6 5			1X1 GROUND		
B-16	"B" LINE							1737 3	8	4 6					
	B-17		179 3	4 6		179 2	+ 1.42	1742 6	9	+ 5 3			1X1 GROUND		
	B-18		296 1	4 6		296 0	+ 1.30	1745 1	10	+ 7 8			1X1		
B-18	"B" LINE							1745 1	11	4 6					
	B-19		20 2	4 6		20 2	+ 3.08	1746 2	12	+ 1 1			BOT BREAK		
	B-20		122 4	4 6		120 3	+ 10.33	1767 2	13	+ 22 1			TOP SPUR		
	T-18A		143 2	6 6		141 3	+ 9.26	1766 6	14	+ 21 5			T-18A 1X2		
									15						
					PROFILE		"C"	LINE	16				SEE PG 168		
									17						
T-18A	"C" LINE							1766 9	4 6						
	C-1		34 9	4 6		28 8	− 34.28	1747 2	18	− 19 7			BOT BREAK-WASH		
	C-2		70 6	4 6		67 8	− 16.18	1747 1	19	− 19 8			CTR. WASH		
	C-3		249 9	4 6		249 5	− 3.20	1752 4	20	− 14 5			CTR. DIRT ROAD		
									21						

Form 391 16M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Shot on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
						PROFILE		"C"	1 LINE	(CONT.)					
C-3	"C" LINE							1752.4	2 4.7						
	C-4		164.5	4.7		163.8	+ 3.06	1761.3	3	+ 8.9					
	C-5		299.7	4.7		299.3	+ 3.03	1768.3	4	+ 15.9					
C-5	"C" LINE							1768.3	5 4.6						
	C-6		160.9	4.6		160.7	+ 2.34	1775.5	6	+ 7.2			CTR. DIRT ROAD		
C-6	"C" LINE							1775.5	7 4.6						
	C-7		193.2	4.6		193.1	+ 3.17	1786.6	8	+ 11.1			BOT. BREAK		
C-7	"C" LINE							1786.6	9 4.7						
	C-8		136.7	4.7		128.9	+ 19.26	1832.1	10	+ 45.5			TOP SPUR		
C-8								1832.1	11 4.5						
	C-9		17.2	4.5		17.1	− 6.42	1830.1	12	− 2.0			SADDLE ON SPUR		
	"C"		60.2	4.5		58.4	+ 13.16	1845.9	13	+ 13.8			TOP KNOLL		
"C"	"C" LINE							1845.9	14 4.8						
	T 18A			4.8		1089.9 CALC.	− 4.11	1766.2	15	− 79.7			FB. 234 - 19 1X2		
									16						
						PROFILE	"D"	LINE	17				SEE PB 169		
D-1	"D" LINE							1830.7	18 4.7				FB. 239 - 45 1X2 & NAIL		
	D-1		29.1	4.7		27.1	− 23.04	1819.2	19	+ 11.5			1X1 EDGE BREAK		
D-1	"D" LINE							1819.2	20 4.2						
	T D-2		64.0	4.2		52.2	− 35.18	1782.2	21	− 37.0			BOT. BANK		

Notes Rod. Plotted Date Job No. 00215-20 Sheet No. 2394 Pg. 177
Notes Chkd. Date Survey of TICK CAN. RD.
Checked Date Survey by L. V. SMITH Notes L.V.S. Date 6-26-62
Map No. Indexed G. J. GALLI Date

Form 881 1M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
								1819.2	1				
					PROFILE		"O"	LINE	2 (CONT.)				
11	D-3		81.5	4.2		77.8	2303	1786.1	3	33.1			TOP BREAK IRR.
	D-4		126.9	4.2		122.6	14 54	1786.6	4	32.6			CTR. DIRT ROAD
	D-5		166.9	4.2		163.1	10 43	1788.3	5	30.9			TOP BREAK
	D-6		185.5	4.2		181.7	11 29	1782.3	6	36.9			DRAIN
	D-7		214.2	4.2		211.6	8 56	1786.0	7	33.2			BREAK IN GRADE
	D-8		254.2	4.2		252.4	7 14	1787.2	8	32.0			" " "
	D-9		285.7	4.2		282.8	4 37	1796.4	9	22.8			" " "
D-9	"O" LINE							1796.4	4.6				
	D-10		101.8	4.6		99.8	+11 30	1816.7	10	+20.3			" " "
	D-11		151.2			145.2	+16 11	1838.4	11	+42.0			SMALL SPUR
D-11	"O" LINE							1838.4	4.2				
	D-12		58.7	4.2		55.6	+18 15	1857.3	12	+18.9			BOT. BRK
	D-13		239.9	4.2		205.1	+31 04	1961.9	13	+123.5			TOP RIDGE
D-13	"O" LINE							1961.9	4.0				
	F-16		12.5	2.0		12.0	0.0	1963.9	14				⊕ I.P. CONC. PLUG & L.R.C.E. ENGR. TAG F.B. 1260-213
									15				
									16				
									17				
									18				
									19				
									20				
									21				

Form 681 10M 3-34

32

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Calco

Transit at	Sight on	Stadia Interval	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Course	Left	Right
						PROFILE				IV		"E" LINE				SEE Pg 169		
	"E"									2						1x2 & NAIL		
F27	LINE								1830 7	4 2						F.B. 2394 p 45		
	E-1		89 6	4 2		78 9	−	28 18	1788 2	3		42 5				T.S.		
	E-2		182 9	"		178 2	−	13 01	1789 5	4		41 2				GROUND		
	E-3		294 1	"		291 7	−	7 21	1793 1	5		37 6				"		
E-3									1793 1	6 4 4								
	E-4		210 6	4 4		209 9	+	4 41	1810 3	7	+	17 2				T.SP.		
E-4									1810 3	8 4 5								
	E-5		55 8	4 5		55 8	+	0 00	1810 3	9		0 0				T.SP.		
	F29		80 3	"		79 6	+	7 16	1820 4	10	+	10 1				F.B. 2394-46		
										11						1x2 & NAIL		
						PROFILE				12		"F" LINE				SEE Pg 169		
	"F"									13 4 4								
F29	LINE								1820 5	14								
	F-1		67 0	4 4		63 7	−	18 11	1799 6	15		20 9				T.S.		
	F-2		102 6	"		100 4	−	11 48	1799 5	16		21 0				P.P. LINE		
	F-3		282 6	"		282 1	−	3 30	1803 3	17		17 2				CTE RD.		
F-3									1803 3	18 4 8								
	F-4		53 9	4 8		53 9	+	1 21	1804	19 6	+	1 3				T. STA. BK.		
	F-5		226 6	"		226 6	+	0 06	1803 7	20	+	0 4				BOT. "		
F-5				"					1803 7	21 4 6								
	F-6		198 4	4 6		181 4	+	1 16	1801 7	22	+	1 0				BOT STA.		

Plotted _____ Job No. 0675-20 Drawing No. _____ F.B. 2394 pp. 42-43

Date _____ Survey of TUCK CANYON ROAD

Date _____ Notes Chkd. _____ Checked _____ Survey by L.V. SMITH Notes L.V.S. Date 6-28-66

Date _____ Map No. _____ Indexed _____ Notes C.J. GALL Date _____

Form 301 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rdg.	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight −	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
	F-7		294.3	4 6	° '	294.2	+ 1.26	1809.7							
								1811.1	1	+ 7.4			GROUND		
F-7									2 4 6						
	F-8		58.4	4 6		58.4	0.34	1810.5	3	0.6			T.S., BOT. STK.		
	F-9		170.1	"		167.9	+ 9.15	1838.4	4	+ 27.3			T.R.		
F-9									5						
								1838.4	4 1						
	F-10		84.5	4 1		82.5	+ 12.32	1856.7	6	+ 18.3			T.S.		
	F-11		183.2	"		170.0	+ 21.30	1905.5	7	+ 67.1			T.R.		
F-11									8						
								1905.5	4 0						
	F-12		124.0	4 0		111.2	+ 25.58	1959.8	9	+ 54.3			T.S.		
F-12									10						
								1959.8	4 2						
	F-13		24.8	4 2		24.1	+ 13.20	1965.5	11	+ 5.7			T.S.		
F-13									12						
								1965.5	3 4						
	T-29			3 4		1276.1 CALC.	6.26	1821.6	13	− 143.9					
									14						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

Form 301 18M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PROFILE "G" LINE

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	REMARKS Left	REMARKS Right
									1				SEE PG 169		
								1820.5	2 4.5				FB 2394-140		
TP9													EL= 1820.87		
	G-1		115.5	4.5		114.8	− 6.26	1807.6	3	− 12.9			GROUND		
	G-2		286.5	"		286.5	− 0.16	1819.2	4	− 1.3			"		
G-2								1819.2	5 4.6						
	T-30		42.3	4.6		42.3	− 1.0	1818.5	6	− 0.7			3/4" IP	TAG	
	G-3		58.0	"		58.0	+ 0.45	1820.0	7	+ 0.8			TOP	DI.	
	G-4		66.6	"		66.6	− 1.57	1816.9	8	− 2.3			BOT	"	
	G-5		76.6	"		76.6	− 0.26	1818.6	9	− 0.6			T.B.		
	G-6		101.8	"		101.8	+ 0.30	1820.1	10	+ 0.9			" "		
	G-7		199.2	"		199.2	+ 0.16	1820.1	11	+ 0.9			TOP DI.		
	G-8		205.8	"		205.8	− 0.09	1818.7	12	− 0.5			BOT	"	
	G-9		237.4	"		237.4	+ 0.41	1822.0	13	+ 2.8			TOP	"	
	G-10		296.0	"		296.0	+ 0.09	1820.0	14	+ 0.8			GROUND		
G-10								1820.0	15 4.8						
	G-11		42.1	4.8		42.1	− 1.10	1819.1	16	− 0.9			T.S.		
	G-12		215.1	"		214.9	+ 2.22	1828.9	17	+ 8.9			T.S.		
G-12								1828.9	18 4.4						
	G-13		63.4	4.4		62.7	− 6.39	1822.6	19	− 7.3			T.S.		
	T-32		118.9	"		118.8	− 3.04	1822.6	20	− 6.3			FB. 2394-140		
	G-14		208.2	"		208.2	+ 0.43	1832.6	21	+ 3.7			EL=1822.64 GROUND		

Name of Party [illegible] Survey of TICK CANYON ROAD
Date [illegible] Survey by L.V. SMITH Notes KRODY Date 6-22
Notes Chkd. Checked Date
Map No. Indexed Date

Form 391 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PROFILE GRADE (CONT)

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left Right
								1837.6	2 4.5					
G-14														
	G-15		143.9	4.5		143.7	+ 2.38	1839.2	3	+ 6.6			T.R.	
	G-16		290.8	"		290.7	+ 4.60	1841.9	4	+ 9.3				
								1841.9	5 4.3					
G-16														
	T-34		184.2	4.7		184.3	+ 2.17	1849.2	6	+ 7.3			(CONTROL) 3/4" IP & TAG Z394-141	
								1849.9	7 4.8				ELEV. PER F.B.	
T-34														
	G-17		191.1	4.8		190.9	− 2.31	1841.5	8	− 8.4			B.D.	
	G-18		291.0	"		291.0	− 1.0	1844.8	9	− 5.1			T.S.	
								1844.8	10 4.8					
G-18														
	G-19		64.7	4.8		64.4	+ 5.24	1850.9	11	+ 6.1			T.B.	
								1850.9	12 4.6					
G-19														
	G-20		41.1	4.6		38.3	− 2.08	1836.1	13	− 14.8			B. WASH	
								1836.1	14 4.6					
G-20														
	G-21		44.5	4.6		44.5	+ 1.27	1837.2	15	+ 1.1			T.B.	
	G-22		93.8	"		93.8	+ 0.30	1836.2	16	+ 0.1			B.W.	
	G-23		157.0	"		156.9	+ 1.29	1840.2	17	+ 4.1			T.B.	
	G-24		297.9	"		296.9	+ 1.25	1843.4	18	+ 7.3			GEOLID	
G-24								1843.4	19 4.7					
	G-28		28.6	4.7		28.6	+ 2.11	1844.5	20	+ 1.1			T.S.	
	T-30		171.7	"		171.4	− 3.28	1833.0	21	− 10.4			(Control) 1" IP & TAG	

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Date Plotted Job No. 0075 Thomas Bros. Page 593 Grid F-6

Notes Chkd. Date Checked Date Survey of TCC STATION ROAD Date 7-26

Survey by L.V. SMITH Notes M.TOOLEY Date

Map No. Indexed C.J. GAULT Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
						PROFILE "G" LINE CONT.				1								
	G-29		297.6	4.7		297.1	+	3.26	1861.2	2	+	17.8				GROUND		
G-29									1861.2	3 4.7								
	G-30		27.5	4.7		27.3	−	7.14	1857.7	4	−	3.5				B. DI.		
	G-31		41.5	"		41.5	−	0.25	1860.9	5	−	0.3				T. B.		
	G-32		55.2	"		55.2	−	2.0	1859.3	6	−	1.9				B. DI.		
	G-33		69.1	"		69.1	+	0.47	1862.1	7	+	0.9				T. B.		
	G-34		231.3	"		231.2	+	1.49	1868.5	8	+	7.3						
G-34									1868.5	9 4.9						GROUND		
	G-35		97.6	4.9		97.6	+	0.31	1869.4	10	+	0.9				"		
	G-36		151.8	"		151.8	−	0.16	1867.8	11	−	0.7				SW.		
	G-37		202.1	"		202.1	+	0.52	1871.6	12	+	3.1				T. B.		
	G-38		284.1	"		284.1	−	0.02	1868.4	13	−	0.1				CTR. DIRT RD		
G-38									1868.4	14 4.9								
	G39		123.2	4.9		123.2	+	0.47	1870.1	15	+	1.7				T. S.		
	G40		241.7	"		241.3	+	3.16	1882.2	16	+	13.8				GROUND		
	T-38		285.6	"		284.9	+	4.06	1888.8	17	+	20.4				FB. 2394-PG 2 EL. 1882.2		
										18						NOTE MAP ELEV. = 1882.2 PLOT OF T-38 ON MAP LOOKS WRONG		
										19								
										20								
										21								

Form 301 Revised

Form 381 10M 3-84

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PROFILE "H" LINE

SEE PG 170

NOTE
MAP ELEV. = 1882.2
CHECK PLOTTING OF T-30

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
													ELEV. PER FB 2394-142		
T-38								1889.2	4.6						
	H-1		73.2	4.6		73.2	− 6.33	1880.8		− 8.4			CTR DIRT RD.		
	H-2		117.8	"		116.8	− 7.29	1873.9		− 15.3			T.S.		
H-2								1873.9	4.7						
	H-3		20.3	4.7		20.3	− 2.49	1872.9		− 1.0			T.B.		
	H-4		38.2	"		37.5	− 11.12	1866.5		− 7.4			B.W. (FL)		
	H-5		51.8	"		51.6	− 4.30	1869.8		− 4.1			GROUND		
	H-6		180.3	"		180.3	− 1.16	1869.9		− 4.0			T.S.		
	H-7		295.9	"		285.8	+ 14.21	1947.0		+ 73.7			S.H.		
H-7								1947.0	4.8						
	H-8		70.4	4.8		66.8	+ 18.24	1969.2		+ 22.2			S.H.		
H-8								1969.2	4.8						
	H-9		79.4	4.8		77.8	+ 11.36	1985.2		+ 16.0			S.H.		
H-9								1985.2	4.5						
	H-10		25.0	4.5		25.0	− 0.14	1985.1		− 0.1			S.H.		
H-10								1985.1	4.7						
	H-11		79.5	4.7		78.2	− 10.30	1970.6		− 14.5			T.S., S.H.		
	H-12		154.3	"		153.2	+ 6.54	2000.6		+ 18.5			S.H.		
	H-13		268.2	"		260.8	+ 13.27	2007.8		+ 62.4			S.H.		

Form 381 (Rev 3-56)

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Interceptd	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ —	Vertical Angle	Elevation of Point	+ Back Sight	+ —	Difference Elevation	Height of Instrument	+	Vertical Distance	REMARKS Station
						PROFILE "H" LINE (CONT)										
H-13									2047.5	4.6						
	H-14		63.5	4.6		62.9	+	10.51	2059.5			+ 12.0				SW
	H-15		146.0	"		140.3	+	16.03	2087.9			+ 40.4				S.H.
	H-16		218.9	"		210.7	+	15.46	2107.0			+ 59.5				S.R.
	H-17		300.3	"		288.4	+	16.11	2131.2			+ 83.7				ON RIDGE
H-17										4.5						
	H-18		15.0	1.0		15.0		0.00	2134.7			+ 3.5				TOP RIDGE LINE & T.S.
H-18										4.7						
	T-38			4.7	CALC.	1136.4	—	12.11				+246.5 TOTAL -245.2 CALC.				3/4" IP & TAG
						PROFILE "I" LINE									5TH.	SEE PG 17
T-38									1948.2	4.5						FB 239 - 1/42 EL. - 1948.25
	I-1		75.7	2.5		73.4	—	14.16	1929.5			— 18.7				T.S.
	I-2		148.8	"		140.8	—	9.31	1923.6			— 24.6				CTR. OF RD.
	I-3		208.9	"		205.8	—	8.18	1918.2			— 30.0				T.S.
	I-4		300.1	"		298.4	—	6.08	1916.1			— 32.1				GRD
I-4									1916.1	4.8					2+98.4	
	I-5		7.2	4.8		7.9		0.00	1916.1			— 00.0			3+06.3	T.S.
	I-6		20.9	"		19.8	—	7.22	1913.5			— 2.6			3+19.2	B.W.
	I-7		30.6	"		30.4	—	8.23	1913.9			— 0.2			3+29.0	T.B.

Printed _____ Date _____ Survey of TRACT CRUMP ROAD
Notes Chkd. _____ Checked _____ Survey by L.V. & Assts. Noted [illegible] Date _____
Date _____ Date _____ Map No. _____ Indexed C.L. CALLE Date _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

OK

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ ~~Vertical~~ Distance	REMARKS Station	Left	Right
I-4								1916.1	4.8			STA.			
	I-8		736	4.8		73.2	+ 5.49	1923.6		+ 7.5		3+71.6	CTR. DIRT RD		
	I-9		90.9	"		89.5	+ 6.14	1925.9		+ 9.8		3+88.4	BOT. CUT BANK		
	I-10		107.9	"		105.3	+ 10.32	1935.7		+ 19.6		4+03.6	T. " "		
	I-11		207.2	"		199.8	+ 15.51	1972.8		+ 56.7		4+98.2	T. SPUR		
I-11								1972.8	4.7			4+98.2			
	I-12		726	4.7		70.9	+ 12.21	1988.3		+ 15.5		5+69.4	SW., S.H.		
	I-13		993	"		96.0	+ 14.55	1998.4		+ 25.6		5+94.2	S.H.		
	I-14		227.8	"		220.1	+ 14.56	2031.5		+ 58.7		7+18.3	"		
I-14								2031.5	4.6			7+18.3			
	I-15		70.9	4.6		67.8	+ 14.15	2048.7		+ 17.2		7+86.1	T.R.		
	I-16		134.9	"		129.4	+ 15.07	2066.4		+ 34.9		8+47.2	"		
	I-17		212.5	"		205.3	14.59	2086.4		+ 54.9		9+23.6	S.H.		
I-17								2086.4	4.9			9+23.6			
	I-18		87.9	4.9		86.3	+ 11.00	2103.2		+ 16.8		10+09.9	T.R. IXZ & W.		
I-18												10+09.9			
	T-45						8.44			+ 155.0 - 155.1	TOTAL CALC.				

F.B. 2394 PG. 186

Topography Description Legend:
Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Oak-O. ..... Fir
Pine-Pi. ..... Cedar
Sycamore ..... Eu.
Eucalyptus ..... Di.
Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd.
Fence ..... Fn.
Int. Fences ..... V. Fns.
Ditch ..... Di.
Telephone Pole ..... T.P.
Power Pole ..... P.P.
Culvert ..... Cul.

Sa. ..... Sw. ..... Fl.
Saddle ..... Str.
Swale ..... Tr.
Flat ..... Pvt.
Stream ..... E.Rd.
Trail
Pavement
Edge of Road

Side of Canyon S.Cn.
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Inters. of Draw. V.D's
Break in Slope ..... Bk.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Spur ..... T.Sp.
Bottom Canyon ..... B.Cn.

Add'n'l Inform.

Form 391 10M 9-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

OK

Transit at	Right + on	Stadia Intercept	Stadia Distance	Stadia Rod —	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	Elevation of Sight	REMARKS Sketch
					PROFILE					JC LINE			SEE PG 170
T-45								1948.2	45				
	J-1		149.9	4 5		149.9	+ 2 59	1949.0		+ 0.8			S.H.
	J-2		112.3	"		111.9	- 5 02	1938.3		- 9.9			T.S. (FL)
	J-3		146.9	"		146.9	- 0 15	1947.6		- 0.6			G.C.
	J-4		264.3	"		260.2	+ 9 20	1991.0		+ 42.8			TOP RAVINE
J-4								1991.2	46			2+60.9	
	J-5		308	4 6		306	+ 5 49	1994.7		+ 3.1		2+91.5	T.S.
	J-6		941	"		909	+ 15 01	2015.4		+ 24.4		3+51.6	S.H.
	J-7		192.1	"		181.3	+ 19 21	2054.9		+ 63.7		4+19.2	T.E.
J-7									45				
	T-45			4 5			13 35			106.5 TRIGNL 106.5 CALC.			
					PROFILE K					K LINE			SEE PG 170
T-45								1948.2	43				
	K-1		29.9	4 3		29.9	+ 1 52	1949.1		+ 0.9			S.H.
	K-2		103.4	"		103.1	- 4 15	1940.5		- 7.7			T.E.
K-2								1940.2	46			1+03.1	
	K-3		38.9	4 6		38.8	- 14 08	1931.2		- 9.3		1+39.9	B.C.
	K-4		44.7	"		43.7	- 9 45	1931.8		- 6.7		1+85.2	POC

Plotted Ref. Date Plotted Scale of Plotting Sheet
Date Notes Ckkd. Checked Date
Map No. Surveyed by L.A.C.S. Date Indexed C.J. GALLI Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
K-2								1940 5	4 6			3+42.			
									2			1+03 1			
	K-5		110 2	4 6		109.9	- 4.13	1932 4		- 8.1		2+13 0	T. BREAK		
	K-6		155 0	"		154.2	- 5.47	1924 9	3	- 15.6		2+57 3	B. "		
	K-7		207 2	"		206.3	- 5.24	1921 0	4	- 19.5		3+09 4	T. BANK		
K-7								1921 0	5 4 7			3+09 4			
	K-8		17 4	4 7		17.2	- 8.01	1918 6	6	- 2.4		3+26 6	F/L GR.		
	K-9		23 0	"		23.0	- 0.25	1920 8	7	- 0.2		3+32 4	T.B.		
	K-10		54 0	"		54.0	+ 0.34	1921 5	8	+ 0.5		3+63 4	℄ DIRT RD		
	K-11		161 3	"		161.3	+ 1.07	1924 1	9	+ 3.1		4+70 7	GR.		
	K-12		267 2	"		267.1	+ 1.38	1928 6	10	+ 7.6		5+76 5	℄ DIRT RD		
K-12								1928 6	11 4 7			5+76 5			
	K-13		88 4	4 7		87.4	+ 8.29	1941 6	12	+ 13.0		6+63 9	T.P.BR		
K-13								1941 6	13 4 2			6+63 9			
	K-14		69 0	4 2		69.9	+ 2.00	1944 0	14	+ 2.4		7+32 9	TOE BR.		
	K-15		94 6	"		94.3	+ 4.49	1949 5	15	+ 7.9		7+58 2	TOP "		
K-15								1949 5	16 4 4			7+58 2			
	K-16		58 7	4 4		58.7	- 2.19	1947 1	17	- 2.4		8+16 9	TOE BR.		
	K-17		134 7	"		134.7	+ 1.17	1952 5	18	+ 3.0		8+92 9	℄ RD.		
	K-18		168 0	"		167.9	+ 1.33	1954 0	19	+ 4.5		9+26 1	TOP BANK		
	K-19		174 4	"		174.4	+ 0.10	1950 0	20	+ 0.5		9+32 6	BOT. DITCH		
	K-20		185 3	"		185.2	+ 1.48	1955 3	21	+ 5.8		9+43 4	TOP BANK		

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of those and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fe. Ind. Fence ..... V. Fe. Ditch ..... Dit. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E. Rd.

Side of Canyon S.Ca. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Intern. of Drain. Y.D's Break in Slope ..... B.S. Toe of Slope ..... T.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Bottom Area ..... B.A. Bottom Wash ..... B.W. Top of Ridge ..... T.R. Top of Slope ..... T.S.

Form 361 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station
K-20								1955.3	4 1			9+43.4	
	K-21		78.1	4 1		77.8	+ 5.09	1962.3		+ 7.0		10+21.2	T. SLOPE
	K-22		126.6	"		124.0	+ 11.36	1980.8		+ 25.5		10+47.4	TOP BK. S.H.
	K-23		181.5	"		177.2	+ 12.28	1994.5		+ 39.2		11+20.6	GR. S.H.
	K-24		261.7	"		252.3	+ 15.23	2024.7		+ 69.4			TOP KNOLL
K-20									44			11+98.7	
	T-45			4 4			− 3.42			76.5 TOTAL 77.3 CALC.			
						PROFILE "L"			LINE				SEE PB 171
T-52								2008.3	45			0+00	
	L-1		61.6	4 5		57.3	− 21.38	1985.6		− 22.7		+57.3	TOP CUT
	L-2		90.5	"		83.1	− 23.21	1972.4		− 35.9		+90.5	ED. RD TOP BANK
	L-3		113.2	"		106.5	− 19.50	1969.2		− 38.4		1+13.2	F/L
	L-4		128.3	"		123.2	− 16.16	1972.4		− 35.9		1+28.3	TOP BANK
	L-5		142.3	"		138.9	− 12.30	1977.5		− 30.8		1+38.9	GR. BREAK
	L-6		181.6	"		180.7	− 5.44	1990.2		− 18.1		1+80.7	TOE SLOPE
	L-7		258.9	"		257.3	+ 6.27	2037.4		+ 29.1		2+57.3	S.H. TOP BANK
	L-8		294.6	"		290.3	+ 9.05	2054.2		+ 46.4		2+90.3	S.H.

Date Plotted _____ Date _____ Survey of TICK CANYON ROAD
Date Notes Chkd. _____ Date Checked _____ Survey by L.A.S.M.D. Notes Skd. 7-7-65
Date _____ Map No. _____ Indexed C. J. GALLI Date _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '								
L-8								2054.7	4.2			3 FT.			
	L-9		70.2	4.2		64.6	+ 23.05	2082.2		+ 27.5			2+90.3		
	L-10		115.3	"		103.4	+ 26.16	2105.7		+ 51.2			3+54.9	CENTER SW.	
	L-11		170.3	"		151.4	+ 27.17	2132.8		+ 78.1			3+93.7	S.H.	
L-11									4.4				4+41.7	TOP SLOPE	
	T-52			4.4			- 15.37							477° STADIA	
										124.5	TOTAL				
										123.5	CALC.				
			PROFILE		"M"		LINE					(OK)		SEE PG 171	
T-52								2008.3	4.3						
	M-1		75.3	4.3		74.7	- 7.22	1998.6		- 9.7				TOP SLOPE SH	
M-1								1998.6	4.3			0+74.7			
	M-2		22.6	4.3		21.5	- 18.15	1991.5		- 7.1		0+96.2	TOP BANK		
	M-3		67.6	"		62.3	- 22.47	1972.4		- 26.2		1+37.0	F.L. CREEK		
	M-4		79.4	"		76.7	- 15.26	1977.4		- 21.2		1+51.4	EDG. RD TOP BANK		
	M-5		99.4	"		97.2	- 12.09	1977.7		- 20.9		1+71.9	& RD		
	M-6		138.8	"		137.7	- 7.15	1981.1		- 17.5		2+12.6	TOE SLOPE		
	M-7		218.8	"		218.2	- 1.07	1994.3		- 4.3		2+93.5	S.H. TOP BR.		
	M-8		278.2	"		278.	- 0.35	1995.8		- 2.8		3+52.9	TOE SLOPE		
	M-9		301.0	"		301.0	+ 0.15	1999.9		+ 1.3		3+75.7	S.H.		

Add'l Interm.

Topography Description Legend: Hill ... S.H. Side of Draw ... S.D. Side of Ridge ... S.R. Head of Draw ... H.D. Bottom Draw ... B.D. Bottom Wash ... B.W. Top of Ridge ... T.R. Top of Slope ... T.S.

Intersection of Draw, V.D's ... Break in Slope ... Steep Slope ... Top of Cliff ... Bottom of Cliff ... Top of Spur ... Bottom Canyon ... Side of Draw, V.D's ... Top of Bank ... Bottom of Bank ... Top of Cut ... Bottom of Cut ... Top of Fill ... Bottom of Fill ... Saddle ... Swale ... Flat ... Stream ... Trail ... Pavement ... Edge of Road ... Traverse Rd. Point ... Fence ... Int. Fences ... Ditch ... Telephone Pole ... Power Pole ... Culvert ... Fig.-Pt. ... Fire-Pl. ... Sycamore ... Eucalyptus ... Pine ... Oak ... Pine combinations ... Cactus ... All of these and all common standard abbreviations.

F.B. 2384 PG 2700

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS
M-9								1999.9	1.44			3+75	
	M-10		49.4	4.44		49.2	+ 5.03	2004.2		+ 4.43		4+24.9	TOP SPUR
M-10								2004.2	4.42			4+24.9	
	M-11		120.7	4.2		120.5	− 3.29	1996.9		− 7.33		5+45.2	E DIST RD
	M-12		190.1	"		189.8	− 3.01	1994.2		− 10.00		6+14.7	TOP BANK
	M-13		197.4	"		197.0	− 3.45	1991.3		− 12.99		6+21.9	F. L.
	M-14		206.0	"		205.7	− 2.51	1990.0		− 10.22		6+50.6	TOP BANK 15.0 SAG PIPE
	M-15		261.2	"		261.2	− 0.14	2003.1		− 1.11		6+86.1	S.H. BANK
	M-16		300.9	"		299.8	+ 1.54	2014.1		+ 9.99		7+24.7	S.H.
M-16								2014.1	5.77			7+24.7	
	T-52		19.3	1.0		19.3	0.00	2018.8		+ 4.77		7+44.8	TOP KNOLL
												5TH.	SEE PG 171
			PROFILE					N	LINE				
T-52								2008.3	4.33				
	N-1		62.2	4.3		62.2	0.00	2008.3		0.00			S.H.
	N-2		96.3	"		96.3	− 1.19	2006.1		− 2.22			S.H.
N-2								2006.1	4.55			0+96.3	
	N-3		27.4	4.5		26.9	− 16.59	1989.6		− 8.08		1+22.5	EDGE CLIFF
	N-4		84.9	"		79.4	− 21.15	1975.5		− 30.88		1+75.4	" STREAM
	N-5		93.7	"		90.4	− 16.11	1980.2		− 26.11		1+86.3	TOP BANK

Date Noted
Date Survey of TICK CANYON ROAD
Notes Checked
Date Checked
Survey by L.V. SMITH Notes N.S. SMITH Date 4-11-56
Date
Map No. Indexed C.J. GALLI Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

1040 STA

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left Right
					° '		° '					STA.		
N-2								2006.1	4.5			0+96.3		
	N-6		105.0	4.5		102.3	− 13.05	1982.3		− 23.8		1+98.6	TOP BURM	
	N-7		187.5	"		186.0	− 7.10	1982.7		− 23.4		2+82.3	& D. RD.	
	N-8		231.3	"		230.1	− 5.49	1982.7		− 23.4		3+26.4	EDG. RD.	
	N-9		297.3	11		296.6	− 3.50	1986.2		− 19.9		3+92.9	TOP BANK EDGE RD.	
N-9								1986.2	4.0			3+92.9		
	N-10		82.6	4.0		82.6	+ 1.27	1988.2		+ 2.1		4+75.5	EDG. RD.	
	N-11		121.7	"		121.7	− 0.00	1986.2		0.0		5+14.6	BOTT. GULLY	
	N-12		197.5	"		197.4	+ 1.35	1991.7		+ 5.5		5+90.3	DIRT RD	
	N-13		300.3	"		300.2	+ 1.36	1994.6		+ 8.4		6+93.1	DIRT RD	
N-13								1994.6	4.7			6+93.1		
	N-14		24.1	4.7		24.1	+ 3.06	1995.9		+ 1.3		7+17.2	ED. RD TOP BANK	
	N-15		49.4	"		49.3	− 3.50	1991.3		− 3.3		7+42.4	ED. WASH	
	N-16		153.5	"		153.4	− 1.28	1990.7		− 3.9		8+46.5	F L CREEK	
	N-17		173.0	"		173.0	+ 0.50	1997.0		+ 2.5		8+66.1	TOP BANK	
	N-18		268.5	"		266.6	+ 6.52	2026.7		+ 32.1		9+59.7	DIRT JEEP TR.	
N-18								2026.7	4.8			9+59.7		
	N-19		55.8	4.8		52.3	+ 20.30	2046.2		+ 19.5		10+12.0	CHANGE SLOPE	
	N-20		98.1	"		90.2	+ 23.05	2065.2		+ 38.5		10+49.9	TOP KNOLL	
N-20									4.6					
	T-52			4.6			− 3.07			56.9	TOTAL			
										57.2	CALC.			

Traveled Rd. Tr. Rd. Fence ..... Fe. Int. Fence ..... V. Fnt. Ditch ..... D.I. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E.Rd.

Side of Canyon S.Cn. Bnk. ..... S.C.B. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.Ct. Bottom of Cut ..... B.Ct. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Inters. of Draw V.D's Break in Slope ..... Br. S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Oak ..... O. Pine-Pi. Sycamore ..... Sy. Eucalyptus ..... Eu. Pine combinations and all of those ..... Pine Standard abbreviations.

Fir-Fr. Cedar-Ce.

Topography Description Legend:
Side Hill ..... S.H.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

F.B. 2384 Pg. 192

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

(OK)

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	Back Sight	+ −	Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	REMARKS Left Right
					PROFILE									STA.	SEE PG	171
T-59									Z140 9	2 9 6						
	0-1		11 4	4 6		11.4	+	3 08	2141 5	3	+	0.6			T.B.	
0-1									Z141 5	4 6				0+11 4		
	0-2		61 2	4 6		51.5	−	27 20	Z113 4	5	−	28.3/4		0+65 9	S.H	
	0-3		128 2	4 1		116.8	−	24 12	Z088 9	6	−	52.6		1+28 3	T.S.	
	0-4		185 6	11		145.9	−	20 22	Z087 3	7	−	54.2		1+57 3	FL CREEK	
	0-5		[illegible]	11		174.8	−	15 32	Z092 2	8	−	48.2		1+89 6	CTR. RD 10 RT	
	0-6		[illegible]	11		201.3	−	9 51	Z106 6	9	−	34.2		2+12 2	T.C	
0-6	C								Z106 6	10 4 8				2+12 2		
	0-7		61 2	4 8		54.5	+	27 49	Z135 3	11	+	28.7/2		2+67 1	S.M	
	0-8		157 2	11		140.2	+	26 42	Z177 2	12	+	70.6/2		3+53 1	S.M	
0-8									Z177 2	13 4 5				3+53 1		
	0-9		[illegible]	4 5		41.2	+	13 48	Z186 5	14	+	9.3		3+91 3	T.B	
	0+40		[illegible]	11		73.2	+	3 48	Z189 9	15	+	12.3		4+26 4	CTR. TO [illegible] MANDLL	
	[illegible]									16 4 6						
	[illegible]			4 6			−	6 35		17	±	43.8/4	TOTAL			
										18	−	43.5	CALC.			
										19						
										20						
										21						

Notes Red. Plotted Sub Div. Map No.
Date Date Survey of TUCK CANYON Rd.
Notes Chkd. Checked Survey by L.D. SMITH Notes K. Date 7-11-60
Date Date Map No. Indexed C.A. Date

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PROFILE "P" LINE

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
												5 TA.	SEE PG 171		
T-59								2140 2	4 6						
	P-1		18 0	4 6		17 5	+ 12 51	2144 9		+ 4.0		0+17 5	T. B		
P-1								2144 9	4 9			0+17 5			
	P-2		83 3	4 9		76.1	− 23 55	2111 1		− 33.8		0+93 6	T. S		
	P-3		161 9	"		153.2	− 18 21	2094 1		− 50.8		1+70 7	FL DITCH		
	P-4		191 5	"		190.1	− 12 10	2103 9		− 41.0		2+07 6	EDGE RD, T.B.		
	P-5		216 9	"		212.4	− 11 00	2103 6		− 41.3		2+29 9	" " T.S		
	P-6		221 9	"		218.7	− 9 42	2107 5		− 37.9		2+36 2	T. B		
	P-7		287 5	"		286.9	− 3 45	2126 1		− 18.8		3+04 4	T. R		
P-7								2126 1	5 0			3+04 4			
	P-8		117 9	5 0		114.2	+ 14 25	2155 5		+ 29.4		4+18 6	S. H.		
	P-9		211 4	"		200.8	+ 18 14	2192 2		+ 66.1		5+05 2	T.B. EDGE RD.		
P-9								2192 2	4 6			5+05 2			
	P-10		25 5	4 6		25.3	− 7 99	2188 7		− 3.5		5+30 5	T.S. EDGE RD.		
	P-11		53 9	"		50.4	+ 19 59	2210 5		+ 18.3		5+55 6	T.C.		
	P-12		138 1	"		125.4	+ 24 44	2250 0		+ 57.8		6+30 6	T. B		
P-12								2250 0	4 1			6+30 6			
	P-13		36 9	4 1		36.3	+ 7 49	2255 0		+ 5.0		6+66 9	B CL		
	P-14		77 9			72.7	+ 20 10	2276 7		+ 26.7		7+03 3	T CL		

Topography Description Legend: Bottom Draw E.D. Top of Cliff B.C. Bottom of Fill T.F. Top of Fill B.F. Bottom Canyon B.Ca. Top of Slope T.Sl. Bottom of Slope B.Sl. Top of Ridge T.R. Bottom Draw B.W. Top of Bank T.B. Top of Ridge T.Rd. Top of Slope T.S. Top of Ridge H.R. Top of Draw H.D. Top of Bank T.B. Top of Ridge T.R. Top of Slope T.S. Top of Ridge H.R. Top of Draw H.D.

Add'l Notes

Obs. O. Fir. Fr. Pine Pl. Cedar Ced. Sycamore Syc. Eucalyptus Euc. Pittosporum Pitt. Palm combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence Fence V. Fl. Ditch Ditch D.I. Telephone Pole T.P. Power Pole P.P. Culvert Culv. Cul.

Bldg. Bldg. Fence Fence Gate Gate Shed Shed Corral Corral Trail Trail Pavement Pvt. Edge of Road E.Rd.

Edge of Water E.W. Edge of Creek E.C. Bottom of Ravine B.R. Top of Ravine T.R. Bottom of Gully B.G. Top of Gully T.G. Bottom of Cliff B.Cl. Top of Cliff T.Cl. Bottom of Fill B.F. Top of Fill T.F.

Intersection of Draws D.I. Break in Slope Br. in Sl. Steep Steep Top of Gully T.G. Bottom of Cliff B.Cl. Top of Gully T.G. Top of Cliff T.Cl. Top of Slope T.Sl. Bottom Canyon B.Ca.

Form 381 ISM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PROFILE "P" LINE (CONT)

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
												STA.	
P-14								2276.7	4.9			7+03.3	
	P-15		88.4	4.9		85.4	− 15.01	2253.8		− 22.9		7+88.7	S.H
	P-16		211.3	11		205.2	− 13.46	2226.4		− 50.3		8+08.5	T.S
	P-17		258.3	11		254.5	− 9.45	2233.0		− 43.7		8+57.8	T. KNOLL
	P-18		294.2	11		288.2	− 5.24	2229.0		− 47.7		8+91.6	S.H
P-18								2229.0	4.9			8+91.6	
	P-19		25.8	4.9		24.8	− 16.18	2221.8		− 7.2		10+16.4	T.S. EDGE RD.
	P-20		58.2	11		58.2	− 5.37	2223.3		− 5.7		10+49.8	T.B " "
	P-21		105.3	11		104.3	− 7.50	2214.7		− 14.3		10+95.8	FL DITCH
	P-22		140.9	11		139.2	− 2.01	2224.1		− 4.9		11+31.5	BRK.
	P23		204.0	11		204.0	− 0.29	2227.3		− 1.7		11+95.6	S.H.
P23								2227.3	4.6			11+95.6	
	P24		85.7	4.6		85.7	− 1.37	2224.9		− 2.4		12+81.3	FL DI.
	P-25		147.5	11		147.0	+ 3.09	2235.4		+ 8.1		13+42.6	TOP SLOPE
	P-26		237.4	11		237.4	+ 3.46	2242.9		+ 15.6		14+32.7	S.H.
P26								2242.9	4.8			14+32.7	
	P27		47.5	4.8		47.4	+ 1.26	2244.1		+ 1.2		14+80.1	S.W
	P-28		128.3	11		128.3	+ 6.34	2257.7		+ 14.8		15+61.0	J.B
P-28								2257.7	4.6			15+61.0	
	P29		69.3	4.6		69.3	− 1.23	2255.8		− 2.0		16+20.3	T.S

Notes Red. _____ Plotted _____ Base Rev. _____
Date _____ Date _____ Survey of TICK CANYON RD.
Notes Chkd. _____ Checked _____ Survey by K. YASHITA Notes K.L. GOBLE Date _____
Date _____ Date _____ Map No. _____ Indexed C. J. GALLI Date _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
								2259.7	1			STA			
	P-30		148.4	4 6	° '	146.0	+ 10 20	2284.3		+ 26.6		17+07.0	T SP		
	P-31		214.9	11	° '	208.7	+ 12 47	2305.0	2	+ 47.3		17+69.7	BRK		
	P-32		264.9	11	° '	255.0	+ 14 59	2326.0	3	+ 68.3		18+16.0	T B		
P-32					° '			2326.0	4 4.7			18+16.0			
	Z-7A		97.2	4 7	° '	94.2	+ 14 19	2350.2	5	+ 24.2		19+10.9	T. R	1" I. P	
Z-7A					° '				6 4.5						
	P-14			9 5	° '		− 3 31		7	X 73.8 TOTAL 74.2 CALC.		12+07.6			
P-14					° '				8 4.5						
	T-59			9 5	° '		− 10 57		9	135.8 TOTAL 136.5 CALC.		7+03.3			
					° '				10						
					° '				11						
					° '				12						
					° '				13						
					° '				14						
					° '				15						
					° '				16						
					° '				17						
					° '				18						
					° '				19						
					° '				20						
					° '				21						

Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ... Sy. Eucalyptus ... Eu. Plus combinations of these and all standard abbreviations.

Oak-O. ... Traveled Rd. To-Rd. Fence ... Inc. Fences. V.Fe. Ditch ... Di. Telephone Pole T.P. Power Pole ... P.P. Culvert ... Cul.

So. ... Sur. ... Ft. ... Sta. ... Str. ... Trail ... Tr. Pavement ... Pvt. Edge of Road ... E.Rd.

Saddle ... Swale ... Flat ... Ridge ... R.B. Bluff ... B.Bf. Top of Bank ... T.Bk. Bottom of Bank ... B.Bk. Top of Cut ... T.C. Bottom of Cut ... B.C. Top of Fill ... T.F. Bottom of Fill ... B.F.

Canyon ... Cn. Gully ... Gy. Wash ... W. Top of Slope ... T.Sp. Bottom of Slope ... B.Sp. Top of Channel ... T.Ch. Bottom of Channel ... B.Ch. Top of Gully ... T.Gy. Bottom of Gully ... B.Gy. Top of Spur ... T.Spr. Bottom Canyon ... B.Cn.

Index of Drawings: Road ... Rd. Slope ... Sl. Contour ... Cont. Natural Ground ... N.G. Adopted Grade ... A.G. Top of Slope ... T.S. Bottom of Slope ... B.S. Top of Ridge ... T.R. Bottom of Ridge ... B.R. Top of Wash ... T.W. Bottom Wash ... B.W. Top of Drain ... T.D. Bottom Drain ... B.D. Top of Levee ... T.L. Bottom of Levee ... B.L.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Dec.	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ −	Difference Elevation	Height of Instrument	+ Elevation Distance	REMARKS
					PROFILE				CALC.	Q LINE				STA	SEE PG 177
									2350	45					FB 1266 - 187
Z-7A															TA. T.P. 300 FT EAST OF
															MAP ELEV.
	Q-1		29.0	45		29.0	+	1.22	2351.2		+	0.7		0+29.0	TOP KNOLL
	Q-2		69.2	"		69.2	−	1.57	2348.1		−	2.4		0+69.2	SIDE SLOPE
	Q-3		99.8	"		99.2	−	2.45	2345.2		−	4.8		0+99.2	" "
	Q-4		136.9	"		136.5	−	4.26	2339.9		−	10.6		1+36.5	TOP SLOPE
	Q-5		220.2	"		220.8	−	1.20	2345.4		−	5.1		2+20.1	SIDE SLOPE
	Q-6		268.6	"		268.5	+	1.16	2356.4		+	5.9	✓	2+68.5	TOP BANK EDGE RD
Q-6									2356.4	48				2+68.5	
	Q-7		79.8	48		78.1	+	11.42	2372.6		+	16.2		3+46.6	EDGE RD TOP BANK
	Q-8		147.0	"		144.4	+	10.47	2383.9		+	27.5		4+12.9	TOP SLOPE
Q-8									2383.9	48				4+12.9	
	Q-9		20.4	48		19.1	−	20.47	2376.7		−	7.2		4+32.0	S.H.
	Q-10		83.5	"		80.9	−	14.27	2363.1		−	20.8		4+93.8	S.H.
	Q-11		137.6	"		137.6	+	0.53	2386.0		+	2.1		5+50.5	S.H.
Q-11									2386.0	45				5+50.5	
	Q-12		73.8	45		75.6	+	4.05	2391.3		+	5.3		6+24.1	S.H.
	Q-13		129.9	"		128.4	+	5.30	2398.4		+	12.4		6+78.9	
Q-13									2398.4	48				6+78.9	
	Q-14		59.7	48		56.7	+	18.21	2417.2		+	18.8		7+35.6	CH. SLOPE
	Q-15		100.8	"		97.2	+	15.21	2425.1		+	26.7		7+76.1	S.H.

Project Title _____ Project _____ Page No. _____
Date _____ Date _____ Signed _____
Notes Chkd. _____ Checked _____ Survey by L. V. SMITH Notes L. V. SMITH Date 7-14-66
Date _____ Map No. _____ Indexed _____ Date _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					"Q" LINE CONT.										
								2025.1	4 9			7+76.1			
Q-15															
	Q-16		119.6	4 9		119.0	+ 5.44	2437.0		+ 11.9		8+95.1	TOE SLOPE CHANNEL GRADE		
	Q-17		259.0	"		256.3	+ 8.13	2462.1		+ 3.7		10+32.4	TOP KNOLL		
Q-17								2462.1	4 5			10+32.4			
	Z7-A			4 5			- 6.12	2349.9		- 111.6 - 112.2	TOTAL CALC.		NOTE		
													PLOT OF T-62 PER MAP APPEARS TO BE T-206.		
					PROFILE "R" LINE								~SEE PG 172~		
T206								2181.0	4 5				C.E.B.M.-MON. F.B. 2394-88-134		
	R-1		139	4 5		111.3	- 35.52	2172.9		- 8.1			F/L GULLY		
	R-2		156	"		144.4	- 22.45	2175.0		- 6.0			TOP DITCH		
	R-3		50.2	"		50.2	+ 2.02	2182.8		+ 1.8			TOP BANK		
	R-4		82.7	"		82.7	+ 0.20	2181.5		+ 0.5			& PAV. DAVENPORT RD.		
	R-5		106.2	"		106.2	+ 0.49	2182.5		+ 1.5			TOP BANK		
R-5								2182.5	4 4						
	R-6		94.4	4 4		79.7	- 32.27	2131.8		- 50.7			TOE SLOPE		
	R-7		151.5	"		140.8	- 24.17	2119.0		- 63.5			F/L CULVERT		
	R-8		177.0	"		166.0	- 20.21	2120.9		- 61.6			DRAIN		
	R-9		235.7	"		227.9	- 14.48	2122.3		- 60.2		3+35.1	TOP DRAIN BANK		
R-9													DIRT RD		

Form 301 10M 3-34

Symbols and Abbreviations: Fir—Fr. Pine—Pi. Cedar—Ce. Sycamore—Sy. Eucalyptus—Eu. Plus combinations of these and all common standard abbreviations. Fence—Fe. Intl. Fence—I.F. Ditch—Dt. Telephone Pole—T.P. Power Pole—P.P. Culvert—Cul. Flat—Fl. Stream—Str. Trail—Tr. Pavement—Pvt. Edge of Road—E.Rd. Bank—Bk. Top of Cut—T.C. Bottom of Cut—B.C. Top of Fill—T.F. Bottom of Fill—B.F. Top of Wall—T.W. Bottom of Wall—B.W. Top of Slope—T.S. Bottom of Slope—B.S. Top of Curb—T.C. Bottom of Curb—B.C. Top of Gutter—T.G. Bottom of Gutter—B.G. Top of Spur—T.Sp. Bottom of Spur—B.Sp. Top of Cliff—T.Cl. Bottom of Cliff—B.Cl. Top of Ridge—T.R. Bottom of Ridge—B.R. Top of Canyon—T.Cn. Bottom of Canyon—B.Cn. Intersection of Draw—I.D. Break in Draw—B.D. Point of Draw—P.D. Beginning of Draw—B.D. End of Draw—E.D. Top of Bank—T.B. Bottom of Bank—B.B. Top of Wash—T.W. Bottom of Wash—B.W. Top of Ridge—T.R. Bottom of Ridge—B.R. Top of Slope—T.S. Bottom of Slope—B.S. Top of Draw—T.D. Bottom of Draw—B.D. Top of Hill—T.H. Bottom of Hill—B.H. Road or Draw—R.D.

Description Legend: Kill. Draw—K.D. Bottom Draw—B.D. Bottom Wash—B.W. Top of Ridge—T.R. Bottom of Ridge—B.R. Top of Slope—T.S. Bottom of Slope—B.S. Road or Draw—R.D.

F.B. 2394 Pg. 121

Adopted 1934 Revised

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notice Hist. — Plotted — Job No. 60-1394 Sht. No. 189

Date — Date — Survey of TICK CANYON ROAD

Notes Chkd. — Checked — Survey by L.U.S.M. TH Notes N. SMITH Date 7-14-66

Date — Date — Map No. — Indexed — Date

Transit at	Shot on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	+ / −	Difference Elevation	Height of Instrument	+	Vertical Distance	B.M. & B.K. Description	B.M. & B.K. Line	B.M. & B.K. Sta.
					R" LINE, CONT.										3+74			
R-9									21223	49								
	R-10		85.0	49		85.0	−	0.30	21216		−	0.7				DIRT	RD	
	R-11		214.4	"		214.4	+	0.12	21230		+	0.7				TOP BANK	EDG RD	
	R-12		234.5	"		234.5	−	0.16	21212		−	1.1			5+69.6	EDGE	RD	
R-12									21212	48								
	R-13		41.7	48		41.4	−	7.21	21159		−	5.3				F/L GULLY		
	R-14		155.8	"		155.7	+	2.27	21279		+	6.7				S.H.		
	R-15		300.5	"		299.9	+	3.30	21395		+	18.3			8+69.5	S.H.		
R-15									21395	48								
	R-16		52.6	48		52.4	+	4.50	21439		+	4.4				TOE SLOPE		
	R-17		82.3	"		81.0	+	10.01	21539		+	14.4				TOP SLOPE	ED RD	
	R-18		103.8	"		102.7	+	8.22	21546		+	15.1				TOE SLOPE	EDGE RD	
	R-19		127.1	"		123.7	+	13.20	21688		+	29.3				TOP CUT		
	R-20		232.0	"		222.1	+	16.48	22066		+	67.4				S.H.		
R-20									22066	45					10+91.6			
	R-21		103.1	45		92.7	+	25.65	22517		+	45.1				S.H. BENCH		
R-21									22517	41					11+84.3			
	R-22		137.4	41		130.5	+	18.15	22947		+	43.0				S.H.		
	R-23		200.6	"		191.3	+	17.32	23121		+	60.4			13+35.6	S.H.		
R-23																		

Add'l Inform.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 2394 Pg. 200

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Bottom Draw B.D.
Bottom Wash B.W.
Top of Ridge T.R.
Top of Slope T.S.

Fir-Fr. Fir.-Pl. Cedar-Ce. Oak-O. Pine-Pi. Sycamore ..... Sy. Eucalyptus ..... Eu. Pine combinations of those and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... V. Fn. Int. Fences ..... Fi. Ditch ..... Dt. Telephone Pole T. P. Power Pole ..... P. P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E. Rd.

Side of Canyon S. Cn. Top of Bank ..... T. B. Bottom of Bank. B. B. Top of Cut ..... T. C. Bottom of Cut ..... B. C. Top of Fill ..... T. F. Bottom of Fill B. F.

Inters. of Brws. V. D's Break in Slope Br. S. Stop Slope ..... S. S. Top of Cliff ..... T. Cl. Bottom of Cliff ..... B. Cl. Top of Spur ..... T. Sp. Bottom Canyon ..... B. Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					"R" LINE		CONT.					STA.			
R-23								23121	50			13+75.6			
	R-24		184.2	T		184	0.00	23144		+ 2.3			TOP KNOLL		
R-24								23144	45			13+94.0			
	T-206			45			- 5.30	21802		- 134.2			CO. F. B. M. MON		
													F.B. 2394 - 88 - 134		
													SEE PG 172		
					PROFILE		"S"	LINE					CO. ENGR. B.M. MON		
T-206								21810	43				F.B. 2394 - 88 - 134		
	S-1		214.3	43		199	- 21.54	21730		- 8.0			S.H. BRK.		
	S-2		75.0	"		65.6	- 28.58	21447		- 36.3			T. S		
	S-3		94.1	"		86.2	- 23.37	21433		- 37.7			F.L. [illegible]		
	S-4		109.8	"		103.6	- 19.20	21446		- 36.4			B CL		
	S-5		172.3	"		170.8	+ 7.15	22027		+ 21.7		170.8	T. CL		
S-5								22027	42						
	S-6		48.2	42		46.0	- 18.13	21876		- 15.1			T.S EDGE RD.		
	S-7		72.7	"		71.0	- 12.16	21873		- 15.4			" " "		
	S-8		137.0	"		135.7	+ 7.59	22217		+ 19.0			T. C.		
	S-9		176.2	"		175.0	+ 8.01	22273		+ 24.6			S H		
	S-10		242.2	"		237.3	+ 11.33	22512		+ 48.5		4+08.1	T BK		

Add'l Inform.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Angle	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Chained Distance	P.C. P.T. P.R.C. P.I. P.O.T. Station	A.H.K. Left	Right
					"S"	LINE		CONT.				STA			
S-16								2251.2	49			4+08.1			
	S-14			4		61.2	− 9 03	2241.5		− 9.7			T S		
	S-15			"		126.3	− 2 56	2244.7		− 6.5			FL DITCH		
	S-16			"		205.8	+ 6 15	2273.7		+ 22.5			S H		
	S-17			"		292.1	+ 9 20	2279.2		+ 28.0		7+00.2	S H		
								2299.2	47			7+00.2			
	S-25			7		119.1	+ 13 03	2326.8		+ 27.6			S H BANK		
	S-26			"		213.7	+ 15 08	2357.5		+ 58.3			S H		
	S-27			"		281.3	+ 17 11	2386.5		+ 87.3		9+82.5	S H		
S-17								2386.5	46			9+82.5			
	S-18		1370	4 6		129.9	+ 18 34	2430.1		+ 43.6		11+12.4	S H		
S-18								2430.1	50			11+12.4			
	S-19		981	5 0		30.1	+ 12 34	2450.2		+ 20.1			S H		
	S-20		1942	11		188.3	+ 13 56	2476.8		+ 46.7		13+00.1	TOP KNOLL		
S-20															
	T-206			4 7			− 12 53	2179.3		− 297.5			CO. ENGR. B.M. MON. F.B. 2394 - 88 - 134		

Note Rod. Plotted Date Date Survey of TICK CANYON ROAD Job No. 2394 Drawing No. 11 F.B. 2394 Pg. 88

Notes Chkd. Checked Survey by L V SMITH Notes A GOBLE Date 7-15-66

Date Date Map No. Indexed C.A. GALLI Date

F 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
			PROFILE			T	"	LINE							SEE PG 172
								2542 5	4 8						
T-71													MAP	ELEV.	
	T-1		67 8	4 8		64 8	- 17.11	2522 5		- 20 0					S.H.
	T-2		173 3	4 8		164 7	- 18.10	2488 5		- 54 0					S.H.
T-2								2488 5	4 6						
	T-3		91 2	4 6		85 3	- 20.48	2456 1		- 32 4					S.H.
T-3								2456 1	4 4						
	T-4		88 6	4 4		79 7	- 25.50	2417 5		- 38 6					B.K.S.
	T-5		181 8	4 4		169 3	- 21.22	2389 9		- 66 2					S.H.
T-5								2389 9	4 5						
	T-6		84 8	4 5		80 0	- 19.24	2361 7		- 28 2					B.K.S.
T-6								2361 7	4 5						
	T-7		42 1	4 5		39 1	- 21.36	2346 2		- 15 5					B.K.S.
T-7								2346 2	4 9						
	T-8		65 7	4 9		60 6	- 22.41	23209		- 25 3					B.CN.
	T-9		78 0	4 9		75 9	- 13.28	23280		- 18 2					TOP SPUR
	T-10		98 7	4 9		96 2	- 13.00	23240		- 22 2					B.D.
	T-11		146 4	4 9		146 2	- 3.05	23383		- 7 9					BK.S.
	T-12		219 5	4 9		217 4	+ 7.57	23766		+ 30 4					S.H.
	T-13		291 7	4 9		284 9	+ 12.24	24088		+ 62 6					S.H.

Add'l Inform.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
900 HALL OF RECORDS

NOTE: ANY CORRECTIONS OR DELETIONS ON THIS SHEET MUST BE MADE ON CIRCLED IN RED INK, INITIALED AND NAME TO BE SHOWN CLEARLY

Do not write in this space

Station	Sight on	Stadia Intervals	Stadia Distance	Rod Reading	Horizontal Angle Left of Line	Horizontal Angle Right of Line	Distance	Vertical Angle	Elevation of Point	Back Sight	Instrument Station	Horizontal Distance	Vertical Distance	Notes
							PROFILE "T" LINE (CONT.)							
T-13									2408.8	4 7				
	T-14		148.8	4 7			135.7	+24.16	2470.0			+61.2		S.H. BREAK
T-14									2470.0	4 6				
	T-15 = S-20		54.2	4 6			52.8	+11.52	2481.1			+11.1		
T-15 = S-20									2481.1	5 0				1x1 TOP KNOLL
	T-71			5.0			1011.8	+ 3.28	2542.4			+61.3		
							PROFILE "U" LINE							SEE PG. 172
T-71									2542.5	4 7				MAP ELEV.
	U-1		85.1	4 7			83.5	-11.00	2526.3			-16.2		B.K.S.
U-1									2526.3	4 7				
	U-2		60.0	4 7			56.1	-20.40	2505.1			-21.2		B.K.S.
	U-3		139.1				131.3	-18.36	2481.9			-44.4		S.H.
	U-4		251.5				239.9	-17.29	2450.7			-75.6		S.H. SWALE
	U-5		299.7				290.1	-14.34	2451.0			-75.3		S.H. BREAK
U-5									2451.0	4 6				
	U-6		57.4	4 6			56.1	-12.18	2438.8			-12.2		S.H.
U-6									2438.8	4 4				
	U-7		105.2	4 4			94.2	-26.28	2391.9			-46.7		S.H.
	U-8		165.3	4 4			148.9	-25.45	2367.0			-71.8		S.H.

Add'n'l Inform.

Plotted _____ Job No. _____
Date _____ Division No. _____
Survey of _____ F.B. 2324 PG. 223
Notes Bkd. _____ Date _____ Survey by _____ Date _____
Checked _____ Date _____ Map No. _____ Indexed _____ Date _____

2394

F.B. ____ Pg. ____

Topography Description Legend:
Side Hill...S.H. | Bottom Draw..B.D. | Bottom Wash B.W. | Top of Ridge..T.R. | Toe of Slope...T.S.

Inters. of Draws V.D's | Break in Slope...Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Cn.

Side of Canyon S.Cn. | Top of Bank...T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut...B.C. | Top of Fill.....T.F. | Bottom of Fill..B.F.

Saddle .....Sa. | Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement .....Pvt. | Edge of Road E.Rd.

Traveled Rd. T. | Fence .....V. | Ditch Fence..D.F. | Telephone Pole | Power Pole..... | Culvert .....

"U" LINE (CONT.)

U-8							23670	42		
	U-9	35.5	42		30.6	-30.25	23490	-18.0		T.B.
	U-10	50.7	42		42.4	-33.10	23382	-28.8		B.D.
	U-11	107.3	42		106.4	+7.11	23804	+13.4		S.H.
	U-12	158.5	42		154.4	+13.11	24032	+36.2		BK.S.
	U-13	183.2	42		125.7	+16.24	24187	+51.7		BK.S.
U-13							24187	48		
	U-14	78.1	48		71.6	+23.35		+31.2		BK.S.
	U-15	131.7	48		112.4	+31.23	24873	+68.6		BRK.-ROCKY PT.
U-15							24873	6.0		
	U-16	23.6	02		23.6		24931	+5.8		
U-16							24931	5.0		
	T-71				890.3	+3.13				

Add'l Inform.