by

Survey of GEODETIC CONTROL
JN 0301.00 Tape — Std — °F
Surveyed by W. C. D. BAY
Notes — Date 4-'60
Indexed M. E. OM 5-3-60

F. B 2453 Pg. 5

PRESERVATION OF GEODETIC CONTROL IN THE WHITTIER — LA HABRA AND NORWALK AREA

IL - 1960

EN

TH, R. D.
DWIN
NIGHT
LLACE

Microfilmed Nov. 85.

F. B. 2453 PG. 6

CONTENTS

PAGE	STATION		NEW OR RECOV.
9	WHITTIER	F-10A	R
11	"	G-10A	R
13	"	G-10	R
15	"	I-10B	R
17	"	I-10	R
19	"	K-10	R
21	"	K-10A	R
23	ARTESIA	A-2	R
25	"	B-2	R
27	"	C-2A	R
29	EL MONTE	F-8	N
31	"	D-10A	N
33	WHITTIER	J-10	R
35			
37			
39			
41			
43			
145	WHITTIER F-10A	AUX. 1	N
147	" G-10	AUX. 1	N
149	" G-10A	AUX. 1	N
151	" H-10	AUX. 1	N
153	" I-10	AUX. 1	N
155	" J-10	AUX. 1	N
157	" J-9	AUX. 1	N
159	" K-9	AUX. 1	N
161	" L-9	AUX. 1	N
163 LA HABRA	A-9	AUX. 1	N
165 "	" B-9	AUX. 1	N
	CADASTRAL TIES		
167 LEFFINGWELL RD. & PAINTER AVE.			
168 "	" & CARMENITA RD.		
169 IMPERIAL HWY. &	"	"	
170 LEFFINGWELL RD. & HASTINGS DR			
171 "	" & VALLEY VIEW AVE.		

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape Std °F
Surveyed by W. D. BAY
Notes BAY Date 5-60
Indexed H. E. OH

F. B. 2453 Pg. 7

CONTENTS

PAGE	STATION			
172	LEFFINGWELL	RD. & TELEGRAPH RD.		
173	"	" EAST OF HOLDER AVE.		
174	"	" & LUITWIELER AVE.		
175	"	" & STARY RD.		
176	"	" EAST OF SCOTT AVE.		
177	"	" & U.P.R.R. R/W.		
178	TELEGRAPH	RD. & VALLEY VIEW AVE.		
179	WHITTIER	I-9	AUX. 1	NEW
181	LA	HABRA	A-10	AUX. 1 "
183	"	"	A-10A	" "
185	"	"	B-10	" "
187	"	"	B-10A	" "
189	"	"	C-10	" "
191	"	"	D-10	" "
193	"	"	C-9	RECOV.
195	BELL		G-8	"
197	"		G-9	NEW
199	"		F-10A	RECOV.
101	WHITTIER		L-10C	AUX.1 NEW
103	"		L-10B	AUX.1 "
105	"		L-10	AUX.1 RECOV.
107	"		K-10A	AUX.1 NEW
109	ARTESIA		C-7	RECOV.
111	"		C-8	RECOV.
113	"		C-9	AUX.1 NEW
115	CAD. TIE	ARTESIA	C-9 TO C9 AUX1	
117	ARTESIA		C-9A	RECOVERY
119	BELL		F-7	"
121	"		E-7B	
123	CLEARWATER		C-8	
125	BELL		J-8	
127				
129				

Notes: Any Additions or Changes on This Sheet Must be Made or Circled In Red. Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

7690S CE #247 7-55

INDEX CONT.

F. B. 2453 PG. 8

PAGE	STATION
131	
133	
135	
137	
139	
141	
143	
145	
147	
149	
151	
153	
155	
157	
159	
161	
165	
167	
169	
171	
173	
175	
177	
179	
181	
183	
185	
187	
189	
191	
193	
195	
197	
199	
201 TITLE PAGE :- INGLEWOOD AND TORRANCE	
202 INDEX " "	

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F 095 S&E #247 11-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Control
JNO Bollar Tape 0162 Std 68 °F
Surveyed by W. D. RAY
Notes R. D. Smith Date 3-22-60
Indexed H. E. OTT

F. B. 2453 PG. 8

F. B. 2153 Pg. 10

DESCRIPTIONS
TRAVERSE STATION
WHITTIER
F-10A

THIS STATION IS IN LOS ANGELES COUNTY IN THE WHITTIER AREA. ON LEFFINGWELL RD. BETWEEN IMPERIAL HWY. AND PAINTER AVE. 28.6 FT SOUTH OF THE ℄ OF LEFFINGWELL RD AND 12.4 FT SOUTH OF THE EDGE OF PAVEMENT AND 45.1 FT. WESTERLY OF THE ℄ PROD OF PAINTER AVE. FLUSH. ~~(NOTE: THIS STATION MAY NOT BE IN IT'S ORIGINAL POSITION SEE MONUMENT RECORD FOR DISTANCE OUT.)~~

STATION MARK: FD. A STD 4" BRASS TRAVERSE CAP IN CONC. FLUSH AND STAMPED "WHITTIER F-10A R.E. 2177 1942 COUNTY SURVEYOR"

PER F.B. 931-39, 40, 179, 180.

REFERENCE MARK NO 1. NOT FOUND NO EVIDENCE. @ 98."

REFERENCE MARK NO 2. FD PER F.B 931-39-40 CUT SPK AND WASHER IN CONC 16" DOWN.

REFERENCE MARK NO 3 A SET STD 4" BRASS REFERENCE CAP IN CONC. IN A WELL AND PROTECTED BY A CAST IRON COVER MARKED "COUNTY ENGINEER" AND STAMPED "WHITTIER F-10A R.M. NO 3 A 1960 L.A. CO. ENGR. R.E. 5869"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN2301.00 Tape 144 Std 84 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes J.C. GOODWIN Date 3-25-60
Date	Indexed H. E. OTT

F. B. 2453 PG. 11

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
WHITTIER
G-10A

(1) 47-10-10
(4) 188-40-50
47-10-12½
(6) 283-01-20
= 47-10-13½

MCDM. PVMT.

FD. R.M. #1

RD.

TO WHITTIER G-10

DIRT

P.P. #412623E
47°10'15" M.
47°12'45" R.

SET L&T TAG IN BIG. BASE

WHITTIER G-10A
PAVED OVER

AUX. 1 SEE PG. 99

FD. CT. SPK.

IMPERIAL HWY.

DIRT

SET L&T TAG IN BIG. BASE

SET TANG. L&T TAG IN CURB

SET L&T TAG IN BIG. BASE

OIL STORAGE TANKS

PIPE VALVES

CARMENITA

SET R.M. #3.
SEE NEXT PG.

MCDM. PVMT.

DIRT

ALT. DIST. MEAS. LEVEL @ T-74
52.39 = SAME
54.67 = " "
45.89 = " "
80.64 = " "

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red. Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

7639 58 CE #247—7-58

F. B. 2453 Pg. 12

~ DESCRIPTIONS ~
TRAVERSE STATION
WHITTIER G-10A

THIS STATION IS IN LOS ANGELES COUNTY, IN THE WHITTIER AREA, AND AT THE INTERSECTION OF IMPERIAL HWY. & CARMENITA RD. IT IS 2.4' +50. S. & 2.1' WEST OF THE CENTER LINE INTERSECTION OF THE ABOVE NAMED STREETS.

STATION MARK.

FOUND A STANDARD 4" BRASS TRAVERSE CAP INSCRIBED, "L.A. COUNTY SURVEY CONTROL SYSTEM, TRAVERSE STATION WHITTIER G-10A 1952", THIS STA. IS SET IN A WELL AND PROTECTED BY A CAST IRON COVER.

FD. PER. F.B. 928-125, 126.

R.M. #1

FOUND A STANDARD 4" COUNTY SURVEYOR REF. MARK SET IN CONC. 20" DOWN. MARKED "WHITTIER G-10A, R.M. NO. 1, 1952, COUNTY SURVEYOR R.E. 63".

R.M. #2

THIS MON. IS NOW UNDER PVMT. AND WAS NOT SEARCHED FOR.

R.M. #3

SET A STANDARD 4" BRASS CAP IN CONC. 9" DEEP AND INSCRIBED, "WHITTIER G-10A, R.M. #3, 1960, L.A. CO. ENGR. R.E. 5869" IN A WELL WITH COVER.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. B. 2453 PG. 13
JN 0301.00 Tape 0162 Std. 68 °F
Surveyed by W. D. BAY
Notes DAY Date 3-25-60
Indexed

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION WHITTIER G-10



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

FORM CE 0547—7-58

F. B. 2453 Pg. 14

~ DESCRIPTIONS ~

WHITTIER G-10

THIS STATION IS IN LOS ANGELES COUNTY, 3 MILES ± N.E. OF NORWALK, IN THE INTERSECTION OF LEFFINGWELL ROAD AND CARMENITA ROAD, 15° N. OF THE ℄ OF LEFFINGWELL ROAD AND 63° E. OF THE ℄ (SEMI-TAN) PROD. OF CARMENITA ROAD, SLY, IN A WELL WITH A STD. C.S. COVER.

STATION MARK: FOUND A STD. 4" BRASS TRAVERSE CAP IN CONC. DN. 10" AND STAMPED "WHITTIER G-10, 1942, COUNTY SURVEYOR, R.E. 2177." PER F.B. 931-47, 48.

REFERENCE MARK NO. 1: NOW FALLS UNDER HEAVY PAVEMENT — NOT DUG FOR.

REFERENCE MARK NO. 2: FOUND A STD. 4" BRASS R.M. CAP IN CONC. DN. 16" AND STAMPED "R.M. NO. , 194 , COUNTY SURVEYOR R.E. 2177."
SET WELL & COVER OVER MON.

REFERENCE MARK NO. 3: SET A STD. 4" BRASS R.M. CAP IN CONC. DN. 9" AND STAMPED "WHITTIER G-10, R.M. NO. 3 1960, L.A. CO. ENGR. R.E. 5869" IN A WELL WITH A STD. C.E. COVER.

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN080L00 Tape 144 Std. 84 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes R. D. SMITH Date 4-4-60
Date	Indexed H. E. OTT

F. B 2453 Pg. 15

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE WHITTIER I-10B

(1) 86 45 30

(4) 347 02 30
= 86 45 37½

(6) 160 33 40
86 45 36⅔

SET: TRM NO. 4
SEE NEXT PAGE

CONC WALK

SET L & TAC TANG.

29' AVE

136° 65.2

COMC WALK

35°

73.15

10.88

90.81

50'

52.0

102.98

1.5

FD: WHITTIER I-10B
SEE NEXT PAGE

TO WHITTIER J-10B

APPROX

45'

IMPERIAL HWY

FD. L & T @ ℄ INT.

LEVEL C.85' T

90.81 NO CORR
96.02 " "
76.72 " "
73.15 " "
102.98 " "

51.0

80°

76.72

30'

96.02

COMC WALK

136°

66.7

44'

SET L & TAC TANG.

SET: TRM NO. 3
SEE NEXT PAGE

APPROX ℄ VALLEY VIEW

COMC WALK

(1) 136° 44 40

(4) 186 58 10
= 136 44 32½

(6) 186 21 10
= 136 44 31⅔

(1) 136 30 00

(4) 185 59 30
= 136 29 52½

(6) 98 59 [illegible]
= 136 29 51⅓

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this sketch beyond this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

FORMS SAE #247 11-58

F. B 2453 PG. 16

DESCRIPTIONS.
TRAVERSE.
WHITTIER
I-10B

THIS STATION IS IN L.A. COUNTY IN THE CITY OF LA MIRADA IN THE INTERSECTION OF IMPERIAL HWY. AND VALLEY VIEW AVE. 1.5 FT NORTH OF THE ℄ OF IMPERIAL HWY AND 10.88 FT. WEST OF THE ℄ OF VALLEY VIEW AVE IN A WELL & PROTECTED BY A CAST IRON COVER.

STATION MARK: FD PER F.B. 928-133-34 A STD 4" BRASS TRAVERSE CAP IN CONC. AND STAMPED WHITTIER I-10B 1952. COUNTY SURVEYOR R.E. 63.

REFERENCE MARK NO 1: NOT FOUND; UNDER NEW PAVEMENT (NOT SEARCHED FOR)

REFERENCE MARK NO 2: SAME AS NO. 1.

REFERENCE MARK NO 3: SET A STD. 4" BRASS REF. MON. IN CONC, IN A WELL AND PROTECTED BY A CAST IRON COVER AND STAMPED WHITTIER I-10B. R.M. NO 3. 1960 L.A. CO ENGR. R.E. 5869

REFERENCE MARK NO 4: SAME AS NO 3. EXCEPT STAMPED NO. 4.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 2301.001 Tape 144 Std. 84 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes J.C. GOODWIN Date 4-4-60
Date	Indexed H. E. OH

F. B. 2153 PG. 17

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION WHITTIER J-10B



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this sketch beyond this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

F. B. 2453 PG 18

~DESCRIPTION~
TRAVERSE STATION
WHITTIER J-10B

THIS STATION IS IN L.A. COUNTY, IN THE CITY OF LA MIRADA, AND IN THE INTERSECTION OF IMPERIAL HWY. & BURGESS AVE. 2.5' NO. OF THE ℄ OF IMPERIAL HWY. AND 2.5' WEST OF THE ℄ OF BURGESS AVE. SET IN A WELL AND PROTECTED BY A CAST IRON COVER MARKED, "LOS ANGELES COUNTY ENGINEER, SURVEY MONUMENT."

STATION MARK:

FOUND A STD. 4" BRASS TRAVERSE CAP IN CONC. AND STAMPED, "WHITTIER J-10B, 1952, COUNTY SURVEYOR R.E. 63". DOWN 25". PER. FB. 928-137, 138.

SET A STD. 4" BRASS TRAV. CAP IN CONC. 9" BELOW SURFACE OF PVMT., IN A WELL. THE NEW CAP IS DIRECTLY ABOVE THE OLD ONE AND A 2" LAYER OF SAND SEPERATES THE MON'S. MARKED, "WHITTIER J-10B, RESET 1960, L.A. CO. ENGR. R.E. 5869".

REFERENCE MARK NO. 1

SET A STD. 4" R.M. BRASS CAP IN CONC. 20" DEEP. MARKED, "WHITTIER J-10B, 1952, COUNTY SURVEYOR, R.E. 63, R.M. #1".

REFERENCE MARK NO. 2

THIS MON. NOW FALLS IN THE TRAVELED SECTION OF IMPERIAL HWY. AND WAS NOT SEARCHED FOR.

REFERENCE MARK NO. 3

SET A STD. 4" R.M. BRASS CAP IN CONC., MARKED "WHITTIER J-10B, R.M. #3, 1960, L.A. CO. ENGR. R.E. 5869", SET IN A WELL AND PROTECTED BY A CAST IRON COVER.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN0301.00 Tape 144 Std 84 °F
Office Work	Surveyed by W.D. BAY
Checked	Notes R.D. SMITH Date 4-6-60
Date	Indexed E.E. OTT

F.B. 2453 Pg. 19

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE

WHITTIER K-10

LEVEL @ 80° T

81.26 = NO CORR
59.97 = " "
79.80 = " "
81.43 = " "
147.25 = " "
78.78 = " "



(1) 65 48 30

(4) 263 13 50
= 65 48 27½

(6) 34 50 40
= 65 48 26⅔

(1) 133° 26' 40"

(4) 173 46 10
= 133 26 32½

(6) 80 39 30
= 133 26 35

(1) 160 45 00

(4) 283 00 00
= 160 45 00

(6) 244 30 00
= 160 45 00

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

765CDS CE #2247—7-55

F. B 2453 PG. 20

DESCRIPTIONS TRAVERSE. WHITTIER K - 10

THIS STATION IS IN L.A. CO. IN THE CITY OF LA MIRADA. AND AT THE ℄ INT. OF IMPERIAL HWY AND LUITWIELER AVE. IN A WELL AND PROTECTED BY A CAST IRON COVER.

STATION MARK. RESET PER F.B. 929-47-48 A STD. 4" BRASS TRAVERSE CAP IN CONC AND STAMPED: "WHITTIER K-10 RESET 1960 L.A. CO ENGR R.E 5869."

REFERENCE MARK NO 1 UNDER NEW PAVEMENT (NOT DUG FOR)

REFERENCE MARK NO 2 FD. PER. F.B 929-47-48 CUT SPK. & WASHER 8 INCHES DN.

REFERENCE MARK NO 3. SET A STD 4" BRASS REF. CAP IN CONC AND STAMPED: "WHITTIER K-10 R.M. NO 3 1960 L.A. CO. ENGR R.E 5869" IN A WELL AND PROTECTED BY A CAST IRON COVER

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 430/1.00 Tape 144 Std 84 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes J.C. GOODWIN Date 4-7-60
Date	Indexed H. E. OTT

F. B. 2458 Pg. 21

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
WHITTIER K-10A



1)	42	51	40
	42	51	35
4)	171	26	20
	42	51	35
6)	257	09	30
=	42°	51'	35"

1)	89	18	10
	89	18	10
4)	357	12	40
	89	18	08 1/3
6)	175	48	50
=	89°	18'	08"

74.45 @ LEVEL = 74.45
T = 84°

50.46 @ LEVEL = 50.46
T = 84°

55.35 @ LEVEL = 55.35
T = 84°

60.46 @ LEVEL = 60.46
T =

66.01 @ LEVEL = 66.01
T = 84°

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F595 SEE #247 11-58

F. B. 2453 Pg. 22

~DESCRIPTION~
TRAVERSE STATION
WHITTIER K-10A

THIS STATION IS IN L.A. COUNTY AND IN THE CITY OF LA MIRADA. IT IS ABOUT 1285 FT. WEST OF THE CENTER LINE OF LUITWIELER AVE. 44.5' NO. OF THE SOUTH CURB OF IMPERIAL HWY. IT IS SET IN A WELL AND PROTECTED BY A CAST IRON COVER MARKED, "COUNTY ENGINEER MONUMENT".

STATION MARK.

FOUND A STD. 4" BRASS TRAVERSE CAP SET IN CONC. DOWN 25" AND STAMPED, "WHITTIER K-10A, R.E. 6-3, SET BY [illegible] 1952", (RE 108-43, 44) [illegible] 4" B.[illegible] TUBE. CAP IN CONC. 9" BELOW PVMT. AND STAMPED, "WHITTIER K-10A, RESET 1960, L.A. CO. ENGR. RE. 5869"; THIS MON IS SET DIRECTLY ABOVE THE ORIG AND A 2" LAYER OF SAND SEPERATES THEM. IT IS IN A WELL WITH COVER.

REFERENCE MARK #1

IN TRAVELED AREA OF IMP. HWY. NOT DUG FOR.

REFERENCE MARK #2

SEARCHED FOR TO A DEPTH OF 52", NO EVIDENCE FOUND.

REFERENCE MARK #3

SET A STD. 4" R.M. BRASS CAP IN CONC. STAMPED, "WHITTIER K-10A, R.M. 3, 1960, L.A. CO. ENGR. RE. 5869", 8" BELOW CURB GRADE.

REFERENCE MARK #4

SET A STD. 4" R.M. BRASS CAP IN CONC. STAMPED "WHITTIER K-10A R.M. 4, 1960, L.A. CO. ENGR. RE. 5869", 8" BELOW CURB GRADE.

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red. Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTRL
Map No.	JN 0301.00 Tape 144 Std 84 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes BAY Date 3-28-'60
Date	Indexed H. E. OTT

F. B 2453 PG. 23

L. A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

ARTESIA A-2

(1) 59-08-20
(4) 236-33-00
59-08-15
(6) 354-49-40
= 59-08-16 2/3

R.M. NO. 4

R.M. NO. 3

50.5

115.85 78° 41' 55"

62.0

98.20 TANG.

84.55 80° 08' 15"

56.5

83.68 TANG.

ROAD

ARTESIA A-2
SEE NEXT PG.

TRAV. LINE TO ART. B-2

ALONDRA BLVD.

91.93 TANG.

92.22 TANG.

STUDEBAKER

SET L&TAG

SET L&TAG

(1) 78-41-40
(4) 314-47-30
78-41-52 1/2
(6) 112-11-20
= 78-41-53 1/3

ALL DIST.'S MEAS.'D
LEVEL @ 5.5'

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 LOS ANGELES COUNTY ENGINEERING BLDG.

7-53 CE #247

F. B. 2453 PG. 24

— DESCRIPTIONS —

ARTESIA A-2

THIS STATION IS IN L. A. COUNTY, ARTESIA AREA, AND IS THE ℄ INTERSECTION OF ALONDRA BLVD. AND STUDEBAKER ROAD.

STATION MARK: FOUND A STD. 4" BRASS TRAVERSE STATION CAP IN CONC. DN. 9" AND STAMPED "ARTESIA A-2, 1945, COUNTY SURVEYOR, R.E. 2177", IN A WELL WITH A STD. C.S. COVER. PER F.B. 932-21, 22.

REFERENCE MARKS NO. 1 & 2: THESE R.M.'S WERE NOT DUG. FOR SINCE THEY NOW FALL UNDER THE PAVED AND TRAVELED PORTION OF ALONDRA BLVD.

REFERENCE MARKS NO. 3 & 4: SET STD. 4" BRASS R.M. CAPS IN CONC. DN. 9" AND STAMPED "ARTESIA A-2, 1960, R.M. NO. 3 & 4", RESPECTIVELY "L.A. CO. ENGR. R.E. 5869", IN WELLS WITH STD. CO. ENGR. COVERS.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 1.4 Std B 4 °F
Surveyed by W. D. BAY
Notes BAY Date 3-28-'60
Indexed H. E. OTT

F. B. 2453 PG. 25

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION ARTESIA B-2



ALL DIST'S MEAS LEVEL @ T = 78°

42.07	=	SAME
76.58	=	"
54.07	=	"
69.76	=	"
69.78	=	"
59.32	=	"
72.24	=	"

(1) 135-08-40
(2) 270-17-10
=135-08-35

FD. 2"x2" STAKE (ROTTED) TER. FB. 932-23, DN. 6". TIED OUT CTR. FD. NOTHING @ 21" SET 1" I.P. CONC. PLUG & TAG DN. 20" IN SAME POS.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

7853 CE #247—7-53

F. B. 2653 PG. 26

~ DESCRIPTIONS ~

ARTESIA B-2

THIS STATION IS IN L.A. COUNTY, ARTESIA AREA, AND IS THE ℄ INTERSECTION OF ALONDRA BLVD. AND GRIDLEY ROAD, DN. 9" IN A WELL WITH A STD. CO. ENGR. COVER.

STATION MARK: SET A STD. 9" BRASS TRAVERSE STATION CAP IN CONC. AND STAMPED "ARTESIA B-2, RESET 1960, L.A. CO. ENGR. R.E. 5869". THIS IS A REPLACEMENT OF A CT. SPK. & W. FD. FLUSH PER F.B. 932-23.

REFERENCE MARKS NO. 1, 2, 3, & 4: THESE R.M.'S WERE NOT DUG FOR FEAR THAT NOW EXIST UNDER THE PAVED AND TRAVELED PORTION OF ALONDRA BLVD.

REFERENCE MARKS NO. 5 & 6: SET STD. 4" BRASS R.M. CAPS IN CONC. DN. 8" BELOW CURB GRADE AND STAMPED "ARTESIA B-2, 1960, L.A. CO. ENGR., R.E. 5869, R.M. NO. 5 & 6" RESPECTIVELY.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN0301.00 Tape 0162 Std 6.8 °F
Office Work	Surveyed by W.D BAY
Checked	Notes R.D SMITH Date 3-30-60
Date	Indexed H. E. OTT

F. B. 2453 PG. 27

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

ARTESIA C-2A



(1)	137	09	10
(4)	188	36	40
=	137	09	10
(6)	102	33	10
=	137	09	11 1/3

(1)	93	43	10
(4)	14	53	00
=	93	43	15
(6)	201	19	20
	93	43	13 1/3

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 900 LOS ANGELES COUNTY ENGINEERING BLDG.

7838 08 CE #247—7-53

F. B. 2433 PG. 28

DESCRIPTIONS
TRAVERSE STATION
ARTESIA
C-2A

THIS STATION IS IN L.A. COUNTY IN THE CITY OF NORWALK IN THE INTERSECTION OF ALONDRA BLVD & PIONEER BLVD. 1.92 FT. WESTERLY OF THE ℄ OF PIONEER BLVD & 1.77 FT. NORTHERLY OF THE ℄ OF ALONDRA BLVD. IN A WELL AND PROTECTED BY A CAST IRON COVER. STATION MARK. RESET A STD 4" BRASS TRAVERSE CAP IN CONC AND STAMPED ARTESIA C-2A RESET 1960 L.A.CO ENGR. R.E. 5869. AS REPLACEMENT FOR A CUT SPIKE, WASHER AND TIN SET IN THE PAVEMENT PER F.B. 932-25-26

REFERENCE MARK NO 1 FD. [illegible] IN CURB PER F.B 932-25-26

REFERENCE MARK NO 2. FD. A STD 4" BRASS REFERENCE CAP IN CONC AND STAMPED. ARTESIA C-2A R.M. NO 2 1944 COUNTY SURVEYOR R.E. 2177, 15" BELOW WALK GRADE. PER F.B. 932-25-26

REFERENCE MARK NO 3. UNDER NEW PAV. NOT SEARCHED FOR

REFERENCE MARK NO 4 NOT FOUND NEW IMPROVEMENTS. NO EVIDENCE.

REFERENCE MARK NO 5 SET STD 4" BRASS REF. MON IN CONC IN A WELL AND PROTECTED BY A CAST IRON COVER AND STAMPED ARTESIA C-2A R.M. NO 5 1960 L.A. CO. ENGR R.E. 5869

REFERENCE MARK NO 6 SAME AS R.M. NO 5 EXCEPT STAMPED R.M. NO 6.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Addirions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. B. 2453 PG. 29
JN 0301.00 Tape 144 Std 84 °F
Surveyed by W. D. BAY
Notes BAY Date 4-11-'60
Indexed C. Johnson 4-22-60

L. A. CO. SURVEY CONTROL SYSTEM
TRIANGULATION STATION
EL MONTE F-8



NOTE: ANGLES ARE CALC. FROM F.B. C-880-15-21.

ALL DISTS. MEAS. LEVEL @ T = 79°

91.81 =	91.80
75.24 =	75.24
101.10 =	101.09
57.22 =	57.22
62.18 =	62.18

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

765 LOS CE #247 7-55

F. B. 2153 PG. 30

EL MONTE F-8

- DESCRIPTIONS -

THIS STATION IS IN LOS ANGELES COUNTY, IN THE NORTH EAST SECTION OF THE WHITTIER NARROWS DAM RECREATIONAL AREA, 2000' ± SOUTH OF FAWCETT AVE. AND 108' ± WEST OF THE APPROX. ℄ PROD. OF POTRERO AVE.

STATION MARK: SET A STD. 4" BRASS TRIANGULATION CAP FLUSH IN A 13" SQUARE CONC. PAD AND STAMPED "EL MONTE F-8, 1960, L.A. CO. ENGR. RE. 5869".

REFERENCE MARKS #1 & 2: SET STD. 4" BRASS REFERENCE CAPS IN 13" SQUARE CONC. PADS, FLUSH, AND STAMPED "EL MONTE F-8 R.M. 1 & 2" (RESPECTIVELY), 1960, L.A. CO. ENGR., R.E. 5869".

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

763693 CE #247—7-59

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 30 Ludo Tape/144 Std. 84 of
Surveyed by W. D. BAY
Notes R. J. SMITH Date 4-12-60
Indexed
Checked

F. B 2453 PG. 31

F.B. 2453 Pg. 32

DESCRIPTIONS
TRIANGULATION
EL MONTE
D - 10A

THIS STATION IS IN LOS ANGELES COUNTY IN THE WHITTIER NARROWS AREA AND 137 FT.± EASTERLY OF ℄ ROSEMEAD BLVD. IN THE SERVICE ROAD ON TOP OF THE WHITTIER NARROWS DAM. IN A WELL AND PROTECTED BY A CAST IRON COVER

STATION MARK: SET A STD 4" BRASS TRIANGULATION CAP IN CONC. AND STAMPED EL MONTE D-10A 1960 L.A. CO. ENGR R.E. 5869.

REFERENCE MARK NO 1 SET A STD. 4" BRASS REF. CAP IN CONC, DN. 12 INCHES AND STAMPED EL MONTE D-10A R.M. 1 1960 L.A. CO. ENGR. R.E. 5869

REFERENCE MARK NO 2. SAME AS R.M. 1 EXCEPT STAMPED R.M. 2

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of GEODETIC CONTROL	F. B 2453 PG. 33
Map No.		JN0201.00 Tape 0162 Std 68 °F	
Office Work		Surveyed by W. D. BAY	
Checked		Notes R D SMITH Date 9-20-60	
Date		Indexed H. E. OTT	

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STA. WHITTIER J-10



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this story of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7875-6 SEE #247 11-58

F. B2453 Pg 34

DESCRIPTIONS
TRAVERSE STA.
WHITTIER
J - 10

THIS STATION IS IN LOS ANGELES COUNTY IN THE CITY OF LA MIRADA IN THE INTERSECTION OF TELEGRAPH ROAD AND LEFFINGWELL ROAD IN A WELL AND PROTECTED BY A CAST IRON COVER.

STATION MARK: FOUND PER F.B 931-19-20 A STD 4" BRASS TRAVERSE CAP IN CONC AND STAMPED WHITTIER J-10 1942 COUNTY SURVEYOR R.E. 2177

REFERENCE MARK NO 1 NOW UNDER NEW STREET PAVEMENT (NOT DUG FOR)

REFERENCE MARK NO 2. SET A STD. 4" BRASS REF. CAP IN CONC. IN A WELL AND PROTECTED BY A CAST IRON COVER AND STAMPED WHITTIER J-10 RM 2 1960 L.A. CO. ENGR R.E 5869

REFERENCE MARK NO. 3. SAME AS R.M. NO 2 EXCEPT NOT IN A WELL ON 12" INCHES AND STAMPED R.M. 3.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape *84 Std 84 °F
Office Work	Surveyed by G.E. DREIER
Checked	Notes G.E.D Date 4-21-60
Date	Indexed C. Johnson 5-11-60

F.B. 2453 PG. 35

L.A.CO. SURVEY CONTROL SYSTEM TRIANGULATION STA.

EL MONTE C-9



1) 86° 36' 40"
2) 346 26 40
86 36 40
3) 139 40 00
86 36 40

173.14 @ 72 = 173.13
71.49 " 71.49

Notes Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

FORM CE #247 7-55

F. B. 2453 Pg. 36

DESCRIPTION
TRIANGULATION STATION ELMONTE C-9

THIS STATION IS IN LOS ANGELES COUNTY, ABOUT 0.5 MI. N.W. FROM THE INTERSECTION OF ROSEMEAD BLVD. AND SAN GABRIEL BLVD. TO REACH STATION, TAKE ARROYO DR WESTERLY FROM SAN GABRIEL BLVD. 0.15 MI. TO STANDARD OIL CO. ROAD TO S.W.; GO 0.5 MI. TO JUNCTION OF SIX ROADS AT TOP OF RIDGE; TURN LEFT FOLLOWING MAIN OIL FIELD ROAD 0.8 MI. TO E., TO S.O.CO. TEMPLE NO. 2 WELL AND A GROUP OF TWO LARGE AND 3 SMALL TANKS ON A HILL. STATION IS ON ELY DIKE OF ABANDONED OIL SUMP 223.2 FT. ELY FROM OIL WELL "S.O. CO. TEMPLE 2"

STATION MARK SET A STD. TRIANGULATION STATION MON. STAMPED "EL MONTE C-9 1960 L.A. CO. ENGR. RE. 5869" 4 INCHES ABOVE GROUND

R.M. NO. 1 SET A STD REF. MON. STAMPED EL MONTE C-9 R.M. NO. 1 1960 L.A CO ENGR. R.E 5869 FLUSH ON W'LY BANK OF SUMP

RETURN TO
LOS ANGELES COUNTY ENGINEER
720 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 0136 Std 68 °F
Surveyed by G.E. DREIER
Notes G.E.D. Date 5-19-60
Indexed C. Johnson

F.B. 2453 PG. 37

L.A. COUNTY SURVEY CONTROL SYSTEM TRIANGULATION STA.

EL MONTE D-6

10° 40' 30"
42 41 40
10 40 25
64 02 40
10 40 26 2/3

78° 01' 20"
312 04 40
78 01 10
108 06 50
78 01 08 1/3



EL MONTE D-6
SET STD. TRI. MON. ON ℄ INTER PER TIES F.B. 1746-10

F.D. R.D. DEPT. MON. WITH TWO R.M.'S 0.07 & 0.09 N. OF POINT EST. BY TIES AND LINE

54.095 @ 68 = 54.095

Note: Any Additions or Changes on this Sheet Must Be Made or Added In Red Ink With Date and Name of Person Making Change.

Do not extend notes into this area of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

76SCDS CE #247—7-55

F.B. 2453 PG. 38

DESCRIPTION

EL MONTE D-6

THIS STATION IS IN L.A. CO. SOUTH OF THE CITY OF EL MONTE AT RUSH AVE AND LOMA AVE, AND IS A REPLACEMENT OF ROAD DEPT MON. AT THE ℄ INTERSECTION PER F.B. 1746-10

STATION MARK SET A STD. TRIANGULATION MON. STAMPED "EL MONTE D-6 1960 L.A. CO. ENGR. R.E. 5869" 9 INCHES DEEP UNDER CAST IRON COVER.

NO. 1, 2, & 3

R.M.S. - FOUND EXISTING CONC. MON. WITH CUT SPK'S AS PER F.B. 1746-10, F.B. 700-251 12 INCHES DEEP

RETURN TO LOS ANGELES COUNTY ENGINEER 700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by:	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0136 Std. 68 °F
Office Work	Surveyed by G. E. DREIER
Checked	Notes G.E.D Date 8-21-60
Date:	Indexed J. C. Johnson 1-23-61

F. B. 2453 Pg. 39

CADASTRAL TIE

℄ INTER. OF FAWCETT AVE. AND POTRERO AVE. TO L.A. CO. SURVEY CONTROL SYSTEM

N

FD. CONC. MON. WITH C. SPK. 18" DN. PER F.B. 1746-59

FD. R.R. SPK. NO REF.

℄ CHICO AVE.

FAWCETT AVE.

102.49

17.59

FD. L & T. PER F.B. 1309-43

ROSEMEAD BLVD.

FD. P.K. SPK. WITH 2" TAN TIES ON SURFACE; 2' X 2' & TACK 3" DOWN; B. SPK. IN 4" X 4" POST 20" DOWN PER F.B. 1746-59 F.B. 321-25 & F.B. 1309-43

FD "X" ON M.H. RIM PER F.B. 1746-59

FD. CONC. MON WITH C. SPK. 18" DN. PER F.B. 1746-59

89° 41' 22.10" PER F.B.G. 870-182

417.96

FD. B. SPK. W. & T. BY INTERSECTION NO. REF.

FD. C.S. MON N 127000 E 274000 R.E. 63

FD. C.S. MON N 126500 E 271000 R.E. 63

POTRERO AVE.

FD. 1½ I.P., ROTTEN PLUG & NAIL PER F.B. 1746-59, REPLACED WITH STD. C.E. MON. 9" DEEP UNDER CAST IRON COVER

N 126 000
E 271 000

N 125500
E 271 000

102.49 @ 62° = 102.49
417.99 @ 62° = 417.97
417.90 @ 88° = 417.95
MEAN 417.96

TRI STATION

EL MONTE F-8 → A

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink, With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
00 LOS ANGELES COUNTY ENGINEERING BLDG.

765028 CE #247—7-55

F. B. 2453 Pg. 40

CADASTRAL TIE

℄ INTERSECTION OF GARVEY AVE. AND WALNUT GROVE AVE.
TO L.A.Co. SURVEY CONTROL SYSTEM EL MONTE C-5; D-5
SEE F.B. 926-167-169 FOR " " ℄ "
SEE F.B. FOR EL MONTE C-5 AUX.



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of: GEODETIC CONTROL F. B. 2453 PG. 41
JN 430102 Tape 0.36 Std 68° °F
Surveyed by G.F. DREIER
Notes G.C.D. Date 4-
Indexed C. Johnson
MAY 1 1960

EL MONTE A-8 ECC.1

L.A. CO. SURVEY CONTROL SYSTEM TRIANGULATION STATION



Note: Any Additions or Changes on This Sheet Must be Made or Graded in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
00 LOS ANGELES COUNTY ENGINEERING BLDG.

7580S CE #247—7-55

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.M. 2252 PG. 42

Notes Ck'd by		Survey of	F. B. Pg.
Map No.		JN Tape Std °F	
Office Work		Surveyed by	
Checked		Notes Date	
Date		Indexed	

FB 2453

PGS. 35 — 44 Incl.

RESERVED
FOR
DIGICL

35-41 used
5-11-60

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

769CBS CE #247—7-55

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F. B. _____ PG. _____

Notes Ck'd by		Survey of GEODETIC CONTROL	F. B. 2453 Pg. 45
Map No.		JN 0301.00 Tape NGZ Std 68 °F	
Office Work		Surveyed by W. D. BAY	
Checked		Notes BAY Date 4-29-60	
Date		Indexed H. E. OTT	

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

WHITTIER F-10A AUX. 1



ANGLES PER FB G-881-3

ALL DIST.S LEVEL @ T = 70°

NO CORR.S

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7630-S CE #247—7-55

F.B. 2453 PG. 46

— DESCRIPTIONS —
WHITTIER F-10A
AUX. 1

THIS STATION IS IN L.A. COUNTY, IN THE NORWALK AREA AND IS THE ℄ INTR. OF LEFFINGWELL ROAD AND PAINTER AVE.

STATION MARK: A SMALL B.S.&W. (FLUSH) OVER A 2" x 2" ✝ N. DN. 4" PER F.B. 1764 - 66, OVER A 2" x 2" ✝ N. (0.05 W.) DN. 12" NO REF. WERE REMOVED AND REPLACED WITH A STD. 4" BRASS TRAV. STA. CAP STAMPED "WHITTIER F-10A, AUX. 1, 1960, L.A. CO. ENGR. R.E. 5869" IN CONC. DN. 9" IN A H.H. WITH A STD. CO. ENGR. COVER. 5-10-60

R.M. 1: FD. A STD. 4" BRASS L.A. CO. TRAVERSE STA. CAP IN CONC., FLUSH, AND STAMPED "WHITTIER F-10A, 1942, COUNTY SURVEYOR, R.E. 2177."

R.M. 2: FD. A CT. SPK. IN CONC. DN. 12".

R.M. 3: FD. A CT. SPK. & W. IN CONC. DN. 18".

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 144 Std 84 °F
Surveyed by W. D. BAY
Notes BAY Date 4-29-60
Indexed H. E. Ott

F. B. 2453 Pg. 47

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION WHITTIER G-10 AUX. 1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

ROAD

Fd R.M. 2

FOR CADASTRAL TIES
SEE F.B. 2453 - 68
F.B. 938 - 31

R.M. 1

12°01' 43"

15°

40° 10' 15"

8" T.P. # W5 10Y

12.5

60.

99.83

71.73

41.5

R.M. 3

CARMENITA AVE.

WHITTIER G-10 AUX. 1

See Next Pg.

168° 00' 12"

ANGLES PER F.B. G-881 - 8

LEFFINGWELL

℄ TRAV. LINE TO WHIT. G-10 AUX. 1 Pg. 45

DIST. LEVEL @ T = 70°

71.74 = 71.73
99.84 = 99.83
61.07 = 64.06
60.15 = 60.14

7850-B CE #247—7-59

F.B. 2453 PG. 48

— DESCRIPTIONS —
WHITTIER G-10 AUX. 1

THIS STATION IS IN LOS ANGELES COUNTY, NORWALK AREA, AND IS THE CENTERLINE INTERSECTION OF LEFFINGWELL ROAD AND CARMENITA AVE.

STATION MARK: A B.S.M. & T. OVER A 3/4" I.P. .01 S. OF LINE PER F.B. 1764-63, DN. 15" WERE REMOVED AND REPLACED WITH A STD. 4" BRASS TRAVERSE STATION CAP IN CONC. AND STAMPED "WHITTIER G-10, AUX. 1, 1960, L.A. CO. ENGR. RE 5869" DN. 9" IN A H.H. WITH A STD. CO. ENGR. COVER. 5-10-'60

R.M. 1: FD. A STD. 4" BRASS TRAVERSE CAP IN CONC. DN. 10" AND STAMPED "WHITTIER G-10, 1942, COUNTY SURVEYOR RE 2177". ~~NOTE: CAP NOT FOUND~~ PER F.B. 931, 47, 48.

R.M. 2: FD. A STD. 4" BRASS R.M. CAP IN CONC. DN. 16" AND STAMPED "R.M. NO. 194, COUNTY SURVEYOR RE 2177" IN A WELL WITH STD. COVER.

R.M. 3: FD. A STD. 4" BRASS R.M. CAP IN CONC. DN. 9" AND STAMPED "WHITTIER G-10, R.M. NO. 3, 1960, L.A. CO. ENGR. R.E. 5869" IN A WELL WITH A STD. COVER.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0162 Std 68 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes BAY H. E. ON 5-3-60
Date	Indexed

F. B. 2453 PG. 49

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
WHITTIER G-10A AUX. 1

WH. G-10 AUX. 1
SEE PG. 47

ALL DIST. MEAS. LEVEL
ET = 60°

NO CORR.S

ANGLES PER
F.B. 6-881-13

FOR CADASTRAL TIES SEE
F.B. 2453 - 69
F.B. 938 - 155

ROAD

℄ TRAV. LINE

44° 53' 38"

45° 01' 53"

R.M. 1

38.5

L&TAG
SIG. BASE

R.M. 2

30.07

54.80

39.0

42.18
42.50

30.0

47"

℄

℄

IMPERIAL

N 4082317.67
E 4273919.15

HWY.

95° 35'

WHITTIER G-10A AUX. 1
SEE NEXT PG.

55.43

60.41

62.51

LH TAG.
SIG. BASE

CARMENITA

R.M. 3

51.5

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

765/98 CE #247—7-53

F. B. 2453 PG. 50

~ DESCRIPTIONS ~

WHITTIER G-10A AUX. 1

THIS STATION IS IN L. A. CO., NORWALK AREA, AND IS THE CENTER-LINE INTERSECTION OF IMPERIAL HWY. AND CARMENITA ROAD.

STATION MARK: A CT. SPK. & W. FL. (SEC. COR.) PER. F.B. 1764-45 WAS REMOVED AND REPLACED WITH A STD. 4" BRASS TRAVERSE STA. CAP IN CONC. STAMPED "WHITTIER G-10A AUX. 1, 1960, L.A. CO. ENGR. R.E. 5869" DN. 9" IN A H.H. WITH A STD. CO. ENGR. COVER. 5-11-60

R.M. 1: FD. A STD. 4" BRASS R.M. CAP IN CONC. DN. 20" AND STAMPED WHITTIER G-10A, R.M. NO. 1, 1952, COUNTY SURVEYOR, R.E. 63".

R.M. 2: FD. A SPK & W. IN CONC. DN. 6".

R.M. 3: FD. A STD. 4" BRASS R.M. CAP IN CONC. DN. 9" AND STAMPED "WHITTIER G-10A, R.M. 3, 1960, L.A. CO. ENGR. R.E. 5869" IN A WELL WITH STD. COVER.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JNO 301.00 Tape 0162 Std 68 °F
Office Work	Surveyed by W. D BAY
Checked	Notes R. D. SMITH Date 4-3-60
Date	Indexed B. E. OTT

F. B 2453 PG. 51

L.A. COUNTY SURVEY CONTROL SYSTEM

WHITTIER H-10 AUX #1

LEVEL @ 62° T.
59.67 = NO CORR
70.68 = "
42.51 = "
50.00 = "
70.69 = "

FOR CADASTRAL TIE
SEE F.B. 2453 - 70
F.B. 938 - 29

ALL ANGLES PER
F.B.G. 881 Pg 17-18

EDGE OF PAV.

HASTINGS DR.

RM. NO 1
SEE NEXT Pg.

22.4

EDGE OF PAV.

59.67

55.31

57.10

WHITTIER H-10 AUX.
SEE NEXT Pg.

℄ TRAV. LINE
TO WH. G-10 AUX. 1
SEE PG. 47

LEFFINGWELL

℄ ROAD

112° 57' 10"

EDGE OF PAV.

0.68

45° 05' 35"

70.69

50.00

42.51

RM. NO 3
SEE NEXT Pg.

45° 00' 20"

0° 27' 20"

40° 30' 10"

51.1

49.9

℄ PROD

RM. NO 5
SEE NEXT Pg.

RM. NO 4
SEE NEXT Pg.

RM. NO 2
SEE NEXT Pg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

769-98 CE #247—7-59

F. B. 2453 PG. 52

DESCRIPTIONS
WHITTIER
H - 10
AUX #1

THIS STATION IS IN LOS ANGELES COUNTY IN THE CITY OF LA MIRADA AT THE ℄ INT. OF LEFFINGWELL RD. AND HASTINGS DR. IN A WELL AND PROTECTED BY A CAST IRON COVER.

STATION MARK. A BT. S. W. & T. FL. OVER A 3/4" I. P. PL. & T. DM. 8" PER FB. 2517-38, 1764-59- WERE REMOVED AND REPLACED WITH (SEE BELOW)

REFERENCE MARK NO 1: FD. A CUT SPK & WASHER IN CONC 12 INCHES BELOW GROUND SURFACE.

REFERENCE MARK NO 2: FD. CUT SPK & WASHER IN CONC. 12 INCHES BELOW GROUND SURFACE.

REFERENCE MARK NO 3: FD. A STD 4" BRASS REF. CAP IN CONC 10 INCHES BELOW GROUND SURFACE AND STAMPED "WHITTIER H-10 R.M 3 1960 L.A. CO. ENGR. R.E. 5869"

REFERENCEMARK NO 4: FD. A CUT SPK & WASHER IN CONC. 2 INCHES BELOW GROUND SURFACE.

REFERENCEMARK NO 5: FD. A CUT SPK & WASHER IN CONC 18 INCHES BELOW GROUND SURFACE.

CONT. STATION MARK: A STD. 4" BRASS TRAVERSE STATION CAP IN CONC. STAMPED "WHITTIER H-10 AUX. 1 1960 L.A. CO. ENGR. R.E. 5869" DN. 9" IN A H.H. WITH A STD. CO. ENGR COVER. 5-11-'60

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0162 Std 68 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes J. C. GOODWIN Date 5-4-60
Date	Indexed B. E. OH

F. B. 2453 Pg. 53

L.A. COUNTY SURVEY CONTROL SYSTEM

WHITTIER I-10 AUX. #1



Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7830S CE #247—7-53

F. B. 2453 Pg. 54

~DESCRIPTION~

WHITTIER I-10 AUX. #1

THIS STATION IS IN L.A. COUNTY. IN THE LA MIRADA AREA. IT IS THE ℄ INTER-SECTION OF LEFFINGWELL RD. AND VALLEY VIEW AVE.

STATION MARK:

A LEAD & TACK 0.015 NO. OF THE REMAINS OF A LEAD & TACK, PER F.B. 1764-13 & F.B. 2285-11,

R.M. #1&2

NOTHING SET.

R.M. #3:

FD. A STD. 4" R.M. BRASS CAP SET IN CONC. I.N.A.H.H. STAMPED "WHITTIER I-10, R.M. 3, 1960, L.A. CO. ENGR. R.E. 5869". 9" DEEP.

R.M. #4

FD. A STD. 4" R.M. BRASS CAP SET IN CONC. I.N.A.H.H. STAMPED "WHITTIER I-10, R.M. 4, 1960, L.A. CO. ENGR., R.E. 5869". 9" DEEP.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0162 Std 68 °F
Office Work	Surveyed by W D BAY
Checked	Notes R.D.S. 5-5-20 Date
Date	Indexed B.E. OTT

F. B. 2453 PG. 55

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STA. WHITTIER J-10 AUX #1

WHITTIER J-9 AUX. 1 PG. 57

FOR CADASTRAL TIE SEE F.B. 2453-72 F.B. 938-38

℄ TRAV. LINE

CONC. C.B.

BLACK-TOP ISLAND

℄ PER F.B. C-881-27

LEVEL C72T

52.35 NO CORR
61.49 "
98.51 "
82.12 "
46.60 "
57.20 "
27.36 "

135° 15' 50"

ROAD

SET L+TAG

WHITTIER J-10 AUX #1

SEE NEXT PG

TANG.

45"

122° 53'

57.20

52.35

61.49

FD L+T

46.60

FD L+T IN TRAFFIC SIGNAL BASE

27.36

RM 3

SEE NEXT PG

TANG.

RM 2

SEE NEXT PG

CURB

ISLAND

82.12

98.51

43.21

CONC. RAISED

TELEGRAPH

FD L+TAG

TRAFFIC SIGNAL BASE

TUJUNGA

TO WHITTIER I-9 AUX #1

TO WHITTIER I-10 AUX #1

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

783CDS CE #247 7-53

F. B. 2453 PG. 56

DESCRIPTIONS
TRAVERSE STA.
WHITTIER
J-10
AUX #1

THIS STATION IS IN LOS ANGELES COUNTY IN THE CITY OF LA MIRADA AT THE ℄ INT. OF TELEGRAPH ROAD AND LEFFINGWELL ROAD IN A WELL AND PROTECTED BY A CAST IRON COVER.

STATION MARK: A SPK & W. DN. 2" PER F.B. 972-88 & C.S.B. 1851-2 WAS REMOVED AND REPLACED WITH A STD. 4" BRASS TRAVERSE STA. CAP IN CONC. DN. 9" AND STAMPED WHITTIER J-10 AUX. 1, 1960, L.A. CO. ENGR. R.E. 5869". 5-17-'60

REFERENCE MARK NO. 1 NONE SET

REFERENCE MARK NO. 2 FD. A STD 4" BRASS REF CAP IN CONC IN A WELL AND PROTECTED BY A CAST IRON COVER AND STAMPED WHITTIER J-10 R.M. 2 1960 L.A. CO. ENGR. R.E. 5869 PER F.B. 2453-33-34

REFERENCE MARK NO. 3 SAME AS NO. 2 EXCEPT: NOT IN A WELL & 12" DN AND STAMPED R.M. 3

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 2301.00 Tape 0162 Std 68 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes J. C. GOODWIN Date 5-6-60
Date	Indexed H. E. ON

F. B. 2453 PG. 57

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
WHITTIER
J-9 AUX. #1

FOR CADASTRAL TIE
SEE F.B. 2453 - 73



ANGLES PER
F.B. G-881-38

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763 895 CE #247 7-58

F. B. 2453 PG. 58

~DESCRIPTION~
WHITTIER J-9
AUX. #1

THIS STATION IS IN L.A. COUNTY, IN THE LA MIRADA AREA. IT IS APPROX. 1500' ± EAST OF THE INTERSECTION OF TELEGRAPH RD AND LEFFINGWELL RD. IT IS ON THE CENTER LINE OF LEFFINGWELL RD. IN A H.H. WITH A STD. COVER.

STATION MARK: A SPK. & T. PER PG. 73 WAS REMOVED AND REPLACED WITH A STD. 4" BRASS TRAV. STA. CAP IN CONC. DN. 9" & STAMPED "WHITTIER J-9 AUX. 1, 1960, L.A. CO. ENGR. R.E. 5869" 5-17-'60

R.M. #1 & 2 OF WHIT. J-9 BOTH NOW LIE IN THE [illegible]

R.M. #3

A STD. 4" R.M. BRASS CAP 12" DOWN IN CONC. STAMPED, "WHITTIER J-9, R.M. 3, 1960, L.A.CO. ENGR. R.E. 5869".

R.M. #4

A STD. 4" R.M. BRASS CAP 12" DOWN IN CONC. STAMPED, "WHITTIER J-9, R.M. 4, 1960, L.A. CO. ENGR. R.E. 5869".

4

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

769 09 S CE #247—7-55

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JNO 3.01.02 Tape/44 Std. 84 of
Surveyed by W. D. RAY
Notes R.P. SMITH Date 5-19-60
Indexed H.E.O.M.

F. B. 2453 PG. 57

L.A. COUNTY SURVEY CONTROL SYSTEM

SERVICE STATION.

R.M. NO 4
SEE NEXT PG

PLANTER

CONC. WALL

CONC. CURB

FD L+T

LEVEL C 84T
81.62 = NO CORR
78.93 = " "
49.13 = " "
65.96 = " "
73.65 = " "
115.68 = " "

98.5

E LUITWIELER AVE PROD

EDGE OF PAV.

SERVICE STATION

N WHITTIER K-9 AUX #1 ROAD

FD BT. SPK + W. NO REF.

FD BT. SPK + W. PER F.B 967-16

65.96

49.13

58.14

73.65

SET WHITTIER K-9-AUX#1

SEE NEXT PG.

FD L+T

115.68

S 24° 24' 15" E 59.94

TO WHIT. J-9 AUX. 1

LEFFINGWELL

38°12'

78.93

81.62

50.5

53

R.M. NO 5
SEE NEXT PG

CONC CURB

CONC WALK

FD L+T

51.1

E LUITWIELER AVE PROD

GAS PUMP ISLANDS

(1) 38-18-00
(4) 153-11-40
38-17-55
(6) 229-47-40
= 38-17-56⅔

(1) 64-24-40
(4) 257-39-00
64-24-45
(6) 26-28-30
= 64-24-45

F. B2453 PG. 60

DESCRIPTIONS
WHITTIER
K-9
AUX #1

THIS STATION IS IN LOS ANGELES COUNTY IN COUNTY TERRITORY AT THE ℄ INT. OF LOITWIELER AVE. SOUTH, PRODUCED, AND THE ℄ OF LEFFINGWELL ROAD. IN A WELL AND PROTECTED BY A CAST IRON COVER.

STATION MARK: SET STD. 4" BRASS TRAV. CAP IN CONC. AND STAMPED: "WHITTIER K-9 AUX #1 1960 L.A. CO. ENGR. R.E. 5869." REPLACES FD. C.S. MON. DN. 8" PER FB 962-16

REFERENCE MARK NO. 1 & NO. 2 NOT SET.

REFERENCE MARK NO. 3: SET STD 4" BRASS REF. CAP IN CONC. IN A WELL AND PROTECTED BY A CAST IRON COVER AND STAMPED: WHITTIER K-9 R.M. 3 1960 L.A. CO. ENGR. R.E. 5869

REFERENCE MARK NO 4: SAME AS R.M. NO 3. EXCEPT: STAMPED R.M. 4.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0162 Std 68 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes J. C. Goodwin Dec 5-19-60
Date	Indexed

F. B. 2453 PG. 61

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION WHITTIER L-9 AUX. #1

(1) 39-40-50
(4) 158-41-00
39-41-00
(6) 238-06-00
39-41-00
(1) 112-08-50
(1) 88-35-00
22-08-45
(6) 312-52-20
112-08-43½



{FOR CADASTRAL TIES SEE PAGE 75

62.60 @ LEVEL = 62.61
T = 98

73.24 @ LEVEL = 73.25
T = 98

84.60 @ LEVEL = 84.62
T = 98

55.60 @ LEVEL = 55.61
T = 98

36.13 @ LEVEL = 36.14
T = 98

N3° CH. LNK. FENCE

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 LOS ANGELES COUNTY ENGINEERING BLDG.

763DS CE #247—7-55

F. B. 2453 PG. 62

~DESCRIPTION~

WHITTIER L-9
AUX. #1

THIS STATION IS IN L.A. COUNTY IN THE LA MIRADA AREA. IT IS THE CENTERLINE INTERSECTION OF JEFFINGWELL RD. & STAMY RD.

STATION MARK:

A SPIKE & WASHER DOWN 2" PER F.B. 967-15 OVER A 3¼" I.D. WOOD PLUG & TACK DOWN 18" (NO REFERENCE) WERE REMOVED & RE-PLACED WITH A STD. 4" BRASS TRAV-ERSE CAP, SET IN CONC. AND 9" DOWN, STAMPED, "WHITTIER L-9, AUX 1, 1960, L.A. CO. ENGR. R.E. 5869". SET IN A WELL WITH CAST IRON COVER.

R.M. #1

NOTHING SET

R.M. #2

NOTHING SET

R.M. #3

A STD. 4" BRASS R.M. CAP IN CONC. DOWN 8", PER F.B. 931-25, STAMPED, "WHITTIER L-9, R.M. 3, 1960, L.A. CO. ENGR. R.E. 5869".

R.M. #4

SAME AS R.M. #3 BUT STAMPED, "R.M. 4".

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 Los Angeles County Engineering Bldg.

Do not extend noted this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 0162 Std 68 °F
Surveyed by W. J. BAY
Notes BAY Date 7-21-60
Indexed H. E. OTT

F. B. 2453 Pg. 63

L. A. CO. SURVEY CONTROL SYSTEM

TRAVERSE STATION LA HABRA A-9 AUX. #1

"LA HABRA B-9" AUX. 1 PG. 65

(1) 90-32-50
(4) 02-10-50
90-32-42 1/3
(6) 183-16-20
= 90-32-43 1/3

SEE PG. 76 FOR CADASTRAL TIE

(ROAD)

LA HABRA A-9 AUX. #1
See Next Pg.

90° 32' 43"

L&TAG

43.06

37.15

39.67

40.46

L&TAG

R.M. #1
See Next Pg.

R.M. #2
See Next Pg.

37½

74°

(SERVICE)

(ISLAND)

605.06 calc.
& CSB 1851-1

LEFFINGWELL

(ISLAND)

(SERVICE)

℄ SCOTT AVE.

FD. 2" X 2" 4 TK. FL.

DIST'S MEAS. LEVEL @ T = 90°

37.14	=	37.15
39.66	=	39.67
40.15	=	40.16
43.05	=	43.06

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 Los Angeles County Engineering Bldg.

7630-S CE #247—7-55

F.B. 2453 PG. 64

~ DESCRIPTIONS ~
LA HABRA A-9 AUX. #1

THIS STATION IS IN LOS ANGELES COUNTY, 3 MILES WEST OF THE CITY OF LA HABRA, ON THE ℄ OF LEFFINGWELL ROAD, 605' EAST OF THE ℄ OF SCOTT AVE., DN. 9" IN A H.H.

STATION MARK: S-T A STD. 4" BRASS TRAVERSE STATION CAP IN CONC. AND STAMPED "LA HABRA A-9, AUX. 1, 1960, L.A. CO. ENGR., R.E. 5869". THIS IS A REPLACEMENT OF A SQ. HD. SPK. AT PER. PG. 76.

REFERENCE MARK NO. 1: FD. A STD. 4" BRASS R.M. CAP IN CONC. STAMPED "LA HABRA A-9, R.M. 1, 1960, L.A. CO. ENGR. R.E. 5869" DN. 9" IN A H.H.
PER F.B. 931-27, 28.

REFERENCE MARK NO. 2: FD. SAME AS R.M. NO. 1 EXCEPT STAMPED "R.M. 2".

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN0301.00 Tape 0162 Std. 68 °F
Office Work	Surveyed by W. D. DAY
Checked	Notes R. D. SMITH Date 8-22-30
Date	Indexed H. E. OTT

F. B. 2453 Pg. 65

L.A. COUNTY SURVEY CONTROL SYSTEM

LA HABRA B-9 AUX 1



Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7631-98 CE #247—7-53

F. B 2453 PG. 66

DESCRIPTIONS

LA HABRA B-9 AUX I

THIS STATION IS IN LOS ANGELES COUNTY ABOUT 2.3 MILES WEST OF LA HABRA ON THE ℄ OF LEFFINGWELL ROAD BETWEEN UNION PACIFIC R.R & THE PACIFIC ELECTRIC RY. 1/4 MILE WEST OF FIRST ST. IN A H H.

STATION MARK SET A STD 4" BRASS TRAV. CAP IN CONC. AND STAMPED "LA HABRA B-9, AUX.1, 1960, L.A., CO. ENGR. R.E 5869"

REPLACES A SQ. HD. SPK. OT PER. PG. 77

REFERENCE MARK NO.1 FD STD 4" BRASS REF CAP IN CONC. 18" DN. ℄ STAMPED LA HABRA B-9, R.M. NO 1, R.E. 2177, COUNTY SURVEYOR, 1942" REF. F.B. 931-29-30-171

REFERENCE MARK NO 2. FD CUT SPIKE & WASHER IN CONC. 18" DN. REF. F.B 931-29-30 171.

REFERENCE MARK NO 3. FD. 2" INCH I.P ℄ BRASS PIN, IN CONC., 12" DN. REF.: F.B. 931-29-30-171

REFERENCE MARK NO 4. FD. 2" INCH I.P ℄ COPPER PIN IN CONC., 12" DN REF. F.B. 931-29-30-171

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONT. F.B. 2453 PG. 67
JN 0301.00 Tape 144 Std. 84 °F
Surveyed by W. D. BAY
Notes BAY Date 4-29-60
Indexed H. E. OTT



Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

769 95 CE #247—7-55

F.B. 2453 PG. 68



CK. ON ECC. DIST.'s

20.267 M. = 66.49

4.305 M. = 14.125

LEVEL @ T = 70°

14.125 = SAME

66.50 = 66.49

71.74 = 71.73

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 0162 Std. 68 °F
Surveyed by W. D. BAY
Notes BAY Date 5-2-60
Indexed H. E. OTT

F. B. 2453 PG. 69

SEE F.B. 938-155 FOR PREVIOUS TIE.

CADASTRAL TIE

IMPERIAL HWY.

ROAD

WHITTIER G-10A
SEE PGS. 11, 12
PAVED OVER

SEC. COR.
FD. C.S. & W.
F.B. 1764-45
= AUX. 1
Sec PGS. 49, 50.
N 408231.67
E 4273919.15

TRAV. LINE TO WHITTIER F-10A
See PGS. 9, 10.

3.15
2.12
2.38

ECC. 1
Set SQ. HD. SPK.

01° 23' 08" (m)
F.B. 6-8-1-46, 20.84

CK. ON ECC. DIST.'S
0.646 M. = 2.12
0.724 M = 2.38
0.960 M = 3.15

1318.28
C.S.B. 942-4

CARMENITA

Set SQ. HD. SPK.

FD. SPK. IN CONC.
DN. 18"
F.B. 502-24B
C.S.B. 942-4

FD. SPK. IN CONC.
DN. 18"
F.B. 502-24B
C.S.B. 942-4

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

763CDS CE #247—7-53

F. B. 2453 PG. 70



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0162 Std 68 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes BAY Date 5-4-'60
Date	Indexed H. E. OTT

F. B. 2453 PG. 71

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

"WHITTIER I-9"
F.B. 931-15

"TELEGRAPH ROAD" ℄

C.S. MON.
F.B. 2285-15

SEE F.B. 938-28
FOR PREVIOUS TIE

TRAV. LINE

CADASTRAL TIE

1929.50
F.B. 1764-13 38,37 ℄

AVE.

"WHITTIER I-10"
F.B. 931-17

℄

RAMSEY

D.B. 106° 51' 58.16"
F.B. G-881-19,20

TAN.

10.87

.015

ROAD

5.54

2704.14
C.S.B. 1851-2

℄ ECC. 1
S 7° E 50.HD. 5° LT.

LEFFINGWELL

TAN.

11.36

VIEW

VALLEY

℄ INT.
FD. COPPER TK. .015
N. OF REMAINS OF
TK. BY TIES PER
F.B. 1764-13
2285-11
= AUX. 1
SEE PGS. 53, 54

ANGLE POINT
FD. 87.5.W. 4T.
F.B. 2517-36
F.B. 1764-50

DIST'S. MEAS. LEVEL @ 62°
11.36 = same
5.54 = "
10.87 = "
CK. ON ECC. DIST.'S
3.463 M. = 11.36
1.079 M. = 3.54
3.313 M. = 10.87

768295 CE #247—7-53

F. B. 2453 PG. 72

Set 50. HD. SPK. ON ℄ (12.62 NLY.) FR. TRAV. STA. PER. F.B. 967-18, C.S.B. 1851-2

NO EVID. OF LAT F.B. 967-18

FD. WHITTIER J-9 F.B. 931-21, 22

0.12

90°

12.62

SEE F.B. 938-38 FOR PREVIOUS TIE

ROAD

1466.69 C.S.B. 1851-2

℄

ROAD

CADASTRAL TIE

N 56° 20" W 24.25

℄ INT. FD. SPK. & W. DK. 2" ON LINE F.B. 972-88 = AUX. 1 SEE P6. 55

36.58

WHITTIER J-10 F.B. 931-19 20 2153-33 34

124° 46' 881

C.S.B. 1851-2

PAVED OVER TELEGRAPH

45.44

387.05

℄ PT. FD. 1X2 IN N. FL. BY TIES F.B. 2285-13

ECC. 1 Set S + T.

TO

℄ TRAVERSE LINE I-9 WHITTIER F.B. 931-15, 16

LEFFINGWELL

13.23

226.73 C.S.B. 1851-2

DIST'S. MEAS. LEVEL @ T=70°

13.23 = 13.23

36.58 = 36.58

45.44 = 45.44

CK. ON ECC. DIST.'S

4.033 M = 13.23

11.150 M = 36.58

13.851 M. = 45.44

℄ POINT FD. C.E. MON. IN H.H. F.B. 2285-12

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 0162 Std 66 °F
Surveyed by W. D. BAY
Notes BAY. Date 5-6-'60
Indexed
B. E. OTT

F. B. 2453 Pg. 73

Note: Any Additions or Changes on This Sheet Must Be Made or Graded in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763093 CE #247 7-59

FD. SPK W/ x T.
F.B. 967-16

℄ PROD.

LOITWIELER AVE.

CADASTRAL TIE

0°25'26.44"
F.B. G-881-33-37

ROAD

WHITTIER K-9"
F.B. 931-23, 24

TRAV. LINE

2069.06 CALC.
C.S.B. 1851-2

90°00'00"

59' M.

0°52'
F.B. G-881-33-37

89.96
F.B. G-881-32

0°39'20"

WHITTIER J-9
F.B. 931-21, 22

PAVED OVER

AUX. 1
Set Spk. + T.
PG. 57

(1) 90-00-00
(2) 360-00-00
= 90-00-00

12.61

1693.52 CALC.
C.S.B. 1851-2

LEFFINGWELL

℄ PT. FD. C.E. MON. IN H.H. PER. F.B. 2285-12

BURGESS AVE

DIST. LEVEL @ T = 90°
12.61 = 12.61

CK. ON AUX. DIST.
3.843 M. = 12.61'


F.B. 2453 PG. 74
℄ STAMY ROAD
"WHITTIER L-9"
F.B. 931-25, 26
F.D. SPK. & W. DN. 2"
F.B. 967-15
OVER A 3/4" I.P. PK & TK.
DN. 18" (NO REF.)
CADASTRAL TIE
LEFFINGWELL ROAD
C.S.B. 1851-1
1728.60'
0°07'00.00" F.B. G.895-1 & 2
℄ PROD.
℄ PER C.S.B. 1851-2
LUITWIELER
F.D. SPK. W. & T. FL.
F.B. 967-16
58.14 R.&M.
90°00'00"
F.B. G.895-2
15.3"
FD. SPK. W. & T. FL.
OVER A C.S. MON. DN. 1/2"
F.B. 967-16
= AUX. 1 PG. 59
14.41
DIST.S MEAS. LEVEL @ T=88°
14.41 = SAME
20.90 = " — — —
15.23 = "
CK. ON ECC. DIST.S
4.391 M. = 14.41
6.370 M. = 20.90
4.643 M. = 15.23
ECC. 1
S-T SPK. & T
15.23
AVE.
℄ PROD.
WHITTIER K-9
F.B. 931, 23
PAVED OVER
(1) 90-00-00
(A) 360-00-00
= 90-00-00
RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0162 Std 68 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes BAY Date 5-19-60
Date	Indexed H. E. OTT

F. B. 2453 PG. 75

LA HABRA A-9
F.B. 931-27, 28



CADASTRAL TIE

LEFFINGWELL ROAD

℄ Precise Traverse Line

Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

DIST.'S MEAS. LEVEL @ T = 88°

12.82 = SAME
13.34 = "
3.91 = "

CK. ON ECC. DIST.'S
3.909 = 12.82
14.067 = 13.34
1.192 = 3.91

FD. S.W. PT. BY TIES PER F.B. 2548-123

FF 57.

SANTA STANY

℄ 2580.02

C.S.B. 1851-1

ROAD

CALC. 04-1 34 0.4 6.895 F.B.

WHITTIER L-9
F.B. 931-25, 26

12.82

13.34

FD. SPK. & W. DN. 2"
F.B. 76-115
OVER A 3/4" I.P. W/ STK.
DN. 1.8' (NO REF.)
= AUX. 1 PG. 61

3.91

TRAV. ℄ PROD.

℄ PROD.

ECC. 1 SET 54T.

F.B. 2453 PG. 76

0.24 TRAV. STA. "LA HABRA B-9" Set SPK. & WL

FD. C.S. MON. (R.E. 329)
DIA. 15" IN H.H.
F.B. 1268-236

FD. 1" BR. CAP "LA HABRA B-9" HAS MOVED SEE NEXT PG

RD.

PROP. ℄ LAMBERT

CADASTRAL TIE

0°14'19" F.B. G-895-5 G.

Note - Not Traverse Line Bearing shown on pg 77

ROAD

(1) 90-32-50
(4) 07-10-50
90-32-42½
(6) 183-16-20
= 90-32-42½

90°

38-43"

90°25'-24"
F.B. G-895-1

Set SQ. HD. SPT = AUX. #1
SEE PG 63

"LA. HABRA A-9"
F.B. 931-27,28.
PAVED OVER
CK. ON ECC. DIST.
4.338 M. = 14.23

14.23

LEFFINGWELL

605.06 c/l
CSB 185-1

℄ SCOTT AVE.

FD. 2"X2" ⊕ TK. FL.
FB 2518-194

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. B. 2453 Pg. 77
JN 0.701.00 Tape 0162 Std. 68 °F
Surveyed by W. D. BAY
Notes BAY Date 5-5-'60
Indexed H. A. QT.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
00 LOS ANGELES COUNTY ENGINEERING BLDG.

7650B CE #247—7-65



F.B. 2453 PG. 78

℄ BRAMBLEBUSH AVE.

FD. 3/4" I.P. CONC. P.I. & TK.
FLUSH PER F.B. 1764-169

TELEGRAPH

2023.02

F.B. 1764-169

ECC. 1
SET 50. HD.

13.17

12.73

11.27

128°

AVE.

ROAD

WHITTIER I-9
F.B. 931-15 16

23.44.79 = ℄

F.B. G-881-22, 23.

SEE F.B. 938-39
FOR PREVIOUS TIE

℄ INT.
FD. STD. 2" C.E. BR. C.P.
MON. IN H.H. RE 5869
PER F.B. 2285-15
= AUX. 1
SEE PGS. 79-80

CADASTRAL TIE

DIST.'S MEAS. LEVEL @ T = 70°

13.17 = 13.17
12.73 = 12.73
11.27 = 11.27

CK. ON ECC. DIST.'S

4.015 M. = 13.17
3.880 M. = 12.73
3.436 M. = 11.27

TRAVERSE LINE TO I-10
WHITTIER
F.B. 931-17 18.

1929.50

F.B. 1764-13 39.

VIEW

VALLEY

LEFFINGWELL RD.

L & T
F.B. 1764-13

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0162 Std 68 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes R D SMITH Date 5-4-60
Date	Indexed H. E. OTT

F. B. 2453 Pg. 79

L.A. COUNTY SURVEY CONTROL SYSTEM

WHITTIER I-9 AUX #1

CONC. TRAFFIC SIGNAL BASE

R.M. 4 SEE NEXT Pg.

L & T

42°

TELEGRAPH

EDGE OF PAV.

FOR CADASTRAL TIE SEE F.B. 2453-78 F.B. 938-39

38.81

53.27

℄ PROJ.

APPROX ℄ VALLEY VIEW AVE

EDGE OF PAV.

CONC. TRAFFIC SIGNAL BASE

38.72

L & T

42°

51.11

38°

WHITTIER I-9 AUX #1

SEE NEXT PAGE

RM-3

SEE NEXT Pg.

73°

5' CHAIN-LINK FENCE.

CONC CURB

14'

30"

EDGE OF PAV.

℄ TRAV. LINE TO WHITTIER ℄ I-10 AUX #1 PC. 53

VALLEY VIEW AVE

ROAD

1. 73° 14' 15"
4. 292 58 00
" 73 14 30
2. 79 27 00
" 73 14 30

LEVEL @ 70°T

38.81 = SAME
38.72 = "
53.27 = "
51.11 = "

CONC. BLK-TOP ISLAND

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

768 ENGR CR #247—7-53

F. B. 2453 PG. 80

DESCRIPTIONS
WHITTIER
I-9
AUX #1

THIS STATION IS IN LOS ANGELES COUNTY IN THE CITY OF LA MIRADA AT THE ℄ INT. OF TELEGRAPH ROAD & VALLEYVIEW AVE IN A WELL AND PROTECTED BY A CAST IRON COVER.

STATION MARK: A STD. 2" BRASS C.E. MON "R.E. 5869" DN. 8" IN A H.H. WAS DESTROYED AND REPLACED WITH A STD. 4" BRASS TRAV. STA. CAP IN CONC. STAMPED "WHITTIER I-9 AUX. 1 1960 L.A. CO. ENGR. R.E. 5869" DN. 9" IN A H.H. 5-11-60 (PER F.B. 2285-15)

REFERENCE MARK NO.1: NONE SET.

REFERENCE MARK NO.2: NONE SET

REFERENCE MARK NO.3: SET STD 4" BRASS REF. CAP IN CONC 8 INCHES DN. AND STAMPED: "WHITTIER I-9 R.M. 3 1960 L.A. CO. ENGR. R.E. 5869"

REFERENCE MARK NO.4: SET STD 4" BRASS REF. CAP IN CONC. STAMPED "WHITTIER I-9 AUX. 1 R.M. 4 1960 LA. CO. ENGR 5869." DN 15".

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONT. F. B. 2453 PG. 87
Map No.	JN 030162 Tape 0162 Std. 68 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes J. C. GOODWIN Date 8-60
Date	Indexed 1780 M. E. 011

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LA HABRA A-10
AUX. #1

SEE F.B. 938-171 FOR CADASTRAL TIE

LA HABRA A-10A AUX. #1 SEE PG. 83 FOR DESC.

SANTA — GERTRUDES — AVE. — ℄

IMPERIAL HWY. — ℄

1) 118 50 40
4) 115 22 10
118 50 32
6) 353 03 20
118° 50' 38"

1) 37 46 00
4) 151 04 00
37 46 00
6) 276 36 00
37° 46' 00"

1) 92 50 50
4) 11 23 40
92 50 55
6) 197 05 20
92° 50' 55"

SET B.M. #4 SEE NEXT PG. FOR DESC.

FD. B.M. #1 SEE NEXT PG. FOR DESC.

42.1 — 24.1 — 37° 46' 00"

55.30 @ LEVEL = 55.31 T=84°

55.31 Tape

39.10 @ LEVEL = NO CORR. T=84°

39.10

50"

92° 50'

SET N.ST. IN W. SIDE OF P.P. #11542666

49.17

42.83

10.0

35.17

33.0

LA HABRA VA-10 AUX. #2 SEE NEXT PG. FOR DESC.

52.68 Tape

52.67 @ LEVEL = 52.68 T=84°

LEVEL @ 78° T

67.15 = NO CORR
44.65 = "
42.83 = "
49.17 = "

67.15

SET N.ST. IN E. SIDE OF P.P. #W.106/A1

13.4

35.17 @ LEVEL = NO CORR. T=84°

118° 50' 30"

70.1

FD. B.M. #2 SEE NEXT PG. FOR DESC.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made or Graded in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

783098 CE #247—7-63

F. B. 2453 PG. 82

DESCRIPTION
TRAVERSE STATION
LA HABRA A-10
AUX. #1

THIS STATION IS IN L.A. COUNTY IN THE LA HABRA AREA, ON THE CENTERLINE OF IMPERIAL HWY. 962' WEST OF THE CENTER LINE OF SANTA GERTRUDES AVE.

STATION MARK:

SET A STANDARD 4" BRASS TRAVERSE CAP IN CONC. 9" DEEP. STAMPED," LA HABRA A-10, AUX. 1, 1960, L.A.Co. ENGR. R.E. 5869", THIS REPLACES A P.K. CEMENT NAIL & TIN, P.O.T., PER F.B. 938-171

SUBSURFACE MARK:

NONE SET

REF. MARK #1

FD. A STD. 4" BRASS R.M. CAP SET IN CONC. 20" DEEP, STAMPED," LA HABRA A-10, R.M. NO 1, COUNTY SURVEYOR R.E. 63-1952". PER F.B. 928-107,108

REF. MARK #2

FD. A 2" I.P. WITH CONC. PLUG AND COPPER PIN. SET IN CONC. 24" DEEP. PER. F.B. 928-107, 108.

REF. MARK #3

SET A STANDARD 4" BRASS R.M. CAP IN CONC. 12" DEEP. STAMPED," LA HABRA A-10, AUX. 1, R.M. 3, 1960, L.A. Co. ENGR. R.E. 5869".

REF. MARK #4

SAME AS R.M. #3 EXCEPT STAMPED "R.M. 4",

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of GEODETIC CONTROL F. B. 2453 Pg. 83
Map No.	JN 4301.00 Tape 0162 Std 60 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes J. J. BAZEN Date 8-26-60
Date	Indexed [illegible] 31 '60

L.A. CO. SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LA HABRA A-10A-AUX 1."



SEE F.B. 938-172 FOR CADASTRAL TIE

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7-E3088 SAF #247 11-58

F. B. 2453 Pg. 84

DESCRIPTION

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

LA HABRA A-10A-AUX 1.

THIS STATION IS IN L.A. COUNTY ABOUT 2½ MILES S.W. OF THE CITY OF LA HABRA AT THE ℄ INTERSECTION OF IMPERIAL HWY. AND SANTA GERTRUDES AVE, AND IN A WELL CUT THROUGH THE PAVEMENT AND PROTECTED BY A CAST IRON COVER, MARKED "COUNTY ENGINEER"

STATION MARK:

SET A STANDARD 4" TRAVERSE BRASS CAP IN CONC. STAMPED "LA HABRA A-10A, AUX. 1, 1960, L.A. CO. ENGR. R.E. 5869". DN. 9".

NOTE: THIS REPLACES A 2" BRASS CAP STAMPED "L.A. CO. R.D. DEPT. 1953" FD. PER F.B. 938-172, DN. 8" OVER A STD. 2" BRASS CAP PRECAST C.S. MON. FD. DN. 10", (NO REF.) MON. FD. 0.03 W. OF LINE, AND LEFT IN THAT SAME POSITION TO BE USED AS A SUB-SURFACE MARK.

R.M. NO. 1

FD. A STD. 4" BRASS R.M. CAP IN CONC. 18" DEEP, STAMPED, "LA HABRA A-10A, R.M. No 2, COUNTY SURVEYOR R.E. 63, 1952". PER F.B. 928-109, 110

R.M. NO. 2

FD A COPPER PIN IN CONC. CORE OF A 2" I.P. SET IN CONC. 18" DEEP. PER F.B. 928-109, 110

R.M. No. 3

SET A STD. 4" BRASS R.M. CAP IN CONC. 18" DEEP, STAMPED, "LA HABRA A-10A, AUX. 1, 1960, L.A. CO. ENGR. R.E. 5869".

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONT.
Map No.	JN 2301.00 Tape 0162 Std. 68 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes J. C. GOODWIN Date 6-60
Date	Indexed

F. B. 7453 PG. 85

B. E. ON

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LA HABRA B-10
AUX. #1

1) 47 43 40
4) 190 54 50
47 43 42½
6) 286 22 00
47° 43' 40"

1) 82 07 40
4) 48 30 40
82 07 40
6) 132 45 50
82° 07' 38½"

TO B.M. #1 SEE PG. 87 AUX. 1

93.15 @ LEVEL = 93.16
T = 78°

FD. N.G.T. & NO REF.

GROVEDALE DR.

DEAD END

SET N.G.T. IN SO. SIDE OF P.P. #1333580E

73.60 @ LEVEL = NO CORR. T = 78°

SET R.M. #2 SEE NEXT PG. FOR DESC.

63.38 @ LEVEL = NO CORR. T = 78°

42.1

317.0

47°43'40"

HWY.

FD. N.G.T. IN E. SIDE OF P.P. #356885E

93.16

56.98

62.19

SEE F.B. 938-173 FOR CADASTRAL TIE

82°07'40"

73.60

LA HABRA B-10 AUX. #1

50.4

SEE NEXT PG. FOR DESC.

54' BLOCK WALL

55.05

63.38

55.05 @ LEVEL = NO CORR. T = 78°

SET R.M. #1 SEE NEXT PG. FOR DESC.

42.2

IMPERIAL

56.98 @ LEVEL = NO CORR. T = 78°

62.18 @ LEVEL = 62.19 T = 78°

SET N.G.T. IN SO. SIDE OF P.P. #1333581E

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
1100 LOS ANGELES COUNTY ENGINEERING BLDG.

7630-S CE #247—7-59

F. B. 2453 PG. 86

DESCRIPTION
TRAVERSE STATION
LA HABRA B-10
AUX. #1

THIS STATION IS IN L.A. COUNTY IN THE LA HABRA AREA, ON THE CENTERLINE OF IMPERIAL HWY., 317' WEST OF THE CENTERLINE OF GROVEDALE DR.

STATION MARK:

A SQUARE HEAD SPK. & TIN WHICH CHECKS TIES PER F.B. 938-173 WAS REPLACED WITH A STD. 4" BRASS TRAVERSE CAP SET IN CONC. 9" DEEP. STAMPED, "L.A. HABRA B-10, AUX. 1, 1960, L.A. Co. ENGR. R.E. 5869".

REF. MARK #1

SET A STANDARD 4" BRASS R.M. CAP IN CONC. 12" BELOW DIRT SURFACE. STAMPED, "LA HABRA B-10, AUX. 1, R.M. 1, 1960, L.A. CO. ENG'R. RE. 5869".

REF. MARK #2

SAME AS R.M. #1 EXCEPT STAMPED, "R.M. 2"

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONT. F.B. 2453 PG. 87
Map No.	JN 0301.40 Tape 0162 Std 68 °F
Office Work	Surveyed by W.D. BAY
Checked	Notes J.C. GOODWIN Date 8-23-60
Date	Indexed E.E. OTT

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LA HABRA B-10A
AUX. #1



Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

765095 CE #247—7-55

F. B. 2453 PG. 88

DESCRIPTION
TRAVERSE STA.
LA HABRA B-10A
AUX #1

THIS STATION IS IN L.A. CO. IN THE LA HABRA AREA, IT IS THE CENTERLINE INTERSECTION OF FIRST AVE. AND IMPERIAL HWY. ALSO IT IS APPROX. 0.5 MILE WEST OF THE CO. LINE.

STATION MARK:

SET A STANDARD 4" BRASS TRAVERSE CAP IN CONC. DOWN 9" IN A WELL PROTECTED BY A CAST IRON COVER. STAMPED, "LA HABRA B-10 A, AUX. 1, 1960, L.A. CO. ENGR. R.E. 5869".

SUB MARK:

FOUND A STANDARD 2" BRASS CAPPED PRE-CAST C.S. MON. 34" BELOW SURFACE OF P.M.T. STAMPED, "R.E. 329". SEP. FROM SURFACE MARK BY 4" LAYER OF SAND.

REF. MON. #1

FOUND A STD. 4" BRASS R.M. CAP IN CONC. FLUSH WITH STREET GRADE. STAMPED, "LA HABRA B-10 A, R.M. NO. 1, 1952, COUNTY SURVEYOR R.E. 63". PER F.B. 928-115, 116

REF. MON. #2

NO EVIDENCE.

REF. MON. #3

SET A STD. 4" BRASS R.M. CAP IN CONC. 10" BELOW CURB GRADE. STAMPED, "LA HABRA B-10 A, AUX. 1, R.M. 3, 1960, L.A. CO. ENGR. R.E. 5869".

REF. MON. #4

SAME AS R.M. #3 EXCEPT STAMPED "R.M. 4".

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of GEODETIC CONTROL	F. B 2453 Pg. 89
Map No.		JN 0301.00 Tape 0/62 Std. 68 °F	
Office Work		Surveyed by W. D. BAY	
Checked		Notes R. D SMITH Date 8-25-60	
Date		Indexed H. E 011	

L.A. COUNTY SURVEY CONTROL SYSTEM

LA HABRA
C-10
AUX 1

N

EDGE PAVEMENT

TO LA HABRA BLVD

HWY.

90°

16'

P.P. 356874E

SET: LA HABRA C-10 AUX 1
SEE NEXT Pg

LEVEL @ 74°T
33.76 = NO CORR
35.535 = " "

33.76

35.535

13'

FD RM 2
SEE NEXT Pg

FD RM 1
SEE NEXT Pg

EDGE PAVEMENT

676.0'

ANGLES PER
F.B.G. 895-16-18
SEE PG. 91 FOR
CADASTRAL TIE.

CONC CB

FIRST AVE.

IMPERIAL

℄ INTERSECTION
FD. LA HABRA
B-10A AUX 1
PER F.B 2453-87-88

CONC CB

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7630-S CE #247—7-55

F. B. 2453 PG. 90

DESCRIPTIONS
LA HABRA
C-10
AUX 1

THIS STATION IS IN LOS ANGELES COUNTY ABOUT 0.4 MILES WEST OF THE LOS ANGELES - ORANGE COUNTY BOUNDARY ON THE CENTER LINE OF IMPERIAL HWY. 676.0 FT. EAST OF THE ℄ INT. OF IMPERIAL HWY & FIRST AVE. IN A H.H.

STATION MARK: SET STD. 4" BRASS TRAV. CAP IN CONC. IN A H.H. & STAMPED LA HABRA. C-10, AUX.1, 1960, L.A. CO. ENGR. R.E. 5869. REPLACEMENT SQ. HEAD SPK & T PER PAGE. 91.

REFERENCE MARK NO1. FD. A STD. 4" BRASS. REF. CAP. 18" DN. IN CONC. & STAMPED LA HABRA, C-10, R.M.1, 1952, COUNTY SURVEYOR, R.E.63. PER F.B. 928-119-120

REFERENCE MARK NO 2. FD. 2" I.P. IN CONC. WITH A CONC CURE. & COPPER PIN. 18" DN. PER F.B. 928-119-120

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0101.00 Tape 0162 Std 68 °F
Surveyed by W. D. BAY
Notes BAY Date 8-24-60
Indexed E. E. On

F.B. 2453 Pg. 71

LINE TO LA HABRA D-10 SEE NEXT PG.

0°15'11.3"
F.B. C-895-16-18

89°13'

CADASTRAL TIE

89°55'44"
F.B. C-895-16-18

TRAVERSE LINE

51.585 (M)

TANG.

TANG.

FD. R.M. #2
F.B. 928-119

FD. R.M. #1
F.B. 928-119

17.77 (M)

16.05 (M)

LA HABRA C-10
FD. NOTHING BY PROBE @ 36" SET BY. SPK. & W. BY REC. LINE & DIST. FROM R.M. #1
F.B. 928-119

FD. NOTHING PER F.B. 938-174
SET SQ. HD. SPK. BY. INT.
= C-10 AUX. 1
SEE PG. 89

F.B. 938-174

SIXTH ST.

FD. R.D. DEPT. 2" BRASS CAP DN. 9" IN A H.H. PER F.B. 938-174

FIRST AVE.

℄

THIRD ST.

Notes: Any Additions or Changes on This Sheet Must Be Made or Ruled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 LOS ANGELES COUNTY ENGINEERING BLDG.

7630-5 CE #247—7-58

F.B. 2453 PG. 92

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

FD. "LA HABRA D-10" "RESET 1955"

F.B.

HWY.

54.00 /tan/ @ T = 51° = 51.00

64.13 @ 29°11'10" T=27° = 27.27

55.22 @ 27°43'00" T=27° = 27.73

mon = 54.73

SET NAIL & REC. DIST. FROM CT. SAW CUT R.P. USED FOR ℄ IMPERIAL HWY ONLY.

FD. CT. SAW CUT IN CONC. DN. 18" PER F.B. 938-175

FD. REMONS OF 2"X2" STK. DN. 12" PER F.B. 938-175 NO NAIL - USED CTR.

FD. 2" I.P. CONC. CORE. N. & TAG. USED AS C.O.4 W. OF LINE PER F.B. 938-175

5.73 R.
5.85 M.

53.89 R.
54.00 M.

57.73 M.

SET SPK. IN SDWK.

ORANGE CO.

L. A. CO.

0.02

0.04

110.57 (R. & M.)

0.10

209

1.165 (calc.)

FD NAIL & TAG "P.K." NO REF

IMPERIAL

TRAV. LINE

℄

(1) 90-27-50
(4) 01-51-40
90-27-55
(6) 182-47-40
90-27-56 2/3

2.00

28.51

50" (R)
51" (M)

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 0162 Std 68 °F
Surveyed by W. D. BAY
Notes BAZEN Date 8-24-'60
Indexed H. E. OTT

F. B. 2453 Pg. 93

L.A. CO. SURVEY CONTROL SYSTEM

TRAVERSE STATION LA HABRA C-9

TRAVERSE STATION — LA HABRA B-9-ALT X 1 PER F.B. 2453 - PG. 65

℄ 1 ST AVE

PACIFIC R.R.

ELECTRIC R.R.

DIRT RD.

0.2 MI.

T = 90°
91.20 = 91.21
60.81 = 60.82
67.95 = 67.96

CONC. HEADWALLS ℄ TO A 2 FT. STORM DRAIN PIPE.

1. 90-00-20
4. 00-01-10
90-00-17½
6. 180-02-00
90-00-20

TRAVERSE LINE

UNION PACIFIC

SET R.M. NO 1 SEE NEXT PG.

90° 00' 20"

91.21

60.82

153.1

6" T.B. "TELE. P. EAST OF ℄ 1 ST AVE

43.8

67.96

83.4

SET R.M. NO 2 SEE NEXT PG.

TRAVERSE STATION LA HABRA C-9 SEE NEXT PG.

6" T.B. "TELE. P. EAST OF 1 ST AVE

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data beyond this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78 3093 SAF 1247 11-58

F. B 2153 Pg. 94

DESCRIPTION

L.A COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION "LA HABRA C-9"

IN L.A. COUNTY, ABOUT 1 3/4 MILES WEST OF THE CITY OF LA HABRA AND 0.2 MILES EAST OF THE ℄ OF 1ST AVE & SET IN THE RAILROAD R/W BETWEEN THE PACIFIC ELECTRIC R.R. & THE UNION PACIFIC R.R. AT A POINT WHERE THE TWO RAILROADS MAKE A LARGE CURVE.

STATION MARK: FOUND A STD. 4" BRASS TABLET IN CONC. FLUSH WITH THE GROUND SURFACE AND MARKED, "L.A. COUNTY SURVEY CONTROL SYSTEM - TRAVERSE STATION," AND STAMPED, "LA HABRA C-9, R.E. 2177," AND "SET BY COUNTY SURVEYOR, 1942." PER F.B. 931 - 31,32. NOTE: SET A 4' HIGH 2" MARKER PIPE 5' N.

SUBSURFACE MARK: NONE

REFERENCE MARKS:

R.M. NO. 1: SET A STD. 4" BRASS TABLET IN CONC. 4" ABOVE GROUND SURFACE AND MARKED "L.A. COUNTY SURVEY CONTROL SYSTEM, REFERENCE MARK." AND STAMPED, "LA HABRA C-9, R.M. 1, 1960, L.A. CO. ENGR. R.E. 5869."

R.M. NO. 2: SAME AS R.M. 1 ONLY SET 8" BELOW GROUND SURFACE & STAMPED R.M. 2.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0112 Std 68 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes J.J. BAZAN Date 9-22-60
Date	Indexed

F. B. 2453 Pg. 25

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
BELL G-8

T = 76° NO. CHANGE

SOUTH CO.

SET ℄ TAG TAN.

F.D. L.A.CO. TRAVERSE STA. BELL G-8 PER F.B. 796-213 SEE NEXT PG.

SET ℄ TAG TAN.

CONC. ED.

BLVD.

F.D. CUT 3 PT. ℄ I.W. PER F.B. 796-213

APPROX. ℄

STEWART & GRAY

RD.

APPROX. ℄

13.4

13.32

1.9

6.81 TAN

57.5

65.6

6.6

6.6/10

85.115

90°08'27"

52.0

CONC. CD.

5.8±

78.6

1.0 Fd. ℄

SET R.M. NO. 1 SEE NEXT PG.

47-35-10

CONC. WALK

CB

SET R.M. NO. 2 SEE NEXT PG.

62-36-50

CONC. WALK

CB

1. 47-35-10
2. 194-20-40
   47-35-10
3. 286-30-50
   47-35-08½

1. 62-36-50
2. 250-27-20
   62-36-50
3. 15-41-00
   62-36-50

TO BELL G-9 APPROX.

FREMONT

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this stich of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

761-3095 SEE 1247 11-58

F. B. 2453 PG. 96

DESCRIPTION

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
BELL G-8

THIS STATION IS IN THE COUNTY OF LOS ANGELES, IN THE CITY OF DOWNEY, & ABOUT ONE MILE NORTHEAST OF RANCHO LOS AMIGOS AT THE INTERSECTION OF PARAMONT BLVD. & STEWART & GRAY RD., 13.4 FT. SO OF THE APPROX & OF STEWART & GRAY RD. TO THE WEST & 1.9 FT. WEST OF THE APPROX. & OF PARAMONT BLVD., IN A WELL CUT THROUGH THE PAVEMENT & PROTECTED BY A CAST IRON COVER MARKED, "COUNTY SURVEYOR MONUMENT." PER FB. 796-213.

STATION MARK: FD. A STANDARD 4" BRASS CAP TRAVERSE MONUMENT SET IN CONCRETE 2 INCHES BELOW SUBGRADE OF STREET, & STAMPED "BELL G-8, 1939, COUNTY SURVEYOR R.E. 2177."

NO-SUBSURFACE MARK:

REFERENCE MARKS:

R.M. NO. 1: SET A STD. 4" BRASS CAP REF. MONUMENT IN CONC. 9" BELOW TOP OF CURB IN A WELL PROTECTED BY A CAST IRON COVER MARKED "COUNTY ENGINEER MONUMENT & STAMPED "BELL G-8, R.M. 1, L.A. CO. ENGR. R.E. 5869, 1960."

R.M. NO. 2: SET A STD. 4" BRASS CAP REF. MON. IN CONC. 9" INCHES BELOW TOP OF CURB, & STAMPED "BELL G-8, R.M. 2, L.A. CO. ENGR. R.E. 5869, 1960."

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONT. F. B 2453 PG. 97
JN 030100 Tape 0162 Std. 68 °F
Surveyed by W. D. BAY
Notes J. C. GORDON Date 9-60
Indexed [illegible]

L. A. CO. SURVEY CONTROL SYSTEM
TRAVERSE STATION
BELL G-9



Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

769CDS CE #247—7-53

F. B. 2453 PG. 98

DESCRIPTION
TRAVERSE STATION
BELL G-9

THIS STATION IS IN L.A. COUNTY, IN THE CITY OF DOWNEY, IN THE INTERSECTION OF PARAMOUNT BLVD. AND ALAMEDA ST. IT IS APPROX. 14.4' SO OF THE ℄ OF ALAMEDA ST. AND 1.0' W. OF THE ℄ OF PARAMOUNT BLVD. IT IS IN A WELL CUT THROUGH THE CONC. PVMT. AND PROTECTED BY A CAST IRON COVER.

STATION MARK:

SEE NOTE BELOW — FOUND A STANDARD 4" BRASS TRAVERSE CAP SET IN CONC. STAMPED, "BELL G-9, 1939, COUNTY SURVEYOR R.E. 2177.

REF. MARK #1

SET A STANDARD 4" BRASS R.M. CAP IN CONC. 9" DEEP IN A WELL PROTECTED BY A CAST IRON COVER. THE CAP IS STAMPED, "BELL G-9, R.M. 1, 1960, L.A. CO. ENGR. R.E. 5869".

REF. MARK #2

SAME AS R.M. #1 EXCEPT STAMPED, "R.M. 2".

NOTE:

THIS MON. IS NOW UNDER CONC. PVMT. WHICH HAS SLIPPED 0.4' NLY AND COVERED THE MON. SET L.S.T. TAG FLUSH IN CONC. PVMT. DIRECTLY ABOVE STATION MARK.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 194 Std 59 °F
Surveyed by W. O. BAY
Notes J. J. BAZEN Date 9-21-66
Indexed H. E. OTT

F. B. 2453 Pg. 99

T = 74°

35.80 = 35.30
104.02 = 104.01
67.07 = 67.07
91.89 = 91.88

L.A. COUNTY SURVEY CONTROL SYSTEM
"TRAVERSE STATION"
BELL F-10A



1. 34-27-50
4. 137-51-20
34-27-50
6. 206-46-40
34-27-46⅔

1. 110-49-30
4. 88-18-20
110-49-35
6. 304-57-20
110-49-33⅓

1. 93-29-25
4. 13-57-40
93-29-25
6. 200-56-30
93-29-25

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this tick of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

761 309S SAE #247 11-68

F. B 2453 PG. 100

DESCRIPTIONS

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"BELL F-10A"

THIS STATION IS IN THE COUNTY OF LOS ANGELES, SOUTHWEST OF THE CITY OF AND A HALF MILE NORTH OF THE EAST ENTRANCE TO RANCHO LOS AMIGOS, AT THE INTERSECTION OF PARAMONT BLVD. AND IMPERIAL HWY., 16.2 FT. NORTHWESTERLY FROM THE APPROX. ℄ OF PARAMONT BLVD. & 8.4 FT. NORTHEASTERLY FROM THE APPROX. ℄ OF IMPERIAL HWY., IN A WELL CUT THROUGH THE PAVEMENT & PROTECTED BY A CAST IRON COVER MARKED "COUNTY SURVEYOR MONUMENT."

STATION MARK:

FD. A STANDARD 4 INCH BRASS TAGLET, L.A. COUNTY TRAVERSE STATION MONUMENT SET IN CONCRETE 2 INCHES BELOW SUBGRADE OF STREET & STAMPED, "BELL F-10A, R.E. 2177, SET BY COUNTY SURVEYOR 1938." PER F.B. 796-193, 194.

NO-SUBSURFACE MARK:

REFERENCE MARKS:

R.M. NO 2: FD. A STANDARD 4" BRASS CAP L.A. COUNTY REFERENCE MONUMENT SET IN CONCRETE FLUSH WITH STREET GRADE & STAMPED "R.E. 2177, BELL F-10-A, R.M. NO. 2, COUNTY SURVEYOR 1938." NOTE: R.M. 2 IS IN TRAVELED PORTION OF HWY. & HAS PROBABLY MOVED SINCE IT DOES NOT FIT RECORD TIES.

R.M. NO. 3: SET A STANDARD 4" BRASS CAP L.A. COUNTY REFERENCE MON. 9" BELOW CURB GRADE IN CONC & STAMPED "BELL F-10A R.M. NO. 3 1960, L.A. CO. ENG'R. R.E. 5869." THIS STA. IS IN A WELL & PROTECTED BY A CAST IRON COVER MARKED "COUNTY ENGINEER MONUMENT."

R.M. NO. 4: SAME AS NO. 3 EXCEPT STAMPED NO. 4.

R.M. NO. 1: REMOVED PER F.B. 796-193.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 030100 Tape 0162 Std 68 °F
Surveyed by W. D. BAY
Notes J. J. BAZEN Date 9-29-60
1760 H. E. OTT
Indexed

F. B. 2453 PG. 101

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION WHITTIER L-10C AUX 1.

F.O. R.M. NO. 1
PER F.B. 928-151
SEE NEXT PG.

1. 30-52-10
4. 123-28-50
30-52-12½
6. 185-13-20
30-52-13⅓

04°22'50"
CALC.
USE
FOR R.M. NO. 4
TRAVE. STA.
WHITTIER L-10C
SEE F.B. 938-170

1. 26-29-20
4. 106-57-30
26-29-22½
6. 158-56-20
26-29-23⅓

SET N.& TIN IN
12" GUY POLE
W 10623Y
THIS POLE IS ON
LINE BETWEEN
L-10C & L-10B

SEE F.B. 938-170
FOR CADASTRAL TIE

TRAVE. STA.
WHITTIER
L-10C AUX 1
SEE NEXT PG.

32.1
31.94
30°52'13"
26°29'23"
72.02
40.34
21.0
0.21
28.68
6.0
35°50'37½"
40.5
22.7
HWY
SET
R.M. NO. 3
SEE NEXT PG.
69.06
52.21
SET N.&T.
IN 14" P. POLE
W 10622Y
36.0
EDGE OF PAV.
EDGE OF PAV.
TO TRAVE. STA. L-10B AUX 1
TO TRAVE. STA. L-10B
IMPERIAL
HWY
TO TRAVE. STA. L-10 AUX 1
LA HABRA

1. 35-50-40
4. 143-22-30½
35-50-37½
6. 215-03-40⅔
35-50-36⅔

T = 84°
72.01 = 72.02
31.94 = 31.94
40.34 = 40.34
28.88 = 28.68
52.20 = 52.21
69.05 = 69.06

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7-E308 SAE 8247 11-58

F. B. 2453 Pg. 102

DESCRIPTION

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

WHITTIER L-10C AUX 1.

THIS STATION IS IN THE COUNTY OF LOS ANGELES ON THE ℄ PROD. OF IMPERIAL HWY., 662'± EAST OF ℄ OF OCASO AVE. & IS THE P.I. OF A CURVE ON IMPERIAL HWY. & SET IN A WELL PROTECTED BY A CAST IRON COVER MARKED "COUNTY SURVEYOR MONUMENT."

STATION MARK: SET A STD. 4" BRASS CAP TRAVERSE MON. IN CONC., DOWN 9" BELOW PAVEMENT SURFACE & STAMPED "WHITTIER L-10C AUX 1, 1960, L.A. CO. ENGR. R.E. 5869." SET BY TIES PER F.B. 938-170. NO EVIDENCE OF 2" BRASS CAP RD. DEPT. MON. PER ".

SUBSURFACE MARK: NONE SET.

REFERENCE MARKS:

R.M. NO. 1: FD. A STD. 4" BRASS CAP REF. MONUMENT IN CONC. 40" BELOW GRD. SURFACE & STAMPED "WHITTIER L-10C, RM NO. 1, COUNTY SURVEYOR R.E. 63, 1952." PER F.B. 928-151, 152.

R.M. NO. 2: CONE.

R.M. NO. 3: SET A STD. 4" BRASS CAP REF. MON SET IN CONC. 12" BELOW GRD. SURFACE & STAMPED, "WHITTIER L-10C AUX 1, R.M. 3, 1960, L.A. CO. ENGR. R.E. 5869."

R.M. NO. 4: FD. A STD. 4" TRAVERSE STATION BRASS CAP SET IN CONC. 12" BELOW GRD. SURFACE & STAMPED "WHITTIER L-10C, COUNTY SURVEYOR R.E. 63, 1952." PER F.B. 928-151, 152 & F.B. 938-170.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0162 Std. 68 °F
Office Work	Surveyed by W.D. BAY
Checked	Notes R.D. SMITH Date 5/30/60
Date	Indexed R.S. ON 7/80

F.B. 2453 Pg. 103

L.A. COUNTY SURVEY CONTROL SYSTEM

WHITTIER L-10B AUX. I

P.P. # 374243E

SET N&T

P.I. PER C.S.B. B-2544 NOT SEARCHED FOR

LEVEL @ 78° T

48.68 = NO CORR
71.71 = "
61.67 = "
72.36 = "
62.24 = "

LEVEL @ 78°
29.66
L = 29.66 NO CORR

6' WIRE FENCE

22'

3'

EDGE OF PAV.

FD. R.M. NO 1

SEE NEXT Pg

1) 57° 51' 40"
4) 231 27 10
57 51 47½
6) 347 10 40
= 57 51 46⅔

89°

1) 89° 54' 20"
4) 359 37 20
= 89 54 20
6) 179 26 00
= 89 54 20

SEE F.B. 938-169 FOR CADASTRAL TIE TO L-10 AUX I

HIGHWAY

72.36

71.71

62.24

EDGE OF PAV.

50'

FD. & PT. SPK. W&T PER C.S.B. B-2544

4.48

SET: WHITTIER L-10B AUX I

SEE NEXT Pg

(1) 124° 04' 56"
(4) 136 19 20
= 124 04 50
(6) 24 28 50
124 04 48⅔

IMPERIAL HIGHWAY

P.P. # 062806E

570'

51° 45"

SET N&T

EDGE OF PAV.

11.69

44°

61.67

16.5'

FD. R.M. NO 2

SEE NEXT Pg

LEVEL @ 78°
11.69
NO CORR

SET R.M. NO 3

SEE NEXT Pg

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data beyond the limits of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

78 3095 SAF 1247 11-78

F. B 2453 Pg. 104

DESCRIPTIONS
WHITTIER L-10B
AUX I

THIS STATION IS IN LOS ANGELES COUNTY IN THE LA MIRADA AREA. ON THE S.E. INTERSECTION OF IMPERIAL HIGHWAY & ORASO AVE IN A WELL PROTECTED BY A CAST IRON COVER.

STATION MARK: SET A STD 4" BRASS TRAVERSE CAP IN CONC. AND STAMPED "WHITTIER L-10B AUX.I 1960 L.A. CO. ENGR. R.E 5869. & 2" BRASS ROAD DEPT. MON. PER F.B 938 - 169 REMOVED AND REPLACED.

REFERENCE MARK NO 1. FD. STD 4" ENGR'S REF MON. STAMPED "WHITTIER L-10B R.M. NO 1 COUNTY SURVEYOR R.E. 63 1952." DN 18" BELOW GROUND & 24" BELOW ST. GRADE. PER F.B 928 Pg 149-150.

REFERENCE MARK NO 2: FD. 2" I.P WITH CONC CORE & COPPER PIN IN CONC. DN 24" BELOW GROUND PER F.B 928 Pg 149-150

REFERENCE MARK NO 3. SET A STD 4" BRASS REF. MON. IN CONC. DN AND STAMPED: "WHITTIER L-10B. RM. 3. 1960 L.A. CO ENGR R.E 5869."

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONT. F.B. 2453 PG. 105
JN 2301.00 Tape 144 Std. 84 °F
Surveyed by W. D. BAY
Notes J.C. Goodwin Date 12-60
Indexed E. F. On [illegible]

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

WHITTIER 2-10

AUX 1



60.33 @ LEVEL = NO CORR. T = 86°

72.51 @ LEVEL = NO CORR. T = 86°

79.85 @ LEVEL = NO CORR. T = 88°

102.32 @ LEVEL = NO CORR. T = 88°

SEE F.B. 938-167, FOR CADASTRAL TIE

1)	25	48	00
4)	103	12	40
	25	48	10
6)	154	49	00
	25	48	10
1)	93	37	10
4)	14	28	20
	93	37	05
6)	201	22	40
	93	37	06

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data beyond this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7-60 1000 SHT 11-58

F. B. 2453 PG. 106

DESCRIPTION
TRAVERSE STATION
WHITTIER L-10
AUX. 2

THIS STATION IS IN L.A. COUNTY IN THE LA MIRADA AREA, 72.5' ± WEST OF THE INTERSECTION OF IMPERIAL HWY. & LAS FLORES AVE. IT IS THE P.I. OF THE CURVE IN IMPERIAL HWY. SET 9" DEEP IN A WELL PROTECTED BY A CAST IRON COVER.

STATION MARK:

A 2" X 2" ℄ TACK FOUND BY TIES PER F.B. 938-167 & ROAD DEPT. F.B. 20-85, WAS REMOVED AND REPLACED WITH A STD. 4" BRASS TRAV. CAP IN CONC. AND STAMPED "WHITTIER L-10, AUX. 1, 1960, L.A. CO. ENGR. R.E. 5869".

C.M. Nº 1

NONE

R.M Nº 2

F.D. A STD. 4" BRASS R.M. CAP SET IN CONC. 18" DEEP. STAMPED," WHITTIER L-10, COUNTY SURVEYOR R.E. 63, 1952". PER F.B. 928-145, 146.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of GEODETIC CONTROL	F. B 2453 Pg. 107
Map No.		JN 0301.00 Tape 0162 Std 68 °F	
Office Work		Surveyed by W. D. DAY	
Checked		Notes R. D. SMITH Date 10/4/60	
Date		Indexed [illegible] 1/31/80	

L.A. COUNTY SURVEY CONTROL SYSTEM

WHITTIER K-10A AUX I

1) 51 05 00
4) 204 20 10
= 51 05 02½
6) 306 30 30
= 51 05 05

1) 82 51 10
4) 331 24 40
= 82 51 10
6) 137 07 00
82 51 10



LEVEL @ 88°T

74.45 = 74.46
58.47 = 58.48
53.89 = 53.90

LEVEL @ 90°T

57.17 = 57.18
51.77 = 51.78
55.94 = 55.95
63.05 = 63.06

SEE F.B. 938-164 FOR CADASTRAL TIE

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this tide of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7563095 SAE #247 11-59

1285'

F.B 2453 Pg 108

DESCRIPTIONS
WHITTIER
K-10A
AUX H

THIS STATION IS IN LOS ANGELES COUNTY IN THE LA MIRADA AREA. ON THE ℄ OF IMPERIAL HIGHWAY 1285'± WEST OF THE ℄ OF LUITWIELER AVE. IN A H.H.

STATION MARK. SET A STD. 4" BRASS TRAV. CAP. IN CONC. AND STAMPED "WHITTIER K-10A AUX I 1960 L.A. CO. ENGR. R.E. 5869" LARGE GALV. SPK ℄ W. PER F.B. 938-164 REMOVED. AND REPLACED.

REFERENCE MARK 1. UNDER PAV NO SEARCH.

REFERENCE MARK 2. SEARCH MADE NO EVID. @ 52"

REFERENCE MARK 3. FD. STD 4" BRASS. REF. CAP IN CONC. DN. 10" AND STAMPED "WHITTIER K-10A R.M. 3 1960, L.A. CO. ENGR. R.E. 5869" PER F.B. 2453-21, 22.

REFERENCE MARK 4. SAME AS R.M. 3 EXCEPT STAMPED R.M. 4 PER F.B. 2453-21, 22.

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 871100 Tape 078 Std 68° °F
Office Work	Surveyed by: J. E. DREIPER
Checked	Notes MOODY Date 10-16-61
Date	Indexed U. S. OTS NOV 1 1961

F. B 2453 Pg. 109

L. A. Co. Survey Control System

TRAVERSE STATION ARTESIA C-7

1. 118°-00-00
4. 111°-59'-20"
117-59-50
6. 347°-58'-40"
117-59-46 3/3

1. 135°-00'-00
4. 180°-00'-40
135-00-10
6. 90°-01'-00"
135-00-10

SET PM #5 SEE NEXT PG. 3.47'

FD PM #3 A STAND. REF MON. 18" DN PER F.B 932-61 SEE NEXT PG.

35.6'

FD LA.CO ENGR TAG

FD ARTESIA C-7 SEE NEXT PG.

85.19'

50.0'

35.1'

117.00'

DEL AMO

4.7'

CONC. GUTTER

74.86'

83.59'

135-00-10"

BLVD

CONC. CR

SET L.A. CO. ENG'R. TAG IN CONC. CR.

FD L.A. CO. ENG'R. TAG IN CONC. WALL

LEVEL

85.78' @ 86° = 85.79'
74.85' " " = 74.86'
83.58' " " = 83.59'
50.02' " " = 50.03

PIONEER

ARTESIA C-8

LINDBERGH

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7[illegible] CE #247—8-57

F. B. 2453 Pg. 110

DESCRIPTIONS

TRAVERSE STATION ARTESIA C-7

THIS STATION IS IN LOS ANGELES CO., ARTESIA AREA, AND IS THE CENTERLINE INTERSECTION OF PIONEER BLVD AND DEL AMO ST. PER F.B. 507-181. ALSO SEE F.B. 932-61, 62

STATION MARK: FD A STANDARD TRAVERSE STATION STAMPED ARTESIA C-7 COUNTY SURVEYOR R.E. 2177 (YEAR NOT FOUND) IN HAND HOLE DN. 12"

REFERENCE MARK RM #3 FD A STANDARD R.M. STAMPED ARTESIA C-7 RM NO. 3 1944 COUNTY SURVEYOR R.E. 2177 DN. 26"

REFERENCE MARK RM #5 SET A STANDARD R.M. STAMPED ARTESIA C-7 R.M. NO. 5 1961 L.A.CO. ENGR R.E. 5869 DN. 12"

NOTE RM #1, 2 & 4 UNDER MACADAM DID NOT SEARCH

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 030100 Tape 078 Std 68 °F
Surveyed by G.E. DREIER
Notes G.E.D Date 10-17-61
Indexed M.E.OB NOV 1 1961

F.B. 2453 Pg. 111

T = 70°
NO TEMP CHG.

58.58
49.25
107.83

L.A.CO. SURVEY CONTROL SYSTEM

TRAVERSE STATION

ARTESIA, C-8



Notes: Any Additions or Changes on This Sheet Must Be Made or Ordered in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7-58 CS #247—7-53

F.B. 2453 PG. 112

— DESCRIPTION —

L.A. COUNTY TRAVERSE STATION

"ARTESIA C-8"

THIS STATION IS IN THE COUNTY OF LOS ANGELES, ABOUT 1.5 MILES SOUTH OF THE CITY OF ARTESIA, AT THE CENTERLINE INTERSECTION OF PIONEER BLVD. AND CENTRALIA RD., AND IN A WELL CUT THROUGH THE PAVEMENT AND PROTECTED BY A CAST IRON COVER MARKED: "COUNTY SURVEYOR MONUMENT."

STATION MARK: A STD. 4" BRASS CAP TRAVERSE STATION MONUMENT SET IN CONCRETE 2" BELOW SUBGRADE OF STREET AND STAMPED: "ARTESIA C-8, RE. 2177, SET BY - COUNTY SURVEYOR 1944." THIS STATION WAS A REPLACEMENT OF A CUTSPIKE AND WASHER PER F.B. 959-25, F.B. 2053-177, F.B. 102-14, F.B. 791-5 AND F.B. 932-63,64, & 124.

REFERENCE MARKS:

R.M. NO. 1 - PER F.B. 932-63,64 UNDER NEW CONST.

R.M. NO. 2 - PER F.B. 932-63,64. WILL BE DESTROYED IN NEAR FUTURE BY STORM DRAIN CONSTRUCTION. DO NOT LOOK FOR.

R.M. NO. 3 - SET A STD. 4" BRASS CAP REF. MON. IN CONCRETE 8 INCHES BELOW CURB GRADE AND TANGENT WITH EXISTING L.E. TAG IN S.W. & N.E. CURBS.

NOTE: SEE F.B. 932-124 FOR TIES SET IN 1959.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 028 Std. 68° oF
Surveyed by G.E. DREIER
Notes G.E.D. Date 10-18-61
Indexed N.E. 07 NOV. 1 7 '61

F. B. 2953 PG. 113

L.A.CO. SURVEY CONTROL SYSTEM TRAVERSE STATION

ARTESIA - C-9 AUX. 1

(1) 27 52 00
(4) 111 28 20
27 52 05
(6) 167 15 40
27 52 06

(1) 55 34 50
(4) 222 19 30
55 34 52½
6 333 29 00
55 34 50

S.D.

8.8

29.2

R.M. NO. 4
SEE NEXT PG.
FD L.& TAG
IN CURB

ARTESIA BLVD.

TO ARTESIA C-8

R.M. NO. 3
SEE NEXT PG.

27° 52' 06"

58.0

2.88

55° 34' 50"

FD L.& TAG
IN CURB

FD ARTESIA
C-9
PER F.B. 981-159
SEE F.B. 2453-115
FOR CADASTRAL TIE

TANG.

ARTESIA C-9 AUX. 1
SEE NEXT PAGE

67.02

CENTER DIVIDER

CARSON ST.

CENTER DIVIDER

89.29

77.81

SET L.& TAG
IN CURB

TEMP = 72°
NO CORR.

PIONEER

FD. L.& TAG IN
CURB

Notes: Any Additions or Changes on This Sheet Must Be Made on Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-63

F.B. 2953 PG. 114

~ DESCRIPTION ~

L.A. COUNTY TRAVERSE STATION

ARTESIA C-9 AUX-1

THIS STATION IS IN THE COUNTY OF LOS ANGELES ABOUT 2.0 MILES SO. OF THE CITY OF ARTESIA AT THE CENTERLINE INTERSECTION OF PIONEER BLVD. & CARSON ST. AND IN A WELL CUT THROUGH THE PAVEMENT & PROTECTED BY A CAST IRON COVER.

STATION MARK: FD. A STD. PRECAST C.S. MON INSCRIBED: + 5 IS 12" BELOW PAVEMENT SURFACE.

COUNTY SURVEYOR R.E. 529

REFERENCE MARKS:

R.M.'S NO. 1 & 2: PER F.B. 931-159, 160. UNABLE TO FIND. POSSIBLY DESTROYED DUE TO CONST.

R.M. NO. 3 - SET A STD. 4" BRASS CAP REF. MON. IN CONC. 10" BELOW CURB GRADE, AND STAMPED "ARTESIA C-9, , R.M. NO. 3 1961 L.A. CO. ENG'R. R.E. 5869."

R.M. NO. 4 - SAME AS NO. 3 EXCEPT NO. 4.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 230100 Tape 278 Std 6 8 °F
Office Work	Surveyed by G.E. DREIER
Checked	Notes G.E.D. Date 10-18-61
Date	Indexed H. F. OTT

F. B. 2453 Pg. 115

CADASTRAL TIE; ARTESIA C-9 TO C-9 AUX 1 AND ℄ OF CARSON ST. AT PIONEER BLVD.

FOR ORIGINAL CADASTRAL TIE SEE FB 938 PG 6
11/4/63 acb



Note: Any Additions or Changes on This Sheet Must Be Made As Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

CE #247—7-58

78809

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Blank

F. B. 2455 PG. 116

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	IN 0301.00 Tape 078 Std 68 °F
Office Work	Surveyed by G.E. DREIER
Checked	Notes G.E.D. Date 10-13-61
Date	Indexed H. E. OTT

F. B. 2453 PG. 117

L.A. CO. SURVEY CONTROL SYSTEM TRAVERSE STATION

ARTESIA C-9A



(1) 48 00 00
(4) 191 59 40
47 59 55
(6) 287 59 00
47 59 50

(1) 45° 58' 00"
(4) 195 51 30
45 57 52½
(6) 263 47 30
45 57 55

(1) 154° 21' 20"
(4) 257 24 50
154 21 12½
(6) 206 01 10
154 21 11⅓

52.59 @ 100° = 52.60
86.46 " = 86.48
64.25 " = 64.26
56.535 = 56.54
60.70 = 60.79
78.50 = 78.52

Notes: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 LOS ANGELES COUNTY ENGINEERING BLDG.

7-58 CE #247

F. B. 2453 PG. 118

TRAVERSE STATION
ARTESIA C-9A

THIS STATION IS IN LOS ANGELES COUNTY ON PIONEER BLVD, 0.4 MI. S. OF CARSON ST, (AT SLY END OF PAV.) ABOUT 1 FT W. OF APPROX ℄.

STATION MARK FD A STANDARD TRAVERSE STATION MON. STAMPED "ARTESIA C-9A 1944 R.E. 2177" 18 INCHES DEEP

R.M. NO. 1 FD 8 C.SPK & WASHER IN CONC. MON. 16 INCHES DEEP

R.M. NO. 2 IS A STD. REF. MON. STAMPED "ARTESIA C-9A R.M. NO. 2 1944 RE 2177" 18 IN. DEEP

R.M. NO. 3, SET STD REF. MON. STAMPED "ARTESIA C-9A R.M. NO. 3 1961 L.A. CO. ENGR. R.E. 5869" 18 INCHES DEEP.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. B. 2453 PG. 119
JN 0701.00 Tape 0200 Std. 68 °F
Surveyed by W. D. BAY
Notes BAY Date 6-26-62
Indexed R. J. GALLI JUL 9. '62

ADDITIONAL TIES TO BELL F-7

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Set L.A. TAG

FD. NO EVID. OF L.A.T. IN VERT. CURB.

CONC. CB.

BLVD.

Set L.A. TAG

84.25

30.18

BELL F-7
FD. A STD 4" BRASS TRAV. STA. CAP IN CONC. DN. 18" IN A H.H. STATION DESTROYED AFTER TIES WERE SET.

112.73

See F.B. 796-55
" " 243

31.46

FI. #6

RIO HONDO RIVER

83.

Set L.A. TAG

FIRESTONE

FD. A STD. 4" BRASS R.D. CAP FLUSH IN CONC. C.B. STAMPED BELL F-7, 1961, R.E. 5868. ~~NO REF.~~

CONC. CB.

See F.B. 796-55

NOTE: R.M.'S 142 NOW FALL UNDER CONC. WALK & PARKING AREA TO SOUTH. NOT DUG FOR

120' ± TO

CONC. WALK

NEW BLACKTOP PARKING AREA

7680-9 CE #247—7-53

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 2453 PG. 120

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0701.0 Tape 054 Std 68 °F
Surveyed by W.D. BAY
Notes BAY Date 7-12-62
Indexed C. J. GALLI JUL 16 '62

F. B. 2453 PG. 121

ADDITIONAL TIES TO TRIANGULATION STATION BELL E-7B.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

BLVD.

THIS AREA UNDER NEW CONST.

PROPOSED CURB LINE

SET SQ. HD. & T. S TAN.

APPROX. ℄

TRAV. STA BELL - E - 7B F.B. 796-243

R.M. #2 PER F.B. 796-243 30" dp

48.7

26.47 ℄

23.96 ℄

SET SQ. HD. & T. S TAN.

55.15 ℄

SET SQ. HD. & T. S TAN.

64.18 ℄

49.2

80.89

FIRESTONE

R.M. #1 PER F.B. 796-243

Fd L & T tag L.A.C.F.C.D.

C. & G. B.M. STA. R 777 1945

CONC. WALK

RIO HONDO RIVER

BRIDGE

765 PS CE #247—7-55

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 2453 PG. 122

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0201.00 Tape 054 Std 68 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes BAY Date 7-11-62
Date	Indexed C. J. GALLI JUL 1 7 '62

F. B. 2453 PG. 123

ADDITIONAL TIES ON CLEARWATER C-8

36°

SET L.&TAG

12.34

14.24

31.78

Set L.&TAG

FD. L.&T.

AVE. 59.94

39.53

FD. A STD. 4" BRASS TRIANG. STA. CAP IN CONC. DN. 6" BELOW WALK AND 9" BACK OF WALK STAMPED "CLEARWATER C-8, 1938", R.E. 2177 PER F.B. 696-227, 228.

FD. A STD. 4" BRASS R.M. CAP IN CONC. DN. 9" IN A H.H. STAMPED "CLEARWATER C-8 R.M. NO. 1, R.E. 2177, 1938" TO BE DESTROYED BY CONST. OF A 4" TRANSITE PIPE LINE.

18.09

23.09

CONC. WALK

Set L.&TAG

38.91

ANDREWS DRIVE

36.21

CONC. WALK

36°

CALIFORNIA

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 Los Angeles County Engineering Bldg.

7630-S CE #247—7-59

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 2453 PG. 124

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.20 Tape 0162 Std 68 °F
Office Work	Surveyed by W. J. BAY
Checked	Notes BAY Date 7-19-62
Date	Indexed C. J. GALLI AUG 1 '62

F. B. 2453 PG. 125



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

CE #247—7-58

7580

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 2453 PG. 126

F. B. 2453 PG. 127

Profile No. | Notes R | Plotted | Job No. 0301.02 Division No. 11
Date | Date | Survey of GEOD. CONTROL
X-Sec. No. | Notes Chk'd. | Checked | Survey by R. STRADER Notes DOVER Date 12-13-73
Date | Date | Map No. | Indexed G. D. BAILEY Date JAN 15 1974

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

STATION | B. S. | H. I. | F. S. | ELEV.

J.N. 0301.02

ELEVATION OF TRIANGULATION STATION INGLEWOOD L-8 (DENKER)

BENCH LEVELS TO DETERMINE ELEV. OF L.A.CO. SURVEY CONTROL SYSTEM TRIANGULATION STATION "DENKER" INGLEWOOD L-8
R.E. 1933 62 (STATION DENKER See Pg 219)

REF.
L.A.CO. RD. DEPT BM\
WATTS QUAD 1970
PAGE 16

PARTY
R. STRADER
R. DOVER
H. MITCHELL
G. ROGERS

76-L-248 CE 307 5-66

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2453 Pg. 128 | Job No. 0301.02 Division No. 11 Notes Red ____ Date ____ Notes Chk'd ____ Date ____ Plotted ____ No. ____ X-Sec. ____ No. ____
Survey of GEODETIC CONTROL
Survey by R. STRADER Notes R. DOWER Checked ____
Indexed JAN 15 1974 Date G.D. BAILEY Date ____

STATION	B. S.	H. I.	F. S.	ELEV.	
BM BY 7937	3.629	216.437		212.808	BY 7937 ELEV=212,808 L.A. CO. RD. DEPT. FD A LEAD & T IN CURB 30" EAST & INTER NORMANDIE AVE ON & PROD @ 110TH PLACE
BM BY 7936	6.665	220.294	2.808	213.629	BY 7936 ELEV. = 213.608 L.A. CO. RD. DEPT.
T.P.	3.903	219.862	4.335	215.959	FD A R.D. BM. TAG 1° FT WEST OF BCR
T.P.	4.095	218.017	5.940	213.922	15° FT NO. & 55° FT WEST & INTER NORMANDIE
T.P.	4.395	216.687	5.725	212.292	AVE & 110TH PLACE
T.P.	6.328	218.280	4.735	211.952	
T.P.	5.617	220.099	3.798	214.482	
BM BY 7935			5.070	215.029	BY 7935 ELEV= 215.012 L.A. CO. R.D DEPT.
	6.558	221.587			FD A LEAD PLUG (WITHOUT RDBM TAG) 6° FT
T.P.	7.535	226.813	2.309	219.278	WEST BCR 28° FT NORTH & 63° FT WEST & INTER
T.P.	6.463	230.726	2.490	224.323	NORMANDIE AVE & 108TH ST. (WEST)
	6.075	232.831	3.970	226.756	
TEMP. PT.			4.200	228.631	ELEV OF TURN 228.631
	C.13	234.76			6.13
					T 234.76 MARK ON WALL
					+ ROD DIST = 49.54
					284.30 = EL OF STA. "DENKER" ING L-8
TEMP. PT.	3.972	232.603		228.631	T 234.76
	3.880	230.635	5.848	226.755	-1 ROD DIST 49.94
	2.518	226.843	6.310	224.325	ELEV OF 284.70 = ING L-8 ECC # 4

76-L-293 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
		226.843			
	2.620	221.901	7.562	219.281	
BM BY 7935			6.870	215.031	BY 7935 ELEV. = 215.012 L.A CO. RD. DEPT. FD A LEAD PLUG (WITHOUT RDBM TAG) 6° FT WEST BCR 28° FT NORTH & 63° FT WEST & INTER NORMANDIE AVE & 108TH ST. (WEST)

USED LEVEL AT GROUND LEVEL POINT AND ROOF TOP LOCATION
USED 100' BAND TAPE & SPRING BAL. RECP. TOP TO BOT & BOT TO TOP WITH 10# PULL TO EST. DIST OFF + ROD CALC. & MEAS.



Profile Notes Red____ Plotted____ Job No. 830.02 Division No. 11
No.____ Date____ Date____ Survey of GEOD. CONTROL
X-Sec. Notes Chk'd.____ Checked____ Survey by STRADER-DOWER Notes DOWER Date 12-13-73
No.____ Date____ Date____ Map No.____ Indexed G.D. BAILEY Date JAN 15 1974

F. B. 2453 Pg. 129

F. B. 2453 Pg. 130 | Job No. 0301.02 Division No. 11 | Notes Red | Plotted | Profile

Survey of GEOD. CONTROL | Date | Date | No.

Survey by P. STRADER Notes R. DOVER | Notes Chk'd. | Checked | X-Sec.

Indexed JAN 15 1974 Date G. D. BAILEY | Date | Date | No.

STATION | B. S. | H. I. | F. S. | ELEV.

NOTE: STATION DENKER. ING. L-8 IS NOW COVERED WITH TAR PAPER ROOFING AS WELL AS TIE POINTS & ECC POINTS. STATION WAS RECOVERED AND ONLY SMALL AREA EXPOSED TO VIEW.

ECC #4 THIS STATION IS COVERED COMPLETLY WITH TARL PAPER & IT WOULD DAMAGE THE ROOF GREATLY TO PROBE FOR STATION MARK (A L&TAG) ELEVATION THEREFORE TAKEN ON TARPAPER (0.02) THICK APROX OVER STATION ITS ELEV. THEREFOR ±0.04 FOOT.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

76-L-298 CE 307 5-66

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 4701.00 Tape 0162 Std 68 °F
Office Work	Surveyed by W. P. BAY
Checked	Notes BAY H. E. OTT Date 8-'60
Date	Indexed

F. B 2153 Pg. 201

PRESERVATION

OF

GEODETIC CONTROL

in the

INGLEWOOD & TORRANCE

QUADRANGLES

8-'60

W. D. BAY
R. D. SMITH
J. C. GOODWIN
T. M. McKNIGHT
D. L. WALLACE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

7850-S CE #247—7-58

F. B. 2153 Pg. 202

INDEX

STATION			PAGE
INGLEWOOD	A-12 B		203
"	F-12 A		205
"	G-11		207
"	G-11 A		209
"	A-9 A		211
TORRANCE	G-1		213
INGLEWOOD	G-9		215
HOLLYWOOD	L-5	"NORTHWESTERN"	217
INGLEWOOD	L-8	"DENKER"	219
LOS ANGELES	B-10 C		221
INGLEWOOD	D-1		223
HOLLYWOOD	D-11		225
"	E-9B		227
"	D-9F		229
"	E-12	BALDWIN ECC #1	231
"	C-10	ECC #1	233
INGLEWOOD	E-1		237
HOLLYWOOD	C-12		239
LA HABRA	F-2		241
CLEARWATER	B-7		243

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0/1-2 Std. 68 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes R. J. SMITH Date 8-15-60
Date	Indexed

F. B 2453 PG. 203

L.A. COUNTY SURVEY CONTROL SYSTEM

INGLEWOOD A-12B

(1) 27° 12' 20"
(4) 108 49 50
= 27 12 27½
(6) 163 14 30
= 27 12 25

(1) 73 01 30
(4) 292 06 10
= 73 01 32½
(6) 78 09 20
= 73 01 33⅓

FD. R.M. SEE NEXT PG

33.5

EDGE OF BLACK-TOP PAV.

FD. L & COPPER NAIL & TAG APPROX

APPROX. ℄ ROSECRANS AVE.

FD INGLEWOOD A-12B 1.5' SEE NEXT PAGE

CONCRETE

TO INGLEWOOD A-12A

27° 12' 25"

60.23

68.08

55.35

52.05

63.95

SET R.M. 3 SEE NEXT PAGE

SET R.M. 4 SEE NEXT PAGE

SET L.E. TAG SEE F.B 925-97

(1) 44° 50' 30" FOR X
(4) 179 22 20
= 44 50 35
(6) 269 03 20
= 44 50 35⅓

73° 63.95 401'

17°

CURB

CONC

APPROX OAK

LEVEL @ 72°

63.95 = NO CORR
52.05 =
55.35 =
60.23 =
68.08 =

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7680-S CE #247—7-55

F. B 2453 Pg. 209

DESCRIPTIONS
INGLEWOOD
A-12B

THIS STATION IS IN LOS ANGELES COUNTY IN THE CITY OF MANHATTAN BEACH IN THE INT. ROSECRANS AVE. & OAK AVE. 15.8 FT. SOUTH OF THE ℄ OF ROSECRANS AVE. AND 8.6 FT. WEST OF THE ℄ OF OAK AVE. AND IN A WELL AND PROTECTED BY A CAST IRON COVER.

STATION MARK. FD A STD 4" BRASS TRAV. CAP IN CONC & STAMPED: "INGLEWOOD A-12B R.E. 2177, 1942, COUNTY SURVEYOR." PER F.B. 925, 97-98.

REFERENCE MARK NO 1. FD. 3L' S. & [illegible] IN CONC. 20' BELOW PAVEMENT GRADE.

REFERENCE MARK NO 2. UNDER NEW PAVEMENT. (NO SEARCH)

REFERENCE MARKS NOS 3 & 4 SET A STD 4" BRASS REF. CAP IN CONC. AND STAMPED RESPECTIVELY: "INGLEWOOD A-12B R.M. 3 & 4 1960 L.A. CO ENGR. R.E. 5869 AND DOWN 12 INCHES.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN030100 Tape 0.162 Std. 68 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes R D SMITH Date 8-12-60
Date	Indexed H. E. 011

F. B 2453 Pg. 205

L.A. COUNTY SURVEY CONTROL SYSTEM

INGLEWOOD F - 12A

LEVEL @ 80'T
35.28 = 35.28
62.05 = 62.05
50.42 = 50.42
66.85 = 66.86
51.87 = 51.87
53.84 = 53.84
18.15 = 18.15

SET: L+TAG IN CONC

CONC WALK

CURB

FD. INGLEWOOD F.B. 925 109-110
F-12A

APPROX ℄ ROSECRANS AVE

INGLEWOOD F-12

FD L+T CONC

FD: FOUR (4) P.M.'s 4 "X"s IN S.S.M.H. RIM USED INTERSECTION FOR ℄ INT.

CONC WALK

CURB

(1) 71° 27' 00"
(4) 285 48 00
= 71 27 00
(6) 68 42 00
= 71 27 00

31° 29' 45"

35.28

APPROX ℄ MANSEL

17°

18°

SET: RM 3
SEE NEXT PG

(1) 31° 30 00
(4) 125 59 00
= 31 29 45
(6) 188 58 20
= 31 29 43

SET: RM 4
SEE NEXT PG

CONC WALK & STEPS

FD L+TAG IN CONC STEPS & WALK TO HOUSE 14306

CONC WALK

CONC

CURB

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 700 LOS ANGELES COUNTY ENGINEERING BLDG.

7850S CE #247—7-55

F. B 2453 Pg. 206

DESCRIPTIONS
TRAVERSE STA.

INGLEWOOD
F - 12A

THIS STATION IS IN L.A. COUNTY. IN THE HAWNDALE DISTRICT IN THE INTERSECTION OF ROSECRANS AVE. AND MANSEL AVE. 11⁶ FT. EASTERLY FROM THE NORTHERLY PROD. OF THE WEST CURB LINE OF MANSEL AVE. & 2⁰ FT SO. OF ℄ OF ROSECRANS AVE. & 3⁸ FT WEST OF ℄ OF MANSEL AVE IN A WELL AND PROTECTED BY A CAST IRON COVER.

STATION MARK FD STD 4" BRASS TRAV. CAP IN CONC & STAMPED "INGLEWOOD F-12A 1941" COUNTY SURVEYOR "1941". PER F.B. 925-109, L.A. CO.

REFERENCE MARK 1 & 2 UNDER NEW PAVEMENT. (NO SEARCH)

REFERENCE MARK 3 & 4 SET STD 4" BRASS REF. CAP IN CONC & STAMPED RESPECTIVELY "INGLEWOOD F-12A R.M. 3 & 4 1960 L.A. CO. ENGR. R.E. 5869" DOWN 12 INCHES

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONT.
Map No.	JN 0301.00 Tape 144 Std. 84 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes J.C. GOODWIN Date 8-60
Date	Indexed H. E. OTT

F. B. 2453 PG. 207

TRAVERSE STATION INGLEWOOD G-N

77.23 @ LEVEL T=84° (NO CORR.)

RICH-FIELD SERVICE STA.

MCDM. PVMT.

CONC. WALK

R.M. #4 SEE NEXT PG. FOR DESC.

52.5

TRAFFIC LIGHT

9.85

97.04.40"

60.3

77.23

68.04 TANG.

81.31 TANG.

77.25

68.04 @ LEVEL T=84° (NO CORR.)

HAWTHORNE CITY PARK (GRASS)

SET L.A.T. TAG IN CURB

EL SEGUNDO BLVD.

INGLEWOOD G-11 SEE NEXT PG. FOR DESC.

FD. L.A.T. IN CURB

CONC. WALK

POWER POLE

77.25 @ LEVEL T=84° (NO CORR.)

UNION 76 SERVICE STA.

R.M. #3 SEE NEXT PG. FOR DESC.

TRAFFIC LIGHT

56.6

13.40"

TRAVERSE LINE

MOBIL SERVICE STA.

MCDM. PVMT.

81.31 @ LEVEL T=84° (NO CORR.)

CONC. WALK

PRAIRIE AVE.

TO G-11A

MCDM. PVMT.

1) 42 13 40
4) 168 54 50 =
42 13 42
6) 253 22 00 =
42° 13' 40"

1) 97 04 40
4) 28 18 40 =
97 04 40
6) 222 27 50 =
97° 04' 40"

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 700 LOS ANGELES COUNTY ENGINEERING BLDG.

7650-S CE #242 7-58

F.B. 2453 PG. 208

~ DESCRIPTION ~

TRAVERSE STATION INGLEWOOD G-11

THIS STATION IS IN L.A. CO., IN THE HAWTHORN DISTRICT. IT IS THE CENTERLINE INTERSECTION OF EL-SEGUNDO BLVD AND PRAIRIE AVE.

STATION MARK:
FOUND A STANDARD 4", "COUNTY SURVEYOR", BRASS TRAVERSE CAP SET IN CONC. IN A WELL WITH CAST IRON COVER. STAMPED, "INGLEWOOD G-11, R.E. 2177, SET BY COUNTY SURVEROR. 1941".
PER F.B. 725-75

R.M.'S 1 and 2
NOW LIE UNDER PVMT. AND WERE NOT SEARCHED FOR.

R.M. #3
SET A STANDARD R.M. BRASS CAP IN CONC. IN A WELL 9" DEEP. STAMPED, "INGLEWOOD G-11 R.M. 3, 1960, L.A. CO. ENGR. R.E. 5869", COVERED BY A CAST IRON LID MARKED, "COUNTY ENGINEER MONUMENT".

R.M. #4
SAME AS R.M. #3 EXCEPT STAMPED R.M. 4.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONT. F. B. 2453 PG. 209
JN 230.00 Tape 0162 Std 68 °F
Surveyed by W. D. BAY
Notes J. C. GOODWIN Date 8-60
Indexed H. E. OH

L.A. CO. SURVEY CONTROL SYSTEM
TRAVERSE STATION
INGLEWOOD G-11A



Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red. Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7690-S CE #247—7-58

F.B. 2453 PG. 210

~DESCRIPTION~
TRAVERSE STA.
INGLEWOOD G-11A

THIS STATION IS IN L.A. CO., IN THE HAWTHORNE DISTRICT, AND IN THE INTERSECTION OF 134TH ST. & PRAIRIE AVE., 3' NORTH OF THE THE CENTERLINE OF 134TH ST. AND 9.5' EAST OF THE CENTER-LINE OF PRAIRIE AVE. DN. 10" IN A H.H.

STATION MARK:
FOUND A STD. 4" BRASS TRAV. CAP IN CONC. STAMPED, "INGLE-WOOD G-11A, R.E. 2177, 1941, SET BY COUNTY SURVEYOR".
REF. = F.B. 925-77

REF. MON. #1
FOUND A STD. 4" BRASS R.M. CAP SET IN CONC. DOWN 12" STAMPED, "INGLEWOOD G-11A, R.M. NO. 1, R.E. 2177, SET BY COUNTY SURVEYOR, 1941".

REF. MON. #2
SAME AS R.M. #1 EXCEPT STAMPED, R.M. #2

REF. MON. #3
SET A STD. 4" BRASS R.M. CAP IN CONC. DOWN 10", STAMPED, "INGLEWOOD G-11A, R.M. 3, 1960, L.A. CO. ENGR. R.E. 5869".

REF. MON. #4
SAME AS R.M. #3 EXCEPT STAMPED, "R.M. 4

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 44 Std 84 °F
Office Work	Surveyed by W. D BAY
Checked	Notes R. D. SMITH Date 8-18-60
Date	Indexed H. E. Oh

F. B. 2453 Pg. 211

L.A. COUNTY SURVEY CONTROL SYSTEM



Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7-58 CE #247

F. B 2453 PG. 211

DESCRIPTIONS.
INGLEWOOD
A-9A

THIS IS IN LOS ANGELES COUNTY ON THE NORTHERN BOUNDARY OF THE CITY OF EL SEGUNDO AT THE INT. OF THE ℄ OF SEPULVEDA BLVD. AND IMPERIAL HWY. IN A H.H.

STATION MARK. FD. STD 4" BRASS TRAV. CAP IN CONC AND STAMPED "INGLEWOOD A-9A. R.E. 2177, 1942, COUNTY SURVEYOR." PER F.B 925-85-86

REFERENCE MARK NO 1 & NO 2 UNDER PVT IN IMPROVED INTERSECTION (NO BRASS)

REFERENCE MARK NO 3 & NO 4. SET STD 4" BRASS REF. CAP IN CONC IN A H.H. & STAMPED RESPECTIVELY "INGLEWOOD A-9A. R.M. 344. 1960, L.A. CO. ENGR. R.E. 5869."

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN0301 OO Tape 0162 Std 68 °F
Office Work	Surveyed by W.D. BAY
Checked	Notes R.D. SMITH Date 8-16-60
Date	Indexed H. E. OTT

F. B 2453 Pg. 213

L.A. COUNTY SURVEY CONTROL SYSTEM

TORRANCE

APPROX ℄ 146TH ST

(1) 88° 01' 10"
(4) 352 04 50
= 88 01 12½
6 168 07 10
= 88 01 11½

APPROX ℄ AVE G - I

SET: L4 TAG

SET: L4 TAG

57.59

FD: RM 1
SEE NEXT PG

42.35

29.08

40.34

40.04

SET: RM 3
SEE NEXT PG

47.93

LEVELED 60°T

40.34 = NO CORR.
42.35 = " "
47.93 = " "
40.04 = " "
57.59 = " "

SET: L4 TAG

65.24

88

SET: L4 TAG

EDGE OF BLACK-TOP PAVING

BLACK-TOP ISLAND

CURB & GUTTER

CONC. WALK

10"

PRAIRIE

K-1

TO TORRANCE

℄ INT.
FD. STD. PRECAST.
147TH-C.E. MON. STAMPED
P.E. 5869

APPROX ℄ 147TH ST

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7630-S CE #247—7-55

F. B. 2453 PG. 214

DESCRIPTIONS
TORRANCE
G - I

THIS STATION IS IN LOS ANGELES COUNTY IN COUNTY TERRITORY AND ON THE ℄ OF PRAIRIE AVE. 171.52 FT. NORTH OF THE ℄ INT. OF PRAIRIE AVE ℄ 147TH ST. IN A WELL AND PROTECTED BY A CAST IRON COVER.

STATION MARK: FD ASTD. 4" BRASS 1 TRAV. CAP IN CONC. AND STAMPED "TORRANCE G-1 R.E. 2177, 1941, COUNTY SURVEYOR" REF. F.B. 925-83-84

REFERENCE MARK NO. 1: ED A STD. 4" BRASS REF. CAP IN CONC. 10" INCHES BELOW STREET SURFACE AND STAMPED: "TORRANCE G-1 R.M.1 R.E. 2177, 1941, COUNTY SURVEYOR. REF. F.B. 925-83-84

REFERENCE MARK NO. 2: UNDER NEW PAV. (NO SEARCH)

REFERENCE MARK NO. 3. SET A STD. 4" BRASS REF. CAP IN CONC. AND STAMPED "TORRANCE G-1 R.M. 3, 1960, L.A. CO. ENGR. R.E. 5869 IN A WELL ℄ PROTECTED BY A CAST IRON COVER.

RETURN TO LOS ANGELES COUNTY ENGINEER 900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date:

Survey of GEODETIC CONTROL F. B. 2453 PG. 215
JN 0301.00 Tape 0162 Std. 68 °F
Surveyed by W. D. BAY
Notes BAY H. E. OTT Date 8-17-'60
Indexed

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
INGLEWOOD G-9

FD. R.M. NO. 4

43°

(1) 93-42-10
(4) 14-51-00
93-42-15
(6) 202-16-30
= 93-42-15

93° 42' 45"

FD. R.M. NO. 5

84.40

59°

FD. INGLEWOOD G-9 PER. F.B. 925-71, 72, 271 272.

TANG.

60.43

TANG.

INT. OF 4 TAN. P.M.'S & "X" S. ON S.S.M.H. R.M. F.B. 925-71

IMPERIAL

TANG.

16.96

TANG. 72.81

HWY.

87.68

SET L&T TAG

45° 49' 55" C.16 F.B. 925-271

68.8

SET R.M. NO. 6

DIST'S. MEAS. LEVEL
80.40 = 84.40
84.39 = 87.68
87.67 = 72.81
72.80 = 60.43
60.43 = 16.96

PRAIRIE

¢ LINE TO ING G-10

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763 CE #247 7-53

F. B. 2453 Pg. 216

~DESCRIPTIONS~

INGLEWOOD G-9

THIS STATION IS IN LOS ANGELES COUNTY, HAWTHORNE DISTRICT, ON THE ℄ OF IMPERIAL HWY. AND 17' EAST OF THE ℄ OF PRAIRIE AVE. DN. 10" IN A H.H.

STATION MARK: FD. A STD. 4" BRASS L.A. CO. TRAVERSE CAP IN CONC. AND STAMPED "INGLEWOOD G-9, 1962, COUNTY SURVEYOR R.E. 2177."
PER. F.B. 925-71, 72, 271, 272.

R.M. NO. 1: NO EVID. (CONC. PVMT.)

R.M. NO. 2: NO EVID. (CONC. PVMT.)

R.M. NO. 3: NO EVID. (CONC. PVMT.)

R.M. NO. 4: FD. A STD. 4" BRASS R.M. DN. 9" IN A H.H. AND CAP IN CONC. STAMPED "INGLEWOOD G-9, R.M. NO. 4, 1960, L.A. CO. ENGR. R.E. 5869".

R.M. NO. 5: FD. A STD. 4" BRASS U.S.C.&G.S. FLUSH IN THE TOP OF CURB B.M. CAP SET AND STAMPED "P 1054, 1960".

R.M. NO. 6: SET SAME AS R.M. NO. 4 EXCEPT STAMPED "R.M. 6"

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 Los Angeles County Engineering Bldg.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of Geodetic Control	F. B. 245 3 Pg. 217
Map No.	JN 0301.00 Tape 0162 Std. 68 °F	
Office Work	Surveyed by W. D. BAY	
Checked	Notes J. GOODWIN Date 5-61	
Date	Indexed H. E. ON JUN 2 '61	

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
HOLLYWOOD L-5
"NORTHWESTERN"

WILSHIRE BLVD.



THE CENTER OF THE ROOF IS OCCUPIED BY A REVOLVING SIGN WHICH FLASHES THE TIME OF DAY. THERE ARE A NUMBER OF GIRDERS AND BRACES USED TO SUPPORT THE CENTER SHAFT OF THE SIGN.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this tick of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

F. B. 2453 Pg. 218

DESCRIPTION
HOLLYWOOD 4-5
"NORTHWESTERN"
TRIANG. STATION

THIS STATION IS IN L.A. COUNTY IN THE CITY OF LOS ANGELES AND NEAR THE INTERSECTION OF WESTERN AVE. AND WILSHIRE BLVD. IT IS ON THE ROOF OF THE TOWER OF THE "FRANKLIN LIFE" BLDG. (A TWELVE STORY THEATRE BLDG. ON THE SOUTHEAST CORNER AT ABOVE INTERSECTION.) L.A. CITY F.B. 1-HWD 9, 10 & F.B. 10672 - 112 (CITY).

STATION MARK:

FOUND A STANDARD 4" BRASS COOPERATIVE SURVEY CAP SET IN CONCRETE AND STAMPED, "NORTHWESTERN, 1933".

ECC. # 3

SET A L.A. CO. ENGR. I.P.E. 5869 BRASS TAG AND NAIL 3.47' ON LINE BETWEEN 4-5 AND "BALDWIN,".

ECC. # 2

FOUND A COPPER TACK IN TARRED ROOF.

PLEASE RETURN to
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'k'd by
Map No.
Plotting Work
Checked
Date

Survey of Geodetic Control
JN 0301.00 Tape 0162 Std 68 °F
Surveyed by W. D. BAY
Notes J. J. BAZEN Date 5-1-61
Indexed H. E. OTT JUN 2 '61

F. B. 2453 Pg. 219

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION "DENKER"
(INGLEWOOD L-8)

24.31 @ 68° @ Level

ECC #4 Set by A.C. Guizado - 5/1/61



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line beyond the ends of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7-2098 SRL (247) 11-59

F. B. 2453 Pg. 220

DESCRIPTION

TRIANGULATION STATION
"DENKER"
(INGLEWOOD L-8)

THIS STATION IS IN THE COUNTY OF LOS ANGELES & ABOUT 3 MILES S.E. OF THE CITY OF INGLEWOOD, & ON THE ROOF OF THE GEORGE WASHINGTON HIGH SCHOOL AUDITORIUM (STAGE ROOF), AT THE S.E. COR. OF INTER. OF 108 TH ST. & DENKER AVE. FD. PER. F.B. G-329-41.

STATION MARK: FD. A STD. 4 INCH BRASS TABLET CEMENTED INTO THE CONC. ROOF 5' SO. FROM NO. WALL & 7' E. OF W. WALL & MARKED, "COOPERATIVE SURVEY CONTROL, COUNTY OF LOS ANGELES, CITY OF LOS ANGELES," & STAMPED, "DENKER, 1933, R.E. 62.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F 098 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of GEODETIC CONTROL
JN 07.01.00 Tape 01165 Std. 68 of
Surveyed by G.E. DREIER
Notes G.E.D. Date 5-10-61
Indexed JUN 23 81 M E DD

F. B. 2453 Pg. 22

F. B. 2453 Pg. 222

TRIANGULATION STATION

LOS ANGELES B-10 C

THIS STATION IS IN LOS ANGELES COUNTY, CITY OF LOS ANGELES, ON ROOF OF MUSUEM BUILDING AT S.E. COR OF INTERSECTION OF EXPOSITION BLVD AND MENLO AVE.

TO REACH STATION, ENTER BLDG. AT SHIPPING AND RECEIVING DOOR, IN BASEMENT, ON NORTH SIDE OF BLDG, TAKE ELEVATOR TO 4TH FLOOR, WALK UP STAIRS AND LADDER TO ROOF OF ELEVATOR SHAFT. STATION IS NEAR S.W. COR OF ROOF.

STATION MARK: SET 5/8" BRASS B.M. BUTTON WITH PUNCH MARK, SOLDERED TO COPPER ROOF.

REFERENCE MARKS:- SET A L & TAG 4.82 FT. TO N.N.W., ON LINE TO TRI. STATION NORTHWESTERN, ON TOP OF PARAPET WALL

SET A L & TAG 1.38 FT. TO WEST ON LINE TO TRI. STATION BALDWIN (HOLLYWOOD E-12 A) ON TOP OF PARAPET WALL

SET A CHISELED CROSS 1.48 TO W.S.W. ON LINE TO TRI. STATION SOUTHWESTERN (INGLEWOOD K-2) IN TOP OF PARAPET WALL

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

IND

F.B. 845 Pg. 283

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 030100 Tape 0163 Std. 68 °F
Office Work	Surveyed by: G.E. DREIER
Checked	Notes MOODY Date 5-10-61
Date	Indexed [illegible]

LA. CO. SURVEY CONTROL SYSTEM

TRIANGULATION STATION INGLEWOOD D-1



Equals 6-12-74

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7870 08 CE #247—8-57

F.B. 2453 Pg. 224

~ DESCRIPTIONS ~

INGLEWOOD D-1

THIS TRIANGULATION STATION IS IN THE COUNTY OF LOS ANGELES AND IN THE CITY OF LOS ANGELES, IN THE BALDWIN HILLS AREA. TO REACH THIS STATION FROM INTERSECTION OF STOCKER ST. AND LA CIENEGA BLVD GO NORTHERLY ON LA CIENEGA BLVD 0.4 MI. TO STANDARD OIL ROAD THIS SIDE OF OVER PASS BRIDGE, TURN LEFT AND GO 0.4 MI. TO MAINTENANCE CONSTRUCTION OFFICE THEN BEAR LEFT TO STATION, ABOUT 1200' S.E. OF OIL CO. YARD.

STATION MARK: FD A STANDARD TRIANGULATION STATION STAMPED INGLEWOOD D-1, 1936, RE. 2177, COUNTY SURVEYOR" & FLUSH PER. F.B. 625-78

REFERENCE MARK: NO 1 FD A 3/4" I.P. PLUG AND NAIL IN CONC. FLUSH WITH GROUND & LETTERS "H.H." MARKED IN CONC.

REFERENCE MARK NO 2 SET A STANDARD R.M. MONUMENT IN CONC ON SIDE HILL, 4' LOWER THAN STATION AND 4" ABOVE FLUSH STAMPED, "INGLEWOOD D-1, R.M. NO 2, 1961, L.A. CO. ENGR. RE. 5869."

RETURN TO LOS ANGELES COUNTY ENGINEER 700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 030100 Tape 0162 Std 68 °F
Office Work	Surveyed by G.E. DREIER
Checked	Notes MOODY Date 5-9-61
Date	Indexed JMA H.E.OTT

F.B. 865 Pg. 169

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
HOLLYWOOD D-11

HIGH VOLTAGE TOWER #4616
DEPARTMENT OF WATER AND POWER CITY OF L.A.

TAPE 0162, Std @ 68°
79.68 @ 78° = 79.69

FD LET

30°-08'-15"

68°-07'-15"

TO HOLLYWOOD C-10

54.00

72.07

79.69

FD TRIANGULATION STATION HOLLYWOOD D-11
PER F.B. 865-169
See Next Pg for Desc.

SET RM. NO 1
SEE NEXT PG.

1	68°-07'-20"
4	272°-29'-10"
	68°-07'-17½"
6	48°-43'-30"
	68°-07'-15"
1	30°-08'-20"
4	120°-33'-00"
	30°-08'-15"
6	180°-49'-30"
	30°-08'-15"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7815 095 CE #247—8-57

2453 226

F. B. _____ Pg. _____

~ DESCRIPTIONS ~

HOLLYWOOD D-11

THIS TRIANGULATION STATION IS IN THE COUNTY OF LOS ANGELES AND IN THE CITY OF LOS ANGELES TO REACH THIS STATION FROM THE INTERSECTION OF RODEO RD AND LA BREA AVE, GO SOUTH ON LA BREA AVE 0.55 MI. TO VERONICA ST TURN RIGHT OR W'LY, GO 0.1 MI. TO SANCHEZ RD BEAR LEFT 0.25 MI TO EL MIRADOR DR THEN BEAR LEFT 0.1 MI TO PUNTA ALTA DR THEN BEAR RIGHT 0.3 MI. TO PADILLA PL. THEN BEAR RIGHT TO BALDWIN HILLS RESERVOIR THEN TO RIGHT ALONG RESERVOIR TO POWER LINES, 91± FT SOUTH OF POWER LINE TOWER #1616

STATION MARK: FD A STANDARD TRIANGULATION STATION IN CONC. FLUSH WITH GROUND STAMPED HOLLYWOOD D-11, RE. 2177, COUNTY SURVEYOR, 1936

REFERENCE MARK: SET A STANDARD RM. UP 9" ABOVE GROUND STAMPED HOLLYWOOD D-11 RM NO1. 1961 LA. CO. ENGR. RE. 5869

RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of CONNECTING TRAVERSE
Map No.	JN 0361.00 Tape 016.3 Std. 68 °F
Office Work	Surveyed by G.E. GREIER
Checked	Notes MOODY Date 5-8-61
Date	Indexed H. E. OH

F.B. 2463 Pg. 4

L.A. CO. SURVEY CONTROL SYSTEM TRIANGULATION STA.

HOLLYWOOD E-9 B

BLVD

SET L.A. CO. ENGR. TAG TAN.

SET L.A. CO. ENGR. TAG TAN.

SET TRIANGULATION STATION HOLLYWOOD E-9 B
SEE NEXT PG.

60.80'

13.15'

TO HOLLYWOOD G-11

44.56'

89°-52'-37"

1.5'

JEFFERSON

NOTE: ALL OBS. PULL @ 68° NO CORR. NEEDED

SET RM. NO. 1
SEE NEXT PG.

87.5'
32.24'

COCHRAN AVE.

SEC LET

1, 89°-52'-30"
4, 359°-30'-00"
89°-52'-35"
6, 179°-52'-40"
89°-52'-37"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F 1095 CE #247—8-57

2543 EEB

F. B. _____ Pg. _____

~ DESCRIPTIONS ~

HOLLYWOOD E-9 B

THIS TRIANGULATION STATION IS IN THE CITY OF LOS ANGELES, ON JEFFERSON BLVD BETWEEN LA BREA AVE AND LA CIENEGA BLVD, 132.24 FT EAST OF ℄ PRODUCED OF COCHRAN AVE, 13.2 FT S. OF SOUTH CURB OF JEFFERSON BLVD.

STATION MARK SET A STD TRIANGULATION MONUMENT IN CONC. STAMPED "HOLLYWOOD E-9" L.A. CO. ENGR. RE. 5869, 1961 DN. 14"

REFERANCE MARK NO1 SET A STD R.M. MONUMENT IN CONC. STAMPED "HOLLYWOOD E-9" R.M. NO. 1 L.A. CO. ENGR. RE. 5869, 1961 DN 8"

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0163 Std 62 °F
Office Work	Surveyed by G.E. DREIER
Checked	Notes NOODY Date 5-8-61
Date	Indexed

F.B. 2453 Pg. 229

L.A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION HOLLYWOOD D-9 F

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 700 LOS ANGELES COUNTY ENGINEERING BLDG.

BLVD

SET L.A.CO. ENG. TAG TAN

CONC CURB

JEFFERSON

N'ly Prod of East Curb Line Fram South

1. 59°-55'-40"
4. 239°-42'-20"
59°-55'-35"
6. 359°-33'-30"
59°-55'-35"

75.37'

BLVD

9.0'

SET L.A.CO. ENGR. TAG TAN

GUT.

WALK

10.5'

NOTE; ALL DIST. PULL AT 7½' NO CORR. NEEDED

16.7'

SET TRIANGULATION STA. HOLLYWOOD D-9 F

SEE NEXT PG.

9.89

LA CIENEGA

TO HOLLYWOOD

14.3'

SET RM NO 1

SEE NEXT PG

39.4'

PACIFIC

ELECTRIC

59°-33'-33"

TO HOLLYWOOD

CONC CURB

F.B. 2543 Pg. 230

~ DESCRIPTIONS ~

HOLLYWOOD D-9F

THIS TRIANGULATION STATION IS IN THE COUNTY OF LOS ANGELES, AND IN THE CITY OF LOS ANGELES, AT THE SOUTH EAST CORNER OF LA CIENEGA BLVD AND JEFFERSON BLVD, 9' So. OF THE SO. CURB, 16.1 E. OF THE E. CURB LINE

STATION MARK: SET A STANDARD TRIANGULATION MONUMENT IN CONC. STAMPED HOLLYWOOD D-9 F L.A. CO. ENGR. R.E. 5869, 1961, DN 4"

REFERENCE MARK: SET A STANDARD R.M. MONUMENT IN CONC. STAMPED HOLLYWOOD D-9 F L.A. CO. ENGR. R.E. 5869 1961" RM. NO. 1 DN. 4"

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.02 Tape 0163 Std 68 °F
Office Work	Surveyed by G.E. DREIER
Checked	Notes MOODY Date 5-11-61
Date	Indexed E. ON AUG 2 '61

F.B. 3453 Pg. 29

LA COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

BALDWIN-ECC #1

BALDWIN HILLS TANK DEPARTMENT OF WATER AND POWER CITY OF LOS ANGELES



NOTE: STATIONS ARE IN GROUND BENEATH THE HUGE STEEL WATER STORAGE TANK. THE TOWER LEGS BLOCK LINE IN SOME DIRECTIONS. A 10 Ft. STAND IS NEEDED TO CLEAR FENCE WHEN OBSERVING OR SHOWING LIGHT.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Erased in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

78F 3 DBS GE #247—8-57

F.B. 2453 Pg. 232

~ DESCRIPTIONS ~

BALDWIN ECC #1

THIS TRIANGULATION STATION IS IN THE COUNTY OF LOS ANGELES AND IN THE CITY OF LOS ANGELES, IN THE BALDWIN HILLS AREA, ON THE HIGHEST RIDGE BETWEEN LA CIENEGA BLVD AND LA BREA AVE, NORTH OF STOCKER ST. TO REACH THIS STATION TAKE THE OIL CO. ROAD AT THE N.W. CORNER OF LA BREA AVE AND STOCKER ST. 0.60 MI. N.WLY TO STATION ON SUMMIT OF HILL.

STATION MARK: SET A 1" I.P. IN CONC. 2" BRASS [illegible] WITH [illegible] TAG STAMPED ECC 1

(STATION IS 0.44' LOWER IN ELEV. THAN "BALDWIN" USC&GS 1927) C.W.P. 7/12/72

REFERENCE MARKS: SET NONE

RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC Control F.B. 2163 Pg. 23
Jurisdiction Type VII Std 3A "F"
Surveyed by W. D. BRY
Notes J.C. Goodwin Date 5-61 AUG 2 '61
Indexed H. E. ON

@ 21° 11' 20"
@ 24 44 20
21 11 05
@ 127 04 40
21 11 04½

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
HOLLYWOOD C-10
ECC. NO. 1

SET R.M. 1 SEE NEXT PG. FOR DESC.
141° 60'
F.B. 69-49
SET E.M. 2 SEE NEXT PG. FOR DESC.
TO HOLLYWOOD 2=11
HOLLYWOOD C-10
FD. STD. TRI. MON. STAMPED "HOLLYWOOD C-10 1951 COUNTY SURVEYOR RE 63"
FD. 2" I.P.P. CAP 1.5' DP. NAME W.J.D. BROWN AM CAP 7.6'
LINE TO BALDWIN ECC #1
170.70 @ LEVEL = 170.69 T = 74°
170.69
21 11 04½
33.09
F.B. 69-49
33.12 @ LEVEL = No CORR. T = 72°
1 STORY REMOVE BLDG. CONC.
31.2
33.12
SET L.S. 2" I.P. 40 INS
REMOVE PER REC. TRA-12
42.12 @ 2° 72
141.69 T = 72°
153.71 @ 3° 79'00" = 153.42 T = 72° LEVEL
94.13 = 94.12
98.34 = 98.33
HOLLYWOOD C-10 ECC NO 1
OUT 6-12-74 RS
LINE
6' CHAIN LINK FENCE
MCDAN. ALUM. WITH SCRIBE CONC. SLAB
SET L.S. 2" I.P. 24
C-12

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
7000 Los Angeles County Engineering Bldg.

Note: Any Alteration or Change to this Sheet Must be Noted on Circle at Top Int. With Date and Name of Person Making Change.

Do not detach this sheet from file.

F. B. 2453 PG. 234

DESCRIPTION
TRIANGULATION STATION
HOLLYWOOD C-10
ECC. Nº 1

THIS STATION IS IN L.A. COUNTY, IN THE BALDWIN HILLS AREA, NEAR CULVER CITY. ON TOP OF A HILL 3000± FT. S. W'LY FROM THE INTER-SECTION OF RODEO RD. AND LA CIENEGA BLVD. TO REACH STA. FROM THIS INTER. GO SO. ON LA CIENEGA BLVD. 0.35 MI. TO WRIGHT CREST DR. THENCE RIGHT (WEST) 0.55 MI. TO END OF PAVED ROAD AND GATE TO HUGHES AIRCRAFT CO. TEST SIGHT, CONTINUE ON DIRT ROAD 0.15 MI. TO TOP OF HILL AND STATION.

STATION MARK:
SET A STANDARD 4" BRASS TRIANGULATION CAP AND PIPE IN CONC. UP 4", STAMPED, "HOLLY-WOOD C-10, ECC. 1, 1961, L.A. CO. ENGR., R.E. 5869".

REF. MARK: (FOR ECC. Nº 1)
NONE SET

REF. MARK: (HOLLYWOOD C-10) Nº 1
SET A STANDARD 4" BRASS R.M. CAP IN CONC. 12" DEEP. STAMPED, "HOLLYWOOD C-10, R.M. 1, 1961, L.A. CO. ENGR., R.E. 5869".

REF. MARK: (HOLLYWOOD C-10) Nº 2
SAME AS R.M. 1 EXCEPT STAMPED, "R.M. 2".

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by:
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 650.00 Tape 0763 Std. 68 °F
Surveyed by: G.E. DREIER
Notes G.E.D. Date 4-27-61
Indexed M. E. OTT Mile Sh 193

F. B. 2453 Pg. 235

CHECK SURVEY

BOUNDARY LINES OF CITY OF LOS ANGELES, CULVER CITY AND COUNTY OF LOS ANGELES NEAR TRIANGULATION STATION HOLLYWOOD C-10

DREIER
MOODY
VALDEZ
SMYTH, N.
RANGEL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

765-2095 GE #247—8-57

F.B. 2453 Pg. 236

W.S. 24 A 1

NO. 25 PER F.B. 878-48 & C.S.B. 1715
FD. ¾" I.P. 6" DEEP
(50.00 REC.)
50.04 MEAS.

FD. 2" I.P. IN CONC. WITH BRASS CAP LETTERED "H.D. BROWN"

JEFFERSON BLVD

(1) 71° 16' 20"
(4) 285 05 40
71 16 25
(6) 67 38 20
71 16 23½

SEARCHED FOR POINTS ALONG THIS LINE PER F.B. 878-42 & 43 FD NOTHING

(50)

(71° 16' 24" MEAS. (71° 16' 23" REC.)

90°
54.81

FD. STR. TRIANGULATION STA. STAMPED "HOLLYWOOD C-10 R.E. 63 COUNTY SURVEYOR 1951" FLUSH

33.01

90°
50.06

FD. 2" I.P. WITH BRASS CAP LETTERED "H.D. BROWN" FLUSH IN CONC.

52.85 (52.79 REC.)

NO. 26
FD. ¾" I.P. OLD WOOD PLUG AND NAIL 5½ FT. DEEP PER F.B. 878-43

BDRY. CITY OF LOS ANGELES
BDRY. CULVER CITY

(5)

CULVER CITY
COUNTY OF LOS ANGELES

SEARCHED FOR POINTS E'LY TO A PT. PER F.B. 878-43 & 44 FD. NOTHING

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL	F. B. 2453 Pg. 237
Map No.	JN 2301, 02 Tape 0162 Std 68 °F	
Office Work	Surveyed by W. D. BAY	
Checked	Notes by T.C. Date 5-61	
Date	Indexed H. E. OTT AUG 2 '61	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data beyond the limits of this Title.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
INGLEWOOD E-1



F. B. 2453 PG 238

DESCRIPTION
TRIANGULATION STATION
INGLEWOOD E-2

THIS STATION IS IN L.A. COUNTY IN THE BALDWIN HILLS AREA NEAR THE INTERSECTION OF STOCKER ST. AND FAIRFAX AVE. IT IS 46.3' WEST OF APPROX. ℄ OF FAIRFAX AND 477.0± SOUTH OF ℄ OF STOCKER.

STATION MARK:

SET A STANDARD 4" BRASS TRIANG. CAP AND PIPE IN CONC., FLUSH. STAMPED, "INGLEWOOD E-2, 1961, L.A. CO. ENGR., R.E. 5869".

REF. MARK Nº 1

SET A STANDARD 4" BRASS R.M. CAP IN CONC., FLUSH. STAMPED, "INGLEWOOD E-2, R.M. 1, 1961, L.A. CO. ENGR. R.E. 5869".

REF. MARK Nº 2

SAME AS R.M. 1 EXCEPT STAMPED, "R.M. 2". DOWN 8" BELOW SURFACE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL	F. B. 2453 Pg. 239
Map No.	JN 0301.00 Tape 0162 Std 68 °F	
Office Work	Surveyed by W. D. BAY	
Checked	Notes T. C. GOODWIN Date 5-61	
Date	Indexed W. E. OTT AUG 2 '61	

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
HOLLYWOOD C-12



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78 3098 SRE (REV 11-68)

F.B. 2453 PG. 240

-DESCRIPTION-
TRIANGULATION STA.
HOLLYWOOD C-12

THIS STATION IS IN L.A. COUNTY, NEAR INGLEWOOD, IN THE BALDWIN HILLS AREA, IN THE STANDARD OIL CO. OIL FIELDS 2000 FT.± NORTH OF STOCKER ST. & 900 FT. ± WEST OF LA CIENEGA BLVD & IS 300 FT. ± NORTH OF MAIN GATE TO STD. OIL YARD. & IS 140 ± N.E. OF PULL ROD TO STD. OIL WELL "VICKERS-1 NO 39."

STATION MARK:

SET A STANDARD 4" BRASS TRIANGULATION CAP AND PIPE IN CONC., FLUSH, STAMPED, "HOLLYWOOD C-12, 1961, L.A. CO. ENGR. RE. 5869".

REF. MARK Nº 1 & REF. MARK NO. 2

SET 1" I.P. IN CONC. WITH C.E. TAG IN CONC. CTR. DOWN 16 INCHES

HOLLYWOOD C-12
ECC #1 & RM #3 SET A STD. 4" BRASS CAP TRIANGULATION MON IN CONC, STAMPED "HOLLYWOOD C-12 RM #3 RE5869 1963" IN 10" & PROTECTED BY A WELL & CAST IRON COVER MK'D "LA CO. ENGR." 9/5/63 (CCP)

FOUND 6-12-74

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 301.00 Tape 141 Std 84 °F
Office Work	Surveyed by A.C. GUIZADO
Checked	Notes R SMITH Date 11-30-62
Date	Indexed R. J. GALLI DEC 3 '62

F. B. 2453 PG. 291

L.A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION LA HABRA F-2



NOTE: THIS STA. & RM'S #1 & 2 ARE TO BE DESTROYED BY CONST. 11-30-62

TEMP = 68°
298.93 @ 08° 34"
= 295.69 CORRECTED
298.81 @ 08° 13"
= 295.71 CORRECTED.

LEVEL. T=68 TAPE 141.
2.56 NO CORR.

TEMP = 68.
166.50 @ 14° 47"
= 160.96 CORRECTED
166.18 @ 14° 23"
= 160.94 CORRECTED.

NOTE: THIS ENTIRE AREA TO BE SUBDIVIDED WITHIN 1 OR 2 YEARS rcb

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3195 CE # 310 3-61

F. B. 2453 PG. 242

DESCRIPTIONS TRIANGULATION STATION LA HABRA

F-2

THIS STATION IS IN L.A. COUNTY IN THE LA PUENTE AREA. ABOUT 2 MI. SOUTH OF LA PUENTE & 0.5 MI EAST OF HACIENDA BLVD (STATE HIGHWAY #39) AT THE TOP OF A KNOLL OF THE PUENTE HILLS.

STATION MARK ED. PER F.B 696-207

STD. 4" BRASS TRI CAP IN CONC. AND STAMPED: LA HABRA F-2, R.E 2177, COUNTY SURVEYOR 1938 (4" ABOVE FLUSH)

REF [illegible] MARK #1 [illegible] PER F.B [illegible]

STD. 4" BRASS REF CAP IN CONC. 4" ABOVE FLUSH AND STAMPED; LAHABRA F-2 R.E 2177, COUNTY SURVEYOR 1938

REFERENCE MARK #2. SAME AS RM #1 EXCEPT STAMPED RM. 2

REFERENCE MARK #3 SET SAME AS RM #1 EXCEPT STAMPED RM 3 L.A CO ENGR RE 5869 1962.

REFERENCE MARK #4 SET 2" I.P WITH CONC CORE & C.E TAG. (4" ABOVE FLUSH)

REFERENCE MARK #5. SAME AS RM #1 EXCEPT STAMPED RM. 5, L.A CO ENGR., R.E., 5869 1962

REFERENCE MARK #6 SET 2" I.P WITH CONC CORE & C.E TAG. 4" ABOVE FLUSH

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control	F. B. 2453 PG. 243
Map No.	JN 0301.00 Tape 2201 Std 68 °F	
Office Work	Surveyed by F. E. Brooks	
Checked	Notes F. E. Brooks Date 28 Dec 62	
Date	Indexed by J. GALLI JAN 7 '63	

J.N. 0301.00

GEODETIC CONTROL

SETTING OF

RM 2 RM 3 RM 4

for

CLEARWATER B.7

F E Brooks
K M Kapp
E. Martinez
G E Cook
C G Valdez

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3 BS CE # 310 2-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


COUNTY ENGINEER
WATER RES.
CLEARED
RM. 2
1969
N. BARRELL STRIP
BLVD.
ATLANTIC
MEDIAN
U.P.R.R.
Set Tack Tag
Prod.
M = 48.67
M = 191.92
Set Tack
Prod.
Set Tack
Prod.
Set Tack
Prod.

76F3095 CE # 319 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Control
JN 33011.00 Tape Std. 68 °F
Surveyed by E. E. Brooks
Notes E. E. Brooks Date 2 Jan. 63
Indexed E. J. GALLI

F. B. 245 PG. 245

APTS # 724 # 726

APTS # 728 # 730

Set Lots in conc. porches

70.01 T = 70.01

1) 90-00-00
2) 360-00-00
3) 90-00-00
4) 180-00-00
90-00-00

Cont Sly R/W

U.P.R.R.

Cont Sly R/W

To Tel pole 62.48

82.64

61.46

Set 3/4" IP conc & C.E. Tag flush to Fd. Ref. mon

18.00

T line

M = 48.67

5.0

90°00'00"

Set 2" Wasker pipe

M = 70.01

Set C.E. Mon. stamped as shown on line and at meas. dist. between RM 2 and RM 4 and at 90° to Fd. Reference Mon. Top of monument is set 3" above surface.

Fd & Std 4" L.A.Co. Survey Control System Reference Brass Disc set in a 12"x12" conc post 3" above grade. The disc is stamped CLEARWATER B.7 No 1 RE 2177 SET BY COUNTY SURVEYOR 1938 This mark destroyed 2 Jan 1963

COUNTY ENGINEER CLEARWATER RM3 -87 R.E. 5869

Top Pg 244

R = 48.66
M = 48.67

F. B. 2453 PG. 246



Cont Top Pg 245

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Grad. Insp. 12-2-63

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. B. 2453 PG. 247
JN 0301.00 Tape Std 68 °F
Surveyed by G.E. DREIER
Notes G.E.D Date 10-24-63
Indexed B. J. GALLI NOV 29 '63

L.A.CO. SURVEY CONTROL SYSTEM TRIANGULATION STATIONS HOLLYWOOD E-12 AND AUX.



PER F.B.G. 984-17 & 18

95° 29' 15.5"	275 35 18.7	359 59 60.0
16.0	13.7	275 35 15.4
14.8	15.6	84 24 44.6
15.6	13.7	
4) 61.9	4) 61.7	
95° 29' 15.5"	275° 35' 15.4"	

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F 205 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B 2453 PG 248

Notes Ck'd by	Survey of GEODETIC CONTROL — F. B. 2453 Pg. 349
Map No.	JN 0301.00 Tape ____ Std ____ °F
Office Work	Surveyed by A.C. GUIZADO
Checked	Notes ACG Date 12/68
Date	Indexed C. J. GALLI DEC 27 '68

JOB NO 0301.00

GEODETIC CONTROL

BALDWIN HILLS

SUBSIDENCE —

RESERVOIR CRACK

STUDY

GUIZADO AC

WIIKS OL

SMITH N

VALDEZ CG

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78E3 95 C.E. #310 6-62

F. B. 2453 PG. 250 INDEX & METHOD SCHEME

Hollywood
D-11
FB-2453-225



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



RETURN REPORT TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY CORRECTIONS OR CHANGES ON THIS SHEET SHALL BE MADE BY CROSSED IN RED INK. INITIAL AND DATE OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Vertical Angle	Elevation of Point	Rod Right	Rod Center	Rod Left	Remarks
° '					
11 45		5'			
10 35½					
09 22					
08 41					
07 46					
06 38					
06 00					
06 04					
05 31					



LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

Do not extend notes this side of this line

Vertical Angle	Elevation of Point

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. B. 2453 Pg. 255
JN 0301.00 Tape Std °F
Surveyed by AC GUIZADO
Notes RCG Date 12/23
Indexed C. J. GALLI JAN 7 '54

JOB NO. 0301.00

(WHITTIER F-10)

GEODETIC ANGLE &

TRAVERSE TIE BETWEEN

L.A. NORTHWEST #2 (USCEGS) OLD

L.A. NORTHWEST BASE AUX #2 OLD

LA NORTHWEST BASE AUX #3 NEW

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Guizado	AC
Wilks	DC
Glidden	RD
Valdez	CG
Smith	N

74F3005 C.E. #310 6-62

F. B. 3453 PG. 256

INDEX & METHOD SCHEME

WHITTIER F-10



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 030100 Tape 0193 Std. 68 °F
Office Work	Surveyed by A.C. GUIZADO
Checked	Notes R. GLIDDEN Date 12-13-63
Date	Indexed C. J. GALLI

F. B. 3493 Pd. 257

LA COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

L.A. N.W. BASE AUX 3

(WHITTIER F-10)

MEAS. BETWEEN RMS ADDED 1-15-68 Rathison

SEE FB G 1012 pg 15-17 & 21-24 FOR HORIZ ANGLES OF WILD T-3

BOLT W.F.T.

SHOEMAKER LINE

ORIENTATION LINE

10 WHL. TREE 6" (MARKHAM HWY)

IMPERIAL HWY

TRAV.

RM 6/69/69 5ft

10.0 L.A.N.W. BASE AUX #2

10.61'

75° 10' - 15.81"

69° 10' - 00"

0.5

RM NO. 1 SEE NEXT PG.

3" STEEL PIPE

122'±

45'±

0.66 FT 490 METERS

L.A. N.W. BASE AUX 3 SEE NEXT PG.

17.023

Rec- OVERHEAD O.K. 1-10-66 RCW

DIAG. MEAS. 87.35 FT. 26.62 MTRS

75° 33' - 40"

RM NO. 3 SEE NEXT PG.

85.52 ft 26.067 METERS

OUT 0.70

20'±

RM NO. 2 SEE NEXT PG.

69° 53' - 00" 87.665 FT. 26.721 MTR'S

CONC. BOX

87.35 'ELEV 60' = 87.34'
87.675 ELEV 60 = 87.665
TAPE #221

26.621 ELEV 60 = 26.621
26.721 ELEV 60 = 26.721
TAPE #1-3 (TYPE 2)

1	67° 10' 00"	1	75° 33' 40"
4	268° 39' 40"	4	302° 15' 20"
	67° 09' 55"		75° 33' 50"
6	43° 00' 00"	6	93° 25' 20"
	67° 10' 00"		75° 33' 53½

ST = 66° 3 NO CORR.

1	69° 53' 00"		
4	279° 32' 00"		
	69° 53' 00"		
6	59° 18' 00"		
	69° 53' 00"		

87.665 = 23.490
64.59 = 17.688

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

7.E.F.3025 C.E. #330 A-62

F. B. 3453 PG. 258

(WHITTIER F-10)

LOS ANGELES NORTHWEST BASE
AUX #3

THIS STATION IS IN THE COUNTY OF LOS ANGELES NEAR THE EAST BOUNDARY OF THE CITY OF NORWALK. IT IS IN THE WILSHIRE OIL CO. PROPERTY, NW PORTION OF PROPERTY. IT IS ABOUT 0.5 MILE WEST OF CARMENITA RD. ON IMPERIAL HWY NEAR THE INTERSECTION OF IMPERIAL HWY & SHOEMAKER AVE. IT IS 160'± SO. OF APPROX. ℄ IMPERIAL HWY & ½ WAY BETWEEN ℄ OF SHOEMAKER & AVE PRODUCED SW. - Enter @ main entrance on Carmenita and follow fence to station.



STATION MARK: SET A STD 4" BRASS TRI. TABLET IN 36" IRON PIPE IN CONCRETE, STAMPED "L.A.N.W. BASE AUX #3 L.A. CO ENGR. RE 5869 1963" UNDER CAST IRON COVER. DIN 10"

SUB-SURFACE MARK: SET A STD 4" BRASS TRI. TABLET IN CONCRETE WITH A 6" BED OF SOIL ABOVE. STAMPED "LANW BASE AUX #3 1963 LA CO ENGR RE 5869" ON 50" BELOW SURFACE

REFERENCE MARK NO 1 SET A STD. 4" BRASS RM TABLET & 36" IRON PIPE IN CONCRETE, STAMPED "LANW BASE AUX #3 RM #1 1963, LA CO ENGR RE 5869" FLUSH WITH TOP OF GROUND.

REFERENCE MARK NO 2 SAME AS RM #1 EXCEPT STAMPED "RM # 2"

REFERENCE MARK NO 3 SET A 4" BRASS RM TABLET & STEM IN A CONCRETE WALL UP ABOUT 8". STAMPED SAME AS RM #1 & 2 EXCEPT STAMPED "RM #3"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

GEODETIC CONTROL

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of L.A.N.W. BASE
JN 0301 Tape Std 64 °F
Surveyed by WILSON
Notes R. DOVER Date 5 JAN 64
Indexed L.L. GAUL

F.B. 2455 Pg. 252

Bring One Index Card
Plug F.B.M. Found Sta.
Place Sur. Mon. W.S. No.
Sketch on One Base Card

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date, and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

L.A.N.W. BASE AUX 3
WHITTER F-10 AUX 3

FD BT. SPK. W&TN PER F.B. 2453-257 F.B.T. 172 13,20

IMPERIAL HWY. ℄

CURB LINE

24'

SET L.A. CO ENGR TAG BRASS NAIL IN LEAD LEAD IN CONC FLUSH

PAD = 33' BC.

EC.

12?

22'±

30'x30' STEEL FRAME BLDG.

#12958 IMPERIAL HWY

TAPE ≠ 221

77.075 LEV. 60° = 77.065 FT.
85.54 LEV. 60° = 85.53 "
64.585 LEV 60° = 64.575 "
43.78 LEV. 72° = 43.78 FT.
65.985 " " = 65.975 "
86.51 " " = 86.50 "
87.89 " " = 87.88 FT.

TRAVERSE 45°

82.98(m)

41?

6" CONC CURB

END CURB

7?

L.A.N.W. AUX 3 WHITTER F-10 SEE PG. 257

45'±

12

77.065' REC

RM 1 SEE PG 258

APPROX ℄ PROP SHOEMAKER

6' WOVEN WIRE FENCE

DOT

R.M. 2 2-70

SEE PG 258

TO R.M. 3

SEE PG 258

LOS FBS 994-30

7-63 30 LOS ANGELES CO. #310 R-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

F.B. 2453 Pg. 240

Notes Ck'd by	Survey of BALDWIN HILLS SUB. F. B. 2453 Pg. 261
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R. C. WILSON
Checked	Notes C. A. PYLE Date 7/14/72
Date	Indexed L. M. PALMER SEP 20 '72

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
INGLEWOOD E1C

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
INGLEWOOD E1C
1972
RE SET BY 7678
SEE COUNTY ENGINEER FOR INFORMATION

STANDARD OIL CO OIL FIELD

TO HWD. E12 FCC.1
FB 2453 - 231

B.C. 70

300' +

SET ING. E1C
(STAMPED & ORIENTED AS SHOWN. SEE PG. 263)

TO ING. D1 AUX. 1
FB. 2453 - 223

61° 44' 41.06"

38.165'

16.74'

OILED RD.

SET RM 2
(SEE PG. 263)

SET RM 1
(SEE PG. 263)

DIRECTIONS: FB 1369 - 45
MEASUREMENTS: SEE NEXT PG
● - 2" MARKER PIPE SET 3' OFF

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CE#310 3-69

16F309

F. B. 2453 PG 262

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
INGLEWOOD E 1 C

50 MTR. #M6 MEASUREMENTS 300' TAPE #22

LEVEL @ 80°

5.102 M = 5.102 M = 16.74
11.632 M = 11.632 M = 38.16'

16.74' = 16.74'
38.165' = 38.165'

AREA: THIS TRIANGULATION STATION IS IN L.A. CO. WITHIN THE LIMITS OF BALDWIN HILLS, IT IS IN THE STANDARD OIL CO OIL FIELD, ON TOP OF A RIDGE RUNNING APPROX NORTH & SOUTH. 3500 ± N. OF SLAUSON AVE. + 2900' ± E. OF LA CIENEGA BLVD.

ROUTE: FROM THE INTER. OF STOCKER ST & FAIRFAX AVE PASS THROUGH AN AUTOMATIC GATE TO THE NORTH. (THIS GATE IS USUALLY UNLOCKED DURING DAY LITE HOURS. IF CLOSED, ACCESS MAY BE ARRANGED AT THE OIL FIELD ADMIN. OFFICE AT 5640 FAIRFAX AVE.) BEAR RT. (NELY) AND ASCEND ON THE MAIN RD. (OILED SURFACE) PASSING NUMEROUS TURN-OFFS TO OIL WELL SITES 0.30 MILE TO A JUNCTION. BEAR RT. (ELY) ACROSS AN OIL WELL SITE AND ASCEND 0.10 MILE TO THE RIDGE TOP AND A "T" INTER. TURN RT. (SLY.) AND PROCEED 0.10 TO THE SITE OF OIL WELL B.C. 73. BEAR RT (SWLY) 300' ± TO THE STATION SITE.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of BALDWIN HILLS SUB
Map No.	JN030100 Tape Std °F
Office Work	Surveyed by R.C.WILSON
Checked	Notes C.A.PYLE Date 7/14/72
Date	Indexed J. M. PALMERI SEP 20 72

F. B. 2453 Pg. 263

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
INGLEWOOD E1C

STATION MARK: A 4" L.A.CO. SUR. CONT. SYSTEM BRASS TRIANGULATION STATION DISC STAMPED "INGLEWOOD E1C 1972 RE7078" SET IN A 6" CONC POST, 14" BELOW ROAD SURFACE. A MON WELL COVER WAS SET FLUSH WITH ROADWAY.

SUB SURFACE MARK: NONE WAS SET

REFERENCE MARKS

R.M. 1 A 4" L.A.CO. SUR. CONT. SYSTEM BRASS REFERENCE MARK DISC STAMPED "INGLEWOOD E1C RM1 1972 RE 7078" SET IN A 6" CONC POST 3" ABOVE GRD. SET TANGENT TO RM2 & ING D1 AUX. & ING E1C

RM2 IDENT. TO RM. 1 EXCEPT STAMPED "RM2". SET TAN. TO RM 1 & ING E1C & ING D1 AUX.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309 CE#310 3-69

F. B. 2453 PG. 264

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

INGLEWOOD E 1 C

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0001.00 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes R. C. Wilson Date 7-17-72
Date	Indexed J. M. PALMER SEP 20 '72

F. B. 2453 PG. 265

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

WILSHIRE HOLLYWOOD L5F BLVD

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
HOLLYWOOD L5F
1972
SET BY RE 10/72
FOR INFORMATION SEE COUNTY ENGINEER

GETTY OIL CO BLDG
"UNION BANK"
4.5' Wall
Open Conc. Roof
26Th Story±

Fd. HWD L5
exc 3- Per
FB2453-217

46° 30' 08.24"
176.23'
Per Pg 270
236° 41' 24.70"

4.5' Wall

2'

2'

WESTERN AVENUE

0° 00' 00"

Dir. Per FB2453-217

TO NGL8 FB2453-217

S 5° E - MAG

SET H.W.D. L5F
Stamped & oriented
as shown - See pg 266

TO NGL7 FB2453-217

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309 CE#310 3-69

F. B. 2453 PG 266

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

HOLLYWOOD LSF

MEASUREMENTS: See FB 2453-270

AREA: This triang. sta. is located in L.A. Co. in the City of Los Angeles, atop the Getty Oil Co. Bldg, which is located on the S.W. corner of the inter. of Western Ave & Wilshire Blvd. Contact the bldg. mgrs office, MR. ROBERT A. SOWERS, phone (213) 381-7151 for permission to use station.

STATION MARK: A 4½" L.A. Co. Sur. Cont. 545. brass triang. disc stamped "HOLLYWOOD LSF 1972 RE7078" bonded to conc building roof, no ties or reference marks set this date, 7-17-72 Rullison

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 22.12 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes R. C. Wilson Date 7-17-72
Date	Indexed J. M. PALMERI SEP 20 72

F. B 2453 PG. 26 7

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

HOLLYWOOD LSF

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309 CE#310 3-69

F. B 2453 PG 268

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

HOLLYWOOD L5 F

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL F.B. 2453 Pg. 269
Map No.	JN 0301.00 Tape HP 3900 Std °F
Office Work	Surveyed by FE Brooks
Checked	Notes FEB Date 18 Oct 72
Date	Indexed T. M. PALMIERI SEP 20 '72

S N 0301.00

GEODETIC CONTROL

DISTANCE BETWEEN

HOLLYWOOD L-5 Ecc on FRANKLIN LIFE BLDG.

and

HOLLYWOOD L-5F on UNION BANK BLDG.

FE Brooks
G O Guizado
T Miyahira
L O Fisher

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76 F 005 C.E. #310 8-72

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Profile No. _____ Notes Red _____ Plotted _____ Job No. 0301.00 Division No. 11 F.B. 2453 Pg. 271

X-Sec. No. _____ Date _____ Date _____ Survey of GEODETIC CONTROL

Notes Chkd. _____ Checked _____ Survey by FE Brooks Notes FEB Date 10 Oct 72

Date _____ Date _____ Map No. _____ Indexed T. M. PALMER Date OCT 20 '72

J N 0301.00

GEODETIC CONTROL

Elevations of

HOLLYWOOD L-5 Fcc on FRANKLIN LIFE BLDG.

and

HOLLYWOOD L-5-F on UNION BANK BLDG.

STATION	B.S.	H.I.	F.S.	ELEV.
		FE Brooks GO Guizado T Miyahira LO Fisher		

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

761-36 CE 307 11-58

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2453 Pg. 212 Profile
Job No. 0301.00 Division No. 11 Notes Red Plotted
Survey of GEOLOGIC CONTROL Date Date No. X-Sec.
Survey by FEB. & Notes FEB. Notes Chkd. Checked
Indexed L. M. PALMERI Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.	
BM 12/16030				197.74	BM12-16030 Elev. 197.740 1963 Std Sur. Mon. HWD K-5 on Base line 2ft W of ℄ Western Ave, 10ft. S. of ℄ of Wilshire Blvd.
	574	20348.			
			292	20056.	side walk at UNION BANK
			+297		meas. walk to HOLLYWOOD L5F
				4703	Elev of HOLLYWOOD L5F
			458	19890	side walk at FRANKLIN LIFE BLDG.
			+191		meas walk To HOLLYWOOD L-5 Ecc.
				3560	Elev. of HOLLYWOOD L-5 Ecc.
T.P.	538	20347.	539	19809.	
BM 12/16030			573	19774.	BM 12-16030 Elev. = 197.740 1963

Notes Ck'd by	Survey of	F. B.	PG.
Map No.	JN Tape Std °F		
Office Work	Surveyed by		
Checked	Notes Date		
Date	Indexed		

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this sdp of this line.

— + NORTH + ING E 1 B

Note: A 2" I.P. gasline has been laid 6" below Grd. and directly above Mon. Fd. Mon. undisturbed. Set a P.M.& Ch. + 3in the pipe directly above and 0.85' in elev. over the mon.

W VOGE 6/2/77
T.G. Pyle

2453-273

Blank

T-72° 100' 236
22.65' = 26.65'
92.65' = 42.95

ING E1B (LABE)

42.95' N.B.

CONC. O WELL

FD. LET

WELL LAT #49

FD LET

FAIR FAX

76F309 CE#310 1-65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made of Cinnabar in Red Ink. With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. _____ Pg. _____

F. B. 2453 Pg. 275

Profile No. ____ Notes Red ____ Plotted ____ Job No. 0301.02 Division No. 11
Date ____ Date ____ Survey of San Pedro Hills L-7, Ecc. #4
X-Sec. No. ____ Notes Chk'd. ____ Checked ____ Survey by R.L. Strader Notes R.L.S. Date 12-14-73
Date ____ Date ____ Map No. ____ Indexed G. D. BAILEY Date DEC 24 1973

SAN PEDRO HILLS L-7, ECC. #4

0301.02

LEVELS TO DETERMINE ELEVATION OF SAN PEDRO HILLS L-7, ECC. #4 & ECC. #6

STATION	B. S.	H. I.	F. S.	ELEV.

REFERENCE
F.B. 2714
F.B. 939

SURVEY PARTY
R. STRADER
H. MITCHELL
G. RODGERS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76-L-98 CE 307 5-66

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2453 PG. 276 | Job No. 03-1.02 Division No. 11 Notes Red ____ Plotted ____ Profile ____
Survey of San Pedro Hills L-7, Ecc. #4 Date ____ Date ____ No. ____ X-Sec. ____
Survey by R.L. Shrader Notes R.L.S. Notes Chk'd. ____ Checked ____ No. ____
Indexed G. D. BAILEY Date DEC 24 1973 Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.	
BM FF-102	11 66	1291 83		1280 17	BM FF-102 Elev. 1280.171 F.B. 2714-119 Crownview Dr. @ Cul-de-sac 2290' W'ly & S'ly of Highpoint Rd., Fd. a C.E. tag in lead in top of conc. retaining wall, 71.69 So. of road. Ft., F.B. 2714-7
TP	12 03	1303 34	0 52	129131	
"	11 83	1314 54	0 63	130271	
"	11 33	1325 39	0 48	131406	1x2
"	11 33	1336 18	0 54	132485	"
"	11 60	1347 06	0 72	133546	"
"	11 11	1357 22	0 95	134611	"
"	12 08	1368 20	1 10	135612	"
"	12 00	1379 91	0 29	136791	Square spk., No. side of road
"	11 46	1391 07	0 30	137961	Square spk., So. side of road
"	11 61	1402 57	0 11	139096	1x2
"	11 31	1413 26	0 62	140195	"
"	11 74	1424 49	0 51	141275	"
"	11 95	1436 00	0 44	142405	"
"	11 93	1447 69	0 24	143576	"
"	11 64	1459 06	0 27	144742	"
"	11 22	1470 20	0 08	145898	"
Ecc. #4	4 49	1470 14	4 55	146565	San Pedro Hills L-7, Ecc. #4, Found a 4" brass disk marked San Pedro Hills, Ecc. #4, L-7, 1950. F.B. 939-161
TP	0 70	1459 67	11 17	145897	1x2
"	0 67	1448 07	12 27	144740	"
"	0 37	1436 11	12 33	143574	"

76-L 298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1436 11				
TP	0 27	1424 30	12 08	1424 03	1x2	
"	0 09	1412 82	11 57	1412 73	"	
"	0 35	1402 27	10 90	1401 92	"	
"	0 34	1391 27	11 34	1390 93	"	
"	0 31	1379 91	11 67	1379 60	"	
"	0 39	1368 30	12 00	1367 91	Square spk., No. side of road	
"	0 92	1357 00	12 22	1356 08	1x2	
"	0 19	1346 30	10 89	1346 11	"	
"	0 74	1336 19	10 85	1335 45	"	
"	0 18	1325 03	11 34	1324 85	"	
"	0 33	1314 37	10 99	1314 04	"	
"	0 37	1303 07	11 67	1302 70	"	
"	0 36	1291 65	11 78	1291 29	"	
BM FF-102	3 14	1283 29	11 50	1280 15	BM FF-102 Elev. 1280.171 F.B. 2714-119 Crownview Dr. & Cul-de-sac 2290' W'ly & S'ly of Highpoint Rd. Found a C.E. Tag in lead	
TP	0 96	1274 15	10 10	1273 19	in Top of conc. retaining wall, 71.69' So. of Rad. pt., F.B. 2714-7	
"	0 48	1262 71	11 92	1262 23	sq. spk.	
"	0 48	1251 87	11 32	1251 39	" "	
"	0 30	1240 31	11 86	1240 01	" "	
"	0 43	1228 77	11 97	1228 34	" "	
"	0 40	1217 60	11 57	1217 20	" "	

Profile Notes Red____ Plotted____ Job No. 03612 Division No. 11
No.____ Date____ Date____ Survey of San Pedro Hills L-7, Ecc. #4
X-Sec. Notes Chk'd.____ Checked____ Survey by R.L. Strader Notes R.L.S. Date 12-14-73
No.____ Date____ Date____ Map No.____ Indexed G.D. BAILEY Date DEC 24 1973

F.B. 2453 PG. 277

76-L-298 CE 30775-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2453 Pg. 278
Survey of San Pedro Hills L-7, Ecc. #4 Date DEC 24 1973 Notes Red Date Notes Chk'd. Date Checked Date Plotted Date — No. X-Sec. No. Profile
Survey by R.L. Strader Notes R.L.S.
Indexed G. D. BAILEY Date Job No. 230.02 Division No. 11

STATION	B. S.	H. I.	F. S.	ELEV.	
		1217 60			
TP	0 25	1206 18	11 67	120593	Sq. Spk.
"	0 10	1194 54	11 74	119444	" "
"	0 12	1182 92	11 74	118280	" "
"	0 35	1171 93	11 34	117158	" "
"	0 37	1160 20	12 10	115983	" "
"	0 16	1149 12	11 24	114896	" "
"	0 27	1137 54	11 85	113727	" "
"	0 27	1125 93	11 88	112566	" "
"	0 30	1114 46	11 77	111416	" "
"	1 83	1104 96	11 33	110313	" "
BM FF-99			7 20	109776	BM FF-99 Elev. = 1097.825 F.B. 2714-116 Crownview Dr., So. side on private property, Fd. a chiseled "□" on N.W. cor. of conc. Slab on No. side of house # 3146
		Side shot to San Pedro Hills L-7, Ecc. #6			
Ecc. #4	4 29	1469 94		146565	San Pedro Hills L-7, Ecc. #4. Found a 4" brass disk marked San Pedro Hills L-7, Ecc. #4, 1950 F.B. 939-161 Elev. = 1465.65
Ecc. #6			5 69	146425	San Pedro Hills L-7, Ecc. #6. Found a 2" I.P. W/conc. pl. & L.A. Eng'r. tag, Dn. 18" F.B.