Recd by
Checked by
Map Work
Checked

Survey of GEODETIC CONTROL F. B. 2458 PG. 5
JN 0301.00 Tape Std °F
Surveyed by W.O. BAY
Notes J. BAZEN Date 3/26/63
Indexed GALLI

J.N. 0301.00

GEODETIC CONTROL

SANTA MONICA MOUNTAINS"

SADDLE PEAK TRAVERSE 9 to 22

HENRY RIDGE TRAVERSE 23 to 46

3/26/63

PARTY

BAY

BAZEN

MATHER

MCKNIGHT

OHASHI.

LOS ANGELES

Microfilmed Jan 86

F. B. 2458 PG. 6

INDEX

QUAD.	STATION	PAGE.
LAS FLORES (SADDLE PEAK)	F-3 ECC1.	9-12
LAS FLORES	H-3	13-14
" "	I-3	15-16
" "	I-3A	17-18
" "	J-4	19-20
" "	K-4	21-22
" "	K-1	23-24
" "	L-2A	25-26
" "	L-2	27-28
TOPANGA CANYON	A-4A	29-30
RESEDA	A-11	31-32
"	A-12D	33-34
DRY CANYON	K-9	35-36
" "	K-10	37-38
" "	K-12	39-40
" "	L-8	41-42
" "	L-8A	43-44
" "	L-10	45-46
TRAVERSE LAS FLORES & CARBON CANYON LAS FLORES D-7 "MALAGA"		51&52
LAS FLORES	E-7	53-54
" "	F-4	55-56
" "	F-6	57-58
" "	F-6A	59-60
" "	G-4	61-62
" "	G-5A	63-64
" "	G-7A	65-66
" "	H-5	67-68
" "	H-5A	69-70
" "	H-6	71-72
" "	H-6A	73-74
" "	H-7	75-76
" "	H-8A	77-78

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of	
Map No.		JN Tape Std °F	
Office Work		Surveyed by	
Checked		Notes Date	
Date		Indexed	

F. B. 2458 PG. 7

INDEX

QUAD	STATION	PAGE
LAS FLORES	I-5	79-80
"	I-6	81-82
"	J-7	83-
"	K-7	85-
"	L-6	87-
	ELEVATIONS	
LAS FLORES	K-4	89-
"	G-7A	92
"	H-6 & H-6A	93 95 & 96
"	G-8	
CAD. TIE R-17 W	LAS FLORES G-7A & F-6A TO SEC 27	T-1-S 97

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2458 PG. 8

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 33 01 00 Tape 127 Std 84 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes Date 3/26/63
Date	Indexed E. J. GALLI APR 1 1963

F. B. 2458 PG. 9

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAS FLORES F-3-ECC.4

Set TRIANG. STA. LAS FLORES F-3 Ecc. 4.

SEE NEXT PG.

R.M. #2. SAT LYCE TAG IN CONC. BASE TO GUY ANCHOR

12" ANTENA POLE

14.71

7.45 C+M.

SET 1X2+N.

28.32

90°00'

El. 9-21-66 RCW

+ New Bldg.

79 U.S.G.S. STATION TUNA (TOPANGA CITA 5) SEE GEODETIC CONTROL

128.43 @ 09°59' = 126.47

128.11 @ 09°06' = 126.48

T = 54° = 126.46

R.M. #1. SET LYCE TAG ON TOP OF LG. BOULDER.

126.48 M.

GRAVEL RD.

7.50 / 19,754 = 7.45 / 19,754-126

F.A.A. BLDG.

90°00'

7.50 M.

SET N.P.K.

TO CTR. TRIANG. STA. LAS FLORES F-3. (SADDLE PEAK)

F.B. 525 - 85, 86, 115 + 116.

F.B. 2458 - 179, 180

Note: Any Additions or Changes Made by Others Must Be Made on This Sheet Must be Made in Ink With Date and Reason for Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #310 8-62

F. B. 2458 PG. 10

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAS FLORES F-3, ECC. 4
(SADDLE PEAK)

THIS STATION IS IN THE COUNTY OF LOS ANGELES, (R17W - T1S) IN THE S.E. 1/4 OF SEC. 16 ON SADDLE PEAK MTN. AND IS LOCATED 100' ± E. OF AIRCRAFT BECON TOWER. AND IS PROTECTED BY A YELLOW MARKER PIPE 5' N'LY.

STATION MARK:

SET A STD. 4" BRASS CAP TRIANG. MON. IN A 12"X12" CONC BLK. + STAMPED: "LAS FLORES F-3, ECC. 4 1963, R.E. 5869."

REFERENCE MARKS:

R.M. NO. 1.: SET L+C.E. TAG. ON TOP OF LARGE SANDSTONE BOULDER S.W'LY. 28.32'

R.M. NO. 2.: SET L+C.E. TAG IN CONC. BASE TO GUY WIRE ANCHOR N.W'LY 14.71'.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 2458 Pg. 11

Profile No. ____ Notes Red ____ Date ____ Plotted ____ Date ____ Job No. 0301.00 Division No. 11
Survey of GEODETIC CONTROL
Survey by W. BAY Notes BAZEN Date 3/28/63
X-Sec. No. ____ Notes Chkd. ____ Date ____ Checked ____ Date ____ Map No. ____ Indexed L. J. GALLI Date MAR 5 1963

Noted on Geo. Index Card ____
NOTE: Abandoned U.S.C.&G.S. Quad Sheets ON THIS PROJECT, MUST THEY BE CIRCLED OR NOT? IF SO, WITH WHAT COLOR PENCIL AND NAME by Section or Quad Sheet and Range.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.	
					RELATIVE ELEVATIONS OF MONUMENTS AT. (SADDLE PEAK) LAS FLORES F-3 LAS FLORES F-3 R.M. NO. 2 LAS FLORES F-3 ECC. #4
					PER F.B. 525 - 85, 86, 115, + 116 F.B. 2458 - 9, 10. J. N. 0301.00 3/28/63
				PARTY	
			W. BAY J. BAZEN R. MATHER T. OHASHI		

76-1.298 CE 307 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2458 Pg. 12 | Job No. 230.00 Division No. 11 | Notes Red ____ Plotted ____ Profile ____
Survey of Geodetic Control | Date ____ Date ____ No. ____ X-Sec. ____
Survey by W. Bay Notes J. Bazen | Notes Chkd. ____ Checked ____ No. ____
Indexed C. J. Galli Date ____ Date ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.		
LAS FLORES F-3	218	10218		10000	(ASSUMED ELEV.) SEE F.B. 525-85,86,115+116.	
R-M #2	056	9763	511	9707	MON. R.M #2 - SEE F.B. 525-85,86,115+116	
T.P.	189	8949	1003	8760	T.P.	
LAS FLORES F-3 ECC #4	726	8906	769	8180	F-3 Ecc #4 SEE F.B. 2458 - 9+10	
T.P.	1146	9906	146	8760	T.P.	
T.P.	499	10270	135	9771	T.P.	
LAS FLORES F-3			271	9999	F-3 C/L STA. (SADDLE PEAK) SEE F.B. 525-85,86,115+116.	
LF F-3 Ecc 4				2785.8		
" " RM 2				2801.1		
" " (ch. sk.)				2804.0		

Notes Ck'd D. RUBENACKER
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F.B. 2458 Pg. 13
JN 4301.00 Tape 127 Std. 64 °F
Surveyed by W.O. BAY
Notes J. BAZEN Date 3-25-63
Indexed D. J. GALL 4-15-63

L.A. COUNTY SURVEY CONTROL SYS.

TRAVERSE STATION

LAS FLORES H-3

Fd 1/4 cor.

COUNTY SURVEYOR T1S R13W SEC 14 1/4 Cor. SEC 15 MONUMENT

SEC. 15

SEC. 14

F.D. P.O.T. 1X2+N PER F.B. 2978-179 (USED FOR LINE)

SEC. LN. (NOT RUN)

51.52 R.

288.40 CALC. REC. TIE LINE

PEAK

SADDLE

RD

8807-142

42"

FD. SPLITTING ℄ PER F.B. 2978 - PG. 178.

12.55 R.

31'

8.15 M

Set TRAV. STA. LAS FLORES H-3

36.95 M

110°

25.18 R.

SET 1X2+N BY INT.

P.O.S.T. 1X2+N. F.B. 2978 - 178, 179.

Fd TRIANG. STA. SADDLE PEAK ECC. # 4 F.B. 525 - 85, 86, 115, 116 F.B. 2458 - 9, 10.

P.I. #101 1X2+N F.B. 2978 - 176, 178 + 179.

T = 68

36.95 = 36.95 (LEVEL)

T-19

1. 110 - 31 - 30

4. 82 - 06 - 45

6. 303 - 10 - 10

110 - 31 - 41 2/3

Note: Any Additional Notes or Sketches Must be Placed on Separate Sheet With Date, Title, Job Number and Name. Making Changes on this Sketch or Use Tissue Card.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

7&F 3095 C.E. #3 0 6-62

F. B. 2458 PG. 14

L.A. COUNTY SURVEY CONTROL SYSTEM.
TRAVERSE STATION
LAS FLORES H-3.

THIS STATION IS IN THE COUNTY OF LOS ANGELES, R17W - T1S. NEAR SEC LINE OF SEC 14 + SEC 15. + IS ON THE SO. EDGE OF SADDLE PEAK RD.; THIS STATION CAN BE REACHED BY TRAVELING ELY FROM THE INTERSECTION OF SCHOREEN RD. + SADDLE PEAK RD. 0.2 MILES. AND IS PROTECTED BY A YELLOW MARKER PIPE 3' N'LY.

STATION MARK:

SET A STD. 4" BRASS CAP TRAVERSE MON. IN A 12"X12" CONC BLOCK + STAMPED, "LAS FLORES H-3, 1963, R.E. 5869" FLUSH.

REFERENCE MARKS:

NONE SET.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. RUBENACKER | Survey of GEODETIC CONTROL | F. B. 2958 Pg. 15
Map No. | JNQ30Y-00 Tape 127 Std 84 °F
Office Work | Surveyed by W. O. BAY
Checked | Notes J. BAZEN Date 3/25/63
Date | Indexed C. J. CALL Apr 1 5 '63

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION
LAS FLORES I-3



T-1A.
1. 32-27-55
4. 129-51-40
6. 194-47-30
32-27-55 ✓

T = 72°
① 231.47 @ 09°21' = 228.39 ✓
② 231.71 @ 09°45' = 228.36 ✓
MEAN = 228.38 T=72° = 228.36 ✓
33.91 = 33.91 (LEVEL) ✓

Note: Any Additional Monuments Found Not Shown On This Sheet Must Be Noted On Sketch And Reported To The Engineer Making Changes.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3095 C.E. #310 6-62

F. B. 2458 PG. 16

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES I-3.

THIS STATION IS IN THE COUNTY OF LOS ANGELES, R17W - T1S IN THE QTR. SOUTH HALF OF SEC 14 AND IS LOCATED AT N. SIDE OF LG. BOULDER (30'FT. W. + 15'FT HIGH) + 100'± SO. OF SO. EDGE OF SADDLE PEAK RD.; THIS STA. CAN BE REACHED BY TRAVELING E'LY FROM INTER. OF SCHURENEA RD + SADDLE PEAK RD. 1.4 MILES. ~~& IS PROTECTED BY A TELCON MARKER 1/2" ø 6' HGT.~~ (REMOVED) 4/5/63 A.C.D.

STATION MARK:

SET A STD. 4" BRASS CAP TRAVERSE STATION MON IN A 12" X 12" CONC. BLK. + STAMPED, "LAS FLORES I-3, 1963, R.E. 5869." FLUSH.

REFERENCE MARK:

NONE SET.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd G. RUBENACKER
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
J.N. 930.00 Tape 127 Std. 57 °F
Surveyed by W.D. BAY
Notes J. BAZEN Date 3-25-63
Indexed J. GALLI APR 1 1963

F. B. 2458 PG. 17

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION LAS FLORES I-3A

Set TRAV. STA. LAS FLORES I-3A

74.04 ✓

SET 1X2 +N BY INT.

T = 72°
74.04 = 74.03 ✓
26.70 = 26.70 ✓
(LEVEL)

26.70 ✓

P.I. P#8
F.B. 2978-135
B.S.W. + T.

T-1A.
1. 34-29-20
4. 137-57-25
6. 206-56-10
34-29-21 2/3 ✓

RD.

PEAK

34° 39' 22"

223.25 R 2978-134 1/35

SADDLE

Fd TRAV. STA. LAS FLORES J-4
F.B. 2458-19,20

P.I. P#7
F.B. 2978-134
B.S.W. + T.

Note: Any Alignment or Control Data Shown Hereon Must Be Verified Before Using For Design Purposes. Sheet Must Be Signed In Ink Within Box Making Changes Hereon Shall Constitute Acceptance Of This Condition. Sketch on Back Does Not Apply

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 C.E. #310 8-62

F. B. 2458 PG. 18

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES I-3A

THIS STATION IS IN THE COUNTY OF LOS ANGELES, (R17W - T1S) IN THE S.E. 1/4 OF SEC. 14 + 10'± N. OF N. EDGE OF SADDLE PEAK RD. THIS STATION CAN BE REACHED BY TRAVELING E'LY FROM INTER. OF SCHUREN RD. + SADDLE PEAK RD. 1.9 MILES. AND PROTECTED BY A YELLOW MARKER PIPE 3' S'LY.

STATION MARK:

SET A STD. 4" BRASS CAP TRAV. MON. SET IN A 12"X 12" CONC. BLK. + STAMPED, "LAS FLORES I-3A 1963, R.E. 5869." FLUSH.

REFERENCE MARKS:

NONE SET.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. RUBENACKER
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 4301.00 Tape 122 Std 84 °F
Surveyed by W. O. BAY
Notes J. BAZEN Date 3/25/63
Indexed R. J. GALLI APR 1 9 63

F. B. 2458 Pg. 19

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

LAS FLORES J-4

SEC. 13

1-59 PER F.B. 2978-119

140.82

SURVEYOR MONUMENT
SEC. CORN.
T 1 S
R 7 W
14 | 13
23 | 24
15

Set TRAV. STATION LAS FLORES J-4
FD. 1X2 I.N. PER F.B. 2978-119, REPLACED WITH STD. MON. SEE NEXT PG.

SEC. 24

FD. T. P.I. #30 F.B. 2978-111

34.9

WILD T-3
SEE F.B. G-980 PGS 3-6

SEC. LINE

SADDLE PEAK

300 Tape #100 @ 84°F
T = 53°
230.04 @ 21°33' = 213.92
230.24 @ 21°41' = 213.90
= 213.91

SET 1X2 I.N. BY INT

acl 4/11/63

R.D.

32.51 M. 63.12 R.

FD. # T. P.I. 29 1" I.P. N.T. TAG ON 12" PER F.B. 2978-111

FD. T. P.O.T. S.I.T. PER F.B. 2978-119

T = 52°
32.52 = 32.51 ✓

T = 70°
~~224.82 @ 23°48' = 202.94~~
~~230.22 @ 23°00' = 202.94~~

T-1A
1. 79-51-40
4. 319-26-40
6. 119-10-10
79-51-41 1/3 ✓

FD 79 TRAVERSE STA. LAS FLORES K-4
F.B. 2458-21, 22.

3.465
8.54

Note: Any Additions Must Be Shown On This Sheet Must Be Made In Ink With Date of Addition Making Change

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 C.E. #310 6-62

F. B. 2458 PG. 20

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

LAS FLORES J-4

THIS STATION IS IN THE COUNTY OF LOS ANGELES, (R17W T1S) ON THE SEC. LINE BETWEEN SEC. 13 AND 24 AND IS LOCATED ON THE SO. EDGE OF A FIRE BREAK 300'± E. OF SADDLE PEAK RD. THIS STATION CAN BE REACHED BY TRAVELING ELY ON SADDLE PEAK FROM INTER. OF SCHUREN RD. 2.3 MILES TO FIRE BREAK AND IS PROTECTED BY A YELLOW MARKER PIPE S'NLY.

STATION MARK:

SET A STD. 4" BR. CAP TRAVERSE MON, SET IN A 8" DIA. CONC FORM & STAMPED, "LAS FLORES J-4, 1963, R.E. 5869." FLUSH.

REFERENCE MARKS:

NONE SET.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd By C. RUBENACKER	Survey of GEODETIC CONTROL	F. B. 2459 Pg. 21
Map No.	JN 4301.00 Tape 127 Std 84 °F	
Office Work	Surveyed by W. D. BAY	
Checked	Notes J. BAZEN Date 3/28/63	
Date	Indexed K. J. GALLI Ck'd 5/6/63	

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION LAS FLORES K-4



Fd U.S.G.S. TUNA (TOPANGA CN A-5)

SET 1X2 + IN BY INT.

71.46 M. ℄

TRAV. STA. LAS FLORES K-4

SEE NEXT PG.

74 M.

152.

FD. P.I. #4 FD. 1X2 + N. PER F.B. 2978-90

P.I. #3 F.B. 2978-89

179.92 R.

RD

N 0° 40' 37" W

PEAK

212.42 R.

SADDLE

FD. P.I. #5 F.B. 2978-91 1X2 + N.

T = 52°

155.90 @ 11°30' = 152.74 ✓

156.30 @ 12°11' = 152.75 ✓

LEVEL 71.47 = 71.46 ✓

T-1A

1. 110-40-40

4. 82-42-35

6. 304-03-40

110-40-36 2/3 ✓

Note: Any Additions or Corrections Must Be Shown on This Sheet. Sheet Must Be Signed and Dated by Person Making Changes.

Sketch on Engr. Desc. Card

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

76F3095 CE #310 8-62

F. B. 2458 PG. 22

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES K-4

THIS STATION IS IN THE COUNTY OF LOS ANGELES, (R17W - T1S) N.E. 1/4 OF SEC. 24. 200± N. OF SADDLE PEAK RD. THIS STA. CAN BE REACHED BY TRAVELING W'LY ON SADDLE PEAK RD. FROM THE INTER. AT TUNA CN. RD. 0.1 MILES. ~~+ 15 PROTECTED BY A YELLOW MARKER AZ 5' N'LY.~~ (REMOVED 4/3/63 C.G.D.)

STATION MARK:
SET A STD. 4" BR. CAP TRAVERSE MON. IN A 12"x12" CONC. BLK. + STAMPED, "LAS FLORES K-4, 1963, R.E. 5869." FLUSH.

REFERENCE MARKS:
NONE SET.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0801.00 Tape 4/83 Std 68 °F
Surveyed by A.C. GUIZADO
Notes R.D. SMITH Date 4-3-63
Indexed J. GAMS

F. B 2458 PG. 23

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STA.
LAS FLORES
K-1



SET:
LAS FLORES
K-1
SEE NEXT PG

T=68
56.03 @ 14°35' = 56.16
57.44 @ 12°25' = 56.15

57.51 @ 13°28' = 55.93
56.31 @ 80°45' = 55.91

Note: Any Alterations or Changes on this Sheet Must be Made in Ink With Date and Name of Person Making Change. Sketch on back, if necessary.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

75F3095 CE #210 6-62

F. B2458 PG 24

STATION DESCRIPTION
TRAVERSE STA.

LAS FLORES

K-1

THIS TRAV. STA. IS IN L.A. CO. ON THE WEST WALL OF TOPANGA CN. AND ON A FIRE BREAK ALONG HENRY RIDGE MOTORWAY.

TO REACH: START AT THE INT. OF THE NEW & THE OLD TOPANGA CN. ROADS. PROCEED 0.25 MILE NORTHERLY ALONG THE NEW TOPANGA CN RD. TO A LEFT TURN. THENCE 0.20 MILES ALONG A PAVED ROAD PASSED A SCHOOL TO THE END OF PAVEMENT AND A CABLE BARRICADE ("L" KEY) THENCE 0.50 MILE ALONG HENRY RIDGE ROAD TO THE TOP OF A KNOLL THENCE (HIKE) ABOUT 600 FT. SOUTHERLY DOWN THE FIREBREAK TO THE STATION

STATION MARK: SET 1" PIPE W/ CONC CORE AND BRASS NAIL. 3" DOWN

REFERENCE MARK NO 1
SET 1" PIPE W/CONC PLUG & BRASS NAIL FLUSH.
S80°W

REFERENCE MARK NO 2.
SET 1" PIPE W/CONC PLUG & BRASS NAIL FLUSH
N80°E

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. B2458 Pd. 25
JN 301.20 Tape 0198 Std 68 °F
Surveyed by A.C. GUIZARD
Notes R.D. SMITH Date 4-5-63
Underground [illegible]

L.A COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STA. LOS FLORES L-2A



1. 86° 43' 20"
4. 346 53 40
= 86 43 25

LEVEL @ T=68

45.08	= NO	CORR
40.00	"	"
26.10	"	"
69.35	"	"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Agency Using Sheet Must Be Placing Information Ink With Data Being Making Changes Do not extend this side of this Line.

Mailed on Geodetic Index Card

78F305 C.E. #310 8-62

F. B2458 PG 26

DESCRIPTIONS.
TRAVERSE STA.
LOS FLORES
L-2A

THIS STATION IS IN L.A COUNTY IN THE TOPANGA CN AND 25'± NORTH OF THE CENTER-LINE OF VALLEY - - VIEW DRIVE AT HOUSE NUMBER 19783 (HOUSE BURNED - FOUNDATION ONLY) TO REACH START @ FERWOOD CO. FIRE STATION 0.15 MILE ALONG FERWOOD PACIFIC DR. TO VALLEY VIEW DR. THENCE 0.30 MI. TO STA.

STATION MARK: SET 1" I.P W/ CONC. CORE & BRASS NAIL - DOWN 6"

REFERENCE MARK NO 1, 3 & 4 SET: BT. SPK W&TIN IN PAV.

REFERENCE MARK NO 2 SET L&T IN LARGE ROCK.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. BZ458 PG. 27
JN0201 Tape 0193 Std 68 °F
Surveyed by A.C. QUIZADO
Notes R.D. SMITH Date 4-5-63

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION LOS FLORES L-2



LEVEL T= 68

8.46 = NO CORE
11.42 " "
68.30 " "
31.61 " "

T= 66
38.57 @ 13-24 = 37.52
38.32 @ 11-48 = 37.51
54.11 Level

Note: Any additional information to be shown on this Sheet Must Be Typed or Lettered in Black Ink With Pen and Ink Instrument. Broken Or Sketch on this Sheet.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3095 CE #310 8-62

F. B2458 PG 28

DESCRIPTIONS
TRAVERSE STA
LOS FLORES
L-2

THIS STATION IS IN L.A. COUNTY IN THE TOPANGA CN. AND IN THE INT. OF OLD TOPANGA CN. RD & NEW TOPANGA CN. RD. @ THE "HOPPING" SHOPING CENTER.

STATION MARK: SET 1" I.P. W/ CONC. CORE & BRASS NAIL DOWN 6"

REFERENCE MARK #2 Set 1" I.P. W/CONC. CORE & BRASS NAIL FLUSH

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEOD CONTROL
Map No.	JN 0201.00 Tape 0193 Std 68 °F
Office Work	Surveyed by A.C. GUIZADO
Checked	Notes D. WILKS Date 5-2-63
Date	Indexed J. GALLI

F. B2458 PG. 29

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
TOPANGA CANYON
A-4A

N

T= 70
60.28 @ 09-24 = 59.47
60.09 @ 08-16 = 59.47

50.23 @ 12-33 = 49.03
49.94 @ 10-57 = 49.03

SET R.M. #1

FD. TOPANGA CANYON
A-4A

FIRE TRUCK ROAD

SET R.M. #2

TO A STATION TUNNEL

Note: Any Addition or Change Made on This Sheet Must Be Signed by the Surveyor Making Such Addition or Change. Use Ink With Pressed Ball Point. Show Name, Title and Signature of Person Making Addition or Change. Do Not Erase. Initial and Date Any Correction. Attach an Extra Sheet If Necessary.

Attach an Eng. Index Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 CE #310 8-62

F. B 2458 PG 30

STATION DESCRIPTION
TRAVERSE STATION
TOPANGA CANYON
A-4A

THIS STATION IS IN L.A. Co.

TO REACH: FROM THE INT. OF FERNWOOD PACIFIC DR. & S. TOPANGA BLVD. GO UP FERNWOOD PACIFIC DR. 2.2 MILES & TURN LEFT ON DIRT ROAD THRU A GATE WHICH REQUIRES AN "L" KEY 0.4 MILES TO JCT. THEN LEFT 500± TO STATION WHICH IS APPROX. 10FT HIGHER THAN THE ROAD.

STATION MARK: FD. A STANDARD CITY OF L.A 4" BRASS CAP TRIANGULATION MON. FLUSH STAMPED "TOPANGA CANYON A 4 A 1950"

REFERENCE MARK #1: SET 1" PIPE WITH CONC. PLUG & BRASS NAIL FLUSH.

REFERENCE MARK #2: SAME AS R.M. #1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL F. B2458 PG. 31
Map No.	JN 0301.00 Type Std °F
Office Work	Surveyed by A.C. GUIZADO
Checked	Notes R.D. SMITH Date 4-8-63
Date	Indexed R.J. GALLI 4/9/63

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STA

RESEDA

A-11

Note: Any Additional Data Shown On This Sheet Must Be Inked With Black Waterproof Ink And Lettered Making Changes, Etc.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

F. B 2458 PG. 32

DESCRIPTIONS.
TRAVERSE
STATION
RESEDA
A-11

THIS STATION IS IN L.A. COUNTY IN TOPANGA CN. ON THE WEST WALL OF TOPANGA CN AND AT THE SUMMIT OF A TALL PEAK IN THE N.E. QUARTER OF SEC. # 6 T. 1.N. R 16 W.

TO REACH THIS STATION START AT JUNCTION OF THE OLD & NEW TOPANGA CN. ROADS, PROCEED 1.60 MILES NORTHERLY ALONG THE NEW TOPANGA CN RD TO "HILLSIDE DR" ON THE LEFT. THENCE 0.60 MI ALONG HILLSIDE DR TO END OF PAVEMENT & FORK; KEEP RIGHT THENCE PICK OWN ROUTE (NO WELL DEFINED ROAD) TO TOP OF PEAK (N.E. QUARTER OF SEC. #6 T. 1 N. R 16 W.

STATION MARK SET 1" I.P. W/ CONC CORE & BRASS NAIL 3" DN

REFERENCE MARK. NONE SET

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No:
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 0.193 Std 68 °F
Surveyed by A. C. GUITANO
Notes R. D. SMITH Date 4-4-63
Indexed J. GALLI

F. B. Z458 PG. 33

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STA
RESEDA
A-12 D



Notes: Any Additions Or Changes To This Sheet Must Be Made In Ink With Date, Name, Title, Co. Or Agency Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

6F3095 C.E. #310 6-62

F. B 2458 PG 34

DESCRIPTIONS.
TRAVERSE STA.
RESEDA
A-12 D

THIS STATION IS IN L.A. COUNTY IN TOPANGA CN. ON THE WEST WALL OF TOPANGA CN. AND AT THE END OF A VACATED DIRT ROAD TO A BURNED-OUT HOUSE (ONLY STONE FIRE PLACE STANDING)

TO REACH THIS STATION START AT JUNCTION OF THE OLD & NEW TOPANGA CN. PROCEED 1.60 MILE NORTHERLY ALONG THE NEW TOPANGA CN. RD. TO "HILLSIDE DR" ON THE LEFT. THENCE 0.60 MILE ALONG HILLSIDE DR. TO END OF PAVEMENT & A FORK. KEEP LEFT PROCEED 0.05 TO FORK KEEP LEFT THENCE 0.10 TO STATION.

STATION MARK: SET 1" I.P W/ CONC CORE & BRASS NAIL DN 3"

REFERENCE MARK NO 1 SET 1" I.P W/ CONC CORE & BRASS NAIL FLUSH

REFERENCE MARK NO 2 SET 1" I.P. W/ CONC CORE & BRASS NAIL FLUSH

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. BZ458 Pg. 35
JN 0301.00 Tape 0193 Std 68 °F
Surveyed by A.G GUIZADD
Notes R.D SMITH Date 4-5-63
Indexed E. J. GALLO 1969

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STA
DRY CANYON
K-9



LEVEL T=70
37.91 = NO CORR
40.98 = " "

Note: Any Sheet Mu... Ink With... Making ... Sketch on Data Sheet.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

79F309S C.E. #310 6-62

F. B. 2458 PG. 36

DESCRIPTIONS
TRAVERSE STA.
DRY CANYON
K-9

THIS STATION IS IN L.A. COUNTY NEAR THE SUMMIT OF TOPANGA CN. RD. ON THE WEST WALL OF TOPANGA CN ON A FIREBREAK

TO REACH START AT THE SUMMIT OF TOPANGA CN. RD. (TOP-O-TOPANGA) AT A CABLE BARRICADE ("L" KEY) AT A FIRE TRUCK ROAD GOING WESTERLY. PROCEED 0.50 MILE TO A FORK; KEEP LEFT THENCE 0.60 MILE TO A PROMINATE KNOLL THENCE (HIKE) SOUTH EASTERLY. TO THE SUMMIT AND THE STATION.

STATION MARK: FOUND A 2½" CAP IN A 12" SLAB OF CONC. FLUSH AND STAMPED "SHOUP, NO. 3, LAND, 1956

REFERENCE MARK NO 1 SET 1" I.P. CONC. CORE & BRASS NAIL, FLUSH.

REFERENCE MARK NO 2. SET 1" I.P CONC. CORE, & BRASS NAIL, FLUSH.

PLEASE RETURN to
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. BZ458 PG. 37
JN 2301.00 Tape Std °F
Surveyed by A.C. QUIZADO
Notes R.D. SMITH Date 4-3-63
Indexed G. J. GALLI

L.A. COUNTY SURVEY CONTROL SYSTEM



Note: Any Additions or Changes to Sheet Must be Made in Ink With Date and Person Making Change Printed Under Signature.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

F. B2458 PG 38

DESCRIPTIONS TRAVERSE STA. DRY CANYON

K-10

THIS STATION IS IN L.A. COUNTY ON THE WEST WALL OF TOPANGA CN. AND ON A FIREBREAK ALONG HENRY RIDGE MOTOR WAY

TO REACH. START AT THE INT. OF THE NEW TOPANGA CN. RD & THE OLD TOPANGA CN. RD. PROCEED 0.25 MILE TO A LEFT TURN

THENCE 0.20 MILE ALONG A PAVED ROAD PASSING A SCHOOL TO THE END OF PAVEMENT AND A CABLE BARRICADE ("L" KEY)

THENCE 1.10 MILES ALONG HENRY RIDGE ROAD TO A FORK KEEP LEFT AND PROCEED 2.90 MILES ALONG RIDGE TO THE TOP OF KNOLL. THENCE (HIKE) SOUTHERLY TO SUMMIT TO STATION

STATION MARK. FOUND. STD. CITY OF LOS ANGELES FIRST ORDER TRI. 4" BRASS CAP IN CONC. AND STAMPED: "D.C. K-10 1950

REFERENCE MARKS. NONE FD OR SET

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. B 2458 PG. 39
JN 0301.00 Tape 0193 Std 68 °F
Surveyed by A.C. GUIZADO
Notes R.D SMITH Date 4-5-63
Indexed R. J. GALLI

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STA

DRY CANYON

Note: Any Alterations or Changes Made on This Sheet Must Be Initialed and Dated. Ink With Pencil and Name and Date Must Be Signed in Making Changes. Original on Geod. Control Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 CE #310 8-62

F. B2458 PG 40

DESCRIPTIONS.
TRAVERSE.
STATION
DRY CANYON

K-12

THIS STATION IS IN L.A. COUNTY. ON THE WEST WALL OF TOPANGA CN. AND ON A FIREBREAR ALONG HENRY RIDGE MOTOR WAY.

TO REACH START AT THE INT. OF THE NEW TOPANGA CN. RD & OLD TOPANGA CN RD. PROCEED 0.25 MILE NORTHERLY ALONG NEW TOPANGA RD TO A LEFT TURN. THENCE 0.20 MILES ALONG A PAVED ROAD PASSING A SCHOOL TO THE END OF PAVEMENT AND A GABLE HARRIAGE ("L" KEY) THENCE 1.10 MILE ALONG HENRY RIDGE ROAD TO A FORK; KEEP LEFT AND PROCEED 0.30 MILE TO TOP OF RIDGE. THENCE (HIKE) ABOUT 850' SOUTHERLY ALONG FIRE BREAK TO STATION.

STATION MARK: SET 1" I.P W/CONC CORE & BRASS NAIL 3" DOWN

REFERENCE MARK NO 1 SET 1" I.P W/CONC CORE & BRASS NAIL (FLUSH)

REFERENCE MARK NO 2 SET 1" I.P W/CONC CORE & BRASS NAIL (FLUSH)

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0501.10 Tape 0193 Std 68 °F
Surveyed by A.C. QUIZADO
Notes R.D. SMITH Date 4-5-63
Indexed J. GALU

F. B 2458 Pg. 41

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STA DRY CANYON L-8

SET: R.M. 1
SEE NEXT PG

SET: DRY CANYON L-8
SEE NEXT PG

SET: RM 2
SEE NEXT PG.

63.40 ℄ ℄ 11.49

90° 00' 00"

TRAV LINE

FIRE TRUCK ROAD

FIRE TRUCK ROAD

LEVEL T = 70

63.40 NO CORR
11.49 " "

TRAV LINE TO D.C. K-9

Note: Any Photographic Or Chemical Sketch On This Sheet Must Be Made Or Checked With Photographic Ink With Plastic Base And Waterproof Ink Before Making Any Blue Prints Or Other Reproduction Thereof.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Hold on Proj. Index Card
Sketch on Bdg. Desc. Card

75F3095 CE #310 6-62

F. B. 2458 PG. 42

DESCRIPTIONS.
TRAVERSE STA.
DRY CANYON
L-8.

THIS STATION IS IN L.A. COUNTY. NEAR THE SUMMIT OF TOPANGA CN. RD. ON THE WEST WALL OF TOPANGA CN. ON A FIREBREAR ALONG. HENRY RIDGE.

TO REACH. START AT THE SUMMIT OF TOPANGA CN ROAD. (TOP-O-TOPANGA) AT A CABLE BARRICADE (L" KEY) AT A FIRE TRUCK ROAD GOING WESTERLY. PROCEED 0.50 MILE ALONG THIS ROAD TO A FORK. THENCE (HIKE) NORTHERLY ALONG FIREBREAK TO SUMMIT OF KNOLL AND STATION.

STATION MARK: SET 1" I.P. CONC. CORE W/ BRASS NAIL.

REFERENCE MARK NO1: SET 1" I.P. CONC CORE & BRASS NAIL FLUSH.

REFERENCE MARK NO 2 SET 1" I.P. CONC CORE & BRASS NAIL, FLUSH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 0193 Std 68 °F
Surveyed by A.C. GUIZADO
Notes R.D. SMITH Date 5-2-63
Indexed U.S. CALLS: SEP 63

F. B 2458 Pg. 49

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STA. DRY CANYON L-8A

SET: PM ± 1
SEE NEXT PG

ANGLES PER F.B.G. PG.

DRY CANYON L-8A
FD 2X2" HUB
PHOTO SURVEY PT.
SET NAIL TUBED

54.16

TRAV. LINE TO D.C. L-8

27-11-03

151-26-40

60

D.C. L-8

43.03

F.D.: 1" I.P.
WITH L.A.CO.
ENGR TAG.

SET R.M. ± 2
SEE NEXT PG

HENRY RIDGE FIRE ROAD

T = 70
55.47 @ 12-30 = 54.16
55.19 @ 11-05 = 54.16
43.03 Level

1: 151-26-40
4: 245-46-40
6: 188-40-00
151-26-40

1: 27-11-00
4: 108-44-20
6: 163-06-20
= 27-11-03⅓

Note: Any Additions, Deletions or Changes Must Be Made In Ink. Sheet Must Be Kept Clean And Must Not Be Folded. Making Changes, Additions or Deletions Without Authority From The Engineer Is Unlawful. Sketch on Geo. Desc.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

F.B. 3095 C.E. #3 0 6-62

F. B. 2458 PG. 44

DESCRIPTIONS
TRAVERSE STA
DRY CANYON
L-8A

THIS STATION IS IN L.A. COUNTY NEAR THE SUMMIT OF TOPANGA CN. RD ON THE WEST WALL OF TOPANGA CN. ON A FIRE BREAK ALONG HENRY RIDGE.

TO REACH START AT THE SUMMIT OF TOPANGA CN RD. (TOP-O-TOPANGA) AT A CABLE BARRICADE (L-KEY) AT A FIRE TRUCK GOING WESTERLY PROCEED 0.15 MILE ALONG THIS ROAD TO THE START OF A CUTBANK ON THE RIGHT THENCE (HIKE) WESTERLY 300'± TO THE TOP OF A KNOLL AND THE STATION.

STATION MARK: FOUND A 2"X2" HUB PAINTED WHITE (PHOTO-SURVEY PT.) SET NAIL IN CTR.

REFERENCE MARK NO. 1. SET 1" I.P. CONC CORE & BRASS NAIL FLUSH

REFERENCE MARK NO. 2. SAME AS REF. MARK NO 1

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 0193 Std 68 °F
Surveyed by A.C. GUIZADO
Notes R.D. SMITH Date 4-4-63
Indexed E. J. GALLI OCT 9

F. B 2458 Pg. 45

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STA.

DRY CANYON

L-10

SET 2" I.P.
CONC. PLUG W TK.
FLUSH IN DIRT.
WDB 1-20-67

TO VETERAN

0.40 MILE

FD. SHOUP #25
DRY CANYON
L-10

SEE NEXT P9

ROAD

FIRE TRUCK

TO DRY CANYON K-12
Ref. F.B. 2458 p. 37

37.26 Level

S-7 2" I.P.
CONC. PLUG +
TK. FLUSH
IN DIRT.

T = 64
37.26 Level
41.39 Level

1-20-67
W. D. B.

Note: Any Action Taken on this Sheet Will Be Recorded in Ink With Initials and Name of Person Making Change Inv. W.S. No.
Retain as Own Base Card

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

75F3095 CE #310 6-62

F. B. 2458 PG. 46

DESCRIPTION
TRAVERSE
STATION
DRY CANYON

L-10

THIS STATION IS IN L.A. COUNTY NEAR THE SUMMIT OF TOPANGA CN RD. ON THE WEST WALL OF TOPANGA CN. ON A FIRE BREAK.

TO REACH START AT THE SUMMIT OF TOPANGA CN RD (TOP-O-TOPANGA) AT A CABLE BARRICADE ("L" KEY). AT A FIRE TRUCK ROAD GOING WESTERLY. PROCEED 0.50 MILE TO A FORK - KEEP LEFT THENCE 0.75 MILE TO JUNCTION OF HENRY RIDGE ROAD, PROCEED SOUTHERLY ON HENRY RIDGE RD. THENCE 0.15 MILE TO JUNCTION HENRY RIDGE RD & VETERAN SPRINGS RD. THENCE EASTERLY 0.15 ON VETERAN SPRINGS RD. TO FORK KEEP RIGHT 0.40 MILE TO TOP OF SMALL KNOB AND STATION.

STATION MARK: FOUND A 2½" CAP IN A 8" BLOCK OF CONC. FLUSH. AND STAMPED SHOUP ~~RD~~ 25 ~~LAND~~ L.S. 1956. A 1"x1½" COPPER TAG ATTACHED TO THE CONC. WITH A BRASS SCREW AND IS 0.22 N'LY. AND REFERENCE MARK NO 1 STAMPED "NOT ON SEC. LINE."

NONE SET

1-20-'67
W. O. B.

REFERENCE MARK NO 2

NONE SET

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 127 Std 84 °F
Surveyed by W. D. BAY
Notes J. BAZEN Date 4-30-63
Indexed E. J. GALLI

F. B. 2458 PG. 51

L.A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION "MALAGA"

"LAS FLORES D-7"



T=68°

23.00 LEVEL = 23.00

65.94@12°29' = 64.37
65.63@10°41' = 64.38

58.51 LEVEL = 58.50

83.88@08°18' = 82.99
83.66@07°11' = 82.99

I-IP

1. 39-53-30
1. 159-34-40
6. 239-21-40
39-53-36 1/3

Note: Any Alterations On Original Card This Sheet Must Be Made In Red Ink With Corresponding Changes Made In Black Ink On Original Card. Sketch on back, base card.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 2458 PG. 52

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
"LAS FLORES D-7"
(U.S.C. & G.S. "MALAGA")

THIS STATION IS IN THE COUNTY OF LOS ANGELES IN THE "RANCHO MALIBU, TOPANGA SEQUIT" SO. OF SEC. 28. (R17W-T1S). AND ON TOP OF A RIDGE N.E. OF THE MALIBU SPORTS PIER (1/2 MI ±). THIS STATION CAN BE REACHED BY TRAVELING N'LY FROM THE PACIFIC COAST HWY 0.3 MI. ON "SWEETWATER CN. RD" (PRIVATE RD) TURN LEFT ACROSS BUILDING SITE & PROCEED UP (4 WHEEL DRIVE) TRUCK TRAIL 0.4 MI. TO JUNCTION, TURN RIGHT 200' ± TO STATION. THIS STATION IS PROTECTED BY A STD. CO. ENGR. YELLOW MARKED PIPE 3' N'LY.

STATION MARK:

FD. A 4" U.S.C.+G.S. TRIAN. STATION FLUSH AND STAMPED, "MALAGA, 1862" (NO REF)

REFERENCE MARKS:

NONE SET OTHER THAN TIES SET PER SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 127 Std SA °F
Office Work	Surveyed by W.D. BAY
Checked	Notes J. BAZEN Date 4-25-63
Date	Indexed C. J. GALLI OCT 9 '63

F. B. 2458 PG. 53

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION "LAS FLORES E-7A"

T=62°
39.35=39.34
20.77=N.C

Set TRAVERSE STA. LAS FLORES E-7A
SEE NEXT PG.

OLD BARB WIRE FENCE LN.

FD 1½" TAG. IN SET IN STONE
ROCK "NOAA" C.M. STORES, 1919
CIVIL ENGINEER"

17.23

39.34

20.77

24.2

SET A 1" IP FL. WITH CONC. PLG. + N. ON LINE.

SET 1" IP FL. CONC. PLG. + N. ON LINE.

15' HIGH T.V. ANTENA

TO LAS FLORES E-7 (GEODETIC CHED)

TRUCK TRAIL

Note: Any Additions or Changes Must Be Made In Ink And Sheet Must Be Returned With Data Making Changes.

Noted on Geo. Index Card
Plotted on Geo. Index Card
Sketch on Geo. Desc. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3095 CE # 310 3-61

V-

F. B. 2458 PG. 54

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES E-7A

THIS STATION IS IN THE COUNTY OF LOS ANGELES (R17W - T1S) IN THE CARBON BEACH AREA. IT CAN BE REACHED BY TRAVELING WLY ON PACIFIC COAST HWY FROM CARBON CANYON RD. 0.6 MI. ± TURN RT. UP TRUCK TRAIL (E'LY SIDE OF MALIBU SANDS MOTEL) ± TRAVEL NLY 0.7 MI. TO STA. WHICH IS LOCATED ON A 100' DIA. ± FLAT MESA.

STATION MARK

SET A 1" IP. FLUSH WITH CONC. PLG. N ± OF TNG.

REFERENCE MARK.

NONE SET OTHER THAN TIES SHOWN PER SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0187 Std 68 °F
Office Work	Surveyed by W. D. BAY
Checked	Notes J. BAZEN Date 4-16-63
Date	Indexed G. J. GAUM

F. B. 2458 PG. 55

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

LAS FLORES F-4

"SADDLE PEAK"
LAS FLORES
F-3 ECC #4.

F.B. 2458-9



T-1A

1. 90-00-00
2. 180-00-10
90-00-05

SEC. 22

T=66°

41.21=41.21
19.18=19.18
68.32=68.32

Note: Any Additions, Deletions, Or Revisions To This Sheet Must Be Approved By The Person In Charge Of Making Them And Noted In The Revisions Block.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

VV

F.B. 2458 Pg. 56

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LAS FLORES F-4."

THIS STATION IS IN THE COUNTY OF LOS ANGELES (R17W & T-1-S) IN THE S.W. 1/4 OF SEC. 22. ON RAMBLA PACIFICO ROAD. ± 30' W. OF W. EDGE OF PAVMT. IT CAN BE REACHED BY TRAVELING N'LY. ON RAMBLA PACIFICO 3.85 MI. FROM THE PACIFIC COAST HWY. THIS STA. IS PROTECTED BY A CO. ENG'R. YELLOW MARKER PIPE 5' W'LY.

STATION MARK:

SET A STD. 4" BRASS CAP TRAV. MON IN CONC. 3" BELOW SURFACE & STAMPED "LAS FLORES F-4. 1963, R.E. 5869."

REFERENCE MARKS:

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 0187 Std 68 °F
Office Work	Surveyed by W.D. BAY
Checked	Notes J. BAZEN Date 4-17-63
Date	Indexed C. J. Gatty OCT 9 '63

F. B. 2458 PG. 57

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

LAS FLORES F-6

"SADDLE PEAK"
LAS FLORES
F-3 ECC #4
F.B. 2458-9

SEC. 27

SET 1"IP CONC PL. N+ C.E. TAG ON 8"

SET 3" BT. S. + TIN IN 1" P.P. #24927

SET 1"IP CONC. PL. N+C.E. TAG ON 8"

RAMBLA

PACIFICO

R.D.

TRAV. STA.
LAS FLORES
F-6.

SEE NEXT PG.

T = 66°
32.42 = No. CH.
30.64
34.26 NO. CH.

Note: Any Additions Must Be Made on Sheet Must Be Made on Ink With Drafting Making Changes

Mailed on Geo. Index Card
Added on Geo. Index Card
Sketch on Geo. Desc. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F309S CE # 310 3-61

F. B 2458 PG 58

L.A COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LAS FLORES E-6"

THIS STATION IS IN THE COUNTY OF LOS ANGELES (R17W - T1S) IN THE N.W. 1/4 OF SEC. 27 + ON THE W. SIDE OF RAMBLA PACIFICO RD. IT CAN BE REACHED BY TRAVELING N'LY ON RAMBLA PACIFICO RD. 2.70 MI. FROM THE PACIFIC COAST HWY. THIS STA. IS PROTECTED BY A STD. CO. ENG'R. YELLOW MARKER PIPE 5' W'LY.

STATION MARK:

SET A STD 3" BRASS CAP TAN'T. MON. IN CONC. 4" BELOW SURFACE + STAMPED, "LAS FLORES E-6, 1963, R.E. 5869."

REFERENCE MARKS:

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 0187 Std 68 °F
Surveyed by W. O. BAY
Notes J. BAZEN Date 4-23-63
Indexed J. GAIN

F. B. 2458 PG. 59

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION LAS FLORES F-6A

(SADDLE PEAK)
LAS FLORES
F-3 ECC #4.
2458-9

T=68°
29.90= NO CH.
26.13=

T-1A
1.70-00-40
2.140-01-35
70-00-47½

70° 00' 47"

SET 1" IP CONC. PL + NAIL DN 6" TANG.

SET 1" IP CONC PLUG + NAIL DN. 6" TANG.

29.90

26.13

TRAV STA
LAS FLORES
F-6A

SEE NEXT PG.

SECTION LINE

SEC. 27

SEC. 28

FRENCH CANYON CH.

Note: Any additions or changes must be made in ink. With Date and Name of Person Making Change. Sheet Must Not Be Folded or Rolled

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3093 CE # 310 3-61

VV

F. B. 2458 PG 60

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LAS FLORES F-6A"

THIS STATION IS IN THE COUNTY OF LOS ANGELES (R17W-T1S) S.E. 1/4 OF SEC. 28 ON TOP OF A LG. ROCK (4'x4') ON A RIDGE 50'± W. OF FIRE RD. & CAN BE REACHED BY TRAVELING NLY ON CARBON CN. RD. 0.5 MI. FROM THE PACIFIC COAST HWY. THEN SWING RT. & FOLLOW DIRT DRIVE 0.5 MI. UNTIL YOU CROSS OVER LAST WOODEN BRIDGE, THEN SWING LEFT UP FIRE RD. 0.5 MI. TO STATION.

STATION MARK:

SET N & CE TAG IN SANDSTONE BOULDER ON A FIRE BLOCK 1/2" ±

REFERENCE MARKS:

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. B. 2458 PG. 61
JN 0301-00 Tape 127 Std 84 °F
Surveyed by W. D. BAY
Notes J. BAZEN Date 9-29-63
Indexed E. J. GALLI OCT 9 '63

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION "LAS FLORES G-4"



T-1A
1. 176-30-15
2. 353-00-30
176-30-15

T = 84° = N.C.
42.93 LEVEL
44.87 @ 13°30' = 43.63
44.52 @ 11°27' = 43.63
30.71 LEVEL

SET A 1" IP FL. + TAN. WITH CONC. PLG. + NAIL.

FD. A 1½" IP UP 2" WITH CONC. PLG. N.Y. TRG. STANDD "L.A. CO. RD DEPT. L-3"

TRAV. STA. LAS FLORES G-4

SEE NEXT PG.

42.93

43.63

30.71

DIRT RD.

SET L + TAG IN LG. BOULDER ON TAN.

176°

15'

30'

SCHUEREN RD.

To "SADDLE PEAK" LAS FLORES E-3 EOC PER F.B. 2458-9

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Corrections or Changes on This Sheet Must Be Initialed in Ink With Date and Reason for Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

VV

F. B 2458 PG. 62

L.A COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LAS FLORES G-4"

THIS STATION IS IN THE COUNTY OF LOS ANGELES (R10W T-5) IN THE S.E¼ OF SEC. 15. + ON A SMALL RIDGE ±50'± E. OF SCHUEREN RD. IT CAN BE REACHED BY TRAVELING N'LY. FROM INTERSECTION AT RAMBLA PACIFICO RD. 0.80 Mi. ON SCHUEREN RD. THEN TURN RT. ONTO SMALL DIRT RD. 100'±. THIS STATION IS PROTECTED BY A STD. CO. ENG'R. YELLOW MARKER PIPE 4' N'LY.

STATION MARK:

SET A STD. 4" BRASS CAP TRAV. MON IN CONC. FL. + SET IN A 7" SLEEVE + STAMPED "LAS FLORES G-4, 1963, R.E. 5869."

REFERENCE MARKS:

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. B. 2458 PG. 63
JN 0301.00 Tape 0187 Std 68 °F
Surveyed by W. D. BAY
Notes J. BAZEN Date 4-17-63
Indexed E. J. GALLI

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

LAS FLORES G-5A

"SADDLE PEAK"
LAS FLORES
E-3 ECC #4
Per 2458-9

T-1A
1. 68-42-20
4. 274-48-55
6. 52-13-20
68-42-13½

SEC. 21

SEC. 22

SEC. 28

SEC. 27

68° 42' 14"

LAS FLORES
G-5A
SEE NEXT PG.

FOUND 1" I.P. CONC.
PLG. N. + C.E. TAG.
UP 2" ON SEC. LN.
Per F.B. 3101-74

Fd Mon
Per F.B. 3101-73

5.14

(SEC. LINE)
405.98 M.
RD.

COUNTY SURVEYOR
SEC COR
N 21 | 22
R17 | 28 | 27
T1S
MONUMENT

25.61

31.66

SET 3" BT.S.
+TIN IN
14" P.P. #24943Y

SET 1" I.P.
N. + C.E. TAG
DN. 12" + ON
TANG. PROD.

(SEC. LINES)

PACIFICO

RAMBLA

COUNTY SURVEYOR
¼ COR
SEC 22
+
SEC. 27
T1S
MONUMENT
R17W

Fd Mon
Per F.B.
3101-74

T = 66°
31.66 = 31.66
25.61 = 25.61

T = 54°
TAPE # 127
CALIB. @ 84°
256.62 @ 07°55' = 254.15
256.55 @ 07°47' = 254.17
MEAN = 254.16
151.83 LEVEL = 151.82
405.98

Note: Any Additional Changes Or Comments To Be Recorded On This Sheet Must Be Done In Ink With Dated And Signed Entry Making Change. Sketch on Sta. Rec. U.S. Ha. Sketch on Geo. Desc. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 2458 PG. 64

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES G-5A

THIS STATION IS IN THE COUNTY OF LOS ANGELES (R17W - T1S) ON THE SEC. LINE BETWEEN SEC. 22 + 27. + ON THE W. SIDE OF RAMBLA PACIFICO RD. THIS STATION CAN BE REACHED BY TRAVELING N'LY ON RAMBLA PACIFICO RD. 3.15 MI. FROM THE PACIFIC COAST HWY. THIS STA. IS PROTECTED BY A STD. CO. ENG'R. YELLOW MARKER PIPE 5' S'LY.

STATION MARK:

SET A STD 3" BRASS CAP TRAV. MON. IN CONC. FLUSH + STAMPED, "LAS FLORES G-5A, 1963, R.E. 5869."

REFERENCE MARKS:

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL	F. B. 2458 PG. 65
Map No.	JN 2301.00 Tape 01/87 Std. 68 °F	
Office Work	Surveyed by W. O. BAY	
Checked	Notes J. BAZEN Date 4-16-63	
Date	Indexed E. J. GALLI OCT 9 '89	

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION "LAS FLORES G-7A"

LAS FLORES
F-6 PER PG. 57

T = 54°
95.96 = 95.95
29.48 = No. C.H.
22.00 = " "

SEC. 27

Fd Mon. as Shown
Per F.B. 3101-99

COUNTY SURVEYOR RITWK SEC 27 RO. T.M. 5 T.M. 31 MONUMENT

TRAV. STA.
LAS FLORES
G-7A
SEE NEXT PG.

PACIFICO

(RANCHO LINE)

27.00

61° 50' 33"

7.28

29.48

56° 10' 05"

60° 12' 30"

95.95

G-7B

SET 1" IP CONC. PL. NAIL + C.E. TAG ON 8" ON LINE.

Fd. B.S. W+T Fl. IN PAVMT. PER F.B. 3101-99 Shown as Sta 27+74.35

Fd 6" BT. SPK. IN 1" TRANS. P.P.# 9668.77E

RAMBLA

T-1A

1. 60-12-20
2. 120-25-00
   60-12-30

1. 56-10-10
4. 224-40-25
6. 337-00-30
   56-10-05

1. 61-50-40
4. 247-22-20
6. N-03-15
   61-50-33

Fd 3/4" IP + CAP UP 2"+ STPD. "RE. 5869 C.C. #3." PER F.B. 2267-57

FLOOD HAZARD SURVEYS

Note: Any Additions or Corrections Added to this Sheet Must Be Signed and Dated by Person Making Changes and the Words "Added" or "Corrected" Used. Ink With Permanent Opaque Ink Only. Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

VV

F. B. 2458 PG. 66

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LAS FLORES G-7A"

THIS STATION IS IN THE COUNTY OF LOS ANGELES (R17W-T1S) ON RANCHO LINE ON THE S. SIDE OF SEC. 27. + IS ON THE W. SIDE OF RAMBLA PACIFICO RD. IT CAN BE REACHED BY TRAVELING NLY ON RAMBLA PACIFICO RD. 1.55 MI. FROM THE PACIFIC COAST HWY. THIS STA. IS PRO-JECTED BY A CO. ENG'R YELLOW MARKER PIPE 5' SLY.

STATION MARK:

SET A STD. 4" BRASS CAP TOPY. MON. IN CONC. ON 3" ϕ STAMPED "LAS FLORES G-7A, 1963, R.E. 5869"

REFERENCE MARKS:

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301 00 Tape 127 Std 84 °F
Surveyed by W. D. BAY
Notes J. BAZEN Date 4-29-63
Indexed E. J. GALLI OCT 9 '63

F. B. 2458 PG. 67

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION "LAS FLORES H-5"



Note: Any Alteration or Changes on this Sheet with Red Ink will Obliterate it as an Official Survey Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3085 CE # 310 3-61

F. B. 2458 PG. 68

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LAS FLORES H-5"

THIS STATION IS IN THE COUNTY OF LOS ANGELES (R17W T1S) IN THE S.W. 1/4 OF SEC. 23. ± ON THE E. SIDE OF LAS FLORES CNT. RD. 3' ± FROM EDGE OF PAV. THIS STATION CAN BE REACHED BY TRAVELING N'LY FROM PACIFIC COAST HWY ON LAS FLORES CNT RD. 2.5 MI. TO STA. WHICH IS PROTECTED BY A STD. CO. ENG'R. YELLOW MARKER PIPE.

STATION MARK:

SET A STD. 4" BRASS CAP TRAV. MON. IN CONC. ON 3" ± STEEL PIPE "LAS FLORES H-5, 1963, R.E. 5869."

REFERENCE MARK:

NONE SET OTHER THAN TIES SHOWN ON SKETCH

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL	F. B. 2958 PG. 69
Map No.	JN 0301.00 Tape 127 Std. 84 °F	
Office Work	Surveyed by W. D. BAY	
Checked	Notes J. BAZEN Date 4-30-63	
Date	Indexed E. J. GALLI 63	

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION "LAS FLORES H-5A"

SET 1" I.P. CONC. PLG + N. FL. (TAN.)

SET 6" B.S.W. +TIN IN TAN.

SET 3" B.S. +TIN IN 12" R.C. # (NO. #)

TRAV. STA. LAS FLORES H-5A

SEE NEXT PG.

114.27 & CALC.

43.08

42.94 & M

30.04 M.

90° 00' 00"

1. 90-00-00
2. 180-00-00
90-00-00

T = 74°

157.64 @ 04°22' = 157.18
157.84 @ 05°17' = 157.16

LEVEL = 42.94
CALC. 114.22

189.87 @ 07°13' = 188.36
189.63 @ 06°37' = 188.36

LEVEL = 30.04
CALC. 158.32

43.08 LEVEL = N.G.

SET 1" I.P. CONC. PLG. + N. FL. IN PAV. + TAN.

81° 14' 09"

T-1A

1. 81-13-50
4. 324-56-40
81-14-10
6. 127-29-55½
81-14-09½

TO "LAS FLORES H-6" PG. 71

158.32 & CALC.

SET L + TAG IN CONC. & STONE H. WALL.

36" COR. DRAIN PIPE (11+43 RD DEPT.)

LAS

FLORES CN

RD.

Note: Sheet Must Be Made of Good White Paper and Not Less Than 8½" x 11" in Size. Ink Used on Sheet Must Be Black or Dark Blue. Red Ink Is Not Permissible for Making Prints. Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

✓✓

F. B. 2458 PG. 70

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

"LAS FLORES H-5A"

THIS STATION IS IN THE COUNTY OF LOS ANGELES (R17W - T1S) IN THE S.W. 1/4 OF SEC. 23. ALONG THE E. SIDE OF LAS FLORES CN. RD. 3' ± OFF THE E. EDGE OF PAVMT. THIS STATION CAN BE REACHED BY TRAVELING N'LY ON LAS FLORES CN. RD. 2.2 MI. FROM THE PACIFIC COAST HWY. THIS STATION IS PROTECTED BY A STD. CO. ENGR. YELLOW MARKER PIPE 4' S.W'LY.

STATION MARK:

SET A STD. 4" BRASS CAP TRAV. MON. IN CONC. EL 4[illegible] AND "LAS FLORES H-5A 1[illegible]"

REFERENCE MARK:

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 030100 Tape 127 Std. 54 °F
Surveyed by W. O. BAY
Notes J. BAZEN Date 4-26-63
Indexed G. J. GALLI 1959

F. B. 2458 PG. 71

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION "LAS FLORES H-6"



Note: Any Additional Data Shown Hereon Must be Written in Ink With Date and Name of Person Making Change. Placed on Sta. Desc. Card

Sketch on Geo. Desc. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3095 CE # 310 3-61

V V

F. B. 2458 PG. 72

L.A COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LAS FLORES H-6"

THIS STATION IS IN THE COUNTY OF LOS ANGELES (R17W - T1S) IN THE NW. 1/4 OF SEC. 26. AND IS LOCATED IN A PARKING AREA AT THE INTER. OF LAS FLORES CNTY RD. + HUME RD. IT CAN BE REACHED BY TRAVELING N'LY FROM THE PACIFIC COAST HWY ON LAS FLORES CNTY RD. 1.7 MI. + IS ON THE ELY SIDE OF INTER. + IS PROTECTED BY A STD. CO. ENGR. YELLOW MARKER PIPE 5' N'LY.

STATION MARK:

SET A STD. 3" BRASS CAP TYPE MON. IN CONC. FLUSH + STAMPED," LAS FLORES H-6, 1963, R.E. 5869."

REFERENCE MARKS:

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 127 Std. 84 °F
Surveyed by W.D. BAY
Notes J. BAZEN Date 4-30-63
Indexed E. J. GALLI OCT 9 '63

F. B. 2458 PG. 73

L.A COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION "LAS FLORES H-6A"

TPI #16
ED. B.S.W.+T. FL.
PER F.B. 3101-126

I = 60°
31.80 = 31.80
91.57 = 91.56
18.45 = 18.45

HUME RD.

LINE TO LAS FLORES H-6 PER PG. 71

T-1A
① 70-35-30
Ⓐ 282-22-20
Ⓑ 63-33-25
= 70-35-34

70° 35' 34" (m)

T.P.I. #15 FD. I.P. CONC. PLG. + TAG. DN. 12" PER F.B. 3101-125

3.00

SET 1X2+N BY INT.

45°

18.

SET 1" I.P. CONC. PLG. + N. PIPE (ON LINE)

SET 1" I.P. CONC. PLG. + N. FL.

31.80

4.40

TRAV. STA. LAS FLORES H-6A

SEE NEXT PG.

91.56

FD. A NAIL + TIN IN A 10" P.P. 751387E

Note: Any Blue Prints Made From This Sheet Must Be Signed In Red Ink With Words "Record Prints" Stamped Thereon Before Making Any Prints.

Sketch on Back Desc. Card.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F309S CE # 310 3-61

VV

F. B. 2458 Pg 74

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LAS FLORES H-6A"

THIS STATION IS IN THE COUNTY OF LOS ANGELES (R17W-T1S) IN THE S.E. 1/4 OF SEC. 27 ± IS 3'± OFF THE E. EDGE OF HUME RD. THIS STATION CAN BE REACHED BY TRAVELING N.ELY FROM THE INT. OF RAMBLA PACIFICO RD. 0.30 MI. ON HUME RD. TO STATION. THIS STA. IS PROTECTED BY A STD. CO. ENG'R. YELLOW MARKER PIPE 4' SLY.

STATION MARK:

SET A STD 4" BRASS CAP TRAV. MON IN CONC. FLUSH. + STAMPED "LAS FLORES H-6A, 1963, RE. 5869."

REFERENCE MARKS:

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301-007 Tape 0187 Std. 69 °F
Office Work	Surveyed by W. O. RAY
Checked	Notes J. BAZEN Date 4-23-63
Date	Indexed C. J. GALLI C. J. GALLI

F. B. 2458 PG. 75

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION "LAS FLORES H-7"



Note: Any Additions Or Changes Made On This Sheet Must be Inked In With Dates and Initials Making Changes and Not Over Typed. Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

VV

F. B. 2458 PG. 76

L.A COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES H-7

THIS STA. IS IN THE COUNTY OF LOS ANGELES (R13W-T1S) S.W 1/4 OF SEC 26. + AT THE END OF A FIREBRK. THIS STATION CAN BE REACHED BY TRAVELING N'LY FROM THE PACIFIC COAST HWY ON BIG ROCK CAT D.R. 1.9 MI. TO BIG ROCK FIRE TRUCK TRAIL (GATE) FOLLOW FIRE RD. 0.5 MI. TO FIRE RD. INTER. TURN LEFT (W'LY) + FOLLOW THIS FIRE RD. TO VERY END (0.7 MI).

STATION MARK:

SET A 1" IP PLUG WITH LONG PLUG + C.E TAG.

REFERENCE MARKS:

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 127 Std 84 °F
Surveyed by W. O. BAY
Notes J. BAZEN Date 4-30-63
Indexed C. J. GALLI, OCT 9 '63

F. B. 2958 Pg. 77

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION "LAS FLORES H-8A"

24" COR ORAN PIPE @ RD. STA. (34+87)

SET L4 TAG IN CONC & STONE HD. WALL

RD.

T = 72°
128.14 @ 08°26' = 126.74
127.85 @ 07°33' = 126.73
48.51 LEVEL = 48.51
78.22

46.44 LEVEL = 46.44

78.22 CALC. #

PACIFICO

T = IA
1. 90-00-00
2. 180-00-30
90-00-15

SET 6" B.S.W HT IN PAVMT ON L INE.

1. 172-59-30
4. 331-57-30
6. 317-56-20
172-59-23 1/2

172°

59'

24"

90°00'15"

48.51

SET 1" I.P CONC PLUG N. @ EDGE OF RD. EL.

46.44

67.2

RAMALA

TRAV. STA LAS FLORES H-8A
SEE NEXT PG.

2' HIGH METAL GUARD RAIL

TO "LAS FLORES H-8" PER GEODETIC CARD.

Note: Any Sheet Must Ink With Making Changes

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

V V

F. B. 2458 PG. 78

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LAS FLORES H-8A."

THIS STATION IS IN THE COUNTY OF LOS ANGELES, 600'± W. OF THE WEST LINE OF SEC. 35, T1S, R17W. & IS 10'± OFF THE ELY EDGE OF RAMBLA PACIFICO RD. IT CAN BE REACHED BY TRAVELING NLY FROM THE PACIFIC COAST HWY. ON RAMBLA PACIFICO RD. 0.70 MI. THIS STATION IS PROTECTED BY A STD. L.A.CO. YELLOW MARKER PIPE 4' S.W'LY.

STATION MARK:

SET A STD. 4" BRASS CAP TRAV. MON. IN CONC. FLUSH & STAMPED, "LAS FLORES H-8A, 1963, RE. 5869"

REFERENCE MARK

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 127 Std 84 °F
Office Work	Surveyed by W.O. BAY
Checked	Notes J. BAZEN Date 4-23-63
Date	Indexed C. J. GALLI 6-9-63

F. B. 2458 PG. 79

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION LAS FLORES I-5



Note: Any Additions or Changes Made On This Sheet Must Be Initialed And Dated In Ink With Reference To Signature, R.E., L.S., Or Other Authority For Making Changes. Do not write on this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F309S CE # 310 3-61

V V

F. B. 2458 PG. 80

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LAS FLORES I-5"

THIS STATION IS IN THE COUNTY OF LOS ANGELES (R17W - T1S) IN THE CTR OF SEC 23. IT CAN BE REACHED FROM TUNA CYN. ROAD BY ENTERING "SANDSTONE RANCH" RD. (LOWER ENTRANCE) & DRIVING WLY 0.3 MI. TO FIRE RD. TAKE FIRE RD. 0.9 MI. TO INTERSECTION OF FIRE RDS. & TAKE FIRE RD. TO RT. PROCEED 0.2 MI. THEN TURN LEFT ON ANOTHER FIRE RD. PROCEED 0.75 MI. THEN SWING LEFT & PARK OR PROCEED SLY ON RIDGE WITH 4 WHEEL DRIVE TRUCK 300'±.
(ENTRANCE TO SANDSTONE RANCH IS ABOUT 1 MI. ± SLY OF SADDLEPEAK RD.)

STATION MARK:

FD. A 1½" IP UP 10" WITH WOOD PLG. & N & TAG. MARKED "L.A. CO. RD. DEPT. BV-6."

REFERENCE MARK:

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of GEODETIC CONTROL	F. B. 2958 Pg. 81
Map No.		JN 2301.00 Tape 127 Std 84 °F	
Office Work		Surveyed by W. D. BAY	
Checked		Notes J. BAZEN Date 4-23-63	
Date		Indexed G. J. GALLI	

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION LAS FLORES I-6



$T = 66°$

50.92 @ 03° 07' = 50.83
51.04 @ 05° 01' = 50.83
70.37 @ 19° 03' = 66.51
69.57 @ 17° 04' = 66.50
186.76 @ 13° 19' = 181.72
186.35 @ 12° 47' = 181.71

181.71 − 66.50 = 115.21

Note: Any Sheet Misplaced Ink With Making Erasure Shall Render This Record Void. Attach an Orig. Photo Copy of This Record to Each Sheet Subsequently Made.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F309S CE # 310 3-61

V V

F. B. 2458 PG 82

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LAS FLORES I-6"

THIS STA. IS IN THE COUNTY OF LOS ANGELES (R7W - T1S) NEAR THE CTR. OF SEC. 26 + ON A RIDGE OVERLOOKING LAS FLORES CAÑ. THIS STA. CAN BE REACHED BY TRAVELING NLY FROM THE PACIFIC COAST HWY UP BIG ROCK CAÑ. RD 1.9 MI. TO BIG ROCK FIRE TRUCK TRAIL (GATE) FOLLOW FIRE RD. 0.7 MI. + SWING LEFT (W'LY) DOWN SMALL TRUCK TRAIL 0.4 MI. TO STATION.

STATION MARK

FD ø 1½" I.P. IP S. WITH PUNCH. N 7 T 1.6. MARKED "L.A. CO., 3V-5, RC. DEPT."

REFERENCE MARKS.

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 030100 Tape 127 Std 84 °F
Office Work	Surveyed by W. D. GAY
Checked	Notes J. VARZEN Date 5-12-65
Date	Indexed E. J. GALLI OCT 9

F. B. 2458 PG. 83

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION "LAS FLORES J-7"

FIRE TRUCK TRAIL

FIRE TRUCK TRAIL

4" FIRE HYD.

TRAV. STA. LAS FLORES J-7

SEE NEXT PG.

TO LAS FLORES K-7 PG. 85

91.5

SET A 1" I.P. CONC. PLG. IN N. FL. (TAN)

27.05

45.07

32.65

6" WATER MAIN

EXIST

T=60°

45.08 LEVEL = 45.07
32.66 " = 32.65
27.05 " = 27.05

Note: Any Sheet Ma... Ink Writ... Making ... Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 2458 PG 84

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LAS FLORES J-7"

THIS STATION IS THE COUNTY OF LOS ANGELES (R17W-T1S) IN THE S.E. 1/4 OF SEC. 26. ON A FIREBREAK 50'± S. OF BIG ROCK FIRE TRUCK TRAIL. IT CAN BE REACHED BY TRAVELING N'LY FROM THE PACIFIC COAST HWY 1.9 MI. ON BIG ROCK CN. OR. TO LOCKED GATE AT BIG ROCK FIRE TRUCK TRAIL; DRIVE 0.4 MI. ON FIRE TRUCK TRAIL TO STA. (400'± SHORT OF INTER. JUNCTION OF FIRE TRUCK TRAILS) THIS STA. IS PROTECTED BY A STD. CO. ENG'R. YELLOW MARKER PIPE 4' N. W'LY.

STATION MARK:

SET A STD. 4" BRASS CAP TRAV. MON. IN CONC FLUSH + STAMPED, "LAS FLORES J-7, 1963, RE 5869".

REFERENCE MARKS:

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 030100 Tape 127 Std 84 °F
Surveyed by W.D. BAY
Notes J. BAZEN Date 5-2-63
Indexed C. J. GALLI OCT 9 '63

F. B. 2458 PG. 85

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION "LAS FLORES K-7"



Note: Any Sheet Must Be Ink With Making

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3085 CE # 310 3-61

F. B. 2458 PG. 86

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LAS FLORES K-7"

THIS STATION IS IN THE COUNTY OF LOS ANGELES (R17W - T1S) IN THE S.E. 1/4 OF SEC. 25 ON A RIDGE BETWEEN PIEDRA GORDA CN + PEÑA CN. IT CAN BE REACHED BY TRAVELING NLY FROM THE PACIFIC COAST HWY ON BIG ROCK CN DR. 1.9 MI. TO BIG ROCK FIRE TRUCK TRAIL (GATE) FOLLOW FIRE RD. 1.20 MI. TO FIRE RD. JUNCTION, TURN RT. DOWN FIRE RD. + TRAVEL 0.50 MI. TO JUNCTION OF OLD FIRE RD + NEW FIRE RD., TURN RT. DOWN OLD FIRE RD. + TRAVEL 0.15 MI. TO SMALL TURN OUT ON LEFT @ STA. THE STA. IS PROTECTED BY A STD. CO. ENGR. YELLOW MARKER FIRE 4" N WLY.

STATION MARK:

SET A STD. 4" BRASS CAP TRAV. MON. IN CONC. UP 2" + STAMPED, "LAS FLORES K-7, 1963, R.E. 5869."

REFERENCE MARKS;

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of GEODETIC CONTROL	F. B. 2958 Pg. 87
Map No.		JN0301.00 Tape 127 Std 84 °F	
Office Work		Surveyed by W. D. BAY	
Checked		Notes J. BAZEN Date 5-2-63	
Date		Indexed J. GALLI 8819	

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION "LAS FLORES L-6"

TO LAS FLORES K-5
Ref F.B. 2958-87 & 88

TO TOPANGA A-5 "TUNA"

(1420.66) FD. 1X2 +N FL. HELD FOR LN. SEE F.B.

51° 23' 55"

34 FT. WATER TANK

0.02

(1457.90) FD. 1X2 +N FL.

SET 1" I.P. CONC. PLG. +N FL. (TAN) Removed by grading

SET 1X2 +N BY INT. FL.

T-1A

1. 51° 23' 40"
4. 205° 35' 40"
51° 23' 55"

LAS FLORES L-6 SEE NEXT PG.

90.72

TRAV. STA. LAS FLORES L-6 SEE NEXT PG.

37.65

(2423.09) FD. 1X2 +N FL. gone

43.12

35.37

15.81

27.89

(P.T. #1-2460.17) FD. 1" I.P. CONC. PLG. N+S.E. TAG. FL. HELD FOR LINE. SEE F.B. gone

gone

gone

SET 1" I.P.'s CONC. PLG. +N. FL. + ON LINE PROD.

FIRE ROAD

T=54°

43.13	LEVEL	= 43.12
35.38	"	= 35.37
37.66	"	= 37.65
27.90	"	= 27.89
15.81	"	= 15.81
91.16 @ 05°32'		= 90.72
91.02 @ 04°29'		= 90.72

LAS FLORES L-6
To be removed
See Pg 99 & 100
For AUX-1 RCB 5/28/66

Note: Any Record Data Shown Hereon Must Be Noted on Each Sheet Number Used With Reference to Basis of Bearings & Distances Shown. Making Changes, Additions or Deletions to Any Recorded Data Shown Hereon Without Proper Authority Is Prohibited. Plotted by Chkd. by Sur. Div. W. S. No. Sketch by Geo. Desc. Card.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78F3095 CE # 310 3-61

F. B. 2458 PG 88

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
"LAS FLORES L-6"

THIS STATION IS IN THE COUNTY OF LOS ANGELES (R17W - T1S) IN THE N.E. 1/4 OF SEC. 25. ON THE S. EDGE OF FIRE RD. LEADING TO THE HEARST TANK SITE. STATION CAN BE REACHED BY TRAVELING SLY FROM THE INTER. OF SADDLE PEAK RD. ON TUNA CN. ROAD. 0.8 MI. TO BIG ROCK FIRE RD, ENTER GATE & TURN LEFT UP DIRT RD. & PROCEED 0.65 MI. TO STATION. THIS STA. IS PROTECTED BY A STD CO. ENGR. YELLOW MARKER PIPE 4' W'LY.

STATION MARK:

SET A STD. 4" BRASS CAP TRAV. MON. FLUSH IN CONC & STAMPED, "LAS FLORES L-6, 1963, R.E. 5869."
This Station to be removed by grading
See Pg. 99 & 100 for Aux-1
RCB 3/28/66

REFERENCE MARK:

NONE SET OTHER THAN TIES SHOWN ON SKETCH.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 2458 Pg. 89

Profile No. ____ X-Sec. No. ____ | Notes Red ____ Date ____ | Notes Chkd. ____ Date ____ | Plotted ____ Date ____ | Checked ____ Date ____ | Job No. 0301.00 Division No. 11 | Survey of GEODETIC CONTROL | Survey by W. BAY Notes BAZEN Date 4-11-63 | Map No. ____ Indexed E. J. GAU Date OCT 9 '63

J.N. 0301.00

"SANTA MONICA MOUNTAINS"

ELEVATIONS

ON

"LAS FLORES K-4"

FROM

B.M. W-7 TO LAS FLORES K-4

4-11-63

PARTY

W. BAY
J. BAZEN
R. MATHER
T. OHASHI.

STATION	B.S.	H.I.	F.S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

76-L.295 CE 307 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2458 Pg. 90 | Job No 2301.09 Division No. 11 Notes Red Date Notes Chkd. Date | Profile Plotted Date Checked Date | No. X-Sec. No.

Survey of GEODETIC CONTROL
Survey by W. BAY Notes J. BAZEN
Indexed E. J. GALLI Date

STATION	B. S.	H. I.	F. S.	ELEV.	
B.M. W-7	888	183926		183038	B.M. W-7 ELEV. = 1830.38
T.P.	11 72	185056	042	183884	SEE F.B. 2997-86 FOR DESC.
T.P.	12 05	186173	088	184968	& 2669-188
T.P.	11 97	187344	026	186147	2978-196
T.P.	11 92	188507	029	187315	
T.P.	11 87	189662	032	188475	
T.P.	1229	190833	058	189604	
T.P.	11 45	191915	063	190770	
T.P.	967	192861	021	191894	
L.F. K-4	562	192889	534	192327	L.F. K-4 ELEV. = (TRAV. STA.) SEE F.B. 2458-21
T.P.	0 71	191925	995	191854	
T.P.	060	190830	11 65	190770	
T.P.	053	189658	1225	189605	
T.P.	054	188530	11 82	188476	
T.P.	052	187368	1214	187316	
T.P.	0 54	186202	1220	186148	
T.P.	0 55	185023	1234	184168	
T.P.	1 01	183985	11 39	183584	
B.M. W-7			947	183038	B.M. W-7 ELEV. = 1830.38 SEE DESC. ABOVE.

NOTES RED. JOB NO 0301.00 SURVEY OF GEODETIC CONTROL F. B. 2458 Pg. 91

DATE SURVEY BY A.C. GUIZADO

NOTES CHKD. NOTES BY J. BAZEN DATE 6-17-63

DATE INDEXED C. J. GALM DATE OCT 9 '63

NOTE: IF ANY CORRECTIONS OR CHANGES ON THIS CARD ARE MADE, THE CIRCLED NAME OF THE PERSON MAKING THE CHANGE, WITH DATE AND REASON, MUST BE SHOWN. Sketch on Desc. Card

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						J.N. 0301.00
						DIFFERENTIAL ELEVATIONS
						BETWEEN
						B.M. LINE #64 + TRAVERSE STATIONS
						LAS FLORES G-7A PG. 92
						" " H-6A " 93
						" " H-6 " 93

769420 S & E-353 4-54

F.B. 2458 Pg. 92

JOB NO. 0301.00 SURVEY OF GEODETIC CONTROL NOTES RED. DATE

SURVEY BY R.C. GUIZADO DATE

NOTES BY J. BOZEN DATE 6-12-63 NOTES CHKD. DATE

INDEXED C.J. GALIB DATE

768420 S & E-353 4-54

PLEASE RETURN TO:
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ALL INFORMATION OR CHANGES OF Physical evid. & Mineral Title MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE.

Posted on Bm. Index Card ✓

Posted on Bm. Index Card _____

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION				
BM 64-5	704.676					B.M. 64-5	FIELD ELEV = 704.676			
+	0.708		0.502			LAS FLORES	Gin Rd			
⊼	705.384	9.741	—	9.745	9.743		CAdj		704.646	
−	10.449		10.247							
T.P.	694.935									
+	1.620		1.416							
⊼	696.555	6.575	—	6.575	6.575					
−	8.195		7.991							
T.P.	688.360									
+	0.783		0.658							
⊼	689.143	8.473	—	8.473	8.473					
−	9.256		9.131							
T.P.	679.887									
+	0.732		0.522							
⊼	680.619	9.401	—	9.401	9.401					
−	10.133		9.923							
L.F. G-7A	670.486				670.486	LAS FLORES G-7A				
						FB				

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

Marked on Page Index Card
NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE.
Sketch on Back of This Card

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. 64-9	807.238					B.M. 64-9 FIELD ELEV = 807.238 unadj
+	2.820		2.617			64 Adj 807.207
π	810.058	-4.380		-4.382	4381	
−	7.200		6.999			
T.P.	802.858					
+	7.051		6.879			
π	809.909	+5.573		+5.572	-5572	
−	1.478		1.307			
L.F. H-6A	808.431				808.398	LAS FLORES H-6A
B.M. 64-11	666.577					B.M. 64-11 FIELD ELEV = 666.577 unadj
+	2.146		2.015			64 Adj 666.546
π	668.723	-8.727		-8.727	-8727	
−	10.873		10.742			
T.P.	657.850					
+	0.650		0.508			
π	658.500	-8.854		-8.855	-8854	
−	9.504		9.363			
T.P.	648.996					
+	4.438		4.210			
π	653.434	-0.278		-0.277	-0.278	
−	4.716		4.487			
L.F. H-6	648.718				648.687	LAS FLORES H-6

NOTES RED JOB NO. SURVEY OF GEODETIC CONTROL
DATE SURVEY BY R.C. GUZZARDO
NOTES CHKD. NOTES BY J. BRAZEN DATE 6-17-63
DATE INDEXED C.J. CAREY DATE

F. B. 2350 Pg. 93

F. B 2458 P 94

JOB NO. 0301.00 SURVEY OF GEODETIC CONTROL NOTES RED.
SURVEY BY A.C. GUIZADO DATE
NOTES BY J. BAZEN DATE 6-17-63 NOTES CHKD.
INDEXED E. J. GALLI DATE DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
723 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. JOB NO. 0301.00 SURVEY OF Geodetic Control F. B. 2458 Pg. 95
DATE SURVEY BY A.C. GUIZADO
NOTES CHKD. NOTES BY A.C.G. DATE 5-13-63
DATE INDEXED E. J. GALLI DATE OCT 9

JOB NO. 0301.00

GEODETIC CONTROL

VERTICAL DIFFERENCE

BETWEEN LAS FLORES B-8

TRAVERSE MON. & LAS FLORES

B-8. ECC 1 BT. 3PK. & T. in Rim 4.

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 9-55

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

[illegible] OR CHANGES ON THIS SHEET MUST BE MADE OR CHECKED IN RED [illegible] DATE AND INITIALED. SEE ROW 3 FOR ANY CHANGE.
Sketch on Geo. Desc. Card

Do not extend notes this side of this line

JOB NO. 030100 SURVEY OF Geodetic Control NOTES RED.
SURVEY BY ACE GUIZADO DATE 5-13-63 NOTES CHKD.
NOTES BY ACG DATE
INDEXED E. J. GALLY DATE

F. B. 2458 PG. 96

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
LF B-8	100.000					LAS FLORES B-8 TRAVERSE MON ASSUM. ELEV = 100.000 PACIFIC CST HWY 0.15 MI EAST OF MALIBU CITY LIMIT
+	5.982		6.061			
A	105.982	+0.789	+0.789			
−	5.193		5.272			
LFB-8 Ecc 1	100.789					LAS FLORES B-8 Ecc 1 BT 3 PKT

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTRO F. B. 2458 PG. 97
JN 0301.00 Tape 100 Std 84 °F
Surveyed by A. GUIZADO
Notes J. BAZEN Date 6-12-63
Indexed J. GALLI OCT 9 '63

Note: Any Additions or Changes to Sheet Must be Signed and Dated. Sheet Must Be Filled Out With Ink With Pencil Not Permitted For Making Changes. Do not extend this side of this line.

Attach to Map, Index Card, Other Data Sheet, or Check Stub.
Sketch on Geo. Base Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

LAS FLORES G-7A
PER F.B. 2458-65

T=62°

43.58 LEVEL = 43.57

42.43 @ 10°02' = 41.77
42.37 @ 09°30' = 41.78
MEAN = 41.775

58.28 @ 03°07' = 58.18
58.21 @ 01°54' = 58.17
MEAN = 58.175

41.775
58.175
99.950

TO CARBON CN ROAD.

F.D. L+C.E. TAG 5' PER F.B. 3101-99

43.57 M

RD.

LF G-7B

DIRT

ECC. #1 TO ℄ PT. IN RANCH LINE SET 1" IP CONC. PLG. + C.E. TAG DN 9" ON RANCH LN.

99.95 M +C.

F.D. MON. AS SHOWN PER F.B. 3101-99 & F.B. 2458-65

SURVEY SEC. 27 T.4N R.11W R.T.M.S.H. T.M.S. MONUMENT

LAS FLORES F-6R PER F.B. 2458-59

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2458 PG 98

Noted on Geo. Index Card
Placed on U.S. Quad. Sht.
Placed on Thos. Bros. S.No.
Sketch on Geo. Desc. Card

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 0361.00 Tape 175 Std 64 °F
Office Work	Surveyed by R.C. Bowers
Checked	Notes R.C.B Date 3/29/66
Date	Indexed JUN 23 '66 H. E. 01

F. B. ~~2458~~ 7458 PG. 99

L.A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION LAS FLORES L-6 AUX-1

T=68°
110.45 @ 14° 30' = 106.93 = 106.93
110.29 @ 14° 09' = 106.94 .01
106.92

Set
LAS FLORES L-6 AUX-1
See Pg. 100

TOPANGA A-5 "TUNA"

ANGLES @ L-6 AUX #1 are per F.B. G-1108-13
71° 14' 57"
143° 19' 00"
156° 12' 58.4"

106.92

67.21

34' WATER TANK TO BE REMOVED

R.M. Fd 1" I.P. Conc. plug & C.E. Tag up 1' No Ref.

L.F. L-6 ECC-1 Fd 3/4" Capped Pipe per F.B. 1565-7, 29

193.43

F.B. G-1107-47 = 22° 41' 32.6"

T=68°
Lev = 193.45
-.02
193.43

LAS FLORES L-6 Fd. a Std. 4" Br. disk Per F.B. 2458-87 Traverse mon. set in Conc., Stamped "LAS FLORES L-6, 1963, R.E. 3869". This point is to be removed by Grading.

T=68°
Lev = 67.22
.01
67.21

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S CE # 310 3-61

F. B. 2458 Pg. 100

L.A. County Survey Control System
Traverse Station
"LAS FLORES L-6 AUX-1

This Station is in the County of Los Angeles, (R.17W.-T.1S.) in the N.E. 1/4 of Sec. 25 on the Northerly Spur, at the end of the fire road leading to the Hearst Tank site. Station can be reached by Traveling S'ly from the Jct. of Saddle Peak Rd. on Tuna Cyn. Road, 0.8 Miles to the Big Rock Fire Rd. Enter gate and turn left up dirt Road and proceed 0.65 miles to end of the road. The station is about 100' N'ly on a spur. A Yellow marker pipe is protecting this station.

STATION MARK:

Set 3 3/4" Brass Tag Traverse Mon. set in conc.; up 2"; marked "Las Flores L-6, Aux-1, 1966, RE. 5869"

REF. MARK:

As shown in Sketch on Pg. 99

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANG... ON THIS SHEET MUST BE MADE ... CIRCLED IN RED INK, WITH DATE A... NAME OF PERSON MAKING CHA...

Noted on Geodetic Index Card
Placed on U.S. Coast Survey Sheet No.
Sketch on Gen. Descr. Card

Profile Notes Red Plotted Job No. 2958.00 Division No.
No. X-Sec. Date Date Survey of Geodetic Control
Date Notes Chkd. Checked Survey by Bowers Notes ECB Date 3/28/66
Date Map No. Indexed H F OTT Date

F.B. 2458 Pg. 101

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
LF L-6				1804.6	LF L-6 El = 1804.6	
	0.88	1805.48				
LF L-6 AUX-1			8.14	1797.34	LF L-6 El 1797.3 A STD. 4" Br. Disk in a Conc. pad, Traverse Station, up 1'	F.B. 2958-99 & 100
	8.24	1805.58				
LF L-6			0.98	1804.6	LF L-6 Starting BM.	

F. B. 2458 Pg. 102

Job No. Division No. Notes Red Plotted Profile

Survey of Date Date No.

Survey by Notes Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.

76-L298 CE 307 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape Std °F
Surveyed by WILSON - FULTON
Notes Date NOV-65
Indexed G. J. GALLI NOV. 21, '66

F. B. 2458 Pg. 108

Noted on Location Card
Plotted on U.S.G.S. Quad. Shts.
Plans
Placed on Aerial Photo Flight No.
Sketch on Back of Index Card

L.A. COUNTY SUR. CONT. SYSTEM

SANTA MONICA MTN TRIANG.

J.N. 0301.00

INDEX

12-6-65

Wilson
Randall
Manley
Pyle

Fulton
T Jones
H.C. Martinez
H.C. Will
S.A. Tuttle

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not unfold this side of this file.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



FRI
6-30-72

L.A. Co. — Vent. Co.

boundary monument to be destroyed.

Freeway widening

Ventura Fwy & La Tienda

Thomas Guide pg. 102, B-3

Call: Div. of Hwys
Resident Engineer
Dave Gentry
889-7571

No D "

TIME VARIANCE REPORT
SURVEY DIVISION

TY ENGINEER

DATE

EMPLOYEE NAME	HOURS	F.N.	J.N.	REMARKS



Z6T438E-CE 343 Cdb 3-69

Supervisor

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of S.M. MTNS Δ
JN 230.00 Tape 0107 Std. 68 °F
Surveyed by RC, WJ, SOO
Notes R.C.W. Date 11-27-65
Inspected by C. J. GALLI

F. B. 2458 PG. 109

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
TRIUNFO PASS K-3



To 62°
17.50 @ L = 17.50'
5.333 @ L = 5.333m = 17.497'
29.475 @ L = 29.475'
8.985m @ L = 8.985m = 29.478'

23.59 / cos 1 = 23.5
7.190 M = 23.59

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 8-62

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F. B. 2458 Pg 106

TRIUNFO PASS K-3

THIS STATION IS LOCATED in Ventura County in the S.W. 1/4 of section 6, T1S, R19W. at the Triunfo Fire Lookout tower.

STATION ROUTE: From Pacific Coast Hwy and Encinal Cyn Rd: Proceed up Encinal 4 miles ± to the junction of Decker Rd: Thence along Decker (N'ly) 1 mile ± to Mulholland (to west): thence W'ly on Mulholland 0.3 mile to Little Syc. Cyn Rd. on the right; Thence along Syc. Cyn Rd. 3.2 mile ± to a saddle and a Fire Truck Rd. to the S.W.: pass thru locked (L-key) cable and proceed up grade 0.8 mile ± to the lookout tower: The sta. mark is 18' Ely.

STATION MARK: Set a L.A. Co. brass triang. survey control system 4" DISC in 8" conc. post set in conc. up 6" stamped "TRIUNFO PASS K-3 1965 L.A. CO. ENGR. R.E. 5869".

RM 1: Set Co. Engr. tag & nail in lead in conc. floor of gas tank storage shed.

RM 2: Fd. spk. in S.E. fwr footing and cut "+" on top.

ECC #1

Set a C.E. TAG IN EPOXY IN A 2' DIAM. STONE UP 1".

10-15-'74

WILSON by Bay

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of S.M. MTNS A
JN 4301.00 Tape 107 Std 68 °F
Surveyed by RCW/SOM
Notes RCW Date 12-7-65
Indexed C. J. GALLI

F. B. 2458 PG. 107

L.A. COUNTY SURVEY CONTROL SYSTEM
TRANGULATION STATION
RUSSELL VALLEY K-6A

Note: Directions to RMS Per FBS 1092-28

RM 3

Fd. R.V. K-6 AUX 1
Per. F.B. 933-245
An L.A. Co. Sur. Cont.
4" DISC Stamped
"Russel Valley K-6
Highway AUX 1"
DIAG. meas. added and ties checked 3-15-68 RCWilson

NOTE SEE PG 223 FOR NEW R.P.'S J.T 7-72

RM 1 C.E.
Fd. 2" B.C. Mon.
in 12" X 12" Conc.
Pod - AB 933-244

North R/W
Ventura Frwy

RM 2 Set C.E. in conc. H/W

N 41168.28
E 40411.41

ACCESS ROAD

Set B&Spk.

STA K6A
See Next pg.

T-70°
50.740 M @ Elev = 50.740
10.226 M @ Elev = 10.226
14.404 M @ Elev = 14.404

6' C.L. Fence

T-70°
166.47 @ Elev = 166.47
33.55 @ Elev = 33.55
41.26 @ Elev = 41.26

TO R.V.G-11
PG. 109

V.C. VENTURA CO.
L.A. VENTURA FRW'Y
C.S.
Fd. B.C. Mon. in conc.
"Ventura & L.A. Co. Brdy" F.B. 933
on South Side Frwy. Pg. 244

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76FS095 CE # 310 3-61

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F. B 2458 PG 108 RUSSELL VALLEY K-6A

THIS STATION IS LOCATED on the Ventura - Los Angeles Co. Bdy line 1000'± S'ly from the east ¼ cor. of Sect 24, T1N, R19/18W. and 200'± from the c'ln of the Ventura Freeway.

ROUTE: Proceed out the Ventura Freeway (to Ventura) to the ~~Westlake Blvd~~ "Decker Rd" turnoff: thence, from stop sign turn rt. 200'±, ~~and~~ to follow access rd (~~Saticoy to Pt~~) ely 0.8 mile ± to the station on the rt. side of the rd. @ the Co. line. (1'± So. of edge of pavt)

STATION MARK: Set a L.A. Co. Survey Control 4" Triangulation disc. ~~36" long in conc. flush 1' So. of edge of pavt~~ stamped "RUSSELL VALLEY K-6A L.A. CO. ENGR. R.E. 5869 1965". and set flush in conc. 1'±So. of edge of pavement.

RM # 1: P.K. 2" B.C. L.S. mon. on Co. line n'ly from sta. ~~in~~ 12"x12" Conc. pad. 1'± north of R/W fence.

RM #2: Set C.E. tag in lead in conc. head-wall.

R.M. #3: Used sta K6 Aux # 1 stamped "RUSSELL VALLEY K6 AUX 1 ~~HIGHWAY~~ L.A. CO. ENGR. R.E. 5869 1964".

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of S.M. MTNS. △
JN 0301100 Tape 136 Std @ 68 °F
Surveyed by WILSON - FULTON
Notes J.G.R. Date DEC '65
Indexed C.J. GALLI

F. B. 2458 Pg. 109

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RUSSELL VALLEY G-11
(CONEJO #5)



100' Nº 0137
T = 70°
9.56 @ LEV = 9.56
5.66 @ LEV = 5.66
11.12 @ LEV = 11.12
50 mtr. M-3

2.915	@ Lev. =	2.915
1.727	@ Lev. =	1.727
3.388	@ Lev =	3.388

1) 90°-00'-09"
1) 360°-00'-00"
Av 90°-00'-00"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this title.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 C.E. #3 10 6-62

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

F. B. 2458 PG 110 — RUSSELL VALLEY G-11

THIS STATION IS LOCATED IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTN'S., AND ABOUT 700 FT.± EAST OF THE W. QUARTER CORNER OF SEC. 2 - T1S - R19W. - S.B.B.&M. THIS STATION IS ALSO CORNER NO. 5 OF RANCHO EL CONEJO.

ROUTE: THIS STATION CAN BE REACHED BY DRIVING W'LY. ON MULLHOLLAND HWY., 0.2 MI. FROM ITS INTERSECTION WITH EAST ENCINAL CYN. RD., TO BODLE RD. (PRIVATE DIRT). THERE IS A CABLE HERE WITH A COUNTY L-LOCK ON IT. PROCEED N'LY. ON BODLE RD. 0.45 MILE TO JUNCTION WITH FIRE TRUCK ROAD. THERE IS A LARGE WATER STORAGE TANK ON THE RIGHT AND SLIGHTLY LOWER. FOLLOW FIRE TRUCK RD. ALONG WEST'LY SIDE OF LARGE VALLEY. PROCEED ABOUT 0.5 MI. TO A HORSESHOE BEND, TO THE RIGHT, AND 400 FT.± FROM THE TOP OF THE HILL. PARK IN THE HORSESHOE BEND AND HIKE WEST'LY DOWN RIDGE AND THROUGH SMALL SADDLE TO STA. ABOUT 600 FT.±. THE STATION IS ON THE TOP OF A VERY LARGE ROCK, THERE IS A HIGHER RIDGE TO THE EAST.

STATION MARK:
A 2½ INCH BRASS DISK SET IN CONCRETE ON TOP OF LARGE ROCK, 2" ABOVE FLUSH, AND STAMPED AS SHOWN.



REFERENCE MARKS:

Nº 1: SET L.A. CO. ENGR. TAG & NAIL W/ LEAD IN A DRILL HOLE ON A ROCK OUTCROPPING

Nº 2: SET L.A.CO. ENG'R. TAG & NAIL W/ LEAD IN A DRILL HOLE ON A ROCK OUTCROPPING. THIS POINT IS SET ON LINE TO POINT DUME I-4 (MARTIN)

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of S.M. MTNS
JN 230100 Tape 0.136 Std 84 °F
Surveyed by RC WILSON
Notes RCW Date 11-19-65
Indexed C. J. CALLY

F. B. 2158 Pg.

Sketch on Deed Page

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not unfold this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DUME POINT C-3

T-71°

1) 105-43-30 — 26.88 @ Lev = 26.88
4) 62-54-15 — 18.89 @ Lev = 18.89
5) 270-21-00 — 36.80 @ Lev = 36.80
A = 105-43-30

11.218 M @ Lev = 11.218
8.195 M @ Lev = 8.195
5.760 M @ Lev = 5.760

TO L.A.C.F.C.D. MAG. N 10° W-1ST F.B. 2458-147

SET R.M. No 1 (SEE NEXT PG.)

Paved Drive

8.195 MTRS MEAS.

26.88' MEAS.

11.218 MTRS 36.80'

105° 43' 30"

ONE STORY FRAME HOUSE

Paved Area

5.6'

59.7'

Identical Lines

59.7'

SET STA. MARK DUME PT C-3 (SEE NEXT PG.)

18.89' MEAS.

5.760 MTR MEAS.

TO DUME POINT I-A C.S. 933 P.S. 49

Butane Tank

SET R.M. No 2 (SEE NEXT PG.)

All dist. meas. level @ Std. temp

F. B. 2458 PG. 112 ~~108~~

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DUME POINT C-3

THIS STATION IS LOCATED in L.A. County in the S.W. 1/4 of Section 16, T1S, R19W on top of a point of land referred to as "BARNEY'S KNOB"

TO REACH THIS STATION from Pacific Coast Hwy @ Encinal Cyn Rd.: Proceed up Encinal Cyn Rd. To its junction with Decker Cyn Rd. (4 miles ±) At this point there are three driveways with a common junction: proceed up the steepest (most sly) drive 400'± to a level parking area and the station is the S.W. Cor. of paved area.

STATION MARK: Set a 4" Brass L.A. Co. SURVEY CONTROL BRASS DISC. in conc. flush 2.5' in from the Cor. of a paved park area, and stamped "DUME POINT C-3 1965 L.A. CO. ENGR. R.E. 5869"

R.M. No 1: Set a 4" L.A.CO. SURVEY CONTROL (REF. MARK) BRASS DISC on line to "TRIUNFO" (R.V. B-12) stamped "R.M. 1 1965 L.A. CO. ENGR. R.E. 5869."

R.M. No 2: Set a 4" L.A. CO. SURVEY CONTROL (REF. MARK) BRASS DISC on line to "MARTIN" (D.PT. I-4) stamped "R.M. 2 1965 L.A. CO. ENGR. R.E. 5869."

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SANTA MONICA MTNS M-6	F. B. 2458 Pg. 113
Map No.	JN 0301 00 Tape 0144 Std 68 °F	
Office Work	Surveyed by FULTON	
Checked	Notes JF Date 11-65	
Date	Indexed G. J. GALLI	

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DUME POINT D-4
(SAGE)



1) 72-43-45
4) 290-55-00
6) 76-22-30
72-43-45

300' TAPE 144
T. 70°
36.66 @ LEV = 36.66
52.99 @ LEV = 52.99
T. 60°
54.78 @ LEV. = 54.77

50M TAPE M-6
T. 70°
11.174 @ LEV = 36.660'
16.153 @ LEV = 52.995'
T. 62°
16.695 @ LEV. = 54.771

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

75F309S CE#310 1-65

F.B. 2458 Pg. 114

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DUME POINT D-4

AREA

THIS STATION IS IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTNS., IN SEC. 21 T.1S. R.19W., 200'± S. OF THE NORTH LINE, 1100'± W. OF THE EAST LINE.

ROUTE

FROM THE INTERSECTION OF ENCINAL CN. RD. & DECKER RD. DRIVE S'LY ON ENCINAL CN RD 0.2 MI. TO DIRT ROAD AND PARKING AREA ON LEFT (EAST), DRIVE S-E'LY 0.2 MI TO DIRT RD. ON LEFT, DRIVE E'LY, 0.3 MI OUT RIDGE AND UP HILL TO STATION.

STATION MARK

A 4" U.S.C. & G.S. BRASS TRIAN. DISC STAMPED "SAGE, 1927" CEMENTED FLUSH IN ROCK, FLUSH WITH GROUND. F.B. 933-23, 24

REFERENCE MARK Nº 1 DESTROYED NOV. 65

" " Nº 2 " "

REFERENCE MARK Nº 3
A 2½" L.A.CO. ENGR. BRASS DISC STAMPED "DUME POINT D-4 SAGE, 1965. RE 5869 RM NO3" UP 3" IN 6" CONC POST.

REFERENCE MARK Nº 4
A 2½" L.A.CO. ENGR. BRASS DISC STAMPED "DUME POINT D-4 SAGE 1965, R.E. 5869" RM NO4" UP 4" IN 6" CONC. POST.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SANTA MONICA MTNS
Map No.	JN 030100 Tape 0137 Std 68 °F
Office Work	Surveyed by WILSON, FULTON
Checked	Notes J.F. Date 12-6-65
Date	Indexed G. J. GALLI

F. B. 2456 PG. 115

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DUME POINT E-5



FD. C.E. TAG IN LEAD IN SANDSTONE

24.68

FD. DUME POINT E-5
SEE NEXT PAGE

14.43

34.91

FD. C.E. TAG IN LEAD IN SANDSTONE

FD. C.E. TAG IN LEAD IN SANDSTONE

100' TAPE #0137

24.68 LEV. T. 66° = 24.68

34.91 LEV. T. 66° = 34.91

14.43 LEV. T. 66° = 14.43

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

ZAE3085 CE #310 6-63

F. B. 2458 Pg 116

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DUME POINT E-5

AREA THIS STATION IS IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTNS. IN PARTIAL SEC. 27 T.1S. R.19W. 800'± SOUTH OF THE NORTH LINE 1800'± EAST OF THE WEST LINE ON HILL 1776 DUME POINT QUADRANGLE.

ROUTE FROM THE INTERSECTION OF PACIFIC COAST HWY. & ENCINAL ROAD DRIVE N'LY UP ENCINAL 2.8 MI TO A DIRT ROAD ON RIGHT (EAST) (PRIVATE GATE OPEN AT THIS DATE) DRIVE N-E'LY UP DIRT ROAD 0.8 MI. TO SADDLE, PARK HERE AND HIKE S'LY ON ABANDONED DIRT ROAD TO ITS END, CONTINUE UP WEST SIDE OF RIDGE THROUGH SADDLE AND S'LY UP [illegible] 30 MINUTE HIKE.

STATION MARK A 4" L.A.CO. SUR CONT. SYSTEM BRASS TRIAN. DISC "STAMPED" DUME POINT E-5 1965 LACO ENGR R.E. 5869" CEMENTED FLUSH IN SANDSTONE BOULDER UP 36".
NO RECORD

REFERENCE MARKS NONE SET 3 C.E. TAGS
SURFACE TIES IN SANDSTONE NO RECORD

IT IS BELIEVED THAT THIS STATION AND ITS SURFACE TIES WERE SET BY G.E. DREIER AND NO NOTES WERE MADE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SM MTNS
Jn [illegible] Tape 01% Sta 84 °F
Surveyed by WILSON
Notes WILSON Dat 11-65
Indexed C. J. CALL

F. B. 3150 Pg. 117

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

ARROYO SEQUIT L-7 AUX 2
(OBCKER AUX 2)



50 ARR. 18.3
10.165 @ 62° = 10.165
13.525 @ 62° = 13.525
10.488 @ 300 62 = 10.171
300' # 136
32.34 @ 62° = 32.34'
60.66 @ 10-38 @ 62° = 59.61'
44.36 @ 062° = 44.35'

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

26F309S CE#310 1-65

F. B. 2458 Pg. 118

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ARROYO SEQUIT L-7 AUX 2

(DECKER AUX 2)

AREA

This triangulation station is located in Los Angeles County, in the Santa Monica Mtns, on the sly. point of a high ridge between Los Alisos and Nicholas Cyons in the region marked "843" in the eastern part of U.S.G.S. quad sheet ARROYO SEQUIT, about 1800' North of the coast and 2.5 miles east of the VENTURA-L.A. COUNTY line.

ROUTE

From the intersection of Pacific Coast Hwy and Decker Road- Follow Decker Rd. nly 2.6 mile to Decker School Rd. on the left- thence left on Decker School Rd 2 miles ± to end of rd. @ Meso Ranch cross thru gate on left (L-KEY) and travel sly 0.4 mile to rd. on the left- turn left and travel sely 0.8 mile to "Y" - bear left and travel down grade 0.4 mile to saddle- follow fence line on right up grade 0.2 miles to spur running down grade on the left- follow f.f. 0.3 mile to the station.

STATION MARK: A 4" L.A. Co. Surv. Cont. System brass disc stamped "ARROYO SEQUIT L-7 AUX 2, 1965, L.A. CO. ENGR. R.E. 5869" up 3" and set in 12" x 12" conc. pad.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of S.M. MTNS
Job 2241.00 Tape Std °F
Surveyed by Wilson
Notes RCW Date 11-65
Indexed G.I. Gill

F.B. 2458 PG. 119

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION 1
ARROYO SEQUIT L-7 AUX 2

(cont from pg. 118)

AUX #1

STATION MARK: A 2½" L.A. Co. Survey bross disc stamped "DECKER AUX 1 R.E. 329 - COUNTY SURVEYOR - 1950" up 3" and set in 6" conc. post

SUB SURFACE MARKS: None set

REFERENCE MARK NO 2: A 2" L.A. CO. SUR. Cont. system bross ref. mark disc stamped "DECKER R.M. 2 1965 COUNTY SURVEYOR R.E. 329" up 3" and set in 12"x12" conc. post.

REFERENCE MARK NO 3: A 2½" L.A. Co. ENGINEER bross disc stamped "A.S. L-7 AUX 2 - RM 3 - 1965 - R.E. 5869" up 3" and set in 6" Conc. post.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3098 CE#310 1-65

F. B 2458 Pg. 120

BLANK

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape 136 Std 84 °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes J.S. RANDALL Date NOV-'65
Date	Indexed C. J. GALLI

F. B. 2458 Pg. 181

L.A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

ARROYO SEQUIT K-4

1) 148-53-00
4) 235-32-40
AV) 148-53-10

1) 111°-12'-40
4) 84-50-40
AV) 111-12-40

F.B. 2458-123 TO P.D. A-2

RM 1
FD. L. & L.A.CO. ENGR. TAG SET FLUSH IN LARGE ROCK. (SEE NEXT PG)

TO MESA RANCH DRIVE WAY. 0.2 FROM STA.

ARROYO SEQUIT K-4

FD. STD. L.A.CO. SURVEY CONTROL TRIANGULATION DISK IN CONC. POST, 6" ABOVE GROUND. PER F.B. 3250-16 SEE NOTE, NEXT PG.

1.598 (M) 5.245 (M)

18.795

111°-12'-40"

16.255 (M)

148°-53'-10"

TRACK

RM 2
FD. L. & L.A.CO. ENGR. TAG, SET FLUSH IN LARGE ROCK. (SEE NEXT PG)

0.1 MILE

TRAVELED

300 Ft. Tape No. 136

18.795 @ Lev @ T = 80° = 18.795

16.25 @ Lev @ T = 80° = 16.25

5.245 @ Lev @ T = 80° = 5.245

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not attend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S C.E. #310 6-62

F. B. 2458 PG. 122

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ARROYO SEQUIT K-4

THIS STATION IS LOCATED IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTNS., IN THE N.W. QUARTER OF FRACTIONAL SEC. 19 - R.19W. - T.1S.

TO REACH THIS STATION FROM THE INTERSECTION OF PACIFIC COAST HIGHWAY & DECKER ROAD. PROCEED NORTH ON DECKER ROAD FOR 2.35 MILE, TO DECKER SCHOOL ROAD. THENCE LEFT ON DECKER SCHOOL ROAD, 1.50 MILES TO MESA RANCH GATE. PROCEED THROUGH GATE, ON PAVED DRIVE WAY, 0.1 MILE TO WOODEN GATE ON THE RIGHT. THROUGH GATE, 0.1 MILE, ON TRAVELED TRACK, TO FORK. BEAR LEFT THROUGH SMALL GULLEY AND UP GRADE, 0.4 MILE TO STATION, ON RIGHT. THE STATION IS LOCATED ON A SMALL BUT PROMINENT RIDGE.

NOTE: FOR PERMISSION TO USE PRIVETE DRIVEWAY THROUGH MESA RANCH, CONTACT FOREMAN R.L. MEEK AT MAIN RANCH HOUSE, OR PHONE 213-457-2828.

STATION MARK:

FD. A 4" L.A. CO. SURVEY CONTROL SYSTEM TRIANGULATION STA. BRASS DISK, SET IN A CONCRETE POST, 6" ABOVE GROUND WITH A MOUND OF ROCK CEMENTED AROUND 12" X 12" CONC. PAD. STAMPED " ARROYO SEQUIT K-4, 1965, L.A. CO. ENGR. R.E. 5860"

REFERENCE MARKS: RM 1 & RM 2

FD. L.A.CO. ENG'R. TAGS SET IN A DRILL HOLE W/LEAD IN ROCK. BOTH R.M'S ARE SAME TYPE.

NOTE:

THIS STATION WAS SET BY G.E. DREIRER, 3-JUN-'65 AS A REPLACEMENT OF A 1" I.P. W/ CAP & DRILL HOLE. F.B. 3250-16

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 03100 Tape 100 Std 84° °F
Surveyed by DREIER
Notes BAZEN Date 6/22/65
Indexed C. J. GALLI

F. B. 2458 Pg. 123

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
"DUME POINT A-2"

1	75°-21'-30
4	301-26-30
5	92-10-00
AV	75-21-40

TO F.B. 2458-105 PASS K-3 TRUMFIO MIN. QUAD.

SET TRIANG. STA. "DUME POINT A-2" SEE NEXT PG.

75°-21'-40"

TO F.B. 2458-129 RUSSELL VALLEY B-12

SET R.M. NO 2 ABOUT 2' LOWER (SEE NEXT PG.)

TO TRA 25.385 ALT

HIKE

SET R.M. NO 1 ABOUT 4' LOWER (SEE NEXT PG.)

32.48 ALT

0.25 Mi.

Dirt road

4.9 Mi.

HWY.

2.2 mi. to Decker Rd.

MULHOLLAND

To Pacific Coast Hwy.

Driveway entrance to WAKONDA Y.M.C.A. CAMP.

T = 64°

32.48 @ LEV. = 32.48

35.385 @ LEV. = 32.385

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 C.E. #310 6-62

F. B 2458 Pg. 124

~Description~

L.A. COUNTY TRIANGULATION STATION "DUME POINT A-2"

This station is in the County of Los Angeles, in the Santa Monica Mts. & in the NLY part of Sec 17 - R19W-T1S. & can be reached from the Pacific Coast Hwy. by traveling NLY on Mulholland Hwy. 4.9 mi. to dirt road on left (across Hwy. from entrance to Y.M.C.A. camp). Proceed N.WLY on dirt rd. 0.20 mi. to a flat valley. PARK AT BOTTOM OF SLOPE, AND HIKE UP STEEP SLOPE ABOUT 100 FT., THEN FOLLOW TOP OF RIDGE ABOUT 300 FT. TO STATION MARK.

STATION MARK: bronze L.A. Co. TRIANG. Sta. Disc

Set a ~~std.~~ 4" ~~Precast Triang.~~ ~~mon.~~ in conc., up 3" on a rocky ridge., & stpd. "DUME POINT A-2, 1965, L.A. CO. ENGR. R.E. 5869."

REFERENCE MARKS:

No 1 A 2½" L.A.Co. Engineer BRASS DISK ON A 2" I.P. IN 6" CONC. POST, FLUSH, ABOUT 4 FT. LOWER THAN THE STA. MARK ON LINE PRODUCED FROM R.V. B-12, AND MARKED AS: R.M. 1, D.P. A-2-1965, R.E. 5869.

No 2 A 2½" L.A.Co. ENGINEER BRASS DISK ON A 2" I.P. IN 6" CONC. POST, FLUSH, ABOUT 2 FT. LOWER THAN STA. MARK, ON LINE TO R.V. B-12, AND MARKED AS FOLLOWS: R.M. 2, D.P.A-2, 1965, R.E. 5869.

NOTE: REFERENCE MARKS SET BY R.C. WILSON NOV. 1965

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL F. B. 2458 Pg. 125
JN 2221.00 Tape M27 Std 68 °F
Surveyed by RCW; BOP
Notes RCW Date 12-65
Indexed C. J. CALLI

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RUSSELL VALLEY B-12A



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3098 CE#310 1-65

F. B. 2458 Pg. 126

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RUSSELL VALLEY B-12 A

AREA: This station is located in L.A. Co. in the Santa Monica Mtns in the S.E. 1/4 of sect. 5, T1S, R12W, 40' ± ely from the Ventura - L.A. County line.

ROUTE: From the intersection of Decker Rd. & Mulholland Hwy: travel wly on Mulholland 0.3 mile to Syc. Cyn. Rd. on the right: thence n.wly on Syc. Cyn Rd. 2 miles ± to a large saddle and ETZ Meloy Fire rd. to the right: thence upgrade 0.45 mile (ely) on fire rd. to small saddle (fire rd. swings to so. side of ridge) Park and hike wly up ridge 400' ± to station.

STATION MARK: A 4" L.A. Co. Sur. Cont. System brass triangulation disc stamped "RUSSELL VALLEY B-12A 1965 L.A. CO. ENGR. RE 5869" and set in 8" Conc. post 6" above ground.

REFERENCE MARK 1: A 2½" L.A. Co. Engr. brass disc stamped "R.V. B12A 1965 RE 5869 —•→" and set in 6" Conc. Post 4" above grd.

REFERENCE MARK 2: A CO. ENGR. TAG set in lead in rock outcrop South of the station.

SUB-SURFACE MARK: None Set.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of S. M. MTN'S 4
JN0301.00 Tape 0137 Std GB °F
Surveyed by WILSON-FULTON
Notes J.G.R. Date 3-DEC '69
Indexed G. J. GALLI

F. B. 2458 Pg. 127

L.A. CO. SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RUSSELL VALLEY B-12
(TRIUNFO)

TO 73°

24.63'@L = 24.63
23.25'@L = 23.25
47.88

TO 73°

20.16@L = 20.16
31.62@L = 31.62
26.51@L = 26.51
78.29'

directions per FBG 1092-38



NOTE: FOR ADDITIONAL REFERENCE MARK INFORMATION SEE F.B. 933-21

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made on Grid in Red Ink With Date and Name of Person Making Change.

Do not extend this title of this fine.

78F3095 CE #310 6-62

F. B. 2458 PG. 128

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

RUSSELL VALLEY B-12

THIS STATION IS LOCATED IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTNS., VERY NEAR THE S.W. COR. OF SEC. 4 - T1S - R19W. - S.B.B.&M., ON A PROMINENT HILL.

ROUTE: TO REACH THIS STATION FROM THE INTERSECTION OF PACIFIC COAST HIGHWAY & ENCINAL CANYON RD., PROCEED UP ENCINAL 4 MILES ± TO DECKER RD., CONTINUE N'LY ON DECKER ROAD 1 MILE ± TO MULLHOLAND HWY., THENCE W'LY (LEFT) ON MULLHOLLAND 0.3 MI. TO LITTLE SYC. CYN. ROAD, N'LY (RIGHT) 2.9 MI. ± TO A LARGE SADDLE, AND ETZ MELOY FIRE TRUCK TRAIL TO THE RIGHT (S'LY), FOLLOW FIRE ROAD 0.55 MI. (JUST PAST WHERE ROAD TURNS ALONG SOUTH SIDE OF RIDGE). PARK IN WIDE AREA AND HIKE E'LY UP FIRE BREAK 600 FT TO STA.

STATION MARK:
A 4" BRASS DISK SET IN A ROCK OUTCROPPING, AND STAMPED: "U.S. GEOLOGICAL SURVEY B.M. - 'TRIUNFO' - R.S. 1928"

REFERENCE MARK Nº 1
A 4" BRASS DISK, SET IN A ROCK, AND STAMPED AS FOLLOWS "REFERENCE MARK NO. 1, - 1933, R.E. 62". THIS MARK IS COOPERATIVE SURVEY CONTROL, COUNTY OF LOS ANGELES CITY OF LOS ANGELES PRE STAMPED DISK. IT IS ABOUT 10 FT. LOWER THAN THE STATION.

REFERENCE MARK NO 2
A 4" BRASS DISK, SET IN A ROCK OUTCROPPING, AND STAMPED AS FOLLOWS: "REFERENCE MARK NO 2., 1933, R.E. 62, TRIUNFO. THIS IS THE SAME TYPE DISK AS NO 1, AND IS 20 FT ± LOWER THAN THE STATION

NOTE: FOR ADDITIONAL R.M. INFORMATION SEE F.B. 933 - 21

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of S.M. MTN'S. 4
JN 0301:00 Tape 100 Std 84 °F
Surveyed by WILSON - FULTON
Notes J.G.R Date DEC-65
Indexed C.J. BULL

F. B. 2458 PG. 129

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RUSSELL VALLEY E-12



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Noted
Plotted
Plotted on Map
Shown on Map

74F3095 C.E. #310 8-62

F. B 2458 PG 130

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RUSSELL VALLEY E-12

THIS STATION IS IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTN'S., ABOUT 1000 FT. ± SO. OF THE N.W. COR. OF SEC. 10 - T-1-S. - R19W. S.B.B.&M.

ROUTE: FROM THE INTERSECTION OF PACIFIC COAST HWY. & ENCINAL CYN RD., PROCEED NORTH'LY ON ENCINAL 4.2 MI. ± TO INTERSECTION WITH DECKER RD., CONTINUE NORTH'LY ON DECKER RD. 2.8 MI. TO ET2 MELOY FIRE TRUCK TRAIL (ON THE LEFT). L-KEY REQUIRED AT GATE, FOLLOW FIRE ROAD 0.1 MILE TO WIDE PARKING AREA, ON LEFT. HIKE N'LY UP FIRE BREAK 300 FT. ± TO SUMMIT, THENCE EAST'LY DOWN RIDGE TO STATION, 400 FT. ±.

STATION MARK:

A 4" L.A. CO. SUR. CONT. SYSTEM BRASS TRIANG. DISC. STAMPED "RUSSELL VALLEY E-12, 1965, L.A.CO. ENGR RE 5869" UP 2" & SET IN 8" CONC. POST.

REFERENCE MARKS:

No 1 A 2½" L.A.Co. ENGINEER BRASS DISK SET IN A 6" CONCRETE POST, FLUSH, AND STAMPED AS FOLLOWS: R.M. 1, R.V. E-12, 1965, R.E. 5869. THIS MARK IS SET ON THE TRAIL TO THE STATION.

No 2: A 2½" L.A.Co. ENGINEER BRASS DISK SET IN A 6" CONCRETE POST, FLUSH, AND STAMPED AS FOLLOWS: R.M.2, R.V. E-12, 1965, R.E. 5869. THIS MARK IS ABOUT 4FT. LOWER THAN THE STATION.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS F. B. 2458 PG. 131
JN 0 3000 Tape 144 Std 68 °F
Surveyed by WILSON-FULTON
Notes J.F. Date 12-6-65
Indexed C. J. GALLI

Sketch on Separate Card

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DUME POINT E-4



1) 89-59-50
4) 360-00-00
2) 180-00-00
90-00-00

FD DUME POINT E-4
SEE NEXT PAGE
NO REF.



300' TAPE #144
T. 76
19.52 @ LEV. = 19.52
15.37 @ LEV. = 15.37
24.845 @ LEV. = 24.845

50 MTR. # M-6
T. 76
5.951 M @ LEV. = 19.524'
4.685 M @ LEV. = 15.371'
7.575 M @ LEV. = 24.852

SEE ALSO F.B. 3250-25

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE#310 1-65

F. B. 2458 PG. 132

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DUME POINT E-4

AREA

THIS STATION IS IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTNS., SEC. 22, T. 1 S. R. 19 W., 400'± EAST OF THE WEST LINE, 1900'± SOUTH OF THE NORTH LINE, ON A HILL MARKED 1703 ON U.S.G.S. "DUME POINT" QUADRANGLE.

ROUTE

FROM THE INTERSECTION OF PACIFIC COAST HWY. & ENCINAL CYN. RD. DRIVE UP ENCINAL CYN. 2.9 MI. TO A DIRT RD ON RIGHT, DRIVE UP DIRT RD N-E'LY 0.9 MI TO SADDLE, TURN LEFT AND WITH 4 WHEEL DRIVE FOLLOW RIDGE W'LY 0.25 MI TO STATION.

STATION MARK

A 4" L.A.CO. SUR. CONT. SYSTEM BRASS TRIANG. DISC STAMPED "DUME POINT E-4, 1965, L.A. CO. ENGR. R.E. 5869", UP 4" IN 8" CONC. POST

SUB-SURFACE MARK - NO RECORD

REFERENCE MARK Nº 1

A 2½" L.A. CO. ENG'R. BRASS DISC STAMPED "DUME POINT E-4, R.M. NO. 1, 1965, R.E. 5869" UP 4" IN 6" CONC. POST

REFERENCE MARK Nº 2

A 2½" L.A. CO ENG'R. BRASS DISC STAMPED "DUME PT. E-4 R.M. NO. 2 1965 R.E. 5869" UP 4" IN 6" CONC. POST

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS. F. B. 2458 PG. 133
JN 0301.00 Tape M-3 0136 Std 68 04 °F
Surveyed by WILSON - FULTON
Notes J.E. Date 11-30-65
Indexed G. L. GALLI

Sketch on back if necessary.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ARROYO SEQUIT L-5



1) 108-23-45
4) 73-34-45
2) 290-21-45
108-23-38

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ARROYO SEQUIT
L-5
1965
SET BY R.L.S.
NGR FOR INFORMATION
L.A. COUNTY ENGINEER

300' TAPE 0136
T. 66°
32.00 LEV. = 32.00
30.07 LEV = 30.07

50 MTR. M-3
T. 66
9.755 M LEV = 32.005'
9.166 M LEV. = 30,072'

SEE ALSO FB 3250-13

76F3095 CE#310 1-65

F. B 2458 PG 134

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ARROYO SEQUIT L-5

AREA

THIS STATION IS IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTNS, IN TOPANGA-MALIBU SEQUIT, 2500'± WEST OF DECKER RD., 5500'± NORTH OF THE COAST LINE, 1300'± S-W OF HILL 1460 U.S.G.S. "TRIUNFO PASS" QUADRANGLE.

ROUTE

FROM THE INTERSECTION OF PACIFIC COAST HWY. & DECKER RD. DRIVE N'LY ON DECKER RD. 2.6 MI TO DECKER SCHOOL RD., TURN LEFT AND DRIVE W'LY 1.7 MI TO LOCKED GATE ON NICOLAS FLAT MWY., GO —— 0.4 MI. TO TRAVELED TRACKS ON LEFT, DRIVE ACCROSS FIELD AND OVER HILL 0.8 MI. TO "Y" IN ROAD, GO STRAIGHT UP HILL ON TRAVELED TRACKS 0.1 MI TO STATION.

STATION MARK

A 4" L.A. CO. SUR. CONT. SYSTEM BRASS TRIANG. DISC STAMPED "ARROYO SEQUIT L-5, 1965, L.A.CO. ENGR R.E. 5869" FLUSH IN 8" CONC. POST.

SUB SURFACE MARK - NO RECORD

REFERENCE MARK Nº 1

A 2½" L.A. CO ENGR. BRASS DISC STAMPED "A.S.L-5 R.M. 1 RE 5869" UP 4" IN 6" CONC. POST

REFERENCE MARK Nº 2

A 2½" L.A. CO. ENGR BRASS DISC STAMPED "A.S.L-5, R.M. 2, R.E. 5869" UP 4" IN 6" CONC. POST

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of S. MON. MTNS. △
Map No.	JN0301.00 Tape 1.36 Std 68° °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes J.G.R. Date 23-NOV-65
Date	Indexed C. J. GALLE

F. B. 2458 Pg. 135

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ARROYO SEQUIT H-4 (FULTON)

132.90 @ T=84°	FEET = 132.90	61.57 @ T=84°	FEET = 61.57
40.511 (M) =	METERS 132.91 @ T=84°	18.769 (M) =	METERS 61.57 @ T=84°
4.165 @ T=84°	FEET = 4.165	71.33 @ T=84°	FEET = 71.33
1.270 (M) =	METERS 4.165 FT. @ T=84°	21.744 (M) =	METERS 71.33 FT. @ T=84°



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 C.E. #310 6-62

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ARROYO SEQUIT 4-4

F. B. 2458 PG. 136

THIS STATION IS LOCATED IN: THE COUNTY OF VETURA, IN THE SANTA MONICA MTN'S, NEAR THE SOUTH LINE OF, AND IN THE S.E. ONE QUARTER OF SEC. 14 - T1S - R20W.

ROUTE:

FROM THE INTERSECTION OF PACIFIC COAST HIGHWAY & MULHOLLAND HWY., DRIVE NORTHERLY ON MULHOLLAND 0.05 MILE, TO DIRT ROAD ON LEFT (WEST), "YELLOW HILL MTW", PROCEED UP ROAD 3.2 MILES TO TRACKS ON RIGHT (EAST), DRIVE UP SIDE HILL TO TOP 0.1 MILE, THEN HIKE 100 YDS. S.E.'LY ALONG RIDGE, PAST R.M. Nº 1, AND TO STATION.
AN (L-KEY) IS NEEDED TO ENTER YELLOW HILL MTW.

STATION MARK:

A ONE INCH BRASS CAP, SET FLUSH IN A SAND STONE BOULDER & STAMPED AS SHOW BELOW:

NOTE: THE PUNCH MARK ON THIS STATION IS IN THE CENTER OF THE "O" IN 1607.



REFERENCE MARK Nº 1

L.A. COUNTY SURVEY CONTROL SYSTEM, 4" BRASS DISK, REFERENCE MARK, SET IN A CONCRETE POST, 3" ABOVE FLUSH:

REFERENCE MARK Nº 2

L.A. COUNTY SURVEY CONTROL SYSTEM, 4" BRASS DISK, REFERENCE MARK, SET IN A CONCREE POST, 3" ABOVE FLUSH

COUNTY BOUNDARY MONUMENT:

A 2½ INCH COUNTY SURVEYORS BRASS CAP, SET IN A ROCK MOUND & CEMENTED TOGETHER. MOUND IS 18"x18" ± AND STAMPED AS SHOWN BELOW:

SET 18" ABOVE FLUSH.



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 030100 Tape Std °F
Surveyed by DREIER
Notes BAZEN Date 6/22/65
Indexed C. J. BAILEY

F. B. 2458 PG. 137

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION "PARKS"
ARROYO SEQUIT J-5



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Z&F 3085 C.E. #310 6-62

F. B. 2458 PG. 138 — Description —

L.A. COUNTY TRIANGULATION STATION

ARROYO SEQUIT J-5

U.S.C. + G.S. "PARKS"

This Station is in the County of Los Angeles in the Santa Monica Mts. 1/4 mi. S.E. of SEC 19, R19W-T1S, on top of ridge along East boundary line of Leo Carillo State Park., + can be reached from Pacific Coast Hwy. by traveling N'LY on Decker Rd. 2.35 mi. To Decker School Rd., thence Lt. on Decker school Rd. 1.50 mi. to MESA Ranch Gate., turn Lt. thru Locked gate (L-key) + proceed 0.25 over traveled rd., bear rt. across wash + follow rd. 0.55 mi. to end of rd., turn Lt. + follow traveled tracks up ridge, proceed over traveled tracks + thru barbed wire gate 0.45 Mi. To Station.

STATION MARK:

A 4" U.S.C.+G.S. brass triang. sta. disc set in a 10" x 14" rock ~~(which is loose)~~ + stpd. "PARKS, 1927" Per F.B. 933-27, 28. New conc. ~~base~~ poured around rock on 9-27-66 RCW.

REFERENCE MARKS:

R.M. NO. 1 - A U.S.C.+G.S. 4" brass R.M. disc set in sandstone rock 40.3" ~~(where it is loose)~~, + stpd. "R.M. 1, PARKS, 1927" Per F.B. 933-27, 28. New conc. ~~base~~ poured around rock on 9-27-66. RCW ~~9-27-66~~

R.M. NO. 2 - A 4" brass L.A. Co. R.M. disc set in conc. up 2" + stpd. "PARKS RM NO 2 948, County Surveyor R.E. 329." Per F.B. 933-27, 28. Added on 9-27-66 RCW

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN Tape Std °F
Surveyed by
Notes R.C.W. Date 10/66
Indexed G. J. GALLI

F. B. 2458 PG. 139

Noted on Index Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Div. of Div., W.S.No.
Sketch on Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

SANTA MTNS TRIANGULATION

DIVISION 2

JN 0301.00

STATION NOTES & SCHEME

SEPT, OCT, NOV

1966

PARTY

WILSON FULTON
RANDALL (T) JONES
MORTIMER (W) DOYLE
GOODWIN (RC) MANLEY
(SA) TULLIER

76F309S CE#310 1-65

F. B. 2458 Pg. 140



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on Map Index Card
U.S.G.S. Quad. Shts.
Placed
Div. W.S. No.
Placed
Sketch on Geod. Desc. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of S.M. Mtn Div 2
Job 330.00 Tape Std. °F
Surveyed by Fulton-Wilson
Notes RCW Date 10-5-65
Indexed G. J. GALLI

F. B. 2458 PG. 141

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.



78F309S CE #310.1-65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2458 PG. 142

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS. M-3
JN 0301.00 Tape 0144 Std 84 °F
Surveyed by FULTON
Notes J.F Date 8-66
Indexed C. J. GALLI

F. B. 2458 PG. 143

Noted on Geo. Index Card
Plotted on U.S.G.S. Quad. Sht.
Plotted on Sur. Div. U. S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DUME POINT J-10A



SET R.M. 1
SEE NEXT PG.

FD D.P.L-7
F.B. 933-15

300' TAPE 0144
T. 71°
51.40 @ LEV = 51.40
54.455 @ Lev = 54.455
85.98 @ Lev = 85.97

50 M. TAPE M-3
T. 71°
15.669 @ LEV. = 51.407
16.599 @ Lev = 54.459
26.204 @ LEV = 85.961

51.40 FT.
15.669 M.

SET D.P. J-10A
SEE NEXT PAGE

85.97 FT.
26.204 M.

108° 34' 00"

1) 108-34-00
4) 74-16-00
6) 291-24-00
108-34-00

54.455 FT.
16.599 M.

SET R.M. 2
SEE NEXT PG.

FD D.P.L-12
F.B. 933-57

70F3095 CE #310 6-83

F. B. 2458 PG 144

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DUME POINT J-10 A

AREA THIS STATION IS IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTNS., IN THE TOPANGA MALIBU SEQUIT, 6200'± S. OF PARTIAL SEC. 36 T. 1S. R 19W., 2000'± N.E. FROM THE PACIFIC OCEAN, 2800'± W. OF ZUMA CANYON. POINT DUME QUADRANGLE.

ROUTE FROM THE INTERSECTION OF PACIFIC COAST HWY & MORNING VIEW DRIVE (300' W. OF ZUMA BEACH LIFE GUARD STATION) DRIVE N'LY ON MORNING VIEW DRIVE 0.15 MI TO DIRT ROAD ON RIGHT, DRIVE E'LY ON DIRT RD 500' TO TOP OF HILL, TURN LEFT AND DRIVE N'LY ON TRAVELED TRACKS UP RIDGE 0.2 MI TO STATION.

STATION MARK A 4" L.A.CO SUR. CONT. SYSTEM BRASS TRIAN. DISC STAMPED" DUME POINT J-10 A 1966, L.A.CO. ENGR R.E. 5869" UP 6" IN 12"x12" CONC. PAD.

SUB SURFACE MARK NONE SET

REFERENCE MARK Nº 1
A 4" L.A.CO. SUR. CONT. SYSTEM BRASS REFR. MARK DISC STAMPED" DUME POINT J-10 A R.M.-1 1966 L.A.CO. ENGR. RE 5869" UP 6" IN 12"x12" CONC. PAD

REFERENCE MARK Nº 2
A 4" L.A.CO. SUR. CONT SYSTEM BRASS REFR. MARK DISC STAMPED" DUME POINT J-10 A R.M.-2 1966 L.A.CO.ENGR. R.E. 5869" UP 6" IN 12"x12" CONC. PAD.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on Geo. Index Card
Plan
Place on U.S.C.&G.S. Sheet this.
Place on Sur. Rly. W. S. No.
Sketch on Geo. Desc. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS F. B. 2958 PG. 145
JN 0301.00 Tape M-3 144 Std 84 °F
Surveyed by FULTON
Notes J.F. Date 9-1-66
Indexed G. J. GALLI

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

SOLSTICE CN. A-4

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOLSTICE CN. A-4
L.A. CO.
1960
RESET
FOR INFORMATION SEE COUNTY ENGINEER

SEE ALSO
FB 2639-51
RJM 5-9-67

FD. SOL. A-4
SEE NEXT PAGE

SET R.M. 2
SEE NEXT PG.

9.370 M
30.74 FT.

89° 59' 58"
13.752 M
45.118 FT.

10.063 M
33.015 FT.

① 90-00-00
② 359-59-45
③ 179-59-45
89-59-58

SET R.M. 1
SEE NEXT PAGE

FD. SOL B-6
F.B. 933-39 & 217

300' TAPE # 144
T: 68°
30.74 @ LEV = 30.74
33.015 @ LEV = 33.015
45.12 @ LEV = 45.12

50M TAPE # M-3
T: 68°
9.370 @ LEV = 30.741
10.063 @ LEV = 33.015
13.752 @ LEV = 45.118

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

75F3095 CE #310 6-33

F. B. 2458 PG 146

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

AREA SOLSTICE CN. A-4

THIS STATION IS IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTNS., IN SEC 20 T. 1 S. R. 18 W. 3700' ±W. OF THE EAST LINE, 300' ±S. OF THE N. LINE. POINT DUME 7½' QUAD

ROUTE

FROM THE INTERSECTION OF PACIFIC COAST HWY & LATIGO CN. RD. DRIVE N'LY UP LATIGO CN RD 7.5 MI. TO TOP OF GRADE AND TWO ROADS ON LEFT (WEST), DRIVE UP MOST S'LY AND STEEPEST ROAD 200 FT TO TOP, BEAR LEFT ON TRAV. TRACKS AND DRIVE 300 FT. W'LY OUT RIDGE TO STATION.

STATION MARK

A 4" L.A. CO. SUR. CONT. SYSTEM BRASS TRIAN. DISC STAMPED " SOLSTICE CN A-4, 1960, L.A. CO ENGR. R.E. 5869" FLUSH, SET IN CONC. NO RECORD

SUB SURFACE MARK: NO RECORD

REFERENCE MARK Nº 1

A 4" L.A. CO SUR. CONT. SYSTEM BRASS REF. MARK DISC STAMPED" SOLSTICE CN. A-4, R.M. 1, 1966 L.A. CO. ENGR RE 5869" UP 6" SET IN 12"x12" CONC PAD

REFERENCE MARK Nº 2

A 4" L.A. CO. SUR. CONT SYSTEM BRASS REFR. MARK DISC STAMPED" SOLSTICE CN A-4 R.M. 2 1966 L.A. CO. ENGR. R.E. 5869" UP 6" SET IN 12" x 12" CONC. PAD

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS
JN 0301 00 Tape 144 Std @ 4 °F
Surveyed by WILSON-FULTON
Notes J.F. Date 9-19-66
Indexed D. J. CALLI

F. B. 2458 PG. 147

Moved on Index Card
Placed on U.S. Quad. Sht's.
Placed on Sur. Div. W.S. No.
Sketch on Bac. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOLSTICE CYN B-2



F. B. 2458 Pg 148

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOLSTICE CYN. B-2

AREA
THIS STATION IS IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTNS. NEAR THE CTR. OF THE N.E. 1/4 OF SEC. 17, T. 1 S. R. 18 W., AT CASTRO PEAK FIRE LOOKOUT TOWER. POINT DUME QUADRANGLE.

ROUTE
THIS STATION MAY BE REACHED FROM CORRAL CYN. RD, LATIGO CYN. RD. & MULHOLLAND HWY VIA FIRE TRUCK TRAILS.

STATION MARK
A 3/4" COPPER BOLT IN 36" TRIANGULAR CONC. PAD UP 6" IN 60" TRIANGULAR CONC. PAD UP 15" ABOVE GROUND. CHISLED X AND PUNCH MARK. F.B. 525-73 F.B. 1652-221, 235, 237

ECCENTRIC Nº 1
A 4" COOPERATIVE SURVEY CONTROL BRASS TRIANG. DISC STAMPED "CASTRO ECC. 1, 1933, R.E. 62 (EST. BY) C.S.C." SET BY L.A. COUNTY & L.A. CITY DN. 2" IN 12"x12" CONC. PAD. NO REFR.

ECCENTRIC Nº 2
A 4" L.A. CO. SUR. CONT. SYSTEM BRASS TRIAN. DISC STAMPED "CASTRO ECC. NO. 2 1948 COUNTY SURVEYOR R.E. 329" DN. 4" IN 12"x12" CONC PAD IN ROAD. F.B. 933-53 F.B. 1652-221

ECCENTRIC Nº 3
SEE R.M. 2

ECCENTRIC Nº 4
A 4" L.A. CO. SUR. CONT. SYSTEM BRASS TRIAN. DISC STAMPED "CASTRO ECC. 4 1951 COUNTY SURVEYOR R.E. 329" FLUSH IN 9"x9" CONC PAD. F.B. 525-73 F.B. 933-53 F.B. 1652-221

AUX. Nº 1
A 4" L.A. CO. SUR. CONT. SYSTEM BRASS TRIAN. DISC STAMPED "SOLSTICE CYN. B-2, AUX. 1 1966, R.E. 5869" UP 6" IN 12"x12" CONC. PAD. F.B. 2458-151

CONT. PG. 149

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS F. B. 2458 Pg. 149
JN 0301.00 Tape 144 Std 84 °F
Surveyed by WILSON - FULTON
Notes JF Date 9-19-66
Indexed G. L. Gallt

Noted on Geo. Index Card
Plat U.S.G.S. Quad. Shts.
Plat Sur. Div. W.S.No.
Sketch on Geo. Desc. Card

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
(SOLSTICE CYN B-2)

REFERENCE MARK Nº 1

A 4" U.S.C.&G.S. BRASS REFR. MARK DISC STAMPED "CASTRO Nº1 1898, 1923" CEMENTED IN 18"x30" SANDSTONE ROCK UP 18" NO REFR.

REFERENCE MARK Nº 2 = ECC. # 3

A 4" U.S.C.&G.S. BRASS REFR. MARK DISC STAMPED "CASTRO NO. 2 1932 1898" CEMENTED IN 24"x36" SANDSTONE ROCK UP 15" ON SOUTH SIDE AND UP 36" ON NORTH SIDE
REFR.: U.S.C.&G.S. SPECIAL PUBLICATION Nº202 PG. 309

REFERENCE MARK Nº 3

A 4" U.S.C.&G.S. BRASS REFR. MARK DISC STAMPED "CASTRO NO. 3 1898" UP 7" IN 10" DIAMETER CONC POST.
DRILL HOLE IN DISC OFF CENTER, CTR. USED NO REFR.

A 4" U.S.G.S. BRASS B.M. DISC IN SAME CONC. PAD AS CTR. STATION 0.30' S'LY. NOT STAMPED, NO RECORD

CHAINING

300' TAPE # 144

CTR. STA. TO	R.M. 1	43.58 LEV T.80° = 43.58	RECORD
"	R.M. 2	60.00 LEV T.80° = 60.00	RECORD
"	R.M. 3	68.34 LEV T.80° = 68.34	RECORD
"	ECC. 1	11.09 LEV T.80 = 11.09	
"	ECC. 2	68.74 LEV T.82 35.57 LEV T.82 } 104.31	
		METRIC TAPE M-6	
		20.954 LEV T.82 10.841 LEV } 31.795	

TO PG. 150

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE#310 1-65

F. B. 2458 PG. 150

300' TAPE #0144

CTR. STA TO ECC. 4 — 47.995 LEV. 30.73 LEV. T. 84° } 78.725

50MTR TAPE M-C — 9.365 14.628 LEV T. 84 — 23.993 + .003 = 23.996 TEMP.

R.M. 1 TO ECC 4
100' TAPE 0137 — 61.43 LEV. — T92° = 61.44
" 191 — 61.43 LEV — = 61.44

R.M. 2 TO ECC 4
100' TAPE 0137 — 65.85 LEV. — T. 92° = 65.86
" 191 — 65.85 LEV. — = 65.86

R.M. 2 TO R.M. 3 0137 — 52.92 LEV. — T92° = 52.93
100' TAPE 191 — 52.92 LEV. — = 52.93

ECC 1 TO R.M. 2
100' TAPE 0137 — 58.30 LEV. — T92° = 58.31
" 191 — 58.30 LEV — = 58.31

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Surv. GEODETIC CONTROL F. B. 2458 Pg. 151
J.N. 2200 Tape 144 Std. 62 °F
Surveyed by R.C. WILSON
Notes C. J. GALLI Date 9-20-66
Indexed

Plotted — Sec. Index Card
Plat — U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOLSTICE CYN B-2 AUX No 1
(CASTRO PEAK AUX No 1)

N 29° 53' 45"
4) 159 34 30
6) 59 21 45
A = 129 53 37

TO QUIME PT 1 (F.B. 1652-239)

F.D. DM 2-FB 525-73 (See next pg)

Ed 6-14-68 KCW
SET SOL CYN B-2 AUX No 1 (See next pg.)

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOLSTICE CYN B-2 AUX. 1
1966
RECT BY T.F. 5869
L.A. COUNTY ENGINEER

30° 53' 54" F.B.G. 1191-19

43.41
129°53'37"

F.D. DM 3-FB 525-53 (See next pg)

68.34

100' @ 0137
Meas. @ Lev.
52.92 @ 92° = 52.93

300' @ 144
@ L @ Std. Temp.
43.41 = 43.41
16.23 = 16.23
46.22 = 46.22
68.34 = 68.34
60.00 = 60.00

49°37'23"

TO QUIME PT 2 (F.B. 1652-239)

68.74 = 68.74
35.57 = 35.57
104.31'

F.D. SOL CYN B-2 ECC. No 2 FB 933-53

F.D. SOL CYN B-2
F.B. 525-73
F.B. 933-53
F.B. 1652-221
" " 235
" " 237

1) 49 37 30
4) 178 29 45
6) 291 44 15
A = 49 37 23

F. B. 2458 PG 152

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOL CYN B-2 AUX No 1
(CASTRO PEAK)
- AUX No 1

AREA: This triangulation station is located in Los Angeles County in the Santa Monica Mtns near the ctr. of the N.E. 1/4 of Sect. 12, T1S, R18W of Castro Peak Fire Lookout Tower. (See U.S.G.S. 7½' POINT DUME quad.)

ROUTE: This station may be reached from ~~Carbon~~ Cyn Rd., Latigo Cyn Rd., & Mulholland Hwy via fire truck trails.

STATION MARK: A 4" L.A. Co. Sur. Cont. System brass Triangulation disc stamped "SOLSTICE CYN B-2 AUX. 1 1966 RE 5869" up 6" ~~in~~ and set in 6" Conc. Post, with 12"x12" conc. pad around post.

SUB. SURFACE MARK: None Set.

REFERENCE MARK 2: A 4" U.S.C. & G.S. RM Stamped "CASTRO No 2 1898, 1933" and cemented in a 2'x3' sandstone rock projecting 15" above ground.

REFERENCE MARK 3: A 4" U.S.C. & G.S. RM stamped "CASTRO No 3 1898" and set in 12" Conc. post projecting 7" above ground. (Note: drill hole in mon. off of ctr cross. ctr. used.)

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 2458 Pg. 159

Profile No. | Notes Red | Plotted | Job No. 030.00 Division No.
Date | Date | Survey of SANTA MONICA MTNS.
X-Sec. No. | Notes Chkd. | Checked | Survey by WILSON Notes JGR Date SEP-66
Date | Date | Map No. | Indexed G. J. GALL Date

Posted on Base Map Card. | Plotted on U.S. Quad. Sheets. | Placed on Sur. Div. W.S.Mo. | Sketch on Geo. Rese. Card.

NOTE: ANY ADDITIONS OR CHANGES MADE ON THIS SHEET MUST BE MADE IN RED INK, CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

STATION	B.S.	H.I.	F.S.	ELEV.	
					SOLSTICE B-2 (CASTRO) DIFFERENCE IN ELEV. ON: SOL B-2 AUX 1 & SOL B-2 ECC 2
					PARTY WILSON RANDALL PYLE MANLEY

761-298 CE 307 11-56

76L-266 CE 307 11-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2458 Pg. 154

Job No. 2350.00 Division No. _____ Notes Red _____ Plotted _____ Profile

Survey of SANTA MONICA MTNS. Date SEP-64 Date _____ No. _____ X-Sec.

Survey by WILSON Notes J.G.R. Notes Chkd _____ Checked _____

Indexed C. J. GALLI Date _____ Date _____ No. _____

STATION	B.S.	H.I.	F.S.	ELEV		
SOL. B-2				2824.00	B.M.: ASSUMED ELEV. = 2824 (QUAD. SHEET) TOP OF 3/4" COPPER BOLT. TRIANGULATION STATION SOL. B-2. F.B. 525-73, F.B. 933-53, F.B. 2458-147	
	2670	2826.670				
SOL B-2 AUX. 1			5243	2821.427	SOL. B-2 AUX 1, A 4" L.A.CO. SUR. CONT. SYSTEM BRASS DISC, STAMPED SOL. B-2 AUX 1. F.B. 2458-147 & 151	
T	4854	2826.281				
SOL B-2 ECC. 2			10048	2816.233	SOL. B-2 ECC. 2, A 4" L.A.CO. SUR. CONT. SYSTEM BRASS DISC, STAMPED CASTRO ECC. 2, 1948. F.B. 933-53, F.B. 2458-147 & 156	
T	9500	2825.733				
SOL. B-2			1733	2824.000	B.M. SEE SOL. B-2 ABOVE.	

Noted on Map, Index Card
Place
Place
Place

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS
JN 0301 ∞ Tape MC 1411 Std 84 °F
Surveyed by FULTON
Notes JF Date 9-66
Indexed C. J. GALLI

F. B. 2458 Pg. 155

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

SOLSTICE CN B-2

ECCENTRIC TIE

FROM
ECC. 2 & ECC 4
TO
CENTER STATION

0301.00

PARTY
FULTON
RANDALL
PYLE
MANLEY
TULLIER

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this fine.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76E3085 CE #310 6-63

F. B. 2458 Pg. 156

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION



300' TAPE # 0144
T. 88°
113.21 @ 7-30 = 112.22
113.27 @ 7-44 = 112.23
112.23

45.46 @ 16-35 = 43.58
45.68 @ 17-25 = 43.58
43.58

112.23
43.58
155.81

50 MTR. M-6
T. 88°
34.506 @ 7-30 = 34.211
34.522 @ 7-44 = 34.209
13.885 @ 16-35 = 13.279
13.921 @ 17-25 = 13.283
34.210
13.281
47.491

300' TAPE #0144
T. 84°
47.995 @ LEV = 47.995
30.23 @ LEV. = 30.730
78.725

T. 82°
68.74 @ 68.74 = 68.74
35.57 @ 35.57 = 35.57
104.31

50 MTR. # M-6
T. 84°
9.365 @ LEV. = 9.365
14.628 @ LEV. = 14.628
.003 TEMP.
23,996

T. 82°
20.954 @ LEV. = 20.954
10.841 @ LEV = 10.841
31.795

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS F. B. 2458 PG. 157
JN 0301.00 Tape 0114 Std 84 °F
Surveyed by FULTON
Notes J.F. Date 8-31-66
Indexed G. L. GILL

Noted on Geo. Index Card
Placed on U.S. Quad. Sht.
Placed on Auto. W.S.N.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

SOLSTICE CN. B-6

TO SOL A-4 F.B. 2458-145

SET R.M.-2
SEE NEXT PG.

① 97-54-15
④ 31-37-15
⑥ 227-25-45
97-54-18

97° 54' 18"
13.487
44.25
10.509
34.478

SET R.M.-1
SEE NEXT PG.

TO SOL E-6
F.B. 933-39 & 217

7.127
23.38

Fd. 3/4" I.P. REPLACED
with SOLSTICE B-6
SEE NEXT PAGE

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOLSTICE
B-6
1966
SET
L.A. CO. ENGR. R.E. 9855
FOR INFORMATION SEE COUNTY ENGINEER

50 METER # M-3
T. 72°
10.509 = 34.478
7.127 = 23.382
13.487 = 44.249

300 FT. # 144
T. 72°
34.48 @ LEV. = 34.48
23.38 @ LEV. = 23.38
44.25 @ LEV. = 44.25

76F309S CE #310 6-63

F. B. 2458 PG 158

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOLSTICE CN B-6

AREA:

THIS STATION IS IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTNS., IN SEC. 29 T. 1 S. R. 18 W. 2100' W. OF THE EAST LINE, 1500' N. OF THE SOUTH LINE. POINT DUME 15' QUAD

ROUTE:

FROM THE INTERSECTION OF PACIFIC COAST HWY AND LATIGO CN. RD. DRIVE UP (N'LY) LATIGO CN. 2.8 MI TO MAGUIRE DR. ON LEFT (WEST), DRIVE DOWN MAGUIRE DR. 0.3 MI. TO ESCONDIDO DR., TURN LEFT (S) AND DRIVE 0.15 MI. TO DIRT ROAD ON RIGHT, DRIVE W'LY UP GRADE 0.9 MI TO "Y", WITH 4 W. D VEHICLE DRIVE UP SLOPE BETWEEN ROADS 0.1 MI TO TOP HILL AND STATION.

STATION MARK:

A 4" L. A. CO. SUR. CONT. SYSTEM BRASS TRIAN. DISC. STAMPED" SOLSTICE B-6, 1966, L. A. CO. ENGR. RE 5869", UP 6" SET IN A 12" x 12" CONC PAD. (THIS STATION IS A REPLACEMENT OF A 3¼" I. P. # L-3, NO REFERENCE)

SUB SURFACE MARK: NONE SET

REFERENCE MARK Nº 1:

A 4" L. A. CO. SUR. CONT. SYSTEM BRASS REFR. MARK DISC STAMPED" SOLSTICE B-6, R.M. 1, 1966, L. A. CO. ENGR RE 5869", UP 6", SET IN A 12" x 12" CONC. PAD

REFERENCE MARK Nº 2:

A 4" L. A. CO. SUR. CONT SYSTEM BRASS REFR MARK DISC STAMPED" SOLSTICE B-6 R.M. 2 1966 L. A. CO ENGR RE 5869", UP 6", SET IN A 12" x 12' CONC. PAD

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS
JN 23010 Tape 144 Std 84 °F
Surveyed by FULTON
Notes SF Date 8-66
Indexed R. J. GALLI

F. B. 2458 PG. 159

Noted on Geo. Index Card
Plan on U.S.C.&G.S. Quad. Shts.
Placed on Sur. Inv. W.S. No.
Sketch on Geo. Desc. Card

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOLSTICE CN F-5





1) 126-00-00
4) 143-59-15
6) 35-58-45
125° 59' 48"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not attend this side of this file.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

T. 72°
300' TAPE @144
15.395 @ LEV = 15.395
36.44 @ LEV = 36.44
47.17 @ LEV = 47.17

T. 72°
50 M TAPE M-3
4.693 @ LEV = 15.397
11.105 @ LEV = 36.434
14.379 @ LEV = 47.175

76E3085 CE #310 8-63

F. B. 2458 PG 160

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOLSTICE CN F-5

AREA

THIS STATION IS IN LOS ANGELES COUNTY IN THE SANTA MONICA MTNS. SEC. 22 T. 1 S. R. 18W 300' NORTH OF THE SOUTH LINE, 1700' EAST OF THE WEST LINE. POINT DUME QUAD

ROUTE

FROM THE INTERSECTION OF PACIFIC COAST HWY AND CORRAL CN. RD. DRIVE N'LY UP CORRAL CN RD. 3.8 MI TO A DIRT ROAD ON LEFT, DRIVE W'LY 0.25 MI TO FORK, BEAR LEFT (W'LY) AND DRIVE 0.15 TO TOP OF HILL AND STATION.

STATION MARK

A 4" L.A. CO. SUR. CONT. SYSTEM BRASS TRIANG. DISC STAMPED "SOLSTICE F-5, 1966, L.A.CO. ENGR. R E 5869" UP 6" AND SET IN A 12"x12" CONC. PAD

SUB SURFACE MARK NONE SET

REFR. MARK Nº 1

A 4" L.A. CO. SUR. CONT. SYSTEM BRASS REFR. MARK DISC STAMPED" SOLSTICE F-5, R.M-1 1966 L.A.CO. ENGR. R.E. 5869" UP 6" AND SET IN A 12"12" CONC. PAD

REFR. MARK Nº 2

A 4" L.A. CO SUR CONT SYSTEM BRASS REFR. MARK DISC STAMPED" SOLSTICE F-5 R.M.-2 1966 L.A.CO ENGR. R.E. 5869" UP 6" AND SET IN A 12"x12" CONCRETE PAD.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS
JN0330.00 Tape M-3 Std 84 °F
Surveyed by J.R. FULTON
Notes JGR Date SEP '66
Indexed G. J. GALLI

F. B. 2458 PG. 161

Noted on Geod. Index Card
Plotted on U.S.C.&G.S. Quad. Sht.
Plotted on Cal. Div. W.S. No.
Sketch on Geod. Descr. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOLSTICE CN. I-3A

SET R.M. Nº 2 ON LINE PROD. FROM SOL. CN. K-6 (SEE NEXT PG.)

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOLSTICE I-3A
1966
SET BY L.A.C. ENGR. R.E. 5963
FOR INFORMATION SEE COUNTY ENGINEER

SET SOL. CN. I-3A (SEE NEXT PG.)

39.95 / 12.177 Mtr.

20.07 / 6.115 Mtr.

31.25 / 9.523 Mtr.

80° 02' 10"

SET R.M. Nº 1 ON LINE TO SOL. CN. F-5 F.B. 2458-159, SEE NEXT PG. FOR DESC. OF R.M.

1) 80 - 02 - 15
4) 320 - 08 - 30
6) 120 - 12 - 45
AV) 80 - 02 - 08

LINE TO SOL. CN. F-5
(F.B. REF. ABOVE)

300' Nº 144 T = 74°

39.95 @ Lev. = 39.95
20.07 @ Lev. = 20.07
31.25 @ Lev = 31.25

50 Mtr. Nº M-3 T = 74°

12.177 @ Lev = 12.177
6.115 @ Lev = 6.115
9.523 @ Lev = 9.523

TO SOL. CN. K-6 F.B. 2458-163, F.B. 925-61 & 257.

76F309S CE #310 6-63

F. B. 2458 PG 162

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

SOLSTICE CK. I-3A

AREA:

THIS STATION IS LOCATED IN LOS ANGELES COUNTY, IN THE SANTA MONICA Mtns., IN THE S.E. ¼ OF SEC. 14 T. 1 S.-R. 18 W., APPROX. 1600 FT. FROM THE EAST LINE & 1500 FT. FROM THE SOUTH LINE OF ABOVE SECTION. MALIBU BEACH QUAD.

ROUTE:

FROM THE INTERSECTION OF MALIBU CYN. RD & PIUMA RD. DRIVE S'LY 500FT. ACROSS MALIBU CREEK, TO ROAD ON RIGHT (WEST), TURN RIGHT ON THIS RD. (THROUGH L.A. CO. DETENTION CAMP Nº 16), 0.3 MI. TO A DIRT RD. ON THE LEFT. FOLLOW DIRT RD., UPGRADE, BEAR RIGHT AT 0.3 MI AND AGAIN AT 0.1 MI, THROUGH "L-GATE", CONTINUE UPGRADE 1.1 MI. TO PUERCO MWY., TURN RIGHT (NORTH'LY) AND CONTINUE 1.3 MI., TO HILL ON THE LEFT (SOUTH). STATION IS ON THE TOP OF SMALL HILL. HIKING UP ON THE EAST SLOPE IS EASIEST.

STATION MARK:

SET A 4" L.A. CO. SUR. CONT. SYSTEM BRASS TRIANGULATION DISC, STAMPED: "SOLSTICE I-3A, 1966, L.A. CO. ENG'R. R.E. 5869", UP 3" AND SET IN A 12" x 12" CONC. PAD.

NOTE: SEE NOTE BELOW FOR REFERENCE.

SUB-SURFACE MARK:

NONE SET

REFERENCE MARK Nº 1:

A 4" L.A. CO. SUR. CONT. SYSTEM BRASS REF. MARK DISC STAMPED, "SOLSTICE I-3A, R.M. 1, 1966, L.A. CO. ENGR. R.E. 5869", UP 3" AND IN A 12" x 12" CONC. PAD. SET ON LINE TO SOL. K-S.

REFERENCE MARK Nº 2:

A 4" L.A. CO. SUR. CONT. SYSTEM BRASS REF. MARK DISC, STAMPED, "SOLSTICE I-3A, R.M. 2, 1966, L.A. CO. ENGR. R.E. 5869", UP 3" AND IN A 12" x 12" CONC. PAD. SET ON LINE PROD. FROM SOL. K-4.

NOTE:

THIS STATION IS A REPLACEMENT OF A 3¼" I.P. (PHOTO CONTROL) Nº C-12. REFERENCE. CEFB 3253-20

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS
JN 030100 Tape M-3 Std 84 °F
Surveyed by FULTON
Notes J.F Date 9-12-66
Indexed R. L. CALL

F. B. 2458 PG. 163

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

SOLSTICE CN K-6
(PUERCO)



1) 81-26-45
4) 325-46-15
6) 128-39-45
81-26-38

300' TAPE M-144
T.74
29.66 @ LEV = 29.66
16.885 @ LEV. = 16.885
36.26 @ LEV = 36.26
24.53 @ LEV = 24.53

50M TAPE M-3
9.041 @ LEV = 29.662
5.147 @ LEV = 16.886
11.053 @ LEV = 36.263

LA COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOLSTICE K6
1977
SET BY RE 22726
FOR INFORMATION SEE COUNTY ENGINEER

PLEASE RETURN to
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Form Index Card
U.S.G.S. Quad Sht.
Mon. Sht. Hor. & Vert. Cntrls.
Sketch on Geol. Basic Card

76F3095 CE #310 8-63

F. B. 2458 PG. 164

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

SOLSTICE CN. K-6
(PUERCO)

AREA

THIS STATION IS IN LOS ANGELES CO., IN THE SANTA MONICA MTNS. IN SEC. 25 T. 1 S. R. 18W., 800' WEST OF THE EAST LINE, 1500' SOUTH OF THE NORTH LINE, MALIBU BEACH QUAD.

ROUTE

FROM THE INTERSECTION OF MALIBU CN. RD & PIUMA RD. DRIVE S'LY 500 FT ACCROSS BRIDGE OVER MALIBU CREEK, TO ROAD ON RIGHT (WEST), FOLLOW W'LY ON THIS ROAD THROUGH COUNTY DET. CAMP Nº 16 0.3 MI., TO A DIRT RD. ON LEFT, DRIVE S'LY UP GRADE, BEAR RIGHT AT 0.3 MI. AND AGAIN AT 0.1 MI. THROUGH "L-GATE", BEAR RIGHT 300FT., 1.0 MI TURN LEFT ON PUERCO 1 MI W.X., 0.45 MI. BEAR LEFT ALONG TOP OF RIDGE TO STATION

STATION MARK- A 4" L.A.Co SUR. CONT. SYSTEM BRASS TRIAN. DISC, STAMPED SOLSTICE K6 1977 RE 22726 SET FLUSH IN A 6" CONC. POST UP 3". B.M.

~~A 4" U.S.G.S. BRASS (TRIAN.) DISC STAMPED "PUERCO R.S. 1928" UP 2" IN 10" CONC. PAD. SUB SURFACE MARK — NO RECORD~~

R.M. 1 DESTROYED 4-4-58

R.M. 2 NO RECORD

R.M. 3 DESTROYED 9-12-66

R.M. 4 A 2½" L.A. CO. ENGR. BRASS DISC STAMPED "PUERCO R.M. 4 1958, RE. 5869" DOWN 12" APPEARED DISTURBED 9-12-66

R.M. 5 A 4" L.A. CO. SUR. CONT. SYSTEM BRASS REFR. MARK DISC STAMPED "SOLSTICE CN K-6 PUERCO, R.M.-5, 1966. L.A. CO. ENGR. RE 5869" UP 6" IN 12" x 12" CONC PAD.

R.M. 6 A 4" L.A. CO. SUR. CONT SYSTEM BRASS REFR. MARK DISC STAMPED "SOLSTICE CN K-6, PUERCO, R.M.-6, 1966, L.A CO ENGR R.E 5869" UP 6" IN 12" x 12" CONC PAD.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on Gen. Index Card
Plat to U.S.G.S. Quad. Shts.
Plat to Sur. Div. W. S. No.
Sketch on Geo. Desc. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS
JN 02301 Tape 0144 Std 84 °F
Surveyed by FULTON
Notes JF Date 8-66
Indexed by

F. B. 2458 Pg. 165

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

SOLSTICE CN K-8B

FD SOL K-6
F.B. 2458 - 163

SET R.M. 1
SEE NEXT PG.

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOLSTICE
K-8B
1966
SET BY
L.S. 5869
ENGR.
FOR INFORMATION SEE COUNTY ENGINEER

27.42

300' TAPE 0144
T. 74°
27.42 @ LEV = 27.42
26.855 @ LEV = 26.855

50m TAPE M-3
T. 74°
8.357 @ LEV. = 27.418
8.185 @ LEV = 26.854

SET SOL. K-8B
SEE NEXT PG.

26.856

SET R.M. 2
SEE NEXT PG.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

78F3085 CE #310 6-83

F. B. 2458 Pg 165

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

SOLSTICE CN. K-8 B

AREA

THIS STATION IS IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTNS., IN THE TOPANGA - MALIBU SEQUIT, 1800' SOUTH OF PARTIAL SEC. 36 T. 1 S. R. 18 W., 300' S.E. OF HILL 763 U.S.G.S. MALIBU BEACH, CALIF QUADRANGLE.

ROUTE

FROM THE INTERSECTION OF PACIFIC COAST HWY & MALIBU CN. RD., DRIVE WEST ON PACIFIC COAST HWY 1.05 MI TO A GATE ON RIGHT (NORTH), PROCEED UP HILL (NO ROAD) 0.45 MI TO TRAVELED TRACKS, PROCEED W'LY UP GRADE 0.2 MI TO GATE, PASS THROUGH FENCE AND HIKE 200' UP FIRE BREAK TO TOP OF HILL AND STATION. DRIVE WITH 4 W.D. VEHICLE.

STATION MARK

A 4" L.A.CO. SUR. CONT. SYSTEM BRASS TRIAN. DISC STAMPED " SOLSTICE K-8B 1966, L.A. CO. ENGR. R.E. 5869 " UP 6" IN 12"×12" CONC. PAD.

SUB SURFACE MARK NONE SET

REFERENCE MARK Nº 1

A 4" L.A. CO. SUR. CONT. SYSTEM BRASS REFR. MARK DISC STAMPED " SOLSTICE K-8B R.M.-1 1966 L.A.CO. ENGR. R.E. 5869 " UP 6" IN 12"×12" CONC PAD.

REFERENCE MARK Nº 2

A 4" L.A. CO. SUR CONT SYSTEM BRASS REFR. MARK DISC STAMPED " SOLSTICE K-8B R.M. -2 1966 L.A. CO. ENGR. R.E. 5869 " UP 6" IN 12"×12" CONC. PAD.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Not Geog. Index Card
Plat U.S.G.S. Quad. Sths.
Plotted on Sur. Div. W.S. No.
Sketch on Gen. Basic Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Santa Monica Mtns.
JN 0301.00 Tape 144 M-3 Std. 84 °F
Surveyed by Wilson - Fulton
Notes JGR Date Sep. '66
Indexed G. J. GALLI

F. B. 2458 PG. 167

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

SOLSTICE L-1

300 Ft. tape Nº 144
T = 84°
93.445 @ Lev = 93.445
99.915 @ Lev = 99.915
193.360

156.45 @ Lev = 156.45
100.415 @ Lev = 100.415

50 Meter Tape Nº M-3
T = 84°
28.481 @ Lev = 28.481
30.455 @ Lev = 30.455
58.936

47.685 @ Lev = 47.682
30.605 @ Lev = 30.605

SET R.M. Nº 1 (See Next Pg.)
Removed See next page

193.36 Ft. 58.936 mtr.

Removed See next page
FD. STATE DIVISION OF HIGHWAYS MONUMENT (See Next Pg.) See Note on Next Pg.

95° 10' 39" F.B.G. 1195-20

100.415 ft. 30.605 mtr.

Removed see next page

SET SOLSTICE L-1 (See Next Pg.)

156.44 ft. 47.682 mtr.

115° 02' 08" ANGLE FOR SEE F.B.G. 1195-20

64° 16' 13" ANGLE FOR SEE F.B.G. 1195-20

TO: SOL. I-3A F.B. 2458-161

TO: SOL. I-3A F.B. 2458-161

DIRT ROAD

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
SOLSTICE
L-1
1966
SET BY
R.E. 5869
FOR INFORMATION SEE COUNTY ENGINEER

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE#310 1-65

F. B. 2458 Pg. 168

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

SOLSTICE ~ L-1

AREA: This traverse station is located in Los Angeles County, in the Santa Monica Mtns., in Section 7 - R.17 W. - T.1S., 2200 ft. ± from the East line & 2500 ft. ± from the South line, and on a level (graded) area overlooking the Brown Ranch. (See U.S.G.S. 7 1/2 min. sheet "Malibu Beach, Calif.).

ROUTE: From the intersection of Las Virgenes Rd. & Mulholland Hwy., travel East'ly on Mulholland Hwy. 1.5 Mi. to a dirt rd. on the right (west), turn right off the paved road and then sharp turn to the left on another dirt trail, down grade, Follow this trail 0.15 to a "T" intersection, turn "left, upgrade, and continue 0.15 to level (graded) area, end of road, and station on right and about 30 S.E.'ly.

STATION MARK: A 4" L.A.Co. SUR. CONT. SYSTEM brass traverse disc, stamped "Solstice L-1, 1966, R.E. 5869", up 6" and set in a 12" x 12" conc. pad.

SUB-SURFACE MARK: None Set.

REFERENCE MARK Nº 1: A 4" L.A.Co. SUR. CONT. SYSTEM brass reference mark disc, stamped "Solstice L-1, R.M. 1, 1966, R.E. 5869", up 6" and set in a 12" x 12" conc. pad.

REFERENCE MARK Nº 2: A 2", State Division of Highways, brass disc, stamped "TRAILS", and set 2" below the surface in concrete.

NOTE: The State Division of Highways monument described above as R.M. Nº 2, is also to be used a Solstice L-1 - Aux. Nº 1 for a future Area Triangulation Net.

Contact mr. & mrs. Robert B. Spencley 2616 mulholland Hwy ph one 818-889-0569, for permission to enter.

On Feb 5 1968 R.W. Ison removed all the above station marks per request of property owner. See page 220-222 for ties to int. Mulholland Hwy and Las Virgenes Rd and Sec Cor. 1, 6, 7, 12 R17-18W T1S. Ceg

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS
JN 0301.00 Tape 144 M-3 Std. 84 °F
Surveyed by WILSON FULTON
Notes JGR Date SEP '66
Indexed C. J. CALLI

F. B. 2458 PG. 169

Noted on Geog. Index Card
Plans on U.S.G.S. Quad. Shts.
Planned on Surv. Div. W.S. No.
Sketch on Geo. Desc. Card

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES B-3

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES
B-3
1966
SET BY
R.E. 5869
FOR INFORMATION
L.A. COUNTY ENGINEER



300 Ft. Tape Nº 144
T = 70°

51.09 @ Lev. = 51.09
44.39 @ Lev = 44.39
71.78 @ Lev = 71.78

50 Meter Tape Nº M-3
T = 70°

15.571 @ Lev = 15.571
13.529 @ Lev = 13.529
21.879 @ Lev = 21.879

DIRECTIONS PER
F.B. G-1200-1

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE#310 1-65

F. B. 2458 PG. 170

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

LAS FLORES B-3

AREA: THIS TRAVERSE STATION IS LOCATED IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTNS., IN SECTION 17 - T. 1 S. - R 17 W., (1000'± FROM THE WEST LINE AND 500'± FROM THE SOUTH LINE), NEAR THE EDGE OF PAVEMENT OF PIUMA RD.
(SEE USGS. 7½ MIN. SHEET MALIBU BEACH, CALIF.)

ROUTE: FROM THE INTERSECTION OF LAS VIRGENES - MALIBU CN. RD. & PIUMA RD. TRAVEL EAST'LY ON PIUMA ROAD 1.6 MI., (PASSING L.A. CO. FIRE STATION ON THE LEFT) TO SHARP TURN TO LEFT. THE STATION IS LOCATED 3 FT. OFF THE WEST EDGE OF THE PAVING, AND JUST IN BACK OF THE END OF A STEEL GUARD RAIL.

STATION MARK: A 4" L.A. CO. SUR. CONT. SYSTEM BRASS TRAVERSE DISC, STAMPED " LAS FLORES B-3, 1966, R.E. 5869", UP 4", AND SET IN A 12" X 12" CONC. PAD

SUB-SURFACE MARK: NONE SET

REFERENCE MARK Nº 1: A 4" L.A. CO. SUR. CONT. SYSTEM BRASS REF. MARK DISC, STAMPED " LAS FLORES B-3, R.M. 1, 1966, R.E. 5869 ", UP 6" AND SET IN A 12" X 12" CONC. PAD.
8 FT. ± OFF THE EAST EDGE OF THE PAVEMENT.

REFERENCE MARK Nº 2: A 4" L.A.CO. SUR CONT. SYSTEM BRASS REF. MARK DISC, STAMPED " LAS FLORES B-3, R.M. 2, 1966, R.E. 5869 ", UP 6" AND SET IN A 12" X 12" CONC. PAD.
2' WEST OF A STEEL GUARD RAIL.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL 144
JN 0301.00 Tape M-3 Std 84° °F
Surveyed by WILSON-FULTON
Notes J G R Date SEP '66
Indexed G. J. ONLY

F. B. 2458 PG. 171

Intersection Geo. Index Card
U.S.G.S. Quad. Shts.
Plat
Sketch on Geod. Index Card

L. A COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES C-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.



SADDLE

TO: R.L. I-3A
F.B. 2458-161

DIRT ROAD

SET: L.F. C-4 (SEE NEXT PAGE)

41.40 Ft. 12.619 mtr.

SET R.M. Nº 1 (SEE NEXT PG.)

90°-00'-00"

28.98 Ft. 8.841 mtr.

50.55 Ft. 15.406 mtr.

SET R.M. Nº 2 (SEE NEXT PG)

PUMA (PAVED) ROAD

1)	90°-00-00
4)	360°-00-00
6)	180-00-00
AV)	90°-00-00"

300 ft. TAPE Nº 144

29.01 @ Lev @ T = 94° = 29.01

41.40 @ Lev @ T = 94° = 41.40

50.55 @ Lev @ T = 94° = 50.55

50 mtr. TAPE Nº M-3

8.841 @ Lev. @ T = 94° = 8.841

12.619 @ Lev @ T = 94° = 12.619

15.406 @ Lev @ T = 94° = 15.406

76F309S CE#310 1-65

F. B. 2458 Pg. 172

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

LAS FLORES C-4

AREA:

THIS TRAVERSE STATION IS LOCATED IN LOS ANGELES COUNTY, IN SECTION 20 - T.1S. - R.17W., (2400'± FROM THE EAST LINE AND 3000'± FROM THE SOUTH LINE,) ABOUT 60' ABOVE PIUMA RD.
(SEE USGS 7½ MIN. SHEET "MALIBU BEACH, CALIF.")

ROUTE:

FROM THE INTERSECTION OF LAS VIRGENES RD. & PIUMA RD. (NORTH OF MALIBU CREEK), TRAVEL EASTERLY ON PIUMA RD. 4.5 MI. TO A ROAD ON THE WEST (RIGHT), JUST BEFORE COMING TO A LOS ANGELES CO. FIRE DEPT. WATER STORAGE TANK, TURN RIGHT AND CONTINUE NORTHERLY ON A DIRT RD., TO A SMALL SADDLE (ABOUT 400'), TURN RIGHT AND UP STEEP GRADE TO STATION. YOU MUST PASS THROUGH A CABLE GATE (NO LOCK), JUST AFTER LEAVING PIUMA RD.

STATION MARK:

A 4" L.A.CO. SUR. CONT. SYSTEM BRASS TRAVERSE DISC STAMPED "LAS FLORES C-4, 1966, R.E. 5869", UP 6', AND SET IN A 12" x 12" CONC. PAD.

SUB-SURFACE MARKS:
NONE SET

REFERENCE MARK Nº 1:

A 4" L.A.CO. SUR. CONT. SYSTEM BRASS REF. MARK DISC STAMPED "LAS FLORES C-4, R.M. 1, 1966, R.E. 5869," UP 6", AND SET IN A 12"x12" CONC. PAD. SET ON LINE PRODUCED FROM SOL. I-3A.

REFERENCE MARK Nº 2:

A 4" L.A.CO. SUR. CONT. SYSTEM BRASS REF. MARK DISC STAMPED "LAS FLORES C-4, R.M. 2, 1966, R.E. 5869", AND SET IN A 12" x 12" CONC. PAD.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this title.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Plotted on Geo. Index Card
Plotted on U.S.G.S. Quad. Shts.
Plotted on Sur. Div. U.S. Mo.
Sketch on Geo. Dest. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS.
JN0301.00 Tape M-3 Std 144 84 °F
Surveyed by J.R. FULTON
Notes JGR Date SEP 66
Indexed D.J. GALLI

F. B. 2458 PG. 173

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAS FLORES C-7

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.



300' No 144

21.82 @T= 72° @Lev. = 21.82
52.585 @T= 72° @Lev. = 52.585
47.83 @T= 72° @Lev = 47.83

50 Mtr. No M-3

6.652 @T= 72° @Lev = 6.652
16.027 @T= 72° @Lev = 16.027
14.579 @T= 72° @ Lev = 14.579

78E3095 CE #310 6-63

F. B. 2458 Pg. 174

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LAS FLORES C-7

AREA: THIS STATION IS LOCATED IN LOS ANGELES COUNTY, IN THE FOOTHILLS OF THE SANTA MONICA MTNS., IN THE TOPANGA - MALIBU - SEQUIT, 1600 Ft. ± SOUTH'LY FROM THE S.W. COR. OF SEC 28 - TWP. 1 SO. - RG. 17 W. AND 2000 Ft. ± S.E. OF THE MAIN BUILDING OF THE SERRA RETREAT. MALIBU BEACH QUAD.

ROUTE: FROM THE INTERSECTION OF PACIFIC COAST HWY. AND MALIBU CANYON RD., TRAVEL EAST'LY ON PACIFIC COAST HWY. 0.6 MI. TO SERRA RD. ON LEFT (NORTH), TURN LEFT AND PROCEED 0.4 MI. TO A FORK, BEAR RIGHT AND CONTINUE 0.5 MI, UPGRADE, TO END OF PAVED RD., BEAR LEFT AND PROCEED 0.1 MI. TO THE BASE OF A SMALL HILL. PARK HERE AND HIKE UP HILL IN A NORTH'LY DIRECTION TO TOP AND STATION. LESS THAN 5 MIN. HIKE. NOTE: A FOUR WHEEL DRIVE TRUCK WILL MAKE IT UP THE NORTH SLOPE.

STATION MARK: A 4" L.A. Co. SUR. CONT. SYSTEM BRASS TRIANGULATION DISK, STAMPED AS FOLLOWS: LAS FLORES C-7, 1940, R.E. 2177, UP 6" AND SET IN A 12" x 12" CONC. PAD.

SUB-SURFACE MARK: NONE

REFERENCE MARK Nº 1: NOT FOUND

" " " 2: " "

" " " 3: " "

" " " 4: DESTROYED.

NOTE: GROUND AROUND STATION IS ALL PLOWED OR DISCED.

REFERENCE MARK Nº 5: A 4" L.A.CO. SUR. CONT. SYSTEM BRASS REF. MARK DISK, STAMPED AS FOLLOWS: "LAS FLORES C-7, R.M. 5, 1966, L.A. CO. ENG'R., R.E. 5869." UP 6" AND SET IN A 12" x 12" CONC. PAD.

REFERENCE MARK Nº 6: A 4" L.A.CO. SUR. CONT. SYSTEM BRASS REF. MARK DISK, STAMPED AS FOLLOWS: "LAS FLORES C-7, R.M. 6, 1966, L.A. CO. ENG'R., R.E. 5869": UP 6" AND SET IN A 12" x 12" CONC. PAD.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes, Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL F. B. 2458 Pg. 175
JN 430.00 Tape Std °F
Surveyed by RC WILSON
Notes RCW Date 9-26-66
Indexed

Index Geo. Index Card
Plat U.S.G.S. Quad. Sht.
Plan Sur. Rec. U.S. No.
Sketch on Geo. Desc. Card

L. A COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES D-4

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES
D-4
1966
SET BY
RM 5889
L.A. COUNTY ENGINEER

SET LAS FLORES D-4
(See next page)

To Las Flores C-4 (F.B. 2458 - 171)

15.123 MTR
49.62'
(Set marker 0.2' Pipe up 36")
3.5'
27.84'
graded flat
edge pvt
3' 43.28' 13.191 MTR
0 ' "
1) 19 36 30
2) 118 26 00
3) 39 38 45
36 28
19 36 28"

Set R.M. 2 (See next pg.)
Set R.M. 1 (See next pg.)

PIUMA RD.

50 MTR M-3
STD C 84°T
15.126 @ 68° = 15.123 M
13.191 C " = 13.191 M
8.485 C " = 8.485 M
300' 144 Std. C 84° T
49.63' @ 68° = 49.62'
43.28' C " = 43.28'
27.84' C " = 27.84'

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78F3095 CE#310 1-65

F. B. 2458 Pg. 176 L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

LAS FLORES D-4

AREA: This traverse station is located in L.A. County in the Santa Monica Mtns., 1200' ± E. & 2200' ± S. of the N.W. Cor. of sect. 21, T1S, R17W, 25' ± N'ly of the north edge of Puma Rd. (See U.S.G.S. Malibu Beach, Cal. 7½' Quad.)

ROUTE: From the intersection of LAS VIRGENES - MALIBU CYN RD and PUMA RD: travel e'ly (upgrade) on Puma Rd. 5.5± miles to a sharpe curve from north to east, with a graded parking area. The station is at the N.E. edge of graded area.

STATION MARK: A 4" L.A. Co. Sur. Cont. System brass traverse disc stamped "LAS FLORES D-4 1966 RE 5869" and set in 12"X12" conc. pad 6" above ground.

SUB-SURFACE MARK: None Set

REFERENCE MARK 1: A 4" L.A.Co. Survey Cont. System brass ref. mark disc stamped "LAS FLORES D-4 RM 1 1966 RE 5869" and set in conc. flush with ground, 2' n'ly from edge of pavt.

REFERENCE MARK 2: A Lrg. Bt. Spk., washer and tin with washer stamped "L.F.D-4 RM 2" and set flush in paved road, 2' ± s'ly from edge of pavt.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS. 144
JN 0301.00 Tape M-3 Std 84 °F
Surveyed by WILSON-FULTON
Notes J.G.R. Date SEP-'66
Indexed

F. B. 2458 Pg. 177

Mount Dir. Index Card
Plat Sht. U.S.G.S. Quad Sht.
Plat Sht. Sew. Inv. U.S. No.
Sketch on Rec. Desk. Card

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES E-3



300 ft. TAPE Nº 144

12.26 @ Lev @ T = 98° = 12.26
13.495 @ Lev @ T = 98° = 13.495
4.830 @ Lev @ T = 98° = 4.830

50 mtr. TAPE Nº M-3

3.737 @ Lev @ T = 98° = 3.737
4.113 @ Lev @ T = 98° = 4.113
1.472 @ Lev @ T = 98° = 1.472

DIRECTIONS PER FBG 1197-40

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3098 CE#310 1-65

F. B. 2458 PG. 178

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

LAS FLORES E-3

AREA:

THIS TRAVERSE STATION IS LOCATED IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTNS., IN SECTION 16 - T. 1 S. - R17 W. (1500'± FROM THE SOUTH LINE & 2600'± FROM THE EAST LINE), ON A PROMINENT ROCKY RIDGE. (SEE U.S.G.S. 7½ MIN. SHEET "MALIBU BEACH, CALIF.")

ROUTE:

FROM THE INTERSECTION OF LAS VIRGENES - MALIBU CN. RD. & PIUMA RD. (NORTH OF MALIBU CREEK), TRAVEL 6.2 MI., EASTLY ON PIUMA RD., TO SUMMIT & PAVED ROAD ON LEFT (NORTH), TURN LEFT (UP GRADE) 0.2 MI. TO A FORK, BEAR LEFT, (DOWN GRADE) ON A DIRT ROAD 0.2 MI., TO A "T" INTERSECTION WITH ANOTHER DIRT RD., TURN LEFT WESTLY AND CONTINUE TO END OF ROAD IN SMALL SADDLE, 0.2 MI., PARK IN SADDLE AND HIKE ABOUT 600' UP ROCKY RIDGE TO WEST. FROM THE STATION THE GROUND SLOPES DOWN VERY STEEPLY TO THE NORTH.

STATION MARK:

A 4" L.A.CO. SUR. CONT. SYSTEM BRASS TRAVERSE DISC WITH A 3" STEM, STAMPED "LAS FLORES E-3, 1966, R.E. 5869", AND FLUSH IN AN 8' WIDE ROCK OUTCROPPING.

SUB-SURFACE MARK:

NONE SET

REFERENCE MARK Nº 1:

AN L.A.CO. ENG'R. BRASS TAG & NAIL, SET FLUSH WITH LEAD IN A DRILL HOLE, IN A LARGE BOULDER, ABOUT 4 ft. HIGHER THAN THE STATION.

REFERENCE MARK Nº 2:

AN L.A.CO. ENG'R. BRASS TAG & NAIL, SET FLUSH WITH LEAD IN A DRILL HOLE, IN A ROCK OUTCROPPING, ABOUT 12" LOWER THAN THE STATION.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL F. B. 2458 PG. 179
JN 330.100 Tape 100 Std. 86 °F
Surveyed by R.C. WILSON
Notes RCW Date 9-23-74
Indexed G. L. GALLI

Noted ☐ Index Card
Plotted ☐ U.S.G.S. Quads. Shts.
Placed on Compilation Div. U.S. No.
Sketch on Back of Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 9-62

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAS FLORES F-3
(SADDLE PEAK)
NEW REFERENCE MARKS

ROAD

FD. RM 2 (See next pg.)

FD 9-11-74 RLW

FD. RM 4 (See next pg.)

10.6'±

UNABLE TO MEAS.

So. Mtn. M-3

15.28 @ 82° = 15.13'
11.38 @ 0° = 11.38'
10.85 @ 90° = 10.85'

SET RM 5 (See next page) FD 9-11-74 RLW

PAVED AREA

15.25'
50.04'

86° 54' 50.5" FBG 1163-49

10.85' SE

35.58' @ 86° = 35.59'
50.04' @ 0° = 50.04'
31.13' @ 90° = 31.13'

F.A.A. TRANS. BLDG.

CONC. STEP

FD. L.&T. FB 525-85
3.40' M
3.60' R

37.13'

0°00'00" 11.318 mtr.

FD. 9-11-74 RLW

LAS FLORES F-3
FOUND MON.
STAMPED AS SHOWN
F.B. 525-85&86, 115
F.B. 2458-9, 10

50.90'

90°00'00" 14.35'

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SADDLE PEAK
RESET 1959
BENCH MARK
SET BY SURVEYOR
FOR INFORMATION SEE COUNTY ENGINEER

FB 2458-147 To St. Mark

To Las Flores F-3 (F.B. 2458-177)

ROAD

Set L.F. F&B 9-11-74 RLW (on Ext. Bdy. Monument) tin set in paved road.

52.90 @ 90° = 52.90'
29.25 @ 68° = 29.25'
Dir. FBG 147-149

Ext. Bdy. Monument

F. B. 2458 PG 180

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAS FLORES F-3 (CTR.)
NEW REFERENCE MARKS

AREA: This station is located in LOS ANGELES COUNTY in the Santa Monica MTNS. Near the S.E. Cor. of Sect. 16 T1S, R17W at Saddle Peak mtn. (See 7½' Malibu Beach U.S.G.S. Quad.)

ROUTE: This station may be reached via Piuma Rd, or Rambla Pacifico Rd. to the summit @ Saddle Peak.

REFERENCE MARK 2: A U.S.C.&G.S. B.M. - This point cannot be measured to ctr. station.

REFERENCE MARK 4: A 3/4" hex rod with drill hole set in 8"x8" conc. pad, 10.6' N.Ely from building corner.

REFERENCE MARK 5: A 4" L.A. Co. Sur. Cont. System brass ref. mark disc stamped "LAS FLORES F-3 RM 5, 1946 RE 5869", ~~set~~ set on line to triangulation station Las Flores E-3, and set in 12"x12" conc. pad projecting 6" above ground.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL F. B. 2458 PG. 181
JN 1966.05 Tape Std °F
Surveyed by [illegible]
Notes [illegible] Date 9/29/66
Indexed [illegible]

Noted on Geo. Index Card
Plat S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Descr. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

L. A COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

(1) 157 - 43 - 30 DRY CANYON C-12
(4) 270 - 54 - 30
(6) 226 - 22 - 00
= 157 - 43 - 40



50 MTR M-6 @ 84°S
7.289 @ 72° = 7.289 M = 23.91 F
16.542 @ " = 16.542 M = 54.27 F

300' ± 136 @ 84°S
23.91 @ 72° - 23.91 F
54.27 @ 72° - 54.27 F

→ (3.15 MI to LAS VIRGENES) → MULHOLLAND HWY

76F309S CE #310 6-62

F. B. 2858 PG. 182

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
DRY CANYON C-12

AREA:

THIS STA IS LOCATED IN L.A. CO. IN THE SANTA MONICA MTN AREA, 950' ± SLY FROM THE N.W. COR SECT 9, T1S, R17W. (See Malibu Beach 7½' Quad.)

ROUTE:

FROM THE INTER. OF LAS VIRGENES - MALIBU CYN RD AND MULLHOLLAND HWY - EAST ON MULHOLLAND 3.15 MILE TO A DIRT RD ON THE LFT (NLY) THENCE LFT UPGRADE ON TRAV. TRACK 0.15 MILE TO TOP OF SMALL RIDGE PARK & HIKE 200' ± WLY TO END OF RIDGE AND THE STATION.

STATION MARK:

A 4" L A CO SUR CONT SYS BRASS TRAV DISC STAMPED "DRY CANYON C-12 1966 RE 5869" UP 6" AND SET IN A 12"X 12" CONC. PAD - THIS MARK REPLACED A FD. L A CO RD DEPT TAG STAMPED "C C 2" SET IN 2" IP UP 6" - STA SET AT SAME ELEVATION.

NO SUB-SURFACE MARK SET

RMS SET 1-5-67 RWT

REFERENCE MARK 1

A 4" LA CO SUR CONT SYS BRASS REF MARK DISC STAMPED "DRY CYN C-12 RM 1 1967 RE 5869" SET FLUSH IN 10" CONC. PAD.

REFERENCE MARK 2

SAME AS AND TANGENT WITH RM 1, EXCEPT STAMPED "RM 2"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SANTA MONICA MTNS
JN 0301, Tape 0136 M-3 Std 84 °F
Surveyed by FULTON
Notes JF Date 8-66
Indexed R. J. ORLU

F. B. 2458 PG. 183

Posted on Geo. Index Card
U.S.G.S. Quad. Shts.
Plat
Sur. Div. W. S. No.
Sketch on Geo. Desc. Card

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RUSSELL VALLEY G-11A





1) 90-00-00
2) 180-00-00
90-00-00

300' TAPE T. 76° 0136

5.39 @ LEV. =	5.39
6.56 @ LEV. =	6.56
3.73 @ LEV. =	3.73
7.40 @ LEV. =	7.40
6.38 @ LEV =	6.38

50M TAPE # M-3

1.642 @ LEV =	5.387'
1.999 @ LEV. =	6.558'
1.138 @ LEV. =	3.734'
2.255 @ LEV. =	7.398'
1.944 @ LEV. =	6.378'

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE#319 1-65

F. B. 24-58 Pg. 184

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RUSSELL VALLEY G-11A

AREA

THIS STATION IS IN LOS ANGELES COUNTY, IN THE SANTA MONICA MTNS., IN PARTIAL SEC. 2 T. 1 S. R. 19 W., 3600' W. OF THE EAST LINE, 1600' N. OF THE SOUTH LINE, POINT DUME QUAD

ROUTE

FROM THE INTERSECTION OF MULLHOLLAND HWY. & EAST ENCINAL CN. RD. DRIVE W'LY ON MULLHOLLAND HWY. 0.9 MI. TO BODLE PEAK MWY. ON RIGHT (L-KEY), DRIVE N'LY UP GRADE 0.45 MI. TO FORK, KEEP LEFT AND PROCEED UP HILL 0.6 MI. TO TOP, PARK HERE AND HIKE 200' E'LY OUT RIDGE TO LARGE BOULDER. STATION IS SET ON TOP OF BOULDER.

STATION MARK

A 4" L.A.CO. SUR. CONT. SYSTEM BRASS TRIAN. DISC STAMPED "RUSSELL VALLEY G-11A, 1966, L.A.CO.ENGR R.E. 5869" CEMENTED FLUSH IN TOP OF BOULDER.

SUB SURFACE MARK (YOU'RE KIDDING)

REFERENCE MARKS

NONE SET, THREE SURFACE TIES SET IN SAME ROCK AS STATION: BRASS TACKS & L.A.CO. ENGR. TAGS IN LEAD, FLUSH

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. B. 2458 PG. 185
JN 0301.00 Tape 136 144 Std 64 °F
Surveyed by WILSON & FULTON
Notes JF Date 9-12-66
Indexed R. L. GALLI

Mster Ind. Index Card
Plats U.S.G.S. Quad. Shts.
Placed on Sur. Ctrl. W.S. No.
Sketch on Geo. Desc. Card

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

TIE FROM

RUSSELL VALLEY G-11

TO

RUSSELL VALLEY G-11A

0301.00

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

PARTY

J. FULTON
J. RANDALL
L. JONES
L. MANLEY } TAPE # 144
E. TULLIER

E. MARTINEZ } TAPE # 136
C. PYLE

76F3095 CE #310 6-62

F. B. 2458 Pg. 186

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

300' # 144

T. 82°

116.61 @ 18-36 = 110.519 } 110.513
116.70 @ 18-45 = 110.507 }

294.845 @ 6-15 = 293.094 } 293.090
294.72 @ 6-02 = 293.087 }

T. 76°

133.09 @ 15-38 = 128.157 } 128.154
133.37 @ 16-04 = 128.151 }

T. 80°

243.37 @ 10-06 = 239.588 } 239.583
243.26 @ 9-58 = 239.579 }

129.12 @ 3-40 = 128.855 } 128.858
129.06 @ 3-41 = 128.861 }

T. 70°

152.20 @ 2-19 = 152.065 } 152.065
152.15 @ 1-48 = 152.065 }

T. 86°

114.42 @ 0-55 = 114.405 } 114.410
114.44 @ 1-13 = 114.414 }

80.58 @ 12-18 = 78.730 } 78.735
80.72 @ 12-43 = 78.740 }

1245.408

300' # 136

T. 86°

114.495 @ 2-06 = 114.418 } 114.417
114.44 @ 1-10 = 114.416 }

81.345 @ 14-34 = 78.730 } 78.728
81.65 @ 15-23 = 78.725 }

T. 88°

116.81 @ 18-53 = 110.523 } 110.520
116.405 @ 18-18 = 110.517 }

T. 90°

294.74 @ 6-05 = 293.091 } 293.092
294.61 @ 5-50 = 293.094 }

T. 78°

132.91 @ 15-23 = 128.138 } 128.142
133.465 @ 16-13 = 128.145 }

T. 80

242.89 @ 9-26 = 239.596 } 239.598
242.765 @ 9-15 = 239.599 }

129.32 @ 4-54 = 128.847 } 128.846
129.49 @ 5-43 = 128.846 }

T. 78°

152.075 @ LEVEL = 152.065 } 152.064
152.085 @ 00-39 = 152.064 }

1245.407

Noted on Gen. Index Card
Plat Bk. U.S.G.S. Quad. Shts.
Plat Bk. Surv. Dist. W. S. No.
Skeleton Rec. Book Card

Notes Ck'd by	Survey of SANTA MONICA MTNS.
Map No.	JN 0301.00 Tape 0197 Std 68 °F
Office Work	Surveyed by FULTON
Checked	Notes J. W. JONES Date 9-15-66
Date	Indexed G. J. GALLI

F. B. 2458 Pg. 187

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RUSSELL VALLEY K-11

~~CORNELL~~

D 82-23-20 D 80-33-00
4) 329-33-20 4) 322-11-20
82-23-20 80-32-50
6) 134-19-50 6) 123-16-40
82-23-18 80-32-47

Ed. R.V. K-11 "CORNELL" See Next Pg.

U.S. GEOLOGICAL SURVEY CORNELL R.S. 1928 B.M.

2.555 M. 8.38'

SET R.M. #1 SEE NEXT PAGE

TO R.V. G-11A F.B. 2458 p. 183

80°32'47" 82°23'18"

16.461' 5.017 M.

17.46' 5.322 M.

NORTH

U.S. GEOLOGICAL SURVEY BENCH MARK CORNELL 1928 ELEVATION ABOVE MEAN SEA LEVEL DATUM OF 1929 FEET BRASS DISK STAMPED CORNELL 1928 SET IN TOP OF CONCRETE POST

SET R.M. #2 SEE NEXT PAGE

Added 4-1-68

Sta received by: RC Wilson 4-1-68 - note change in stamping.

50 METER M-6
2.555 @ L @ 94° = 8.383
5.017 @ L @ 94° = 16.4599
5.322 @ L @ 94° = 17.461

100' TAPE NO. 0191
8.38 @ L @ 94° = 8.38
16.46 @ L @ 94° = 16.46
17.46 @ L @ 94° = 17.46

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

ZAE8085 CE #310 6-63

F. B. 2458 Pg. 188

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

RUSSELL VALLEY K-11
(CORNELL)

AREA:

This triangulation station is located in LOS ANGELES COUNTY, in the Santa Monica Mountains in Section 6 of R18W T1S, and 3 miles ± West of Malibu Lake. This station is located on "POINT DUME" Quad Sheet, and area marked 2039.

ROUTE:

From the intersection of Mulholland Hwy. and Backus Road, proceed easterly on Mulholland Hwy. 0.15 miles to Kanan Road (under construction), turn left and proceed Northerly 0.95 mile on gravel road to top of summit, hike Northerly up CORNELL MOUNTAIN to station. The hike takes approximately 15 minutes to reach the station.

STATION MARK:

A standard 4" U.S.G.S. brass ~~monument cap~~ B.M. DISC set in top of a 12"x10" rock up 3", and stamped "CORNELL R.S. 1928". Reference: F.B. 933-77, 78 C.S. Index Map # 19

SUB SURFACE MARKS:

NO REFR.

REFERENCE MARK NO. 1:

A 4" L.A. CO. SUR. CONTROL system brass reference Mark disc stamped " RUSSELL VALLEY K-11 (~~CORNELL~~ CORNELL) R.M. No. 1 (NO DATE) ~~1966~~ L.A. CO. ENGR. R.E. 5869" and set flush in a 18"x 24" rock.

REFERENCE MARK No. 2:

A 4" L.A. CO. SUR. CONTROL system brass reference Mark disc stamped " RUSSELL VALLEY K-11 (~~CORNELL~~ CORNELL) R.M. No. 2 1966 L.A. CO. ENGR. R.E. 5869" and set flush in a 24" x 30" rock.

Corr. Changes added 4-1-68.
RWDawson

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 2458 Pg. 189

Profile No. ____ X-Sec. No. ____
Notes Red ____ Date ____ Notes Chkd. ____ Date ____
Plotted ____ Date ____ Checked ____ Date ____
Job No. 0301.00 Division No. ____
Survey of S. M. Mtns. Div. 3
Survey by Wilson Notes JGR Date 9-Nov-'66
Map No. ____ Indexed C. J. GALLI Date ____

Sketch on Orig. Card
Plotted on Sur. Sh. U.S.C. & G.S.
Plotted on U.S. Ground Sht.
Sketch on Orig. Card

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE CIRCLED

BENCH LEVELS

J.N. 0301.00

TO ESTABLISH AN ELEVATION ON:

TRIANGULATION STATION

DUME POINT J-10A
(F.B. 2458 - 143 & 144)

PARTY

Randall J.G.
Pyle C.A.
Martinez, E.M.
Manley, L.A.
Tullier, E.J.

STATION	B.S.	H.I.	F.S.	ELEV.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

781-298 CE 307 11-58

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2458 PG. 190 Job No. 0301.00 Division No. Notes Red Plotted Profile
Survey of S.M. Mtns. Div. 2 Date Date No. X-Sec.
Survey by Wilson Notes JGR Notes Chkd. Checked
Indexed D. J. GALLI Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV		
B.M. 48-129				15.249	B.M. 48-129, Elev. = 15.249, Adj. 1964, Dume Point I-10C, Pacific Coast Highway, about 0.65 miles southwestly of Zuma Creek Bridge No. 53-28, 36.8 feet South of the center of the Highway, 29.0 ft. eastly of Power Pole No. 751296E, and 22.6 ft. eastly of the center of Culvert A 483+80, in a well and protected by a cast iron Cover marked "COUNTY SURVEYOR MONUMENT." A Los Angeles County Survey Control System Traverse Station monument, stamped "DUME POINT I-10C RE 329 1950," set about 8" below the surface. F.B. 1369-109	
⊼	6 584	21 833				
T.P.			4343	17.490		
⊼	5 373	22 863				
T.P.			2267	20.596		
⊼	8 848	29 444				
T.P.			0867	28 577		
⊼	9799	38 376				
T.P.			0969	37 407		
⊼	10.165	47 572				
T.P.			0017	47 555		
⊼	10215	57 770				
T.P.			0873	56 897		
⊼	9282	66 179				
T.P.			1146	65 033		
⊼	10 542	75 575				
T.P.			0607	74 968		
⊼	12 167	87 135				
T.P.			0808	86 327		
⊼	11 478	97 805				
T.P.			0459	97 346	1x1 stk.	

76L-288 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Noted on Geo. Index Card
Plotted on U.S. Quad. Sht.
Plotted on Sur. Index W.S. No.
Sketch on Geo. Desc. Card

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				97 346	1x1 STK.	
⊼	11 941	109 287				
T.P.			0287	109 000		
⊼	12154	121 154				
T.P.			0594	120 560		
⊼	12291	132 851				
T.P.			0869	131 982		
⊼	12 011	143 993				
T.P.			1276	142 717		
⊼	11056	153 773				
T.P.			0468	153 305		
⊼	11 558	164 863				
T.P.			3352	161 511	167.644	
⊼	17096	168 607			Adj; ~~176.441~~	
B.M.			0981	167626	B.M. - Dume Point J-10A, FD. A 4" L.A. Co. Sur. Cont. System brass triangulation disc, stamped "Dume Point J-10 A 1966, L.A. Co. Eng'r. R.E. 5869" Up 6" and set in a 12x12 Conc. Pad. F.B. 2458 - 143 & 144	
⊼	0328	167 954				
T.P.			9783	158 171		
⊼	0195	158 366				
T.P.			11 908	146 458		
⊼	0603	147 061				
T.P.			9 530	137 531		

Profile Notes Red ____ Plotted ____ Job No. 0391.02 Division No. ____
No. ____ Date ____ Date ____ Survey of S.M. Mtns. Div. 2
X-Sec. ____ Notes Chkd. ____ Checked ____ Survey by Wilson Notes JGR Date 9-Nov-64
W.O. ____ Date ____ Date ____ Map No. ____ Indexed R. J. GALLI Date ____

F.B. 2458 Pg. 19

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2458 PG. 192 Job No 230.00 Division No. Notes Red Plotted Profile
Survey of S.M. Mtns. Div #2 Date Date No. X-Sec.
Survey by Wilson Notes JGR 2-Nov-66 Notes Chkd. Checked
Indexed D. J. GALLI Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV		
T.P.				137 531		
⍓	0100	137 631				
T.P.			12 219	125 412		
⍓	0322	125 734				
T.P.			8673	117 061		
⍓	1018	118 079				
T.P.			8744	109 335		
⍓	0815	110 150				
T.P.			11 610	98 540		
⍓	0119	98 659				
T.P.			12 077	86 582		
⍓	0445	87 027				
T.P.			11 123	75 904		
⍓	0653	76 557				
T.B.M.			11 522	65 035	PK NAIL in Asphalt Road way	
⍓	1173	66 208				
T.P.			9303	56 905		
⍓	0298	57 203				
T.P.			9645	47 558		
⍓	0246	47 804				
T.P.			10 375	37 429		

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Noted on Geo. Index Card
Placed on U.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

Do not extend notes this side of this line.

Profile No. Notes Red Plotted Job No. 230/90 Division No.
No. X-Sec. Date Date Survey of S.M. Mtns. Div #2
Notes Chkd. Checked Survey by Wilson Notes JGR Date 9-Nov-66
Date Date Map No. Indexed R.J. CALLAHAN Date

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				37429		
⊼	0244	37 673				
T.P.			9077	28596		
⊼	0459	29 055				
T.P.			8442	20613		
⊼	1774	22387				
T.P.			4667	17720		
⊼	4297	22 017				
T.P.			5752	16265		
⊼	5328	21 593				
T.P.			4260	17333		
⊼	6088	23 421				
T.P.			3965	19456		
⊼	5905	25 361				
B.M. 48-128			5351	20.010 / 20.043	B.M. 48-128, Elev. = 20.043, Adj. 1964, Dume Point J-10, Pacific Coast Highway, about 0.5 miles Southwest'ly of Zuma Creek Bridge, No. 53-28, on the South side of the Highway, 88.4 ft. westly of a Culvert A 492+50, 30.5 ft. Southeast'ly of Power Pole No 9366SSE, 42.7 ft. South of the center of the highway and 2.0 feet west of a 2" marker Pipe. A Los Angeles Co. Sur. Cont. System Traverse Station monument, Stamped "DUME POINT J-10 R.E. 329 1950", set about 10" below the surface. F.B. 1369-108		

F.B. 2458 Pg. 93

F.B. 2458 PG. 194

Job No. 0301.00 Division No. _____ Notes Red _____ Plotted _____ Profile

Survey of S.M. Mtns. Div 2 Date _____ Date _____ No. _____

Survey by Wilson Notes JGR 10-Nov-66 Notes Chkd. _____ Checked _____ X-Sec.

Indexed _____ Date _____ Date _____ Date _____ No. _____

STATION	B.S.	H.I.	F.S.	ELEV
		"BLANK"		

761-298 CE 307 11-58

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F.B. 2458 Pg. 195

Profile No. ____ Notes Red ____ Date ____ Plotted ____ Date ____ Job No. 0301.00 Division No. ____ Survey of S.M. Mtns. Div 2

X-Sec. No. ____ Notes Chkd. ____ Date ____ Checked ____ Date ____ Survey by Wilson Notes JGR Date 10-Nov-66

Map No. ____ Indexed ____ Date ____

Posted on Geo. Index Card
Posted on U.S.G. Bd. Strip
Plotted on Sur. Chron. S. No.
Sketch on Geo. Desc. Card

NOTE: ANY ADDITIONS OR CHANGES TO BE MADE ON THIS SHEET MUST BE MADE BY PERSON CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

BENCH LEVELS

J.N. 0301.00

TO ESTABLISH AN ELEVATION ON:

TRIANGULATION STATION

DUME POINT C-3

(BARNEY'S KNOB)

F.B. 2458 - 111 & 112

STATION	B.S.	H.I.	F.S.	ELEV.

PARTY

Randall, J.G.
Manley, L.A.
Pyle, C.A.
Martinez, E.M.
Tullier, E.J.

761-288 CE 307 11-58

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2458 PG. 196 Job No 2301 Div. 2 Profile
Survey of S.M. Mtns. Notes Red Plotted
Survey by Wilson Date Date No. X-Sec.
Indexed G. J. Date Notes Chkd. 10-Nov-66 Checked
Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV		
B.M. 59-18				1645.355	B.M. 59-18, Elev = 1645.355, Adj. (1964). At the Intersection of Encinal Canyon Rd. and Decker Road, on the South side, 116 ft. Southerly of Power Pole Nº 664592 E, 11.0 feet Southeasterly of the South edge of the road pavement and 7.5 ft. east of Telephone Pole Nº LC 1372. Fd. a County Engineer brass cap monument, stamped "B.M. 59-18 R.E. 5869 1963" projecting about 4" above the ground, three feet above the roadway and protected by a 2" yellow marker pipe. F.B. 2836-122	
⊼	9148	1654503				
T.P.			0162	1651341		
⊼	11701	1666042				
T.P.			0742	1665300		
⊼	10229	1675529				
T.P.			0161	1673368		
⊼	10974	1686342				
T.P.			1337	1685005		
⊼	10929	1695934				
T.P.			0923	1695011		
⊼	12079	1707090				
T.P.			0262	1706828		
⊼	10600	1717428				
B.M.			2742	1714686	B.M. Dume Point C-3, Fd. A 4" L.A. Co. Sur. Cont. System brass triangulation disc, Stamped, " DUME POINT C-3, 1965, L.A. CO. ENGR. R.E. 5869 ". Set flush with the paving in asphalt driveway. F.B. 2458-111 & 112	
⊼	2279	1716965				
T.P.			10136	1706829		
⊼	0230	1707059				
T.P.			12041	1695018		
⊼	0784	1695802				
T.P.			10789	1685013		

76L-298 CE 807 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN RED INK, CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Noted on Geo. Index Card
Noted on U.S.G. & G.L.O. Shts.
Noted on Sur. Div. W. S. No.
Sketch on Geo. Desc. Card

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				1685013		
⊼	0708	1685721				
T.P.			10341	1675380		
⊼	0152	1675532				
T.P.			10219	1665313		
⊼	0884	1666197				
T.P.			11839	1654358		
⊼	0059	1654417				
T.P.			9985	1644432		
⊼	0688	1645120				
T.P.			9376	1635744		
⊼	0020	1635764				
T.P.			9330	1626434		
⊼	1809	1628243				
B.M. 59-17			5183	1623060	B.M. 59-17, Elev. = 1623.061, Adj. 1964, Encinal Canyon Road, in the northeast corner of the intersection of the Road to Detention Camp No. 13 (Rattle Snake Canyon Road), about 0.07 miles south of Decker Road, 10.5 feet northeasterly of Power Pole No. PS252 H. A County Engineer button, brass cap monument, stamped "B.M. 59-17 R.E. 5869 1963", projecting about 4 inches above the ground and protected by a 2 inch yellow marker pipe. F.B. 2836-121.	

Profile Notes Red Plotted Job No. 0301.00 Division No.
No. Date Date Survey of S. M. Mtns. Div. 2
X-Sec. Notes Chkd. Checked Survey by Wilson Notes JGB Date 2-Nov-66
No. Date Date Map No. Indexed R.L.G. Date

F.B. 2458 Pg. 197

F. B. 2458 Pg. 198

Job No. 0301.00 Division No. _____ Notes Red _____ Plotted _____ Profile

Survey of S. M. Mtns. Div 2 Date _____ Date _____ No. _____

Survey by Wilson Notes JGR 10-Nov-66 Notes Chkd. _____ Checked _____ X-Sec.

Indexed _____ Date _____ Date _____ Date _____ No. _____

STATION	B.S.	H.I.	F.S.	ELEV
	"BLANK"			

761-298 CE 307 11-58

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F.B. 2458 Pg. 199

Profile No. ____ Notes Red ____ Plotted ____ Job No. 0301.00 Division No. ____
Date ____ Date ____ Survey of S.M. Mtns. Div 2
X-Sec. No. ____ Notes Chkd. ____ Checked ____ Survey by Wilson Notes JGR Date 10-Nov-66
Date ____ Date ____ Map No. ____ Indexed ____ Date ____

Sketch on Geod. Desc. Card
Record on Sur. Div. W.S. No.
Record on U.S.G.S. Shts.
Record on Geod. Card

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN RED INK, CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

BENCH LEVELS

J.N. 0301.00

TO ESTABLISH AN ELEVATION ON:

SOLSTICE L-9 (REEF)
(F.B. 925-63 & 64)
(F.B. 933-45 & 46)

PARTY:

Randall, J.G.
Manley, L.A.
Pyle, C.A.
Tullier, E.J.
Martinez, E.M.

STATION	B.S.	H.I.	F.S.	ELEV.

761-298 CE 307 11-58

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2458 Pg. 200 Job No. 0330.00 Division No. Notes Red Plotted Profile
Survey of S.M. Mtns. Div 2 Date No. X-Sec.
Survey by Wilson Notes JGR 10-Nov-66 Notes Chkd. Checked
Indexed R. J. GALLI Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV	
B.M. 48-86				196 032	B.M. 48-86 (Solstice Cyn. L-8A), Elev = 196.032, Adj. 1964, Pacific Coast Highway, about 1.25 miles west of the Malibu Creek Bridge, in the center of the center divider strip at Highway Station 872+73.10, 65.2 feet South west'ly of Power Pole No. 1017674 E. A Los Angeles Co. Sur. Cont. System, traverse Station monument, stamped "SOLSTICE CANYON L-8A RE 329 1950", set about 8 inches below the surface. F.B. 1369-73
⊼	7302	203 334			
T.P.			3 188	200 146	
⊼	2812	202 958			
T.P.			3670	199 288	
⊼	3734	203 022			
T.P.			5101	197 921	
⊼	5792	203 713			Adj 199.584
B.M.			4135	199 578	B.M. Solstice L-9 (REEF), Fd. A 4" brass U.S.C.&G.S Triangulation disk, Stamped, "REEF 1862", Set in a rock and flush with the ground. F.B. 925-63&64, F.B. 933-45&46
⊼	4243	203 821			
T.P.			5901	197 920	
⊼	5303	203 223			
T.P.			3272	199 951	
⊼	3990	203 941			
T.P.			4205	199 736	
⊼	4900	204 636			
B.M. 48-85A			6840	197 796	B.M. 48-85A (USC&GS D 1052) Elev. = 197.807, Adj. 1964, Pacific Coast Highway, about 1.2 miles west of the Malibu Creek Bridge at Highway Station No. A 875+55, on the north side of the highway 84.5 ft. east of Power Pole No. 1017673 E in the culvert headwall 1.9 feet west of the east end. A USC&GS disk stamped "D 1052 1960."

Noted on Ind. Index Map
Placed on U.S. Quad Sh's.
Placed on Div. W. S. K.
Sketch on Ind. Desc. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of COAST HWY - MALIBU F. B 2458 PG. 201
JN 0301.00 Tape M-36 Std 84 °F
Surveyed by WILSON & FULTON
Notes J. F Date DEC. '66
Indexed C. J. GALLI 12 20 66

PACIFIC COAST HIGHWAY

MALIBU AREA

0301.00

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

WILSON
RANDALL
PYLE
MARTINEZ

FULTON
JONES
MANLEY
TULLIER

7BF3095 CE#310 1-65

F. B. 2458 Pg. 202

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geod. Control
JN 7XX.00 Tape Std °F
Surveyed by R.C. Wilson
Notes RCW Date 12-22-66
Indexed G. J. GALLI

F. B. 2458 PG. 203

Noted on Index Card
Placed on U.S.E.S. Quad. Sht's.
Placed on Sht. Index, W.S.No.
Sketch on Rec. Data Card

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES A-8B



50 MTR # M-6 Std. 84°
18.146^M @ L @ 60° = 18.143^M = 59.524'
14.596^M @ L @ 60° = 14.593^M = 47.877'

300' # 136 Std. @ 84°
59.53' @ L @ 60° = 59.52'
47.89' @ L @ 60° = 47.88'

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES
A-8B
1966
SET BY
RE 5869
FOR INFORMATION SEE COUNTY ENGINEER

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7SF3095 CE#310 1-65

F. B. 2458 Pg. 204

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LAS FLORES A-8B

AREA: This station is located in L.A. County in the Santa Monica Mtns near Malibu Beach, 4000'± So. & 2600'± E. of the N.W. Cor 531, T1S, R17W in the MALIBU RANCHO. (See Malibu Beach 7½' Quad.)

ROUTE: From the intersection of Malibu Cyn Rd & Coast Hwy: Proceed N'ly (up grade) on Coast Hwy 0.6± mile to the top of grade and a Hft turn bay - turn lft and pass thru locked chain (~~restricted~~) - Follow paved rd South 300'±, thence lft 0.15 mile to curve S'ly: take truncked track ely (@ curve) 0.15 mile to the sta. on the lft, 9'± S'ly from top of cut.

STATION MARK: A 4" L.A. CO. SUR. CONTROL SYSTEM BRASS TRAVERSE DISC STAMPED "LAS FLORES A-8B M66 RE 5867" flush with grd. and set in 12" round conc. pad.

SUB-SURFACE MARK: None Set

REFERENCE MARK NO 1: RESET SAME MON. 7/14/77
A 4" L.A. Co. Sur. Cont. brass ref. mark disc stamped "LAS FLORES A-8B RM 1 1966 RE 5867" up 6" and set in 10"x10" conc. pad.

REFERENCE MARK NO 2:
Same as RM 1, except stamped "RM 2"

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. B. 245 PG. 8
JN 030100 Tape 167 Sht 84 of F
Surveyed by G.E. DREIER
Notes G.E.D Date 10-15-62

L.A.CO. SURVEY CONTROL SYSTEM TRI-ANGULATION STATION RUSSEL VALLEY K-6 (HIWAY)

SEE BOTTOM NEXT PAGE FOR CHAINING

SET 1" I.P. FLUSH & PILED ROCKS R.M. #4

SET R.M. NO. 3 (SEE NEXT PG.)

30" OAK N.AT.

22.68

32.05

102.05

FD. R.M. #2

FD. TRI. STA. HIWAY PER F.B. 933-71 FLUSH. SEE NEXT PAGE FOR DES.

FD. R.M. #1 SEE NEXT PG.

21.75

12.05

198.42

TO VENTURA

VENTURA

APPROX. CTR.

FREEWAY

411.97

TO L.A.

42.59

TO TRI. STA. "BOUNDARY"

Notes: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Changes.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Redoes CE #247—7-65

2458 F.B. Pg. 296

DESCRIPTION

TRIANGULATION STATION

RUSSEL VALLEY K-6 (HIWAY)

THIS STATION IS IN VENTURA COUNTY ± 150 FT. N. OF CENTER OF VENTURA FREEWAY ± 150 FT. W. OF VENTURA – L.A. CO. LINE ABOUT 4.5 MI. WEST OF AGOURA.

STATION MARK FD A STD. TRI. STATION MON. STAMPED "HIWAY 1950 COUNTY SURVEYOR R.E.329" FLUSH REF F.B. 953-71,72

R.M. NO. 1 FD STD RE. MON STAMPED "HIWAY 1950 R.M. NO.1 COUNTY SURVEYOR R.E.329" UP 1 INCH

R.M. NO.2 FD A 2" I.P. & COPPER WIRE IN CONC. IN A 10" CONC. POST. UP 1"

R.M. NO. 3 SET A STD. REF MON. STAMPED RUSSEL VALLEY K-6 R.M. NO.3 1962 L.A.CO. ENGR. R.E. 5869 FLUSH

R.M. NO. 4 SET A 1" I.P. & R.E. TAG FLUSH SURROUNDED BY A RING OF ROCKS

1. 224.94 @ 78° TEMP = 224.93 @ 6° 11' = 223.62
2. 225.22 " " 225.28 @ 6° 50' = 223.61

102.06 @ 76° LEVEL = 102.05

102.39 @ 76° = 102.38 @ 4° 39' = 102.04

198.43 @ 74° = 198.42° LEVEL

141.98 @ 74° = 141.97

161.36 @ 74° = 161.35

102.39
41.65
141.98

20.74
21.85
42.59

RETURN TO LOS ANGELES COUNTY ENGINEER 900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Cont. F. B. 2458 PG. 207
JN 0301.00 Tape Std °F
Surveyed by WILSON
Notes RGW Date 5-67
Indexed C. J. GALLI JN 13 '67

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Sht.
Placed on Dir. W.S.N.
Sketch on Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

TRIANGULATION CONTROL MONUMENTS

CALABASAS LANDFILL AREA

5-22-67

JN 0301.00

WILSON
ADAMS
MANLEY
TULLIER

76F309S CE#310 1-65

F. B. 2458 PG. 208

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

VENTURA FREEWAY

LOST HILLS ROAD

SEMINOLE 6' QUAD

*SEE FB 3415-7 RGMTS. WORK

G-5
FB 1652-205

G-4
FB 1652-204

G-3
FB 1652-203

G-2
FB 1652-202

G-1
FB 1652-201

Notes Ck'd by
Map No.
Office Work
Checked
Date

GEODETIC CONTROL

Surv
JN 030100 Tape Std °F
Surveyed by R.C. WILSON
Notes C. ADAMS Date 5-25-67
Indexed C.J. GALL

F. B. 2458 PG. 209

Noted on Geo. Index Card
Plat Bk. U.S.G.S. Quad. Shts.
Pls. Sur. Div. W. S. No.
Skeleton Geo. Recap. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

SEMINOLE K-6

PER. FB 1652 PG 213

FD. SEMINOLE K-6
SEE NEXT PG

SET RM. 2
SEE NEXT PG

COUNTY ENGINEER
SEMINOLE RM. NO. 2
1967
R.E. 5869

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SEMINOLE
K-6
1951
SET BY
COUNTY SURVEYOR
FOR INFORMATION SEE COUNTY ENGINEER
SURVEYOR

20.28 FT.
6.180 MTR

TRAV.

27.16
8.277

TRACK

SET RM. 3
SEE NEXT PG

COUNTY ENGINEER
SEMINOLE RM 3
1967
R.E. 5869

To SEM E
J-7
F.B. 2458-215

* NOTE:
RM 2 DESTROYED.

50 MTR. M-3 @ 84°
8.277 @ 88° - 8.277 = 27.155 FT
6.180 @ 88° - 6.180 = 20.276 "
300' # 204 @ 84°
27.16 @ 88° = 27.16
20.28 @ 88° = 20.28

76F309S CE#310 1-65

F. B. 2458 PG 210

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SEMINOLE K-6

AREA THIS TRI. STA IS LOCATED IN L.A. CO., N. OF THE CALABASAS LANDFILL PROPERTY ON A RIDGE ELEV 1450', 2600' S. & 700' W. OF THE N.E. COR. SEC. 24. T. 1 N. R. 18. W. (SEE CALABASAS 7½' QUAD)

ROUTE FROM THE INTERSECTION OF THE VENTURA FREEWAY AT THE MALIBU CYN. OFFRAMP, TRAVEL N.LY 0.3 MILE TO THE END OF 4 LANE RD, PROCEED N.LY 0.3 MILE TO T.T ON L.FT, THENCE S.W.LY 0.1 MILE TO LOCKED GATE (L. LOCK). 100'± PASSED GATE, TAKE LEFT FORK IN T.T. UPHILL 0.6 MILE TO T.L. ON LEFT, PROCEED UPHILL 0.1 MILES, THENCE AWAY FROM T.L. 0.2 MILE TO FORK IN T.T., TAKE T.T. TO LEFT 0.1 MILE TO PWR. LINE. FOLLOW PWR LINE 0.1 MILES TO STATION. STATION IS 15'± N.LY OF T.T.

STATION MARK A 4" L.A. Co. SUR. CONT. SYS. BRASS TRIANG. DISC., STAMPED SEMINOLE K-6 1951 R.E. 329 SET IN 12" x 12" CONC. PAD, UP 4"

REFERENCE MARKS

R.M. 2 A 2½" L.A. CO. ENGINEER BRASS DISC STAMPED, SEMINOLE K-6 R.M. 2 1967 R.E. 5869 UP 4" AND SET IN 6" CONC. POST.

R.M 3 SAME AS R.M. 2 EXCEPT STAMPED R.M. 3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL F.B. 2458 PG. 211
JN 2201.02 Tape Std °F
Surveyed by R. C. Wilson
Notes RCW Date 5-22-67
Indexed C. J. GALLI

Mail to Index Card
Phone U.S.G.S. Quad Sht.
Placed on Sht. U.S.G.S.
Sketch on Back of Card

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SEMINOLE K6A

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.



78F305 CE#310 1-65

F. B. 2458 PG 212

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SEMINOLE K-6A

AREA: THIS TRI STA IS LOCATED IN LA CO. ON THE CALABASAS LANDFILL PROPERTY 1200' ± N. AND 800' ± E OF THE S.E. COR OF SECT 24, T1N, R18W ON A SMALL KNOB 1150' ± IN ELEV. (SEE CALABASAS 7½' QUAD.)

ROUTE: FROM THE INTERSECTION OF THE VENTURA FREEWAY AT THE LOST HILLS RD OFFRAMP: TRAVEL NORTH 0.2 MILE TO ENTRANCE GATE: THENCE NLY ON DUMP RD (PASSING SCALES) 0.6 MILE TO DIRT RD TO RIGHT AT CURVE IN ROAD: THENCE N'WLY ON DIRT RD 0.1 MILE TO JUNCT TO RT; THENCE NLY (PASSING WTR TANK) 0.2 MILE TO FLAT AREA. FOLLOW T.T. UP SPUR 0.1 M (4 WHEEL DRIVE) TO TOP AND STATION. (800' ±) OR 5 MIN. HIKE.

STATION MARK: A 4" L.A. CO. SUR. CONT. SYS. BRASS TRIANG. DISC STAMPED "SEMINOLE K6A 1967 RE 5869" SET IN 12"X12" CONC. PAD UP 6". NO SUB-SURFACE MARK SET.

REFERENCE MARKS:

RM 1: A 4" L.A. CO. SUR. CONT. SYS. BRASS REF. MARK DISC STAMPED "SEMINOLE K6A RM 1 1967 RE 5869" SET IN 12"X12" CONC. PAD UP 6".

RM 2: SAME AS RM 1, EXCEPT STAMPED "RM 2"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

GEODETIC CONTROL

Survey of
JN 0301 00 Tape Std °F
Surveyed by R. C. Wilson
Notes R.C. Wilson Date 5-22-67
Indexed C.B. DALLI

F. B. 2458 Pg. 213

Noted on Geo. Index Card
Place S.B.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geod. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SEMINOLE J-7A



76F309S CE#310 1-65

F. B 2458 PG 214

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SEMINOLE J-7A

AREA: THIS TRI. STA. IS LOCATED IN L.A. COUNTY ON THE CALABASAS LAND FILL PROPERTY, 2000' ± E. AND 200' ± N. OF THE S.W. COR OF SECT. 24, T1N, R18W ON A SMALL SPUR 250' E. OF A SADDLE. (SEE CALABASAS 7½' QUAD)

ROUTE: FROM THE INTERSECTION OF THE VENTURA FREEWAY AT THE LOST HILLS RD. OFFRAMP; TRAVEL NORTH 0.2 MILE TO ENTRANCE GATE; THENCE FOLLOW PAVED RD (PASSING SCALES) 1.0 MILE TO TRAVELED TRACKS TO THE S.E. AT CURVE IN ROAD; THENCE UP T.T. 200' ± TO SPUR, TURN LAT UP GRADE 300' ± TO TOP AND STA. ON THE LAT, 3' FROM TOP OF CUT BANK.

STATION MARK: A 4" L.A. CO. SUR. CONT 5¼. BRASS TRI DISC STAMPED "SEMINOLE J-7A RE5869 1967" SET IN 12"X12" CONC. PAD UP 6", 3' FROM TOP OF CUT BANK. NO SUB-SURFACE MARK SET.

REFERENCE MARKS:

NO 1: A 4" L.A. CO. SUR. CONT. 5¼. BRASS REF. MARK DISC STAMPED "SEMINOLE J-7A RM 1 1967 RE 5869" SET IN 12"X12" CONC PAD UP 6".

NO 2: SAME AS 1, EXCEPT STAMPED "RM 2"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL
JN 430100 Tape Std °F
Surveyed by R. C. Wilson
Notes RCW Date 5-22-67
Indexed C. J. GALLI

F. B. 2458 PG. 215

Noted on Rec. Index Card
Placer S.A.S. Quad Shts.
Placed in Div. W. S. Nu.
Sketch on Desc. Card

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SEMINOLE J-7

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

TO SEMINOLE J-6 FB 2458-217

50 MTR M-3 @ 84°

13.853 @ 78°	13.855 =	45.456
9.740 @ 78°	9.740 =	31.955
6.295 @ 78°	6.295 =	20.653

300' # 204 @ 84°

45.96 @ 78°	= 45.96
31.96 @ 78°	= 31.96
20.655 @ 78°	= 20.655

Set RM 2 (See next pg)

20.65 FT
6.295 MTR

Set Seminole J-7 (See next pg)

TO SEMINOLE K-6A FB 2458-211

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SEMINOLE J-7
1967
SET BY
RCE 5669
FOR INFORMATION
COUNTY ENGINEER

31.96 FT
9.740 MTR

Set RM 1 (See next pg)

45.96 FT
13.855 MTR

PAVED

DUMP RD.

TANK

T. T.

LOST HILLS RD.

FREEWAY

76F309S CE#310 1-65

F. B. 2458 PG 216

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

SEMINOLE J-7

AREA: THIS TRIANGULATION STATION IS LOCATED IN L.A. COUNTY ON THE CALABASAS LANDFILL PROPERTY 1000'± EAST AND 850'± NORTH OF THE S.W. COR. OF SECT. 24 T1N R18W ON A RIDGE LEADING TO A WATER TANK SITE (SEE CALABASAS 7½' QUAD)

ROUTE: FROM THE INTERSECTION OF THE VENTURA FREEWAY AT THE LOST ~~HILLS~~ RD OFF RAMP; TRAVEL NORTH 0.2 MILE TO ENTRANCE GATE; THENCE FOLLOW PAVED RD (PASSING SCALES) 1.0 MILE TO TRAVELED TRACKS @ CURVE IN RD TO THE S.E, ; THENCE UP T.T. 200' TO SMALL SPUR, TURN RT. & FOLLOW UP T.T. 0.2 MILE TO STATION.

STATION MARK: A 4" L.A. CO. SUR. CONT. SYSTEM BRASS TRIANGULATION DISC STAMPED "SEMINOLE J-7 1967 RE5869" SET IN 12"X12" CONC. PAD UP 6" AT SIDE OF TRAVELED ROAD. NO SUB-SURFACE MARK SET.

REFERENCE MARKS:

NO 1: A 4" LA CO. SUR. CONT. SYS. BRASS REF. MARK DISC STAMPED "RM 1 RE 5869 1967 SEMINOLE J-7" SET IN 12"X12" CONC. PAD UP 6" AT SIDE OF TRAVELED ROAD.

NO 2: SAME AS 1, EXCEPT STAMPED "RM 2"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Su GEODETIC CONTROL F. B. 2458 PG. 217
JN 0301.00 Tape Std °F
Surveyed by R.C. WILSON
Notes C. ADAMS Date 5-25-67
Indexed C.J. GALLI

Noted on Rec. Index Card
Plan U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Rec. Desc. Card

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

SEMINOLE J-6

SEMINOLE J-6 AUX
FD CE MON. PER
F.B. 3421-11

SET R.M.1
SEE NEXT PG

SET R.M. 2
SEE NEXT PG

SET SEMINOLE J-6
SEE NEXT PG

27.71
41.295
22.655
383.53 Ft.
100° 59' 59.2"
PER F.B.G. 1196-21
76° 58' 22.5"
PER F.B.G. 1196-22
30° 14' 28.2"
0° 00' 00"
32° 17' 05.4"
PER F.B.G. 1196-18

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SEMINOLE J 6
1967
SET BY
RCE 5869
FOR INFORMATION
SEE COUNTY ENGINEER

SEM J-7
FB 2458-215

SEMINOLE J-7 FB 2458-215

CL. 5
FD CE MON
PER FB 3421-10

300' #204 @ 84°
159.01 @ 4° 33' @ T-76' = 158.99
159.20 @ 5° 23' " = 227.654
227.48 @ 8° 29' @ T-76' = 225.04
227.35 @ 8° 10' " = 383.53

50 MTR M-3 @ 84°
6.905 @ 72° = 6.905 = 22.654
12.588 @ 72° = 12.588 = 41.299
8.447 @ 72° = 8.447 = 27.713
300' #204 @ 84°
22.655 @ 72° = 22.655
41.295 @ 72° = 41.295
27.71 @ 72° = 27.71

76F309S CE#310 1-65

F. B. 2458 PG 218

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

SEMINOLE J-6

AREA THIS TRI STA IS LOCATED IN LA. CO ON THE CALABASAS LANDFILL PROPERTY ON A RIDGE ELEV 1250'±, 2350'W. & 1500'N. OF THE SE. COR. SEC. 24 T.1.N., R.18 W. (SEE CALABASAS 7½' QUAD)

ROUTE FROM THE INTERSECTION OF THE VENTURA FREEWAY AT THE LOST HILLS RD. OFF RAMP: TRAVEL N. 0.2 MILE TO ENTRANCE GATE; THENCE N.LY 0.6 MILE (PASSING SCALES) TO A DIRT RD TO RIGHT AT A CURVE IN PAVED RD: THENCE N.W.LY 0.3 MILE (PASSING SHACK) TO A FIRE BREAK ON LFT: THENCE SLY UP FIRE BREAK 400'± TO TOP; THENCE W.LY 400'± TO HIGH PT & STA 4 W DR OR 5 MIN HIKE

STATION MARK A 4" L.A. CO. SUR CONT. SYS. BRASS TRIANG DISC STAMPED SEMINOLE J-6 1967 RE 5869 SET IN 12"X12" CONC PAD UP 6" NO SUBSURFACE MARK SET

REFERENCE MARKS

RM. 1 A 4" LA COUNTY SUR CONT. SYS BRASS REF. MARK DISC STAMPED "SEMINOLE J-6 RM 1 1967 RE 5869" SET IN 12"X12" CONC PAD UP 6"

RM. 2 SAME AS R.M. 1 BUT STAMPED "R.M. 2"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on Geod. Index Card
Plotted on U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geod. Desc. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geod. Control
JN 0301.00 Tape Std. °F
Surveyed by RCW Style
Notes RCW Date 2-5-68
Indexed

F. B. 2458 PG. 219

0301.00

TIE TO SOLSTICE CVN L-1
&
STATE DIV. HWY MON. "TRAILS"

REF: FB 2458-161 & 167
FB 2242-51 & 52

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Randall
Wilson
Cockerham
Pyle

16F309S CE#319 1-65

F. B. 2458 PG 220

300' = 221 STDC 84°T
MEAS. level @ 68°T

92.98 = 92.97'
34.55 = 34.55'

77.26 = 77.25'
86.88 = 86.87'
164.12'

DIR. PER FBG 1225-36
T3 41081

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on Geo. Index Card ✓
Pl
U.S.G.S. Quad. Shts.
Pla Sur. Div. W. S. No.
Sketch on Geo. Desc. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Control F. B. 2458 Pg. 221
JN 2201.02 Tape Std °F
Surveyed by RCW JGR
Notes RCW Date 2-5-68
Indexed [illegible] FEB 14 68

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

CONT. ON SHT. SEE RS. 220

SEC 1

SEC 6

SEC 12

SEC 7

TWN. LN.

Fen. Cor.

R 18 W

R 17 W

23.7'±

SEE FB 2242 PG 52 FOR L & SURVEY

Sec Cr

FD SEC. COR. 2W 8" IN WELL, PER FB 2242-52

1.5'

COUNTY ENGINEER
R18W R17W
T1S
R.E. 5868

76F309S CE#310 1-65

F. B 2458 PG 222



°		
75	32	07.11
80	49	12.39
23	38	39.88
179°	59'	59.38"

Placed on U.S.G.S. Datum
Placed on Sur. Div. M. S. Co.
Sketch on Rec. Desc. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work Paw
Checked
Date

Survey of S.M. MTN'S A
JN 0301.00 Tape 03 Std 86 °F
Surveyed by J. TERRANOVA
Notes J.T. Date 7-5-72
Indexed C. J. GALLI JR. 1 8 '72

F. B. 2458 PG. 223

Index Card
Plotted on U.S.G.S. Quad. Sht's.
Plotted on Geodetic Control Sht's.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

SANTA MONICA TRIANGULATION
(AGOURA)

REFERENCE POINTS TO TRIANGULATION STA. RUSSELL VALLEY K-6A & K-6 AUX.1 WHICH WILL BE DESTROYED DUE TO WIDENING OF VENTURA FRWY.

JN. 0301.00

JULY 1972

REFERENCE:
FB-2458 - 107

PARTY:
J. TERRANOVA
R. ALMANZAN
L. KEISNER
J. ZBYSENSKI

NOTE:
ALL R.P.'S & REF MONUMENTS EXCEPT RM-3 AS SHOWN ON PAGE 107 HAVE BEEN DESTROYED.

76F309S CE#310 3-68

F. B. 2458 PG. 224

BT. pg 225



1) 109-01-40
2) 76-06-20
3) 294-09-20
109-01-33

R.M. 3
FD. R.V. K-6 AUX 1
A L.A.CO SUR. CONT.
4" DISC. MKD AS
SHOWN — MAY BE
DESTROYED BY
CONSTRUCTION
F.B. 933-245
2458-107

166.47 @ 0-00
T=88=166.47

127.64 @ 0-00
T=88=127.64

112.40 @ 0-00
T=88=112.40

166.47 (REM) 6 spaces
F.B. 2458-107
N 55°08'36" W

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RUSSELL VALLEY K-6
1964
AUX-1
SET BY L.A.CO. ENGR. 5862
FOR INFORMATION SEE COUNTY ENGINEER

△ STA. RUSSELL VALLEY K 6A
FD A L.A.CO.
SURVEY CONTROL
4" TRI. DISC. MKD.
AS SHOWN
WILL BE DESTROYED
BY CONSTRUCTION
F.B. 2458-108

109°01'33"
90°00'00"

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RUSSELL VALLEY
K-6A
1965
SET BY L.A.CO. ENGR. 5862
FOR INFORMATION SEE COUNTY ENGINEER

44.93
39.03
112.40
127.64
0.47
0.05

R.P. #1
SET 2" I.P. W/ CONC
PL. & C.E. TAG
DN 2"

N 4,168,349.80
E 4,041,474.30

N 34°31'24" E
N 23°54'54" E
300'±
146.46

FD. 2" I.P. W/
CONC. PLUG &
L.S. TAG # 2602
TOP SPUR
NO REF.

FD. L.S. BT. SPUR
W/ TAG
NO REF.

FD. L.S. TAG
NO. 2602

T=86
44.93 @ 30-00 = 44.93
39.03 @ 30-00 = 39.03

SET A L.A.CO.
ENGR. ALUM. TAG
IN CONC. CB.

DRWY. EXIT OF
CONTROL DATA

FRWY.
VENTURA
(UNDER CONSTRUCTION — TO BE WIDENED)

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work RAW
Checked
Date

Survey of SM MTN A
JN 0301.00 Tape 03 Std 86 °F
Surveyed by TERRANOVA
Notes J.T. Date 7-5-72
Indexed C. J. GALLI JUL 18 72

F. B. 2458 PG. 225

Noted on Key Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Rec. W. S. Map
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F309S CE#810 3-68

F. B. 2458 PG. 226



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

#2
R.P. 2" I.P. W/
SET 2" CONC. PLUG
C.E. TAG

N 4,168,469.97
E 1,041,[illegible]3.80

146.46 D0-00 W 146.46

RT. PG. 224

F. B. 2458 PG. 227

Profile No. ____ Notes Red ____ Plotted ____ Job No. 0301.02 Division No. 11
Date ____ Date ____ Survey of Solstice Canyon B-2 (Castro)
X-Sec. No. ____ Notes Chk'd. ____ Checked ____ Survey by R.L. Strader Notes R.L.S. Date 12-17-73
Date ____ Date ____ Map No. ____ Indexed G. D. BAILEY Date DEC 27 1973

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

SOLSTICE CANYON B-2 (CASTRO)

0301.02

LEVELS TO DETERMINE ELEVATIONS ON SOLSTICE CANYON B-2 & AUX. #1, R.M. #1, ECC. #4, N.E. BDRY. COR., ECC. #2, R.M. #3, N.W. BDRY. COR.

LEVELS TO DETERMINE ELEVATION ON SOLSTICE CANYON A-4

Reciprocal trig levels between Solstice Cyn. A-4 & Solstice Cyn. B-2, R.M. # 3.

STATION	B. S.	H. I.	F. S.	ELEV.
			REFERENCE F.B. 3839	

SURVEY PARTY
R. STRADER
R. DOVER
G. RODGERS

76-L-298 CE 307 5-66

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F. B. 2458 PG. 228
Job No 301.03 Division No. 11 Notes Red Plotted Profile
Survey of Solstice Canyon B-2 (Castro) Date Date No. X-Sec.
Survey by R.L. Strader Notes R.L.S. Notes Chk'd. Checked
Indexed G. D. BAILEY Date DEC 27 1973 Date Date No.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
Solstice Canyon B-2 (Aux.# 1)	4 62	2828 42		2823 80	Solstice Canyon B-2, Aux.#1 Elev. = 2823.80 as calc. from trig levels per F.B. 3839-7. Fd. a std. L.A. Co. Survey Control System brass disk in a 12"x12" conc. pad, UP 6", per F.B. 2458-147, 148, 151
Solstice Canyon B-2			2 05	2826 37	Solstice Canyon B-2 Elev. = Found a 3/4" copper bolt in 36" Triangular conc. pad UP 6" in a 60" Triangular conc. pad UP 15". Chiseled "x" & Punch mark F.B. 525-73, F.B. 1652-221, 235, 237
Solstice Canyon B-2, R.M.# 1			5 31	2823 11	Solstice Canyon B-2, R.M.#1. Elev. = Found a U.S.C.&G.S. brass disk in a 18"x30" sandstone rock stamped Castro No. 1, 1898, 1923
Solstice Canyon Ecc.#4	0 80	2818 19	11 03	2817 39	Solstice Canyon B-2, Ecc.#4 Elev. = Found a 4" L.A.Co. Survey Control System brass disk in a 9"x9" conc. Pad & Stamped "Castro Ecc. 4, 1951, County Surveyor, R.E. 329" F.B. 525-73, F.B. 933-53, F.B. 1652-221
N.E. Boundary Corner			9 16	2809 03	N.E. Boundary Corner Elev. = Found a std. County Surveyor's Monument UP 2"
T.P.	9 95	2821 22	6 92	2811 27	
Solstice Canyon B-2, Ecc.# 2	4 73	2823 32	2 63	2818 59	Solstice Canyon B-2, Ecc.# 2 Elev. = Found a 4" L.A. Co. Survey Control System brass disk stamped "Castro, Ecc. No. 2, 1948, County Surveyor, R.E. 329" in a 12"x12" conc. pad F.B. 933-53, F.B. 1652-221
Solstice Canyon B-2, R.M.# 3 N.W. Boundary Corner	4 22	2823 77	3 77	2819 ~~2819~~ 55	Solstice Canyon B-2, R.M.# 3 Elev. Found a U.S.C.&G.S. brass disk in a 10" dia. conc. post stamped "Castro, No. 3, 1898" UP 7"
			12 53	2811 24	N.W. Boundary Corner Elev. Found a std. County Surveyor's Monument fl., w/ large hole in brass cap
T.P.	6 60	2828 15	2 22	2821 55	
Solstice Canyon B-2 (Aux.# 1)			4 37	2823 78	See description above

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
RDBM BY 5923	11 40	2098 68		2087 28	Rd. Dept. BM. # BY 5923 Found a 3/4" I.P. w/C.S. tag, 40 ft. W. of c/L of Latigo Cyn. Rd., 175 ft. N. of c/L of Newton Cyn. Fire Road	Elev. = 2087.278 (1965)
T.P.	0 55	2087 87	11 36	2087 32		
"	2 26	2079 38	10 75	2077 12		
B.M. # 16	10 85	2085 54	4 69	2074 69	B.M. #16 Found a std. County Engineer Brass button cap mon. Stamped "B.M. #16, 1952, R.E. 5869, UP 4" F.B. 2639-152 & 153	Elev. = 2074.806 Unadj.
T.P.	10 92	2096 00	0 46	2085 08	rock	
"	10 65	2105 31	1 34	2094 66	1x1	
"	10 36	2114 76	0 91	2104 40	rock	
"	2 69	2117 13	0 32	2114 44	"	
"	1 52	2107 04	11 61	2105 52	"	
Solstice Canyon A-4	11 46	2111 90	6 60	2100 44	Solstice Canyon A-4 Fd. a 4" L.A. Co. Control System brass disk in a 12" dia. tapered conc. pad stamped "Solstice Cn. A-4, 1960, L.A. Co. Eng'r., R.E. 5869 F.B.	Elev. =
T.P.	7 71	2119 02	0 59	2111 31	rock	
"	2 30	2109 98	11 34	2107 68	"	
"	2 15	2101 38	10 75	2099 23	1x1	
B.M. # 15			4 63	2096 75	BM #15 Found a std. County Engineer Brass button cap mon. in approx. center of fire cistern, 11 ft ± W'ly of Int. of Latigo Cyn. Rd. & Newton Cyn. Fire Truck Road	Elev. =
C.E. Tag	1 19	2097 79	4 78	2096 60	Fd. C.E. tag in lead in conc. fire cistern @ N.E. Cor.	
RDBM BY 5923			10 48	2087 31	Rd. Dept. BM. # BY 5923 See description above	

Profile Notes Red ____ Plotted ____ Job No. 69101.02 Division No. 11
No. ____ Date ____ Date ____ Survey of Solstice Canyon A-4
X-Sec. Notes Chk'd. ____ Checked ____ Survey by R.L. Strader Notes R.L.S. Date 12-17-73
No. ____ Date ____ Date ____ Map No. ____ Indexed C.D. BAILEY Date DEC 27 1973

F. B. 2458 PG. 229

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2458 Pg. 230 | Job No 8301.07 Division No. 11 | Notes Red | Plotted | Profile
Survey of Solstice Cyn. A-4 & B-2, RM. #3 | Date | No. | X-Sec.
Survey by R.L.Strader Notes R.L.S. | Notes Chk'd. | Checked | No.
Indexed S. D. BAILEY | Date DEC 27 1973 | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.	
T @ Solstice Cyn. A-4		H. I. = 5.00			
	81°55'24"				
	278°04'44"				
	360°00'08"		+ 8°04'40"		H. I. @ light = 2.98
			Tan = .14192539		Light on Solstice B-2, R.M. #3
					Up 718.15
T @ Solstice B-2, R.M. #3		H. I. = 3.90			
	98°07'25"				
	261°52'42"				
	360°00'07"		− 8°07'21"		H. I. @ light = 3.17
			Tan = .14272175		Light on Solstice Cyn. A-4
					Up 719.42

Mean = 718.78
2100.44
2819.22 = R.M. #3

Inversed distance @ Ground between
Sol A-4 to Sol B-2 RM #3 N 24°10'06" [redacted]E 5045.80

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEOD. CONT. MON. PRSER.
JN 0301.00 Tape 168 Std. 84 °F
Surveyed by M. WACKER
Notes N. S. Date 7-7-77
Indexed HOLMAN APR 29 1961

F. B. 2458 PG. 231

J.N. 0301.00

GEODETIC CONTROL
MONUMENT PRESERVATION
TRIUNFO PASS K-3

REF :
F.B. 2300
F.B. 2458

M. WACKER
N. SMITH
R. MOORE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this disc at this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2458 PG. 232

1) 46° 50' 20"
2) 187° 21' 00"
3) 281° 02' 00"
= 46° 50' 20"

T = 88°

141.01 @ 4° 58' 40" = 140.48
140.89 @ 4° 24' 40" = 140.47
= 140.47

T = 88°

176.38 @ 2° 07' 40" = 176.26
176.34 @ 1° 47' 00" = 176.26
= 176.26

SET 4" BRASS DISK IN EPOXY, IN TOP 3.0 x 3.0 x 2.0 ROCK MKD. AS SHOWN. 2" MARKER PIPE 2.0± N'LY.

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION REFERENCE MARK
PASS K-3
DISTANCE 2276
R.M. NO 4
1977
SET BY L.A. CO. ENGINEERING DIV.
FOR INFORMATION SEE COUNTY SURVEYOR

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION REFERENCE MARK
PASS K-3
DISTANCE 2276
R.M. NO 3
1977
SET BY L.A. CO. ENGINEERING DIV.
FOR INFORMATION SEE COUNTY SURVEYOR

SET BRASS CAP MON. UP 3" MKD. AS SHOWN. 2" MARKER PIPE 2.0 N'LY.

FD. U.S.G.S. 4" BRASS CAP CEMENTED IN A STONE MKD. "TRIANG 1928" R.S. 2300 - 246
ALSO RUSSELL VALLEY B-12

176.26

46° 50'

140.47

DIRT RD.

29.47

23.57

17.49

FD. L.F.T. & C.E. TAG IN LEAD IN CONC. FLOOR GAS TANK STORAGE SHED. F.B. 2458-106

4.0 x 4.0 CONC. FOOTING'S

FD. C.E. TAG IN EPOXY IN 2.0' D/A. STONE UP. F.B. 2458-106 ECC. #1

4.0 x 4.0 CONC. FOOTING'S

FD. SPK. IN CONC. CUT X ON TOP. F.B. 2458-106

FD. 4" BRASS DISK IN CONC. UP STAMPED "TRIANG FD PASS K-3 1965 L.A. CO. ENGR" 2' NW. OF REF. DISK S 81° 39' W.E. F.B. 2458-106
F.B. 2300 - 244

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this date at this time.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 030180 Tape Std °F
Surveyed by W. J. VOGE
Notes VOGE Date 8/23/77
Indexed H. HOLLMAN

F. B. 2458 PG. 233

APR 29 1981

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
A03 Los Angeles County Engineering Bldg.

76F3095 CE # 319 3-61

SOLSTICE B2 ECC 4



F.B. 2458 PG 234

SOLSTICE B2 ECC 4

MEASUREMENTS:

300' Tape 174 62.60 @ LEV = 62.60
300' Tape 139 62.60 @ LEV = 62.60
50 Meter Tape M3 18.959 @ LEV = 18.959
50 Meter Tape M2 18.959 @ LEV = 18.959
47.95 @ LEV = 47.95
14.616 @ LEV = 14.616

AREA: SEE FB 2455 - 152

ROUTE: SEE FB 2458 - 152

STATION MARK: SEE FB 2458 - 148

REFERENCE MARKS:

NO. 1: A 4" LA CO SUR. CONTROL SYSTEM brass rod mark disc stamped "SOLSTICE B2 ECC 4 RM 1 RE 2572 3" below the ground and set in a 6" conc. post.

LOS ANGELES COUNTY ENGINEER
PLEASE RETURN TO
Note: Any Addition or Change to this Sheet Must Be Made by Owner or Person