F. B 2461 PG 6



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes C'k'd by
Mon. No.
Office Work
Checked
Date

Survey of H.V. ROAD
JN 0099.52 Tape Std °F
Surveyed by Wilson
Notes Date 12-69
Indexed C. J. GALLI JAN 7'70

F. B. 2461 Pg. 5

HUNGRY VALLEY ROAD
PHOTO CONTROL & SECTION LINE TIES
JN 0099.52
DEC '69

Wilson
Bloms
Pyle
Barnett
Fisher
Florek
Seneb

Microfilmed Jan 86

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not unroll this side of this line.

1-71 ONE SE 310 3-68

Notes Ck'd by	Survey of N.W. LA County
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R.C.W. & R.W.
Checked	Notes RW Date 12-2-69
Date	Indexed C. J. GAITT JAN 7 70

F. B 2461 PG. 7

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



See FB 3419 for ymtr measurements.

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of N.W. L.A. Co. PHOTO
JN 030100 Tape _____ Std _____ °F
Surveyed by R.W. LEE SPN
Notes ADAMS Date 12-4-69
Indexed C.J. GALLI JJH 7-70

F.B. 2461 PG. 9

GORMAN
1-3-1

AREA: THIS POINT IS LOCATED IN LOS ANGELES COUNTY, IN THE N.W. PORTION, 1700'± E. OF & 2300'± N. OF THE S.W. COR OF SEC 33, T 8 N R 18 W, 300'± E. OF GOLDEN STATE FWY. USE U.S.G.S. 7½' BLACK MTN. QUAD SHEET

ROUTE: FROM THE GOLDEN STATE FWY TRAV E.LY ON QUAIL LAKE RD 0.3 MI THEN TN RT ON COPCO AVE & TRAV S.LY, PARALLEL TO FWY, 1.7 MI THENCE TN LFT & TRAV E.LY 0.2 MI ALONG S. SIDE OF PLOWED FIELD. TN RT (S.LY) & FOLLOW RD UP TO TOP OF RIDGE 0.1 MI. PARK & HIKE 800'± W.LY ALONG RIDGE TO POINT @ TOP OF FWY CUT BANK



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Attach Index Tab Card
U.S. Quad Sht.
Thomas Bros. Guide
Other

ZEF3088 CE #310 9-67

F.B. 2961 Pg. 10

GERMAN

J-15-1 (NOT OCCUPIED)

AREA: THIS POINT IS LOCATED IN LOS ANGELES COUNTY: IN THE N.W. Co AREA 300± S. OF ℄ 1350 W. OF THE N.E. COR SEC. 28, T8N, R18W. POINT IS MARKED "BM 3213" ON USGS 7½' LEBEC QUAD SHEET.

ROUTE: FROM THE GOLDEN STATE FWY, TRAVEL ELY ON QUAIL LAKE RD 0.5 MI TO END OF PVMT. THENCE BEAR LFT. (EAST) ON E. HUNGRY VALLEY RD 0.05 MI TO BLOODS RD TN. RT (S,LY) 0.1 MI TO POINT.



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made on Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of N.W. Co PHOTO CONT F.B. 2961 PG. 11
JN 43010 Tape Sta "F"
Surveyed by R. WILSON
Notes ADAMS Date 11-28-69
Indexed C. J. GALLI JR 7 70

Note: Any Additions or Changes on this Record Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this site at this time.

ZEPSCO28 CE#310 9-67

GORMAN
J-15-R

AREA: THIS POINT IS LOCATED IN LOS ANGELES COUNTY, IN THE N.W. PORTION. THE S.W. COR SEC 22, T8N, R16W. LEBEC 1/2° QUAD SHEET.

ROUTE: FROM THE GOLDEN STATE FWY TRAV. E.LY ON QUAIL LAKE RD 0.5 MI. TO END OF PVMT THEN BEAR LFT ON E. HUNGRY VAL RD (DIRT) 0.4 MI TO CATTLE GRD, PASS OVER CAT GRD THEN TRAV 200', TN SHARP RT TO TOP OF LOW HILL


E. HUNGRY VAL. RD.
COT. GRD.
J-15-R
FD 2½" BR CAP SET IN 6" CONC POST UP 4" STAMPED ¢ ORIENTED AS SHOWN
SEC 21
SEC 22
SEC 28
SEC 27
T8N
R16W
B/W FENCE
P.P.
POWER LINE
60° 04' 49" E 1346.19'
N 46° 21' 22.4" E 1346.19'
N 0° 00' 00" E 1320.00'
N 0° 00' 00" E 1320.00'
N 0° 00' 00" E 1320.00

F.B. 2961 Pg 12

GORMAN
V-15-3 (NOT OCCUPIED)

This point is located in the NW portion of L.A. Co. in the PEACE VALLEY area. From the GOLDEN STATE FWY. overcrossing of QUAIL LAKE RD., travel WLY 100' on Quail Lake Rd., to its junction with PEACE VALLEY RD. Turn left (SLY.) on Peace Valley Rd. 0.15 miles to a dirt rd. on the right. (West) Follow this 0.30 miles to a chain link gate. The mon. is 2ft Sq. of the N. gate post and under the gate It is a Sec. Cor in T8N, R18W. See U.S.G.S. 7½' sheet "LEBEC" Quad. 1958.



COUNTY SURVEYOR'S MONUMENT

G'MTR. MEAS. FB 3619

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of NW. L.A. Co. PHOTO
JN Tape Std 'T
Surveyed by R. WILSON
Notes ADAMS Date 11-24-70
Indexed C. J. GALLI

F.B. 8961 Pg. 13

FORMAN (NOT OCCUPIED)
J-15-9

AREA: THIS POINT IS LOCATED IN LOS ANGELES COUNTY, IN THE N.W. PORTION, ON A HILL 1600'± N. OF & 2300'± W. OF THE S.E. COR SEC 21 T8N R18W. USE USGS 7½' LEBEC QUAD SHEET.

ROUTE: FROM THE GOLDEN STATE FWY TRAVEL E,LY ON QUAIL LAKE RD 0.2 MI. THEN TN LFT (NLY & ELY) ON T.T. TO TOP OF RIDGE (4 WHEEL DR) TN LEFT (N,LY) @ TOP OF RIDGE & DRIVE 400'± PARK & HIKE 900'± TO HIGHEST POINT ON RIDGE

SEC 21
T8N
R18W

J-15-9
SET ¾" CAPPED PIPE UP 1"
1" M.R. 1.5 N. UP 1"

TO P.B. 2001-11

HIKE

PARK

G'MTR MEAS
F.B. 3619

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7EFS-208 CE #310 9-67

F.B. 2961 Pg 14

GORMAN (NOT OCCUPIED)
J-15-5

This point is located in the N.W portion of L.A co. in the PEACE VALLEY AREA. It is a 1/4 sec. cor. set on the inter. of the sec. line with the ANGELES NATIONAL FOREST BDY. Sec. 28|27, T8N, R16W. Sec USGS. 7½' sheet "LEBEC" Quad. 1958.

From the inter. of GOLDEN STATE FWY. & QUAIL LAKE RD. Travel ELY. on Quail Lake Rd. 0.50 miles to pavements end. Bear left (E) on E. Hungry Valley and continue 0.50 miles to a gate (usually open) proceed 0.30 miles and pass over a canal. Thence SLY. 0.30 miles along the East side of the canal to a cut bank. Turn left (ELY) 200'± to a travelled track ascending the side of the cut. Mount this to the first level. Park here and contour around to the South, To the top of a spur #700'. The point is 40'± S of the top of the spur.



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of N.W.L.A.Co. PHOTO
JN 230100 Tape _____ Std _____ °F
Surveyed by F.W.L.SON
Notes PYLE Date 12-7-69
Indexed C.J. GALLI JW 7 70

F.B. 2961 Pg. 15

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red and Name of Person Making Change.
Placed in Map File
Sketch on Back Page Card
Placed in Mic. File
Placed in Quad Bk.

GORMAN J15-G (NOT OCCUPIED)

AREA: This point is located in N.W.L.A.Co. in the vicinity of QUAIL LAKE. It is 1350'S & 1800'W of the N.E. Cor. of Sec. 27, T8N, R18W. See USGS 7½' sheet "LEBEC" Quad. 1958.

ROUTE: From the GOLDEN STATE FWY, travel ELY on QUAIL LAKE RD. 0.50 miles to pavements end. Bear left on HUNGRY VALLEY RD. ELY. then SLY. 0.80 miles to a canal (under const.). Pass over canal & travel along S. side 0.10 miles, then turn left, 150'± further turn Right and continue 0.15 miles, pass through a gate and 0.30 miles further another gate. Proceed 0.35 miles to a gate and 100'± past it turn left (NLY.) thence 0.20 miles to a "Y" bear left (NWLY) and 0.20 miles more reach the top of a ridge. Travel NWLY across a field 0.30 miles to a knob on its N.W. side and the point.



FOR DICS SEE
FBG 1316-33
GMTR MEAS
F.B. 3619 "

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

ZES3028 (rf# 310 9-67)

F.B. 2961 Pg. 16

GORMAN (NOT OCCUPIED)

J-15-7

AREA: THIS POINT IS LOCATED IN LOS ANGELES COUNTY, IN THE N.W. PORTION. THE N. ¼ COR OF SEC 27, T8N, R18W. LEBEC 7½' QUAD SHEET.

ROUTE: FROM THE GOLDEN STATE FWY. TRAV E,LY ON QUAIL LAKE RD 0.5 MI. TO END OF PVMT, THENCE BEAR LEFT (E.) ON E. HUNGRY VALLEY RD (DIRT). FOLLOW RD E,LY & S,LY 0.8 MI. TO CANAL (UNDER CONST) PASS OVER CANAL & TRAV ALONG S. SIDE 0.1 MI THEN TN. LFT. FOR 300'± TO A C/L GATE (EDISON LOCK). PASS THRU GATE & FOLLOW DIRT RD 0.2 MI TO POINT.



GMTR MEAS
F.B. 3619

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made on Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of N.W. Co. Photo Cont
JN 2301.00 Tape Std. °F
Surveyed by R.W. Wilson
Notes Adams Date 12-1-69
Indexed D.J. GALLI JAN 7 70

F.B. 2461 Pg. 17

Note: Any Additions or Changes or Circled in Red Must be Made and Name of Person Making Change.

Sheet Must be Placed on Top of Index Card. Placed on Bot. W.P.B. No. Sketch on Other Side of Card.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

GP 1-15-8 (NOT OCCUPIED)

AREA: THIS POINT IS LOCATED IN LOS ANGELES COUNTY. THE S.W. COR, SEC 23, T8N R18W.

ROUTE: FROM THE GOLDEN STATE FWY, TRAVEL E. ON ANTELOPE VAL FWY (HWY 138) 2.5 MI. TO GATE ON RT. PASS THRU GATE (UNLOCKED) & FOLLOW DIRT RD S,E,V 0.25 MI TO "Y". BEAR LEFT & CONT. 0.3 MI TO CATTLE GUARD. TURN RT (W,LY) BEFORE CAT. GRD, & CONT. 0.65 MI TO "T" INT. IN LFT. (S,LY) THEN CONT 0.35 MI TO 4 WAY INT. IN RT THENCE LEFT (S,LY, UPHILL) ON EDISON RD. FOLLOW EDISON RD 0.35 MI TO SEC COR @ GATE (SEE SEC 22 1/2' QUAD SHEET



765088 12M 810 9-67

F.B. 2961 Pg 18

GORMAN
J-15-9

(NOT OCCUPIED)

AREA: THIS POINT IS LOCATED IN LOS ANGELES COUNTY, IN THE N.W. Co AREA. A WIT. COR. 342 ± S. OF THE S.W. COR SEC 26 T8N, R18W.

ROUTE: FROM THE GOLDEN STATE FWY TRAV. ELY ON QUAIL LAKE RD 0.5 MI TO END OF PVMT. THENCE BEAR LFT (E.) ON E. HUNGRY VALLEY RD (DIRT) FOLLOW RD (E,LY & SLY) 0.8 MI TO CANAL (UNDER CONST) PASS OVER CANAL & TRAV. ALONG S. SIDE 0.1 MI. THEN TN LFT. TRAV 180° ± THEN TN RT. CONT 0.3 MI TO GATE ("L" LOCK) 0.3 MI TO 2ND GATE (OPEN) 0.3 MI TO 3RD GATE (OPEN) 0.4 MI TO 4TH GATE (No LOCK) 0.4 MI TO 5TH GATE @ ANGELES NAT. FOREST BDRY ("L" LOCK) PASS THRU GATE & TRAV 150' ± THEN MAKE SHARP RT TN (W,LY) & FOLLOW EDISON RD 0.6 MI TO FIRE CIST. ON RT FT IS 100' ± PAST CIST ON T.T.'s

USE SEC 1/2' QUAD SHEET



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made on Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of N.W.L.A.CO
Traverse Tape Std. °F
Surveyed by R WILSON
Notes ADAMS Date 12-1-69
Indexed G.L.GALLI JAN 7 70

F.B. 2961 PG. 19

Note: Any Additions or Changes on the Mylar or Paper Copy Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Printed on Both Sides
Punched on Both Sides
Stacked on Both Ends

GORMAN (NOT OCCUPIED)

1-15-10

AREA: THIS POINT IS LOCATED IN LOS ANGELES COUNTY, IN THE N.W. PORTION. THE CENTER OF SEC 27, T8N, R18W, USGS 7½' QUAD

ROUTE: FROM THE GOLDEN STATE FWY, TRAV E,LY ON QUAIL LAKE RD 0.5 MI TO END OF PVMT, THENCE BEAR LFT (E.) ON E. HUNGRY VALLEY RD. FOLLOW DIRT RD E,LY THEN S,LY 0.8 MI TO CANAL (UNDER CONST) PASS OVER CANAL & TRAV ALONG S. SIDE 0.1 MI, THEN TN LFT TRAV 180'± THEN RT, CONT 0.3 MI TO GATE PASS THRU GATE & CONT. 0.3 MI TO T.T. ON RT FOLLOW T.T. 0.1 MI TO GATE IN BROKEN DN FENCE, THEN 220' ELY TO POINT



REF3098 CE#810 9.67

F.B. 2961 Pg 20

GORMAN
J-15-11

AREA: THIS POINT IS LOCATED IN LOS ANGELES COUNTY, IN THE N.W. PORTION OF THE S.W. COR SEC 15, T8N, R18W (ON LINE ROAD FROM SOUTH) 28.53 N. OF

ROUTE: FROM THE GOLDEN STATE FWY TRAVEL E.LY ON HWY 138 (LANCASTER PALMDALE FWY) 1.9 MI TO GORMAN POST RD. TN LFT (N.LY) 0.65 M. TO T.T. ON LFT. TN & TRAV ON HILL 125' ± TO WIRE GATE. PASS THRU GATE & FOLLOW T.T.'s S.E.LY ALONG POWER LINE 0.1 mi TO TELEPHONE LINE. TN RT & FOLLOW TELE. LINE 0.1 mi. TO POINT @ INTER. OF FENCES

(LEBEC 15' QUAD SHEET)



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
409 Los Angeles County Engineering Bldg.

Do not extend this site of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of NW. L.A.Co PHOTO
JN 43012 Tape Sht "F"
Surveyed by KUNTSON
Notes APAMP 5 Date 12-1-67
Indexed D.T. GALLI JN 7-70

F.B. 2461 Pg. 21

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this dip of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

GORMAN
J-15-12

AREA: THIS POINT IS LOCATED IN LOS ANGELES COUNTY, IN THE N.W. PORTION, 650'± S. OF & 2650'± W. OF THE N.E. COR SEC 22, T8N, R18W USE USGS 7½' LEBEC QUAD SHEET

ROUTE: FROM THE GOLDEN STATE FWY TRAVEL E,LY ON HWY 138 2.75 MI TO GATE ON RT PASS THRU GATE (UNLOCKED) & TRAV S,LY ON DIRT RD 0.05 MI TO "Y". BEAR RT 75° TO END "Y" BEAR RT 0.2 MI T 3RD "Y". BEAR RT 0.75 MI TO FENCE LINE. TN RT (N,LY) ALONG FENCE 0.05 MI TO POINT.



Stock on Red Desc. Card
Pieces on Rev. Bk. U.S.G.S.
Sheet on Red Desc. Card
Added on Red Desc. Card

TRP3088 CE#310 9-67

F.B. 2961 Pg. 22

GORMAN J-15-13 (NOT OCCUPIED)

AREA: THIS POINT IS LOCATED IN LOS ANGELES COUNTY. IN THE N.W. Co AREA, 1100'± E. OF & 2050'± S. OF THE N.W. COR OF SEC 22, T8N, R18W. POINT IS MARKED "BM 3267 ON USGS 7.½" LEBEC QUAD SHEET.

ROUTE: FROM THE GOLDEN STATE FWY TRAVEL E.LY ON QUAIL LAKE RD 0.5 MI TO END OF PVMT. THENCE BEAR LFT (EAST) ON E. HUNGRY VALLEY RD 0.35 MI TO CATTLE GUARD @ RD. INTER. TN LFT (N.LY) & FOLLOW DIRT RD 0.7 MI TO POINT



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of NW. L.A. Co.
JN 30140 Tape Std. "E"
Surveyed by R.W. LSON
Notes A.D. Dec 65 Date 12-1-69
Indexed Ck'd GALLI JM 7 70

F.B. 7461 Pg. 23

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Placed in Mkr. Rm. V.I.S. No.
Sketch on Rec. Index Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

GORMAN (NOT OCCUPIED)
J-15-14

AREA: THIS POINT IS LOCATED IN LOS ANGELES COUNTY, IN THE N.W. PORTION. THE S.E. COR SEC 15, T8N, R18W. USGS 7½' QUAD SHEET.

ROUTE: FROM THE GOLDEN STATE FWY, TRAV, ELY ON HWY 138 2.3 MI TO GATE ON LFT (NLY) USE "L" KEY & PASS THRU GATE. PT IS 121' N. OF FENCE LINE.



FB 3098 FF 810 9-67

F.B. 2401 Pg 24

GORMAN J15-15 (NOT OCCUPIED)

AREA: This point is located in the N.W portion of L.A. Co. in PEACE VALLEY. It is 1000'± N. & 1150'± W. of the S.E. COR. of SEC. 29, T8N, R18W. See USGS 7½' sheet "BLACK MTN" Quad. 1958.

ROUTE: From the inter. of GOLDEN STATE FWY & QUAIL LAKE RD., travel W.LY. 200'± on QUAIL LAKE RD. to its junction with PEACE VALLEY RD. Turn left (S.LY.) on PEACE VALLEY RD. and proceed 0.80 miles to pavement's end. Turn Right (W.LY) on a dirt rd. and pass through a gravel quarry and wind up a canyon 0.80 miles to an EDISON tower site. Park & hike S.W.LY. up a sharp ridge 1200'± to the point.



Set 4 Plastic refit @ K Mo 5158

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of NWL LA Co. PHOTO
THEODOLITE Type ± SEC "T"
Surveyed by R WILSON
Notes ADAMS Date 12-2-69
Indexed C/L GALL

F.B. 2461 Pg. 25

FORMAN
J-15-16 (NOT OCCUPIED)

AREA: THIS POINT IS LOCATED IN LOS ANGELES COUNTY, IN THE N.W. PORTION, BETWEEN THE N. BOUND LANE OF THE GOLDEN STATE FWY & THE E. FRONTAGE RD IN SEC 28, T3N, R16W, 1100'± N. OF THE S. SEC LINE. BLACKHAWK QUAD. SHEET.

ROUTE: FROM THE GOLDEN STATE FWY, TRAV E. ON QUAIL LAKE RD 0.3 MI THEN TN RT ON COPCO AVE & TRAV 0.9 MI TO POINT



G'MTR MEAS
F.B. 3619

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Blueprint Copy Only
Photostat Copy
Blk. & Wht. Xerox Copy
Sketch on Onion Paper Card
U.S. Quad Sht.
Map Copy

F.B. 2461 Pg 26

LEBEC N-13A ✓

AREA: THIS STATION IS LOCATED IN LOS ANGELES COUNTY IN THE N.W. PORTION, 550'± S. OF & 700'± E. OF THE N.W. COR OF SEC 23, T8N, R18W. USE USGS 7½' LEBEC QUAD SHEET.

ROUTE: FROM GOLDEN STATE FWY @ HWY 138 OFF RAMP TRAVEL E,LY ON 138 (FWY) 2.1 MI. TO END OF FWY. CONT. E. 0.35 MI TO GATE ON RT (S,LY) PASS THRU GATE & TN RT. FOLLOW TRAV. TR. W,LY, PARALLEL TO H,WY, 0.25 MI TO STA.

NOTE: NO REF MKS FOUND OR SET



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made in Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Control
J No. 030.00 Tape Std. °F
Surveyed by [illegible]
Notes Recd Date 10-19-68
Indexed C. L. GALLI JAN 7 '70

F. B. 246 PG. 27

Listed on [illegible] Card
Plotted on [illegible] Quad Sht.
Plotted on [illegible] U.S.G.S. Ma.
Sketch to Geod. Control Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LEBEC J 15 A
(USC&GS 341184-1033)

Pg. 1 of 4

U.S. COAST & GEODETIC SURVEY
TRIANGULATION STATION
WASHINGTON, D.C.
1965
NEVE 2
IN REPLY REFER TO THE DIRECTOR
FOR INFORMATION CONCERNING THIS MARK
FOR PURPOSE OF MONUMENT PRESERVATION

FD USC&GS
BM W 432
(See pg. 3 of 4)
SEC. 28
T 8 N
R 18 W
Fence
Tel. pole
No #
Fence
Tel. pole
No #
Fence
Tel. pole
No #

F. B. 2961 Pg. 28 L

A. COUNTY SURVEY CONTROL SYSTEM TRIANGULATION STATION

LEBEC J 15 A

Pg 2 of 4

Measurements

300' # 221	level @ 72° Temp.	50 Mtr. 113
38.83' = 38.83'	11.835 m = 11.835 m =	38.83'
191.40' = 191.39'	58.336 m = 58.333 m =	191.38'
206.96' = 206.94'	63.078 m = 63.072 m =	206.93'

AREA: This triangulation station is located in L.A. Co. 4.8 mile sely from Gorman, 2900'± south and 2150'± east of the NW cor Sec 28 T8N R18W and 100'± east of the north bound lanes of the Golden State Fwy (Hwy 99) Lebec 7½' Quad Sheet.

ROUTE: From the north bound Golden State Fwy & Quail Lake Rd. off ramp Turn right (sely) on Quail Lake Rd. and travel 0.3 mile to Hwy 138 overpass - turn right on frontage rd. and travel sly parallel to freeway 0.65 mile. The station is on the ely side of frontage rd 39'± from pavt.

STATION MARK: a 4" USC&GS brass triangulation disc stamped "NEVE 2 1965" flush and set in a 14" conc. post.

REFERENCE MARKS:

No 1: Searched for and not found

No 2: a 4" USC&GS brass ref. mark disc stamped "NEVE 2 NO 2 1965" flush and set in a 14" conc. post.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes of This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Control
JN 0331.02 Page Std °F
Surveyed by [illegible]
Notes [illegible] Date 10-28
Indexed G. L. GALLI JAN 7 '70

F. B. 246 / PG. 29

Noted on Geo. Index Card
Plotted on Sheet
Placed on U.S.G.S. No.
Sketch on Geo. Index Card

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LEBEC J 15A

Pg 3 of 4

BM W432. A 4" USC&GS brass bench mark disc stamped "W 432 1935" up 12" and set in a 6"x6" conc. post.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 1-65

F. B 2461 Pg. 30

L A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LEBEC J-15 A

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Control
JN 0301.00 Page Std °F
Surveyed by Bowlam
Notes BLW Date 10-12-65
Indexed by L. GALLI JAN 7 '70

F. B. 2461 PG. 31

Noted on Ck'd Card
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sec. Twp. R.M. U.S.G.S. Quad. Shts.
Sketch on Geod. Recon. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

U.S. COAST & GEODETIC SURVEY
TRIANGULATION STATION
FOR INFORMATION WRITE TO THE DIRECTOR, WASHINGTON, D.C.
PENALTY FOR DEFACEMENT OR REMOVAL IMPRISONMENT OR FINE OR BOTH
QUAIL - F
1964

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LEBEC N 13
(USC&GS 341184-)
Pg 1 & 4

HIGHWAY 138

28 ±

Fd. State Dept Wk.
Rest Mon. "SC N12-79"
(See pg. 3 of 4)
Wire Fence

FD R M 1
(See pg. 2 of 4)

SEC 23
T 8 N
R 18 W

N 76° W
TO LEBEC N-134
150.26'
353° 11' 42"

ROAD

92'
28'
41° 12' 06"
2.8'

PG. 261

FD LEBEC N-13
Stamped as shown.
(See pg 2 of 4)

DIRT

See next pg. for Dir. per REC 12-13-65

FD R M 2
(See pg. 2 of 4)

26.87'
274° 16' 10"

WIRE FENCE

76F3095 CE#310 1-65

F. 2261 Pg. 32

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LEBEC N 13

Ag 254

Measurements

300' ± 221.	Leve. @ 72° Temp. 50 mile N.3
28.98 = 28.98'	8.834m = 8.834m = 28.98'
26.87' = 26.87'	9.190 m = 9.190 m = 26.87'
150.27' = 150.27'	45.801 m = 45.798m = 150.26'

AREA: This triangulation station is located in L.A.Co. 3 miles ± east and 1.5 miles ± south of Gorman, 2000' ± E & 900' ± S of the NW cor. of Sec. 23 T8N R18W and 90' ± south of Hwy 138. Lebec 7½' Quad Sheet.

ROUTE: From Golden State Fwy at Hwy 138 offramp: travel ely on highway 138 (Fwy) 2.1 mile to end of freeway. continue east 0.35 mile to gate on the right (sly) Station is inside gate 60' ± from edge of pavmt and 3' ± from fence line.

STATION MARK: a 4" USC&GS brass triang. disc stamped "QUAIL-F 1964" up 1" and set in a 12"x12" conc. pkd. There is a drill hole in the disc off center. The center was used. No record of sub-surface mark being set.

REFERENCE MARKS:

No 1: a 4" USC&GS brass ref. mark disc stamped "QUAIL-F No 1 1964" up 1" and set in a 14" conc. post.

No 2: Same as No 1, except up 2" and stamped "No 2".

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Control
JN 330.00 Temp Std °F
Surveyed by Rountree
Notes CWT Date 10/18/68
Indexed C. T. GALLI JAN 7 '70

F. B. 246 PG. 33

Punch Card
Placed on U.S. Quad Sht.
Placed on Geo. Sh. V.S.I.M.
Shaded on Assessor Card

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LEBEC N13 (Pg 3 of 4)

ADD'L MARK:
a 4" brass disc stamped " STATE OF CAL DEPT WAT RES QC W2-79 1968" up 6" and set in a 6" conc. post.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F309S CE#310 1-65

F. B. 2461 Pg. 34

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LEBEC N-13

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of N.W. Ll. Co. Plans
JN 03 P 100 Tape Std °F
Surveyed by R.W.I. Son
Notes A. Davis Date 12-2-69
Indexed C.T. GALL 7 70

F.B. 2161 PG 35 1

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

GORMAN QUAIL "A" (LEB N-12C)

AREA: THIS STATION IS LOCATED IN LOS ANGELES COUNTY, IN THE N.W. PORTION, 200'± N. OF & 1200'± E. OF THE S.W. COR SEC 14, T8N, R18W. USE USGS 7½' LEBEC QUAD SHEET.

ROUTE: FROM THE GOLDEN STATE FWY, TRAV E.LY ON HWY 138, 2.1 MI TO GATE ON LFT (N.LY) USE "L" KEY & PASS THRU GATE. FOLLOW DIRT RD 0.3 MI TO FENCE LINE IN RT (S.LY) & FOLLOW FENCE LINE 0.15 MI TO TOP OF RIDGE, THEN ON RIDGE TO STATION.

NOTE: NO REF MKRS FOUND OR SET



SEC 14
T8N
R18W

FOR DIR'S SEE
F.B.G. 1316-38

GMTR MEAS
F.B. 3619

75R3068 CE#310 9-67

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Control F. B. 2461 Pg. 37
J 0301.00 Scale Std °F
Surveyed by Wilson
Notes Wilson Date 10/21/68
Indexed C.J.GALLI MM 7 70

Noted on G. Index Card
Placed on U.S.C.&G.S. Quad Sht.
Placed on Sur. Rlt. W.S.No.
Sketch on Desc. Book Chart

L A COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LEBEC N 12 B
(UCS&GS 341184-1046)
(pg 1 of 4)

U.S.C.&G.S. GEODETIC SURVEY MARK BENCH
N 43°35 1935

SEC. 14
T 8 N
R 18 W

FD BM Y435
See pg 38

FD BM 1
See pg 38

210° 32' 48"
49.39'

278° 38' 53"
95.47'

FD BM A436
See pg 38

127° 05' 03"
118.88'

LEBEC N12 B
FD BM Z435
Stamped and oriented
as shown. See pg 38

DIRT RD

PBead

EBN 12 "A"
Equal 35 Scale
0° 00' 00"

SADDLE

DIR FBG 1213-47
See pg 38 for meas.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 2460 Pg 38

L A COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LEBEC N 12 B
(USC&GS 341184-1046)
(pg 2 of 4)

MEASUREMENTS

300'#221		Level at 70		50 Mtr M3
49.39'	49.39'	15.054m	15.054m	49.39'
195.49'	195.47'	59.583m	59.577m	195.46'

120.64 9 55 56 118.82'
36.873m 10 50 03 36.210m 118.81'

AREA: This triangulation station is located in the NW portion of LA County in the Gorman area, 1000' E and 1100' N of the SW corner of section 14, T8N, R18W. Lebec 7½' Quad sheet.

ROUTE: From the Golden State Freeway at the Highway 138 turnoff, travel 2.1 miles east on 138 to the end of the freeway and a gate on the left (N): pass thru gate (L key) and travel n'ly upgrade 0.4 miles to summit and saddle, the station on the left.

STATION MARK: A 4" USC&GS brass bench mark disc stamped "Z435 1935" and set in a 6"X6" conc. post up 6" above grd.

REFERENCE MARKS:

RM 1: A 4" USC&GS brass bench mark disc stamped "RM NO 1 Z435 1938" and set in a 6"X6" conc. post up 8".

BMA436: A 4" USC&GS brass bench mark disc stamped "A 436 1935" and set in a 6"X6" conc. post up 6".

BMY435: A 4" USC&GS brass bench mark disc stamped "Y 435 1935" and set in a 6"X6" conc post up 6".

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

GEODETIC CONTROL

Survey
JN Tape Std °F
Surveyed by R. C. Wilson
Noted R. C. Wilson Date 9/21/68
Indexed C. J. GALLI JAN 7 70

F. B 246 / Pg. 39

Noted on Ser Card
Placed on U.S. Geol. Surv.
Placed on Sur. Div. U.S.Hy.
Sketch on Geo. Data Card

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LEBEC N12-B

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F. B 2461 PG 40

LEBEC N12-B

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Noted on Geodetic Index Card
Plotted on U.S.G.S. Quad. Sht.
Plotted on Supervisors Map U.S.No.
Sketch on Geo. Descr. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Control
JN 330.02 Tape Std °F
Surveyed by Burt Wilson
Notes BW Date 10-21-65
Indexed C. L. GALLI JAN 27

F. B. 7761 PG. 41

U.S. COAST & GEODETIC SURVEY
TRIANGULATION STATION
THIS MARK IS PART OF THE HORIZONTAL CONTROL OF THE U.S. COAST & GEODETIC SURVEY
DIRECTOR, WASHINGTON
DISTURBING THIS MARK
1938

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LEBEC N 12
(USC&GS 341184-1037)
Pg 1 of 4

SEC 14
T 8 N
R 18 W

ED LEBEC NR
(See pg. 2 of 4)

DIRT RD

S 65° W
0°00'00"
-0.00

216° 55' 04.5"
-180.24

20" OAK

-153.895'
SADDLE

S 15° 11' 60" E
-515.119

FD BM C-436
(See pg. 2 of 4)

FD BM D-436
(See pg. 3 of 4)

See pg. 3 of 4 for mags. To Lebec NR 1937-B

Dir. per LEBEC 1913-B

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

26F309S CE# 310 1-65

F. B. 241 PG. 42

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LEBEC N-12
(Pg. 2 of 4)

Measurements

200' #221	Level @ 68° Temp.	58 Mtr M3
180.26' = 180.24'	54.946 m = 54.940 m =	180.25'
119.325 = 119.315'	36.370 m = 36.367 m =	119.315'
153.915 = 153.~~905~~ 895'	49.910 m = 49.904 m =	153.895'

AREA: This triang. sta. is located in L.A. Co 5 1/8 mile ± east and 1 1/4 mile ± south of Gorman, 1900' ± east and 1650' ± north of the NW cor. of Sec 23, T8N, R19W, marked "QUAK Δ BM 3563" on Lebec 7 1/2' Quad.

ROUTE: From Golden State Fwy at Highway 138 turn off - travel 2.4 mile east on 138 to end of freeway and a gate on the left (N) pass thru gate and travel up-grade (only) on traveled road 0.6 miles to the highest saddle and the station on the right, 14' north of a 20" Oak tree.

STATION MARK: a 4" USC&GS brass triang. disc stamped "QUAK 1938" up 1" and set in a 10"x10" conc. pad. USC&GS sta. card describes a "standard brass disk" sub-surface mark (34/124-1032)

REFERENCE MARKS:

BM D-436: a 4" USC&GS bench mark disc stamped "D436 1935" up 2" and set in a 6"x6" conc. post.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Control F. B. 2461 PG. 43
JN 230.02 Tape Std. °F
Surveyed by Rowlands
Notes CWP Date 10-2068
Indexed G. J. GALLI JM 7-70

Noted on Co. Map Card.
Placed on U.S.C.&G.S. Quad. Shts.
Placed on Sur. Rec. of U. S. Hy.
Shown on Coast Geod. Surv. Chart

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LEBEC N 12

(Pg. 3 of 4)

BM C-436: a 4" USC&GS brass bench mark disc stamped "C436 1935" up 5" and set in a 6"x6" conc. post.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F309S CE#310 1-65

F. B. 2461 Pg. 44 L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LEBEC N-12

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 301.00 Tape Std °F
Office Work	Surveyed by RCW
Checked	Notes RCW Date 5-72
Date	Indexed C. J. GALLI JUN 23 '72

F. B 2461 PG. 45

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

GEODETIC CONTROL
NE PORTION OF ANTELOPE VALLEY

JN 0301.00
MAY 1972

WILSON
KYLE
BARNETT
FISHER
FLOREK
MARTINEZ
COCKERHAM

76F309S CE#310 3-69


F. B. 2461 2641 Pg. 46
RSC A5A FB943-189
KERN CO.
L.A. CO.
N8-95
D89-103
EDWARDS AIR FORCE BASE
REDMAN SCHOOL
RSC
MT MESA
MTM
E12-101
MILITARY
G14
G14-99
RESERVATION
015-77
02-115
F2-69
02-81
A6
FB943-155
G6
09-79
C9-93
D
127
I9-129
ALPINE BUTTE
ALP
HI VISTA
HV
D-15-137
M15
FB943-151
A
B
C
D
E
F
G
H
I
J
K
L
M
N
90E
110E
130E
PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	Jn 232.00 Tape Std °F
Office Work	Surveyed by RCW
Checked	Notes RCW Date 5-72
Date	Indexed C. J. GALLI JUN 23 72

F. B. 244/ PG. 49



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309 CE#310 3-69


RLK A1-49
F. B 246 Pg. 48
RSC A5A
EDWARDS AIR FORCE BASE
KERN CO.
L. A. CO.
ROSAMOND LAKE
MILITARY
C10-111
K12-109
BDY
RESERVATION
LANCASTER EAST
M8 FB 943-195
N9-115
D9-119
K9-123
B9-117
F9-121
09-125
I15-135
M15-131
A15-133
10TH W
ACACIA
30TH E
PAL A3-143
30TH
50TH
60TH
PAL I5-139
PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on Geo. Index Card
Placed on U.S. Quad. Dkts.
Placed on Surv. Mon. Rec. U.S. Inc.
Sketch on Geo. Index Card

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 030106 Tape Std °F
Office Work	Surveyed by R. C. WILSON
Checked	Notes C. PYLE Date 5/1/72
Date	Indexed C. J. GALLI JUN 23 '72

F. B. 2461 Pg. 49

U.S.G.S. REDHILL 1929

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ROSAMOND LAKE A1
U.S.G.S. "REDHILL"



SEC. 14
T. 9 N.
R. 11 W.

DIRECTIONS - FB's 1370-21
MEASUREMENTS - SEE NEXT PG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 2461 PG. 50

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ROSAMOND LAKE A1

50 MTR # 3 MEASUREMENTS 300' TAPE # 139

LEV. @ 91°

12.314 M =	12.314 M = 40.40'	40.40' = 40.40'
21.653 M =	21.653 M = 71.04'	71.04' = 71.04'
30.636 M =	30.636 M = 100.51'	100.51' = 100.51'

AREA

THIS TRI. STA. IS IN KERN CO., WITHIN THE BOUNDARY OF EDWARDS AIR FORCE BASE., ADJACENT TO THE NORTH W'LY. COR. OF ROSAMOND LAKE. IT IS ATOP A HILL MARKED "REDHILL" 1750' ± N & 1250' ± W OF THE S.E. COR. OF SEC. 14, T. 9 N., R. 11 W. SEE USGS. 15' SHEET "ROSAMOND, CALIF." QUAD. 1964

LAKE

ROUTE

FROM ITS INTER. WITH SIERRA HWY (ROUTE 14), TRAVEL EAST ON ROSAMOND BLVD. 1.3 MILES TO A PAVED ROAD ON THE LEFT (N.) FOLLOW THIS 0.15 MILE TO AN UNMAINTAINED PAVED ROAD BEARING RIGHT. FOLLOW THIS E'LY. AROUND A BARRICADE AND ALONG THE BASE OF A HILL 1.8 MILES TO A DIRT RD. ON THE LEFT. FOLLOW THIS N'LY. 0.2 MILE TO ANOTHER DIRT RD. ON THE LEFT PROCEED W'LY. ASCENDING A HILL 0.45 MILE TO TOP OF HILL AND STATION SITE.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN0301.00 Tape Std °F
Office Work	Surveyed by R C WILSON
Checked	Notes C. PYLE Date 5/1/72
Date	Indexed C. J. GALLI JUN 23 72

F. B. 2461 PG. 51

Noted on Co. Index Card
Placed on U.S. Quad. Shts.
Placed on Thy. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ROSAMOND LAKE A 1

STATION MARK

A 4" U.S.G.S. BRASS BENCH MARK DISC. STAMPED: "REDHILL 1929", CEMENTED IN A NATIVE ROCK OUTCROPPING 4" BELOW GRADE.

SUB SURFACE MARK

NO RECORD OF ANY MARK BEING SET

REFERENCE MARKS

RM 1 To RM 4: SEARCHED FOR AND NOT FOUND.

RM 5: A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED: "ROSAMOND LAKE A1 RM 5 1972 RE 7078". BONDED FLUSH IN AN 18" DIA. NATIVE ROCK OUTCROPPING WHICH IS 6" ABOVE GRD. AND 4'± LOWER IN ELEV. THAN CTR. STA.

RM 6 IDENTICAL TO "RM 5" EXCEPT STAMPED "RM 6". BONDED IN A LARGE ROCK OUTCROPPING 3" BELOW THE SURFACE. IT IS 5'± LOWER IN ELEV. THAN THE CTR. STA.

76F309S CE#310 3-69

F. B. 2461 Pg. 52

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

ROSAMOND LAKE A1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Surv. Div. W.S. No.
Sketch on Geog. Index Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 330.00 Tape Std °F
Surveyed by R.C.W.
Notes R.C.W. Date 5-17-72
Indexed C. J. GALLI JUN 23 72

F. B. 2461 PG. 531

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

KRAMER SO WEST J12
(NGS 34 1174 - 1010)
T7N
R8W
SEC 24
ED RM 2
(See Pg. 55)

ED RM 1
(See Pg. 55)

S 54° 39' 02" E 18.89'

27.36'

N90°W MAG
+0°00'

12.025'
182° 26' 35"

TO KSW C12
FB 2461-61

ED KSW J12
STAMPED & ORIENTED
AS SHOWN - SEE PG 55

DIR PER FBG 1170-23
SEE NEXT PG. FOR MEAS.

GEOLOGICAL SURVEY
COOPERATION WITH
COUNTY OF LOS ANGELES
U.S. ELEVATION
Datum Sea Level
FEET
RS 1929
2nd DOLLARS FINE
FOR DISTURBING THIS MARK

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B 2461 PG. 54

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

KSW - 112

300' #221 — MEASUREMENTS — 50 MTR M6

LEVEL @ 1200'T

12.025' = 12.025'	3.667m = 3.667m =	12.03'
18.87' = 18.87'	5.753m = 5.753m =	18.875'
27.36' = 27.36'	8.341m = 8.341m =	27.365'

AREA: THIS TRIANG. STA. IS LOCATED IN THE NE PORTION OF L.A. CO. 1200' ± W & 650' ± SO OF THE NE COR SEC 24, T7N, R.8W & MARKED "3340 SUNDAY" ON 15" KRAMER, CAL" QUAD SHEET

ROUTE: FROM ITS INTER. WITH AVE G, TRAVEL N. ON 260TH EAST 2.3 MILE TO GRADED CROSS ROAD: TURN LFT (W) 0.2 MILE TO T T ON RT: TURN RT (N) AND FOLLOW UP SMALL CYN 0.4 MILE: TURN LFT (W) ON T T 0.2 MILE TO TOP OF SPUR: TURN RT (N) & THEN LFT (E) AND FOLLOW AROUND BASE OF SPUR 0.4 MILE UP DRAW. PARK AND HIKE EAST TO SADDLE, THEN NORTH UP SPUR TO HIGH POINT & STA IN ROCK OUTCROP. 20 MIN. HIKE.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 03100 Tape Std °F
Surveyed by RCW
Notes RCW Date 5-10-72
Indexed C. J. GALLI JN 23 '72

F. B. 2461 PG. 55

Noted on Base Index Card
Placed on Quad. Shts.
Placed on Sh. Ser. W. S. No.
Sketch on Geog. Index Map

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

KSM J12

STATION MARK:

A 4" USGS BRASS TRIANG. DISC STAMPED " IN COOPERATION WITH LOS ANGELES COUNTY RS 1929 SUNDAY" CMTD FLUSH IN LARGE ROCK OUTCROP. NO SUB-SURFACE MARK.

REFERENCE MARKS:

RM 1 - A 4" USCGS BRASS REF MARK DISC STAMPED "SUNDAY USGS LAC NO 1 1940" CMTD FLUSH IN LARGE ROCK OUTCROP.

RM 2 - SAME AS RM 1, EXCEPT STAMPED "NO 2".

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2461 Pg. 56

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

KSW J12

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.09 Tape Std °F
Surveyed by R.C. WILSON
Notes C. PYLE Date 5/4/72
Indexed C. J. GALLI JUN 23 '72

F. B. 2461 PG. 57

Noted on Index Card
Placed on U.S. Quad Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geo. Descr. Card

US GEOLOGICAL SURVEY
IN COOPERATION WITH LOS ANGELES COUNTY
ELEVATION 1323
ADJUSTMENT OF 1929
FOR DISTURBING THIS MARK

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

ADOBE MTN. F1
(USGS MONDAY)
T. 8 N.



MEASUREMENTS - SEE NEXT PAGE
DIRECTION - FB G 1370-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

GEODETIC CONTROL

F. B. 2461 Pg. 58

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ADOBE MTN. F 1

50 MTR # M6 — MEASUREMENTS — 300' TAPE # 221

LEV. @ 64'

9.747 M = 9.747 M = 31.98'	31.975' = 31.975'
13.228 M = 13.225 M = 43.39'	43.41' = 43.40'
19.477 M = 19.474 M = 63.90'	63.90' = 63.89'

AREA THIS TRI. STA. IS IN L.A. CO. IN THE VICINITY OF "HIVISTA" ADJACENT TO "EL MIRAGE VALLEY". IT IS 3200' ± N & 950' ± W OF THE S.E. COR. OF SEC. 34, T.8N., R.8W. SEE U.S.G.S. 15' SHEET "SHADOW MTNS. CALIF." QUAD. 1942.

ROUTE FROM ITS INTER. WITH 200TH ST. E. TRAVEL E. ON AVE "G" 3.9 MILES TO A DIRT RD. ON THE LEFT (N.) FOLLOW THIS 0.5 MILE TO A HIGH ROCKY KNOB VISIBLE TO THE EAST AND THE STATION SITE.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL	F. B. 2461 Pg. 59
Map No.	JN 0301.05 Tape Std °F	
Office Work	Surveyed by R. C. WILSON	
Checked	Notes C. PYLE Date 5/4/72	
Date	Indexed C. J. GALLI JUN 23 72	

Noted on Index Card
Noted on U.S.G.S. Quad Shts.
Plotted on Sur. Mp. W.S. No.
Sketch on Geod. Desc. Card

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ADOBE MTN. F1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

STATION MARK

A 4" U.S.G.S. BRASS TRI. STA. DISC STAMPED " IN COOPERATION WITH LOS ANGELES COUNTY RS 1929 MONDAY ". SET FLUSH IN A LARGE PLUTONIC (GRANITE) ROCK OUTCROPPING.

SUB SURFACE MARK

NO RECORD OF ANY BEING SET

REFERENCE MARKS

RM 1

A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED " ADOBE MTN F1 RM1 1972 RE 7078 ". BONDED FLUSH IN THE TOP OF A 4'x6' GRANITE BLDR. 20" ABOVE GRD.

RM 2

IDENTICAL TO RM1 EXCEPT STAMPED "RM 2". SET IN 6'x12' GRANITE OUTCROP.

76F309S CE#310 3-69

GEODETIC CONTROL

F. B. 2461 Pg. 60

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ADOBE MTN F 1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 1301.00 Tape Std °F
Surveyed by RC WILSON
Notes RCW Date 5-22-72
Indexed C. J. GALLI JN 23 '72

F. B. 2461 PG. 61

Noted on Index Card
Placed on U.S.Quad.Sht.
Placed on Sec.Mtr.W.S.No.
Sketch on Geog.Desc.Card

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
KRAMER SO. WEST C-12
(USGS MARCH)

SURVEY MARK FOR DISTURBING THIS MARK IS A FELONY PUNISABLE BY FINE OF $250 DOLLARS OR IMPRISONMENT IN COUNTY JAIL FOR 1 YEAR OR BOTH. U.S. GEOLOGICAL SURVEY COOPERATION ELEVATION ABOVE MEAN SEA LEVEL DATUM OF 1929

TRAVERSED
SEC 21 T8N R8W
SET RM 2
SEE PG 63
ROCK OUTCROP
187°43'26"
50.35
TRACK
55.91
316.15'
104°39'10"
FD KSW C12
STAMPED, ORIENTED AS SHOWN ABOVE.
SEE PG. 60.
TO KSW J12 FB 2461-53+
N 90°E MAG
-0°00'00"
SET RM 1
SEE PG. 63

See next pg. for meas. Dir. per: FBG 1370-12

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F309S CE#310 3-69

F.B. 2461 PG. 62

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
KRAMER SO. WEST C12

300'# 139 **MEASUREMENTS** 50 MTR M3

31.15' = 31.15'	9.490m = 9.490 = 31.15'
50.35' = 50.35'	15.346m = 15.346m = 50.35'
55.91' = 55.91'	17.043m = 17.043m = 55.915'

AREA:

THIS TRIANG. STA. IS LOCATED IN THE N.E. PORTION OF L.A. CO. 2800'± W & 700'± S OF THE NE COR SEC 21, T8N, R8W ON A ROCKY BUTTE MARKED "MARCH △" PER "KRAMER, CAL" 15' QUAD. SHEET.

ROUTE:

FROM ITS INTER. WITH AVE G, TRAVEL N. ON 220TH ST EAST 2.6 MILE TO A GRADED DIRT RD ON THE RT (E): TURN RT & TRAVEL E 0.3 MILE TO A GRADED DIRT RD ON THE LFT (N): TURN LFT & TRAVEL N 0.1 MILE TO RD. TO RT (E) TURN RT 0.1 MILE TO TRAVELED TRACK ON LFT (N) TURN LFT AND FOLLOW T.T. N, THENCE E 0.2 MILE TO TOP OF BUTTE & THE STATION.

STATION MARK:

A 4" USGS BRASS TRIANG. DISC STAMPED "KSW C12 RS 1929 MARCH" CEMENTED FLUSH IN 2'X2' ROCK OUTCROP.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0331.00 Tape Std °F
Surveyed by RCW
Notes RCW Date 5-22-72
Indexed C. J. GALLI JUN 23 '72

F. B. 2461 PG. 63

Noted on Index Card
Placed on U.S. Quad Shts.
Placed on Thru. W.S. No.
Sketch in Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

~~GEODETIC CONTROL~~

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
KRAMER SO. WEST CIR

REFERENCE MARKS:

RM 1: A 4" L.A. CO. SUR. CONT. SYS. BRASS REF. MARK DISC STAMPED "KRAMER SO. WEST CIR RM1 1972 RE 1078" CEMENTED FLUSH IN ROCK OUTCROP.

RM 2: SAME AS RM 1 EXCEPT STAMPED "RM 2".

76F309S CE#310 3-69

F. B. 2461 PG. 64

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

KRAMER SO. WEST C12

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on ☐ Key Card
Placed on ☐ Quad. Shts.
Placed on Sur. Div. W. S. No.
Sketch on Geo. Desc. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 1331.00 Tape Std °F
Surveyed by R.C. WILSON
Notes RCW Date 5-17-72
Indexed C. J. GALLI JUN 23 '72

F. B. 2461 PG. 65'

* USE CAUTION AT THIS STA. DUE TO MANY OPEN VERTICAL SHAFTS.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
GEODETIC CONTROL

MT MESA N 7

MT MESA N 7A
(USGS PROSPECT)

SEC 6
T 8 N
R 8 W

US GEOLOGICAL SURVEY COOPERATION IN LOS ANGELES COUNTY
BENCH MARK
ELEVATION ABOVE SEA LEVEL
FEET
PROSPECT
1929
FOR $250 DOLLARS FINE DISTURBING THIS MARK

* FD MTM N 7
STAMPED & ORIENTED AS SHOWN - SEE PG 66

SET ⊣ IN STEEL TOWER BASE

SET ⊣ IN STEEL TOWER BASE

14.15'

13.27'

91° 34' 58"

13.06'

13.04'

50' HIGH STEEL TOWER

29.54'

SET ⊣ IN STEEL TOWER BASE

SET ⊣ IN STEEL TOWER BASE

29.16'

DIR PER FBG 1370-9
SEE PG 66 FOR MEAS.

12.61'

S 32° E MAG

2" MARKER PIPE

40.00'

SET RM 1
(SEE PG. 66)
N7A = RM 1

TO KSW C12
FB 2461-61

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-69

F. B. 2461 Pg. 66

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
MTM N7

T @ 60° ℄ L

300' # 221
28.59' = 28.59'
29.16' = 29.16'
13.04' = 13.04'
12.67' = 12.67'
25.71'

T @ 60° ℄ L

MEASUREMENTS

8.714m = 8.714m = 28.59'
8.889m = 8.889m = 29.16'
7.837m = 7.837m = 25.71'
13.06' = 13.06' 14.15' = 14.15'
13.27' = 13.27'

50 MTR M6

AREA: THIS TRIANG. STA. IS LOCATED IN THE N.E. PORTION OF LOS ANGELES CO. 1600' ± W. & 2100' ± S. OF THE N.E. COR. OF SEC 6 T8N R8W AND MARKED "SHAFTS TUNNEL 2718 Δ" PER "ROGERS LAKE" 15' QUAD SHEET.

ROUTE: FROM THE INTER. OF 200TH ST EAST & AVE B: FOLLOW TRAVELED TRACK NE TOWARD LOW RIDGE WITH 50' STEEL OBSERVATION TOWER 1.0 MILE TO TOP OF RIDGE: TURN LFT (NW) 500' ± ALONG RIDGE TO TWR & STATION LOCATED UNDER CTR OF TOWER.

STATION MARK:
A 4" USGS BRASS TRIANG. DISC STAMPED "PROSPECT RS 1929" UP 6" UNDER CTR OF 50' STEEL OBSERVATION TOWER & SET IN 14" x 14" CONC. PAD. NO RECORD OF SUB-SURFACE MARK.

REFERENCE MARKS:

MTM N7A = RM 1.
A 4" L.A.CO. SUR. CON. SYS. BRASS REF MARK DISC STAMPED "MT MESA N7 RM 1 1972 RE 7078" UP 2" & SET IN 8" CONC. POST, AND ON LINE TO RSW C-12

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0901.00 Tape Std °F
Surveyed by RICHARDSON
Notes RCW Date 5-17-72
Indexed C. J. GALLI JUN 23 '72

F. B. 2461 PG. 67

Noted on Set Card
Placed on Quad Shts.
Placed on Surv. W. S. No.
Sketch on Geo. Dest. Card

~~GEODETIC CONTROL~~
L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

MT MESA N 7

ADDITIONAL TIES:

4 TIES SET AS SHOWN ON DG 65.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2461 PG. 68

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

MT MESA N 7

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes C. RYLE Date 5/16/72
Date	Indexed C. J. GALLI JN 23 '72

F. B. 2461 PG. 691

COUNTY SURVEYOR RBW 33 34 4 3 T7N T8N RE 17

Noted on Geo. Index Card. Placed on U.S. Placed on Sta. Map. U.S. No. Sketch on Geo. Index Card.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

HI VISTA F2

(BM 124-6)

1967 el = 2932.357

FD. HI VISTA F2
(STAMPED & ORIENTED AS SHOWN, SEE PG 70 AND)
F.B. 3182-155

T.8 N.

T. 7 N.

R. 8 W.

170TH ST. E

EARTH RD.

99.54'

99.54'

FD. 2" I.P. CONC. PLUG & TACK UP 8"

239° 17' 08.0"

57.685'

23'

SET RM 1
(SEE PG 70)

33

34

AVE G

ASPH. PAVE.

4

3

82.385'

82.11'

19'

S 0° 00' 00" E WAS S 02° 30' E

94.34'

333° 55' 14.5"

70.71'

37'

23.65'

FD 2" I.P. CONC PLUG & TACK UP 6"

TO H.V. G6
F.B. 943-153

SET RM 2
(SEE PG 70)

⊙ - 2" I.P. ON 5' OFFSET

MEASUREMENTS - SEE NEXT PG.

DIRECTIONS - F.B. G 1370-4

76F309S CE#310 3-69

F. B. 2461 PG 70

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
HI VISTA F2

50 MTR # M6 | MEASUREMENTS | 300' TAPE # 221

LEVEL @ 62°

17.587 M = 17.584 M =	57.69'	57.69' = 57.68'
16.566 M = 16.563 M =	54.34'	54.35' = 54.34'
25.112 M = 25.109 M =	82.39'	82.39' = 82.38'
		70.71' = 70.70'
		70.72' = 70.71'
		99.55' = 99.54'
		82.12' = 82.11'
		23.65' = 23.65'

AREA & ROUTE

THIS TRAVERSE STA. IS IN L. A. CO., IN THE "ANTELOPE VALLEY" AT THE INTER. OF AVE G & 170TH ST EAST.

STATION MARK

A 2½" BRASS COUNTY SURVEYOR DISC STAMPED "33 34 4 3 T8N T7N R8W RE2177" SET IN A 6" CONC. POST WHICH IS IN A MON. WELL 22" BELOW PAVE. SURFACE. NO RECORD OF ANY SUB-SURFACE MARK BEING SET.

REFERENCE MARKS

R.M.1 A 4" L.A. CO. SUR. CONT SY. BRASS REF. MARK DISC, STAMPED: "HI VISTA F2 RM 1 1972 RE 7078" SET IN AN 8" CONC POST 2" ABOVE GRD.

RM2 IDENTICAL TO RM1 EXCEPT STAMPED "RM 2".

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Listed on Geo. Index Card
Placed on U.S. Quad Sht.
Placed on Thm. W.S. Ma.
Sketch on Geo. Desc. Card

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.09 Tape Std °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes C. PYLE Date 5/17/72
Date	Indexed C. J. GALLI JUN 23 '72

F. B. 2461 PG. 71

COUNTY SURVEYOR'S MONUMENT T 8 N R 9 W 36 31 1 6 T 7 N R 8 W 1927

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
HIVISTA M2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

SET RM 2 (SEE PG 72)

SET RM 1 (SEE PG. 72)

T 8 N

T.P.* 734466E

68.86'

2'

ST EAST EARTH RD.

47.92'

48255'

32°38' 18.5"

233°08' 23.25"

36

31

AVE G

ASPH. PAVE.

0° 00' 00"

N 81° 00' E MAG

TO ADOBE MTN F 1 FB 2461-57

R9W

1

6

R8W

FD. HI VISTA M2

(STAMPED & ORIENTED AS SHOWN, SEE PG 72 ALSO F.B. 3228-147)

200' ASPH PAVE

T 7 N

● — 2" MARKER PIPE SET 2' OFF

DIRECTIONS — FBG 1370-5

MEASUREMENTS — SEE NEXT PG.

76F309S CE#310 3-69

F. B. 2461 Pg. 72

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
HI VISTA M2

50 MTR. * M's MEASUREMENTS 300' TAPE 221

LEV @ 70'

14.795 M = 14.795 M = 48.24' 48.25' = 48.25'
14.606 M = 14.606 M = 47.92' 47.92' = 47.92'
20.992 M = 20.989 M = 68.86' 68.87' = 68.86'

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

AREA & ROUTE

THIS TRAVERSE STA. IS IN L.A.CO., IN THE N.E. PORTION OF THE "ANTELOPE VALLEY, ADJACENT TO "HI VISTA". IT IS THE INTER. OF 200TH ST EAST & AVE. G.

STATION MARK

A 2½" COUNTY SURVEYORS MONUMENT BRASS DISC STAMPED "3C 31 6 1 T8N T7N R9W R8W 1927" SET IN A 6" CONC POST WHICH IS IN A MON. WELL 15" BELOW PAVED SURFACE. NO RECORD OF ANY SUB-SURFACE MARK BEING SET.

REFERENCE MARKS

B.M.1: A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED "HI VISTA M2 RM 1 1972 RE 7078". SET IN A 8" CONC. POST WHICH IS 2" ABOVE GRD.

RM2: IDENTICAL TO "RM 1" EXCEPT STAMPED "RM2"

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape Std °F
Surveyed by R.C. WILSON
Notes C. J. GALLI Date 5/11/72
Indexed JUN 23 '72

F. B. 2461 PG. 73'

Noted on Punch Ticket Card
Placed on U.S. Quad Shts.
Placed on Mor. W.S.Mo.
Sketch on Geog. Recog. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ADOBE MTN. K2

COUNTY SURVEYOR
L.A. COUNTY S. P. COUNTY
T.8 N
R.8 W 36 31 6 R.7 W
T.7 N
MONUMENT 1927



⊙— 2" MARKER PIPE SET 5' OFF.
MEASUREMENTS — SEE NEXT PG.
DIRECTIONS — FB 1370-7

76F3095 CE#310 3-69

F. B. 2461 PG. 74

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ADOBE MTN K2

50 MTR. # M6 | MEASUREMENTS | 300' TAPE # 221

LEV @ 62°

19.680 M = 19.677 M = 64.56'		64.57' = 64.56'
19.713 M = 19.710 M = 64.665'		64.665' = 64.655'
27.988 M = 27.985 M = 91.81		91.81' = 91.80'
		101.45' = 101.44
		70.72' = 70.71'
		70.70' = 70.69'

STATION MARK

A 2½" BRASS DISC STAMPED: "COUNTY SURVEYOR MONUMENT L.A. COUNTY S.P (cap sic) COUNTY 36 31 6 T. 8 N T. 7 N R. 8 W R. 7 W 1927". SET IN A 6" CONC. POST WHICH IS 3" BELOW GRD. NO RECORD OF ANY SUB-SURFACE MARK.

AREA & ROUTE

THIS TRAVERSE STA. IS IN THE "ANTELOPE VALLEY" PORTION OF L.A. CO. IN THE VICINITY OF "EL MIRAGE VALLEY". IT IS THE INTER. OF AVE "G" & 260 TH ST EAST (L.A./S.B. CO LINE)

REFERENCE MARKS

RM 1 A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED "ADOBE MTN K2 RM 1 1972 RE 7028" SET IN A 8" CONC POST WHICH IS 2" ABOVE GRD.

RM 2 IDENT. TO "RM 1", EXCEPT STAMPED: "RM 2".

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0201.00 Tape 39/46 Std °F
Surveyed by R C Wilson
Notes D H Fisher Date 5-72
Indexed C. J. GALLI JAN 23 '72

F. B. 2461 PG. 75

Noted on Geo. Index Card
Placed on Map Sht.
Placed on Str. or W.S. No.
Sketch on Geo. Rec. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

ALPINE BUTTE 02
(BM 106-108A)
1967.61 = 2450.709

COUNTY SURVEYORS MONUMENT
T8N R10W 36 31 R9W
T7N
1929

T 8 N

S.T.E.

To RSC 0-15

85.84

Fd. 2" IP conc. plug up 3"

APP 767485E

Set RM 2 (See pg. 76)

35

Fd. ALP 02
Per FB 3177-140
Stamped E Oriented as shown.
See pg. 96

43.67'
310-27-55

R 10 W

R 9 W

DIRT RD.

95.46'

AVE G

102.15'

FB 243-153
To HIVISTA G6
Scaled.

HIGHWAY 14

85.095'
220-43-14

42

106.375'

Fd 1 3/4 IP conc. plug & N. up 4"

Set RM 1 (See pg. 76)

T 7 N

76F309S CE#310 3-69

GEODETIC CONTROL

F. B 2461 Pg. 76

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

ALPINE BUTTE 0 2

300' # 139 @ 90° MEASUREMENTS SOM # M

85.095' = 85.095'	25.937M = 25.937M = 85.095'
43.67' = 43.67'	13.312M = 13.312M = 43.674'
95.46' = 95.46'	29.096M = 29.096M = 95.459'

AREA

This Traverse Station is located in the Antelope Valley at the intersection of 140TH St E & Avenue G

STATION MARK

A 2½" L.A. County "Surveyor's Monument" brass disc stamped "36 31 6·1 T8N T7N R9W R10W 1929" Dn. 24", set in a 6" conc. post and protected by a cast iron cover.

REFERENCE MARKS

RM 1 A 4" L.A Co Survey Control System Reference Mark brass disc. Stamped "ALPINE BUTTE 0 2 RM 1 1972 RE 7078" Set in a 6" conc. post up 2"

RM 2 Same as RM 1 except stamped "RM 2"

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on Co. Index Card
Placed on U. Prod. Strip
Placed on Surveyor's W. S. No.
Sketch on Geo. Descr. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 99.00 Tape Std °F
Surveyed by R.C. WATSON
Notes RC&J Date 5-25-72
Indexed C. J. GALLI JUN 23 '72

F. B. 246 / PG. 77

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

REDMAN SCHOOL 015

SURVEYOR'S TIE
T 1N R 10W
S 25 S 30
1/4 SEC. COR.

TBN

SET RM 2
See pg. 78

SEC 25 T1N R10W

N8°-95 E 2242' TO RSC FB 2242
-0°00'00" MTS

50'±

FD 2" IP
Conc. plug & nail
UP 6"

SEC 30 T1N R9W

70.69'
S19°21'52"E

2' PER F.B. 1880-232

FD R.S. 015 E-8
Stamped & oriented as shown - See pg. 78

(BM 106-111
Elev. = 2459.39')
FB 2418-X-1

30'±

60'

EAST 140TH ST.

PAVED

AVE

DIRT RD

10'±

Edge pvt.

98.79'

70.69'

24'±

50'±

FD 2" IP
Conc. plug & nail
UP 2"

Edge pvt.

98.99'

SET RM 1
See pg. 78

DIA. REF. FBG 1370-17
SEE PG 78 FOR MEAS.

○ - 2" marker pipe, 2' off.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B 2461 Pg. 78

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION

REDMAN SCHOOL 015

300' # 221 MEASUREMENTS 50 MTR M6

70.69' @ 84° = 70.69'
70.69' " " = 70.69'
98.79' " " = 98.79'
69.01' @ 70° = 69.00' 21.034m @ 70° = 21.031m = 69.00'
69.29' " " = 69.28' 21.120m " " = 21.117m = 69.28'
99.00' " " = 98.99'

AREA:

THIS TRAV. STA. IS LOCATED IN THE NE PORTION OF L.A. CO. IN THE ANTELOPE VALLEY AND IS THE INTER. OF 140TH ST EAST & AVE E-8.

STATION MARK:

A 2½" "COUNTY SURVEYOR MONUMENT" BRASS DISC STAMPED "25 + 30 1/4 SEC. COR. T8N R9W R10W" dp 22" in paved rd. & protected by a Cast Iron cover.

REFERENCE MARKS:

RM1: A 4" L.A.CO. Sur. Cont. Sys. brass ref. mark disc stamped "REDMAN SCHOOL 015 RM 1 1972 RE 7078" up 2" & set in An 8" conc. post.

RM2: Same as RM 1, except stamped "RM2". & # to RM1:

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Noted on [illegible] Card
Placed on [illegible] Quad. Sht.
Placed on Mapbk. W. S. No.
Sketch on Geo. Desc. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 230.69 Tape Std °F
Surveyed by R. C. WILSON
Notes C. PYLE Date 5/23/72
Indexed C. J. GALLI JAN 23 72

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
HIVISTA 09

F. B. 2441 PG. 79

FD CH. "+" IN 30" CONC. STAND PIPE

3" I.P. ST. SIGN

SET RM 2 (SEE PG 80)

T. 7 N.

SET N&T IN T.P.2 # 24067

LONGVIEW RD. ASPH. PAVE.

AVE K ASPH. PAVE

24 25 30 19

3873'

2453.03'

2553.03'

98.18S'

70.75'

70.87'

N 63° 48' 37.0" E

N 61° 0' E MAG. 0° 00' 00"

12180

17° 13' 15.8"

116.18'

TO HI VISTA G65 FB 943-153

FD N&T PP# 1404175E

FD RM1

BM 122-14A (1967 EL. 2507.400 F.B. 3716-37 & 38 PG 80.)

ALPINE BUTTE

FD HIVISTA 09 (STAMPED & ORIENTED AS SHOWN, SEE PG 80 F.B. 3423-11 STA. 15 2.184 LOWER IN EL. THAN B.M. 122-14A)

140 FT. EAST EARTH RD.

UP 10" with 30.30 Catt.

FD 2" I.P. W. WOOD PLUG & N.

FLUSH

R. 10 W.

R. 9 W.

ALPINE BUTTE

COUNTY SURVEYOR'S MONUMENT T. 7 N. R. 9 W. R. 10 W. 24 19 30 25 1925

⊗ — 2" MARKER PIPE SET 2' OFF

MEASUREMENTS — SEE NEXT PG.

DIRECTIONS — F.B. G 1370-14

F. B. 2961 PG 80

L. A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION

~~HI VISTA 09~~
ALPINE BUTTE Ø-9

50 MTR * M6 | MEASUREMENTS | 300' TAPE * 221

LEV @ 88'

37.124 M = 37.124 M = 121.80
10.848 M = 10.848 M = 35.59

121.80' = 121.80'
35.59' = 35.59'
70.75' = 70.75'
70.87' = 70.87'
98.185' = 98.185'

AREA & ROUTE

THIS TRAVERSE STA. IS IN N.E. L.A. CO. IN THE "ANTELOPE VALLEY" AREA. IT IS THE INTER. OF 140TH ST. E. & AVE K.

STATION MARK

A 2½" COUNTY SURVEYOR MONUMENT BRASS DISC STAMPED: "24 19 30 25 T.7N. R.10W. R.9W. 1925" SET IN A 6" CONC. POST WHICH IS IN A MON. WELL 17" BELOW THE PAVED SURFACE. NO RECORD OF ANY SUB-SURFACE MARK BEING SET.

REFERENCE MARKS

RM 1 A 2½" L.A. CO. ENGR. "BUTTON TOP" BRASS B.M. DISC, STAMPED: "B.M. 122-14A 1966 5869" SET IN A 12" X 12" CONC. PAD, 3" ABOVE GRD.

RM 2
A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED "~~HI VISTA 09~~ ALPINE BUTTE Ø-9 RM 2 1972 RE 7078" SET IN A 8" CONC. POST WHICH IS 3" ABOVE GRD.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on P... Index Card
Plotted on ... U.S. Quad. Sht.
Placed on ... Rec. W.S. No.
Sketch on Office Desc. Card

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of GEODETIC CONTROL
JN 0301.00 Tape Std °F
Surveyed by R.C. WILSON
Notes C. PYLE Date 5/23/72
Indexed C. J. GALLI JUN 23 '72

F. B. 2461 PG. 81

COUNTY SURVEYOR'S MONUMENT
R10W. 1 6 2 7 R9W.
T 7 N

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ALPINE BUTTE 04

P.P.# 767471E

FD RM 2
(BM 106-106, 67 EL. 2441.974)
FB 2418-112 & 2461-82

25.46'
75.35'
(FD. 2" I.P. W CONC. PLUG & 30/30 CART.
UP 4"
70.72'
106.35'
22.23'
S 88° 31' E
ST EAST
PAVE
1
6
AVE H
ASPH PAVE
R.10W.
R.9W.
EARTH RD.
FD. ALPINE BUTTE 04
(B.M. 106-106A, 67 EL. 2440.491
F.B. 2418-112. STAMPED & ORIENTED AS SHOWN, SEE NEXT PG. ALSO 3177-142
N 0° 00' 00" E 667.10' MEAS.
TO HIVISTA GC
FB 943-153
59.45'
090°
118° 49'
2
7
22° 49'
040.69'
70.69'
P.P. NO Nº 2
97.03'
SET RM 1
(SEE PG 82)
T. 7 N.
140TH
ASPH.
FD. 2" I.P. W CONC. PLUG & 30/30 CART.
UP 2"

● — 2" MARKER PIPE SET 2' OFF
DIRECTIONS — FBG 1370-16
MEASUREMENTS — SEE NEXT PG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2961 Pg. 82

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ALPINE BUTTE 04

50 MTR # MG — MEASUREMENTS — 300' TAPE # 221

LEV. @ 74°

18.126 M = 18.126 M = 59.468' — 59.465' = 59.465'

22.966 M = 22.962 M = 75.35' — 75.35' = 75.35'

~~32.479 M = 32.476 M = 106.55'~~ — ~~106.54' = 106.53'~~

70.72' = 70.72'

97.04' = 97.03'

LEV @ 88°

70.69' = 70.69'

32.473 M = 32.473 M = 106.54' — 106.53 = 106.53

AREA & ROUTE

THIS TRAVERSE STA. IS IN THE N.E. PORTION OF L.A. CO WITHIN THE "ANTELOPE VALLEY", IN THE VICINITY OF "ALTA VISTA" IT IS THE INTER. OF 140TH ST. EAST & AVE H.

STATION MARK.

A 2½" COUNTY SURVEYOR'S MONUMENT" BRASS DISC STAMPED: "1 C 7 2 T 7N R. 9 W. R 10W. SET IN A 6" CONC. POST IN A MON. WELL 15" BELOW PAVED SURFACE. IT IS B.M. 106-106A. NO RECORD OF ANY SUB-SURFACE MARK BEING SET.

REFERENCE MARKS

RM 2

A 2½" COUNTY ENGINEER "BUTTON TOP" BRASS BENCH MARK DISC STAMPED: "B.M. 106-106 1959 R E 5869" SET IN A 12"x12" CONC. PAD WHICH IS 8" ABOVE GRD.

RM 1

A 4" L.A. CO SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED "ALPINE BUTTE 04 RM 1 1972 R.E. 7078". SET IN A 8" CONC. POST, FLUSH WITH GRD.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Sht's.
Placed on Comp. W.S.No.
Sketch on Geo. Desc. Card

GEODETIC CONTROL

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of JUN 23 72
Surveyed by R.C.W.
Notes C. F. GALLI Date JUN 23 72
Indexed

F. B. 2461 PG. 83

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

GEODETIC CONTROL

29.975'
2' + 2" MARKER
SET RM2
(SEE PG 84)
TBN
R9W
FD 8"X8" POST & NAIL
42.41'
AVE
S-30.00'
FD MTM M12
STAMPED & ORIENTED
AS SHOWN - SEE PG 84
FB 2607-7
EAST
200TH ST
DIRT RD
12'
16'
TO MTM N7 - PG 65
N 15° E MAG
-0°00'00"
42.42'
31°53'27"
80.00'
S
76°53'44"
30.01'
39'+
TBN
R8W
RM1-FD
(SEE PG 84)
FD 4"X4" POST & NAIL
SEE PG 84 FOR MEAS.
DIR PER FBG 1370-6
SURVEY T.8N. R.10 & 11W. 1927 MONUMENT

F. B. 2461 PG. 84

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

MTM M12

T.18°@ LEV 300'± 221

30.00' = 30.00'
29.975' = 29.975'
30.01' = 30.01'
42.415' = 42.415'
42.00' = 42.00'

MEASUREMENTS

T.18°@ LEV 50 MTR M6

9.144m = 9.144m = 30.00'

AREA & ROUTE:

THIS TRAV. STA. IS LOCATED IN THE N.E. PORTION OF L.A. CO. AND IS THE INTER. OF 200TH ST EAST & AVENUE D.

STATION MARK:

A 2½" "COUNTY SURVEYOR MONUMENT" BRASS DISC STAMPED "13 18 19 24 R.8W. R.9W. T.8N. 1927" DN. 18" AND SET IN A 6" CONC. POST. FB

REFERENCE MARKS.

RM 1: A 2" IP WITH L.A. CO. ENGR. TAG SET IN CONC PLUG UP 3"

RM 2: A 4" L.A.CO. SUR. CONT. SYS. BRASS REF. MARK DISC STAMPED "MT MESA M12 RM2 1972 RE7078" UP 4" & SET IN A 8" CONC. POST, AND ⊥ FROM RM 1.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape Std °F
Surveyed by R. C. WILSON
Notes C. TYLIE Date 5/18/72
Indexed C. J. GALLI JUN 23 '72

F. B 2461 Pg. 85

Noted on Index Card
Placed on U.S. Quad. Sht's.
Placed on Surf. Div. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

KERN COUNTY
R.8W. T. 9 N.
33 34
4 3
1925
T. 8 N.
LOS ANGELES COUNTY

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
KRAMER SW D7

KERN CO.

EDWARDS AIRFORCE BASE

T. 9 N.

2 STR. BW FENCE

SET RM 2
(SEE PG 86)

2'

31.50'
220° 13' 180

5'-9.505'

AVE A
EARTH RD.

FD KRAMER SW D7
(STAMPED & ORIENTED AS SHOWN, SEE PG 86)
F.B. 410-96

R.8 W.

33 34

N 90° E MAG
50,605
-0° 00' 00"

CO. BDRY. LN.

4 3

L.A. CO.

T. 8 W.

SET RM 1
(SEE PG 86)

TO KRAMER S.W. K7
FB 2461-87

230th ST. E.
EARTH RD.

⊙ - 2" MARKER PIPE

MEASUREMENTS - SEE NEXT PG.

DIRECTIONS - FB G1370-8

76F309S CE#310 3-69

F. B. 2461 Pg. 86

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
KRAMER SW D7

50 MTR # M6 | MEASUREMENTS | 300' TAPE # 221

LEV @ 69°

15.429M = 15.426M = 50.61'	50.61' = 50.60'
9.601M = 9.601M = 31.50'	31.50' = 31.50'
18.140M = 18.137M = 59.50'	59.52' = 59.51'

STATION MARK

A 2½" BRASS DISC STAMPED: "KERN COUNTY LOS ANGELES COUNTY 33 34 3 4 T 9 N. T.8N. R.8W. 1925" SET IN A 6" CONC. POST WHICH IS 5" ABOVE GRD.

AREA & ROUTE

THIS TRAVERSE STA. IS IN THE "ANTELOPE VALLEY" PORTION OF L.A. CO. IN THE VICINITY OF "EDWARDS AIR FORCE BASE" IT IS THE INTER. OF 230TH ST EAST & AVE A (L.A. CO/KERN CO. BDRY)

REFERENCE MARKS

R.M. 1 A 4" L.A.CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED "KRAMER SW D7 RM1 1972 RE 7078" SET IN A 8" CONC POST, FLUSH WITH GRD. SET TANGENT TO K.S.W. K7.

R.M. 2 IDENTICAL TO "RM1" EXCEPT STAMPED "RM2" NOT TANGENT TO ANOTHER STA.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL	F. B 2461 Pg. 871
Map No.	JN 990.00 Tape Std °F	
Office Work	Surveyed by RC WATSON	
Checked	Notes RCW Date 5-18-72	
Date	Indexed C. J. GALLI JUN 23 '72	

Noted on Record Card
Placed on Ufd. Sht.
Placed on Surv. W. S. No.
Sketch on Geo. Dest. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
KRAMER 50 WEST K7
(USGS "CORNER")

KERN COUNTY
T. 9 N.
R. 8 W.
SAN BERNARDINO CO.
R. 7 W.
T. 8 N.
LOS ANGELES CO.
COUNTY SURVEYOR MONUMENT 1925
36 | 31
1 | 6
4½"
3½"

EDWARDS AIR FORCE BASE
MILITARY RESERVATION

4 STRAND B.W. FENCE

T 9 N

KERN COUNTY

SEC 36

SEC 31

33'±

AVE A

ED. KSW K-7 stamped
oriented as shown
See pg. 87 ← CO. LINE
Per FB 410-131

SEC 1

SEC 6

T 8 N

R 8 W
LOS ANGELES CO.

CO. LINE
260TH ST EAST

SAN BERNARDINO CO.
R 7 W

F. B. 2461 Pg. 88

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
KRAMER SO. WEST K7

AREA: THIS TRIANG. STATION IS LOCATED AT THE N.E. CORNER OF LOS ANGELES COUNTY IN THE ELY PORTION OF ANTELOPE VALLEY MARKED " CORNER 29 10 Δ" PER "KRAMER, CAL." 15' QUAD. SHEET.

ROUTE:

FROM ITS INTER. WITH AVE G, TRAVEL N. ON 230TH ST EAST 7 MILES TO AVE A AT THE KERN CO. LINE: THEN FOLLOW T.T. EAST ALONG EDWARDS AIR FORCE BASE FENCE LINE 3 MILES TO THE STATION, WHICH IS THE COMMON COR. OF L.A., KERN, & SAN BERNARDINO COUNTIES.

STATION MARK:

A 3½" x 4½" COPPER SHEET STAMPED " KERN COUNTY, SAN BERNARDINO CO. LOS ANGELES CO. COUNTY SURVEYORS MONUMENT 1925 T. 9 N. R. 7 W. R. 8 W. 36 31 6 1 " BOLTED TO THE TOP OF A 18" X 18" CONC. BASE, WHICH PROJECTS 10" ABOVE GRD.
NO REFERENCE MARKS OR WITNESS CORNERS SET THIS DATE, 5-18-72.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink. With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 201.00 Tape Std °F
Surveyed by RE WILSON
Notes RCW Date 5-18-72
Indexed C. J. GALLI JUN 23 '72

F. B. 2461 PG. 89

Noted on Key Index Card
Placed on U.S. Quad. Shts.
Placed on Sur. Div. W.S.Ms.
Sketch on Geo. Desc. Card

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

KRAMER SO. WEST K7

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

F. B 2461 Pg. 90

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

KRAMER SO. WEST K17

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape Std °F
Surveyed by R.C. WILSON
Notes C PYLE Date 5/19/72
Indexed C. J. GALLI JUN 23 '72

F. B. 2461 PG. 91

Noted on Index Card
Placed on Quad Sht.
Placed on Thm. Bk. W.S. No.
Sketch on Geod. Disc. Card

COUNTY SURVEYOR'S MONUMENT
T. 8 N.
R. 8 W.
10 11
15 14

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
KRAMER SW F10



⊙ — 2" MARKER PIPE ON 2' OFFSET

MEASUREMENTS - SEE NEXT PG.

DIRECTIONS - FBG 1370-10

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F.B. 2461 PG 92

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
KRAMER SW F10

50 MTR.* M6 | MEASUREMENTS | 300' TAPE* 221

LEV. @ 64°

14.701 M = 14.698 M = 48.22
15.778 M = 15.775 M = 51.755

48.22' = 48.21'
51.74' = 51.75'
68.935' = 68.925'
61.71' = 61.70'
42.44' = 42.43'

STATION MARK

A 2½" CO. SURVEYOR'S BRASS MON. DISC STAMPED " 10 11 14 15 T.8N. R.8W. SET IN A 6" CONC. POST WHICH IS 10" BELOW GRD. NO RECORD OF ANY SUB-SURFACE MARK.

AREA & ROUTE

THIS TRAVERSE STA. is IN THE "ANTELOPE VALLEY" PORTION OF L.A. CO., IN THE VICINITY OF "EL MIRAGE VALLEY". IT IS THE INTER. OF 210TH ST EAST & AVE "C".

REFERENCE MARKS

RM 1 A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK STAMPED "KRAMER SO WEST F10 RM 1 1972 RE 7078" SET TAN. TO "RM 2" & "KSW C12". SET IN A 8" CONC POST FLUSH WITH GRD.

RM 2 IDENT TO "RM 1", EXCEPT STAMPED "RM 2". ALSO TAN. TO "K.S.W. C12".

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 2301.00 Tape Std °F
Office Work	Surveyed by RC WILSON
Checked	Notes RCW Date 6-1-72
Date	Indexed C. J. GALLI JUN 23 72

F. B. 2461 PG. 93

Noted on Record Card
Placed on U.S.G.S. Quad Sht.
Placed on Str. Rpt. U.S. Hy.
Sketch on Geod. Data Card

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
HI VISTA C9

T.7N. R.13W. SEC. 20 29 N.A.S.E.C.C.R. E.5869

COUNTY ENGINEER

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

20' EAST
DIRT RD

FD. RM 1
BM 106-97A
1967 e/= 2525.997
FB 2418-103
See pg. 94

155.74'

4'

TO HI VISTA G6 FB 943-153
0°00'00" N43°E MAG.

P.P. # K7746Y

34°37'30"
27.15'

AVE K
PAVED RD.

FD. H.V.C9
Stamped & oriented
as shown - See pg. 94
Mon. 1.02' lower than
bench mark.
& F.B. 3423-14

70.12'
58.99'
92°10'20"
311.69'

SET RM2
See pg. 94

FD. 2" I.P.
C.E. Tag set in
Conc. plug. I.P.
up. 6".

O = 2" marker pipe
2' OH
Dia PER FB 1370-22
See pg. 94 for meas.

76F309S CE#310 3-69

F. B. 2461 Pg. 94

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
HI VISTA C9

300' # 221

MEASUREMENTS 50 MTR M6

Level @ 96°T

27.15' = 27.15' | 8.276m = 8.276m = 27.15'

58.99' = 58.99' | 17.981m = 17.981m = 58.99'

70.11'@98°T = 70.12' | 21.368m@98°T = 21.371m = 70.115'

11.69' = 11.69'

AREA: This trav. sta. is located in the N.E. portion of L.A. Co. in the Antelope Valley and is the inter. of AVE K & 155 TH ST EAST.

STATION MARK: A 2½" CO. ENGR. brass cap [redacted] stamped "20 — 29 1/4 SEC. COR T. 7N. R. 9W. 5869" dn. 10" in paved rd., set in a 6" conc. post, & protected by a cast iron cover.

REFERENCE MARKS:

RM 1: A 2½" brass bench mark disc, button knocked off, stamped "BM 106-97A 1959 5869" flush and set in a 12"x12" conc. pad.

RM 2: A 4" L.A. Co. Sur. Cont. sys. brass ref. mark disc stamped "HI VISTA C9 RM2 1972 RE 7078" up 2" & set in a 8" conc. post, ⊕ to A 2" I.P.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 230.00 Tape Std °F
Surveyed by RC WILSON
Notes RCW Date 5-25-72
Indexed C. J. GALLI JUN 23 '72

F. B 2461 PG. 95'

Noted on Rec. Index Card
Placed on Record Sht.
Placed on Assmt. M. & Sh.
Sketch on Rec. Desc. Card

GEODETIC CONTROL

U. S. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
REDMAN SCHOOL N8
(NGS 34N74-1007)

U.S. COAST & GEODETIC SURVEY TRIANGULATION STATION MARK
FOR INFORMATION WRITE TO THE DIRECTOR, WASHINGTON, D.C.
±2.50 FINE OR IMPRISONMENT FOR DISTURBING THIS MARK
HOLLY
1947

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

2'
SET RM 2
See pg. 97

SEC 1
T8N
R10W

S 56.5 E

5'
ED RSC N B
Stamped & oriented as shown - See pg. 96

40 MTN GI4

S 89.45 E

2'
FB 943-19

S 53° E MAG

SET RM 1
See pg. 96

⊙ = 2" marker pipe See pg 96 for mons.

0.15 mile TRAN. TRACK

Downed B.W. fence.

AVE B — 0.4 mile to 140TH ST EAST →

76F309S CE#310 3-69

F. B. 2161 Pg. 96

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

REDMAN SCHOOL N8

300' # 221

MEASUREMENTS 50 MTR M16

Level @ 82° F

53.465' = 53.465' 16.296m = 16.296m = 53.465'

56.515' = 56.515' 17.228m = 17.228m = 56.52'

AREA:

THIS TRIANG. STA. IS LOCATED IN THE N.E. PORTION OF L.A.CO. ON THE EDWARDS AIR FORCE BASE MILITARY RESERVATION 0.4± MILE W. & 0.15± MILE N. OF THE INTER. OF 140TH ST EAST & AVE B MARKED "HOLLY △" PER "ROGERS LAKE, CAL" 15' QUAD SHEET.

STATION MARK:

A 4" U.S.C.&G.S. brass triang. disc stamped "HOLLY 1947" up 4" & set in a 12"x12" conc. pad.

SUB-SURFACE MARK was set per NGS sta. card 341174 - 1007.

REFERENCE MARKS:

RM 1: A 4" L.A.Co. Sur. Cont. Sys. brass ref. mark disc stamped "REDMAN SCHOOL N8 RM 1 1972 RE 7078" up 2", set on line to MT Mesa C.14, and set in a 8" conc. post.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape Std °F
Surveyed by RCW
Notes RCW Date 5-25-72
Indexed C. J. GALLI JUN 23 '72

F. B. 2461 PG. 97

Noted on Geo. Card
Placed on U.S. Grid Sht.
Placed on Sur. Mk. U.S. Ln.
Sketch on Geo. Index Card

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
REDMAN SCHOOL NB

RM 2: Same as RM 1, except stamped "RM 2" and on line from MT Mesa G14.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2461 Pg. 98

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
REDMAN SCHOOL NB

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on Orig. Map Card
Placed on U.S.G.S. Quad Sht.
Placed on Sec. Bk. W. S. Bk.
Sketch on Orig. Recd. Card

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 2301.02 Tape Std °F
Office Work	Surveyed by RCWilkerson
Checked	Notes RCW Date 5-24-72
Date	Indexed C. L. GALLI JN 23 '72

F. B. 2461 PG. 99

COUNTY SURVEYOR'S T8N 20 21 29 28 R10W MONUMENT

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION

REDMAN SCHOOL G14



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2461 Pg. 100

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
REDMAN SCHOOL G14

300' #221 MEASUREMENTS 30 MTR M6
LEVEL @ 84°T

53.67' =	53.67'	16.361m = 16.361m = 53.68'
65.80' =	65.80'	20.056m = 20.056m = 65.80'
68.95' =	68.95'	21.016m = 21.016m = 68.95'

AREA: THIS TRAV. STA. IS LOCATED IN THE NE PORTION OF LA CO IN THE ANTELOPE VALLEY AND IS THE INTERSECTION OF AVE E & 100 ST EAST

STATION MARK:

A 2½" "COUNTY SURVEYORS MONUMENT" BRASS DISC STAMPED " 20 21 28 29 T8N R10W" ON 17 " IN PAVED RD. & PROTECTED BY A CAST IRON COVER.

REFERENCE MARKS: L.A. CO. ENGR.

RM 1: A 2½" BUTTON TOP BRASS B.M. DISC STAMPED " BM 106-120 1959 RE 5869" UP 6" & SET IN A 12"X12" CONC. PAD.

RM 2: A 4" L.A. CO. SUR. CONT. SYS. BRASS REF. MARK DISC STAMPED " REDMAN SCHOOL G14 RM2 1972 RE 5869" FLUSH & SET IN AN 8" CONC. POST, ON LINE TO RSC E12.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 000.00 Tape Std °F
Surveyed by RC WILSON
Notes RCW Date 6-26-72
Indexed C. J. GALLI JUN 23 '72

F. B. 2461 PG. 101

COUNTY SURVEYOR
T 8 N
R 17 W
19 20
SW

Noted on Geodetic Card
Placed on Ground Sht.
Placed on U.S.G.S. Sht.
Sketch on Geodetic Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

REDMAN SCHOOL E12



F. B 2461 Pg. 102

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
REDMAN SCHOOL E12

LEVEL @ 96°T

300' # 221	MEASUREMENTS	50 MTR M6
42.885' = 42.885'	RM1 13.079m = 13.073m =	42.89'
44.13' = 44.13'	RM2 13.451m = 13.451m =	44.13'
42.465' = 42.465'	2" IP	
40.55' = 40.55'	13/4" CAPPED	
6.86' = 6.86'		
2.55' = 2.55'		

AREA: THIS TRAV. STA. IS LOCATED IN THE NE PORTION OF LA CO IN THE ANTELOPE VALLEY AND IS THE INTER. OF AVENUE D AND 90TH STREET EAST.

STATION MARK:
A 2½" "COUNTY SURVEYORS MONUMENT" BRASS DISC STAMPED " 18 17 20 19 T8N R10W " dp. 1.92' BELOW SURFACE OF PAVT, & SET IN 6" CONC. POST.

REFERENCE MARKS:

RM 1: A 4" L.A. CO. SUR. CONT. SYS. BRASS REF. MARK DISC STAMPED "REDMAN SCHOOL E12 RM1 1972 RE 2078" UP 2" & SET IN AN 8" CONC. POST.

RM 2: SAME AS RM 1, EXCEPT STAMPED "RM 2".

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0201.00 Tape Std °F
Office Work	Surveyed by BC Watson
Checked	Notes RGW Date 5-30-72
Date	Indexed C. J. GALLI JUN 23 '72

F. B. 2461 PG. 102 46

Noted on Geod. Control Card
Placed on Record Sht.
Placed on U.S.G.S.
Sketch on Geod. Data Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
REDMAN SCHOOL #9
(NGS 341174-1006) D

USCGS 1947

TBM
ROW
SEC

D
FD. RSC #9
Stamped & oriented
as shown - See pg. 104

265°43'38"
50.045'
68'±
5'
2'
87.35'
2'
SET RM 1
See pg. 104
SET RM 2
See pg. 105
Lone, forked Locust
TO REDMAN SCHOOL ETC - FB 2461-101
0°00'00"
67.92'
55° E MAG.

⊙ = 2" MARKER PIPE
See pg. 104 for meas.
Dir per FBG 1370-80

76F309S CE#310 8-69

F. B. 2461 Pg. 104

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
REDMAN SCHOOL #9

300' # 221

MEASUREMENTS

50 MTR M6

LEVEL @ 92°F

50.045' = 50.045'	15.256m = 15.256m = 50.05'
67.94' = 67.94'	20.708m = 20.708m = 67.94'
87.35' = 87.35'	26.624m = 26.624m = 87.35'

AREA: THIS TRIANG. STA. IS LOCATED IN L.A. CO. 1.3 MILE ± SOUTH OF THE CO. LINE, 200' ± WEST OF THE EAST LINE OF SEC 7, T8N, R10W, IN THE ANTELOPE VALLEY, & IS MARKED "ELM Δ" PER "ROGERS LAKE, CAL" 15' QUAD. SHEET. STA. IS ON EDWARDS AIR FORCE BASE.

ROUTE: From its inter. with AVE D, travel N. ON 90TH ST EAST 1.7 mile to a low sand dune on the lft (W) and the sta.

STATION MARK:

A 4" USC&GS brass triang. disc stamped "ELM 1947" up 6" & set in a 12"x12" conc. pad. Sub-surface mark was set per NGS 341174-1006.

REFERENCE MARKS:

RM 1: A 4" L.A. CO. SUR. CONT. SYS. brass ref. mark disc stamped "REDMAN SCHOOL D#9 RM 1 1972 RE 7078" up 6", and set in an 8" conc. post, and on line to RSC E12.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on Geodetic Card
Placed on U.S.
Placed on Survey
Sketch on Geod. Data Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0501.00 Tape Std °F
Surveyed by RC WILSON
Notes RCW Date 5-26-72
Indexed C. J. GALLI JUN 23 '72
GEODETIC CONTROL

F. B 2461 PG. 105

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
REDMAN SCHOOL #9

D

RM 2: Same as RM 1, except stamped "RM2" and not on line to RSC E12.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B 2461 Pg. 106

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

REDMAN SCHOOL E 9

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Noted on Index Card
Placed on U.S. Quad. Shts.
Placed on Mgr. Div. W.S. Ma.
Sketch on Geo. Desc. Card

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ADOBE MTN B6

GEODETIC CONTROL

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of JN030.00 Tape Std °F
Surveyed by R.C. WILSON
Notes C. PYLE Date 5/24/72
Indexed C. J. GALLI JUN 23 '72

F. B. 2461 PG. 107



F. B 2461 Pg. 108

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ADOBE MTN B6

50 MTR. # M6 | MEASUREMENTS | 300' TAPE # 221

LEV. @ 82°

16.756M = 16.756M = 54.973'
16.724M = 16.724M = 54.868'
32.663M = 32.663M = 107.16

54.965' = 54.965'
54.865' = 54.865'
107.165' = 107.165'
70.68' = 70.68'
70.695' = 70.695'
81.07' = 81.07'
97.31' = 97.31'
99.86' = 99.86'
77.75' = 77.75'

STATION MARK

A 2½" COUNTY SURVEYORS MONUMENT" BRASS DISC STAMPED: "8 9 16 17 T. 7 N. R. 8 W." SET IN A 6" CONC. POST WHICH IS 10" BELOW GRD. NO RECORD OF ANY SUB-SURFACE MARK.

AREA & ROUTE

THIS TRAVERSE STA. IS LOCATED IN THE N.E. PORTION OF L.A. CO. IN THE ANTELOPE VALLEY AND IS THE INTERSECTION OF AVE "I" & 220TH ST. EAST.

REFERENCE MARKS

RM 1 A 4" L.A.CO. SUR CONT. SY. BRASS REFERENCE MARK DISC STAMPED "ADOBE MT B6 RM 1 1972 RE 7078". SET IN A 8" CONC POST, TAN. TO AMI. F 1. I.T IS 3" ABOVE GRD.

RM 2 IDENT. TO "RM 1" EXCEPT STAMPED "RM 2". SET TAN. TO HI VISTA J 9

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JNO 30,00 Tape Std °F
Surveyed by R.C. WILSON
Notes C. PYLE Date 5/30/72
Indexed C. J. GALLI JUN 23 '72

F. B. 2461 PG. 109 ✓

Noted on Desc. Card
Placed on Ground Stk.
Placed on Sec. Cor. V.S.h.
Sketch on Geo. Data. Card

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ROSAMOND LAKE K12

COUNTY SURVEYOR'S MONUMENT
T. 8 N.
16 | 15
21 | 22



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

● — 2" MARKER PIPE SET 2' OFF

MEASUREMENTS — NEXT PG.

DIRECTIONS — FB G 1370-25

76F309S CE#310 3-69

F. B. 2461 Pg. 110

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

ROSAMOND LAKE K12

50 MTR. M6 — MEASUREMENTS — 300' TAPE # 221

LEV @ 100'

12.377 M = 12.377 M = 40.607'	40.605' = 40.605'
11.486 M = 11.486 M = 37.684	37.68' = 37.68'
	42.43' = 42.43'
	42.435' = 42.435'
	61.37' = 61.38'
	54.10' = 54.11'
	59.30' = 59.31'
	55.98' = 55.99'

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

AREA & ROUTE

THIS TRAVERSE STA IS IN L.A. CO., IN THE N.E PORTION OF "ANTELOPE VALLEY". IT IS THE INTER OF 50TH ST. EAST & AVE "D".

STATION MARK

A 2½" COUNTY SURVEYORS MONUMENT BRASS DISC STAMPED: "LC 15 22 21 T. 8 N. R. 11 W." SET IN A 6" CONC. POST 1C" BELOW GRD. NORECORD OF ANY SUB-SURFACE MARK BEING SET.

REFERENCE MARKS

RM 1: A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED "ROSAMOND LAKE K12 RM 1 1972 RE 1078" SET IN A 8" CONC. POST, TAN. TO "RM 2", AND FLUSH WITH GRD.

RM 2 IDENT TO, AND TAN TO, "RM 1" EXCEPT STAMPED "RM 2". IT IS 3" ABOVE GRD.

76F309s CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Sht.
Placed on S.C.E. W.S. No.
Sketch on Geo. Index Card

GEODETIC CONTROL

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of JN 22110 Tape Std °F
Surveyed by RC WILSON
Notes RCW 5-31-22
Indexed C. J. GALLI Date JAN 23 1952

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ROSAMOND LAKE C 10
(NGS Rosamond-1950)

F. B. 2441 PG. 111

SET RM 1
See pg. 113

⊕ = 2" marker pipe
Dir per FBG 1367-17
See next pg. for meas.

FD. RLK C 10
Stamped & oriented as shown.
See pg. 112

→ To RLK A1 FB 2641-49

5'
24'
2'
18.69'
34.99'
261° 58' 59"
10.635'
N 70 W MAG
2'

SET 1"x2" stk.
by inter. from east.

SET RM 2
See pg. 113

FD. 4"x4" STAKE & NAIL.
20.865'
5'
SEC 13
24.96'
0°00'00"
FD. 3"x3" WOOD STAKE & NAIL.
35.93'
FD. 1/4 SEC. COR. MON.
2" I.P. set in 6" conc. post.
Brass cap has been knocked off. Ctr. of pipe used.
29.985'
SEC 13
SEC 12
T 7 N
24.1'
15
T 11 N EAST
DIRT RD.
EDWARDS AIR FORCE BASE
MILITARY RESERVATION

FD. SEC. COR.
2" I.P. Set in 6" conc. post. Brass cap has been knocked off. Ctr. of pipe used.
27.6'±
FD U.S.G.S. BM LS 3 2B
Set in 4"x4" conc. post up 6".
15
SEC 13
SEC 12 R 12 W
SEC 18
SEC 7 R 11 W

U.S. COAST & GEODETIC SURVEY
TRIANGULATION STATION
BIRCH 1947

F. B. 2461/2647 Pg. 112

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

ROSAMOND LAKE C 10

300' # 221 MEASUREMENTS 50 MIR M6
LEVEL @ 45° F

29.985' = 29.985'		
28.865' = 28.865'		
24.76' = 24.76'		
35.93' = 35.93'		
34.99' = 34.99'	10.666m = 10.666m = 34.99'	
18.69' = 18.69'	5.697m = 5.697m = 18.69'	
40.635' = 40.635'	12.386m = 12.386m = 40.635'	

AREA: This triang. sta. is located in the N. portion of L.A. Co. 2 miles S. of the Co. line, 2.7 miles east of Sierra Hwy, 25' ± W. & 35' ± N. of the inter. of AVE C & 15TH ST. EAST, & marked "BIRCH Δ" per Rosamond Lake, Cal. 15' quad.

ROUTE: From its intersection with Sierra Hwy, travel east on AVE C to 15TH ST EAST (2.7 ± miles) to the sta. on the left.

STATION MARK: A 4" USC&GS brass triang. disc stamped "BIRCH 1947" up 6" & set in 12"x12" conc. pad. SUB-SURFACE mark was set per NGS 34/181-1050.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 2201.00 Tape Std °F
Office Work	Surveyed by EC w/ RCW Date 5-24-72
Checked	Notes Indexed C. J. GALLI JUN 23 '72
Date	

F. B. 2441 PG. 113

Noted on Geod. Index Card
Placed on U.S. Geod. Stk.
Placed on Surv. Mon. U.S. Hy.
Sketch on Geo. Base Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

~~GEODETIC CONTROL~~

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ROSAMOND LAKE C10

REFERENCE MARKS:

RM 1: A 4" L.A. Co. Sur. Cont. Sys. brass ~~RM~~ ref. mark disc stamped "ROSAMOND LAKE C10 RM 1 1972 RE 1078" up 2" on line from RLK A1 & set in an 8" conc. post.

RM 2: Same as RM 1, except stamped "RM 2" & on line to RLK A1.

F. B. 2461 Pg. 114

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

ROSAMOND LAKE C10

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LANCASTER WEST N9

GEODETIC CONTROL

Survey of JN0301.DQ Tape ____ Std. ____ °F
Surveyed by R. G. Wilson Date 9-7-72
Notes C. A. Pyle Date ____
Indexed L. E. PALMER JUN 21 1974
Notes Ck'd by ____
Map No. ____
Office Work ____
Checked ____
Date ____

F. B. 2461 PG. 115

TO LN. W M8
F.B. 1943-195

T.7 N.
SEC. 22

SET RM 2
(SEE PG. 116)

2.3'

N 31° W SCRIBE
5/8" x

5TH ST

36.5'

FD. LN.W. N9
(STAMPED & ORIENTED AS SHOWN ALSO SEE PG. 116 &

22

AVE. K
ASPH. PAVE.

12'

MEDIAN STRIP

27

36.9'

50.6

67.3

MEASUREMENTS: SEE NEXT PG.

21"

4"

CONC. DRIVEWAY APRON

7.0'

28.2'

27.5'

1.3'

29.2'

FIRE HYD.

500 W. AVE. K
SITE OF ST PAUL'S
EPISCOPAL CHURCH

SET RM 1
(SEE PG. 116)

WEST (UNDEVELOPED)

R. 12 W.
SEC 27

COUNTY SURVEYOR'S MONUMENT
T. 7 N.
22
27
SEC. COR

F. B. 2461 PG. 116

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

LN.W. N9

50 MTR # M6 MEASUREMENTS 300' TAPE # 221

T - 88°

15.439 M = 15.439 M @	LEV. = 50.65'	50.65' = 50.65'
15.678 M = 15.678 M @	LEV. = 51.436'	51.44' = 51.44'

AREA

THIS TRAVERSE STA. IS IN NORTHERN L.A.CO. IN THE VICINITY OF "LANCASTER" AT THE INTER OF AVE K & 5TH ST. W. . IT IS A 1/4 SEC COR. BETWEEN SEC'S 22 & 27 T.7N., R 12W. SEE USGS 15' SHEET "LANCASTER CALIF." QUAD. 1958.

STATION MARK.

A 2½" BRASS "COUNTY SURVEYORS MONUMENT" DISC STAMPED "22, 27, 1/4 SEC. COR. T. 7 N. R. 12 W." SET IN A 6" CONC POST WHICH IS IN A MON. WELL 1.65' BELOW THE CAST IRON COVER THAT IS FLUSH WITH THE PAVED SURFACE. NO SUB-SURFACE MARK WAS SET.

REFERENCE MARKS

R.M. 1 : A 4" L.A.CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC " STAMPED "LANCASTER WEST N9 RM 1 1972 RE 7078" SET IN AN 8" CONC POST WHICH IS LEVEL WITH THE ADJACENT CURB. IT IS TAN. TO "RM 2" AND "LN.W. M8".

R M 2 : IDENT TO "RM 1" EXCEPT STAMPED "RM 2". IT IS TAN TO "RM 1" AND LN.W. M8

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 22.00 Tape Std °F
Office Work	Surveyed by R. G. Wilson
Checked	Notes R. G. Wilson Date 7-2-72
Date	Index T. M. PALMERI JUN 21 1974

F. B 2461 PG. 117

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

LANCASTER EAST 89

T7N R12W

COUNTY SURVEYOR'S MONUMENT

T 7 N
R 12 W
SEC 23 24 25 26

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309 CE#310 3-69



F. B 2461 PG. 118

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

LANCASTER EAST 89

300' #221 MEASUREMENTS 50 MTR M6

T92° 51.33' = 51.33' 15.648m = 15.648m = 51.32'
T92° 50.665' = 50.665' 15.444m = 15.444m = 50.67'
T98° 60.405' = 60.415' 18.411m = 18.414m = 60.41'

AREA: This trav. sta. is located in the N. portion of L.A. Co. in the Antelope valley, east of the town of Lancaster, and is the intersection of Avenue K & 10th St East.

STATION MARK:
A 2½" "COUNTY SURVEYORS MONUMENT" BRASS DISC stamped "23|24 T7N 26|25 R12W" dn. 25" ℄ protected by a cast iron cover. No sub-surface mark set.

REFERENCE MARKS:

R.M. 1 - A 4" L.A.Co. Sur. Cont. 5½. Brass ref. mark disc stamped "LANCASTER EAST 89 1972 RM 1 RE 7078" up 4" ℄ set in a 8" conc. post.

RM 2 - Same as RM 1, except stamped "RM 2"

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R. O. Wilson
Checked	Notes C. APYLE Date 9/8/72
Date	Indexed L. M. PALMER JUN 21 1974

F. B. 2461 PG. 119

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LANCASTER EAST D9

T. 7 N. R. 12 W.

COUNTY SURVEYOR'S MONUMENT 1930 — R. 12 W. T. 7 N. — 24 19 25 30



MEASUREMENTS: SEE PG 120

⊙ = 2" MARKER PIPE SET 2' OFF

DIRECTIONS: FBG 1370 - 27

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2461 PG 120 L. A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

L.N.E. D9

50 MTR # M6 MEASUREMENTS 300' TAPE # 221

LEVEL @ T- 92°

23.079 M =	23.079 M =	75.72'	T- 88°	75.72' = 75.72'
12.241 M =	12.241 M =	39.89'	T- 8C°	39.89' = 39.89
23.895 M =	23.895 M =	78.40'		78.40' = 78.40

AREA THIS TRAVERSE STA. IS IN NORTHERN L.A. CO. IN THE "ANTELOPE VALLEY" EAST OF THE TOWN OF "LANCASTER" AND IS THE INTER. OF 20TH ST. E. & AVE K. SEE U.S.G.S 15' SHEET "LANCASTER CALIF." QUAD. 1958

STATION MARK

A 2½" "COUNTY SURVEYORS MONUMENT" BRASS DISC STAMPED " $\frac{24}{25}\frac{19}{30}$ T. 7 N. R. 12 W. 1930" SET IN A 6" CONC. POST WHICH IS IN A MON. WELL 1.40' BELOW THE CAST IRON CAP THAT IS FLUSH WITH THE PAVED SURFACE. NO SUB-SURFACE MARK WAS SET.

REFERENCE MARKS

RM1 A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED "LANCASTER EAST D9 RM 1 1972 RE 7078" SET IN AN 8" CONC POST WHICH IS 3" ABOVE GRD.

RM 2 IDENT. TO "RM 1", EXCEPT STAMPED "RM 2".

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

23.D

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 20110 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes RWW Date 7-8-72
Date	Indexed L. M. PALMERI JUN 2 1974

F. B 2461 PG. 121

COUNTY SURVEYOR'S MONUMENT T7N R11W & 30/29 19/20

L. A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

LANCASTER EAST F9

SET RM2 See pg. 122

T7N R11W

P# TP# K6535Y

11'

15'

FD RM 1 LACO RD DEPT BM-358 pg. 122

91.28'

72'

82.6'

20'

S89°08'39"E

C.L.

EAST

FD LINE F8 Stamped & oriented as shown-See pg. 122 (Set 4/28/72 by Palmeri)

316.69'

TP-No #

SEC 19

ST

SEC 20

N90°W

0°00'00"

TO LINE D9 FB 2461-19

AVENUE PAVED

K 120

SEC 29

12'

SEC 30

66'

32'

30TH ST PAVED

TP # K5756Y

2" marker plug Dir der FB 1370-28 See pg. 122 for Meas.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 2461 PG. 122

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LANCASTER EAST F9

300' #221

Measurements 50 MTR MG

T 92° 69.64' = 69.64' 21.227m = 21.227m = 69.64'
T 89° 68.19' = 68.19' 20.783m = 20.783m = 68.19'
T 90° 91.23' = 91.23' 27.820m = 27.820m = 91.27'

AREA: This trav. sta. is located in the N. portion of LACO in the Antelope Valley east of the town of Lancaster, and is the inter. of Avenue K & 30TH ST. EAST.

STATION MARK: A 2 1/2" "COUNTY SURVEYORS MONUMENT" brass disc stamped "# 19|20 / 30|29 T 7N R11W" dn. 1.4' and protected by a cast iron cover.

REFERENCE MARKS:

RM 1: A 2" brass disc stamped "LACO RD DEPT 1972 B.M." set in a 4" conc. post dn 0.6' & protected by a 13"x13"x13" triangular cast iron cover.

RM 2: A 4" L.A. CO. SUR. CONT. S'VS. brass ref. mark disc stamped "LANCASTER EAST F9 1972 RM2 RE ~~584~~ 7078" up 2" & set in a 8" conc. post.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes C. A. Pyle Date 9/11/73
Date	Index L. M. PALMER JUN 21 1974

F. B. 2461 PG. 123

COUNTY SURVEYOR'S MONUMENT T. 7 N. R. 11 W. 21 22 28 27 1974

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LANCASTER EAST K9

T. 7 N. R. 11 W.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING-BLDG.



MEASUREMENTS: SEE NEXT PG.

● = 2" MARKER PIPE

76F309S CE#310 3-69

F. B. 2461 PG. 124

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LANCASTER EAST K9

50 MTR # M3 MEASUREMENTS 300 TAPE * 139

14.753 M = 14.753M = 48.40' T-70° 48.405' = 48.405
16.269 M = 16.269M = 53.375' T-70° 53.375' = 53.375'

AREA:
THIS TRAVERSE STA. IS IN THE ANTELOPE VALLEY PORTION OF NORTHERN L.A. CO., EAST OF THE TOWN OF LANCASTER. IT IS THE INTER. OF AVE K & 50TH ST. EAST. SEE U.S.G.S. 15' SHEET "LANCASTER CALIF" QUAD. 1958.

STATION MARK
A 2½" "COUNTY SURVEYOR'S MONUMENT" BRASS DISC STAMPED 21|22 28|27 T. 7 N. R. 11 W. 1927". SET IN A MON. WELL 1.3' BELOW THE CAST IRON COVER WHICH IS FLUSH WITH THE PAVED SURFACE. NO SUB-SURFACE MARK WAS SET.

REFERENCE MARKS
RM 1: A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED "LANCASTER EAST K9 1972 RM 1 RE 7078" SET IN AN 8" CONC. POST WHICH IS 2" ABOVE GRD. SET TAN. TO LN.E K9, LN.E. K9 RM 2, & LN.E. 09.

RM 2: IDENT. TO "RM 1" EXCEPT STAMPED "RM 2". SET ON TAN. PROD FROM L.N.E. K9, LNE. K9 RM 1 & LN.E. 09

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.09 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes R. C. Wilson Date 9-11-72
Date	Index L. M. PALMER JUN 21 1974

F. B. 2461 PG. 125

L. A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

LANCASTER EAST 09

T 7 N
R 11 W

COUNTY SURVEYORS MONUMENT
T7N
R11W
23 24
26 25

23" DIA JOSHUA

SET RM 1
See pg. 126

11.5' 11.5'

T# PDH

SEC 23 SEC 24

EAST ROAD

11.4' 31" 01' 35" 25.6' 58.515'

FD LNE 09
Stamped & oriented
09 shown - See pg. 126

N88°E
0°00'00"
TO ALP D9 76.625' FB 2461-127

11.5'

AVENUE
PAVED

K
ROAD

STOP SIGN

12.5'

SEC 26 SEC 25

70 TH STREET
PAVED

SET RM 2

⊙ = 2" marker 2' off See pg. 126
Dir per FB& LS10-29
For misc. see pg. 126

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2461 PG. 126 L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

LANCASTER EAST 09

300' # 139 MEASUREMENTS 50 MTR M3

T@77° 58.575'=58.575' 17.856m=17.856m=58.58'
" 49.635'=49.635' 15.130m=15.130m=49.64'
" 76.625'=76.625' 23.355m=23.355m=76.625'

AREA: This ~~tra~~ av. sta. is located in the N. portion of L.A.Co. in the Antelope Valley east of the town of Lancaster 7 miles+ and is the intersection of Avenue K & 70TH Street East.

STATION MARK:
A 2½" "COUNTY SURVEYOR MONUMENT" brass disc stamped " ~~23~~ 24 T7N R11W" 26 25
dn. 1.8' & protected by a cast iron cover. No sub-surface mark.

REFERENCE MARKS:

RM 1: A 4" L.A. Co. Sur. Cont. Sys. brass ref. mark disc stamped "LANCASTER EAST 09 1972 RM 1 RE 7078" up 2" and set in a 8" conc. post.

RM 2: Same as RM 1, except stamped "RM 2" and up 1".

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes C. A. PYLE Date 9/12/72
Date	Indexed M. PALMERI JUN 21 1974

F. B. 2961 PG. 127

COUNTY SURVEYOR'S MONUMENT T. 7 N. R. 10 W. 19 20 29 1924

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ALPINE BUTTE D9

R.10 W. T. 7 N.



● — 2' MARKER PIPE SET 2' OFF

MEASUREMENTS : SEE PG. 128

DIRECTIONS : FBG 1370-30

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 2461 PG. 128

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ALP. D9

50 MTR.* M6 | MEASUREMENTS | 300' TAPE* 221

LEVEL @ 65*

12.598 M =	12.595 M =	41.32'	41.335' = 41.325'
22.735 M =	22.732 M =	74.58'	74.59' = 74.58'
21.551 M =	21.548 M =	70.695'	70.71' = 70.70'

AREA

THIS TRAVERSE STA. IS IN THE ANTELOPE VALLEY PORTION OF NORTHERN L.A.CO., EAST OF THE TOWN OF LANCASTER. IT IS THE INTER. OF AVE K & 90TH ST. EAST. SEE CORPS OF ENGRS. U.S. ARMY 15' SHEET "ALPINE BUTTE CALIF." QUAD 1943

STATION MARK

A 2½" COUNTY SURVEYORS MONUMENT" BRASS DISC STAMPED: "19|20 T.7 N. R.10W. 1972 SET IN A MON. WELL 30|29
1.70' BELOW THE CAST IRON COVER WHICH IS RECESSED 0.30' BELOW PAVED SURFACE. NO SUB-SURFACE MARK WAS SET.

REFERENCE MARKS

RM1 A 4" L.A. CO. SURV. CONT. SY. BRASS REFERENCE MARK DISC STAMPED: "ALPINE BUTTE D9 1972 RM1 RE7078." SET IN AN 8" CONC. POST WHICH IS FLUSH WITH GRADE.

RM2 A 2½" COUNTY ENGINEER BRASS "BUTTON TOP" BENCH MARK DISC STAMPED "B.M. 107-22 1961 5869". SET IN A 12"x 12" CONC. POST WHICH IS FLUSH WITH GRADE.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

16F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

R.10 W. T.7 N.

TO BM 122-8
135.19 S 58° E = 135.17'

FD N & T TP # K 9617 Y

SET RM 2
(SEE PG 130)

AVE K

EARTH RD.

24'

28'

132.5'

56.3'

238

A=42°49'10"

110 TH ST EAST

FD N & T PP # 3098 SE

FD 1½" I.P. W CONC. PLUG TAG. PER DN 16' & R.D.F.B. 459-31

TO FD HVGG 8943-153

T 7101

70°15'E

0.00'

00"

18'

21

22

27

28

79.8'

184° 57' 46"

135.17'

63.765'

10'

45"

150'

SET RM 1
(SEE PG 130)

FD ALP I9
(SEE PG 130 ALSO FB 2687-101 & CS 8732)

ELEV:- 2.345' LOWER THAN BM 122-8

FD BM 122-8
1967 ELEV. = 2487.044'
F.B. 2869-14

FD 2" IP W CONC PLUG & NAIL. DN. 4', FB 2687-101 & R.D.F.B. 459-31

28'

ELEVATION TIE
TO BM 122-8

● — 2" I.P. MARKER PIPE SET 2' OFF

DIRECTIONS: F.B. 1370-31

MEASUREMENTS: PG 130

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ALPINE BUTTE 19

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape Std °F
Surveyed by R. C. Wilson
Notes L. A. Pyle Date 9/24/73
Indexed L. M. PALMER JUN 21 1974

F. B. 2461 PG. 129

F. B. 2461 PG. 130

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ALP I9

50 MTR # M6 — MEASUREMENTS — 300' TAPE # 221

LEVEL @ T-90°

19.436 M = 19.436 M = 63.765'
13.538 M = 13.538 M = 44.416'
23.403 M = 23.403 M = 76.78'

63.765' = 63.765'
44.42' = 44.42'
76.775' = 76.775'

LEVEL @ T-72°

71.02' = 71.01'
56.73' = 56.725'
71.10' = 71.10'

AREA:

THIS TRAVERSE STA. IS IN THE ANTELOPE VALLEY PORTION OF NORTHERN L.A. CO., EAST OF THE TOWN OF LANCASTER. IT IS THE INTER. OF 110TH ST. EAST & AVE. K. SEE CORPS OF ENGINEERS, U.S. ARMY 15' SHEET "ALPINE BUTTE CALIF." QUAD. 1943.

STATION MARK

A 2" I.P. WITH CONC. PLUG, RCE TAG (1630), & NAIL. DN. 12" BELOW GRD. NO EVIDENCE OF CO. SUR. MON WAS FOUND. 2" I.P. FITS TIES PER FB 2687-101.

REFERENCE MARKS

RM1 A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED: "ALPINE BUTTE I9 1972 RM 1 RE 7078". SET IN AN 8" CONC. POST WHICH IS 4" ABOVE GRD. SET TAN TO ALP I9 & A 1½" R.P. TO THE N.E..

RM 2 IDENT TO RM 1 EXCEPT STAMPED "RM 2" NOT TAN. TO ANY OTHER POINT.

BM 122-8 A 2½" CO. ENGR. BUTTON TOP BRASS BENCH MARK DISC STAMPED "B.M. 122-8 1961 RE 5869" UP 6" & SET IN A 12"X12" CONC. PAD.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 330.00 Tape Std °F
Surveyed by R. C. Wilson
Notes R. C. Wilson Date 9-17-70
Index L. M. PALMER JUN 21 1974

F. B 2461 PG. 135

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION

LANCASTER EAST M15

COUNTY SURVEYOR'S MONUMENT
T. 6N.
R. 11W.
SEC. 3
10
1922

T6N
R11W
24'

SET RM2
See pg. 132

Dir. per FB 1310-32
See pg. 132 for Mags.

SEC 3
SEC 2

TD #68A268
Fd. N&T
Up 30"

19'

SOTH ST EAST

53.21'
218°18'53"

39.6'

N 88° E MAG
-0°00'00"
TO ALP A15-FB 2461-133

11.5'
11.5'

66.65'

AVENUE N
FD LNE M15
Stamped & oriented
as shown - See pg. 132
(STA. 3.475' LOWER THAN BM)

13°26'35"
43.14'

SEC 10
SEC 11

20'

DIRT ROAD

FD RM1
See pg. 132
(USGS BENCH)

0=2" Marker 2' Off

TRANS. Pole
#1721291E

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B 2461 PG 132

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LANCASTER EAST M1S

300' # 139

Measurements	50 MTR M3
	Level @ 65° T
43.15' = 43.14'	13.154m = 13.151m = 43.145'
53.22' = 53.21'	16.221m = 16.218m = 53.21'
66.66' = 66.65'	20.319m = 20.316m = 66.65'

AREA: This trav. sta. is located in the N. portion of L.A. Co. in the Antelope Valley NE of the town of Palmdale 6 miles ± and is the intersection of Avenue N & 60 Th St East.

STATION MARK: A 2½" "COUNTY SURVEYORS MONUMENT" brass disc stamped "3/10 2/11 T. 6N. R. 11W. 1927." dn. 2.1' ¢ protected by a cast iron cover. No sub-surface mark.

REFERENCE MARKS:

RM1: A 4" U.S.G.S. brass disc stamped "LOS ANGELES COUNTY LS 28 1929" up 3" ¢ set in a 12"x12" conc. pad.

RM2: A 4" L.A. Co. Sur. Cont. Sys. brass ref. mark disc stamped "LANCASTER EAST M1S 1972 RM2 RE 7078" up 4" ¢ set in a 8" conc. post.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes R. C. Wilson Date 9-14-72
Date	Indexed L. M. PALMER JUN 21 1974

F. B. 2461 PG. 133

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

ALDINE BUTTE A15

T6N

R11W

SET RM 1

See pg. 134

COUNTY SURVEYOR'S MONUMENT T.6N. R.11W. 2 11 11 12

COUNTY SURVEYOR'S MONUMENT T.6N. R.11W. 1/4 SEC COR. 1/2

SEC 1

35.50'

N 50°20" E

91.51'

FD ALP A15

See pg. 134

N 88°W MAG 0°00' TO LINE M15-FBG2461-131

℄

AVENUE

N

12.5'

12'

East

℄

34.1'

SET RM 2

See pg. 134

DP# 1604944E

SEC 12

3.3'

⊙ = 2" Marker 2' o/H

Dir per FBG 1370-34

See pg. 134 for more.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2461 PG. 134

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ALPINE BUTTE A15

300' # 139	Measurements	50 Mtr. M13
	Level @ 68°T	
37.51' = 37.51'	11.432m = 11.432m = 37.505'	
35.025' = 35.025'	10.675m = 10.675m = 35.025'	

AREA: This trav. sta. is located in the N. portion of L.A. Co. in the Antelope Valley 3.5± miles N & 7.0± miles E. of the town of Palmdale, a point on line between Sec 1 & Sec 12, T6N, R11W, 0.2± miles east of 70th St E, & on the ℄ of Avenue N.

STATION MARK: A large brass spk washer & tin flush in pavement. No other mark set this date 9-13-72 RWW.

REFERENCE MARKS:

RM 1: A 4" L.A. CO SUR. CONT. SYS. brass ref. mark disc stamped "ALPINE BUTTE A15 M12 RM1 RE 70.18" up 2" & set in a 8" conc. post.

RM 2: Same as RM1, except stamped "RM 2", up 4" & ℄ to RM 1.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes C. A. PYLE Date 9/13/72
Date	Index M. PALMER JUN 21 1974

F. B. 246 PG. 135

COUNTY SURVEYORS MONUMENT 1926

R. 11 W. 5 4 8 9 T. 6 N.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LANCASTER EAST I 15

T. 6 N. R. 11 W.



◎ = 2" MARKER PIPE SET 2' OFF

DIRECTIONS: FB 61370-33

MEASUREMENTS: SEE PG 134

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2461 PG 136 **L. A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION**

LNE I 15

50 MTR M6 MEASUREMENTS 300' TAPE #221

LEVEL @ I-86

15.416 M = 15.412 M = 50.575' 50.57' = 50.57'
14.200 M = 14.200 M = 46.59' 46.585' = 46.585'

AREA

THIS TRAVERSE STA. IS IN NORTHERN L.A.CO. ADJACENT TO THE "PALMDALE AIRPORT". IT IS THE INTER. OF AVE N & 40TH ST. EAST. SEE U.S.G.S. 15' SHEET "LANCASTER CALIF." QUAD. 1959

STATION MARK.

A 2½" "COUNTY SURVEYORS MONUMENT" BRASS DISC STAMPED "5,4 / 8,9 T.6N. R.1W. 1926" SET IN A CONC. POST WHICH IS 18" BELOW THE PAVED SURFACE. NO SUB-SURFACE MARK WAS SET.

REFERENCE MARKS

RM 1 A 2½" COUNTY ENGINEER BRASS "BUTTON TOP" BENCH MARK DISC STAMPED "B.M. 108-7 1961 5860" SET IN A 12"X12" CONC. PAD, 2" ABOVE GRD. IT IS TAN. TO LNE. I 15 & RM 1

RM 2 A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED "LANCASTER EAST I 15 1972 RM 2 RE 7078" SET IN A 8" CONC. POST WHICH IS 1" ABOVE GRD. SET ON TAN. PROD FROM RM 1 AT LNE. I 15.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by RCW
Checked	Notes R.C.W. Date 9-11-72
Date	Indexed L. M. PALMER JUN 21 1974

F. B 2461 PG. 137

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

ALPINE BUTTE DIS

T6N R10W

COUNTY SURVEYOR'S MONUMENT T2N R10W 6 5 7 8

Dir. per FB 870-36 See pg. 138 Mon's. 2'-Monter 2' off

SEC 6

90TH ST. EAST PAVED ROAD

FD. ALP DIS Stamped & oriented as shown-See pg 138

Sta. 2+03.9 lower in elev. than BM.

SEC 5

AVENUE

0°00'00" TO ALP A15

FB 2461-138 N90°A/ MAG

ROAD

DIRT

SET R.M. 1 See pg. 138

60.51'

53.68'

30°40'40"

61.00'

N90°00'00"E

44.00'

24'

10'

12'

16'

17'

15.2'

13.265'

21.5'

8.5'

9.5'

Fd. nail in pp #7713.20E

4-Guy Wires

SEC 7

FD. R.M. 2 See pg. 138

SEC 8

N

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B 2461 PG. 138

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

ALPINE BUTTE D15

300' #139 To #72° Measurements 50 MNT M3

51.22' = 51.22' 15.614m = 15.614m = 51.22'

53.68' = 53.68' 16.365m = 16.365m = 53.68'

73.265' = 73.265' 22.333m = 22.333m = 73.265'

60.57' = 60.57'

44.08' = 44.08'

AREA: This trav. sta. is located in the N portion of L.A.Co. in the Antelope Valley, 3.5± miles N & 9.0± miles E of the town of ~~Ea~~ Palmdale, and is the inter. of Avenue K & 90 Th St East.

STATION MARK: A 2½" "COUNTY SURVEYORS MONUMENT" brass disc stamped "6|5 T6N R10W 7|8" on 6" below pvt & protected by a cast iron cover.

REFERENCE MARKS

RM1: A 2½" L.A.Co. Sur. Cont. Sys. brass ref. mark disc stamped "ALPINE BUTTE D15 1972 RM 1 RE 70'8" up 4" & set in a 8" conc. post.

RM2: A 2½" L.A. Co. Engr. button top brass bench mark disc stamped "BM 107-16 1961 5869" up 6" & set in a 12"x12" conc. pad.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes C. A. PYLE Date 9/18/72
Date	Index L. M. PALMER JUN 21 1974

F. B. 246 PG. 139

COUNTY SURVEYOR'S MONUMENT T. 6 N. R. 11 W. 20 21 29 28 1826

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
PALMDALE 15



● — 2" MARKER PIPE SET 2' OFF

MEASUREMENTS : SEE NEXT PG.

DIRECTIONS : FB G1370-38

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 2461 PG. 140 **L. A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION**

PAL I 5

50 MTR. # M3 **MEASUREMENTS** 300' TAPE # 39

LEVEL @ 72°

21.360 M =	21.357 M =	70.068'	70.07' = 70.06'
22.060 M =	22.057 M =	72.365'	72.37' = 72.36'
25.535 M =	22.532 M =	83.766'	83.77' = 83.76'

AREA: THIS TRAVERSE STA. IS IN THE "ANTELOPE VALLEY" PORTION OF L.A. CO., EAST OF THE TOWN OF "PALMDALE". IT IS THE INTER. OF AVE Q & 40TH ST. EAST SEE U.S.G.S. 15' SHEET "LANCASTER CALIF". QUAD. 1959.

STATION MARK A 2½" COUNTY SURVEYORS MONUMENT" BRASS DISC STAMPED " $\frac{20}{29}\frac{21}{28}$ T.6N. R.11W. 1972"

SET IN A 6" CONC POST WHICH IS IN A MON. WELL 12" BELOW THE CAST IRON COVER THAT IS FLUSH WITH THE PAVED SURFACE. NO SUB-SURFACE MARK WAS SET.

REFERENCE MARKS

RM 1: A 4" L.A. CO. SUR CONT. SY. BRASS REFERENCE MARK DISC STAMPED: " PALMDALE IS 1972 RM 1 RE 707 B". SET IN AN 8" CONC POST 3" ABOVE GRD.

RM 2: IDENT. TO "RM 1" EXCEPT STAMPED "RM 2".

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes C. A. Pyle Date 9/14/72
Date	Index L. M. PALMER JUN 21 1974

F. B. 2461 PG. 141

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
PALMDALE J11

TO PAL I5
F.B. 2461-139

COUNTY ENGINEER T5N R11W 13 18 19 24 1/4 COR. R. E. 586

T. 5 N.
R. 11 W.

SET RM2 (SEE PG. 142)

FD 2" I.P. CONC. PLUG & N.W L.A. CO. ENGR TAG. UP 5"

49.77'

70.68'

N 12° 00' 00" W SCALE

EAST

PAVE.

FD. PAL J11 Stamped & marked as shown - see pg 142

102° 14' 24"

SET RM1 (SEE PG. 142)

46.30'

31.775'

28°

13°

AVE T8

DITCH

8

9

146.49'

70.70'

52.985'

12'

EARTH RD

EARTH RD.

47TH ST

ASPH.

DITCH

18.5'

18.5'

FD 2" I.P. CONC. PLUG & N.W L.A. CO. ENGR TAG. UP 3"

2" MARKER PIPE SET

DIRECTIONS: FB G 1370-35

MEASUREMENTS: SEE PG 142

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

6F309S CE#310 3-69

F. B. 2461 PG. 142

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
PAL. J 11

50 MTR. M3 — MEASUREMENTS — 300' TAPE 139

14.113 M = 14.113 M = 46.30'	T-89° LEVEL	46.30' = 46.30'
9.684M = 9.684M = 31.775'	T-92° LEVEL	31.775' = 31.775'
	T-92° 52.985' = 52.985'	70.68' = 70.68'
	49.77 = 49.77'	70.70' = 70.70'

AREA

THIS TRAVERSE STA. IS IN THE "ANTELOPE VALLEY" PORTION OF NORTHERN L.A.CO., S.ELY. OF THE TOWN OF "PALMDALE" IT IS THE INTER. OF 47TH ST. EAST & AVE. T 8. SEE USGS 15' SHEET "LANCASTER CALIF." QUAD 1959

STATION MARK

A 2½" COUNTY ENGINEER RE BRASS DISC STAMPED "8 9 ¼ COR. T5N R11W 5869" SET IN A MON. WELL 8" BELOW THE CAST IRON COVER WHICH IS FLUSH WITH THE PAVED SURFACE. NO SUB-SURFACE MARK WAS SET.

REFERENCE MARKS

RM 1 A 4" L.A.CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED "PALMDALE J11 1972 RM 1 RE 7018" SET IN AN 8" CONC POST WHICH IS 3" ABOVE GRD SET TAN. TO PAL. J11 & RM 2

RM 2 IDENT. TO "RM 1" EXCEPT STAMPED "RM 2". SET TAN. TO PAL. J11 & RM 1.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes C. A. Pyle Date 9/15/72
Date	Index L. M. PALMER JUN 21 1974

F. B. 246 PG. 143

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
PALMDALE A3

T. 6 N. R. 12 W.

FD. BM W425 (SEE PG 144 AND)

SEC. 14

TO LINE 115 FB 246 - 135

HIWY ASPH. PAVE.

CONC. DIVIDER

2" MARKER PIPE SET 5' OFF

MEASUREMENTS: SEE NEXT PG.

DIRECTIONS: FB 1370-37

36.2'

67.54'

35.33'

30.0'

N 60° 30' E SCALE

53.40'

0° 00' 00"

328° 43' 28"

700'

700'

SET RM 1 (SEE PG 144)

SET PAL. A3 (STAMPED & ORIENTED AS SHOWN, SEE PG. 144 EL. 4321 ABOVE BM. W425)

SIERRA

88.5'

SET L & T W L A CO. ENG'R TAG, FLUSH IN CURB TOP

6" CURB 19" GUTTER

S. P. R.R. LINE

35'

79.5'

AVE P

ASPH. PAVE.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 2461 PG 144 L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

PAL. A3

50 MTR # M3 MEASUREMENTS 300' TAPE # 139

LEVEL @ 90°

16.277 M =	16.277 M = 53.40'	53.40' = 53.40'
20.588 M =	20.588 M = 67.54'	67.54' = 67.54'
10.768 M =	10.768 M = 35.33'	35.33' = 35.33'

AREA

THIS TRAVERSE STA IS IN THE "ANTELOPE VALLEY" PORTION OF NORTHERN L.A. CO ADJACENT TO "PALMDALE AIRPORT" "U.S.A.F. PLANT 42". IT IS 168' N & 30' E OF THE INTER OF "SIERRA HWY & AVE P". SEE U.S.G.S. 20' SHEET "LANCASTER CALIF." QUAD. 1959.

STATION MARK

SET 6" BOLT SPR. WASHER & TIN, FLUSH IN PAVED SURFACE. NO OTHER MARK SET.

REFERENCE MARK

R.M. 1 A 4" L.A.CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED "PALMDALE A3 1972 RM1 RE 7078" SET IN AN 8" CONC. POST WHICH IS 2" ABOVE GRD. SET TAN. TO PAL. A3 & LNE. I 15

BENCH MARK: A 4" U.S. COAST & GEODETIC SURVEY BRASS BENCH MARK DISC STAMPED "W 425 1933" SET IN A 6" CONC PAD THAT IS 6" BELOW GRD.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed R. C. Wilson
Checked	Notes C. A. PYLE Date 9/8/72
Date	Index L. M. PALMERI JUN 21 1974

F. B. 2461 PG. 145

U.S. COAST & GEODETIC SURVEY TRIANGULATION STATION SAHARA 1938 U.S.C.&G.S. FOR INFORMATION WRITE TO THE DIRECTOR, WASHINGTON, D.C. DISTURBING THIS MARK. PENALTY FOR WILLFUL DESTRUCTION OR IMPRISONMENT

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

PALMDALE A2

USC&GS "SAHARA"

T. 6 N. R. 12 W.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



⊙ — 2" MARKER PIPE

MEASUREMENTS: SEE NEXT PG.

DIRECTIONS: FBG 1370-39

A-2 ECC. IS 0.25 LOWER THAN A-2

F. B. 2461 PG. 146

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
PALMDALE A2

50 MTR # M3 | MESUREMENTS | 300' TAPE # 139

LEVEL @ 82°

21.100 M =	21.100 M =	69.225'	69.22' = 69.22'
27.340 M =	27.340 M =	89.70'	89.70' = 89.70'
16.614 M =	16.614 M =	54.507'	54.505' = 54.505'

AREA: THIS TRIANGULATION STATION IS IN THE "ANTELOPE VALLEY" PORTION OF L.A. CO., ADJACENT TO THE "LOCKHEED HANGAR" AT "PALMDALE AIRPORT." IT IS 0.80 MILE N. OF AVE. P, ON THE S.P.R.R. RIGHT-OF WAY. SEE U.S.G.S. 15' SHEET "LANCASTER CALIF." QUAD. 1959.

STATION MARK

A 4" U.S.C.&G.S. BRASS TRIANGULATION STATION DISC STAMPED "SAHARA 1938". SET IN A 10" CONC. PAD. WHICH IS 6" ABOVE GRD. NO RECORD OF ANY SUB-SURFACE MARK BEING SET.

REFERENCE MARKS

RM 3 A 4" U.S.C.&G.S. BRASS REFERENCE MARK DISC STAMPED: "SAHARA NO 3 1938". SET IN A 10" CONC. POST WHICH IS 5" ABOVE GRD.

RM 4 IDENT TO RM 3, EXCEPT STAMPED "NO 4". SET IN A 10" CONC. PAD WHICH IS IN A 5' DIA. EARTH CONE 20" ABOVE SURROUNDING GRD.

RM 1 & RM 2: OUT

BENCH MARK A 4" U.S.C&G.S. BRASS BENCH MARK DISC STAMPED: "S 425 1935" SET IN A 6" CONC. POS WHICH IS 12" BELOW GRD.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	JN 3 0 1 9 3 Tape Std °F
Office Work	Surveyed by
Checked	Notes C. A. PYLE Date 9/8/72
Date	Indexed T. M. PALMERI JUN 21 1974

F. B. 2461 PG. 147

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
PALMDALE AZ

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309s CE#310 3-69

F. B. 2471 PG 148

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
PALMDALE AZ

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

16F309s CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
PALMDALE 45
(NGS 3411B1-1055)

GEODETIC CONTROL

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of JN 2330.22 Tape Std. °F
Surveyed by RW EW Date 9-17-76
Notes
Index & M. PALMER JUN 21 1974

F. B. 2461 PG. 1

F. B. 2461 PG. 150

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

PALMDALE A-5

300 #139 LEVELED 76° MEASUREMENTS 50 MTR M3

85.695' = 85.695' 26.120m = 26.120m = 85.695'
128.84' = 128.83' 39.273m = 39.270m = 128.82'
113.455' = 113.445' 34.582m = 34.579m = 113.445'
39.29' = 39.29'
106.385' = 106.375'

AREA: This triang. sta. is located in the N. portion of L.A.Co. in the city of Palmdale, 113' ± So. of the ℄ of Avenue Q, & 92' W. of the west rail of the S.P.R.R. main line tracks, & on the approx ℄ produced South of 6TH ST EAST.

STATION MARK:
A 4" USC&GS brass triang. disc stamped "PALMDALE 2 1958" up 2" ⌀ set in a 9"x9" conc. pad.

SUB-SURFACE MARK:

Set per NGS 341181-1055 - No description.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	Jl 6221.02 Tape Std °F
Office Work	Surveyed by RW
Checked	Notes Date 9-A-72
Date	Ind L. M. PALMER JUN 21 1974

F. B 246 / PG. 157

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
PALMDALE A-5

REFERENCE MARKS:

RM 2: A 2½" L.A.CO. ENGR. BRASS CAP STAMPED "RE 5869 ⊕ " DN 10" AND SET IN A 6" CONC. POST.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

F. B 2461 PG. 152

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

PALMDALE AS

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 2461 Pg. 153

Profile No. ____ X-Sec. No. ____ | Notes Red ____ Date ____ Notes Chkd. ____ Date ____ | Plotted ____ Date ____ Checked ____ Date ____ | Job No. ____ Division No. ____ | Survey of GEODETIC CONTROL | Survey by R.C. WILSON Notes C.A. PYLE Date 9-19-72 | Map No. ____ Ind. M. PALMER Date JUN 21 1974

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

STATION	B.S.	H.I.	F.S.	ELEV.

ELEVATION DIFF.
BETWEEN
PALMDALE A5 & B.M. G426

9-19-72

R. WILSON P.C. II
R. COCKERHAM T
E MARTINEZ ϕ
C PYLE ⊡

76-L-298 CE 307 2-63

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2441 Pg. 154

Survey of GEODETIC CONTROL Job No. 2301.09 Division No. Profile
Survey by R.C. WILSON Notes C.A.P.M.E. Date Notes Red Date No. X-Sec.
Indexed L. M. PALMER Date JUN 21 1974 Notes Chkd. Date Checked Date No.

STATION	B. S.	H. I.	F. S.	ELEV.	
PAL A 5	4.55	104.557		100.000	U.S.C.&G.S. "PALMDALE 2" F.B. 2461-149
PAL A 5 RM 2			5.543	99.014	2½" C.E. MON. BRASS DISC "5869" DN 4" FB 2461-49
TP	2.124	100.972	5.709	[illegible]	R.C. COLA CAP IMBEDDED IN ROAD SURFACE
B.M. G 426	6.021	100.868	6.125	[illegible]	U.S.C.&G.S. B.M. G 426 1935 CXC CONC. 3" ABOVE GRD.
TP	6.241	104.555	2.554	98.314	4"X4" CONC. PAD FLUSH WITH GRD. (N.W. COR.)
PAL A 5			4.542	100.013	EL. 100.000' ASSUMED. - SEE LINE 1

16F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Road Control
Surveyed by JNO Tape Std. °F
Notes
Index M. PALMER JUN 21 197
Date

F. B. 2462 Pg. 155

F. B. 2161 PG. 156

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

HI VISTA

LOVE JOY BUTTE

170TH EAST

ALPINE BUTTE

AVE N

LITTLE ROCK

90TH EAST

AVE T

N16
193

N12

I13

I69
K14

I67
F15

F88
195

-84

FB943-161
R0115

FB943
AT 133

N77 943-135

N0
165

J5

J7

J9

H5

H7

H9

FB943-135 TO 130

F5

F7

F9

D5

D7

D9

943-139
B9

A15

E10
I63

E10
I61

130

B10
159

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Control
JN 030100 Tape Std °F
Surveyed by RCWilson
Notes RCW Date 11-28-72
Index T. M. PALMERI JUN 21 1974

F. B. 2461 Pg. 157

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



Prints CE#3103-69

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes C.A. PYLE Date 11/16/72
Date	Inspected M. PALMERI JUN 21 1974

F. B. 2461 Pg. 159

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
PALMDALE 010

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
PALMDALE 010
1972
SET BY R.E. 7078
FOR INFORMATION SEE COUNTY ENGINEER

CONSOLIDATED ROCK PRODUCTS QUARRY

5' CHAIN LINK FENCE

SET PAL 010 RM 1
(SEE PG 160)

T. 5 N.
R. 11 W.

75TH ST E (UNDEVELOPED)

48.0"

30.44'

269° 08'

FD NAIL IN TP#4L4C72H

SET PAL 010
(STAMPED & ORIENTED AS SHOWN, SEE PG 160)

23'

N 90° E SCALE
0° 00' 00"

5.3'

12.5'

17.6'

AVE T
ASPH. PAVE.

SEC. 2

SEC. 11

12.5'

To LRK. E10
FB 2461-161

FD PAL. 010 RM2
(STAMPED & ORIENTED AS SHOWN, SEE PG 160)

COUNTY ENGINEER
T. 5 N.
2
11
R. 11 W.
1/4 COR.
R.E. 5869

DIRECTIONS: FBG 1370-47
MEASUREMENTS - SEE NEXT PG.
● - 2" MARKER PIPE SET 1' OFF

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

CE#310 3-69

F. B. 2461 PG 160

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
PALMDALE 0 10

50 METER MC MEASUREMENTS 300' TAPE = 221

LEVEL @ 48°

9.281 M = 9.278 M = 30.44' 30.45' = 30.44'

5.364 M = 5.364 M = 17.60' 17.595' = 17.595'

AREA & ROUTE

THIS TRAVERSE STA. IS IN THE "ANTELOPE VALLEY" PORTION OF L.A. CO. IN THE VICINITY OF "FOUR POINTS". IT IS ON AVE T, 1.73 MILES EAST OF ITS INTER. WITH "PEARBLOSSOM HWY" & "FORT TEJON RD." IT IS 17' N. OF THE 1/4 COR. ON LINE BETWEEN SEC. 2 \ SEC. 11 T. 5N. R. 11W., WHICH IS THE ℄ OF AVE T. SEE U.S.G.S. 15' SHEET "LANCASTER CALIF." QUAD. 1958.

STATION MARK

A 4" L.A. CO. SUR. CONT. SY. BRASS TRAVERSE STATION DISC STAMPED " PALMDALE 010 1972 RE 7078 " SET IN AN 8" CONC. POST WHICH IS FLUSH WITH GRD. SET TANGENT TO PAL 0 10 RM. 1 & PAL 0 10 RM 2. NO SUB-SURFACE MARK WAS SET.

REFERENCE MARKS

RM. 1 : A 4" "L.A. CO SUR CONT. SY. BRASS REFERENCE MARK" DISC STAMPED " PALMDALE 0 10 RM 1 1972 RE 7078". SET IN AN 8" CONC. POST WHICH IS 2" ABOVE GRD. SET ON TANGENT PROD. FROM PAL 010 R.M. 2 THROUGH PAL 010

RM 2 : A 2½" BRASS COUNTY ENGINEER DISC STAMPED : 2/11 1/4 COR. T. 5N. R. 11W. RE 5849". SET IN A 6" CONC POST WHICH IS IN A MON. WELL 0.70' BELOW THE PAVED SURFACE. SET TANGENT TO PAL 0 10 & PAL 0 10 RM 1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R C WILSON
Checked	Notes C. A. PYLE Date 11/30/72
Date	Index M. PALMERI JUN 21 1974

F. B. 2461 PG. 161

COUNTY ENGINEER
R. E. 5869

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LITTLE ROCK E 10



MEASUREMENTS: SEE PG. 162
DIRECTIONS: FB G 1370-49
● — 2" MARKER PIPE SET 2' OFF

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

6F309S CE#310 3-69

F.B. 2461 PG. 162

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LITTLE ROCK E10

50 MTR MG — MEASUREMENTS — 300' TAPE 221

LEVEL @ 52'

13.033 M = 13.030 M = 42.75'
14.822 M = 14.819 M = 48.618

42.755' = 42.745'
48.63' = 48.62'
46.31' = 46.30'

AREA & ROUTE

THIS TRAVERSE STA. IS IN THE "ANTELOPE VALLEY" PORTION OF L.A. CO. IN THE VICINITY OF "LITTLE ROCK". IT IS THE INTER. OF 94TH ST. EAST. & AVE T. A CORNER ON LINE BETWEEN SEC 6 / SEC 7, T5N, R10W. SEE USGS 15' SHEET "ALPINE BUTTE CALIF." QUAD. 1943.

STATION MARK

A 2½" BRASS "COUNTY ENGINEER DISC" STAMPED "5869" SET IN A 6" CONC POST WHICH IS IN A MON. WELL 10" BELOW THE PAVED SURFACE. NO RECORD OF ANY SUB-SURFACE MARK HAVING BEEN SET.

REFERENCE MARKS

RM 1: A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED "LITTLE ROCK E10 RM 1 1972 RE7078" SET IN A 8" CONC. POST WHICH IS 2' ABOVE GRD. SET TANGENT TO LRK E10 & LRK E10 RM2.

RM 2: IDENT. TO RM 1 EXCEPT STAMPED "RM 2" SET BY TAN. PROD FROM LRK E10 RM 1 THROUGH LRK E10.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LITTLE ROCK 110

Nches Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JNO 2 Tape Std °F
Surveyed by R.C. WILSON
Notes C.A. PYLE Date 11/5/72
Ind. M. PALMER JUN 21 1974

COUNTY SURVEYOR
T. 5 N.
R. 10 W.
4
9
RE 2177

F. B. 2441 Pg. 163

F. B. 2461 PG. 164

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LITTLE ROCK I 10

50 MTR. MG. MEASUREMENTS 300' TAPE # 221

LEVEL @ 58°

19.883 M = 19.880 M = 65.22'
20.145 M = 20.142 M = 66.08'

65.23' = 65.22'
66.09' = 66.08'
86.345' = 86.335'
86.945' = 86.935'
56.565' = 56.555'

AREA & ROUTE

THIS TRAVERSE STA. IS IN L.A. CO. WITHIN THE "ANTELOPE VALLEY," IN THE VICINITY OF "PEARBLOSSOM." IT IS THE INTER. OF AVE. T & 110TH ST E. SEE USGS 15' SHEET "ALPINE BUTTE CALIF." QUAD. 1943.

STATION MARK

A 2½" BRASS "COUNTY SURVEYOR MON." DISC STAMPED: " 4 9 1/4 COR. T.5 N. R.10 W. R.E. 2177". SET IN A 6" CONC. POST WHICH IS IN A MON. WELL 8" BELOW THE PAVED SURFACE. NO RECORD OF SUB-SURFACE MARK BEING SET. MON. WELL COVER IS FLUSH WITH PAVED SURFACE

REFERENCE MARKS

RM 1: A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED "LITTLE ROCK I 10 RM 1 1972 RE 7078". SET IN A 8" CONC. POST WHICH IS 1" ABOVE GRD. SET TANGENT TO LRK. I10 & LRK I10 R.M. 2

RM2: IDENT. TO RM1 EXCEPT STAMPED "RM 2". SET TANGENT TO LRK I 10 & LRK I 10 RM. 1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0331.00 Tape Std °F
Surveyed by RCW
Notes ROW Date 11-16-72
Indexed M. PALMER JUN 21 1974

F. B. 2461 PG. 165

COUNTY SURVEYOR'S T5N R10W 11 12 MONUMENT

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LITTLE ROCK N 10

T5N R10W



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 2641 PG. 166

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LITTLE ROCK N 10

300' = 221

Measurements — 50 mtr M 6

Level @ 58° Temp.

70.695' = 70.685'	21.548m = 21.545m = 70.685'	
70.72' = 70.71'	21.554m = 21.551m = 70.705'	
70.64' = 70.63'	99.92' = 99.90'	99.94' = 99.92'
70.60' = 70.59'	99.935' = 99.915'	99.915' = 99.953'

AREA: This traverse sta. is located in the N. portion of L.A. County, in the ely portion of Antelope Valley, in the vicinity of Rearblossom, and is the intersection of AVE T & 140TH ST EAST.

STATION MARK: A 2½" "COUNTY SURVEYORS" brass disc stamped "T5N R10W 11 2½" dn. 1.1' & protected by a cast iron cover. No sub-surface mark set.

REFERENCE MARKS:

RM 1: A 2" IRON pipe, conc. plug & C.E. tag up 4'.

RM 2: A 4" L.A.Co. Sur. Cont. Sys. brass ref. mark disc stamped "LITTLE ROCK N10 RM2 1972 RE 7078" up 4", ~~and~~ set in a 8" conc. post, and tangent to RM 1.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	NO30L.CO Tape Std °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes C. APYLE Date 12/13/1974
Date	Ind. Ted M. PALMERI JUN 21 1974

F. B. 2461 Pg. 167

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
HI VISTA F15

SURVEYOR'S MONUMENT T6N R9W 4 13 9 10



MEASUREMENTS: SEE NEXT PG.

● — 2" MARKER PIPE SET 2' OFF

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2421 Pg 168

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

HIVISTA F15

50 MTR* M3 MEASUREMENTS 300' TAPE* 139

LEV @ 44°

13.993M = 13.990M = 45.90'	45.905' = 45.895'
16.348M = 16.345M = 53.625'	53.635' = 53.625'
28.454M = 28.448M = 93.33'	93.345' = 93.325'
T - 62°	
52.15' = 52.14'	103.615' = 103.605'
90.29' = 90.28'	70.745' = 70.735'

AREA & ROUTE

THIS TRAVERSE STA. IS IN THE EASTERN "ANTELOPE VALLEY" PORTION OF L.A. CO. IN THE VICINITY OF "WILSONA SCHOOL". IT IS A COR. OF SEC. 4, 3 9, 10, T6N, R9W. WHICH IS THE INTER. OF 170TH ST. E & AVE. N. SEE USGS. 15' SHEET "ALPINE BUTTE CALIF." QUAD. 1945.

STATION MARK

A 2½" COUNTY SURVEYOR'S MONUMENT" BRASS DISC STAMPED " 4 3 T6N R9W " SET IN A 6" CONC. POST WHICH IS IN A 9 10 MON. WELL 20" BELOW THE CAST IRON COVER THAT IS FLUSH WITH PAVED SURFACE. NO RECORD OF ANY SUB-SURFACE MARK HAVING BEEN SET.

REFERENCE MARKS

RM 1: A 4" L.A. CO. SURVEY CONTROL SYSTEM BRASS REFERENCE MARK DISC STAMPED "HIVISTA F15 RM1 1972 RE 7078". SET IN AN 8" CONC. POST, FLUSH WITH GRD. IT IS SET ON TAN. BETWEEN HIVISTA F15 & HIVISTA K14

RM 2: IDENTICAL TO RM 1 EXCEPT STAMPED "RM 2" SET ON TAN. BETWEEN HIVISTA F15 & LOVEJOY BUTTE B4

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Charge.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN0301.00 Tape Std °F
Office Work	Surveyed by R C WILSON
Checked	Notes CAPYLE Date 12/7/72
Date	Indexed M. PALMERI JUN 21 1974

F. B. 2461 Pg. 169

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
HI VISTA K14

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
HI VISTA K14
1972
SET BY RE 7018
FOR INFORMATION SEE COUNTY ENGINEER



DIRECTIONS : F.B.G 1880-22
MEASUREMENTS : SEE NEXT PG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 2461 PG 170

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
HI VISTA K14

50 MTR* MB MEASUREMENTS 300' TAPE* 139

LEV. @ 48°

7.039 M = 7.036 M = 23.085'	23.09' = 23.08'
7.338 M = 7.335 M = 24.065'	24.08' = 24.07'
10.712 M = 10.709 M = 35.134'	35.15' = 35.14'

AREA

THIS TRAVERSE STATION IS IN THE EASTERN ANTELOPE VALLEY PORTION OF L. A. CO., IN THE VICINITY OF "WILSONA SCHOOL". SET ON A SMALL BUTTE MARKED WITH A MINE SYMBOL AT ELEV. 2735'. IT IS 2854'± S. & 2100'± E. OF THE N.W. COR OF SEC. 1, T. 6N./T. 7N., R. 9W., SEE U.S.G.S 15' SHEET "ALPINE BUTTE CALIF." QUAD. 1943.

ROUTE.

FROM ITS INTER. WITH AVE "O" TRAVEL N. ON 195TH ST. E. 1.0 MILE TO AVE N CONTINUE N.W.LY ON TRAVELED TRACKS 0.60 MILE TO THE BASE OF A BUTTE PROCEED UPGRADE 0.15 MILE TO THE SUMMIT AND THE STATION SITE.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL	F. B. 2461 Pg. 171
Map No.	JN 0301.00 Tape Std °F	
Office Work	Surveyed by R C WILSON	
Checked	Notes C.A. PYLE Date 12/7/72	
Date	Indexed L. M. PALMER JUN 21 1974	

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
H1 VISTA K14

STATION MARK

A 4" L.A. CO. SUR. CONT. SYSTEM BRASS TRAVERSE STATION DISC STAMPED "HIVISTA K14 1972 RE 7078". SET IN AN 8" CONC. POST WHICH IS 3" ABOVE GRD.

SUB SURFACE MARK

NONE SET.

REFERENCE MARKS : RM 1

A 4" L.A. CO. SUR. CONT. SYSTEM BRASS REFERENCE MARK DISC STAMPED "HIVISTA K14 RM1 1972 RE 7078" SET IN AN 8" CONC POST WHICH IS IN A ROCK MOUND 3" ABOVE GRD.

RM. 2 IDENTICAL TO "RM 1" EXCEPT STAMPED: "RM 2".

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 2461 PG. 172

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

HI VISTA K14

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by RC WILSON
Checked	Notes RCW Date 12-4-72
Date	Index By M. PALMER JUN 21 1974

F. B. 246 / PG. 173

COUNTY SURVEYOR'S MONUMENT T7N R13W 32 33 34 5 4 T6N

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ADOBE MTN B13



○ = 2" marker pipe set 2' off.
Dir per FBG 1380-4
See pg 174 for meas.
*Roads not improved

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

F. B. 2461 PG 174

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ADOBE MTN B-13

300' #139	Level @ 42°	MEASUREMENTS SOMTR M3
47.96'	= 47.95'	14.618m = 14.615m = 47.95'
53.10'	= 53.09'	16.189m = 16.184m = 53.10'
80.71'	= 80.69'	24.601m = 24.595m = 80.69'

AREA: This trav. sta. is located in the NE portion of L.A. Co. 4.0 miles W. of the L.A.-S.B. Co. line & may be reached by traveling N (T.I.) from its intersection with Ave O on 220 T/ St. East 2.0 miles, & is the inter. of 220 E & AVE M.

STATION MARK: A 2½" "COUNTY SURVEYORS MONUMENT" brass disc stamped "T.7N. T.6N. R.8W. 32 33 5 4" on ¼" ø set in a 6" conc. post. No ½ surface mark.

REFERENCE MARKS:

RM 1: A 4" L.A.Co. Sur. Cont. sys. brass ref. mark disc stamped "ADOBE MTN B 13 RM 1 1972. RE ~~5826~~ 7018" up 2" ø set in a 8" conc. post.

RM 2: Same as RM 1, except stamped "RM 2".

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309s CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ADOBE MTN D10

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301 46 Grape Std °F
Surveyed by R.C. WILSON
Notes C.A. PYLE Date 1/8/73
Index To M. PALMER JUN 21 1974

F.B. 2461 PG. 175



● — 2" MARKER PIPE SET 2' OFF

MEASUREMENTS: SEE NEXT PG.

DIRECTIONS: FB G1380-18

F. B. 2461 PG 176

L. A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION

ADOBE MTN D10

50 MTR # M3 MEASUREMENTS 300' TAPE # 139

LEVEL @ 45°

20.692 M = 20.686 M =	67.867'		67.89' = 67.87'
20.637 M = 20.631 M =	67.69'		67.71' = 67.69'
42.395' = 42.385'	42.395' = 42.385'		106.71' = 106.68'
88.505' = 88.485'			106.58' = 106.55'
88.40' = 88.38'	70.71' = 70.69'		70.71' = 70.69

AREA & ROUTE: THIS TRAVERSE STA. IS IN THE "MOJAVE DESERT" PORTION OF N. E. L.A. CO. IN THE VICINITY OF "WALTON PLACE." IT IS A COR. OF SEC. 21, 22, 27, 28, T. 7 N., R 8 W. WHICH IS THE INTER OF 230TH ST. E. & AVE K. SEE U.S.G.S. 15' SHEET "SHADOW MTN S. CALIF." QUAD. 1942.

STATION MARK: A 2½" COUNTY SURVEYOR'S MONUMENT BRASS DISC STAMPED "21 22 / 28 27 T. 7 N. R. 8 W.", SET IN A 6" CONC. POST WHICH IS 080' BE- LOW GRD. NO RECORD OF ANY SUB-SURFACE MARK HAVING BEEN SET.

REFERENCE MARKS:

RM 1: A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED: "ADOBE MTN D10 RM 1 1973 RE 7078". SET IN AN 8" CONC. POST WHICH IS 8" ABOVE GRD. SET BY TAN. PROD. FROM H.V. K14 THROUGH A.M.T. D10 RM 2 & A.M.T. D10

RM 2: IDENTICAL TO "RM 1" EXCEPT STAMPED: "RM 2". SET ON TAN. BETWEEN A.M.T. D10 & H.V. K14, ALSO TAN. TO A.M.T. D10 RM 1

WITNESS POSTS: 2-4"x4" WOODEN POSTS INSCRIBED: "COUNTY SURVEYOR'S WITNESS CORNER". WITH A NAIL SET IN THE TOP. SET TAN. TO EACH OTHER AND ARE 8" ABOVE GRD.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN0301.00 Tape Std °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes C.A. PYLE Date 12/19/73
Date	Indexed J. M. PALMERI JUN 24 1974

F. B. 2461 PG. 177

U.S. GEOLOGICAL SURVEY OPERATION WITH COUNTY IN LOS ANGELES ELEVATION ABOVE SEA LEVEL IN FEET 1929 DATUM 250 DOLLARS FINE FOR DISTURBING THIS MARK

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ADOBE MOUNTAIN J 12
USGS "EAST"



To EMI. H2
FB 2401-181

DIRECTIONS : FB G 1380-9
MEASUREMENT : SEE NEXT PG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2461 PG. 178 L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

ADOBE MOUNTAIN J 12

50 MTR* MEASUREMENTS 300' TAPE#

LEV @ T 60°

2.463 M = 2.463 M = 8.08'	8.08' = 8.08'
3.782 M = 3.782 M = 12.408'	12.405' = 12.405'
4.102 M = 4.102 M = 13.458'	13.46' = 13.46'

AREA

THIS TRIANG STA. IS IN THE "MOJAVE DESERT" PORTION OF EASTERNMOST L.A. CO. IN THE VICINITY OF "MIRAGE LAKE." IT IS 2900'± N. & 800'± W. OF U.S.G.S. "TOWNSHIP" WHICH IS THE COR OF SEC'S 36, 31, T. 7N. \ T. 6N., R8W \ R7W. AND IS ON LINE BETWEEN L.A. \ S.B. COUNTIES. SEE U.S.G.S. 15' SHEET "SHADOW MTNS. QUAD. 1942.

ROUTE

FROM ITS INTER WITH AVE. P TRAVEL N. ON 260TH ST. E. (L.A. \ S.B. CO LINE) 2.3 MILES TO A SWEEPING TURN TO THE RT. (E.) LEAVE GRADED EARTH RD. AND CONTINUE N. ON TRAVELED TRACKS 0.50 MILE TO A "Y", BEAR LEFT (N.WLY) AND WIND THROUGH AN AREA WITH MANY HOMESTEAD CABINS. AFTER 0.20 MILE PASS TURNOFF TO USGS "TOWNSHIP", 0.10 MILE FURTHER EXIT HOMESTEAD AREA, PASS OVER FLAT SPUR AND SKIRT (NLY.) ALONG BOTTOM OF A N.S. DIRECTION BUTTE FOR 0.40 MILE. TURN RT. (WLY) & BEGIN TO ASCEND BUTTE 0.20 MILE TO A BARE ROUNDED SUMMIT. MAKE A SHARP TURN ELY. AND DESCEND A FLAT SPUR 200' TO A ROCKY OUT-CROPPING AREA AND THE STATION SITE.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN0301.00 Tape Std °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes C.A. PYLE Date 12/19/72
Date	Indexed L. M. PALMERI JUN 21 1974

F. B. 2401 PG. 179

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ADOBE MOUNTAIN J 12

STATION MARK

A 4" U.S. GEOLOGICAL SURVEY IN COOPERATION WITH L.A. COUNTY BRASS DISC. STAMPED "EAST RS 1929". CEMENTED FLUSH IN A NATIVE ROCK OUTCROPPING. IT IS 2.5' FROM THE S. FACE OF A BLDR 3' IN DIA. & 2.5' HIGH.

SUB-SURFACE MARK

NONE SET

REFERENCE MARKS

RM 1 : A 4" U.S.G.S. BRASS REFERENCE MARK DISC STAMPED: "EAST 1 1955" CEMENTED FLUSH IN THE TOP OF A 2'x5' GRANITE BLDR.

RM 2 : IDENTICAL TO "1" EXCEPT STAMPED "2". SET IN A 2'x3'x3' TRIANG SHAPED GRANITE BLDR.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2461 PG. 180

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
ADOBE MOUNTAIN J12

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R C WILSON
Checked	Notes C. A. PYLE Date 12/6/72
Date	Indexed L. M. PALMER JUN 21 1974

F. B. 2461 PG. 181

A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
EL MIRAGE H2
(U.S.G.S. "MOODY")

SEC. 14
T. 6 N.
R. 8 W.

DIRECTIONS: FB 1380-15

MEASUREMENTS: SEE NEXT PG.



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309s CE#310 3-69

F. B. 2461 PG. 182 L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
EL MIRAGE HZ

50 MTR * M3 MEASUREMENTS 300' TAPE * 139

Lev. @ 50'

7.562 M =	7.559 M =	24.80'	24.81' = 24.80'
21.313 M =	21.307 M =	69.90'	69.92' = 69.90'
21.393 M =	21.387 M =	70.165'	70.185' = 70.165'

AREA.

THIS TRIANG. STA. IS IN THE EASTERN "ANTELOPE VALLEY" PORTION OF L. A. CO., IN THE VICINITY OF "MOODY SPRINGS." IT IS 2250' N & 1250' W OF THE S.E. COR. OF SEC 14, T6N., R8W. SEE U.S.G.S 15' SHEET "SHADOW MOUNTAINS CALIF." QUAD. 1942

ROUTE.

FROM ITS INTER. WITH 240TH ST E. TRAVEL EAST ON AVE. P" 0.75 MILE TO A TRAVELED TRACK ON THE LEFT (N). FOLLOW THIS NLY. 0.20 MILE TO THE BASE OF A SADDLE, CONTINUE UPGRADE 0.05 MILE TO THE TOP OF THE SADDLE, CONTINUE ON T.T. NLY. 0.20 MILE AROUND THE BASE OF RIDGE TO A SADDLE, TURN RT. (ELY.) ON T.T. 0.05 MILE TO A DRAW AT THE BASE OF A SHARP STEEP SPUR, PROCEED SLY. THEN ELY. UP A STEEP RIDGE 0.15 MILE TO THE TOP AND THE STATION SITE.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 2301.00 Tape Std °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes C.A. PYLE Date 12/6/72
Date	Index M. PALMERI JUN 21 1974

F. B. 2401 PG. 183

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
EL MIRAGE H2

STATION MARK

A 4" USGS IN COOPERATION WITH LOS ANGELES COUNTY BRASS DISC STAMPED: "MOODY RS 1929" CEMENTED FLUSH IN A 3'x4' NATIVE ROCK OUTCROPPING.

SUB-SURFACE MARK

NONE WAS SET

REFERENCE MARKS

RM 1 : A 4" L.A. CO. SUR. CONT. SYSTEM BRASS REFERENCE MARK DISC STAMPED "ELMIRAGE H2 RM1 1972 RE 7078" SET IN AN 8" CONC. POST WHICH IS 4" ABOVE A SURROUNDING ROCK MOUND.

RM 2: IDENTICAL TO RM 1, EXCEPT STAMPED "RM 2". SET FLUSH WITH GRD. NO ROCK MOUND.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

10F309S CE#310 3-69

F. B. 2461 PG 184

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

EL MIRAGE HZ

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN0301 66 Tape Std. °F
Office Work	Surveyed by R C WILSON
Checked	Notes C A. PYLE Date 12/6/72
Date	Indexed L. M. PALMER JUN 21 1974

F. B. 2461 PG. 185

COUNTY SURVEYORS MONUMENT — T. 4 N. 4 SEC. CORNERS 25 30 32 29 B.M. 1-22

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
EL MIRAGE K6



● — 2" MARKER PIPE SET 2' OFF

MEASUREMENTS: SEE NEXT PG.

DIRECTIONS PER: FBG 1380-17

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2461 PG. 186

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
EL MIRAGE 1K6

50 MTR # 193 MEASUREMENTS 300' TAPE # 139

Lev. @ 54°

18.355 M =	18.352 M = 60.21'	60.22' =	60.21'
12.950 M =	12.947 M = 42.48'	42.48' =	42.47
12.202 M =	12.199 M = 40.02'	40.035' =	40.025'
	16.58' = 16.58'	56.56' =	56.55'
69.25' @ 42° =	69.23' 56.60' = 56.59'	56.56' =	56.55'
	80.02' @ 42° = 80.00	68.65' @ 42° =	68.63'

AREA & ROUTE

THIS TRAVERSE STA. IS UPON THE L.A. \ SAN BER. CO. BDRY. LINE, IN THE EASTERN PORTION OF THE "ANTELOPE VALLEY", IN THE VICINITY OF "BLACK MTN." IT IS THE INTER. OF 260TH ST. E. & AVE Q8. WHICH IS THE 1/4 COR. ON LINE BETWEEN SEC 25 \ SEC 30 T. 6N., R. 8W. \ R. 7 W. SEE U.S.G.S 15' SHEET "SHADOW MTNS CALIF." QUAD. 1942

STATION MARK

A 2½" COUNTY SURVEYORS MONUMENT BRASS DISC STAMPED: "L.A. COUNTY S.B. COUNTY 25 + 30 1/4 SEC. COR. R.7W. R.8W. T.6N. B.M. 1.22." SET IN A 6" CONC POST WHICH IS 4" ABOVE GRD.

REFERENCE MARKS

RM 1: A 4" L.A. CO. SUR. CONT. SYSTEM BRASS REFERENCE MARK DISC STAMPED "EL MIRAGE 1K6 RM 1 1972 RE 7078" SET IN AN 8" CONC POST WHICH IS FLUSH WITH GRD.

RM 2: IDENTICAL TO RM 1, EXCEPT STAMPED "RM 2".

OTHER MARKS: THREE S.B. CO. BRASS R.P. TAGS STAMPED "S.B. CO. R.P. SURV.", SET IN 1" IRON PIPES WITH A BRASS NAIL IN A CONC PLUG. ALL PIPES ARE 2" ABOVE GRD.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.0 Tape Std °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes C.A. PYLE Date 12/4/72
Date	Indexed L. M. PALMER JUN 21 1974

F. B. 2461 PG. 187

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
EL MIRAGE C6
1972
SET BY
RE 7078
FOR INFORMATION
SEE COUNTY ENGINEER

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
EL MIRAGE C6



DIRECTIONS - FB G1380-5
MEASUREMENTS - SEE NEXT PG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

10F309s CE#310 3-69

F. B. 241 Pg. 188

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
EL MIRAGE C6

50 MTR. MG MEASUREMENTS 300' TAPE #139

10.191 M =	10.188 M = 33.425'	LEV. @ 45°	33.43' = 33.42'
8.036 M =	8.033 M = 26.355		26.365' = 26.355'
13.113 M =	13.110 M = 43.012		43.015' = 43.005'

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

AREA & ROUTE

THIS TRAVERSE STATION IS IN THE "ANTELOPE VALLEY" PORTION OF L.A. CO. IN THE VICINITY OF THE "VANDERBURG RANCH." IT IS 2250' ± S & 1750' ± E. OF THE N.W. COR. OF SEC. 28, T. 5N., R. 8W. SEE U.S.G.S. 15' SHEET "SHADOW HILLS CALIF" QUAD. 1942

FROM ITS INTER. WITH 215TH ST. E. TRAVEL ELY. ON AVE. Q8 (PALMDALE BLVD.) 0.75 MILE TO TRAVELED TRACKS ON THE LEFT (N) FOLLOW THESE 0.10 MILE NLY. ASCENDING TO A SADDLE, TURN RT. ELY AND ASCEND A SIDEHILL 0.10 MILE TO STATION SITE.

STATION MARK

A 4" L.A. CO. SUR. CONT. SYSTEM BRASS TRAVERSE STATION DISC STAMPED "EL MIRAGE C6 1972 RE 7078" SET IN AN 8" CONC. POST WHICH IS FLUSH WITH GRD. NO SUB-SURFACE MARK WAS SET.

REFERENCE MARKS

RM 1: A 4" L.A. CO. SUR. CONT. SYSTEM. BRASS REFERENCE MARK DISC STAMPED "EL MIRAGE C6 RM 1 1972 RE 7078" SET IN AN 8" CONC. POST WHICH IS 5" ABOVE GRD.

RM 2: IDENTICAL TO RM 1 EXCEPT STAMPED "RM 2" SET FLUSH WITH GRD.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes C. A. PYLE Date 12/14/72
Date	Indexed T. M. PALMERI JUN 21 1974

F. B. 2461 PG. 189

L. A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

EL MIRAGE C6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 2461 PG. 190 L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

EL MIRAGE C6

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 030100 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes C.A. PYLE Date 12-4-72
Date	Indexed M. PALMER JUN 21 1974

F. B. 2461 PG. 191

COUNTY SURVEYOR'S MONUMENTS

L. A. COUNTY SURVEY CONTROL SYSTEM

TRAVERSE STATION

EL MIRAGE B1



DIRECTIONS : FB G1380-12

MEASUREMENTS : SEE NEXT PG.

⊙ — 2" MARKER PIPE SET 2' OFF

T.G.N.

R.8W.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

F. B. 2461 PG 192

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
EL MIRAGE B1

50 MTR # | MEASUREMENTS | 300' TAPE #

LEV. @ T-68°

19.934M = 19.931M = 65.39'	65.40' = 65.39'	85.83' = 85.82'
16.357M = 16.354M = 53.655'	53.665' = 53.655'	70.71' = 70.70'
	99.50' = 99.49'	91.59' = 91.58'
		93.04' = 93.03'

AREA & ROUTE

THIS TRAVERSE STA. IS IN THE "MOJAVE DESERT" PORTION OF EASTERN L.A. CO. IN THE VICINITY OF "ELLER SLOUGH." IT IS A COR OF SEC. 8, 9, 17, 16 T.6N., R.8W. WHICH IS THE INTER. OF 220TH ST. E. & AVE O. SEE U.S.G.S. 15' SHEET "SHADOW MOUNTAINS CALIF." QUAD. 1942

STATION MARK

A 2½" COUNTY SURVEYORS MONUMENTS BRASS DISC STAMPED "8+9 T 6N R 8W". SET IN A 6" CONC. POST IN A MON. WELL 17 IC 12' BELOW THE CAST IRON COVER WHICH IS 1½" BELOW THE PAVED SURFACE.

REFERENCE MARKS

RM 1 : A 2½" COUNTY ENGINEER BUTTON TOP BRASS BENCH MARK DISC STAMPED "BM 106-76 1958 5869". SET IN A 12" x 12" CONC. PAD WHICH IS 8" ABOVE GRD. IT IS TAN. TO EMI B1 & EMI. B1 R.M.2.

RM2 : A 4" L.A. CO. SUR. CONT. SYSTEM BRASS REFERENCE MARK DISC STAMPED "EL MIRAGE B1 RM 2 1972 RE 708" SET IN AN 8" CONC. POST WHICH IS 4' ABOVE GRD. SET BY TAN PRODUCED FROM EMI. B1 R.M.1 THROUGH EM1, B1.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

DESIGNS CERTIFIED

GEODETIC CONTROL

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN 0301.00 Tape Std °F
Surveyed by RC WILSON
Notes E. Marking Date 12-18-72
Indexed L. M. PALMER JUN 21 1974

F. B. 216 Pg. 193

COUNTY SURVEYOR'S MONUMENT T.6N R.8W 1/4 SEC. COR'S 25 30

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LOVE JOY BUTTE M6

PP#1218676E

82.3

Fd 2" I.P. CONC PLUG & C.E. TAG

76'

SET RM#1 SEE Pg 194

MARKER PIPE 2.0' OH

T 6 N

EARTH Rd

62.84

70.67

To LOVE JOY BUTTE J.4. FB 1344-8

45'

Fd. LOB M6 STAMPED & ORIENTED AS SHOWN SEE Pg 194

S 26°58'17" W 99.24'58"

Graded SHOULDER

87.71

94.13

ASPH PAVE

115'

115'

FLAMDALE BLVD

PP#1218070E

56.61

200.36'12" 476.95

GRADED SHOULDER

SEC 25 R9W R8W SEC 30

MARKER PIPE 2.0' OH

82.3

75.39

8.22

14.09

Fd 2" I.P. WOOD PLUG & NAIL 10" UP

Fd 2" IP I.P. CONC PLUG & C.E. TAG 11" UP

SET RM # 2 SEE Pg. 194

26'

200TH ST E EARTH Rd.

O = 2" MARKER PIPE

C measurements see Next Pg.

DIRECTIONS: FB 1380-8

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2461 PG. 194 L. T.

COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LOVE JOY BUTTE M6

50 METER # M3 MEASUREMENTS 300' TAPE # 139

LEV. @ 50'

19.158 = 19.155 = 62.844	14.09 = 14.09	62.85 = 62.84
26.740 = 26.734 = 87.709	7.86 = 7.86	87.73 = 87.71
14.541 = 14.538 = 47.696		47.705 = 47.695
		56.62 = 56.61
		70.69 = 70.67
		94.15 = 94.13

AREA & ROUTE

THIS TRAVERSE STA IS IN L.A.CO. IN THE S.E PORTION OF ANTELOPE VALLEY. IT IS THE INTERSECTION OF 200TH ST E & RAMDALE BLVD.

STATION MARK

A 2½" "COUNTY SURVEYORS MONUMENT" BRASS DISC STAMPED: "E5 30 1/4 SEC COR R9W T6N R8W." SET IN A 6' CONC POST 9" BELOW GR. IN A CAP & WELL. NO RECORD OF SUB SURFACE MARK SET.

REFERENCE MARK

RM #1 A 4" LA CO SUR CONT. SY. BRASS REFERENCE MARK DISC STAMPED "LOVE JOY BUTTE M6 RM 1 1972 RE. 7078", SET IN A 8" CONC POST THAT IS 2" ABOVE GR.

RM # 2

IDENT. TO RM1 EXCEPT STAMPED "RM 2" AND IS FLUSH WITH GR.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0320.00 Tape Std °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes R.C.W. Date 2-13-70
Date	Indexed L. M. PALMER JUN 21 1974

F. B. 2461 PG. 195

COUNTY ENGINEER 10-17 1961 R. E. 5869

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM TRAVERSE STATION

LOVEJOY BUTTE E8

T6N
R9W

SET RM 1
See pg. 196

SEC 33

Graded Shoulder

165TH STREET EAST
Paved Street

Graded Shoulder

2'

31.925' — D
315°34'55" — D

TO LOB J4 FB943-213
0°00'00" → N43°E±

1'

FD LOB E8
Stamped & oriented as shown.
See pg. 196
(See pg. 233 for diff. in elevations)

30.935' — D
26.88' — D

2'

SET RM 2
See pg. 196

2'

Set n¢ tin up 30" in PP #325112E

18' → 23' → 13'

○ = 2" marker pipe
DIR FBG 1380-16
See pg. 196 for meas.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

GEODETIC CONTROL

F. B. 2461 PG. 196 L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

LOVEJOY BUTTE EB

300' # 139 Level @ 39° Measurements 50 mtr M3

31.835' = 31.825' 9.705m = 9.702m = 31.83'
26.89' = 26.88' 8.196m = 8.193m = 26.88'
30.945' = 30.935'

AREA: This trav. sta. is located in the N.E. portion of L.A. Co. in the Antelope Valley and may be reached by traveling north from its inter with Avenue S on 165 Th St. east 0.45 miles to the sta. on the right, 14' E. of the E. edge of pavement. Near the ctr of sec 33 T6N R9W.

STATION MARK: A 2½" CO. ENGR. button top brass bench mark disc stamped "BM 109-17 1961" up 2" & set in a 12"x12" conc. pad. No sub-surface mark.

REFERENCE MARKS:

RM1: A 4" L.A. CO. SUR. CONT. SYS. brass ref. mark disc stamped "LOVEJOY BUTTE EB RM1 1972 RE 7078" flush and set in a 8" conc. post.

RM2: Same as RM1, except stamped "RM2".

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0320.00 Tape Std. °F
Surveyed by RC WILSON
Notes RCW Date 12-14-72
Index L. M. PALMERI JUN 21 1974

F. B. 2461 PG. 197

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION
GEODETIC CONTROL
EL MIRAGE K9

SAN BERNARDINO COUNTY

COUNTY SURVEYORS MONUMENT 1925

T. 6 N.

31 1 6

ANGLE

R. 8 W. R. 7 W. SAN BERNARDINO COUNTY.

CLOSING CORNER.

T. 5 N.

LOS ANGELES COUNTY.

FD. R.M. 1
See pg. 198

TO EMI IC 6 FB 2461-180

DD# 1162388E

73.3'

SEC 31

T 6 N

68°44'31" 70.85'

119.1'

93.52'

GP# 1162389E

N 26°W±

0°00'00"

S. B. CO.

L. A. CO.

32.5'

33.0'

24.0'

66.695'

154°21'50"

T 5 N

*ED. EMI K9

30'

* STA. 0.995' lower in elev. than RM 2.

Stamped & Oriented as shown. See pg. 198

15' Graded road

○ = 2" marker pipe 2' off
See FBG 1380-5 for dir.
See pg 198 for meas.

FD. R.M. 2
See pg. 198
S.B. CO. BM 1.25

SEC 1 R 8 W

L.A. CO. S.B. CO.

SEC 6 R 7 W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this sidp of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

F. B. 2461 PG. 198

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

EL MIRAGE K9

300' #221	LE 50°	Measurements	50 Mtr MK	LE 50°
70.87' =	70.85'	21.600m =	21.594m =	70.845'
66.695' =	66.675'	20.327m =	20.321m =	66.670'
93.54' =	93.52'	28.510m =	28.504m =	93.515'

AREA: This trianq. sta. is located in the NE portion of L.A. Co. in the e/y portion of Antelope Valley and is the closing cor. between R7W, R8W, T5N & T6N, Sec's 1 & 6, and a common cor. with SAN BERNARDINO COUNTY.

ROUTE: From its intersection with Palmdale Blvd (AVE Q8) travel south on 235TH ST EAST 1.0 mile to AVE R8; thence east 0.5 mile to 240TH ST. EAST; thence south 0.5 mile to AVE S; thence east 2.6 mile to the sta. on the left. (Dirt roads)

ALT. From Hwy 18 & 267TH ± (L.A.-S.B. Co line) travel north on t. tracks 4.0 mile to the station.

STATION MARK: A 5"x5" copper plate stamped "COUNTY SURVEYORS MONUMENT. R.8W. 1925 SAN BERNARDINO COUNTY. R.7W. T.6N. 31 T 1 6 ANGLE CLOSING CORNER. T.5N. LOS ANGELES COUNTY. R.7W. SAN BERNARDINO COUNTY."

(CONT 199)

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 2331.00 Tape Std °F
Surveyed by RC WILSON
Notes RCW Date 2-4-77
Index Ted M. PALMERI JUN 21 1974

F. B. 2461 PG. 199

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
EL MIRAGE K9

STATION MARK: (CONT)

5"X5" copper plate bolted to a 18"X18" CONC. MASS, (30"x30" @ base) 22" HIGH. No sub-surface mark.

REFERENCE MARKS:

RM 1: A 4" U.S.C.&G.S. brass ref. mark disc stamped "ANGLE L.A.C. U.S.G.S. NO. 1 1934" up 8" & set in a 12"X12" conc. pad.

RM 2: Same as RM 1, except stamped "NO. 2 B.M. 1.25" & up 4". (This mark is San Bernardino Co. Surveyors Bench Mark 1-25.)

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

F. B. 2461 PG 200

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
EL MIRAGE K9

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geod. Control
Map No.	JN 2500.00 Tape Std °F
Office Work	Surveyed by RC WILSON
Checked	Notes RCW Date 12-12-72
Date	Indexed I. M. PALMER JUN 21 1974

F. B. 2161 PG. 201

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
BONEYARD CANYON E 1

LA COUNTY SURVEY CONTROL SYSTEM
LICENSE STATION
BONEYARD CANYON
E1
972
SET 19
RE 7078
FOR INFORMATION SEE CONTROL ENGINEER

T5N
R8W
SEC 24

S.P.R.R. OVER-CROSSING BRIDGE

SET RM1 See pg. 202

41.3'

1.0'

TO EMIT KG FARGO-17

N15°E

Conc. Curb.

2.2'

SET RM2 See pg. 202

STATE ROUTE 18

58.83'

94.615'
-344°06'55"

0°00'00"

28'

Joint

6" dia. steel rail

Asphalt Curb.

Steel guard rail 22' hi.

Conc. walk

SET BCW E1
Stamped & oriented as shown See pg. 202

6.1'

3.2'

48.205'
255°03'51"

4.0'

8.5'

42.0'

24.3'

Steel rail 3.5' hi.

FA BCW E1
FB 2161-231

26.1'

51'

top slope

See pg. 202 for meas. Dir per FBG 1380-2, 21

SEC 25

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S. CE#310 3-69

F. B. 2461 PG. 202

GEODETIC CONTROL
L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

BONEYARD CANYON E 1

300' #221 Measurements 50 MTR M6

Level @ 47°

34.625' = 34.615' 10.553m = 10.550m = 34.615'
48.215' = 48.205' 14.697m = 14.694m = 48.205'

Level @ 42°

58.89' = 58.87' 17.951m = 17.945m = 58.875'

AREA: This trav. sta. is located in the NE portion of L.A. Co. 0.2 miles west of the L.A. - S.B. Co. line on the S.W. abutment of a conc. RR overcrossing bridge on State Route 18, 4.4 miles east of the junct. with State Route 138.

STATION MARK: A 4" L.A. Co. Sur. Cont. Sys. brass trav. disc stamped "BONEYARD CANYON E1 1972 RE 7078" bonded to conc. bridge abutment. No sub-surface mark set.

REFERENCE MARKS:

RM1: A 4" L.A. Co. Sur. Cont. sys. brass ref. mark disc stamped "BONEYARD CANYON E 1 1972 RM 1 RE 7078" bonded to N. conc. curb of R.R. overcrossing bridge

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geod. Control
Job 0331.02 Tape Std °F
Surveyed by RC, WL, SOO
Notes RCW Date 12-6-72
Indexed L. M. PALMER JUN 21 1974

F. B. 2461 PG. 203

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

BONEYARD CANYON E1

RM 2: Same as RM 1, except stamped "RM 2" & up 8", & set in a 8" conc. post, 42'± west of the SW corner of the RR bridge.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 2461/PG. 204

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

BONEYARD CANYON E 1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Cont. Control
JN 0301.02 Tape Std. °F
Surveyed by R.C. WILSON
Notes RCW Date 12-27-73
Indexed M. PALMERI JUN 21 1974

F. B. 2461 PG. 205

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
K1046
MESCAL CRK
I 1
1960
1974
RESET BY
RE 7078
FOR INFORMATION
SEE COUNTY ENGINEER

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
MESCAL CREEK I 1



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309s CE#310 3-69

F. B. 2461 PG. 206

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
MESCAL CREEK I 1

300' 221

Measurements 50 Mtr M6

Level @ 35° Temp.

80.23' = 80.20' 24.457m = 24.448m = 80.21'

17.755' = 17.745' 5.411 m = 5.408 m = 17.745'

AREA: This traverse station is located in the NE portion of L.A. Co. 56.5' ± S. of the ℄ of state Hwy 18, 4.5 miles ± ~~west~~ of the L.A. - S.B. Co. line, ± 0.2 mile east of the junction of state Hwy 138.

STATION MARK: A 4" L.A. CO. SUR. CONT. SYS. brass triang. disc stamped "K 1046 1960" with "MESCAL CRK I 1 1972 RE 1078" added to cap 12-12-72 up 4" ± set in a 12"x12" conc. pad. No record of sub-surface mark.

REFERENCE MARKS:

RM 1: A 4" LA CO SUR CONT SYS brass ref. mark disc stamped "MESCAL ~~CREEK~~ CREEK I 1 RM 1 1972 RE 1078" up 4" ± set in a 8" conc. post ± on line to EMI C 6.

RM 2: Same as RM 1, except stamped "RM 2".

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEOD. CONTROL
Map No.	JN 230.00 Tape Std °F
Office Work	Surveyed by RGWILSON
Checked	Notes RGW Date 12-27
Date	Indexed T. M. PALMER JUN 21 1974

F. B 246 / PG. 207

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
MESCAL CREEK I 2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

F. B. 2461 PG. 208

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

MESCAL CREEK I 1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 2301.00 Tape Std. °F.
Office Work	Surveyed by R.C WILSON
Checked	Notes C.A. PYLE Date 12-1-72
Date	Index L. M. PALMER JUN 21 1974

F. B. 2461 PG. 209

COUNTY SURVEYOR T.5N. R.8W. 11 14 1/4 COR. R.S. 329

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
EL MIRAGE H12

TO EMI C6
FB 2461 - 187

SET RM 2
SEE PG 210

FD 2" I.P.W/CONC. PLUG & L.A. CO. ENGR TAG. "UP C"

88.75'

N 35° 00' 00" W
53.25'

0° 00' 00"

349° 53' 18"

ST. E
-ELOPED

TRAVELED

70.71'

79° 52' 48"

T. 5 N.
R. 8 W.

TRACK

88.25'

SEC. 11

SEC. 14

AVE. U
UNDEVEL - OPED

88.74'

70.70'

53.09'

FD EMI H12
(STAMPED & ORIENTED AS SHOWN, SEE PG 210 ALSO)

88.41'

245TH
UNDEV-

FD 2" I.P.W CONC PLUG & L.A.CO.ENGR. TAG. "UP C"

SET RM 1
(SEE PG. 210)

DIRECTIONS: FB 61380-13
MEASUREMENTS: SEE NEXT PG.
● - 2" MARKER PIPE SET 1' OFF

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 2461 PG. 210

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
EL MIRAGE H12

50 METER MG MEASUREMENTS 300' TAPE 221

LEVEL @ T 68°

16.184 M = 16.181 M = 53.09'	53.10' = 53.09'
16.347 M = 16.344 M = 53.62'	53.635' = 53.625'
70.72' = 70.71'	70.71' = 70.70'
88.75' = 88.74'	88.42' = 88.41'
88.435 = 88.425'	88.72' = 88.75'

AREA & ROUTE

THIS TRAVERSE STATION IS IN THE "MOJAVE DESERT" PORTION OF N.E. L.A.CO. IN THE VICINITY OF "THREE SISTERS BUTTES." IT IS THE INTER. OF 245TH ST. EAST & AVE "O". SEE USG.S. 15' SHEET "SHADOW MOUNTAINS CALIF", QUAD. 1942.

STATION MARK

A 2½" BRASS COUNTY SURVEYOR DISC STAMPED: "11/14 ¼ COR. T.5N., R.8W. R.E. 329". SET IN A 6" CONC POST WHICH IS 2" ABOVE GRD. NO RECORD OF ANY SUB-SURFACE MARK BEING SET.

REFERENCE MARKS

R.M.1 : A 4" L.A.CO. SUR. CONT. SY BRASS REFERENCE MARK DISC STAMPED: "EL MIRAGE H12 RM 1 1972 RE 7078" SET IN AN 8" CONC. POST WHICH IS 3" ABOVE GRD. SET TAN. TO EMI. H12 & EMI. H12 R.M. 2.

R.M.2 : IDENTICAL TO "RM 1" EXCEPT STAMPED "RM 2". SET BY TAN. PROD. FROM "RM 1" THROUGH EMI H12.

OTHER MARKS: 2 - 2" IRON PIPES, SHOWN & DESCRIBED ON Pg. 209.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ADOBE MTN. G15

GEODETIC CONTROL

Survey of JN 2301 Tape ____ Std ____ °F
Surveyed by R.C. WILSON
Notes C.A. PYLE Date 12/8/72
Index M. PALMER JUN 21 1973

Notes Ck'd by ____
Map No. ____
Office Work ____
Checked ____
Date ____

F.B. 2461 PG. 211

SET RM 1
(SEE PG. 199)

TO AMT J12
F.B. 2461-177

240 TH ST. E. (ASPH.)

PD. C.E. MON. STAMPED & ORIENTED AS SHOWN. SET IN H.H. DN

COUNTY ENGINEER T.6N. R.8W. 3|2 10|11 R.E. 5869

BM 124-SC EL. 2961.555'
F.B. 3117-171

398.10'

218° 36' 27"

308° 36' 11"

49.99'

N 50° E SCALE
0° 00' 00"

T.6N.
R.8W.

245 TH ST. E. (EARTH RD.)

SEC. 2

12'

AVE N
(EARTH RD.)

SEC. 11

COUNTY ENGINEER T.6N. R.8W. 2 11 1/4 SEC COR. R.E. 5869

SET AMT G15
(STAMPED & ORIENTED AS SHOWN, SEE PG. 199 EL. 13.87' HIGHER THAN BM 124-SC SEE PG 215)

49.99'

FD. C.E. MON. STAMPED & ORIENTED AS SHOWN. DN 8'

SET RM 2
(SEE PG. 199)

*SEE PG 215 FOR LEVEL TIE.

LA COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ADOBE MTN G15
1972
SET BY RE 7018
FOR INFORMATION SEE COUNTY ENGINEER

⊙ — 2" MARKER PIPE SET 4' OFF AMT G15 & 2' OFF RM 1 & RM 2

MEASUREMENTS: SEE NEXT PG.

DIRECTIONS: F.B. G 1380-1

F. B. 2461 PG. 212

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ADOBE MTN. G15

50 MTR # | MEASUREMENTS | 300' TAPE # 139

LEV @ T 47°

15.240M = 15.237M = 49.99'
15.242 M = 15.239M = 49.995'

50.00' = 49.99'
50.00' = 49.99'

398.20' @ 0°0', T-44° = 398.10

AREA

THIS TRAVERSE STATION IS IN THE EASTERN "ANTELOPE VALLEY" PORTION OF L.A. CO., IN THE VICINITY OF "FLLER SLOUGH" IT IS ON LINE DIVIDING SEC. 2/ SEC. 11, 400' ± E. OF THE N.W. COR. OF SEC 11, T.6N., R.8W., SEE U.S.G.S. 15' SHEET "SHADOW MOUNTAINS, CALIF." QUAD. 1942.

ROUTE

FROM ITS INTER. WITH 240TH ST. E. TRAVEL ELY ON AVE N 400' ± TO STATION SITE ALONG N. EDGE OF RD.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301-00 Tape Std °F
Office Work	Surveyed by R C WILSON
Checked	Notes C A PYLE Date 2/3/72
Date	Index L. M. PALMER JUN 21 1974

F. B. 2461 PG. 213

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
ADOBE MTN. G15

STATION MARK

A 4" L.A. CO. SURVEY CONT. SYSTEM BRASS TRAVERSE STATION DISC STAMPED "ADOBE MTN G15 1972 RE7078", SET IN AN 8" CONC. POST WHICH IS 4" ABOVE GRD. SET ON TAN. BETWEEN COR. SEC. 3/2/10/11 T.1N., R.8W. & 1/4 COR. 2/11 T.1N., R.8W.

SUB SURFACE MARK

NONE SET

REFERENCE MARKS

RM 1: A 4" L.A. CO. SUR. CONT. SYSTEM BRASS REFERENCE MARK DISC STAMPED: "ADOBE MTN G15 RM 1 1972 RE 7078" SET IN AN 8" CONC. POST WHICH IS 4" ABOVE GRD. SET TAN. TO AMT. G15 & AMT. G15 R.M. 2 AT A DISTANCE OF 49.99' N. OF AMT. G15

RM 2: IDENT TO RM 1 EXCEPT STAMPED "RM 2" SET BY TAN. PROD. FROM AMT. G15 RM 1 THROUGH AMT G15. SET 49.99' S. OF AMT. G15.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2461 PG 214

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

ADOBE MTN. GIS

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 2461 Pg. 215

Profile No. ____ X-Sec. No. ____
Notes Red ____ Date ____ Notes Chkd. ____ Date ____
Plotted ____ Date ____ Checked ____ Date ____
Job No. 0301.00 Division No. 11
Survey of Geodetic Control
Survey by RC Wilson Notes DHF Date 12-8-72
Map No. ____ Indexed T. M. PALMER Date JUN 21 1974

ELEVATION DIFF
BETWEEN
SEC. COR. 2,8,10,11 T6N R8W (BM 124-56)
AND
ADOBE MTN GIS

RC Wilson
DH Fisher
RG Blanchard

STATION	B. S.	H. I.	F. S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76-L-298 CE 307 2-63

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2461 Pg. 216 Job No 03201.00 Division No. 11 Notes Red Plotted Profile
Survey of Geodetic Control Date 12-8-72 Date No. X-Sec.
Survey by RC Wilson Notes DHE Notes Chkd Checked No.
Indexed L. M. PALMERI Date JUN 21 1974 Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
BM	11.448	111.448		100.000	Sec. Cor. 2,8,10,11 T6N R8W 2½" Brass Disc Dn. 13"	
TP	6.546	116.524	1.469	109.978		
AMT G.15	2.523	116.396	2.651	113.873	L.A. Co. Survey Control Sys. 4" Brass Disc. FB	
TP	2.522	112.501	6.417	109.979		
TP	3.216	107.722	7.995	104.506		
BM			7.728	99.994	Elev. 100.000' Assumed	See line 1

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JNO 301-99 Tape Std. °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes C.A. PYLE Date 12/15/72
Date	Indexed L. M. PALMERI JUN 21 1974

F. B. 2461 PG. 217

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
EL MIRAGE T 15
U.S.C.&G.S. "BERKLEY"

U.S. COAST & GEODETIC SURVEY TRIANGULATION STATION "BERKLEY" 1961 DISTURBING THIS MARK. WASHINGTON, D.C. FOR INFORMATION WRITE TO THE DIRECTOR, #230 FINE OR IMPRISONMENT

T. 5 N.
R. 7 W.
SEC. 23

FD EMI. T15
(USC&GS "BERKLEY"
STAMPED & ORIENTED AS
SHOWN, SEE PG. 215 ALSO
USC&GS FB 34174-1053
EL. 3398.4')

TO EMI. R15
FB 2461-221

185° 45' 30"

0° 00' 00"
S87°W SCALE

35.89'

FD RM NO2
(SEE PG. 219)

1.5

DALMDALE ASPH. | VICTORVILLE | ROAD PAVE.

(HWY 18)

NOW CALLED "DEARBLOSSOM HWY."

83.455'

91.08'

11P
13³
13²
14³

20' | 10' | 14'

GRADED SHOULDER

21²

FD. RM NO3
(SEE PG. 219)

DIRECTIONS: FB 1380-7

◉ - 2" MARKER PIPE SET 4' OFF EMI. T15, 2' OFF RM'S.

MEASUREMENTS: SEE NEXT PG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

70F309S CE#310 3-69

F. B. 2461 PG. 218

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
EL MIRAGE T 15

SG. MTR # M6 MEASUREMENTS 300' TAPE # 221

LEV. @ T = 40°

10.942 M = 10.939 M = 35.89'	35.895' = 35.885'
25.442 M = 25.436 M = 83.45'	83.48' = 83.46'
27.769 M = 27.760 M = 91.08'	91.11' = 91.08'

AREA

THIS TRIANGULATION STA. IS IN S.B. CO., IN THE VICINITY OF "PHELAN" IT IS 32'± N. OF THE ℄ OF "PALMDALE-VICTORVILLE RD." (HWY. 18). IT IS 875'± S. & 600'± E. OF THE N.W. COR. OF SEC. 23, T. 5N., R. 7W. SEE U.S.G.S 15' SHEET "SHADOW MOUNTAINS CALIF." QUAD. 1942

ROUTE

FROM ITS JUNCTION WITH "ANTELOPE HWY." (138 EAST) TRAVEL ELY. ON "PEARBLOSSOM HWY" (18 EAST) 4.4 MILES TO THE L.A CO\S.B. CO BDRY. LINE. PROCEED ELY. 4.4 MILES TO THE STATION SITE. STATION IS 32' ± N. OF HWY. 18 ℄.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
~~Map No.~~	JN0301C0 Tape Std. °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes C.A. PYLE Date 12/5/72
Date	Indexed L. M. PALMERI JAN 21 1974

F. B. 2461 PG. 219

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
EL MIRAGE T 15

STATION MARK

A 4" U.S.C&G.S. BRASS TRIANGULATION STATION DISC STAMPED: "BERKLEY 1965" SET IN A 12" CONC. POST WHICH IS 4" ABOVE GRD.

SUB-SURFACE MARK

SET PER. U.S.C&G.S. FB 341174 - 1053

REFERENCE MARKS

RM 1: NOT FOUND

RM 2: A 4" U.S.C&G.S. BRASS REFERENCE MARK DISC STAMPED: "BERKLEY NO 2 1965". SET IN A 10"X10" CONC. PAD WHICH IS 2" ABOVE GRD.

RM 3: IDENTICAL TO RM 2 EXCEPT STAMPED: "RM NO 3 1965" SET IN A 12" CONC. POST WHICH IS 6" ABOVE GRD.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#3103-69

F. B. 2461 PG. 230

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
EL MIRAGE T 15

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309s CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

DIR. PER FBC 1380-10
SEE RG 222 FOR MEAS.

T5N
R7W
SEC. 22

STATE OF CALIFORNIA — DEPARTMENT OF WATER RESOURCES
BEEK
A
1960

Fd. EMI R15A (RM 2)
DWR "BEEK" (See Pg 223 & 225)
30°
"U" Gardpost

152.09'

* See pg. 243 for level tie.

123.11'
232° 19' 11"

U. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
EL MIRAGE R15

U Gardpost
45°

Fd. RM 1
(See Pg 223)

76.07'
329° 01' 24"

0° 00' → N 88° E ±
TO EMI T15 FB 2461-217
USC&GS Berkley

CALIFORNIA — DIVISION OF HIGHWAYS
JENNINGS
1972

42°
"U" Gardpost

* Fd. EMI R15
(Calif Div Hwys "JENNINGS" Stamped and Oriented as Shown See Pg. 223)

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape Std °F
Surveyed by R. C. Wilson
Notes D.H. Fisher Date 12-Jc-72
Indexed by M. PALMER JUN 21 1974

F. B. 2461 PG. 221

F. B. 2461 PG. 222

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
EL MIRAGE R15

50 MTR. #M3 — MEASUREMENTS — 300' #139

LEVEL @ 64°

37.530 M =	37.524 M =	123.110'	123.13' = 123.11'
23.191 M =	23.188 M =	76.076'	76.08 = 76.07'
46.364 M =	46.358 M =	152.093'	152.11' = 152.09'

AREA

This Traverse station is in S. B. Co., in the vicinity of Phelan. It is 400'± S. of the ℄ of Palmdale-Victorville Rd. (Hwy. 18). Station is near the center of Sec. 22 T5N R7W.

ROUTE

From its junction with Antelope Hwy. (138 East) travel E'ly on Pearblossom Hwy. (18 East) 8.7 miles to the station site. Station is 400'± S. of Hwy. 18 ℄.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN ____ Tape ____ Std ____ °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes DH Fisher Date 12-21-72
Date	Indexed L. M. PALMER JUN 21 1974

F. B. 2461 PG. 223

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

EL MIRAGE R15

STATION MARK

A 4" California Division of Highways brass disc stamped: "JENNINGS 1972" Set in a 14" octagonal concrete pad which is flush with the ground.

SUB-SURFACE MARK

NO RECORD OF SUB-SURFACE MARK.

REFERENCE MARKS

RM 1: A 4" Calif. Div. of Hwys. brass disc stamped: "JENNINGS RM NO1 1972." Set in a 14" octagonal concrete pad which is 2" above ground.

EMI R15A

~~RM 2~~: A 4" State of California Department of Water Resources brass disc stamped: "BEEK 1960" set in a 9½" concrete post which is 2" above ground. (aka EL MIRAGE R15A see FB 2461 - 225)

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B 2461 PG. 224

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

EL MIRAGE R15

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

75F309s CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Dir. per FBG 1380-11
See Pg 226 for Meas.

Fd EMI R15A
(DWR "BEEK" Stamped & oriented as shown See Pg227)

3E "U" Gandpost

— 0° 00' → N 89° E →
TO EMI T15 FB 2461-217
USC&GS Berkley

T5N
R7W
Sec 22

— 21° 21' 51.8" →

152.09'

4E "U" Gandpost

EL MIRAGE R15A

Fd RM1
(See Pg227)

*See Pg. 243 for level tie.

123.11'

— 51° 09' 01.3" →

76.07'

STATE OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
BEEK
Δ
1960

CALIFORNIA
DIVISION OF HIGHWAYS
1972
Δ
JENNINGS

Fd EMI R15[illegible]
(Calif. Div. of Hwys "JENNINGS" See Pg221)

4E "U" Gandpost

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
EL MIRAGE R15A

GEODETIC CONTROL

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN
Surveyed by R. C. Wilson Jr. Engr. Std.
Notes D.H. Fisher Date 12-21-72
Index E. M. PALMER JUN 21 1974

F. B. 2461 PG. 225

F. B. 2461 Pg. 226

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

EL MIRAGE R/SA

50 MTR. # M3 MEASUREMENTS 300' # 139

LEVEL @ 64°

37.530M =	37.524M =	23.110'	123.13' = 123.11'
23.191M =	23.188M =	76.076'	76.08' = 76.07'
46.364M =	46.358M =	152.093'	152.11' = 152.09'

AREA

This Traverse station is in S. B. Co., in the vicinity of Phelan. It is 350'± S. of the ℄ of Palmdale-Victorville Rd (Hwy 18). Station is near the center of Sec 22 T5N R7W

ROUTE

From its junction with Antelope Hwy (138 East) travel E'ly on Pearblossom Hwy (18 East) 8.2 miles to the station site. Station is 350'± S. of Hwy 18 ℄.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN ____ Tape ____ Std. ____ °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes ____ Date ____
Date	Index T. M. PALMERI JUN 21 1974

F. B. 2461 PG. 227

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
EL MIRAGE RISA

Note: Any Additions or Changes on this Sheet Must be Made of Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

STATION MARK

A 4" State of California Department of Water Resources brass disc stamped: "BEEK 1960" Set in a 9½" concrete post which is 2" above ground.

SUB-SURFACE MARK

No record of sub-surface mark.

REFERENCE MARKS

RM 1: A 4" Calif. Div. of Hwys. brass disc stamped: "JENNINGS RM NO 1 1972" Set in a 14" octagonal concrete pad which is 2" above ground

RM 2: A 4" Calif. Div. of Hwys brass disc stamped: "JENNINGS 1972" Set in a 14" octagonal concrete pad which is flush with the ground (aka ELMIRAGE RIS) (see pg 221)

76F309S CE#310 3-69

F. B. 2461 PG 228

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

EL MIRAGE R15A

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301-06 Tape Std °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes C.A. TYLE Date 2/15/72
Date	Index To M. PALMERI JUN 21 1974

F. B. 2461 PG. 229

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

EL MIRAGE B99

USC&GS "MIRAGE"

TRIANGULATION STATION U.S. COAST & GEODETIC SURVEY DO NOT DISTURB MARK. FOR INFORMATION WRITE TO THE DIRECTOR, WASHINGTON, D.C. PENALTY FOR WILFUL DESTRUCTION OR REMOVAL, FINE OR IMPRISONMENT OR BOTH. MIRAGE 1934

DIRECTIONS: FB 1380-16

MEASUREMENTS: SEE NEXT PG.

SEC. 8
T. 6 N.
R. 6 W.

SET RM 5
(SEE PG 231)

35.70'

21.62'

55° 05' 55"

S 76° 15' W SCALE 0° 00' 00"

15.585'

10° 30"

338°

TO EMI C6
FB 2461-186

FD RM 1 B99
USC&GS "MIRAGE"

STAMPED & ORIENTED AS SHOWN, SEE PG. 231
ALSO USC&GS 341174-1051
SEE PG. 235 FOR DIFF. IN ELEV'S

FD RM 2
(SEE PG. 231)

54.93'

300° 53' 55"

FD. RM 4
(SEE PG 231)

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309.5 CE#310.3-69

F. B 246 PG 230 L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

EMIRAGE B99

50 MTR. M3 MEASUREMENTS 300' TAPE. 139

LEV. @ 37°

8.879 M = 8.876 M = 29.12' 29.13' = 29.12'

10.994 M = 10.881 M = 35.70' 35.71' = 35.70'

4.751 M = 4.751 M = 15.587' @ 54° T 15.585' = 15.585'

17.077 M = 17.071 M = 56.00' (SLOPE DIST.) 56.03' = 56.00'
= 54.93' LEVEL 54.93' LEVEL

AREA: THIS TRIANG STA. IS IN THE "MOJAVE DESERT" PORTION OF "SAN BERNARDINO CO" IN THE VICINITY OF "MIRAGE LAKE". IT IS ATOP OF A HILL MARKED 3450, AMONG THE "SHADOW MTNS." SET 2,350' ± N. & 10' ± W. OF THE S.E. COR. OF SEC. 8, T6N, R6W. SEE U.S.G.S. 15' SHEET "SHADOW MTNS. CALIF." QUAD. 1942.

ROUTE: FROM ITS INTER. WITH 260TH ST. E. (L.A.CO. \ S.B.CO. BDRY. LINE) TRAVEL ELY. ON AVE "P" 7.05 MILES TO A DIRT RD. ON THE LEFT (N.) FOLLOW THIS NLY. 1.0 TO AN INTER. WITH AN EARTH RD. TURN RT. AND PROCEED ELY 0.40 MILE TO "T" INTER @ BASE OF SMALL KNOB, THENCE RT. (SLY.) 300' TO A JUNCTION, BEAR LEFT, THENCE 0.40 MILE TO THE BASE OF A HILL. TURN LEFT (NLY.) AND FOLLOW THE ROAD 0.50 MILE ACROSS SAND AND SHALE COVERED HILLSIDE TO THE BASE OF A RIDGE RISING TO THE EAST. PROCEED ELY. UP AND OVER A DOME SHAPED KNOB 0.10 MILE TO SMALL SADDLE, TURN LEFT (NLY.) AND DESCEND 300' TO THE BOTTOM OF A DRAW, BEAR RT (N.WLY.) AND TRAVEL UP THE NARROW WASH-BOARD RUTTED BOTTOM ASCENDING 0.30 MILE TO A SADDLE AT THE TOP OF A RIDGE. DESCEND ELY. 0.02 MILE TO THE CONFLUENCE OF TWO SMALL DRAWS. CROSS THE BOTTOM AND ASCEND A LOW SPUR RISING S.W.LY. 0.10 MILE TO THE TOP OF A RIDGE. ASCEND THE RIDGE 0.20 MILE S.WLY. TO A SADDLE. TURN RT. (W.LY.) AND ASCEND STEEP SLOPE (F.W.D. VEHICLE NECESSARY) 200' TO THE SUMMIT AND THE STATION SITE.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL	F. B. 2461 PG. 231
Map No.	JN0301.00 Tape Std °F	
Office Work	Surveyed by RCWILSON	
Checked	Notes C. A. PYLE Date 12/15/72	
Date	Indexed L. M. PALMER JUN 21 1974	

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
EL MIRAGE BB99

STATION MARK

A 4" U.S.C&G.S. BRASS TRIANGULATION STATION DISC STAMPED " MIRAGE 1934" SET IN A 12"x12" CONC. PAD WHICH IS PROTRUDING 4" ABOVE A LARGE SHALE ROCK OUT-CROPPING.

SUB-SURFACE MARK

NO RECORD OF ANY HAVING BEEN SET

REFERENCE MARKS

RM 1: DESTROYED, PER 1965 RECOVERY BY J.J.L. F.B. 341174-1051

RM 2: A 4" U.S.C&G.S BRASS REFERENCE MARK DISC STAMPED: " MIRAGE NO 2 1934" CEMENTED FLUSH IN A NATIVE ROCK OUT-CROPPING, APPROX. 24"x36". IT IS 3.54' LOWER IN ELEV. THAN THE STATION MARK.

RM 3: IS THE AZIMUTH MARK, 200 YDS.± SOUTH AT A LOWER POINT ON THE RIDGE. GEOD. AZIMUTH 346° 38' 11.6". NOT RECOVERED AT THIS TIME

RM 4: IDENTICAL TO "RM 2" EXCEPT STAMPED: " NO # 4" CEMENTED FLUSH IN A ROCK OUT-CROPPING APPROX. 18"x30". IT IS 10.95' LOWER IN ELEV. THAN THE STATION MARK.

RM 5: A 4" L.A. CO. SUR CONT. SY. BRASS REFERENCE MARK DISC STAMPED: " EL MIRAGE BB 1 RM 5 1973 RE 7078". SET IN AN 8" CONC. POST WHICH IS 8" ABOVE GRD & SURROUNDED BY A ROCK MOUND. IT IS 3.67' LOWER IN ELEV. THAN THE STATION MARK.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 2461 PG. 232

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

EL MIRAGE B99

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Profile No. ____ X-Sec. No. ____

Notes Red ____ Date ____ Notes Chkd. ____ Date ____

Plotted ____ Date ____ Checked ____ Date ____

Job No. 2818 Division No. 11

Survey of Geodetic Control

Survey by CCW Notes KW Date 1-4-73

Indexed M. PALMERI Date JUN 21 1974

F. B. 246 Pg. 233

DIFF. IN ELEVATION
BETWEEN
LOVEJOY BUTTE ES
AND
RM1 ≠ RM2

Wilson

Fisher ✗
Martinez ✗

STATION	B. S.	H. I.	F. S.	ELEV.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

76-L-298 CE 307 2-63

76-L4298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

F.B. 246 Pg. 134 Job No. [illegible] Division No. 4 Notes Red Plotted Profile
Survey of Geodetic Control Date 1-4-73 No. X-Sec.
Survey by [illegible] Notes [illegible] Notes Chkd. Checked
Indexed T. M. PALMERI Date JUN 21 1974 Date Date No.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
BM 109-17	4 050	104 050		100 000	LA CO BM 109-17 in 2½" BRASS DISC set 12"X12" Rcd. Pg. 195	
RM 1	4 543	103 944	4 649	99 401	See pg. 195	
RM 2	4 025	104 107	3 862	100 082	" " "	
BM 109-17			4 107	100 000	El = 100.000 per line 1 above	

F.B. 2461 Pg. 235

Profile No. | X-Sec. No.

Notes Red | Date | Notes Chkd. | Date

Plotted | Date | Checked | Date

Job No. | Division No.

Survey of GEODETIC CONTROL

Survey by R. C. Wilson Notes C PYLE Date 1-4-73

Map No. | Index T. M. PALMERI Date JUN 21 1974

ELEVATION DIFF.
BETWEEN
EM.I.B99 & RM2, RM4 + RM5

R WILSON P.C.II
D FISHER ↗
R. COCKERHAM ↟
J. FLOREK

STATION	B. S.	H. I.	F. S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76-L-298 CE 307 2-63

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
409 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV. (Assumed)		
EMI.B99	0.44	100.44		100.00	USC&GS "MIRAGE" 341174-1051, FB 2461-229	
EMI.BB1 RM.2	..		3.54	96.90	4" USC&GS BRASS R.M. DISC IN OUTCROP.	341174-1051 FB 2461-229
EMI.BB1.RM.5	..		4.11	96.33	4" L.A.CO. SUR. CONT. SY. BRASS R.M. DISC IN 6" CONC. POST	FB 2461-229
TP	1.41	95.91	5.94	94.50	SHARP POINTED ROCK	
EMI.BB1 RM4	..		6.86	89.05	4" USC&GS BRASS R.M. DISC IN ROCK SHELF	341174-1051 FB 2461-229

FOR REDUCTION OF TAPE DISTANCES ONLY

F.B. 2461 Pg. 23C

Survey of GEODETIC CONTROL Job No. Division No. Notes Red Plotted Profile
Survey by R. C. Wilson Notes C. A. Pyle Date Date No. X-Sec.
Indexed T. M. PALMER Date JUN 21 1974 Notes Chkd. Checked Date No.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JNO 30106 Tape Std. °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes C. B. DYLE Date 1/15/73
Date	Indexed L. M. PALMER JUN 21 1974

F. B. 2461 PG. 237

DIVISION OF HIGHWAYS CALIFORNIA MESCAL 972

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

BONEYARD CYN. E1A
CALIF. DIV. OF HWYS. "MESCAL"

T. 5 N.
R. 8 W.
SEC. 25

TO EMIK9
FB 2461 - 197

FD. RM 2
(SEE PG 239)

EARTH BERM

PEARBLOSSOM HWY
ASPH. PAVE.
(HWY 18)

TO BCN. E 1
FB 2461 - 201

N 10° 0' E SCALE 00 00

77.49'

36° 43' 38"

34.8'

76° 15' 54.3"

57.74'

82° 04' 47.5"

FD. RM. 1
(SEE PG. 239)

FD. BCN. E 1A
C.D.H. "MESCAL"
BM 106-140A
(STAMPED & ORIENTED AS SHOWN, SEE PG. 239 ALSO NOTE AA. 341173)

SEE PG 241 FOR R.M. ELEV. DIFF'S.
DIRECTIONS: FB 61380-19
MEASUREMENTS: SEE NEXT PG.
"⌐" = FLYING "U" SHAPED STEEL MARKER PIPE SET 4' OFF.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 2461 PG 238

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
BCN. E1A

50 MTR.# M3 MEASUREMENTS 300' TAPE # 139

Lev. @ 59°

17.602 M =	17.599 M =	57.74'	57.75'	= 57.74'
23.622 M =	23.619 M =	77.49'	77.50'	= 77.49'
30.306 M =	30.300 M =	99.41'	99.43'	= 99.41'

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

AREA

THIS TRAVERSE STA. IS IN THE "MOJAVE DESERT" PORTION OF N.E. L.A. CO. IN THE VICINITY OF THE "SMITH RANCH". IT IS 35± S & 3000± W. OF THE N.E. COR. OF SEC. 25, T.5N., R.8W. A COR. ON THE L.A./S.B. CO. BDRY LINE. SEE U.S.G.S 15' SHEET "SAN ANTONIO CALIF." QUAD. 1942.

ROUTE

FROM ITS JUNCTION WITH "ANTELOPE HWY" (138 EAST) TRAVEL ELY. ON "PEARBLOSSOM HWY," 3.7 MILES TO THE STATION SITE. STATION IS 36.5'± S OF THE ℄ OF HWY. 18.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape Std °F
Surveyed by D. C. Wilson
Notes C. APYLE Date 11/5/73
Indexed M. PALMER JUN 21 1974

F. B. 2461 PG. 239

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
BCN. E1A

STATION MARK

A 4" CALIF. DIV. OF HWYS. BRASS DISC STAMPED: "MESCAL 1972" SET IN A 14" (ACROSS) OCTAGONAL SHAPED CONC. PAD, WHICH IS 2" ABOVE GRD.

SUB-SURFACE MARK

NONE SET

REFERENCE MARKS

RM 1: A 4" CALIF. DIV. OF HWYS. BRASS REFERENCE MARK DISC STAMPED: "MESCAL RM NO 1 1972" SET IN A 14" (ACROSS) DIAGONAL SHAPED CONC. PAD WHICH IS 1" ABOVE GRD.

RM 2: IDENTICAL TO "R.M. 1" EXCEPT STAMPED "NO 2".

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 2361 Pg 240

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

BCN E1A

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 2461 Pg. 241

Profile No. | Notes Red | Plotted | Job No. 0301.00 | Division No.
Date | Date | Survey of GEODETIC CONTROL
X-Sec. No. | Notes Chkd. | Checked | Survey by RCW | Notes RMC | Date 1-15-73
Date | Date | Map No. | Indexed T. M. PALMERI | Date JUN 21 1974

BONEYARD CANYON
E 1 A

DIFFERENCE IN ELEVATION
RM1 & RM2

JOB No. 0301.00
1-15-73

STATION	B.S.	H.I.	F.S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76-L-298 CE 307 2-63

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F. B. 2461 Pg. 242

Job No. _____ Division No. _____ Notes Red _____ Plotted _____ Profile

Survey of _____ Notes Cockerham Date 1-15-73 Date _____ No. _____ X-Sec.

Survey by WILSON Notes _____ Notes Chkd. _____ Checked _____ No. _____

Indexed J. M. PALMER Date JUN 21 1974 Date _____ Date _____

STATION	B. S.	H. I.	F. S.	ELEV.		
BM106-146A	3.212	103.212		100.000		Assumed elevation
RM1	3.554	103.058	3.708	99.504		
RM2	4.657	103.145	4.570	98.488		
BM106-146A			3.135	100.010		T Fisher

F.B. 2461 Pg 23

Profile No. | Notes Red | Plotted | Job No. 0301.00 Division No. 11
Date | Date | Survey of Geodetic Control
X-Sec. No. | Notes Chkd. | Checked | Survey by R.C. Wilson Notes D.H. Fuss Date 1-17-73
Date | Date | Map No. | Index T. M. PALMERI Date JUN 21 1974

DIFFERENCE IN ELEVATION
FOR

EL MIRAGE R15 & R15A

0301.00 1-17-73

COCKERHAM T
FISHER
FIOREK /

STATION	B.S.	H.I.	F.S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76-L-298 CE 307 2-63

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2461 Pg. 244 Job No. 3000 Division No. 11 Notes Red. Plotted Profile
Survey of Geodetic Control Date 1-17-73 Date No. X-Sec.
Survey by R. Wilson Notes DH Fisher Notes Chkd. Checked No.
Indexed J. M. PALMERI Date JUN 21 1974 Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
BM 704-45	6 268	106 268		100 000	2½ inch brass tablet & concrete post San Bernadino Co. Surveyor	BENCH MARK NO. 704-45 1968
T.P.	8 950	111 960	3 258	103 010		
RM 1	6 800	112.316	6 444	105.516	EMI R15 (JENNINGS) RM 1	Calif Div. Hwys FB 2461-22
EMI R15	2 503	112829	1 990	110 326	EMI R15 (JENNINGS)	Calif Div. Hwys FB 2461-22
EMI R15A	0 635	110 170	3 294	109.535	EMI R15A (BEEK)	Calif Dept Water Res. FB 2461-22
T.P.	3733	106.750	7153	103.017		
BM 704-45			6 741	100 009	Assumed 100.000'	See line 1 above