Line "B"

Survey of E. Pasadena #52 F.B. 2566 Pg. 5
JN 6252.30 Tape Std °F
Surveyed by D. Sappell
Noted Date 4-60
Indexed K. C. Johnson
5-6-60

JN. 6252.30 PROJ Nº ~~535~~ 525

EAST PASADENA STORM DRAIN

LINE "B"

LOCATION OF IMPROVEMENTS

CONT. FROM F.B. 2509-250

Party: Sappell
Shoemaker
Lieber
Caro
Clifford

Microfilmed Nov. 85

Line 5

F.B. 2566 Pg. 7

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of F [illegible] SD
JN 6252.30 Tape Std oF
Surveyed by D. Jappell
Notes D/S C.E.S. Date 9-60
Indexed C. Johnson

To rt pg B

8° conc. walk
6" conc. ck
Sprinkler valve
6" conc. ck
4±
66+86.1
4±
66+85.0
7° conc. walk
35.0
S.M.H.
66+57.4
6' conc. ck
1' conc. curb
ROSEMEAD
Pre. Mix surf.
(60)
Island (grass)
℄
pre-mix surf.
BLVD
(50)
1' conc. curb
6" conc. ck
0.5
8.0
32.50
18.60
66+00
8.65
32.50
0.5
7.6
6.0
Inlet Grate
2.8
2.3
0.5
28.0
dep. ck
W.M.
53.2
65+70.4
65+70.3
52.6
G.M.
65+70.0
7.9
0.5
32.45
18.65
65+00
8.70
32.43
7.6
0.5

FROM F.B. 2569-250

RETURN TO:
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Citaled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

7580SS CE #247—7-58

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


F.B. 2566 Pg. 8
MOUNTAIN VIEW AVE
Pre-mix Park'g Lot
Depressed curb
Conc walk
Pre-mix surf.
6" conc. cb
Island (Grass)
Conc. Gutter
Pre-mix surf.
Conc walk
Row of ½" Sprink.
4" Conc. Gutter
Conc. walk
Conc. Walk
Pre-mix surf.
Pre-mix Pv.
Depressed curb
Conc walk
Conc. Gutter
Pre-mix surf.
Conc. walk
Conc. walk
Conc. walk

Line B

Notes Ck'd by	Survey of Rosemead Blvd. F.B. 6566 Pg. 9
Map No.	IN 6252.30 Tape Std °F
Office Work	Surveyed by D. Tappell
Checked	Notes D.S. & C.E.S. Date 9-60
Date	Indexed

TO RT PG 10

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 LOS ANGELES COUNTY ENGINEERING BLDG.

763CBS CE #247—7-58

stucco bldg

70+00
69+94 ± 34.8 SMH
18.65 8.65 32.60
0.5 5.0 2.8
0.5 8.5 32.50

69+72 ±
0.5 8.2 0.5 1.0 WM. 53.2 69+71.3
25± Dep. c.b. conc. Apron 22.7 69+68.0 TW

WM. 53.4 69+49.7
WM. 53.1 69+48.4
GM. 52.8 69+26.9
G.M. 52.8 69+24.9
G.M. 53.0 69+23.7

6" c.b. 6" c.b. Island (Grass) 6" conc. c.b.
Depressed Walk 6" c.b. 25.0 11' conc. gutt
Dep. c.b. conc. Apron 15.7 2.8 2.8 PKWY WALK

69+00
18.70 8.65
68+87.8 WM. 52.8 WM. 52.9 68+85.0 68+83.1
pre-mix surf.
Dep. c.b. 2.8 68+99.1

conc. Sprinkler Valve 3.4 3 68+71.7 68+70.5
ROSEMEAD BLVD
pre-mix surf.
(60) (50)
8.0 0.15 32.40 18.70 8.60 32.50
C8+00
1' conc. gutt
6" conc. c.b. PKWY
5.0 conc.

FROM LAT FB. 2509 - 250

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Line "B"

Notes Ck'd by	Survey of [illegible]
Map No.	JN 6252.00 Tape Std °F
Office Work	Surveyed by [illegible]
Checked	Notes D.J. & C.F.S. Date 7- -64
Date	Indexed L. O. Johnson

F.B. 2066 Pg. 11

TO RT PG 12

8° conc. walk
6" conc. cb
14 conc. gutt
(60) PASEMEAD
pre-mix surf
6" conc. cb
Island (grade)
6" conc. cb
pre-mix surf
(50) BLVD.
14 conc. gutt
6" conc. cb
7° conc. walk

72+35.7 — 42.9 — WM.

72+19.2

8.0 — 0.5 — 32.45 — 72+00 — 18.52 — 8.65 — 32.65 — 2.10 — 5.0° — 5.0°

71+92.5 — 42.9 — WM.

Dep. cb. 18± — 71+41.5

Guy wire — 53.0 — 71+38.8

12" Guy Pole #667876-E — 53.4 — 71+38.9

71+37.3

36± depressed curb

FROM LFT PG 10

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

765093 CE #247—7-55

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Rosemead Blvd F.B. 556 Pg. 13
JN 642230 Tape Std °F
Surveyed by
Notes As S.C.E.S. Date 2-60
Indexed K. C. Johnson

Line "B"

TO RT PG 14

FROM LFT PG 12

74+95.5 — 33.9 → S.M.H.

74+87.2

S.M.H. ← 44.9 → 74+76.4

74+61.9 — 42.6 → W.M.

74+50.6

74+36.4

74+19.9 — 42.6 → WM.

74+03.0 — 42.6 → WM.

74+00 ← 8.9 → 32.65 → 18.65 ← 8.60 ← 32.53 → 7.5 → G.H.H.

73+94.6

50.3

73+86.0

73+61.3

73+39.0

WALK

6" Conc. C&G

1'-2" Conc. Gutter

8" CONC.

PRE-MIX SURF.

ROSEMEAD

6" CONC. C&G

PRE-MIX SURF.

BLVD

1'-2" CONC. GUTT

6" CONC. C&G

7'-0" CONC. WALK

DEP. C&G 16.3

DEP. C&G 18.3

DEP. C&G 15.9

DEP. C&G 15.6

PKWY 3.3 4.1

PKWY 3.3 4.1

15" R.C.P. (GRAV.)

(60)

(50)

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

76SCDS CE #247—7-53

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.




Line 'E'
Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of
JN 623-30 Tape Std °F
Surveyed by D. Stappen
Notes DS & CES Date 2-60
Indexed C. Johnson
F.B. 3566 Pg. 15
To RT pg 16
78+89.9
44.9
T.M.H. "B"
Conc. Walk
0.5
7.9
6" conc. c&g
1' conc. gutter
Dep. c&g
18.2
16.4
78+52.9
78+62.9
34
50
78+45.5
42.3
WM
Island
78+38.7
35.1
SMH.
43.8
53.4
78+24.9
78+21.9
42.8
78+10.0
78+00
18.65
8.50
32.60
5.0
0.5
3.3
77+99.9
WM.
8.0
32.45
53.2
(60)
(50)
ROSEMEAD
BLVD
Pre-mix surf.
Conc. Walk
18.0
77+67.3
77+58.0
77+49.6
77+18.3
53.1
77+39.3
18.60
8.50
77+00
76+90.5
32.45
53.6
76+90.2
76+84.0
42.9
24.01
76+84.6
Conc.
WM.
FROM LFT pg 14
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line.
RETURN TO
LOS ANGELES COUNTY ENGINEER
100 LOS ANGELES COUNTY ENGINEERING BLDG.
76BOBS CE #247—7-58

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


MOHAWK
POSEMEAD
Pre-mix surf.
6" conc c&g
Depressed curb
8' Conc Walk
Dep. c&g
Guy Wire
8" Guy Pole
A-36783
F.B. 2576 PG. 16
Stucco Iron
4" Conc Walk
Conc. Walk
Garage
Conc. Apron
Wood Fence
Pre-mix surf.
Pre-mix
Conc. Gutter
Island (Grass)
Island (Conc.)
Conc. Gutter
Conc. Walk
Conc. Apron
Conc. Gutter
Conc. Walk
Conc. Apron
Conc. Gutter
Conc. Walk
Conc. Apron


Line 'B'
Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of E. Garvey & Co.
JN 6232 Tape Std oF
Surveyed by
Notes D.S. & C.F.S. Date 4-60
Indexed
C. Johnson
F.B. 2566 Pg. 17
Conc. Block Bldg.
"FIRST WESTERN BANK"
TO R/W 18
Flagstone planter
Sprinkler Valve
GUY WIRE
Depressed c.b.
BLVD
Conc. walk
Gutter
GREEN ST
GH.H
WH.H
Pre-mix pv.
ROSEMEAD
Pre-mix surf.
4" conc.
1' conc. gut.
3.5% Pkwy
6" conc. walk
6" conc. block wall
Depressed c.b.
SMH
Island (grass)
6" c.b.
6" conc. c.b.
Pre-mix parking lot
Dep. c.b.
WM
WH
FROM LFT PG 16
RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line.
78008 CE #247 7-58

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


ROSEMEAD
BLVD.
"SHELL SERVICE STATION"
"CHEVRON SERVICE STA."
ALLEY (10)
Pre-mix
Pre-mix surf.
Pre-mix pr.
Pre-mix pr. (End)
Conc. walk
6" conc. curb
6" conc. gutter
6" conc. wall
6"x10 conc. wall
4% Conc. Gutter
4% Conc. Gutter
Depressed curb
Depressed curb
Depressed curb
Top of bank
Top of bank
Top of bank


Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of
J.N. 62-2.80 Tape Std °F
Surveyed by
Notes D.S. C.E.S. Date 4-60
C. Johnson
Indexed
L.B. 2566 Pg. 19
Line 5
COLORADO
BLVD
(50)
(60)
ROSEMEAD BLVD
PG 20
PG 21
TO BOTT
TO RT
Ed pre-mix
Pre-mix ov. over conc. pv.
Conc. pv.
Ed pre-mix
2' conc. gutter
Depressed c.b.
conc. Apron
7' pkwy
5' conc. walk
T.M.H.
Traffic signal in conc. pad
signal Junction box
4" Fire Hyd 84+82.4
W.H.H.
Depressed c.b.
conc gutter
Apron
Signal cont. switch box
T.M.H.
conc walk
SHELL SERVICE STATION
Pre-mix over conc. pv.
Ed conc pv under pre-mix pv.
12' Conc Gutter
PKWY
5' conc walk
Depressed curb
Signal switch plate
FROM LFT PG 18
PT. 85+39.88 = 0+00 N&E
Fd. cut spk & w. F.B. 2509-186
84+96.5
84+86.0
84+85.8
84+82.4
84+76.5
84+74.8
84+73.8
84+46.2
84+44.2
84+36.8
84+29.8
84+26.2
84+23.5
84+22.0
84+12.4
84+03.6
43.58
43.93
43.7
41.98
36.88
40.1
4.20
43.6
43.9
43.1
43.4
37.0
22.7
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend notes this side of this line.
RETURN TO
LOS ANGELES COUNTY ENGINEER
100 Los Angeles County Engineering Bldg.
76008 CE #247—7-58


F.B. 2566 PG. 20
TO BOTT PG 22
COLORADO
BLVD
4 PT 85+39.88
8+00 N&E
Fd cut SK&W
F.B. 2509 - 186
(50)
Insp. plate
conc. pv.
85+11.2
SMH.
44.4
WH
85+09.3
50.4
ROSEMEAD
BLVD
FROM LFT PG 19
Fd pre-mix
84+96.5
56.3
W.H.H.
38.6
57.5
60.6
58.6
56.0
84+94.2
84+90.2
84+88.9
84+85.2
84+81.5
84+80.6
1.5
Conc.
Traffic sig. & st light in conc. pad
84+76.0
50.96
Traffic Signal in conc. tdn
signal Junction box
84+55.4
60.6
60.1
66.0
84+51.2
84+36.3
(60)
(50)
pre-mix
pre-mix over conc. pv.
Fd conc. pv. under pre-mix
84+21.2
84+19.1
84+15.2
84+14.1
83+92.8
83+92.8
E.P.
Grass
FROM LFT PG 18
TO TOP PG 23
6" I.P. flood light
CHEVRON SERVICE STATION
conc. box drain
Depressed c.b.
White Conc. Gutter
conc. Apron
DEPRESSED c.b.
6" conc. c.b.
pre-mix over conc. pv.
conc. gutt
dep. c.b.
conc. Apron
54 Lt. Junc. Box
Signal " "
86+20.9
86+12.8
86+09.6
86+08.0
86+03.4
86+02.8
33.97
42.8
49.8
14.51
48.8
14.8
R=22.5'
84+87.1
84+83.1
84+76.0
84+56.5
84+55.6
84+51.4
84+36.3
84+21.2
84+20.5
84+19.1
84+15.2
84+14.1
+0K
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change
RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend notes this side of this line.
83.1
27.5
55.6

Line "P"

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Pavement R R
JN 8252 Tape Std
Surveyed by
Notes D. C. Johnson Date 4-60
Indexed

F. B. Pg. 27

Sec. & sec. notes F.B. 2561-200 For loc. of S.M.H. in alley

43.1 → 1+62.7 S.M.H. pre-mix Alley

42.25 1+47.5

6" conc. c.b.

POLFMAD BLVD

conc. pv.

1+11.5 Dep. c.b.

44.2

1+10.4

1+00

0+25

Island

6" conc. c.b.

WM

34.6

Conc. Walk & Apron

1+11.1

14.3

conc. Apron

TEXACO SERVICE STATION

0+95.2

6" conc. c.b.

0+36.6

Curb

Dep. c.b.

Traffic signal & St. light Jct. Box

0+62.8 N

0+62.8 E

0+68.4 Signal Junc. Box

St. light Jct. Box 0+66.0

0+65.0

0+56

0+46

0+63.0

0+55.5

42.12

40.3

WMH 0+64.4

46.7

10" signal Junc. Box

Traffic signal conc.

0.26

5.4

R=27

conc. Apron 19.8

0+19.8

12.6

12.6

36.7 Depressed c.b.

6" conc. c.b.

2.5 conc. gutter

0+68.0

GMH 0+68.4

Add 1 regular

conc. pv.

TO RT PG 22

see State Hwy conc plans

Pre-mix P.V. over conc. pv.

COLORADO (50)

42.1

40.9

32.84

39.6

GMH 0+15.9

12.8

90°

09°00'

179°

39' A°

90°00'

40'

℄

XPT. 85+39.08 = 0+00 N & E Fd cut Spk. & W. F.B. 2509-186

0+14.5

Fd pre-mix BLVD (50)

FROM TOP PG 19

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

78F3095 SAE #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.




Notes Ck'd by
Map No.
Checked
Date
Survey of
Notes
Indexed
C. Johnson
F. B.
Pg.
From LFT PG 20 & 22
Sec PG 22
Conc. Box
6" conc cb
4° Apron
15" palm
Depressed cb
Pr. in ix over curb
COLORADO BLVD
3' conc. gutter
Conc walk
Chevron
WM
GM
Lamp Post
Stucco Bldg
Traffic switch plate
15" palm
10" P.P. 715731-NE
To Top PG 24
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
76F3095 SSE #247 11-66



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3098 S&E #247 11-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN 62[illegible] Tape Std
Notes
Indexed

F. B. 256 A PG. 37

TO Top PG 26
89+40.2 — 38.7 — W.M.
89+32.6 — 41.5 — 15" Palm
89+33.3 — 42.7 — 15" Palm
S.M.H.
89+15.0 — 30°
89+08.4 — 36.87
89+03.0 — 31.1
(50) (50)
88+92.0 — 44.6
88+90.8
88+73.6 — 27.2
88+46.8
88+46.0
88+54.7 — 49.5
88+78.2 = 1+40.0 N.
1+34.0
1+40.2
1+49.5
1+52.3
1+55.3
1+75.8
1+89.3
1+98.9
2+00.0
2+00.2
36.94
29.3
41.1
Conc. Walk
Conc. Gutter 16.2
Dep. Ct. & walk
Used car lot
Dirt Dr.
Dep. & walk
120° conc. walk
Pro-Mix PV. over conc.
12" conc. gutter
Guy wire
12" P.P. 2022.55
2.5 Conc. Gutter
Pro-Mix PV.
16.2 BEACON
PL
2.5 Conc. Gutter
6" Conc. Cb.
Conc. walk
Conc. walk
88+48.9 4" Fire Hyd.
3.0 gutter
Stucco Bldg.
S.M.H. 4400.5
COLORADO BLVD
Set P.M. in a.c. w.s. per SDR FB 2509 p. 188
FROM BOT. PG 24

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.




Line "B"
Notes Ck'd by
Map No.
Curb Work
Checked
Date
Survey of
Tape
Std
Notes
Indexed
C. Johnson
F.B.
Pg.
From Bott Pg 26
FULTON
AVE
COLORADO
BLVD.
5° Conc. Walk
2.0° Conc. Gutter
6° Conc
Conc. Apron
Pre Mix
Gutter
W.M.
W.H.H.
S.M.H.
G.H.H.
T.M.H.
12" Palm
12" P.P. 715728-E
12" P.P. 715733-E
1/2" Sprinkler
Row of 2" Sprinkler
Conc. Walk
Conc. Dr
Dirt
Bear. c.d.
Fiber c.d.
Conc. April
6" Conc. c.d.
7° Pkwy
Depressed
Gutter
3.0 Conc. Gutter
6" Fire Hyd.
3° Conc. Gutter
Fd 1" I.P. N. 84° W. 1.9' FB 2509-190
90° 08' 15"
R=15
see cross-sec. Notes for loc. of S.M.H. & T.M.H. FB 2566-217
(59)
(50)
(25)
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
76F3098 SAE #247 11-66

Line "8"

F. B. 2566 Pg. 33

NOTES RED. JOB NO. 6252.30 SURVEY OF E Pasadena SD

DATE SURVEY BY D. Sappell

NOTES CHKD. NOTES BY D.S. DATE 4-7-60

DATE [illegible]

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	party: Sappell Shoemaker Lieber Caro Clifford		indexed 5/10/60		EAST ON SAN PASQUAL ST TO ROSEMEAD BLVD.	J.N. 6252.30 PROJ. No 535 EAST PASADENA STORM DRAIN LINE "8" ADDITIONAL BENCH MARKS ALONG LOTUS AVE BETWEEN HUNTINGTON DR. NORTH & SAN PASQUAL ST-

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 4-54

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

Line "B"

JOB NO. 6252.30 SURVEY OF E. Pasadena S.D. NOTES RED.
SURVEY BY D. S. Sept 11 DATE
NOTES BY D.S. DATE 4-7-60 NOTES CHKD.
INDEXED A. C. Johnson DATE

F.B. 2566 PG. 34

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
(Fd) BM SD 807	558.337 ✓				558.337	BM SD 807 El. 558.337 F.B. 2509-13 Huntington Dr. & Mayesdale Ave. Bt spk in N. cb. of E. bound lane 8 FT. W. of ℄ prod. T.P
+	4.312		4.248			
⊼	562.649	✓ 1.326	-1.325			
-	5.638		5.573			
TP	557.011 ✓					
+	6.138		6.021			
⊼	563.149	✓ 2.452	+2.452			
-	3.686		3.569			
(Fd) BM TE 627	559.463 ✓				559.467	BM TE 627 El. 559.467 F.B. 2509-13 Huntington Dr. & Lotus Ave. N.W. cor. Bt. spk in curb 5± N. of N. end C.R.
+	5.977		5.841			
⊼	565.440	✓ 5.140	+5.142			
-	0.837		0.699			
(Set) BM SD 813	564.603 ✓				564.609	BM SD 813 El. F.B. Lotus Ave & Vallombrosa Dr., 33± N. of ℄ prod Vallombrosa Dr. - Bt. Spk in W. cb. of Lotus Ave. T.P.
+	5.722		5.854			
⊼	570.325	✓ 3.258	+3.256			
-	2.464		2.598			
T.P.	567.861 ✓					
+	5.824		5.997			
⊼	573.685	✓ 2.919	+2.918			
-	2.905	✓	3.079			
(Set) BM SD 814	570.780 ✓				570.786	BM SD 814 El. F.B. Lotus Ave & Locksley DR. N.E. Cor. - 54± E. of E end C.R. - Bt Spk in cb. T.P
+	5.024	✓	5.211			
⊼	575.804	✓ 4.109	+4.108			
-	0.915		1.103			
T.P.	574.889 ✓					
+	5.890		6.073			
⊼	580.779	✓ 2.974	+2.971			
(Set)	2.916		3.102			
BM SD 815	577.863 ✓				577.869	El. F.B. BM SD 815 Lotus Ave (W. side) 382'± N'ly of Locksley Dr. - Bt Spk in cb. & 32± E. of A.P. 475581-E

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 6242.21 SURVEY OF E. Rancho Los Cerritos
DATE SURVEY BY D. Sandell
NOTES CHKD. NOTES BY D.S. DATE 4-17-60
F.B. 2966 PG. 35

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM SD 815	577.863 ✓				577.869	BM SD 815 Description PG
+	6.188		6.230			
π	584.051 ✓	+6.079	+6.079			
−	0.109		0.151			
T.P.	583.942 ✓					T.P.
+	5.286		5.063			
π	589.228 ✓	+1.712	+1.711			
− (set)	3.574		3.352			
BM SD 816	585.654 ✓				585.662	BM SD 816 El F.B.
+	6.149		6.025			Lotus Ave & Lombardy Rd N.W.
π	591.803 ✓	+4.397	+4.394			cor. 63° N'ly of N'ly end C.R.,
−	1.752		1631			8t spk in cb.
T.P.	590.051 ✓					T.P.
+	6.092		5929			
π	596.143 ✓	+0.358	+0.356			
−	5734		5573			
T.P.	590.409 ✓					TP.
+	6.075		5800			
π	596.484 ✓	+3.600	+3.601			
−	2.475		2199			
T.P.	594.009 ✓					T.P.
+	5.457		5600			
π	599.466 ✓	+3.046	+3.044			
− (Fd)	2411		2556			
BM TE 754	597.055 ✓				597.064	BM TE 754, El. 597.156 F.B. 1588-120
+	6183		5992			Lotus Ave & California St., N.W. cor.
π	603.238 ✓	+5.426	+5.422			8t spk in cb. 4° N. of N. end C.R.
− (Fd)	0757		0570			El. 602.580 F.B. 1588-118
BM TE 739	602.481 ✓				602.490	BM TE 739 Vallombrosa Dr. & Lotus Ave
						NE cor. 8t spk in cb, 4° E. of E end C.R.

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 6252.30 SURVEY OF E. Pasadena Sd. NOTES RED.
SURVEY BY D. S. Sappell DATE
NOTES BY D. S. DATE 4-7-60 NOTES CHKD.
INDEXED C. Johnson DATE

F. B. 2566 Pg. 36

Line "B"

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM TE 739	602.481 ✓				602.490	BM TE 739 Description pg 34
+	5950		5708			
π	608.431 ✓	+3.481	+3.482			
−	2469		2226			
T.P.	605.962 ✓					T.P.
+	6.184		6078			
π	612.146 ✓	+5.821	+5.823			
−	0363		0255			
T.P.	611.783 ✓					T.P.
+	4303		4424			
π	616.086 ✓	+0.542	+0.544			
−	3761		3880			
(Fd) BM TE 740	612.325 ✓				612.339	BM TE 740 El. 612.424 F.B. 1588-11 Lotus Ave & San Pasqual St. S.W. cor. Bt. Spk in curb - 10' S. of S. end C.R.
+	3531		3393			T.P.
π	615.856 ✓	-2.621	-2.620			
−	6152		6013			
T.P.	609.704 ✓					
+	4044		4104			
π	613.748 ✓	-0.395	-0.392			
− (set)	4439 ✓		4496			
BM SD 817	609.309 ✓					BM SD 817, El. F.B. San Pasqual St. (N. Side) 475 ± W. of ℄ Rosemead Blvd - Bt. Spk in cb.
+	2.873		2951			
π	612.182 ✓	-2588	-2.585			
−	5461		5536			
(Fd) BM TE 707	606.721 ✓				606.737	BM TE 707, El. 606.737 F.B. 2509-16 Rosemead Blvd & San Pasqual St, N.W. cor., Bt. Spk in curb 4 Ft. W. of W. end C.R.

Profile Notes Red_____ Plotted_____ Job No. 6252.30 Division No. 10 F.B. 256 Pg. 47

No._____ Date_____ Date_____ Survey of E. Pasadena S.D. Line B

Sec. Notes Chkd. Checked Survey by B. Sappell Notes by Date Assisted

No. Date Date Map No. Job C. Jones 2-6-60

JN 6252 30 PROJ Nº 535

EAST PASADENA STORM DRAIN

LINE "B"

CROSS - SECTIONS

FROM

EATON WASH E'LY ALONG HUNTINGTON DR. (N & S.) TO LOTUS AVE - N'LY ON LOTUS AVE TO SAN PASQUAL ST. - E. TO ROSEMEAD BLVD - N. TO COLORADO BLVD ALONG ROSEMEAD - W ON COLORADO TO FULTON AVE.

STATION	B.S.	H.I.	F.S.	ELEV.
				Note: cross-sections along Huntington Dr. South from Eaton wash to Lotus Ave pg 38-61 Huntington Dr. North pg 61-81

party: Sappell
Shoemaker
Maldonado
~~Lieber~~
Caro
Cook
Clifford

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

761-298 CE 307 11-58

76L-296 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2586 Pg. 38 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. - Line "B" Date Date No. X-Sec.
Survey by D. Zappel/Notes D.S. Notes Chkd. Checked
Indexed C. Johnson Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.		
BM TE 633				578 58	BM TE 633 El 578.582	FB 2509-12
					Huntington Dr. & Eaton Wash, W. side,	
					Bt. spk in N. curb of E Bound Lane	
					70° W. of E end curb.	
0700				578 30		℄ Huntington Dr. South
				578 20		7 3 R w/4
				578 01		14 7 " F/L
				578 58		16 7 " Top brk
				578 48		20 7 " Ed pre-mix walk
			Lenker Rod	578 25	10° L w/4	
				578 02	18° " Ed guth	
				577 86	20° " both cb.	
				578 53	20° " Top "	
				580 4	50° " Top brk.	
0706 0				578 1		28 7 R Top bank Natural grd
0+32 4				577 78		14 3 R F/L
				578 20		16 3 " Top brk
				578 25		20° " Ed pre-mix walk
				577 2		26' " Top bank
0746 2				578 00		℄ Huntington Dr. So.
				577 95	10° L w/4	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6252.32 Division No. 1
No. ____ Date ____ Date ____ Survey of E. Pacific Hwy S.D. Line F.B. 2566 PG. 39

STATION	B.S.	H.I.	F.S.	ELEV.		
0+46.2				578.02	18 L	cor. gutt.
				577.82	20 "	bott cb.
				578.47	20 "	Top " (End)
0+37.2	+0.k.		Lemker Rod	575.71		21.7 R Top 6" G.I. pipe Arc-mix wall
0+71.4				577.54		19.8 " Top Ed Bridge ℄
				558.3		19.8 " Top levee
0+78.2				577.62	20.4 L	Top Ed Bridge ℄ Top slope
0+83.2				579.7	50 "	Top slope from E.
0+94.6				577.44	20.4 "	Top Ed bridge at abutment
0+96.6				561.7	21.0 "	gnd - top levee. E.C. w'ly R/w pr'ly
1+00	F.B.	2509-147 ℄ 193		577.80		(Top bridge) & int Huntington Dr. So. ℄
" "	=	0+00	5'11	℄ N'ly	along	the W'ly E.C. R/W ℄ Rod.
T.P.				573.21	T.P.	
T.P.				565.93	T.P.	
T.P.				557.51	T.P.	
0+50	5'11			557.5		W'ly E.C. R/W
				558.0		12.9 R Toe slope
				555.46	15.7 L	Top channel wall
				544.46	15.7 "	bott conc. channel
				544.51	45.1 "	" " "
				555.65	45.7 "	Top " " wall

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 40 Job No. 6252.20 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. - Line "B" Date Date No. X-Sec.
Survey by D. Sagel/Notes D.S. Notes Chkd. Checked
Indexed C. Johnson Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.			
				5563	64 L	E'ly F/C R/W	
0+50	S'ly			5563	75 'L	both slope	
				5731	106 L	Top "	
1+00	S'ly			5552		W'ly F/C R.W.	
				5561			31° R. Toe slope
				55457	16° L	Top channel wall	
				54344	16° "	both conc. channel	
				54342	46 "	" "	
				55452	46 "	Top channel wall	
				5543	64° "	gnd E'ly F.C. R/W.	
			Lenker Rod	5561	84° "	both slope	
				5702	109° "	Top "	(hand level)
1+50	S'ly			5541		W'ly F.C. R/W.	
				5549			28' R Toe slope
				5762			64° " Top "
				55348	16½ L	Top channel wall	
				54248	16½ "	both conc. channel	
				54250	46½ "	"	" "
				55353	46½ "	Top channel wall	
				5531	64° "	E'ly F.C. R/W.	
				5535	77° "	both slope	
				5694	105° "	Top "	(hand level)

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 42523 Division No. 10
No. X-Sec. Date Date Survey of E. Pasadena S.D. Area
Note Chkd. Checked Party Chief C. Johnson

F.B. 2566 Pg. 41

STATION	B.S.	H.I.	F.S.	ELEV.		
1+82	5'LY			5543		11 25 R Toe slope
				—		
2+00	5'LY			5526		W/Y F.C. R/W.
				5544		39° R Toe "
				5654		60° " Top "
			Lenker Rod	55258	16⅔ L	Top channel wall
				54158	16⅔ "	60H conc channel
				54160	46⅔ "	" " "
				55257	46⅔ "	Top channel wall
				5521	64° "	5'LY F/C R/W.
				5532	79° "	60H slope
				5654	98° "	Top " (Hand level)
2+50	5'LY			5516		W/Y F.C. R/W.
				5551		32½ R Toe slope
				5654		42½ " Top "
				55159	16½ L	Top channel wall
				54061	16½ "	60H conc channel
				54067	46½ "	" " "
				55167	46½ "	Top channel wall
				5512	64° "	5'LY F.C. R/W.
				5518	74° "	60H brk.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2576 Pg. 42 Job No. 4252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. Line B Date No. X-Sec.
Survey by D. Siegel // Notes D.S. Notes Chkd. Checked
Index C. Johnson Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.		
2+50 S'ly				5530	77° L	Top brk.
				5540	82° "	Toe slope
				5643	99° "	Top " (Hand level)
0+50 N'ly				5607		W'ly R/W. prod
				5645	16½ 'L	or West toe slope.
0+70± N'ly				55795		15± R Top channel wall
				55002		" " Inv. 4° C.M.P.
				54672		" " both conc. channel
1+75.53	FB 2509 - 143, 193 & 195			57743	Int & Huntington Dr. South & E'ly Fc. R/W;	
" "	= 0+00. N'ly & S'ly along E'ly				F/C R/W & prod	
0+00.				5583		Int - grd under bridge
0+17± N'ly				55765	18½ 'L	Top channel wall
				54854	18½ "	Inv. 54" C.M.P.
				54653	18½ "	both conc. channel
0+31± N'ly				54906		5± R Inv. 54" C.M.P.
T.P.			Lenter Rod	55911	T.P.	
T.P.				56840	T.P.	
T.P.				57661	T.P.	
1+57° & Huntington				5573		37° R toe slope From East
1+67±				5595		19° R toe slope "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 62757 Division No. 4
No. ____ Date ____ Date ____ Survey of E. Para Alamitos S.D. Extn. B
Notes Chkd. ____ Checked ____ Surveyed by D.S. Jenkins & C. Jenkins

F.B. 2576 PG. 43

STATION	B. S.	H. I.	F. S.	ELEV.		
1+75.55		F.B. 2509-	195	57743	int. ℄ Huntington Dr. ℄ Elly Top bridge F.C. R/W prod	
1+76				57551		21° R Top 6" Gas pipe
				5618		21° " gnd Top levee
1+79				57693		20.5 " pre-mix pvmt
			Kemker Rd	—	on Top bridge at abutment	
				57700		25.4 R brk in pv. @ WW
				57697		29.8 " Top end Timber Wing wall
				5729		32.8 " cor pre.mix & Side Slope
1+84.4				57694		19.9 R Ed pre-mix walk
				57727		26.4 " ℄ PT. Ed pre-mix pv
1+86.4				57377		33.0 " Cor pre.mix & Top Slope
2+02				5591	21° L gnd Top levee	
2+04				57693	20.5 " cor Top bridge & abutment	
2+06				57694		15.6 R F/L
				57711		29.0 " Ed pre-mix pv
2+23				57684		15.6 R F/L
				57697		20.8 " ℄ PT. Ed pv.
2+33				57685	20.4 L Ed pre-mix	pv. & Top Slope
2+45				57700		21.3 R ℄ PT Ed pv.
2+47				57710		& Huntington Dr. So.
				57700	10.1 L W/A	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 44 Job No. 6252.34 Division No. 10 Notes Red ____ Plotted ____ Profile
Survey of E. Pasadena S.D. Line "B" Date ____ Date ____ No. ____ X-Sec.
Survey by D. Sagrell Notes D.S. Notes Chkd. ____ Checked ____ No. ____
Indexed R.C. Johnson Date ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.		
2+47.2				576.69	18 3/4 L cor. guH.	
				576.56	20 3/4 " both cb.	
				577.11	20 3/4 " Top "	(Begin)
				578.4	50 " grnd	
2+49.0				577.02		7 5/12 R w/4
				576.86		15 " " & PT Ed pv.
				577.10		32 1/2 " Ed pre-mix Dr.
				576.33		51 " pre-mix
3+00			Lemker Rod	576.54		& Huntington
				576.42		7 1/2 R w/4
				576.23		14 9/12 " Ed pv. parking
				576.00		31 1/2 " Ed pre-mix Lot.
				575.18		51.0 "
				576.43	10 1/2 L w/4	
				576.24	18 3/4 " Ed guH	
				576.10	20 3/4 " both cb.	
				576.73	20 3/4 " Top "	
				579.5	50 " grnd.	
BM SD 805				577.07	BM SD 805, El. 577.070,	FB 2509-12
					Huntington Dr. & Eaton Wash, E. side	Bt.
					SPK in N. curb of	E. Bound lane 26'
					E. of W. end of curb.	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.			
3+88 ±				574 34			46 5 R End premix at ft.
3+90 ±				574 53			31 1 " cor. " " pvmt
4+00				574 75			& Huntington
				574 70			7 5 R w/4
				574 42			15 9 " Ed pv.
				574 2			51 " gnd.
			Lenker Rd	574 70	10 1 L	w/4	
				574 42	18 3 "	Ed gut.	
				574 29	20 3 "	bot ch.	
				574 90	20 3 "	Top "	
				577 3	37 "	brk	
				577 4	50 "	Top brk.	
5+00				572 83			& Huntington Dr. So.
				572 71			7 4 R w/4
				572 55			14 9 " Ed pv.
				573 1			25 9 " brk
				573 2			51 " gnd.
				572 70	10 1 L		
				572 42	18 ± "	same.	
				572 29	20 ± "		
				572 93	20 3 "		

Profile Notes Red Plotted Job No. Division No.
No. Date Date Survey of E. Penna Dr. Area
Notes Chkd. Checked Survey by D. Coppell Notes D. Date

F.B. 2516 Pg. 45

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 46 Job No. 62:7230 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena S.D. Line "B" Date ____ Date ____ No. ____ X-Sec. ____
Survey by D. Speer // Notes D.S. Notes Chkd. ____ Checked ____ No. ____
Indexed C. Johnson Date ____ Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
5+00				575 1	43 L brk	
				574 8	50 " gnd.	
6+00				570 74		℄ Huntington Dr. So.
				570 63		7½ R w/4
				570 53		15½ " Ed pv.
				571 0		21½ " brk.
				571 0		51 " gnd.
				570 66	10½ L w/4	
				570 42	18½ " Ed gutt.	
				570 28	20½ " both cb.	
				570 92	20½ " Top "	
				573 0	43 " brk	
				572 8	50 " gnd	
T.P.			Lemker Rod	570 75	T.P.	
6+41½				569 98		℄ Huntington
				569 81		8½ R w/4
				569 54		17½ " Ed pv. - B.C.
				569 8		20½ " brk
				569 5		51 " gnd.
6+73½				568 38		23½ R F/L
				568 40		25½ " Ed pre-mix pv.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 22222 Division No.
No. Y Sec. Date Date Survey by P.S. Leggett Notes by Date
Note Cked Checked

F.B. 2566 PG. 47

STATION	B.S.	H.I.	F.S.	ELEV.		
6+82.4				569 16		℄ Huntington Dr. So
				56906	10.1 L W/4	
				56883	18.2 " Ed gutt.	
				56879	20.2 " bot cb.	
				56932	20.3 " Top " ℄ burm.	
			Lemter Rod	5697	43 " brk.	
				56952	47.7 " Top burm	
				56880	49.7 " bot "	
7+ 04.84				56868	F.B. 2509-196, #149 ℄ Int Huntington Dr. So & Muscatel Ave	
" "	=	1700	going	S'LY	along the ℄ of Muscatel Ave	
1+36.7	S'LY			56774		℄ " "
				56750	7.5 L W/4	
				56728	15.0 " Ed pr.	
				5681	22.9 " Top br.	
1+46.5	S'LY			56732		℄ Muscatel Ave.
				56727		8.3 R W/4
				56702		16.7 . Ed pr.
				5680		21.7 " Top brk.
1+50	S'LY			56653	15.9 " Ed pr.	
				5657	30.0 " bot brk	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2366 Pg. 48 Job No. 6252.32 Division No. 40 Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena S.D. - Line B" Date ____ Date ____ No. ____ X-Sec. ____
Survey by D. Sappell / Notes ____ Notes Chkd. ____ Checked ____ No. ____
Indexed R.C. Johnson Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
2+00				564 44		℄ Muscatel
				564 37		7½ R W/4
				564 20		14⁹ " Ed pv.
				564 5		30 " P/L
				564 24	7⁷ L W/4	
				563 90	15⁴ " Ed pv.	
				564 0	18⁰ " brk	
				563 4	30 " P/L	
7+18⁶			Lemker Rod	568 00	20³ " F/L pre-mix	Turn-off
7+19³				568 08	18³ " Ed gutt.	
				567 95	20³ " bott cb. (End)	
				568 55	20³ " Top " ℄ shoulder.	
7+27⁹				569 42	50' L Top burm	
7+29³				568 56	50 " bott "	
7+40⁹				567 62		21³ R Ed pv.
				568 1		24⁹ " Top brk.
				568 2		42⁹ " " "
				564 6		50⁹ " bott "
7+43³				567 62	18³ L Ed gutt.	
				567 50	20³ " bott cb	
				568 10	20³ " Top " ℄	burm.

76L-296 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 62 52 22 Division No. 10
No. Sec. Date Date Survey of E. Pasadena S.D. - Area B
Notes Chkd. Date Surveyed by H.S.A. Party C.C. Jackson
Checked Date Mapped by
F.B. 2766 PG. 49

STATION	B.S.	H.I.	F.S.	ELEV.		
7+44.7				567.46	20.3 L	F/L Turn off
7+52.8				568.12	50 "	both burm
7+54.3				568.78	50 "	Top "
8+00				566.86		& Huntington Dr So.
			Lenzer Rod	566.81		8.9 R W/4
				566.43		17.9 " Ed pvt
				567.0		22.9 " Top brk
				567.4		37.0 " " "
				563.7		44 " both "
				566.73	10 L	W/4
				566.47	18 "	Ed gutt
				566.35	20 "	" " & both burm.
				567.34	21.5 "	Top burm.
				568.9	50 "	gnd
8+17.7				566.00	20 L	both ch
				566.62	20 "	Top " (End) & both Ret wall
				569.93	20 "	Top " "
				567.19	21.7 "	Top burm & gnd.
8+77.0				565.4		35.9 R Top brk
				563.0		41.0 " both "
8+87.0				565.0		33.3 " Top "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 50 Job No. 6252.30 Division No. 14 Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena S. D. Line "B" Date ____ Date ____ No. ____ X-Sec. ____
Survey by D.S. Jagger Notes D.S. Notes Chkd. ____ Checked ____ No. ____
Indexed ____ Date ____ Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
9+00				564 81		℄ Huntington Dr. So.
				564 81		85 R w/4
				564 67		17° " Ed main pv. ℄ F/L
				564 86		24 " Top brk
				564 26		30 " pre-mix Dr.
				562 15		50 " " " "
			Leonard Road	564 73	10° L w/4	
				564 46	18° " Ed gutt.	
				564 36	20° " both cb.	
				564 96	20° " Top "	
				569 42	20 4 " Top conc	ret wall
				568 6	21 7 " gnd.	
				568 9	50 " "	
T.P.				565 15	T.P.	
9+57 0				563 71	int Huntington Dr. So. ℄	℄ Line along Kandy Lane at 90° to Huntington Dr. So.
" "	=	1+00	going	S'LY	at Rt ℄'s to Huntington Dr. So.	
1+17 6	S			563 35	℄ Line - Kandy Lane	
1+25 3	S			563 31	" " "	
				563 51		15' R or West - Ed pv.
				562 91	18° L or East - Ed	pv.
1+49 5	S			561 76	℄ Line - Kandy Lane	
				561 71		10 5 R both cb - Emd

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
1+49.5	S			561.87		10.5 R Top cb (End)
				561.54	11.9 L	Fd pv.
2+00	S			560.14		℄ Line : Kandy Lane.
				560.21		10.4 R 60H cb
				560.51		10.4 " Top "
			Lenker Rod	560.01	9.7 L	Fd pv.
10+00				562.85		℄ Huntington Dr. So.
				562.80		8.9 R W/4
				562.51		17.7 " Fd pv.
				562.3		26.9 " brk.
				561.2		50 " gnd
				562.73	10° L	W/4
				562.49	18 "	Ed gutt.
				562.38	20 "	60H cb.
				563.02	20 "	Top "
				562.79	20.4 "	Top ret. wall
				562.85	21.1 "	gnd.
				562.93	50 "	gnd
11+00				560.93		℄ Huntington Dr. So.
				560.84		8.5 R W/4
				560.58		17.3 " Ed pv.

Profile Notes Red Plotted Job No. Division No.
No. Date Date Survey of
Noted Checked Surveyed by

F.B. 2566 PG. 51

F.B. 2566 Pg. 52 | Job No. 62S239 | Division No. 10 | Notes Red | Plotted | Profile

Survey of E. Pasadena SD - Line B | Date | No. | X-Sec.

Survey by D. Sappell / Notes D.S. | Notes Chkd. | Checked | Date | No.

Indexed K. C. Johnson | Date | Date

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.			
11+00				5603			26° R brk.
				5598			51° " gnd.
				56083	10° L	w/4	
				56057	18° "	Ed gutt.	
				56044	20 "	bot ch.	
				56104	20 "	Top "	
				56804	20 4/4 "	Top Ret wall	
			Kenkem Road	5678	21 1/4 "	gnd.	
T.P.				56071	T.P.		
12+00				55912			& Huntington Dr. So.
				55895			9 1/2 R w/4
				55881			18 2/4 " Ed pv.
				5590			26 " brk.
				5588			51 " gnd
				55899	10 L		
				55873	18 "		
				55859	20 "	same	
				55916	20 "		
				56748	20 4/4 "		
				5674	21 1/4 "		

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 62523 Division No. 12

No. ____ Date ____ Date ____ Survey of E. Parr storm SD - Lynic R

F.B. 2566 Pg. 53

STATION	B. S.	H. I.	F. S.	ELEV.		
13+00				538 52		℄ Huntington Dr. So.
				558 28		9± R w/4
				558 00		18± " main Ed pv.
			Kenker Rd	538 3		26 " brk
				558 7		51 gnd
				558 41	10 L w/4	
				558 15	18 " Ed guH	
				558 01	20 " boH cb	
				558 52	26 " Top "	
				566 82	20± " Top Ret	w211
				566 6	21± " gnd.	
13+85±				558 27		℄ Huntington Dr. & ℄ Line Mayesdale Ave
" "	= 1400	along ℄		Line	at RT ∠'s to	Huntington Dr.
14+09±				558 14		℄ Line Mayesdale Ave
14+18±				557 95		" "
14+28±				558 31		" "
				558 38		14± R Ed pv.
				558 24	15± L Ed pv.	
14+33±				558 23		13± R boH burn
				558 33		13± " Top burnd gnd
14+31.6 + ak				558 18	13± L ∠ PT Ed pv	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 PG. 54 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena SD. - Line "B" Date Date No. X-Sec.
Survey by Dsapers // Notes C.S. Notes Chkd. Checked
Indexed C. Johnson Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.			
2+00				556 64			* Line Mayesdale
				556 67			13½R both burm
				556 90			13½ " Top " & gnd.
				556 68	13½ L	Ed pv.	
14+00				558 26			& Huntington Dr. So.
				558 17	10 L	W/4	
				557 92	18 "	Ed gutt	
				557 77	20 "	both cb.	
				558 28	20 "	Top "	
				566 18	20½ "	" Ret Wall	
			Lemker Rod	566 0	21½ "	gnd	
115+00				558 04			& Huntington Dr. So.
				557 88			9½ R W/4
				557 63			18½ " Ed pv.
				558 0			27½ " brk
				557 4			51½ gnd.
				557 94	10 L		
				557 68	18 "		
				557 55	20 "	same	
				558 09	20 "		
				565 54	20½ "		
				565 2	21½ "		

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 42522.30 Division No. 12

No. X-8a Date ____ Date ____ Survey of E. Rosa de Maz S.D. Tract B

Notes Chkd ____ Checked ____ Survey by D. Sappington, C. Jones, [illegible]

F.B. 2566 Pg. 55

STATION	B.S.	H.I.	F.S.	ELEV.			
15+20.5				557.60			23.7 R & PT Ed gv.
15+20.7				557.11			39.2 R cor. conc. gutt
				556.97			41.9 " bott cl
				557.59			41.9 " Top " (End)
15+21.2				557.81			50.5 R back cor. conc wall
				557.2			51.0 " gnd.
16+00			Kenner Rd	557.75			& Huntington Dr. So.
				557.43			20.5 R W/A
				556.92			39 " Ed gutt
				556.75			41 " bott cl.
				557.40			41 " Top "
				557.67			50.5 " back walk & gnd.
				557.70	10 L	W/A	
				557.48	18 "	Ed gutt	
				557.33	20 "	bott cl.	
				557.88	20 "	Top "	
				564.88	20.4 "	Top Ret wall & gnd	
16+11.1				564.84	20.4 "	" "	" "
				561.37	20.4 "	Top end	abutment
				568.97	31.6 "	"	"
16+15.6				557.86	20.4 "	Top cb., & gnd at	abutment

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 58 Job No. 4252.30 Division No. 40 Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena SD. Line B" Date ____ Date ____ No. ____ X-Sec. ____
Survey by R Sapsell Notes ____ D.S. ____ Notes Chkd. ____ Checked ____ No. ____
Indexed A. Johnson Date ____ Date ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.		
16+15.6				5585	50 L	gnd at abutment face
				5584	58 "	" " "
				5571	64 "	" " "
16+27.2				55781	35.0 "	Top conc. footing & gnd.
16+35.0				55768		& Huntington Dr. So.
				55738		20.5 R w/4
				55688		39 " Ed gutt.
				55664		41 " both cb.
				55726		41 " Top "
				55753		50.5 " back walk
16+42.2			Lenker Rod	5573	34.9 L	gnd at cor. footing
				55730	35.0 "	Top end conc. footing
16+51.7				5571	26.0 "	℄ pt. Top slope.
				55656	34.4 "	Top end conc. footing & gnd.
16+53.5				5546	34.4 "	gnd.
16+57.9				55781	35.0 "	Top end conc. footing
16+58.2				5547	34.9 "	gnd.
16+52.7	40.2			55731	18 L	Ed gutt.
				55718	20 "	both cb.
				55780	20 "	Top cb. & gnd.
16+58.2				55700	18 L	Ed gutt.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 62522.30 Division No. 16
No. ____ Date ____ Date ____ Survey of ____ Date ____
Notes Chkd. ____ Checked ____ Survey by ____ Notes ____ Date ____

F.B. 2574 Pg. 57

STATION	B. S.	H. I.	F. S.	ELEV.		
16+58.2				556.88	20 L	both cb.
				557.78	20 L	Top "
				557.0	20.5 L	gnd
				554.25	20.5 "	Ed conc. apron
				554.22	25.0 "	cor. " " & gnd
16+59.0				556.22	20.5 "	Top inside box drain
			Benmark	554.22	20.5 "	both box drain
16+67.8				554.24	20.5 "	" " " & Toe abutment
				556.24	20.5 "	Top inside box drain
				554.22	25.0 "	both abutment, gnd, & Ed apron.
			Rod	555.0	50 "	gnd at abutment. (both)
16+69.3				557.03	18 L	Ed gutt.
				556.96	20 "	both cb.
				557.81	20 "	Top "
16+73.2				560.53	20.5 L	Top end conc. abutment
				564.39	20.5 "	Top " conc Ret Wall & gnd
				568.35	31.9 "	" " " " " "
16+81.3				557.29	18 L	Ed gutt.
				557.13	20 "	both cb.
				557.73	20 "	Top "
17+00				557.60		& Huntington Dr. Sa

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 58 Job No. 6252.30 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena S.D.-Line B Date ____ No. ____ X-Sec. ____
Survey by D. Sapper // Notes ____ Notes Chkd. ____ Checked ____ No. ____
Indexed C. Johnson Date ____ Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
17+00				557 58	10 L	W/4
				557 36	18 "	Ed gutt.
				557 22	20 "	both cb
				557 75	20 "	Top "
				564 20	20.5 "	Top Ret wall & gnd.
17+10.37	F.B. 2509-152 & 202			557 65		int & Huntington Dr. So. & ℄ Line Lotus Ave.
" "	S 1+00 going			S'ly	along ℄ Line Lotus Ave.	
1+20.5	S'ly			557 40		℄ Line Lotus
1+76.3	S'ly			557 70		28.00 R ✗ pt. Ed gutt.
1+76.6				555 80	28.02 L ✗ pt. Ed gutt.	
1+86.3	S'ly			555 77		℄ Line Lotus Ave
			Lemker Road	555 51		15 R W/4
				555 22		29.3 " Ed gutt.
				555 16		30 " both cb
				555 80		30 " Top "
				555 98		39.5 " back walk
				555 56	15 L	
				555 36	29.2 "	
				555 28	30 "	same
				555 92	30 "	
				555 16	39.5 "	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 1552.20 Division No. 1.0
No. X Sec. Date Date Survey of E. Pasadena SD. Extn. F.B. 2566 Pg. 59
Note Cbkd. Checked Survey by D.S. Ryan, Note by J.W. Ryan, Jr. Chkd.

STATION	B. S.	H. I.	F. S.	ELEV.		
2+11.6		S.M.H.		554.72	13.9 L. S.M.H.	(End) S. Rim
2+22.1				553.85		30.1 R both cb. End gutt.
				554.46		30.0 " Top "
2+36.7			Center Rod	553.64		26.3 R ℄ pt Ed apron.
2+43.3				552.94		30.2 " F/L both drain
				553.84		30.2 " Top Cb.
2+53.7				552.57		30.6 " " "
				553.54		30.6 " F/L both drain
2+56.7				553.08		26.8 " ℄ pt Ed apron.
			Flow	to	South.	
17+85.9				557.87		℄ Huntington Dr. So.
				557.57		20.5 R W/L
				557.01		39 " Ed gutt.
				556.90		41 " both cb.
				557.52		41 " Top "
				557.74		50.5 " back walk
18+00				557.91		℄ Huntington Dr. So.
				557.79	10 L W/L	
				557.47	18 " both cb	
				557.42	20 " Top "	

78L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 60 Job No. 6252.30 Division No. 10 Notes Red Date Notes Clkd. Date Plotted Date Checked Date Profile No. X-Sec. No.

Survey of E. Pasadena S.D. Line "B"

Survey by R. Sappell Notes D.S.

Indexed C. Johnson Date

STATION	B.S.	H.I.	F.S.	ELEV.			
18+00				558.06	20 L	Top cb.	
				563.58	20.5 "	Top Ret	wall & gnd
				565.0	22.5 "	gnd brk.	
				567.5	50 "		
18+82.1				558.00		B.C.	℄ Huntington Dr. So.
				557.65			20.5 R w/4
				557.06			39 " Fd gutt
				556.90			41 " 60H cb.
				557.54			41 " Top "
				557.81			50.5 " back walk
			Lenker Road	557.85	10 L	w/4.	
				557.58	13 "	Fd gutt.	
				557.44	20 "	60H cb	
				558.08	20 "	Top "	
				563.38	20.5 "	Top Ret	wall & gnd.
				564.4	23.5 "	brk - gnd	
				567.9	50 "	gnd.	
19+00				558.15		semi-Tan	Huntington Dr. So.
				557.66			20.7 R w/4
				557.18			39.35 " Fd gutt
				557.09			41.35 " 60H cb.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 2502 Division No. 12 Dist. ____ Co. ____ Rte. ____

STATION	B. S.	H. I.	F. S.	ELEV.		
19+00				557 78		41.25 R Top c.b.
				558 05		50.8 " back walk
				558 06	9.2 L W/4	
				557 73	17.2 " Ed Gutt	
				557 55	19.2 " both cb.	
				558 16	19.8 " Top	
				562 81	20.3 " Top pct wall & gnd.	
				564 2	22.6 " gnd. brk	
				567 7	80.2 " Top slope	from N&S.
BM SD 807				558 34	BM S.D. 807, El. 558.337, F.B. 2502-13	
					Huntington Dr. & Maxesdale Ave,	
					8" spk in N. curb of E. Bound	
					Lane 8 FT. W. of ℄ prod	
	End	of sec.	Lenker Rod	Huntington	Dr. Sta. Begin Huntington Dr. No.	
BM TF 633				578 58	BM TF 633 El. 578.58 F.B. 2509-12	
					Huntington Dr. & Eaton Wash W. side,	
					8" spk in N. curb of E. bound lane	
					70° W. of E. end curb.	
456.5 west of Sta 19+00 F.B. 2509-203		S.D.M.H.				17.2 R or South - S.D.M.H.
				582 78	E. Rim	
				572 38	Inv. 39" conc. drain pipe	

F.B. 2566 Pg. 62 | Job No. 4252.30 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena S.D. - Line "B" Date ____ No. ____ X-Sec. ____
Survey by D.S. Appell Notes D.S. Notes Chkd. ____ Checked ____ No. ____
Indexed ____ Date ____ Date ____ Date ____

76L-298 CE 307 11-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
0+00				580 73		℄ Huntington Dr. North
				580 71		8$\frac{0}{}$ R W/4
				580 64		17$\frac{7}{}$ " both burm
				581 08		19$\frac{5}{}$ " Top "
				581 5		30$\frac{2}{}$ " brk
				580 53	9$\frac{3}{}$ L W/4	
				580 25	18$\frac{7}{}$ " both burm	
				580 56	19$\frac{7}{}$ " Top "	
			Lemon Rod	581 8	34$\frac{6}{}$ " Top slope	to N.
0+58$\frac{7}{}$				580 41		19$\frac{2}{}$ R F/L
				580 61		21$\frac{0}{}$ " Top burm
0+63$\frac{0}{}$				581 20		23$\frac{0}{}$ " cor. pr.
0+90$\frac{-}{}$				579 91	18$\frac{2}{}$ L F/L	
				580 18	19$\frac{2}{}$ " Top ℄ pt. burm	
0+95$\frac{-}{}$	(Approx. location)			5709.		Inv. 4$\frac{0}{}$ C.M.P. Horiz 17$\frac{0}{}$R. & vert. ℄ pt.
					(Established by hand leveling in pipe)	
0+98$\frac{5}{}$				580 08	21$\frac{0}{}$ L Ed pre-mix dr. - end burm.	
1+00				580 34		℄ Huntington Dr. No.
				580 30		8$\frac{9}{}$ R W/4
				580 30		17$\frac{8}{}$ " Ed pv.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 622.38 Division No. 10
Rd. Dist. Dept. Date Checked Date Surveyed by Date Drawn by Date
F.B. 2566 Pg. 63

STATION	B.S.	H.I.	F.S.	ELEV.		
1+00				581 00		18 5 R Top berm
				581 00		19 5 " " "
				580 6		20 5 " both " & Top Slope.
				58018	9 1 L W/A	
				580 3	38 5 " Top slope.	
1+07 2				575 11		30 5 R Top Gunite Rct wall & gnd
				572 1		30 5 " int wall & gnd
1+29 5				575 13		31 1 " int Top gunite walls & gnd
				562 9		31 1 " gnd at face wall.
1+35 10				580 21		18 8 " Ed. bridge & end bum
				580 85		18 8 " Top end gunite wall
1+37 0				570 6		12 0 " gnd & both abutment
1+44 5				558 90	(El. Estab. with T by Calc. from both channel)	24 7 " inv. 4° C.I.P.
1+53 5				566 88		29 3 R & PT. Top of Gunite wall
"				564 46		30 5 " Top I Beam.
				558 5		30 - " gnd at face wall
1+57 3				579 93	17 8 L Ed bridge & gnd.	
				580 71	17 8 " Top Gunite	wing wall
				580 48	24 5 " " "	" "
				578 41	24 6 " both "	" & Top Slope
				579 48	28 4 " Ed. pre-mix	dr. & " "
1+59 3				572 5	17 9 " gnd.	

Center Rd

76L-296 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Survey of E. Pasadena S.D. - Line "B" Division No. 10 Notes Red Plotted Profile
Survey by D. Sapsell Notes D.S. Date Notes Chkd. Checked No. X-Sec.
Indexed R. C. Johnson Date Date Date No.
Job No. 6252.3
B. 2566 Pg. 64

STATION	B. S.	H. I.	F. S.	ELEV.		
1+64.9				566 98		21' R & Pt Gunite (Top) wall
				564 64		21' R Top "I" Beam
				558 42		21' R gnd Top levee
1+68.6				564 64		15.3 R Top "I" Beam & gnd
2+00.7				564 32		29.6 R. Top end "I" Beam
				559 0		29.7 " Top levee
2+01.9				562 8		30 " Top dirt & conc. rubble
			Lead Rod	559 1		50 " Top levee & Toe slope
2+09.5				565 4		34.7 R Top conc. rubble & conc. abut.
2+09.5				561 4		37.7 " gnd at abut. face
				566 3		60 " " " "
				564 0		65.9 " " " " End
2+11.7				568 60		35.7 " Top End abut. & gnd
				569 4		60.0 " " abutment & "
				569 62		64.9 " Top end abutment
				565 5		65.9 " gnd at end "
2+15.94				579 41	?	Int & Huntington Dr. No. & ℄ Line
" " =	0+00	going		N'ly	along ℄ Line	
0+16.3	N'ly			559 63	1.9 L	Top channel wall
				549 63	1.0 "	inv. 3.0 conc. drain pipe
				548 58	1.0 "	bot conc. channel

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red _____ Plotted _____ Job No. 62 32 30 Division No. 1

No. X-Sec. Date Date Survey of E. Pasadena S.D. Line B

Notes Chkd. Checked Surveyed by T. Cook / Nunez Date 1-6-60

Plotted C. Johnson

F.B. 2566 Pg. 63

STATION	B.S.	H.I.	F.S.	ELEV.		
0+16 3/5	N'ly			564 29		1ᵍ R. Top "I" Beam & gnd.
0+21 1/5	N'ly			564 73	33° L	Top "I" & gunite ret wall & gnd.
				559 76	33° "	Top levee.
				560 9	40 "	both slope & Top levee.
				564 5	41 "	int slopes.
0+26 2/5	N'ly			564 22		0⁵ R Top.
				563 11		0⁶ " Top Gunite wall
				562 5		1⁷ " gnd
0+ 31°	N'ly		Center Pad	559 9		0¹ R Top levee.
				561 95		0¹ " Top W. face gunite wall
				561 8		1³ " gnd.
0+39 5/5	N'ly			560 55		0⁵ " int. gnd & gunite wall
				561 3		7° " Toe slope.
0+50	N'ly			560 8		↗ Line
				562 7		14ᵍ R Toe slope.
				560 33	1ᵍ L	Top conc. wall & gnd.
				549 24	2ᵍ "	both " channel
				549 33	32⁵ "	" " "
				560 36	33⁵ "	Top " wall & dirt
				561 3	44° "	Toe slope.
				576 9	66° "	Top "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 66 — Job No. 4252.30 — Division No. 10 — Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena S.D. Line "B" — Date ____ Date ____ No. ____ X-Sec. ____
Survey by D. Sargent / Notes D.S. — Notes Chkd. ____ Checked ____ No. ____
Indexed C. Johnson — Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.			
0+55	N'ly			561 1			2 R gnd - Top levee
				558 00		25	2 " Top end gunite wall
0+82	N'ly			562 0			10 R Toe slope
				566 5			24 " " "
1+00	N'ly			561 7		↑	Line
				562 3			12 R Toe slope
				565 3			24 "
			Lem Ker Rod	561.31	5 L	Top conc.	channel wall & gnd
				550 18	6 "	both conc.	channel
				550 24	35 "	" "	"
				561 28	36 "	Top "	" wall & gnd
				562 3	54 "	both slope	
				578	70 "	Top "	
2+00	N'ly			563 4		↑	Line
				564 3			24' R gnd.
				562 76	10 L	Top conc.	channel wall & gnd
				551 67	11 "	both "	"
				551 62	40 "	" "	"
				562 69	41 "	Top "	" " "
				563 3	56 "	both slope	
				577.6	70 "	Top "	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red No. ____ Date ____ Plotted ____ Date ____ Job No. 6252.32 Division No. 10
Survey of E. Paramount S.D. Line "A"
Notes Checked ____ Survey by ____

F.B. 2566 Pg. 67

STATION	B. S.	H. I.	F. S.	ELEV.		
2+54.04				5642		℄ Line (B.C.)
				5650		18 R gnd
				5665		24 R "
				563.45	12.3 L	Top conc channel wall
				552.40	12.3 "	both " "
				552.39	42.1 "	" " "
				563.54	43.1 "	Top " " "
				564.6	61.1 "	both slope
			Lenker Rod	578.8	78.6 "	Top "
T.P.				564.73	T.P.	
T.P.				569.59	T.P.	
BM SD 805				577.07	BM SD 805 El. 577.074 F.B. 2509-12, Huntington Dr. & Eaton Wash, E. side B. Spk in N. curb of E. Bound Lane 26 Ft. E. of W. end of curb.	
2+35.0	(Huntington Dr. No.)			578.7		25.5 R Top slope
2+38.9				573.6		17.7 R gnd at abutment
2+40.0				579.09		17.6 " cor bridge - prmt
2+41.4				579.86		17.5 " Top end wing wall
				579.91		23.9 " " " " "
				578.9		24.0 " gnd

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 68 — Job No. 6252.30 — Division No. 10 — Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena SD. - Line B — Date ____ No. ____ X-Sec. ____
Survey by D. Sapoff, Notes D.S. — Notes Chkd. ____ Checked ____ No. ____
Indexed R. C. Johnson Date ____ — Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
2+48.4		S.D.M.H.		572.60	16.5 L Top Storm	Drain M.H.
						Rim El. (M + D) F Inv
				549.69	Inv. 51" Conc. pipe	Inlet E. 572.60 - (18.66 + 4.25) =
				549.69	" 54" " "	Outlet S. 572.60 - (18.66 + 4.25) =
				549.94	" 36" Corr. M.P.	Outlet W 572.60 - (19.64 + 3.00) =
2+48.4				567.0	18.9 L Gnd at side	Man Hole.
2+58.9				569.7	18.9 " Gnd at abutment	
2+60.9	+S.R.			579.06	18.7 L Cor pride	& Ed pv.
				580.05	18.3 " Top end	gunite wing wall
2+55.6				578.79		19.9 R Ed pv. & F/L
				579.6		20.5 " Top brk.
2+61.5				578.62		17.3 R F/L
				579.4		19.3 " Top burm
				579.4		50 "
2+74.9				575.5	21.7 L Gnd at face	of wing wall
				576.9	27.4 L Top slope	
2+80.7				579.0	21.6 " Gnd	
"				579.88	21.7 " Top end wing	wall
2+83.7				578.8	31.7 " Top slope	
3+00				578.22		℄ Huntington Dr. No.
				578.03		9.1 R w/4

Leaker Rod

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 62 52 30 Division No.____

No. X-Sec____ Date____ Date____ Survey of E. Pasadena Storm Drain - Unit B

Notes Chkd.____ Checked____ Survey by D.S. Cypert Notes by D.S. Date 4-16-62

F.B. 25766 Pg. 69

STATION	B.S.	H.I.	F.S.	ELEV.		
3+00				577 75		18 2 R F/L
				5 18 3		19 7 " Top burm
				5795		36 5 " gnd
				57820	9 6 L W/A	
				57807	19 2 " Ed pv.	
				5786	20 3 " Top brk.	
			Lemker Rod	5780	31 7 " Top slope	
				5677	57 5 " both "	
3+67				575 8	38 L Top brk.	
				5741	49 " both brks.	
3+74				575 7	48 " Top brk	
				5730	53 " both "	
4+00				5749 0		& Huntington Dr. No.
				574 55		9 0 R
				574 18		16 6 " brk
				574 27		26 3 " F/L
				5746		27 8 " Top burm
				5765		42 0 " gnd.
				574 88	11 9 L W/A	
				574 60	23 8 " Ed pv.	
				5752	28 8 " Top brk	

F.B. 2566 Pg. 70 | Job No. 6252.30 | Division No. 10 | Notes Red | Plotted | Profile

Survey of El Pasadena S.D. - Line "B" | Date | No. | X-Sec.

Survey by D. Sarrell / Notes D.S. | Notes Chkd. | Checked

Indexed A. C. Johnson | Date | Date | No.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.		
4+00				575 1	45 L	Top brk
				572 2	50 "	both "
4+46.9				572 58		29.6 R F/L - both burm
				573 35		31.1 " Top burm.
5+00				571 76		& Huntington Dr. No.
				571 49		9° R
				571 00		16.5 " F/L
				571 15		30.0 " both burm
				571 78		31.5 " Top "
			Lemker Rd	571 84	12.3 L	w/4
				571 74	25.5 "	Ed pv.
				572 8	34° "	gnd
				572 6	41 "	"
5403.3				572 8	35 "	Top brk
				571 5	40.7 "	gnd at end wall
T.P.				570 76	T.P.	
6+00				569 97		& Huntington Dr. No.
				569 64		9° R
				569 26		15° " F/L
				569 51		30.3 " both burm
				570 23		31.8 " Top "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 4252.30 Division No. ____
No. ____ Date ____ Date ____ Survey of E. Pasadena & S.D. - Line B
Name Cked ____ Checked ____ Party ____ Date ____

F.B. 2566 Pg. 71

STATION	B.S.	H.I.	F.S.	ELEV.		
6+00				569.96	13.7 L	W/A
				569.61	27.5 "	Ed pr.
				569.8	29.5 "	Top brk
				569.9	40.4 "	gnd at block wall
6+16.6				569.14		15.2 R both pre-mix cb.
				569.56		15.2 " Top " " "
6+53.5			Lemker Rod	568.96		15.9 " both " " "
				569.38		15.6 " Top " " "
				569.35		16.6 " Top " " "
				568.91		17.2 " both " " "
				569.06		36.2 " both burm
				569.04		37.6 " Top "
6+72.2				569.20		& Huntington Dr. No.
				569.01	15.9 L	W/A
				568.41	29.93 "	both cb. W. end CR N.W. cor.
				568.83	29.93 "	Top " " " " "
				569.0	40.2 "	gnd at block wall
6+90.3				569.20		17.7 R int {Back ed. burm & pre. mix pt.
7+00				568.76		& Huntington Dr. No.
				568.69		7.5 R W/A
				568.38		15.9 " both pre-mix cb.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

24

Do not extend notes this side of this line.

F.B. 2566 Pg. 72 Job No. 62S2.39 Division No. 10 Notes Red Plotted Profile
Survey of El Paso de Mar S.D. Line "B" Date Date No. X-Sec.
Survey by D Sappell Notes D.S Notes Chkd. Checked
Indexed C. Jaimes Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.		
7+00				568 94		15 9 R Top pre-mix curb
				568 95		16 9 " Ed cb. & gnd
				569 46		31 5 " Ed. pre-mix pv.
				569 29		38 5 " Top brk.
				568 78		40 " both burm.
7+21 90	EB	2509-150=2207		568 48		E int Huntington Dr. No. & Madre St
" "	=	1+00	going N'ly		along Madre St.	
1+16 0 N'ly		S.D.M.H.			0 6 L Storm Drain M.H.	
						R.m El. - (In + D) = Inv.
				550 73	Inv. 51" conc. pipe	Inlet E. 568.08-(13.10+4.25)=
				550 69	Inv. 51" " "	outlet W. 568.07-(13.13+4.25)=
1+30 0 N'ly			Lenker Rod	567 75		E Madre
1+60 09 "				568 43		E " B.C.
				568 17		10 R. W/4
				567 91	both cb's	20 " N. end C.R. N.E. cor
				568 56	Top "	20 1 " " "
				569 3		30 " P/L
				568 54	10 L W/4	
				568 58	20 07 " both cb N.	end C.R. N.W. cor.
				569 13	20 07 " Top " "	" " "
				569 2	30 0 " P/L	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 62-52-30 Division No. 10
No. X-Sec Date Date Survey by: E. Pass & party/Notes by: Date 6-6-62
Notes Ckd. Checked

F.B. 2566 Pg. 72

STATION	B. S.	H. I.	F. S.	ELEV.		
1+83.5	N			569 7	28' L Toe Slope	
1+87.5	"			5694	23.0 " " "	
				5721	27.0 Top "	
				5700	32.0 Toe "	
2+00	"			56907		semi-Tan
				56905		12.9 R crown
				56882		25.9 " w/4
				56833		40 " both cb
				56882		40 " Top "
			Leyster Rod	56900	10.4 L both cb.	
				56940	10.4 " Top "	
				5692	17.0 " both Slope	
				5720	23.0 " Top "	
				5702	28.0 " both "	
2+11.60	"			56907	F.B. 2509-150 & 207 P.I.	
04.3	Tan prod from Sq.			5696	3.3 L both slope	
				5697	9.0 " " "	
				5723	14.0 " Top "	
				5702	19.9 " both "	
08.9	Tan prod from Sq.			5697	15.5 " " "	
				5714	4.9 " Top "	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 74 Job No. 6252.30 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena S.D. Line "B" Date ____ Date ____ No. ____ X-Sec. ____
Survey by Dsapee // Notes D.S. Notes Chkd. ____ Checked ____ No. ____
Indexed L.C. Thomas Date ____ Date ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.		
108° Tan prod from So.				5716	10° L Top brk	
				5703	16° " bott "	
10+	"	"		5699	4° " " "	
2+63.11				56937	F.B. 2509-150	℄ madre. E.C.
				56890		10 R W/4
				56842		20 " bott cb.
				56894		20 " Top "
				5693		30 " P/L
			Center Rd	56948	10 L W/4	
				56940	20 " bott cb.	
				—	20 " depressed cb	
				5703	30 " P/L	
BM. SD 806				56909	Bm SD 806, El. 569.092	FB. 2509-13
					Huntington Dr. & Madre St. N.W. cor.	
					Bt. spk in cb. 4° N. of N. end C.R.	
7+21.99				56836		7° R W/4
				56803		15° " bott burm.
				56850		15.8 " Top "
				56850		17.7 " " " & grnd.
				5694		22° " Top brk
7+45.1				56772		15° " bott burm.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6252-38 Division No. 10 F.B. 2566 Pg. 75
No. ____ Date ____ Date ____ Survey of E. Rancho S. D. Line B
X Sec. ____ Notes Chkd. ____ Surveyed by ____ Computations by ____ Drawn by ____ Checked by ____

STATION	B. S.	H. I.	F. S.	ELEV.		
7+45 1				56817		15 8 R Top burm
				56847		18 3 " " "
				56790		20 9 " both "
7+70 8				56713	28 L cor. gutt	
				56702	29 94 both cb E	end C.R. N.E. cor
				56764	29 94 Top " "	" "
7+79 1			Center Rod	56740		29 9 R both burm
				56818		30 3 " Top "
7+80 8				56780		& Huntington Dr. No
				56743	15 9 L W/4	
				56702	28 " Ed gutt.	
				56682	30 " both cb.	
				56754	30 " Top "	
				5685	40 9 " P/L	
7+81 9				56723		16 4 R both promin cb. (End)
				56758		16 4 " Top "
8+00				56757		& Huntington Dr. No.
				56740		7 5 R W/4
				56700		15 " F/L
				56706		28 6 " both burm
				56803		30 4 " Top "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 PG. 76 Job No. 62523 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena S.D. - Line "B" Date ____ Date ____ No. ____ X-Sec. ____
Survey by D.S. Sappell/Notes D.S. Notes Chkd. ____ Checked ____ No. ____
Indexed by O. Johnson Date ____ Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
8+20.8				567.33		℄ Huntington Dr. No.
				567.00	15' L	W/L
				566.65	28 "	Ed gutt.
				566.53	30 "	both cb.
				567.14	30 "	Top "
				568.6	40 "	P/L
9+00				566.36		℄ Huntington Dr. No.
				566.28		7.5 R W/L
				566.06		15 " F/L
				566.13		28.4 " both burm
				566.96		30.2 " Top "
			Lemker Rod	566.18	15 L	
				565.81	28 "	
				565.65	30 "	same
				566.28	30 "	
				567.8	40 "	
9+29.9				565.87		28.6 R both burm
				566.74		30.4 " Top "
10+00				565.36		℄ Huntington Dr. No.
				565.33		7.5 R W/L
				565.17		15 " F/L

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 42-52-20 Division No. 10
No. X Sec. Date Date Survey of E. Pasadena S.D.
Notes Chkd. Checked Surveyed by [illegible]

F.B. 2566 Pg. 77

STATION	B. S.	H. I.	F. S.	ELEV.		
10+00				565 24		19 9 /R bot burm
				566 05		21 7 " Top "
				565 14	15 L	W/4
				564 79	28 "	Ed gut.
				564 66	30 "	bot cl.
				565 28	30 "	Top "
			Lenker Rod	5673	40 "	P/L
10 + 17 2				564 91		16 4 R bot burm
				565 41		18 2 " Top "
10+26 3				564 76		15 0 " Toe burm & Ed pv.
				5674		26 4 " Top brk.
11+00				564 18		& Huntington Dr. No.
				564 09		7 5 R W/4
				563 80		14 9 " Ed pv. & bot slope
				5708		30 0 " Top slope
				5706		50 " grd.
				563 96	15 L	
				563 66	28 "	
				563 51	30 "	same
				564 15	30 "	
				566 0	40 "	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2566 Pg. 78 Job No. 4262.30 Division No. 10 Notes Red Date Plotted Date Profile No.
Survey of E. Pasadena S.D. - Line B" Date Notes Chkd. Date Checked Date X-Sec. No.
Survey by R. Sage // Notes D.S. Indexed E. Johnson

STATION	B. S.	H. I.	F. S.	ELEV.		
T. P.				563 74	T.P.	
12+00				563.13		℄ Huntington Dr. N.
				563.03		7.2 R ¼ Put
				562.86		14.5 R Edge Put & Toe slope
				572.3		34.5 R Top slope
				571.4		50° R Gnd
				562.87	15° L ¼ Put	
				562.51	28° L Edge gutt	
				562.38	30° L Bot. Cb	
			Leveler Rod	563.00	30° L Top "	
				564.7	40° L	
13+00				561.83		℄ Huntington Dr. No.
				561.74		7.2 R W/4
				561.41		14.5 " Ed pv.
				571.7		35° " brk
				571.1		50 " gnd.
				561.66	15 L	
				561.41	28 "	
				561.34	30 "	same
				562.00	30 "	
				563.4	40 "	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

5205

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
14+00				560 52		℄ Huntington Dr. No.
				560 36		7± R w/l
				560 10		14± " Ed pv. & Toe slope
				571 1		35± " Top slope.
				570 6		50 " gnd
				560 44	15 L	w/l
				560 35	28 "	Ed pv.
				560 24	30 "	both cb.
				560 84	30 "	Top "
			Lenker Rod	562 2	40 "	p/l
15+00				559 45		℄ Huntington Dr. No.
				559 42		7± R
				559 29		14± "
				570 8		35± " same
				567 0		50 "
				559 44	15 L	
				559 22	28 "	
				559 13	30 "	same
				559 80	30 "	
				561 4	40 "	
T. P.				558 65	T. P.	

Profile Notes Red _____ Plotted _____ Job No. _____ Division No. _____
No. _____ Date _____ Date _____ Survey of E. Pasadena Area S.D. Date _____
Notes Chkd _____ Checked _____ Survey by D. Sappell Notes by _____ Date _____

F.B. 2556 PG. 79

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 80
Job No. 6252.30 Division No. 10 Notes Red ____ Plotted ____ Profile
Survey of E. Pasadena SD-Line B" Date ____ Date ____ No. ____ X-Sec.
Survey by D.S. Notes ____ Notes Chkd. ____ Checked ____ No. ____
Indexed L.C. Johnson Date ____ Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
15+67 L				558 32	24° L	cor conc. Apron.
				558 43	28° "	int gutt & "
				558 38	30 "	both cb.
				559 19	30 "	Top "
15+72°				552 44	28° L	inv. 51" conc. Drain pipe & both catch basin
				558 14	30° "	Top iron grate & apron.
15+77 6				552 70	30 5 L	inv. 42" corr. I.P.
15+78 5				552 65	27 8 L	inv. 24" " " & both catch basin
			Lemker Rod	557 99	30 "	Top conc. apron.
				556 59	30 "	Top edge spillway
15+88 5				557 70	30 L	Top apron at end catch basin
				556 98	30 "	Top spillway
15+89°				558 90	30 L	Top cb. - W. end C.R. N.W. cor.
				559 7	40 "	gnd. P/L
15+96 7				558 35	24 L	cor. conc. apron.
				558 19	31 "	Ed apron & both cb
				558 88	31 "	Top "
16+00				558 89		& Huntington Dr. No,
				558 95		7 1/2 R w/a
				558 93		14 3/4 " Ed pv.
				561 3		22 3/4 " brk.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red ____ Plotted ____ Job No. 12 52 30 Division No. 10
Date ____ Date ____ Survey of E. Pacific Coast Hwy. S.D. Storm Drain
Noted ____ Checked ____ Survey by D.S. Engr. Party Chief ____ Date 4-15-60

F.B. 2564 Pg. 81

STATION	B. S.	H. I.	F. S.	ELEV.		
16+00				570 0		39⁶ R Top Slope
				569 8		50 " gnd.
16+05.3				559.07	42⁹ L Top Junc.	chamber.
				552 82	42⁹ " Inv. 42"	corr. I.P.
16+06.9				553 13	45⁸ " Inv. 30".	" "
16+08.7			Center Rod	553 03	42³ " Inv. 30"	" "
16+10.3				559 17	45⁻² " Top Junc.	chamber
				553 17	45⁻² " Inv. 30"	corr. I.P.
16+11.1				560 98		19² R Top cor. Rock Wall
				568 78		32² " Top end abutment
				566 2		32² " gnd.
				568 81		38² " Top abut. & gnd.
16+15.6				557 7		20² R gnd { both rock wall and face abut.
16+26.7				556 8		35² " gnd
				557 78		35² " Top end footing
16+40.92	F.B.	2509-151, 209 & 210		559.16		℄ Int Huntington Dr. No & Lotus Ave
" "	=	0+00	going	E'LY	along Huntington Dr. No.	
0+00.8	E'LY			557 2		35² R gnd
				557 92		35² " Top end footing conc. Top end
0+11.5	E'LY			556 54		34⁷ " gnd & footing
				556 54		46⁰ " & Top footing

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 82
Survey of E. Pasadena S.D. - Line B" Division No. 10 Notes Red ____ Plotted ____ Profile
Survey by DS Bell Notes D.S. Date ____ Date ____ No. ____ X-Sec.
Indexed C. Johnson Date ____ Notes Chkd. ____ Checked ____ No.
Job No. 6252.30 Date ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.		
0+12 7	E'ly			555 1		46 R gnd
0+15 2	"			557 3		35 2/4 "
				557.78		35 2/4 Top end footing
				555 1		46 " gnd
0+28 5	"			555 3		20 4/4 " both { Rock wall and face abutment
0+32 5	"			560 50		19 4/4 R Top Rock wall
				568 30		32 4/4 " Top end abutment
				56 70		32 4/4 " gnd
				568 30		39 4/4 " Top abut & gnd.
0+36 4	"			566 0		27° R Top slope
0+39 3	"			559 44		14 4/4 " Fd pr. & both slope
0+47 3	"		Center Rod	559 56		& Huntington Dr. No.
				559 37	15° L	w/L
				558 77	23 9/8 "	cor apron
				558.54	29 9/8 "	both cb. E. end CR. N.E. Cor.
				559 18	29 9/8 "	Top " " " " "
				559 7	61 2/4 "	gnd at face wall
0+52 3	"			558 39	26 9/8 L	Top cor. iron grate & Apron
				553 96	27 8/8 "	Inv. (8") 24" Cor. I.P. & both basin
				558 29	30 "	Top iron grate & apron
0+55 4	"			558 42	26 9/8 "	Top cor. iron grate & apron

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
0+55±	E'LY			558.32	30 L	Top Iron grate & Apron.
				556.49	30 L	Top spillway
				555.52	30 "	both catch basin
0+59±	"			568.9		50 R gnd.
0+64±	"			558.34	30 L	Top Apron
				557.44	30 "	Top Spillway (End catch basin)
0+70±	"			558.89	24± L	cor Apron
			Lemker Rd	558.60	28± "	int ed " & gutt.
				558.52	30" "	both cb.
				559.42	30" "	Top "
1+00	"			559.75		℄ Huntington Dr N
				559.78		7.1 R ¼ Pvt.
				559.71		14.3 R Edge pvt, toe slope
				567.4		28± R Top slope
				567.9		50± R Gnd
				559.37	15± L	¼ Pvt.
				558.99	28.1± L	Edge gutter
				558.85	30.1± L	Bot cb.
				559.46	30.1± L	Top "
				559.9	51± L	P/L

Profile Notes Red _____ Plotted _____ Job No. 2252.30 Division No. 10
No. _____ Date _____ Date _____ Survey of E. Pasadena Storm Drain "B"
Notes Chkd _____ Checked _____ Survey by D.S.Lippitt Notes by _____ Date 1-14-59

F.B. 2564 Pg. 83

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2562 Pg. 84 | Job No. 4252.30 | Division No. 10 | Notes Red | Plotted | Profile
Survey of E. Pasadena S.D. Line "B" | Date | Date | No.
Survey by DS & PSE // Notes D.S. | Notes Chkd. | Checked | X-Sec.
Indexed C. Johnson Date | Date | Date | No.

STATION	B.S.	H.I.	F.S.	ELEV.			
2+00	E'ly			560.11			℄ Huntington Dr. N.
				560.16			7.5° R ¼ Pvt
				560.12			15° R Edge pvt toe slope
				567.9			30 R Top slope
				567.3			50° R Gnd
				559.83	14.3 L	¼ Pvt	
				559.27	28.6 L	Edge gutter	
				559.12	30.6 L	Bot cb	
			Lemker Rod	559.72	30.6 L	Top cb	
				560.1	51.0 L	Gnd P/L	
3+10.0	E'ly			560.42	43.0 L	Top conc. drain junction chamber	
				556.71	44.9 L	Inv. 30" Conc. I.P. drain	
				560.48	46.8 L	Top conc drain junction chamber	
3+13.6	"			556.77	46.8 L	Inv. 30" Conc. I.P. drain	
3+15.5	"			560.42	43.0 L	Top conc drain junction chamber	
				560.47	46.8 L	" "	" " "
16+70.9				558.95			℄ S. Lotus Ave
16+98.7				559.30			℄ " " "
				559.17			10.0° R ¼ pvt
				558.97			18.2.7 R Cor. Conc Apron
				558.79			19.2.7 R Bot cb

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red No. X Sec. Date Plotted Date Job No. 6252-30 Division No. 10 Survey of E. Huntington Dr. & S. Lotus Ave. F.B. 2562 Pg. 8

STATION	B.S.	H.I.	F.S.	ELEV.		
16+98.7				559.55		19.2' R Top cb
				559.7		30° R P/L
17+01.8				559.35		℄ S. Lotus Ave
				559.17	10° L ¼ Pvt	
				558.96	13.9° L Cor. conc apron	
				558.68	20.0° L Bot cb	
				559.40	20.0° L Top "	
			Center Rod	559.8	30° L P/L	
BM T.E. 627				559.46	BM T.E. 627 El. 559.467 F.B. 2509-13.	
				559.47 corr.	Huntington Dr. & Lotus Ave, N.W. Cor.	
					Bk. SPK. in Cb. 5' No. of N. End C.R.	
17+03.7				558.72		16.8' R apron & cor. grate.
				558.56		20.0' " " " "
				559.55		20.0' " Top cb.
				554.75		20.4 " bott catch basin
17+04.9				554.22		16.8' R inv. 30" corr. I.P.
17+06.4				555.00		20.2' R " 18" conc. pipe
17+07.8				558.34	20.1' L apron	
				559.48	20.1' " Top cb.	
				555.39	22.2' " inv. 30" corr.	I.P. & bott basin

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 86 Job No. 4252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. Line B" Date Date No. X-Sec.
Survey by Dsapeel Notes D.S. Notes Chkd. Checked No.
Indexed C. Johnson Date Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
17+10 9				558 78		16 8 R apron & cor. grate
				558 64		20 8 " " " " "
				559 64		20 9 " Top cb.
				556 74		20 D " Top Ed. spillway
				555 09		20 D " both catch basin
17+17 9				558 41	19 8 L apron	
17+17 8				559 63	19 - L Top cb	
				556 00	19 9 " both catch basin	
17+19 8			Lemker Rod	558 84		20 - R apron.
				559 76		20 - " Top cb.
				557 86		20 - " Top spillway
17+24 8				559 34		14 - R cor apron.
				559 12		20 - " both cb.
				559 83		20 - " Top "
17+26 3				559 26	13 8 L cor. apron	
				559 03	19 9 " Both cb.	Ed apron.
				559 16	19 9 " depressed cb	
18+00				561 16		& Lotus.
				561 04		10 R W/4
				560 60		20 " both cb
				561 12		20 " Top "
				561 9		30 " D/L

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 4252.30 Division No. 10
No. 1 Date ____ Date ____ Survey of E. Paramount Blvd. S.D. Storm B
Notes Chkd. ____ Checked ____ Survey by D.S. Sprott Notes by D.S. Date 4-11-61

F.B. 2564 Pg. 87

STATION	B.S.	H.I.	F.S.	ELEV.		
18+00				561.04	10 L W/L	
				560.70	20 " both cl.	
				561.20	20 " Top "	
				561.8	30 " P/L	
18+29.53				561.84		& Lotus. B.C.
				561.70		10± R
				561.30		20± "
				561.82		20± " same
				562.6		30 "
			Lentzer Rod	561.70	10 L	
				561.35	19.9± "	
				561.83	19.9± " same	
				562.4	30 "	
18+84.3				563.03		semi-Tan Lotus
				562.90		11± R W/L
				562.62	both cl.	22.2± " S. end c. R S.E. cor
				563.12	Top "	22.2± " " " "
				563.4		32.2± " gnd.
19+00				563.34		semi-Tan.
				563.21	6.6± L W/L	
				562.80	16.6± " both cl.	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 88
Job No. 6252.38 Division No. 10 Notes Red ____ Plotted ____ Profile
Survey of E. Pasadena SD-Line "B" Date ____ Date ____ No. ____ X-Sec.
Survey by Dsappell Notes ____ D.S. Notes Chkd. ____ Checked ____
Indexed C. Johnson Date ____ Date ____ Date ____ No. ____

STATION	B. S.	H. I.	F. S.	ELEV.		
19+00				563 32	16$^{6}_{-}$ L	Top cb.
				5638	26$^{6}_{-}$ "	gnd.
19+29.56	F.B. 2509-153 & 213			563 87		P.I. Lotus & ℄ Vallombrosa Dr.
" "	= 1+00 going			E'ly	along	the ℄ of Vallombrosa Dr.
1+06$^{5}_{-}$	E'ly			563 95		℄ " "
1+16$^{0}_{-}$	"			563 92		℄ " "
1+28$^{5}_{-}$	"			563 47		℄ " " (℄ Lotus)
1+31$^{5}_{-}$	"		Kenker Rd	563 32		33$^{6}_{-}$ R. Top Junc. chamber
1+31$^{5}_{-}$	"			557 62		33$^{6}_{-}$ " inv. 18" conc. pipe
1+34$^{4}_{-}$	"			563 40		30$^{1}_{-}$ " Top Junc.
1+34$^{4}_{-}$	"			557 70		30$^{1}_{-}$ inv. 18" conc. pipe
1+48$^{5}_{-}$	"			563 36		60H cb 19$^{9}_{-}$ R ℄ end C.R. S.E. Cor
				563 53		Top " 19$^{9}_{-}$ " " " "
1+58$^{5}_{-}$	"			564 00		℄ Vallombrosa
				56363		10 R W/4
				56310		19$^{9}_{-}$ " 60H cb.
				563 49		19$^{9}_{-}$ " Top "
				5636		30 " P/L
				56415	10 L	
				563 89	20$^{1}_{-}$ "	same
				56429	20$^{1}_{-}$ "	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

56460

Profile Notes Red Plotted Job No. 62-2-30 Division No. 10
No. Date Date Survey of L.P.S.D. Zone S.D.
Notes Ckd. Checked Surveyed by Dayton Notes by Dayton

F.B. 2566 Pg. 89

STATION	B.S.	H.I.	F.S.	ELEV.		
1+68±	E'ly			563 90		℄ Vallombrosa Dr.
				564 00	10 L w/4	
				563 77	20½ " both cb.	
				564 23	20½ " Top "	
				564 8	30 " P/L	
				Flow	to East.	
2+00	"		Center Rod	563 55		℄ Vallombrosa Dr.
3+00	"			562 62		℄ " "
3+28.8	"			562 20		28± R Top Junc. chamber
				558 87		28± " Inv. 18" conc. pipe
3+34.8	"			562 12		28± R Top junc cham.
				558 82		28± " Inv. 18" conc. pipe
4+29.9	"			561 95		18.5 R Top catch basin
				558.80		18.5 " Inv 30" conc. I.P.
B.M. SD 813				564 60	To be adj. BM SD. 813 El. 564.603	F.B. 2509-34 Lotus Ave. ℄ Vallombrosa Dr. - 33° N. of ℄ prod Vallombrosa Dr. - Bt Spk in W. cb. of Lotus Ave.
19+93.7				565 14		Semi-Tan Lotus
				565 04		11± R w/4
				564 57		21 20 " both cb.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 90
Survey of E. Paso Electra S.D. - Line "B" Division No. 10 Notes Red Plotted Profile
Survey by D.S. Apgar // Notes D.S. Date Date No. X-Sec.
Indexed C. Johnson Date Notes Chkd. Checked No.
Job No. 4252.30 Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
19+93.7				565 07		21 20 R Top cb.
				565 4		31 2 " P/L
20+00				565 26		Semi-Tan - Lotus.
				565 08	9 8 L L W/A	
				564 77	19 85 " both cb.	
				565 30	19 85 " Top "	
				565 6	29 8 " P/L	
20+29.5				565 79	E.C. ±	& Lotus.
				565 64		10 R W/A
				565 29		20 " both cb.
				565 86		20 " Top "
				566 4		30 " P/L
			Lenker Rod.	565 62	10 ° L	
				565 25	20 ° " same.	
				565 83	20 ° "	
				566 0	30 ° "	
21+00				566 95		& Lotus.
				566 84		10 R
				566 49		20 " same
				567 01		20 "
				567 3		30 "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
21400				566 82	10 L	W/L
				566 52	20± "	both ch
				567 04	20± "	Top "
				567 4	30 "	P/L
22400				568 47		℄ Lotus
				568 31		10 R
				567 92		20 " same
				568 44		20 "
				568 4		30 "
			Center Rod	568 34	10 L	
				568 00	20 "	same.
				568 55	20 "	
				569 0	30 "	
22+28±				568 83		℄ Lotus
				568 70	10 L	
				568 40	20 "	same
				568 94	20 "	
				569 1	30 "	
22+45±				569 05		℄ Lotus
				568 87		10 R
				568 49		20 " same.

Profile Notes Red _____ Plotted _____ Job No. 62523 Division No. 12
No. _____ X-Sec. _____ Date _____ Date _____ Survey by D. Jones, Jr. Party Chief _____ Date _____
Notes Ckd. _____ Checked _____ Date _____ Map No. _____ Date _____

F. B. 2566 Pg. 91

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2544 Pg. 92
Job No. 6252.38 Division No. 16 Notes Red Plotted Profile
Survey of E. Pasadena SD-Line "B" Date Date No. X-Sec.
Survey by R.S. Pappell Notes D.S. Notes Chkd. Checked
Indexed C. Johnson Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
22+45.5				569.05	20 L Top cb.	
				569.0	30 " P/L	
22+68.5				569.27		℄ Lotus.
				569.16	10 L W/A	
				568.87	20 " both cb.	
				569.41	20 " Top "	
				569.6	30 " P/L	
22+79.8			Lemker Rod	568.98		17.9 R cor. gutt.
				568.88		19.9 " both cb. & Ed gutt.
22+85.1				569.33		℄ Lotus.
				569.22		10 R W/A
				568.91		19.9 " both cb.
				569.55		19.9 " Top "
				569.6		30 " P/L
23+10.8				569.28		16.9 R ℄ PT Ed "x" gutt.
23+33.74				569.82	F.B. 2509-154 & 216	℄ int Lotus & Locksley.
" "	= 0+00 going			E'ly & W'ly along the		℄ of Locksley
0+17.1 E'ly				569.68		℄ Locksley Ed. "x" gutt.
0+20.3 E'ly				569.43		16.9 R int ed. gutters
0+21.3 E'ly				569.62		℄ Locksley F/L "x" gutt.
0+25.6 E'ly				569.42		16.9 R ℄ PT. Ed gutt.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. Division No.
Notes Chkd. Date Date Survey of Pasadena
No. Notes Chkd. Checked Survey by Accepted Notes by Date
F.B. Pg.

STATION	B. S.	H. I.	F. S.	ELEV.		
0+25.7	E'ly			570 00	16.9 L int ed. gutters.	
0+38.7	"			570 03	16.9 " & pt ed gutt.	
0+23.3	40k "			569.68		& Locksley - Ed "x" gutt.
0+49.9	"			570 11		& Locksley
				569 81		10 R w/L
				569 43		20 " both cb.
				570 09		20 " Top "
			Center Rod	570 1		30 " P/L
0+ 53.5	"			569 62		18° R cor. gutt
				569 47		20° " both cb
0+64.4	"			570 24		& Locksley
				570 21	10 L	
				569 96	20 "	
				570 61	20 " same	
				570 8	30 "	
0+67.5	"			570 10	18 L cor gutt	
				569 95	20 " both cb.	
0+89.9	"			570 30		& Locksley
				570 02		10 R
				569 62		20 " same
				570 32		20 "
				570 13		30 "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

25

Do not extend notes this side of this line.

F.B. 2566 Pg. 94 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena SD-Line "B" Date Date No. X-Sec.
Survey by Dingell Notes D-5 Notes Chkd. Checked
Indexed C. Johnson Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.			
1400 31	E'ly			570 35		B.C.	℄ Locksley
				570 06			10 R W/4
				569 61			20 " both cb
				570 31			20 " Top "
				570 3			30 " P/L
				570 26	10 L		
				570 13	20 "		
				570 75	20 "	same	
			Rod	571 3	30 "		
2400	S'ly			570 70		semi-Tan.	
				570 10			15.00 R both cb
				570 75			15.00 " Top "
			Lenker	571 2			25 " P/L
				570 79	5° L	crown.	
				570 77	15 "	W/4	
				570 61	25 "	both cb	
				571 21	25 "	Top "	
				571 8	35 "	P/L	
0+10°	W'ly			569 76			℄ Locksley
0+24°	"			569 66			℄ "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 4252.30 Division No. 12 F.B. 2356 Pg. 98
No. X Sec. Date Date Survey of E. Rosa Avenue SD - Lynwood "B"
Notes Ckd. Checked Survey by Hopewell Nunn Jr. Dunham Martin

STATION	B.S.	H.I.	F.S.	ELEV.		
0+50 4	WIIY			570 10		℄ Locksley -
				570 16		10' R or North W/L
				570 01		20 " both cb.
				570 68		20 " Top "
				571 1		30 " P/L
				570 29		
0+62 7	"			569 96	10 L or South.	℄ Locksley
			Lemon Rod	569 50	20 " "	
				570 17	20 " same.	
				570 2	30 "	
1+00	"			570 64		℄ Locksley
				570 56		10 R
				570 40		20 " same
				571 12		20 "
				571 5		30 "
				570 24	10 L	
				569 78	20 " same	
				570 46	20 "	
				570 5	30 "	
2+00	"			571 42		℄ Locksley
				571 34		10 R
				571 16		20 " same

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 96
Survey of E. Pasadena SD-Line B
Survey by D.S. Jr. // Notes D.S.
Indexed C. J. Carruthers
Job No. 4252.32 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Date ____ Date ____ No. ____ X-Sec. ____
Notes Chkd. ____ Checked ____ No. ____
Date ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.		
2+00				571 80		20 R Top cb
				572 1		30 " P/L
				571 03	10 L w/a	
				570 61	20 " both cb	
				571 22	20 " Top "	
				571 0	30 " P/L	
BM SD 814			Center Pot	570 78	BM SD. 814, El. 570.78	FB 2566-34 Lotus
					Ave & Locksley Dr.	N.E. Cor. 54° E.
					of E. end C.R.	Bt. spk in cb.
23+71.5				570 23		16.8 R & pt Ed. gutter
23+82.3				570 85		& Lotus.
				570 78	10 L	
				570 51	20 " "	
				571 03	20 " " same	
				571 4	30 "	
24+01.3				570 71		17.06 R cor. gut
				570 56		19.21 " both cb
24+02.4				570 66	both cb	19.21 " S end C.R. Driveway
				571 25	Top "	19.21 " " " "
24+06.6				571 35	Top end cb & PV.	22.3 " E end " "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 22.52.30 Division No. 12

No. X-Sec. Date Noted Date Checked Survey by E. Frisk & crew Plotted by Traced by Checked by

F.B. 2544 Pg. 97

STATION	B.S.	H.I.	F.S.	ELEV.		
						N. side
24+21.0				571 46	Top end cb. & pr.	20.6 R E. end C.R. Drive
24+24.5				570 94	both cb	15.75 R N. " " "
				571 42	Top "	15.75 " N. " " "
23+96.7				571 07	semi-	Tan Lotus
+O.K.				570 88		9.5 R W/4
				570 50		19.45 " both cb
				571 10		19.45 " Top "
				571 4		29 ± " P/L
24+38.75			Lemker Rod	571 64	F.B. 2509-156 & 217 P.I	Lotus
24+91.3				572 92	E.C. ±	& "
				572 82		10 R W/4
				572 35		20 " both cb
				572 84		20 " Top "
				573 3		30 " P/L
				572 67	10 L	
				572 15	20 "	
				572 61	20 "	same.
				573 5	30 "	
25+25.4				573 79	B.C. ±	Lotus
				573 70		10 R W/4
				573 04		20 " both cb

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 98
Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of El Pasadena SD-Line B Date Date No. X-Sec.
Survey by D.S. Gaspell Notes D.S. Notes Chkd. Checked No.
Indexed C. Johnson Date Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
25+25 4				573 57		20 R Top cb
				573 5		30 " P/L
				573 64	10 L W/L	
				573 22	20 " bott cb	
				573 85	20 " Top "	
				574 4	30 " P/L	
25+67 59				574 86	F.B 2509-157 # 218 P.I.	Lotus
26+09 9			Lenker Rod	576 0	P.R.C. ±	& "
				575 86		10° R
				575 40		20 04 " same
				576 00		20 04 "
				576 0		30 "
				575 90	10 L	
				575 55	19 98 "	
				576 05	19 98 " same	
				576 6	30 "	
T.P.				574 88	T.P.	
26+66 43				577 00	F.B 2509-158 # 218 P.I.	Lotus
27+22 9				577 90	E.C. ±	& Lotus
				577 84		10 R same
				577 61		20 "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 4252.30 Division No. 16
No. ____ Date ____ Date ____ Survey of E. Rosecrans St. Sta 27+22 to 27+90
Notes Chkd. ____ Checked ____ Survey by P. Sapper / Notes by ____ Date 4-10-62

F.B. 2566 Pg. 99

STATION	B. S.	H. I.	F. S.	ELEV.		
27+22 9				578 15		20 R Top cb
				578 3		30 " P/L
				577 76	10' L W/A	
				577 26	20 05 " both cb.	
				577 87	20 05 " Top "	
				578 6	30 " P/L	
BM S.D. 815				577 86	To be adj B.M S.D 815, El 577.863 F.B 2566-34 Lotus Ave (W. side) 382'± N'ly of Locksley Dr. Bt. spk in cb. @ 33° S. of P.P. 475531-E	
			Lanker Rad.			
27+56 52				578 43	F.B. 2509-158 @ 219	& Lotus st. & beg in T Line
				578 30		10 R W/A
				579 67		20 2 " both cb.
				578 12		20 2 " Top "
				578 6		30 " P/L
				578 31	9 8 L	
				577 80	19 3 "	
				578 28	19 3 " same.	
				579 0	30 "	
27+90 0				578 06	T	Line both cb
				578 53	"	" Top "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 100
Job No. 4252.38 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena S.D. - Line "B" Date ____ Date ____ No. ____ X-Sec. ____
Survey by Dsappel // Notes D.S. Notes Chkd. ____ Checked ____ No. ____
Indexed R. C. Johnson Date ____ Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
28+00				578 88		℄ Line Ed driveway
				578 34	6.6 L	depressed cb
				578 22	6.6 "	both cb.
				579 13	18.0 "	w/4
				579 50	28.0 "	approx ctr. - Lotus
				579 62	39.6 "	w/4
				579 38	52.1 "	both cb.
				580 05	52.1 "	Top "
				580 7	62.9 "	gnd
29+00			Lemker Rod	581 3		℄ Line gnd.
				581 3	28.7 L	P/L ℄
				581 25	38.6 "	Top cb
				580 66	38.6 "	both cb.
				581 35	48.5 "	w/4
				581 71	58.4 "	ctr Lotus
				581 77	68.4 "	w/4
				581 45	78.7 "	both cb
				581 54	78.7 "	depressed cb.
				583 04	88.8 "	pre-mix dr. P/L ℄
T.P.				581 56	T.P.	
29+96.1				583 44	65.80 L	cor. gutt.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-sec. Notes Red Date Plotted Date Job No. 2257.3 Division No. 10 F.B. 2566 Pg. 101

Note Girl Checked Survey by D. Seppeltone T.S. Rod Man Kinsey Instrument Man Survey of E. Pasadena S.D. - Line B

STATION	B. S.	H. I.	F. S.	ELEV.		
29+96 L				583 29	67 87 L	both cb. - end gutt.
30+00				583 7		℄ Line
				583 7	15° L	p/l
				583 58	25° "	Top cb.
				583 02	25° "	both "
				583 54	35 6 "	w/4
				583 71	46 1 "	ctr. Lotus
				583 66	56 6 "	w/4
				583 35	67 2 "	both cb.
				583 98	67 2 "	Top "
				585 3	77 2 "	p/l
30+52 6				584 37		℄ Line
				584 30	both cb.	2 5 R S. end C.R. S.E. Cor
				584 74	Top "	2 5 R " " "
				584 58	98 L	w/4
				584 55	21 7 "	approx ctr. Lotus.
30+82 26				585 00	F.B. 2503 - 161 & 221	℄ int Lotus & Lombardy
" "	=	0+00	going E & W.	along the	℄ of Lombardy	
0+08 0	E			584 88		℄ " " brk.
0+21 7	"			584 22		10 3 R & PT for gutt
0+24 0	"			584 11		℄ Lombardy - for x" gutt.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 PG. 102
Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. - Line "B" Date Date No. X-Sec.
Survey by D'Sappe/Notes D.S. Notes Chkd. Checked
Indexed K. C. Peterson Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
0+25.6	W.			584.50		18.3 R & PT Ed guth.
0+26.6	"			584.07		& Lombardy "X" guth.
				584.36		10 R w/L
				584.45		19.25 " both cb.
				585.10		19.95 " Top " P/L
				586.4		
0+28.6	"			584.05		30 " Lombardy - FL "X" guth.
0+32.5	"			584.10		& Lombardy - Ed " "
0+35.7	"			584.81		18.5 R cor guth
0+36.-	"			584.68		20.0 " both cb. "
0+63.2	"		Lemker Rod	583.78	34.4 L int Ed gutters.	
0+66.6	"			585.20		& Lombardy
				585.41		10 R
				585.28		20 "
				585.92		20 " same
				586.8		30 "
0+73.4	"			583.88	31.5 L & PT Ed guth.	
0+96.7	"			585.08	18.20 L cor guth.	
				584.92	20.20 " both cb.	
1+06.7	"			586.30		& Lombardy
				585.94	10.1 L w/L	
				585.25	20.2 " both cb	
				585.85	20.2 " Top "	
				586.1	30.0 " P/L	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 6252.30 Division No. 10 F.B. 2566 Pg. 103
No. Date Date Survey of E. Artesia Rd - Lane "B"
Notes Chkd. Checked Survey by Bryant Notes by Date

STATION	B.S.	H.I.	F.S.	ELEV.		
1+46.7	W			587.27		℄ Lombardy
				587.29		10 R W/L
				587.02		20 " both cl
				587.67		20 " Top "
				588.4		30 " P/L
				587.00	10 L	
			Center	586.40	20 1/2 "	
				587.05	20 1/2 " same	
				587.1	30 "	
2+46.7	W			589.50		℄ Lombardy
				589.45		10 R
			Rod	589.08		20 "
				589.72		20 " same
				590.00		30 "
				589.24	10 L	
				588.62	20 1/2 "	
				589.22	20 1/2 " same	
				589.5	20 "	
BMSD 816				585.65	BMSD 816 El. 585.654 (To be adj) F.B. 2509-38	
					Lotus Ave & Lombardy Rd N.W. cor. 63.11'x of N'ly end C.R. 8" spk in ℄	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 PG. 104 — Job No. 6252.30 — Division No. 10 — Notes Red — Plotted — Profile
Survey of E. Palisades SD - Line "B" — Date — No. — X-Sec.
Survey by Sarrell Notes D.S. — Notes Chkd. — Checked — No.
Indexed C. Johnson Date — Date — Date

STATION	B. S.	H. I.	F. S.	ELEV.		
0+21.2	E			584.40	both cb.	20.10 R. E end C.R. S.E cor.
				585.00	Top "	20.10 " " "
0+31.2	E			585.05		℄ Lombardy
				584.85		10 R W/4
				584.19		20.10 " both cb.
				584.81		20.10 " Top "
				584.6		30 " P/L
1+01.7	E		Lenker Rod	584.11		℄ Lombardy
				583.78		10 R W/4
				583.12		20.1 " both cb
				583.20		20.1 " depressed cb.
				583.92		30 " P/L ℄ drive
				584.21	10 L	
				583.92	20.04 "	
				584.58	20.04 " same	
				585.2	30 "	
2+00	E			582.70		℄ Lombardy
			P/ow	to E 25 ft.		
30+94.3	(Lotus Ave)			584.36	17.5 L	℄ pt. Fd conc. gutt.
31+08.5				585.32		℄ Line - Lotus
				585.14	10.4 L W/4	

76L-298 CE 307 11-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red ____ Plotted ____ Job No. 62S230 Division No. 10
Date ____ Date ____ Survey of E. Pasadena Area Line "g"
Notes Chkd. ____ Checked ____ Survey by Lopez Notes by [illegible] Date [illegible]

F.B. 2546 Pg. 185

STATION	B. S.	H. I.	F. S.	ELEV.		
31+08.6				584.55	18.7 L	Ed guth.
				584.41	20.8 "	both cb
				585.06	20.8 "	Top "
				586.3	30.8 "	P/L
31+18.3				584.66	19.60 "	Cor guth
				584.54	21.60 "	both cb & Ed guth
31+48.6			Center Rod	585.76		↗ Line Lotus
				585.74	5° L	ctr Lotus
				585.42	15° "	W/4
				584.85	25 "	both cb
				585.31	25 "	Top "
				5870	35 "	gnd
31+83.1				586.40		↗ Line - Lotus
				586.06		9.7 R both cb
				586.47		9.7 " Top "
				586.6		20 " gnd
32+00				586.64		↗ Line - Lotus
				586.40		5.70 R both cb
				586.82		5.70 " Top "
				586.8		16° " gnd
				586.70	15.3 L	ctr Lotus

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 106 Job No. 6252.30 Division No. 10 Notes Red Date Plotted Profile
Survey of E. Palisades S.D. - Line "B" Date No. X-Sec.
Survey by Zappell Notes D.J. Notes Chkd. Checked
Indexed C. Jenkins Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.		
32+00				586 38	25^{6} L	w/4
				585 94	35^{90} L	both cb
				586 44	35^{90} L	Top "
				587 9	46^{5} L	gnd.
32+20^{5}				586 85		℄ Line Lotus - both cb
				587 30		" " " Top "
32+83^{81}				588 0	F.B. 2509-164 & 223 P.I	gnd.
T.P.			Lee Rod	587 90	T.P.	
33+47^{4}				589 53		℄ prod Lotus - Top cb
				589 15		" " both "
34+00				590 31		℄ " "
				590 24		12^{5} R both cb
				590 67		12^{5} " Top "
				590 7		22^{5} " gnd.
				590 15	8° L	ctr Lotus
				589 77	18^{3} "	w/4
				589 21	28^{4} "	both cb
				589 71	28^{4} "	Top "
				590 5	38^{6} "	gnd.
34+85^{73}				591 75	F.B. 2509-164 & 226	℄ Lotus E.C.
				591 81		10° R w/4

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 625230 Division No. 10 F.B. 2566 Pg. 107
No. Date Date Survey of [illegible]
Notes Chkd Checked Surveyed by [illegible]

STATION	B. S.	H. I.	F. S.	ELEV.		
34+85 73				591 62		19 99 R bot H cb
				592 15		19 99 " Top "
				592 2		30 " P/L
				591 50	10 L W/4	
				591 04	20 01 " bot H cb.	
				591 50	20 01 " Top "	
				592 5	30 " P/L	
35 + 42 8			Center Rod	592 90		℄ Lotus.
				592 78		10 R W/4
				592 40		19 95 " bot H cb
				592 88		19 95 " Top "
				592 8		30 " P/L
35 + 98 0				593 94		℄ Lotus.
				593 90	10 L	
				593 71	20 05 " same.	
				594 30	20 05 "	
				594 8	30 "	
36 + 60 52		F.B. 2509-165 & 227		594 74	int ℄ Lotus &	semi-Tan Calif
" "		= 0+00	going E & W. along			semi-Tan Calif
T.P.				592 82		
0+ 25 0	E			593 95		semi-Tan-Calif

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 108 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. - Line "B" Date Date No. X-Sec.
Survey by Sappell Notes U.S. Notes Chkd. Checked
Indexed C. Johnson Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
0+40.7	E			593 94	semi-	Tan
				593 96	17.5 L or North	w/4
				593 50	24.05 " both cd.	E. end C.R. N.E. cor.
				594 00	24.05 " Top "	" " " "
				594 5	49 " P/L	
0+78.20	E			593 20	F.B. 2503-166 & 228	E.C. Calif.
				593 05	12.5 L	w/4
			Rod	592 65	25.09 " both cb	
				593 28	25.09 " Top "	
				593 6	50 " P/L	
1+14.2	E			592 30		& Calif.
				592 10		12.5 R
			Lenker	591 70		25.03 " same.
				592 30		25.03 "
				592 6		50 "
1+84.76	E			590 65		& Calif B.C.
2+97.56	E	SMH		588 22	10°L or No. of	semi-Tan Calif. W. Rim S.M.H.
						Rim El. -(M + D) = Inv.
				580 78	Inv 8" Inlet W.	588.22 -(6.77+0.67) = 580.78
				580 65	" 8" outlet E.	588.22 -(6.90+0.67) = 580.65

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red ____ Plotted ____ Job No. 6252-36 Division No. 10
Date ____ Date ____ Survey of ____ F.B. 2766 Pg. 109
Notes Chkd ____ Checked ____ Survey by ____ Notes ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
0+33.1	W.	S.M.H.			S.M.H.	semi-Tan Calif.
						Rim El. - (M+D) = Inv.
				587.28	Inv. 8" Inlet W.	595.57 - (7.62+0.67) = 587.28
				587.12	" 8" outlet E	595.54 - (7.75+0.67) = 587.12
0+48.9	W.			595.90		semi-Tan Calif
				595.98	7.9 L ctr	Calif
				595.92	19.6 "	W/A
				595.56	32.9 "	both cb
				596.21	32.9 "	Top "
			Center Rod	596.5	57.3 "	gnd.
1+02.6	W.			597.10		semi-Tan Calif.
				596.70		11.3 R both cb.
				597.20		11.3 " Top "
				597.6		36.5 " gnd
				597.30	14.3 L ctr	Calif.
				597.20	27.9 "	W/A
				596.85	39.5 "	both cb.
				597.51	39.5 "	Top "
				597.8	65.9 "	gnd.
1+42.5	W			597.70		semi-Tan.
				597.59		4.9 R both cb.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2586 Pg. 110 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Palmerdale S.D. - Line B Date Date No. X-Sec.
Survey by Sappell Notes D.S. Notes Chkd. Checked
Indexed C. Johnson Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.		
1+42.6	W'ly			598.10		4.0 R Top cb.
				598.5		29.8 " grnd
				597.95	8.7 L W/A	
				598.21	21.5 " ctr Calif.	
				598.11	34.5 " W/A	
				597.80	47.1 " both cb.	
			Lenker Rod	598.40	47.1 " Top "	
				599.1	72.9 " grnd	
2+00	W'ly			599.65	semi	Tan. - driveway
				600.10		17.4 R "
				598.94	8.2 L depressed cb.	
				598.90	8.2 " both cb.	
				599.30	20.9 " W/A	
				599.51	33.8 " ctr Calif.	
				599.43	46.6 " W/A	
				599.18	59.5 " both cb.	
F.B. 2509-165 (P.I. 2+32.10)				599.74	59.5 " Top "	
				600.4	85.5 " grnd.	20
2+76.3 W'ly	Tan ahead.	S.M.H.			19.2 L S.M.H.	Rim El. - (M+D) = Inv.
				593.53	Inv. El. 8" outlet E.	600.71 - (6.51+0.67) = 593.53
				593.68	Inv. El. 8" inlet W.	600.76 - (6.41+0.67) = 593.68

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 6212.20 Division No. 10 F. B. 3776 Pg. 111
No. Date Date Survey of E. Rosecrans Ave. - Lotus "A"
X-Sec. Note Chkd. Checked Survey by L. Jones, Notes J.M.M. Date 4-
Date Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
36+85				594.78		℄ Lotus
37+16.5				595.67		℄ "
				595.38		10 R w/4
				595.05		20 05 " 6oH cb
				595.51		20 05 " Top "
				595.9		30 " P/L
BM TE 754				597.07	BM TE 754 El. 597.455 F.B. 2566-35	
			corr	597.06	Lotus Ave & California St., N.W. cor.	
					Bt spk in cb 4' N. of N. end C.R.	
37+63.7			Center Rod	596.90		℄ Lotus.
				596.61		10 R
				596.21		20 " same
				596.65		20 "
				596.6		30 "
				596.88	10 L	
				596.55	1990 " same.	
				597.15	1990 "	
				597.4	30 "	
38+00				597.77		℄ Lotus.
				597.43		10 R w/4

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2566 Pg. 112 Job No. 6252.30 Division No. 10 Notes Red. Plotted Profile
Survey of E. Pasadena S.D. - Line 18" Date Date No. X-Sec.
Survey by Lapell Notes J.M. Maldonado Notes Chkd. Checked No.
Indexed C. J. Date Date Date

STATION	B. S.	H. I.	F. S.	ELEV.			
38+00				597.10			20 10 R Bot Cb.
				597.60			20 10 " Top "
				597.9			30 " P/L
				597.61	10 L	W/4	
				597.25	19 93 "	Bot. Cb.	
				597.55	19 93 "	Top "	
			Rod	598.2	30 "	P/L	
39+00				599.62			℄ Lotus
				599.50			10 R
				599.15			20 05 " Same
			Lenker	599.24			20 05 "
				599.6			30 "
				599.48	10 L		
				599.16	19 25 L	Same	
				599.72	19 25 L		
				600.00	30 L		
39+98 13				601.55			℄ Lotus
				601.44			10 R
				601.07			20 12 "
				601.62			20 10 " Same
				601.6			30 " P/L

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 6252.20 Division No. 10
No. Date Date Surveyed by E. Parsadenian F.B. 2376 Pg. 113
Notes Chkd. Checked Survey of E. Parsadenian F.B. Lime "B"

STATION	B. S.	H. I.	F. S.	ELEV.		
39+98 3/4				601 75	10 2/3 L	W/4
				601 00	19 95/100 "	Bot. Cb.
				601 58	19 95/100 "	Top "
				6023	30 "	P/L
40+96 E		S.M.H				5' R of E SM -
(Note: 8" inlet No. makes Rt & S.M.H turn to W. 10± N. of)						Rim El. - (M + D) = Invert
				591 94	Inv. 8" Inlet N. 602.32	-(9.71+0.67)= 591.94
				591 87	Inv. 8" Outlet E. 602.30	-(9.76+0.67)= 591.87
40+ 51 2/3				60246	for F.S 250+-167 E 230	E int Lotus & Vallombrosa
" "	=	1700	going	E'ly	along the E of	Vallombrosa
1+20.5	E'ly			601 92		E Vallombrosa
1+38 0	"			602 25		E "
				601 71		21° R Bot. Cb.
			Center	602 32	21° L Bot. Cb	
1+54 L	"			602 00		E Vallombrosa
				601 84		10° R W/4
				601 30		20 97/100 " Both cb
				601 90		20 97/100 " Top "
			Rod	601 8		30 2/100 " P/L
				602 00	10° L W/4	
				601 80	20 97/100 " Bot. Cb	

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F. B. 2566 Pg. 114 Job No. 6252.30 Division No. 10 Notes Red. Plotted Profile
Survey of E. Pasadena SD. Line "B" Date Date No. X-Sec.
Survey by Soppe // Notes J.M. Maldonado Notes Chkd. Checked No.
Indexed C. Johnson Date Date

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
1+54 6	E			602.38	20 L Top	
				602.6	30 " P/L	
2+00	"			601.21		℄ Vallombrosa
3+71 L	"	S.M.H.				S.M.H.
						Rim El. - (M+D) = Invert
				587.49	Inv. 8" Inlet W. 598.60	- (10.44+0.67) = 587.49
				587.38	Inv. 8" Outlet E. 598.56	- (10.51+0.67) = 587.38
T.P			Lenker Rod	602.45		
~~4+07 L~~						℄
						10 R W/A
						20 05 Bot. Cb
						20 05 R Top Cb.
						30 R P/L
					10 L W/A	
					20 L Bot. Cb.	
					20 L Top Cb.	
					30 P/L	
BM TE-739				602.48	BM-TE 739 El. 602.48 to be adj.	Per FB 2566-35
					Vallombrosa Dr. & Lotus Ave. N.E. cor.	
					Bt. spk in cb. - 4° E. of E. end	
					C.R.	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red No. Date Notes Chkd. Plotted Date Checked Job No. 62523.30 Division No. 10 Survey of E. Artesia Blvd. Survey by [illegible] Notes by [illegible] Tabs F.B. 2566 Pg. 1/2

STATION	B. S.	H. I.	F. S.	ELEV.				
41+07 ±				603 48			℄ Lotus	
				60.3 33			10° R	W/4
				602 95			20 05 "	Bot. Cb.
				602 53			20 05 "	Top Cb.
				6036			30 "	P/L
			Center	603 40	10° L	W/4		
				603 05	20° "	Bot. Cb.		
				603 60	20° "	Top "		
				6052	30 "	P/L		
41+47 ±				60428			℄ Lotus	
				60404			10 R	
			Pad	603 71			20 05 "	Same
				60435			20 05 "	
				6044			30 "	
				604 16	10° L			
				603 80	20° L			
				604 37	20° L	Same		
				605 2	30 "			
42+47 ±				606 25			℄ Lotus	
				606 10			10° R	W/4
				605 75			19 99 R	Bot. Cb

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 116 | Job No. 6252.30 | Division No. 10 | Notes Red | Plotted | Profile
Survey of E. Pasadena - S.D. Line "B" | Date | Date | No.
Survey by Sapsell Notes I.M. Maldonado | Notes Chkd. | Checked | X-Sec.
Indexed [illegible] | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
42+47				606 27		19 99 R Top Cb
				606 2		30 " P/L
				606 15	10 L	W/4
				605 75	20 "	Bot. Cb.
				606 35	20 "	Top. "
				607 2	30 "	P/L
T.P				606 02	T.P.	
43+00			Lenker Rod	607 41		℄ Lotus
				607 25		10 R W/4
				606 35		19 95 " bot. Cb.
				607 44		19 95 " Top Cb.
				607 6		30 " P/L
				607 30	10 L	W/4
				606 95	20 05 "	Bot. Cb.
				607 45	20 05 "	Top "
				608 3	30 "	P/L
44+00				609 87		℄ Lotus
				609 70		10 R W/4
				609 29		20 " bot. Cb.
				609 94		20 " Tot. Cb.
				610 2		30 " P/L

76L-296 CE 307 11-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red _____ Plotted _____ Job No. 6252.30
No. _____ Date _____ Date _____ Survey of E. Lotus Division No. 10
Notes Chkd. _____ Checked _____ Survey by Cooper

STATION	B. S.	H. I.	F. S.	ELEV.		
44+00				609 75	10° L.	W/4
				609 40	20 10 "	bot Cb
				610 04	20 10 "	Top. Cb
				610 2	30° "	P/L
44+77 2				612 04		℄ Lotus
			Center	611 84		10° R W/4
				611 56		20° " bot Cb.
				612 22		20° " Top "
				612 3		30° " P/L
				611 97	10° L	W/4
				611 81	20 10 "	bot Cb.
				612 35	20 10 "	Top "
			Pad	612 5 / 611 77	30° "	P/L both cb.
44+87 2				612 34		Top " 20° R S end CR. SE cor
"						20° " " " "
45+00				612 60		℄ Lotus
				611 85		23 1 R both cb
				612 45	23 1 L	both cb.
45+12 5				612 58		℄ Lotus
45+24 45				613 09		℄ " Lotus Ave to S. ℄
45+36				613 50	F.B. 2509 - 169, 235 & 236	℄ int San Pasqual St
" "	=	0+00 going W'ly along the ℄ of San Pasqual St.				
0+18°	W.			613 45		℄ San Pasqual

F.B. 2496 Pg. 17

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2546 Pg. 118 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. Line "B" Date Date No. X-Sec.
Survey by Sagert Notes U.M. Maldonado Notes Chkd. Checked
Indexed C. Johnson Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
0+55 2	W.			614 50		℄ San Pasqual
				614 53		12 5 R or No. W/4
				614 74		25 0 R Bot. Cb.
				615 02		25 0 " Top "
			Pod	615 4		39 52 " bk. of Walk
				614 11	12 6 L or South W/4	
				613 45	25 20 " Bot. Cb.	
				614 03	25 20 " Top "	
				613 9	40 0 " P/L	
0+90 3	W.	S.M.H.			5 0 L S.M.H.	
						Rim El. - (M+D) = Invert
				600 80	Inv. 8" Inlet W. 614.90	-(13.42+0.67) = 600.80
				600 65	Inv. 8" Outlet E. 614.86	-(13.54+0.67) = 600.65
0+95 1	W.			615 10		℄ San Pasqual
				615 25		12 5 R W/4
				615 20		25 0 " bot. Cb
			Lenker	615 67		25 0 " Top. "
				615 91		39 50 " bk. Walk
				614 61	12 5 L W/4	
				614 00	25 00 " bot. Cb.	
				614 68	25 00 " Top "	

76L-286 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. _____ Notes Red _____ Plotted _____ Job No. 6252.30 Division No. 10
Date _____ Date _____ Survey of Lotus Ave. from San Pascual Ave. to the East
Notes Chkd. _____ Checked _____ Survey by Engineering Dept. Const. Maint. Div.

F.B. 2566 Pg. 1/14

STATION	B.S.	H.I.	F.S.	ELEV.		
0+95 1/2	W			614 5	40° L.	P/L
				614 75		
1+95 1/2	"			616 85		
				616 70		
				617 30		
			Lenker	617 77		
				616 25	12 5/8 L	W/4
				615 60	25° "	bot. Cb
				616 20	25° "	Top "
				616 5	40° "	P/L
45+37 1/2				613 50	Per F.B. 2509-169, 285 & 286	
" "	=	0+00	going N'ly along the ℄ of Lotus Ave.			
0+12 5/8	N			613.58		
0+25 0	"			613 35		
0+61 6/8	"			614 15		
			Pod	613 90		
				613 34		
				613 8C		
				614 3		
				614 27	9 1/2 L. or west.	W/4
				614 00	18 2/8 "	bot. Cb
				614 65	18 2/8 "	Top "

℄ San Pascual
12 5/8 R W/4
25° " Bot. Cb
25° " Top "
39 5/8 " BK. Walk

℄ Int. of Lotus Ave. & San Pascual Ave. to the East
℄ Lotus Ave.
℄ " "
℄ " "
9° R or East W/4
18° " bot Cb
18° " Top "
30° " P/L

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2546 Pg. 120 Job No. 6252.30 Division No. 16 Notes Red Plotted Profile
Survey of E. Pasadena S.D. Line "8" Date Date No. X-Sec.
Survey by Gappell Notes J.M. Maldonado Notes Chkd. Checked
Indexed C. Johnson Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
0+61 ℄	N			615 1	30° L P/L	
1+01 ℄	"			614 65		℄ Lotus Ave
				614 25		9° R W/4
				613 81		18° " bot. Cb.
				614 40		18° " Top "
				614 7		30° " P/L
				614 70	9° L W/4	
			Rod	614 51	18° " bot. Cb.	
				615 04	18° " Top "	
				615 4	30° " P/L	
2+01 ℄	"		Lenker	615 75		℄ Lotus Ave
				615 55		9° R
				615 10		18° "
				615 65		18° " Same
				615 6		30° "
				615 70	9° L	
				615 25	18° " Same	
				615 75	18° "	
				616 0	30° "	

76L-296 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 62252.20 Division No. 10
No.____ Sec.____ Date____ Checked____ Date____ Surveyed by S. Pasqual Date____ Inked____ Date____ Traced____ Date____ Checked____ Date____
F.B. 2566 Pg. 121

STATION	B.S.	H.I.	F.S.	ELEV.		
BM TE-740				612 33	BM TE-740 Elev. 612.325 per F.B. 2566-36 (To be adj.) Lotus Ave & San Pasqual St., S.W. cor. - Bt spk in cb. 10° S. of S end C.R.	
45+91 7				612 54		℄ San Pasqual
				612 14		12 5 R W/4
				611 61		25 0 " Bot Cb
				612 22		25 0 " Top "
				6125		40 0 " P/L
			Center	612 70	12 5 L	W/4
				612 51	25 1 "	Bot Cb
				613 20	25 1 "	Top Cb.
				613 51	39 5 "	BK Walk
46+31 7			Pad	612 00		℄ San Pasqual
				611 51		12 5 R
				610 90		25 0 "
				611 65		25 1 " Same
				611 7		40 0 "
				612 11	12 5 L	
				611 92	25 0 "	same
				612 60	25 0 "	
				613 00	40 0 "	

76L-298 CE 307 11-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 122
Job No. 6252.30 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena S.D. Line "B" Date ____ No. ____ X-Sec. ____
Survey by Jarrell Notes J.M. Mallonado Notes Chkd. ____ Checked ____ No. ____
Indexed C. Johnson Date ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.		
47+00				611 08		℄ San Pasqual
				610 58		12 5 R W/4
				610 16		25 10 " Bot. Cb.
				610 81		25 10 " Top "
			Rod	611 2		40 0 " P/L
				611 15	12 5 L W/4	
				611 00	25 0 " Bot. Cb.	
				611 70	25 0 " Top "	
				611 95	39 5 " BK walk	
47+71		S.M.H.				5 0 R S.M.H.
						Rim El. - (M+D) = Invert
				599 37	Inv. 8" Inlet N. 610.15	-(10.11+0.67) = 599.37
				599 34	Inv. 8" Outlet E. 610.11	-(10.10+0.67) = 599.34
48+00				609 97		℄ San Pasqual
				609 50		12 5 R W/4
				609 01		25 - " Bot. Cb.
			Lenker	609 62		25 - " Top "
				609 5		40 0 " P/L
				610 11	12 5 L W/4	
				609 95	25 - " Bot Cb.	
				610 60	25 - " Top "	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6252.20 Division No. 10 F.B. 2566 Pg. 123
No. ____ Date ____ Name Cadd ____ Date ____ Checked ____ Date ____ Map No. ____ Survey of E. San Pasqual Ave. Jct. Topp

STATION	B.S.	H.I.	F.S.	ELEV.			
48+00				610 94	39 5 L	BK. Walk	
49+00				609 20			℄ San Pasqual
				608 65			12 5 R W/4
				608 17			25 1 " Bot. Cb
				608 87			25 1 " Top
			Leveler	6087			40 " P/L
				609 32	12 5 L	W/4	
				609 20	25 0 "	Bot. Cb.	
				609 85	25 0 "	Top "	
				610 30	39 5 "	BK. Walk	
T.P.			Rod	608 74	T.P.		
50+00				608 61			℄ San Pasqual
				608 17			12 5 R W/4
				607 56			25 1 " both cb.
							25 1 " depressed cb.
				6086			40 0 "
				608 76	12 5 L	W/4	
				608 58	25 0 "	Bot. Cb	
				609 25	25 0 "	Top "	
				609 61	39 5 "	BK. Walk	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 124 | Job No. 6252.30 | Division No. 10 | Notes Red | Plotted | Profile
Survey of E. Pasadena SD-Line 'B' | Date | No. | X-Sec.
Survey by Sargent/Notes J.M. Maldonado | Notes Chkd. | Checked
Indexed | Date | Date | No.

STATION	B.S.	H.I.	F.S.	ELEV.		
					To be adj.	
BMSD-817				609.32	BMSD-817 Elev. 609.309 per F.B. 2566-36	
			corr.	609.31	San Pasqual St. (N. side) 475'± W. of ℄	
					Rosemead Blvd. Bt spk in cb	
51+00				608.00		℄ San Pasqual
			Lenker Road	607.57		12.5 R W/4
				607.03		25 L " Bot Cb
				607.61		25 L " Top "
				608.2		40 ° " P/L
				608.12	12.5 L W/4	
				607.95	25 ° " Bot. Cb.	
				608.61	25 ° " Top "	
				609.05	39.5 " Bk Walk	
51+21.4		S.M.H.				5° R S.M.H.
						Rim El. - (M+D): Invert
				597.84	Inv. 8" Inlet W. 607.91	- (9.20+0.67) = 597.84
				597.79	Inv. 8" Outlet E. 607.69	- (9.23+0.67) = 597.79
52+00				607.28		℄ San Pasqual
				606.85		12.5 R W/4
				606.40		25 L " Bot. Cb
				607.00		25 L " Top Cb.
				607.4		40 ° " P/L

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.			
52+00				607.40	12 5 L	W/4	
				607.22	25 0 "	bot. Cb.	
				607.92	25 0 "	Top "	
				608.38	39 5 "	BK. Walk	
53+00				606.68			℄ San Pasqual
			Lenker	606.24			12 5 R W/4
				605.74			25 0 " bot Cb.
							Depressed Cb.
				606.8			40 0 " P/L
				606.80	12 5 L	W/4	
				606.55	25 0 "	Bot Cb.	
				607.30	25 0 "	Top "	
				607.65	39 5 "	BK. Walk	
53+52.6			Pad	606.35			℄ San Pasqual
				605.95			12 5 R W/4
				605.28			25 0 " Bot. Cb.
				605.95			25 0 " Top "
				606.4			40 0 " P/L
				606.45	12 5 L	W/4	
				606.30	25 0 "	Bot. Cb.	
				607.00	25 0 "	Top "	

Profile Notes Red _____ Plotted _____ Job No. 6252.30 Division No. 10 F. B. 2566 Pg. 125

No. X Sec. _____ Date _____ Surveyed by E. Ramirez Date _____

Notes Checked _____ Date _____ Map No. _____ Inked _____ Date _____

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2376 Pg. 126 — Job No. 6252.30 — Division No. 10 — Notes Red — Plotted — Profile
Survey of E. Pasadena S.D. Line 'B' — Date — No. — X-Sec.
Survey by Spaeth Notes J.M. Maldonado — Notes Chkd. — Checked
Indexed C. Johnson — Date — Data — Date — No.

STATION	B. S.	H. I.	F. S.	ELEV.		
53+52 ℄				607 6	39⁵ L BK Walk	
53+92 ℄				606 08		℄ San Pasqual
				605 60		12⁵ R W/4
				605 10		25⁰ " Bot. Cb.
				605 70		25⁰ " Top "
			Lenker Rod	606 2		40⁰ " P/L
				606 20	12⁵ L W/4	
				606 15	25⁰ " bot. Cb.	
				606 75	25⁰ " Top "	
				607 10	39⁵ " BK. Walk	
BMTE-707				606 73	BMTE-707 Elev. 606.737 per F.B. 2509-16	
			corr.	606 74	Rosemead Blvd & San Pasqual St, N.W. cor.	
					Bt spk in cb. 4 Ft. W. of W. end C.R.	
54+00⁵				606 05		℄ San Pasqual
				606 10	24⁰ L cor. guth.	
				606 08	25⁵ " Bot Cb. - W. end C.R. N.W. cor.	
				606 65	25⁵ " Top " - " " " "	
54+02 ℄				605 05		23⁷ R cor. pv.
				605 00	Both cb.	24⁹ " W. end C.R. S.W. cor.
				605 65	Top "	24⁷ " " " "
				606 05		26⁰ " Top Premix Cb.

76L-296 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6252.30 Division No. 10 F.B. 2566 Pg. 27

STATION	B.S.	H.I.	F.S.	ELEV.	
54+18 S				605 54	℄ San Pasqual - 6" x 'g ut H.
				604 83	24° L int ed gutters
				606 02	33° R int ed gutter
54+20 S			Leiker	605 42	℄ San Pasqual - 5" x "gut
54+22 S				605 57	℄ " " Ed " "
54+27 S		SMH			5° R SMH.
					Rim Elev - (M + D) = Invert
				595 71	Inv. 8" inlet W. 605.62 - (9.24+0.67) = 595.71
				595 85	Inv. 8" " N. 605.67 - (9.15+0.67) = 595.85
				595 56	Inv. 8" outlet E 605.63 - (9.40+0.67) = 595.56
54+28 S				605 87	℄ San Pasqual - 6r k
54+52 49			Rod	606 22	℄ " "
54+57 49				606 17	℄ " "
54+71 49				606 12	F.B. 2509-172 & 244 ℄ int & San Pasqual St Rosemead Blvd
" "	=	0+00	going	South	along the ℄ of Rosemead Blvd
0+00	.5			605 50	33° L or East - 6r k.
L				605 12	40' " Ed gu H
				605 02	41° " 6o H cb.
				605 62	42° " Top "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

B.B. 2766 Pg. 128 | Job No. 6252.30 | Division No. 10 | Notes Red | Plotted | Profile
Survey of E. Pasadena S.D. - Line "B" | Date | No. | X-Sec.
Survey by Pepper/Notes J.M. Maldonado | Notes Chkd. | Checked
Indexed C. Johnson | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
0+04 7	S.	S.M.H			35° L or East	S.M.H.
						Rim El. - (M + D) = Invert
				595.08	Inv. 8" Inlet W.	605.40 - (9.65+0.67) = 595.08
				595.11	Inv. " " N.	605.37 - (9.59+0.67) = 595.11
				594.96	Inv. outlet S.	605.32 - (9.69+0.67) = 594.96
0+33 8	S.			605.12		5 2/3 R Bot Cb. End
				605.63		5 2/3 " Top " Island
0+45 0	S.			604.70		49 1/2 " Cor. gutter
				604.48		60H cb 51 2/3 " S. end C.R. S.W. cor.
				605.19		Top " 51 1/2 " " " "
				605.62		52 3/3 " " Blk Top Cb.
0+54 4	S.			605.6		℄ Rosemead Blvd.
				605.67		18 2/3 R Top Cb.
				605.17		18 7/7 " Bot "
				604.97		43 7/7 " Brk
				604.52		50 1/2 " Edg. Gut.
				604.44		51 2/3 " Bot. Cb.
				605.07		51 2/3 " Top "
				605.57		52 3/3 " Top Pre-mix Cb
				606.1		60 0/0 " P/L

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
0+54 1	S.			605 23	8 6 L	Top Cb.
				604 80	8 6 "	Bot "
				604 48	33 2 "	Brk
				604 08	40 1 "	Edg. Gut.
				603 98	41 3 "	Bot Cb.
				604 58	41 2 "	Top "
			Center Rod	604 7	50 0 "	P/L
1+00	S.			604 6		℄ Rosemead Blvd S ly
				604 83		18 6 R Top Cb.
				604 38		18 6 " Bot "
				604 23		43 2 " Brk
				603 78		50 1 " Edg. Gut.
				603 70		51 3 " Bot Cb.
				604 32		51 2 " Top "
				604 88		52 2 " " Prem. Cb.
				605 4		60 0 " P/L
				604 38	8 2 L	Top Cb.
				603 90	8 2 "	Bot "
				603 60	33 2 "	Brk
				603 25	40 2 "	Edg. Gut.
				603 18	41 3 "	Bot Cb.

Profile Notes Red _____ Plotted _____ Job No. 6252.30
No. X-8 Date _____ Checked _____ Date _____ Division No. 10
Survey of S. Rosemead Blvd. Grade & Drain Improvements
F. B. 2566 PG. 129

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

T.B. 2566 Pg. 130 — Job No. 6252.30 — Division No. 10 — Notes Red — Plotted — Profile
Survey of E. Pasadena S.D. - Line "B" — Date — No. — X-Sec.
Survey by Sappell — Notes J.M. Maldonado — Notes Chkd. — Checked
Indexed C. Johnson — Date — Date — Date — No.

STATION	B.S.	H.I.	F.S.	ELEV.		
1+00	S.			603.82	41.3 L Top Cb.	
				604.0	50.0 " P/L	
2+65.7	S.	S.M.H.				35° L or East. S.M.H
						Rim Elev. − (M+D) = Invert
				591.58	Inv. 8" N. Inlet 600.74	−(8.49+0.67) = 591.58
				591.49	Inv. 8" S. Outlet 600.73	−(8.57+0.67) = 591.49
55+11.9				606.74	5.2 L 60H cb	(End Island)
				607.20	5.3 L Top "	
55+17.2				606.42	49° L cor. "x" gu.H.	
				606.38	50 " int ed. "	
				606.30	51.2 " 60H cb.	N. end C.R. N.W. cor.
				606.97	51.2 " Top "	" " " " "
			Lenker Rod	607.50	52.3 " Top pre-mix cb. - Edge.	
55+27.0				607.6		℄ Rosemead Blvd.
				607.28		8.6 R Top cb.
				606.85		8.6 " 60H "
				606.51		33.2 " brk
				606.12		40.2 " Ed gu.H.
				606.03		41.3 " 60H cb.
				606.65		41.3 " Top "
				606.92		50.3 " back walk

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 6252.30 Division No. 10 F.B. 2566 Pg. 31
No. X-Sec. Data Date Survey of S. Rosemead Blvd. from Temple Ave. to Rose Hills Rd.
Name Girl Checked Party Chief

STATION	B.S.	H.I.	F.S.	ELEV.		
55+27.0				607.25	18.7 L	both cb.
				607.70	18.7 "	Top " (Island)
				606.90	43.1 "	brk.
				606.60	50.1 "	Ed guth.
				606.51	51.2 "	both cb.
				607.15	51.2 "	Top "
				607.67	52.3 "	Top-ed pre-mix cb.
				608.3	60 "	p/l
55+67.0				608.3		& Rosemead
				608.52	18.7 L	
				608.07	18.7 "	
				607.82	43.1 "	
				607.43	50.1 "	
				607.35	51.2 "	same
				607.98	51.2 "	
				608.55	52.3 "	
				608.9	60 "	
56+00				609.0		& Rosemead
				608.78		8.6 R Top cb.
				608.30		8.6 " both "
				608.04		33.2 " brk
				607.62		40.2 " Ed guth
				607.55		41.3 " both cb
				608.16		41.3 " Top "
				608.33		50.3 " back walk

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2516 Pg. 132 — Job No. 4252.30 — Division No. 10 — Notes Red — Plotted — Profile
Survey of E. Pasadena S.D. Line "B" — Date — No. — X-Sec.
Survey by Sapsell — Notes J.M. Maldonado — Notes Chkd. — Checked
Indexed A. C. Johnson — Date — Date — No.

STATION	B. S.	H. I.	F. S.	ELEV.		
56+00				609 21	18 3 L	Top cb.
				608 75	18 3 "	60H "
				608 50	43 1 "	brk
				608 11	50 1 "	Ed guth.
				608 04	51 2 "	60H cb.
				608 68	51 2 "	Top "
				609 20	52 3 "	" pre-mix cb- edge.
				609 7	60 "	P/L
57+00			Locker Rod	611 2		& Rosemead
				610 81		86 R Top cb.
				610 41		86 " 60H " Island.
				610 16		33 2 " brk
				609 70		40 2 " Ed guth.
				609 62		41 3 " 60H cb.
				610 28		41 3 " Top "
				610 40		50 3 " back walk
				611 32	18 6 L	Top cb.
				610 89	18 6 "	60H "
				610 60	43 "	Brk
				610 25	50 0 "	Ed guth.
				610 17	51 0 "	60H cb.
				610 80	51 0 "	Top "
				611 35	52 0 "	Top pre-mix cb.
				611 8	60 0 "	P/L
TP				609 76	T.P.	

Notes Ck'd by _____ Survey of _____ F. B. _____ PG. _____

Map No. _____ JN _____ Tape _____ Std _____

Checked _____ Notes _____ Date _____

Date _____ Indexed _____

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this style of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

32

29 TO

PGS

OPEN

76F3098 S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

32

1°

OPEN

29

S

P6

F. B. _____ PG. _____

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6252.30 Division No. 10

No. ____ Date ____ By ____ No. ____ Date ____ By ____ No. ____ Date ____ By ____ No. ____ Date ____ By ____

No. X-Sec. ____ Noted ____ Checked ____ Date ____ Surveyed by E. Ruiz, C. Nunez, [illegible] Date 5-12-61 Mag No. ____ Inked ____ Date ____

F.B. 2586 PG. 33

STATION	B.S.	H.I.	F.S.	ELEV.		
57+06 Q		S.M.H.				35° R or East S.M.H.
						Rim Elev. − (M+D) = Invert
				600 81	Inv. 8" Inlet N.	610.25 − (8.77+0.67) = 600.81
				600 64	Inv. 8" Outlet S.	610.17 − (8.86+0.67) = 600.64
57+53 S				C123		℄ Rosemead
				61250	18 S ℄	Top Cb
				61202	18 S "	Bott. " (Island)
			Center Rod	61174	43 O "	Brk.
				C11 40	50 O "	Edg. Gutt.
				C11 30	51 1 "	Bott. Cb.
				61190	51 1 "	Top "
				61238	52 3 "	" Premix Cb.
				6129	60 O "	P/C
57+63 S						℄ Rosemead
				C11 65	49 2 ℄	Cor Gutt.
				C11 61	50 O "	Int. Fd Gutters
				61155	51 1 "	Bott. Cb. S. end C.R. S.W. cor.
				61220	51 1 "	Top " " " " "
				61259	52 3 "	" Premix Cb.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 134 | Job No. 6252.30 | Division No. 10 | Notes Red | Plotted | Profile
Survey of E. Pasadena S.D. - Line "B" | Date | No.
Survey by Sapell Notes J.M. Maldonado | Notes Chkd. | Checked | X-Sec.
Indexed C. Johnson Date | Date | Date | No.

STATION	B.S.	H.I.	F.S.	ELEV.		
58+01 52				613 ±	Per F.B. 2509 - 173-246	℄ Int. Rosemead Blvd. & Yorkshire Rd.
				613 02		8 ± R. Top Cb
			Lenker Rod	612 57		8 ± " Bott. " Island
				612 20		33 ± " Brk
				611 80		40 ± " Ed. Gutt.
				611 76		41 ± " Bott. Cb
				612 38		41 ± " Top "
				612 45		50 ± " Bk. Walk
58+01 52	=	1+00	going W'ly along ℄ Yorkshire Rd.			F.B. 2509 - 173 & 246
1+18 ±	W.			613 45		℄ Yorkshire Rd. Top Cb
				612 95		" Bot. " Island
1+43 °	W.			612 81		℄ " Brk.
1+44 ±	W	S.M.H.			5° L S.M.H.	
						Rim Elev - (M+D) : Invert
				604 65	Inv 8" Inlet W. 612.56 - (7.24+0.67) = 604.65	
				604 28	Inv. 8" Outlet S. 612.59 - (7.64+0.67) = 604.28	
1+49 °	W.			612 40		℄ Yorkshire Rd - Fd "x" gutt.
1+51 °	W.			612 32		℄ " " F/Lm "
1+53 °	W.			612 38		℄ " " Fd " "
				612 80		17° R " " Fd gutters
				611 88	26° L Int. ed. gutters	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 62r2.20 Division No. 10 F.B. 2566 Pg. 135

No. ____ X-Sec. ____ Date ____ Checked ____ Date ____ Surveyed by [illegible] Date [illegible]

STATION	B.S.	H.I.	F.S.	ELEV.		
1+66 4 Cl	W			613 35	20± L Top End of Premix Cb	
1+70 Cl	W.			613 03		℄ Yorkshire Rd
				613 40		17' R cor gutt
				613 38	60H cb.	18± " W. end C.R. N.W. cor
				614 00	Top "	18± " " " "
				614 41		19± " Top end pre-mix curb
				612 41	16 9 L Cor gutt.	
			Lenker Rod	612 35	18 0 " Bott. Cb.	W. end C.R. S.W. cor
				612 93	18 0 " Top "	" " " " "
1+80.5	W.			613 40		℄ Yorkshire Rd
				613 61		9 2 R W/4
				613 60		18 1 " Bot. Cb
				614 20		18 1 " Top "
				614 7		30 0 " P/L
				612 95	9 2 L W/4	
				612 44	18 0 " Bott	
				612 90	18 0 " Top "	
				613 2	30 " P/L	
2+20 5±	W.			613 80		℄ Yorkshire Rd
				613 96		9 2 R W/4
				613 97		18 1 " Bott. Cb.
				614 50		18 1 " Top "
				614 9		30 0 " P/L
				613 5		
				612 71	9 2 L W/4	
					18 0 " Bott	
					18 0 " Top "	Depressed Cb.
				613 50	30 0 " P/L	

76L-298 CE 307 11-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 136 Job No. 6232.30 Division No. 10 Notes Red Date Plotted Profile
Survey of E. Pasadena J.D. Date No. X-Sec.
Survey by Lapsell Notes J.M. Mallon 8/6 Notes Chkd. Checked
Indexed C. Johnson Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.		
3+00	W.		Lenker Rod	614.75		℄ Yorkshire
				614.65		9ᴱ R W/4
				614.67		18 R Bott. Cb.
				615.22		18 L " Top "
				615.9		30 L " P/L
				614.05	9ᴱ L W/4	
				613.50	18 L Bott. Cb.	
				614.00	18 L " Top "	
				614.5	30 L " P/L	
4+00	N.	S.M.H.			5 L S.M.H.	
					Rim. Elev - (M+D) = Invert	
				606.14	Inv. 8" Inlet W. 615.25 - (8.44+0.67) = 606.14	
				606.02	Inv. 8" Outlet E. 615.22 - (8.53+0.67) = 606.02	
BMTE-708				614.11	BMTE-708 Elev. 614.111 per F.B. 2509-16	
					Rosemead Blvd & Yorkshire Rd, N.W. cor., 8"	
					spk. in cb. 4ᴱ W. of W. end C.R.	
5+31.5				613.9		℄ Rosemead Blvd.
				613.62		8 L R Top Cb.
				613.15		8 L " Bot. "
				612.87		33 L " Brk
				612.45		40 L " Ed. Gutt. P/RR
				612.36		41 L " Flr " "
				612.85		50 L " P/L " "

(along Curb Opp. Private Drive)

76L-296 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 6252.90 Division No. 10

R6____ Date____ Date____ Survey of S. Paramount Blvd. & Rosemead Blvd.

F.B. 2566 PG. 137

STATION	B.S.	H.I.	F.S.	ELEV.		
58+31.5				612.95		100° R Approx. E Prop. R/W
				613.10		200° "
58+36.5		S.M.H.		613.16		150° " S.M.H. W. Rim
				–		
				–		
				–		
58+39.5				613.20	49° L	End X" Gutt.
				613.21	50° "	Int Fd. "
				613.15	51.1 "	Bot. Cb. – N. end C.R. N.W. cor.
			Center Pod	613.78	51.1 "	Top " " " " "
				614.22	52.2 "	" Premix Cb.
58+49.5				614.2		℄ Rosemead Blvd.
				614.98	18.6 L	Top Cb. (Island)
				614.00	18.6 "	Bot. "
				613.79	43.0 "	Brk
				613.37	50.0 "	Edg. Gutt.
				613.30	51.1 "	Bot. Cb.
				613.94	51.1 "	Top "
				614.42	52.3 "	" Premix Cb
				615.0	60.0 "	P/L

76L-296 CE 307 11-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 138 | Job No. 6252.30 | Division No. 10 | Notes Red | Plotted | Profile
Survey of E. Pasadena | Date | Date | No.
Survey by Sappell | Notes T.M. Maldonado | Notes Chkd. | Checked | X-Sec.
Indexed C. Jones Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
59+00				615 3		℄ Rosemead Blvd.
				615 04		8℄ R Top Cb. Island
				614 57		8℄ " Bot "
				614 25		33 Z " Brk
				613 90		40 Z " Edg. Gutt.
				613 84		41 L " Bot. Cb.
						Depressed Cb.
				614 62		49 T " Bk Walk
				615 50	18℄ L Top Cb.	
				615 00	18℄ " Bot. "	
			Center Rod	614 80	43° " Brk	
				614 42	50° " Edg. Gutt.	
				614 36	51 L " Bot. Cb.	
				614 98	51 L " Top "	
				615 45	52 Z " " Promix Cb.	
				616 0	60° " P/L	
59+58 3		T.M.H.		615 39		44 8 T.M.H in driveway N Rim
60+00				617 2		℄ Rosemead Blvd.
				616 95		8℄ R Top Cb Island
				616 48		8℄ " Bot. "
				616 12		33 Z " Brk
T.P.				615.60	T.P.	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 62520 Division No. 10 F.B. 2566 Pg. 70
No. ____ Date ____ Date ____ Survey of ____ Pavement Widening ____ Jahnke
Name Checked ____ Computed ____ Plotted ____ Traced ____ Checked ____

STATION	B.S.	H.I.	F.S.	ELEV.		
60+00				615 73		40 1 R Edg. Gut.
				615 70		41 2 " Bot. Cb
				616 30		41 2 " Top Cb.
				616 45		49 8 " BK Walk.
			Lenker Rd	617 41	18 6 L Top Cb.	Island
				616 95	18 6 " Bot. "	Island
				616 75	43 0 " BrK	
				616 47	50 0 " Edg. Gut	
				616 33	51 1 " Bot. Cb.	
				616 95	51 1 " Top Cb	
				617 44	52 2 " Top Premix Cb	
				618 1	60 0 " P/L	
60+20 8		S.M.H. (End)				35 0 R S.M.H.
						Rim Elev. - (M+D) = Invert
				608 23	Inv. 8" Outlet S.	616.40 - (7.50 + 0.67) = 608.23
60+73 7				618 6		℄ Rosemead Blvd.
				618 71	18 6 L Top Cb.	Island
				618 25	18 6 " Bot. "	Island
				618 00	43 0 " BrK	
				617 60	50 0 " Edg. Gut	
				617 50	51 1 " Bot. Cb.	

76L-296 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 140 — Job No. 6252.30 — Division No. 10 — Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena S.D. Line "B" — Date ____ — No. ____ X-Sec. ____
Survey by Eppell — Notes T.M. Maldonado — Notes Chkd. ____ Checked ____
Indexed C. Johnson — Date ____ — Date ____ — No. ____

STATION	B. S.	H. I.	F. S.	ELEV.		
60+73.7				618.15	51.1	Top Cb.
				618.65	52.2	" " Premix Cb.
				619.2	60.0	" P/L
60+83.7				617.80	49.9	cor. " gutter.
			Lenker Rod	617.80	50.0	" Int. " "
				617.71	51.1	" Bot Cb. S end C.R. S.W. cor.
				618.38	51.1	" Top " " " "
				618.95	52.2	" Top Premix Cb.
61+00				619.1		℄ Rosemead Blvd.
				618.80		8.6 R. Top Cb.
				618.35		8.6 " Bot " Island.
				618.05		33.2 " Brk
				617.70		40.0 " Edg. Gut.
				617.65		41.1 " Bot Cb.
				618.26		41.1 " Top "
				618.30		49.7 " Brk. Walk
61+16.6		S.M.H.				35.0 R S.M.H.
						Rim Elev. - (M+D) = Invert
				610.52	Inv. 8" Inlet W.	618.41 - (7.22+0.67) = 610.52
				610.31	Inv. 8" Outlet N.	618.39 - (7.41+0.67) = 610.31

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 2252.30 Division No. 10 F.B. 2766 Pg. 141
No. X-Sec. Date Date Surveyed E. Parkland Notes Checked J. Jones
Date Checked Computed Date

STATION	B. S.	H. I.	F. S.	ELEV.		
61+21.59				6 19 55	Per F.B. 2509-175-248	℄ Int. of Rosemead Blvd. & ℄ Grayburn Rd.
" "	=	1+00 going		W'ly along ℄ Grayburn Rd.		
1+18 ℄	W			6 19 60		℄ Grayburn Rd Top Cb
				6 19 10		℄ " " Bot "
1+43 ℄	"			6 19 00		℄ " " Brk.
1+49 ℄	"			6 18 65		℄ " E. Edg. "X" Cut
1+51 ℄	"		Center	6 18 52		℄ " Fl. Line
1+53 ℄	"			6 18 62		℄ " W. Edg. "X" Cut
				619 04		19 ℄ R Int. Rd "
				6 18 02	27 ℄ L Int. Rd. gutt.	
1+70 ℄	"			6 19 10		℄ Grayburn Rd
				6 18 28	16.93 L cor gutt.	
				6 18 24	18.03 " Bot. Cb	W end C.R. S.W. cor.
			Road	6 18 80	18.03 " Top "	" " " "
				6 19 28	19 " " Premix Cb	
1+72 ℄	"			6 19 14		℄ Grayburn Rd.
				6 19 11		18.75 R. cor gutt.
				6 19 00	6" Cb.	19.85 R. W. end C.R. N.W. cor
				6 19 57	Top "	19.85 R " " "
				6 19 80		29.85 " BK Walk
1+80 ℄	"			6 19 20		℄ Grayburn Rd.
				6 19 25		9.9 R W/4
				6 19 10		19.85 " Bot Cb.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 142 — Job No. 6252.30 — Division No. 10 — Notes Red — Plotted — Profile
Survey of E Pasadena S.D. Line "B" — Date — No. — X-Sec.
Survey by J. Spell — Notes J.M. Maldonado — Notes Chkd. — Checked
Index C. Johnson — Date — Date — No.

STATION	B.S.	H.I.	F.S.	ELEV.		
1+80 6	W.			619.64		19.8 5 R Top Cb.
				619.85		29.8 5 " BK. Walk
				618.80	9 0 L W/4	
				618.30	18 1 " Bot. Cb.	
			Lenker Rod	618.76	18 1 " Top "	
				619.3	30 0 " P/L	
2+20 6	"			619.48		℄ E. Grayburn Rd.
				619.56		9 9 R W/4
				619.49		19.8 5 " Bot Cb
				620.03		19.8 5 " Top "
				620.24		29.8 5 " BK Walk.
				618.98	9 0 L W/4	
				618.40	18 1 " Bot. Cb.	
				619.02	18 1 " Top "	
				619.8	30 0 " P/L	
2+77 6	W.	S.M.H.				5 0 L S.M.H.
						Rim Elev. - (M + D) = Invert
				612.52	Inv. 8" Inlet W.	619.59 - (6.40+0.67) = 612.52
				612.57	Inv. 8" Inlet N	619.62 - (6.38+0.67) = 612.57
				612.35	Inv. 8" Outlet E.	619.56 - (6.54+0.67) = 612.35

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
2+60.4	W			619.66		℄ Grayburn
				619.81		9.9 R W/A
				619.84	(Alley) 60H cb.	19.85 " E end C.R. N.E. cor
				620.34	Top "	19.85 " " " "
2+79.60	W			619.78		℄ int. Grayburn & Alley
" "	=	0+00	going	N along the ℄ of		Alley
0+09.9	N.			619.92		℄ "
0+18.0	N			619.87		℄ " F/L Grayburn
0+-21.6	N			620.03		℄ "
				620.13	10-L 60H cb N. end	C.R. N.W. cor. (Alley)
				620.51	10-L Top " "	" " "
0+29.5	N		Center	620.45		℄ Alley
				620.58		9.4 R Top cb & pv.
				620.72	10-L Top cb & pv.	
1+00	N		Rod	622.71		℄ Alley
2+92.6	W.			619.87		℄ Grayburn Rd
				620.02		9 R W/A
				620.02		18 " W. end C.R. N.W. cor
				620.45	(Alley) Top	18 " " " "
				621.1		30 " P/L
				619.49	9 L W/A	
				618.99	18 " 60H cb.	

Profile Notes Red. Plotted Job No. 62252.30 Division No. 10 F. B. 25766 Pg. 143
No. X-Sec. Date Survey of E. Rowland Notes Comp. Date 4-66
Date Notes Chkd. Date Checked Map No. Date Checked

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F. B. 2586 Pg. 144 Job No. 6252.30 Division No. 10 Notes Red. Plotted Profile
Survey of E. Palmdale S.D. - Line "B" Date No. X-Sec.
Survey by Zapell Notes J.M. Maldonado Notes Chkd. Checked
Indexed E. Johnson Date Date No.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
2+92.6	W			——	18 L depressed cb.	
				620 31	30 " o/L	
61+62.4				619 52	49 ° L cor. gutt.	
				619 51	50 1/2 " int Ed gutters	
				619 45	51 " 60H cb. N end C.R. N.W. cor.	
				620 05	51 1/2 " Top " " " " "	
				620 25	59 1/2 " 6ack walk	
61+72.4				620 6		& Rosemead
				620 87	18 1/2 L Top cb	
				620 40	18 1/2 " 60H "	
				620 15	43 " 6rk	
				619 72	50 " Ed gutt.	
				619 65	51 1/2 " 60H cb	
				620 30	51 1/2 " Top "	
				620 50	59 1/2 " 6ack walk	
62+12.4				621 7		& Rosemead
				621 36		8 1/2 R
				620 91		8 1/2 "
				620 61		33 1/4 " b
				620 15		40 1/2 "
				620 08		41 1/2 "
				620 69		41 1/2 "
				620 84		49 1/2 "
				621 75	18 1/2 L	
				621 30	18 1/2 "	
				621 10	43 1/2 " b	
				620 70	50 1/2 "	
				620 64	51 1/2 "	
				621 27	51 1/2 "	
				621 45	59 1/2 "	
BM TE-711				621 70	BM TE 711 El. 621.706 F.B. 2509-17, Rosemead Blvd.	
			corr	621 71	& Oakdale Ave. - S.E. cor., 8" spk in cb. 3 FT. S. of S. end C.R.	
62+47.3				622 5		& Rosemead
				622 23		8 7/8 R Top cb.
				621 72		8 7/8 " 60H "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 6252.20 Division No. 10 F.B. 2566 Pages

No. X-Sec. Date Date Surveyed by

No. Date Name Chief Checked

STATION	B.S.	H.I.	F.S.	ELEV.		
62+47 3				62141		33 4 R Brk
				62100		40 23 " Edg. Gut
				62094		41 33 " Bot. Cb
				62155		41 33 " Top "
				62174		49 4 " BK. Walk
62+57 3			Center Rod	62124		40 23 " Edg. Gut
				62115	both cb	41 33 " S. end C.R. S.E. cor
				62180	Top "	41 33 " " " " "
				62196		49 4 " BK. walk Brk
62+92 33				62312	per F.B. 2509-176-249	℄ Int. Rosemead & E. Oakdale Ave
" "	=	1+00	going E'ly		along ℄ E. Oakdale Ave.	
1+08 18	E			62332		℄ Top Cb. Island
				62265		℄ Bot " "
1+33 4	"			62234		℄ Brk
1+45 0	"			62181		℄ Flow Line
1+61 0	"			62126		14 25 R cor. gutt
				62115	both cb	15 35 " E. end C.R. S.E. cor
				62146	Top "	15 35 " " " " "
1+63 7	"			62237	24 13 L cor. gutt	
				62236	25 23 " Bot. Cb.	E end C.R. N.E. cor
				62271	25 23 " Top Cb.	" " " "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 3566 Pg. 146 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. Line "B" Date No. X-Sec.
Survey by Zapata Notes J.M. Maldonado Notes Chkd. Checked
Indexed C. Johnson Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.		
1+71 0	E.			622.18		℄ Oakdale Ave.
				621.71		7 7
				621.10		15 32 R W/4 Bot. Cb.
				621.30		15 32 " Top "
				621.7		25 0 " Ground
1+71 L	"			622.37	26 63 L	Bot. End Cb.
				622.55	26 63 "	Top Cb.
1+73 2	"			622.18		℄ Oakdale Ave
				622.47	29 4 L	Brk
				622.54	13 L	W/4
				622.40	26 8 "	Ed pv.
			Lenker Road	622.8	30 0 "	Grd.
2+04 4	"			622.41	36 5 L	Bot. Cb.
				622.58	36 5 "	Top "
2+29 88	"			621.50	Per F.B. 2509-176 B.C.	℄ Oakdale Ave
				621.00		7 1 R W/4
				620.31		15 32 " Bot. Cb.
				620.51		15 32 " Top "
				620.8		25 0 " Grd
				622.50	21 0 L	Brk
				622.74	37 0 "	"
				622.50	49 2 "	Bot. Cb.
				622.80	49 2 "	Top "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6252.30 Division No. 10 F.B. 2566 Pg. 47

No. ____ Date ____ Name ____ Date ____ Name ____ Date ____ Name ____ Date ____

Sec. ____ Date ____ Checked ____ Surveyed by Zaragoza, Nomellini, Date 4-16-58

Survey of E. Rosemead Blvd. from Lemon Ave. to 1000' N.

STATION	B.S.	H.I.	F.S.	ELEV.		
4+17 8	W	S.M.H.				35 R or Six S.M.H.
& prod	Oakdale					Rim Elev. - (M+D) = Invert
				608.24	Inv. 8" Inlet W.	619.00 - (10.09+0.67) = 608.24
				608.20	Inv. 8" Outlet E.	618.98 - (10.11+0.67) = 608.20
63+07 7		S.M.H.				35° R S.M.H.
						Rim Elev. - (M+D) = Invert
				608.67	Inv. 8" Inlet S.	621.64 - (12.30+0.67) = 608.67
				608.63	Inv. 8" Inlet N.	621.67 - (12.37+0.67) = 608.63
				608.60	Inv. 8" Outlet E.	621.62 - (12.35+0.67) = 608.60
63+12 4			Lemker Rod	623.7		* Rosemead Blvd
				623.95	18 58 L	Top Cb.
				623.45	18 58 "	Bot "
				623.25	43° "	Brk
				622.90	49 9 "	Edg. Gut.
				622.81	51 1 "	Bot Cb.
				623.45	51 1 "	Top "
				623.65	59 5 "	BK Walk
63+37 2				622.84		40 35 R Edg. Gut
				622.74		41 35 " N. end C.R. N.E. Cor.
				623.85		Top " 41 35 " " " "
				623.55		49 45 " BK Walk BK

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 148 Job No. 6252.30 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Survey of E. Rosedale Jr. Hi. "B" Date ____ No. ____ X-Sec. ____
Survey by Sapell Notes C.M. Maldonado Notes Chkd. ____ Checked ____
Indexed C. Johnson Date ____ Date ____ No. ____

STATION	B.S.	H.I.	F.S.	ELEV.		
63+47 2				624 5		℄ Rosemead Blvd.
				624 18		8 73 R Top Cb
				623 72		8 73 " Bot "
				623 41		33 4 " Brk
				623 01		40 25 " Edg. Gut.
				622 92		41 35 " Bot. Cb.
				623 56		41 35 " Top "
				623 70		49 45 " BK Walk
63+87 9				625 3		℄ Rosemead Blvd
				624 72		8 76 R Top Cb
				624 45		8 76 " Bot "
				624 15		33 4 " Brk
				623 70		40 05 " Edg. Gut.
				623 60		41 15 " Bot Cb
				624 22		41 15 " Top "
				624 45		49 25 " BK. Walk
				625 30	18 56 L Top Cb.	
				624 80	18 56 " Bot "	
				624 62	43 0 " Brk	
				624 20	49 2 " Edg Gut	
				624 15	51 1 " Bot Cb	

Lenker Rod

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 62552.30 Division No. 10
No. X-Sec. Date Date Surveyed by E. Peterson Date 4-64
No. Noted Cabel Checked Map No. Date
No. Date

STATION	B.S.	H.I.	F.S.	ELEV.		
63+87.9				62482	51.1 ℄ Top Cb.	
				62502	54.5 " Bk Walk	
BM TE 766				62544	BM TE 766 El. 625.445 F.B. 2509-17	
					Rosemead Blvd & Thorndale Rd., S.W. cor	
					Bk spk in curb 6 FT. W. of W. end C.R.	
64+01.1				62487	49.2 L 60H cb (End Island)	
			Lenker Rd.	62531	49.2 " Top "	
64+04.0				62458	49.0 L cor. guth	
				62451	50.0 " int Ed gutters	
				62446	51.1 " 60H cb. ℄ end CR S.W. cor	
				62514	51.1 " Top " " " "	
64+41.66				62565	F.B. 2509-177 & 250 ℄ int Rosemead & Thorndale	
" "	+	1400	going	W.	along the ℄ of Thorndale	
1405	W			62568	℄ "	
1443	W			62561	℄ " brk.	
1449.0	W.			62521	℄ " Ed "x" guth.	
1451.0	W			62512	℄ " F/L " "	
1453.0	W			62522	℄ " Ed " "	
				62554	17.0 R int ed gutters	
				62472	26.6 L int ed gutters	
1+70.5	W.			62584	℄ Thorndale	

F.B. 2566 Pg. 149

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 150 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Paladerna D.J. S.D. Line "A" Date Date No. X-Sec.
Survey by Segrest/Notes Notes Chkd. Checked
Indexed K. Johnson Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.		
1+70 6	W.			626 08		9° R W/4
				626 02		17 ' cor. gutt
				625 92	both cb	18 ' W. end C.R. N.W. cor.
				626 43	Top "	18 ' " " "
				626 72		29 5 ' back walk
			Lenker Road	625 45	9° L W/4	
				624 95	17 ' cor gutt.	
				624 87	18 ' both cb. W.	end C.R. S.W. cor
				625 36	18 ' Top " "	" "
				625 70	29 6 ' back walk	
1+80 6	W			625 90		& Thorndale
				626 15		9 R W/4
				626 00		18 ' both cb
				626 55		18 ' Top "
				626 87		29 5 ' back walk
				—		
				625 47	9 L	
				624 96	18 ' same	
				625 46	18 '	
				625 75	29 6 '	
2+20 6	W.			626 31		& Thorndale

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6252.30 Division No. 10
No. X-Sec. Date ____ Date ____ Survey of E. Rowland Ave. Date 4-6-60
No. Note Clrd ____ Checked ____ Surveyed by Jones & Mann Jr. C. Johnson

STATION	B. S.	H. I.	F. S.	ELEV.		
2+20.6				626.50		9° R w/Δ
				626.40		18 " both cb
				626.90		18 " Top "
				627.22		29.5 " back walk
				625.85	9 L	
			Lenker Rod	625.26	18 "	
				625.80	18 "	same
				626.12	29.5 "	
2+66.6				626.77		18 R E end c.R N.E cor
				627.30	Alley both cb	18 " " " "
				625.72	18 L both cb	E end c.R S.E cor.
				626.22	18 " Top "	" "
2+79.5	W.			626.77		℄ int Thorndale & Alley
" "		0+00	going	N. & S. along the ℄ of Alley.		
0+09	N			626.92		℄ Alley
0+48	N			626.85		℄ " ℄ Thorndale
0+30.0	N			627.48		℄ Alley
				627.37		10 R or E both cb
				627.42		10 " " Top " End
				627.68	10 L both cb	End
				627.84	10 " Top "	

F.B. 2566 Pg. 151

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 152 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. Line "B" Date Date No. X-Sec.
Survey by Stapert Notes D.S. Notes Chkd. Checked
Indexed by C. Johnson Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
1+00	N			629 20		℄ Alley
0+09	S			626 27		℄ "
0+18	S			625 80		℄ "
0+30	S			626 30		℄ "
				626 40		10 R boH cb. End.
				626 70		10 " Top "
			Lenker Rod	626 21	10 L boH cb	
				626 43	10 " Top " End.	
0+60	S			626 71		℄ Alley
1+00	S			625 14		℄ "
2+00	S			623 27		℄ "
2+92.5	W			626 92		℄ Thorndale
				626 90		(Alley) boH cb. 18 R W. end c.R. N.W. cor
				627 51		Top " 18 " " " "
				625 95	18 L boH cb - W.	end c.R. S.W. cor Alley
				626 45	18 " Top "	" " "
3+20.6	W.			627 12		℄ Thorndale
				627 27		9 R W/4
				627 10		18 " boH cb
				627 71		18 " Top "
				6281		30 " P/L

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 62520 Division No. 10
No. X-Sec. Date Date Survey of E. Rosemead Blvd. & Lower Azusa Rd.
No. Noted Cbkd. Checked Surveyed by J. Jagger, M. Nunez, J. Jenkins, C. Jenkins
No. Date Date Date Mo. No. Date

F.B. 2566 PG. 153

STATION	B.S.	H.I.	F.S.	ELEV.		
3+20.6	W			626.72	9 L	W/4
				626.20	18 "	both cb.
				626.67	18 "	Top "
				627.3	30 "	P/L
64+79.9				625.89	49 L	cor. gutt.
				625.81	50 "	Int Ed. gutters.
				625.79	51.1 "	both cb.
64+81.6				626.64	51.9 L	both cb (Begin Island)
			Lenker - Rod	626.92	51.9 "	Top "
64+89.9				627.2		& Rosemead
				627.11	17.8 L	Top cb.
				626.60	17.8 "	both "
				626.38	43 "	brk.
				626.04	50.9 "	Ed gutt.
				625.98	51.1 "	both cb.
				626.60	51.1 "	Top "
				626.84	59.5 "	back walk
65+00				627.4		& Rosemead
				626.91		8.7 R Top cb. (Island)
				626.45		8.7 " both "
				626.10		33.4 " brk

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 154 | Job No. 6252.30 | Division No. 10 | Notes Red | Plotted | Profile
Survey of E. Pasadena SD - Line 'B' | Date | Date | No. | X-Sec.
Survey by Sopell | Notes D.S. | Notes Chkd. | Checked
Indexed M.C. Johnson | Date | Date | No.

STATION	B.S.	H.I.	F.S.	ELEV.		
65+00				625 77		40° R Ed gutt.
				625 70		41-' " bott cb.
				626 33		41-' " Top "
				626 50		49-2 " back walk
65+29				6278		& Rosemead
				627 86	18-6 L	Top cb.
				627 35	18-6 "	bott " Island
			Lenker Rod	627 18	43 "	brk
				626 71	50 "	Ed gutt.
				626 67	51-' "	bott cb.
				627 29	51-' "	Top "
				627 50	59-5 "	back walk
T.P.				627 41	T.P.	
66+00				6290		& Rosemead
				628 75		8-6 R
				628 30		8-6 "
				627 82		33-5 "
				627 50		40 " same
				627 40		41-' "
				628 05		41-' "
				628 24		49-2 "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 625230 Division No. 10
No. Sec. Date Date Survey of E. 62nd Street from Long Beach Blvd. to Alameda St.
Notes Chkd. Checked
Date Date
Maps Drawn by J. C. Yoshida Date
Prints Date

F. B. 2576 PG. 153

STATION	B.S.	H.I.	F.S.	ELEV.		
66+00				629 15	18 6 L	Top cb.
				628 70	18 6 "	both "
				628 37	43 "	brk
				628 02	50 "	Ed. gutt
				627 97	51 1 "	both cb.
				628 62	51 1 "	Top "
				628 84	59 5 "	back walk
66 ± 57		S.M.H.				35° R S.M.H.
						Rim El. - (M + D) = Inv.
				621 39	Inv. 8"	inlet N.
				621.40	Inv. 8"	outlet S.
66+81 3			Center Rod	630 2		& Rosemead
				630 15		8 6 R
				629 64		8 6 "
				629 35		33 4 "
				629 08		40 1 "
				628 97		41 2 " same
				629 59		41 2 "
				629 72		49 3 "
66+91 8		T.M.H.		629 85		45 3 " T.M.H. N. Rim
67 ± 12 4				630 8		& Rosemead
				631 12	18 7 L	Top cb.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 154 | Job No. 6252.30 | Division No. 10 | Notes Red | Plotted | Profile
Survey of E. Pasadena Sd. Line "B" | Date | Date | No.
Survey by Sapere II Notes | Notes Chkd. | Checked | X-Sec.
Indexed C. Johnson Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
67+12.9				630 64	18 ½ L	both cb.
				630 41	43 "	brk
				630 05	50 ½ "	Ed gutt
				629 98	51 ½ "	both cb.
				630 59	51 ½ "	Top "
				630 82	59 ½ "	back walk
67+22.4				630 22	49 ½ L	cor gutt
				630 20	50 ½ "	int Ed gutt
				630 15	51 ½	both cb. S end C.R. S.W. cor.
67+41.37				631 4	F.B. 2509-179	℄ int Rosemead & Mountain View Ave.
" "	1+00	99.99		East	" 2566-6 along	the ℄ of mountain View "
1+08.6	E.			631 16		℄ " " Top cb.
				630 70		℄ " " both "
1+33.4	"			630 35		℄ " "
1+41.9	"			630 15		℄ " "
1+60.5	"			630 65		℄ " "
				630 17	9° L	cor N. cor gutt.
				630 08	10 " "	both. cb. E end C.R. N.E. cor.
				630 57	10 " "	Top " " " " "
				630 7	20 "	gnd
				630 74		11.9 R Crown.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6252.30 Division No. 10
No. X-Sec. ____ Date ____ Date ____ Survey of E. Rosemead Blvd. Sta. 1+60 to Sta. 2+37.4
F.B. 3566 Pg. 157

STATION	B.S.	H.I.	F.S.	ELEV.		
1+60 5/5	E			629 60		29 4/4 R Pvmt.
1+64 3/3	"			629 60		29 8/8 " Cor. Conc Gutter
				629.52	bott cb	30 8/8 " E end cb. S.E cor.
				629.85	Top "	30 8/8 " " " "
				629.78		40 " Gnd
2+00	"			630.22		℄ Mountian View Ave
			Center Rod	630.25		10°R Crown pvt.
				629.77		26°R Brk "
				628.67		39°R F/L "
				629.11		50.5/5 R Edge pvt.
				629.80	9.2/2 L Bot Cb	
				630.11	9 2/2 L Top "	
				630.2	20.0/0 L Gnd	
2+37.4	"			629.76		℄ Mountain View Ave
				629.74		10°R Crown pvt
				629.30		28 7/7 R Crown pvt Walnut Dr.
				628.60		41 7/7 R Brk Pvt
				627.65		58 7/7 R Bot end cb
				628.02		58 7/7 R Top " "
				628.14		66 2/2 R Edge pvt.

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2586 Pg. 158 Job No. 6252.30 Division No. 10 Profile
Survey of E. Parkdale S.D. - Line "B" Notes Red Plotted
Survey by Caldwell Notes C. & F. Shoemaker Notes Chkd. Date Checked
Indexed C. Jamison Date Date Date
X-Sec. No.

STATION	B. S.	H. I.	F. S.	ELEV.		
2+50 E				629.48		℄ Mountain View Ave.
				629.44		10° R Crown put
				628.50		48.5 R Walnut Dr.
			Lenker Rod	628.08		61.0 R Brk put
				627.00		76.4 R Bot cb
				627.38		76.4 R Top "
				627.62		79± R Edge put.
				629.18	10.6 Bot Cb	
				629.52	10.6 Top "	
				629.6	20.6 Gnd	
67+56.97				631.6	F.B 2509-179 FB2566-8	℄ Int Rosemead Blvd Mountain View W.
" =	1+00	Going W along ℄ Mountain View				
1+18.70	W.			631.91		℄ Mountain View Top Cb
"				631.38		℄ " " Bot "
1+43.0	"			631.12		℄ " " Brk put
1+49.0	"			630.81		℄ " " Edge gutter
1+51.0	"			630.72		℄ " " F/L "
1+53.0	"			630.81		℄ " " Edge "
				631.02		14° R. Int " "
				630.41	23.9 L Int edge gutter.	
1+70.7	"			631.56		℄ Mountain View Ave

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 6252.30 Division No. 10
No. X-Sec. Date Surveyed by [illegible] Rodgers Inst. Man. C. Johnson F.B. 2566 Pg. 159
No. Date Checked Date

STATION	B.S.	H.I.	F.S.	ELEV.		
1+70.7	W.			631.65		7.5 R 1/4 Put
				631.52		14° R Edge gutter end
				631.45	both cb.	15° R W. end C.R. N.W. cor
				632.00	Top "	15° R " " " "
				631.34	7.5 L 1/4 put	
				630.64	14' L Edge gutter end	
				630.60	15' L Bot cb - W.	end C.R. S.W. cor.
			Center Rod	631.10	15' L Top " - "	" " "
1+80.7	"			631.76		℄ Mountain View
				631.80		7.5 R. 1/4 put
				631.60		15° R Bot cb
				632.15		15° R Top "
				632.41		26° R Back of walk
				631.41	7.5 L 1/4 put	
				630.65	15' L Bot cb	
				631.24	15' L Top "	
				631.50	26' L Back of walk	
2+20.7	"			632.30		℄ Mountain View
				632.38		7.5 R 1/4 Put
				632.14		15° R Bot Cb
				632.61		15° R Top "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2586 Pg. 160 — Job No. 6252.30 — Division No. 10 — Notes Red — Plotted — Profile
Survey of E. Pasadena C.L. Line "B" — Date — No. — X-Sec.
Survey by Sapsell — Notes C.E. Shoemaker — Notes Chkd. — Checked — No.
Indexed C. Johnson — Date — Date

STATION	B.S.	H.I.	F.S.	ELEV.		
2+20.7	W			632.90		26'R Back of walk
				632.00	7.5 L 1/4 put	
				631.21	15'L Bot Dep. cb.	
				632.02	26'L Back of walk	
2+65.3	"		Lenker Rod	632.90		℄ Mountain View Ave
				632.41		7.5 R 1/4 put
				632.66	(alley) both cb	15' " E. end C.R. N.E cor.
				633.28	Top "	15' " " " "
				632.56	7.5 L 1/4 Put	
				631.82	15'L Bot cb - E end C.R. S.E. cor. (alley)	
				632.35	15'L Top " - "	
2+79.6	W.			633.00	F.B. 2509-?	℄ Int Mountain View & Alley
" =	0+00	N.℄ S. along ℄		Alley		
0+15 N				632.77		℄ Alley
0+26 N				633.30		℄ Alley
				633.40	both cb	10'R N. end C.R. N.E. Cor.
				633.53	Top "	10'R " " " "
				633.52	10'L Put Bot end cb - N. end C.R. N.W. "	
				633.62	10'L Top " "	" " " "
0+50 N				633.80		℄ Alley
1+00 N				634.30		℄ "

76L-296 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.		
0+15.0 S				631.95		℄ Alley
0+26.1 S				632.21		℄ Alley
				632.72	6oH cb	10°R or. W. S. end C.R. S.W. cor
				632.80	Top "	10°R " " "
				632.44	10°L Put. Bot cb -	S. end C.R. S.E. cor.
				632.62	10°L Top cb. "	" " "
0+50° S				632.25		℄ Alley
1+ -00S				631,20		℄ Alley
2+ 93.0 W			Lenker Rod	633.10		℄ Mountain View Ave.
				633.15		7.5R 1/4 Put
				632.90	6oH cb	15°R W. end C.R. N.W. cor
				633.45	Top "	15°R " " " "
				632.78	7.5L 1/4 Put	
				632.14	15'L Bot cb - W.	end C.R. S.W. cor (alley)
				632.62	15'L Top " - "	" "
3+20.0				633.35		℄ Mountain View Ave
				633.33		7.5R 1/4 Put
				633.18		15°R Bot Cb
				633.65		15°R Top cb
				633.9		25°R Gnd
				633.04	7.5L 1/4 Put	

Profile Notes Red. Plotted Job No. 62252.20
No. Date Date Survey of ℄ Division No. 10
Notes Chkd. Checked Survey by J. Tarpy, M. Mendez, R. Bell, C. Johnson
F.B. 2566 Pg. 16,1

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2586 Pg. 162 — Job No. 6252.30 — Division No. 10 — Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena S.D. Line "B" — Date ____ No. ____ X-Sec. ____
Survey by Sprell Notes C.F. Shoemaker — Notes Chkd. ____ Checked ____ No. ____
Indexed C. Johnson Date ____ Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
3+20.0				632.02	15.1 L Bot Cb.	
				632.55	15.1 L Top "	
				633.3	25.0 L Gnd	
B.M. TF 765				632.08	BM TF 765, El. 632.085, F.B. 2509-18, Rosemead Blvd & Mountain View Ave, N.W. cor. Bt. spk in curb, 4 Ft. W. of W. end C.R.	
67+81.3				632.0		& Rosemead Blvd
			Center Rod.	631.81		8.6 R Top Cb
				631.38		8.6 R Bot "
				630.95		33.4 R Bot Pot.
				630.70		40.1 R Edge gutter
				630.55		41.1 R Bot cb
				631.20		41.1 R Top "
				631.38		49.4 R Back of walk
67+92.3				632.0		& Rosemead Blvd
				631.30	49.0 Cor Cross gutter	
				631.29	50.0 Int " "	
				631.21	51.1 Bot Cb. N. end C.R. N.W. Cor.	
				631.86?	51.1 Top " " " "	
68+02.3				623.3		& Rosemead Blvd
				632.58	18.7 L Top Cb	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 62320 Division No. 10
No. X-98 Date ____ Date ____ Survey of E. Rosemead Blvd. Erie Rd.
Name Chkd. ____ Surveyed by C. Jones & Assistants F.B. 2566 Pg. 163

STATION	B.S.	H.I.	F.S.	ELEV.			
68+02.3				632.10	18.7 L	Bot cb	
				631.82	43.0 L	Brk	
				631.45	50.0 L	Edge gutter	
				631.40	51.1 L	Bot cb	
				632.00	51.1 L	Top "	
				632.25	59.6 L	Back of walk	
68+21.3				632.6			℄ Rosemead Blvd
				632.46			8.6 R Top cb
				631.96			8.6 R Bot "
				631.60			33.4 R Brk
				631.22			40.0 R Edge gutter
				631.15			41.1 R Bot cb
				631.80			41.1 R Top cb
				631.95			49.4 R Back of walk
68+42.3			Lemke Rod	632.9			℄ Rosemead Blvd.
				633.18	18.7	Top cb	
				632.66	18.7	Bot cb	
				632.50	43.0	Brk put	
				632.10	50.0	Edge gutter	
				632.02	51.1	Bot cb	
				632.70	51.1	Top cb	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 164 | Job No. 6252.30 | Division No. 10 | Notes Red | Plotted | Profile
Survey of E. Paddenz S.D. Line "B" | Date | No. | X-Sec.
Survey by Sapp II/C. Johnson | Notes C. E. Shoemaker | Notes Chkd. | Checked | No.
Indexed | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.		
68+42.3				632.90	59.6 Back of walk	
69+00				633.8		℄ Rosemead Blvd
				633.60		8.6 R Top cb
				633.15		8.6 R Bot cb
				632.75		33.4 R Brk pvt
				632.40		40.0 R Edge gutter
				632.35		41.1 R Bot cb
				632.96		41.1 R Top cb
				633.15		49.4 R Back of walk
			Lenker Rod	634.08	18.7 L Top cb	
				633.55	18.7 L Bot cb	
				633.39	43.0 L Brk pvt	
				632.95	50.0 L Edge gutter	
				632.90	51.1 L Bot dep. cb	
				633.75	59.6 L Back of walk	
69+94.4		S.M.H.				34.8 R S.M.H. end
					Rim El. − (M + Dia.) = Inv.	
				626.20	8" Outlet S. 634.20 − (7.33 + 0.67) =	626.20
70+27.8				635.7		℄ Rosemead Blvd
				636.57		8.6 R Top cb
				635.17		8.6 Bot cb Island

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6252.30 Division No. 10 F.B. 2566 Pg 165
No. ____ Date ____ Date ____ Survey of E. Rosemead Blvd. Sta. 70+27.8 to Sta. 71+65
Note Chkd. ____ Checked ____ Surveyed by [illegible] Notes by [illegible] Job Chkd. [illegible]

STATION	B.S.	H.I.	F.S.	ELEV.			
70+27.8				634.70			33.4 R Brk put
				634.36			40.0 R Edge gutter
				634.29			41.1 R Bot cb
				634.90			41.1 R Top "
				635.00			49.4 R Back of walk
			Center	636.00	18.7 L	Top cb	
				635.56	18.7 L	Bot "	
				635.18	43.0 L	Brk put	
				634.82	50.0 L	Edge gutter	
				634.76	51.1 L	Bot cb	
				635.39	51.1 L	Top "	
			Pod	635.58	59.6 L	Back of walk	
70+34.0				634.97	49.0 L	Cor. end cross gutter	
				634.93	50.0 L	Int " " "	
				634.88	51.0 L	Bot cb - S. end C.R. S.W. cor.	
				635.51	51.0 L	Top " - " " " "	
70+41.4				635.90	4.9 L	Top cb end island	
				635.40	4.9 L	Bot " " "	
70+77.3		S.M.H.					33.8 R S.M.H.
						Rim El. - (M + Dia)	= Inv.
				628.46		8" Inlet W. 635.38 - (6.25+0.67)	= 628.46
				628.28		8" Outlet N. 635.37 - (6.42+0.67)	= 628.28

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 166 — Profile — No. — X-Sec. — No.
Survey of E. Palmdale Jud. Line "B" — Plotted — Date — Checked — Date
Survey by Capell & C. Johnson — Notes C.E. Shoemaker — Notes Chkd. — Date
Indexed — Date
Job No. 6252.30 — Division No. 10 — Notes Red — Date

STATION	B.S.	H.I.	F.S.	ELEV.		
70+82.03				636.10	F.B 2509-180	Rosemead Blvd
"	+1+00	Going W'ly along ℄ Del Mar.			" 2566-10	℄ Int Del Mar "
1+16.5 W				636.40		℄ Del Mar Blvd. Brk pvt
T.P.				635.55		
1+43 ° W				636.08		℄ Del Mar Blvd " "
		S.M.H.			5° L S.M.H.	
					Rim El. - (M + Dia.)	= Inv
				629.19	8" Inlet N. 636.04 - (6.18 + 0.67)	= 629.19
			Lenker Rod	628.98	8" " W. 636.00 - (6.35 + 0.67)	= 628.98
				628.84	8" Outlet E. 636.02 - (6.49 + 0.67)	= 628.84
1+48.2 "				635.70		℄ Del Mar Blvd ℄ Edge gutter
1+50.9 "				635.55		℄ " " " " F/L "
1+52.9 "				635.65		℄ " " " " Edge gutter
				636.02		18± R Int edge gutters
				635.11	37± L Int edge gutters	
1+65.2 "				635.90	29.6 L Top conc	Gas Vault.
				633.10	29.6 L Top 6" I.P.	Gas Line
				630.6	29.6 L Bot. Vault.	
1+66.1 "				636.00	33.6 L Top conc	Gas Vault
				633.00	33.6 L Top 4" I.P.	Gas Line
				630.6	33.6 L Bot. Vault.	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 6252.30 Division No. 10

F.B. 2666 Pg. 167

STATION	B.S.	H.I.	F.S.	ELEV.		
1+68.3	W.			635.9	29.6 L	Top gas vault
				633.27	29.6 L	Top 6" I.P. gas line
				630.6	29.6 L	Bot vault.
				636.05	33.6 L	Top gas vault
				635.09	33.6 L	Top 4" I.P. gas line
				630.6	33.6 L	Bot vault.
1+69.3	"			635.40	31.3 L	Top 4" I.P. Vent.
1+71.1	"		Lenker Rod	636.60		℄ Del Mar Blvd.
				636.67		10° R W/4
				636.60		18.9 R Edge gutter end
				636.60		W. end C.R. N.W. cor 20° R Bot dep. cb. end
1+70.0 ± O.K.				636.32	14° L	W/4
				635.34	26.8 L	Edge gutter end
				635.53	28° L	Bot cb - W. end C.R. S.W. cor.
				635.90	28° L	Top cb - " " " "
1+81.1	"			637.00		℄ Del Mar Blv
				636.97		10° R W/4
				636.79		20° R F/L
				637.10		23° R. Top bnk
				637.20		30° R Pvt
				636.50	14° L	W/4

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 168 — Job No. 6252.60 — Division No. 10 — Notes Red ____ Plotted ____ — Profile No. ____ — X-Sec. No. ____

Survey of E. Palmdale Sub. Line "B" — Date ____ — Notes Chkd. ____ — Checked ____ — Date ____

Survey by C.E. Johnson & C.E. Shoemaker — Notes ____ — Date ____

Indexed ____ — Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
1+81.1 W				635.45	28° L	Bot Cb
				636.03	28° L	Top "
				636.35	39.5 L	Back of walk
2+21.1 "				637.70		℄ Del Mar Blvd
				637.54		10.0 R W/A
				637.10		20.0 R F/L
				637.50		23.0 R Top brk
				637.65		30.0 R Pvmt.
			Lenker Rod	637.18	14.0 L	W/A
				635.90	28° L	Bot Cb
				636.41	28° L	Top cb
				636.74	39.5 L	Back of walk
2+66.2 "				638.22		℄ Del Mar Blvd
				637.65	14° L	W/A
				636.55	28° "	Bot cb - E. end C.R. SE cor. Alley
				636.99	28° "	Top cb " " " " "
2+79.6 "				638.41		℄ Int Del Mar Blvd & Alley
" =	0+00	Going S'ly along		℄ Alley		
0+14.0 S				637.90		℄ Alley
0+28.0 S				636.75		℄ "
0+39.5 S				637.00		℄ "

76L-296 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red No. ____ Date ____ Plotted ____ Date ____ Job No. 6252.30 Division No. 10 Survey of E. Alpine Area Storm Drain Notes Checked ____ Surveyed by Frank Rodriguez & C. Jaramillo F.B. 2564 Pg. 1/2 9

STATION	B.S.	H.I.	F.S.	ELEV.		
0+39.5 S.				637.21		10.0 R Edge put
				637.10	10.0 L Bot cb end	
				637.20	10.0 L Top " "	
0+50.0 S				636.95		℄ Alley
1+00.0 S				636.35		℄ "
2+98.0 W				638.62		℄ Del Mar Blvd
			Lenker Rod	638.15	13.7 L W/4	
				637.10	27.5 L 4 pt edge put.	
3+21.1 W				638.87		℄ Del Mar Blvd
				638.80		10.0 R W/4
				638.41		20.0 R F/L
				638.85		23.0 R Top brk
				639.00		30.0 R Edge Put F/L
				638.38	13.7 L W/4	
				637.45	27.5 L F/L	
				637.65	28.0 L Edge put	
				638.0	38.0 L Gnd	
3+50.3 W		S.M.H.			5.0 L S.M.H.	
					Rim El. - (M + Dia) = Inv.	
				630.63	8" Inlet W. 639.22 - (7.92+0.67) =	630.63
				630.53	8" Outlet E. 639.20 - (8.00 + 0.67) =	630.53

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 170 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. Line "B" Date Date No. X-Sec.
Survey by Sapsell Notes C.E. Shoemaker Notes Chkd. Checked
Indexed by E. Johnson Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
B.M. TE 879				636.04	BM TE 879 - El. 636.037 F.B. 2509-18	
					Rosemead Blvd & Del Mar Blvd, S.W. cor.	
					Bt spk in curb, 7 FT. W. of W. end C.R.	
71+14.2				636.75	5.0 L Bot cb begin island	
				637.30	5° L Top " " "	
71+22.6				636.30	49.0 L Cor. end cross gutter	
				636.25	50° L Int gutters.	
				636.20	51.0 L Bot cb - N. end C.R. N.W. cor.	
				636.82	51.0 L Top cb, " " " " "	
71+25.1			Lenker Rd.	637.4		& Rosemead Blvd
				637.10		8.6 R Top Cb Island
				636.58		8.6 R Bot cb
				637.54	18.7 L Top Cb	
				637.00	18.7 L Bot " Island	
71+32.6				637.4		& Rosemead Blvd
				637.14		8.6 R Top cb
				636.62		8.6 R Bot "
				636.18		33.4 R Brk
				635.87		40.1 R Edge gutter
				635.80		41.2 R Bot dep. cb
				636.50		49.5 R Back of walk

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 6232.30 Division No. 10
No. X-Sec. Date Date Survey of [illegible] F.B. 2566 Pg. 1/71

STATION	B.S.	H.I.	F.S.	ELEV.			
71+32.6				637.60	18.7 L	Top cb	
				637.10	18.7 L	Bot cb	
				636.80	43° L	Brk pvt	
				636.42	50° L	Edge gutter	
				636.31	51.1 L	Bot cb	
				636.97	51.1 L	Top cb	
				637.20	59.6 L	Back of walk	
71+72.6			Lenker Tod	637.9			& Rosemead Blvd
				637.31			8.6 R Top cb
				637.25			8.6 R Bot "
				636.85			33.4 R Brk pvt
				636.46			40.1 R Edge gutter
				636.37			41.2 R Bot cb
				637.00			41.2 R Top cb
				637.18			49.5 R Back of walk
				638.08	18.7 L	Top cb	
				637.58	18.7 L	Bot cb	
				637.34	43° L	Brk pvt	
				637.11	50° L	Edge gutter	
				637.00	51.1 L	Bot cb	
				637.68	51.1 L	Top cb	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 172 | Job No. 6252.00 | Division No. 10 | Notes Red | Plotted | Profile
Survey of E. Pasadena S.D. - Line "B" | Date | Date | No.
Survey by Stapell // Notes C.E. Schumaker | Notes Chkd. | Checked | X-Sec.
Indexed C. Jamieson | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
71+72.6				637.80	59.6 L	Back of walk
72+55.5				639.3		℄ Rosemead Blvd
				638.97		8.6 R Top cb
				638.52		8.6 R Bot cb
				638.10		33.4 R Brk pvt
				637.78		40.0 R Edge gutter
				637.65		41.1 R Bot cb
				638.27		41.1 R Top "
			Lenker Rod	638.50		49.5 R Back of walk
				639.38	18.5 L	Top cb
				638.90	18.5 L	Bot cb
				638.70	43.0 L	Brk pvt
				638.35	49.2 L	Edge gutter
				638.25	50.9 L	Bot cb
				638.87	50.9 L	Top cb
				639.10	59.4 L	Back of walk
72+65.5				637.93		38.96 R Cor end cross gutter
				637.87		39.96 R Int edge gutter
				637.83		both cb 41.06 R S. end G.R. S.E. Cor
				638.46		Top " 41.06 R " " "
72+71.5		T.M.H		638.70		44.4 R Tel. M.H. N Rim

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
72+77.4		S.M.H.			44.0 L S.M.H.	
					Rim El. -	(M + Dia.) = Inv.
				631.62	8" Inlet N. 638.28	(6.69 + 0.67) = 631.62
				631.54	8" Outlet S. 638.96	(6.75 + 0.67) = 631.54
73+00.51				639.8		℄ Int Rosemead Blvd. & ℄ Blanche St FB-2509 181 FB-2566-12
"	=1+00	Going E. along ℄ Blanche St.				
1+08.6 E				639.53		℄ Blanche St Top cb.
				639.08		℄ " " Bot cb.
1+34.2 E			Center	638.80		℄ " " Brk Pvt.
		S.M.H				3.5 R S.M.H.
					Rim -	(M + Dia) = Inv.
				627.09	8" Inlet S. 638.65	(10.89 + 0.67) = 627.09
				627.11	8" Inlet N 638.69	(10.91 + 0.67) = 627.11
				626.88	8" Outlet E 638.62	(11.07 + 0.67) = 626.88
1+39.2 E			Pad	638.43		℄ Blanche St Edge gutter
1+41.0 "				638.34		℄ " " F/L "
1+43.0 "				638.44		℄ " " Edge "
				638.11		24.2 R Int edge gutters
				638.78		24.5 L Int edge gutters
1+60.8 E				639.25		℄ Blanche St.
				638.95		14.1 R edge gutter

Profile Notes Red. Plotted Job No. 6252.30 Division No. 10 F. B. 2566 Pg. 173
No. X-Sec. Date Date Survey of E. Pasadena S.D. Area E
Notes Chkd Checked Survey by Jones & Notes Chkd. Date
No. Date Date Map No. Index Co. Tab

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2566 Pg. 174 Job No. 6252.30 Division No. 10 Notes Red. Plotted Profile
Survey of E. Pasadena No. - Line "B" Date No. X-Sec.
Survey by Capell/Johnson Notes C. F. Shoemaker Notes Chkd. Checked
Indexed C. Johnson Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
1+60.8	E			638.90		bo H cb. 15.1 R E. end cb. S.E. cor.
				639.24		TOP " 15.1 R " " "
				639.25		19.2 R Back of walk end
				639.41	14.0 L	Edge gutter end
				639.40	15.0 L	Bot. Cb - E. end cb. N.E. cor
				639.71	15.0 L	Top " " " " " "
1+70.8	"		Lenker Rod	639.65		℄ Blanche St.
				639.38		7.3 R W/4
				638.94		15.1 R Edge Pvt
				639.6		25.2 R Gnd
				639.65	6.5 L	W/4
				639.50	13.0 L	F/L
				640.30	25.0 L	Pvt.
2+00.0	"			639.45		℄ Blanche St
2+50.0	"			638.95		℄ Blanche St.
4+52.0	"	S.M.H.				3.3 R S.M.H
						Rim El. - (M. + Dia.) = Inv
				625.05	8" Inlet W	636.34 - (10.62 + 0.67) = 625.05
				624.97	8" Outlet E	636.32 - (10.68 + 0.67) = 624.97
73+36.0				639.10		39.1 - R Cor. edge gutter
				638.91		40.1 R Int " "
				638.85		bo H cb. 41.1 R N. end C.R. N.E. cor

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 6252.20 Division No. 10
No. X-80 Date Date Survey of E. Rosemead Blvd
Name Chkd. Checked Name of Road Rosemead Blvd
Date Name Chkd. C. Tobias

F.B. 2566 Pg. 173

STATION	B.S.	H.I.	F.S.	ELEV.			
73+36.0				639.50		Top cb.	41.1 R N. end C.R. NE cor.
73+46.0				640.6			℄ Rosemead Blvd
				640.26			8.6 R Top cb
				639.78			8.6 R Bot cb
				639.50			33.5 R Brk pvt
				639.06			40.1 R Edge gutter
				639.00			41.1 R Bot cb
			Center Rod	639.62			41.1 R Top "
				639.94			49.1 R Back of walk
				640.70	18.6 L	Top cb	
				640.21	18.6 L	Bot cb	
				640.02	43.0 L	Brk Pvt	
				639.62	50.2 L	Edge gutter	
				639.57	51.3 L	Bot depressed cb	
				640.38	59.8	Back of walk	
73+86.0				641.2			℄ Rosemead Blvd
				640.88			8.6 R Top cb Island
				640.44			8.6 R Bot cb
				640.12			33.5 R Brk Pvt
				639.70			40.1 R Edge gutter
				639.61			41.1 R Bot cb

F.B. 2566 Pg. 176 | Job No. 6252.30 | Division No. 10 | Notes Red | Plotted | Profile

Survey of E. Garadenz S.D. Line "B" | Date | No. | X-Sec.

Survey by Sappell Notes C. E. Salamaker | Notes Chkd. | Checked

Indexed C. Jaramillo Date | Date | Date | No.

78L-296 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
73+86.0				640.19		41.-R Top Cb
				640.38		49 R Back of walk
			Center Rod	641.30	18.6 L Top Cb	Island
				640.82	18.6 L Bot cb	
				640.49	43.0 L Brk out	
				640.20	50.2 L Edge gutter	
				640.14	51.3 L Bot cb	
				640.82	51.3 L Top cb	
				640.98	59.8 L Back of walk	
74+76.4		S.M.H.			44.9 L S.M.H.	
					Rim El - (M + Dia) = Inv.	
				634.23	8" Inlet N. 641.91 - (7.01 + 0.67) = 634.23	
				634.15	8" Outlet S. 641.88 - (7.06 + 0.67) = 634.15	
74+95		S.M.H.				35.0 R S.M.H End.
					Rim El - (M + Dia) = Inv	
				632.87	8" Outlet S. 641.64 - (8.10 + 0.67) = 632.87	
T.P.				641.64	T.P.	
75+00				642.7		℄ Rosemead Blvd
				642.60		8.6 R Top cb
				642.14		8.6 R Bot cb
				641.80		33.5 R Brk Pvt

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red_____ Plotted_____ Job No. 2252.30 Division No. 10

No. X-Sec. Date Date Surveyed by E. Rasell Notes Checked Date 4-

No. Notes Cbkd. Date Date Map No. Index Date

F. B. 2566 Pg. 177

STATION	B. S.	H. I.	F. S.	ELEV.			
75+00				641.32			40.1 R Edge gutter
				641.28			41.1 R Bot. Cb
				641.90			41.1 R Top. cb.
				642.11			49.5 R Back of walk
				642.97	18.6 L	Top cb	
				642.50	18.6 L	Bot "	
				642.21	43.0 L	Brk Pvt	
			Center Rd	641.91	50.2 L	Edge gutter	
				641.81	51.3 L	Bot cb	
				642.44	51.3 L	Top "	
				642.64	59.8 L	Back of walk	
75+78.1				643.9			℄ Rosemead Blvd
				643.84			8.6 R Top cb
				643.35			8.6 R Bot cb
				642.92			33.5 R Brk pvt
				642.63			40.0 R Edge gutter
				642.52			41.1 R Bot cb
				643.14			41.1 R Top "
				643.31			49.1 R Back of walk
				644.21	18.6 L	Top cb	
				643.67	18.6 L	Bot "	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 178 — Job No. 6252.30 — Division No. 10 — Notes Red — Plotted — Profile
Survey of E. Pasadena S.D. Line "B" — Date — No. — X-Sec.
Survey by Sapp II — Notes C.E. Shoemaker — Notes Chkd. — Checked
Indexed — Date — Date — No.

STATION	B.S.	H.I.	F.S.	ELEV.		
75+78.1				643.48	43.0 L	Brk pvt
				643.15	50' L	Edge gutter
			Lemker Rd	643.08	51' L	Bot cb
				643.70	51' L	Top "
				643.85	59.6 L	Back of walk
75+88.1				642.85		39°R Cor. edge gutter
				642.75		40°R Int. edge gutter
				642.65	both cb	41'R S. end C.R. SE Cor.
				643.30	Top "	41'R " " "
76+22.65				644.8	F.B. 2509-182 " 2566-14	℄ Int Rosemead Blvd & ℄ Elma Rd F.B. 2509-182 F.B. 2566-14
" = 1+00		Going Ely along ℄ E. Elma Rd				
1+08.6 E.				644.60		℄ E. Elma Rd Top cb
				644.06		℄ " " " Bot "
1+33.4 E.				643.81		℄ " " " Brk pvt
1+35.0 E.		S.M.H.				5.0 R S.M.H.
					Rim El. −	(M + Dia.) = Inv.
				635.25	8" Inlet N 643.65	−(7.73 + 0.67) = 635.25
				635.05	8" Outlet E 643.60	−(7.88 + 0.67) = 635.05
1+39.0 E.				643.45		℄ E. Elma Rd. Edge gutter
1+41.0 E.				643.26		℄ " " " F/L "
1+43.0 E.				643.38		℄ " " " Edge "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6252.30 Division No. 10 F.B. 2566 Pg. 179
No. X-Sec. Date Date Surveyed by [illegible] Notes Checked [illegible] Date [illegible] Map No. [illegible] Date [illegible]

STATION	B.S.	H.I.	F.S.	ELEV.		
1+43.0 E.				643.00		24.2 R Int Edge gutter
				643.84	24.2 L Int edge gutter.	
1+60.4 E.				643.73		℄ E. Elma Rd
				643.60		7.6 R W/4
				643.51		14.2 R Edge gutter
				643.41		both cb 15.2 R E end C.R. S.E. Cor.
				643.90		Top " 15.2 R " " "
1+61.4 E.			Center Rod	643.78	7.5 L W/4	
				643.84	14.0 L Edge gutter	
				643.75	15.0 L Bot depressed cb. - E end C.R. N.E. Cor	
1+70.4 E				643.66		℄ E. Elma Rd
				643.55		7.6 R W/4
				643.40		14.2 R Edge gutter
				643.27		15.2 R Bot. cb
				643.78		15.2 R Top "
				643.90		24.6 R Back of walk
				643.72	7.5 L W/4	
				643.79	14.0 L Edge gutter	
				643.65	15.0 L Bot depressed cb.	
				644.50	25.0 L Back of walk	

76L-296 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 180 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. - Line "B" Date Date No. X-Sec.
Survey by Zappelli Notes C. E. Shoemaker Notes Chkd. Checked No.
Indexed C. Johnson Date Date Date

STATION	B.S.	H.I.	F.S.	ELEV.		
2+00 E.				643.55		℄ E. Elma Rd
2+50 E.				643.14		℄ " " "
4+58.4 E.		S.M.H.				4.4 R S.M.H.
					Rim El. −	(M + Dia) = Inv.
				632.53	8" Inlet W. 640.47	−(7.27 + 0.67) = 632.53
				632.46	8" Outlet E. 640.44	−(7.31 + 0.67) = 632.46
B.M. TE. 693				644.64	BM TE 693 El. 644.646 F.B. 2509-18	
—					Rosemead Blvd & Elma Rd. N.E. cor.	
—			Lender Road		Bt. spk in cb. 6 FT. N. of N. end CR.	
76+58.0				644.05		39.0 Cor. edge gutter
				643.96		40.0 Int " "
				643.91	both cb	41.4 N. end C.R. N.E. cor.
				644.52	Top "	41.4 " " " "
76+68.0				645.5		℄ Rosemead Blvd
				645.41		8.6 R. Top cb
				644.98		8.6 R. Bot. cb
				644.55		33.5 R Brk pvt
				644.15		40.0 R Edge gutter
				644.05		41.4 R Bot. Cb
				644.67		41.4 R Top "
				644.90		49.4 R Back of walk

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 6252.30 Division No. 10 F.B. 2566 Pg. 181
No. X-Sec. Data Data Survey of E. Rosemead Blvd & Lemon Ave
Notes Ckd. Checked Surveyed by [illegible] Notes by [illegible]

STATION	B.S.	H.I.	F.S.	ELEV.			
76+68.0				645.81	18.6 L	Top cb	
				645.33	18.6 L	Bot cb	
				645.11	43.0 L	Brk pvt	
				644.75	50.0 L	Edge gutter	
				644.65	51.1 L	Bot. cb	
				645.31	51.1 L	Top cb	
				645.50	59.6 L	Back of walk	
77+08.0			Lenker Rod	646.3			℄ Rosemead Blvd
				646.24			8.5 R Top cb
				645.75			8.5 R Bot cb
				645.34			33.5 R Brk pvt
				644.91			40.0 R Edge gutter
				644.85			41.1 R Bot cb
				645.50			41.1 R Top cb
				645.65			49.1 R Back of walk
				646.55	18.6 L	Top cb	
				646.05	18.6 L	Bot cb	
				645.91	43.0 L	Brk pvt.	
				645.50	50.0 L	Edge gutter	
				645.41	51.1 L	Bot depressed cb.	
				646.31	59.6 L	Back of walk	

76L-298 CE 507 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 182 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Palatdena S.D. Line "B" Date Date No. X-Sec.
Survey by Lapell Notes C.F. Shoemaker Notes Chkd. Checked
Indexed C. Johnson Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.			
78+00 ℄				648.1			℄ Rosemead Blvd
				647.95			8.5 R Top cb
				647.51			8.6 R Bot "
				647.10			33.5 R Brk pvt
				646.70			40.0 R Edge gutter
				646.64			41.1 R Bot cb
				647.21			41.1 R Top "
			Lenker Rod	647.40			49.4 R Back of walk
				648.40	18.6 L	Top cb	
				647.81	18.6 L	Bot cb	
				647.62	43.0 L	Brk pvt	
				647.20	50.0 L	Edge gutter	
				647.12	51.1 L	Bot cb	
				647.78	51.1 L	Top cb	
				647.92	59.6 L	Back of walk	
78+26.9		S.M.H.			43.8 L	S.M.H.	
						Rim El. - (M + Dia) = Inv	
				640.57	8" Inlet N.	648.12 - (6.88 + 0.67) =	640.57
				640.45	8" outlet S.	648.09 - (6.97 + 0.67) =	640.45

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6232.30 Division No. 10 F.B. 2566 Pg. 183

No. X-Sec. Date Checked Date Survey of E. Rosemead Blvd. Date

STATION	B.S.	H.I.	F.S.	ELEV.		
78+38.7		S.M.H.				35'-R S.M.H. End
					Rim El. − (M + Dia) = Inv.	
				638.24	8" Outlet S. 647.78−(6.87 + 0.67) = 638.24	
78+89.8		T.M.H.		649.21		44.2 R T.M.H. N. Rim
79+05.5				650.2		℄ Rosemead Blvd.
				650.00		8.6 R Top cb
				649.55		8.6 R Bot cb
			Lenker Rod	649.22		33.5 R Brk pvt
				648.81		40.1 R Edge gutter
				648.76		41.1 R Bot cb
				649.40		41.1 R Top cb
				649.60		49.4 R Back of walk
				650.44	18.6 L Top cb	
				649.91	18.6 L Bot cb	
				649.72	43.0 L Brk pvt	
				649.28	50.1 L Edge gutter	
				649.20	51.2 L Bot dep. cb.	
				650.21	59.7 L Back of walk	
79+53.53				651.1		Int Rosemead Blvd & ℄ Mohawk St. F.B. 2509-188 FB 2566-16
"	1+00	Going	E'ly	along ℄ Mohawk St		

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

650.25

F.B. 2566 Pg. 184 Job No. 6252.30 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Survey of E. Palo Verde Sub-Line "B" Date ____ No. ____ X-Sec. ____
Survey by Lapsley & Notes C.E. Shoemaker Notes Chkd. ____ Checked ____
Indexed K. E. Jameson Date ____ Date ____ No. ____

STATION	B. S.	H. I.	F. S.	ELEV.		
1+08.6	E.			650.91		℄ Mohawk St Top cb
1+08.6	"			650.48		℄ " " Bot cb
1+33.5	"			650.14		℄ " " Brk Put
1+44.0	"			649.78		℄ " " " "
1+60.8	"			649.51		17'-R Edge gutter end
				649.42	Bott cb	18'-R. E. end C.R. S.E. Cor.
				649.94	Top "	18'-R. " " "
			Lenker Rod.	649.82	17°-L Edge gutter end	
				649.77	18°-L Bot cb - E. end C.R. N.E.	cor.
				650.34	18°-L Top " - "	" " "
1+69.2	"			649.35		16'-R Edge gutter end
1+70.8	"			650.15		℄ Mohawk St. Brk put
				649.72		9°-R W/A
				649.34		16'-R Edge gutter
				649.22		18'-R Bot cb
				649.83		18'-R Top "
				650.08		29'-6R Back of walk
				649.94	9°-L W/A	
				649.70	18°-L Bot cb	
				650.20	18°-L Top "	
				650.80	30°-L Back of walk	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 6252.30 Division No. 10 F.B. 2566 Pg. 25
No. X-80 Date Date Survey of E. Paramount Blvd. & Lynne Ave.
Notes Cked Checked Surveyed by [illegible]

STATION	B.S.	H.I.	F.S.	ELEV.			
2+00 E				649.55			& Mohawk St.
BM TE694				650.25	BM TE 694 El. 650.239 F.B. 2509-19		
—			corr.	650 24	Rosemead Blvd & Mohawk St, N.E. cor.		
—					Bt. spk in curb 6.5 FT. E. of E end C.R.		
80+01.5				6520			& Rosemead Blvd
				651.90			8.6 R Top cb
				651.45			8.6 R Bot cb
—				651.00			33.5 R Brk pvt
				650.65			40.1 R Edge gutter
				650.56			41.2 R Bot cb
			Lenker	651.18			41.2 R Top cb
				651.45			50.1 R Back of walk
				652.25	18.6 L	Top cb	
				651.80	18.6 L	Bot cb	
				651.62	43.0 L	Brk pvt	
				651.11	50.1 L	Edge gutter	
				651.02	51.2 L	Bot cb	
				651.68	51.2 L	Top "	
			Rod	651.88	59.7 L	Back of walk	
80 + 41.5				652.7			& Rosemead Blvd
				652.62			8.6 R. Top cb

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 186 Job No. 6252.30 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Survey of E. Paradeaz & S. Line "B" Date ____ Date ____ No. ____ X-Sec. ____
Survey by Sorrell Notes C.E. Schoemaker Notes Chkd. ____ Checked ____ No. ____
Indexed C. Johnson Date ____ Date ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.			
80+41.5				652.19			8.6 R Bot cb
				651.78			33.5 R Brk put
				651.38			40.0 R Edge gutter
				651.32			41.1 R Bot. cb
				651.95			41.1 R Top. "
				652.25			49.9 R Back of walk
			Lemker Road	658.00	18.6	L Top cb	
				652.55	18.6	L Bot cb	
				652.25	43.0	L Brk put	
				651.85	50.0	L Edge gutter	
				651.80	51.1	L Bot cb	
				652.45	51.1	L Top "	
				652.55	59.6	L Back of walk	
81+00				653.8			℄ Rosemead Blvd
				653.68			8.6 R Top cb
				653.25			8.6 R Bot cb
				652.90			33.5 R Brk put
				652.55			40.0 R Edge gutter
				652.48			41.1 R Bot cb
				653.08			41.1 R Top "
				653.35			49.9 R Back of walk

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6252.30 Division No. 10 F.B. 2866 Pg. 187
No. ____ X Sec. ____ Date ____ Date ____ Surveyed by E. Paladena Notes Checked C. Fabian
No. ____ Date ____ Notes Chkd. ____ Checked ____ Map No. ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.		
81+00				654.00	18 6 L	Top cb
				653.58	18 6 L	Bot "
				653.25	43 0 L	Brk put
				652.90	50 0 L	Edge gutter
				652.80	51 1 L	Bot. cb
				653.42	51 1 L	Top "
				653.65	59 6 L	Back of walk
81+-76.2		S.M.H.			43 2 L	S.M.H.
						Rim El.- (M + Dia.) = Inv.
				646.86	8" Inlet N. 654.39	-(6.86+0.67) = 646.86
				646.78	8" Outlet S. 654.36	-(691+0.67) = 646.78
81+79.2				655.1		℄ Rosemead Blvd
				654.95		8 6 R Top cb
				654.44		8 6 R Bot cb
				654.25		33 5 R Brk put
				653.90		40 0 R Edge gutter
				653.81		41 1 R Bot cb
				654.42		41 1 R Top "
				654.72		50 0 R Back of walk
				655.12	18 6 L	Top cb
				654.68	18 6 L	Bot cb

Center Rod

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 188 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. Line "B" Date Date No. X-Sec.
Survey by Steere II Notes C.E. Shoemaker Notes Chkd. Checked
Indexed C.E. Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.			
81+79.2				654.45	43.0 L	Brk put	
				653.97	50.1 L	Edge gutter	
				653.95	51.2 L	Bot dep. cb	
				654.84	59.7 L	Back of walk	
81+85.0			Lenker Rod.	654.50			25.0 R put.
				654.32			33.5 R Brk put
				654.00			40.0 R Edge gut.
				653.90			41.1 R Bot. cb
				654.51			41.1 R Top "
				654.82			50.0 R Back of walk
				654.65	35.0 L	Put	
				654.52	43.0 L	Brk put	
				654.08	50.1 L	Edge gutter	
				654.02	51.2 L	Bot dep. cb	
				654.90	59.7 L	Back of walk	
81+92.6				655.25	5.0 L	Top cb end island	
				654.71	5.0 L	Bot " "	"
81+95.0				654.20			39.0 R Cor. edge gutter
				654.15			40.0 R Int " "
				654.04		both cb.	41.1 R S end C.R. S.E. cor.

76L-296 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted. Job No. 6252.30 Division No. 16 F.B. 2566 Pg. 189
No. X-Sec. Date Date Survey of & Rosemead Blvd. & Green St. Sub-division No. 2
Notes Ckd. Checked

STATION	B.S.	H.I.	F.S.	ELEV.		
81+95.0				654.58	Top cb.	41'R S. end C.R. S.E. Cor.
82+32.92				655.27		& Int. Rosemead Blvd & Green St F.B. 2509-184 F.B. 2566-17
"	=1+00	Going Ely along & Green St.				
1+34.5	E.			655.03		& Green St. Brk pvt
1+39.0	"			654.70		& " " Edge gutter
1+41.0	"			654.57		& " " F/L "
1+43.0	"			654.68		& " " Edge "
				654.34		27°R Int. edge gutters
			Lenker	655.01	27°L	Int. edge gutters
1+52.0	"			654.92		& Green St Brk pvt
				654.82		9.5 R w/4
				654.70		19° R Edge gutter
				655.00	9.5 L	w/4
			Rod	655.21	19° L	Edge gutter
1+60.9	"			654.94	17.0 L	Edge gutter end
				654.87	18' L	Bot cb - E end C.R. N.E. Cor.
				655.34	18' L	Top " - " " " " "
1+61'	"			654.48		16.95 R Edge gutter end
				654.40		both dep. cb. 18.05 R E end C.R. S.E. Cor
				654.64		both - " 21.4 R S. end C.R. of driveway
				654.94		Top " 21.9 R Top "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 190 Job No. 6252.30 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Survey of E. Palatine S.D. Line "D" Date ____ Date ____ No. ____ X-Sec. ____
Survey by Sage II Notes C.E. Shoemaker Notes Chkd. ____ Checked ____ No. ____
Indexed C. Johnson Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
1+70.9 E				654.65		℄ Green St
				654.48		9°R w/4
				654.05		18°R Bot dep. cb.
				654.85		30 3 R Back of walk
				654.62	9° L w/4	
				654.45	18 L Bot cb	
				655.00	18 L Top "	
				655.23	30° L Back of walk	
2+00		Flow to East.		654.25		℄ Green St.
BM SD 810				655.23	BM SD 810 El. 655.227, F.B. 2509-19	
—					Rosemead Bnd ℄	Green St., N.E. cor,
—					Bt spk in curb 5	Ft E. of E. end C.R.
82+70.7			Lenker Rod.	655.16		39.1 R Cor. edge gutter
				655.08		40.1 R Int " "
				655.00	N. end N.E. C.R.	41.2 R Bot cb
				655.68	" " " "	41.2 R Top "
82+73.4				655.68	9.5 L Bot cb	Begin island
				656.21	9 5 L Top "	" "
82+80.7				655.72		℄ Rosemead
				655.58		33.5 R Brk Pvt
				655.20		40.1 R Edge gutter

76L-296 CE 307 11-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6252.30 Division No. 10 F.B. 2566 Pg. 19

No. ____ Date ____ Date ____ Survey of E. Rosemead Blvd. from Lenker Ave. to ____

STATION	B.S.	H.I.	F.S.	ELEV.		
82+80.7				655.14		41.2 R Bot cb
				655.78		41.2 R Top "
				655.97		50.5 R Back of walk
				655.72	0.6 L	Bot cb
				656.28	0.6 L	Top "
				656.23	18.3 L	" "
				655.70	18.3 L	Bot "
				655.50	43 L	Brk put
				655.15	50° L	Edge gutter
				655.10	51.1 L	Bot cb
				655.77	51.1 L	Top cb
			Lenker Rd.	656.00	59.6 L	Back of walk
83+20.7				656.15		& Rosemead Blvd.
				656.00		33.5 R Brk put
				655.61		40.1 R Edge gutter
				655.55		41.2 R Bot cb
				656.19		41.2 R Top "
				656.35		50.5 R Back of walk
				656.15	0.2 L	Bot cb
				656.68	0.2 L	Top " Island
				656.60	16.2 L	Top "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 192 Job No. 6252.30 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Survey of E. Rosemead Blvd. S.D. Line "B" Date ____ Date ____ No. ____ X-Sec. ____
Survey by Sapse II Notes C. E. Shoemaker Notes Chkd. ____ Checked ____ No. ____
Indexed C. Jan Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
83+20.7				656.08	16.2 L	Bot cb
				655.85	43° L	Brk put
				655.52	50° L	Edge gutter
				655.42	51.1 L	Bot cb
				656.10	51.1 L	Top cb
				656.34	59.6 L	Back of walk
83+54.8			Lenker Rod	656.51		
				656.41		
				656.02		
				655.95		
				656.58		
				656.75		
83+64.8				656.18		
				656.13		
				656.12	S. End S.E. C.R.	
				656.70	" " " " " "	
83+79.87						
" = 1+00 Going E'ly along ℄ Alley						
1+33.5	E			656.65		
1+39.1	"			656.36		
1+41.1	"			656.21		

℄ Rosemead Blvd
34.5 R Brk Pvt
40.1 R Edge Gutter
41.2 R Bot cb
41.2 R Top "
50.5 R Back of walk
39.1 R Cor Edge gutter
40.1 R Int " "
41.2 R Bot cb Alley
41.2 R Top cb
Int Rosemead Blvd & ℄ Alley FB. 2509-185 FB 2566-18
℄ Alley. Brk put
℄ " Edge gutter
℄ " F/L "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

45
46

Profile Notes Red. Plotted Job No. 6252.30 Division No. 10 F.B. 3566 Pg. 93
No. Date Date Survey of E. Chapell Notes Checked Computed by E.E. Lyne

STATION	B. S.	H. I.	F. S.	ELEV.		
1+43.1	E.			656.38		℄ Alley Edge gutter
		T.M.H.		656 39		3.0 R T. M.H. N. Rim
1+50.1	"			656.60		℄ Alley
				656 55	E end Cb. S.E Cor.	10.0 R Bot cb
				656 90	E end " " "	10.0 R Top. "
				656.64	9.6 L Back of walk	end
				657.25	14.1 L " " "	brk
1+60.1	"			656.50		℄ Alley
2+00	"		Corner	655.55		℄ "
83+94.4				656.52		39.05 R Cor. edge gutter
				656.44		40.05 R Int " "
				656 40	N end N.E.C.R.	41.15 R Bot dep. cb.
				657.15		45.15 R 4 pt Brk in walk
84+00			Rod	656 95		℄ Rosemead Blvd
				656 95	0.3 L Bot cb	
				657 50	0.3 L Top cb.	
				657 38	10.8 L " " 1st Tar	
				656 87	10.8 L Bot "	
				656 50	43.0 L Brk put.	
				656 18	49.75 L Edge gutter	
				656 16	50.85 L Bot Dep. Cb.	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 194
Survey of E. Pasadena S.D. Line "B"
Survey by Sapsell Notes
Indexed C. Johnson Date
Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Date Date No.
Notes Chkd. Checked X-Sec.
Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
84+00				657 11	60° L P/L.	
T.P.				656.15	T.P.	
84+15±			Lenker Rod	657 31	60° L. cor conc.	walk.
84+20±				656 14	51 L GuH & boH	box drain
				657 12	51 " Top box	drain & walk.
84+23±				656 90		37° R cor GuH.
				656 78		40 " int ed guHors
				656 72		41±. boH cb.
				657 36		41±. Top "
				657 54		50±" back walk.
84+29⁸		T.M.H		657 45		43⁸ R T.M.H N. Rim
84+35±				656 31	51 L boH box	drain & guH.
				657 31	51 " Top "	" & walk.
84+55±				657 76	60± L cor walk.	
84+63±				657 75		℄ Rosemead Blvd.
				657 75	0± L boH cb.	
				658 21	0± " Top "	
				658 18	7± " " "	1st 18nd.
				657 71	7± " boH "	
				657 31	41 " brk.	

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 6252.30 Division No. 10 F.B. 2566 Pg. 195
No. X-Sec. Date Date Checked Survey by J. Rayner, M. Nunn, C. Jobson Date
No. Date Map No. Index Date

STATION	B.S.	H.I.	F.S.	ELEV.		
84+63.4				656.95	49.9 L Fd guth	
				656.82	51 " boH cb	
				—	" depressed cb	
				657.87	60 " P/L "	
84+66.5				657.80		& Rosemead
				657.45		26.0 R brk.
			Lenker Rd	657.28		36.9 " Fd guth
				657.11		41.1 " boH cb.
				—		41.1 " depressed cb.
				657.78		45.0 " brk in dr.
				657.92		50 " back wall
84+74.8				657.44		36.9 " R cor guth
				657.31		41.1 " boH cb.
84+84.0				658.05	2.9 L boH cb	
				658.50	2.9 " Top " End	island
85+11.9		S.M.H.			44.4 L S.M.H.	
						Rim El. -(M+D)= invert
				650.66	inv. 8" inlet W. 658.07	-(6.74+0.67)= 650.66
				650.46	inv. 8" outlet S. 658.06	-(6.93+0.67)= 650.46
84+88.1	+0.4		1.8	646.39	63.3 L int F/L's	box drains
				658.19	63.3 " Top Iron	grate & box drain

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 19L Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. Line "B" Date No. X-Sec.
Survey by Zappell Notes D.S. Notes Chkd. Checked
Indexed [redacted] C. Johnson Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
85+39.88				658 77	F.B. 2566-19 F.B. 2509-186	Rosemead Blvd & int. & Colorado Blvd
" "	0+00	going N. along			Rosemead & E. along	Colorado Blvd
0+23.8	E.			658 62		& Colorado
0+75.4	E			658 35		& "
				657 95		18.6 R or So. W/L
				656 95		34.8 " Ed gutt
			Center Rod	656 84		37.15, both cb.
				—		37.15 " depressed cb.
				657 87		45.2 " brk in driveway.
				658 00		50.2 " back walk.
				658 43	18.4 L W/L	
				657 97	34.34 " Ed gutt	
				657 80	36.84 " both cb.	
				—	" " depressed cb	
				658 80	44.94 " brk in driveway	
				659 02	49.94 " back walk	
1+00	E.			658 08	"	& Colorado
					Flow To E.	
1+70	E	T.M.H		656 72		46.2 R T.M.H. W. Rim

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6252.30 Division No. 10 F.B. 2566 Pg. 19

No. ____ Date ____ Checked ____ Survey by ____ Date ____ Checked ____ Survey of E. Rosemead Blvd. Sta. 0+00 to 0+77

STATION	B.S.	H.I.	F.S.	ELEV.		
						℄ Rosemead
0+18.4	N					
0+26.8	N	S.M.H			34.2 L S.M.H	
						Rim El. - (M+D) = Inv.
				652.04	Inv. 12" inlet W.	658.80 - (5.76+1.00) = 652.04
				651.83	Inv. 12" outlet N.	658.80 - (5.97+1.00) = 651.83
0+60.3	N			659.64		2.9 R both c&g. End Island
				660.18		2.9 R Top "
0+75.6	N			659.90		0.2 " both c&g
			Lenker Rod	660.41		0.2 " Top "
				660.36		5.6 " " "
				659.82		5.6 " both "
				659.60		23.8 " w/4
				659.16		39.1 " brk
				658.98		42.1 " both c&g
				—		" depressed c&g
				659.75		47.5 " brk in driveway
				659.79		50.0 " back walk
0+77.0	N			659.66		20.9 L w/4
				659.38		38 " brk
				659.20		42 " both depressed c&g
				659.90		46.7 " brk in driveway apron
				659.38		50.9 " back walk

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 198 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. Line "B" Date Date No. X-Sec.
Survey by Large Notes Notes Chkd. Checked
Indexed Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
0+97 4	N			659 43	42 ' L	both cb.
0+99 7	"			659 55	40 5 "	brk
				659 18	42 ' "	both box drain
				660 18	42 ' "	Top " " & walk.
1+07 1	"			659 80	38 7 L	brk.
				659 30	42 ' "	both cb
				660 22	42 ' "	Top "
1+11 8	"		Lenker Rod	659 87	38 L	brk
				659 61	42 ' "	both cb.
1+15 6	"			660 50		0 25 R both cb
				661 00		0 25 " Top "
				660 92		4 Bs " " " island
				660 41		4 85 " both "
				660 20		23 5 " w/a
				660 03		33 " brk
				659 75		42 ' " both cb
				659 58		42 ' " depressed cb
				660 38		47 5 " brk
				660 38		50 " back walk
				660 22	19 9 L	w/a
				660 10	33 "	brk

76L-298 CE 307 11-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.		
1+15.6	N.			659 64	42' L	both cb
				660 32	42' "	Top "
				660 46	50 "	back walk
1+47.5	N.			660 50		33.0 R brk.
			Center Rod	659 98	both cb	42.25 R S. end C.R. S.E. cor
				660 66	Top "	42.25 " " " "
1+50.5	N			660 35	both cb	45.25 " E end CR SE cor.
				660 74	Top "	45.25 " E. " " "
				660 77		50.05 " both cb " "
				660 91		50.05 " Top " "
1+55.7	N.	S.M.H.			34.2 L S.M.H.	
					Rim	El - (M + D) = invert
				651 15	Inv. 12" outlet E. 660.69	-(8.54 + 1.00) = 651.15
				651 39	" 12" inlet S. 660.63	-(8.24 + 1.00) = 651.39
1+60				661 10		int. ℄ Rosemead ℄ Alley ℄ both cb.
" "	=	1+00	going	E	along the ℄ of	Alley
1+00.2				661 62		℄ Alley Top cb
1+04.4				661 57		℄ " " " 15" RCP
"				661 05		℄ " both "
1+23.3				660 82		℄ " (w/a Rosemead)
1+33				660 68		℄ " brk
1+39				660 34		℄ " brk

Profile Notes Red_____ Plotted_____ Job No. 6252.30 Division No. 10
No. X-Sec. Date Date Survey by [illegible] F.B. 2566 Pg. 199
No. Date Notes Cked. Checked [illegible]

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of line.

F.B. 2566 Pg. 200 Job No. 6252.30 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena S.D. Line 'B' Date ____ Date ____ No. ____ X-Sec. ____
Survey by Zappell Notes ____ Notes Chkd. ____ Checked ____ No. ____
Indexed ____ Date ____ Date ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.		
1+42.2	E			660.21		℄ Alley F/L Rosemead
1+45.2	"			660.68	10' L both cb. E. end	C.R. N.E. cor Alley
				661.11	10' " Top " "	" " " "
1+50	"		Lenker Road	660.66		℄ Alley & Ed conc. Apron
				661.18	10' L both cb	
				661.27	10' " Top "	(End)
1+62	"			660.78		℄ Alley brk.
2+00	"			660.20		℄ "
3+29.1	"	S.M.H.				5.2 R. or South S.M.H.
					R.m El. - (m+D) = invert	
				649.97	Inv 12" outlet E. 658.48	-(7.51+1.00) = 649.97
				650.05	" 12" inlet W. 658.50	-(7.45+1.00) = 650.05
1+62.7 N.		T.M.H.		660.27		43.1 R T.M.H. S. Rim in driveway apron
1+73.6 N.				660.85		33 R brk.
				660.38	both cb	42.1 " N. end C.R. N.E. cor
				661.11	Top "	42.1 " " " "
2+15.6 N				661.84		℄ Rosemead & both cb.
				662.35		0.2 R Top cb.
				662.28		3.3 " Top " Island
				661.78		3.3 " both "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 6252.20 Division No. 10
No. ____ Date ____ Survey of E. Redlands Sub. Unit No. 1 F.B. 2566 Pg. 21
X-Sec. ____ Notes Chkd. ____ Surveyed by Sargent, Nunn & Tolman
No. ____ Date ____ Checked ____ Map No. ____ Index No. ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.		
2+15.6	N			661.52		22.8 R w/4
				661.38		33.0 " brk
				660.92		42.2 " boH cb
				661.59		42.3 " Top "
				661.78		50 " back walk
			Lenker Rod	661.61	21.9 L w/4	
				661.45	32.3 " brk	
				660.92	42.3 " boH cb	
				661.61	42.3 " Top "	
				661.78	50.1 " back walk	
3+06.98	N			662.20		E. Corte & int Rosemead & Calle.
					(Grade drops to N. under R.R. bridge)	
85+96.4				658.56		& Colorado Blvd, edge gut,
				658.74		41.3 R boH cb.
				657.68	48.9 L boH cb.	
85+99.3				659.48		42.3 R Top box drain & walk
				657.30		42.3 " int F/L's box drain
86+01.8				658.71		& Colorado
				658.76		35.5 R int. Ed gutt & box Drain
				657.90	35.2 L int Ed Gutt & box drain.	
86+22.4				659.29		& Colorado
				659.28		18.5 R w/4

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 202 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena S.D. Line "B" Date Date No. X-Sec.
Survey by Sargent Notes R.S. Notes Chkd. Checked No.
Indexed C. Tomlinson Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
86+22 4				659 11		33 9 R Ed guth
				658 98		36 9 " both cb
				—		36 9 " depressed cb.
				659 72		44 8 " brk in driveway
				659 87		49 5 " back walk.
86+30 9			Lenker Rod	659 42		& Colorado
				658 35	18 5 L w/4	
				658 20	34 0 " Ed guth.	
				658 13	37 0 " both cb	
				—	37 0 " depressed cb.	
				658 75	44 5 " brk in driveway	
				658 81	49 8 " back walk.	
BM SD 811				660 02	BM SD 811 El. 660.021 FB 2509-19 Rosemead Blvd & Colorado Blvd, N.W. cor., 8± SPK in curb 43 FT. W. of W. end C.R.	
86+37 5				658 33	34 L Ed guth	
				658 21	37 " both cb.	
86+41 2				658 30	35 3 L brk in guth.	
				657 87	37 " both cb.	
				658 87	37 " Top "	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 6252.30 Division No. 10 F.B. 2566 Pg. 203
No. Y-566 Date Date Survey of E. Bixby Rd. Irvine Ranch Subd. Area "B"
Name Chkd. Checked Surveyed by [illegible] Date [illegible]

STATION	B. S.	H. I.	F. S.	ELEV.		
86+40.2				659 31		32.8 R cor. apron
+0.K.				659 26		33.9 " int.
				659 12		36.9 " both ch.
86+42.5				659 20		35.6 R brk in apron
				658 73		36.9 " both box drain
				659 84		36.9 " Top drain & walk
86+54.1				659 39		34 R brk in apron
				658 87		37 " both box drain
				660 00		37 " Top drain & walk
86+54.5				657 98	37 L both box drain	
				659 06	37 " Top drain & walk.	
86+57.4				658 60	33 L cor apron	
				658 44	34 " int. ed	
				658 18	37 "	
86+57.8				659 55		33 R
				659 48		34 " Ed gutt.
				659 24		37 " both depressed ch
86+89.0		T.M.H		660 55		40.4 R T.M.H. E. Rim
87+00				660 44		& Colorado
				660 44		18.5 R W/L

Center Rod

76L-298 CE 307 11-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 204 Job No. 6252.30 Division No. 10 Notes Red Plotted Profile
Survey of E. Pasadena Sd. Line "B" Date Date No. X-Sec.
Survey by Stone & Youngberg Notes D.S. Notes Chkd. Checked
Indexed Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
87+00				660 08		34 R Fd gutt
				659 79		37 " bott cb.
				660 61		37 " Top "
				660 95		49½ " back walk
				659 97	18½ L w/4	
				659 06	34 "	
			Lenker Rod	658 83	37 " same	
				659 67	37 "	
				659 90	49½ "	
88+00				661 84		& Colorado
				661 86		18½ R
				661 54		34 "
				661 30		37 " same
				662 14		37 "
				662 45		49½ "
				661 34	18½ L	
				660 39	34 " same	
				660 18	37 "	
				—	37 " depressed cb.	
				661 14	44½ " brk in apron	
				661 21	49½ " back walk.	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 62S230 Division No. 10 F.B. 2566 Pg. 205
No. ____ X-Sec. ____ Date ____ Date ____ Survey of ____ Surveyed by ____ Notes ____ Date ____
No. ____ Date ____ Notes Chkd ____ Checked ____ Date ____ Map No. ____ Inked ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.		
88+38.6				662.36		℄ Colorado
				662.37		18.5 R w/4
				661.96		34 " Fd gutt
				661.82		37 " bott cb
				662.63		37 " Top "
			Center	662.94		49.5 " back walk
88+73.6		SMH				27.2 R SMH
						Rim El - (M+D) = invert
				655.11	inv. 12" inlet W.	662.80 - (6.69+1.00) = 655.11
				655.28	" 8" " N.	662.77 - (6.82+0.67) = 655.28
				655.02	" 12" outlet S.	662.79 - (6.77+1.00) = 655.02
88+78.62				662.95	FB 2509-18	
"	=	1+00	Pod		" 2566-25	℄ int Colorado & Beacon Pl
"	=	1+00	going N.	along	the ℄ of	Beacon Pl.
1+18.5	N			662.96		℄ Beacon
1+34.0	"			662.45		℄ " Fd "x" gutt
1+37.0	"			662.36		℄ " F/L " "
1+40.0	"			662.42		℄ " Fd "
				662.26		12.5 R int Fd gutter
				662.60	12.5 L int Fd. gutters.	
BM TF 32				663.64	BM TF 32, El. 663.637, FB 2509-19, Colorado & Beacon Pl. N.W. cor. 8" spk in CB 5 Ft N. of N. end C.R.	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 206 | Job No. 6252.30 | Division No. 10 | Notes Red | Plotted | Profile
Survey of E. Pasadena S.D. Line "B" | Date | No. | X-Sec.
Survey by Seaboe // Notes D.J. | Notes Chkd. | Checked
Indexed [illegible] Date | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
1+52.3	N			663.04		℄ Beacon
				662.86		7.5 R W/4
				662.45		12.5 " Ed guth.
				662.26		15 " both cb
				662.89		15 " Top " N. end C.R.N.E. cor.
				663.11		24.9 " back walk
				663.02	7.5 L W/4	
				662.93	12.5 " Ed guth	
				662.83	15 " both cb. N.	end C.R. N.W. cor.
				663.63	15 " Top " "	" " "
				663.79	24.5 " back walk	
1+62.3	N.			663.18		℄ Beacon
				662.94		7.5 R W/4
				662.43		12.5 " Ed guth.
				662.32		15 " both cb
				662.98		15 " Top "
				663.19		24.9 " back walk
				663.18	7.5 L	
				662.99	12.5 "	
				662.87	15 "	same
				663.59	15 "	
				663.80	24.5 "	

Lenker Rod

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 6252 3d Division No. 10
No. X-800 Date Date Survey of [redacted] Progress Notes [redacted] Date [redacted]
Note Chkd. Checked Surveyed by [redacted] Plotted by [redacted] Checked by [redacted]

F.B. 2566 Pg. 20

STATION	B. S.	H. I.	F. S.	ELEV.		
2+02.3	N			663 71		℄ Beacon
				663 42		7.5 R w/l
				662 97		12.5 " Ed gutt.
				662 86		15 " both cb
				663 53		15 " Top "
				663 75		24.9 " back walk
				663 80	7.5 L	
				663 56	12 "	
			Center	663 42	15.1 "	same
				664 08	15.1 "	
				664 33	24.6 "	
3+02.3	N			665 04		℄ Beacon
				664 78		7.5 R
				664 30		12.5 "
			Rod	664 18		15 " same
				664 86		15 "
				665 10		24.5
				665 10	7.5 L	
				664 91	12.5 "	
				664 79	15.0 "	same
				665 44	15.0 "	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 208 Profile
Survey of E. Pasadena S.D. - Line "B" Plotted No. X-Sec.
Survey by Sappell Notes D.S. Date Notes Red No.
Indexed C. Johnson Date Notes Chkd. Checked Date
Job No. 6252.30 Division No. 10

STATION	B. S.	H. I.	F. S.	ELEV.		
3+02 3	N			66571	24⁶ L back walk	
4+00 5	"	S.M.H				5' R S.M.H
						Rim El - (M + D) = Inv.
			Lenker Rod	65872	Inv. 8" inlet N. 666.21	-(6.82+0.67) = 658.72
				65859	" 8" outlet S. 666.18	-(6.92+0.67) = 658.59
89+00				66324		& Colorado
				66278	18⁵ L W/A	
				66184	34 " Ed gutt	
				66162	37 " both cb.	
				66258	37 depressed cb.	
				66273	44 5/5 " back in 2 pcs	
					49 5/5 " back walk	
89+15⁰		S.M.H			30° L S.M.H	
						Rim El - (M+D) = invert
				65364	Inv. 8" inlet W. 662.48	-(8.17+0.67) = 653.64
				65333	" 8" outlet E. 662.44	-(8.44+0.67) = 653.33
89+18⁴				66351		& Colorado
				66351		18⁵ R W/A
				66309		34⁹ " Ed gutt.
				66291		36⁹ " both cb.
				66373		36⁹ " Top "
				66401		49⁴ back walk

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 6252.30 Division No. 10
No. ____ Date ____ Date ____ Survey of E 28th Ave. Entr. to Ent.
Notes Chkd. ____ Checked ____ Survey by [redacted] C. Jones F.B. 2566 Pg. 209

F.B. 2566 Pg. 209

STATION	B. S.	H. I.	F. S.	ELEV.		
89+58.4				664.09		℄ Colorado
				664.09		18.5 R w/4
				663.63		34 " Ed gutt.
				663.42		36.9 " both cb.
			Lenker	664.41		36.9 " Depressed cb
				664.52		43.4 " brk in apron
						49.4 " back walk
89+75.6				664.29		℄ Colorado
				663.80	18.5 L w/4	
				662.76	34 " Ed gutt.	
			Rod	662.57	37 " both cb.	
				663.36	37 " Top "	
				663.68	49.5 " back walk	
					FB 2509 - 189	
90+11.97				664.81	" 2566 - 26	℄ Int Colorado & Backus Ave
" "	=	1+00	going	So. along the		℄ of Backus Ave.
1+18.5	S			664.36		℄ Backus
1+37.0	S			663.64		℄ "
1+52.9	S			663.41		℄ "
				663.47		7.5 R w/4
				663.42		9.1 " cor gutt.
				663.06	both cb	14.9 " S. end c.r. SW. cor
				663.98	Top "	14.9 " " " "

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 210 | Job No. 6252.30 | Division No. 10 | Notes Red | Plotted | Profile
Survey of E. Palmdale S.D. Line "B" | Date | No. | X-Sec.
Survey by Tappell Notes D.C. Jamison | Date | Notes Chkd. | Checked | No.
Indexed | Date | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.		
1+52 ℄	S.			664 32		20 R back walk.
				66324	6° L w/4	
				66308	9' " cor gutt	
				66297	12' " both cb S	end C.R. S.E. cor.
				66370	12' " Top "	" "
				66397	20 " back walk	
1+62 ℄	S		Lenker Rod	66375		℄ Backus
				66375		7.5 R w/4
				66372		9.6 " brk
				66305		15 " both cb
				66383		15 " Top "
				66405		20 " back walk
				66350	6 L w/4	
				66344	10 3/4 brk	
				66352	11 9/4 "	
				66379	12 7/4 Edge walk.	
				66408	20 " back walk	
1+70.5 High pt	S			66387		℄ Backus
				66387		7.5 R w/4
				66379		9.6 " brk
				66303		15 " both cb

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 62R230 Division No. 10
No. ____ Date ____ Date ____ Survey of ____ F.B. 2766 Pg. 211

STATION	B. S.	H. I.	F. S.	ELEV.		
1+70± High pt.	S.			663 74		15 R F/L
				663 83		20 " P/L
				663 72	6± L W/4	
				663 62	12± " brk	
				663 98	20 " P/L	
2+50				662 84		& Backus
					Flow to South.	
90+49±			Lerker Rod	665 25		& Colorado
				665 24		18± R W/4
				664 79		34 " Ed gutt.
				664 59		36± " both cb.
						36± " depressed cb.
				665 57		44± " brk in aprom
				665 73		49± " back walk
				664 77	18± L W/4	
				663 82	34 " Ed gutt.	
				663 62	37 " both cb.	
				664 41	37 " Top "	
				664 68	49± " back walk	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 212 Job No. 6252.30 Division No. 10 Notes Red ____ Plotted ____ Profile ____
Survey of E. Pasadena S.D. Line "B" Date ____ Date ____ No. ____ X-Sec. ____
Survey by Segall Notes D.S. Notes Chkd. ____ Checked ____ No. ____
Indexed C. Jones Date ____ Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
90+89				665 69		℄ Colorado
				665 69		18 R w/4
				665 26		34 " Ed South
				665 03		36 " both cb
				665 85		36 " Top "
				666 13		49 " back walk
			Lenker Rod	665 18	18 L	
				664 21	34 "	
				664 02	37 "	same
				664 82	37 "	
				665 15	49 "	
90+96		T.M.H.		665 98		40 R T.M.H. E Rim
91+31				666 12		℄ Colorado
				666 09		18 R
				665 64		34 "
				665 48		36 " same
				666 29		36 "
				666 62		49 "
91+39		T.M.H		665 46	43 L T.M.H.	E Rim
T.P.				665 62	T.P.	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 6252.30
No. Date Date Survey of Division No. 10
Date Survey of

F.B. 2566 Pg. 2/3

STATION	B.S.	H.I.	F.S.	ELEV.		
91+71.85				666.49		℄ int Colorado & Fulton Ave
" "	=	1700	going N.		along the ℄ of Fulton Ave	
1+18.5				666.47		℄ Fulton "
1+27.0		S.M.H.				5.0 R S.M.H.
						Rim El. - (M+D) = Inv.
				657.54	Inv 12" Inlet W.	666.30 - (7.76+1.00) = 657.54
				657.72	" 8" " N.	666.28 - (7.89+0.67) = 657.72
				657.45	" 12" outlet E.	666.30 - (7.85+1.00) = 657.45
1+32.9	N		Center	665.90		℄ Fulton Ed "x" gutt.
1+36.9	N			665.83		℄ " F/L " "
1+39.9	N			665.90		℄ " Ed " "
				665.77		13.0 R int Ed gutters
				666.05	12.9 L int ed gutters	
1+62.0	N		Rod	666.80		℄ Fulton.
				666.49		7.5 R W/L
				666.19		13.0 " Ed gutt.
				666.06		15.0 " both cb
				666.72		15.0 " top
				666.97		24.5 " back walk
				666.76	7.5 L W/L	
				666.57	12.9 " Ed gutt.	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 214 Profile
Survey of E. Pasadena S.D. Line "B" Job No. 6252.30 Division No. 10 Notes Red Plotted
Survey by Sapsell Notes D.S. Date Date No. X-Sec.
Indexed Date Notes Chkd. Date Checked Date No.

STATION	B.S.	H.I.	F.S.	ELEV.			
1462^{D}	N			666.42	14$^{9}_{-}$ L	both cb.	
				667.08	14$^{9}_{-}$ "	Top "	
				667.30	24$^{4}_{-}$ "	back walk	
2402^{D}				667.50			& Fulton.
				667.27			7$^{5}_{-}$ R W/4
				666.80			13 " Ed gutt
				666.69			15 " both cb.
				———			15 " depressed cb.
			Lenker Rod	667.45			19$^{5}_{4}$ brk in apron
				667.58			24$^{5}_{-}$ back walk.
				667.45	7$^{5}_{-}$ L	W/4	
				667.13	13$^{9}_{-}$ "	Ed gutt.	
				667.03	15$^{9}_{-}$ "	both cb.	
				667.68	15$^{9}_{-}$ "	Top "	
				667.88	24$^{5}_{-}$ "	back walk	
3402^{D}				668.97			& Fulton.
				668.70			7$^{5}_{-}$ R W/4
				668.16			13 " Ed gutt.
				668.05			15 " both cb.
				668.75			15 " Top "
				669.02			24$^{5}_{-}$ back walk

76L-296 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red ____ Plotted ____ Job No. 6252.30 Division No. 10
Date ____ Date ____ Survey of ____ & Colorado
Notes Checked ____ Survey by Lopez, Watson, Pelletier, Lyne, Hall

F.B. 2566 Pg. 25

STATION	B. S.	H. I.	F. S.	ELEV.		
3+02	N			668.92	7.5 L	W/L
				668.60	13 "	Ed gutt.
				668.50	15 "	both cb.
				—	15 "	depressed ck
				669.30	19.6 "	brk in apron.
				669.41	24.5 "	back walk.
4+00.5	N	S.MH				5° R. S.MH.
						R.im El - (M+D) = Inv.
				662.56	Inv 8" inlet N.	670.15 - (6.92+0.67) = 662.56
				662.45	" 8" outlet S.	670.13 - (7.01+0.67) = 662.45
92+12.2			Center	666.88		& Colorado
				666.91		18.5 R W/L
				666.45		34 " Ed gutt.
				666.26		36.9 " both cb.
				667.07		36.2 " Top "
				667.35		49.4 " back walk
			Pod	666.43	18.5 L	
				665.46	34 "	
				665.31	37 "	same
				666.10	37 "	
				666.32	49.5 "	

76L-298 CE 307 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2566 Pg. 216 | Job No. 6252.30 | Division No. 10 | Notes Red | Plotted | Profile
Survey of E. Palmdale S.D. - Line "B" | Date | Date | No.
Survey by Lappell | Notes D.S. | Notes Chkd. | Checked | X-Sec. No.
Indexed C. Tapp | Date | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.		
92+52 ℄				667.30		℄ Colorado
				667.31		18.5 R w/4
				666.91		34 ' Ed gutt.
				666.68		36.9 ' 60H cb.
				667.50		36.9 ' Top "
				667.83		49.4 ' back walk
			Lenker Rod	666.84	18.5 L	
				665.91	34 '	
				665.70	37 '	same
				666.47	37 '	
				666.74	49.5 '	
92+65 ℄		S.M.H.			30.0 L S.M.H.	
						Rim El - (M+D) = invert
				656.71	Inv. 8" inlet W. 666.44	-(9.06+0.67) = 656.71
				656.65	" 8" outlet E 666.43	-(9.11+0.67) = 656.65
93+52 ℄				668.41		℄ Colorado
				668.37		18.5 R w/4
				667.95		34 '
				667.75		37 ' same
				668.57		37 '
				668.90		49.5 '

CE 307 11-58

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEER BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend above this line.

STATION	B.S.	H.I.	F.S.	ELEV.		
93+52 ±				66790	10 ±	W/L
			Rod	66700	34 ±	Ed gutt.
				66680	37 ±	both cb.
				66760	37 ±	Top "
				66788	49 ±	back walk
94+72 ±		S.M.H				27° R S.M.H.
						Rim El. - (M + F) = Inv.
			Lenker	66006	Inv. 12" inlet W. 669.41	-(8.35+1.00) = 660.06
				66017	" 8" " N. 669.37	-(8.53+0.67) = 660.17
				65992	" 12" outlet E 669.40	-(8.48+1.00) = 659.92
BM TF 33				66661	BM TF 33, El. 666.609, F.B. 2509-24 Colorado Blvd & Fulton Ave, N.E. cor. Bt. Spk in curb 5° Ft. N. of N. end C.R.	
95+68 ±		T.M.H.		67030		40 ± R T.M.H.

Profile Notes Red. Plotted Job No. 6252.30 Division No.
No. Date Date Survey by Leonard Nelson & Bruce Lenker
Checked

F.B. 2566 Pg. 27