Chk'd by

Survey of
ZN Tape Std 'F
Surveyed by
Notes Date
Indexed

F.B. 2631 Pg.

	Job	Description
		MOUNTAIN SPRINGS ROAD 0075.78
5-22	Align.	Prop. alternate align. from Sierra Hwy. W'ly 3000 ft. at Vincent.
23-26	Sec. Lines	The north ½ of section line bet. Sec. 21-22 T5N R12W.
27-34	Sec. Lines	South line of Sec. 16, T5N R12W.
35-37	Sec. Lines	North ½ of west line of Sec. 21, T5N R12W.
39-46	Sec. Lines	South line of Sec. 17, T5N R12W.
47-50	Sec. Lines	South ½ of the west line of Sec. 17, T5N R12W.
51-54	Sec. Lines	East ½ of the south line of Sec. 18, T5N R12W.
55-56	P Line	From Sta. 36+05.61 westerly to Sec. Cor. 18/17 / 19/20 T5N R12W.
67-70	Sec. Lines	West ½ of the section line bet. Sec. 18, Sec. 19, T5N R12W.
71-75	Sec. Lines	The south ½ of the west line of Sec 18, T5N R12W.
77-82	Sec. Lines	The south line of Sec. 13, T5N R13W.

Microfilmed July 85

83-86	Sec. Lines	The south ½ of the sec. line bet. Secs. 13 & 14, T5N R13W.
92-100	P Line	From P#40 (East ½ of south line Sec 18, T5N R12W) northwesterly to P#75

(cont'd on next page)

Page	Job	Description
1-104	C.L.	Of Red Rover Mine Rd. from BC #5 to EC #5.
5-109	P Line	From P #75 westerly to R-5 (center of Sec. 15, T5N R13W.)
1-116	Sec. Lines	The east & west C.L. of Sec. 14, T5N R13W.
7-120	Sec. Lines	The south ½ of the sec. line bet. Secs. 14 & 15, T5N R13W.
1-128	Sec. Lines	The east & west C.L. of Sec. 15, T5N R13W.
9-131	C.L.	Of Sierra Hwy. from inter. with So. line Sec. 22, T5N R12W NEly to Old Angeles Forest Rd.
1-166	B.M.	Bench levels from Vincent to Crown Valley Rd.
7-178	B.M.	Bench levels from Agua Dulce Union School N'ly along Crown Valley Rd. to proposed Mt. Springs Rd.
1-199	B.M.	Bench levels from USBM H-53 (US 1406) N'ly to proposed Mt. Springs Rd.
1-240	B.M.	Bench levels from (US 1406) Acton NW along Escondido Cn. Rd. & Red Rover Mine Rd. to proposed Mt. Springs Rd.
1-244	Meas.	Check chaining on Carrolos Ave. & S. line Sec. 13 T5N, R13W, from E. line Sec. 13 to C.L. Crown Valley Rd.

Page 6 — see distance ~~342.04~~ ✓
which ? 340.78 - T.
Page 6 - Also see 244.92 chainy
No Temp correction shown
Page 7 - NO CORRECTION for 184.61
Page 8 - See distance changed from
341.75 to 340.78 is this
correct
Page 9 - See ? Slope correct.
Page 10 NOT Temp on 159.
See Notations



99992
3651
49995
99992
29999760

300.129980

76L268- C&S 10-74

LOS ANGELES COUNTY INTERDEPARTMENTAL

TO		FROM
Mr. [illegible] Assistant [illegible] Survey Division Attention Mr. William C. Mack		Don Sappell

Subject	Date	No.
CROWN VALLEY ROAD J.N. 0095.23 -Monumenting	11-3-77	

J.N. 0095.23

Transmitted are F.B. 2631, F.B. 2692 and a staking sketch of Crown Valley Road.

Please monument the alignment as indicated by red dots as shown on the staking sketch.

Please have the field engineer contact me before starting work on this request.

Don Sappell

Don Sappell
Survey Party Chief I
Survey Analysis Section

DS:fw 11

Attachments

dc: Messrs. Mack (2), Murphy, Sappell, Abe, File

USE F.B. 2692 START PG 263

To: Dougherty

R+

11-7-77

6950

Notes Ck'd by		Survey of Mountain Springs Road	F. B. 2031 Pg. 0
Map No.		JN 0075.78 Tape	Std. °F
Office Work		Surveyed by	
Checked		Notes	Date
Date		Indexed	

MOUNTAIN SPRINGS ROAD

J.N. 0075.78

REFERENCES:

F.B. 79
F.B. 874
C.S. B-1081
C.S. B-1342-1
C.S. B-1400
C.S. B-1877
C.S. 8739
C.S. 8924
R.S. 73-42
R.S. 73-43
R.S. 75-75
TRACT 9639
C.S. B-2611

VERTICAL CONTROL:

U.S.C.&G.S. ADJUSTED LEVEL LINE 101.

PREPARED UNDER THE SUPERVISION OF
LOS ANGELES COUNTY ENGINEER
FOR Los Angeles County Engineer

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
200 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this file.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

CSB 264
F 5 1 68 of 68



LEGEND:

- Int. Hi-Way & Preliminary Line.
- Preliminary Lines & Section Lines Run.
- Approximate Location of Sierra Hi-Way
- Approximate Location of Level Net Outside the Preliminary Line
- × Indicates B.M. outside Preliminary Line.

MOUNTAIN SPRINGS ROAD INDEX SHEET.

Pg. 4

Notes Ck'd by W. J. BRENNER
Map No. Surv. 104-37
Office Work Burns
Checked
Date

Survey of Sierra Hwy Alternate F. B. 269' Pg. 5
JN 0275.78 Tape 116 Std. 66 °F
Surveyed by Willey
Notes Mt. Ins. Pgs. 12-307 C. Johnson
Indexed 12-14-59

0075.78

SIERRA HWY ALTERNATE
& SURVEY
Pro. Mountain Spring Road
at Vincent & 3000' West

12-8-59
Willey
Anderson
Rodriguez
Clochon

VINCENT

Mt. Spring Rd. Pg-11
Pg-6

ANGELES FOREST HWY

U.S. #6
SIERRA HWY

Note: Any Additions or Changes on This Sheet Must Be Made or Ruled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
7700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3093 CE #247—3-59

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.


RIDGECREST HWY
Service Sta.
MSE-19
Set SPIKE
0+00,00 TO W.
coord.
HWY 7
SIERRA
Painted White
Frame & Garage
Conc. Top
Conc. Dr.
Conc. Dr.
Conc. Dr.

Notes Ck'd by W. J. BRENNER
Map No. Sierra 100-37
Office Work Burns
Checked
Date

Survey of Sierra Hwy Alignment F. B 2631 Pg 7
JN 00758 Tape 110 Std 84 °F
Surveyed by Willey
Notes 4 Date 12-3-59
Indexed M. C. Johnson

cont from bot Pg 6

T=66 = 244.89
244.92 @ Ctr

244.89

Ch. pt
Set Nail

5524

No Caution
Hwy

T=66° = 184.59
184.61 @ Ctr

184.59

0.06

Sierra

Fd Reference
Reference
in pole
point

Coord. MSR-21
Fd Nail
Painted With
White V.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 CE #247—3

F.B. 2634 Pg. 8

To Pg 9

coord.

MSR-17

Set 1x24 N

8+69.24

20° 09' 20"
80 08 00
120 27 10

T=58°= 396.07
178.38 @ 1°00' = 178.35
217.90 @ 148 = 217.79
396.14

20°04'32"

118°56'40"
115 46 10
363 39 00

30

6+23.5

61°

8' corrugated iron fence

396.07

N 30°04'32" E

118.56

45°

4+69.5

10

40°59'10"

207.30

T=58°=207.30
207.59 @ 2°57' = 207.33

MSR-18
coord.

POT.
Set 1x2 4 N
3+40.74

40°59'00"
163 56 40
245 55 00

2+15.0

6" Copper Riser to Well (Abandoned)

6.48

from left Pg 6

341.74

A Pt
Set 1x24 N

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd W. J. BRENNER
Map No. Surv. 104-37
Office Work Burns
Checked
Date

Survey of Angeles Forest Rd
JN 00757 Tape 1/10 Std 85° °F
Surveyed by Willey
Notes
Indexed

F. B. 2631 Pg. 7

To Pg. 10

420.81

T = 62° = 420.81
R = 300.15 @ 0°44' = 300.13
120.83 @ 2-14 = 120.74
420.87

Coord.
POT
SET 1x24 IN
13+69.73

249.43

T = 62° = 249.43
249.57 @ 1°38 = 249.47

N 60°30' W

85'

ARMCO CMP
WELL

POT
SET 1x24 IN
11+18.96
REPLACED WITH 1"
I.P. & L.A. CO. ENGR. TAG
H-13.66' G.E.D.

VINCENT WATER SUPPLY
10" WELL

76°

10+02.0

249.12

T = 62° = 249.12
193.68 @ 6°23' = 192.48
56.68 @ Ler = 56.68
249.16

From Pg. 8

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3088 CE #247—3-57

F.B. 2621 Pg. 10

To Pg. 11

29960

498.80

T=60° = 498.80
29960 @ 218 = 299.36
200.03 @ 406 = 199.32
498.88

MSR-M
POT
SC11X24N
1788.60

N 30° 00' W 4200.00

From Pg 9

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No. Surv. 104-37
Office Work Burns
Checked
Date

Survey of Sierra Hwy Alignment F. B. 2631 Pg. 11
JN 00 [illegible] Tape 116 Std. 84 °F
Surveyed by Miller
Notes [illegible] Date 11-23-59
Indexed [illegible]



To Pg 12
223.38
N 73 30 E 479.68
BC set 1x2 +N
30+35.01

T = 60° = 159.46
159.49 @ 1°10' = 159.46 ✓

POST
Set 1x2

T = 7.26 ✓

Δ = 35° 26' 25"
R = 2000
T = 639.14
L = 1237.10

(PI = 1)
Set 1x2 +N

144° 33' 30"
④ 218 14 10
⑥ 147 21 30 ✓

144° 33' 35" =

169.65 ✓

T = 60° = 169.65
169.74 @ 13° 1' = 169.65 ✓

POST
Set 1x2 +N.

498.80 ✓

BC set 1x2 +N
18+17.91

From Pg. 10

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S CE #247—3-57

F. B 2631 Pg 12 8

End For Now

MSR-11
POT
SCT 1X2+N
36+05.61

T=60=297.22
297.35@114=297.27

297.22
584

MSR-12
POT
SCT 1X2+N
33+08.59

T=60=733.06
300.41@233 = 300.11
300.00@042 = 299.98
133.88@616 = 133.08
733.17

733.06
+ 258.38

From Pg 11

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Profile No. | Notes Red. | Date | Plotted | Date | Job No. 0075.78 | Division No. | F. B. 2631 Pg. 13

X-Sec. No. | Notes Wkd. BRENNER | Date | Checked | Date | Survey of Sierra Hwy Alternate | Survey by Willey | Notes RLM | Date 11-9-59 | Map No. | Indexed C. Johnson | Date

0075.78
SIERRA HWY ALTERNATE
CROSS SECTIONS.
Pro. Mountain Spring Road

11-9-59
Willey
Erickson
Rodriguez
Clocken.

STATION	B. S.	H. I.	F. S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76298 S & E #307—7-55

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

B.B. 263/ Pg 14 | Job No 00757.78 | Division No. | Notes Red. | Plotted | No. | Profile
Survey of SIERRA Hwy Alternate | Date | Date | No. | X-Sec.
Survey by Willett C. Johnson | Notes P.C.K. | Notes Chkd. | Chief Mod. B.PENNER | No.
Indexed | Date | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.		
BM 1431					BM 1431 El = 3224.718	
	963	3234.35		3224.718	Sierra Hwy S. Side 726' S of ℄ Int Angeles Crest	
					#3½" brass tablet set in conc Mkd BM 1431 1933	
			6.50	27.85	N&T ℄ Sierra Hwy	's of Angeles Crest
H41			322	8113	Patch	
T.P.	646	3239.10	1.71	3232.64	BRK&T	
			5.58	33.52	N&T ℄ Sierra Hwy	'S of ℄ Int Angeles Crest
			5.86	33.24	℄ Int Sierra Hwy & Angeles Crest Hwy	
0+00			6.46	32.64	℄ Int. " " & Prop Sierra Hwy Alternate	
0+23			6.89	32.21	edge pvmt	
0+31			7.0	32.1	bot brk	
0+36			4.8	35.3	Top "	
1+00			2.8	36.3		
50'R			2.7	36.4		
50'L			3.6	35.5		
2+00			0.8	38.3	℄	
50'R			3.7	38.7		
50'L			2.1	37.0		
T.P.	766	2345.99	0.77	3238.33		
3+00			6.1	39.9		
50 R			5.2	40.8		
50 L			7.9	38.1		
3+60 ℄			5.5	3240.5		

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
		3245.99			4067 214 3793
TP					74
4+00	388	324067	9 20	323679	
50R			05	40.2	
50L			9.9	30.8	
4+36 ±			7.9	32.8	
5+00			7.4	33.3	
50°R			8 1	32.6	
50°L			8 1	32.6	
T.P.	532	3 243.25	274	323793	
			9.9	333	
50°R			8.9	343	
50°L			10.8	324	
6+00			8 2	35.0	
50°R			7.3	35.9	
50°L			10.7	32.5	
T.P.	671	3238.70	11.26	3231.99	
6+23 ±			35	32.5	
6+72 ±			48	33.9	
7+00			2.2	36.50	
50°R			2 1	3236.6	

Profile Notes Red. _____ Plotted _____ Job No. 20 7578 Division No. _____ F. B. 2631 Pg. 15
No. _____ Date _____ Date _____ Survey of Sierra Hwy Alternate
X-Sec. Notes Chkd. _____ Checked _____ Survey by E.L. Miller Notes E.L.M. Date 11-9-57
No. _____ Date _____ Map No. _____ Ind. C. Johnson

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2631 Pg. 16 | Job No 2378 Division No | Notes Red | Plotted | Profile
Survey of SLAUSON HWY AVENUE | Date | Date | No.
Survey by C. Johnson | Notes Chkd | Checked | X-Sec.
Indexed | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
7+00						
50° L		3238.70	3.2	3235.5		
						℄
T.P.	11.36	3247.16	2.20	3236.50		
8+00			9.3	38.6		
50° R			8.3	37.6		
50° L			4.5	43.4		
9+00			4.5	43.3		℄
50° R			5.5	42.4		
50° L			+2.5	50.4		
T.P.	9.59	3254.20	3.25	3244.61		
10+00			1.6	52.6		
50° R			5.0	49.2		℄
50° L			+4.8	59.0		
TP	11.14	3263.79	1.55	3252.65		
10+55			0.2	6 3/4 6"	Top brk	℄
T.P.	9.76	3273.54	0.01	3263.77		
11+00			7.5	66.0		℄
50° R			9.7	6 3/4 8		
50° L			6.7	66.8		
12+00			4.2	69.3		
50° R			4.9	3268.6		

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 20736 Division No.
No. X-Sec. Date Date Survey of Sierra Hwy Alternate
Notes Chkd. Check W. J. BENNER Survey by Miller Date 4-2-59
No. Date Date Map No. Index Notes Date
F. B. 2631 Pg. 12

STATION	B. S.	H. I.	F. S.	ELEV.	
12+00					
50' L		3273.54	3.4	3270.1	
13+00			0.8	72.7	
50' R			1.9	71.6	
50' L			0.5	73.0	
T.P.	6.36	3279.23	0.67	3272.87	
13+86			5.0	74.2	Top brk
14+00			6.5	72.7	
50' R			9.0	70.2	
50' L			3.5	75.7	
T.P.	4.18	3271.88	11.53	3267.70	
14+78			6.6	65.3	Bot brk
15+00			6.5	65.4	
50' R			5.2	66.7	
50' L			0.8	72.7	
16+00			1.7	70.2	
50' R			3.7	68.0	
50' L			2.2	69.7	
T.P.	9.25	3280.09	1.04	3270.84	
17+00			7.3	72.8	
50' R			8.4	71.7	
50' L			6.5	3273.6	

F.B. 2631 Pg. 18 | Job No 0287K | Division No | Profile
Survey of SIERRA HWY REALIGNMENT | Notes Red | Plotted
Survey by W.C. Jones | Notes | Date | No | X-Sec.
Indexed | Notes Chkd. | Chkd. W.J. BRENNER
Date | Date | Date | No.

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
18+00		3280.09	4.1	3276.0	℄
50' R			4.7	754	
50' L			3.8	763	
T.P.					
19+00	11.15	3287.68	1.56	3276.53	
50' R			11.0	767	
50' L			10.1	776	
20+00			7.1	782.0	℄
50' R			4.9	788	
50' L			5.5	783.1	
21+00			4.5	786.7	
50' R			+3.8	793.5	
50' L			12.5	787.2	
T.P.	11.86	3301.07	0.47	3289.21	
22+00			9.8	791.3	℄
50' R			4.5	796	
50' L			10.7	790.4	
23+00			1.2	799.9	℄
50' R			+1.2	3302.1	
50' L			7.6	3293.5	
T.P.	11.90	3312.18	0.79	3300.28	
24+00			9.8	3302.4	℄

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 0275 Division No. F. B. 2631 Pg. 19
No. Date Survey of Sierra Hwy Extension
X-Sec. Notes Chkd. Check W. J. BRENNER Survey by J. Willey Notes J.L.W. Date 11-9-55
No. Date Map No. Index C. Jaramillo

STATION	B. S.	H. I.	F. S.	ELEV.	
24+00					
50 ft R		3312.18	6.8	3305.4	✓
50 ft L			15 Z	3297.0	✓
25+00			4.5	3307.7	✓
50 ft C			2.0	3310.2	✓
50 ft L			11.7	3300.5	✓
25+38			3.7	08.5	✓
26+00			8.0	04.2	✓
50 ft C			3.3	08.9	✓
50 ft L			9.1	3305.1	✓
27+00	8.15	3314.08	6.2	3305.9	✓
50 ft R			6.1	08.0	✓
50 ft L			9.2	04.9	✓
28+00			6.1	08.0	✓
50 ft R			3.9	10.2	✓
46 ft L			6.4	07	✓
50 ft L			7.7	06.4	✓
29+00			3.8	10.3	✓
50 ft R			2.1	12.0	✓
20 ft L			3.6	10.5	Top bank
30 ft L			8 Z	059	✓ Bot "
300 L			8 L	05.5	" "

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2631 Pg. 20 | Job No. 16 | Division No. 7 | Notes Red. | Plotted | No. | Profile
Survey of Sierra Hwy Alternate | Date | Date | X-Sec.
Surveyed by Killam & Jones | Notes Chkd. | Chkd. W. J. Brennan | No.
Indexed | Notes | Date | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.		
30+00		3314.08	1.0	3313.1	Top bnk	℄
25° R			+0.8	13.3		
50° R			0 0	14.1		
12° L			4 5	13.6	bot bnk	
50° L			5.1	09.0	" "	
64° L			+0.5	14.6	Top bnk	
30+33			3 4	10.7	℄ bot bnk	
30+87			1.7	12.4	℄ bot bnk	
T.P.	11.09	3324.87	0 30	5.78		
31+00			9 0	15.91		℄
16 R			12 5	12.7	bot bnk	
62 R			11 7	13.2	" "	
79° R			5 7	19.2	Top "	
8° L			7.8	17.1	" "	
57° L			4 3	20.6	Toe Slope	
9 L			+6°	30.9	Slope	
31+03			8	16.7	Top bnk	℄
32+00			1	23.9		
50° R			4.8	20.1		
50° L			+7°	33		
75° L			+15	3340.4		

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
		3324.87			
	19.72	3334.59	1.05	3323.82	
	11.73	3345.73	0.54	3334.00	
33+00			10.11	3562	
47° R			21.6	24.1	Toe slope
60° R			22.0	23.7	
40° L			0.0	45.7	slope
60° L			+4.6	50.3	"
34 +00			7.5	38.2	
50° R		O.K.	18.3	27.4	Toe slope
75° R		+7.	19.1	26.6	"
50° L			+7°	52.7	"
62° L			+11°	56.7	"
35+00			4.8	41.2	
45° R			14°	31.7	Toe slope
70° R			15.2	29.8	"
50° L			+10.7	56.4	"
75° L			+17.5	63.2	"
36+05.44			2.7	43.0	
65° R			12.3	33.4	Top brk
82° R			15.9	29.8	Toe "

Profile Notes Red. Plotted Job No. 202178 Division No. F.B. 2631
No. Date Date Survey of Sierra Hwy Alignment
X-Sec. Notes Chkd. Checked Survey by Willey Notes RLW Date 11-9-59
No. Date Date Map No. Index C. Tab. Date

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2631 Pg. 22 Job No. 22178 Division No. Profile
Survey of Sierra Hwy Alternate No. X-Sec.
Survey by Kelley Notes Red. Plotted
Indexed A.C.T.S. Notes Clkd. Date Checked
Date Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
36+05 AA						
30° L		3345.73	73 I	3279.7	✓	
56° L			1410	55.7	✓	slope
	021	3334.21	11.73	3334.00	✓	
	281	3329.12	7.90	3326.81	✓	
TBM	030	3319.65	9 77	3319.35	✓	set chisel □ in conc base SW Leg Edison Tower #75/1
	022	3308.45	11.42	3308.23	✓	
	016	3299.60	9.01	3299.14	✓	
	069	3288.80	11.49	3288.11	✓	
TP	133	7978	1035	78.45	✓	
	144	70.26	1096	68.82	✓	
	066	60.84	10.08	68.18	✓	
	382	59.18	5.48	55.36	✓	
	104	53.01	7.21	51.97	✓	
	416	48.07	9.10	43.91	✓	
	144	40.97	8.54	39.53	✓	
	047	33.15	8.29	32.68	✓	BM U431 El = 3224.718
BM U431			8.42	3224.73	✓	Sierra Hwy S side 726' ± S. of ℄ int Angeles Crest Hwy ± Sierra Hwy Fd 3½" brass tablet set in conc BM U431 - 1933



[redacted]

[redacted] examination.

[redacted] examination.

[redacted] with specialization in [redacted] such as [redacted] chemistry or a natural field. OR—A California State Clinical Laboratory [redacted] year's experience in the fixing, cutting and staining of tissue for [redacted] in an approved clinical laboratory may be substituted for each year of college to a maximum of two years.

[redacted] applications will be accepted from persons who expect to complete the required education by the end of the current semester, providing that date is within the next three months. However, the names of [redacted] successful in the examination, will be withheld from certification for employment until proof that the required education has been presented to the County of Los Angeles Civil Service Commission. The starting salary of $409 applies to all institutions except Harbor General Hospital. The starting salary at Harbor General Hospital is $464. The current vacancies are at the Los Angeles County General Hospital, 1200 N. State Street, Los Angeles.

APPLY FOR FOLLOWING POSITION NOW

[redacted] ASSISTANT TECHNICIAN (X-RAY) [redacted] $417 to $516

[redacted] requirement is waived in this examination.

[redacted] Completion of a one year course in x-ray technique in an approved school for x-ray technicians and two year's experience taking and developing exposures of a wide variety of patients under the supervision of a specialized radiologist, of which 6 months must have been in the administration of x-ray therapy treatments. Not more than two additional years of the above experience may be substituted for the one year course in x-ray technique. OR—Completion of a two-year course in x-ray technique in an approved school for x-ray technicians, which must have included or been supplemented by 6 months' experience in the administration of x-ray therapy treatments.

Secure Applications and Information from

COUNTY OF LOS ANGELES CIVIL SERVICE COMMISSION

[redacted] Office
Room 101, Long Beach County Bldg.
415 W. Ocean Blvd., Long Beach 2, Calif.

[redacted] Commission
Los Angeles 12, Calif.

OR FROM

[redacted] or at the personnel office of your [redacted]

Notes Ck'd by	Survey of SEC. LINES
Map No.	JN 0302.01 Tape 141 Std 84 °F
Office Work Checked L. W. BACON	Surveyed by C. L. WRIGHT
Date 5-20-61	Notes C. L. W. Date 3-Aug. 1960
	Indexed M. E. OTT MAY 11 '61

F. B. 2631 Pg. 23

THE NORTH 1/2 OF THE SECTION LINE BETWEEN SECTION 21-22 T-5N R/2W.

J.N. 0302.01

REFERENCES:
F.B. 1684
C.S. B-2611

PARTY:
C. L. WRIGHT
R. C. BOWERS, JR.
J. R. FULTON, JR.
D. J. DRESSER
W. F. BARNETT, JR.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 CE #247—3-57

F. B 2631 Pg. 24

CONT. ON BOT. PG. 25

T 5N
R 12W

W.S. 65 + A-5

3+59 53 ✓

A-3 — SET 1"x2" NAIL ON NORTH S.H.

T 100°

104.31 @ 15-33 = 100.49 ✓
104.20 @ 15-20 = 100.49 ✓

100.49
.01 ✓
100.50 ✓

100.50 ✓ LINE

2+59 03 ✓

A-2 — SET 1"x2" NAIL ON N. BRK. TOP M.U. - SE. RIDGE

SEC. 21

SEC 22

T - 96°

130.75 ✓

LEV. 31.48

102.20 @ 13-46 = 99.26 ✓
102.23 @ 13-50 = 99.26 ✓

99.26 ✓
130.74
.01
130.75 ✓

1+28 28 +

A-1 — SET 1"x2" NAIL TOP BRK.

T 94°

SECTION 128.28 ✓

136.99 @ 20-33 = 128.27 ✓
136.85 @ 20-24 = 128.27 ✓

128.27 ✓
.01
128.28 ✓

NASR-10

0+00

FD. C. S. MON. 2" I.P. BRASS CAP SET CONC. FL. ON SOUTH S.H. Desc. as Shown F.B. 1684 - 68 C.S. B-260

COUNTY SURVEYOR
T.5N.
R.12W. 21 22 1/4 SEC. COR.
R.E. 63

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked by W. BACON
Date 5-20-61

Survey of SEC. LINES
JN 0302.01 Tape 141 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date 3-AUG-1960
Indexed H.E.OH

F.B. 2631 Pg 25

T 5N
R 12W

W.S. 65 - A-5

CONT. ON BOT. PG 26

12+63.92
A-6
FD. 5"x8" GRANITE STONE UP 8" WITH 1/8 SUNK CUT IN NORTH SIDE CROSS CUT ON TOP
6.03
SET 1x2 NAIL
T 84°
224.82 @ 2-27 = 224.61

12+57.89
0.19

PRELIMINARY LINE
SEE PG. 57 FOR THIS LINE
224.61

MEANDERING 70' WIDE ± F.L.
11+07
DIRT RD. ALSO F.L. DRY
F.L. ℄ ± WASH
68' ±

10+39.31
A-5
SEC. 21
PG 145 FOR ELEV.
SET C.E. BUTTON MON. 2" I.P. BRASS CAP SET CONC. MARKED
SEC. 22
250.34
T 95°
252.61 @ 7-43 = 250.32
.02
250.34

7+88.97
A-4
SET 1x2 NAIL
T 100°
230.22 @ 14.06 = 223.28
230.20 @ 14-05 = 223.28
74.69 @ 16-01 = 71.79
74.77 @ 16-15 = 71.78
141.64 @ 18-28 = 134.35
141.39 @ 18-10 = 134.34
223.28
71.78
134.34
429.40
.04
429.44

COUNTY ENGINEER B.M. M.S.1 R.E. 5869

SECTION 429.44

3+59.53
A-3
SET 1x2 NAIL ON NORTH S.H.

CONT. FROM TOP PG. 24

RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Coded in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3098 CE #247 — 3-57

F.B. 2631 Pg. 26

SEC. 16

To 1/4 COR. Pg. 27

25+51.28 ×

FD. C.S. MON. 2" I.P., BRASS CAP SET. CONC. MARKED F.B. 1684-70 C.S. B-2611

MSR-9

COUNTY SURVEYOR T.5N. R.12W. 16 15 21 22 R.E. 63

①	86	22	49
④	345	30	00
⑥	158	15	00
	86°	22'	30" × ✓

SEC. 15 T.5N. R.12W.

600'± -

SET 1×2" NAIL-LINE PROD. FROM WEST

W.S. 65-A-5

T 92°

110.33 @ 9-41 = 114.67 ✓

151.14 @ 11-30 = 148.11 ✓

151.09 @ 1-26 = 148.09 ✓ = 148.10 ✓

259.67 @ 10-45 = 255.11 ✓ = 255.11 ✓

259.81 @ 10-54 = 255.12 ✓

131.71 @ 4-28 = 131.31 ✓

887.71 ✓

LEV. 54.72 ✓

183.82 @ 1-26 = 183.76 ✓

887.67 ✓

.04 ✓

887.71 ✓

SEC. 22

16+63.57 ×

A-7

SEC 21

SET 1×2" NAIL

FL. DRY

FL. WASH

200'±

14+68

3 STRAND BARB WIRE FENCE

13+50± 93

13+41

1 TRACK DIRT RD.

399.65 ✓

FL.

T 86°

298.38 @ 1-16 = 298.31 ✓

LEV. 101.33 ✓

399.64 ✓

.01 ✓

399.65 ✓

10' WIDE ✓

77' SECTION

12+63.92 ×

A-6

SET 1×2" NAIL

CONT. FROM TOP PG. 25

RETURN TO LOS ANGELES COUNTY ENGINEER 900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of Sec. Lines	F. B. 2631 Pg. 27
Map No.		JN 0302.01 Tape 141 Std. 84 °F	
Office Work		Surveyed by C. L. Wright	
Checked L. W. BACON		Notes R.C. Bowers Date 24 Aug. 60	
Date 5-20-61		Indexed H. E. OTT MAY 1 1961	

THE EAST 1/2 OF THE SOUTH LINE OF SEC 16. T 5N, R 12W

J.N. 0302.01

REFERENCES:

F.B. 1694
C.S. B-2611

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

78F3095 CE #247—3-57

F. B. 2631 Pg. 28

Cont. Bot. Pg. 29

W.S. 65-A-5

T. 5N. R. 12 W.

12+44.08

Set B-3 1"x2" N. Top of Bank

Bot. Wash

11+06

Flow

513.95

215.6

4' Woven Wire Fence

8+90.3

T=94°

64.49 @ 9°49' = 63.55

300.10 @ Lev. = 300.10

151.10 @ 6°00' = 150.27

513.92

.03

513.95

Random

160.2

7+30.1

Set B-2 1"x2" N. Top Spur

Sec. 21

Sec. 16

T=92°

248.61 @ 1°34' = 248.52

287.88 @ 7°26' = 285.46

104.53 @ 8°47' = 103.30

637.28

.03

637.31

Sec. Line

637.31

0+92.82

Set B-1 1"x2" N. Top Spur

T=90°

95.25 @ 12°59' = 92.81

95.45 @ 13°27' = 92.83

92.82

0+00

Fd. C. S. Mon. 2" I.P., Br. Cap set in Conc., Marked as Shown. Pg. 26 R.B. 1684-70 C.S. B-2611

COUNTY SURVEYOR

T. 5N. R. 12W. R.E. 63

16/15 21/22

AA-L

Sec. 15

Sec. 22

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of Sec. Lines	F. B 2631 Pg. 29
Map No.		JN 0302.01 Tape 141 Std. 89 °F	
Office Work		Surveyed by C.L. Wright	
Checked L. W. BACON		Notes R.C. Bowers Date 7 Aug. 60	T. 5 N. R. 12 W.
Date 5-20-61		Indexed H. E. OTT	

Cont. Bot. Pg. 30

27+12.66 — Set B-5 1x2 #N. Top Spur.

T = 98°

116.84 @ 7°09' = 115.93

209.46 @ 12°51' = 204.21

209.37 @ 12°45' = 204.21

180.31 @ 3°27' = 179.98

151.49 @ 4°22' = 151.05

217.58 @ 4°29' = 216.91

868.08

.08

868.16

Section Line

868.16

24+01.7 — 3 Strand Barb Wire Fence

536

18+65.5 — ℄ 15' Dirt Rd.

21°

18+44.50 — Set B-4 1x2 #N.

17+10.7 — ℄ 15' Dirt Rd.

Sec. 21

Sec. 16

116

T = 96°

300.30 @ 3°22' = 299.78

300.59 @ Lev. = 300.59

600.37

.05

600.42

15+94.4 — ℄ 12' Dirt Rd.

15

15+78.9 — 4' Woven Wire Fence

600.42

334

12+44.08 — Set B-3 1x2 #N. Top of Bank

Cont. from Top Pg. 28

X

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57

F.B. 2631 Pg. 30

See Pg. 32

T. 5 N. R. 12 W.

SET 1x2 NAIL ON E. SIDE

W.S. 65 - A-5

Sec. 16

Sec. 21

Sec. Line Prod. from E.

Sec. Line

03° 08' 10"
12° 32' 40"
18° 48' 50" ✓
03° 08' 08⅓" ✓

03° 08' 08⅓" ✓

91 35 50
6 23 30
189 35 00 ✓
91° 35' 50" ✓

COUNTY SURVEYOR
R. 12 W.
T. 5 N.
1/4 COR.
16
21
E. 63

35° 35' 50"

16°

999.65
Pg. 40

Fd. P-20 1x2 N. Pg. 60

29+26 42×
Fd. C.S. Mon. 2" I.P. Br. Cap set in Conc., Marked as shown. F.B. 1684-90 C.S. B-2611

T = 96°
136.37 @ 6°44' = 135.43 ×
.01
135.44 ×

Section Line
135.44 ×

27+90 98×
Set B-6 1x2 N. Top Spur

T = 96°
78.32 @ 1°06' = 78.31 ×
.01
78.32 ×

Section Line
78.32 ×

27+12 66×
Set B-5 1x2 N. Top Spur.

cont. from top Pg. 29

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend noted this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of Sec. Lines	F. B. 2631 Pg. 31
Map No.		JN 0302.01 Tape 141 Std 89 °F	
Office Work		Surveyed by C.L. Wright	
Checked L. W. BACON		Notes R.C. Bowers Date 9 Aug. 60	
Date 5-20-61		Indexed H. E. Ott MAY 11 '61	

THE WEST ½ OF THE
SOUTH LINE OF SEC 16.
T 5 N, R 12 W
J.N. 0302.01

REFERENCES:
F.B. 1684
C.S. B-2611

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57

F.B. 2631 Pg. 32

Con't. Bot. Pg. 33

T. 5N., R. 12 W.

W.S. 65 - A-5

9+04.48 x — (Set C-2 1x2 #N.)

T = 90°

108.95 @ Ler. = 108.95

296.09 @ 2°26' = 295.82 x ✓

404.77 x ✓

.02 ✓

404.79 x ✓

404.79 x

6+30.7

Bot. Wash

Flow

88°

5+42.7

10' Dirt Rd.

43°

MSR-8 (Fd. 2x2, No Tag (line hitson hub))

4+99.69 x

T = 90°

162.10 @ 10°22' = 159.45 x ✓

162.03 @ 10°12' = 159.47 x ✓

159.46 ✓ x

.01 ✓

159.47 x

159.47 x

Section Line

Sec. 16

Sec. 21

T = 88°

50.87 @ Ler. = 50.87

289.36 @ 0°45' = 289.34 x ✓

340.21 x ✓

.01 ✓

340.22 x ✓

3+40.22 — Set (C-1, 1x2 #N. W. Brk, Top Spur)

340.22 x

Line

0+99.1

3 strand Barb Wire Fence

0+99.85

Fd. Rock Mound with 1x2 #N. in Ctr. per F.B. 1684-90 C.S.B. 2611

22°06'10" x ✓

107.1 x

99.1

29.85 Calc.

90°

T = 88°

111.21 @ 14°16' = 107.78 x ✓

111.30 @ 14°28' = 107.77 x ✓

176°-51'-51 1/3" CALC. PG. 30

40.55 x Calc.

0+00 W

COUNTY SURVEYOR R.12W. T.5N. R.14 COR 21 16 E. 63

① 22° 06' 00"

② 44° 12' 20"

22° 06' 10" x ✓

Section Line

MSR-7 Fd. C.S. Mon., 2" I.P., Br. Cap set in Conc., Marked as shown. Pg. 30 F.B. 1684-90 C.S.B. 2611

See Pg. 30

RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Sec. Lines
Map No.	JN 0302.01 Tape 141 Std 84 °F
Office Work	Surveyed by C. L. Wright
Checked L. W. BACON	Notes R.C. Bowers Date 10 Aug. '60
Date 5-20-61	Indexed M. E. OTT

F. B. 2631 Pg. 33

T. 5 N. R. 12 W.

Cont. Bot. Pg. 34

T = 90°

156.12 @ 6° 54' = 154.99
167.99 @ 8° 33' = 166.12
247.81 @ 5° 57' = 246.47
567.58
.02
567.60

23+18.08 — Set (C-6, 1x2 #N.)

Bot. Cyn. Flow

19+01.16

567.60

15/L

17+50.48 — Set (C-5, 1x2 #N.) Top Spur Cyn.

Bot. Flow

T = 94°

300.28 @ 3° 02' = 299.86
68.66 @ 1° 54' = 68.62
368.48
.02
368.50

16+00

368.50

218°

13+81.98 — Set (C-4, 1x2 #N. on E. Top Spur)

Sec. 21

Sec. 16

T = 98

254.63 @ 11° 31' = 249.50
254.70 @ 11° 36' = 249.50
= 249.50
.02
249.52

249.52

0.31

Fd 2x2, N.& Tag: L.S. 2424 - up 3"

11+59.36

246.90

11+32.46 — Set (C-3, 1x2 #N.)

T = 96°

111.97 @ 4° 08' = 111.68
49.03 @ Lev. = 49.03
67.25 @ Lev. = 67.25
227.96
.02
227.98

227.98

9+04.48 — Set (C-2, 1x2 #N.)

Cont. Top Page 32

X

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

787309S CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 65 - A - 5

Sec 17

Sec. 16

T. 5N. R. 12 W

27+37 80 x

Fd. U.S. Mon. Br. Cop set in Conc. Sec. as per Sburvy of B/1684-31 & U.S. B-2611

Sec. Line
See Pg. 40

Sec. Line
419.72 x

Set C-6 1x24 PK

23+18 08 x

Cont. from Top Pg. 33

COUNTY SURVEYOR
T. 5N.
R. 12W.
17 | 16
20 | 21
SEC. COR.
E. 63

See Pg. 37

86° 52' 30"

Sec. Line
See Pg. 37

F.B. 2631 Pg 34

Δ = 98°
88.93 @ 5°45' = 88.48 x
300.85 @ 7°47' = 298.08 x
33.12 @ Cer. = 33.12
419.68 x
.04
419.72 x

Sec. 20

Sec. 21

Notes Ck'd by	Survey of Sec. Lines
Map No.	JN 0302.01 Tape 141 Std. 84 °F
Office Work	Surveyed by C. L. Wright
Checked L. W. BACON	Notes R.C. Bowers Date 11 Aug. 60
Date 5-20-61	Indexed B. E. ON MAY 11 '61

F. B. 2631 Pg. 35

THE NORTH 1/2 OF THE
WEST LINE OF SEC. 21.
T. 5N., R12W.
J.N. 0302.01

REFERENCES:
F.B. 1684
C.S. B-2611

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3098 CE #247—3-57

Cont. Bot. Pg. 37

F.B. 2631 Pg. 36

19+49.91 Set D-4 1x2 ϕ N. Top. Ridge

T=90°
248.27 @ 18°08' = 235.94
247.98 @ 17°56' = 235.93
= 235.93

286.85 @ 10°22' = 282.17
286.92 @ 10°26' = 282.18
= 282.17

140.14 @ 7°48' = 109.12
627.22
.02
627.24

627.22

0.11

13+22.67

T 5 N. R. 12 W.

773.88

146.64

Fd. 6"x10"x12" High Granite Rock with 1/8 ϕ cross chiseled on top per F.B. 1684-29 C.S. B-2611

T=88°
147.26 @ 5°16' = 146.64

T=88°
198.32 @ 5°05' = 197.54
50.14 @ 7°44' = 49.68

Section Line

11+76.03 Set D-3 1x2 ϕ N.

300.29 @ 1°38' = 300.17
547.39
.01
547.40

547.40

Sec. 21

Sec. 20

T=86°
229.46 @ 4°16' = 228.82
245.52 @ 10°25' = 241.47
245.50 @ 10°23' = 241.48
= 241.47
470.29
.01
470.30

6+28.63 Set D-2 1x2 ϕ N, Top Spur

3+94 ± 8' Dirt Rd.

470.30

235.1

T=80°
159.10 @ 5°38' = 158.33

1+58.33 Set D-1 1x2 ϕ N. No. Brk Ridge

158.33

0+00

Fd. C.S. Mon. 2" I.P. Br. Cap set in Conc. Marked as shown F.B. 1684-28 C.S. B-2611 SEE Pg. 197 FOR ELEV.

COUNTY SURVEYOR T.5N. R.12W. 20 | 21 1/4 COR. E. 63

W 8,655 - A-5

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Sec. Lines
Map No.	JN0302.01 Tape 141 Std 84 °F
Office Work	Surveyed by C. L. Wright
Checked L. W. BACON	Notes R.C. Bowers Date 11 Aug 60
Date 5-20-61	Indexed H. E. Ott

F. B. 2631 Pg. 37

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76FSOSS CE #247—3-57

W.S. 65-A-5

Sec. 17

Sec. 16

Sec. 20

Sec. 21

T.5N. R.12W.

COUNTY SURVEYOR
T.5N.
R.12W. 17/16 20/21
SEC. COR.
R.E. 63

Fd. E-2 1X2 ⊕N. Pg. 40

Fd. C.S. Mon., 2" I.P., Br. Cap Set in Conc. Marked as shown. F.B. 1684-31 C.S.B-2611

Sec. Line

Sec. Line See Pg. 34

26+45 36

23

26+22 4

110° Sec 15' Pg. 40 43⅓'

34° 17' 26 3/4" CALC.

86°

62

Random 3 Strand Barb Wire Fence

T=100°

285.10 @ 16°29' = 273.38
285.09 @ 16°29' = 273.37
299.53 @ 4°16' = 298.70
572.07
.06
572.13

572.13 Line

① 86° 52' 20"
④ 34° 30' 08"
⑥ 16° 15' 00"
86° 52' 30"

2+78 89 N

Line

Preliminary See Pg. 62

Set P-25, Int. 1X2 ⊕N. E. Top Ridge See Pg. 62

105.66 R.12

Set D-5 1X2 ⊕N. Top Ridge

20+73 23

T=90°

125.21 @ 9°58' = 123.32

123.32

19+49 91

Set D-4 1X2 ⊕N. Top Ridge

Cont. from Top Pg. 36

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 2631 Pg. 38

Notes Ck'd by	Survey of Sec. Lines
Map No.	JN 0302.01 Tape 141 Std 84 °F
Office Work L. W. BACON	Surveyed by C.L. Wright
Checked	Notes R.C. Bowers Date 12 Aug 60
Date 5-20-61	Indexed H. E. Ott MAY 11 '61

F. B. 2631 Pg. 39

THE EAST 1/2 OF THE SOUTH LINE OF SEC. 17. T.5N., R12W.

J.N. 0302.01

REFERENCES:

F.B. 1684
C.S. B-2611

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76FSOGS CE #247—3-37

R. B. 2631 Pg. 40

Cont. Bot. Pg. 41

W.S. 65 - A-5

T.5N. R.12W.

6+38.22 ×

Set (E-4) 1x2 #N Top Brk.

T = 90°

180.26 @ 13° 59' = 174.92 ×
180.16 @ 13° 52' = 174.91 ×
.01
174.92 × ✓

174.92' ✓

4+71.6

0.2

4 Strand Barbwire Fence

8.3

4+63.30 ×

Set E-3 1x2 #N. Top Brk

T = 90°

297.43 @ 6°43' = 295.39 ×
.01
295.40 × ✓

295.40' ✓

Section Line

T = 90°

65.08 @ Lev. = 65.08 ×

T = 90°

105.31 @ 12°29' = 102.82 ×
105.35 @ 12°34' = 102.83 ×
102.82 ✓

1+67.90 ×

Set (E-2) 1x2 #N Top Ridge

① 110° 15' 40"
② 81° 03' 00"
③ 301° 34' 20" ✓
110° 15' 43⅓ × ✓ ✓

43⅓'

Sec. 17

Sec. Line

65.08 ×

26.2/3'

94° 17' CALC.

1+02.82 ×

Set E-1 1x2 #N. Top Brk.

4 Strand Barb Wire Fence

102.82 ✓

Sec. 20

01' 43⅓" ×

164°

Sec. Line See Pg. 37

23°

0+00

Fd. D-5 1x2 #N. Pg. 37

Fd. C.S. Mon. 2" I.P., Br. Cap. Set in Conc. Desc. as shown. Pg. 34 & 37 F.B. 1684-31 C.S. B-261

① 164° 01' 40"
② 296° 07' 00"
③ 264° 10' 20" ✓ ✓
164° 01' 43⅓ × ✓

181° 09' 56⅔" CALC.

COUNTY SURVEYOR R. 12 W. T. 5 N. 17/16 20 21 Sec. Cor. E. 69

Sec. Line See Pg. 34

Sec. 16

Sec. 21

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Sec. Lines
Map No.	JN0302.01 Tape 141 Std. 84 °F
Office Work	Surveyed by C. L. Wright
Checked L. W. BACON	Notes R. C. Bowers Date 16 Aug 60
Date 5-20-61	Indexed M. E. On

F. B. 263 Pg. 41

T. 5N. R. 12 W.

B.M.M.S.4 Cont. Bot. Pg. 42

BMMS-4 140.16
SET MARKER
PIPE 2.5' S.W. OF
SET C.E. BUTTON
MON. - 2" I.P. BRASS
CAP SET CONC.
UP 6"
MARKED
Pg 152

9+69 19

Set E-6
1x2 #N.

See Pg. 152 FOR ELEV.

COUNTY ENGINEER
R.E. 5869

9+98 1
43° CALC 28°
27'
75'
38'
40'
38°
One Story Wood Frame House
23.8

9+75.8
CALC 25°
26'
63'

9+54.9
CALC 22°
126°
45'
92° 51'
69' 57'
57'
336
Wood Shed
11.9

9+43 1
CALC 21°
38°
57'
20.5
40'
126° 37'

① 126 37 40
② 253 15 20
126 37 40
T = 74°
141.27 @ S-15 = 140.68
.01
140.67

Sec. 20

8+87.8
1°
Wood & Tar Paper Shed
10.2
8+77.6
0°
13.2
164.60
81.4

T = 76°
110.83 @ 10°06' = 109.11
110.89 @ 10°17' = 109.11
109.11

2 Strand Barb Wire Fence

58.15 @ 17°21' = 55.50
58.06 @ 17°02' = 55.51
164.61
.01
164.60

Sec.

8+04 59
Set E-5
1x2 #N. Brk.
45°

T = 74°
171.65 @ 14°14' = 166.38
171.76 @ 14°22' = 166.39
166.38
.01
166.37

166.37
Line
25°

6+38.22
Set (E-4)
1x2 #N.
Top Brk.

Sec. 17

Cont from top Pg. 40

Note: Any Additions or Changes on This Sheet Must be Made or Ordered in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76FS005 CE #247—3-57

F. B. 2631 Pg. 42



RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Cont. from top Pg. 41

Notes Ck'd by	Survey of Sec. Lines
Map No.	JN 0302 Tape 14 Std 84 °F
Office Work	Surveyed by C. L. Wright
Checked L. W. BACON	Notes R.C. Bowers Date 17 Aug 60
Date 5-20-61	Indexed H. E. OTT MAY 1 1 '61

F. B. 2631 Pg. 43

THE WEST 1/2 OF THE
SOUTH LINE OF SEC. 17
T5N, R12W

J.N. 0302.01

REFERENCES:

F.B. 1484
C.S. B - 2611.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78FSOSS CE #247—3-57

F. B. 2631 Pg. 44

Cont. Bot. Pg. 45

T. 5 N. R. 12 W.

W.S. 64 - D - 5

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

9+05.55
Set (E-3)
1x2 in. Top Ridge

493.82

Bot. Cyn. Flow

5+73

162°

4+11.73
Set (F-2)
1x2 in., W. Top Spur

PRELIMINARY LINE
See Pg. 42

93.50

3+18.23
Set (F-1)
1x2 in., E. Top Spur

Section Line

318.23

Sec. 17

Sec. 20

T = 88°

48.38 @ 13°46' = 46.99
48.74 @ 15°23' =
102.10 @ 21°14' = 95.17
102.23 @ 21°25' =
300.01 @ 8°39' = 296.60
55.79 @ 9°22' = 55.05
493.81
.01
493.82

T = 100°

93.70 @ 3°51' = 93.49
.01
93.50

T = 100°

280.19 @ 7°58' = 277.49
41.27 @ 9°28' = 40.71
318.20
.03
318.23

0+47.19
Fd. Rock Mound
Pcl. F.B. 1684-40
42. S.B. 2611

20° 10' 15"

17.33 CALC.

80.27

179° 59' 30"
Pg. 42

T = 96°

50.27 @ Lev = 50.27

47.19 CALC.

① 20° 10' 20"
② 40° 20' 30"
20° 10' 15"

Fd. C.S. Mon. I.P. Br. Cap, 2" I.P. Set in Conc. Marked as shown See Pg. 42 F.B. 1684-40 C.S.B. 2611

Sec. Line
See Pg. 42

SEE PG. 154 FOR ELEV. → MSR-29

COUNTY SURVEYOR
R. 12 W. T. 5 N.
17 20
4 Cor.
E. 63

Notes Ck'd by
Map No.
Office Work Checked L. W. BACON
Date 5-20-61

Survey of Sec. Lines
JN0302.01 Tape 141 Std. 84 °F
Surveyed by C.L. Wright
Notes R.C. Bowers Date 17 Aug 60
Indexed H. E. Ott

F. B 2631 Pg. 45

T. 5N. R. 12 W.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57

Cont. Bot. Pg. 46

Sec. Line

8' Dirt Rd.

21+39.27
Set F-5
1x2 #N.

T = 96°

197.84 @ 2°13' = 197.69
122.48 @ 3°40' = 122.23
289.72 @ 13°08' = 282.14
289.52 @ 12°58' = 63.93
66.57 @ 16°12' =
66.40 @ 15°40' =
13.02 @ Ley = 13.02
75.96 @ 6°57' = 75.40
754.41
.06
754.47

17.32
19+66.1
P.P. #693274E
2.2

18+06.3
10.5

754.47

Bot. Cyn. Flow

42.15

Sec. 20

Sec. 17

13+98.25
11.02
Fd. 1x2 #N.

13+84.80
Set (F-4) 1x2 #N.
Top Spur

13.45

36.62

13+48.18
11.51
Fd. 1x2 #N.

T = 88°

59.73 @ 1°29' = 59.71
106.11 @ 4°23' = 105.80
275.53 @ 15°59' = 264.88
275.52 @ 15°59' = 264.87
49.61 @ 9°57' = 48.86
479.24
.01
479.25

479.25

9+05.55
Set (F-3) 1x2 #N.
Top Ridge

Cont from top Pg. 44

F. B. 2631 Pg. 46

T. 5N. R. 12W.

W.S. 64 + D-5

Sec. 19

Sec. 18

Sec. 17

Sec. 20

Sec. Line See Pg. 52

Sec. Line See Pg. 48

PRELIMINARY LINE PROD.

SET 2" I.P. CONC. PLUG NAIL & TAG L.A. CO ENGR. UP 5"

50.00

91° 27' 11 1/2" ×

91° 04' 56 3/4" ×

COUNTY SURVEYOR R.12W. T.5N. 18/17/20 E. 63

MSR-29
25+59 40°
Fd. C.S. Mon. Br. Cap. 2" I.P.
Set in Conc. Marked as Shown.
E.B. 1684-16
C.S.B-2611
RESET DN 8°

44.16

SET 2" I.P. CONC. PLUG NAIL & L.A. CO ENGR. TAG UP 2" Pg. 66

PRELIMINARY LINE Pg 66

P.P.# 693273E

10°

27+84±

22+81×

420.13×

℄ S. D. Hill Rd.

Sec. Line

① 91° 27' 10"
④ 05° 48' 40"
⑥ 188° 43' 10" ✓
91° 27' 11 3/4" × ✓

① 91° 04' 50"
④ 04° 20' 00"
⑥ 186° 29' 40" ✓
91° 04' 56 3/4" × ✓

T=100°
286.11 @ 2°20' = 285.87 1/4 ×
32.00 @ Ler = 32.00 .
50.96 @ Ler = 50.96 .
17.31 @ Ler. = 17.31 .
33.95 @ Ler. = 33.95 .
420.09 1/4 ×
.04 .
420.13 1/4 ×

100°

21+39 27'
Set (F-51)
1 X 2 EM.

9°

Cont. from top Pg. 45

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of Sec. Lines	F. B 2631 Pg. 47
Map No.		JN 0302.01 Tape 191 Std 84 °F	
Office Work Checked	L. W. BACON	Surveyed by C. L. Wright	
Date	5-20-61	Notes R.C. Bowers Date 12 Aug 60	
		Indexed H. E. Ott 11 31	

THE SOUTH 1/2 OF THE
WEST LINE OF SEC 17
T5N, R12W

J.N. 0302.01

REFFERENCES:
F.B. 1684
C.S. B-261

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SBE #247 11-58

Cont. Bot. Pg. 49

F. B. 2631 PG 48

W.S. 64-D-5

T. 5N. R. 12W.

8+80.39 Set G-2 IRON

6 ≅

Sec. Line

493.33'

T=94°

237.21 @ 5°58' = 235.92

208.45 @ 5°49' = 207.38

443.30

.03

443.33

4+37.06 Set G-1 IRON

5 ≅

86°

Sec. 18

3+39

℄ 8' DIRT RD.

Sec. 17

437.06'

SEE PG. 46 FOR TANGENT TIES

0+96

T=90°

200.30 @ 5°42' = 199.31

238.69 @ 5°09' = 237.73

437.04

.02

437.06

96°

SEE PG. 52 FOR THIS LINE DIRT RD.

50'

0+00 N

Sec. Line See Pg. 46

COUNTY SURVEYOR T. 5N. R. 12W. 10/17 19/20 R. E. 69

Fd. C.S. Mon. Br. Cap 2" I.P. Set in Conc. Marked as shown See Pg. 46 F.B. 1664/6 C.S.B. 2611 RESET DN. 8"

PRELIMINARY LINE PG. 46

Sec. 19

Sec. 20

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this tide of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Sec. Lines
Map No.	JN 0392.01 Tape 141 Std 68 °F
Office Work	Surveyed by C. L. Wright
Checked L. W. BACON	Notes R.C. Bowers Date 18 August
Date 5-20-61	Indexed H. E. On

F. B. 2631 Pg. 49

Cont. Bot. Pg. 50

Sec. Line

T.5N. R.12W.

Set G-4 1x2"N.

18+60.94 ±

C.L.M.

Bot. Flow

17+03 ±

173°

8° End of Rd.

15+30.3 ±

Sec. 18

Sec. 17

550.68 ±

220°

T = 96°

266.11 @ 6°44' = 264.27 ±

66.33 @ Ler. = 66.33

220.52 @ 3°48' = 220.04 ±

550.64 ±

.04 ±

550.68 ±

7°

13+10.26 ±

Set G-3 1x2"N

℄ 8' Dirt Rd.

429.87 ±

T = 96°

191.44 @ 5°19' = 190.62 ±

240.23 @ 5°15' = 239.22 ±

429.84 ±

.03

429.87 ±

6°

8+80.39 ±

Set G-2 1x2"N.

Cont. From Top Pg. 48

X

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 S&E #247 11-59

F. B. 2631 Pg. 50

COUNTY SURVEYOR T.SN. R.12W. 18 17 1/4 COR. R. E. 63

END OF LINE
26+78.96

T. 5N. R. 12W.

MSR-27
Fd. C.S. Mon.
Br. Cap, 2" I.P.
Set in Conc.
Marked as Shown
F.B. 1684-14
C.S.B-261
Top of Ridge

W.S. 64 - D-4

Sec. 17

Section Line
369.94

Sec 18

T=104°
121.62 @ 11°28' 118.19 = 119.20
121.64 @ 11°29' = 119.21
106.38 @ 14°01' = 103.21 = 103.20
106.34 @ 13°58' = 103.20
153.84 @ 16°30' = 147.50 = 147.49
153.79 @ 16°28' = 147.48
369.89
.05
369.94

Set G-5 1 X 2 EN.
23+09.02

T=100°
293.96 @ 12°17' = 287.23 = 287.22
293.97 @ 12°18' = 287.22
161.64 @ 5°49' = 160.81
448.03
.05
448.08

448.08

Bot. Cyn. Flow
20+81.2
221.2

Set G-4 1 X 2 EN.
18+60.94

Cont. from Top Pg. 49

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of Sec. Lines	F. B. 2631 PG. 51
Map No.		JN 0302.01 Tape 141 Std 84 °F	
Office Work		Surveyed by C. L. Wright	
Checked L. W. BACON		Notes R. C. Powers Date 18 Aug. 60	
Date 5-20-61		Indexed H. L. Ott NOV 1 - 61	

THE EAST 1/2 OF THE
SOUTH LINE OF SEC. 18.
T5N, R12W.

J.N. 0302.01

REFERENCES:

F.B. 1684
C.S. B-2611

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-53

F. B. 2631 PG. 52

Cont. Bot. Pg. 53

W.S. 64 + D-5

T. 5N. R. 12W.

Sec. Line

11+01 31

Set H-2 1x2 N

337.02

8+68 3

E 10'-Dirt Rd.

T = 96°

30 51

47.81 @ Lev. = 47.81

289.83 @ 3°51' = 289.18

336.99

.03

337.02

8+37 8

Bot. Crn

Flow.

73 51

Set (H-1) 1x2 N. Top Brk.

7+64 29

109 L

Sec. 19

P.P.# 699599E

19 R

6+55 2

8' Dirt Rd.

Sec. 18

T = 94°

PP# 699600E

21 L

1+59 3

70.82 @ Lev. = 70.82

86.18 @ Lev. = 86.18

132.48 @ Lev. = 132.48

119.33 @ Lev. = 119.33

127.30 @ Lev. = 127.30

0+50

764.29

109 3

228.34 @ 2°28' = 228.13

764.24

.05

764.29

9" Tree

27" Tree

46

11 33

Scar

E 8' Dirt Rd.

See Pg. 158 For Elev.

COUNTY SURVEYOR R.12W. T.5N. R.E. 63 18 17 19 20

0+00

Sec. Line See Pg. 48

MSR-26

Fd. C.S. Mon. Br. Cap 2" I.P. Set in Conc. Marked as shown. See Pg. 46 & 48 E: 8:1654-16 C.S. 8-2611 Reset DN 8"

Sec. Line See Pg. 46

SEC. 17

SEC. 20

RETURN TO LOS ANGELES COUNTY ENGINEER 900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Sec. Lines
Map No.	JN 0302.01 Tape 14 Std 89 °F
Office Work	Surveyed by C.L. Wright
Checked L. W. BACON	Notes R.C. Powers Date 19 Aug 60
Date 5-20-61	Indexed H. E. OTT

F. B. 2631 Pg. 53

T. 5N R. 12 W.

Cont. Bot. Pg. 54

18+18.03
Fd. Mound of Rock
3'x2'x1' high
Set 1x2 ♯N. in ctr.

6.48
1.55
25
18+16.48
Set (H-4) 1x2 ♯N.

T=102°
39.57 @ Lev. = 39.57
58.83 @ Lev. = 58.83
99.21 @ Lev. = 99.21
300.13 @ 9°45' = 295.79

493.40
.06
493.46

13°
℄ 8' DH't Rd.

493.46 Sec.

Fd. 1x2 ♯N.
6.89
13+67.55

℄ LANE

44.58
2.3
13+23.02
Set (H-3) 1x2 ♯N.

T=96°
221.77 @ 1°30' = 221.69
.02
221.71

1 STRAND barb WIRE FENCE

221.71 ℄ LINE

PRELIMINARY SURVEY PG. 88

SET 1x2 NAIL PG. 88 (P#40)

32.74

11+02
17.5
P.P. #699598 E

0.7
11+01.31
Set (H-2) 1x2 ♯N.

7.2

10+94
0.9
10.1
10+94
℄ 10' DH't Rd.

Sec. 19

Sec. 19

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3006 S&E #247 1-56

Cont from Top Pg. 52

F. B. 2631 Pg. 54



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of MT. SPRINGS RD.
Map No.	JN 0075.78 Tape 141 Std 84 °F
Office Work Checked L. W. BACON	Surveyed by C.L. WRIGHT
Date 5-20-61	Notes C.L.W. Date 23-Aug'60
	Indexed H. E. OH MAY 1 1961

F. B. 2631 Pg. 55

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

PRELIMINARY LINE - MOUNTAIN SPRINGS ROAD FROM STATION 36+05 ℄ P.O.T. WEST'LY TO SEC COR - SEC's. 17, 18, 19, 20 T5N, R12W

J.N. 0075.78

REFERENCES.
F.B. 1684
C.S. B-2611

PARTY:
C.L. WRIGHT
R.C. BOWERS JR.
J.R. FULTON JR.
D.J. DRESSIER
W.F. BARNETT JR.

783098 CE #247—7-59

F. B. 2631 PG. 56

SEC. 21

BOT. PG. 57

CONT. BOT. LINE

45+77.75

SECTION

SET 1x2 NAIL BY INT. P#13

T.5N R.12W SEC. 22

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change



T=82°

186.85 @ 2-32 = 186.67

300.48 @ 3-18 = 299.98

192.01 @ 2-10 = 191.87

LEV. 293.63

972.15

.01

972.14

T=80°

207.58 @ 1-28 = 207.51

LEV. 89.74

297.25

.01

297.24

297.22 R.
297.24 M.

MSR-12
FD. 1x2 & NAIL
P.O.T. 33+08.39
Pg. 12

0.0'

LINE

P.I. #1
FD. 1x2 & NAIL
Pg. 11

Notes Ck'd by	Survey of MT. SPRINGS RD.
Map No.	JN 00 75 13 Page 141 Std 82 °F
Office Work	Surveyed by C. L. WRIGHT
Checked L. W. RACON	Notes C. L. W. Date 29-Nov '60
Date 5-20-61	Indexed H. E. OTT

F. B. 2631 PG. 57

COUT. ON BOT PG. 58

F.L. WASH

F.L.

51+77 71

115'

DRY F.L.

P#15 SET 1X2 & NAIL

50+62 71

T 86°

272.58 @ 1-20 = 272.51

272.51 PRELIMINARY

47+90 20

P#14 SET 1X2 & NAIL

T-86°

138.06 @ 2-16 = 137.95

LEV. 74.50

212.45

SEC. 21

212.45

A-6 PK 1X2 & NAIL PG. 25, 26

45+77 75

P#13 SET 1X2 & NAIL BY INT.

LINE

20.15

SEC. 22

T 84°

LEV. 20.15.

SECTION LINE

0	99	38	40
0	38	34	20
2	37	51	30
	99°	38'	35"

CONT. FROM TOP PG. 56

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-59

CONT. ON BOT. PG. 59

F. B. 2631 Pg. 58

T 5 N
R 12 W
SEC. 21



T 74°

272.75 @ 3-40 =	272.19
LEV.	159.89
300.46 @ 2-08 =	300.25
212.55 @ 2-08 =	212.40
	944.73
	.06
	944.67

T 72°

122.10 @ 1-14 =	122.07
	.01
	122.06

T 72°

145.20 @ 2-13 =	145.09
LEV.	123.91
LEV.	299.47
	568.47
	.04
	568.43

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 5-20-61

Survey of MT. SPRINGS RD.
IN 0075.78 Tape 141 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W Date 24-AUG-60
Indexed R. E. OTT

F. B. 2631 PG. 59

T 5 N
R 12 W
Sec 28

CONT. ON BOT. PG. 60

PRELIMINARY

℄ 40' WIDE ± DIRT ROAD

75+31 ±

11'

P#20 SET 1x2 & NAIL 75+20.54

465.60

T 80°
182.34 @ 2-42 = 182.14
283.65 @ 2-02 = 283.47
465.61
.01
465.60

(P#19) SET 1x2 & NAIL 70+54.94

T 80°
157.95 @ 2-53 = 157.75
199.59 @ 2-57 = 199.33
357.08
.01
357.07

357.07

67+07.89 SET 1x2 & NAIL

67+03 ±

TELEPHONE TEL. POLE NO. NUMBER

TEL. POLE NO. NUMBER

LINES

80°

75

10.02

05

53

165.4 ±

(P# 18 SET 1x2 & NAIL) 66+97.87

19'

LINE

DIRT ROAD

66+78.9

℄ 40' WIDE ±

CONT FROM TOP PG 58

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76005 CE #247—7-53

CONT. ON BOT. PG. 61

F.B. 2631 PG. 60

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

P#22 SET 1X2 NAIL 86+74.93

PRELIM. 67.26

156°

CAL.

38

PG.

CAL.

WASH

F.L.

86+18.7

F.L.

DRT F.L.

11'

SET 1X2 CH. PT. ONLY 86+07.67

188.06

T = 54° 28' 26" R = 199.98

(P#21) SET 1X2 NAIL 84+19.61

COUNTY B.M. M.S.2 R.E. 5869

Pg. 148, 199 FOR ELEV.

'TUCKER' RR:M-15

SET 2" I.P. BRASS CAP IN CONC.-C.E. BUTTON MON. SET 2' UP 10' X 60" MARKER PIPE N.W. 2.4' FROM MON

899.07

DIRT

70+75.5

ROAD

79° 15' 00"

455

75+20.5 (P#20) SET 1X2 NAIL REPLACED WITH 1" I.P. FLUSH 4.2' C.E.D.

.99

199.98

B.M.M.S.2

①	79°	15'	00"
②	317°	00'	10
⑤	115°	30'	00
	79°	15'	00"

①	100	45	00
④	43	00	00
⑤	244	30	00
	100	45	00

SECTION

T = 84°
LEV. 67.26

T = 82°
LEV. 55.85
132.25 @ 1-24 = 132.21
188.06

LINE

T = 82°
LEV. 5.24

LEV	149.95
LEV.	164.01
LEV	124.92
LEV	135.38
LEV	113.40
206.23 @ 1-18 =	206.18
	899.08
	.01
	899.07

Pg. 30 1.50 N 5

Transit Line

999.65

Fd. C.S. Br. Cap Mon. 14 Cor. bet. Sec. 16 & 21. See Pg. 30 & 32

T = 82°

204.89 @ 13° 57' =	198.85
204.84 @ 13° 53' =	
300.52 @ 1° 14' =	300.45
69.55 @ Lev. =	69.55
88.18 @ Lev. =	88.18
108.79 @ Lev. =	108.79
234.07 @ 2° 33' =	233.84
	999.66
	.01
	999.65

CONT. FROM TOP PG. 59

Notes Ck'd by		Survey of MT. SPRINGS RD.	F. B. 2631 Pg. 61
Map No.		JN 0075.78 Tape 141 Std 84 °F	
Office Work		Surveyed by C. L. WRIGHT	
Checked L. W. BACON		Notes C.L.W., R.C.B. Date 25 AUG. '60	
Date 3-20-61		Indexed H. E. OTT	

T5N
R12W
SEC. 21

CONT. BOT PG. 62

P#24
SET 1X2 & NAIL
TOP LOW SAUR

100+60.16

97+01.3

FL DRAW

FL

BOT.

T = 68°

S26.87

230.69 @ 6°13' = 229.33

300.01 @ 7-17 = 297.59

526.92
.05
526.87

148'

95+33.29

80' LOW

SET 2" I.P., BRASS CAP BUTTON
MON. UP 6"
MARKED

SET 2" X 60" MARKER PIPE
24" S. OF MON.

① 140	08	40
② 200	34	40
③ 120	51	50
140°	08'	38.33"

TOP

SET 1X2
& NAIL - TOP RIDGE
LINE PROD.
FROM S.E.

38.33

BMMS-3

PG 149, 150 FOR ELEV.

COUNTY ENGINEER
R.E. 5869
R.M.
475.3

T 86°

LEV. 33.74

LEV 42.05

171.43 @ 5-30 = 170.64

126.76 @ 4-08 = 126.43

LEV. 109.64

LEV. 78.11

298.04 @ 2-35 = 297.74
858.35
.01
858.36

858.36

PRELIMINARY

23° 24' 36 2/3"

86+74.93
(P#22)
SET 1X2
& NAIL

156° 35' CALC.

23.33

①	23	24	40
②	93	38	30
③	140	27	40
	23°	24	36 2/3"

CONT. FROM TOP PG. 60

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

765098 CE #247—7-53

F. B. 2631 Pg. 62

Cont. bot. Pg. 63

T. 5 N. R. 12 W.

Set P-28 1X2 #N. Top Ridge — 114+07.72

425.13 — Top Ridge Line

T = 80°
290.64 @ 1°00' = 290.60
134.56 @ 1°04' = 134.54
425.14
.01
425.13

Set P-27 1X2 #N. Top Spur — 109+82.59

526.09 — Line

85° 50' 00"
34.3° 20' 20"
155° 00' 40"
85° 50' 06⅔"

T = 76°
299.37 @ 4° 14' = 298.55
228.11 @ 3° 56' = 227.57
526.12
.03
526.09

Sec. 20

Set P-26 1X2 #N. W. Top Ridge — 104+56.50

Fd P-5 1X2 #N See Pg. 37

39.15

T = 78°
39.15 @ Lev. = 39.15

105.66 — 104+17.35 — Sec. Line See Pg. 37

104+25 Set 1X2 #N. E. Top Ridge

T = 78°
105.66 @ Lev. = 105.66

357.19 — 85° — 50' 06⅔"

T = 74°
163.99 @ 8° 53' = 162.02
195.25 @ 1° 28' = 195.19
357.21
.02
357.19

Sec. 21

100+60.16
P#24 SET 1X2 & NAIL TOP LOW SPUR

Cont From Top Pg. 61

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 5-20-61

Survey of Mt Springs Rd.
JN 00 75.78 Tape 141 Std 84 °F
Surveyed by C. L. Wright
Notes R. G. Bowers Date 26 Aug 60
Indexed H. ELTON

F. B. 2361 PG. 63

2631

See Bot. Pg 64

T. 5 N.
R. 12 W.

Sec 17

Sec Pg. 42 Sec. Line & Preliminary Line

15+08.32 (Sec. Line Plus)
Fd E-7 1X2 IN. See Pg. 42

Sec. 20 ("P" Line Plus) 122+38.86

① 47° 17' 40"
④ 189° 10' 20"
⑥ 283° 45' 40" /
47° 17' 36⅔" ✓

318.82

Sec. Line

120+68

Bot. Wash Elev. 395 (Calc.)

120+29

Rad. 110°

47° 17' 36⅔" ✓

Fd E-5 1X2 IN. Pg. 41

T = 80°

Set P-29 1X2 IN.

119+18.97 ✓ 19.61 @ Lev. = 19.61
300.32 @ 0°48 = 300.29 ✓
319.90 ✓
.01 ✓
319.89 ✓

Preliminary Line

511.25 ✓

T = 80°
220.15 @ 3°40' = 219.70 ✓
293.14 @ 5°57' = 291.56 ✓
511.26 ✓
.01 ✓
511.25 ✓

Set P-28 1X2 IN. Top Ridge

124°

15' 26⅔" ✓

114+07.72 ✓

① 124° 15' 20"
④ 137° 01' 50" /
② 25° 32' 40"
124° 15' 26⅔" ✓

To P-27

Cont. from Top Pg. 62

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER.
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-58

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 64-D-5



Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 5-20-61

Survey of MT. SPRINGS RD.
JN 00735.78 Tape 141 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 31-AUG'60
Indexed E. E. OTT

F. B 2361 Pg. 65

631

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-55




SEE Pg. 52
F.B. 2631 PG. 66
171 20 10
325 21 10 1
308 01 40
171° 20' 16 2/3", SEC.
SEC. COR. FD. C.S. MON: 2" I.P. BRASS CAP SET CONC. MOUND OF ROCK. MARKED RESET DN 8" SEE Pg. 158 FOR ELEV.
MSR-26
COUNTY SURVEYOR RRW 8 19 17 R.E. 63
P# 37 SET 1X2 NAIL - TOP OF RIDGE
157+91
400'±
71° 20'
16 2/3"
623.04'
PRELIMINARY LINE
1654836" "P" LINE PLUS
T.5N. R.12W.
Pg. 46, 48
F.B. 1684-16
C.S. B-2611
44.65'
791.81'
SEC. 20
SET 2" I.P. CONC. PLUG, NAIL & A.C. ENGR TAG ON 2" R.P. SEC COR. Pg. 46
42 12 40
168 50 50
253 16 00
42° 12' 40"
T 94°
LEV 79.06'
LEV. 201.16'
LEV 47.35'
300.15 @ 5-15 = 298.89'
166.72 @ 7-29 = 165.30'
791.76'
.05'
791.81'
161+92
42° 12' 40"
105° 58' 40"
211 57 00
105° 58' 30"
T 66°
LEV. 60.61'
.01'
60.60'
151+68
147°
42'
35"
60.60'
T 94°
LEV 262.05'
LEV 44.83'
LEV 16.46'
300.49 @ 4-16 = 299.66'
623.00'
.04'
623.04'
P# 36 SET 1X2 NAIL TOP SPUR
B.M. M.S. 5 SET 2" I.P. CONC. PLUG & SHIP SPK. WITH WASHER MARKED (RE. 5869 - MS 5) UP 10" IN MOUND OF ROCK Pg. 156 FOR ELEV.
147 42 30
230 50 10
166 15 30
147° - 42' - 35"
W.S. 64-D-5
RETURN TO LOS ANGELES COUNTY ENGINEER 900 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
pg. 65

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 0302.01 Tape 141 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked L. W. BACON	Notes C. L. W Date 1-SEPT '60
Date 5-22-61	Indexed H. E. OTT MAY 1 1 '61

F. B. 2631 PG. 67

THE WEST 1/2 OF THE SECTION LINE BETWEEN SEC. 18, SEC. 19 T5N R12W.

J.N. 0302.01

REFERENCES:

F.B. 1684
C.S. B-2611

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-53

CONT. BOT. PG. 69

F. B. 2631 PG. 68

MEANDERING BARB WIRE FENCE - PARTIALLY DOWN.

5+12.79

J-2 SET 1x2" NAIL TOP BRK.

30°

T 94°

176.53 @ 11-30 = 172.99
176.53 @ 11-30 = 172.99
177.17 @ 11-21 = 173.71
177.11 @ 11-15 = 173.71

172.99
173.71
346.70
.02
346.72

T 5 N
R 12 W

W.S. 6+ D-5

SECTION LINE

346.72

1766.07

J-1 SET 1x2 NAIL TOP BRK.

T 96°

118.94 @ 14-25 = 115.19
119.00 @ 14-32 = 115.19
52.43 @ 14-53 = 50.86
52.71 @ 15-09 = 50.88

115.19
50.87
166.06
.01
166.07

166.07

SEC. 18

SEC. 19

0+00

FD. C.S. MON. 1/4 COR. 2" I.P. BRASS CAP SET COR. P.K. 54 MARKED - F.B. 1684-45 C.S.B-2611

	cc	24	40
①	1	38	50
②	2	37	50
	0.0	24'	38 1/3"

COUNTY SURVEYOR
R12W
18
19
T4 COR.
E. 69

LINE TROD. FROM S60.+

SECTION LINE

00° - 24' - 38 1/3" E.

TR. 54

SET 1x2 NAIL LINE PROD. FROM WEST

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SECTION LINES
Map No.	JNO302.9 Tape 141 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked E. W. BACON	Notes C. L. W. Date 7-SEPT.-60
Date 5-22-61	Indexed M & ON

F. B. 2631 PG. 69

T 5N
R 12W

CONT. BOT. PG. 70

15+55 87

43'

15+54 93

J-5
SET 1x2" NAIL
TOP OF BRK.

SECTION

T 90°

13+33 32
FD. 2x2 - NAILS
TAG - L.S. 2572

296.04 @ 3-30 = 287.86
295.96 @ 3-25 = 287.88
287.87
287.88

68.72 @ 5-20 = 66.27

287.88

66.27

SEC. 19

SEC. 18

12+67 05

J-4
SET 1x2" NAIL
TOP OF RIDGE

57'

12+66 95

FD. 1x2" NAIL

T 84°
LEV.

90.51

209.60 @ 9-08 = 206.94
298.12 @ 12-51 = 290.65
298.25 @ 12-57 = 290.66
107.51 @ 9-36 = 106.00
694.10

694.10

5+73 83

6 74

FD. 1x2" NAIL

34'

5+72 95

J-3
SET 1x2" NAIL
TOP OF RIDGE

2 STRAND BARB WIRE FENCE - PARTIALLY DOWN

T 94°

60.21 @ 2-22 = 60.16

LINE 60.16

5+12 79

J-2
SET 1x2" NAIL
TOP BRK.

CONT. FROM TOP PG. 68

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-53

F. B. 2631 PG. 70

SEC 24

CONT. ON PG 78

SEC. 13

T 5N R 13W SEE R 12W PG. 72

W.S. 64-C-S

RANGE LINE

F.B. 1684-42
C.S. B-2611
C.S. 8739

26+61.79

FD. C.S. MON. 2" I.P. BRASS CAP SET CONC. UP 12" MARKED

COUNTY SURVEYOR'S MONUMENT 1926 COUNTY R13W T5N R12W 24 13 18 19

T 94°

488.12

23+28.87

FD. 2x2, NAIL & TAG L.S. 2572

LEV. 52.37
LEV. 280.53
155.64 @ 9-22 = 155.19
488.09
.03
488.12

TRACK

155.20

22+04.7

DIRT RD.

31'

25'

J-7 SET 1x2 & NAIL

21+73.67

212.67

FD. 2x2, NAIL & TAG L.S. 2572

19+96.20

2 STRAND BARB WIRE FENCE - PARTIALLY DOWN

T 94°
LEV. 88.79
LEV. 123.87
212.66
.01
212.67

35.20

19+61.09

28E

J-6 SET 1x2 & NAIL

LINE

16+65.13

FD. 2x2, NO NAIL

T-94°
299.83 @ 9-21 = 295.85
115.80 @ 7-55 = 110.18
115.91 @ 18-03 = 110.21
110.19
406.04
.03
406.07

110.20

15+54.93

J-5 SET 1x2 & NAIL TOP BRK.

CONT. FROM TOP PG 69

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work L. W. BACON
Checked
Date 5-22-61

Survey of SEC. LINES
JN 0302.01 Tape 141 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date 8 SEPT 60
Indexed H. E. OTT MAY 11 '61

F. B. 2631 PG. 71

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

THE SOUTH ½ OF THE WEST LINE OF SEC 18 T5N R12W

J.N. 0302.01

REFFRENCES:

FB 1684
C.S. B-2611
C.S. 8739
R.S. 73-42

763098 CE #247—7-53

F. B. 2631 PG. 72

CONT. ON BOT. PG. 73

W.S. 64-C-4

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

4' WOVEN WIRE FENCE

6+62

0 3

6+61 83'
FD. 2×2, NAIL & TAG # LS 2572

0 4

4' WOVEN WIRE FENCE

T 5 N

0 3

11 68

6+50 15'

K-2
SET 1×2 & NAIL

T 84°
LEV. 26.81'
300.20 @ 3-20 = 299.69'
326.50'

R 13 W

326.50' RANGE LINE

3+30 70'
FD. 2×2, NAIL & TAG LS. 2572

0 0 7

7 14

R 12 W

3+23 65'

K-1
SET 1×2 CM NAIL

①	87	52	30
②	351	29	50
③	167	14	50
	87°	52'	28 1/3"

T - 82°
233.17 @ 1-15 = 233.11'
LEV. 50.62
LEV. 39.92
323.65'

323.65' RANGE

87° 52' 28 1/3"

COUNTY SURVEYOR'S MONUMENT
T 5 N
13 18
R 13 W
24 19
R 12 W
1926

OLD 3 STRAND BARB WIRE FENCE - PARTIALLY DOWN.

SEC. 13

0+00

SEC. 18

MSR-24

FD. C.S. MON. 2" I.P. BRASS CAP SET MARKED
F.B. 1684-42, 191
C.S. B-2611
C.S. 8739
R.S. 73-42

SEC. 24

SEC. 19

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 5-22-61

Survey of SECTION LINES
JN 03201 Tape 14 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date 8-SEPT.
Indexed N & E ON

F. B. 263 Pg. 73

CONT. ON BOT. PG. 74

13+54 36

K-4 SET 1×2" NAIL

FD. NAIL & TRAVELED ROAD

15 71

~~TRAVELED ROAD 22' WIDE~~

13+38 65

FD. 1/2" I.P. WOOD PLUG, NO NAIL

15 01

0 26

"P" LINE SEE PG. 92

13+23 64

10 00

13+13 64

FD. 2×2, NAIL & TAG L.S. 2572

0 5

0 26

19 93

FD. 2×2 NAIL & TAG. R.E. 8758

0 26

12+93 71

END OF FENCE

10'

0 26

OLD. 3 STRAND BARB WIRE FENCE - PARTIALLY DOWN

355.40' LINE

SEC. 18 R.12W.

T 90°

251.14 @ 4-25 = 250.39

105.05 @ 1-45 = 105.00

355.39

.01

355.40

SEC. 13 R.13W.

0 4

10+29

30

9+98 96

9+92 78

K-3 SET 1×2" NAIL

FD. 2×2, NAIL & TAG # LS 2572

6 18

0 5

0 14

9+92

4' WOVEN WIRE FENCE

0 3

T 88°

266.90 @ 3-17 = 266.46

LEV. 82.34

348.80

.01

348.81

348.81' RANGE

6450.15

K-2 SET 1×2" NAIL

CONT. FROM TOP PG. 72

7 5 N

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247 7-53

F. B. 2631 PG. 74

CONT. ON BOT. PG. 75

T 6 S, R 13 W

SEC. 18 T 6 S, R 12 W

FD. 1 x 2" NAIL — 21+46.49 ✓

T = 92°
169.63 @ 4-39 = 169.07 ✓
.91 ✓
169.08 ✓

0.03

19+84.14 ✓
FD 2x2, NAIL & TAG
R.E. 8758

0.31

169.08

6.73

19+77.41 ✓ K-6 SET 1x2" NAIL

T = 92°
173.49 @ 2-42 = 173.36 ✓
132.15 @ 2-25 = 132.08 ✓
305.53 ✓
.02 ✓
305.35 ✓

305.35 ✓ LINE

16+72.06 ✓ K-5 SET 1x2" NAIL

16+54.10 ✓
FD. 2x2, NAIL
& TAG # R.E. 8758.

17.96

0.21

LOT 41

LOT 40
T = 92°

317.10 ✓

SEE PG. 163 FOR ELEV.

179.84 @ S-20 = 179.06 ✓
139.02 @ A-20 = 138.62 ✓
317.68 ✓
.02 ✓
317.70 ✓

BM M58
SET C.E. BUTTON MON.
2" I.P. & BRASS CAP SET CONC.
UP 6" MARKED
SET MARKER PIPE
2.5' N.E. OF MON.

0.27

13+63.55 ✓
FD. 2x2, NAIL
& TAG # R.E. 8758

19.28

9.10

13+54.36 ✓ K-4
SET 1x2" NAIL

COUNTY ENGINEER
B.M.
R13W R12W
M.S. 8
R. E. 5869

SEE PG. 164 FOR ELEV.

CONT. FROM TOP PG. 73

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of
Map No.	JN Tape Std °F
Office Work	Surveyed by
Checked L. W. BACON	Notes Date 8-SEPT'60
Date 5-22-61	Indexed H. E. On

F. B. 263 / PG. 75

W.S. 64 - C-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

END OF LINE

MSR-23

26+47.43' ← FD. C.S. MON. 1/4 COR. 2" I.P. BRASS CAP SET CONC. MARKED

COUNTY SURVEYORS MONUMENT

T 5N R 12W

13 18 R 13W

1/4 SEC. COR. 1926

F.B. 79-130
F.B. 1684-49, 191
C.S. 8739
C.S. B-2611
R.S. 73-42
C.S. 8924
R.S. 73-43

T 5N

T - 92°
LEV 28.54

300.12 @ 5-56 = 298.51
327.05
.02
327.07

327.07' LINE

SEC. 13 R 13W

TRAVELED

23+50.4' DIRT ROAD 25' WIDE ±

30'

SEC. 18 R 12W

23+20.36'
23+12.91'
FD. 2x2" NAIL & TAG # RE. 8758

K-7 SET 1x2" NAIL

T 92

174.68 @ 5-34 = 173.86
.01
173.87

173.87' RANGE

FD. 1x2" NAIL

21+46.49'

CONT. FROM TOP PG. 74

76309S CE #247—7-59

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 2631 PG. 76

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 0302.01 Tape 141 Std. 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked L. W. BACON	Notes C.L.W. Date 8-SEPT.60
Date 5-22-61	Indexed M.E. OTT MAY 11 61

F. B. 2631 Pg. 77

THE SOUTH LINE OF SEC. 13 T5N, R13W.

J.N. 0302.01

REFERENCES:

F.B. 1684
C.S. 8824
R.S. 73-42
F.B. 79
C.S. 8739

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247 7-53

F. B. 263/ PG. 78



W.S. 64-5

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SEC. LINES
Map No.	JN 0302.81 Tape 141 Std. 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked L. W. BACON	Notes C.L.W. Date 13-SEPT 60
Date 5-22-61	Indexed H. E. ORT

F. B. 2631 PG. 79

T 5 N
R 13 W

0

19+76 83

FD. 1½" I.P. CONC. PLUG, NAIL & TAG L.S. 1429 DN 8"

3 1/2

L-5 SET 1X2 & NAIL

19+70 31

325.70

SECTION LINE

T 92°
LEV. 176.73
LEV. 148.95
325.68
02
325.70

0 27

FD. 1¾" I.P. WOOD PLUG, NAIL & TAG R.E. 8758

16+50 96

6 35

16+44 61

L-4 SET 1X2 & NAIL

13+31 2

MAHAL FL — FL — FL — DRY WASH

T 90°
LEV. 165.82
LEV. 111.63
LEV. 147.30
265.42 @ 1-38 = 265.31
684.06
03
684.09

330' LINE

684.09

P.P. #767607E

29 4

10+01 2

EDISON POWER

FD. 1½" I.P. WOOD PLUG NAIL & TAG. RE 8758

ANCHOR

0 76

12 4

9+89 53

29 01

9+60 52

L-3 SET 1X2 & NAIL

EDISON POWER

SEC. 24

SEC. 19

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 LOS ANGELES COUNTY ENGINEERING BLDG.

763095 CE #247—7-53

F.B. 2631 PG. 80

W. Sec. 64 + C-5

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T.5N
R.15W
T-98°

37+93.00 — L-8 SET 1"X2" NAIL

283.84 @ 4-29 = 282.97

19,00 ?

LEV. 48.43

207.38 @ 3-28 = 207.00
557.40
.05
557.45

SECTION LINE

557.45

34+74.5

DIRT ROAD — 15' WIDE ±

239'

32+35.55 — L-7 SET 1"X2" NAIL

SEC. 24

SEC. 13

T-98°

300.15 @ 2-42 = 299.82

LEV. 300.03
599.85
.05
599.90

599.90

26+75.63
FD. 2" I.P. CONC. PLUG, NAIL & L.A.CO ENGR TAG, UP 6"
F.B. 1684 PG 211

R13W
T5N
13
24
SECTION
1926

40.02

FD 4"x4" R.W. POST NAIL UP 5" F.B. 1684-211

28.29

TANGENT

39.98

124° 59' 40"

56.56

0.77

26+35.65
1/4 COR. FD 2" I.P. BRASS CAP SET CONC. DN. 12"
R.S. 73-42
C.S. 8924
F.B. 1684-211

7.48

56.54

26+28.17 — L-6 SET 1"X2" NAIL

TIES

32.51

25+95.66 — 39.97

FD. 2" I.P. CONC. PLUG, NAIL & L.A. CO. ENGR TAG, UP 8"
F.B. 1684-211

① 124 - 59 - 40
② 269 - 59 - 20

23+98.3

DIRT ROAD — T-94° — 6' WIDE ±

LEV. 97.71
LEV. 300.73
LEV. 259.38
657.82
.04
657.86

657.86

428'

19+70.31 — L-5 SET 1"X2" NAIL

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 302.01 Tape 14' Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked L. W. BACON	Notes C. L. W. Date 13-SEPT '60
Date 5-22-61	Indexed H. E. OTT

F. B. 2631 Pg. 81

7.5A
~~E.15A~~

Cont. Bot. Pg. 82

SECTION

45+47.50 — L-10 SET 1×24" NAIL

303.07

T=100°

102.64 @ 3-07 = 102.49

201.26 @ 4-48 = 200.55

303.04
.03
303.07

42+44.43 — L-9 SET 1×24" NAIL

℄ TRAVELED DIRT

40+10± — ℄ SECTION

39+53.14 N 0° W

57' ROAD

FD. 1¾" I.P. CONC. PLUG, NAIL & TAG L.S. 1429

451.43

60.14

T=100

159.48 @ 5-45 = 158.68

133.41 @ 6-23 = 132.58

160.75 @ 5-04 = 160.12

451.38
.05
451.43

ANCHOR GUYS

62'

19'

P.P. #536129E

EDISON

N 19° 02' E

37+93.00 — L-8 SET 1×24" NAIL

TELEPHONE

POWER & CABLE

POWER

RETURN TO
LOS ANGELES COUNTY ENGINEER
00 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

75808S CE #247—7-59

F. B. 2631 PG. 82

T. 5S., R. 13W.

W.S., 64-C-5

Sec. 24

Sec. 23

Sec. 13

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

C.S. 8739
C.S. 8924
F.B. 72-137
R.S. 73-42, R.S. 73-43
C.S. B-1342-1

52+70.27

F.D. C.S. MON. 2" I.P., BRASS CAP SET CONC. UP 8" MARKED

Pg. 222 FOR ELEV.

SEE PG. 84

COUNTY SURVEY MONUMENT 1926
R13W | 14 | 13
R23 | 24 | T5N
S.90

90° 13' 01 2/3"

@ 90° 13' 00"
@ 00° 52' 10"
@ 181° 18' 10"
90° 13' 01 2/3"

Section Line

722.77

T = 98°
174.60 @ Lev. = 174.60
284.46 @ 3° 31' = 283.92
264.26 @ 1° 23' = 264.18
722.70
.07
722.77

45+47.50 Set L-10, 1.12 N.

Cont. from top Pg. 81

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 0302.01 Tape 141 Std. 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked L. W. BACON	Notes C.L.W Date 29 SEPT 60
Date 5-22-61	Indexed H. E. OTT MAY 11 61

F. B. 2631 PG. 83

THE SOUTH 1/2 OF THE SECTION LINE BETWEEN SEC 13, SEC. 14 T. 5N., R. 13 W.

J.N. 0302.01

REFERENCES:

C.S. 8739
C.S. 8924
F.B. 79
C.S. B-1342-1
R.S. 73-42
R.S. 73-43

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
00 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247 7-53

F.B. 2631 PG. 84

CONT. BOT, PG. 85

T 5 N
R 13 W

W.S. 64 - C-5

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

13+48 18
M-3
SET 1x2
& NAIL

T 76°
113.04 @ 17-29 = 107.82
112.84 @ 17-09 = 107.82
107.82
01
107.81

107.80

12+40 37
CH. PT.
SET 1x2 & NAIL

150

T 80°
241.67 @ 20-13 = 226.78
~~241.53 @ 20-06 = 226.82~~ = 226.78
241.77 @ 20-17 = 226.78

489.62

LINE

274.91 @ 18-20 = 262.85 = 262.85
274.98 @ 18-23 = 262.85 489.63
01
489.62

7+50 75
CH. PT.
SET 1x2 & NAIL

216.35

T 80°
219.40 @ 9-33

216.36
01
216.35

5+34 40
M-2
SET 1x2 & NAIL

65

480.95

T 80°
290.19 @ 14-30 = 280.95
290.18 @ 14-28 = 280.98

280.96
01
280.95

SECTION

6 STRAND BARB WIRE FN.

2+53 45
M-1
SET 1x2 & NAIL

33

T-80°
243.51 @ 12-01 = 238.17

253.45

90
PG. 82

03

4'

LEV
15.29
253.46
01
253.45

SEC. 14

SEC. 13

SEE PG. 82 FOR THIS LINE

FD. C.S. MON.
2" I.P., BRASS CAP
SET CONC. UP 8"
MARKED) PG. 222 FOR ELEV.
PG. 82

C.S. 8739
C.S. 8924
F.B. 79-137
R.S. 73-42, 85, 73-43
C.S.B. 1342-1

COUNTY SURVEYOR'S MONUMENT
T 5 N
R 13 W
R 23
13
24
1926

AP-W

SEC. 23

SEC. 24

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 5-22-61

Survey of SECTION LINES
JN 03-2-01 Tape 141 Std 89 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 29 SEPT '60
Indexed L. E. OTT

F. B 2631 Pg. 85

T 5 N
R 13 W

WEST

CONT. BOT. PG. 86

22+77.29
M-8
SET 1x2 ℄ NAIL
524.80
LINE
64

T 80°
36.29 @ 12-44 = 35.40
36.31 @ 13-00 = 35.38
106.52 @ 22-14 = 98.60
106.92 @ 22-48 = 98.57

35.39
98.58
LEV. 229.29
161.55
524.81
0.1
524.80

17+52.49
M-7
SET 1x2 ℄ NAIL
118.83

T 80°
121.08 @ 11-03 = 118.84
121.18 @ 11-18 = 118.83

118.83

SEC. 14

SEC. 13

16+33.66
M-6
SET 1x2 ℄ NAIL
141.32

6 STRAND BARB WIRE FN.

T 76°
143.57 @ 10-07 = 141.36
143.48 @ 9-52 = 141.33

141.33
0.1
141.32

14+92.34
M-5
SET 1x2 ℄ NAIL
82.39
SECTION
159

T-76°
LEV
82.39.

14+09.95
M-4
SET 1x2 ℄ NAIL
61.77

T-76°
61.91 @ 3-49 = 61.77

13+48.18
M-3
SET 1x2 ℄ NAIL
41.5
15.5
13+06.7

CONT. FROM TOP PG. 84

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-59

F. B. 2631 Pg. 86

W. S. 64 + C - 4

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

COUNTY SURVEYOR'S 1926 MONUMENT
T 5 N
R 13 W
14 13
1/4 SEC. COR.

MSR-13
FD C.S. MON
2" I.P., BRASS CAP
SET CONC. ON W. S.H.
MARKED

F.B. 1684-2N
F.B. 79-137
C.S. 8739
C.S. 8924
R.S. 73-42
R.S. 73-43

T 5 N
R 13 W

SEC 13

26+26 14 ✓

SEE PG 112
FOR THIS LINE

6 STRAND BARB WIRE FENCE MEANDERS

SEC 14

LINE

25+15 2 ✓

173.96

T 80°
163.25 @ 20-46 = 152.64 ✓
163.09 @ 20-37 = 152.65 ✓ 152.64

63'

To N-1 Pg 112

LEV. 21.32.
173.96 ✓

24+52 18
M-9
SET 1x2
& NAIL

42

10°

Pg. 54 112 ✓

174.89 ✓

SECTION

T 80°
LEV. 98.62
LEV. 76.27
174.89 ✓

16 2/3

22+77 29 ✓
M-8
SET 1x2 & NAIL

64

CONT. FROM TOP PG 85

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 5-22-61

Survey of MOUNTAIN SPRINGS ROAD
JN 0075.78 Tape 14 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 19-OCT'60
Indexed M. E. OTT MAY 11 '61

F. B. 2631 Pg. 87

PRELIMINARY LINE -
MOUNTAIN SPRINGS ROAD
FROM P#40 (P.O.T. ON EAST 1/2
OF SOUTH LINE SEC. 18, T5N R12W)
NORTH WEST'LY TO P#75

J.N. 0075.78

REFERENCES:
R.S. 73-43
R.S. 73-42

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-53

F.B. 2631 PG. 88

CONT. ON BOT. PG. 89

(P 43) SET 1x2 6" NAIL

191+87 88

EDISON POWER

T 64°
LEV 114.31

64.52 @ 3-58 = 64.13
194.66 @ 4-34 = 194.04
300.42 @ 4-00 = 299.69
772.17
.10
772.07

T 64°
74.37 @ 1-56 = 74.33
157.18 @ 8-47 = 155.34
300.39 @ 8-06 = 297.39
527.06
.07
526.99

T 46°
171.25 @ 1-36 = 171.18
.02
171.16

T 48°
LEV 96.93
.02
96.01

① 64 13 00
② 128 26 10
64° 13' 05"

64°13'05"

PRELIMINARY

772.07

ONE TRACK DIRT RD.

187+00

SET MARKER PIPE 2.5' NE. OF MON.

284'

96.01

BM. MS 6
SET C.E. BUTTON MON. 2" I.P. BRASS CAP SET CONC. UP 12" IN MOUND OF ROCK.
PP # 693281E

(P 42) SET 1x2 6" NAIL TOP LOW SPUR

184+15 81

TO 1/4 COR. PT. 5, 6

SEC. 10
SEC. 11
SEC. 15

526.99

180+61±

MARKED

ONE TRACK DIRT RD.

SEE PG. 160 FOR ELEV.

COUNTY ENGINEER B.M. MS 6 R.E. 5869

P 41 SET 1x2 6" NAIL

178+88 82

LINE

171.16

143 21 38 1/3

① 143 21 40
② 213 26 20
③ 140 09 50
143° 21' 38 1/3"

T 64°
LEV. 32.74

(P-40) SET 1x2 6" NAIL

177+17 66
"P" LINE PLUS

32.74

H 2 FD. 1x2 6" NAIL PG. 518

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T 5 N
R 12 W

Notes Ck'd by	Survey of MT. SPR. Rd.
Map No.	JN 0075, 78 Tape 141 Std 24 °F
Office Work	Surveyed by C. L. WRIGHT
Checked L. W. BACON	Notes C. L. W. Date 4 OCT '60
Date 5-22-61	Indexed H. E. ON

F. B. 2631 Pg. 89

CONT. ON BOT. PG. 90

T 5N
R 12W
SEC. 18

201+82.81

B.M. M.S. 71 - PG. 161, 162 FOR ELEV.
SET G.E. BUTTON MON.
2" IP & BRASS CAP SET CONC.
UP 6" MARKED
SET MARKER PIPE
2.5' SOUTH OF MON.

COUNTY ENGINEER
B.M.
M.S. 1
R.E. 5859

PRELIMINARY

TWO STRAND BARB WIRE FN.

711.52'

300.5'

195+54

82.5'

T 70°
LEV.

231.12 @ 4-38 = 62.28
205.29 @ 3-35 = 230.36
214.13 @ 1-35 = 204.85
214.05
711.58
.06
711.52

EDISON POLE #

6° 53'

(P-44)
SET 1 X 2" NAIL

194+71.29

LINE 3

T 68°

283.60 @ 1-55 = 283.44
.03
283.41

POLE # 693285E

193+55

283.41

POWER LINE TO HOUSE 500' ±

177'

167'

(P-43)
SET 1 X 2" NAIL

191+87.88

CONT. FROM TOP PG. 88

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3098 CE #247—3-57

F.B. 2631 Pg. 90

CONT. ON BOT PG. 91

R.S. 73-43

210+03 26

P 46
FD. 2" I.P.
WOOD PLUG
NAIL & TAG #
RE. 18758
UP 3"
R.S. 73-43

169° 32' 00"

PRELIMINARY TRACT LINE

①	169	32	80
②	318	08	20
③	297	12	00
	169°	32	00"

T-76°

104.91 @ 3-16 =	104.74'
211.93 @ 2-22 =	211.75'
296.88 @ 3-21 =	296.37'
98.75 @ 5-35 =	98.28'
109.78 @ 5-04 =	109.35'
	820.49'
	.04
	820.45'

206+87

820.45'

375'

DIRT ROAD

203+12

220'

214'

ABANDONED FRAME HOUSE

G2 86

216'

30'

18° 09'

LINE

130'

122'

TRANSFORMER POLE # 693287E

ANCHOR GUY

30'

131°

201+82 81

BM MS 7
SET C.E. MON.
PG. 89

Pg. 161, 162 FOR ELEV.

①	132	24	50
②	169	39	30
③	74	29	40
	132°	24'	56 1/3"

EDISON POWER

CONT. FROM TOP PG. 89

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of MT. SPR. RD.
Map No.	JN 2275.78 Tape 141 Std 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked L. W. BACON	Notes C.L.W. Date 14 OCT '60
Date 5-22-61	Indexed H. E. OTT

F.B 2631 Pg. 91

T 5N
R 12 W
Sec 19

CONT. ON BOT. PG. 92

10.02 — 220+33.13

FD. 2X2, NAILS
TAC - LS. 2572

ELLENHAM AVE

CARROLLOS

10.01 — 219+83.22

219+78.12
P 49
(SET 1x2"
NAIL)

T 86°
178.32 @ 4-48 = 177.69

PRELIMINARY

218+00.43
P 48
SET 1x2" NAIL

9.98 — 216+73.22

T - 76°
LEV
178.35
300.39 @ 5-23 = 299.02
477.42
.02
477.40

FD 2x2, NAILS
TAC #LS. 2572

9.85 — 213+63.88

LILLIANNE AVE

R.S. 73-43

213+23.03
P 47
SET 1x2"
NAIL

FD 2x2, NAILS
TAC #LS. 2572

9.95 — 213+13.86

T 76°
77.19 @ 3-48 = 77.02
243.24 @ 3-33 = 242.77
319.79
.23
319.77

210+03.26
P-46
FD. 2" I.P. W/ DOD
PLUG, NAIL & TAG
RE. 8758
R.S. 73-43

TRACT LINE

CONT. FROM TOP PG. 90

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3098 ICE #247—3-57

R.S. 2631 Pg. 92

CONT. ON BOT. PG. 93

(P-53) SET SHIP SPK. DN. 1" C.W. 234+17 32 R. 1.64 FOR ELEV.

DIRT CARROLL 292.21 K

T 82°
283.53 @ 1-17 = 283.46
LEV. 8.75
292.215

FD. 1½" I.P. WOOD PLUG, NAIL & TAG. RE. 8758 DN. 3" RS. 73-42 8758

233+33 86 VICLAN AVE.

233+25 41 0.06

(P-52) SET 1 x 2½ NAIL DN. 1"

PRELIMINARY

R. 13 - 43

T 82°
LEV 96.93

255.31 @ 2-00 = 255.15
300.35 @ 1-13 = 300.28
652.36
652.35

226+72 76
FD. 1½" I.P. - WOOD PLUG, NAIL & TAG. RE. 8758 - UP 2" R.S. 73-42

(P-51) KATHRINE AVE.

T 84°
LEV. 30.00
300.39 @ 1-58 = 300.21
330.21

330.21

90 24 10
182 36 30
90° 24' 10"

223+42 81
FD. 1½" I.P. WOOD PLUG NO NAIL Pg. 73
SET #60 WIRE NAIL IN CTR. R.S. 73-42

SEC. 13
R. 13 W

177° 23' 50"
0° 36' 10"
92° 01 2/3 00

LINE

To Sec. Cor. Pg. 72

30.74

K-4 FD. 1 x 2½ NAIL

PAGE LINE

223+42 55

(P-50) SET 1 x 2½ NAIL

R. 12 W
SEC. 18

T. 84°
213.97 @ 5-32 = 212.97
151.99 @ 4-48 = 151.46
364.43

STREET

364.43

177° 23' 50"
349 35 10
344 32 30
177° 23' 45"

219+78 12

(P-49) SET 1 x 2½ NAIL

CONT. FROM TOP PG. 91

RETURN TO LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink - With Date and Name of Person Making Change.

Notes Ck'd by _____
Map No. _____
Office Work L. W. BACON
Checked _____
Date 5-22-67

Survey of MT. SAC. RD.
JN 0075.78 Tape 141 Std 84 °F
Surveyed by C.L.WRIGHT
Notes C.L.W. Date 12-20-66
Indexed H.E. OH

F.B. 263 Pg 93

CONT. ON BOT. PG. 94

B.M. #3
SET C.E. MON.
PG. 94
PG. 166, 178, 224
FOR ELEV.

PRELIMINARY

25+98.84
See FB 2692-28

339.36

187.99 @ S-55 = 186.99
152.85 @ A-32 = 152.37
339.36

P-55
SET 1x2
& NAIL

250+59.45

37.47

250+21.98
FD. 2x2, NAIL & TAG UP 12"

DITCH

S 13° 06' 00" E
100.02

249+97

CROWN VALLEY ROAD
(1822.83 FB 2692-222)

740.13

T 84°
LEV. 37.47
" 203.06
" 199.33
" 300.27
740.13

MSL-23
1" IP 12" below surface see FB 2692-222

678.1

TRACT LINE

(P-54)
FD. 1½" I.P. W/ WOOD PLUG, NAIL & TAG
R.E. 8758 ON 8"
R.S. 73-42

243+19.33

R.S. 73-42

R.S. 73-43

CARROLL

127.61

FD. 1½" I.P. WOOD PLUG & NAIL - NO TAG ON "A"
R.S. 73-42

241+91.71

FLORENCE AVE

702.00

T-84°
LEV. 127.61
LEV. 40.03
270.64 @ 4-51 = 270.64
256.34 @ 4-00 = 255.72
702.00

238+73.04
I.P. 2x2, NAIL & TAG
R.E. 8758 NP 1"
R.S. 73-42

BROADWAY

255.72

STREET

(P-53)
SET CHIP SAW
ON 14

236+17.32

CONT. FROM TOP PG. 92

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
200 Los Angeles County Engineering Bldg.

74FORM OE #247 — 8.67

F.B. 263 | Pg. 94

Cont. on Bot. Pg. 95

SEC 13
T 1 S N
R 12 W

① 149° 21' 00"
④ 237° 24' 00"
⑥ 176° 06' 00" ✓
149° 21' 00" ✓

267+54 48 ✓
P-58
SET 1x2
& NAIL

PRELIMINARY

852.24 ✓

149° 21' 00"

T 84°
LEV. 133.27
294.88 @ 2-24 = 294.62 ✓
LEV. 145.82
LEV. 278.53
852.24 ✓

DIRT

259+02 24 ✓

P-57
SET 1x2 NAIL

RD.

RD.

257+91

160'

DIRT

POWER LINE

256+31

503.43 ✓

232'

T 84°
LEV. 120.67
LEV. 187.31
195.56 @ 1-57 = 195.45 ✓
503.43 ✓ V

POWER POLE
& TEL POLE #
5272004

SET C.E. BUTTON MON.
2" I.P. & BRASS CAP SET CONC.
UP & MARKED
SET MARKER PIPE
2.5' SOUTH
B.M. MS.9
253+98.81
Pg. 166, 178, 224
FOR ELEV.

COUNTY ENGINEER
B.M.
M.S. 9
5869

704'

#8

137'

05'

37' 30"

LINE

TELEPHONE LINES

① 137° 37' 40"
④ 190° 30' 00"
⑥ 105° 45' 00" ✓
137° 37' 30" ✓

CONT. FROM TOP Pg. 93

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 5-22-61

Survey of MT. SPRINGS RD
JN 75.78 Tape 141 Std 84 °F
Surveyed by C.L. Wright
Notes R.C. Bowers Date 25 Oct 60
Indexed M. E. ON

F. B. 2631 Pg. 95



Cont. Bet. Pg. 96

Sec. 13
R. 13 W. T. 5 N.

① 137° 31' 40"
② 190° 06' 00"
③ 105° 09' 00"
137° 31' 30"

277+72 60
(P-60)
Set 1X2 ø N.

30±
31'
137°

277+50 6

Deep Inclined Mine Shaft

17±
3'±
18'±
277+33 6

T = 80°
68.32 @ Lev = 68.32
141.35 @ 5°42' = 140.65
294.55 @ 3°18' = 294.06
276.24 @ 2°18' = 276.02
779.05
.02'
779.03

779.03

Bot. Draw
Flow

271+55

161°

269+93 5.7
(P-59)
Set 1X2 ø N.
Top Brk.

T = 80°
143.21 @ Lev. = 143.21
96.03 @ 3°06' = 95.89
239.10
.01
239.09

Preliminary Line

239.09

(P-58)
Set 1X2 ø N.
267+54 48

Cont. from Top Pg. 94

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 SAE #247 1-56

F. B. 2631 Pg. 96

Cont on Bot. Pg. 97

① 160° 57' 40"
④ 283° 51' 20"
⑥ 245° 47' 00" ✓
160° 57' 50"

T 5N. R 13W

P-63
Set 1X2 4N.
282+03.86

Sec. 14

T = 84°
90.05 @ 5°34' = 89.63
100.35 @ 5°46' = 99.84
189.47

160° 57' 50"

189.47 PRELIMINARY

T = 86°
73.36 @ 13°29' = 71.34
73.09 @ 12°33' =

280+14.39 (P."LINE")
(P-62)
Set 1X2 4N.
by Intersection

120° 56' 45"

Section Line

M-1
Fd. 1X2 4N.
See Pg. 84

71.34

47

6 Strand Barb Wire Fence

280+09.7

To Sec Cor
Pg. 84

T = 84°
117.20 @ Lev. = 117.20

117.20

① 120° 56' 40"
④ 123° 46' 50"
⑥ 05° 40' 30"
120° 56' 45"

P-61
Set 1X2 4N.
278+97.12

T = 84°
124.96 @ 7°26' = 124.59

124.59 LINE

Sec. 13

P-60
Set 1X2 4N.
277+72.60

Cont. from Top Pg. 95

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Mt. Springs Rd.
Map No.	JN 75.78 Tape 141 Std 84 °F
Office Work	Surveyed by C.L. Wright
Checked L. W. BACON	Notes P.C. Bowers Date 25 Oct 60
Date 5-22-61	Indexed H. E. On

F. B. 263 Pg. 97

Cont. Bot. Pg. 68

T = 72°
137.97 @ Lev = 137.97'
300.07 @ 4°46' = 299.03
437.00
.03
436.97

T. 5 N. R. 13 W.
Sec. 14

BM. M.S. 10
SET C.E. BUTTON
MON. UP 6" 8 MARKER
PIPE 2.5' S.W.
OF MON.

SEE PG. 220, 221 FOR ELEV.

COUNTY ENGINEER B.M. M.S. 10 R.E. 5869

P.P. 549718E

293+40.28 Scoring

292+75.8

292+67

P-65
Set 1X2 Stk.
Top Spur

22.48

51.46

289+32.3

T 58°
LEV 51.47
.01
51.46

Set Nail

40.7 Pole

363.5

436.97

6 Str and Barb Wire Fence

289+03.31
P-64
Set 1X2 stk
Top Saddle

138°-56'-50"

299

46.6

Dirt Rd.

8'

288+57

156° 41' 18.5"

Edison Power

138 56 40
277 53 40
138° 56' 50"

156° 41' 20"
266° 45' 30"
220° 07' 50"
156° 41' 18.5"

T = 84°
229.65 @ 3°49' = 229.14
290.65 @ 3°42' = 290.04
180.43 @ 2°27' = 180.27
699.45

699.45

Property Line

282+03.86

P-63
Set 1X2 stk.

Cont. From Top Pg. 96

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

TOPCON SSE #247 1-56

F. B. 2631 Pg. 98

T. 5N. R. 13 W.
Sec. 14

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

T = 76°
188.36 @ 4°10' = 187.86
264.29 @ 8°44' = 261.23
66.81 @ 8°23' = 66.10
515.19
.03
515.16

Cont'd on Bk. 13, Pg. 99

306+12.82
P-68
Set 1X2 #N
Top Brk.

Power Line

304+12

Bot. Cyn. Flow

37°

303+75

Preliminary Line

515.16

277.9

Power Line

P.P.# 549722E

251.9

① 116° 28' 00"
② 105° 28' 00"
③ 338° 48' 20"
116° 28' 03⅓"

300+97.66
P-67
Set 1X2 #N
Top Spur

116° 28' 03⅓"

68° 30'

281.33

299+63

Bot. Drain Flow

T = 70°
281.37 @ 0°22' = 281.36
.03
281.33

147°

298+16.33
P-66
Set 1X2 #N.
Top Spur

T = 72°
199.62 @ 2°06' = 199.49
277.54 @ 4°43' = 276.60
476.09
.04
476.05

Preliminary Line

476.05

293+40.28
P-65
Set 1X2 #N.
Top Spur

Cont. from Top Pg. 97

Notes Ck'd by	Survey of Mt. Springs Rd.
Map No.	JN 75.78 Tape 141 Std. 84 °F
Office Work	Surveyed by C.L. Wright
Checked J. W. BACON	Notes E.C. Bowers Date 26 Oct. 60
Date 3-22-61	Indexed H. E. OTT

F. B. 2631 Pg. 99

T. 5N R. 13W.

Sec. 14

Cont. on Bot. Pg. 100

98° 00' 00"

309+04.49

P-69
Set 1x2 FN.

.7'

98-00-00"

SEE PG. 218 FOR ELEV

308+97.5

50.49

O NETTRACK DIRT RD.

BM. MS 11
SET C.E. BUTTON
MON. - 2" I.P.
BRASS CAP SET
CONC. UP 6"
MARKED
SET MARKER
PIPE
2.5' NORTH
OF MON.

307+04.2

IDENTICAL

COUNTY ENGINEER
B.M. MS 11
R.E. 5

42'

291.67

67.4

65.6

8' Dirt Rd.

306+36.8

11'

Centerline

S. Woven Wire Fence

306+26

T = 79°

204.70 @ 4°34' = 204.05

87.73 @ 2°35' = 87.64

291.69

02

291.67

13°

P-68
Set 1x2 FN.
Top Brk.

306+12.82

49.2

40°-04'

47.4

53°-57'

6' Fence

Line

Cont. from Left on Pg. 98

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SAE #247 1-56

Cont. on Pg. 103

P. B. 263 Pg. 100

T=64°

86.12 @ 12°27' = 84.09
86.12 @ 12°27' = .01
84.08

T=64°

21.79 @ Lev = 21.79
40.64 @ 19°17' = 38.36
40.64 @ 19°17' = 60.15
.01
60.14

T=64°

5.90 @ Lev = 5.90
300.58 @ 7°39' = 297.90
303.80
.04
303.76

T=62°

165.35 @ Lev = 165.35
113.15 @ Lev = 113.15
197.89 @ Lev = 197.89
156.04 @ Lev = 156.04
632.43
.09
632.34

T=62°

210.16 @ 9°13' = 207.45
.03
207.42

T=74°

299.21 @ 13°42' = 290.70
300.13 @ 14°24' = .02
290.68

T=74°

45.67 @ 9°36' = 45.03
300.31 @ 1°19' = 300.23
345.26
.02
345.24

P-75
Set sq. Hub & Tack
Red Rover Mine Rd.
See Pg. 103
328+28 23
(P"LINE PLUS)
84.08
327+44 14
P-74
Set 1X2#N.
Top Spur
5' DIA. WATER TANK ON LOW PLATFORM
T5N R13W.
Sec. 14
326+84 00
Set nail
PP#680231E
1458
Power Line
Bot Wash Flow
303.76
235°
323+80 24
P-73
Set 1X2#N.
Top Brk.
6 Strand Barb Wire Fence
632.34
57°E
P-72
Set 1X2#N.
Top Brk.
See Pg. 113
3/7+47 83
Preliminary
207.42
P-71
Set 1X2#N.
315+40 41
Bot. Cyn. Flow
290.68
Power Line
249'
PP#692805E
312+49 73
P-70
Set 1X2#N.
Top Steep Cyn to W.
345.24
309+75
9' Dirt Rd.
71°
P-69
Set 1X2#N.
309+04 49
ETR. SECTION LINE N-S
Pg. 113

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Cont. from Top Pg. 99

Notes Ck'd by _____
Map No. _____
Office Work L. W. BACON
Checked _____
Date 5-22-61

Survey of Mt. Spr. Rd.
JN 0075.78 Tape 141 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W Date 26 MAY '60
Indexed BK & ON MAY 11 '61

F.B. 2631 Pg. 101

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

RED ROVER MINE RD. ℄
FROM B.C. # 5 N.E.'LY
TO E.C. #2.
PRELIMINARY LINE -
MOUNTAIN SPRINGS ROAD
FROM P#75 (℄ RED
ROVER MINE RD.) WEST'LY
TO R-5 (ON EAST-WEST
℄ SEC. 15 T5N R13W)
JN 0075.78

REFERENCES:
C.S. B-1400
F.B. 594
RD. DEPT. FX. 37-5

78F3093 CE #247

CONT. ON BOT. P. 103

F.B. 2631 PG. 102

① 156	38	40
② 266	34	30
③ 219	51	30
156°	38'	35"

T 5N
R 13W
SEC. 14

RECORD B.C.

SET NAIL IN PVMT.

FD. 3/4" I.P. NO PLUG DN. 10"

T 90
103.38 @ 2-34 = 103.28

FD. 3/4" I.P. NO PLUG DN. 6"

30.13

103.28

1" I.P. PLUG & WOOD NAIL DN. 12"

P.I. #4
F.B. 594-16

T 90°
LEV. 103.27

156° 38' 35" M

155.39

103.27

R/W 80' R

SET SPK IN PVMT.

30.00

29.98

59.98

T 90°
60.11 @ 3-43 = 59.98

FD. 3/4" I.P. WOOD PLUG & NAIL FL. R.P. 42+17 41 B.C. F.B. 594-164

FD. 3/4" I.P. WOOD PLUG & NAIL FL. R.P. 44+21 16 E.C. F.B. 594-164

90° 00' 00"

155.67
155.75 M

MINE

FD. 3/4" I.P. WOOD PLUG & NAIL FL. F.B. 594-16

RED POWER

SET SPK IN PVMT.

30.00

60.00

30.00

FD. 3/4" I.P. WOOD PLUG & NAIL FL. R.P. 45+86 73 B.C. F.B. 594-164

T 100°
105.99 @ 4-18 = 50.04
105.69
155.73
.02
155.75

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work Checked L. W. BACON
Date 6-22-61

Survey of Mt. Sac. Rd.
JN 00 75.78 Tape 141 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date 26 JULY 61
Indexed th. & OTT

F.B. 2631 Pg 103
CONT. ON Bot. Pg 104

T. 5N.
R. 13W.
Sec. 14

Set 1X24N P-Line Prod.

FD. 3/4" I.P. WOOD PLUG & NAIL DN 14" RP. TAN PROP. #3 F.B. 594 Pg 16

108° 37' 40"

MT. SAC. RD.

(P-75) Set Sq. Adj. Pt. Pc. 100 (328+28.22 "P" LINE PLUS) Preliminary Line. See B. 100

T 92°
LEV. 56.45.
T = 64°
122.05 @ Lev = 122.05.
.02.
122.03 ✓

T 92°
65.99 @ 7-20 = 65.45 ✓
LEV. 77.06.
LEV. 73.00.
215.51 ✓
.01.
215.52

56.45 M.R.
122.03
215.52
159.07

P.I. #3 F.B. 594 Pg 103

FD. 1" I.P. LYING DOWN REPLACED WITH 1 1/2" I.P. STAMPED L.S. 4444 ICENOGLE & CO. ENGR. TAG DN 1" BRASS NAIL

① 108° 37' 40"
④ 74° 31' 00"
⑥ 291° 46' 00" ✓
108° 37' 40" ✓

FD. 3/4" I.P. BENT OVER

See B. 99-16 P-Line

SET NAIL IN PVMT.

29.92

.015

FD. 3/4" I.P. NO PLUG

81.74 ℄ ROAD
(P.I. #4 TO P.I. #3)
R. 344.15
M. 344.09

T 90°
LEV 81.74

SET NAIL IN PVMT. RECORD B.C. #4

CONT. FROM TOP Pg 102

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3008 SBE #247 11-60

F.B. 2431 Pg. 104



LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this date of this Title.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 5-22-61

Survey of Mt. Springs Rd.
JN 75.78 Tape 141 Std 84 °F
Surveyed by C. L. Wright
Notes R.C. Bowers Date 2801+60
Indexed H. E. Ott

F. B. 2631 Pg. 102

Cont. Bot. Pg. 106

T5N R13W SEC 14

① 139° 21' 10"
② 197° 25' 00"
③ 116° 07' 20"
139° 21' 13⅓"

335+35 57
P-77
Set 1X2 H.
Top Spur
pg. 238

139° 21' 13⅓"

220.00

T = 82°
18.29 @ Lev. = 18.29
201.91 @ 2° 34' = 201.71
220.00

333+15 57
P-76
Set 1X2 H.
Top Spur

Preliminary Line

365.32'

T = 82°
221.20 @ 6°00' = 219.99
145.33 @ Lev. = 145.33
365.32

Fence

4' Barb & Chicken Wire

37.8

14°41'

51.1

115°16'

12°41'

16.8

PI #3
See Pg. 103 & 104

41.5

Tel. #3

Semi-Tan. Red Revetment

Mine Rd.

Edge Pavt.

Red

Edge

88.3

82.3

Pav't

Wooden Water Well Pump House

8.2

6.0

River Mine Rd.

Cont from bot. pg. 104

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 SEE #247 1-56

F.B. 2631 Pg. 106



Cont. from Top Pg. 105

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 5-22-61

Survey of MT. SPRINGS RD.
JN 00 75.76 Tape 141 Std 84 °F
Surveyed by C. L. Wright
Notes E.C. Bowers Date Nov. 60
Indexed H. E. OTT

F. B. 2631 Pg. 107

T. 5N. R. 13 W.

Sec. 15

Cont. on Bot. Pg. 108

D	132	23	10
A	169	33	10
B	74	19	20 + ✓
	132°	23'	13 1/3" ✓

(P-83)
Set 1x2 ¢N.
Top Spur
356+26.67 ✓

T = 86°
199.91 @ 2°02' = 199.78 ✓
139.00 @ 3°09' = 138.79 ✓
203.40 @ 3°47' = 202.96 ✓
541.53 ✓
.01 ✓
541.54 ✓

541.54'

350+85.13 ✓

(P-82)
Set 1x2 ¢N.
Top Ridge in Saddle

95°52' 13"
CALC. Pg. 120

T = 90°
241.48 @ 7°03' = 239.65 ✓
.01 ✓
239.66 ✓

239.66'

Set 1x2 ¢ NAIL
BY INT.
Pg. 120

SECTION LINE
SEE Pg. 120 FOR THIS LINE

"P" LINE INT. PLUS 348+93.63

48.16 Pg. 120

348+45.47 ✓

P-81
Set 1x2 ¢N.
Top Spur

T = 88°
190.40 @ 4°06' = 189.91 ✓
160.19 @ 3°14' = 159.93 ✓
349.84 ✓
.01 ✓
349.85 ✓

349.85'

SEC. 14

344+95.62 ✓

P-80
Set 1x2 ¢N.
Top Spur

Cont. from Top Pg. 106

X

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SAE #247 1-56

F. B. 263 Pg. 108

bo+ Pg 109



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of MT. SPR. RD.
Map No.	JN 3075.78 Tape 141 Std 84 oF
Office Work	Surveyed by C. L. WRIGHT
Checked L. W. BACON	Notes C. L. W. Date 17 NOV. 60
Date 3-22-61	Indexed M. E. OH

F. B. 263 Pg. 109





42	09	40
168	38	20
252	57	30
42°	09'	35"

20+05.62 (℄ SEC. LINE PLUS)
5' OFF R-5
FD. 1x2 ℄ NAIL PG. 123-124

39	16	40
157	07	00
235	40	20
39°	16'	43⅓"

T 62°

220.98 @ 1-33 =	220.90
175.34 @ 4-39 =	174.76
176.24 @ 3-27 =	175.92
	571.58
	.08
	571.50

P-86 SET 1x2 ℄ NAIL TOP OF LOW SPUR — 367+66.27

288.26

T 58°

288.98 @ 3-54 = 288.31
.05
288.26

P-85 SET 1x2 ℄ NAIL TOP OF LOW SPUR — 364+78.01

TOP PAGE 108

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

7873086 CE #247—3-67

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 2631 Pg. 110

Notes Ck'd by	Survey of Section Lines
Map No.	JN 0302.01 Tape 14 Std 84 °F
Office Work Checked L. W. BACON	Surveyed by C.L. Wright
Date 5-22-61	Notes E.C. Bowers Date 1 Nov 60
	Indexed M. E. on MAY 11 '61

F. B 2631 Pg. 111

THE EAST-WEST ℄ SEC. 14, T.5N.-R.13W.

J.N. 0302.01

REFERENCES:
F.B. 79
F.B. 1684
C.S. 8739
C.S. 8924
R.S. 73-42
R.S. 73-43

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SAE #247 1-56

F.B. 2631 Pg. 112

Cont. on Bot. Pg. 113

W.S. 54 - C - 4

T. 5N. R. 13 W.
Sec. 14

C Strand Barb Wire Fence

0.9
9.5
11+03.32
(W-2)
Set 1x2 #N.
9.3
4.1
Wood & Wire Corral Fence
5.1
2.1
0.8

T = 70°
126.64 @ 2°52' = 126.48
144.44 @ Lev. = 144.44
270.92
.02
270.90

Center Section
270.90
Wood & Wire Corral Fence

① 11° 48' 00"
④ 47° 12' 00"
⑤ 70° 48' 10"
11° 48' 01⅔"

4.3
8+32.42
(N-1)
Set 1x2 #N.
1.3

① 101° 54' 20"
④ 47° 37' 00"
⑤ 25° 25' 40"
101° 54' 16⅔"

Strand Barb Wire Fence
Line
11° 48' 01⅔"

T = 86°
140.36 @ Lev. = 140.36
259.23 @ 6° 15' = 257.69
244.81 @ 16° 59' = 234.13
244.82 @ 16° 59' = 234.14
234.13
209.47 @ 17° 05' = 200.23
209.61 @ 17° 12' = 200.24
200.23
832.41
.01
832.42
8 32 42
2287

COUNTY SURVEYOR'S MONUMENT
R. 13W. T. 5N.
1/4 SEC. COR. 14 13
1926

CALC. 90° 06' 15"

0.7
4.1.3

M.S.R. - 13
Fd. C.S. Br. Cap Mon. on 2" I.P. Set in Conc. Desc. as shown Pg. 86
F.B. 1634 - 211
F.B. 79 - 137
C.S. 8739
C.S. 8924
R.S. 7B 42, 73-43

Pg. 86
173.96

101° 54' 16⅔"

See Pg. 86
M-Line

M-9
Fd 1x2 #N
Pg. 86

Sec. 13

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 5-22-61

Survey of Section Lines
JN 0302.01 Tape 141 Std. 89 °F
Surveyed by C.L. Wright
Notes R.C. Bowers Date 2 Nov. 60
Indexed H. E. ORT

F. B. 263 / PG. 113

T.5N. R.13W.
Sec. 14

Please Return To
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

78F3096 SEE #247 1-56

① 78° 53' 10"
④ 315° 33' 00"
⑥ 113° 19' 10"
78° 53' 11⅓"

Cont. Bot. Pg 114

T = 78°
49.24 @ Lev. = 49.24 Set 1x24N.
205.18 @ 3° 06' = 204.88
254.12
.01
254.11

26+30.03
(N-5)
Set 1x24N.

26+30.03
N-5A
Set 1x24N.

5.00
S. offset

69°+3'46½"

P-72
Ad 1x24N
Pg. 100

P-44a
Pg. 100

78° 53' 11⅓"

T = 78°
141.24 @ Lev. = 141.24
{119.05 @ 12° 16' = 116.33
{119.19 @ 12° 33' = 116.34
300.34 @ 0° 29' = 300.38
557.90
.02
557.88

Center

Bot. Cyn. Flow

20+72.15
(N-4)
Set 1x24N.

T = 76°
300.06 @ 4° 17' = 299.22
247.69 @ 7° 19' = 245.67
544.89
.03
544.86

6 Strand Barb Wire Fence

Section

① 69° 13' 40"
④ 276° 55' 00"
⑥ 55° 22' 40"
69° 13' 46⅔"

15+27.29
(N-3)
Set 1x24N.

T = 72°
129.53 @ 3° 58' = 129.22
{300.27 @ 10° 58' = 294.79
{300.21 @ 10° 55' = 294.78
424.00
.03
423.97

Line

11+03.32
(N-2)
Set 1x24N.

Cont. from Top Pg. 112

B. 2631 Pg. 114

Cont. Bot. Pg. 115

COUNTY ENGR. B.M. M.S. 12 R.E. 5869

T. 5N. R. 13W.
Sec. 14

W.S. 64 - C-4

35+40.21
MARKED (B.M.M.S. 12)
SET C.E. BUTTON MON.
2" I.P. BRASS CAP SET
CONC. UP 6"
SET MARKER PIPE
2' NORTH OF MON.

5.00

5' offset

35+40.21
N-8A
Set 1x2 #N.

SEE Pg. 215, 239
FOR ELEV.

P.P. #692809E

74°

T = 62°
116.92 @ 6°47' = = 116.10

242.65 @ 10°23' = 238.68
242.77 @ 10°33' = 238.67 = 238.67
354.77
.05
354.72

3.90

118.8' to Pole

Pole
EDISON
2x2, NO NAIL
FD CHARRED

354.72

Bot. Cyn. Flow

(N-7)
SET 1x2, 2 NAIL

31+85.49

T = 62°
117.32 @ 14°00' = = 113.84
117.39 @ 14°08' = .02
113.82

T = 76°
159.90 @ 1°36' = 159.84
153.48 @ Lev = 153.48
226.67 @ 0°36' = 226.66
539.98
.03
539.95

539.95

SECTION POWER LINE

26+45.54
N-6
Set 1x2 #N

26+45.54
N-6A
Set 1x2 #N.

5.00

T 76°
15.51 @ Lev. = 15.51

15.51

5' offset Line

C.S. B-1342-1

Fd. 1" I.P. Wd. Plug, Nail with Tin Stamped 1/4 1/4, L.S. 1127

O2

O3

19°

P.P. #692804E

Guy

6 Strand Barb Wire Fence

2.06

Line

9.15

26+30.03
N-5A
Set 1x2 #N.

N-5
Set 1x2 #N

5.00

POWER

Cont from top Pg. 113

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of Section Lines	F. B. 2631 Pg. 115
Map No.		JN 0302.01 Tape 41 Std 84 °F	
Office Work		Surveyed by C.L. Wright	
Checked L. W. BACON		Notes A.C. Sievers Date 2 Nov 60	
Date 5-22-61		Indexed H. E. On	

T. 5N. R. 13 W.

Sec. 14

Cont. Bot. Pg. 116

39+85.49 ✓
N-10A
Set 1x2 ⊄N.

EAST-WEST

26.70

Fd. 2x2 ⊄N up 4"

10.6A

0.1

10.3

4' Chicken & Bark Wire Fence

20

℄ SEC. 14

5' offset ctr Sec. Line

378.81 ✓

T = 58°

{38.37 @ 15°10' = 37.03 ✓
{38.41 @ 15°25' =

299.94 @ 7°04' = 299.66 ✓

① 118° 17' 20"
② 113° 08' 30"
③ 349° 42' 20" ✓
118° 17' 03⅓" ✓

*44.18 @ Lev = 44.18'

378.87 ✓
.06 ✓
378.81 ✓

5.1

3.5

(P-75)
Fd. Sq. Hd. Nail
See Pg. 103

P Line

4' Chicken & Bark Wire Fence

EDGE

16.5

PAVT.

36+06.68 ✓
(N-9A)
Set Sq. Hd. Nail Flush in Pvt.

37.38

19.0

118° 17' 03⅓" ✓

45.57

RED

0.5

Fd. Sq. Hd. Pg. 104

See Pg. 103

EDGE

PAVT.

BEAVER MINE RD

T = 60°

66.79 @ 5°30' = 66.48 ✓
.01 ✓
66.47 ✓

66.47

35+40.21
B.M. M.S. 12
Set C.E. Mon.
Pg. 114

500

35+40.21 ✓
N-8A
Set 1x2 ⊄N

See Pg. 215.239 for Elev.

Cont. from Top Pg. 114

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 SAE #247 1-56

F. B. 2631 Pg. 116

W.S. 64-C-4

T. 5N. R. 13W.

SEE PG 122 FOR THIS LINE

COUNTY SURVEYOR
R.13W.
T.5N.
SEC. 15
SEC. 14
R.E. 2177
1/4 COR.

Sec 15

2646.37 TO WEST 1/4 COR. SEC. 14

SEE PG 120 FOR THIS SEC. LINE

52+78.29 MSR-4
Fd. C.S. Br. Cap Mon., on 2" I.P. Set in Conc. Desc. as Shown. Up 2" F.B. 874-74 C.S. B-1877

Sec. 14

T = 78°

{295.28 @ 14° 24' = 286.00
{295.32 @ 14° 26' =

131.51 @ 1° 21' = 131.47

96.13 @ 3° 53' = 95.91

513.38
.02
513.36

513.36 Section Line

47+64.93
N-12
Set 1x2 #N.

T = 74°

{72.39 @ 18° 21' = 68.71
{72.28 @ 18° 04' = 68.72

68.71

{263.53 @ 18° 06' = 250.49
{263.60 @ 18° 08' = 250.51

250.50

319.21
.02
319.19

319.19

44+45.74
N-11
Set 1x2 #N

44+45.74
N-11A
Set 1x2 #N

5.00

T = 58°

{300.38 @ 20° 49' = 280.77
{300.25 @ 20° 45' 280.77

280.77

{183.28 @ 11° 35' = 179.55
{183.31 @ 11° 36' = 179.57

179.56

460.33
.08
460.25

460.25

5' offset

39+85.49
N-10A
Set 1x2 #N

Cont from Top Pg. 115

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Mt. Springs Rd.
Map No.	JN 00 75.78 Tape 141 Std 84 °F
Office Work	Surveyed by C.L. Wright
Checked L. W. BACON	Notes R.C. Bowers Date 11/23/60
Date 5-22-61	Indexed E.E. on

F. B. 2631 PG. 117

THE SOUTH 1/2 OF THE
SECTION LINE BETWEEN
SECTION 14 & SECTION 15
T.5N. R.13W.
J.N. 0302.01

REFERENCES:
C.S. B-1342-1
F.B. 79
C.S. 8924
F.B. 874
C.S. 8197

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3098 S&E #247 1-56

F. B. 2631 PG. 118

Cont. on Bot. Pg. 119

T. 5 N.
R. 13 W.

W. S. 64 - C-5

Q-9
Set 1X2 FN

7+18 12

T= 72°
255.06 @ 8°50' = 252.03
218.53 @ Lev. = 218.53
470.56
.04
470.52

470.52 V

LINE

Q-8
Set 1X2 FN
Top Sm. Spur

2+47 60

T= 72°
250.71 @ 9°00' = 247.62
.02
247.60

247.60 V

SECTION

SEC. 14

SEC. 15

SEC. 23

SEC. 22

M.S.R-5
Fd. C.S. Br. Cap Mon. on 2" I.P.
Set in Conc. Desc. as Shown. Up 3"
C.S. 8197
C.S. 8924
C.S. B-1342-1
F.B. 79-141

T 5 N
15 14
22 23
1926

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

1

Notes Ck'd by
Map No.
Office Work
Checked L. W. BACON
Date 5-22-61

Survey of Mt. Springs Rd.
JN 075.78 Tape 141 Std 84 °F
Surveyed by C. L. Wright
Notes R.C. Bowers Date 11/23/60
Indexed H. L. OTT

F. B. 2631 Pg. 119

T. 5 N.
R. 13 W.



CONT. ON BOT. Pg 120

Q-12 Set 1x2 ¢N. by Int. Pt. 107

Preliminary Line

15+68 14

T = 64°

244.62 @ 17° 32' = 233.26 = 233.27
244.58 @ 17° 29' = 233.28
44.73 @ Lev. = 44.73
278.00
.04
277.96

277.96 LINE

Fd. 2x2 ¢ Tag L.S. 2572
13+20 36

1.86

30.18 CALC.

Q-11 Set 1x2 ¢N. Top Ridge

12+90 18

5.48

5 48

Fd. 1x2 ¢N.
12+84 70

SEC. 15

T = 72°

120.70 @ 13° 11' = 117.52 = 117.53
120.50 @ 12° 44' = 117.54
.01
117.52

117.52

Q-10 Set 1x2 ¢N.

11+72 66

T = 72°

293.59 @ 16° 38' = 281.31 = 281.29
293.64 @ 16° 41' = 281.28

179.18 @ 14° 44' = 173.29 = 173.27
179.25 @ 14° 48' = 173.30

454.58
.04
454.54

454.54 SECTION

Q-9 Set 1x2 ¢N.

7+18 12

SEC. 14

Cont from Top Pg. 118

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3088 SAE #247 1-56

F.B. 2631 Pg. 120

COUNTY SURVEYOR T5N R13W SEC 15 SEC 14 R.E. 21

15-Nov '50

T5N R13W

WINDY

M.S. 64-C-4

① 89	42	30
② 358	30	30
③ 178	15	20
89°	42'	33 1/3"

END OF LINE MARKED MSR-4

SEC. 15

FB 874-74
C.S. B-1877
MAP-TRACT 9632
26+46.82

1/4 COR FD. C.S. MON. 2" I.P. BRASS CAP SET CONC. Pg 116

SEC 14

5278.29 TO E. 1/4 COR. SEC 14 Pg 86, 112

① 108	06	40
② 72	26	00
③ 288	39	10
108°	06'	31 2/3"

89° 42' 33 1/3" LINE 378.61

T 46°

143.76 @ 7-55 = 142.39
LEV 52.55
" 36.87
" 45.97
" 41.79
59.16 @ .1-42 = 59.13
378.70
.09
378.61

① 12	14	20
② 48	57	20
③ 73	25	50
12°	14'	18 1/3"

Q-15 SET 1x2" NAIL TOP BRK. 12.01

22+68.21

T 46°

65.70 @ 18-59 = 62.13
65.80 @ 19-16 = 62.11
62.12
.02
62.10

FD. 1x2 NAIL TOP BRK

0.12

(Q-14) SET 1x2

22+06.11

T. 50°

COUNTY ENGINEER B.M. M.S. 13 R.E. 5869

Replaced Q-13 with B.M. M.S. 13 Set C.E Button Mon. 2" I.P. Br. Cap in Conc. Sup 6', Marked as Shown. Set marker pipe 2.5' N.W. See Pg 236 FORE ELEV.

3" NAIL ON SOUTH S.H. 31 2/3" 108° 06' Q-13 SET 1x2 NAIL SECTION 595.28

235.95 @ 26-07 = 211.86
235.61 @ 25-57 = 211.85
209.93 @ 20-05 = 197.17
210.07 @ 20-12 = 197.15
188.24 @ 8-02 = 186.39
595.41
.13
595.28

16+10.83

42.69

T 50°
LEV. 48.17
.01
48.16

48.16 PRELIMINARY LINE

12°-14'-18 1/3"

15+68.14

(Q-12) SET 1x2 NAIL BY INT.

P 81 NAIL Pg 101

Fd. 1x2" N.

P-82 Fd. 1x2 N. Pg. 107

T-50°

44.79 @ 25-14 = 40.52
44.95 @ 25-39 = 40.52
LEV. 2.18
42.70
.01
42.69

CONT FROM TOP PG 119

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of SECTION LINES	F. B. 2631 Pg. 121
Map No.		JN 0302.01 Tape 14 Std 84 °F	
Office Work		Surveyed by C. L. WRIGHT	
Checked L. W. BACON		Notes C. L. W. Date 6 NOV 60	
Date 5-22-61		Indexed H. E. OW MAY 11 '61	

THE EAST-WEST ℄ OF
SEC. 15, T. 5N., R. 13W.

J.N. 0302.01

REFERENCES:
MAP - TRACT 9632
F.B. 874 -
C.S. B-1877

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SAE #247 1-56

F. B. 2631 PG. 122

CONT. ON BOT. PG. 123

WINDY

W.L.S. 64 - C - 4

T5N
R13W

R 3, SET 1x2" NAIL TOP BRK

5.00

7+54.59

5' OFF R3 SET 1x2" NAIL TOP BRK

T - 58°

130.49 @ 7-15 = 129.45
.02
129.43

129.43

EAST - WEST ℄ SEC. 15

6+25.14

5' OFF R2 SET 1x2" NAIL

T 54°

210.49 @ 9-17 = 207.73

272.48 @ 20-23 = 255.42

272.60 @ 20-27 = 255.42 = 255.42

36.80 @ 20-27 = 34.48

36.66 @ 19 5/ = 34.48 = 34.48

497.63
10
497.53

5' OFFSET LINE

497.53

T 52°

LEV. 29.47.

42.79 @ 5-55 = 42.56

57.67 @ 15/5 = 55.64

57.59 @ 14-59 = 55.63 = 55.63

127.66
03
127.63

80'

①	108	02	00
③	72	08	40
②	288	15	10
	108°	02'	11 1/3"

①	161	32	30
③	286	10	20
②	249	15	50
	161°	32'	38 1/3"

R1 SET 1x2 ℄ NAIL TOP W. BRK - TOP RIDGE

5.00

1+27.63

5' OFF R1 SET 1x2" NAIL

11 1/3

127.63

80'

32' 38 1/3"

89° 34' CALC.

90°00'

SEC. 15

0+00

119R-a

FD. C.S. MON. 2" I.P. BRASS CAP SET CONC. PG 116, 120

5.00

SET 1x2" NAIL 5' OFF ¼ COR.

MARKED

℄ 15 FD. 1x2" NAIL TOP BRK PG. 120

C.S. B-1877
F.B. 872-74

T5N R13W

SEC 15
SEC 14
¼ COR.

SEC. 14

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 0302.01 Tape 141 Std 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked L. W. BACON	Notes C.L.W. Date 4-Nov '60
Date 5-22-61	Indexed D. E. OTT

F. B. 2631 Pg. 123

T 5 W
R 13 W

SEC 15

CONT. BOT PG 124

(R-5) SET 1x2" NAIL
373+37 72
("P" LINE PLUS)

5.00

5' OFF R 5
SET 1x2" NAIL
20+05 62
(SEC. LINE PLUS)

PRELIMINARY LINE
SEE PG. 109

T=60°

130.51 @ 4-06 = 130.18
135.24 @ 3-33 = 134.98
211.81 @ 5-51 = 210.71
225.58 @ 7-00 = 223.80
699.77
.11
699.66

699.66

FD. 1/2" I.P. WOOD PLUG NO NAIL

6.78
6.57

13+05 96

(R 4) SET 1x2" 4" NAIL

5.00

5' OFF R 4
SET 1x2" 4" NAIL

T 56°

165.35 @ 10-58 = 162.33
165.29 @ 10-51 = 162.34 = 162.33

300.42 @ 12-45 = 293.01
300.39 @ 12-43 = 293.02 = 293.02
98.84 @ 13-27 = 96.13
98.89 @ 13-36 = 96.12 = 96.12
551.47
.10
551.37

551.37

E-W 1/4 SEC 15

5' OFFSET LINE

(R 3) SET 1x2 4" NAIL TOP BRK.

5.00

7+54 59
5' OFF R 3
SET 1x2 4" NAIL TOP BRK.

CONT. FROM TOP PG 122

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3085 SEE #247 1-56

F. B. 4631 Pg. 124

T5N

R13W

W.S. 64 + B-4

SEC. 15

CONT. ON BOT. Pg. 125

(R-8) SET 1x2 ¢ NAIL

5' OFF R-8 SET 1x2 ¢ NAIL 37+12.14

T-64°

239.53 @ 0-28 = 239.52

LEV. 28.27

LEV. 118.80

LEV. 35.29

421.88

.05

421.83

EAST-WEST ¢ SEC. 15

5' OFFSET

421.83

FD. 2x2 ROOFING NAIL ¢ TAG # LS 2424

5.31

5.17

SEE Pg. 233 FOR ELEV. OF THIS B.M.

R-7 SET 1x2 ¢ NAIL

32+90.31

5' OFF R-7 SET 1x2 ¢ NAIL

.05

T 64°

LEV. 27.85

LEV. 32.07

LEV. 217.16

LEV. 251.91

LEV. 129.61

658.60

.09

658.51

EAST-WEST ¢ SEC. 15

658.51

COUNTY ENGINEER B.M. M.S. 14 R.E. 5869

B.M. M.S. 14 Set C.E. Button Mon. 2" I.P. & Br. Cap Set in Conc. Up 6" Marked as Shown. Set Marker Pipe 2' E. of Mon.

2 STRAND BARB WIRE FN.

(R-6) SET 1x2 ¢ NAIL

152.45

FD. 2x2 ROOFING NAIL ¢ TAG L.S. 2424 FLUSH

5' OFF R-6 SET 1x2 ¢ NAIL 26+31.80

2 STRAND BARB WIRE FN.

5.01

5.51

0.51

89° 23' 40"

① 89° 23' 40"

② 178° 47' 20"

89° 23' 40"

18.51

~~¢ ± DIRT T 62 ROAD 20' ± WIDE~~

258.89 @ 3-08 = 258.50

150.60 @ 6-07 = 149.74

219.42 @ 6-27 = 218.03

626.27

.09

626.18

626.18

(P" LINE) 373+37.77

(R 5) SET 1x2 ¢ NAIL

20+05.62

5' OFF R 5. SET 1x2 ¢ NAIL

CONT. FROM TOP Pg. 123

571.50 P.O.B. To Pg. 109

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 302.0 Tape 100' Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked L. W. BACON	Notes C. L. W. Date 7-Nov-60
Date 5-22-61	Indexed H. E. ON

F. B. 2631 Pg. 125

T5N R13W SEC. 15

CONT. BOT PG. 126

R-9 SET 1X2 & NAIL

5' OFF R-9 SET 1X2 & NAIL

39+78.15

25.3

90° TO LINE

4.6

4' W.W.FN.

5.00

5.5

6.6

ANCHOR GUY

24.3

23.4

90° TO LINE

EDISON POWER

P.P. #987945E

P.P. #987944E

30.3 POWER

48'

30°28'

29°29'

11.2

11.3

GATE

13.6

4' W.W.FN

5.3

GATE

5.6

19.5

13.3'

12.5'

18.4

49°55'

PUMP HOUSE

6.3 POWER

47°04'

TRANSFORMER POLE # 923409E

POWER LINE

14.7

14°11'

17.6'

18.8

5.2

5.1

SERVICE POLE FOR PUMP

20.8

FRAME HOUSE 23.5'

ANCHOR GUY

12.5

12.6

T 64°

LEV 37.48

LEV 16.00.

212.64 @ 1-37 = 212.56 V

266.04

.03 V

266.01 V

EAST-WEST ℄ SEC. 15

5' OFF EAST-WEST ℄ SEC. 15

266.01 V

32°36'

29°01'

NOTE: DISTANCES TO NEAREST FOOT ON DIST. AND STADIA THIS PAGE

FRAME GARAGE

18.9

20.2

4' W.W. FN.

WATER TANK 8' DIA. ON WOODEN TOWER 12' HIGH.

GATE 10.0

GATE 6.4

5.8

4' W.W.FN.

5.14

37+12.14

5.00

5' OFF R-8 SET 1X2 & NAIL

CONT. FROM TOP PG. 124

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3088 SAE #247 1-56

F. B. 2631 Pg. 126

CONT. ON BOT. PG. 127

T5N R13W SEC. 15

R-11 SET 1X2 & NAIL

5 00

5' OFF R-11 SET 1X2 & NAIL 47+33 93

85.25

FD. 2X2 & NAIL NO TAG

5 63

5' OFF EAST WEST

393.45

T 68°

171.02 @ 1-36 = 170.95

LEV. 222.54

393.49

.04

393.45

EAST-WEST

2 39

4' WOVEN WIRE FENCE

NOTE: DISTANCES SHOWN ON THIS PAGE TO THE NEAREST FOOT ARE STADIA DISTANCES.

199

1 00°

80

78°

43'

32

43+40 48

5' OFF R-10 SET 1X2 & NAIL

OLD 3 STRAND BARB WIRE FN.

14 8

23 8

5 00

10

93'

FRAME HOUSE

PORCH

8.8

5.5

11.3

7.2

7.6

14.3

90'

(R-10 SET 1X2 & NAIL

36 8

N 0° 11' W

34 2

12 8

GATE

32 2

40'

12 8

5 88

24 3

35'

FRAME GARAGE

31 2

FD. 2X2 NAIL & TAG LS. 2572

20"

24 6

34'

16'

140'

N 35° W

12.4

20.6

PARTIALLY DOWN

64'

59°

362.38

4' WOVEN WIRE FN.

FL.

FL.

WASH

T 64°

LEV. 17.81

250.46 @ 0-50 = 250.43

LEV. 94.14

362.38

.05

362.33

OLD 3 STRAND BARB WIRE FN.

POWER

SEC. 15

248'

SEC. 15

36 2

7 1

39+78 15

(R-9 SET 1X2 & NAIL

5 00

5' OFF R-9 SET 1X2 & NAIL

CONT. FROM TOP PG. 125

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked L W. BACON
Date 5-22-61

Survey of SEC. LINES
JN 302.0 Tape 141 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date 23-Nov'60
Indexed H. E. OH

F. B. 263 Pg. 127

T 5N R 13W

W.S. 64-B-4

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

CONT. ON BOT. PG 128

COUNTY SURVEYOR R13W SEC. 16 / SEC. 15 R.E. 2177

COUNTY SURVEYOR R13W 16 9 10 15 R.E. 2177

SEE PG. 231 FOR ELEV. OF THIS 1/4 COR

M.S.R-2
1/4 COR. MARKED FD. COUNTY SURVEYORS MONUMENT - 2" I.P. BRASS CAP SET CONC. DN. 9" F.B. 874-52
5321.59 FROM EAST 1/4 COR SEC. 15.

M.S.R-3
SEC COR. MARKED FD. COUNTY SURVEYORS MONUMENT - 2" I.P. BRASS CAP SET CONC. DN. 14" F.B. 874-55
SET WELL & COVER

ANCHOR GUY
GUY POLE # 583443 H
GUY WIRE
EDGE PVMT.
SET SHIP SPK. C.W. 53421
SET WELL & COVER
SEC. 16 SEC. 15 LINE
PVMT.
PPOLE # 670665E
EDISON
EDISON
T.E.W. & C.
SEC. 15
FD. 2x2, NAIL & TAG L.S. 2572
T.E.W. & C.
SEC. 15
TOWER
TOWER
(R-11) SET 1x2 & NAIL
47+33.93 5' OFF R 11 SET 1x2 & NAIL

①	89	39	30
②	358	37	40
③	177	57	00
	89	39	30

T. 70°
LEV. 151.72
LEV. 187.75
248.23 @ 0-45 = 248.21
587.68
.05
587.63

①	51	03	40
②	204	14	40
③	306	22	00
	51°	03'	40"

CONT. FROM TOP PG. 126

78F3095 SEE #247 1-56

F. B. 2631 Pg. 128

END OF LINE

T 62°

216.50 @ 3-00 = 216.20 V
.03 V
216.17 V

T5N
R13W

①	57	16	00
②	229	04	00
③	393	36	00 V
	57°	16'	00" V

C.S. B-1877
FD. CUT SPK. W.C.T. FLUSH IN PVMT. RECENT MARKING ON PVMT. "26+61 22 T.P."
C.S. B-597-2

P.I.
FD. BRASS CAP MON. - CALIF DIV. OF HIWAYS

℄ U.S. #6

MSR-1
412+77 61
(CALC. PLUS ON "P" LINE)
SET SQ. SPK. ℄ T. IN OILED SHOULDER EAST OF HI-WAY. US #6
CALC. INT. OF "P" LINE & SEMI. TANG. OF HI-WAY US #6

SEMI TANG.
232.73 CALC.

℄ US #6

6200' ± SCALE TAKEN FROM U.S.G.S. 7½ QUAD. SHEET, RITTER RIDGE CALIF.

90°

216.17 V

41.64 V

5.94

3.21

35.00

35' OFF ℄

SET 1×2" NAIL

210.23

57° 16' 00"

(R-13) SET 1×24" NAIL

35' OFF EAST-WEST ℄ SEC. 15 PROD. TO WEST

SET NAIL IN OILED SHOULDER - WEST OF HI-WAY U.S. #6

T 62°

223.55 @ 9-57 = 223.52 V

181.17
180.29
584.98 V
.08 V
584.90 V

623.27
EAST-WEST ℄ SEC. 15 PROD.
581.66
PRELIMINARY LINE
584.90 V

MSR-2
F.B. 874-52
FD. ¼ COR. C.S. MON. 2" I.P. BRASS CAP ON/O" SET CONC. Pg. 127

53+21 56
(SEC. LINE PLUS)
SET SHIP SPK. ℄ W. FLUSH IN PVMT. Pg. 127

SEC 16

53+21 59
(SEC. LINE PLUS)

500' N

SECTION LINE

406+53 74
(CALC. "P" LINE PLUS)

127

SEC 15

89° 30' Pg 127

CONT. FROM TOP Pg. 127

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of MT. SPR. RD.	F.B. 2631	Pg. 129
Map No.	J.N. 0075.78 Topo 154 Sta 84		
Office Work	Surveyed by C. L. WRIGHT		
Checked	Notes C. W. Date 20-JULY-61		
Date	Indexed M. E. OTT AUG 4 61		

Note: Any Additions or Changes on this Sheet Must Be Made in Circle in Red Ink With Date and Name of Person Making Change.

Do not detach this stub at this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

℄-SIERRA HIGHWAY FROM INTERSECTION WITH SOUTH LINE OF SECTION 22, T.5N. R.12W. N'EAST'LY TO INT. OLD ANGELES FOREST ROAD.

J.N. 0075.78

REFERENCES:
F.B. 1684

PARTY:
C. L. WRIGHT
R. G. BOWERS JR.
C. R. FULTON JR.
G. VAN NESS
W. F. BARNETT JR.

76F3098 SAF #247 11-58

F. B. 2631 Pg. 130

CONT. ON BOT. PG. 131

W 5754-S

21+17.46 — FD. L&T DN. 1½" MARKED H-41 WITH WHITE PAINT ON PAV'T.

TSN
RIRW

①	51	32	00
②	206	08	00
③	309	12	00
	51	32	00

①	128	28	00
②	153	52	20
③	50	48	40
	128°	28'	06⅔"

T 88°

252.73 @	2-05 = 252.56
300.14 @	1-39 = 300.02
300.22 @	1-45 = 300.08
300.81 @	1-08 = 300.75
300.37 @	1-47 = 300.22
300.56 @	1-04 = 300.51
300.58 @	1-41 = 300.45

LEV. 62.81
2117.40
.06
2117.46

2117.46 HI-WAY

51° 32' 00" LINE

195.27

T 78° 128° 28' 05"

FD. C.S. MON. 2" I.P. & BRASS CAP SET CONC. UP 4" MARKED

FB 1684 Pg. 114

LEV. 53.81
" 140.30
84.52
278.63
.01
278.62

0+00

LEV. 40.32
" 154.96
195.28
.01
195.27

278.62 SEC. 22 SEC. 27

SIERRA

COUNTY SURVEYORS MONUMENT — T5N R12W SEC. 22 SEC. 27 Y4COR.

WIGGLE POINT TOP RIDGE SET 1X2F NAIL

FD. K-8, 1X2 & NO NAIL F.B. 1684-113

FD. C.S. MON. 2" I.P. & BRASS CAP SET CONC. UP 6" F.B. 1684-111 MARKED

FD CUT SPK. W.S.T. DN ½ MARKED P-430+74.24 P.O.T. ON PAV'T WITH WHITE PAINT.

COUNTY SURVEYORS MONUMENT — T5N R12W SEC. 21 SEC. 22 SEC. 28 SEC. 27

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of MT. SPR. RD.
Map No.	JN0075.78 Tape 154 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date 21-JULY-61
Date	Indexed H. E. O'D AUG 4

F. B. 2631 PG. 131

T. 5N. R. 12W. SEC. 22

T 86°
LEV. 6.18
200.69
117.56
324.43

FD. L&T NAIL DN 2"
F.B. 2631-6

26+17.88

LOS ANGELES FOREST HI-WAY

T 88°
LEV. 159.49
139.86
41.53
340.88
.01
340.89

P.I. #1 F.B. 2631-11, 56

324.43

HI-WAY

FD. 1"x2" NAIL
P.O.T. 3+40.74
F.B. 2631-8

22+93.45

191 SET NAIL

PRELIMINARY LINE

340.89

22+91.54

SET SQ. SPK. & TIN. ON INT. OF SIERRA HI-WAY AND WILLEY'S "P" LINE PROD. THRU P.O.T. 3+40.74 F.B. 2631-8 — FROM P.I. #1, F.B. 2631-11

4.64

144° 33' 45"

22+88.81 SET NAIL

①	144	33	50
④	218	15	00
⑥	147	22	30
	144°	33'	45"

0.5' 0.5"

171.35

T 86°
LEV. 171.35

①	96	05	20
④	24	20	20
⑥	216	30	30
	96°	05'	05"

SIERRA

21+17.46 FD. L&T. DN 1½"

CONT. FROM TOP PG. 130

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SAE #242 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 2631 PG. 132

NOTES RED. JOB NO. 007578 SURVEY OF Mt. Springs RD F. B. 2631 Pg. 141
DATE SURVEY BY Mankey Jr.
NOTES CHKD. W. BACON NOTES BY E.T.M. Jr. DATE 5-10-61
DATE 5-17-61 INDEXED E. E. ON DATE MAY 11 61

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

76420 S & E-353 9-55

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

JN 007578

MOUNTAIN SPRINGS RD.

BENCH LEVELS

U.S.C.&G.S. ADJUSTED LEVEL LN 101

Mankey Jr.
McCall
Swann
Manley
Jones



765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF Mt. Sorings Rd
SURVEY BY Monterey, Jr.
NOTES BY E.E. Ott DATE Feb 10, '61
INDEXED DATE
NOTES RED. DATE
NOTES CHKD. DATE

F. B. 2631 Pg. 142

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.
BMV431 (Fd)	3198.760'				
+	7.178		7.022'		
π	3205.938'	+4.684	4.685		
-	2.494		2.337		
TP	3203.444'				
+	7.993		8.171'		
π	3211.437'	+5.298	5.299		
-	2.695		2.872		
TP	3208.742'				
+	9.255		9.382'		
π	3217.997'	+8.703	8.707		
-	0.552		0.695		
TP	3217.445'				
+	8.622		8.407'		
π	3226.067'	+7.057	7.056		
-	1.565		1.351		
BMU431 (Fd)	3224.502'				
+	4.672		4.371		
π	3229.174'	-5.047	5.047		
-	9.719		9.418		
TP	3219.455'				
+	7.453		7.598		
π	3226.908'	+4.137	4.139		
-	3.316		3.469		
TP	3223.592'				
+	11.978		11.795		
π	3235.570'	+9.338	9.338		
-	2.640		2.457		
TP	3232.930'				

US 3326

DESCRIPTION

BMV431 1955 El. 3198.760' U.S.C.&G.S. BM. 0.3' M. S.W. along U.S. Hwy 6 From the "T" Junction of Angeles Forest Hwy at Vincent 0.1 Mi. S.W. of a Double steel Tower Power Ln. crossing over the Hwy at the "Y" Jct. of a track rd. leading E. 40' S.E of ℄ Hwy, 19.5' N.W. of the ℄ of the track Rd. 1.6' S.W. of a Witness Post about 0.5' higher than the Hwy & Set in the top of a Conc post projecting 0.5' above the ground

US. 3325

BM U431 1955 El. 3224.502 U.S.C.&G.S. BM 0.15 Mi SW along U.S. Hwy 6 from "T" Jct. of ANGELES FOREST HWY at VINCENT at the crossing of a HIGH TENSION POWER LN. 120.3' N. of the N. Leg of the NE one of Two STEEL TOWERS on the S.E. SIDE of Hwy, 39.4' S.E. of ℄ Hwy 1.7' S.W. of Witness POST about 0.5' higher than Hwy ℄ Set in Top of Conc. post ℄ projecting 0.3' above ground

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0025.78 SURVEY OF MT. SPRINGS RD. F.B. 2631 Pg. 143
DATE SURVEY BY J. W. BACON Mowrey J.C.
NOTES CHKD. NOTES BY Mowrey J.C. DATE FEB 10, 61
DATE 5-17-61 INDEXED H. E. OTT DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						Pg 142
TP	3232.930					
+	11.730		11.423			
⊼	3244.660	+10.954	10.955			
-	0.776		0.468			
T.P.	3243.884					
+	10.034		10.117			
⊼	3253.918	+9.546	9.549			
-	0.488		0.568			
TP	3253.430					
+	7.973		7.666			
⊼	3261.403	+6.475	6.475			
-	1.498		1.191			
TBM (Set)	3259.905					TBM EL FB 2631-143
+	9.791		9.885			THE MOST N'LY footing of the most N'ly of
⊼	3269.696	+9.346	9.343			2 POWER TOWERS 0.25 MI WEST OF
-	0.445		0.542			VINCENT TOWER = TP
TP	3269.251					SMALL BT. SOK in lead
+	11.813		11.548			
⊼	3281.064	+10.114	10.116			
-	1.699		1.432			
TP	3279.365					
+	11.875		11.829			
⊼	3291.240	+11.525	11.526			
-	0.350		0.303			
TP	3290.890					
+	11.611		11.259			
⊼	3302.501	+8.708	+8.708			
-	2.903		2.551			
TP	3299.598					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF MT. SPRINGS RD. NOTES RED.
SURVEY BY Markley, Vr. DATE
NOTES BY F.T. Vr. DATE Feb 10, 61 NOTES CHKD.
INDEXED E.E. Oil DATE
F.B. 2631 Pg. 144

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						PG 143
TP	32 99.598					
+	4.514		4.374			
π	3304.112	-1.689	1,688			TBM EL FB 2631-144
-	6.203		6,062			The most N'ly footing of a Power Tower,
TBM(Set)	3297.909					#73/4, 0.5 Mi. West of Vincent,
+	2.762		2.895			a small BT spk in conc footing
π	3300,671	-6.504	6,508			
-	9.266		9.403			
TP	3291,405					
+	4.255		4.042			
π	3295.660	+2.026	2.026			
-	2.229		2.016			
TP	3293.431					
+	9.786		10.032			
π	3303,217	+8.103	8.101			
-	1,683		1.931			
TP	3301.534					
+	8480		8.193			
π	3310.014	+6.545	6.543			
-	1,935		1.658			
TBM Pl #1	3308.079					TBM Pl #1 EL FB 2631-144
+	10.155		10.009			On Preliminary LN at Pl. #1 of
π	3318,234	+3,029	3,030			Willey's "P" LN. Survey Per FB 2631-11
-	7.126		6,979			& FB 2631:50 about 0.7 Mi. West of
TP	3311,108					Vincent a 1"x2" Nail Flush
+	9 478		9.211			
π	3320.586	+7.795	7,797			TBM EL FB 2631-144
-(set)	1,683		1.414			THE MOST N'ly Footing of a Power Tower,
TBM	3318.903					0.8± Miles West of Vincent, Tower
						#75/1, a BT, Spk in Lead in Top of
						Footing

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED JOB NO. 007528 SURVEY OF MT. SPRINGS RD
DATE SURVEY BY Monkey Jr.
NOTES CHKD. W. BACON NOTES BY. K. Tom Jr. DATE FEB. 14, 61
DATE 5-17-61 INDEXED. H.E. ON DATE

F.B. 2631 PG. 145

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
FBM	3318.903					PG 144
+	8.038		7.950			
⊼	3326.941	+4.368	4.367			
—	3.670		3.583			
TP	3323.271					
+	11.149		11.350			
⊼	3334.420	+10.100	10.102			
—	1.049		1.248			
TP	3333.371					
+	11.426		11.549			
⊼	3344.797	+8.817	8.818			
—	2.609		2.731			
TP	3342.188					
+	5.115		5.199			
⊼	3347.303	+3.469	3.474			
—	1.646		1.725			
T.P.	3345.657					
+	9.600		9.439			
⊼	3355.257	+5.938	5.936			
—	3.662		3.503			
TP	3351.595					
+	10.073		10.331			
⊼	3361.668	+9.273	9.274			
—	0.800		1.057			
TP	3360.868					
+	7.667		7.883			
⊼	3368.535	+4.680	4.679			
—	2.987		3.204			
(FD) BM MS#1	3365.548					

BM MS#1 EL FB 2631-25 & 145 4 20.6
& CO. ENG BUTTON MON 204.16' SOUTH
along SEC LN 204.16' FROM "D" LN INT.
Per FB 2631-25 & 57 with white
witness post along side
Moni. Stamped "M.S.1 R.E. 3865

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 007578 SURVEY OF Mt. Springs Rd NOTES RED.
SURVEY BY Crooker & Co. DATE
NOTES BY U.E.Off DATE Feb 14, 61 NOTES CHKD.
INDEXED DATE

F.B. 2631 Pg. 146

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						PG 145
BM M.S.°)	3365.548					
+	9.429		9.122			
π	3374.977	+4680	4,679			
-	4.749		4.443			
TP	3370.228					
+	9.996		9.809			
π	3380.224	+7.675	7.676			
-	2.321		2.133			
TP	3377.903					
+	8.195		8.019			
π	3386.098	+6.395	6.397			
-	1.800		1.622			
TP	3384.298					
+	11.989		11.678			
π	3396.287	+8.667	8.667			
-	3.322		3.011			
TP	3392.965					
+	11.310		11.513			
π	3404.275	+7.213	7.214			
-	4.097		4.299			
TP	3400.178					
+	8.427		8.261			
π	3408.605	+0.588	0.590			
-	7.839		7.671			
TBM P.O.T. 16 (Fd)	3400.766					TBM POT #16 EL 1'x2' Stk & Nail — F.B. 2631-58, 146
+	9.395		9.475			
π	3410.161	+7.656	7.658			
-	1.739		1.817			
TP	3408.422					

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO 0075.22 SURVEY OF MT. SPRINGS RD
DATE SURVEY BY MERKEY VG F.B. 2631 Pg. 147
NOTES CHK'D W. BACON NOTES BY E. MERKEY VG DATE FEB. 14, 61
DATE 5-17-61 INDEXED B. E. ON DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP.	3408.422					Pg 146
+	11.273		11.148			
⊼	3419.695	+9.726	9.727			
−	1.547		1.421			
TP	3418.148					
+	10.645		10.510			
⊼	3428.793	+7.721	7.718			
−	2.924		2.792			
TP	3425.869					
+	8.766		8.915			
⊼	3434.635	+4.381	4.381			
−	4.385		4.534			
TP	3430.250					
+	6.139		5.963			
⊼	3436.389	+3.173	3.172			
−	2.966		2.799			
TP	3433.423					
+	11.534		11.382			
⊼	3444.957	+9.406	9.486			
−	2.048		1.896			
TBM POT #18	3442.909					TBM POT #18 EL FB 2631-59,147
+	5.777		5.263			1"x2" Stk w/tail, Flush, on "P" Ln.
⊼	3448.686	+1.414	+1.415			
−	4.363		3.848			
TP	3444.323					
+	8.365		8.279			
⊼	3452.688	+3.810	3.814			
−	4.555		4.465			
TP	3448.133					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075-78 SURVEY OF MT SPRINGS RD NOTES RED.
SURVEY BY Mann, Key, Vc. DATE
NOTES BY Mann, Key, Vc. DATE Feb 14, 61 NOTES CHKD.
INDEXED DEON DATE

F.B. 263 / Pg. 148

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						PG 147
TP	3448.133					
+	11.491		11.241			
⊼	3459.624	8.958	+8.958			
−	2.533		2.283			
TP	3457.091					
+	10.122		10.314			
⊼	3467.213	+6.628	6.631			
−	3.494		3.683			
TP	3463.719					
+	9.743		9.523			
⊼	3473.462	+7.456	7.458			
−	2.287		2.065			
BM MS 2 EL	3471.175					BM MS #2 EL FB 263 I - 60 I 48
+	7.843		7.945			2" I.P. Brass Cap C.E. Button Type Mon Up 10"
⊼	3479.018	+6.499	6.499			199.98' South of P.O.T. #20, See PG 60.
−	1.344		1.486			2" I.P. Witness Post along side
TP	3477.674					
+	10.457		10.691			
⊼	3488.131	+9.456	9.458			
−	1.001		1.233			
TP	3487.130					
+	10.025		10.112			
⊼	3497.155	+7.488	7.489			
−	2.537		2.623			
TP	3494.618					
+	7.345		7.041	7.055		
⊼	3501.963	+3.314	3.320	3.315		
−	4.031		3.721	3.740		
TP	3497.932					

SEE PG. 199

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 007578 SURVEY OF Mt Springs Rd
DATE _____ SURVEY BY Markey VC
NOTES CHKD W. BACON NOTES BY E. Sett VC DATE Feb 14, 1961
DATE 5-17-61 INDEXED _____ H. E. Ott DATE _____

F.B. 2631 Pg. 149

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3497.932					Pg 148
+	1828		4.917			
π	3502.760	+1.329	1.331			
-	3.199		3.586			TBM "P" PT #22 EL FB 2631-61/149
(Pd) TBM "P" PT #22	3499.261					1"x2" Stk & Nail on "P" PT #22 See Pg 61
+	9.304		9363			
π	3508.565	+8.541	8.542			
-	0 763		0.821			
TP	3507.802					
+	11.512		11.793			
π	3519.314	+9.587	9.588			
-	1.925		2.205			
TP	3517.389					
+	11.721		11.427			
π	3529.110	+9.369	9.374			
-	2.352		2.053			
TP	3526.758					
+	11.884		11.666	11.914		
π	3538.642	+10.259	10.247	10.257		
-	1.625		1.919	1657		
TP	3537.017					
+	11.941		11.844			
π	3548.958	+10.452	10.450			
-	1.489		1.394			
TP	3547.469					
+	11 550		11.779			
π	3559.019	9.626	9.626			
-	1.924		2153			
(Fd) BM MS-3	3557.095					BM MS #3 EL FB 2631-61-149 2" IP Range Cor. S.E. Burton Tract Mon. up 6" in a small 24" W of PM 22 See Pg 61 2" IP witness post along side

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.28 SURVEY OF MT. SPRINGS Rd. NOTES RED. DATE
SURVEY BY Mackey Jr. NOTES CHKD. DATE
NOTES BY Swafford DATE Feb. 15, 61
INDEXED H.E. Ott DATE

F.B. 2631 PG. 150

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						PG. 149
BM	3557.095					
+	2.551		2.500			
π	3559.646	- 8.961	8.959			
-	11.512		11.459			
TP	3548.134					
+	2.079		1.968			
π	3550.213	- 9.627	9.627			
-	11.706		11.595			
TP	3538.507					
+	1.522		1.322			
π	3540.029	- 9.651	9.651			
-	11.173		10.973			
TP	3528.856					
+	11.521		11.795			
π	3540.377	+ 10.973	10.977			
-	0.548		0.821			
TP	3539.829					
+	9.677		9.475			
π	3549.506	+ 3.671	3.667			
-(adj)	6.006		5.808			
P.PT. # 24	3543.500					TBM P.PT. # 24 FB 2631-61-150
+	11.659		11.764			1x2 STK. & NAIL AT P. PT. # 24 Desc. # 61
π	3555.159	+11.247	11.245			
-	0.412		0.519			
TP	3554.747					
+	11.827		11.683			
π	3566.574	+10.838	10.838			
-	0989		0.845			
TP	3565.585					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 5578 SURVEY OF Mt. Spr. Rd.
DATE _____ SURVEY BY C. L. WRIGHT
NOTES CHKD W. BACON NOTES BY C. L. W. DATE 29 MARCH 1961
DATE 5-17-61 INDEXED H. E. OTT DATE

F. B. 263 Pg. 151

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3565.585					
+	11.181		10.965			
T	3576.766	+10.453	10.451			
−	0.728		0.514			
TP	3576.038					
+	3.626		3.878			
T	3579.664	+2.208	2.207			
−	1.418		1.671			
PPT #26	3578.246					T.B.M. #26 1x2 NAIL - P.K.
+	3.173		2.957			
T	3581.419	− 7.931	− 7.929			
−	11.104		10.886			
TP	3570.315					
+	5.026		4.936			
T	3575.341	− 6.052	− 6.051			
−	11.078		10.987			
TP	3564.263					
+	4.062		3.964			
T	3568.325	− 6.889	− 6.893			
−	10.951		10.857			
TP	3557.374					
+	5.231		5.082			
T	3562.605	− 1.202	− 1.202			
−	6.433		6.284			
TP	3556.172					
+	3.003		2.757			
T	3559.175	− 6.272	− 6.270			
−	9.275		9027			
TP	3549.900					

768420 S & E-353-9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00 75.78 SURVEY OF MT. SPR. RD. NOTES RED.
SURVEY BY C.L. WRIGHT DATE NOTES CHKD.
NOTES BY C.L.W. DATE 24 MARCH '61 NOTES CHKD.
INDEXED DATE DATE

F.B. 263 / PG. 152

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T P	3549.900					
+	1.955		1.854			
π	3551.855	- 6.893	- 6.892			
−	8.848		8.746			
P # 28	3543.007					FD 1X2 "NAIL PG. 63 FLUSH
+	4.654		4.558			
π	3547.661	+ 0.051	+ 0.053			
−	4.603		4.505			
T P	3543.058					
+	7.299		7.188			
π	3550.357	- 0.517	- 0.516			
−	7.816		7.704			
T.P.	3542.541					
+	0.556		0.459			
π	3543.097	- 8.981	- 8.984			
−	9.540		9.443			
T P	3533.557					
+	5.900		5.760			
π	3539.457	+ 0.432	+ 0.433			
−	5.468		5.327			
B.M. M.S.4	3533.989					FD. C.E. BUTTON MON. - 2" I.P. BRASS CAP SET CONC. UP 6" MARKED - PG. 41
+	0.221		0.442			
π	3534.210	-11.042	-11.040			
−	11.263		11.482			
T.P.	3522.947					
+	0.290		0.381			
π	3523.237	-10.758	-10.760			
−	11.048		11.141			
T.P.	3512.189					

COUNTY ENGINEER B.M. M.S.4 R.E. 5869

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 007578 SURVEY OF Mt. Springs Rd.
DATE _____ SURVEY BY C.L. WRIGHT
NOTES CHKD. W. BACON NOTES BY R.C. BOWERS DATE 2-9 MARCH, 61
DATE 5-17-61 INDEXED H. E. OTT DATE _____

F.B. 2631 Pg. 153

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3512.189					
+	1.132		0.921			
⊼	35.13.321	-9.183	-9.183			
−	10.315		10.104			
T.P.	3503.006					
+	3.309		3.393			
⊼	3506.315	-3.933	-3.932			
−	7.242		7.325			
P#29	3499.073					Fd. 1x2 ¢N., Flush, Pg. 63
+	0.232		0.474			
⊼	3499.305	-10.340	-10.341			
−	10.572		10.815			
T.P	3488.733					
+	8.583		8.658			
⊼	3497.316	+4.245	+4.249			
−	4.338		4.409			
T.P.	3492.978					
+	11.577		11.800			
⊼	3504.555	+10.389	+10.389			
−	1.188		1.411			
T.P.	3503.367					
+	9.581		9.707			
⊼	3512.948	+4.505	+4.506			
−	5.076		5.201			
E#7	3507.872					Fd. 1x2 ¢N., Flush, Pg. 63, 42
+	4.158		4.465			
⊼	3512.030	+0.948	+0.944			
−	3.210		3.521			
T.P.	3508.820					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00775.78 SURVEY OF Mt Springs Rd. NOTES RED. ____
SURVEY BY C. L. WRIGHT DATE ____
NOTES BY R. E. ROGERS DATE 29 MARCH '61 NOTES CHKD. ____
INDEXED ____ DATE ____

F.B. 2631 PG. 154

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.
T.P.	3508.820				
+	9.958		10.158		
⊼	3518.778	+3.274	+3.274		
−	6.684		6.884		
T.P.	3512.094				
+	9.482		9.423		
⊼	3521.576	+6.843	+6.843		
−	2.639		2.580		
T.P.	3518.937				
+	9.518		9.461		
⊼	3528.455	+5.990	+5.990		
−	3.528		3.471		
T.P.	3524.927				
+	9.925		10.179	10.325	
⊼	3534.852	+3.599	+3.608	+3.602	
−	6.326		6.571	6.723	
¼Cor, B.M.	3528.526				
+	11.424		11.729		
⊼	3539.950	+10.878	+10.878		
−	0.546		0.851		
T.P.	3539.404				
+	11.751		11.874		
⊼	3551.155	+11.407	+11.406		
−	0.344		0.468		
T.P.	3550.811				
+	6.838		7.039		
⊼	3557.649	+0.228	+0.230		
−	6.610		6.809		
T.P.	3551.039				

DESCRIPTION

Fd. C.S. Br. Cap Mon., ¼ Cor. Sec. 17-20, T.5N. R.12W, Flush, Pg 42-44, F.B. 1684-40
Elev. Taken on S. Rim of Br. Cap.
2" I.R., Br. Cap set in Conc., Marked as Shown.

MSR-29

COUNTY SURVEYOR T.5N R.12W. 17 / 20 ¼ COR. R. E. 69

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 00 75.78 SURVEY OF MT. SPRINGS RD.
DATE SURVEY BY C.L. WRIGHT
NOTES CHKD. W. BACON NOTES BY R.C. BOWERS DATE 29 MARCH '61
DATE 5-17-61 INDEXED H. E. ON DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3551.039					
+	6.729		6.844			
=	3557.768	+2.425	+2.423			
−	4.304		4.421			
T.P.	3553.464					
+	3.679		3.490			
=	3557.143	−7.990	−7.990			
−	11.669		11.480			
T.P.	3545.474					
+	7.148		7.124			
=	3552.622	−4.573	−4.572			
−	11.721		11.696			
T.P.	3540.901					
+	0.945		1.115			
=	3541.846	−10.308	−10.307			
−	11.253		11.422			
P# 34	3530.593					Fd. 1X2 ¢ N., Flush, Pg. 64, 65
+	10.749		11.081			
=	3541.342	+3.110	+3.111			
−	7.639		7.970			
T.P.	3533.703					
+	11.895		11.809			
=	3545.598	+2.434	+2.433			
−	9.461		9.376			
T.P.	3536.137					
+	11.998		11.744			
=	3548.135	+11.260	+11.262			
−	0.738		0.482			
T.P.	3547.397					

F.B. 2631 Pg. 155

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00 75.78 SURVEY OF Mt. Springs Rd. NOTES RED. DATE
SURVEY BY C.L. Wright NOTES CHKD. DATE
NOTES BY E.C. Bowers DATE 29 March 61 DATE
INDEXED H.E. Ott

F.B. 2631 PG. 156

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	3547.397					
+	10.141		10.579			
⇗	3557.538	+ 6.820	+ 6.820			
−	3.321		3.759			
P* 35	3554.217					Fd. 1x2 ⌀ N., Flush, Pg. 65, 66
+	3.560		4.056			
⇗	3557.777	-7.369	- 7.372			
−	10.929		11.428			
T.P.	3546.848					
+	8.405		8.629			
⇗	3555.253	- 0.970	- 0.970			
−	9.375		9.599			
T.P.	3545.878					
+	0.285		0.350			
⇗	3546.163	- 7.199	- 7.200			
−	7.484		7.550			
P* 36	3538.679					Fd. 1x2 ⌀ N., Flush, Pg. 65, 66
+	5.570		5.728			
⇗	3544.249	- 0.147	- 0.145			
−	5.717		5.873			
B.M. M.S-5	3538.532					Fd. 2" I.P., Conc. Plug, Ship Spk., ⌀ W, Up 10" Pg. 66
+	6.346		6.420			
⇗	3544.878	+2.765	+2.763			
−	3.581		3.657			
T.P.	3541.297					
+	1.728		2.121	2.543		
⇗	3543.025	- 9.440	- 9.429	-9.430		
−	11.168		11.550	11.973		
T.P.	3531.857					

+.011

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 20 75.78 SURVEY OF Mt. Springs Rd.
DATE _____ SURVEY BY C. L. WRIGHT
NOTES CHKD W. RACON NOTES BY R. C. BOWERS DATE 29 MARCH, 61
DATE 5-17-61 INDEXED H. E. OTT DATE

F. B. 2631 Pg. 157

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3531.857					
+	6.561		6.716			
=	3538.418	-4.660	-4.662			
-	11.221		11.378			
T.P.	3527.197					
+	1.872		2.141			
=	3529.069	-8.248	-8.248			
-	10.120		10.389			
P# 37	3518.949					Fd. 1x2 # N, Flush, Pg. 46
+	0.360		0.427			
=	3519.309	-11.441	-11.442			
-	11.801		11.869			
T.P.	3507.508					
+	0.210		0.435			
=	3507.718	-10.941	-10.941			
-	11.151		11.376			
T.P.	3496.567					
+	0.663		0.719			
=	3497.230	-10.316	-10.319			
-	10.979		11.038			
T.P.	3486.251					
+	0.671		0.538	0.669		
=	3486.922	-10.659	-10.651	-10.650		
-	11.330		11.189	11.319		
T.P.	3475.592					
+	5.802		5.957	5.939		
=	3481.394	+5.361	+5.354	+5.353		
-	0.441		0.603	0.586		
T.P.	3480.953					

+.0008 N.G.

-.008 N.G.

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 75.78 SURVEY OF Mt. Springs Rd. NOTES RED.
SURVEY BY C. L. WRIGHT DATE
NOTES BY R. C. BOWERS DATE 29 MARCH 61 NOTES CHKD.
INDEXED B. E. ON DATE DATE
F.B. 2631 PG. 158

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.
T.P.	3480.953				
+	0.880		1.038		
⊼	3481.833	- 5.224	-5.224		
−	6.104		6.262		
T.P.	3475.729				
+	5.467		5.671	5.660	
⊼	3481.196	- 0.184	- 0.143	- 0.184	
−	5.651		5.814	5.844	
B.M., Sec. Cor.	3475.545				
+	1.737		1.646		
⊼	3477.282	- 6.680	- 6.680		
−	8.417		8.326		
T P	3468.865				
+	1.526		1.404		
⊼	3470.391	- 9.229	- 9.229		
−	10.755		10.633		
T. P.	3459.636				
+	2.310		2.187		
⊼	3461.946	- 6.343	-6.345		
−	8.653		8.532		
H # 1	3453.293				
+	0.200		0.234		
⊼	3453.493	- 11.013	- 11.011		
−	11.213		11.245		
T. P.	3442.280				
+	1.731		1.572		
⊼	3444.011	- 9.534	- 9.534		
−	11.265		11.106		
T.P.	3432.746				

DESCRIPTION

M.T.P.

MSR-26

Fd. Sec. Cor. 17, 18, 19, 20. C. S. Br. Cap Mon., 2" I.P. Set in Conc. Dn. 8" Elev. taken on S.W. Rim of Br. Cap. Pg. 52, 66
F.B. 1684-16, C.S.-B 2611
Marked as shown

COUNTY SURVEYOR
T. 5 N
R. 12 W.
18 | 17
19 | 20
R. E. 69

Fd. 1x2 ¢ N., Flush, Pg. 52

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 00 75.78 SURVEY OF Mt. Springs Rd.
DATE SURVEY BY C. L. WRIGHT
NOTES CK'D W. BACON NOTES BY R. C. BOWERS DATE 30 MARCH '61
DATE 5-17-61 INDEXED H. E. ON DATE

F.B. 2631 Pg. 152

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T. P.	3432.746					
+	10.045		9.882			
Λ	3442.791	+ 8.678	+ 8.676			
−	1.367		1.206			
T. P.	3441.424					
+	3.935		3.851			
Λ	3445.359	−3.679	− 3.674			
−	7.614		7.525			
P-40	3437.745					Fd. 1X2 #N., Flush, Pg. 53, 88
+	1.847		1.780			
Λ	3439.592	− 4.912	− 4.913			
−	6.759		6.693			
H-3	3432.833					Fd 1X2 #N, Flush, Pg. 53
+	0.221		0.302			
Λ	3433.054	−10.692	−10.692			
−	10.913		10.994			
T.P.	3422.141					
+	1.972		2.428			
Λ	3424.113	9.077	−9.072			
−	11.049		11.500			
T.P.	3413.064					
+	0.288		0.483			
Λ	3413.352	−8.681	−8.682			
−	8.969		9.165			
T.P.	3404.383					
+	11.959		11.908	11.929		
Λ	3416.342	+11.633	+11.626	+11.629		
−	0.326		0.282	0.300		
T.P.	3416.016					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 8075.78 SURVEY OF Mt. Springs Rd. NOTES RED. DATE
SURVEY BY C. L. Wright NOTES CHKD. DATE
NOTES BY R. C. Bowers DATE 30 March '61 DATE
INDEXED B. E. Oil

F.B 263 Pg. 160

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.
T.P.	3416.016				
+	11.082		11.248		
⊼	3427.098	+10.510	+10.508		
−	0.572		0.740		
T.P.	3426.526				
+	9.926		10.172		
⊼	3436.452	+8.625	+8.621		
−	1.301		1.551		
B.M.M.S.6	3435.151				
+	0.240		0.504		
⊼	3435.391	-10.231	-10.236		
−	10.471		10.740		
T.P.	3424.920				
+	0.403		0.561		
⊼	3425.323	-8.362	-8.361		
−	8.765		8.922		
T.P.	3416.558				
+	7.061		7.149		
⊼	3423.619	+5.700	+5.701		
−	1.361		1.448		
T.P.	3422.258				
+	11.540		11.629		
⊼	3433.798	+10.559	+10.559		
−	0.981		1.070		
T.P.	3432.817				
+	11.439		11.611		
⊼	3444.256	+10.817	+10.816		
−	0.622		0.795		
T.P.	3443.634				

DESCRIPTION

Fd. C.E. Button BM Cap Mon. 2" I.P. Set in Conc., Up 12" in Mound of Rock Pg. 88. Marked as shown

COUNTY ENGINEER BM • M.S. 6 R.E. 5869

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3443.634					
+	4.539		4.653			
⊼	3448.173	+1.675	+1.673			
−	2.864		2.980			
P#43	3445.309					Fd. 1X2"N., Flush, Pg. 88, 89
+	8.244		8.375			
⊼	3453.553	+1.770	+1.770			
−	6.474		6.605			
T.P.	3447.079					
+	5.992		6.146			
⊼	3453.071	+4.602	+4.601			
−	1.390		1.545			
T.P.	3451.681					
+	9.720		9.875			
⊼	3461.401	+3.598	+3.595			
−	6.122		6.280			
T.P.	3455.279					
+	11.468		11.667			
⊼	3466.747	+9.800	+9.801			
−	1.668		1.866			
T.P.	3465.079					
+	11.605		11.774			
⊼	3476.684	+10.923	+10.925			
−	0.682		0.849			
T.P.	3476.002					
+	11.895		11.754			
⊼	3487.897	+9.565	+9.565			
−	2.330		2.189			
B.M. M.S.7	3485.567	✓				Fd. C.E. Button Brass Cap Mon. on 2" I.P. set in Conc. up 6" Pg. 89. Marked as Shown.

COUNTY ENGINEER B.M. M.S.7 R.E. 5869

NOTES RED. JOB NO. 00 75.78 SURVEY OF MT. SPRINGS RD.
DATE 5-17-61 SURVEY BY C.L. WRIGHT
NOTES CHKD. W. BACON NOTES BY R.C. BOYERS DATE 30 MARCH 61
DATE 5-17-61 INDEXED H.E. OTT DATE

F. B. 2631 Pg. 161

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 75.78 SURVEY OF Mt. Springs Rd NOTES RED. DATE
SURVEY BY C. L. WRIGHT
NOTES BY J.R. Fenton DATE 30 March '61 NOTES CHKD. DATE
INDEXED B.E. Ott DATE

F.B. 263/ Pg. 162

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. N.S.-7	3485.567					Fd. C.E. Button Br. Cap Mon. on 2" I.P., Set in Conc. up 6" Pg. 69 Marked as Shown.
+	0.574		0.496			
⊼	3486.141	- 10.829	- 10.829			
−	11.403		11.325			
T.P.	3474.738					
+	0.499		0.410			
⊼	3475.237	- 6.448	- 6.446			
−	6.947		6.856			
T.P.	3468.290					
+	0.188		0.262			
⊼	3468.478	-11.586	-11.582			
−	11.774		11.844			
T.P.	3456.704					
+	0.706		0.658			
⊼	3457.410	-10.950	- 10.949			
−	11.656		11.607			
T.P.	3445.754					
+	0.181		0.254			
⊼	3445.935	- 11.000	- 10.998			
−	11.181		11.252			
T.P.	3434.754					
+	0.482		0.546			
⊼	3435.236	-10.298	- 10.297			
−	10.780		10.843			
T.P.	3424.456					
+	0.835		0.746	0.679		
⊼	3425.291	-10.458	- 10.467	- 10.466		
−	11.293		11.213	11.145		
T.P.	3413.998					

COUNTY ENGINEER B.M. N.S.7 R.E. 5869

768420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. _____ JOB NO. 00 75.78 SURVEY OF Mt. Springs Rd.
DATE _____ SURVEY BY C.L. WRIGHT
NOTES CHKD. W. BACON NOTES BY J.R. FULTON DATE 30 March '61
DATE 5-17-61 INDEXED _____ DATE _____

F.B. 2631 Pg. 163

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3413.998					
+	0.461		0.384			
π	3414.459	-10.457	-10.458			
−	10.918		10.842			
T.P.	3403.541					
+	0.186		0.247			
π	3403.727	- 8.138	- 8.137			
−	8.324		8.384			
T.P.	3395.403					
+	0.378		0.453			
π	3395.781	-7.057	- 7.055			
−	7.435		7.508			
T.P.	3388.346					
+	2.354		2.287			
π	3390.700	- 8.431	- 8.432			
−	10.785		10.719			
P-48	3379.915					FD. 1X2 + N. FLUSH Pg. 91
+	1.134		1.064			
π	3381.049	-9.358	- 9.359			
−	10.492		10.423			
T.P.	3370.557					
+	0.187		0.246			
π	3370.744	- 10.094	-10.093			
−	10.281		10.339			
T.P.	3360.463					
+	0.513		0.579			
π	3360.976	-11.015	- 11.017			
−	11.528		11.593			
T.P.	3349.448					

765420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00 75 78 SURVEY OF MT. SPRINGS RD. NOTES RED.
SURVEY BY C. L. WRIGHT DATE
NOTES BY J. R. FULTON DATE 30 MARCH '61 NOTES CHKD.
INDEXED H. E. OTT DATE

F.B. 2631 PG. 164

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T. P.	3349.448					
+	0.883		0.790			
π	3350.331	-6.358	-6.357			
−	7.241		7.147			
T. P.	3343.090					
+	5.212		5.305			
π	3348.302	-2.899	-2.899			
−	8.111		8.204			
B.M. M.S.-8	3340.191					FD. C.E. BUTTON BR. CAP MON. ON 2" I.P., SET
+	0.403		0.534			IN CONC. UP 6" Pg. 74 Marked as shown.
π	3340.594	-10.241	-10.240			
−	10.644		10.774			
T.P.	3329.950					
+	0.602		0.788			
π	3330.552	-7.303	-7.301			
−	7.905		8.089			
T.P.	3322.647					
+	0.831		1.024			
π	3323.478	-7.055	-7.054			
−	7.886		8.078			
T.P.	3315.592					
+	0.818		1.125			
π	3316.410	-7.771	-7.775			
−	8.589		8.900			
T.P.	3307.821					
+	2.194		2.263			
π	3310.015	-6.550	-6.551			
−	8.744		8.814			
P* 53	3301.271					Fd. Ship Spk., P.W., Dp. 1", Pg. 92,93

COUNTY ENGINEER
B.M.
M.S.8
E. 5869
R.13W R.12W

76S420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. _____ JOB NO. 00 75.78 SURVEY OF Mt. Springs Rd.
DATE _____ SURVEY BY C.L. WRIGHT
NOTES CK'D. BACON NOTES BY E.C. BAYLESS DATE 30 MARCH '61
DATE 5-17-61 INDEXED _____ DATE _____

F.B. 263 PG. 165

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P# 53	3301.271					Fd. Ship Spk. & W., Dn. 1", Pg. 92,93
+	0.629		0.960			
⊼	3301.900	-10.350	-10.346			
−	10.979		11.306			
T.P.	3290.921					
+	0.281		0.523			
⊼	3291.202	-8.809	-8.807			
−	9.090		9.330			
T.P.	3282.112					
+	9.651		9.759			
⊼	3291.763	+8.865	+8.869			
−	0.786		0.890			
T.P.	3290.977					
+	11.619		11.569			
⊼	3302.596	+11.343	+11.342			
−	0.276		0.227			
T.P.	3302.320					
+	11.004		10.858			
⊼	3313.324	+5.401	+5.403			
−	5.603		5.455			
T.P.	3307.721					
+	7.449		7.593			
⊼	3315.170	+0.661	+0.661			
−	6.788		6.932			
P# 54	3308.382					Fd 1½" I.P. & Wood Plug & Tag Dn. 8", Pg. 93
+	6.170		6.324			Elev. taken on W. Edge of Tag.
⊼	3314.552	+2.425	+2.425			
−	3.745		3.899			
T.P.	3310.807					

769420 353 8-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 00 75.78 SURVEY OF Mt. Springs Rd. NOTES RED.
SURVEY BY C.L. Wright DATE
NOTES BY R.C. Bowers DATE 30 March '61 NOTES CHKD.
INDEXED D.E.O.M. DATE
F.B. 263 Pg. 166

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3310.807					
+	5.004		5.103			
∧	3315.811	-0.145	-0.145			
−	5.149		5.248			
T.P.	3310.662					
+	4.072		3.870			
∧	3314.734	+3.258	+3.257			
−	0.814		0.613			
T.P.	3313.920					
+	9.726		9.909			
∧	3323.646	+9.445	+9.446			
−	0.281		0.463			
T.P.	3323.365					
+	8.865		8.706			
∧	3332.230	+8.294	+8.296			
−	0.571		0.410			
T.P.	3331.659					
+	11.061		11.208			
∧	3342.720	+10.851	+10.849			
−	0.210		0.359			
T.P.	3342.510					
+	8.026		8.170			
∧	3350.536	+3.145	+3.142			
−	4.881		5.028			
B.M. M.S.-9	3345.655					F.D.C.E. Button Br. Cap Mon. on 2" I.P. Set in Conc., up 5" Pg. 94, 178, 224 Marked as shown. Crown Valley

COUNTY ENGINEER
B.M.
M.S. 9
R.E. 5869

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 2075.78 SURVEY OF Mt. & SOR. Rd.
DATE _____ SURVEY BY C.L.W. WRIGHT
NOTES CHKD. W. BACON NOTES BY C.L.W. DATE 19 APRIL 1961
DATE 5-17-61 INDEXED _____ DATE _____ DATE _____

F. B 263 / Pg. 167

BENCH LEVELS FROM B.M. MS. 19A NORTH'LY TO B.M. MS. 9.

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. MS. 19A.	2708.214					FD. C.S. MON. 2" I.P. BRASS CAP SET CONC. @ S.W. COR. SCHOOL LOT - SOLEDAD AGUA DULCE UNION SCHOOL - FLUSH MARKED
+	5.032		4.908			
T	2713.246	+ 1.027	+ 1.022			
−	4.005		3.886			
T.P.	2709.241					
+	6.917		6.752			
T	2716.153	+ 4.030	+ 4.030			
−	2.887		2.722			
T.P.	2713.271					
+	7.539		7.623			
T	2720.870	+ 6.012	+ 6.014			
−	1.587		1.679			
T.P.	2719.283					
+	8.135		8.211			
T	2727.418	+ 6.296	+ 6.244			
−	1.552		1.967			
T.P.	2725.529					
+	8.757		8.677			
T	2734.286	+ 7.193	+ 7.192			
−	1.564		1.435			
T.P.	2732.722					
+	9.568		9.441			
T	2742.290	+ 7.251	7.250			
−	2.317		2.191			
T.P.	2739.973					

SEE PG. 202
ELEV. TAKEN ON N.W. RIM OF BRASS CAP

COUNTY SURVEYOR
LOT
R.E. 21

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF MT. SPR. RD.
SURVEY BY C. L. WRIGHT
NOTES BY C. L. W. DATE 19 APRIL 1961
INDEXED H. E. OTT DATE

NOTES RED. DATE
NOTES CHKD. DATE

F.B. 2631 PG. 168

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	2739.973					
+	6.450		6.336			
↑	2746.423	+ 4.935	+ 4.938			
−	1.515		1.398			
TBM	2744.908					SET SHP SPK & T. IN E. SIDE PP# 536172E. (W. SIDE CROWN VALLEY RD.)
+	5.415		5.271			
↑	2750.323	+ 1.594	+ 1.593			
−	3.621		3.678			
TP	2746.502					
+	7.408		7.293			
↑	2753.910	+ 4.812	+ 4.810			
−	2.596		2.482			
TP	2751.314					
+	6.789		6.696			
↑	2758.103	+ 2.150	+ 2.150			
−	4.639		4.546			
TP	2753.464					
+	7.065		6995			
↑	2760.529	+ 3.382	+ 3.383			
−	3.683		3.612			
TP	2756.846					
+	8.836		8.722			
↑	2765.682	+ 6.490	+ 6.489			
−	2.346		2.233			
TP	2763.336					
+	6.522		6.365			
↑	2769.858	+ 4.519	+ 4.518			
−	2.003		1.847			
TBM	2767.855					SET SHP SPK & T. IN E. SIDE PP# 536169E ON W. SIDE CROWN VALLEY RD.

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0075.78 SURVEY OF N/T. SPR. RD.
DATE _____ SURVEY BY C. L. WRIGHT
NOTES CHKD. BACON NOTES BY C. L. W. DATE 19-APRIL/961
DATE 5-12-61 INDEXED H. E. OTT DATE

F. B. 263/ Pg. 69

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TBM	2767.855					
+	7.702		7.627			
T	2775.557	+6.648	+ 6.647			
−	1.054		0.980			
TP	2774.503					
+	11.698		11.608			
T	2786.201	+11.121	+ 11.120			
−	0.577		0488			
TP	2785624					
+	9.917		9.884			
T	2795.601	+6.013	+ 6.011			
−	3.964		3.973			
TP	2791.637					
+	7.326		7.212			
T	2798.963	+ 4.730	+ 4.728			
−	2.596		2.484			
TP	2796.367					
+	7.562		7.461			
T	2803.929	+ 5.680	+ 5.680			
−	1.832		1.781			
TP	2802.047					
+	8.377		8.239			
T	2810.424	+ 7.026	+ 7.026			
−	1.351		1.213			
TP	2809.073					
+	8.250		8.238			
T	2817.323	+ 7.956	+ 7.957			
−	0.294		0.281			
TBM	2817.029					SET SPK SPK IN E. SIDE P.P.H 120 549E W.

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF MT. SAC. RD. NOTES RED. ____ DATE ____
SURVEY BY C.L. WRIGHT NOTES CHKD. ____ DATE ____
NOTES BY C.L.W. DATE 19 APRIL 1961
INDEXED H. E. OTT DATE ____

F.B. 2631 PG. 170

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M.	2817.029					SET SPIKE & TAG AT 1 IN E. SIDE W. SIDE CROWN VALLEY RD. PP# 1201549E
+	6.616		6.518			
⊼	2823.645	+ 4.939	+ 4.940			
−	1.677		1.578			
T P	2821.968					
+	8.953		8.373			
⊼	2830.921	+ 8.067	+ 8.866			
−	0.886		0.807	0.007		
T P	2830.035					
+	10.100		9.983			
⊼	2840.135	+ 7.858	+ 7.858			
−	2.242		2.131			
T P	2837.893					
+	9.291		9.172			
⊼	2847.184	+ 8.279	+ 8.281			
−	1.012		0.891			
T P	2846.172					
+	9.542		9.399			
⊼	2855.714	+ 8.378	+ 8.377			
−	1.164		1.022			
T P	2854.550					
+	9.698		9.783			
⊼	2864.248	+ 9.424	+ 9.423			
−	0.274		0.360			
I B M	2863.974					SET SPIKE & TAG IN E. SIDE P.P. 911301E
+	8.719		8.570			
⊼	2872.693	+ 6.737	+ 6.737			
−	1.982		1.833			
T P	2870.711					

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0075.78 SURVEY OF MT. SPR. RD.
DATE _____ SURVEY BY C. L. WRIGHT
NOTES CKD. W. BACON NOTES BY C. L. W. DATE 9 APRIL 1961
DATE 5-12-61 INDEXED H. E. OH DATE _____ DATE _____

F. B. 2631 Pg. 171

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T P	2870.711					
+	9.263		9.114			
⊼	2879.974	+ 8.096	+ 8.092			
−	1.167		1.022			
T P	2878.307					
+	8.809		8.690			
⊼	2887.616	+ 8.425	+ 8.427			
−	0.384		0.263			
T −	2887.232					
+	6.996		6.897			
⊼	2894.228	+ 5.460	+ 5.459			
−	1.536		1.433			
T.B.M.	2892.692					SET SKIP SPK & T. IN E. SIDE PP # 825996E N.W. OF INT. CROWN VALLEY RD & CEDRAL ST.
+	6.431		6.274			
⊼	2899.123	+ 5.496	+ 5.490			
−	0.935		0.778			
T P	2898.188					
+	9.461		9.372			
⊼	2907.649	+ 8.869	+ 8.869			
−	0.592		0.503			
T P	2907.057					
+	9.162		9.001			
⊼	2916.219	+ 7.564	+ 7.564			
−	1.598		1.437			
T P	2914.621					
+	8.964		9.061			
⊼	2923.585	+ 7.375	+ 7.374			
−	1.589		1.687			
T.B.M.	2921.996					SET SKIP SPK & T. IN E. SIDE P.P. # 836157E ON W. SIDE CROWN VALLEY RD.

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED ENK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00075.78 SURVEY OF Mt. Spr. Rd. NOTES RED.
SURVEY BY C. L. Wright DATE
NOTES BY C. L. W. DATE 19-April-1961 NOTES CHKD.
INDEXED d. e. UP DATE DATE
F.B. 263/Pg. 172

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.
TPM	2921.996				
+	10.012		9.902		
Π	2932.008	+ 8.702	+ 8.703		
-	1.310		1.199		
TP	2930.698				
+	9.211		9.308		
Π	2939.909	+ 8.689	+ 8.690		
-	0.522		0.618		
TP	2939.387				
+	10.408		10.246		
Π	2949.795	+ 8.675	+ 8.673		
-	1.733		1.573		
TP	2948.062				
+	10.534		10.376		
Π	2958.596	+ 8.412	+ 8.412		
-	2.122		1.964		
T.P.	2956.474				
+	9.488		9.383		
Π	2965.962	+ 7.795	+ 7.796		
-	1.693		1.587		
B.M.	2964.269				
+	9.964		9.825		
Π	2974.233	+ 9.580	+ 9.581		
-	0.384		0.244		
TP	2973.849				
+	8.902		8.729		
Π	2982.751	+ 7.981	+ 7.980		
-	0.921		0.749		
TP	2981.830				

DESCRIPTION

S R.D.#536 1572

F.D. C.S., R/W MON. @ N.E. COR. INT. SIERRA HI-WAY & GOV. MINE RD. (ACTON JCT.) ELEV. TAKEN ON S.W. RIM OF BRASS CAP. (2" I.P. BRASS CAP SET CONC. FLUSH.) MARKED

COUNTY SURVEYOR R/W R.E 2

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 00785 '78 SURVEY OF Mt. Spk. Rd.
DATE _____ SURVEY BY C.L.L. WRIGHT
NOTES CHKD. L.W. BACON NOTES BY C.L.W. DATE 13-APRIL-1961
DATE 5-17-61 INDEXED H.E. OTT DATE

F.B. 2763 Pg. 173

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	2981.830					
+	8.305		8.138			
π	2990.135	+7.328	+ 7.329			
−	0.977		0.809			
T.B.M.	2989.158					SET SHIP SPK. & T. 111 E. SIDE PP# 5B61SIE ON W. SIDE GOV. MINE RD.
+	5.949		5.818			
π	2995.107	+ 4.119	+ 4.119			
−	1.330		~~1.709~~	1.699		
TP	2993.277					
+	9.525		9.687			
π	3002.802	+8.666	+ 8.668			
−	0.859		1.019			
T.P.	3001.943					
+	9.066		8.929			
π	3011.009	+8.262	+ 8.264			
−	0.804		0.665			
T.P.	3010.205					
+	9.170		9.289	9.071		
π	3019.375	+ 8.190	+ 8.198	+ 8.191		
−	0.980		1.091	0.880		
T.P.	3018.395					
+	6.993		7.137			
π	3025.388	+ 5.233	+ 5.236			
−	1.760		1.901			
TBM	3023.628					
+	5.672		5.770			SET SHIP SPK & T. IN E. SIDE P.P.# 134769E (SOUTH POLE OF TRANSFORMER BANK) W. SIDE GOV. MINE RD.
π	3029.300	+ 4.491	+ 4.494			
−	1.181		1.276			
TP	3028.119					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00735.78 SURVEY OF MT. SPR. RD. NOTES RED. DATE
SURVEY BY C. L. WRIGHT NOTES CHKD. DATE
NOTES BY C. L. W. DATE 19-APRIL 1961
INDEXED E. OTT DATE
F.B. 263 PG. 174

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3028.119					
+	9.119		9.242			
⊼	3037.238	+8.630	+8.631			
−	0.489		0611			
T.P.	3036.749					
+	11.023		11.129			
⊼	3047.772	+10.713	+10.710			
−	0.310		0.419			
T.P.	3047.462					
+	11.098		10.962	10.849		
⊼	3058.560	+10.038	+10.032	10.036		
−	1.060		0.930	0.813		
TP	3057.500					
+	9.856		9.721			
⊼	3067.356	+8.275	+8.272			
−	1.581		1.449			
TP	3065.775					
+	8.111		7.960			
⊼	3073.886	+7.290	+7.290			
−	0.821		0.670			
TP	3073.065					
+	9.021		9.158			
⊼	3082.086	+7.279	+7.279			
−	1.742		1.870			
TBM	3080.344					SET CHIS SPK & T, IN E. SIDE P.P. # 536146E ON W. SIDE GOV. MINE RD.
+	3.774		3.641			
⊼	3084.118	+2.481	+2.479			
−	1.293		1.162			
TP	3082.825					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 00757.78 SURVEY OF Mt. Spr. Rd.
DATE 5-17-61 SURVEY BY C. L. WRIGHT
NOTES BY C. L. W. DATE 2-APRIL-1961
DATE 5-17-61 INDEXED H. E. ON DATE
F.B. Pg. 175

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3082.825					
+	9.818		9.642			
T	3092.643	+9.315	+ 9.316			
−	0.503		0.326			
TP	3092.140					
+	11.471		11.574			
T	3103.611	+11.144	+ 11.147			
−	0.327		0.427			
TP	3103.284					
+	11.946		11.824			
T	3115.230	+11.104	+ 11.101			
−	0.842		0.723			
TP	3114.388					
+	11.842		11.894			
T	3126.230	+11.600	+11.599			
−	0.242		0.295			
TP	3125.988					
+	11.984		11.850			
T	3137.972	+10.502	10.506			
−	1.482		1.344			
TP	3136.490					
+	9.474		9.398			
T	3145.964	+8.659	+8.658			
−	0.515		0.740			
T.P.	3145.149					
+	8.333		8.294			
T	3153.482	+6.239	+ 6.241			
−	2.094		2.053			
BM G.M.1	3151.388					

COUNTY ENGINEER B.M. G.M.1 R.E. 5869

MARKED

(BM G.M.1 SET C.E. BUTTON MON. 2" I.P. BRASS CAP SET CONC. UP 6" FROM INT. SIERRA NI-WAY & GOVERNOR MINE RD. (ACTON JCT.) 0.57 MI. NORTH, ON W. SIDE GOV. MINE RD. 12'± SOUTH OF P.P.# 536-143E & ON LINE WITH POWER POLES.
ALSO SET 2" I.P. MARKER PIPE 2' SOUTH OF MON.

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00 75.78 SURVEY OF Mt. Spr. Rd.
SURVEY BY C.L. Wright
NOTES BY C.L.W. DATE 20-April-1961
INDEXED H.E.O.T. DATE
NOTES RED. DATE
NOTES CHKD. DATE
F.B. 2631 PG. 176

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.
BMGM1	3151.388				
+	8.655		8.869		
T	3160.043	+7.155	+7.158		
−	1.500		1.711		
TP	3158.543				
+	11.939		11.744		
T	3170.482	+10.966	+10.962		
−	0.973		0.782		
TP	3169.509				
+	11.209		11.314		
T	3180.718	+10.681	+10.683		
−	0.528		0.631		
TP	3180.190				
+	11.491		11.700	11.808	
T	3191.681	+10.988	+10.982	10.981	
−	0.503		0.718	0.827	
TP	3191.178				
+	11.356		11.462		
T	3202.534	+11.021	11.020		
−	0.335		0.442		
TP	3202.199				
+	11.424		11.233	11.340	
T	3213.623	+9.756	+9.762	9.757	
−	1.668		1.471	1.583	
TP	3211.955				
+	10.467		10.609		
T	3222.422	+8.066	+8.063		
−	2.401		2.546		
TP	3220.021				

DESCRIPTION

SET C.E. BUTTON MON.-2" I.P. BRASS CAP IN CONC. UP 6" MARKED AS SHOWN. FROM INT. SIERRA HI-WAY & GOV. MINE RD. (ACTON JCT.) 0.57 MI. NORTH ON WEST SIDE GOV. MINE RD. 12' I SOUTH OF P.P. # 536148E ℄ ON LINE WITH POWER POLES. ALSO SET 2" I.P. MARKER PIPE 2' SOUTH OF MON.

COUNTY ENGINEER B.M. • G.M. 1. R.E. 5869

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0075.78 SURVEY OF Alt. Spr. Rd.
DATE _____ SURVEY BY C.L. WRIGHT
NOTES DRK W. BACON NOTES BY C.L.W. DATE 20 APRIL 1961
DATE 5-17-61 INDEXED _____ DATE _____

F.B. 263/Pg. 177

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3220.021					
+	7.663		7.749			
π	3227.684	+ 7.074	+ 7.071			
−	0.589		0.678			
T.B.M.	3227.095					SET SHIP SPK. & T. IN E. SIDE P.P.# 955881E
+	11.509		11.632			
π	3238.604	+ 10.906	+ 10.904			
−	0.603		0.728			
T.P.	3238.001					
+	11.321		11.402			
π	3249.322	+ 11.037	+ 11.037			
−	0.284		0.365			
T.P.	3249.038					
+	11.951		11.803			
π	3260.989	+ 11.077	+ 11.074			
−	0.574		0.729			
T.P.	3260.115					
+	11.610		11.799	11.880		
π	3271.725	+ 11.312	+ 11.318	+ 11.318		
−	0.298		0.481	0.562		
T.P.	3271.427					
+	11.901		11.839			
π	3283.328	+ 11.581	+ 11.580			
−	0.320		0.259			
T.B.M.	3283.008					SET SHIP SPK. & T. E. SIDE P.P.# 536129E
+	11.318		11.179			
π	3294.326	+ 10.642	+ 10.641			
−	0.676		0.538			
T.P.	3293.650					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00 75.78 SURVEY OF Mt. San Rd. NOTES RED.
SURVEY BY C.L. Wright DATE
NOTES BY C.L.W. DATE 20-April 1961 NOTES CHKD.
INDEXED H.E. QM DATE DATE

F.B. 2631 PG. 178

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3293.650					
+	11.064		10.879			
⊼	3304.714	+ 8.940	+ 8.940			
−	2.124		1.939			
TP	3302.590					
+	11.455		11.249			
⊼	3314.045	+ 9.730	+ 9.728			
−	1.725		1.521			
TP	3312.320					
+	11.761		11.562			
⊼	3324.081	+ 8.677	+ 8.679			
−	3.084		2.883			
T.P.	3320.997					
+	6.403		6.310			
⊼	3327.400	+ 4.283	+ 4.284			
−	2.120		2.026			
T.B.M.	3325.280					2ET, MIDDLE K. F.T. IN E. SIDE P.P. # 955378E
+	11.971		11.779			
⊼	3337.251	+ 11.088	+ 11.089			
−	0.883		0.690			
TP	3336.368					
+	10.942		11.108			
⊼	3347.310	+ 8.432	+ 8.436			
−	2.510		2.672			
TP	3344.800					
+	6.242		6.024			
⊼	3351.042	0.802	0.803			
−	5.440		5.221			
B.M. M.S.9	3345.602					B.M. M.S. 9 FD. C.E. BRASS CAP MON. 2" I.P. BRASS CAP SET CONC. UP 5" PG 94, 66, 224

COUNTY ENGINEER B.M. M.S.9 R.E. 5869

Notes Ck'd by		Survey of	MT. SPRINGS Rd.	F. B.	263	Pg.	179
Map No.		JN	007578	Tape		Std	°F
Office Work		Surveyed by			
Checked		Notes		Date	
Date		Indexed			

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

78F3098 S&E #247 11-80

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2631 PG. 180

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 2075.28 SURVEY OF MT. SPR. RD.
DATE _____ SURVEY BY C. L. WRIGHT
NOTES CHKD W. BACON NOTES BY C. L. W DATE 4-APRIL '61
DATE 5-12-61 INDEXED _____ DATE _____ MAY 11 '61

F.B. 2631 Pg. 181

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	CHECK BETWEEN U.S.C.&G.S. B.M. H-53 & U.S.C.&G.S. B.M. B-487 US. 4769					
	US. 1406					
P.M. H-53	2697.865					FD. BRONZE DISK U.S.C.&G.S. STAMPED H 53 1926 1955 ADJ. ELEV. 2697.865 AT ACTON 0.1 MI. NORTHEAST ALONG THE SOUTHERN PACIFIC CO. RAILROAD FROM THE SECTION FOREMANS QUARTERS, AT THE CROSSING OF A PAVED ROAD, 103 FT. NORTHWEST OF AND ACROSS THE TRACK FROM MILE POST 42.4, 94.0 FT. SOUTHWEST OF THE SOUTH WEST CORNER OF A WOODEN RAILROAD BRIDGE, 57.8 FT. NORTHWEST OF THE NORTHWEST RAIL, 30.9 FT. NORTHEAST OF THE CENTERLINE OF THE ROAD, 3.4 FT. SOUTH OF A WITNESS POST, ABOUT LEVEL WITH THE TRACK, AND SET IN THE TOP OF A CONCRETE PROJECTING 0.6 FT ABOVE THE GROUND
+	5.394		4.103			
T	2703.259	- 2.606	- 2.603			
-	8.000		6.706			
T P	2695.259					
+	5.264		5.227			
T	2700.523	+ 0.895	+ 0.895			
-	4.369		4.332			
T.P.	2696.154					
+	5.855		5.732			
T	2702.009	+ 1.364	+ 1.365			
-	4.491		4.367			
T.P.	2697.518					
+	5.350		5.271			
T	2702.868	+ 0.995	+ 0.995			
-	4.355		4.276			
T.P.	2698.513					
+	6.356		6.338			
T	2704.869	+ 2.319	+ 2.318			
-	4.037		4.020			
T	2700.832					
+	5.736		5.646			
T	2706.568	+ 1.753	+ 1.754			
-	3.983		3.892			
T P	2702.585					

768/ 10 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0015.78 SURVEY OF Mt. Spr. Rd.
SURVEY BY C. L. WRIGHT
NOTES BY C. L. W. DATE 4-APRIL 1961
INDEXED H. E. OTT DATE
NOTES RED. DATE
NOTES CHKD. DATE

F. B. 2631 PG. 182

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T P	2702.585					
+	5.852		5.899			
⊼	2708.437	+ 1.346	+ 1.346			
−	4.506		4.553			
T P	2703.931					
+	5.819		5.711			
⊼	2709.750	+ 3.170	3.168			
−	2.649		2.543			
T.B.M.	2707.101					SET SPIKE & SHR. SP. IN S.E. SIDE TEL POLE (OLD SQ. CUT 8" × 8" POLE) S.E. OF INT. SOLEDAD CYN RD.
+	4.591		4.474			
⊼	2711.692	+ 0.519	+ 0.517			
−	4.072		3.957			
T.P.	2707.620					
+	8.117		8.056			
⊼	2715.737	+ 7.399	+ 7.396			
−	0.718		0.660			
T P	2715.019					
+	11.514		11.622			
⊼	2726.533	+ 10.177	+ 10.178			
−	1.337		1.443			
T.P.	2725.196					
+	7.534		7.702			
⊼	2732.730	+ 4.170	+ 4.169			
−	3.364		3.533			
T B M	2729.366					CUT ✠ TOP W. END S. H. WALL
+	10.713		10.576			
⊼	2740.079	+ 8.727	8.729			
−	1.986		1.847			
T P	2738.093					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0075.78 SURVEY OF MT. SPK. RD
DATE _____ SURVEY BY C.L. WRIGHT
NOTES CHKD. BACON NOTES BY C.L.W. DATE 4 APRIL 1961
DATE 3-10-61 INDEXED B.E.O.N. DATE

F.B. 263 / Pg. 183

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	2738.093					
+	9.669		9.777			
T	2747.762	+ 6.940	+ 6.442			
−	3.229		3.335			
T.P.	2744.533					
+	7.500		7.683			
T	2752.333	+ 5.166	+ 5.161			
−	2.634		2.527			
TP	2749.699					
+	7.671		7.585			
T	2757.370	+ 4.995	+ 4.998			
−	2.676		2.587			
TP	2754.694					
+	7.167		7.106			
T	2761.861	+ 4.480	+ 4.480			
−	2.687		2.626			
TP	2759.174					
+	7.283		7.373			
T	2766.457	+ 4.476	+ 4.476			
−	2.807		2.897			
TP	2763.650					
+	6.867		6.733	6.679		
T	2770.517	+ 3.611	+ 3.602	+ 3.597		
−	3.256		3.131	3.082		
T.P.	2767.261					
+	7.918		8.031			
T	2775.179	+ 3.846	+ 3.848			
−	4.072		4.183			
TP	2771.107					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF MT. SPR. RD. NOTES RED.
SURVEY BY C. L. WRIGHT DATE
NOTES BY C. L. W. DATE 4-APRIL 1961 NOTES CHKD.
INDEXED H. E. OD DATE

F.B. 2631 PG. 184

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.
T.P.	2771.107				
+	7.963		7.900		
=	2779.070	+4.912	+4.913		
-	3.051		2.987		
T.P.	2776.019				
+	5.791		5.884		
=	2781.810	+ 2.041	+ 2.043		
-	3.750		3.841		
T.P.	2778.060				
+	2.947		3.100		
=	2781.007	- 8.127	- 8.126		
-	11.074		11.226		
B.M. B 487	2769.933				

DESCRIPTION

FD. BRASS DISK STAMPED B 487 1955
1955 ADJ. ELEV. 2769.909
1.1 MILES EAST ALONG THE SOUTHERN PACIFIC COMPANY RAILROAD FROM THE SECTION FOREMANS QUARTERS AT ACTON, AT PARIS SIDING 1/L TELEPHONE POLES SOUTHEAST OF MILE POST 425, AT 24" CONCRETE PIPE CULVERT 424.95, IN THE TOP OF THE NORTH CONCRETE HEADWALL, 1.2 FT. WEST OF THE EAST END, AND 25.7 FT. NORTH OF THE NORTH RAIL OF THE MAIN LINE.

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0075.78 SURVEY OF Mt. Spr. Rd.
DATE _____ SURVEY BY C.L. WRIGHT
NOTES CHKD. K.W. BACON NOTES BY C.L.W. DATE 22-MARCH 1961
DATE 5-18-61 INDEXED H.E. ON DATE
F.B. 2631 Pg. 185

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	CHECK BETWEEN U.S.C.&G.S. BM. 487 & U.S.C.&G.S. B.M. K-57					
						U.S. 4769
BM B487	2769.909					BRASS DISK - STAMPED B 487 1955
+	4.146		4.252	4.536		1955 ADJ. ELEV. 2769.909
π	2774055	- 0.162	0.175	0.163		1.1 MILES EAST ALONG THE SOUTHERN PACIFIC COMPANY RAILROAD FROM THE SECTION FOREMANS QUARTERS AT ACTON, AT PARIS SIDING 1½ TELEPHONE POLES SOUTHEAST OF MILEPOLE 425, AT 24" CONC. PIPE CULVERT 424.95, IN THE TOP OF THE NORTH CONCRETE HEADWALL, 1.2 FT. WEST OF THE EAST END, AND 25.7 FEET NORTH OF THE NORTH RAIL OF THE MAIN LINE.
−	4.308		4.427	4.699		
T.P.	2769.747					
+	6.890		6.688			
π	2776.637	+ 2.783	+ 2.783			
−	4.107		3.905			
T.P.	2772.530					
+	6.781			6.648		
π	2779.311	+ 3.459		3.457		
−	3.322			3.191		
TP	2775.989					
+	6.770		6.641			
π	2782.759	+ 3.561	+ 3.560			
−	3.209		3.081			
TP	2779.550					
+	6.366		6.478			
π	2785916	+ 3.445	+ 3.446			
−	2.921		3.032			
T.P.	2782.995					

766420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF MT. SPR. RD.
SURVEY BY C. L. WRIGHT
NOTES BY C. L. W. DATE 22-MARCH 1961
INDEXED M. E. QD DATE
NOTES RED. DATE
NOTES CHKD. DATE

F.B. 2631 PG. 186

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	2782.995					
+	7.389		7.256			
I	2790.384	+ 3.408	+ 3.407			
−	3.981		3.849			
TP	2786.403					
+	6.576		6.439			
I	2792.979	+ 3.676	+ 3.677			
−	2.900		2.762			
TP	2790.079					
+	6.372		6.511			
I	2796.451	+ 2.793	+ 2.792			
−	3.579		3.719			
T.P.	2792.872					
+	5.773		5.955			
I	2798.645	+ 2.147	+ 2.145			
−	3.626		3.810			
T.B.M.	2795.019					SET SKID SPK B.T. IN N. FACE SOUTH TELEGRAPH POLE S.E. OF TRACK 20'± FROM 4 RAILS 45°± E OF MARKER POST CURVE #168 STA. 17503+7350
+	5.180		4.990			
I	2800.199	+ 0.887	+ 0.886			
−	4.293		4.104			
TP	2795.906					
+	6.003		5.890			
I	2801.909	+ 1.671	+ 1.671			
−	4.332		4.219			
TP	2797.577					
+	5.863		5.985			
I	2803.440	+ 1.771	+ 1.771			
−	4.092		4.214			
T.P.	2799.348					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0075.78 SURVEY OF Mt. Sac. Co.
DATE _____ SURVEY BY C. L. WRIGHT
NOTES CHKD. W. BACON NOTES BY C. L. W. DATE 22 MARCH 1961
DATE 5-18-61 INDEXED H. E. OTT DATE

F. B. 263 Pg. 157

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	2799.348					
+	5.914		5.718			
℄	2805.262	+ 2.183	+ 2.181			
−	3.731		3.537			
TP	2801.531					
+	5.385		5.732			
℄	2807.416	+ 2.074	+ 2.074			
−	3.811		3.658			
TP	2803.605					
+	7.877		7.651			
℄	2811.482	+ 5.141	+ 5.143			
−	2.736		2.508			
TP	2808.746					
+	7.693		7.604			
℄	2816.439	+ 5.558	+ 5.557			
−	2.135		2.047			
TP	2814.304					
+	8.583		8.764			
℄	2822.887	+ 7.272	+ 7.274			
−	1.311		1.490			
TP	2821.576					
+	9.944		9.809			
℄	2831.520	+ 6.855	+ 6.855			
−	3.089		2.954			
TP	2828.431					
+	7.083		7.204			
℄	2835.514	+ 2.059	+ 2.059			
−	5.024		5.145			
TP	2830.490					

768420 S & E-353-9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF Mt. Spr. Rd. NOTES RED.
SURVEY BY C. L. WRIGHT DATE
NOTES BY C.L.W. DATE 22 MARCH 1961 NOTES CHK'D.
INDEXED R. E. O'B DATE DATE

F.B. 2631 PG. 188

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	2830.490					
+	7.534		7.969			
T	2838.324	+ 5.799	+ 5.799			
−	2.035		2.170			
B.M. K 57	2836.289				2836.290	SEE 4 LINES BELOW FOR DESCRIPTION
BENCH LEVELS BETWEEN U.S.C. & G.S. BM. K 57 & MT. SPR. RD. B.M. M.S.2						
B.M. K 57	2836.290				2836.290	B.M. K 57 FD. BRONZE DISK, 1955 ADJ 2836.290 STAMPED K 57 1926. 2.1 MI. NORTHEAST ALONG THE SOUTHERN PACIFIC CO. RAILROAD FROM THE SECTION FOREMANS QUARTERS AT ACTON, 35 FT. NORTHEAST OF MILE POST 424, 6-3/4 RAILS NORTHEAST OF SEMAPHORE 4240-4241, 96.5 FT. NORTH WEST OF THE NORTH WEST RAIL, 32 FT. SOUTH-EAST OF THE CENTERLINE OF THE OLD PAVED ROAD, 1.0 FT. SOUTHEAST OF A FENCE, 2.5 FT. SOUTH OF A WITNESS POST, ABOUT 2½ FT. HIGHER THAN THE TRACK, AND SET IN THE TOP OF A CONCRETE POST PROJECTING 0.4 FT. ABOVE THE GROUND.
+	7.765		7.908	7.909		
T	2844.055	+ 5.281	+ 5.286	5.286		
−	2.484		2.622	2.623		
T.P.	2841.571					
+	11.010		11.179			
T	2852.581	+ 10.548	10.557			
−	0.462		0.628			
T.P.	2852.119					
+	8.517		8.591			
T	2860.636	+ 4.811	+ 4.810			
−	3.706		3.781			
T.P.	2856.930					
+	11.029		11.144			
T	2867.959	+ 10.030	+ 10.034			
−	0.999		1.110			
T.B.M.	2866.960					
+	9.451		9.595			
T	2876.411	+ 9.206	+ 9.206			
−	0.245		0.389			
TP	2876.166					
						SET 3" IP SPK & TIN W SIDE CURB R 11841.34 E @ N.E. COR INT. SANTIAGO RD & GLENDALE CYN. RD.

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	2876.166					
+	11.964		11.802			
T	2888.130	+ 11.332	+ 11.334			
−	0.632		0.468			
TP	2887.498					
+	11.280		11.440			
T	2898.778	+ 7.098	+ 7.098			
−	4.182		4.342			
TP	2894.596					
+	10.329		10.434			
T	2904.925	+ 6.134	6.132			
−	4.195		4.362			
TP	2900.730					
+	9.348		9.416			
T	2910.078	+ 4.731	+ 4.731			
−	4.617		4.685			
TP	2905.461					
+	10.340		10.479			
T	2915.801	+ 9.379	+ 9.377			
−	0.961		1.102			
TP	2914.840					
+	11.996		11.865			
T	2926.836	+ 11.234	+ 11.238			
−	0.762		0.627			
T.B.M.	2926.074					SET 3/4" I.P. E. SIDE SANTIAGO RD. 0.3 MI. N. OF SOLEDAD CYN. RD.
+	11.798		11.677			
T	2937.872	+ 8.909	+ 8.909			
−	2.889		2.768			
T.P.	2934.983					

NOTES RED _____ JOB NO 0075.78 SURVEY OF MT. SPR. RD.
DATE _____ SURVEY BY C.W. WRIGHT
NOTES DRKD W. BACON NOTES BY C.L.W. DATE 22-MARCH 1961
DATE 5-10-61 INDEXED _____ DATE _____ M. E. OTT

F.B. 2631 Pg. 189

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF Mt. Springs Rd. NOTES RED.
SURVEY BY E.L. Wright DATE
NOTES BY R.C. Bowers " DATE 23 March 61 NOTES CHKD.
INDEXED [illegible] DATE

F.B. 2631 PG. 190

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	2934.983					
+	11.402		11.490	11.349		
⊼	2946.385	+11.062	+ 11.069	+11.066		
−	0.340		0.421	0.283		
T.P.	2946.045					
+	11.862		11.713			
⊼	2957.907	+10.186	+10.188			
−	1.676		1.525			
T.P.	2956.231					
+	7.017		7.135	7.174		
⊼	2963.248	+ 1.944	+1.937	+1.941		
−	5.073		5.198	5.233		
T.P.	2958.175					
+	4.380		4.489			
⊼	2962.555	− 3.179	−3.175			
−	7.559		7.664			
T.P.	2954.996					
+	6.261		6.300			
⊼	2961.257	+6.032	+6.036			
−	0.229		0.264			
T.P.	2961.028					
+	11.581		11.837			
⊼	2972.609	+11.212	+11.215			
−	0.369		0.622			
T.P.	2972.240					
+	11.069		11.231			
⊼	2983.309	+ 9.841	+9.842			
−	1.228		1.389			
T.P.	2982.081	✓				

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 20 75.78 SURVEY OF Mt. Springs Rd.
DATE SURVEY BY C.L. Wright
NOTES [illegible] NOTES BY R.C. Bowers DATE 23 March 61
DATE 5-12-61 INDEXED H.E. Orr DATE

F.B. 2631 PG. 191

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	2982.081					
+	11.507		11.678			
=	2993.588	+11.224	+11.226			
−	0.283		0.452			
T.P.	2993.305					
+	11.100		11.249			
=	3004.405	+10.659	+10.657			
−	0.441		0.592			
T.P.	3003.964					
+	6.562		6.627			
=	3010.526	+1.660	+1.661			
−	4.902		4.966			
BMMS 15A	3005.624					Set Bt. spk. in lead on Conc. Hd. Wall, (Stamped 303+75) 1'± W. of E. End on the No. Side of Sierra Hwy & 200'± W. of Santiago Rd.
+	4.049		3.911			
=	3009.673	+2.756	+2.755			
−	1.293		1.156			
T.P.	3008.380					
+	11.851		11.744			
=	3020.231	+11.111	+11.113			
−	0.740		0.631			
T.P.	3019.491					
+	9.968		10.012			
=	3029.459	+9.597	+9.592			
−	0.371		0.420			
T.P.	3029.088					
+	10.060		9.939			
=	3039.148	+9.319	9.319			
−	0.741		0.620			
T.P.	3038.407					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF Mt. Springs Rd. NOTES RED.
SURVEY BY C. L. Wright DATE
NOTES BY J. E. Watson DATE 23 March 61 NOTES CHKD.
INDEXED DATE DATE

F.B. 2631 PG. 192

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T. P.	3038.407					
+	11.629		11.344			
⊼	3050.036	+10.435	+10.437			
−	1.194		0.907			
T. P.	3048.842					
+	11.417		11.494			
⊼	3060.259	+11.228	+11.228			
−	0.189		0.266			
T. P.	3060.070					
+	11.871		11.766			
⊼	3071.941	+11.154	+11.154			
−	0.717		0.612			
T. P.	3071.224					
+	11.960		11.763			
⊼	3083.184	+10.961	+10.962			
−	0.999		0.801			
T. P.	3082.185					
+	10.693		10.748			
⊼	3092.878	+10.486	+10.484			
−	0.207		0.264			
T. P.	3092.671					
+	11.941		11.797			
⊼	3104.612	+11.003	+11.003			
−	0.938		0.794			
T. P.	3103.674					
+	11.486		10.938			
⊼	3115.160	+9.361	+9.361			
−	2.125		1.577			
T. P.	3113.035					

765420 S & E-383 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED JOB NO. 0075.78 SURVEY OF MT. SPRINGS RD.
DATE SURVEY BY C. L. WRIGHT
NOTES CHECKED BY J. R. FULTON DATE 23 MARCH 61
DATE 5-15-61 INDEXED DATE

F.B. 2631 Pg. 193

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T. P	3113.035					
+	11.720		11.622			
π	3124.755	+11.209	+11.209			
−	0.511		0.413			
T. B.M.	3124.244					Set Ship Spt # T on E. Side of P.P. # 693293E., 100'± No. of So. ¼ Cor., Sec. 20. + up 3"
+	9.695		9.491			
π	3133.939	+ 5.073	+ 5.075			
−	4.622		4.416			
T. P.	3129.317					
+	11.904		11.757			
π	3141.221	+11.456	+11.456			
−	0.448		0.301			
T. P.	3140.773					
+	11.764		11.686			
π	3152.537	+10.410	+10.412			
−	1.354		1.274			
T. P.	3151.183					
+	11.996		11.925			
π	3163.179	+11.705	+11.702			
−	0.291		0.223			
T. P.	3162.888					
+	11.884		11.758			
π	3174.772	+11.241	+11.241			
−	0.643		0.517			
T. P.	3174.129					
+	11.662		11.800			
π	3185.791	+11.235	+11.234			
−	0.427		0.566			
T. P.	3185.364					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00578 SURVEY OF Mt. SPRINGS Rd. NOTES RED.
SURVEY BY C.L. WRIGHT DATE
NOTES BY J.R. FULTON DATE 23 MARCH 61 NOTES CHKD.
INDEXED H.E. OH DATE

F.B. 2631 PG. 194

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T. P.	3185.364					
+	11.313		11.436			
=	3196.677	+ 9.324	9.324			
−	1.989		2.112			
T. P.	3194.688					
+	11.500		11.380			
=	3206.188	+ 10.798	+ 10.797			
−	0.702		0.583			
T. P.	3205.486					
+	11.628		11.507			
=	3217.114	+ 10.506	+ 10.505			
−	1.122		1.002			
B.M. M.S-15	3215.992					1600'± NE. OF S. 1/4 COR ± SEC 20 T 5 S R 12 W 50'± N.W. OF MAIN BOTTOM OF CYN. ON THE S.E. BROW OF A LOW KNOLL, SET C.E. Br. Cap Button Mon., 2" I.P. in Conc. Stamped B.M., M.S. 15 up 5"
+	7.696		7.541			
=	3223.688	− 0.811	− .812			
−	8.507		8.353			
T P	3215.181					
+	9.237		9.063			
=	3224.418	+ 7.947	+ 7.945			
−	1.290		1.118			
T.P.	3223.128					
+	11.904		11.720			
=	3235.032	+10.444	+ 10.446			
−	1.460		1.274			
T.P.	3233.572					
+	11.380		11.234			
=	3244.952	+10.288	+ 10.287			
−	1.092		0.947			
TP	3243.860					

COUNTY ENGINEER B.M. M.S. 15 R.E. 5869

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO 2075.78 SURVEY OF Mt. SPR. Rd.
DATE SURVEY BY C. L. WRIGHT
NOTES CKD. W. BACON NOTES BY C. L. W. DATE 24-MARCH 61
DATE 3-28-61 INDEXED H. E. OTT DATE

F. B. 2631 Pg. 195

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T P	3243.860					
+	11.812		11.693			
=	3255.672	+ 11.024	+ 11.025			
−	0.788		0.668			
T.P.	3254.884					
+	11.696		11.556			
=	3266.580	+ 10.113	+ 10.113			
−	1.583		1.443			
T P	3264.997					
+	11.480		11.370			
=	3276.477	+ 10.143	+ 10.139			
−	1.337		1.231			
T P	3275.140					
+	11.288		11.420			
=	3286.428	+ 10.988	+ 10.989			
−	0.300		0.431			
T.P.	3286.128					
+	11.479		11.585			
=	3297.607	+ 11.246	+ 11.249			
−	0.233		0.336			
T P	3297.374					
+	11.884		11.846			
=	3309.258	+ 11.531	+ 11.532			
−	0.353		0.314			
T.P.	3308.905					
+	11.655		11.778			
=	3320.560	+ 11.377	+ 11.374			
−	0.278		0.404			
T P	3320.282					

768420 S & E-353-9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2075.78 SURVEY OF Mt. Sfr. Rd. NOTES RED.
SURVEY BY C. L. WRIGHT DATE
NOTES BY C. L. W. DATE 24 - MARCH 1961 NOTES CHKD.
INDEXED DATE DATE

F.B. 263 / PG. 196

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3320.282					
+	11.934		11.809			
Δ	3332.206	11.090 +	11.091			
−	0.834		0.719			
TP	3331.372					
+	11.488		11.402			
Δ	3342.860	10.529 +	10.621			
−	0.663		0.578			
TP	3342.197					
+	11.947		11.923			
Δ	3354.144	11.685 +	11.688			
−	0.262		0.235			
TP	3353.882					
+	11.800		11.918			
Δ	3365.682	11.513 +	11.512			
−	0.287		0.906			
TP	3365.395					
+	11.363		11.459			
Δ	3376.758	11.016 +	11.015			
−	0.347		0.444			
TP	3376.411					
+	11.527		11.606			
Δ	3387.938	11.252	11.252			
−	0.275		0.354			
TP	3387.663					
+	11.710		11.816			
Δ	3399.373	11.515	11.513			
−	0.195		0.303			
TP	3399.178					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0075.78 SURVEY OF MT. SAR. RD.
DATE _____ SURVEY BY C.L. WRIGHT
NOTES CHKD. W. BACON NOTES BY C.L.W. DATE 24-MARCH 1961
DATE 5/18/61 INDEXED _____ DATE _____

F. B. 2631 Pg. 197

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3399.178					
+	9.771		9.654			
T	3408.949	+ 4.289	4.287			
−	5.482		5.367			
P.I. ¼ COR	3403.467					FD. EAST ¼ COR SEC 20 T5N R12W
+	7.058		7.274			C.S. MON. 2" IP. BRASS CAP SET CONC. FLUSH
T	3410.525	+ 5.789	+ 5.791			SHOT TAKEN ON N. RIM OF BRASS CAP
−	1.269		1.483			P. 36
TP	3409.256					
+	11.420		11.621			
T	3420.676	+ 10.718	+ 10.714			
−	2.702		0.907			
TP	3419.974					
+	9.953		10.146			
T	3429.927	+ 9.075	+ 9.077			
−	0.878		1.069			
T.P.	3429.049					
+	9.005		9.226			
T	3439.054	+ 4.667	+ 4.668			
−	4.338		4558			
T.P.	3433.716					
+	11.672		11.801			
T	3445.388	+ 11.391	+ 11.394			
−	0.281		0.407			
TP	3445.107					
+	7.687		7.923			
T	3452.794	+ 7.381	+ 7.382			
−	0.306		0.541			
TP	3452.488					

COUNTY SURVEYOR
T5N
R12W 20 21
¼ COR.
E. 63

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00075.78 SURVEY OF Mt. Spr. Rd. NOTES RED.
SURVEY BY C. L. WRIGHT DATE NOTES CHKD.
NOTES BY C. L. W. DATE 24 MARCH 1961 DATE
INDEXED H. E. OTT DATE

F.B. 26231 PG. 198

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3452.488					
+	10.951		11.152			
Π	3463.439	+ 8.686	+ 8.688			
−	2.265		2.964			
TP	3461.174					
+	11.565		11.528	11.451		
Π	3472.739	+ 11.003	+ 11.009	+ 11.000		
−	0.562		0.519	0.451		
TP	3472.177					
+	11.921		11.844			
Π	3484.098	+ 9.562	9.565			
−	2.359		2.279			
TP	3481.739					
+	11.777		11.662			
Π	3493.516	+ 10.922	+ 10.922			
−	0.855		0.740			
T.P.	3492.661					
+	10.365		10.527			
Π	3503.026	+ 7.599	+ 7.599			
−	2.766		2.928			
TP	3500.260					
+	5.408		5.570			
Π	3505.668	− 5.181	− 5.183			
−	10.589		10.753			
T.P.	3495.079					
+	1.320		1.361			
Π	3496.399	− 8.622	− 8.622			
−	9.942		9.983			
TP	3486.457					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0075.78 SURVEY OF Mt. Sac. Rd.
DATE _____ SURVEY BY C.L. WRIGHT
NOTES CHKD J.W. BACON NOTES BY C.L.W. DATE 24 MARCH 1961
DATE 5-18-61 INDEXED M.E. OTT DATE

F.B. 2631 Pg. 199

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T P	3486.457					
+	0.818		0.670			
T	3487.275	- 9.142	- 9.142			
-	9.960		9.812			
T.P.	3477.315					
+	1.416		1.248			
T	3478.731	- 2.452	- 2.453			
-	3.868		3.701			
T.P.	3474.863					
+	6.650		6.741			
T	3481.513	+ 0.201	+ 0.208			
-	6.443		6.533			
TP	3475.070					
+	3.883		3.968			
T	3478.953	- 3.846	- 3.846			
-	7.729		7.814			
BM M.S.2	3471.224					R.R. M-15 TUCKER FD. C.E. BUTTON MON. 2" I.P. BRASS CAP SET IN CONC. LIP Y.C. 60,148

COUNTY ENGINEER
B.M.
M.S.2
R.E. 5869

F. B. 2631 PG. 200

JOB NO. _____ SURVEY OF _____ NOTES RED. _____

SURVEY BY _____ DATE _____

NOTES BY _____ DATE _____ NOTES CHKD. _____

INDEXED _____ DATE _____ DATE _____

768420 S & E-353 9-55

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0075.71 SURVEY OF MT. SPR. RD.
DATE _____ SURVEY BY C.L.W. WRIGHT
NOTES CHKD W. BACON NOTES BY C.L.W. DATE 5-APRIL-1961
DATE 5-12-61 INDEXED _____ DATE MAY 11 61

F.B. 2431 Pg. 201

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	BENCH LEVELS FROM U.S.C.&G.S. B.M. H 53 N'WEST TO PRELIMINARY LINE - MT. SPR. RD.					
						US 1406
B.M. H-53	2697.865					B.M. H 53 FD. BRONZE DISK STAMPED H 53 1926 1955 ADJ. ELEV. 2697.865 AT ACTON 0.1 MI. NORTHEAST ALONG THE SOUTHERN PACIFIC CO. RAILROAD FROM THE SECTION FOREMANS QUARTERS, AT THE CROSSING OF A PAVED ROAD, 103 FT. NORTH WEST OF AND ACROSS THE TRACK FROM MILE-POST 426, 99.0 FT. SOUTH WEST OF THE SOUTH-WEST CORNER OF A WOODEN RAILROAD BRIDGE, 57.8 FT. NORTH WEST OF THE NORTH WEST
+	4.309		4.427			
⊼	2702.174	+ 0.543	+ 0.543			
-	3.766		3.884			
T P	2698.408					
+	2.858		2.764			
⊼	2701.266	- 1.938	- 1.940			
-	4.796		4.704			
T P	2696.470					
+	5.707		5.624	5.475		
⊼	2702.177	+ 0.255	+ 0.242	+ 0.243		
-	5.452		5.382	5.232		
T P	2696.725					
+	5.293		5.203			
⊼	2702.018	+ 1.000	+ 1.000			
-	4.293		4.203			
T. P.	2697.725					
+	4.891		5.038			
⊼	2702.616	- 0.160	- 0.159			
-	5.051		5.197			
T. P.	2697.565					
+	5.811		5.710			
⊼	2703.376	+ 2.635	+ 2.636			
-	3.176		3.074			
T.B.M.	2700.200					FD. SHIP SPK. ON T. E. SIDE P.P. # 1355153E @ N.W. COR INT. 4TH ST. & NICHOLS AVE - ACTON

SEE PG 178

766420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF Mt. Sac. Rd. NOTES RED.
SURVEY BY C.L. Wiklund DATE
NOTES BY C.L.W. DATE 5-APRIL 1961 NOTES CHKD.
INDEXED M & O'M DATE DATE

F.B. 2631 PG. 202

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.L.N.	2700.200					
+	4.686		4.530	4.563		
↑	2704.886	+ 0.548	+ 0.557	+ 0.556		
-	4.138		3.973	4.007		
T.P.	2700.748					
+	7.481		7.383			
↑	2708.229	+ 2.990	+ 2.991			
—	4.491		4.392			
T.P.	2703.738					
+	6.849		6.756			
↑	2710.587	+ 2.476	+ 2.476			
—	4.373		4.280			
T.P.	2706.214					
+	6.479		6.358			
↑	2712.693	+ 2.000	+			
—	4.479		4.358			
B.M. M.S. 19A	2708.214					FD. C.S. MON. 2" T.P. BRASS CAP SET CONC. FLUSH @ S.W. COR SOLEDAD ACUA DULCE UNION SCHOOL ELEV. TAKEN ON N.W. RIM.
+	5.553		5.471			
↑	2713.767	+ 1.789	+ 1.787			
—	3.764		3.684			
T.P.	2710.003					
+	6.499		6.411			
↑	2716.502	+ 2.695	+ 2.694			
—	3.804		3.717			
TP	2712.698					
+	6.675		6.573			
↑	2719.373	+ 4.626	+ 4.626			
—	2.049		1.947			
T.P.	2717.324					

COUNTY SURVEYOR LOT SCHOOL R.E. 2/17

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0075.78 SURVEY OF Mt. Spr. Rd.
DATE _____ SURVEY BY C. L. WRIGHT
NOTES CHKD. W. RACON NOTES BY C. L. W. DATE 5-APRIL 1961
DATE 5-12-61 INDEXED _____ DATE _____

F.B. 2631 Pg. 203

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	2717.324					
+	6.607		6.513			
⊼	2723.931	+4.231	+4.230			
−	2.376		2.283			
T.P.	2721.555					
+	8.488		8.577			
⊼	2730.043	+3.902	+3.907			
−	4.586		4.670			
T.P.	2725.457					
+	6.706		6.749			
⊼	2732.163	+3.152	+3.151			
−	3.554		3.598			
T.B.M.	2728.609					SET SHIP SPK & T. IN W. SIDE TEL POLE #6158044 ON E. SIDE OF ESCONDIDO RD. 300' ± SOUTH OF INT. HUBBARD RD. UP 12"
+	8.154		7.971			
⊼	2736.763	+6.149	+6.148			
−	2.005		1.823			
T.P.	2734.758					
+	7.842		7.722			
⊼	2742.600	+5.074	+5.073			
−	2.768		2.649			
TP	2739.832					
+	8.102		8.167			
⊼	2747.934	+6.388	+6.389			
−	1.714		1.778			
T.P.	2746.220					
+	9.954		9.801			
⊼	2756.174	+8.781	+8.781			
−	1.173		1.020			
T.P.	2755.001					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF MT. SPR. RD.
SURVEY BY C. L. WRIGHT
NOTES BY C. L. W. DATE 5-APRIL 1961 NOTES CHKD.
INDEXED H. E. O. DATE DATE NOTES RED. DATE

F.B. 2631 Pg. 204

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	2755.001					
+	11.140		11.236			
⊼	2766.141	+ 10.453	+ 10.453			
−	0.687		0.783			
P.I. M.S.19	2765.454					SET B.E. PUTTON MON. 2" I.P. BRASS CAP IN CONC. UP 6" 30'± EAST OF ℄ ESCONDIDO RD. 0.5'± N.E. N.W. FROM TOWN OF ACTON. SET 2" I.P. MARKER PIPE 2'± EAST OF MON.
+	2.000		2.182			
⊼	2767.454	− 3.778	− 3.776			
−	5.778		5.958			
T.P.	2761.676					
+	4.454		4.557			
⊼	2766.130	− 2.550	− 2.551			
−	7.004		7.108			
T.P.	2759.126					
+	6.234		6.297			
⊼	2765.360	+ 2.596	+ 2.600			
−	3.638		3.697			
T.P.	2761.722					
+	7.853		7.769			
⊼	2769.575	+ 5.305	+ 5.305			
−	2.548		2.464			
T.B.M.	2767.027					
+	6.495		6.312			
⊼	2773.522	+ 3.392	+ 3.389			
−	3.103		2.923			
T.P.	2770.419					
+	7.132		7.060			
⊼	2777.551	+ 5.374	+ 5.369			
−	1.758		1.691			
T.P.	2775.793					SET SHIP SPIKE T. 1/4 S.W. SIDE TEL. P. 615811 H ON N.E. SIDE ESCONDIDO RD. 0.65'± N.W. OF ACTON UP 30"

COUNTY ENGINEER
B.M.
M.S. 19
R.E. 5869

765420 S & E-353 9-55

PLEASE RETURN TO
. LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 00753.78 SURVEY OF MT. SPR. RD.
DATE _____ SURVEY BY C. L. W. WRIGHT
NOTES DRAWN BACON NOTES BY C. L. W. DATE 5-APRIL 1961
DATE 5-12-61 INDEXED H. E. OH DATE

F. B. 2631 Pg. 205

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	2775.793					
+	8.937		8.874			
=	2784.730	+ 7.491	+ 7.493			
−	1.443		1.381			
T.P.	2783.287					
+	9.661		9.721	9.591		
=	2792.948	+ 9.080	+ 9.074	+ 9.071		
−	0.581		0.647	0.520		
T.P.	2792.367					
+	9.209		9.307			
=	2801.576	+ 6.849	+ 6.849			
−	2.360		2.458			
T.P.	2799.216					
+	8.601		8.720			
=	2807.817	+ 5.856	+ 5.856			
−	2.745		2.864			
T.P.	2805.072					
+	7.009		7.139			
=	2812.081	+ 3.218	+ 3.219			
−	3.791		3.920			
T.P.	2808.290					
+	6.611		6.696			
=	2814.901	+ 1.354	+ 1.356			
−	5.257		5.340			
T.P.	2809.644					
+	6.201		6.310			
=	2815.845	+ 4.242	+ 4.242			
−	1.959		2.068			
T.P.	2813.886					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 007578 SURVEY OF MT. SPR RD. NOTES RED.
SURVEY BY C. L. WRIGHT DATE
NOTES BY C. L. W. DATE 5-APRIL 1961 NOTES CHKD.
INDEXED H. E. Orr DATE DATE

F.B. 2631 PG. 206

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	2813.886					
+	10.738		10.662			
T	2824.624	+ 7.913	+ 7.913			
−	2.825		2.749			
TP	2821.799					
+	9.429		9.524			
T	2831.228	+ 3.567	+ 3.568			
−	5.862		5.956			
TP	2825.366					
+	8.478		8.591	8.341		
T	2833.844	+ 4.476	+ 4.470	+ 4.472		
−	4.002		4.121	3.869		
TP	2829.842					
+	6.756		6.866			
T	2836.598	+ 2.535	+ 2.536			
−	4.221		4.330			
TP	2832.377					
+	7.398		7.213			
T	2839.775	+ 3.897	+ 3.893			
−	3.501		3.320			
TP	2836.274					
+	8.010		7.841			
T	2844.284	+ 4.168	+ 4.170			
−	3.842		3.671			
TP	2840.442					
+	6.509		6.910			
T	2847.251	+ 1.987	+ 1.989			
−	4.822		4.921			
TP	2842.429					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0075.78 SURVEY OF Mt. Sar Rd
DATE _____ SURVEY BY C.L. WRIGHT
NOTES CHK'D W. RACON NOTES BY C.L.W. DATE 5-APRIL 1961
DATE 5-12-61 INDEXED H.E.OTT DATE _____

F.B. 2631 Pg. 207

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	2842.429					
+	9.522		9.613			
⊼	2851.951	+8.822	+ 8.824			
−	0.700		0.789			
TP	2851.251					
+	11.909		11.759			
⊼	2863.160	+11.345	+ 11.345			
−	0.564		0.414			
T.P.	2862.596					
+	5.259		5.360			
⊼	2867.855	+1.490	+ 1.489			
−	3.769		3.871			
TP	2864.086					
+	9.895		9.740			
⊼	2873.981	3.985	8.984			
−	0.910		0.756			
M.M.S.18	2873.071					SET C.E. BUTTON MON. 2" I.P. BRASS CAP IN CONC. UP 6" ON W. SIDE ESCONDIDO CYN. RD. 50'± FROM ℄ PAVT. 1.5'± I. N.W. OF TOWN OF ACTON. SET 2" I.P. MARKER PIPE 2'± WEST OF MON.
+	10.963		10.845			
⊼	2884.034	+2.075	+ 2.073			
−	5.688		8.772			
TP	2875.146					
+	7.306		7.213			
⊼	2882.452	+0.992	+ 0.992			
−	6.314		6.221			
TP	2876.138					
+	7.596		7.417			
⊼	2883.684	+5.734	5.735			
−	1.812		1.682			
TP	2881.872					

COUNTY ENGINEER
B.M.
•
M S 18
R. E. 5869

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. _____ DATE _____
NOTES CHKD. _____ DATE _____

JOB NO. 0015.18 SURVEY OF MT. SAN. RD.
SURVEY BY C. L. WRIGHT
NOTES BY C. L. W. DATE 6-APRIL-1961
INDEXED J. E. OH DATE

F.B. 2631 PG. 208

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	2881.872					
+	7.924		7.813			
⊼	2889.796	+ 5.891	+ 5.890			
−	2.033		1.923			
TP	2887.763					
+	8.514		8.611			
⊼	2896.277	+ 6.702	+ 6.699			
−	1.612		1.912			
TP	2894.465					
+	8.043		7.912			
⊼	2902.508	+ 6.234	+ 6.232			
−	1.809		1.680			
TP	2900.699					
+	7.577		7.446			
⊼	2908.276	+ 5.639	+ 5.639			
−	1.938		1.807			
TP	2906.338					
+	7.454		7.333			
⊼	2913.792	+ 5.403	+ 5.404			
−	2.051		1.929			
TP	2911.741					
+	8.437		8.527	8.348		
⊼	2920.178	+ 7.861	+ 7.851	+ 7.854		
−	0.576		0.676	0.494		
TP	2919.602					
+	7.111		7.009			
⊼	2926.713	+ 4.006	+ 4.006			
−	3.105		3.003			
T.B.M.	2923.608					CUT □ 1' S.E. OF N.W. END OF S.W. RUBBLE & CONC. HEADWALL, 24" C.M.P. CULVERT UNDER ESCONDIDO CYN. RD. 200'± N.W. OF INT. WITH RED ROVER MINE RD.

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M.	2923.608					CUT □ 1' S.E. OF N.W. END S.W. RUBBLE & CONC.
+	6.530		5.920			HEADWALL, 24" C.M.P. CULVERT UNDER ESCONDIDO
T	2929.638	3.884	3.385			CYN. RD. 200' ± N.W. OF INT. WITH
−	2.146		2.035			RED ROVER MINE RD.
T.P.	2927.492					
+	8.810		8.892			
T	2936.302	+ 7.901	+ 7.902			
−	0.909		0.990			
T.P.	2935.393					
+	9.323		9.212			
T	2944.716	+ 8.009	+ 8.009			
−	1.314		1.203			
T.P.	2943.402					
+	8.652		8.543			
T	2952.054	7.934	7.933			
−	0.718		0.610			
T.P.	2951.336					
+	9.476		9.573			
T	2960.812	+ 9.058	+ 9.057			
−	0.418		0.516			
T.P.	2960.394					
+	10.791		10.844			
T	2971.185	+ 10.309	+ 10.307			
−	0.482		0.537			
T.P.	2970.703					
+	11.924		11.811			
T	2982.627	+ 11.152	+ 11.152			
−	0.772		0.659			
T.P.	2981.855					

NOTES RED _____ JOB NO. 00 75.78 SURVEY OF Mt. Cr. Rd.
DATE _____ SURVEY BY C. L. WRIGHT
NOTES CHKD. J. W. BACON NOTES BY C. L. W. DATE 6 APRIL 1961
DATE 5-18-61 INDEXED _____ DATE _____

F. B. 2631 Pg. 209

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF Mt. Spr. Rd.
SURVEY BY C. L. Wright
NOTES BY C. L. W. DATE 6 APRIL 1961
INDEXED B & O'M DATE

NOTES RED. DATE
NOTES CHKD. DATE

F.B. 2631 PG. 210

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	2981.855					
+	11.319		11.427			
⊼	2993.174	+ 10.666	+ 10.666			
−	0.653		0.761			
TP	2992.521					
+	6.925		7.044			
⊼	2999.446	+ 1.209	+ 1.211			
−	5.716		5.833			
B.M.	2993.730					100'± W. OF INT. RED RIVER MINE RD. & SIERRA HWY. 1' W. OF E. END OF N. CONC. HEADWALL, 24" X 36" BOX CULVERT SET BOLT SPK. IN LEAD
+	8.394		8.344			B.M. M.S. 17A
⊼	3002.124	+ 6.812	+ 6.841			
−	1.552		1.503			
TP	3000.572					
+	9.594		9.492			
⊼	3010.166	+ 8.301	+ 8.303			
−	1.293		1.189			
TP	3008.873					
+	9.776		9.723			
⊼	3018.649	+ 7.989	+ 7.990			
−	1.787		1.733			
TP	3016.862					
+	10.759		10.677			
⊼	3027.621	+ 10.104	+ 10.105			
−	0.655		0.572			
T.P.	3026.966					
+	10.949		10.591			
⊼	3037.915	+ 9.741	+ 9.742			
−	1.208		0.849			
TP	3036.707					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0075, 78 SURVEY OF Mt. Spr. Rd.
DATE 5-26-67 SURVEY BY C. L. Wright
NOTES CHKD. F. W. BACON NOTES BY C. L. W. DATE 6 April 1967
DATE 5-26-67 INDEXED. B. E. ON DATE
F. B. 2631 Pg. 211

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3036.707					
+	10.812		10.713			
I	3047.519	+ 9.478	+ 9.480			
−	1.334		1.233			
T.P.	3046.185					
+	9.547		9.463			
I	3055.732	+ 7.921	+ 7.922			
−	1.626		1.541			
T.P.	3054.106					SET SHOP SPK. S.T. IN W. SIDE P.P. # 680208E 30'± E. OF ℄ RED ROVER MINE RD. UP 6"
+	8.656		8.734			
I	3062.762	+ 8.409	+ 8.410			
−	0.247		0.324			
T.P.	3062.515					
+	11.272		11.176			
I	3073.787	+ 9.543	+ 9.543			
−	1.729		1.633			
T.P.	3072.058					
+	11.927		11.887			
I	3083.985	+ 11.651	+ 11.652			
−	0.276		0.235			
T.P.	3083.709					
+	11.276		11.210			
I	3094.985	+ 10.167	+ 10.165			
−	1.109		1.045			
T.P.	3093.876					
+	11.805		11.754			
I	3105.681	+ 11.489	+ 11.489			
−	0.316		0.265			
T.P.	3105.365					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF Mt. Spr. Rd.
SURVEY BY C. L. WRIGHT
NOTES BY C. L. W. DATE 6 APRIL 1961
INDEXED H & E OK DATE

NOTES RED. DATE
NOTES CHKD. DATE

F.B. 2631 PG. 2/2

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.
TP	3105.365				
+	11.953		11.843		
⅄	3117.318	+ 11.178	+ 11.180		
−	0.775		0.663		
TP	3116.543				
+	11.456		11.377		
⅄	3127.999	+ 8.362	+ 8.362		
−	3.094		3.015		
TP	3124.905				
+	8.641		8.536		
⅄	3133.546	+ 6.471	+ 6.469		
−	2.170		2.067		
T.P.	3131.376				
+	11.626		11.500		
⅄	3143.002	+ 10.952	10.951		
−	0.674		0.549		
TP	3142.328				
+	11.951		11.783		
⅄	3154.279	+ 9.931	+ 9.931		
−	2.020		1.852		
TP	3152.259				
+	8.964		8.855		
−	3161.223	7.717	7.716		
⅄	1.247		1.139		
BM M.S. 17	3159.976				
+	9.603		9.726		
⅄	3169.579	+ 9.370	+ 9.370		
−	0.233		0.356		
TP	3169.346				

DESCRIPTION

COUNTY ENGINEER
B.M.
M.S. 17
R. E. 5869

SET C.E. BUTTON MON. 2½" I.P. BRASS CAP SET CONC. UP 8" — ON E. SIDE RED ROVER MINE RD. 50'± E. OF ℄ & 4'± E. OF P.P. # 6802182E (0.7 MI.± N. OF INT. RED ROVER MINE & CO. & SIERRA HWY.) SET 2" I.P. MARKER PIPE 2' EAST OF MON.

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0075.78 SURVEY OF Mt. Spr. Rd.
DATE SURVEY BY C. L. WRIGHT
NOTES CHKD. W. BACON NOTES BY C. L. W. DATE 6-APRIL 1961
DATE 5-18-61 INDEXED H. E. CH. DATE

F. B. 2631 Pg. 213

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3169.346					
+	11.973		11.931	11.934		
=	3181.319	+11.716	+11.707	+11.706		
−	0.257		0.224	0.228		
T.P.	3181.062					
+	11.574		11.515			
=	3192.636	+11.227	+11.226			
−	0.347		0.289			
T.P	3192.289					
+	11.046		10.975			
=	3203.335	+10.547	+10.549			
−	0.499		0.426			
T.P.	3202.836					
+	10.462		10.418			
=	3213.298	+10.090	+10.091			
−	0.372		0.327			
TP	3212.926					
+	11.969		11.912			
=	3224.895	+11.598	11.599			
−	0.371		0.313			
TP	3224.524					
+	11.525		11.358			
=	3236.049	+10.604	+10.605			
−	0.921		0.753			
T.B.M.	3235.128					SET 8" HIP SPK. IN W. SIDE PP. # 1306176E 50'± E. OF ℄ RED ROVER MINE RD.
+	10.765		10.624			
=	3245.893	+9.852	+9.853			
−	0.913		0.771			
TP	3249.980					

765420 S & E-353-9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF MT. SAC RD. NOTES RED.
SURVEY BY C.L. WRIGHT DATE
NOTES BY C.L.W. DATE 6-APRIL 1961 NOTES CHKD.
INDEXED W.L. DATE DATE

F.B. 2631 Pg. 114

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3244.980					
+	10.918		10.873			
↑	3255.958	+ 9.242	+ 9.241			
−	1.736		1.632			
TP	3254.222					
+	11.815		11.887			
↑	3266.037	+ 11.441	+ 11.441			
−	0.374		0.446			
TP	3265.663					
+	8.300		8.192			
↑	3273.963	+ 7.645	+ 7.645			
−	0.655		0.547			
TP	3273.308					
+	11.678		11.597			
↑	3284.986	+ 10.867	+ 10.866			
−	0.811		0.731			
TP	3284.175					
+	11.877		11.793			
↑	3296.052	+ 10.136	+ 10.135			
−	1.741		1.658			
TP	3294.311					
+	11.912		11.812			
↑	3306.223	+ 11.381	+ 11.382			
−	0.531		0.430			
TP	3305.692					
+	11.931		11.866			
↑	3317.623	11.309	11.308			
−	0.622		0.558			
TP	3317.001					

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED JOB NO. 0075.78 SURVEY OF MT. SPR. RD.
DATE SURVEY BY C. L. WRIGHT
NOTES CHKD W. BACON NOTES BY C. L. W. DATE 11-APRIL-1961
DATE 5-28-61 INDEXED H. E. ON DATE

F.B. 2631 Pg. 215

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3317.001					
+	11.251		11.128			
=	3328.252	+10.413	+10.413			
−	0.838		0.715			
T.P.	3327.414					
+	10.684		10.591			
=	3338.098	+ 9.350	+ 9.349			
−	1.334		1.242			
BM MS12	3336.764					FD. C.E. BUTTON MON. 2"I.P. BRASS CAP SET CONC. UP 6" MARKED Pg. 114, 115, 239
+	1.162		0.976			
=	3337.926	-10.058	-10.058			
−	11.220		11.034			
T.P.	3326.706					
+	7.248		7.357			
=	3333.954	+ 6.710	+ 6.714			
−	0.538		0.643			
T.P.	3333.416					
+	11.733		11.671			
=	3345.149	+11.446	+ 11.446			
−	0.287		0.225			
T.P.	3344.862					
+	11.960		11.847			
=	3356.822	+ 9.391	+ 9.392			
−	2.569		2.455			
T.P.	3354.253					
+	9.257		9.126			
=	3363.510	+6.520	+ 6.520			
−	2.737		2.606			
T.B.M.	3360.773					FD. 1X2" NAIL - PP 73 - Pg. 100

COUNTY ENGINEER B.M. MS 12 R.E. 5869

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00 75.78 SURVEY OF MT. SPR. RD NOTES RED.
SURVEY BY C. L. WRIGHT DATE
NOTES BY C. L. W. DATE 11- APRIL 1961 NOTES CHKD.
INDEXED H. E. UR DATE DATE

F.B. 2631 PG. 216

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M.	3360.773					FD 1X2 6"NAIL PH 73 PG 100
+	7.122		7.247			
⊼	3367.895	+ 2.964	+ 2.961			
−	4.158		4.286			
TP	3363.737					
+	5.503		5.407			
⊼	3369.240	+ 1.091	+ 1.090			
−	4.412		4.317			
TP	3364.828					
+	5.602		5.492			
⊼	3370.430					
−	5.602		5.492			
T.B.M.	3364.828					FD 1X2 6"NAIL PH 72 PG 100
+	0.245		0.376			
⊼	3365.073	− 10.886	− 10.881			
−	11.131		11.260			
TP	3353.942					
+	0.482		0.350			
⊼	3354.424	− 11.098	− 11.097			
−	11.580		11.447			
TP	3342.844					
+	0.688		0.544			
⊼	3343.532	8.122	− 8.120			
−	8.810		8.664			
TP	3334.722					
+	2.006		1.899			
⊼	3336.728	− 5.102	− 5.101			
−	7.108		7.000			
TBM	3329.620					FD 1X2 6"NAIL PH 71

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 007578 SURVEY OF ATT. SPR. RD.
DATE SURVEY BY C. L. WRIGHT
NOTES CHKD. W. BACON NOTES BY C. L. W. DATE 11-APRIL-1961
DATE 5-18-61 INDEXED H. E. ON DATE

F. B. 2631 Pg. 217

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TBM	3329.620					
+	5.864		5.915			
=	3335.484	+ 5.652	+ 5.651			
−	0.212		0.264			
TP	3335.272					
+	11.907		11.807			
=	3347.179	+ 11.565	+ 11.567			
−	0.342		0.240			
TP	3346.837					
+	11.837		11.716			
=	3358.674	+ 11.454	+ 11.453			
−	0.283		0.263			
TP	3358.291					
+	11.557		11.438			
=	3369.848	+ 11.061	+ 11.061			
−	0.496		0.377			
TP	3369.352					
+	11.904		11.943			
=	3381.256	+ 11.674	+ 11.677			
−	0.230		0.266			
TP	3381.026					
+	11.954		11.910			
=	3392.980	+ 11.688	+ 11.687			
−	0.266		0.223			
TP	3392.714					
+	11.045		10.781			
=	3403.759	+ 9.082	+ 9.083			
−	1.963		1.698			
TBM	3401.796					FD 1x2" NAIL P-70 PG. 100

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF Mt. Spr. Rd. NOTES RED.
SURVEY BY C. L. Wright DATE NOTES CHKD.
NOTES BY C. L. W. DATE 11-April 1967 DATE
INDEXED DATE

F. B. 263 Pg. 218

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TBM	3401.796					12"ø FD. 1"x2" NAIL PG. 100
+	0.916		0.907			
=	3402.712	- 9.499	- 9.499			
-	10.415		10.306			
TP	3392.297					
+	5.554		5.476			
=	3397.851	+ 1.532	1.532			
-	4.022		3.944			
TP	3393.829					
+	11.442		11.370			
=	3405.271	+ 10.507	10.506			
-	0.935		0.864			
BM. MS 11	3404.336					FD. CE. BUTTON MON. 2" I.R. BRASS CAP
+	10.792		10.970			SET IN CONC. UP 6" PG. 99
=	3415.128	+ 7.990	+ 7.989			
-	2.802		2.981			
TP	3412.326					
+	4.033		4.246			
=	3416.359	+ 1.524	+ 1.524			
-	2.509		2.722			
TP	3413.850					
+	11.979		11.895			
=	3425.829	+ 11.589	+ 11.588			
-	0.390		0.307			
TP	3425.439					
+	11.398		11.463			
=	3436.837	+ 10.318	+ 10.315			
-	1.080		1.148			
TP	3435.757					

COUNTY ENGINEER B.M. M.S. 11 R.E. 1869

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0075.78 SURVEY OF Mt. Tek Rd.
DATE _____ SURVEY BY C. L. Lukich
NOTES CHECKED BY C. L. W. DATE 11-April 1961
DATE 3-12-61 INDEXED H. E. Ott DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3435.757					
+	11.448		11.764			
π	3447.205	+11.038	+11.035			
−	0.410		0.729			
TP	3446.795					
+	10.953		11.159			
π	3457.748	+10.312	+10.314			
−	0.641		0.845			
TP	3457.107					
+	4.992		5.155			
π	3462.099	+2.360	+2.360			
−	2.632		2.795			
T.B.M.	3459.467					Fd. 1x2 ½ Nail P. 67 Pg. 98
+	1.630		1.821			
π	3461.097	−6.071	−6.069			
−	7.701		7.890			
TP	3453.396					
+	9.230		9.569			
π	3462.626	+8.242	+8.243			
−	0.988		1.326			
TP	3461.638					
+	2.634		2.864			
π	3464.272	−2.007	−2.007			
−	4.641		4.871			
TBM.	3459.631					Fd. 1x2 ½ Nail P. 66 Pg. 98
+	5.523		5.720			
π	3465.154	+4.983	+4.987			
−	0.540		0.733			
T.P.	3464.614					

F. B. 2631 Pg. 2/9

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00 75.78 SURVEY OF Mt. Spr. Rd.
SURVEY BY C. L. WRIGHT
NOTES BY C. L. W. DATE 11-APRIL 1961
INDEXED BY [illegible] DATE

NOTES RED. DATE
NOTES CHKD. DATE

F. B. 2631 PG. 220

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3464.614					
+	4.471		4.760			
⊼	3469.085	+ 2.363	+ 2.362			
−	2.108		2.398			
T.P.	3466.977					
+	11.003		11.162			
⊼	3477.980	+ 10.461	+ 10.460			
−	0.542		0.702			
TP	3477.438					
+	9.453		9.689			
⊼	3486.891	+ 3.922	+ 3.924			
−	0.531		0.765			
TP	3486.360					
+	8.264		8.454			
⊼	3494.624	+ 3.773	+ 3.773			
−	4.491		4.681			
T.B.M.	3490.133					FD. 1 X 2 8 NAIL P-65 Pg. 37, 98
+	11.042		11.314			
⊼	3501.175	+ 0.560	+ 10.558			
−	0.482		0.756			
TP	3500.693					
+	11.400		11.579			
⊼	3512.093	+ 1.051	10.350			
−	1.049		1.229			
T.B.M.	3511.044					FD. 1 X 2 NAIL P# 64 Pg. 97
+	7.371		7.125			
⊼	3518.415	+ 4.121	+ 4.123			
−	3.250		3.002			
B.M. M.S. 10	3515.165					FD. C.E. BUTTON MON. 2" I.P. BRASS CAP SET IN CONC. UP 6" Pg. 97 Pg. 221 FOR STAMPING

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 00775.78 SURVEY OF 1/T. SPR. RD.
DATE SURVEY BY C. L. WRIGHT
NOTES CHKD. W. BACON NOTES BY C. L. W. DATE 12 APRIL 1961
DATE 5-12-61 INDEXED H. E. DATE

F. B. 263 / PG. 221

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM MS 10	3515.165					FD. C.E. BUTTON MON. 2" I.P. BRASS CAP
+	0.266		0.392			SET CONC. PG. 97
Π	3515.431	- 11.383	- 11.387			
—	11.649		11.779			
TP	3503.782					
+	1.184		1.448			
Π	3504.966	- 10.076	- 10.073			
—	11.260		11.521			
TP	3493.706					
+	0.442		0.309	0.649		
Π	3494.148	- 11.187	- 11.192	- 11.190		
—	11.629		11.501	11.839		
TP	3482.519					
+	1.970		1.809	2.094		
Π	3484.489	- 8.818	- 8.812	- 8.816		
—	10.788		10.621	10.910		
TP	3473.701					
+	1.106		0.895			
Π	3474.807	- 6.386	- 6.387			
—	7.492		7.282			
TBM	3467.315					FD. 1x2 3/4" NAIL P# 68 PG. 97
+	0.800		0.604			
Π	3468.115	- 10.510	- 10.510			
—	11.310		11.114			
TP	3456.805					
+	0.282		0.460			
Π	3457.087	- 10.177	- 10.176			
—	10.459		10.636			
TP	3446.628					

COUNTY ENGINEER
B.M.
M.S. 10
R.E. 5869

765420 S & E-353-9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 02-75-78 SURVEY OF Mt. Spr. Rd. NOTES RED.
SURVEY BY C. L. WRIGHT DATE
NOTES BY C. L. W. DATE 11-APRIL 1961 NOTES CHKD.
INDEXED H. L. ON DATE DATE

F.B. 263/PG. 222

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3446.628					
+	0.460		0.260			
Π	3447.088	11.339	11.339			
−	11.799		11.599			
TP	3435.289					
+	0.279		0.376			
Π	3435.568	11.450	11.449			
−	11.729		11.825			
TP	3423.839					
+	0.395		0.571			
Π	3424.234	10.607	10.608			
−	11.002		11.179			
TP	3413.232					
+	0.241		0.210			
Π	3413.473	11.680	11.679			
−	11.921		11.889			
TP	3401.552					
+	0.228		0.419			
Π	3401.780	11.121	11.121			
−	11.349		11.540			
TP	3390.431					
+	0.438		0.597			
Π	3390.869	9.532	9.533			
−	9.970		10.130			
P.M. Sec Cor	3380.899					
+	2.781		2.685			
Π	3383.680	2.681	2.683			
−	5.462		5.368			
TP	3378.218					

NEW EL. OF SEC COR = 3380.36 PER F.B. 3238-115

1-25-66 C.K. LIND

COUNTY SURVEYOR'S MONUMENT T5N R13W 14 13 23 24 1926

FD. C.S. MON. COR. SEC. 14, 13, 23, 24 T5N R13W UP 8" PG. 82, 84

Elev. No GOOD 10-8-63

Monument replaced with C.E. Mon J.S.

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0075,78 SURVEY OF A/T. SPAR RD.
DATE SURVEY BY C.C. WRIGHT
NOTES CHK'D W. BACON NOTES BY C.C.W. DATE 11 APRIL 1961
DATE 5-12-61 INDEXED R. E. ON DATE

F.B. 2631 Pg. 223

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3378.218					
+	8.737		8.828			
π	3386.955	+ 5.543	+ 5.543			
−	3.194		3.285			
TP	3383.761					
+	2.326		2.265			
π	3386.087	− 9.372	− 9.373			
−	11.698		11.638			
TP	3374.389					
+	9.918		10.069			
π	3384.307	+ 4.916	+ 4.918			
−	5.002		5.151			
T.P.	3379.305					
+	7.338		7.282			
π	3386.643	− 1.362	− 1.359			
−	8.700		8.641			
T.B.M.	3377.943					Fd. 1X2 & NAIL P-58 Pg. 94, 95
+	3.431		3.372			
π	3381.374	− 8.067	− 8.067			
−	11.498		11.439			
TP	3369.876					
+	1.994		2.082			
π	3371.870	− 7.913	− 7.914			
−	9.907		9.996			
TP	3361.963					
+	5.457		5.325			
π	3367.420	− 3.369	− 3.371			
−	8.826		8.696			
TP	3358.594					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF Mt. Spr. Rd. NOTES RED.
SURVEY BY C.L. WRIGHT DATE
NOTES BY C.L. WRIGHT DATE 11 APRIL 1961 NOTES CHKD.
INDEXED DATE DATE

F.B. 2631 PG. 224

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3359.594					
+	2.982		2.919			
=	3361.576	- 3.055	- 3.055			
−	6.037		5.974			
TPM	3355.539					Fd. 1x2" NAIL P 57 Pg. 94
+	5.682		5.517			
=	3361.221	- 1.318	- 1.317			
−	7.000		6.894			
TP	3354.221					
+	1.811		1.729			
=	3356.032	- 8.524	- 8.524			
−	10.335		10.253			
B.M. M.S. 9	3345.697					B.M. M.S. 9 Fd. C.E. Button Mon. 2" I.P. Brass Cap Set Conc. up 6" Pg. 93, 94, 166, 178

COUNTY ENGINEER
B.M.
M.S. 9
R.E. 5869

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED IN, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 00.75.78 SURVEY OF Mt. Spr. Rd.
DATE _____ SURVEY BY C.L. WRIGHT
NOTES CHKD W. BACON NOTES BY C.L.W. DATE 2-APRIL 1961
DATE 5/19/61 INDEXED H.E. OH DATE _____

F.B. 2463 Pg. 225

BENCH LEVELS - FROM B.M. M.S. 17A NORTH-WEST'LY TO PRELIMINARY LINE, MOUNTAIN SPRINGS ROAD, AND EASTERLY ALONG MT. SPR. RD. TO B.M. M.S. 12

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. M.S. 17A	2993.730					
+	6.894		7.091			
T	3000.624	+ 4.727	+ 4.729			
—	2.167		2.362			
I.P.	2998.457					
+	8.827		8.752			
T	3007.284	+ 7.298	+ 7.298			
—	1.529		1.454			
T.P.	3005.755					
+	11.297		11.405			
T	3017.052	+ 7.254	+ 7.255			
—	4.043		4.150			
T.P.	3013.009					
+	8.638		8.773	8.958		
T	3021.647	+ 7.795	+ 7.784	+ 7.795		
—	0.543		0.989	1.163		
T.P.	3020.804					
+	8.374		8.459			
T	3029.178	+ 7.738	7.741			
—	0.636		0.718			
T.P.	3028.542					
+	8.706		8.632			
T	3037.248	+ 5.797	+ 5.798			
—	2.909		2.834			
T.P.	3034.339					

Fd. BOAT SPK IN LEAD 100'± W. OF INT. RED ROVER MINE RD. & SIERRA HI-WAY 1' WEST OF THE EAST END OF NORTH CONC. HEADWALL 24"X36" BOX CULVERT
SEE PG. 210

765420-S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF MT. SPR. RD. NOTES RED.
SURVEY BY C. L. WRIGHT DATE
NOTES BY C. L. W. DATE 12 - APRIL 1961 NOTES CHKD.
INDEXED H. E. ON DATE DATE

F.B. 263 / PG. 226

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3034.339					
+	9.641		9.552			
π	3043.980	+ 8.872	+ 8.871			
−	0.769		0.681			
TP	3043.211					
+	10.806		10.938			
π	3054.017	+ 10.353	+ 10.351			
−	0.453		0.587			
TP	3053.564					
+	11.889		11.799			
π	3065.453	+ 10.875	+ 10.874			
−	1.014		0.925			
TP	3064.439					
+	8.206		8.122			
π	3072.645	+ 5.927	+ 5.928			
−	2.279		2.194			
TP	3070.366					
+	7.049		6.913			
π	3077.415	+ 5.110	+ 5.107			
−	1.939		1.806			
TP	3075.476					
+	6.578		6.661			
π	3082.054	+ 5.139	5.139			
−	1.439		1.522			
B.M. M.S. 16	3080.615					
+	6.788		6.892			
π	3087.403	+ 4.564	4.565			
−	2.224		2.327			
TP	3085.179					

COUNTY ENGINEER B.M. M.S. 16 R.E. 5869

SET C.E. BUTTON MON. 2" I.P. BRASS CAP MARKED
SET COMM. UP 6" - 5' S.E. OF P.P. # 676526
50' ± N.E. & OLD SIERRA HI-WAY 0.15 MI.
S.E. INT. WARD RD. & SIERRA HI-WAY, 0.5 MI.
N.W. OF INT. RED ROVER MINE RD. & SIERRA HI-WAY.

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3085.179					
+	8.355		8.472			
π	3093.534	+ 6.513	+ 5.515			
−	1.842		2.957			
TP	3091.692					
+	7.827		7.903			
π	3099.519	+ 5.924	+ 5.926			
−	1.903		1.977			
TP	3097.616					
+	9.457		9.695			
π	3107.073	+ 9.157	+ 9.156			
−	0.300		0.539			
TP	3106.773					
+	10.239		10.139			
π	3117.012	+ 8.985	+ 8.985			
−	1.254		1.154			
TP	3115.758					
+	8.051		8.104			
π	3123.809	+ 7.493	+ 7.490			
−	0.558		0.614			
T.B.M.	3123.251					SET 3/4" IP SPK & T. IN S.W. SIDE
+	6.773		6.863			PP #67648E UP 8' ± 50' ± N.E. &
π	3130.024	+ 5.966	+ 5.967			OLD SIERRA HI-WAY, 300' ± N.W. OF INT.
−	0.807		0.896			WARD RD. & SIERRA HI WAY.
TP	3129.217					
+	8.179		8.084			
π	3137.396	+ 6.055	+ 6.056			
−	2.124		2.028			
TP	3135.272					

NOTES RED _____ JOB NO 0075.78 SURVEY OF MT. SPR. RD.
DATE _____ SURVEY BY C.L. WRIGHT
NOTES CHKD W. BACON NOTES BY C.L.W. DATE 2-APRIL 1961
DATE 5-12-61 INDEXED H.E. ORT DATE _____

F.B. 263 Pg. 227

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF Mt. Sep. Rd. NOTES RED.
SURVEY BY C.L. Wright DATE
NOTES BY C.L.W. DATE 12-APRIL 1961 NOTES CHKD.
INDEXED DATE DATE

F.B. 2631 Pg. 228

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3135.272					
+	8.752		8.634			
π	3144.024	+ 6.628	+ 6.628			
−	2.124		2.006			
T.P.	3141.900					
+	8.602		8.426			
π	3150.502	+ 2.506	+ 2.503			
−	6.096		5.923			
TP	3144.406					
+	4.900		4.776			
π	3149.306	− 2.680	− 2.678			
−	7.580		7.454			
TP	3141.726					
+	7.288		7.364			
π	3149.014	+ 7.023	+ 7.022			
−	7.265		6.942			
TP	3148.749					
+	9.191		9.319			
π	3157.940	+ 8.375	+ 8.376			
−	0.816		0.943			
TP	3157.124					
+	9.027		9.115			
π	3166.151	+ 8.701	+ 8.702			
−	0.326		0.413			
TP	3165.825					
+	10.013		9.901			
π	3175.838	+ 9.199	+ 9.200			
−	0.814		0.701			
TP	3175.024					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0075.78 SURVEY OF Mt. Spr. Rd.
DATE _____ SURVEY BY C. L. Wright
NOTES CHKD E. W. BACON NOTES BY C. L. W. DATE 12 APRIL 1961
DATE 5-15-61 INDEXED H. E. OTT DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3175.024					
+	9.202		9.282			
π	3184.226	+8.704	+ 8.705			
−	0.498		0.577			
T.P.	3183.728					
+	9.009		8.898			
π	3192.737	+6.408	+ 6.408			
−	2.601		2.490			
T.P.	3190.136					
+	8.731		8.631			
π	3198.867	+3.568	+3.573			
−	5.163		5.058			
TP	3193.704					
+	5.495		5.364			
π	3199.199	+ 1.819	+ 1.819			
−	3.676		3.545			
BM US 2128	3195.523					AGUA DULCE SCHOOL 5.8 MI. EAST OF, 200 FT.
+	5.616		5.471			NORTH OF DIRT RD. TO EAST, 30 FT. NORTH
π	3201.139	- 0.300	- 0.300			OF SMALL DRAIN, EAST OF SIERRA HI-WAY,
−	5.916		5.771			0.65 MI. N.W. OF INT SIERRA HI-WAY & WARD
TP	3195.223					ROAD. FD. LOW IMBEDDED BOULDER WITH
+	7.938		7.807			BRONZE TABLET STAMPED R/4 1929
π	3203.161	+ 5.483	+ 5.483			US 2129 FINAL ELEV. 1928 - 3195.729
−	2.455		2.324			
TP	3200.706					
+	9.642		9.516			
π	3210.348	+ 7.975	+ 7.974			
−	1.667		1.542			
TP	3208.681					

F. B. 2631 Pg. 229

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF MT. SPR. RD.
SURVEY BY C. L. WRIGHT
NOTES BY C. L. W. DATE 13 APRIL 1961
INDEXED [illegible] DATE
NOTES CHKD. DATE
NOTES RED. DATE

F.B. 2603/Pg. 230

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3208.681					
+	8.594		8.485			
⇅	3217.275	+ 7.163	+ 7.161			
−	1.431		1.324			
TP	3215.844					
+	8.991		8.991			
⇅	3224.835	+ 7.424	+ 7.426			
−	1.567		1.478			
TP	3223.268					
+	8.978		8.937			
⇅	3232.146	+ 6.122	+ 6.121			
−	2.756		2.716			
TP	3229.390					
+	6.879		6.763			
⇅	3236.269	+ 4.657	+ 4.657			
−	2.222		2.106			
T.P.I.	3234.047					SET SHIP SPIKE T N.E. SIDE PP# 476635E UP 6" 50'± E. OF INT SIERRA HI. WAY & SAN ONDALE RD.
+	7.736		7.614			
⇅	3241.783	+ 6.854	+ 6.853			
−	0.882		0.761			
TP	3240.901					
+	11.773		11.675			
⇅	3252.674	+ 11.246	+ 11.247			
−	0.527		0.428			
TP	3252.147					
+	10.201		10.261			
⇅	3262.348	+ 8.718	+ 8.719			
−	1.483		1.543			
TP	3260.865					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED JOB NO 0075.78 SURVEY OF Mt. Spr. Rd.
DATE SURVEY BY C.L. WRIGHT
NOTES CHKD BY BACON NOTES BY C.L.W. DATE 13 APRIL 1961
DATE 5-12-61 INDEXED B. E. OTT DATE

F.B. 2691 Pg. 231

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3260.865					
+	10.176		10.073			
T	3271.041	+ 8.830	+ 8.829			
−	1.346		1.244			
TP	3269.695					
+	10.181		10.043			
T	3279.876	+ 9.024	+ 9.024			
−	1.157		1.019			
TP	3278.719					
+	7.011		7.115			
T	3285.730	+ 2.210	+ 2.209			
−	4.801		4.906			
B.M. ¼ cor	3280.929					M.S.R.-2
+	6.638		6.541			Fd. C.S. Mon. 2" I.P., Brass Cap Set Conc.,
T	3287.567	+ 1.535	+ 1.535			Well & Cover Dn. 9" Ft. 127 Marked
−	5.103		5.006			F.B. 874-52
TP	3282.464					
+	5.423		5.312			
T	3287.887	+ 0.117	+ 0.120			
−	5.306		5.192			
TP	3282.581					
+	9.073		9.228			
T	3291.654	+ 8.324	+ 8.324			
−	0.749		0.904			
TP	3290.905					
+	9.906		9.789			
T	3300.811	+ 6.921	+ 6.919			
−	2.985		2.870			
B.M.	3297.826					Set Slip Spk. N. Side P.P. # 92 Bacon E Up 2"

COUNTY SURVEYOR
T 5 N
R 13 W Sec 16 / Sec 15
R. E 21

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF Mt. Spr. Rd.
SURVEY BY C.L. WRIGHT
NOTES BY C.L.W. DATE 13 APRIL 76
INDEXED D.E. OH DATE
NOTES RED. DATE
NOTES CHKD. DATE

F.B. 2631 PG. 232

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M.	3297.826					SET SPIKE & T, N. SIDE PP#
+	4.240		4.148			
π	3302.066	- 3.141	- 3.143			
-	7.381		7.291			
TP	3294.685					
+	11.668		11.527			
π	3306.353	+ 9.704	+ 9.704			
-	1.964		1.823			
TP	3304.389					
+	5.575		5.457			
π	3309.964	+ 1.148	+ 1.147			
-	4.427		4.310			
TBM	3305.537					FD. 1X2 NAIL R-9 PG. 125, 126
+	9.949		9.814			(ON E-W & SEC. T5N R13W)
π	3315.486	+ 6.763	+ 6.765			
-	3.186		3.049			
TBM	3312.300					FD. 1X2 NAIL - R-8 PG. 124, 125
+	5.578		5486			ON E-W. & SEC T5N R13W)
π	3317.878	+3.441	+3.441			
-	2.137		2.045			
TP	3315.741					
+	4.084		4.036			
π	3319.825	+ 0.782	+ 0.783			
-	3.302		3.253			
TBM	3316.523					FD. 1X2 NAIL 5' OFF R-7 PG/24
+	8.318		8.184			
π	3324.841	+4.845	+ 4.846			
-	3.473		3.338			
TP	3321.368					

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 2075.78 SURVEY OF Mt. Spr. Rd.
DATE _____ SURVEY BY C. L. WRIGHT
NOTES CHKD W. BACON NOTES BY _____ DATE 13 APRIL 1961
DATE 5-19-61 INDEXED _____ DATE _____

F. B. 2631 Pg. 233

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3321.368					
+	3.828		3.437			
=	3325.196	- 0.641	- 0.639			
-	4.469		4.076			
TP	3320.727					
+	8.474		8.338			
=	3329.201	+ 4.777	+ 4.776			
-	3.697		3.562			
T.B.M.	3325.504					Fd. 1x2 2" NAIL - R-G PG. 124
+	0.731		0.677			(61, E-W & SEC. T5N R13W)
=	3326.235	- 3.730	- 3.727			
-	4.461		4.404			
B.M. M.S. 14	3321.774					Fd. C.E. BUTTON MON. 2" IP BRASS CAP SET CONC.
+	10.823		10.949			UP 6" PG. 124 MARKED
=	3332.597	+ 10.165	+ 10.163			
-	0.658		0.781			
TP	3331.939					
+	9.334		9.185			
=	3341.273	+ 8.752	8.751			
-	0.582		0.434			
TP	3340.691					
+	11.603		11.709			
=	3352.494	+ 11.203	+ 11.204			
-	0.600		0.505			
TP	3351.894					
+	11.751		11.602			
=	3363.645	+ 11.071	+ 11.073			
-	0.680		0.529			
TP	3362.965					

COUNTY ENGINEER B.M. M.S. 14 R.E. 5869

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.78 SURVEY OF Mt. Spr. Rd. NOTES RED.
SURVEY BY C. L. WRIGHT DATE
NOTES BY C. L. W. DATE 13 APRIL 1961 NOTES CHKD.
INDEXED H. E. OH DATE DATE

F.B. 2631 PG. 234

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3362.965					
+	11.929		11.818			
π	3374.894	+ 7.788	+ 7.786			
−	4.141		4.032			
T.P.	3370.753					
+	9.765		9.900			
π	3380.518	+ 8.624	+ 8.625			
−	1.141		1.275			
T.B.M.	3379.377					FD. 1X2 "NAIL · R-5 Pg. 109, 123, 124 (INT. PRELIMINARY LINE & E-W. & SEC. 15 T5N, R13W
+	11.579		11.489			
π	3390.947	+ 9.369	+ 9.369			
−	2.201		2.120			
T.P.	3388.746					
+	11.709		11.791			
π	3400.455	+ 11.266	+ 11.268			
−	0.443		0.523			
T.P.	3400.012					
+	11.401		11.514			
π	3411.413	+ 8.271	+ 8.269			
−	3.130		3.245			
T.P.	3408.283					
+	6.865		7.008			
π	3415.148	+ 3.562	+ 3.562			
−	3.303		3.446			
T.B.M.	3411.845					FD 1X2 "NAIL P-86 Pg. 109
+	11.161		10.924			
π	3423.006	+ 9.000	+ 9.002			
−	2.161		1.922			
T.P.	3420.845					

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED JOB NO 7S.78 SURVEY OF Mt. Sac. Rd.
DATE SURVEY BY C. L. WRIGHT
NOTES CHK'D W. BACON NOTES BY C. L. W. DATE 13 APRIL 1961
DATE 5/12/61 INDEXED H. E. GM DATE

F.B. 263/ Pg. 235

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION		
TP	3420.845							
+	10.891		11.070					
T	3431.736	+ 9.451	+ 9.452					
−	1.440		1.618					
TBM	3430.296					Fd. 1×2 SPIKE	P-35	Pg. 108, 109
+	1.531		1.811	2.225				
T	3431.827	− 9.284	− 9.290	9.286				
−	10.815		11.101	11.511				
TBM	3421.012					Fd. 1×2 NAIL	P-84	Pg. 108
+	10.702		10.969					
T	3431.714	+ 5.613	+ 5.610					
−	5.089		5.359					
TP	3426.625							
+	11.789		11.500					
T	3438.414	+ 10.819	+ 10.819					
−	0.970		0.681					
TP	3437.444							
+	11.930		11.744					
T	3449.374	+ 7.542	+ 7.543					
−	4.388		4.201					
TP	3444.986							
+	10.462		10.674					
T	3455.448	+ 8.301	+ 8.303					
−	2.161		2.371					
TBM	3453.287					Fd. 1×3 SPIKE	P-83	Pg. 107, 108
+	1.668		2.048					
T	3454.955	− 4.653	− 4.654					
−	6.321		6.702					
TP	3448.634							

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00715.78 SURVEY OF MT. SAC. RD. NOTES RED.
SURVEY BY C. L. WRIGHT DATE
NOTES BY C. L. W. DATE 13 APRIL 1961 NOTES CHKD.
INDEXED H. E. OTT DATE DATE

F.B. 2631 PG 236

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3448.634					
+	10.990		11.262			
π	3459.624	+ 3.444	+ 3.447			
−	7.546		7.815			
TP	3452.078					
+	11.391		11.035			
π	3463.469	+ 9.606	9.606			
−	1.735		1.429			
TP	3461.684					
+	8.309		8.272			
π	3469.993	+ 4.960	+ 4.961			
−	3.349		3.311			
TBM	3466.644					FD 1x1 SPIKE P-92 Pg. 107
+	0.424		0.383			
π	3467.068	− 11.547	− 11.549			
−	11.971		11.932			
BMMS.13	3455.097					FD. C.E. BUTTON MON. 2" I.P., BRASS CAP SET CONC. UP 6", ON N-S SEC. LINE SEC. 14, SEC 15 T5N R13W Pg. 120 MARKER
+	1.948		2.110			
π	3457.045	− 9.131	− 9.131			
−	11.079		11.241			
TP	3445.966					
+	1.540		1.511			
π	3447.506	− 10.269	− 10.271			
−	11.809		11.782			
TP	3435.697					
+	0.502		0.345			
π	3436.199	− 11.478	− 11.477			
−	11.980		11.822			
TP	3424.219					

COUNTY ENGINEER B.M. MS.13 R.E. 5869

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 2075.78 SURVEY OF MT. SAC. RD.
DATE _____ SURVEY BY C. L. WRIGHT
NOTES CHKD W. BACON NOTES BY C. L. W. E. OTT DATE 14 APRIL 1964
DATE 5-19-64 INDEXED _____ DATE _____

F. B. 2631 PG. 237

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3424.219					
+	0.721		0.617			
=	3424.940	- 11.035	- 11.035			
-	11.756		11.652			
TBM	3413.184					FD 1x2 8' NAIL P-80 PG. 106, 107
+	0.717		0.615			
=	3413.901	- 10.897	- 10.899			
-	11.614		11.514			
TP	3402.287					
+	0.702		0.746			
=	3402.989	- 10.935	- 10.931			
-	11.637		11.677			
TP	3391.352					
+	1.600		1.774			
=	3392.952	10.041	10.041			
-	11.641		11.815			
TP	3381.311					
+	2.243		2.127			
=	3383.554	- 9.152	- 9.153			
-	11.395		11.280			
TBM	3372.159					FD 1x2 8' NAIL P-79 PG 106
+	0.590		0.437			
=	3372.739	- 10.549	- 10.546			
-	11.129		10.983			
TP	3361.610					
+	3.591		3.701			
=	3365.201	- 0.790	- 0.792			
-	4.381		4.493			
TBM	3360.820					FD. 1x2 8' NAIL P-78 PG. 106

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00-7578 SURVEY OF MT. SAR. RD.
SURVEY BY C. L. WRIGHT
NOTES BY C. L. W. DATE 14 - APRIL 1961
INDEXED H. E. OTT DATE
NOTES RED. DATE
NOTES CHKD. DATE
F. B. 2631 PG. 238

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M.	3360.820 ✓					FD 1x2 8 NAIL P-78 Pg 106
+	5.114		4.997			
⊼	3365.934 ✓	- 6.664	- 6.663			
−	11.778		11.660 ✓			
T.P.	3354.156 ✓					
+	1.717		1.866			
⊼	3355.873 ✓	- 6.124	- 6.126			
−	7.841		7.992 ✓			
T.P.N	3348.032 ✓					FD 1x2 8 NAIL P-77 Pg. 105, 106
+	6.691		5.991			
⊼	3354.123 ✓	- 5.387	- 5.389			
−	11.478		11.380 ✓			
TP	3342.645 ✓					
+	1.988		1.864			
⊼	3344.633 ✓	- 2.853	- 2.852			
−	4.841		4.716 ✓			
TBM	3339.792 ✓					FD. 1x2 8 NAIL P-76 Pg 105
+	0.523		0.697			
⊼	3340.315 ✓	- 11.116	- 11.117			
−	11.639		11.814 ✓			
TP	3328.676 ✓					
+	0.366		0.486			
⊼	3329.042 ✓	- 10.189	- 10.158			
−	10.555		10.674 ✓			
TP	3318.487 ✓					
+	1.582		1.714			
⊼	3320.069 ✓	- 4.284	- 4.285			
−	5.866		5.999 ✓			
TP	3314.203 —					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0075.78 SURVEY OF MT. SPR. RD.
DATE _____ SURVEY BY C. L. WRIGHT
NOTES DRAWN W. BACON NOTES BY C. L. W. DATE 14-APRIL-61
DATE 5-19-61 INDEXED B. E. OTT DATE

F.B. 263 Pg. 239

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3314.203					
+	11.412		11.171			
=	3325.615	+ 10.132	+ 10.133			
−	1.280		1038			
TBM	3324.335					Fd. Dg. Hd. Stn. Int. Preliminary Line
+	10.086		9.936			1 Semi-Tang. Curve. # 3 - Red Rover Mine Rd.
=	3334.421	+ 8.390	+ 8.393			P-75 Pg 100, 103
−	1.696		1,543			
TP	3332.725					
+	10.586		10.477			
=	3343.311	+ 8.952	+ 8.951			
−	1.634		1.526			
TBM	3341.677					Fd. 1x2 Stake P-74 Pg 100
+	4.135		9.004			
=	3345.812	- 4.360	- 4.859			
−	8.995		8.863			
B.M. M.S.12	3336.817					Fd. C.E. Button Mon. 2" I.P., Brass Cap Set Conc. up 6" Pg 114, 115, 215

COUNTY ENGINEER
B.M.
M.S.12
R. E. 5869

F. B 2631/Pg. 240

JOB NO. _____ SURVEY OF _____ NOTES RED. _____

SURVEY BY _____ DATE _____

NOTES BY _____ DATE _____ NOTES CHKD. _____

INDEXED _____ DATE _____ DATE _____

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

Notes Ck'd by H Austin	Survey of MT. SPRINGS RD	F. B. 2631	Pg. 241
Map No.	JN 00578 Tape 197 Std 84 °F		
Office Work	Surveyed by J.S. COATES		
Checked	Notes JSC Date 2-10-64		
Date	Indexed C. J. GALLI FEB 21 '64		

J.N. 00578

MOUNTAIN SPRINGS RD.

CHECK CHAINING
ON
CARROLOS AVE. & S. LINE SECT 13 T5N R13W
FROM
E. LINE SECT. 13 TO ℄ CROWN VALLEY RD

COATES
KANNESS
MITCHELL
HUBBARD

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3093 CE #310 9-62

F. B. 2631 PG. 242



W.S. C4 C-5

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not attach this slip of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. Austin
Map No.
Office Work
Checked
Date

Survey of MT. SPRINGS RD
JN 007578 Tape 197 Std 84 °F
Surveyed by J S COATES
Notes JSC Date 2-19-64
Indexed C. J. GALLI FEB 21 '64

F. B. 2631 PG. 243

CONT.

BOT PG. 244

W 5.64, 4.55

FD 1/2" I.P. 4' dn
Used ctr.
RS 73-42,43
0.76

661.62

VIOLIN AVE

330.65

330.69 @ 64° = 330.65

FD 2" I.P. FI
PLS TAG
L.S. 2981

329.19 AVE.

329.23 @ 64° = 329.19

FD 1/2" I.P. 4' dn
PLS TAG
RE 875B
RS 73, 42, 43
0.28

KATHERINEL AVE

329.76 WESTCOAT

300.57 @ 7° 11' = 298.21
300.41 @ 6° 54' = 298.24
31.58 @ Lev = 31.58
329.80 @ 64° = 329.76

COR. SECT 13, 24, 18, 19
T 5 N R 12, 13 W
FD C.S. MON
FB. 2631-78

LOS ANGELES COUNTY SURVEY MONUMENT
T5N R13W 13 24
T5N R12W 18 19
1926

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this style of this line.

76F3095 CE #310 6-62

F. B 2631 Pg 244

CROWN VALLEY RD

W.S.B.M.

1/4 COR SEC. 13, 24
T 5 S R 13 W
F.D. S MON. 12" dn
F.B. 2631 - 80
F.B. 2692 - 218
F.B. 1684 - 211

COUNTY SURVEYOR'S MONUMENT
T 5 S R 13 W
1/4 COR SEC 13 & 24

658.95

659.04 @ 64° = 658.95 ✓

West Line RS 73-42,43

F.D. 1/2" I.P.
6" dn.
Conc. Pl.
& LS 1429

325.91 ✓ AVE

325.95 @ 64° = 325.91 ✓

WINDY - 20 TO 25 MPH

F.D. 1/2" I.P.
6" down
Pl. & REB758

325.91

FLORENCELL AVE.

0.27

WESTCOATT

661.62 ✓

To ℄ Violin

661.71 @ 64° = 661.62 ✓

FROM TOP PG. 243

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

DO NOT WRITE THIS SIDE OF THIS LINE

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change