F. B. 2635 Pg. 5

Notes Ck'd by J. AJA

Survey of Soledad Cyn Rd.
W. O. 0075.92 Tape No. 148 St'd. 84 °F
Surveyed by C. L. Wright
Notes C. L. W. - J. Date 23 Nov '59
Indexed 1-26-60

SOLEDAD CANYON ROAD
FROM P.I. #22 NORTH
WESTERLY TO P.I. #18 & THROUGH
TWO CURVES WESTERLY OF P.I. #19.
NOTE: SOLEDAD CYN. RD. FORMERLY
CALLED MINT CYN. HWY.
J.N. 0075.92
TAN - R15W



REFERENCES:
F.B. 446
C.S. B-618
C.S. 6731
C.S. 8046
C.S. B-877 (FM 10877)

Microfilmed June '85

PARTY:
C. L. WRIGHT
R. C. BOWERS JR.
T. MELTON
J. R. FULTON JR.
D. J. DRESSER

F.B. 2635 PG. 6

CONT. BOT. PG. 7

FD. L & T. IN OLD CONC. PVMT. 3" UNDER BLACKTOP PVMT. F.B. 446-76 C.S.B - 618

0° 03' 13"

970.66

0° 04' 18"

SEE PG 14 FOR THIS LINE

FD. L & T. IN OLD CONC. PVMT. 3" UNDER BLACKTOP F.M. 10877

118.88

P.I. #21 F.M. 10877

FD. L & T. IN OLD CONC. PVMT. 3" UNDER BLACKTOP PG 14, 26

T-56°

300.62

297.81

250.58

3.33

118.50

970.84

18

970.66

Δ	166	26	40
Ⓒ	305	46	40
Ⓑ	228	40	00
	166°	26'	40"

RECORD CURVE AS PER F.M. 10877

Δ = 13° - 33' - 50"

R = 1900'

T = 118.92

L = 236.75

166° 26' 40"

1270.28

MEAS. 1356.50 P.I. - P.I. Ro

CONC. SOLEDAD

86.25 MEAS. 86.22 REC.

T 78°

LEV. 300.61

" 300.81

" 300.61

" 300.18

" 67.98

1270.28

1270.28

FD. L & T. IN OLD CONC. PVMT. 3" UNDER BLACKTOP PVMT.

T-78°

LEV. 86.25

P.I. 22

FD. OLD CONC. NAIL W/ HEAD BROKEN OFF IN CONC. PVMT. - 3" UNDER BLACKTOP PVMT.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Do not write, Sketch, Mail Ink, With Date, and Mailing Clamp.

Notes Ck'd by J. AIA
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD.
W. 8 75.92 Tape No. 148 St'd. 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date 23-NOV 59
Indexed C. Johnson

F.B. 2666 Pg. 7

CONT. BOT. PG 8

SET 1X2 C NAIL TAN PROD.

SET 1X2 C NAIL 15.00

17.58

P.I. #20

FD. OLD 4x4 R/W POST BROKEN OFF - C.S.B-618
RESET 1½" I.P. CONC. PLUG NAIL & TAG - L.A.C. ENGR. DN. 14"

RECORD CURVE
AS PER C.S.B-618
Δ 8°38'47" ST
R 400'
L 225.38
L 410.48
T 74"

CHAINING LINE

C/L 19.87

C/L 19.80

C/L SOLEDAD

12°

P.I. #18

SET SPIKE & SHR. SEC. W. 9T.

15.00

F.B. 446-76
C.S.B-618

528.64 TO CEN. SEC. 20

FD. L&T. IN OLD CONC. PVMT. 3" UNDER BLACKTOP USED THIS L&T. FOR ℄

T 80
LEV. 175.42
1.58
343.32

343.32

T 62
LEV. 92.21
92.21

C.L.W. 1933.78
MEAS. 1933.79 - ?

P.I. - P.I. 343.32

FD. L&T. IN OLD CONC PVMT. 3" UNDER BLACKTOP F.B. 446-76 C.S.B-618

29.98

32.21

FD. C.S.M. MARKER F.B. 446-76 C.S.B-618

90.66 TO P.I.

90°

CONT. FROM TOP PG.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
716 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes.

Do not extend notes this side of this line.

Form 1-57

F.B. 2635 Pg. 8

CONT. BOT. PG. 9

CENTER PG. 18

T-76°
LEV. 197.45
.01
197.44

SET 1x2 ℄ NAIL

197.44

134°

FD. 1x2 ℄ NAIL PG. 18

15.04

14.92

SEE PG. 18

2.18

MADE SEARCH FOR RECORD POINT AS PER C.S. B-618 NOTHING FOUND SET NAIL BY INTERSECTION IN PVMT.

SEC. LINE

11 1/2"

3"

① 134 46 00
② 179 04 40
③ 88 37 10
134° - 46' - 11 2/3"

T-78°
LEV 155.56
" 183.79
" 207.10
" 139.14
" 130.53
816.12
.03
816.09

816.09 REC. CSB-618
MEAS. 815.68 CYN. RD. (MAINT. CYN. HI-WAY)

SET #10 D NAIL

0.13

17.39

40.04

C.S. B-618
FD. C.S. MON. DN. 6" MARKED

COUNTY SURVEYOR HONB SCHOOL LOT MONUMENT

T-82°
LEV. 120.32

15.04

120.32

PI - PI - SOLEDAD

FD. SPK. ℄ T DN. 5" UNDER BLACKTOP IN OLD CONC. PVMT. USED THIS NAIL FOR ℄

0.05

40.13

FD. C.S. MON. DN. 24"

SET #10 NAIL

14.97

FD. CUT SPK. C.S. B-618 W. ℄ T. DN. 5" UNDER BLACKTOP IN OLD CONC. PVMT.

TRANSIT 216.30

T-82°
215.19 @ B-28 = 214.80
1.50
216.30

121°

12'

SET 1x2 ℄ NAIL

15.04

9.12

5.8

P.I. #20
FD. OLD RW 4x4 POST BROKEN OFF
RESET 1½" I.P.
CONC. PLUG & L.A. CO. ENGR. TAG DN. 14"
C.S. B-618

① 121 12 00
② 124 48 20
③ 7 12 40
121° - 12' - 06 2/3"

CONT. FROM TOP PG. 7

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. AJA
Map No.
Office Work
Checked
Date

Survey of Soledad Cyn. Rd.
JN 00751.92 Tape 148' Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date 9 Dec 59
Indexed C. Johnson

F.B. 2635 Pg. 9

Note: Any Additions or Changes on This Sheet Must be Made or Called in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER
ROOM 183 LOS ANGELES COUNTY ENGINEERING BLDG.

FORM DE #247 8-57

CONT. BOT PT. fo

F.D. CUT SPK. & W. DN 3" F.M. 10877

E.C. #18

USED THIS POINT FOR LINE.

T=68°
LEV. 153.87
" 117.82
271.69
.03
271.66

F.M. 10877
FD. CUT SPK. & W. DN. 3"

C/NW HIGHWAY

C/NMT

0.02'

BC #19

TAN. PROD. P.P.I. #19
SET 1/2" I.P. CONC. PLUG, NAIL & L.A. CO. ENGR. TAG IN S.P.R.R. FILL 2'± UP FROM TOE OF FILL. T-745.

239.79 @ 0-30 = 239.76'
.02
239.74'

239.74

R.P.

RECORD CURVE AS PER F.M. 10877
Δ 24° 37' 40"
R = 700'
T = 151.80
L = 300.89

T 10
LEV. 152.
152.87

C/N.

152.

SET 1x2 & NAIL

0.98

150.4

7.38

SET SQ. SPK. C/L. EDGE OF PVMT.

C.S. B-618, FB. 44-

P.I. #19 - FD. 4 x 4 R.W. WITH BRASS SPK. AND WASHER DN. 38"
RESET 1½" I.P. CONC. PLUG, NAIL AND L.A. CO. ENGR. TAG ON 18

T 89°
LEV. 34.2
" 219.3
300.39 @ 1-04 = 300.3
553.92

MEAS. 1715.47' REC. C.S.B. 618 1715.72'

SOLEDAD

TRANSIT LINE

558.82'

P.I. - P.I.

155°

0 155 22 60
@ 241 28 20
@ 212 12 40
155° 22' 06"

SET 1x2 & NAIL

197.44

SET 1x2 & NAIL

CONT. FROM TOP PG. 8

2635 Pg. 10

Cont. Bot. Pg. 11



Cont. From Top Pg. 9

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Grid by J. A.A.
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD.
JN 0075.92 Tape 148 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W Date 17 DEC. 59
Indexed C. JOHNSON

F.B. 2635 Pg. 11

FD. N&T. IN PP. #488307E (EAST SIDE)

END OF LINE (B-870) REC.

FM 10+84

T 60°

FD. SPK. & W. DN. 4" IN OLD CONC. PVMT.

LEV. 173.53
.03
173.50

B.C. #16

173.50

SET 1 X 2½ NAIL

FD. N&T. IN W'LY. SIDE T.P. # 5741981

RECORD CURVE
Δ = 19-11-40
R = 3900'
T = 659.44
L = 1306.52

1306.98
1300'48 INCLS.
1300.44 CALC.

MINT CYN. HI-WAY (RD)

(SOLEDAD CYN RD)

T 62°
LEV. 94.60
" 176.90
" 190.17
" 165.55
" 207.34
" 193.97
" 98.61
1127.14
9.66
1136.80

① 5 - 56 - 20
② 23 - 46 - 30
③ 35 - 46 - 30
5 - 56 - 40

① 170 - 24 - 40
② 321 - 38 - 20
③ 302 - 27 - 50
170 - 24 - 38½

28 Adj

FM 7087 (B-870) REC.

EC. 214+88.96 REC.

EC #16
FD. #60D SPK. & W. DN. 3' IN PVMT.

1.70° - 24' - 38½"

6.60

64.83

74.77

74.0

SET N&T IN E'LY SIDE T.P. (NO NUMBER)

B.C. #17
FD. #60D SPK. & W. DN. 3' IN PVMT.

RECORD CURVE
Δ = 5° 53' 15"
R = 1550'
L = 161.37

SET N&T.

mea Curve data
Δ = 11° 53' 40" OK
R = 1548.36
T = 161.36
L = 321.56

T 70°
LEV. 6.47
LEV. 14.28
LEV. 300.37
320.65
320.93

50 Adj

5° 56' - 40"

① 174 - 03 - 20
② 336 - 12 - 40
③ 324 - 19 - 00
174° - 03' 10"

SET R.W. 1 X 2 & NAIL TBM. PRDD.

EC #17
FD. CUT SPK. W. DN. 3' IN PVMT.

BARB WIRE FEN.

1.00

Cont. Above Fd. Pt.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

FORM DPW 62 #247—3-57

F.B. 2635 Pg. 12

CONT. BOT. PG. 13

P.I. #17A — SET 1x2 & NAIL

REPLACED 1x2 & NAIL WITH 2" I.P., CONC. PLUG & L.A.CO. ENGR. TAG ⟵ FLUSH C.L.W. JAN '60

739.63

LINE A'

T 48°
LEV. 207.73
LEV. 159.67

PIPE & WIRE FLOOD CONTROL FENCE

BC #17A 231+52.58

SET 1x2 & NAIL

325.69

LEV. 71.56
LEV. 300.84
739.80 ✓
.17 ✓
739.63 ✓

OLD PIPE & WIRE FLOOD FENCE

228+33 ±

228+26.89

SET 1x2 & NAIL TOP W. FLOOD CONTROL BERM

FOR THIS LINE SEE PG. 28

105.37

PG. 28 SET 1x2 & N.

818.09

T 50°

4 STRAND BARB WIRE FN.

SEC. LINE

222+67.63

LINE A

LEV. 70.41
" 114.23
" 143.45
" 145.44
" 120.26
" 224.43
818.27 ✓
.18
818.09 ✓

SEE PG. 20 FOR THIS INT. AND DISTANCES ON BOTH LINES AND ALSO ANG.

220+08.80

SET 1x2 & NAIL

SEE PG. 49 FOR ADD'L. INFO. ON THIS AREA C.L.W.

436.39

219+45.15 BC #17B

T 50°
LEV. 271.25
" 165.24
436.49 ✓
.10
436.39 ✓

PG. 28

SET 1x2 & N.

SET O.A. SPK. ST.

215+72.41

EC #16A

T 40°

LEV. 83.97
.02
83.95 ✓

Δ 1° - 14' - 00"
R 3900'
T 41.98
L 83.95

① 169 47 10
④ 319 08 40
⑤ 298 43 00
169° 47' 10" ✓

LINE "A" STARTS HERE

S69°

FD. 4 GOD WIRE SPK. & WASHER PG. 11

EC #16

214+88.46
RECD 88.43
PER (F.M.)

130.48 TO BC #16

① 169 47 00
④ 319 08 20 ✓
169° 47' 05"

Δ 19 - 11 - 40
R 3900'
T 659.44
L 1306.52

SEE PG.

RETURN TO LOS ANGELES COUNTY ENGINEER 900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. A.	Survey of Soledad Cyn. Rd. (Monroe)
Map No.	JN 00 75.92 Tape 198 Std. 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date 23 DEC. '59
Date	Indexed C. Johnson

F. B. 2635 Pg. 15

CONT. ON BOT. PG 14

SET 1X2" NAIL TOP BERM

243+99.45

T-56°

LEV. 22.36

22.36

15'

243+77.09

SET 1X2" NAIL

25'

T 56°

179.91 @ 1-47 = 179.82

LEV. 146.06

325.88

04

325.88

PIPE & WIRE FLOOD CONTROL FENCE

32.58'

LINE #1

240+51.28

99.93

SET 1X2" NAIL

239+60.35

EC #17A

SET 1X2" NAIL

T 54°

LEV. 10.08

151.80

193.10

199.99

504.97

504.87

504.87'

150.87'

149°

Δ = 30° 51' - K 2/3

Δ/2 = 15° 25' 38 1/3"

R 1500'

T 413.99

L 807.76

08'

40"

P.I. #17A

SET 1X2" NAIL

REPLACED 1X2" NAIL WITH 2" I.P. CONL. PLUG L.A. CO. ENGR. TAG FLUSH C.L.W. JAN. '60

① 149° 08' 40"

② 236 34 50

③ 174 52 20

149° 08' 48 1/3"

P.C. #17A

CONT. FROM TOP PG 12

Note: Any Additions or Changes on This Sheet Must Be Made or Dated in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER FLOOD LOS ANGELES COUNTY ENGINEERING BLDG.

7875005 CE #247—3-57

F.B. 2635 Pg. 14



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. AJA
Map No.
Office Work
Checked
Date

Survey of Soledad Can. Rd. (Monrovia)
W. O. 88-5-93 Tape No. 148 St'd. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 27-NOV-53
Indexed C. Johnson

F. B. 2635 Pg. 15

W. S. 62 K-2

Note: Any Additions or Changes of This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

CONT. BOT. PG. 16
SET N.&T.
11+29.21N
T 80°
LEV. 300.38
.01
300.37

300.37

T4N
R15W
SEC 20

SEE PG. 14 FOR THIS LINE

SET N.&T.
8+28.84N
T 80°
LEV. 300.21
.01
300.20

300.20

SET WELL & COVER
FD. C.S. MON.
2" I.P. - BRASS CAP
SET CONC. DN 12"
CENTER SEC. 20
MARKED
C.S.B. 618
F.B. 446-72

T4N
CENTER
SEC. 20

162.06
PG. 14

TO W. 1/4 COR
SEC 20 - PG. 17
5428.04N

①	89	44	20
②	358	57	20
③	178	26	00
	89°	44'	20"

T-64°
LEV. 3.15
" 100.55
" 223.18
" 162.93
489.81
.06
489.75

489.75

16 1/2" T

0+38.89N

SET N.&T. IN PVMT.

38.89

T 64°
LEV. 38.90
- 38.89
0.03

FD. C.S.B.

16' C.L.

16' PAGE

ROAD

343.32

MINT CYN.

SET N.&T.
PG. 7, 14

75F3096 247 2-51

F.B. 2635 Pg. 16

END OF LINE

SET BOAT SPK. W. OT IN E. SIDE TAMARAC TREE UP 30'

1056.52

SEC. 17

T 4N R 15W

10.55

31+58.83N

FD. CUT SPK. W. CT. N.W. SIDE OLD T.P. # 274921E UP 3.0' F.B. 446-68

FD. C.S. MON. 2" I.P. BRASS CAP IN CONC. DN 9" MARKED C.S.B-618

COUNTY SURVEYOR'S MONUMENT

T 4N SEC. 17 SEC. 20 1/4 SEC. COR.

1045.52

SET NAIL ON E. SIDE 84087H IN TELEPOLE UP 30" ABOVE ROAD SURFACE

SEC. 20

1728.60V

T 80°

261.34
299.85
LEV. 2.00
299.98 @ 1-08 = 299.92 ✓

LEV. = 265.15
300.20 @ 1-21 = 300.12 ✓

LEV. 300.26
1728.64
.04
1728.60 ✓

SET NAIL

14+30.23N

501.02V

T 80°
LEV. 301.03
01
301.02 ✓

SET NAIL

11+29.21N

CONT. FROM TOP PG. 15

W.S. 62-C-2

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. AJA
Map No.
Office Work
Checked
Date

Survey of Soledad Cyn. Rd. (Honey)
W. O. 87597 Tape No. 148 St'd. 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date 1-Dec. 53
Indexed C. Johnson

F. B. 2655 Pg 57

W. S. 62-B-2

CONT. ON BOT PG 18

T4N R15W

THIS MONUMENT RESTS A COUPLE OF FT. FROM TOP OF ROAD CUT ON A CLAY HILL AND HAS UNDOUBTEDLY SLIPPED DOWN HILL. I MOVED IT TO A POINT ½ WAY BETWEEN THE W. ¼ COR. & CEN. SEC 20 T4N R15W AND ON LINE TO HERE — C.L.W.

SURVEYOR'S MONUMENT COUNTY T4N R15W SEC 20 ¼ SEC COR

1/16 COR. 13+16.97 E — 1/16 COR.

13+16.98 E

S 21 1/2 — S 20 CALC.

FD. C.S. MON. C.S. B-618 × 13+11.70 E — SET 1"x1" & NAIL

T-68°

277.72 @ 2-31 = 277.45

LEV. 153.0

300.76 @ 1-42 = 300.63

731.63

.09

731.01

731.01

5+80.69 E — SET 1"x2" & NAIL TOP OF FILL ON S.P.R.R. RIGHT OF WAY

13'

S.P.R.R. TRACKS

580.69

T 64°

LEV. 255.30

" 141.56

" 178.41

" 5.50

580.77

.08

580.69

Sec 20

SEE PG 19 FOR THIS LINE

FD. C.S. MON - 2" I.P. BRASS CAP SET CONC. IN CULTIVATED FIELD WITH TWO STEEL PIPE DRIVEN IN UP 6" AS GUARDS. MARKED

SURVEYOR'S MONUMENT COUNTY T4N R15W SEC 19 20 ¼ SEC COR

SEC 19

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY SURVEYOR 724 LOS ANGELES COUNTY ENGINEERING BLDG.

7SF3095 247 2-51

F.B. 2635 PG. 18

END OF LINE

T4N R15W

W.S. 62-C-2

To North ¼ Cor. Sec. 20

26+33.93 E

FD. C.S. Mon. on 12" Well & Cover
Center Sec. 20
See Pg. 15

89°

20'

855.82

T: 80°

LEV	195.81	
"	265.51	
"	26.17	
"	247.56	
120.84 @ 1-40 =	120.79	
	855.84	
	02	
	855.82	

①	89	44	20
②	358	57	20
③	178	26	00
	89	44	20 ✓

17+78.11 E

Set 1 x 2¢ Nail

T 80°

202.09 @ 0-49 = 202.07

LEV. 179.93

LEV. 51.98

433.98

0

433.97

433.97

11 2/3"

46'

34'

RD.

C+N.

13+65.32 E

Soledad

Set Nail
Pg. 8

TRANSIT LINE

21.18

13+44.14 E

Fd. 1 x 2¢ Nail

T 76°

LEV. 197.46

T 80°

33.41 @ 13-50 = 32.44

33.54 @ 14-41 = 32.44

32.44

32.44

①	134	46	19
②	179	04	40
③	88	37	00
	134	46	19 ✓

Set 1 x 1¢ Nail

13+11.28 E

CONT. FROM TOP PG. 17

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. AJA
Map No.
Office Work
Checked
Date

Survey of Soledad Cyn. Rd.
N 00° 75.32 Tape 148 Std 34 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date 10 Dec. 59
Indexed C. Johnson

F.B. 2635 Pg. 19

W 5, 62-B-2

CONT. BOT. PG. 20

SEE 1x2" NAIL
16+07.96N
23.66 1.00
℄ SOLEDAD
15+84.30N
SET BOAT SPK. W.C.
113° 23' 01 1/3"
15+53.93N SET 1x2" NAIL

SEC. 19

REPLACED 1x2 WITH 1" I.P. & C.E. TAG (FLUSH) J.R.M. 5-19-64
SET 1x2" NAIL TOP SPUR
8+35.46N 1.00
SET 1x2" NAIL TOP BRK
7+36.52N 1.00

SECTION LINE
1' OFFSET LINE
7+84.7
98.95
BARB WIRE FN. DOWN 2'
O.L.P. PARTIALLY

SEC 20

T-68°
LEV.
299.82 @ 15-23 = 289.08
299.87 @ 15-25 = 289.08
170.33 @ 18-07 = 161.89
170.06 @ 17-50 = 161.89

T-64°
99.59 @ 6-30 =

T-68°
300.83 @ 16-40 = 288.19
300.94 @ 16-45 = 288.17
300.18 @ 0-54 = 300.14
148.31 @ 1-06 = 148.22
736.60
.08
736.52

734.52

COUNTY SURVEYOR'S MONUMENT
T4N
R15W
19 | 20
1/4 SECTOR

MARKED
FD. C.S. MON. 2" I.P. B.C. SET CONC.
1/4 COR SEC. 19-20 T4N. R15W

SEE PG. 17 FOR THIS LINE

TO CONT. SEC 20
FD 18
90 59 00
3 36 08
185 54 12
90 59 20

T4N R15W

BC #18
FD. C.S. SPK. W.C. DN. 3" I.P. FLUSH PG. 20

Note: Any Additions or Changes on This Sheet Must be Made or Called in and Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

785308 CE #247 — 3-57

B. 2635 Pg. 20

WS 66-B-2

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.





END OF LINE

MARKED
Fd. C.S. Mon-2" I.P. B.C.
Set Conc. up 3"
26+20.84N

1.00

Set 1x2 ¢ NAIL

①	102	44	20
④	50	57	00
⑤	256	25	10
	102°	44'	11 2/3"

SEC 19

SEC 20

T-58°
LEV. 258.88
.05
258.83

102° 44' 11 2/3"

T-72°
LEV 163.44
LEV 77.62
LEV 111.93
LEV 197.72
LEV 14.33
297.94 @ 0.40 = 297.92
1012.96
.08
1012.88

1012.88 LINE

1012.88 LINE

20+08.80

258.83

Barb Wire Fence

Fd 1x2 ¢ NAIL Pg. 12

22+46.63

Set 1x2 ¢ NAIL Pg. 12

1.03

SECTION

11' OFFSET

AT 97.25

T-58°
LEV. 97.27
.02
97.25

16+07.96N 1.00

Set 1x2 ¢ NAIL

Notes Ck'd by J. AJA
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD. (MONEY)
JN 0075.92 Tape 148 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 30-DEC'58
Indexed J. C. Johnson 1-26-59

F. B. 2635 PG. 27

IMPROVEMENT LOCATION ALONG LINE "A" - SOLEDAD CYN RD.

Note: Any Additions or Changes on This Sheet Must Be Made as Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
PO LOS ANGELES COUNTY ENGINEERING BLDG.

7-8-61
7-8-61

F.B. 2635 PG. 22

CONT. BOT. PC 23

ROW OF GUM TREES LINE PROD. TO "P" LINE 222+30

LAST TREE IN ROW

ROW OF 12" GUM TREES

35 222+22

4' 4' 29 30 222+02

4'x4' CONCRETE VALVE BOX

220+50 59

EXISTING PAVEMENT 24' WIDE

EDGE OF PVMT

EDGE OF PVMT

220+23 11 P.P.# 480799E

220+17

IDENTICAL

4 STRAND BARB WIRE FENCE

LINE "A"

4° 6° 32

ANCHOR GUY

P.P.# 628942E

217+87 11

EXISTING PAVEMENT 24' WIDE

217+14 IDENTICAL

Pg. 12 215+72 41 E.C. #1 IDENTICAL

EXISTING PAVEMENT 24' WIDE

EDGE OF PVMT

EDGE OF PVMT

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. AJA
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD. (MONBY)
JN 0075.92 Tape 148 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 30 DEC '59
Indexed C. Johnson

F. B. 2635 Pg. 23

CONT. BOT. | PG. 24

MAIN CHANNEL
WASH
SOLEDAD

229+00 — 104 ± — P

PIPE & WIRE FLOOD CONTROL FENCE 9' HIGH

228+35

221 4 ±

227+00

15°

224+50 — 61 5 ±

LINE "A"

223+56

69 2 — 223+30 ?

ANCHOR GUY

OLD PIPE & WIRE FLOOD CONTROL FENCE

35 ?

223+00

222+93 4 ±

62 1

P.P. # 4148 24 E

222+90

36 ?

ANCHOR GUY

222+88 ?

50 3

4 STRAND BARB WIRE FN.

222+79 4 ±

CONT. FROM TOP PG. 22

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

763095 CE #247—7-59

CONT. ON BOT. PG. 25

F. B. 2635 PG. 24

SEE PG 31
FOR HOUSES IN
THIS YARD

247+51.3
18" Juniper

21°

245+50 — 42.1

245+24 — 8'

Fence
strand Barb Wire

245+00 — 44.6

15'

244+50 — 72.1

B RM

RAEF

SAND

243+48.4

RIVER BED

RIP RAP

LINE "A"

61.2

241+50

CHANNEL

FLOW

SOLEDAD

WASH

E

239+60.35

15'

PIPE & WIRE
FLOOD CONTROL
FENCES 6' HIGH

RAEF

P.I. #17A
SET 1/2" NAIL
PG 12 → 13

OVER

42.1

231+75.3

48.4

L PT. FLOOD
CONTROL
FENCE

OLD FLOOD CONTROL
FENCE / PIPE & WIRE

37.2

B.C.
231+52.58

BELOW

MAIN

SOLEDAD

WASH

CONT. FROM TOP PG. 23

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by J. AJA	Survey of Soledad Cyn. Rd (Honby)
Map No.	JN 0075.32 Tape 148 Std 84 °F
Office Work	Surveyed by C. L. Wright
Checked	Notes R C Bowles Date 31 Dec 57
Date	Indexed C. Johnson

F. B. 2635 Pg. 25

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 900 LOS ANGELES COUNTY ENGINEERING BLDG.

76B09S CE #247—7-53



CONT FROM TOP Pg. 24

F.B. 2635 PG. 26



CONT. FROM TOP LEFT Pg. 25

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD. (HONBY)
JN 00752 Tape 148 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Dated 6 JAN. '60
Indexed C. Johnson

F. B. 2635 PG. 27

LINE "B" - SOLEDAD CYN. RD.

Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-53

F.B. 2635 Pg. 28

CONT. BOT. Pg. 29

FD. 1x1 C/NAIL Pg. 18 MARKED 13+11.70 E. T-68° 194.13 @ 2-55 = 193.88 02 ✓

B.C. #18B 243+30.53 193.86 ✓

① 113 - 30 - 40
④ 94 - 22 - 40
⑥ 321 - 04 - 00
113° - 30 - 40" ✓

① 21 15 30
④ 85 02 20
⑥ 127 33 20
21° 15' 33⅓" ✓

SET 1x2 C/NAIL

243+60 18

29.65

419.50 ✓

SET 1x2 C/NAIL

65.53

SET 1x2 C/NAIL 239+40 68

SET 60. SPK. W.P.T. IN PVMT. 238+75 69 57

SET CONC. NAIL IN PVMT. 238+75 15

140.31

T 68° LEV. 140.32 .01 140.31 ✓

123.26

SET 1x2 C/N. 237+51 89

P.I. #9 FD. 1½" I.P. CONC. PLUG NAIL & L.A. CO. ENGR. TAG. DN. 18" Pg. 9

232.94

LINE "B"

235+18 95

SET 1x2 C/NAIL

167.19

E.C. #17B 233+77 99

SET 1x2 C/NAIL

26.23

SET 1x2 C/NAIL TOP EAST RD. CUT.

OLD CENTER LINE

469.44

135° 58' 20"

P.I. #18 FD 1½" I.P. CONC. PLUG, NAIL & L.A. CO. ENGR. TAG. Pg. 10

629.38

185.04 Pg. 10

Δ 25°

280.70

189.01

T-58° LEV. 105.39 .02 105.37 ✓ 105.37 ✓

FD. 1x2 C/N P.O.S.T. Pg. 10

T 58° LEV. - 280.75 .05 280.70 ✓

776.37 TO B.C. #17B Pg. 12

228+26.89 FD. 1x2 C/N TOP W. BERM GOLETA WASH Pg. 12

CURVE DATA
P.I. #17B 44 05
Δ 54° 42' 54"
Δ 27° 21' 57" ✓
R = 1500'
T = 776.37 44
L 1432.84 95
EXT. 189.01

SET 1x2 C/NAIL MARKED P.I. #17B REPLACED WITH 2" I.P. CONC. PLUG-FLUSH NAIL & TAG L.A. CO ENGR TAG 1000 C.L.W.

B.C. #17B STA. 219+45 ± Pg. 12

T 68° LEV. 7.02
LEV. 111.97
LEV 300.55 ✓
419.54 .04 419.50 ✓

SEC. SEC. LINE W TO W 1/4 COR. SEC. 19

T 68° LEV. 65.54 .01 65.53 ✓

T 68° LEV. 123.27 .01 123.26 ✓

T 68° LEV. 232.96 .02 232.94 ✓

T 68° 167.20 @ 1-45 = 167.21 .02 167.19 ✓

T-58° LEV. .121.07
235.59 @ 2-00 = 235.45 ✓
113.07 @ 1-58 = 113.00 ✓
469.52 .08 469.44 ✓

① 135 55 20
④ 183 41 10
⑥ 95 32 00
135 - 55 - 201

① 125 16 20
④ 191 04 40
⑥ 31 37 00
125° 16' 10"

RETURN TO LOS ANGELES COUNTY ENGINEER 900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. AJA
Map No.
Office Work
Checked
Date:

Survey of SOLEDAD CYN. RD. (HIGHWAY)
JN 00 75.92 Tape 148 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date 6 JAN. 60
Indexed C. Johnson

F. B. 2635 Pg. 29

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

7-85 CE #247

CONT. ON BOT. PG. 30

258+20.30 SET 1x2 & NAIL F.L. SOLEDAD WASH T 64°

149.12 @ 2-39 = 148.96 ✓
.02
148.94 ✓

148.94

256+71.36

SET 1x2 & N. TOP W. BANK - SOLEDAD WASH T-64°

166.69 @ 1-04 = 166.66 ✓
.02
166.64 ✓

37.83

EC #18B 256+33.53

① 126 35 50
② 146 23 40
③ 39 35 30
126°-35'-55" N

T-68°
LEV. 112.85
.01
112.84 ✓

P.O.S.T. SET 1x2 & NAIL N. SHOULDER OF EXIST. RD.

T-64°
LEV. 106.23
.01
106.22 ✓

FD. PT. #20 1½" I.P. PG. 7

SET SQ. SPK. W.B.T.

P.O.S.T. SET 1x2 & NAIL W. SHOULDER OF EXIST. RD. T-64°

225.60 @ 5-41 = 224.44 ✓
LEV 33.50
259.94 ✓
.03
259.91 ✓

T-68°
LEV. 22.27

℄ OLD MINT CYN. HI-WAY

T-68°
LEV - 13.04

300.52 @ 1-21 = 300.42 ✓
313.48
.03
313.45 ✓

P.O.S.T. SET 1x2 CN. TOP HILL T 64°

LEV 72.70
95.41 @ 4-12 = 95.15 ✓
167.85 ✓
.02
167.83 ✓

Δ 74-39-23⅓
Δ 37-19-41⅔
2
R - 1000'
T - 762.58'
L - 1503.00
EXT. 257.58

P.O.S.T. SET 1x2 & NAIL ON W. SIDEHILL

T-48°
300.58 @ 2-05 = 300.38 ✓
119.20
419.58 ✓
.10
419.48 ✓

T-44°
99.93 @ 2-49 = 99.81 ✓
.03
99.78 ✓

SET 1x2 & NAIL PI #18B JAN. 60 REPLACED WITH 2" IP CAP & PLUG MKD. L.A. COUNTY ENGR. TRG. DATE C.L.W.

E-W CEN. SEC. LINE SEC. 20

FD. 1x1 & NAIL MARKER 13± NOE PG. 18, 28

LINE B

419.48

S.P.R.R. PROP. FENCE 4 STRAND BARB WIRE

① 74 39 30
② 298 37 20
③ 87 56 20
74 - 39 - 23⅓ ✓

2434+60.8

193.86

313.45

SET 1x2 & NAIL

CONT. FROM TOP PG. 28

SET 1x2 & NAIL TANG. PROP.

F.B. 2635 Pg. 30

265+87.94 EC. #19B

P.I. #19B

SET SQ. SPK. W.C.T. FLUSH

FD. L.C.T. IN OLD CONC. PVMT. DN 3"

Ⓓ	5	23	40
Ⓐ	21	34	40
Ⓑ	32	22	00
	5°	23'	40"

Δ 5° - 23' 40", 0.32

Δ/2 2° - 41' - 50", 0.32

R 3000'

T 141.33

L 282.45

Ext. 3.33

0.32

0.03

42°

54

141.33

T-48°

LEV 156.94

LEV 180.39

337.33

.08

337.25

263+05.49 BC #19B

337.25

343.32

Pg. 7

T 54°

LEV. 6.28

5° 23' 40"

SET SQ. SPK. C.T. FLUSH

261+09.57

To Cen. Sec. 20

Fd N.C.T. Pg. 15

6.28

32.61

Fd. L.C.T. IN OLD CONC. PVMT. PG. 7

97.54

185.65

LINE 'B'

HI-WAY

T 58°

LEV. 185.68

.03

185.65

Ⓓ	97	54	30
Ⓐ	31	38	00
Ⓑ	227	27	10
	97°	54'	31 2/3"

31 1/3

SET 1x2 C.N. TOP BERM

259+23.92

103.62

℄ OLD MINT CYN.

T-64°

LEV. 103.63

.01

103.62

SET 1x2 C.N. IN F.L. SOLEDAD WASH

258+20.30

CONT. FROM TOP Pg. 29

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

J. A.H.

Notes Ck'd by	Survey of SOLEDAD CYN RD. (HONBY)
Map No.	JN 00 75.92 Tape 148 Std 84 °F
Office Work	Surveyed by C.L. Wright
Checked	Notes E.C. Bowers Date 7 Jan. 60
Date	Indexed C. Johnson

F. B. 2635 PG. 31

Water Well, 6" Casing, Conc. Slab

12" X 12" P.P. (SERVICE TO ELECTRIC PUMP)

24" Pressure Tank, Gr. Slab

6" x 6"

Raised 5' Water Tank on Conc. Slab & Timbers

6' 6' 6' 6'

95°18'
94°09'
91°29'
91°03'00"
90°14'

164.20
170.25
169.50
248+00
176.80
181.75
180.40

Fire Hyd.

ADD'L. IMPROVEMENT LOCATION - LINE "A"

LINE "A"

Transformer Pole # 783591E

Guy

Wood Barn

30.2

32.6

160.20
140.45
229.15
202.70
223.59

114°16'
111°58'
108°14'
102°22'
96°03'
89°43'
77°46'
70°08'
66°03'
63°45'
60°58'

48" Pepper Tree

156.8

246+00

Pg. 24

48.7

166.95

One Story Wood Frame House

20.2

157.30
202.60
195.85
193.75

11.1

Wood Shed, Conc. Slab Floor

8.8

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SEE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2435 Pg. 32

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD. (HONBY)
JN 075.92 Tape 148 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W Date 13 JAN '64
Indexed C. Johnson

F. B. 2635 PG. 33

IMPROVEMENT LOCATION - LINE "B" - SOLEDAD CYN. RD.

Note: Any Additions or Changes on This Sheet Must Be Made or Ruled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

765098 CE #247—7-53

F. B. 2635 Pg. 34



RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SOLEDAD CYN. RD. (HONBY)
Map No.	JN 0075.92 Tape 148 Std 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes C.L.W. Date 13-JAN '60
Date	Indexed C. Johnson

F. B. 2635 PG. 35

CONT BOT. PG 36





CURVE (LINE "B")
Δ 54° 43' 50"
Δ/2 27° 21' 25"
R 1500'
T 776.37
L 1432.84
EXT. 189.01

CONT. FROM TOP RIGHT PG 34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
DO LOS ANGELES COUNTY ENGINEERING BLDG.

76B09S CE #247—7-53

CONT. BOT. PG. 37

F. B. 2635 PG. 36

EDGE OF PVMT.

238+75.69
FD. SPK. N&T.
PG. 28

34 L 238+71.3

49 S 238+51.9

238+47.4 40°

ANCHOR GUYS

P.P.# 623749E

4 STRAND BARB WIRE FENCE

EDGE OF PVMT.

61 R 238+42.5

47' 237+51.89
FD. 1"x2" NAIL
PG. 28

LINE "B"

RAFF

93°

08'

PIPE & WIRE FLOOD FENCE

24' WIDE

11 L 235+18.95
FD. 1"x2" NAIL
PG. 28

35

HEADWALL
12" WIDE

9°

9°

3°

108

234+96.4

50.35

3' WIDE X 1.5' HIGH CONC. BOX CULVERT (INSIDE DIMENSIONS)

234+89

15 L

RIFF

6°

4

233+32.4

36" COTTONWOOD TREE

5°

23.6 L

17.5

233+77.99 EC #178

FD 1"x2" NAIL
PG. 28

LINE "B"

CONT. FROM TOP PG. 35

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD. (ONLY)
JN 00 75.92 Tape 148 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date 14-JAN'60
C. Johnson
Indexed

F. B 2635 PG. 37

RAIN!

CONT. BOT. PG 38

BC #18 B
243+30.53

4 STRAND BARB WIRE FENCE

45L

PP# 623748E.

241+28 5

10 1

℄ OLD MINT CYN. HI-WAY

240+14 1

IDENTICAL

"B" LINE

IDENTICAL

239+40 68

26°

4 STRAND BARB WIRE FENCE

N 1

239+14 1

3.5' HIGH X 10' WIDE CONC. BOX CULVERT (INSIDE DIMENSIONS)

50'

238+96 64

35 3

HEAD WALL 12" WIDE

24'

F.C. EXIST. RT ℄ 24'

238+75 69
F.D. SPK. W.I.S.T.
PG. 28

CONT. FROM TOP PG 36

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

783098 CE #247—7-59

F. B. 2635 Pg. 38



RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SOLEDAD CYN. RD. (HIGHWAY)
Map No.	JN 00 75.92 Tape 148 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date 15 JAN '60
Date	Indexed R. C. Johnson

F. B. 2635 Pg. 39

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7852OS CE #247—3-57



F. B. 2635 Pg. 40



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made, or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD. (HONBY)
JN 00 75.92 Tape 148 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date 20 JAN '60
Indexed C. Johnson

F. B. 2635 PG. 41



P.I. #19B
FD. SQ SPK & T. - PG. 30

SEE PG. 42 FOR LOCATION OF WATER WELL HERE.

ANCHOR POLE
10°
ANCHOR GUY

TRANSFORMER POLE # 46131 NOE
67°
23.6

62.4

EXISTING "B" LINE

B.C. 263+05.49

EDISON POWER AND TELEPHONE CABLE ON SAME POLES

EDGE PVMT
261+53.6

TO CEN. SEC 20

261+09.57
32.61

FD. L.&T. PG. 1, M, 15, 30

FD. SQ SPK & T. PG. 30

EDGE PVMT

TEL. & P.P. 510292H

44.7
260+96.4
260+93.5
260+83.2
22.8
ANCHOR GUY
6.5
260+62.3
TEL. & P.P. # 510295H
7.0
260+62.1
ANCHOR GUY'S
60°
260+36.2

CONT. FROM TOP PG. 40

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
PO LOS ANGELES COUNTY ENGINEERING BLDG.

768098 CE #247—7-53

F. B. 2635 PG. 42

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

6" CASING, SUBMERGED ELECTRIC PUMP.

CONC. SLAB WITH 2.5' DIA. PRESSURE TANK PLACED ON TOP

½" ELECTRIC CONDUIT UNDERGROUND

4"x8" P. POLE

TO TRANSFORMER POLE #46 13/6E PG 41

PI #19B
FD. SQ SPK & T.
PG 30, 41

FD. L.S.T. PG 7, 30, 41 DN 3"

FD. C.S. MON. PG 7. - C.S. B-618

N 1422.19

N 1707.41

N 1704.51

N 1703.91

N 1768.42

N 1788.04

2.6

1.0

2.7

2.4

1.6

1.1'

15.0

12.2

1.9

4.80

0.03

90° 00' 00"

PAGE 7

1¾" I.P. GOES UNDERGROUND TO WEST AT THIS POINT

CAHUENGA BLVD.

MAINT

5° 23' - 40"
PG. 30

LINE "B"

Notes Ck'd by		Survey of	
Map No.		JN	Tape Std °F
Office Work		Surveyed by	
Checked		Notes	Date 21-JAN'60
Date		Indexed	C. Johnson 1-26-60

F. B. 2635 Pg. 43

CONTROL LINE FROM STATION 258+20.30, LINE "B", N'WEST'LY TO STA. 228+26.89, LINE "A" TO LOCATE EXISTING FLOOD CONTROL FENCES IN THE SOLEDAD WASH

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

7580OS CE #247—7-55

F.B. 2635 PG. 44



RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SOLEDAD CYN. RD. (HENRY)
Map No.	JN 0075.92 Tape 148 Std. 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes C.L.W Date 21-JAN 60
Date	Indexed C. Johnson

F. B. 2635 Pg. 45

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

228+26.89
FD 1/2" PIPE NAIL P.C. 12 =
28+07.32 NW.

PIPE & WIRE FLOOD FENCE 5' HIGH

IDENTICAL

27+87.2

785.28

37° 32' 46 2/3"

T 56°

26+46 MAR. '60 C.L.W.

30' — 121' — 194'

24+86 MAR. '60 C.L.W.

20+22.04 N.W.

40 — 18+68

17+82 — 186'

37 — 17+57

600.84

90' — 16+56

SET 1/2" PIPE & NAIL 14+21.21 N.W.

5' APART

318'

10'

15'

697'

FENCE LINE ROD OUT HERE

OLD PIPE & WIRE FLOOD FENCE ENDS HERE

5' APART

① 37 32 50
② 150 11 00
③ 225 16 40
37° 32' 46 2/3"

LEV 281.52
LEV 203.52
300.41 @ 0-45 = 300.38
785.42
1/2
785.28

DOUBLE PIPE & WIRE FLOOD FENCE 6' HIGH

15' APART

OLD 3' PIPE & WIRE FLOOD FENCE STARTS

WASHED OUT IN HERE

587'

T 58

LEV. 300.57
300.39 @ 0-40 = 300.37
600.94
10
600.84

TWO PIPE & WIRE 5' FLOOD FENCES

RAFT

PIPE

7-53 CE #247

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 2635 PG. 46

Notes Ck'd by	Survey of SOLEDAD CYN. RD. (MONEY) F. B. 2635 PG. 47
Map No.	JN 007592 Tape 148 Std. 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C.L.W. Date 4-FEB '60
Date	Indexed C. Johnson S.E.60

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-58

F. B. 2635 PG. 48



RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. AJA	Survey of SOLEDAD CYN RD. (HONBY)
Map No.	JN 00675.92 Tape 48 Std 54 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes C.L.W Date 1-MARCH'60
Date	Indexed C. Johnson

F. B 2635 Pg 49

Δ	10	39	00
Δ	42	36	00
Δ	63	54	10

10° - 39' - 01 1/3"



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

787306S CE #847 8-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 2655 Pg. 50

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD.
JN 0075.92 Tape 141 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 8-APR.'60
Indexed C. Johnson 5-20-60

F. B 2635 Pg. 51

REALINEMENT OF A PORTION OF SOLEDAD CYN. RD. NEAR ~~HONBY~~ AS PER. OFFICE STAKING SHEET J.N. 0075.92



T.4.N
R.15W

——— = LINE RUN

Note: Any Additions or Changes on This Sheet Must be Made, or Circled, in Red Ink With Date and Name of Person Making Change.

Do not extend this data of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

PARTY:
C. L. WRIGHT
R. C. BOWERS JR.
T. MELTON
J. R. FULTON JR.
D. J. DRESSER

76F3098 SEE #247 11-58

CONT. ON BOT. PG 53

F.B. 2635 Pg. 52

4' FLOOD

FENCE

11'

SET 1x2 ¢ NAIL ON TOP OF BERM 254+15.32 E.C.

NOTHING SET

T 80°

SEC 20 T4N R15W

W.S. 62-C-2

LEV. 235.79

LEV. 102.55

338.34

.01

338.33

① 89 45 00
② 359 59 30
③ 178 29 10
89° 44' 51 1/3"

338.33

89° 44' 51 1/3"

PROPOSED ℄ CENTER LINE

T=62°

LEV. 220.66

.03

220.63

FD. 2" I.P. BRASS CAP SET CONC. DN 12" IN WELL WITH COVER CEN. SEC. 20

TO N.¼ COR SEC 20A T4N R15W Pg.16

Pg.15 C.S.B-618 F.B. 446-72

T 80°

LEV. 110.65

LEV. 187.48

LEV. 115.28

413.41

.01

413.40

257+48.92

℄ CAMP PLENTY RD.

TO L.&T. Pg. 7

SET SQ. SPK & T. IN BLACKTOP RD.

220.63

SET N&T IN BLACKTOP RD.

257+44.78

℄ MINT CAN HIGHWAY

413.40

261+58.18

P.I. #18A

FD. 2" I.P. CONC. PLUG, NAIL & L.A. CO ENGR TAG DN. 18" Pg. 14

MARKED

COUNTY SURVEYOR'S MONUMENT T4N R15W SEC. 20 CENTER

Pg. 14

864.47

270+22.65

P.I. # 21

FD. L&T. IN OLD CONC. PVMT. 3" UNDER BLACKTOP PVMT. Pg. 6

ALSO F.M. 10877

180° 00' 00"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD.
JN 00 75.92 Tape 141 Std 84 °F
Surveyed by C.L.W.
Notes C.L.W. Date 9 APR. '60
Indexed K. O. Johnson

F. B 2635 Pg. 53

CONT. ON BOT. PG 54

SEC 20
T4N R15W

SET 1x2 ℄ NAIL ON 2"

PROPOSED

341.94

CAVE

T-64°
LEV. 77.67
LEV. 264.31
341.98
.04
341.94

CENTER

SET 1x2 ℄ NAIL

8' HIGH FENCE

103'

FLOOD

LINE

T-62°
LEV. 97.13
LEV. 24.09

299.06 @ 1 -16 = 298.99
420.21
.06
420.15

420.15

4' HIGH FENCE

FLOOD

CALC. 88?

SET TOP 1x2 ℄ NAIL OF BERM

NOTHING SET

E.C. 254+15.32

CONT. FROM TOP OF PG. 52

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3098 SEE #247 11-58

F. B. 2635 Pg. 54

W.O. 67-B-2

SEC 20
T4N R15W

T 62°
LEV.
73.54 @ 9-35 = 156.40 / 72.51 / 228.91 / .03 / 228.88

Pl. Tl. CONT. ON BOT. PG. 55

NOTHING SET.

BC. 238+59.41

Δ 172 - 06 - 20
Ⓐ 328 25 10
Ⓑ 312 37 40
172 06 16⅔

Δ 120 34 20
Ⓐ 122 18 00
Ⓑ 3 27 10
120 - 34 - 31⅓

SET 1x2 ℄ NAIL ON EAST SHOULDER OF OLD MT. CYN. HI-WAY

1316.97 TO W. 1/16 COR. SEC. 20 PG. 17

SET 1x2 ℄ NAIL

FD 1/16 COR. SEC. 20 PG. 17 MARKED

3.00

COUNTY SURVEYOR'S MONUMENT

T 60°
LEV. 156.40
150.62 @ 10.50 = 147.65
304.05
.05
304.00

TO CENT. SEC. 20 SE SEC. 18

SET 1x2 ℄ NAIL TOP CUT BANK

T. 60°
LEV. 16.29
165.47 @ 3-46 = 165.11
181.40
.03
181.37

CURVE:
Δ = 59° 25' 53"
R = 1500'
T = 856.12
L = 1555.91

SET 1x2 ℄ NAIL ON EAST S.H. THIS POINT SET AS PER OFFICE STAKING SHEET

PROPOSED

85.16

SET 1x2 ℄ NAIL

SET 1x2 ℄ NAIL 2" DN.

Δ 128 28 00
Ⓐ 153 51 20
Ⓑ 50 47 00
128° - 27' - 50"

T 72°
85.52 @ 5-11 = 85.17
.01
85.16

CENTER LINE

CONT. FROM TOP PG. 53

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD.
JN 075.92 Tape 141 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W Date 28-APR.'60
Indexed C. Johnson

F. B. 2635 Pg. 55



T 4 N
R 15 W
SEC. 20

NOTHING SET

B.C. 223+67.42 CONT. ON BOT. Pg. 56

CURVE:
Δ = 37° 26' 55"
R = 1500'
T = 508.43
L = 980.40

42° 33' Rt. 50

SET 1x2 & NAIL AS PER OFFICE STAKING SHEET

381.05

SET 1x2 & NAIL TOP BERM

E.C. 233+47.82

NOTHING SET

PROPOSED TANGENT 1 LINE

1009.72

CENTER

B.C. 238+59.41

NOTHING SET

LINE

SET 1x2 & NAIL ON EAST SHOULDER OF OLD MINT CYN. HI-WAY

CONT. FROM TOP Pg. 54

T = 58

LEV	113.49
LEV	34.43
233.24 @ 1-14 =	233.19
	381.11
	.06
	381.05

T = 52°

LEV	213.20
LEV	232.60
LEV	103.78
LEV	250.97
LEV	102.13
LEV	97.25
	1009.93
	.21
	1009.72

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

787309S SAK #247 11-58

CONT. BOT. PG. 57

F. B. 2635 PG. 56

T 4 N

R 15 W

SET 3/4" I.P. WOOD PLUG, NAIL & L.A. CO. ENGR. TAG DN. 12" AS PER OFFICE STAKING SHEET.

PROPOSED

646.59 CALC.

SET 1X2 ¢ NAIL TAN PROD.

T-54°

300.07 @ 0-25 = LEV

300.06
186.53
191.24
168.92
34.55
881.30
17
881.13

881.13

E.C. 218+15.15

NOTHING SET

CENTER LINE

TRANSIT LINE

OLD HUNTINGTON DR.

HIGHWAY

SEC. 19 / SEC. 20 LINE

TO N.W. COR. SEC. 20 PG. 20

151+84.30 N. SEC. LINE

223+11.23 SET 1X2 ¢ NAIL BY INT. ON SEC. LINE

T 54°

LEV. 234.57
.08
234.54

FD. BOAT SPK. W.C.T. FLUSH IN PVMT. PG. 19

21.60

BC

223.54

223+67.42 B.C. NOTHING SET

SECTION

67° 02' 10"

TO 1X2 ¢ NAIL TOP BRK N 8+35.46 PG. 19

SET 1X2 ¢ NAIL

T 56°

172.54 @ 1°-13' = LEV.

172.50
1.64
330.14
.06
330.08

330.08

67 02 20
268 08 30
42 13 00
67° 02' 10"

SET 1X2 ¢ NAIL AS PER OFFICE STAKING SHEET

EC. 233+47.82

NOTHING SET

142 33 10
210 12 20
135 18 30
142° - 33' - 05"

CONT. FROM TOP PG. 55

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN RD
JN 00795.92 Tape 141 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 28-APR'60
Indexed C. Johnson

F. B. 2635 PG. 57

SEE PG. 58

SET SHIP SPK W/ ϕ T. DN 4" IN OILED RD. SHOULDER

FD. SPK. & W. DN 4" IN OLD CONC. PVMT. PG. 11 ALSO F.M. 10877

15.00

99° 35' 50"

99° 35' 50"

170° 24' 10"

99° 35' 50"

RECORD CURVE: PG. 11, ALSO F.M. 10877
Δ 19° 11' 40"
R 3900'
T 659.44
L 1306.52

1300.44 CALC.

1300.48 M.M.S. PG. 11 CHORD

MAINTENANCE HIGHWAY

214+88.96 REC. AS PER F.M. 10877

E.C. #16
FD. SPK. & W. DN 3" IN OLD PVMT. PG. 11 ALSO F.M. 10877

SET SHIP SPK W/ ϕ T. DN 4" IN OLD OILED SHOULDER

15.00

CALC. 13.67

1.15

NOTHING SET

R = 3900'

B.C. #17
FD. SPK. & W. DN 3" IN OLD PVMT. PG. 11 ALSO F.M. 10877

NEW B.C. 215+02.13

CURVE:
R = 1565'
Δ = 11° - 27' - 35"
T = 150.51
L = 313.02

T 84°
LEV. 164.18

DN. 12"

SET BOLT SPK W/ ϕ T. 1 FT. FROM EDGE OF PAVEMENT

TIES

12.61

14.29

SET 3/4" I.P. WOOD PEG NAIL & L.A. Co. BRASS TAG AS PER OFFICE STAKING SHEET - PG. 56

NEW E.C. 218+15.15

CALC. 5.59 TO SOLE LINE

11° - 27' - 35"
PG. SL 40 Adj

NOTHING SET

SET 1" I.P. NAIL TAN. PROD. PG. 56a

CONT. FROM TOP PG. 56

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this sketch beyond this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

70F3095 SEE 2247 11-58

ALINEMENT CHECK - EXIST. SOLEDAD CYN. RD.

F.B. 2635 Pg. 58



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by G. B. SUTTER	Survey of SOLEDAD CN. ROAD	F. B. 2635 PG. 59
Map No.	JN 0075.92 Tape 153 Std 86 °F	
Office Work	Surveyed by J.P. MENNE	
Checked	Notes J.P.M. Date 2-16-62	
Date	Indexed H. E. OTT MAR 19 62	

REALIGNMENT

OF

SOLEDAD CANYON ROAD

PER.

ROAD DEPARTMENT MAP. SHEETS 1 & 2

WEST OF SANTA CLARA RIVER

TO SIERRA HIGHWAY —

J.N. 0075.92

J.P. MENNE
W.J. VOGE
L.C. LOVE
V. HUCKABY
R. GILROY

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78F3095 CE # 310 3-61

F. B. 2635 PG. 60

INDEX

SOLEDAD CN. RD.

THROUGH SEC. 20 & 21

T 4 N R 15 W





PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W. S. 62-B-2

Notes Ck'd by	G. B. SUTTER	Survey of	SOLEDAD CN. RD.
Map No.	B-2874-1 to 3	JN 0075.92 Tape	153 Std 84 °F
Office Work		Surveyed by	J. P. MENNE
Checked	W. J. BRENNER	Notes	J. P. M. Date 2-16-62
Date	AUG 14 1964	Indexed	H. E. OTT

F. B. 2635 Pg. 61

T-58° = 0.09 ✓

175.62
146.78
216.00
7.65
546.05 = 545.96 ✓

LEV.

60.01 @ LEV. T-56 = 60.00 ✓
60.01 @ LEV. T-54 = 60.00 ✓
61.00 @ LEV. T-58 = 60.99 ✓
86.60 @ LEV T-58 = 86.59 ✓

R.P. E.C. 19-A
SET 1" I.P. & C.E. TAG (FLUSH)

T-52 = -0.02
73.09
9.44
23.28
105.81 = 105.79 ✓

R.P. P.I. 19-A
SET 1" I.P. & C.E. TAG
TAN. PROD.
(FLUSH)

E.C.
SET 2" I.P.
& C.E. TAG
(FLUSH)

60.00

SET BY REC. INST. FROM STAKING SHEET.

P.I. NO. 19-A
SET 2" I.P.
& C.E. TAG
(FLUSH)

60.99

545.96 ✓

ROAD

60.00

SEC. 20 T 3 S R 7 W

86.59

R.P. P.I. 19-A
SET 1" I.P.
& C.E. TAG

TAN. PROD.
(FLUSH)

P.O.S.T.
P.I. NO. 18
FD 1½" I.P.
& C.E. TAG
(FLUSH)

R=10
439.58
SOLEDAD
C.H.
140-00-00
M. & R.
TURNED RAD.

R.P. E.C. 19-A
SET 1½" I.P.
& C.E. TAG (FLUSH)

140-00-00 (1)
199-59-50 (4)
120-00-00 (6) ✓
140-00-00 (A)

F.B. 2635-10

B.C. NO. 18
FD. CUT SPK. & W.
IN. 3" - F.B. 2635-10

R.P. B.C.
SET 1" I.P.
& C.E. TAG.
(FLUSH)

60.00
0.59

R.P. B.C. 19-A
SET 1" I.P. & C.E. TAG.
IN. 6"

CURVE DATA
Δ = 40°-00-00" ✓
R = 1500'
T = 545.96 ✓
L = 1047.20 ✓

R=1500
1500.00

B.C. No. 19-A 224 + 64.08

SET LG. BT. SPK.
W. & T.

T-44°
60.02 @ LEV. = 60.00 ✓

E.C. NO. 17
FD. CUT SPK. & W.
IN. 3"
F.B. 2635-10-11

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 2-61

F.B. 2635 PG. 62

W.S. 62 + B-2

TO RT. TOP PG 61

SET 2" I.P.

LEV @ T-46° = -0.07

152.44
126.03
278.47 = 278.40

SEC. 20
T4N
R15W

S45°46'E

(60)

(60)

E.C. NO. 19-A
235+11.28

SOLEDAD

278.40

60.00

60.00

R.P. B.C.

SET 1" I.P. & C.E. TAG (FLUSH)

B.C. NO. 20-A

60.01 LEV. T-52

R.P. B.C.

SET 1" I.P. & C.E. TAG (FLUSH)

LEV. T-52° = -0.12

75.98
232.69

SET 2" I.P. & C.E. TAG (FLUSH)

117°-35-50" (1)
110°-23-40" (A)
345°-35-10" (6)

117°-35-52" (A)

59.51
124.71
85.34
578.23 = 578.11

T-58 = -0.01

82.40 @ 9°-25' = 81.29
82.30 @ 8°-55' = 81.30

659.39

117°-35-52"

81.28

P.O.S.T.
SET 1" I.P. & C.E. TAG BY INTERSECTION (FLUSH)

3.65

(60)

(60)

19

1/4 SEC. LN.

20

1/4 COR.

FD. C.S. MON. UP 6"

T-52° = -0.02

44.42 @ 14°-40' = 43.46
44.48 @ 14°-58' = 43.47

32.31 @ LEV

SOUTH SURVEYOR T4N SEC. 20 + R15W 1/16 COR MONUMENT

1.24

P.O.S.T.
SET 1" I.P. & C.E. TAG (FLUSH)

S1°-57'-E 2112.2' M

CEN. SEC. 20

43.46
32.31
75.77 = 75.75

F.B. 2635-17

P.O.S.T.
SET 1" I.P. & C.E. TAG. (FLUSH)
Top Sm. SPUR.

TO TOP OF PG. 63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. B. SUTTER
Map No. B 2874 Lds
Office Work
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CN. ROAD
JN 0075.82 Tape 153 Std 98 °F
Surveyed by J.P. MENNE
Notes J.P.M. Date 2-26-62
Indexed H. E. OTT

F. B. 2635 PG. 63

W.S. 64-B-2

To Bottom of Pg. 62

N

P.O.S.T.
SET 1" I.P. & C.E. TAG

T = 50 = -0.04
39.96 @ LEV.
132.49 @ 2°-23' = 132.37
132.53 @ 2°-45' = 132.38

CURVE DATA
Δ = 62°-24-48
R = 1500
T = 908.67
L = 1633.97

39.96
132.37
172.33 = 172.29

SEC. 20
T 4 N
R 15 W

P.I. 20-A
SET 2" I.P. & C.E. TAG
(FLUSH)

40.89

R.P. P.I. 20-A
SET 1" I.P. & C.E. TAG.
(FLUSH)

21.98

P.O.S.T.
TO 1" I.P. &
RD. DEPT. TAG
DN. 17'

165.38

61.16

R.P. P.I. 20-A
SET 1" I.P. & C.E. TAG.
(FLUSH)

62°-24'-48"

SET 1x2 & N.
(FLUSH)
P.O.S.T.

To Bottom of Pg. 64

T = 48
61.17 LEV. = 61.16
40.90 " = 40.89
21.89 " = 21.98

62°-24.50' (1)
249-39-30 (2)
14-28-50 (3)
62°-24-48 (4)

T = 52°
116.14 @ 6°-10' = 115.47
116.01 @ 5°-37' 115.45
49.95 @ LEV.

115.44
49.94
165.38

SET 1x2 & N.
FOR SIGHT

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F309S CE # 310 8-61

TO BOTTOM OF PG. 65

F.B. 2635 PG. 64

W.S. 62 - C - 2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this slide of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



FD. C.S.M.M. ON 12" IN WELL & COVER RB. 2635-15

T=46° = -0.05
220.76 LEV. = 220.71 ✓

89-44-50 ①
358-59-30 ④
178-29-00 ⑥
89-44-50 ✓ Ⓐ
220.71 ✓

(60) (60)

ROAD

FD. SPK. W ET. @ INTER. OF CAMP PLENTY RD. ON 1/4 SEC. LINE & NEW & SOLEDAD CN. RD.

T-44 = -0.08
97.82
199.95
297.69 ✓

89.0 Deg. 45 Adj.

SET 297.69

R.P. E.C. SET 1" I.P. & C.E. TAG (FLUSH)

60.00 60.00

R.P. E.C. SET 1" I.P. & C.E. TAG (FLUSH)

E.C. - No. 20-A

T-44
60.02 @ LEV. = 60.00 ✓

E.C. SET 1 1/4 I.P. & C.E. TAG (FLUSH)

T-40° = -0.13
12.17
25.98
94.12
220.30
8.00
95.55
456.12 = 455.99 ✓

SANTA CLARA RIVER

30' ±

SOLEDAD

721.31

300' ±

455.99 ✓
265.32
721.31

T-50 = -0.06
265.40 @ 0°-53' = 265.37 ✓
265.44 @ 1°-05' = 265.39 ✓

SET 1/2 & N (FLUSH) P.O.S.T.

165.38

(60) (60)

TO RT. OF PG. 63

Notes Ck'd by G. B. SUTTER
Map No. B 2874 1 to 3
Office Work
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CN. ROAD
JN 0075.92 Tape 153 Std. 89 °F
Surveyed by J. P. MENNE
Notes J.P.M. Date 3-27-62
Indexed H. E. OTT

F. B. 2635 PG. 65

To Bottom of Pg. 66

T-48 = -0.30
28.97
119.12
182.77
186.39
163.70
150.02
161.02
139.27
139.32
1270.58 = 1270.28



SEC. 20
T 4 N
R 15 W

T-48°
78.81 @ LEV. = 78.79



T-48 - LEVEL
162.99
162.01
200.18
195.42
163.70
140.87
175.15
1200.32 = 1200.04



To Top of Pg. 64

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
76F3095 CE # 310 3-61

TO BOTTOM OF PG. 67

F.B. 2635 PG. 66

VV.S. 62-C-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

E.C. 21-A
SET LG. BT. SPK. W & T.
& 3' TIES

R.P. E.C.
SET 1" I.P. & C.E. TAG
DN. 12"

T = 54°
45.60 @ LEV. = 45.59 ✓
43.50 @ LEV. = 43.49 ✓

43.49 ✓
(60)
(60)
45.59 ✓
E.C.
R.P. E.C.
SET L. & C.E. TAG
IN CONC. CURB

SEC. 21
T4N
R15W

177-32-10 (1)
350-08-40 (5)
345-12-50 (6) ✓
177-32-08 (A) ✓

CURVE DATA
Δ = 2°-27'-52" ✓
R = 4000
T = 86.04 ✓
L = 172.05 ✓

86.04 ✓
20.00
59.08 ✓
R.P.-P.I. 21-A
SET 1 I.P. &
C.E. TAG DN. 12"
ON SPLIT OF ℄
SET H. ON SURFACE
& 3' TIES

OLD P.I. No. 22
FD. OLD CONC.
NAIL WITH HEAD
BROKEN OFF IN
OLD CONC. PV'MT
DN. 9" FB. 2635-6
(HELD FOR LINE
F.M. 10877)

P.I.
21-A

44.41 ✓
S 0°-08'-12" E
86.04 ✓
86.286
SOLEDAD

B.C. 21-B
SET LG. BT. SPK W.
& T. & 3' TIES.

T = 48°
44.42 @ LEV. = 44.41 ✓
59.09 @ LEV. = 59.08 ✓
86.08 @ LEV. = 86.04 ✓

R.P. P.I. 21-A
SET L. & C.E. TAG
IN CONC. CURB
ON SPLIT OF ℄

SEC. 20

T = 54
46.52 @ LEV. = 46.51
43.53 @ LEV. = 43.52
R.P. B.C.
SET 1" I.P. & C.E.
TAG. DN. 12"

46.5

R.P. B.C.
SET L. & C.E. TAG.
CONC. CURB.

B.C.

T = 48 = -0.02
86.28 @ LEV. = 86.26 ✓

43.52
FD. L. & T. DN. 9"
(60)
(60)
1270.28 ✓

TO TOP OF PG. 65

Notes Ck'd by E. B. SUTTER
Map No. B 2874-1703
Office Work
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CN. RD.
JN 0075.92 Tape 153 Std 84 °F
Surveyed by J.P. MENNE
Notes J.P.M. Date 8-1-62
Indexed H. E. OTT

F. B. 2635 PG. 47

TO BOTTOM OF PG. 68

FD. LG. BT. SPK. W. & TIN

(60) 55.60 (60)

FD. SQ. HD. SPK. & TIN

0.16 .24

T-56 - 0.01
55.61 LEV. = 55.60

SEC. 21
T 4 N
R 15 W

0.23

FD. SQ. HD. SPK. & TIN

256.24

T-56 = - 0.05
114.79 LEV.
141.50
256.29 = 256.24

SOLEDAD CANYON ROAD

APPROX. ℄ OF CROSSGLADE AVE

FD. NOTHING @ (+)

SEE PG. 85 FOR TIE TO ℄

577.91

236.5 +/-

T-56 = - 0.11
50.95
101.80
95.77 LEV.

92.95
96.10
140.45
578.02 = 577.91

(60) 86.04 (60)

E.C.
SET LG. BT. SPK. W. & T.

TO TOP OF PG. 66

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3085 CE # 310 3-61

To Bottom of Pg. 69

F.B. 2635 Pg. 68

160.5

Fd. Sq. Hd. Spk. & Tin
Prod. of Orsini Ave

Orsini Ave

(60) (50)

W.S. 62-C-2

Road

0.03

286.03

T-58° = -0.05
102.23
96.49
87.36
286.08 = 286.03

Fd. Sq. Hd. Spk. & Tin
Prod. of Arcay Ave.
F.B. 3004-71

Arcay Ave

279.56

This pt. is possibly replacement of cut Spk. W. & T.
F.B. 369-167
Fd. L. & T.
Dn. 3" in
Old Pvmt
C.S.B. 1372

T-58° = -0.05
25.20
117.65
136.76
279.61 = 279.56

0.03

11.48

Fd. Sq. Hd.
Spk. & Tin

Vilna Ave.

243.41

Fd. Sq. Hd.
Spk. & Tin

T-58° = -0.14
64.09
100.01

0.02

(60) (50)

41.9

Sec. 21
T 4 N
R 15 W

100.04
100.04
100.04
100.02
136.38
109.62

Level

Soledad

810.10

810.24 = 810.10
T-58
123.43 Lev. =
123.41

(60) (60)

Fd. Lg. Bt. Spk.
W. & T.

To Top of Pg. 67

Please Return To
Los Angeles County Engineer
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. B. SLITER
Map No. B 2674-1 to 3
Office Work
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CN. ROAD
JN 0075.92 Tape 153 Std 84 °F
Surveyed by J.P. MENNE
Notes J.P.M Date 3-1-62
Indexed H. E. OTT

F. B. 2635 PG. 69

TO CENTER OF PG. 70

T = 52°
69.12 @ LEV. = 69.11'

P.I. 22-A
SET LG. BT. SPK. W. & T.
FD. SQ. HD. SPK & T.

0.22

69.11

(50)

ROAD (60)

FD. CUT SPK. W. & T. IN. 3' IN OLD PVM'T.
58+30.61 ON C.S.B. 1372
F.B. 359-167

159.90'

T = 58° : -0.02
105.12 LEV. = 105.10'

105.10 ON 17 W

B.C. 22-A
SET LG. BT. SPK. W & T.
SEE PG. 70

B.C. - 22-A

14.39 ℄ ℄

FD. SQ. HD. SPK & T. F.B. 3004-73

SEC. 21
T 4 N
R 15 W

3.63

TRACT LINE

T - 58 = -0.03
91.96
68.58 LEV.
160.54' = 160.51'

SOLEDAD

257.17

160.51

0.80

TRACT 21987
FD. SQ. HD. SPK. & T. TIES IN F.B. 3004-73 WERE TAKEN TO THIS POINT & NOT TO PT. IN TRACT LINE

TO (60) E.C. 21-A

(50)

FD. SQ. HD. SPK. & T. IN

ORSINI AVE.

286.03'

TO TOP OF PG. 48

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

TO BOTTOM OF PG. 71

F.B. 2635 PG. 70

SEC. 21
T4N
R15W

W.S. 62 - C-2

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

E.C.

B.C. 22-A
SET 1" I.P. & C.E. TAG
DN. .12'

166.04 @ LEV. = 166.02

R.P. E.C. 22-A
SET L. & C.E. TAG
IN CONC. DRIVE

R.P. E.C. 22-A
SET 1" I.P. & C.E. TAG
TOP HILL (FLUSH)

127.18

E.C. 22-A

T-62 = -0.02
138.96 @ 23-45 = 127.19
139.14 @ 23-54 = 127.21
T-56 = -0.01
71.30 @ 20-52 = 66.62
71.62 @ 21-22 = 66.60

CURVE DATA
Δ = 15°49'55"
R = 1150
T = 159.90
L = 317.77

20.00

(60)

(50±)

102.43

LEV.
50.70
51.74
T-64 = -0.01
102.44

T-62
159.92 @ LEV. = 159.90

P.I. 22-A
SET LG. BT. SPK
W. & T. BY
INTERSECTION

ROAD

159.90

CONC. WALK

TRAILER PARK

66.60

131.49

R.P. P.I. 22-A
SET 1" I.P. &
C.E. TAG (FLUSH)
TOP HILL
SPLIT OF Δ

R.P. P.I. 22-A
SET L. &
C.E. TAG.
ON CONC. W.
SPLIT OF Δ

164°-10-05" ①
296-40-10 ④
265-00-30 ⑥
164-10-05 Ⓐ

T-58 = -0.02
131.71 @ 3-09 = 131.51

B.C. - 22-A

R.P. B.C. 22-A
SET 1" I.P. & C.E. TAG (FLUSH)
TOP BANK

T-64 = -0.01
47.61 @ 16-50 = 45.57
47.78 @ 17-28 = 45.58

SOLERA

90.79

45.56

B.C. - 22-A
SET LG. BT.
SPK. W. & T.

34.77

T-52
69.12 @ LEV. = 69.11
90.81 @ LEV. = 90.79

SET L. & C.E. TAG
ON ROCK WALL

T-64
34.77 @ LEV. = 34.77
68.16 @ LEV. = 68.15

FD. L.E.T. on
CONC. CURB.

E.C. 21-A

(60)

(50)

TO TOP OF PG. 69

Notes Ck'd by C. B. SUTTER
Map No. R2874-1 to 3
Office Work
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CN. ROAD
JN 0075.92 Tape 153 Std. 84 °F
Surveyed by J.P. MENNE
Notes J.P.M Date 3-8-62
Indexed H. E. OTT

F. B. 2635 Pg. 71

To Bottom of Pg. 72

W.S. 62-C2

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

FD. SQ. HD. W. & T. REMOVED & SET

E.C. 23-A
SET LG. BT. SPK. W. & T. BY CALC. DISTANCE

SET LG. BT. SPK. W. & T. BY INTERSECTION

5.62

0.03

0.02

162-23-10 ①
289-33-00 ④
254-19-10 ✓ ⑥
162° 23' 12" ✓ Ⓐ

P.I. 23-A
SET 1" I.P. & C.E. TAG (DN. 1'±) BY ESS DIST. ON STAKING SHEET FROM INTER. OF E. SOLEDAD & U.S. HWY. 6.

TURNED BAC. & TO SET P.I. 22-A

178.17

(60)

ROAD

(VAR.)

50±

77.08

62.91

56.89

0.03

68.56

FD. 2" I.P. & N. ON BISECTOR OF P.I. & (FLUSH)

FD. L & T. ON CONC. CURB

CURVE DATA
Δ = 17° 36' 48"
R = 1150
T = 178.17
L = 353.52

SEC. 21
T 4 N
R 15 W

BC-23-A
SET 1" I.P. & C.E. TAG DN. 1'±

BC. 23-A

T = 60°
178.20 @ LEV. = 178.17 ✓
55.52 @ LEV. = 55.51 ✓
142.09 @ LEV. = 142.07 ✓
68.56 @ LEV. = 68.55 ✓

56.90 @ LEV. = 56.89 ✓
62.92 @ LEV. = 62.91 ✓
77.09 @ LEV. = 77.08 ✓

SOLEDAD

142.07

55.51

(60)

(VAR.)
50±

60' OAK
SET ⊥ & T.
UP 3

To Top of Pg. 70

76F3088 CE # 310 8-61

To Bottom of Pg. 73
F.B. 2635 Pg. 72
SEC. 21
T 4 N
R 15 W.
SET Sq. Hd. Spk. &
T-62° = -0.05
56.27
84.54 LEV.
201.53
342.34 = 342.29
SET 1/2" & N ON HILL FOR SIGHT
SET Sq. Hd. & T. I. WIGGLE PT.
20.00
1451.97
(60)
(VAR)
ROAD
SEE PG. 74
342.20
HWY. 6
68°-53-00
68-53-00 (1)
275-32-00 (4)
53-18-00 (6)
68-53-00 (A)
LEVEL
T-62
21.42
28.74
15.62
6.55
T-62
225.81 LEV. = 225.78
P.I.
FD. L&T. ON CURB
6.55
1.22
28.78
FD. SPK. W. & T. 3.1' FD. L&T. ON CONC. CURB. STATE HWY. A-59.001-12-21
SET LG. BT. SPK. W. & T. BY INTERSECTION
CALC. & M. 15.02
SEE CONTINUATION NOTE - FOR NEW SEE PG. 74
225.78
12772.91 (R) CALC.
9.49 (R)
100.00 (R)
94.89
E.C. 23-A
SET LG. BT. SPK. W. & T. BY CALC. DISTANCE
SOLEPAD
178.17
1/4 SEC. LINE
(60)
20.00
(VAR)
FD. 2½" & L B.C. 268 + 53.25
FD. L&T. ON BRIDGE
CONTROL ON HWY No. 6 FROM STATE HWY. A 59.001 - 12-21
FD. SPK. & W. 2.1'
CEN. SEC. 21
FD. 1½" I.P. & R.E. TAG 47.50
F.B. 2229-42
To Top of Pg. 71
W.S. 62 - C-1-
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. B. SUTTER
Map No. 69 B 7874 1 of 3
Office Work
Checked W. J. BRENNER
Date AUG 1 964

Survey of SOLEDAD CYN. ROAD
JN 0075.92 Tape 153 Std 84 °F
Surveyed by J.P. MENNE
Notes J.P.M. Date 3-8-62
Indexed H. E. OTT

F. B. 2635 Pg. 38

W.S. 62-C-2

NOTE 8 P.M. 4-29-64
TIES TO 1/4 COR. WERE MADE APRIL 63 IN PEG BOOK - ENTERED IN NOTES 4-29-64 - MON. WAS DESTROYED DURING CONSTRUCTION OF ROAD. - REPLACED WITH C.E. MON. WELL & COVER BY TIES (4-29-64)

COUNTY ENGINEER T 4 N R 15 W SEC. 21 1/4 SEC. COR. R.E. 5863

SET SPK. W. & T. T-68°
28.78 LEV.
102.93
52.41
83.30

T-60 = -0.23

251.80
150.08
150.13
150.10
146.24
157.41
150.68
150.89
146.87

1452.20 = 1451.97

SEE PG 78

1/4 COR. T 4 N R 15 W SEC. 21 1/4 SEC. COR. SURVEYORS

102.93 S 58° E

83.30 N 0° 15' W

SET L. & C.E. TAG ON CONC. DRIVEWAY

SEE PG. 75

SOLEDAD 1451.97 1/4 SEC. LINE

(30) (30)

342.79

20.00

FD. C.S. MON. IN WELL & PUNCH & COVER
F.B. 3959 - 16
F.B. 4446 - 62
F.B. 2729 - 42

SET P SPK & T

CONC. BLOCK WALL

TOP

FD. NUMEROUS PCS. ON 1/4 SEC. LINE NO REFERENCE

SEC. 21
T 4 N
R. 15 W.

TO TOP OF PG. 77

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7GF 2008 CE # 210 3-61

TO Bottom of PG. 75

F.B. 2635 PG. 74

SET N&T

18" ATHOL

E.C. 24-A
SET LG. BT. SPK.
W. & T.

T=64

3°-16'-00" ①
13°-04'-00" ⑤
19-36-10 ⑥
3°-16-01 Ⓐ

30.57 @ LEV. = 30.57
83.00 @ " = 82.99
58.79 @ " = 58.78
84.99 @ " = 84.98
50.12 @ " = 50.11
116.99 @ " = 116.97

T=68

125.48 @ LEV. = 125.47

T=64

63.47 @ LEV. = 63.46
77.08 @ LEV. = 77.07
122.40 @ LEV. = 122.38

P.I. 24-A
SET LG. BT. SPK.
W. & T. - REC.
DISTANCE FROM INTER.
U.S. HWY. 6 - PER
STAKING SHEET -
MEAS. REC. &

SET N&T
P.P. 2438 RE

CURVE DATA
Δ = 3-16-01
R = 4400
T = 125.47
L = 250.88

SET L & C.E.
TAG ON CONC.
WALK

B.C. 24-A
SET LG. BT. SPK.
W. & T.

(53'±) VAR

(53'±) VAR

(53'±) VAR

SET L.B. C.E. TAG.

SET N&T
P.P. 3704856

SET L.B. C.E.
TAG ON CONC.
SIGN BASE
TEXACO STA.

SET N&T
P.P. 3704846

B.C. 24-A

T=68=-0.01
56.27
28.12
84.39 = 84.38

P.I.

U.S. HWY. 6

E.C. 23-A
FD. LG. BT. SPK. W. & T.
F.B. 2625-72

FD. LG. BT. SPK.
W. & T. @ INTER-
SECTION

E.C. 23-A

SEE CENTER OF

P.I. 23-A

3°-16'-01

125.47

SOLEDAD ROAD

W.S. 62-C-2

CENT. MARKER TRAIL BASE

SEC. 21
T 4 N
R 15 W

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. B. SUTTER	Survey of SOLEDAD CN. RD.
Map No. B 2874 - 1 to 3	JN 007512 Tape 153 Std 84 °F
Office Work	Surveyed by J. P. MENNE
Checked W. J. BRENNER	Notes J.P.M. Date 3-15-62
Date AUG 14 1964	Indexed H. E. OTT

F. B. 2635 PG. 75

W.S. 62 - C-2

CURVE DATA
Δ = 3°-15-36 Adj 16 00
R = 4400
T = 125.41'
L = 250.76'

TO 1/4 COR. - PG 73

E.C. 25-A
SET LG. BT. SPK. W. ET.

R.P. E.C. 25-A

SET BT. SPK. W. & T.

SET 1" I.P. & C.E. TAG. DW. 12"
SEC. 21
T. 4 S.
R. 10 W.

P.I. 25-A
SET LG. BT. SPK W. ET. BY INTERSECTION

P.C. 25-A
SET LG. BT. SPK. W. ET.

P.R. 1059467 E
SET N. ET
P.D. SP. HD. SPK. ET. AB 12635-72 73

SET N. ET
P.P. 1407809 E

P.P.
SET N. ET

P.D. L. & N. MD. (B.M.) ON CONC. BRIDGE ABUTMENT

SOLEDAD

OLD (CALC.) 1108.68 (50) (50) 50.00 55.21 NEW 125.41 (PG. 73) 145.09 65.72 58.58 32.58 24.62

T = 58°
24.62 @ LEV. = 24.62 ✓
32.59 @ " = 32.58 ✓
65.73 @ " = 65.72 ✓
55.22 @ " = 55.21 ✓
50.01 @ " = 50.00 ✓
100.07 @ " = 100.05 ✓

T = 62°
217.91 @ LEV. = 217.88 ✓

T = 64°
40.80 @ LEV. = 40.79 ✓
69.87 @ LEV. = 69.86 ✓
53.35 @ LEV. = 53.34 ✓

3°-14-00 (D)
13-03-40 (C)
19-35-30 (B)
3°-15-36 (A)

125.41 3°-15-36 88.62 (53'±) (VAR.) 100.05 (53'±) (VAR.)

TO TOP OF PG. 74

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

7-67 3000 CE 310 B-61

F.B. 2635 PG. 76

J.N. 0302.01

TAPE 118

84°

NOTE SEE PG. 81 FOR SETTING THIS C.I.R.

INTERSECTION OF SOLEDAD CN. RD. & SECTION LINE BETWEEN SECS. 20 & 21 T 4N R 15W

F.B. 446-54

F.B. 2652-112

1/4 COR. DESTROYED C.S. MON. BECAUSE OF NEW SUBDIVISION.

FD. L & C.E. TAG. F.B. 2635-66

1.04

SET L & C.E. TAG

CONC. CURB

SET NAIL BY INTERSECTION SOLEDAD CN. RD. TO P.I. 22-A

43.98

0.28

P.I. 21-A FD. OLD CONC. N. PG. 66

86.04

92-12-50 ①

08-51-30 ④

193-17-20 ⑥

92-12-53 Ⓐ

92°-12'-53"

T.O.P.I. 20-A

86.04

T- 88°

43.98 @ LEV. = 43.98

48.66 @ LEV. = 48.66

35.52 @ LEV. = 35.52

6.05 @ LEV. = 6.05

35.22 @ LEV. = 35.22

F.B. 2652-112

268.87

48.66

FD. 2" I.P. & C.E. TAG DN. 15"

F.B. 2652-112

FD. (+) ON FN. POST UP 12"

35.52

SECTION LINE

6.05

FD. (+) ON FN. POST UP 12"

T- 90 = +0.04

184.00

177.67

250.86

149.60

SEC. 20 T 4N R 15W

SEC. 21

21.09

161.00

56.00

1000.22 = 1000.26

35.22

CATE

FD. (+) ON FN. POST UP 12"

1000.26

FD. 2" I.P. & R.E. TAG. NO. 7726 - UP 12"

TO LEFT OF PG. 77

N. 15, 29, 21 W.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3098 CE # 310 3.61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 62, C-2

T-90' = +0.05

296.36 ← 296.43 @ 1-19' = 296.36

258.97

256.61 LEV.

83.25

234.03

242.80

1372.02 = 1372.07

To Bottom of Pg. 76

Fd. 2" I.P. E.R.E. TAG No. 726 up 1.2'

89-33-20 ① 89-35-00 ①

358-13-10 ⑤ 358-20-00 ⑤

177-20-00 ⑥ 177-30-10 ⑥

89-33-20 Ⓐ 89-35-02 Ⓐ

SECTION LINE

1372.07

Fd. C.S.M.L. DN. 24"

F.B. 2652-104-207

SURVEYOR'S TAP
T 4 N
R 15 W
20 | 21
29 | 28
SEC. COR. MONUMENT

SEC. 21
T 4 N
R 15 W

F.B. 2652-104-107

To 1/4 COR ← 2636.06

SECTION LINE

89° 35' 02"

89° 33' 20"

F.B. 2652-102-103-104

2639.37 → To 1/4 COR

SECTION LINE

2' OFFSET LINE

SET N. BY INTERSECTION

30' OFFSET LINE

SECTION LINE PROJ. FROM NORTH

ANGULAR CLOSURE OF SOUTH 1/2 OF SEC. 21

To Bottom of Pg. 78

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
J/N 0302.01 Tape 118 Std. 94 °F.
Surveyed by J.P.M. & N.E. Date 4-25-62
Notes J.P.M. Date 4-25-62
Indexed C.J. GAU JM 7-63

F.B. 2635 Pg. 17

F. B. 2635 PG. 78

W.S. 2, 3, C-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FD. C.S. MON. PN 9' IN PUNT-IN WELL & COVER. FB. 2229-42 FB. 2635-73

REPLACED 4-29-64 P.P.M.

SET N BY INTERSECTION FOR ANGLE

89-24-30
357-38-20
176-27-20
89-24-33

10' OFFSET LINE

FD. C.S. MON. (FLUSH) FB. 2652-98

SURVEYORS T 4 N R 21 W R 22 W 1/4 SEC. COR. 1966

SECTION LINE

2591.41

FB 2652-50-51

2639.05

N 89° 24' 33" E

FB 2229 Pg. 47 To 49

Pg. 73

1451.97

LOUCADA CN. ROAD #

1/4 SEC. LINE

SEC. 21 T 4 N R 15 W

N 0° 58' 30" E

FB. 2652-101

2640.02

FB. 2652-99-101

SECTION LINE

2639.37

FD. C.E. MON. PN. 16'

FB. 2652-102

SURVEYORS T 4 N R 21 W R 22 W 1/4 SEC. COR. 1966

SURVEYORS T 4 N R 21 W R 22 W 1/4 SEC. COR. 1966

COUNTY ENGINEER T 4 N R 21 W R 22 W 1/4 SEC. COR. R.E. 5869

SET C.E. MON 4-29-64 SEE PG. 73

SEE PG. 79

TO SEC. COR. FB 2229 PG. 47 TO 49

TO TOP OF PG. 77

TO TOP OF PG. 79

W.S.62, C-2

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 118 Std 84 °F
Surveyed by J.P. MENNE
Notes J.P.M. Date 4-30-62
Indexed C. J. GALLI

F.B. 2635 Pg. 79

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

75F3098 CE # 310 3-61

SURVEYOR'S T4S R15 R14W 21 22 SEC. LINE MONUMENT

F.D. U.S.M.M. (FLUSH)

F.B. 2229-49

F.B. 2229-47-49

2591.71

SECTION LINE

To 1/4 Cor. Pg. 80

10.00

10.00

10.00

10.00

SET NAIL & TAG IN INTERSECTION

10' OFFSET LINE

F.B. 2229-47-49

89-44-20 ①

358-57-30 ②

178-26-00 ③

89-44-20 ④

89° 44' 20"

10' OFFSET LINE

SEC. 21 T4S R15

SECTION LINE

U.S. HWY. No. 6

SEC. 16

SET 1" I.P. & C.E. TAG (FLUSH) TOP HILL

SET 1" I.P. & C.E. TAG (FLUSH)

To TOP OF Pg. 80

F.B. 2635 PG. 80

To Bottom of Pg. 79

W.S. 62, C-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this file of this line.

SET 1" I.P. & C.E. TAG (FLUSH)

FD. 1" I.P. & NAIL (UP 2") TOP HILL)

25.00

FD. C.S. MON. (FLUSH)

SURVEYOR'S MONUMENT T 4 S R 15 W 17 16 20 21 SEC. COR.

SECTION LINE

T-84° = 0

55.92 @ 23-32' = 51.27

55.54 @ 22-36 = 51.27

18.45 LEV. = 18.45

31.21 LEV. = 31.21

90-00-40 ①

00-02-40 ④

180-04-00 ⑥

90-00-40 Ⓐ

SEC. 16 T 4 S R 15 W

25.00' OFFSET LINE

90.0

00'

SEC. 21

SET WITNESS CORNER. MON. 3' E. MARKER PIPE

COUNTY ENGINEER T 4 S R 15 W SEC. 16 SEC. 21 SEC. COR. R.E. 5869

SET 1x2 & L. BY INTERSECTION

68.00' OFFSET LINE

25.00

FD. C.S. MON. (FLUSH)

SECTION LINE

51.27

31.21

18.45

20.0

TOP

SURVEYOR'S MONUMENT T 4 S R 15 W 17 16 20 21 SEC. COR.

SEC. 17

179°56'-50"

32' OFFSET LINE

SET L.&C.E. TAG. TOP CONC. WALL

FLOOD CONTROL CHANNEL

SEC. 20

F.B. 446-69
C.S.B. 618

THIS MON. IS IN DANGER OF BEING DESTROYED BECAUSE OF SUBDIVISION

179-56-50 ①

359-47-20 ④

359-41-00 ⑥

179-56-50 Ⓐ

1

To Top of Pg. 82

W.S. 62,6-2

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 03202 Tape 118 Std 84 °F
Surveyed by J.P. MENNE
Notes J.P.M Date 4-30-62
Indexed E. J. CALLI

F. B. 2635 Pg. 81

TO BOTTOM RT OF PG. 80

W.V 7-10-63
① 179°53'30"
④ 359°34'00"
② 359°21'00"
179°53'30"

DRYCLIFF ST.

SET L. & C.E. TAG ON SIDEWALK TO HOLD LINE

CROSSGLADE AVE

HOUSE NO. 19002

PER 2652-112
THIS MON WAS DESTROYED BY NEW SUBDIVISION CONST

SURVEY MON TAG
T 1 S R 13 W
20 | 21
1/4 SEC COR.
MONUMENT

SET (+) ON CONC. WALK
SEE PG 76

SECTION LINE

179-53-40 ①
359-34-40 ④
359-22-00 ②
179-53-40 Ⓐ
T-84

68.00 OFFSET LINE

LEVEL
2.45
28.43
37.12
68.00
176.23

2.45

HOUSE NO. 27217

68.00
37.12
28.43
0.00
90°

SET L. & C.E. TAG ON CURB.

SET (+) ON SIDE WALK ON BELT OF ℄

ON INTERSECTION

(CALC.) 176.23

176.23

90°

ROCK GROVE AVE.

FD. L. & C.E. TAG ON CURB
F.B. 2635-74

68.00

SET P.M.

48.98

℄ SQUEAKS

FD. NO. 21-A ℄ N RD

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 4-61

F. B. 2635 PG. 82

TO BOTTOM OF PG. 80

FLOOD CONTROL CHANNEL

5' CH. LK. FN.

WALK

SET L. & C. E. TAG ON TOP OF CURB TO HOLD LINE

0.5

CONC. CURB

SECTION LINE

32' OFFSET LINE

WHITES CANYON ROAD

DELIGHT ST

CONC. CURB

17°

15°

WALK

SET L. & C. E. TAG ON TOP CURB ON 32' OFFSET LINE

5' CH. LK. FN.

FLOOD CONTROL CHANNEL

X

TO RT. TOP OF PG. 83

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 62, C-2

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 030201 Tape 118 Std 84 °F
Office Work	Surveyed by J.D. MENNE
Checked	Notes J.D.M. Date 5-4-62
Date	Indexed E. J. GALLI

F. B. 2635 PG. 83

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

SURVEY MONUMENT
T 4N
SEC. 17
+
SEC. 20
1/4 SEC. COR
COUNTY SURVEYOR'S DIV.

FD. CS. MON. IN WELL & COVER C.S.B. 618

SECTION LINE

SET 1/2 & N BY INTERSECTION

32.00

82' OFFSET LINE

FLOOD CONTROL CHANNEL

89-57-40 ①
359-51-00 ②
179-46-30 ③
89-57-45 Ⓐ

89°-57'-45"

1/4 SECTION LINE

190.23

T-84°

LEVEL	
17.14	
41.88	
53.00	
32.00	
190.23	
18.65	

FD. L & L.S. TAG 2602

SET L. & C.E. TAG TO CURB

FD. L & L.S. TAG 2602

41.88

17.14

FD. LC. BT. SPK. ET.

18.65

FD. L & L.S. TAG 2602

53.00

FD. L. & L.S. TAG 2602

TO CENTER SECTION 20

CAMP PLENTY RD.

T. Bottom of Pg. 82.

Z6F3088 CE # 310 3-81

F. B. 2635 PG. 84

BLANK

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 62,C-2

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CN. RD
JN 007592 Tape 118 Std 84 °F
Surveyed by J.P. MENNE
Notes VOGE Date 4-25-62
Indexed C. J. GALLI JAN 7 '63

F. B. 2635 PG. 85

TO BST. PG. 86

INTERSECTION OF SOLEDAD CN. RD ℄ CROSSGLADE AVE.

SEC. 21
T 4 N
R 15 W

(30) (30)

AVE.

TRACT NO. 25924

NEARBROOK ST.

(30) (30) (27) (27)

T = 66° = -0.05
74.39
74.08
82.30
151.24
44.74
426.75 @ LEV. = 426.70

Fd. Lg. BT. Spk.

CROSSGLADE

(30) (30)

426.70

1. 87-47-10
4. 351-08-40
6. 166-42-50
A. 87-47-08

T = 58° = -0.04
177.68
59.20
236.88 @ LEV. = 236.84

87° 12' 08"

P.I. 10.21-A
FB 2635-667

(60) (60) (60)

86.02

Set Nail By ENT.

236.84

EC. Fd. Lg. BT. Spk. WIT. FB 2635-67

SOLEDAD CN. RD

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

79F3098 CE # 310 3-61

F. B. 2635 PG. 96

W.S.6, C-2

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

VICCI ST.

(30) (30) (30) (30)

Fd. Lg. BT. Spk.

4 AVE.

Fd. Lg. BT. Spk.

0.03

STILLMORE ST.

(30) (30) (27) (27)

SEC. 21
T 4 N
R 15 W

CROSSGLADE

WELLHAVEN ST.

(27) (27)

Fd. Lg. BT. Spk.

(30) (30)

To Top Pg. 85

W.S. 62, C-2

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CN. RD
JN 007572 Tape 118 Std 64 °F
Surveyed by J.P. MENNE
Notes VOGE Date 5-7-62
Indexed C. J. GALLI

F. B. 2635 Pg. 57

T = 78°

58.84 @ LEV. = 58.84
60.51 @ LEV. = 60.51
14.19 @ LEV. = 14.19
50.00 @ LEV. = 50.00
50.00 @ LEV. = 50.00
24.89 @ LEV. = 24.89
85.03 @ LEV = 85.03

(60)

Fd. 1" IP Conc. Ag. L.S. Tag 2602 Dn. 6"

Old P.I. No. 21 Fd. 4" in old Conc. Pav. Dn. 3" F.B. 2635-6

Set 4. Bt. S Pk. W. & T. On. 1"

WHITES CN. RD

(50)

TO BTT. AT 88

50.00 50.00 Fd. 1" & T. 24.89 58.84 60.51 14.19 85.03

Set Nail By Int.

Set 1x2 & Nail

Fd. P.K.

1. 89-44-10
4. 358-57-00
6. 178-25-20
A. 89-44-13

1. 103-17-42
4. 53-10-30
6. 259-46-10
A. 103-17-42

103° 17' 42" adj. 26.12" adj. 29" adj.

TRACT NO. 25924

ALIGNMENT OF WHITES CN. RD

NEW ℄

SOLEDAD CN. RD

50-

Old ℄

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

78F3098 GE # 310 3-61

F. B. 2635 PG. 88



W.S. 35-2

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 62, C-2

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CN. RD
JN 0075.92 Tape 118 Std 84 °F
Surveyed by J.P. MENN
Notes VOGE Date 5-9-62
Indexed G. J. GALLI

F. B. 2635 PG. 89



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F.B. 2635 PG. 90

Notes Ck'd by B. SUTTER
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD.
JN 0075.92 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W Date NOV '62
Indexed C. J. GALLI JAN 3 1963

F. B. 2635 PG. 91

RETRACEMENT:

SOLEDAD CYN. RD. FROM FIRST P.I. EAST OF INT. - BOUQUET CYN. RD. EAST'LY TO OLD B.C. #16.

NOTE: P.I. NUMBERING FROM 2A THROUGH 6A USED ON THESE PAGES DOES NOT CORRESPOND TO ANY NUMBERING FOUND IN ANY REFERENCES.

J.N. 0075.92

REFERENCES:

L.A.CO. RD. DEPT. F.B. 40421
" " " " " 293
CALIF. DIV. HI-WAY L.A. 23A

F.B. 1881
F.B. 2308
F.B. 1455

MAPS:

F.M. 10548
MAP MADE FOR W.G. BONELLI BY ENGR. SERVICE - L.A.

PARTY:

C. L. WRIGHT
J. G. RANDALL
B. A. PEAVY
W. F. BARNETT
R. M. TERRAZONE

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this ' of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 2635 Pg. 92



INDEX

S. COLEGRO CYN. RD.

NUMBERS INDICATE PAGES

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.62,A-2

Notes Ck'd by C. B. SUTTER
Map No. B 2874-1 to 3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CYN. RD.
JN 00795.92 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date NOV '62
Indexed G. J. GALLI

F. B. 2635 PG. 93

CONT ON BOT. PG. 94

Fd. 2" I.P. WOOD PLUG N&TAG R.E. 2294

DN. 12"

149.96

0.19 FLUSH

75.04

11

25'

25'

90°-01'-05"

BC. #3A
SET SQ. SPK & T. FLUSH
RECORD DIST. PER F.M. 10548
FROM P.I. #2A

FD. SPK. DN. 4"
REF. CALIF. DIV. HIGHWAYS
L.A. 23A-7

① 90 01 10
② 360 04 20
90°-01'-05"

T-60°
LEV. 4.58
" 71.81
172.33
161.75
163.18
161.58
735.23
.11
735.12

T 76°
LEV. 24.02
" 12.40
" 38.62
75.04

T-76°
LEV 71.99
" 77.98
149.97
.01
149.96

NOTE: THESE POINTS ARE REFERRED TO ON A MAP PREPARED FOR W. G. BONELLI BY ENGINEERING SERVICE CORP 1127 W. WASHINGTON BLVD. L.A. 15, CALIF. DATED JUNE 1953 (T.A. JORDAN)

735.12

RECORD CURVE:
T= 51' 04"
2000'
137.24
274.05

FD. 2" I.P. WOOD PLUG & NAIL, DN. 6"
F.B. 1881-171

15.08

P.I. #2A
FD L & T. DN. 9" - WELL & COVER
F.B. 1881-171
RD DEPT F.B. EQ. 421-2
NOTE: STATE HIGHWAY NOTES L.A. 23-A-6 CALLS FOR SPK. & W.

93°55'40" (F.B. 1881-171)

①	172	08	50
②	328	36	00
③	312	53	50
	172°	08'	58"

36.32

60.13

FD. L & T.
F.B. 1881-165

25' 25'

118.80

SAME

FD. CUT SQK. & WASHER
F.B. 1881-165

OUT - MARCH 65
C.L.W.

42.16

FD. L & NAIL
F.B. 1881-165

SOLEDAD

1198.13 TO C.F. MON. @ INT. OLD BOUQUET CYN. RD.
F.B. 1881-171
ALSO F.B. 1881 PGS. 165, 166, 206, 209

COUNTY ENGINEER MONUMENT
BOUQUET
SOLEDAD
R.E. 588

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309B CE # 310 2-81


F. B. 2635 Pg. 94
CONT. ON BOT. PG. 95
W.S. 624-2
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
SET SQ SPK & T
SET 1"x2" N. CHORD PROD.
SET 1"x2" N. TOP BANK
SET N&T E. SIDE 8"x10" FN. POST
SET N&T W. SIDE 8"x10" FN. POST
SET N&T S. SIDE 8"x10" FN. POST
SET N&T W. SIDE TEL. POLE #G722231H
SET N&T E. SIDE 8"x10" FN. POST
SET N&T S. SIDE TEL. POLE #G722231H
SET N&T, IN 8"x10" FN. POST
SET SQ SPK & T. PG. 93
FD. 2"x2" N. (RECENT POINT) NO REF.
REF. (CALIF. DEPT. HIGHWAYS LA. 23-A-7
FD. SPK W. DN. 4"
CHYN
TANG PROD.
SOLID WALL
RADIAL
RADIAL
RADIA

Notes Ck'd by C. B. SUTTER	Survey of SOLEDAD CYN. RD.	F. B. 2635 Pg. 95
Map No. D 2874 1703	JN 0075.92 Tape 175 Std 84 °F	
Office Work T. M. PALMERI	Surveyed by C. L. WRIGHT	
Checked W. J. BRENNER	Notes C. L. W. Date 15 NOV '62	
Date AUG 14 1964	Indexed C. J. GALLI	

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

TANK PROP.

D.C.A.A.

FD BOAT SPK & T NO REF.

FD 2 X 2 & N. (RECENT POINT) NO REF. IN FLINT. PATH REMOVED SAME & DUG DOWN 18" FOR ORIGINAL FD. NOTHING

0.27

0.50

11.73

0.38

CONT. ON BOT. PG. 96

SET SQ SPK & T. FL.

25.

25.

S0.

NOTE: ALL ORIGINAL POINTS ON THIS TANGENT DESTROYED BY INFLOOD WINTER 37-38

℄ OF EXISTING R/W & ℄ OF SOLEDAD CYN. RD.

919.04

E.C. B.C. 1261.72 PAR. P.I. 1054.68

T 66°

LEV	20.78
"	210.80
"	170.54
"	171.16
"	168.30
"	177.57
	919.15
	.11
	919.04

S0.

0.03

FD. BOAT SPK & T. NO REF.

FD SQ SPK & T.

0.62

342.68

T-64°

LEV.	179.31
"	163.41
	342.72
	.04
	342.68

0.63

8.62

0.11

FD. SQ. SPK. & T. REMOVED SAME & DUG DOWN 4" FD.

2.52 3.0

SET N & T. W. SIDE STUB POLE - WARNING MARKER - UNDERGROUND CABLE - PACIFIC TELEPHONE

SET SQ SPK. FL.

EC 3A

2X2 NO NAIL ONLY REF. L.A. CO RD. DEPT. F.B. 293-49 DUG DOWN 6" MORE - FD. NOTHING

8.19

SET N & T. S. SIDE TEL POLE #672137H

CONT. FROM TOP PG. 94

F. B. 2635 Pg. 96


CONT. ON BOT Pg 97
25'
25'
EC 4A
Fd. Spk in Lead
Dn. 4" in Old
Conc. Pvmt.
Set Sq. Spk & T.
on Surface
Calif. Div. Highways
LA. 23-A-11
W.S. 62A-2
S 58° 43' E
① 143 55 00
② 215 40 40
③ 143 30 40
143° 55' 06 2/3"
T-79°
277.49
90.55
221.56
49.12
118.59
1.17
758.48
.05
758.43
T-64°
LEV 184.91
" 171.69
" 93.03
" 94.66
" 83.89
" 169.06
" 168.82
" 172.65
" 122.82
" 126.64
1388.17
.18
1387.99
P.O.S.T. (Old Curve)
Set 2" I.P.
Conc. Plug,
N. of L.A. Co.
Eng. Tag
Dn. 8'
In Parking Lot
RECORD CURVE:
Δ 56° 01'
R 2500'
T 1329.74
L 2494.19
Wood Gate 4' High
Fn. 9
Set N&T.
N. Side
12" Fruit
21.16
Set N&T.
W. Side
12" Walnut
Tree
52.16
11'
55° 07'
370
Set 1x2
Not Set
123° 58' 45"
1387.99
1391.69
985.76
Not Set
98"
Set Sq. Spk & T.
Set N&T. E. Side
of W. Gate Post
1329
1488
P.O.S.T.
Set 1¼" I.P.
Conc. Plug, L.A.
Co. Eng. Tag
Dn. 8"
Set Sq. Spk.
5' W.W. Fn.
① 160 03 40
② 280 19 30
③ 240 21 50
160° 03' 38 1/3"
T. 56°
Lev 68.20
273.20
341.40
.06
341.34
341.34
25'
25'
BC 4A
Set Sq Spk & T. Fd.
Pg 95
CONT. FROM TOA Pg. 95
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 62, B-2

Notes Ck'd by C. B. SUTTER
Map No. B 2874 to 3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CYN. RD.
JN 0075.92 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date NOV. '62
Indexed C. J. GALLI

F. B. 2635 PG. 97

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61



F. B. 2635 Pg. 98

W.S. 62, B-2

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

CONT. ON BOT PG. 99

EC #5A
FD. L & T. DN. 4" IN OLD PVMT.
SET SQ SPK & T. ON SURFACE.

CALIF DIV. HIGHWAYS
L.A. 23-A-13
CALLS FOR SPK & W.

T 64°
LEV 44.72
22.23
66.95
.01
66.94

T 82°
76.27
100.92
118.38
147.38
76.42
618.87
.01
618.86

FD. 2" IP REMAINS OF ROTTED PLUG & NAIL DN. 12" LA. 23-A-12 EM. 10548

RD.

618.86

① 77 52 00
② 155 44 00
77° 52' 00"

FD. SPK & W. DN. 4" LA. 23A-12

T 78°
LEV 10.99

RECORD CURVE:
Δ 29 42 45
R 2823.03
T 618.62
L 1218.00

FD. N & T. N.E. SIDE RE. TEL. POLE

T 78°
LEV
"
"
"

62.06
83.18
159.19
202.55
100.31
607.29
.02
607.27

① 155 17 30
② 261 09 20
③ 211 49 00
155° 17' 20"

SOLEDAD

618.26

607.27

P.I. #5A SET BY INT. OF TANGENTS PROD. FROM BOTH DIRECTIONS (SET 1X2 & NAIL)

SET N & T W. SIDE TEL. POLE # 416

SET 1X2 & N.

SET N & T W. SIDE TRANSFORMER POLE #130 G 1598

BC. 5A
FD. BROKEN CC & SPIKE IN LEAD DN. 4". SET SQ SPK & T. ON SURFACE PG. 97

CALIF DIV. HIGHWAYS
L.A. 23-A-12
CALLS FOR L & T.

CONT. FROM TOP PG. 97

W.S.62,B-2

Notes Ck'd by C. B. SUTTER
Map No. B 2874 11 of 3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CYN. RD.
JN 0075.92 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date DEC. '62
Indexed C. J. GALLI

F. B. 2635 PG. 99

CONT. ON BOT. PG. 100'

FD. N&T. W. SIDE PP# C23772E

FD. L&T. DN 4"

SET SQ. SPK & T. ON SURFACE CALIF DIV HIGHWAYS LA. 23-A-15

SET N&T. S. SIDE UNDERGROUND CABLE WARNING MARKER B.C.# 6A

A3.20

36.63

25' 25'

73.15

T-84°

LEV 142.77
" 200.03
" 199.99
" 200.10
" 199.34
" 86.19
1028.41 ✓

SOLEDAD CYN. RD.

SET N&T. IN RR TEL POLE (E. SIDE)

SET N&T. N. SIDE RR. TEL POLE

51.22

SET SQ. SPK & T.

CALIF DIV. HIGHWAYS LA. 23-A-14 FD. SPK & W. DN. 4"

21.36

87.90

78.92

SET N&T N. SIDE PP# 589210E

SET N&T. N.W. SIDE STUB POLE - WARNING SIGN UNDERGROUND CABLE

T-84°

T-84°

LEV 114.54
" 200.02
" 143.80
" 173.34
" 194.30
" 150.00
976.00 ✓

SOLEDAD CANYON RD.

SET SPK & T. IN PATCH ON SURFACE

EC. #5A FD. L&T DN 4"

2.5' 2.5'

CALIF DIV HIGHWAYS LA. 23-A-13

29.07

210.08

FD. N&T. PP# C19344E

FD. N&T. GUY POLE # 862630E

63.42

SET N&T RR TEL. POLE - NO NUMBER

CONT. FROM TOP PG 98'

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 2635 Pg. 100

W.S. 62, B-2

CONT. ON BOT PG. 101

T 62°
LEV. 154.23
" 160.45
" 106.65
421.33
.06
421.27

E.C. #6A FD. L&T. DN 4" REF. CAL. DIV. HIGHWAYS L.A. 23A-16

2' OFFSET LINE

421.27

RD.

2.00

SET 1x2½ N 2' OFF SET LINE

SET 1x2½ P.O.S.T.

601.97

72

P.P.# U1335E

T-64°
LEV. 175.96
.02
175.94

175.9

SET 1x2 N.

5.16

2.00

60.05

CHN.

FD. L&T. DN 4" CALIF. DIV. HIGHWAYS L.A. 23A-15

FI. # 6A
SET 1x2½ N.

3388

26.17

4.76

SET 1½" I.P. CONC. PLUG LAND ENGR TAG 10"

T 72°
LEV. 172.24
.01
172.23

82.18

12.21

10

SET N&T. W. SIDE P.P.# 1894206

40"

53"

RECORD CURVE:
Δ 22° 46' 53"
R 2987.90
T 601.96
L 1188.02
EXT 60.00

P.O.S.T. SET S.W. & T.

T 72°
LEV. 60.05

157°

12'

55'

78°

T-72°
LEV. 172.13
108.76
148.92
429.81
.03
429.78

10.09

429.78

FD. SPK & W SET SPK & T. ON SURFACE

B.C. #6A

CONT. FROM TOP PG. 99

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.62, B-2

Notes Ck'd by B. SUTTER
Map No. B 2874 | 103
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CYN. RD
JN 007592 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date DEC. 62
Indexed C. J. GALLI

F. B. 2635 Pg. 101

T4N
R15W

CONT. ON BOT. Pg. 102'

FD. SPK & W. DN 4" CALIF DIV. HIGHWAYS L.A. 23-A-17

5.87 0.02

SET SQ SPK & T.

25' 25'

409.96

RD.

T-56°
LEV 95.66
" 158.27
" 156.10
410.03
.07
409.96

SEC. 19

SAN FRANCISCO

0.05

SEE Pg 106 FOR THIS INT.

FD. NAIL IN CONC. PUNT. DN. 4"

5.82

RANCHO BOUNDARY

SET NAIL

SET SQ SPK & T.

2.00

SAN FRANCISCO

T 76°
LEV 146.99
" 100.02
" 100.00
" 171.26
518.27
.03
518.24

518.24

LINE

CYN.

SOLEDAD

2' OFFSET

SET N & T W. SIDE PP # 623,773E

FD. N & T. N. COR. R.R. SIGN POST. (APPROACH CIRCUIT)

103.90

60'

E.C. # 6A FD L & T. DN. 4"
STATE DIV. HIGHWAYS L.A. 25A-16

97.67

L.A. CO. PRECISE B.M. # 201-17 (1960) 2" I.P. & BRASS CAP SET IN 12"x12" CONC.

CONT. FROM TOP Pg. 100.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3099 CE # 310 2-61

F. B. 2635 PG. 102

CONT. ON BOT. PG. 103

FURNIVAL

FD C.E.: PRECISE BM #201-19 BRASS CAP IN 12"X12" CONC. DATE 1961

SET SQ. SPK & T.

SET NAIL S.E. SIDE TEL. P. #S74221 H

SEC 19
T 4 N
R 15 W

RD.

721.35

CYN.

0.03

FD. SPK & W. DN 4" CALIF DIV. HIGHWAYS L.A. 23-A-17

T 80°

LEV	25.01
"	215.51
"	175.84
"	176.56
"	128.45
	721.37
	.02
	721.35

134.87

0.02

FD. SQ SPK & T. FLUSH

0.02

164° 47' 25"

FD GALV. NAIL. FLUSH

9.39

SET SQ SPK & T.

SET NAIL - N.W. SIDE - TEL. P. S74218 H

①	164	17 30
②	329	34 50
	164°	47' 25"

66'

32.12

T 64°

LEV	30.72
"	136.51
"	167.28
"	167.04
"	160.93
"	167.02
	829.50
	.11
	829.39

829.39

COLFAX

SET SQ SPK & T.

CONT. FROM TOP PG 101

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. B. SUTTER
Map No. B 2874 1 to 3
Office Work T. M. PALMERI
Checked W. L. BREWNER AUG 1 4 1964
Date

Survey of SOLEDAD CYN. RD.
JN 00752 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date DEC '62
Indexed C. J. GALLI

F. B 2635 Pg. 103

CONT. ON BOT. PG. 104

SEC 19
T4N
R15W

PG. 11

FD. SPK & W. DN 4"
B.C. # 16A
CALIF DIV. HIGHWAYS
LA. 23 A-18

T-52°
LEV 177.82
167.89
174.03
178.20 ✓
697.94 ✓
.15
697.79 ✓

SOLEDAD CYN. RD.

697.79

SET 11/8" I.P. W. SIDE
TP# 623776E

0.09

FD. SQ. SPK. DN. 2" IN PVMT.
NO REF

68.04

15.23

FD. NAIL ON SURFACE

10.37

SET SPK & T.

T-72°
LEV 236.88 ✓
.02
236.86 ✓

236.86

FD NAIL S.E. SIDE
TELPHS 74223H

0.10

FD SPK & W. DN. 4"
CALIF. DIV
HIGHWAYS
LA. 23-A-17

6.07

SET SPK & T

T 78°
LEV 2.64
178.29
184.27
365.20 ✓
.01
365.19 ✓

365.19

0.01

FD SQ. SPK. & T. DN 2"

8.62

CONT. FROM TOP PG. 102

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

78F3095 CE # 310 3-61

F. B. 2635 Pg. 104

W.S. 62, B-2

SEC. 19
T. 4 N.
R. 15 W

Fd. Spk & W. Pg 11
CALIF. DIV. HIGHWAYS
LA. 23-A-19

25'
25'

R.D.

C.M.

Pg. 11
1305.48

Mon: Δ = 19° 11' 04"
R = 3902.18
T = 659.46
L = 1306.57

RECORD CURVE:
19° 11' 40"
3900'
659.44
L 1306.52

Fd. Spk & W.
DN. 4" IN OLD
PVMT. Pg. 11, 103
CALIF. DIV.
HIGHWAY LA. 23-A-18

25'
25'

B.C. #16 (OLD)

22' Adj

697.79'

24'

170°

SOLELAND
Pg 103

Δ	170	24	20
R	321	37	28
L	302	26	10
	170°	24'	21 2/3"

CONT. FROM TOP Pg 103

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by G. B. SUTTER	Survey of SOLEDAD CYN. RD.	F. B. 2635 PG. 105
Map No. B 2874 - 1 to 3	JN 0075.92 Tape 175 Std. 84 °F	
Office Work T. M. PALMERI	Surveyed by C. L. WRIGHT	
Checked W. J. BRENNER	Notes C. L. W. Date DEC. '62	
Date AUG 14 1964	Indexed C. J. GALLI JAN 1 7 '63	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

℄ SOLEDAD CYN. RD. TIE TO SAN FRANCISCO RANCHO BOUNDARY.

J.N. 0075.92

REFERENCES:
F.B. 1455
F.B. 2908

F. B. 2635 Pg. 106

T 4 N
R 15 W
SEC 19

W.S. 62, B-2

RANCHO SAN FRANCISCO

FD. 1½" GALV. I.P. CONC. PLUG & BRASS TACK CTR. FD. 2908-17 F.B. 7455-22

SAN FRANCISCO RANCHO BOUNDARY

SET 1½" I.P. CONC. PLUG & N. & LARGE ENCR. TAG ON 12"

3.5

PP# 655675 E

2.0

SAN FRANCISCO NO. BDY.

8½°

19.

7.68

LEV. 92.98
.01
92.97

92.97

① 81	19	20
② 325	17	00
③ 127	55	30 ✓
81°	19'	15" ✓

SCALE 2" = 1 MI.

Pg. 101 ✓
518.2A TO E.C.

5.81

C/L

Los Coyotes Cyn. Rd. & M.T.B. Cyn. Highway

SET SQ. SPK & T IN PAVEMENT

1.62°

LEV 45.91
" 79.20
125.11
.02 ✓
125.09 ✓

FD. SQ. SPK TOP Pg. 101

125.09

SET 1x2 N.

5.00

S 49

SET SQ. SPK & T ON N. SIDE PP# 655676E UP 24" (POLE ON LINE)

SET 1x2 N.

59.8

40.0

4.2

(5' OFF A-8)
FD 1x2 N.
F.B. 2908-16-17

5.00

FD 1x2 N. (A-8)
F.B. 2908-16,17

5' OFF NO. BDY.
SAN FRANCISCO
RANCHO BDY.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. B. SUTTER	Survey of SOLEDAD CYN. RD.	F. B. 2635	Pg. 107
Map No. B 2874 1 to 3	JN 0075.92 Tape 125 Std 84 °F		
Office Work T. M. PALMERI	Surveyed by C. L. WRIGHT		
Checked W. J. BRENNER	Notes C. L. W. Date Nov. '62		
Date AUG 1 * 1964	Indexed C. J. GALLI JAN 1 7 '63		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61

AS TURNED ON SOLEDAD CYN. RD. @ △ STA. S.R.1

J.N. 0075.92

F. B. 2635 Pg. 108

W.S. 62,A-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

①	32	40	00
④	130	40	30
⑥	196	00	50 ✓
	32°	40'	08 1/3" ✓

①	8	03	00
④	32	12	10 ✓
⑥	48	18	20 ✓
	8°	03'	03 1/3" ✓

CALC. POSITION OF EC. #3A FD. SQ. SPK. PG. 94, 95

Δ STA. S.R.1 SET RW. 2x2

8"

40'

32°

8°

PG. 94

P.I. 3A NOT SET

PG. 94

1566.66 CALC. ZONE ENDED

①	10	14	00
④	40	56	00
⑥	61	24	00 ✓
	10°	14'	00" ✓

100° 14' 00"

03'

03"

CALC. POSITION OF B.C. #3A FD. SPK & T. PG. 94

①	138	32	00
④	194	08	00
⑥	111	12	00 ✓
	138°	32'	00" ✓

33° 25' 07"

795.12 Pg. 93

④	33	25	00
⑤	133	40	40
⑥	200	30	40 ✓
	33°	25'	06 2/3" ✓

④	138	43	40
⑤	194	55	20 ✓
⑥	112	23	00
	138	43	50 ✓

40'

43'

P.I. #2A FD. L & T. DN. 9" WELL & CENTER PG. 93 F.B. 1881-171 RD. DEPT. F.B. FQ421-2

④	31	02	00
⑤	124	08	10
⑥	186	12	20 ✓
	31°	02'	03 1/3" ✓

31° 02' 03"

1108.13 F.B. 1881-171

& OLD TOPANGA CYN RD.

FD. C.E. MON. WELL & COVER DN. 8" F.B. 1881-171 F.B. 2635-93

W.S.62A-2

Notes Ck'd by C. B. SUTTER
Map No. 13 2874 1 to 3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CYN. RD.
JN 00775.92 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date NOV '62
Indexed C. J. GALLI

F. B. 2635 Pg. 109

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61



①	56	05	50
④	224	23	20
⑥	336	35	10
	56°	05'	51⅔"

①	99	28	00
④	37	52	30
⑥	246	48	46
	99°	28'	06⅔"

①	24	26	00
④	97	44	10
⑥	146	30	10
	24°	26'	01⅔"

①	44	27	00
④	177	48	00
⑥	266	42	00
	44°	27'	00"

①	119	43	20
④	118	53	40
⑥	358	20	30
	119°	43'	25"

①	15	49	40
④	63	18	30
⑥	94	57	50
	15°	49'	38⅓"

①	40	20	10
④	161	20	40
⑥	242	01	10
	40°	20'	11⅔"

①	23	48	40
④	95	14	20
⑥	142	51	50
	23°	48'	38⅓"

①	115	51	00
④	103	24	20
⑥	335	06	40
	115°	51'	06⅔"

F. B. 2635 PG. 110

WS 62, B-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

P.I. # 6A
FD. 1" x 2" N. PG 100

T=68°
254.33 @ 2-35 = 254.07
125.87 @ 7-29 = 124.80
LEV. 128.48
507.35
.05
507.30

①	40	24	00
④	161	35	40
⑥	242	24	00
	40°	24'	00"

①	51	58	20
④	207	52	40
⑥	311	49	00
	51°	58'	10"

①	115	06	20
④	100	25	40
⑥	330	38	10
	115°	06'	21 1/3"

①	64	58	40
④	259	34	50
⑥	39	22	10
	64°	58'	41 1/3"

①	12	55	30
④	51	42	20
⑥	77	33	20
	12°	55'	33 1/3"

①	15	55	00
④	63	40	00
⑥	95	29	40
	15°	54	56 2/3"

①	99	11	30
④	36	45	50
⑥	235	08	40
	99°	11'	26 2/3"

51° 58' 10"
1630.69 Pos.
16° 06' 22"
11° 15'
P.O.T.
FD. SQ. SPK. T.
96.99
67° 53' 42"
1534.98 Pos.
99° 11' 27"
FD. 1" x 2" NAIL & TAG PER 98,
208.53
COR #19
FD. 2" I.P. CONC. PLUG NO TAG
L.A. CITY ENGR.
PER. L.A. CITY F.B. 18603-17
40° 24' 00"
12° 55' 33"
15° 54' 57"
507.30 — Property Line
L.A. CO. USC&GS REHAB. CENTER
STA. S.R. 1
SET R.W. 2x2
PG 108
48.74
COR # 18
FD. 1½" I.P. CONC. PLUG
N.T.TAG # L.A. CITY ENGR.
PER L.A. CITY F.B. 18603-18
T-69°
LEV. 48.75
.01
48.74

Notes Ck'd by C. B. SUTTER	Survey of SOLEDAD CYN RD.	F. B. 2635 Pg. 111
Map No. B 2874 lt 3	JN 00775.92 Tape 75 Std 84 °F	
Office Work T. M. PALMERI	Surveyed by C. L. WRIGHT	
Checked W. J. BRENNER	Notes C. L. W. Date JAN '63	
Date AUG 14 1964	Indexed C. J. GALLI JAN 27 63	

KUETHER AVE.
BETWEEN SOLEDAD CYN. RD.
AND SOLEDAD STREET -
TRACT # 8575.

REFERENCE:
TRACT 8575

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 2635 Pg. 112

W.S.62, B-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRACT 8575

SET N&T. IN RR TIE EN. POST

SET N&T. P.P.# 2838 STE

SOLEDAD STREET

36.41 31.28

FD. 2" I.P. WOOD PLUG & NAIL IN "O" PER TR. 8575 REPLACED WOOD PLUG & NAIL WITH CONC. PLUG, NAIL & L.A. CO. ENGR. TAG.

31.26 26.16

SET N&T. IN RR TIE EN. POST

RUETHER AVE.

1021.69

RUETHER AVE.

T 64°

LEV	18.44
"	19.79
"	21.44
"	19.86
"	16.13
"	12.12
"	01.36
"	22.62
	1021.82
	13
	1021.69

0	98	34	10
0	34	16	20
0	23 1	24	20
	98°	34'	03½

03° CALC.

30' 30'

98°

S.

& SOLEDAD CYN. RD.

25

8.84

829.39

TO SPK & T. DOT PG. 102

FD. SPK & T. PG. 102

SET 9" BOLT SPK. W. & T. CALC. REC. DIST. FROM S.F. RD. BOY PER TR. MAP 8575 FOR & INT. RUETHER AVE & & SOLEDAD CYN. RD.

Notes Ck'd by	C. B. SUTTER	Survey of	SOLEDAD CYN RD
Map No.	B 2872 1 to 3	JN	0075.92 Tape Std °F
Office Work	T. M. PALMERI	Surveyed by	C. L. WRIGHT
Checked	W. J. BRENNER	Notes	C. L. W. Date MAR 63
Date	AUG 14 1964	Indexed	C. J. GALLI APR 8 63

F. B. 2635 PG. 113

FIELD BOOK REFERENCE -

MOST E'LY S.F.RD.BDY. INT. WITH ℄ SOLEDAD CYN. RD (OLD MINT CYN. ROAD)

J.N. 0075.92

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 5-61

F. B. 2635 Pg. 114

FD. 1½" IP
TOP OF BLUFF

F.B. 1455 - 22
F.B. 2908 - 17
F.B. 2635 - 106

T4N
R15W

W.S.62, B-2

8½" IP
F.B. 1455 - 19 - 10.21

8½" IP
F.B. 2635 - 106 - 15.21

8½" IP
REC. L.S. 21-6

Spk & Tin
F.B. 2635-106
40+67.33 N.

F.B. 2908-17
40+67.43 N.

F.B. 1455-21
40+67.39 N.

NOTE: THESE PLUSSES ARE FROM THE COR. DRG 19 & SEC. 30

℄ MINT CYN RD. =
℄ SOLEDAD CYN RD.

SAN FRANCISCO RANCHO

SAN FRANCISCO RANCHO BOUNDARY

FOR CHAINING FROM C.S. MON. (SEC 19 & 30) NORTHERLY ALONG S.F.R.B.B.O.M. SEE F.B. 1455-19-22 = F.B. 2908-14-17

SEC. 19

0+00 N

C.S. MON.
F.B. 1455-19
F.B. 2908-14

FB 2652-236

SEC. 30

COUNTY SURVEYOR
R.E. 320
T. 4 N
R. 15 W
SEC. 19 / 30

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

1

Notes Ck'd by C. B. SUTTER
Map No. B 2874 1 to 3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CYN. ROAD
JN 0075.92 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes JGR Date MAR '63
Indexed C. J. GALLI APR 8 '63

F. B. 2635 Pg. 115

RETRACEMENT

PORTION S.P.R.R. FROM 1ST P.I. NORTH OF SAUGUS EAST'LY TO P.I. N.E. OF BERMITE POWDER COMPANY

J.N. 0075.92

REFERENCE:

F.B. 1455
F.B. 1881
F.B. 973
C.S.B. 1840-1
C.S.B. 2471

PARTY

C.L. WRIGHT
J.G. RANDALL
B.A. PEAVY
W.F. BARNETT JR.
R.M. TERRAZONE.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 62, A-2



F.B. 2635 Pg. 116

W.S.62.4-2

Notes Ck'd by C. B. SUTTER
Map No. R 2874 1 of 3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 1 4 1964

Survey of SOLEDAD CYN. ROAD
JN0075.92 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes J.C.R. Date MAR 63
Indexed C. J. GANI APR 8 '64

F. B. 2435 Pg. 117

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.



76F3008 SAE #247 11-68

F. B. 2435 PG 118



SET 1x2 STK. & NAIL, FLUSH

28.62

714.16 TRANSIT LINE

TO 2" I.P. PG. 119

SET 1x2 STK. & N. FLUSH. SEARCHED FOR 2" I.P. - PER F.B. 1455-171, FD. NO EVIDENCE.

10.61

90°

SPLIT OF RAILS

31 2/3

1) 150-17-20
4) 241-10-10
6) 181-45-10
AV) 150-17-31 2/3

S.P.R.R. MAIN LINE

54.37

150.

SET 1x2 STK. & NAIL, FLUSH

520.23

TRANSIT LINE

T = 56°

LEV. = 33.40
" 122.01
" 196.38
" 94.53
" 73.07
" .95
520.34
.09
520.23

SPLIT OF RAILS

S.P.R.R. MAIN LINE

TO 1x2 PG. 17

53.40

N. 5° 28' 47" E.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

W.S.624-2

Notes Ck'd by C. B. SUTTER	Survey of SOLEDAD CYN. ROAD
Map No. B2874 1 to 3	JN0075.92 Tape 175 Std 84 °F
Office Work T. M. PALMERI	Surveyed by C. L. WRIGHT
Checked W. J. BRENNER	Notes JGR Date MAR-63
Date AUG 14 1964	Indexed E. J. GALLI

F. B. 2635 Pg. 119

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.



F. B. 2635 PG. 120



LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this sheet beyond this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. B. SUTTER	Survey of SOLEDAD CYN. ROAD
Map No. B 2874 1 to 3	JN 0075.92 Tape 175 Std 84 °F
Office Work T. M. PALMERI	Surveyed by C. L. WRIGHT
Checked W. J. BRENNER	Notes JGR Date MAR-63
Date AUG 1 4 1964	Indexed C. J. GALLI

F. B. 2635 Pg. 121

W.S.84-2

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

1) 158-01-10
4) 272-04-50
6) 228-07-00
AV) 158-01-10

CALC. ℄ S.P.R.R. TO EXP. ROW STK. PG. 122

SET NAIL IN TIE. 0.11' NO. ℄ OF SPLIT OF RAILS

SET P.M. IN N.E. BOLT, BASE OF R.R. SIGNAL # 4492

1571.16

10°

01'

SPLIT

21.97

522.32

SPLIT OF RAILS

S.P.R.R. P.I.

51.21

MAIN

T = 64°
LEV: 157.11
157.92
173.80
131.01
34.37
654.21
.09
654.12

SET 1x2 STK. ℄ N. FLUSH

T = 66°
LEV: 51.22
.01
51.21

158°

25'-50"

S.P.R.R. LINE

249.35

FD. 2" I.P. CONC. PLUG, 4" SHELL CASING. DN 24" PER F.B. 1455-16, 1906 191, C.S.B. 2471

1) 30-25-40
2) 60-51-40
AV) 30-25-50

SET NAIL IN TIE. 0.74' SO. OF SPLIT OF RAILS

SET 1x2 STK. ℄ NAIL, FLUSH

X EN

SET 1x2 STK. ℄ N. FLUSH

41.63

SET 1x2 STK. ℄ NAIL, FLUSH

654.12

CALC. ℄ S.P.R.R.

SET NAIL IN TIE. 0.74' SO. OF SPLIT OF RAILS

1.74

30.77

SPLIT OF RAILS

1) 162-04-10
4) 288-15-40
6) 252-23-00
AV) 162-03-50

10.32 S.P.R.R. MAIN LINE

57.41

90°

03'-50"

162°

SET RDW. 2x2 STACKS, FLUSH ON LINE PROD.

P.O.S.T. TO 2" I.P. 280.72 Pg. 120

T = 70°
LEV: 57.42
.01
57.41

78F3098 SSE #247 11-58

F. B. 2635 PG. 122



P.O.S.T.
F.D. 2" I.P. CONC. PLUG
& SHELL CASING
FLUSH PER F.B.
1455 - 189 & C.S.B. 2471
SEE PG. 123

1) 164 - 57 - 20
2) 299 - 48 - 20
3) 269 - 42 - 40
AV) 164 - 57 - 06⅔

T = 66°
LEV. = 228.20
.03
228.18 17

SET 1X2 STK.
& N. FLUSH

TRANSIT LINE

T = 62°
LEV: 36.05
.01
36.04

1) 98 - 21 - 00
2) 196 - 42 - 20
AV.) 98 - 21 - 10

SPLIT OF RAILS S.P.R.R. MAIN LINE

P.O.S.T.
IRON PIPE PER F.B.
1455 - 164 & 189.
LEANING OVER.
REPLACED WITH
A 2x2 RDW. STK.
& N. DN. 9", ON
RECORD DIST.
SEE PG. 123
C.S.B. 2471

T = 62°
LEV. = 35.38
.01
35.37

SET 1X2 STK.
& N. FLUSH

1) 36 - 41 - 00
2) 73 - 21 - 40
AV) 36 - 40 - 50

SET 1X2 STK. &
NAIL. FLUSH

SET NAIL IN TIE
0.22' No. , OF
SPLIT OF RAILS

CALC. 1552.09
SPRR.
1571.16

T = 60°

LEV. =	171.46
"	174.16
"	176.77
"	2.40
"	219.24
"	204.65
"	196.75
"	203.16
"	203.75
	19.07
	1571.41
	25
	1571.16

TO 2" I.P. PG. 121

TO 2" I.P. PG. 121

W.S. 62, A-2

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by B. SUTTER		Survey of SOLEDAD CYN. ROAD	F. B. 2635 Pg. 123
Map No. B 2874 1 to 3		JN0075.92 Tape 175 Std 84 °F	
Office Work T. M. PALMERI		Surveyed by C.L. WRIGHT	
Checked W. J. BRENNER		Notes J.G.R. Date MAR-63	
Date AUG 14 1964		Indexed C. J. GALLI	

W.S.62.4-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.



78F3093 SEE #247 11-58

F.B. 2635 PG. 124

T = 74°

LEV. = 76.95
.01
76.94

SET 1X2 STK. & N. FLUSH

TO 2X2 PG. 128

TO 2X2 PG. 123

76.94

SPRR

761.75

SET 4" BOLT SIDE IN SO. SIDE OF 10" TELE. POLE UP 24"

0.52 SO. OF SPLIT OF RAILS

1) 12 - 02 - 40
2) 29 - 05 - 10
AV 12 - 02 - 35

12° 02' 35"

96.25

BS 684.81

CALC. 292'

T = 74°

LEV. = 105.72
" = 166.29
" = 164.61
" = 163.52
" = 68.65
" = 16.06
684.85
.04
684.81

0.36 SO. OF SPLIT OF RAILS

B.I. FD. 2" I.P. W/ CONC. PLUG & SHELL CASING. FLUSH PER C.S.B. 2471 & F.B. 1455 - 162 & 188

SPLIT OF RAILS

LINE

SPRR MBND

11.47

90°

27'

166°

1) 166 - 27 - 20
4) 305 - 49 - 00
2) 278 - 43 - 40
AV) 166 - 27 - 16 2/3

T = 64°

211.87
123.20
141.67
79.93
576.67
.08
576.59

576.59

123'

SET NAIL IN TIE 0.41 NO. OF SPLIT OF RAILS.

SET NAIL IN TIE 0.74 NO. OF SPLIT OF RAILS

SPRR

211.87

TO 2" I.P. PG. 123

W.S. 62, A-2

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.62.4-2

Notes Ck'd by C. B. SUTTER		Survey of SOLEDAD CYN. ROAD	F. B. 2635 PG. 125
Map No. B2874 1 to 3		JN 0075.92 Tape 175 Std 84 °F	
Office Work T. M. PALMERI		Surveyed by C. L. WRIGHT	
Checked W. J. BRENNER		Notes JGR Date MAR-63	
Date AUG 14 1964		Indexed C. J. GALLI	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

TO 1x2 PG. 124
TO C.S. MON PG. 124
25 APRIL 63 C.L.W.
641.10 541.84
S.P.R.R.

P.O.S.T. FD. A 2" I.P. W/ CONC. PLUG & SHELL CASING. UP 2". PER F.B. 1455-188 & C.S.B. 2471

SET 1x2 STK. & N. FLUSH

T = 62°
255.28 @ 4° 36" =
234.46
255.28
137.76
144.32
4.56
541.92
.08
541.84
.02

REQUIRED APRIL 63 C.L.W.
244.32
641.10
.00
641.01

T = 62°
LEV. = 75.18
" 208.96
160.82 @ 8° 05' 159.22
LEV. = 2.90
446.26
.06
446.20

8"x8" TELE. POLE ON LINE

1) 136-19-00
4) 185-15-00
6) 97-52-20
AV) 136-18-43 1/3

SET P.M. IN BOLT S.E. COR. OF BASE OF R.R. SIGNAL # 4487

SET P.M. IN BOLT N.W. COR. OF BASE OF R.R. SIGNAL # 4486

TRANSIT LINE
446.20

SET 1x2 STK. & NAIL, FLUSH

T = 56°
70.21
.01
70.20

1) 146-03-00
4) 224-12-30
6) 156-19-00
AV) 146-03-10

28° 51' 40"
64.42
45.66

T = 56°
64.43
.01
64.42

1) 131-24-00
2) 262-48-00
AV) 131-24-00

P.O.S.T. IRON PIPE, PER F.B. 1455-188, FD. LYING LOOSE. SET A RDW. 2x2 STK. & NAIL, DN. 2", ON RECORD DIST. FROM WEST C.S.B. 2471

761.75 S.P.R.R. 76.94

TO 2" I.P. LEFT PG. 124 CALC. ℄
TO 1x2 RIGHT PG. 124

76F3098 SSE #2 11-58

F.B. 2635 Pg. 126



T= 58°
40.75
91.95
132.70
.02
132.68

TO S.P.R.R. P.I.
FD. A 2" I.R. W/
CONC. PLUG. DN
18". F.B. 1455-
156 & 186 / C.S.B.
2471
ALSO F.B. 2635-130

W.S. 62,8-2

1) 150 - 25 - 30
4) 241 - 42 - 00
6) 182 - 32 - 50
AV) 150 - 25 - 28 1/3

ROAD
CANYON
SOLEDAD
℄

1) 29 - 34 - 50
4) 118 - 18 - 10
6) 177 - 27 - 00
AV) 29 - 34 - 30

1) 156 - 56 - 50
4) 267 - 48 - 20
6) 221 - 42 - 50
AV) 156 - 57 - 08 1/3

SET 1x2 STK.
℄ N. FLUSH

25'
28'

EXIST IN ℄
29° - 34' - 30"
150°
132.68
SEMITANG ℄ S.P.R.R.
156° - 57' - 08"

E.C. 4-A
FD. SQ. SPK. ℄ T.
ON SURFACE
F.B. 2635-96 & 97

T= 52°
LEV. 104.64
45.35
149.99
.03
149.96

160.16

P.I.
FD. COUNTY SURVEYORS B.C.
MON. DN. 6" UNDER BARBED
WIRE FENCE, PER F.B. 1455-
158 & 187. C.S.B. 2471

SET 1x2 STK.
℄ N. FLUSH

309'
28°
801.17'
698.02'
10th 18'
CLW
APRIL '63
04

T= 46°
LEV. = 160.20
.04
160.16

0.76 No. OF
SPLIT OF RAILS

161°

APRIL '63
CLW
541.01
.02
541.84

1) 161 - 04 - 30
4) 284 - 17 - 50
6) 246 - 24 - 50
AV 161 - 04 - 28 1/3

TO 1x2
PG. 125
TO 2"I.R.
℄ S.P.R.R.

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by G. B. SUTTER
Map No. B 2874 1 to 3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CYN. RD
JN 0075.92 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes F. - W Date MARCH '63
Indexed G. J. GALLI APR 8 '63

F. B. 2635 PG. 27

TIE LINE BETWEEN P.O.S.T. - S.P.R.R. & P.O.S.T. - OLD SOLEDAD CYN. RD.

J.N. 0075.92

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3029 CE # 310 5-61

F. B 2635 Pg 128

W.S.62, A-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



①	33	14	00
②	132	56	00
③	199	29	00
	33°	14'	00"

①	19	17	00
②	77	07	20
③	115	40	40
	19°	16'	46"

T. 64°

Lev	170.38
"	133.36
"	144.03
"	100.20
"	9.98
"	170.75
"	183.25
261.31@2-35 =	261.09
Lev	134.48
1307.47	~~1308.28~~
13	.17
1307.80	1308.11

Notes Ck'd by C. B. SUTTER	Survey of SOLEDAD CYN RD.	F. B 2635	Pg. 129
Map No. 13 2874 1+23	JN 0075.92 Tape 175 Std 84 °F		
Office Work T. M. PALMERI	Surveyed by C. L. WRIGHT		
Checked W. J. BRENNER	Notes C. L. W. Date MAR 11 63 APR 5 '63		
Date AUG 14 1964	Indexed C. J. GALLI		

SOLEDAD CYN. RD.
PROPOSED ℄ PER RD. DEPT.
FROM BOUQUET JCT. EAST'LY
TO SAN FRANCISCO RD. BDY.

REFERENCES:
C.S. B-2471
F.B. 1455
F.B. 2908
F.B. 1881

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61


F. B 2035 Pg 130
CONT. BOT Pg 131
W.S.62B-2
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
PROPOSED R/W E.C. SET 1½" I.P. CONC. PLUG L.A.Co. ENGR TAG DN 12"
PROPOSED ℄ E.C. SET R.W. 2x2 L.A.Co. ENGR TAG DN 12"
SOLEDAD CYN. RD.
SET 1x2 N. 55.00
103.00
SET N℄T. S. SIDE GUY POLE #862628E
FD. 2" I.P. CONC. PLUG & ERASS SHELL DN. 18" F.B. 1455 — 156,186 C.S.B-2471
T-62°
284.35 ℄D -35 LEV 284.84 233.17 82.80 17.19 617.50 .09 617.41
PROPOSED CURVE R= T-618.51 Δ 155°-17'-55"
SET 1 1/4" I.P. CONC. PLUG L.A.Co. ENGR TAG DN 18" PER OFFICE STAKING SHEET
SPLIT OF PI. ANGLE
SET 1x2 N. 5' OFFSET LINE
105.44
CALC. 15.10
PI.
FD. 1x2 CNAS MARKED P.I. S.A. Pg. 98
PROPOSED R/W B.C. SET 1/4" I.P. CONC. PLUG L.A.Co. ENGR TAG DN. 20" SET R.W. 2x2 L.A.Co. ENGR TAG UP 2"
T 54°
LEV 52.28 " 19.44 " 33.74 105.46 .02 105.44
SET N℄T. S.E. SIDE R.R. TEL POLE NO NUMBER
T 54° LEV 85.71 " 207.42 " 139.27 " 171.84 13.28 617.52 .11 617.41
FD. N℄T. W. SIDE TEL POLE #A-9.98 UP 30" Pg
T-76° LEV. 76.32
1338.61 CALC. 1338.54 REC.
SOLEDAD CYN. RD.
697.55 5' OFFSET
103.00
SET N℄T W. SIDE GUY POLE 862625E
SET N℄T N. SIDE PP# 619347E
T 62° LEV. 185.36 170.43 169.42 122.44 697.65 .10 697.55
FD. 1x2 GN. Pg 136
PROPOSED ℄ B.C. SET R.W. 2x2 L.A.Co. ENGR TAG DN 12" IN GUTTER
FD. C.S. MON. Pg 126-136 F.B. 1455-158,187 C.S.B-2471

W.S.62,B-2

Notes Ck'd by C. B. SUTTER
Map No. B 2894 1 & 2
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CYN. RD.
JN 0075.92 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W Date APRIL '63
Indexed C. J. GALLI

F. B. 2635 PG. 131

CONT. ON BOT PG 132

SET PROPOSED R/W B.C. PG 132

602.87 TO S' OFFSET

60.86

70 PI

CONT. ON BOT. PG 132

55.00

SET 1X2 LOT PG 132

500

6.50

FD. SQ SPK & T. (E.C. 6A) PG 99, 100

SET R.W. 2X2, LA CO. ENGR TAG DN 12" ENGR CUTTER - PG 132

P.I. - P.I. 3222.71

2002.34

5' OFFSET LINE

℄ PROPOSED SOLEDAD CYN. RD.

℄ OLD SOLEDAD CYN. RD. 2004.41 - PG. 99

S. P. R. R.

SET R.W. 2X2, LA CO. ENGR. TAG DN, 12"

103.00

55.00

500

8.57

34.28

SET 1½" I.P., CONC. PLUG L.A. CO ENGR TAG DN 24"

SET R.W. 2X2, LA. CO. ENGR. TAG UP 2" PG. 130

(EC. 5A) FD. SQ SPK & T. ON SURFACE PG. 99

FD. N & T. S.W. SIDE GUY POLE 862630E

SET N & T N. SIDE PP# 619344E

TO 5' OFFSET 617.41

TO P.I. PG 130 618.51

CONT. FROM TOP PG. 130

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

75F3095 CE # 310 3-61

F. B 2635 Pg. 132



W.S.62, B-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.62, B-2

Notes Ck'd by C. B. SUTTER
Map No. B 2874 to 3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 1 3 1964

Survey of SOLEDAD CYN. RD.
JN 0075.92 Tape 15 Std 84 °F
Surveyed by SOLEDAD CYN. RD.
Notes C. L. W. Date APRIL '63
Indexed C. J. GALLI

F. B. 2635 PG. 133

T 84°
ELEV 28.01
.01
28.00

F.B. 2908 - 6

SET NAIL 28.00 75.00

FD. SPK & W DN. 4" IN OLD PVMT. PG 11, 193

PROPOSED ℄ SOLEDAD CYN RD.

℄ EXIST. SOLEDAD CYN. RD.

S.P.R.R.

FD. 1½" IP. CONC. PLUG, L.A.CO. ENGR TAG DN 12" PG. 106

3.95

60.00

SET 1½" IP. CONC. PLUG L.A. CO ENGR TAG DN. 10"

FRANCISCO Rd. BDY. FB 1455 FB 2908

T 4 N
R 15 W
SEC 19

SAN FRANCISCO RANCHO

SET 1½" IP. CONC. PLUG L.A. CO ENGR TAG UP 2" PG 132

60.00

SET R.W. 2X2 L.A.CO ENGR TAG DN. 12" IN GUTTER

60.86 TO PROPOSED ℄

CONT. FROM TOP PG 132

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 2635 Pg. 134

Notes Ck'd by C. B. SUTTER	Survey of SOLEDAD CN. ROAD	F. B. 2635 PG. 135
Map No. B 2874 1 to 3	JN 0075.92 Tape L 48 Std 84 °F	
Office Work T. M. PALMERI	Surveyed by J.P. MENNE	
Checked W. J. BRENNER	Notes J.P.M Date 3-26-63	
Date AUG 14 1964	Indexed G. J. GALLI.	

SOLEDAD CANYON

ROAD

PROPOSED & PER ROAD DEPT.

REF.

F.B. 1881

C.S.B. 2471

J.P. MENNE

< ADAMS

R. GILROY

I. RANGEL

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 2635 PG. 136

SEE PG. 130

W.S.62,A,8-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



TO TOP OF PG. 137

W.S.62, A-2

Notes Ck'd by C. B. SUTTER	Survey of SOLEDAD CN. ROAD
Map No. B-2874 1 to 3	JN 0075.92 Tape 148 Std 84 °F
Office Work T. M. PALMERI	Surveyed by J.P. MENNE
Checked W. J. BRENNER	Notes J.P.M Date 3-21-63
Date AUG 14 1964	Indexed C. J. GALLI

F. B. 2635 PG. 137

To Bottom of Pg. 136

151° 59' 30" ①
247 58 00 ④
191 57 00 ⑤
151° 59' 30" Ⓐ

T.72° = -0.11

200.09
205.68
220.77
231.48
163.48
162.22
165.80

1349.52 =
1349.41

130.09
5' OFFSET
PROP. ℄
SOLEDAD CANYON ROAD
SET 1x2 & N. (FLUSH)
5.00
E.C.
9.40
10.65
151° 59' 30"
SET 1x2 & N. (FLUSH)
SET 1x2 & N. (FLUSH)
1349.41 — LONG CHORD
SOLEDAD

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F309S CE # 310 3-61

To Top of Pg. 138

To Bottom of Pg. 137

F. B. 2635 Pg. 138



W.S. 62, 1A-2

SET 1X2 & N. FLUSH

1349.40

LONG CHORD

945.20

T=72° = -0.05
198.55
171.42
131.35
166.48
667.80 = 667.75

LEVEL

667.75
277.45
945.20

T=74° = -0.02
214.04
9.56
1.98
51.99
277.47 = 277.45

LEVEL

151° 59' 30" ①
247° 58' 00" ④
191° 57' 00" ⑤
151° 59' 30" Ⓐ

TO P.I. NOTHING SET

ROAD

B.C.

T=74°
19.26 LEV. =
19.26

30°

SET 1X2 & N FLUSH

19.26

CANYON

151° 59'

1258.11

PROP. ℄ SOLEDAD

T=72° = -0.10
179.38
202.60
197.04
200.84
207.61
203.51
67.23
1258.21 = 1258.11

To Top of Pg. 139

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.624-2

Notes Ck'd by	C. B. SUTTER	Survey of	SOLEDAD CN. ROAD
Map No.	B 2874 1 to 3	JN 0075.92 Tape	148 Std 87 °F
Office Work	T. M. PALMERI	Surveyed by	J. P. MENNE
Checked	W. J. BRENNER	Notes	J.P.M. Date 3-28-63
Date	AUG 1 1 1964	Indexed	C. J. GALLI

F. B. 2635 PG. 139

To Bottom of Pg. 138

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

T = 72° : -0.01
174.06 LEV. = 174.05

T = 66° : -0.08
128.95
140.24
128.33
192.72
83.58
673.82 = 673.74

T = 76° : -0.04
106.80
196.82
193.22
86.80
71.64
125.02
780.30 = 780.26
T = 76° : 0
67.53 = 67.53

1258.11 PROP. ℄

ROAD

174.05

SET 1½ E.N. (FLUSH)

673.74

SET 1½ E.N. (FLUSH) ON PROD. TOP LEVER

P.I.

SET 1½ E.N. (FLUSH)

CANYON

138°

780.26

5.00

SOLEDAD

SET 1½ E.N. (FLUSH)

E.C.

67.53

S. 0° 07' 57" E.

534.43

SET 1½ E.N. (FLUSH)

138° 17' 00" (C)
193° 08' 00" (B)
109° 42' 00" (D)
138° 17' 00" (A)

T = 72° : -0.04
207.82
205.77
120.88
534.47 = 534.43

T. TOP of Pg. 140

To Bottom of Pg. 139

F. B. 2635 Pg. 140

5° 29' 50"	①
21 · 59 · 20	④
32 · 59 · 00	⑥ ✓
5° 29' 50"	Ⓐ ✓

534.43

T - 72° = -0.02 ✓

192.06 = 192.04 ✓

PROP. ℄ SANTA ANITA ROAD

192.04

5' OFFSET LN.

T - 60° = -0.03 ✓

192.31 = 192.28 ✓

0.24

P.I. of 5' OFFSET LINE

SET 1½ & N. (FLUSH)

BOLERA

192.28

5° 29' 50"

T - 58° = -0.03

165.23 = 165.20 ✓

165.20

SET 1½ & N. (FLUSH)

5.00

To Top of Pg. 141

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. B. SUTTER	Survey of SOLEDAD CN. ROAD
Map No. R 2874 1 to 3	JN0075.92 Tape 148 Std 84 °F
Office Work T. M. PALMERI	Surveyed by J.P. MENNE
Checked AUG 14 1964	Notes J.P.M Date 3-28-63
Date W. J. BRENNER	Indexed C. J. GALLI

F. B. 2635 PG. 141



To Bottom of Pg. 140

T-62° = -0.09 ✓
193.10
138.15
167.97
160.02
659.24 = 659.15 ✓
E.C.

T-66 = -0.02 ✓
94.63
51.53
146.16 = 146.14 ✓

171° 38' 30" ①
326 34 00 ④
309 51 00 ⑤
171° 38' 30" ⑥

S. 00 E. 195.20

659.15

SET 1½ & N. (FLUSH)

SET Sq. HD. & TIN (FLUSH)

146.14

SOLEDAD CANYON ROAD

30.00

171 38 30

P.I.

SET Sq. HD. & TIN (FLUSH)

T-56° = -0.02 ✓
119.33
0.70
120.03 = 120.01 ✓

120.01

SOLEDAD

PROP. ℄

To Top of Pg. 142

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3095 CE # 310 3-61

To Bottom of Pg. 141

F. B. 2635 PG. 142

W.S.62A-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



105 - 00 - 00 ①
60 - 01 - 00 ④
270 - 01 - 20 ⑥ ✓
105° - 00' - 13" Ⓐ ✓

Notes Ck'd by	Survey of SECTION LINES	F. B. 2635 PG. 193
Map No.	JN 0302.01 Tape 175 Std. 84 °F	
Office Work	Surveyed by C. L. WRIGHT	
Checked	Notes C.L.W. Date NOV. '62	
Date	Indexed [redacted] NW 2388	

N-S. & SEC 21
T4N R15W
J.N. 0302.01

REFERENCES
F.B. 2652

C. L. WRIGHT
J. G. SANDALL
B. A. PEAVY
W. F. BARNETT
R. N. TERRAZONE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78F3095 CE # 310 8-61

F. B. 2635 Pg. 144

To bot pg 145

W.S. 62, C-2

OAK TREE 5' TOP

FD. 2" I.P. CMT. PLUG & TAG R.E. 726 UP 6"

FD. 2x2 & NAIL UP 2" No Ref.

17.00

17.02

OF 0.86

2.88

BANK

SET 1x2 LN 9+02.76

T 4 N
R 15 W

HIGHWAY LINE

17' OFFSET

458.92

T - 78°

259.32 @ 0-30 = 259.31

LEV 7.07

" 50.26

" 82.30

458.94

.02

458.92

SET 1x2 LN.

LEV. 6.88

6.88

0.06

FD 1x2 LN. No Ref SET NAIL

17.00

- 4 + 43.78

SET NAIL 0.06 E. OF FD N.&T.

T = 66°

43.24 @ 26°21 = 38.75

43.23 @ 26°52 = 38.74

38.74

FD. 2" I.P. WOOD PLUG & TAG. L.S. 2572 UP 6"

0.23

T 86°

236.65 @ 6-41 = 235.04

158.58 @ 1-58 = 158.49

LEV 24.96

" 25.28

443.77

.01

443.78

443.78

SEC 21

90-45-00 ①

363-01-30 ④

184-32-30 ⑥

90-45-25 Ⓐ

SECTION LN.

1/4 COR FD. C.E. MON. 2" I.P. & BRASS CAP SET IN CONC. DN. 16" F.B. 2635-78 F.B. 2652-102

SET TRANSIT ON EXTENSION LEGS 10' HIGH TO MEASURE ANGLE

COUNTY ENGINEER TAN 21 / 28 R 1/4 COR FD. C.E. 58

P.M. 5-30-63

① 90°36'40"

④ 02°26'50"

⑥ 183°40'20"

90°36'48"

WV 7-10-63

SEC 28

1

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 3020 Tape 175 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C.L.W Date NOV '64
Date	Indexed B. J. GALLI

F. B. 2635 PG. 145

T 4N
R 15 W
SEC. 21

To bot pg 146

SET 1x2 EN.

2.00

SET 1x2 SN
18+35.66

360.72

T 76°
LEV
"
"
02.15
20.99
37.60
360.74
.02
360.72

SET 1x2 SN. TOP PERM
14+74.94

T = 74°
184.77

2.01

18+20.40

157.07

T-76° 3-38 = 156.75
LEV 182.57
339.32
.02
339.30

FD. 1½" I.P. CMT. PLUG & TAG - R.E. 4750 UP 3"

184.77 & 157.07 OFFSET LINE

339.30

SET 1x2 & NAIL

15.00

11+35.64

2.00

25.15

FD. 1½" I.P. CMT. PLUG & TAG R.E. 4750 UP 6"

2.01

2' OFFSET LINE

17' OFF SET

232.94

T 76°
234.00 @ 5-26 = 232.95
.01
232.94

17.00

9+02.70
SET 1x2 NAIL

CONT FROM TOP Pg 144

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 2635 Pg. 146

W.S.62,C-2

To bot pg 147

T 4N
R 15W
SEC. 21

Fd 1/2" I.I. Copic. Plug & Tag # R.E. 4750

26+40 61

69.46

7° 88°
69.83 @ 5 = 56 = 69.46

Sc + 1 x 2" N.

25+71 15

103.16

7° 84°
105.32 @ 11 = 103.16
105.56 @ 12 = 15 = 103.16

24+67 99

CUT + DN TO 1 5' ROCK WALL

CUT + DN TO 1 5' COR. POST ON ROCK WALL

7° 82°

LEV 100.88
160.64
164.09
116.07
90.66
632.34
.01
632.33

632.33

Set 1 x 24" N

18+35 66

From Top pg 145

1

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.62,C-2

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302 Of tape 175 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date NOV '62
Indexed E. J. GATTI

F. B. 2635 PG. 147

T 4N
R 15 W
SEC. 21

To bot pg 148

T-86°
92.35 @ 18-42 = 87.47 ✓
92.56 @ 19-05 = 87.47 ✓
= 87.47 ✓

0 SET 1x2 C.N. TOP SPUR
36+55 87

87.47 ✓

0 SET 1x2 C.N. ON S.H.
35+68 40

T = 94°
41.75 @ 23-33 = 38.27 ✓
41.84 @ 23-52 = 38.26 ✓
= 38.26 ✓

262.57 ✓

241.25 @ 21-36 = 224.31 ✓
241.64 @ 21-51 = 224.28 ✓
= 224.29 ✓
262.55
.02 ✓
262.57 ✓

0 SET 1x2 C.N.
33+05 83

T 94°
253.65 @ 12-52 = 247.28 ✓
253.80 @ 13-00 = 247.30 ✓
= 247.29 ✓
.02 ✓
247.31 ✓

247.31 ✓

0 SET 1x2 NAIL TOP BRK
30+58 52 ✓

T 86°
147.97 @ 8-38 = 146.29 ✓
271.74 @ 1-45 = 271.61 ✓
417.90 ✓
.01 ✓
417.91 ✓

417.91 ✓

FD 1/2" I.P. CONC PLUG
R.E. 4750

26+40 61

From Top pg 146

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B 2635 Pg. 148

SEC. 16

T4N
R15W

W.S. 62, C-2

52+56.92

¼ COR
FD. 2" I.P. & BRASS CAP
SET IN CONC. UP 6"
CSB 576
SEC 21
CSB-618

COUNTY SURVEYOR'S MONUMENT
T4N
16
+
21
R15W ¼ SEC. COR.

102.39

T: 68°
LEV 102.40
.01
102.39

SET 1x2 SN.
37+54.53

T: 72°
262.42 @ 0-56 = 262.39
252.34 @ 4-13 = 251.66
274.21 @ 6-28 = 272.47
786.52
.06
786.46

786.46

43+68.07
FD. OLD 1x2 — NO NAIL
REPLACED WITH 1x2 SN.
No Ref.

575.37

T: 78°
295.25 @ 1-04 = 295.20
281.06 @ 4-30 = 280.19
575.39
.02
575.37

0.08

FD. CSB 1x2 SW. — 0.5
No Ref.

60°

SET 1x2 SW. Top Ridge
37+92.70

T 84°

136.83

138.62 @ 9-13 = 136.83

SET 1x2 SW Top Spur
36+55.87

From Top pg 147

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

(U.S. HWY 6 & SEC. 21)

Notes Ck'd by
Map No. B 2874 11-03
Office Work T. M. PALMERI
Checked
Date AUG 14 1964

Survey of SOLEDAD CN. ROAD
JN 0075.12 Tape 118 Std 84 °F
Surveyed by J. P. MENNE
Notes J.P.M. Date 4-18-63
Indexed C. J. GALLI

F. B. 2635 PG. 149

SOLEDAD CN. ROAD

HWY. NO. 6

SECTION 21

T 4 N R 15 W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

REF —

F.B. 2652

STATE HWY NOTES
A - 59.001

F.B. 1810

F.B. 446

J. MENNE
C. ADAMS
R. GILFOY
L. RANGEL

76F3095 CE # 310 8-61

F.B. 2435 PG. 150

WS 82C-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

T. 4 S. CEI SEC. 22.

SEC. 21
T 4 S
R 15 W

S.P.R.R.

SET 1½ B.N. (FLUSH)
0 + 24.18

SET 1" I.P. & C.E. TAG
BY INTERSECTION
IN 6"
0+00 NORTH

SECTION LINE

SET NAIL ON
6" FN. POST

SET NAIL ON
6" FN. POST

4' BARBED WIRE FN.

154.50'

2639.37
F.B. 2652-102-104

T-68°

SEC. 28

SET 1½ B.N. (FLUSH)
HWY. & - TAN. PROJ.
FOR ANGLE

68°	52'	20"	①
275	29	20	④
53	14	00	②
68°	52'	20"	④

T-68°
2639 @ 22°-01 = 24.19'
2546 @ 20°-14 = 24.18

SECTION CORNER
FD. C.S. MON. DOWN 24"
F.B. 60-45

FB. 2652-104-207

COUNTY SURVEYOR
T 4 S
R 15 W
20 | 21
29 | 28
SEC. COR.
Monument

COUNTY ENGINEER
T 4 S
R 15 W
21 | 22
28 | 27
SEC. COR.
R.E. 5869

1/4 CORNER

FD. C.E. MON. PN. 16'
F.B. 2652-101

20.56'
23.19'
154.50'

TO BOTTOM OF PG. 151

(U.S. HWY. 6)

Notes Ck'd W. J. BRENNER	Survey of SOLEDAD CN. ROAD.
Map No. B2874 1 to 3	JN0075.92 Tape 118 Std 84 °F
Office Work T. M. PALMERI	Surveyed by J. P. MENNE
Checked W. J. BRENNER	Notes ↓P.M. Date 4-19-63
Date AUG 14 1964	Indexed R. J. GALLI

F. B. 2635 PG. 151

To Bottom of Pg 152

(E.L.)
FD. SPK. & W.
DW. 1"
254 + 05.13
STATE HWY NOTES
A 59.001 - 12

~~13+07.77~~

~~79.51~~
79.39

T = 68° = -0.09

123.82
115.48
84.99
76.76
177.00

~~836.95~~ = ~~836.86~~
657.37 GB

657.37
836.86
657.37 GB

SEC. 21
T 4 N
R 15 W

SEMI-TAN.

4+70.85
SET 1½ ℄ N. (FLUSH)

T-68° = 0
10.64 LEV. = 10.64

10.64

4+60.21
SET 1½ ℄ N. (FLUSH)

T. 66° = -0.03
291.30 @ 4°-22' = 290.46
291.36 @ 4°-32' = 290.45

290.42
145.61
436.03

T. 64° = -0.02
145.84 @ 3°-02' = 145.64
145.89 @ 3°-25' = 145.63

436.0 m/

0+24.18
SET 1½ ℄ N. (FLUSH)

To LEFT of Pg. 150

X

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

78F3095 CE # 310 3-61

TO BOTTOM OF PG. 153

F. B. 2635 PG. 152

SEC. 21
T 4 N
R 15 W

162.85
179.51
144.40
169.26
152.53
148.71
957.26 ✓ = 957.16 ✓

T=68° = -0.10 ✓

T=68° = 0 ✓
32.48 LEV. = 32.48 ✓

T=68° = -0.02 ✓
173.69 LEV. = 173.67 ✓

T=68° = -0.01
109.73 LEV. = 109.72 ✓

T=68° = -0.01
100.01 LEV. = 100.00 ✓

T=68° = -0.01 ✓
74.89 LEV. = 74.88 ✓

B.C.
FD. SPK. & WW
DN. 1"

B.C.
1159 ✓
32.48 ✓
T 4 N. S. C.
L. 5 E. L.
BEGIN
N 2 L. 001
100.001
74.88

NO. REF.
FD. L. & T.
1 + 99.46

FD. L.A.Co. F.C. L. & T.A.G.
1 + 65.98
NO. REF.

FD. L.A.Co. F.C. L. & T.A.G.
15 + 92.31
NO. REF.

FD. L & T.
14 + 82.59

STATE HWY
NOTES
A-59.001

FD L. & T.
13 + 82.59

13 + 07.11

TO TOP OF PG. 151

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

(U.S. Hwy. 6)

W. J. BRENNER

Notes Ck'd by
Map No. B2874 1 of 3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CN. ROAD.
JN 0075.92 Tape 118 Std 8A °F
Surveyed by J.P. MENNE
Notes J.P.M Date 4-22-63
Indexed R. J. GALI

F. B. 2675 PG. 153

To Bottom Pg 159

W.S.82,C-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

E.C.
70 + 29.50 (FLUSH)
STATE HWY. NOTES
A-59.001 - 12-21

FD. BT. SPK.
W. & T.

175° - 20' - 20" ①
341 · 21 - 20 ④
332 · 02 - 00 ⑥ ✓
175° · 20' · 20" Ⓐ ✓

381.66

SEC. 21
T 4 N
R 15 W

FD. L & T.

2.93

13.25

FD. L. & T.

P.I.

FD. 242
STATE HWY.
NOTES A.59.001

T = 62° = -0.05 ✓

124.95 ✓

175° 20' 20"

FD. L. & T.

ST. HWY NOTES
A 59.001

196.87
184.84
381.71 = 381.66 ✓

T = 60° = -0.02 ✓
124.97 = 124.95 ✓

282.49 ✓

B.C.

T = 68° = -0.03 ✓
282.52 = 282.49 ✓

FD. 242 & N.
(FLUSH)
268 + 53.25 ON

957.16 ✓

STATE HWY.
NOTES A-59.001
12-21
= 21 + 55.10 ✓
FROM SECTION LN.
INTERSECTION.

To Top Pg 152

To Bottom Pg 155

F.B. 2685 PG. 154



To Top Pg. 153

W.S.82-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.62,C-2

(U.S. HWY. 6 & SEC. LN.)

W. J. BRENNER

Notes Ck'd by
Map No. B 2874 1 to 3
Office Work T. M. PALMIERI
Checked W. J. BRENNER
Date AUG 1 4 1964

Survey of SOLEDAD CN. ROAD.
JN 0075.92 Tape 118 & 67 Std 84 °F
Surveyed by J.P. MENNE
Notes J.P.M. Date 4-28-63
Indexed J. GALL

F. B. 2635 PG. 155

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

SEC. 16

FD. SPK. W. & T. DN. 2"
SET ④ SPK. & T. TIES ON SURFACE
F.B. 1810-13.29

T=68°: -0.05 T=68°: -0.01

66.34
189.20
39.07
38.75
31.89
144.85
510.10 = 510.05

129.52 @ 7°-31' : 128.38
510.05
128.37
638.42

U.S. HWY. 6
F.B. 1810-11.13
1778.20
505.76

FD. SPK. & T. DN. 2" F.B. 1810-11 SET ⑤ SPK. & T. TIES SECTION LN.

638.42
20' OFFSET LN.
SET N. BY INTERSECTION (FLUSH)
58.40
27.15
30.00
20°

To Top Pg. 156

To Top Pg 154

825.34
2+94.73 (L)
47-27-10 ①
189-48-40 ④
284-43-00 ⑤
47°-27'-10" ⑥

T=84°
505.76 LEV. = 505.76

SEC. 21
T 4 N
R 15 W

JO. CN. TRACT 7493

T=68°: -0.02
197.35 = 197.33
29.04 = 29.04
0.08
LEVEL

FD. SPK DN. 2" S. & T. TIES
SET ④ SPK. & T. (FLUSH)
29.04
0+09.96
197.33
10' OFFSET LN.
120°

SET J. BY INTERSECTION. PG. 79
FD. C.S. MON. (FLUSH) F.B. 2229-49
0+00

SCHERGINZER LANE
80 P.C.
Δ 20°
16 15 21 22

SEE PG. 21 FOR SEC. COR.
SET ITC & CL (FLUSH)
T=68°: -0.01

58.41 = 58.40
27.15 = 27.15
30.00 = 30.00
T=66°: -0.10 -0.14
150.62
150.55
150.61
150.44
150.72
72.50
825.44 = 825.30

10' OFFSET LN.
SECTION LN.

COUNTY SURVEYOR
T 4 N
SEC. 16 15
21 22
E. SEC. COR.
MONUMENT

76F3095 CE # 310 3-61

F. B. 2035 PG. 156



T 68° = -0.05

66.34
189.20
39.07
38.75
31.89

510.05
128.37
638.42

144.85

510.10 = 510.05

T-68° = -0.01
129.52 @ 1° 37' = 128.38

SEC. 16

FD. 2x2
& L.S. 2747

9 + 33.15

T-68° = -0.01
92.02 @ 2° 21' = 91.94
92.08 @ 3° 03' = 91.95

T-66° = -0.01
58.49
40.09
98.58 = 98.57

T-66° = -0.02
203.07 @ 15° 04' = 196.09
203.12 @ 15° 06' = 196.11

T-66° = -0.03
248.24 @ 22° 29' = 229.37
248.29 @ 22° 30' = 229.39

T-68° = -0.03
279.28 @ 19° 16' = 263.64
279.50 @ 19° 23' = 263.66

T-68° = 0
47.85 ELEV. = 47.85

To Left pg. 155

SET NAIL
2 + 94.73

U.S. HWY. 6

10' OFFSET LINE

SECTION LINE

638.42

20' OFFSET LINE

SEC. 21
T 4 N
R 15 W

SET 1/2 FOR SIGHT

30.00

REPLACED WITH 2" I.P. & L.A.Co. ENG. TAC. & SAT MKR. PIPE 2' WEST. 7-23-70 8PM

0.11

91.93

15.00

REPLACED WITH LG. BT. SPK. WEST 7-23-70 8PM.

10 + 25.08

SET SQ. HD. SPK. & T. 0.2 PRIVATE RD.

ASPHALT RD

FD. 1" I.P. & L.A.Co. ENG. TAC. (FLUSH) PG. 79-80

835.47

SET 1" I.P. & L.A.Co. ENG. TAC. 7-23-70 8PM

45.43

98.57
96.08
229.35
263.62
47.85

835.47

20.00

90°

18 + 60.55
SET 1/2 & N. (FLUSH)
TOP RIDGE
REPLACED WITH 1" I.P. & L.A.Co. ENG. TAC. 7-23-70 8PM.

To Top Pg 157

W.S.62C-2

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.62, C-2

Notes Ck'd by W. J. BRENNER
Map No. B2879 No 3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SECTION LINE
JN 0302.01 Tape 67 Std 84 °F
Surveyed by J.P. MENNE
Notes J.P.M Date 4-24-63
Indexed R. J. GALLI

F. B. 2635 PG. 157

To Bottom Pg 156

2" I.P. & L.A.CO. BM THC. SEE PG. 156

18+60.55

FD. 1" I.P. & C.E. TAG (FLUSH)

90-03-50 ①

360-15-40 ④

180-23-20 ⑥

90-03-53 ④

REPLACE WITH 2" I.P. & SET MICK. PIPE 2' E 23+18.60 & R.M. 7-23-70

FD. 1" I.P. & CONC. PLUG & N. (FLUSH) TOP HILL

SEC. 21

WATER TANK

65'

86'

518.05

T-68° = -0.05
151.00
144.03
223.07

518.10 = 518.05

SEC. 16
T 4 N
R 15 W

T-52° = -0.06

288.68 @ 20°-48 = 269.87
288.78 @ 20°-51 = 269.87

T-52° = -0.06
298.84 @ 8°-41 = 295.41

298.64 @ 8°-25 = 295.42
T-52° = -0.03
166.65 LEV. = 166.62
T-54° = -0.05

239.42 @ 5°-01 = 238.50
239.46 @ 5°-07 = 238.51

T-52° = -0.04
209.21 @ 8°-40 = 206.82

209.08 @ 8°-34 = 206.84
T-54° = -0.06
297.64 @ 6°-35 = 295.68
297.59 @ 6°-30 = 295.68

T-56° = -0.05
298.74 @ 4°-42 = 297.74
T-56 = -0.01
27.78 LEV. = 27.77

269.81

SECTION LINE

90°

S 89° E

N-S. CEN. SEC. LN.

TO CEN. SEC. 21

295.35
166.62
238.45
206.79
295.62
297.69
27.77
276.05
1804.34

1804.34

REPLACED WITH L.A.CO. BM. & SET MICK. PIPE & R.M. 7-23-70

COUNTY SURVEYOR

SEC. COR.

FD. C.S. MON. UP 2' CONC. BROKEN OFF TOP. MON.

FB. 446-69
C.S.B. - 618

T-56 = -0.05
276.77 @ 3°-59' = 276.10

44+52.75 (CH. PT.)

To Top Pg 158

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

To Bottom Pg 157

F. B. 2635 PG. 158



44 + 52.75
CH. PT.

T=62°= -0.02

170.30 @ 2°-31 = 170.13
170.24 @ 2°-08 = 170.12

T=62°= -0.04

298.46 @ 7-57 = 295.59
298.35 @ 7°-48 = 295.59

T=62°= -0.04

298.60 @ 8-57 = 294.96
298.49 @ 8-50 = 294.95

T=62°= -0.01

84.63 LEV. = 84.62

170.10
295.55
294.91
84.62
845.18

845.18

SEC. 16

SECTION LINE

SEC. 21

T 4 N
R 15 W

90°
00'
80"

179°

SEC. LN.

56.50

52 + 97.93 (N)



Fd. C.S. mon.
(FLUSH)
F.B. 446-69
C.S.B. 618
F.B. 2635-80

W.S.62,C-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SEC. LINE 21

Notes Ck'd by W. J. BRENNER
Map No. B 2874 1 to 3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CN. RD.
JN 00759.92 Tape 67 Std 84 °F
Surveyed by J. P. MENNE
Notes J P M Date 4-29-63
Indexed R. J. GALLI

F. B. 2635 PG. 159

E - W - CEN. SEC. 21 - WEST OF HWY 6

FD. LG. BT. SPK. W. & T.
PG. 72-73
17 + 94.26 FROM
E 1/4 COR. OF SEC. 21

HWY 6

SEC. 21
T 4 N
R 15 W

E.C. 23-A
FD. LG. BT. SPK.
W. & T.
PG. 72

SEE PG 71 & 72

178.17

E - W - CEN. SEC. LN.

P.I. 23-A
FD. 1" I.P. & C.E. TAG. DN. 1'
PG. 71

20.00

19 + 88.05
SET 1/2 & N.
(FLUSH)

T = 56° = -0.05
257.56 @ 5°-36 = 256.33
257.68 @ 5°-50' = 256.35

To P.I. 22-A PG. 70

256.29

22 + 44.34
FD. 1/2 & N. (FLUSH)

T = 80° = 0
148.88 @ 4°-04' = 148.50
148.83 @ 3-48 = 148.50

148.50

23 + 92.84
FD. 1/2 & N. (FLUSH)

To TOP OF PG. 160

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3095 CE # 310 3-81

To Bottom of Pg. 159

F. B. 2635 Pg. 160



23 + 92.84
Fd. 1x2 & N. (Flush)

228.45

T-82° = 0
229.04 @ 4°-07' = 228.45 ✓

Sec. 21
T 4 N
R 15 W

Sec. Ln.

26 + 21.29
Set 1x2 & N. (Flush)

E-W Cen. Sec. Ln.

18.15

Center Section
Fd. 1½" I.P.
& R.E. Tag 4750
26 + 39.44 W =
26 + 40.61 N
+ Pg. 146

69.46

103.16

24 + 67.99 (±)
Fd. (±) 2' Top
Con. Post Rock Wall
Pg. 146

Fd. 1x2 & N. (Flush)

Pg. 146

89° 23' 40"

N-S. Cen. Sec. Ln.
Pg. 146

89- 23 - 30 ①
357- 34- 30 ④
176 - 22 . 00 ⑥ ✓
89° 23' 40" ⑧ ✓

Set 1x2 & N. (Flush)
on Prod from East.

W.S. 29, C-2

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Please Return To

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.62,C-2

Notes Ck'd by W. J. BRENNER
Map No. R 2874 1763
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CN. ROAD
JN 0075.02 Tape 67 Std 84 °F
Surveyed by J.P. MENNE
Notes J.P.M Date 4-29-63
Indexed C. J. CALLI

F. B. 2635 PG. 161

TO PG. 160

CENTER SECTION

FD. 1 1/2" I.P. & R.E. 4750
(21)
26 + 40.61 (N)
PG. 146

SEC. 21
T 4 N
R 15 W

T-84° 20

12.62
34.70 LEVEL

S. CEN. SEC. 21

ROAD

PG. 71

159.90

12.62

B.C. 22-A
FD. LG. BT. SPK. W. & T
PG. 71

SOLEDAD CN.

TO E.C. 21-A

PG. 69 & 70

87° 36' SE

34.70

SET LG. BT. SPK. W. & T. BY INTERSECTION
25 + 02.69

87-36-40 (1)
350-27-40 (4)
165-41-50 (6)
87°-36-58" (A)

FD. (+) ON COR. POST.
24 + 67.99 (N)
PG. 146

INTERSECTION OF
SOLEDAD CN. RD.
&
N-S. CEN. SEC. 21

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2635 PG. 162.

W.S.62,B-2

Notes Ck'd by W. J. BRENNER	Survey of SECTION LINE
Map No. B 2874 1 to 3	JN 0302.01 Tape 106 Std 84 °F
Office Work T. M. PALMERI	Surveyed by J.P. MENNE
Checked W. J. BRENNER	Notes J.P.M Date 11-2-62
Date AUG 14 1964	Indexed E. J. GALLI

F. B. 2635 PG. 163

TO BOTTOM OF PG. 164

WEST LINE OF
S.W. 1/4 OF SEC. 20
T 4 N R 15 W
T - 88 = +0.01
256.29 @ 1°-56' = 256.14 ✓

A-2
3+95.87
SET 1" I.P. &
C.E. TAG (FLUSH)
TOP SPUR

SEC. 19
T 4 N
R 15 W

SEC. 20

A-1
1 + 39.72
SET 1" I.P. & C.E. TAG
(FLUSH) TOP SPUR

T = 84°-0
141.48 @ 9-01 = 139.73 ✓
141.30 @ 8-34 = 139.72 ✓

256.15
LINE
139.72

3 1/2" BARBED WIRE FN.

43 + 93.90
FD. 1" I.P. &
C.E. TAG (FLUSH)
F.B. 2652 - 234

90°-16'-25"

SECTION

90°-23'-10"

FD. 1" I.P. &
C.E. TAG (FLUSH)
F.B. 2652 - 200

FD. C.S. MON. (FLUSH)

F.B. 2652 - 200
236
252

90 - 23 - 10 ①
01 - 32 - 40 ④
182 - 19 - 00 ⑥ ✓
90 - 23 - 10 Ⓐ ✓

90 - 16 - 30 ①
01 - 05 - 50 ④
181 - 38 - 30 ⑥ ✓
90 - 16 - 25 Ⓐ ✓

COUNTY SURVEYORS
T 4 N
R 15 W
19 | 20
30 | 29
SEC. COR.
MONUMENT

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S CE # 310 3-61

TO BOTTOM OF PG 165

F. B. 2635 PG 164

W.S.62, R-2

SECTION THROUGH FARM LINE RUNS BUILDINGS

16+66

15+94

OFFSET 60

T=90°:0

60.00

90°

SET 1X2 & N (FLUSH) 13+13.55

LEV. - 33.24 / 26.76 / 60.00

A-4

1/4'1/4 COR. 13+13.55 SET P.M. ON EDGE OF BRASS CAP. FD. C.S. MON UP 3"

SURVEYORS TAG

COUNTY SURVEY 19 20 1/4'1/4 COR MONUMENT

0.10

C.S.B. 6/19

T. 90 = +0.01

187.95 @ 5-32 = 187.07

188.04 @ 5-47 = 187.08

187.08

283.00

470.08

T=90° = +0.01

284.19 @ 5-15 = 283.00

284.10 @ 5-05 = 282.98

3½' BARBED WR. FN.

SEC. 20

SEC. 19

T 4 N

R 15 W

T=88°:0

154.94 @ 6-44 = 153.81

154.82 @ 6-19 = 153.88

153.87

293.73

447.60

T=88° = +0.01

298.04 @ 9-46 = 293.72

298.06 @ 9-47 = 293.73

A-3

8+43.47

SET 1X2 & N. (FLUSH)

A-2

3+95.87

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

TO TOP OF PG. 163

W.S.62,B-2

Notes Ck'd by W. J. BRENNEL
Map No. B 3874 1 to 3
Office Work T. M. PALMERI
Checked W. J. BRENNEL
Date AUG 14 1964

Survey of SECTION LINE
JN 0302.01 Tape 100 Std 89 °F
Surveyed by J. P. MENNE
Notes J.P.M. Date 11-2-62
Indexed R. J. GALLI

F.B. 2635 Pg. 165

SEE PG. 166 FOR ANGLES TO NORTH

1/4 COR.
26+26.98
FD. C.S. MON.
UP 8"
IN FIELD
F.B. 446-53
CSB. 618

A-5
21+58.75

SET 1/2 & N.
(FLUSH)

SURVEYORS
COUNTY T 4 N
R 15 W 19 20
1/4 SEC. COR.
MONUMENT

T = 88° = +0.01
169.20
112.73
188.29
468.22 = 468.23

468.23

60.00

90°

21+58.75
SET 1/2 & N.
(FLUSH)

SEC. 19
T 4 N
R 15 W

T = 88 = +0.01
215.82 @ 1°-48 = 215.71

845.20

SET LINK

21+26

SEC. 20

SECTION LINE

T = 88 = +0.01
267.79 @ 1°-48 = 267.66

T = 88° = +0.01

60' OFF

215.72
267.67
361.81
845.20

71.93
76.63
114.16
99.08
361.80 = 361.81

13+13.55
SET 1/2 & N.
(FLUSH)

To Top of Pg. 164

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.62, B-2



Notes Ck'd by	Survey of SOLEDAD CYN. RD.
Map No.	JN 00 75 92 Tape 175 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W Date JUNE '63
Date	Indexed E. J. GATES AUG 3 '63

F. B. 2635 Pg. 167

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
7700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F9095 CE #247—3-57

PROPOSED ALIGNMENT - SOLEDAD CANYON ROAD ~ SECOND P.I. EAST'LY FROM INTERSECTION WITH BOUQUET CANYON ROAD THRU CURVE @ PERMITE POWDER COMPANY ENTRANCE.

J.N. 0075.92

REFERENCES:
F.B. 1881
F.B. 1455

RD DEPT. F.Q. 421
C.S.B-2471

PARTY:
C.L. WRIGHT
J.G. RANDALL
B.A. PEAVY
W.F. BARNETT
R.M. TERRAZONE
L.D. BENDER

F.B. 2635 Pg. 168

W.S. 62A-2

SEE PG. 169

8' PARALLEL

P.T.-PI-1504.71

PROPOSED ℄ SOLEDAD CYN RD.

SOLEDAD CYN RD. SURVEY PG 147

8' OFFSET LINE

SET 3/4" I.P. CONC. PLUG L.A.CO.ENGR. TAG UP 2"

Ⓓ 174	30	20
Ⓐ 338	00	50
Ⓒ 327	01	30
174°	30'	15"

E.C.

CURVE:
Δ 5° - 29' - 45"
½ 2 - 44 - 52½
R 2000.00
T 95.99
L 191.89

SET 1 X 2 "N DN 3"

SET 3/4" I.P. CONC. PLUG L.A.CO.ENGR. TAG DN. 12"

T 86°
LEV. 94.81

T 74°
LEV 77.39
.01
77.38

50.00

174° 30' 15"

SET NAIL

SET 1 X 2 "N.

P.I. SET 3/4" I.P. CONC. PLUG L.A.CO.ENGR. TAG DN. 12"

95.99

800

94.81

LEVEL OUT TO 735.83 PER PG 147

T-100°
LEV 68.62
.01
68.63

SET 1 SQ. SPK.

SPLIT

T-68°
LEV. 72.14
.01
72.15

118

17.00

SET 1 X 2 & N.TL.

72.13

BARB WIRE FN.

B.C.

FD. 2" I.P. CONC. PLUG L.A.CO. ENGR TAG DN. 12" F.B. 1881-209

68.63

77.38

R.P.P.I. 2.B.

102.10

SET 3/4" I.P. CONC. PLUG L.A.CO ENGR TAG FLUSH

F.B. 1881-209

32.21

50.00

95.99

CYN. RD.

SET 3/4" I.P. CONC. PLUG L.A. CO. ENGR. TAG UP 2"

SET 1 X 2 & N. FLUSH

SOLEDAD CYN. RD.

T 68°
LEV 96.00
.01
95.99

P.I. #2A
FD. L℄T. IN CONC. DN. 9"
WELL & COVER
F.B. 1881-209, 171
F.B. 2635-93
RD. DEPT. FQ. 421-2

T-100°
LEV. 41.82
60.27
102.09
.01
102.10

62.75 @ 16-09
62.81 @ 16-21

PROPOSED ℄ F.B. 1881-209

SOLEDAD

OLD ℄ SOLEDAD CYN. RD. SEE PG. 93

SET 3/4" I.P. CONC. PLUG L.A. CO. ENGR. TAG DN. 12"

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD.
JN 2075.92 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date JUNE '63
Indexed G. J. GALLI

F. B. 3035 Pg. 162

M.S. 32A-3

SEE bot pg 170

T-62°
LEV 84.63
" 162.41
" 172.77
" 98.81
" 35.86
69.98
624.38
.09
624.29

LINE 624.29 To 12.84

RD.

CYN.

25. CYN. RD.

SOLEDAD

25.

8' OFFSET

SET 1X2 & N. FLUSH

P.I. - P.I. 1506.71

897.79 TO P.C.

T-86°
LEV. 236.98

236.98

50.00 — 17.00 — 25.00

SET 3/4" I.P. CONC. L.A.Co. ENGR TAG DN 9" B.C.

B.C. #3A
FD. SQ. SPK & T.
Pc. 93, 94
Tc. 94 FOK TIES

8.00

SET 1X2 CN.

90° 00' 00"

SET 3/4" I.P. CONC. PLUG L.A.Co. ENGR TAG UP 3"

SOLEDAD

8.00 PARALLEL

735.12 TO OLD PI #2A PER PG 93

SEE top pg 168

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data beyond this line.



①	138	17	10
②	193	08	10
③	109	42	80
	138°	17'	00"

①	168	58	00
②	327	56	00
	168	58	00

①	69	08	30
②	276	34	00
	69°	08'	30"

W.S.64A-2

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of	SOLEDAD CYN. RD.
JN 0075.92	Tape 175 Std 84 °F
Surveyed by	C.L. WRIGHT
Notes	C.L.W Date JULY '63
Indexed	R. J. GAITT

F. B. 2635 PG. 171

SEE bot pg 172

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

SOLEDAD CYN. RD.

℄ SOLEDAD CYN. RD. 3.00 PARALLEL LINE

℄ EXISTING CONSTRUCTION PG 95

PROPOSED ℄ SOLEDAD CYN. RD.

P.I. 342+22.22

OFFSET P.I. - P.C. 3'

1261.72 TO FD. SQ. SPK. ℄ PER. PG 95

P.P.# 1504515E

PROPOSED R/W E.C. SET 2" IP CONC. PLUG L.A. CO. ENGR TAG UP 6"

SET 1x2½" IN.

0.04

47.00

0.04

25.00

0.04

FD. SQ. SPK. FLUSH PG. 95 E.C.

R/W E.C. T.60° LEV.

0.04
147.80
107.42
255.26
.04
255.22

SET LEAD, NAIL & L.A. CO. ENGR TAG IN CONC. BASE OF FENCE POST, 5' CHAIN LINK FENCE

255.22

SET 1x2" IN. FLUSH 3' OFF P.O.S.T.

SEE Top pg 170

76F3098 SBE #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS162, A-2



W.S. 62, A-2

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of SOLEDAD CYN. RD.
JN 00759 Tape 175 Std. 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date JULY '63
Indexed C. J. GALLI

F.B. 2635 PG. 123

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S CE #247—3-57

SEE bot PG 174

①	150	55	00
④	243	40	00
⑥	185	30	00
	150°	55	00"

SOLEDAD CYN. RD.

S. OFFSET TO 1"x2" STK. 1.5' N.

SET 1"x2" STK. FLUSH

FD. 2" I.P. CONC. PLUG & NAIL & TAG - L.A.CO. ENGR. DN. 8" PG. 96

①	57	00	30
②	114	01	00
	57°	00'	30"

T 70°
LEV 332.59
.03
332.56

SET NAIL TOP PILE

T 88°
LEV. 219.79
.01
219.80

SET NAIL S. SIDE UPS' PP# 1504528E

164.46

332.56

T-80°
LEV. 1074.16
.03
1074.13

SET 1"x2" GN.

SET SQ. SPK & T.
T 70°
LEV 233.72
.02
233.70

CUT ⊕ ON FN. POST
1.50
17.80

6' CH. LNK FN.

SET 1"x2" GN.

SET 3/4" I.P. CONC. PLUG L.A.CO. ENGR. TAG DN. 12"

SET NAIL E. SIDE 8" PP. No Number

SPLIT
28.32

99.48

T 72°
LEV 99.99
.01
99.98

219.80

23.26

SET 1"x2" GN. FLUSH

20.68

SET 1"x2" GN. FLUSH BY INT.

9.12

15.15

SET C.E. MON. 2" I.P. BRASS CAP SET IN CONC. DN. 24"

SET N.G.I. N. SIDE GUY POLE # 794909E

102.48

1' E'LY OF 6' CH. LNK. FN. 11'± S. OF N. END

1074.13

123° CALC.

SET 1"x2" GN.

①	153	03	30
④	252	13	40
⑥	198	20	30
	153°	03'	25"

T 86
LEV-644.77
.01
644.78

T 78°
LEV. 102.48

PROPOSED CURVE:
Δ 56° 01' 35"
Δ/2 28° 00' 47½"
R 2475.00
T 1316.79
L 2420.17
EXT. 328.145

153° 03' 25"

644.78

342.62

P.O.S.T. 1"x2" GN. IN FIELD

T 84°
LEV. 159.48

P.T. - P.E.

159.48

COUNTY ENGINEER SOLEDAD CYN. ROAD P.E. 58.63

DESTROYED BY J.P.m. 8-4-64

SEE PG. 199 FOR NEW MONS

SEE Top PG 172

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 62, A-2



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD.
JN 0075.92 Tape 175 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date DEC. '63
Indexed E. J. GALLI

F. B. 2635 Pg. 175

SOLEDAD CYN. RD.
PRELIMINARY LINE FOR CROSS SECTIONS - NEAR JCT. SOLEDAD CYN. RD. & BOUQUET CYN. RD.

J.N. 0075.92

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data beyond this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

REFERENCES

F.B. 1881
" 2635
ROD'S RET. F.B. F.Q 421
F.B. 2974

PARTY:
C.L. WRIGHT
J.G. RANDALL
B.A. PEAVY
W.F. BARNETT
L.D. BENDER

76F3098 3&E #247 11-58

F. B. 2635 PG. 176



Profile No. | Notes Red | Plotted | Job No. 0075.92 | Division No. 11 | F.B. 2635 Pg. 177
Date | Date | Survey of SOLEDAD CÑ Rd.
X-Sec. No. | Notes Chkd. | Checked | Survey by K. MYERS | Notes LANDA | Date JAN. 64
Date | Date | Map No. | Indexed C. J. GALLI | Date JAN 15 '64

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

SOLEDAD CANYON ROAD

J.N. 0075.92

JAN. 3rd 1964

BENCH LEVELS

From the INTER. of Bouquet Cñ Rd. & Soledad Cñ Rd. E'ly ± 1,170 ft.

Party:
myers
Landa
Nunez
Goodwin

STATION	B.S.	H.I.	F.S.	ELEV.

76-1-298 CE 307 2-63

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2635 Pg. 178 — Job No. 00795.92 — Division No. 11 — Notes Red — Plotted — Profile
Survey of SOLEDAD CN RD. — Date — No. — X-Sec.
Survey by K. MYERS Notes E. LANDA — Date — Notes Chkd. — Checked — No.
Indexed R. J. GALLI — Date JAN. 66 — Date — Date — No.

STATION	B.S.	H.I.	F.S.	ELEV.	SOLEDAD CN RD
T.B.M.	5 92	1168 61		1162 69	T.B.M. BOUQUET CN RD. & SOLEDAD CN RD. INTER., Fnd. C.E. MON dn. 9" in H.H. & Cover ELEV. = 1162.688, Per F.B. 2974-6
T.P.	6 12	1169 30	5 45	1163 16	T.P. (spk.)
T.P.	5 66	1172 20	2 56	1166 74	T.P. (spk.)
T.B.m.#1	3 36	1174 28	1 28	1171 92	T.B.m.#1, Set spk. in Tel. Pole #672226 H ON S. side of Soledad Cn Rd. ±645' E. of Bouquet Cn Rd.
T.B.m.#2	2 78	1175 67	1 39	1172 89	T.B.m.#2, Set Spk. in Tel. Pole #672227 H ON S. side of Soledad Cn Rd. ±895' E. of Bouquet Cn Rd.
T.B.m.#3	1 62	1175 65	1 64	1174 03	T.B.m.#3, fnd. Spk in Tel. Pole #672228 H ON S. side of Soledad Cn Rd. ±1170' E. of Bouquet Cn Rd.
T.P.	3 93	1173 52	5 86	1169 59	T.P. (spk.)
T.P.	4 17	1172 27	5 42	1168 10	T.P. (spk.)
T.P.	4 66	1171 29	5 64	1166 63	T.P. (spk.)
T.P.	2 88	1168 99	5 18	1166 11	T.P. (spk.)
T.B.M.			6 31	1162 68	T.B.m., El = 1162.688, Inter. of Bouquet Cn Rd. & Soledad Cn Rd. See descr. abv.

Notes Ck'd by	Survey of SOLEDAD CYN. RD.
Map No.	JN 0075.92 Tape — Std — °F
Office Work	Surveyed by K. MYERS
Checked	Notes J.C. GOODWIN Date 1-9-64
Date	Indexed R. J. GALLI JAN 15 '64

F. B. 2635 PG. 179

SOLEDAD CANYON ROAD

J.N. 0075.92

-TOPOGRAPHY-

ALONG SOLEDAD CANYON RD. RUN W'LY ± 690 FEET ON A 10 FOOT OFFSET LINE, FROM A PT. 50 FEET E. OF P.I. 2-A

REFERENCES:

F.B. 1881
F.B. 2435

PARTY:

K. MYERS
E. LANDA
J. GOODWIN
B. NUNEZ

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 C.E. #310 6-62

F. B. 2635 PG 180



LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SOLEDAD CYN. RD.
JN 0075.92 Tape — Std — °F
Surveyed by K. MYERS
Notes J.C. GOODWIN Date 1-9-64
Indexed C. J. GALLI

F. B. 2635 Pg. 181

FROM Batt. Pg. 180



CONT. TOP OF NEXT PAGE. (182)

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE #3 0 8-62

B. 2635 PG 182

CONT. FROM BTM. PG. 181



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 2635 Pg. 183

Profile No. ____ X-Sec. No. ____ Notes Red ____ Date ____ Notes Chkd. ____ Date ____ Plotted ____ Date ____ Checked ____ Date ____ Job No. 0075.92 Division No. 11 Survey of Soledad Cañ Rd Survey by Myers Notes Landa Date Jan. 64 Map No. ____ Indexed E. J. GALLI Date JAN 15 '64

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.

SOLEDAD CANYON ROAD

J.N. 0075.92

CROSS - SECTIONS

Along Soledad Cañ. Rd., Run W'ly ±690 ft. on a 10 ft. Offset line, Frm. a pt. 60 ft. E. of P.I. 2-R.

Party:
K. Myers
E. Landa
B. Nunez
J. Goodwin

761-298 CE 307 2-63

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2635 Pg. 184 | Job No. 0075.72 | Division No. 11 | Notes Red | Plotted | Profile
Survey of SOLEDAD CN CO | Date | Date | No.
Survey by K. MYERS Notes E. Lonnda | Notes Chkd. | Checked | X-Sec.
Indexed C.J. GALT | Date | Date | No.

STATION	B.S.	H.I.	F.S.	ELEV.	All Dist. meas. frm. the 10' Offset Line	
T.B.M. #3	3.20	1177.23		1174.03	T.B.M. #3, Spk in Tel. Pole # 6722.28-H	
					On the S. Side of Soledad CN Rd.	
					± 1170 ft E. of Bouquet CN Rd.	
					El. = 1174.03, Per F.B. 2635 Pg. 178	
0+00			4.52	1172.71	Edge of Pav., 3° Rt. of Offset line	
			4.8	1172.4	15° L. Btm. Brk	
			3.5	1173.7	19° L. Top Brk	
			3.2	1174.0	25° L. Toe Slope	1177.2 − 4.5 = 1172.7 + 12.0 + 9.7 = 1194.4 Hand Level
			+17.2	1194.4	56° L. Top of Slope	
			+17.2	1194.4	68° L. Btm. Ballast	" " Fig
0+24			4.66	1172.57	Edge of Pav., 2.5 Rt. of Offset Line	
			4.8	1172.4	12° L. Btm. Brk.	
			2.9	1174.3	18° L. Top Brk.	
			2.0	1175.0	22° L. Toe of Slope	of a cut bank facing the St. side (Top @ 0+79 & 26' L.)
			+17.2	1194.4	54° L. Top of Slope	(Hand Leveled see Fig. abv.
			+17.2	1194.4	64° L Btm. Ballast	
0+58			4.86	1172.37	Edge of Pav., 1° Rt. of offset line	
			4.9	1172.3	10° L. Btm of Cut Bank	1172.4 + 12.0 = 1184.4 − 6.9 = 1190.7
			+13.4	1190.6	23° L Top of Cut Bank	
				CONT.	next Pg.	

76-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No. | Notes Red. Date | Notes Chkd. Date | Plotted Date | Checked Date | Job No. 0075.92 | Survey of SOLEDAD CNJ RD. | Survey by K. MYERS Notes Landa Date Jan. 64 | Map No. Indexed C. J. GALLI Date | Division No. 11 | F.B. 2635 Pg 185

STATION	B. S.	H. I.	F. S.	ELEV.	All Dist. mea. frm. the left offset Line
0 + 58		1177.23	+15.6	1192.9[8]	48° L. Top of Slope, Leading to the Top of Slope @ 0+24 & 22° L.
			+16.6	1193.8	61° L. Btm. of Ballast 1190.7 + 2.2 = 1192.9 ; 1190.7 + 3.1 = 1193.8
0 + 79			5.0	1172.2	10° L. Btm. of Cut Bank
			+19.6	1196.8	26° L. Top of " " 1194.4 + 2.4 = 1196.8 HAND LEVELED FIGURES
			+16.6	1191.8	32° L Btm. of Brk 1194.4 − 2.6 = 1191.8
			+16.6	1193.6	58° L Btm. of Ballast
1 + 00			5.12	1172.11	Edge of Pav., 0.5 Ft. off offset Line.
			5.1	1172.1	10° L. Btm. of Cut Bank
			+12.9	1190.1	24° L. Top of " " 1172.1 + 12.0 = 1184.1 ; 1184.1 + 6.0 = 1190.1
			+15.2	1192.4	36° L. Brk., & also Toe of Slope. Top being @ 0+79 L. 26° ; 1190.1 + 2.3 = 1192.4
			+16.1	1193.3	45' L. Btm. of Ballast 1192.4 + 0.9 = 1193.3
1 + 38			5.45	1171.78	Edge of Pav. 0.1 Ft.
			5.6	1171.6	10° L. Btm. of Cut Bank.
			0.6	1176.6	15° L. Top of Cut Bank & Toe of Slope
			+15.4	1192.6	39° L. Top of Slope 1176.6 + 12.0 = 1188.6 ; 1188.6 + 4.0 = 1192.6
			+15.4	1192.6	54° L. Btm. of Ballast
(LOCATE) T.B.M.#3	2.02	1176.05	3.20	1174.03	T.B.M.#3. El. = 1174.03 (See Pg 178 for Descr.)
1450			4.40	1171.65	Edge of Pav. 0.5 Ft.
			4.5	1171.5	83° L. Btm. Brk.

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2635 Pg. 186 | Job No. 00 75.92 | Division No. 11 | Notes Red | Plotted | Profile
Survey of SOLEDAD CN 20. | Date | Date | No.
Survey by K. MYERS | Notes E. LANDA | Notes Chkd. | Checked | X-Sec.
Indexed E. J. GALLI | Date JAN. 64 | Date | Date | No.

STATION	B.S.	H.I.	F.S.	ELEV.	All DIST. MEAS. FRM THE 10' OFFSET LINE	
1+50		1176.05	2.9	1173.1	11° L. Btm. of Cut	
			+1.1	1177.1	16° L. Top of cut & Toe of Slope	1173.1 + 12.0 = 1185.1 ; 1185.1 + 7.0 = 1192.1
			+16.1	1192.1	40° L. Top of Slope	
			+16.1	1192.1	52 L. Btm. of Ballast	
(LOCATE) T.B.M.#3	2.07	1176.10	2.02	1174.03	T.B.M. #3, El. = 1174.03, (see Pg. 2 for descr.)	
2+00			4.95	1171.15	Edge of Pav. 2.5 Rt.	
			5.0	1171.1	7½° L. Btm of Brk.	FIG.
			1.5	1174.6	15° L. Brk	
			+2.5	1178.6	17° L. Brk. & Toe of Slope	1174.6 + 4.0 = 1178.6
			+15.5	1191.6	36° L. Top of Slope	1178.6 + 12.0 = 1190.6 ; 1190.6 + 1.0 = 1191.6
			+15.5	1191.6	48° L. Btm. of Ballast	
2+50			5.23	1170.87	Edge of Pav. 4.5 Rt.	
			5.5	1170.6	6° L. Btm. Brk	
			1.4	1174.7	12° L. Brk	LEVEL
			+0.6	1176.7	16° L. Brk, Toe of Slope	1174.7 + 2.0 = 1176.7
			+15.1	1191.2	36° L. Top of Slope	1176.7 + 12.0 = 1188.7
			+15.1	1191.2	46 L. Btm. of Ballast	1188.7 + 2.5 = 1191.2
3+00			5.62	1170.48	Edge of Pav. 6½ Rt.	HAND
			6.1	1170.0	5° L. Btm. Brk	
			4.7	1171.4	9° L. Brk	
			2.3	1173.8	11° L. Top Brk & Toe of Slope	

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 0075.92 Division No. 11 F.B. 2635 Pg. 187
No. ____ Date ____ Date ____ Survey of SOLEDAD ENY. R.P.
X-Sec. ____ Notes Chkd. ____ Checked ____ Survey by MYERS Notes LEAGO Date LAN 64
No. ____ Date ____ Date ____ Map No. ____ Indexed E. J. GALLI Date ____

STATION	B. S.	H. I.	F. S.	ELEV.	All DIST. MEAS. FRM. THE 10' OFFSET LINE
3+00		1176.10	+12.2	1190.3	34° L. Top of Slope
			+12.2	1190.3	45° L. Btm. of Ballast
3+50			6.00	1170.10	Edge of Pav. 8' Rt.
			6.5	1169.6	5° L. Btm. Brk.
			5.3	1170.8	8° L.
			3.9	1172.2	11° L. Top Brk. & Toe of Slope
			+13.1	1189.2	36° L. Top of Slope
			+13.1	1189.2	52° L. Btm. of Ballast
T.P.	4.54	1174.26	6.38	1169.72	T.P.
4+00			4.60	1169.66	Edge of Pav. 10' Rt.
			4.5	1169.8	6° L. Toe of Slope
			+12.5	1188.8	33° L. Top of Slope
			+12.5	1188.8	47° L. Btm. of Ballast
4+50			4.80	1169.46	Edge of Pav. 13' Rt.
			5.1	1169.2	5° L. Btm. Brk.
			0.8	1173.5	9° L. Top of Brk. & Top of Slope
			+12.7	1187.0	28° L. Top of Slope
			+12.7	1187.0	51° L. Btm. of Ballast
5+00			5.06	1169.20	Edge of Pav. 15° Rt.
			5.4	1168.9	5° L. Btm. Cut Bank
			+8.0	1182.3	13° L. Top of cut bank & Top of slope

1173.8 + 12.0 = 1185.8 + 4.5 = 1190.3

1172.2 + 12.0 = 1184.2 + 5.0 = 1189.2

1169.8 + 12.0 = 1181.8 | 1181.8 + 7.0 = 1188.8

1173.5 + 12.0 = 1185.5 + 1.5 = 1187.0

1168.9 + 12.0 = 1180.9 + 1.4 = 1182.3

HAND LEVEL FIG.

(9) LOCATION OFF

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2635 Pg. 188 | Job No. 50L6ORD CN. RD. 0076.92 | Division No. 11 | Notes Red. | Date | Plotted | Date | Profile No. | X-Sec. No.
Survey of Myers Notes 40250 | Notes Chkd. | Date | Checked | Date
Survey by E. J. GALLI | Date
Indexed

STATION	B.S.	H.I.	F.S.	ELEV.	All DIST. MEAS. FRM. 10' OFFSET LINE
5+00		1176.26	+11.9	1186.2	25° L. Brk Top slope
			+11.9	1186.2	56° L. Btm. Ballast
5+50			5.50	1168.76	Edge of Pav. 17½ RT.
			5.7	1168.6	5° L. Btm. cut bank
			+8.0	1182.3	13° L. Top cut bank
			+8.0	1182.3	20 L. Btm. Brk.
			+12.0	1186.3	22 L. Top Brk
			+12.0	1186.3	66 L. Btm. Ballast
6+00			5.81	1168.25	Edge of Pav. 19° RT.
			5.9	1168.6	1.5 L. Brk
			3.6	1170.9	9° L. Btm. cut Bank
			+7.6	1181.9	19° L. Top of cut bank & Toe Slope
			+10.6	1181.9	29° L Top of Slope
			+10.6	1181.9	74° L. Btm. of Ballast
6+50			6.9	1167.6	Brk. 3° RT.
			6.31	1167.95	Edge of Pav. 21° RT.
			3.7	1170.6	11° L. Btm. Brk
			+4.3	1178.6	20° L. Toe of slope
			+9.3	1183.6	30° L. Top slope
			+9.3	1183.6	91° L. Btm. Ballast
6+90			6.6	1167.9	Brk. 7° RT.

1168.6 + 12.0 = 1180.6 + 1.7 = 1182.3

1182.3 + 4.0 = 1186.3

1170.6 + 8.0 = 1178.6 + 5.0 = 1183.6

Fig. Lov. Hand

X

76-1-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted. Job No. 5075.22 Division No. 11
No. X-Sec. Date Date Survey of Soledad Cñ Rd
No. Date Notes Chkd. Checked Survey by Myers Notes Compared by Date Con. C.E.
Date Map No. Indexed E.J. GALLI Date

F.B. 2635 Pg. 189

STATION	B. S.	H. I.	F. S.	ELEV.	All DIST. MEAS. FROM 10' OFFSET LINE
6+90		1176.26	6.63	1167.63	Edge of Pov. 22° Rt.
			5.0	1169.3	12° L. Btm. Brk.
			+6.0	1178.3	25 L. Top Brk.
			+6.0	1178.3	31 L. Btm Brk.
			+12.0	1186.3	42 L. Top Brk
			+16.5	1188.8	47 L. Brk. Btm
			+16.5	1188.8	52 L. Brk. Top
			+12.0	1186.3	56 L Btm. Brk
			+11.0	1185.3	86 L. Top of Brk
			+9.0	1183.3	92 L. Btm of Brk
			+9.0	1183.3	103 L. Btm. of Ballast
T.B.M.#1			3.34	1170.92	T.B.M.#1, El. = 1170.92, Spk. in Tel. Pole # 672226H on the S. side of Soledad Cñ Rd. ± 605' E. of Bouquet Cñ Rd. Per F.B. — Pg. —
		The following	Elev. are to a Rock & Conc. Culvert, Per pg. 182		
T.B.M.#1	1.60	1172.32		1170.92	T.B.M.#1, Elev. = 1170.92 Per. pg. 178
6+75			3.92	1168.40	5° Rt. of 10' O.S. Line Top Conc. Culv.
			6.2	1166.1	5° " " " " " " Btm. " "
6+82			7.95	1164.37	4° Rt. Flow line of a 24" Corr. Iron Pipe
6+86			3.83	1168.49	3° Rt. Top Conc. Culvert.

Hand Lev. Fig

11169.3
+9.0
11178.3
+8.0
11186.3
+2.5
11188.8

11188.8
−2.5
11186.3

11186.3
−1.0
11185.3
−2.0
11183.3

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2635 Pg. 190 — Job No. 5715.92 — Division No. — Notes Red — Plotted — Profile
Survey of SCHERER CYN. RD. — Date — Date — No. — X-Sec.
Survey by K. MYERS — Notes — Notes Chkd. — Checked — No.
Indexed C. J. GATTI — Date — Date — Date

STATION	B.S.	H.I.	F.S.	ELEV.	All Dist. Meas. Frm. 10' OFFSET LINE
6+86		1172.32	8.0	1164.3	3 Rt. Btm of Culv. (grnd.)
6+86			3.88	1168.44	13 Left. Top conc. culvert
			5.8	1166.5	13 " Brk. @ grnd.
			7.2	1165.1	13 " Btm. conc. culvert
T.B.M. #1			1.60	1170.92	T.B.M. #1, El. = 1170.92 Per Pg. 178

Notes Ck'd by W. J. BRENNER	Survey of SOLEDAD CN. ROAD
Map No. B-2874-1-23	JN 00752 Tape 204 Std 68 °F
Office Work T. M. PALMERI	Surveyed by J.P. MENNE
Checked W. J. BRENNER	Notes J.P.M Date 3-64
Date AUG 14 1964	Indexed J. GALLI JUN 4 '64

F. B. 2635 PG. 191

SOLEDAD CANYON

ROAD

CENTER LINE

FROM

BOUQUET CANYON ROAD

EASTERLY

TO

NO-SO. CENTER LINE

SECTION 20

REF:

F.B. 1881

RD DEPT F.B. 421

ST HWY. L.A. 23 A-7

F.B. 2457

J.P. MENNE

R. SMITH

R.J. RODRIGUEZ

R. MOORE

NOTE

ALL DISTANCES WERE MEASURED TWICE.

SIDE LINES NOT SHOWN.

INDETERMINATE AT THIS TIME

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 Los Angeles County Engineering Bldg.

76F3095 CE #3190 8-62

F.B. 2635 PG. 192

INDEX





SEC. 5 T 4 N

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd W. J. BRENNER	Survey of SOLEDAD CN. ROAD
Map No. B-2874 1-2-3	JN 0075.32 Tape 204 Std 68 °F
Office Work T. M. PALMER	Surveyed by J.P. MENNE
Checked W. J. BRENNER	Notes J.P.M Date 3-64
Date AUG 14 1964	Indexed E. J. GALLI

F.B. 2635 PG. 193

INDEX



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 C.E. #310 8-62

To Bottom of Pg. 195

W.S. 62A-2

F.B. 2635 Pg. 194



T- 68°
15.00 (2)
21.00
76.23
T- 72°
322.63 Lev.: 322.64
322.62 " = 322.63
T- 46°
956.52 Lev. = 956.38 (2)
18.42 Lev. = 18.42

66°-38-30 (1)
266-34-00 (4)
39-51-00 (6)
66-38-30 (A)



Fd. Rd. Dept
Brass Cap Mon.
Well & Cover (DN. 14")
F.B. 1881-166

Existing ℄
1264.56
F.B. 1881-166
Bouquet Can. Rd.

Fd C.E. Mon. (DN. 8")
Well & Cover
F.B. 1881-166



322.63
Existing Road
15.00
21.00
Set D Spk ET
P.O.T.
Set 1" I.P.
& C.E. Tag
DN. 16"
15.00
76.23
C.L. Road
Soledad
956.38
Proposed
P. Pole
672277 H
Set N. ET
66°-38-30
18.42
Set Lg. Bt. Spk
L. & T. (Flush)

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.62A-2

Notes Ck'd by W. J. BRENNER
Map No. B-2874-1-2-3
Office Work T. M. PALMER
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CN. RD.
JN 0075.92 Tape 204 Std 68 °F
Surveyed by J.P. MENNE
Notes J.P.M Date 3-64
Indexed E. J. GALLI

F. B. 2635 Pg. 195

To Bottom of Pg. 196



174°-30.00 ①
338-00-00 ⑤
327-00-00 ⑥
174-30-00 ④

T=72°

657.70 LEV. = 657.72
657.72 " = 657.74

342.51 LEV. = 342.52
342.53 " = 342.53

25.00 LEV = 25.00

To Top of Pg. 194

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7 OF 3095 CE #310 6-62

To Bottom of Pg. 197

F.B. 2635 Pg. 196

37.57

SET 1X2 B.N. (FLUSH)

252.82

SEMI-TAN.

POB. POLE ON LINE

19.0

SET 1X2 & 2. (FLUSH)

25.00

90°

90°

SET 1X2 B.N. (FLUSH)

214.90

SET 1X2 B.N. (FLUSH)

342.52

PROPOSED A SOLEPAD CO. RD.

T- 50°

252.85 LEV. = 252.82 (2)

37.57 LEV. = 37.57

T- 72°

214.90 LEV. = 214.91

214.89 LEV. = 214.90

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

To Top of Pg. 195

W.S.68,A-2

Notes Ck'd by W. J. BRENNER
Map No. B-2814-1-2-3
Office Work I. M. PALMERI
Checked W. J. BRENNER
Date AUG 1 4 1964

Survey of SOLEDAD CN. RD
JN 0075.22 Tape 204 Std 68 °F
Surveyed by J.P. MENNE
Notes J.P.m Date 3-64
Indexed R. J. GAINI

F. B. 2635 PG. 197

TO BOTTOM OF PG. 198

SET 1" I.P. & C.E. TAG (FLUSH) ON LN. PROJ.

5' OFFSET LN.

792.11

3422.38

792.11

T = 78°

792.08 LEV. = 792.13

792.05 LEV. = 792.10

51.63

T = 88°

51.63 LEV. = 51.64

47.05 LEV. = 47.06

SET 1½ & N. (FLUSH)

138° 00" T

MEASURED RECORD ANGLE

NO. "B"

P.I.

SET 1½ & N. (FLUSH) @ REC. DIST. FROM FND. SPK. DN. 4" CAL. DIV. HWY. L.A. 23A-7 ON PAGE 3

7.51

5.61

47.06

SET 1" I.P. & C.E. TAG (FLUSH) ON LN. PROJ.

138-17-00 (1)

193-08-00 (2)

109-42-00 (6)

138-17-00 (A)

P.I.

COUNTY ENGINEER L.A. CO. RD. DEPT. P.E. 5869

SET C.E. MON. UP 2" 8-4-64 J.P.M.

SOLEDAD RD.

37.51

PROPOSED SEMI-TAN. CURVE

TO TOP OF PG. 196

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this title of this line.

76F309S CE #310 6-62

F.B. 2635 PG 198

To Bottom of Pg. 199

T-84°
702.30 LEV. = 702.37
702.29 LEV. = 702.36

T-78°
1101.63 LEV. = 1101.70
1101.63 " = 1101.70

5.00 LEV.
14.53
25.09
5.00
15.63
23.98

To Top of Pg. 197

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.62,4-2

Notes Ck'd by W. J. BRENNER
Map No. B-2874-1-2-3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CN. RD.
JN 0075.92 Tape 204 Std 68 °F
Surveyed by J. P. MENNE
Notes J.P.M Date 4-64
Indexed C. J. GALLI

F. B. 2635 PG. 199

To Bottom of Pg. 200

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

56-00-50 (1)
224-03-30 (4)
336-05-00 (5)
56-00-50 (A)

SET 1½ B.N. (FLUSH)

S. OFF SET

721.11

56°-00-50"

SET P.K. NAIL & TAG

SET 1½ B.N. (FLUSH)

6' CH. LK. FN.

SET 1 I.P. & TAG

C.E. TAG (BL. 12) BY INTERSECTION REC. & FROM WEST & 108.00' // WITH S.P.R.R. R/W

SET 1½ B.N. (FLUSH)

SET 1½ B.N. (FLUSH)

SET LG. BT. SPK. W. & T. (FLUSH)

P.I. NOT SET

ENTRANCE BOUQUET CN. WATER CO. OFFICE

721.00 LEV. = 721.10
721.02 LEV. = 721.12
18.75 LEV. = 18.75

46.23 LEV. = 46.23
771.65 LEV. = 771.72
771.63 LEV. = 771.70

To Top of Pg. 198

76F308S CE # 310 3-61

To Bottom of Pg. 201

F. B. 2635 Pg. 200

W.S.62, B-2

P. I.
Fd. 2" I.P. Conc.
Plug & Brass Shell
DN. 1.8'
F.B. 2635-136

103.00
90°
5.00
S.P.R.R. A
Set 1x2 Hub (Flush)
Fd. 1x2 Hub (Flush)
103.00
90°
5.00
90°
132.71

T- 90°
5.00 Elev.
102.99 Elev = 103.00

P. I.
Fd. C.S.mon.
DN. 6"
F.B. 2635-136

T-90°
132.69 Elev = 132.71 (2)

Set □ Hd. Spk. & Tin (Flush)
839.65 Elev. = 839.77
839.63 Elev. = 839.75

Barbed W.F.N.
Asphalt Driveway
22080 Soledad Cn. Rd.
121.11

To Top of Pg. 199

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Please Return To

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER | Survey of SOLEDAD CN. RD.
Map No. 3-287-1-2-3 | JN 0075.12 Tape 204 Std. 68 °F
Office Work T. M. PALMERI | Surveyed by J. P. MENNE
Checked W. J. BRENNER | Notes J.P.M. Date 4-24
Date AUG 14 1964 | Indexed E. J. GAUL

F. B. 2635 PG. 201

W.S.62 B-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not erase this side of this time.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

T. Bottom of Pg. 202

1021.78

103'

155° 17' 40" ①
261 - 10 - 50 ④
211 - 46 - 30 ⑥
155° - 17 - 45" Ⓐ

T = 60°
91.36 LEV. = 91.36
105.45 " = 105.44
74.50 " = 74.50
21.50 " = 21.50

T = 60°
618.50 LEV = 618.47 ②

SET N & T ON GUY POLE NO. 1527641 E

FND. 2x2 & C.E. TAG DN. 12" F.B. 2635-130

618.47

91.36

105.49

74.50

21.50

P.I. FND. 3" I.P. & CONC. PLUG & BRASS SHELL DN. 18"
F.B. 2635-136

TEL. POLE 41/6 SET N & T

Pg. "A"

P.I. F.N.D. 1¼" I.P. & C.E. TAG BY INTERSECTION DN. 18" F.B. 2635-130

45° 17'

618.54

SO. PAC. R.R. PROPOSED C/L

TEL. POLE FND. N. & T.

SANTA CLARITA HOSPITAL

103'

FND. 2x2 & C.E. TAG (DN. 12") F.B. 2635-130

T = 56°
618.58 LEV. = 618.53
618.60 " = 618.55

T = 56°
565.00 LEV. = 564.96
565.01 " = 564.97

565.00

S.P. R.R. PROP. C/L

SET 2x2 FND. TACK & TAG

SET N & T

83.16

To Top of Pg. 200

70F3093 CE #38 6-62

TO BOTTOM OF PG. 203

W.S.62B-2

F.B. 2635 PG. 202

T-64°

533.45 LEV. = 533.44 (3)

FND. 2x2 & C.E. TAG. (DN. 12') F.B. 2635-132

No. "E" P.I. FND. 1½" I.P. & C.E. TAG BY INTERSECTION (DN. 24") FB 2635-132

FD. 2x2 & C.E. TAG. (DN. 12") F.B. 2635-131

SET 1" I.P. & C.E. TAG. (DN.) R. POLE No. 1827626E SET N&T.

EXISTING ℄ SOLEDAD CN. RD.

28.00

533.44

28.00

601.85

99.92

SET O SPK ET.

77.76

105.08

99.99

85.85

LS

R.I. 1570.12

601.85

S.P.R.R.

SET N.&T. P.P. No. 1527634E

980.64

SOLEDAD CN. RD.

PROPOSED ℄

SPK ET

23.52

Semi-Tan.

54.02

1021.78

103.00

T-64°

601.87 LEV. = 601.85 (N)

T-46°

601.86 LEV. = 601.85 (N)

T-62°

980.68 LEV. = 980.64

980.69 LEV. = 980.65

T-58°

100.00 LEV. = 99.99

99.93 " = 99.92

77.77 " = 77.76

105.08 " = 105.07

85.86 " = 85.85

1021.86 " = 1021.79

1021.85 " = 1021.78

S.P.R.R. - P.I.

FND. 2x2 & C.E. TAG. DN. 12" REPLACED WITH 1" I.P. & C.E. TAG. DN. 12"

157 - 12 - 50 (1)

268 - 51 - 50 (4)

223 - 17 - 40 (9)

157 - 12 - 57 (A)

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

TO TOP OF PG. 201

W.S.62/B-2

Notes Ck'd by W. J. BRENNER
Map No. 3-2274-1-2-3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CN. ROAD
JN 0075.42 Tape 204 Std 68 °F
Surveyed by J.P. MENNE
Notes J.P.M. Date 4-64
Indexed E. J. GALLI

F. B. 2439 PG. 203

T-S6°

To Bottom of Pg. 204

1198.01 LEV. = 1197.92
1198.04 " = 1197.95
60.76 " = 60.76
21.02 " = 21.02
20.42 " = 20.42

28.00

SOLEDAD CANYON ROAD

SEC. 19 T. 7 N. R. 13 W.

FND 1½" I.P. COND PLUG & BRASS SHELL (UP 2") F.B. 2435-104 2408-17 1455-22

SET I.P. & C.E. TAG 2 FT. BOST

1197.93

62.83 C.S.B. 2238-1

3.95

5.05

SET □ SPK. ET

20.42

60.76

SET 1" I.P. & C.E. TAG BY INTERSECTION (34-6)

21.02

SET □ SPK. ET

RANCHO SAN FRANCISCO BOUNDARY

STA. NO. 7 1" I.P. C.S.B. 2238-1

FND 1½" I.P. # C.E. TAG PN. 12" F.B. 2435-104 133

533.44

PROPOSED ℄ SOLEDAD

EXISTING ℄

28.00

98-40-20 ①
34-42-40 ④
232-04-00 ⑥
98-40-40 ⑧

To Top of Pg 202

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Int With Date and Name of Person Making Change.

Do not extend this site of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

79F3095 C.E. #331 0-62

TO BOTTOM OF PG. 205

F.B. 2635 PG. 204

16" COTTONWOOD

SET N.&T.

10" PINE

14" PINE

SET N.&T.

37.55

28.28

603.71

28.00

SEC. 19 T 4 S R 15 W

W.S. 62B-2

SET 1" I.P. & C.E. TAG. DN. 18"

SET N.&T. ON P. POLE NO. 1443465E

7.49

44.61

FURNIVALL AVENUE

811.09

CANYON ROAD

SOLEDAD

RUETHER AVENUE

C.R.W. FD △ CUT IN TOP S.S.M.H. RING. 1-SEPT. '67

C.R.W. OUT - 1-SEPT '67

45.5± H

SET N.&T. ON P. POLE NO. 1443460E

31.80

32.35

34.28

SET P.M. & T. ON SEWER MANHOLE

SET 1" I.P. & C.E. TAG. DN. 18"

T = 50°

811.19 LEV. = 811.09 (2)

603.78 LEV. = 603.71

603.79 " = 603.72

LEVEL	T-50° = 0
31.80	32.35
7.49	28.28
37.55	

1197.93

PROPOSED

EXISTING

28.00

TO TOP OF PG. 203

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this title of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 23 B-2

Notes Ck'd by W. J. BRENNER
Map No. 13-2874 1-2-3
Office Work T. M. PA MERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CANYON RD.
JN 0075 RE Tape 204 Std. 68 °F
Surveyed by J. P. MENNE
Notes J.P.M. Date 4-64
Indexed C. J. GAUL

F. B. 2635 Pg. 205

T = 50° To Bottom of Pg. 206

637.94 LEV. = 637.87
637.96 " = 637.89

P. POLE No. 1443473 E

SET N. & T.

664.00

98.76

FND. N. & T.

46.70

28.00

P. POLE No. 483307 E

101.98

SET 1" I.P. & C.E. TAG. DN. 18"

P. POLE No. 1443472 E

SET N. & T.

P.P. No. 623778 E SET N. & T.

637.88

PROPOSED SOLEDAD CANYON ROAD

T = 52°

98.77 = 98.76
46.71 = 46.70
101.94 = 101.93

95.32

SET 1" I.P. & C.E. TAG. DN. 16"

NO. 1443469 E P. POLE

SET N. & T.

41.42

23.80

SET P.K. & TACK ON MANHOLE

HONBY AVENUE

EXISTING SOLEDAD

T = 52°
LEVEL
23.80
41.42
95.33 = 95.32

608.71

28.00

FND. SPK. & W. DN. 4" CAL. DIV. HWYS. L.A. 23 A-18 F.B. 2635-103 11

B.C.

To Top of Pg. 204

SEC. 19 T 2 N R 3 W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

78E30RS C.E. #330 6-62


To Bottom of Pg. 207
F.B. 2635 PG. 206
P.P. No. 1443481 E
SET N.&T.
P.P. No. 4833138
SET N.&T.
28.00
57.50
1.15
SET 1/2 BN (FLUSH)
FD. SPK & T. (DN. 3')
F.B. 2635-1
0.55
144.52
9° 35' 20"
R 30
SEC. 19 T 3 N R 15
EC.
SET 1" I.P. & C.E.
TAG. DN.
T=74°=0
57.50 31.72
300' TAPE
144.53 = 144.52
9° 35' 20" ①
38 - 21 - 20 ④
57 - 32 - 00 ⑥
9° - 35 - 20 Ⓐ
SET N.&T.
664.55
P.P. No. 1443476
SET N.&T.
P.P. No. 1443476
79.47
No. "F" P.I.
FD 2" I.P. CONC. PLUG & N. (DN. 1.2')
(No REF.)
SET 1" I.P. DN. 18"
BY INTERSECTION
81° 12' 10"
28.31
49' 17"
160° 49' 00 ①
283° 17' 00 ④
244 - 55 - 40 ⑥
160 - 49 - 17 Ⓐ
T=74°
28.31 LEV.
79.47 "
89.76 "
0.55 "
1.15 "
T=62°
81 - 12 - 10 ①
162 - 24 - 20 ②
89.76
160°
SET N.&T.
PROPOSED
664.00
P. POLE No. 1443476
EXISTING SOLEDAD CYN. ROAD
B.C.
664.03 LEV. = 664.00
664.04 " = 664.01
② 664.58 LEV. = 664.55
28.00
637.88
To Top of Pg. 205
WS-62B-2
LOS ANGELES COUNTY ENGINEER
402 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 82-B-2

Notes Ck'd by W. J. BRENNER
Map No. 3-2879-1-2-3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 14 1964

Survey of SOLEDAD CN. RD.
JN 6075.92 Tape 204 Std CB °F
Surveyed by S.P. MENNE
Notes J.P.M Date 5-64
Indexed J. GALM

F.B. 2635 PG. 207



TO TOP OF PG. 206

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76E3085 CE 1310 6-63

To Bottom of Pg. 209

F.B. 2635 PG. 208

W.S.62.B-2

SEC. 20 T 4 S R 15 W

1443486 E P. POLE SET W.&T

SET 1" I.P. & C.E. TAC. (DN 12") BY INTERSECTION.

SET P.M. & (+) ON FW. POST

1036.54 F.B. 2635-19.20

SEC. L.U.

FND. 6m. BT. SPK. W.&T. - RE-PLACED WITH LG. BT. SPK. W.&T. 15+84.30 F.B. 2635-19

FD. SPK. W.&T DN. 3" F.B. 2635-19

FD. LG. BT. SPK W.&T. F.B. 2635-61

8+35.46 FND. 1½" B.J. REPLACED WITH 1" I.P. & C.E. TAG (FLUSH) F.B. 2635-19

FND. C.S. mon. DN. 3" F.B. 2635-19

COUNTY SURVEYOR'S TAG

SOLEDAD C.N.

T-68° LEVEL

653.48
161.14
480.23
173.25
61.91
28.84
30.50
33.69

FD. SPK. W.&T DN. 3" F.B. 2635-11

300' TAPE T. 62° 146.16 = 146.15

FND. C.S. mon. DN. 3" F.B. 2635-20 26+20.84

SET 1" I.P. & C.E. TAG. DN. 18"

PROPOSED

EXISTING

SEC. 19

173.25 — 28.84 — 653.48 — 161.14 — 30.50 — 61.91 — 1036.54 — 480.23 — 146.15 — 28.00 — 33.62 — 164.28

541.29 — 28.00 — 0.89

113° — 22.67

90° 00'

173 - 22 - 40	(1)	
93 - 31 - 40	(A)	(2)
320 - 17 - 40	(A)	(3)
113 - 22 - 57	(A)	

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

To Top of Pg. 207

W.S.82B-2

Notes Ck'd by W. J. BRENNER
Map No 3-28H-1-2-3
Office Work T. M. PALMERI
Checked W. J. BRENNER
Date AUG 1 4 1964

Survey of SOLEDAD CN. ROAD
JN 007592 Tape 204 Std 68 °F
Surveyed by J.P. MENNE
Notes J.P.M Date 5-64
Indexed E. J. GALLI

F. B. 2635 Pg. 209

To Bottom of Pg. 210

SEC. 20
T 4 N
R 15 W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

P.O.T.
SET 1" I.P. &
C.E. TAG. (FLUSH)

511.53

18.83

6.95

B.C. 20-A
FD. 2" I.P.
& C.E. TAG
F.B. 2635-62

838.53

P.I. No. "H"
SET 1" I.P. &
C.E. TAG. (FLUSH)
BY REC. DIST.
FROM FD. SPK
FROM THE WEST

MEAS REC. ANGLE
TO INTERSECTION
@ P.I. No. "J"

140-00-00 (1)
200-00-00 (3)
120-00-00 (5)
140-00-00 (A)

140.00

ROAD

PROPOSED

541.29

SOLEDAD CN.

T-78°
541.25 LEV. = 541.29 (2)
838.48 LEV. = 838.53 (4)
511.50 LEV. = 511.53 (6)
18.83
6.95

To Top of Pg. 208

7263085 C.E. #310 8-63


W.S.62,B,C-2
LOS ANGELES COUNTY ENGINEER
PLEASE RETURN TO
433 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
F.B. 2635 PG. 210
300' TAPE T=84°
T=78°
178.12 @ 7-37 = 176.55
178.22 @ 7-54 = 176.53
T=80°
152.05 @ 2-52 = 151.81
152.05 @ 3-13 = 151.81
TO TOP OF PG. 211
CENTER SEC. TO FD. C.S. MON. IN WELL & COVER FB. 2635-64
E.W. CEN. SEC. LN.
151.80
SET 1/2 & W (FLUSH)
TOP BANK
1/16 COR.
70.00 OFFSET LN.
176.55
17.67
38.81
90°
ROAD
FD. C.S. MON. (UP 6")
F.B. 2635-11
70.00
36.19
40.84
18.92
SET LG. BT. SPK. W. & T. BY INTERSECTION
C.L.
SOLEDAD
85.68
62° 24' 13"
90°
70.00
1/4 COR.
FD. C.S. MON. (UP 4')
SET 1/2 & W (FLUSH)
62-24-00 ①
249-36-50 ④
14-25-20 ⑥
62-24-13 ⑧
T=78
85.67 LEV. = 85.68
18.92 " = 18.92
PROPOSED
51.80
TO TOP OF PG. 209
F.B. 2635-19

W.S.82, C-2

Notes Ck'd by W. J. BRENNER | Survey of SOLEDAD CN. ROAD
Map No 3-2824-1-2-3 | JN 0075.92 Tape 204 Std 68 °F
Office Work T. M. PALMERI | Surveyed by J.P. MENNE
Checked W. J. BRENNER | Notes J.P.M. Date 5-64
Date AUG 13 1964 | Indexed C. J. GALM

F. B. 2635 PG. 211

TO TOP OF PG. 210

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S C.E. #310 6-62

1" I.P. & C.E.TAG. R.B. P.L. 20-A F.B. 2635-63

FND. (FLUSH)

FND. 2" I.P. & C.E.TAG. P.L. 20-A F.B. 2635-63

FND. 2" I.P. & C.E.TAG. P.L. 20-A F.B. 2635-63

SOLEDAD CANYON ROAD

PROPOSED R/W

151.81

P.L. 20-A

SET 1" I.P. & C.E.TAG. (PLUG 12") BY INTERSECTION.

COUNTY SURVEYOR'S MONUMENT CENTER 1/4 COR. SEC. 20

FND. C.S.M.ON (DN. 12") IN WELL & COVER F.B. 2635-64

0.72

FND. SPK. W. & T. F.B. 2635-64

11.22

SEE PG. 212 TO TIE TO END OF LINE

40.89 P.B. 63

21.98 P.B. 63

1184.38

F.B. 2635, 63-64

62° 25' 00"

FND. 2" I.P. & RD. DEPT TAG DN. 12" F.B. 2635-63

62° 25' 00" (1)

249° 40' 00" (4)

14° 30' 00" (5)

62° 25' 00" (A)

SET 1/2 & D. (FLUSH)

F.B. 2635 PG 212

FOOT
(SAUGUS G-8)
FD. U.S.C. & G.S.
BRASS TABLET IN
GRANITE ROCK
F.B. 947-89,90
S.P. 202-403

Std A
SET 3/4"
CAPPED IRON
PIPE
TOP BANK

69° 41'

290° 18' 30"

YUCCA
(SAUGUS C-9)
FD. U.S.C. & G.S.
BRASS TABLET IN
GRANITE ROCK &
CONCRETE
F.B. 947-75,76
S.P. 202-403

69 · 41 · 00	①		290 · 18 · 20	①	
278 · 45 · 40	④		81 · 13 · 50	④	
58 · 08 · 40	⑥	✓	301 · 51 · 00	⑥	✓
69 · 41 · 27	Ⓐ	✓	290 · 18 · 30	Ⓐ	✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.62,A-2

Notes Ck'd by W. J. BRENNER
Map No. B-2874-1-23
Office Work T. M. PALMERI
Checked W. J. BRENNER AUG 1 1964
Date

Survey of SOLEDAD CN. ROAD
JN 00795.02 Tape 204 Std 68 °F
Surveyed by J.P. MENNE
Notes J.P.M Date 5-64
Indexed R. J. GALLI

F. B. 2635 Pg. 213

GEODETIC TIE TO SOLEDAD CN. ROAD

@ BOUQUET CN. RD. 300' TAPE 189

110 · 41 · 00 ①
82 · 45 00 ⑥
304 07 20 ⑥
110 · 41 14 Ⓐ

T-60° = -0.02
159.99 @ 18.50 = 151.57
160.37 @ 19.03 = 151.59

Sta. A
SET 3/4 CAPPED IRON PIPE TOP BANK



T-60°
9.05
13.12
112.37 LEV. = 112.36

T-76° = 0
52.43 LEV.
66.65 LEV.

COUNTY ENGINEER Int Bouquet • Soledad R.E. 5866

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

74F3095 CE 4310 6-62

F. B. 2635 PG 214



83	15	00	①	276	49	00	①
333	00	40	④	26	59	00	④
139	30	40	⑥	220	28	40	⑥
83	15	07	Ⓐ	276	44	47	Ⓐ

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNE
Map No B-2874-12-3
Office Work T. M. PALMERI
Checked W. J. BRENNE
Date AUG 14 1964

Survey of SOLEDAD CN. ROAD
JN 00758.92 Tape 204 Std 68 °F
Surveyed by J. P. MENNE
Notes N. P. M. Date 5-64
Indexed C. J. GALLI

F. B. 2635 PG. 215

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this size of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7GF309S CE #310 6-62



27 - 03 - 27	①	332 - 56 - 30	①
108 - 13 - 40	④	251 - 46 - 00	④
162 - 20 - 40	⑥	197 - 39 - 00	⑥
27 - 03 - 27	Ⓐ	332 - 56 - 30	Ⓐ

W.S. 62,C-2

F.B. 2635 PG 216

COUNTY ENGINEER
R.E. 5869

Fd. 1/4 Cor.
C.E. mon.
well & cover
F.B. 2635-78

E-W. CEN. SEC. LN.

F.B. 2635 - 72-73 - 159-160

17.00

CENTER SEC. 21
Fd. 1 1/2" I.P. &
R.E. 4750
F.B. 2635 - 160
F.B. 2229 - 42

200'±

17.00

SET 1X2 & N.

149° 53' 40" ①
239° 36' 00" ④
119° 24' 00" ⑥ ✓
149° 54' 00" Ⓐ ✓

SET 1X2 & N. L.P. PROD.

210° 05' 40" ①
120° 23' 40" ④
180° 35' 40" ⑥ ✓
210° 05' 51" Ⓐ ✓

149° 54' 00"

17.00

S.L. SEC. 21

F.B. 2652 - 98-101

COUNTY SURVEYOR'S
DOCUMENT
R.E. 4750

210° 05' 51"

SEC. COR.
Fd. C.S. mon. (no tag)
F.B. 2652 - 98

Fd. 4" BRASS Δ IN CONC.
mkd. SYLMAR E-2 1961
F.B. 2457 - 15-16

SYLMAR
E-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SECTION 6W
Map No.	JN 9302-01 Tape 173 Std 84°F
Office Work	Surveyed by J.P. MEANS
Checked	Notes J.P.M. Date 7-23-76
Date	Indexed H.E.O. AUG 3 '76

F.B. 2035 Pg. 217

Note: All Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Tabbies CR #310 8-66

SCHEER GUNZER LANE

SET L.C. BT. SPK. W.O.T.

10.00

10.00

FD. L.A.C. SURV. MON. LEANING WEST 1.1. REPLACED WITH L.A.C. ENG. MON. (SD. 8") & SET MAG. PIPE & WASH. WEST 57.75 = 157.5

SET NAIL

SECTION C.J.

30.00

SET NAIL

SET TACK

SET TACK

S 1°-44' W 1319.72

S 89°-40' W 2640.00

FD. L.C. BT. SPK. W.O.T. F.B. 2035-155

FD. L.C. BT. SPK. W.O.T. F.B. 2035-155

N 0°-19' E 1320.00

N 89°-40' E 2640.00

S 1°-44' E 1319.72

1.84° LEVEL

58.40

9.00

736.31

10.00

COUNTY ENGINEER
P.L.S. 5869
L.A. CO. ENG.
21 22
16 15
R. 15 W.
R. 14 W.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

F.B. 2435 Pg. 218

Notes Ck'd by CPYLE	Survey of T4N, R15W, Sec 19 & 20
Map No.	JN 0302.01 Tape EDM Std °F
Office Work	Surveyed by Burkholder
Checked	Notes DLB. Date 8-11-81
Date	Indexed

F. B. 2635 PG. 219

JN 0302.01

T4N R15W

So ½ Mile between

SEC 19 & 20

Reset destroyed Cors.

Burkholder
Guizado
McCoy

Reference:
F.B. 2652
F.B. 3172
F.B. 4137
F.B. 2635

Please Return To
County of Los Angeles
Dept. of County Engineer-Facilities
550 So. Vermont Ave. - Los Angeles #610
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 CE#310 12/79

F. B. 2635 PG. 220

To Bot Pg 221

131.55 @ 100-59-10
= 129.14.
274.92 @ 87-38-06
= 274.69.

274.69

1+29.14 No.
Set 1x2 & Nail
Top Spur

Ed 1x2 & Nail
Prod from Sp.
Per F.B. 4137-126
Top Spur.

129.29 R&M
644.52 M.

131.28 @ 99-59-55
= 129.29.
139.36 @ 65-00-06
= 126.30.

129.14

No Survey

126.30 R&M

0+00 No. = 0+00 So.
Sec. Cor.
C.S. Mon. destroyed.
Set Std. C.E. Mon.
(Mkd as shown)
Rec. dist. (129.29) from
Fd. 1x2 & Nail Prod.
per F.B. 4137-126.
Fd. Mkr Pipe 1.8' N.E.

Fd. 1x2 & Nail
Prod. from
West. per
F.B. 4137-126.

by Subt.
515.23

COUNTY ENGINEER
T 4N
R15W

19	20
30	29

SEC. COR.
RE 22726

A-16
5+06.19 So.
1" I.P. destroyed
by grading
F.B. 2652-251.

5+15.23 So.
Set 1x2 & Nail
Top Spur.

775.24

644.94 @ 92-04-40
= 644.52.
776.31 @ 86-59-30
= 775.24.

12+55.06
1" I.P. destroyed
by grading
F.B. 2652-251.
F.B. 4137-126.

P-3-B 12+90.47 So. (1290.37).
Fd. 1" I.P. Conc.
Plug & L.A. Co. Engr. Tag
Per F.B. 2652-251
F.B. 4137-~~126~~ 127

Please Return To
County of Los Angeles
Dept. of County Engineer-Facilities
550 So. Vermont Ave. - Los Angeles #610

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. PYLE	Survey of T4N R15W Sec. 19&20
Map No.	JN 0302.01 Tape EDM Std. °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 8-11-81
Date	Indexed

F. B. 2635 PG. 221

To Bot. Pg #222

1499.64M

1500.92 @ 92-21-53
= 1499.64.

13+13.49 (13+13.47)
1/4 1/4 Cor.
Set Std C.E. Mon.
Mkd as shown)
Midway between
Sec. Cor. & 1/4 Cor.
Per F.B. 3172-77.
Set Mkr. 1.5' west

0.11

Fd. 2" I.P. in Conc. (broken)
No brass cap, & wood Plug
With LS. Tag 3167
Removed
See F.B. 3172-77.

186.15

187.27 @ 96-15-23
= 186.15.

COUNTY ENGINEER
T4N
R15W
19 | 20
1/4 1/4 COR.
RE 22726

11+27.34 (11+27.33)
Fd 1" I.P. Conc
Plug & L.A. Co. Engr
Tag flush
Per F.B. 3172-77.

0.19

6+39.82 (6+39.73)
Fd 1" I.P. & L.A. Co. Tag
Per F.B. 3172-76.
(E. Face of Steep Sidehill)

723.51

729.32 @ 97-14-10
= 723.51.

0.02

4+50.62
Fd 1½" I.P. &
RCE Tag 11932

4+03.83
Set 1x2 & Nail
Top spur

274.69

A-2
3+95.80
pipe destroyed
by grading
F.B. 3172-76.

To Top Pg #220

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Please Return To
County of Los Angeles
Dept. of County Engineer-Facilities
550 So. Vermont Ave. - Los Angeles #610

Do not extend this side of this line.

76F-3095 CE #310 12/79

F. B. 2635 Pg. 222

1311.87 @ 90-08-07 = 1311.87.

580.87 @ 90-31-46 = 580.85.

26+26.98 (26+27.05)

1/4 Sec Cor.
C.S. Mon. destroyed.
Set Std. C.E. Mon.
(Mkd as shown)
Rec. dist. (494.61) fr.
Fd. 1x2 to So.
Per F.B. 3172-78.
See F.B. 2635-17, 19, 165.
Fd. Mkr Pipe 3' S.W.
(At bottom of hole,
found Conc. fragments
with 2" I.P. imprint @
this location)

Fd 1x2 & Nail
Leaning S.W'ly
Per F.B. 2635-17.

Fd 1x1 & Nail
per F.B. 2635-17.
Replaced w/ 1x2 & Nail
5'± E'ly (S.C.S. Mon.
@ 1/16 Cor.) Leaning badly
@ Top of road cut)
Out of Position

COUNTY ENGINEER

T4N

R15W

19 | 20

1/4 SEC. COR

RE 22726

580.85

1311.87

89°-47-17"

468.25 by Subt.

494.61 R & M

00-00-14
180-00-16

89-47-32
269-47-36

270-05-34
90-05-30

359-52-43
179-52-52
89-47-17

21+58.73 (21+58.75)

Fd old 1x2 & Nail
Per F.B. 2635-165

494.76 @ 91-24-03 = 494.61.

26.36 M

26.36 Lev. = 26.36

21+32.37 (21+32.44)

Fd. 1x2 & Nail
Per F.B. 3172-78.
Replaced w/ 1" I.P. Conc.
Plug & L.A. Co. Engr. Tag
Set Mkr. 3' East.

1499.64 M

To Top pg# 221

Please Return To
County of Los Angeles
Dept. of County Engineer-Facilities
550 So. Vermont Ave. - Los Angeles #610

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309S CE#310 12/79

Please Return To
County of Los Angeles
Dept. of County Engineer-Facilities
550 So. Vermont Ave. - Los Angeles #610

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed

F. B. PG.

Please Return To
County of Los Angeles
Dept. of County Engineer-Facilities
550 So. Vermont Ave. - Los Angeles #610

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. _____ PG. _____

Notes Ck'd by	Survey of		F.B. Pg.
Map No.	JN Tape Std °F		
Office Work	Surveyed by		
Checked	Notes	Date	
Date	Indexed		

Note: Any Additions or Changes on this Sheet Must be Made or Caused to Be Made by Ink With Date and Name of Person Making Change

Do Not extend this side of this life.

RETURN TO
LOS ANGELES COUNTY ENGINEER
405 Los Angeles County Engineering Bldg.

Jacobsen ck #210 8-68

F.B._____ Pg._____