Notes C'd by
No.
Work

Survey of
JN Tape Std "F
Surveyed by
Notes Date
Indexed

F.B. 2637 Pg.

Job	Description
	TUMBLEWEED ROAD - J.N. 0075.80
"P" Line	From 31st E. thru Secs 14,13, 18,19 T4N R10W to Devils Punch Bowl Recreation Area.
Sec. Lines	In Secs. 13, 18, & 19, T4N R9W.
	DEVILS PUNCH BOWL PARK-0077.09
Topog.	Location of concrete block cabin.
Bdry.	Bdry Survey of Parcels #1,2,3,Sec.19 T4N R9W.
Sec. Lines	Angular check on ½ section lines at ¼ corner Section 19 T4N R9W.
B.M.	Bench levels for topog. control.
Ties	Tie bet. park bdry. & control pts. for aerial photo.
Topog.	Loc. of ext. fences & evidence of removed structures alg. W'ly bdry of ext. park.
Topog.	Loc. of new fence.

Monumented May 85

(cont'd on next page)

F.B. 2637 Pg.

Page	Job	Description
		CIMA RD. - J.N. 0095.54
125-126	Index	
127-156	C.L.	Prelim. C.L. from 106th St. E. to Fort Tejon Rd.
157-178	Sec. Lines	In T4N R10W in connection with Cima Rd. Survey.
181-184	Ties	Ties to Zone 7 coordinates.
191-227	B.M.	Bench levels.
229-244	Prof.	Profiles for aerial map check.
		SECTIONS 12 & 13, T.4.N.,R.10.W.
245-260		Section Line survey for Sections 12 & 13 T.4.N.,R.10.W., S.B.M.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this file.

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of TUMBLEWEED RD
JN 0075.80 Tape 151 Std 84 °F
Surveyed by J.S. COATES
Notes J.S.C Date 1-
Indexed A.C. Johnson 3-24-60

F. B 2637 Pg. 5

J.N. 0075.80
TUMBLEWEED RD.

FROM

131ST ST. E (PALLET CREEK RD)

TO

DEVIL'S PUNCH BOWL

RECREATION AREA

COATES
BEERS
HUBBARD
KING
VAN NESS

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not submit maps this size of this size.

RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.

F.B 2637 Pg. 6



RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of TUMBLEWEED RD
JN 00758D Tape 124 Std. 84 °F
Surveyed by J.S. COATES
Notes J.S.C. Date
Indexed C. Johnson

F. B. 2637 Pg. 7

WS 15-B-1

CONT. BOT. PG. 8

1421.16 @ 62°-1420.96

(30)

℄ TUMBLEWEED RD.

(30)

1420.96

0+00.00
N 1/4 Cor Sec 14
T4N R10W
FD 2" I.P. in Conc.
With Spike
in Center
per C.S. 8539-1

90° 07' 00"
90° 29' 00"
90° 07' 00"
180° 42' 00"
90° 07' 00"

SURVEYOR'S CTR + SEC 14 T4N R10W COUNTY

CENTER SEC 14 T4N R10W

FD 4"x4" LN 4" up

131ST ST.

EAST

(PALLET CREEK RD)

42.46

42.46

35.60

53.30

FD 4"x4" LN 4" up

Set NET PP #698998E

SET Chis "X" E. end of Conc Footing To Wood WATER TANK

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 2637 Pg. 8

Cont. Left Side Pg. 9

(30) (30)

To Sec Cor

655.91 ℄ N. Line Sec 13

℄ Sec 14 & 13 T.P.

S 15°57'34" W

467.31 Sec.

To E Line 13 T4N R10W

P.C. Line

24+26.61 P.O.T Set 1"x2" ℄ Cont Top Left Pg. 10

458.88

Set Bt-Spk E&W in 8" Joshua

104.09

Set Spk ℄ W

62.60

3.00

1.00

Set Spk ℄ W

19+67.73 TW#1 ¼ Cor Set B.S.W℄ By Proportion Set N ¼ Cor & N.E. Cor Sec 14 T4N R10W

546.77

546.85 @ 62° = 546.77

TUMBLEWEED RD

20"

21"

134°

223.99 Level = 223.99

235.26 @ 2°47' = 234.98

235.19 @ 2°32' = 234.96

458.96 @ 58° = 458.88

① 134° 21' 20"

④ 137° 25' 00"

⑤ 134° 21' 00"

⑥ 86° 08' 00"

134° 21' 20" ✓

14+20.96 P.O.T Set Bt-Spk E. & T1N Pad Rise

1420.96

To ¼ Cor & Tollett Ck. (RD) 131st St. E.

(30) (30)

FROM TOP PG 7

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of TUMBLEWEED RD.
JN 00 75 80 Tape 151 Std. 84 °F
Surveyed by J S COATES
Notes J.S.C. Date 1-28-60
C. Johnson
Indexed

F. B. 263 Pg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red. Ink With Date and Name of Person Making Change.

Do not extend note this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

783098 CE #247—7-59

IN S 15-82

COUNTY SURVEYOR'S MONUMENT
T4N
R10W
11 12
14 13

Cor. Sec. 11, 12, 13, 14
T4N R10W
Fd. C.S. Mon. Fl.
per F.B. 1262-151, 154, 162
F.B. 2237-198, 202
MARKED AS SHOWN

Set N&T 4"x4" Fn Post

(30)

TUMBLEWEED RD.

Ps. 8

To TW#1

655.91

70.64

73.11

93.14

89°

17' 05"

89° 32'

Set Spk & Washer in 6" Juniper

Set N&T P.P. #5557 A.H.

(30)

From Top

Set N&T P.P. #7594 C.E.

① 89° 17' 10"
② 357° 08' 30"
③ 89° 17' 07½"
④ 175° 42' 40"
⑤ 89° 17' 06⅓"

656.00 @ 62° = 655.91

136TH ST E

1859.94

662.40

To POT.

To TW#2

CONT. TOP

PS 10

N

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 15 B-1



Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of TUMBLEWEED Rd.
JN 007580 Tape 151 Std 84 °F
Surveyed by J S COATES
Notes J.S.C Date 1-25-60
Indexed C. Johnson

F. B. 2637 Pg. 77

W.S. 15-B-1

FROM BOT. PG. 10

2 90° 12' 50"
1 360° 51' 20"
90° 12' 50"
6 181° 16' 50"
90° 12' 40"

To P.O.T.

799.65

90° 12' 50"

1+99.84 P.O.T. #1 Set 1"x2" N Top ridge

221.81 To P.O.T. #2

CONT. BOT. PG 12

RP FD. 2" I.P. 6" up Conc. Pl. & L.A. Co. Eng. TAG

40.01

199.84

40.00

90°

0+00 E
1/4 Cor. Sec. 13, 14
T 2 N R 10 W
FD C.E. Mon 12" dn
per F.B. 2237-198
MARKED AS SHOWN

COUNTY ENGINEER
TAN
R10W
14 | 13
1/4 Cor
L. E. 5869

RP FD. 2 I.P. 6" up Conc. Pl. & L.A. Co. Eng. TAG

179° per F.B. 2237-198

40.01 @ Level = 40.01
160.10 @ 3° 11' = 159.85
160.04 @ 2° 36' = 159.88
199.87
7 58° .09
199.84

2642.40 per F.B. 2237-198

136TH ST. E

Cor. Sec. 13, 14, 23, 24
T 4 N R 10 W
FD. G.L.O. Mon
BRASS CAP 20" up
per C.S. 8735
F.B. 2237-199

GENERAL LAND OFFICE
PENALTY $250.00
T2N R10W
SEC 13
SEC 24
1914

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes past dot of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247 7-59

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 15 B-1



763098 CE #247—7-55

RETURN TO
LOS ANGELES COUNTY ENGINEER
600 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet, Must be, Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 15-B-1

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of TWENTYNINE PALMS MBLE WEED RD
JN 00758 Tape 151 Std 84 OF
Surveyed by J.S. COATES
Notes
Indexed J.S.C. Date 1-26-60 C. Johnson

F.B. 2637 PG. 13

CONT RT. SIDE PG. 16

173.37 @ 2°08' = 173.25
173.45 @ 2°39' = 173.26 } 173.25

263.66 @ 1°08' = 263.61
263.63 @ 0°54' = 263.60 } 263.60

436.85
T-58° .07
436.78

937.48 @ 54° = 937.30

937.30 ℄ P. LINE

12' dirt Rd

126.43 @ 2°45' = 126.28
126.39 @ 2°00" = 126.31 } 126.29

157.02 Level 157.02

168.35 @ 1°10' = 168.31
168.40 @ 1°14' = 168.32 } 168.31

451.62
T-58° -.08
451.54

℄ SEC 13 E&W
T4N R1W

451.54

12' dirt Rd

436.78

To Rot #5
Cont Bot Pg. 14

To "K2" JOSHUA TREE 613.68

From Top Pg. 12

15+44.27 P.O.T. #3 SET 1"x2" N

18+18

Set B.S.&W. 5' JOSHUA

19+95.81 P.O.T. #4 SET 1"x2" FN

786.14

110.00

Set B.S.&W. 8' JOSHUA

Cont Bot RT. SIDE PG. 17

168° 37' 00"
134° 51' 30"
168° 37' 00"
134° 51' 30"
168° 37' 00"
134° 51' 30"

Set B.S.&W. 8' JOSHUA

25.68

end of 12' dirt Rd 21+70

10'

10'

N

E

W

S

F.B. 2637 PG. 14 CONT. BOT. PG. 15

WS 15 12-1

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

N

COUNTY SURVEYOR
T4N
12
13
MOM
1/4 COR
RE 329

1/4 COR. SEC. 12, 13
T 4 N, R 10 W
U.S. MON
FD. 1962-152
NAIL & TAG
MARKED

Ⓒ 90° 20' 40"
Ⓐ 361° 22' 40"
90° 20' 40"
Ⓑ 182° 03' 50"
90° 20' 38 1/3"

90° 20' 40"

437.25 To TW #6 PG 17

Set N&T 10" P.P. # 759442E

87.57

0.30

FD. 2" I.P. 9' high
Used ctr.
set alongside C.E.
Mon for marker

Cont. Bot.

0+00 S.
26+26.84 E
CENTER SECT. 13
T4N R10W
SET C.E. Mon
BY INT. MARKED

194.25

166.17 @ 5°21' = 165.45
166.09 @ 4°58' = 165.47
165.46

272.84 @ 4°47' = 271.89
272.95 @ 5°02' = 271.90
271.89

437.35
.10
437.25

T 48°

COUNTY ENGINEER
T4N
CTR
SEC 13
MOM
R.E. 5869

436.78

P.O.T. #5
24+32.59
Set 1"x2" ↓ N
Top ridge

To P.O.T. #4

FROM TOP PG. 13

763098 CE #247—7-53

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS. 15 B-1

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of TUMBLEWEED RD
JN 007580 Tape 151 Std. 84 of
Surveyed by J. S. COATES
Date 1-29-60
Notes
Indexed K. C. JOHNSON

F. B. 2637 Pg. 1

100.68 @ 11°18' = 98.73 ✓
100.95 @ 12°04' = 98.72 ✓

86.37 @ 8°03' = 85.52 ✓
86.15 @ 6°55' = 85.52 ✓

281.76 @ 2°25' = 281.51 ✓
281.72 @ 2°03' = 281.53 ✓

127.45 @ 4°47' = 127.01 ✓
127.49 @ 5°00' = 127.00 ✓

149.00 @ 3°11' = 149.77 ✓
148.97 @ 2°51' = 148.79 ✓
741.54
T 60° 12
741.42 ✓

FROM T&P PG 194

89°55'20"
89°55'20"
89°55'20"
89°55'20"

18°53'00"
18°53'00"
18°53'15"
18°53'13⅓"

89°

55'

741.42 ✓

20" ✓

18°53'15" ✓

1/4 COR SEC. 13
T 4 N R 10 W
FD. G.L.O. BRASS CAP
ON 1" I.P. 2' HIGH
IN MOUND OF ROCKS
PER F.B. 1262-148 ✓

W 1/4 COR SEC 13
T 4 N R 9 W
FD. C.S. MON. 6" UP
IN ROCK MOUND
per F.B. 1262-149

SURVEYOR T 4 N MON. 6" UP IN ROCK MOUND

LAND FINE

1033.02
1032.99 ✓
To P.O.T

CONT. P.O.T. PG. 2

SEC 13
1/4
S13

RANCHO

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F.B. 2637 PG. 16

763098 CE #247—7-58

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

NS 15 B-1

CONT BOT PG 19

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of TUMBLEWEED RD
JN2075.80 Tape 151 Std 84 of
Surveyed by J.S. COATES
Notes J.S.C. Date 2-1-60
Indexed C. Johnson

F. B. 2637 PG. 77

300.77 @ 2°50' = 300.40 } 300.41
300.71 @ 2°32' = 300.42 }

122.25 @ 10°15' = 120.30 } 120.30
122.01 @ 9°56' = 120.30 }

280.41 @ 4°11' = 279.66 } 279.65
280.48 @ 4°24' = 279.65 }

700.36
- .13
700.23

T 56°

Δ 123° 25' 00"
Ⓓ 133° 39' 50"
123° 24' 56½"
Ⓔ 20° 29' 30"
123° 24' 55"

24' 55" 700.23

67+65

℄ Bot. Draw

NORTH

9# M

CONT BOT PG. 18

6421.715
P.O.T.
WIGGLE PT.
SET 1"X2" F.N.

FROM RT

To ctr. Sec. 13 437.25

184.46

756.48 To P.O.T.

℄ SEC 13 N&S

62+80

NORTH

4.30

SET NAIL
1/2" PP #7594 ACE

184.96 @ 4°00' = 184.51
184.85 @ 3°32' = 184.50
T 52°
184.46

64+84.11 on P.Line
4+#37.25 P.S. Sq.
SET 1" I.P. FLUSH
CONC. TRS. B.X. INC.
W&S 8" CORE DRILL

P. Line

786.74

Level 784.89 @ 54° = 786.74

SIDE PG. 14

FROM 70P RT

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

WS 15 B-1



763098 CE #247—7-59

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of TUMBLEWEED RD. JN 2075.80 Tape/ISI, Std. 84, of
Surveyed by J. S. COATES
Notes J. S. C. Date 2-2-60
Indexed C. Johnson

F.B. 263 Pg. 19

261.63 @ 2°04' = 261.46 ✓
261.66 @ 2°15' = 261.46
44.00 Level = 44.00 ✓
248.34 @ 2°23' = 248.12 .13 ✓
248.32 @ 2°06' = 248.15
260.60 @ 3°20' = 260.16 .15
260.50 @ 3°03' = 260.13
241.00 @ 3°08' = 240.64 ✓
240.93 @ 2°47' = 240.65
82.11 @ Level = 82.11
1136.49
T50° - 0.25
1136.24 ✓

138.05 @ 1°19' = 138.01 ✓
138.00 @ 0°48' = 137.99
300.02 @ Level = 300.02
190.07 @ 11°40' = 186.14 ✓
189.70 @ 11°08' = 186.13
624.15
T46° 0.15
624.00 ✓

CONT BOT.

FROM LEFT SIDE PG 17

To TW #5 700.23 ✓

℄ LINE

1136.24 ✓

624.00 ✓

To TW #6 Top Rock PG 20

30'

85+20 Top bank

71+84.34 TW #6 SET 1½" ø FN W. edge mesa

83+20.58 TW #7 SET 1½" ø FN W. edge Canyon

F.B. 2127 Pg. 20 CONT BOT. RT. SIDE PG. 21

269.37 @ 2°33' = 269.37 ✓
265.39 @ 2°15' = 265.38 ✓

300.53 @ 3°45' = 300.18
300.46 @ 2°25' = 300.19
569.56
T-46° -.14
569.42 ✓

92+90

℄ BOT. DRAW

569.42 ✓

To TW #3

To COR SEC. 13, 24

℄ 109° 07' 50"
℄ 76° 31' 40"
⑥ 169° 07' 55" ✓
294° 47' 20" ✓
109° 07' 53⅓" ✓

℄ 124° 41' 00"
℄ 138° 43' 50"
124° 40' 57½" ✓
⑥ 28° 05' 40" ✓
124° 40' 56⅔" ✓

124° 40' 55" ✓
109° 07' 55" ✓
00" ✓
05" ✓

To E ¼ Sec. 13

89+44.58
TW #8
SET L&L.A.Co.
ENG. TAG
IN ROCK
OUTCROPPING

40'
20'
75° 12' 05" ✓
184° 20' 10"

184° 20' 10"
11° 20' 00" ✓
164° 20' 00" ✓
26° 00' 00" ✓
184° 20' 00" ✓

75° 12' 10"
300° 48' 20" ✓
75° 15' 05" ✓
91° 15' 40" ✓
75° 12' 06⅔" ✓

175°
100'±
87+80
624.00
℄ P LINE

℄ Deep ravine
86+30

To TW #7

175° 40' 50"
342° 40' 30"
175° 40' 07½" ✓
⑥ 334° 00' 30" ✓
175° 40' 05" ✓

FROM TOP RE. 19

RETURN TO
LOS ANGELES COUNTY ENGINEER
90 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of TUMBLEWEED RD
JN 0075.80 Tape 151 Std 84 °F
Surveyed by J.S COATES
Notes J.S.C. Date 2-2-60
Indexed

F. B2637 Pg. 21

W.S. 15 F.C.-1

CONT. LEFT SIDE PG. 23

CONT. BOT. PG. 22

To TW #11

To P.O.T.

524.35
292.09

300.13 @ 5°36' = 298.70
300.14 @ 5°42' = 298.66
224.93 @ 4°38' = 224.19
225.05 @ 5°01' = 224.19
47.63 @ Level = 47.63
570.50
T-60° -0.09
570.41

TW #10
97+28.50
SET 1" I.P. FL.
CONC. PLS
L.A. CO ENG
TAG BY INT

150.59 @ 2°49' = 150.11
150.37 @ 3°20' = 150.12
64.42 Level = 64.42
214.53
T-60° .03
214.50

REMEASURED 4-27-62 JWC
170.49 @ 6°40' = 169.66
170.64 @ 6°12' = 169.64
344.46 @ Lev. = 344.46
514.12
.08
514.04

514.09
288.16

214.50

P.O.T. Set 1"x2" IN Top Bank

P-LINE

51° 59' 00"

ROAD

95+14.09
TW #9
Set 1"x2" Flush

E. Line Sec. 13

51° 59' 00"
207° 56' 00"
51° 59' 00"
311° 59' 00"
51° 59' 00"

94+80

569.42 To

DIRT

128° 01' 00"
128° 04' 00"
128° 01' 00"
128° 06' 00"
128° 01' 00"

283.67 @ 32° 283.41

1012.89

Remeasured 4-27-62
300.60 @ 5°03' = 299.43
300.71 @ 5°21' = 299.45
733.65 @ Level = 733.65
T-60° -0.03
713.64
1013.05

1013.06 78"
+10.24 02"
1023.30 02

To E14 COR Sec. 18

150.87 @ 6°19' = 149.95
150.93 @ 6°44' = 149.94
133.72 @ Level = 133.72

ERROR in

300.59 @ 5°04' = 299.41
300.47 @ 4°49' = 299.41
713.64 @ Level = 713.64

CONT. FROM RT. SIDE PG. 15

FROM TOP PG 20

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

7673098 SAE #247 1-58

F.B. 2637 Pg. 22

CONT. LEFT SIDE PG. 24



FROM TOP LEFT SIDE PG 21

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN
Map No. 8-5361
Office Work K. MASUDA
Checked
Date

Survey of TUMBLEWEED RD
JN 6075.80 Tape 124 Std 84 °F
Surveyed by J.S COATES
Notes J.S.C. Date 2-15-60
Indexed A. C. Johnson

F. B. 2637 Pg. 28

U.S. GENERAL (QUALITY) PLAN RIGHT OF WAY 5134 LAND SURVEY FOR FREEWAY PURPOSES

W.S. 15.3-1

REMEASURED 4-27-62 JJC
93.81 @ Lev. 93.81
199.81 @ 5°50' = 198.28
199.41 @ 6°03' = 198.30
292.10 @ 78° = 292.09

Remeasured 4/27/62 JJC
61.88 @ Lev. @ 78° = 61.88

R.O.T. Top knoll Set 1"x2"N on line

2647.17 E
COR SEC. 13 & 24 T.4N R.10W
FD. G.L.O. BRASS CAP MON. ON 2" I.P. 12" HIGH per F.B. 1262-150
MARKED LOWERED MON. & SET IN CONC. FLUSH

PG 21

To TW #10 292.09
522.35
61.88
61.85
620.26 To COR Sec. 18, 19

CONT TOP

36°26'00"
90° 15' 55"
To TW #8

913.44

89° 51' 50"

17+62.73
P.O.T.
Set 1"x2"N
Top ridge

601.68

11+61.05
P.O.T.
SET 1"x2"N
Top Ridge

2.22

FD 2"x2" ½ N
Flush
No Ref

438.74
To POT Top Ridge

LEFT SIDE PG 18

FROM TOP

Returned 7-14-60

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

78F3095 SAE #247 1-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 15B-1.



76F3095 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd W. J. BRENNER
Map No. B-2805 G. D. BAILEY
Office Work Miller
Checked Miller
Date Aug 62

Survey of TRUE ELEVATED RD
JN 00750 Tape 101 Std 84 °F
Surveyed by J.S. COATES
Notes J.S.C. Date 2/23/60
Indexed C. Johnson 6-22-60

F. B. 2637 Pg. 24

1176.753
P.O.T. "X" 2' S & N
on Ridge

1846.175
P.O.T. "X" 2' S & N
on Ridge

FROM TOP PG 24

CONT. BOT. PG 26

To TW #12 455.74 ✓

694.22 ✓

507.16 To W.C. ✓

455.930 @ 32° = 455.74 ✓

135.57 @ 2°45 = 135.41 ✓
135.49 @ 2°03 = 135.40 ✓

259.00 @ Level = 259.00 ✓

300.52 @ 3°16' = 300.03 ✓
300.41 @ 2°57 = 300.01 ✓

694.42 @ 40° = 694.22 ✓

507.31 @ Level @ 40° = 507.16 ✓

F.B. LC37 Pg. 26

CONT. BOT. PG. 35



W.S. 15-C-1

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this sick of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No. B 280 S
Office Work G. D. BAILEY
Checked Miller
Date Aug. 62

Survey of TUMBLEWEED RD
JN 007580 Tape 101 Std 84 °F
Surveyed by J S COATES
Notes JSC Date 2-17-60
Indexed A. C. Johnson

F. B. 5637 Pg. 27

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

300.56 @ 4°13' = 299.75
300.71 @ 4°32' = 299.77
279.31 @ 4°42' = 278.37
279.27 @ 4°32' = 278.40
578.14 @ 60° = 578.06

578.06 To Tw #14

Centr. Bot. Pt.

1197+36.76
TW #14
SET 1"X2" LN
Top bank
W. Side draw

℄ Line

300.43 @ Level = 300.43
108.51 @ 14°47' = 104.94
108.28 @ 14°13' = 104.96
405.38 @ 60° =
.06
405.32

405.32

1185+31.44
TW #13
SET 1"X2" LN
TOP bank
E. Side draw

300.73 @ 4°15' = 299.90
300.86 @ 4°31' = 299.92
150.31 @ 4°47' = 149.79
150.20 @ 4°10' = 149.80
449.70 @ 60° = 449.6

449.6

To Tw #12

FROM TOP RT. SIDE PG. 24

787-3095 SAE #247 1-56

F. B. 2637 Pg. 28

CONT: BOT. PG 51

To TW #16

578.76'

300.28 @ 3°56' = 299.57
300.34 @ 4°09' = 299.55

279.60 @ 2°57' = 279.23
279.67 @ 3°09' = 279.25
578.80' T 74
04
578.76

125+14.82
TW #15
SET I.I.P. 4" up
in Mound of Rocks
Co. Nc. Pl. & L.A.
Co. ENG. TAG
Top of bank
W. side of draw

05"
07'
19"

① 179°07'00"
② 356°28'20"
③ 179°07'06"
④ 356°42'40"
⑤ 179°07'06"

578.06'

P. LINE

To TW #14

FROM TOP PG. 27

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER
Map No. B-2805
Office Work G. D. BAILEY
Checked Miller
Date Aug. 62

Survey of TUMBLEWEED RD
JN 0075.80 Tape 101 Std 84 °F
Surveyed by JS COATES
Notes JS.C Date 2-25-60
Indexed A. C. Johnson

F. B. 2637 Pg. 29

FROM BOT. RT SIDE PG 24

N45°W SAND STONE 8+08

To Cor Sec. 18, 19

RIDGE

1526.42

297.15 @ 11°36' = 291.08
297.50 @ 11°55' = 291.09

58.06 @ 7°58' = 57.50
58.13 @ 8°29' = 57.49

299.70 @ 6°26' = 297.81
299.88 @ 6°44' = 297.81

75.04 @ 15°15' = 72.40
75.42 @ 16°17' = 72.39

299.89 @ 6°26' = 298.00
300.08 @ 6°45' = 298.00

157.48 @ 11°27' = 154.35
157.37 @ 11°14' = 154.35

300.64 @ 3°09 = 300.19
300.72 @ 3°21' = 300.21

55.24 @ level = 55.24

1526.56 T=70°
-.14
1526.42

11+78 BRUSH

13+00

RAVINE

P.O.T. 15+26.42 Set 1"x2" LN

RIDGE

236.29

241.50 @ 11°53' = 236.32
241.26 @ 11°36' = 236.33
236.32 T=66°
236.29

17+62.14 POT SET 1"X2" LN N. Edge Mesa

573.13 To POT

CONT. TOP PG 30

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3008 SAE #247 1-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 15 - B-1



76F3098 S&E #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by W. J. BRENNER
Map No. B-2805
Office Work G. D. BAILEY
Checked [illegible]
Date AUG. 62

Survey of TUMBLEWEED RD
JN 0075 66 Tape 1.01 Std 84 °F
Surveyed by J.S.C. COATES
Notes
Indexed C. JONES

F. B. 2637 PG. 37

CENT TRP

PG. 32

60

To P.O.T. 508.59

1.22 5.19

258.14

55+00

FROM, BOT, PG. 30

977.66 To I & COR

RADIAL

39+58.57
FD 2 1/2" I.P. 10' UP
IN ROCK MOUND
WOOD PLUG & TAG
MARKED C.W. COOK
LIS. CNSED. SURVEYOR
PER R.S. 26-70

39+53.38
P.O.T.
SET 1" X 2" E.N.

36+95.24
P.O.T.
SET 1" X 2" E.N.
TOP SCOUR

300.02 @ 12°09' = 293.30
300.77 @ 11°56' = 293.27.28
10.00 @ Level = 10.00
269.07 @ 4°33' = 268.22
268.86 @ 3°57' = 268.22
300.70 @ 1°26' = 300.61
300.71 @ 1°26' = 300.62
105.66 @ Level = 105.66
977.77 @ 66° = 977.66

259.19 @ 506' = 258.16
259.13 @ 9°54' = 258.18
258.17
.03
258.14
T66°

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 15 - B-1



Notes Ck'd by	W. J. BRENNER	Survey of	TUMBLEWEED RD.
Map No.	8-2805	JN 0075.80 Tape	100 Std. 84 °F
Office Work	G. D. BAILEY	Surveyed by	J.S.COATES
Checked	Miller	Notes	JSC Date 7-29-60
Date	AUG. 62	Indexed	C. Johnson

F. B. 2637 Pg.

W.S. 15-8-1.

FROM BOT PG 32

330.29 TO WITNESS CORNER

56.22 @ Level = 56.22

207.00 @ 8°14' = 274.14 .5
271.28 @ 8°35' = 274.17
330.37 T 48°
.08
330.29

178.33 @ Level = 178.33

78.84 @ Level = 78.84
257.17 T 48°
257.11

50+32.39
SET CHIS "X"
Rock ledge

210.33 @ 36°50' = 168.01
210.70 @ 37°08' = 167.98
167.99 @ 70° = 167.97

257.11

SET Bt Spk & TIN
10" PINE

18.46

167.97

1+67.97
2 Spk & L.C.
ENG. TAG IN
ROCK outcropping

250.52

52+89.50
COR SEC. 19, 30, 24, 25
T4N R 9, 10 W,
SET C.E. MON EL.
RECORD DIST 8.90ch
= 587.40 from WITNESS
CORNER on LINE to 1/4 COR
Sec 25, 30 per
C.S. 9159 Pg 37
MARKED
See Pg 77

81.84

33° 30'

90°

Set Bt Spk & TIN
BASE OF 14" PINE

① 90° 33' 40"
④ 362° 14' 00"
90° 33' 00"
⑥ 183° 21' 00"
90° 33' 30"

COUNTY ENGINEER
T4N
R9W
24 19
25 30
E. 5869

CONT. TOP PG 34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

787305 SAE #242 1-58

F.B. 2437 Pg. 34

FROM BOT PG 33

W.S. 15 - B-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WIGGLE PT
SET 1"X2" & M
Top of RIDGE

RIDGE

Bearing tree
FD. 6" OAK
WITH blaze
in deteriorated
condition
MARKING not
Legible

HOOK

133.7
ON SLOPE

1/4 COR. SEC. 25, 30
T4N R9, 10 W
FD. dark discoloration
of Soil 12" diam 24" dp.
with small particles
of charcoal which
fits dist. & bearing
to bearing trees
per C.S. 91-89 pg 37
SET C.E. Mon Fl

10.56

Bearing tree
FD. 6" OAK
WITH BLAZE
MARKED
1/4 S 30 BT

Set Bt Spk & W

COUNTY ENGINEER
T4N
R10W 25 | 30 R9W
1/4 Cor.
R. E. 5869

Notes Ck'd W. J. BRENNER	Survey of TUMBLEWEED RD
Map No. 8-2805	JN 0075.80 Tape 101 Std 87 °F
Office Work G. D. BAILEY	Surveyed by J.S. COATES
Checked Miller	Notes J.S.C. Date 3-11-60
Date Aug. 62	Indexed C. Johnson

F. B. 2637 Pg. 35

CONT. BOT. PG. 36





300.43 @ 0°49' = 300.40
300.47 @ 0°58' = 300.43
41.62 @ Level = 41.62
300.59 @ 2°44' = 300.25
300.56 @ 2°32' = 300.27
299.80 @ 16°16' = 287.80
300.29 @ 16°35' = 287.80
212.46 @ 6°14' = 211.20
212.55 @ 6°29' = 211.19
409.39 @ Level = 409.39
245.05 @ 6°00' = 243.71
245.04 @ 6°00' = 243.70
60.91 @ Level = 60.91
204.33 @ 13°58' = 198.29
204.31 @ 13°58' = 198.28
194.15 @ Level = 194.15
2247.71
.09
2247.62



FROM TOP PG 26

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SER. #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.O. 15-C-1



Notes Ck'd by W. J. BRENNER	Survey of TUMBLEWEED RD	F. B. 2637 Pg. 37
Map No. B-2805	JN 007580 Tape 101 Std 84 ...	
Office Work G. D. BAILEY	Surveyed by J.S. COATES	
Checked Miller	Notes J.S.C. Date 3-14-60	
Date Aug. 62	Indexed C. Johnson	

FROM RT. SIDE PG 36

N 30°W

70 Set

2+55 Ravine

N 30°W

4+70 RIDGE

EAST 5+90 RIDGE

E. LINE SECT. 19 T4N R8W

8+80 EAST RIDGE

S19

S20

1528.28

9+78 RAVINE EAST

N 45°W RIDGE

10+96

15+28.30 P.O.T. SET L.A.C.O. ENG. TAG IN SAND STONE

SAND STONE RIDGE N 60° E 1164.48

CONT. TOP T.O.B.S. PG 38

20.37 @ Level = 20.37
118.49 @ 13°36' = 115.17
118.15 @ 12°56' = 115.15
229.48 @ 7°51' = 296.67
299.63 @ 8°02' = 296.69
217.93 @ 5°41' = 216.82
217.75 @ 5°51' = 216.83
291.73 @ 2°50' = 291.37
291.64 @ 2°31' = 291.36
122.41 @ 7°54' = 121.25
122.33 @ 7°33' = 121.26
235.37 @ 7°49' = 233.17
235.60 @ 8°12' = 233.19
180.89 @ 13°48' = 175.67
181.27 @ 14°13' = 175.69
58.00 @ Level = 58.00

Please Return To
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 SBE #247 1-36

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 15 -C-1


S 20
LARGE OVER-HANGING SAND STONE ROCK
RADIAL N75°E
23+00
N75°W
1164.48
211.42
77.42
88° 17' 50"
108.98
S 19 74
Sec. 24
T 4N R 9W
SET C.E. MON BRASS CAP IN SAND STONE ROCK LEDGE @ PROP. ENT. N.E. COR. SEC. 19
NO EVIDENCE OF C.S. 3159 OR 15' X PER C.S. 3159
23+03.92
SET L&T A.C. ENG. TAG TOP SAND STONE RIDGE
COUNTY ENGINEER
T4N
R9W
19
20
1/4 Cor
R.E. 5886
PG. 37
PG. 39
PG. 38
PG. 50
FROM BOT
CONT TOP
CONT BOT
To c.l. & h. Co. Eng. Tag
To Obs
Large over-hanging sand stone ridge
Set L&T.A.C. Eng. Tag
1098.17
1108.92
AVG = 108°93'64"
123.90 @ 28°26' = 108.95
123.09 @ 27°46' = 108.92
Set L&T.A.C. Eng. Tag
1164.48
1164.48
11.93 @ Level = 11.93
81.69 @ 13°18' = 79.50
81.36 @ 12°28' = 79.48
16.06 @ 14°19' = 209.39
16.30 @ 14°08' = 209.36
1164.48
1164.48
@ 64°
S 88° 17' 50" E 538.1'
S 89° 17' 50" E 1538.1'
S 88° 17' 50" E
To Obs 553.02
26+96.76
Set B.T. Spk. in Shrub root
11.00 @ 60°00' = 11.00
11.00 @ 60°00' = 11.00
11.00 @ 60°00' = 11.00

Notes Ck'd by W. J. BRENNER	Survey of TUMBLEWEED RD
Map No. 9-2805	JN 007580 Tape 101 Std. 84 °F
Office Work G. D. BAILEY	Surveyed by J.S. COATES
Checked Miller	Notes J.S.C. Date 3-15-60
Date Aug. 62	Indexed C. Johnson

F. B. 2637 Pg. 39

FROM BOT. PG. 38

143.14 @ 8°46' = 141.47
142.93 @ 8°12' = 141.47

133.72 @ Level = 133.72

281.66 @ 9°22' = 277.90
281.66 @ 9°22' = 277.90
553.09 @ 64°
553.02
553.02

To BM Spk

N 45°W

28+40

50'

553.02

RAVINE

S 19

S 20

32+45.78
P.O.T.
Set this "X"
on Sand-Stone
outcropping
overhanging
ravine

300.32 @ 14°17' = 291.04
300.11 @ 14°08' = 291.03
-.04
= 290.99

76°

32+80

290.99

35+36.77
Set this X" edge of
Sand Stone Rock

S 15° W

759.83

To 1"x2"

CONT. TOP PG. 40

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note:* Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd By W. J. BRENNAN
Map No. 8-2805
Office Work G. D. BAILEY
Checked Miller
Date Aug. 62

Survey of TUMBLEWEED RD.
JN 007580 Tape 101 Stn 84 °F
Surveyed by J. S. COATES
Notes J. S. C. Date 3-25-60
Indexed E. C. Jansen

F. B. 2637 Pg. 47

W.S. 16-S-1

FROM BOT. PG 40

COUNTY ENGINEER
T 4 N
R 9 W | 19 | 20
30 | 29
R. E. 5869

70 1"x2"

1428.48

Top Narrow Rock Ridge - Line of fall in "V" cut of Ridge

Set B.S.&W 8" Pine

51+43 E&W

71.16

PAVINE 51+10

CONT TOP PG 46

To L.E. TAG Rock ledge

1126.46

20.09 Set L&L.A.Co. ENG TAG on Line in Rock ledge

192.52

53.86

88°

Set B.S.&W 18" PINE

N 80° E SAND STONE Rock

Razor Back 45' 10"

SET Bk. Spk in Knoll on Rock Ridge

295.88

14.52

FD Bearing tree 16" PIN E MARKED W.C. T4N R9W S 20 B.T.

88° 45' 10"
355° 00' 30"
88° 45' 07½"
172° 30' 50"
88° 45' 08⅓"

S 71° 19' 08" E 1428.48

WITNESS-CORNER FD. ROCK MOUND Set C.E. MON Flush Center Rock MOUND of RECORD 77 E. DIST. per C.S. 9159 MARKED Sccp 976

S 75° E RIDGE

COUNTY ENGINEER
T 4 N
R 9 W | 19 | 20
WITNESS 30 | 29
COR.
R. E. 5869

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

7-63 CE #247 7-63

F. B. 2637 PG. 42 — CONT. LEFT SIDE PG 43

450.50 To 1"x2" Set 2.50 Up

RIDGE — NORTH

12+92.46
P.O.T.
Set N&T
IN 4" OAK

49.75 @ 11°38' = 48.73
49.52 @ 11°32' = 48.63

51.44 @ 19°59' = 49.70
51.83 @ 16°28' = 49.70

299.54 @ 8°49' = 296.00
299.54 @ 8°49' = 296.00

56.18 @ Level = 56.18
450.59
T 54° 03
450.50

N 15° W

RAVINE

8+80

873.97

291.55 @ 30°45' = 250.56
291.55 @ 30°46' = 250.52
250.54 @ 70° = 250.52

101.31 @ 10°55' = 99.48
101.12 @ 10°20' = 99.48

230.31 @ 24°25' = 209.74
230.10 @ 24°17' = 209.74

26.05 @ Level = 26.05

260.23 @ 9°13' = 256.87
260.15 @ 9°04' = 256.80

214.67 @ 9°01' = 212.02
214.49 @ 8°43' = 212.01

70.23 @ 5°29' = 69.91
70.35 @ 6°26' = 69.91
874.05 @ 70° = 874.97

LARGE Rock outcropping

50'±

4+18.49
P.O.T.
SET 1"X2" & N
Flush
Top ridge

N 45° W

RIDGE

250.52

TO LEFT FROM RT. SIDE PG 33

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

Notes Ck'd by W. J. BRENNER
Map No. 8-2805
G. D. BAILEY
Office Work
Checked Miller
Date Aug 62

Survey of TUMBLEWEED RD
JN 0025.89 Tape 101 Std 66 °F
Surveyed by J.S. COATES
Notes J.S.C. Date 4-5-60
Indexed C. Johnson

F. B. 2637 Pg. 43

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763095 CE #247—7-53

FD 2"I.P 12"UP
Wood. Pl. & TAG
marked "L.S. C.W. Cook
LICENCED SURVEYOR
per R.S. 26-70

318.93 T 86° = 318.93
20.23
Level = 20.23
6°05' = 298.70
6°05' = 298.71
300.39 @
300.40 @

① 90° 29' 40"
② 361° 58' 20"
90° 29' 35"
③ 182° 57' 40"
90° 29' 36 1/3"

318.93

17+42.96
SET 1"X2" & N
W. STRADDLER

17+45.72
SET 1"X2" & N
BY INT

40"
90° 29'
2.76
1.80
Set 1"x2" & N

FROM TOP PG 42

To Nail
in OAK 450.50

331.17

To 1"x2"
W. Straddler

11.02

LEFT SIDE PG 44

FD 2"I.P 8"UP
WOOD PL. & TAG
MARKED "L.S. C.W. Cook
LICENCED SURVEYOR"
per R.S. 26-70

90.36 @ Level = 90.36
174.70 @ 4°08' = 174.25
174.64 @ 3°52' = 174.22
66.63 @ Level = 66.63
331.11
T-58
331.17

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by W. J. BRENNER
Map No. B-2805
Office Work G. D. BAILEY
Checked Miller
Date Aug. 62

Survey of TUMBLEWEED RD.
JN 0075.80 Tape 101 Std 84 °F
Surveyed by J. S. COATES
Notes J.S.C. Date 3-28-60
Indexed E. O. Johnson

F. B. 2637 Pg. 45

Ws. 15-C-1

CONT. BOT. PG 46

26.79 @ 34°02' = 22.20

FD. L.S. TAG 2249 Ref No

1482.89

27+65

19.68 Calc

2.81

62°27'00"

22.20

7.46

90°

Set L & L.A. Co. ENG. TAG Rock ledge

6.5

7.365

27+05.39 P.O.T. SET 1"X2"

26+97.93 1/4 COR SEC 19 T4N R9W SET C.E. MON IN ROCK ledge BY PROP. BRT S.W. & S.E. COR SEC. 19 T4N R9W PER C.S. 9159 MARKED

SEC 19

SEC 30

25+55

15'

216.47 @ 29°00' = 189.33

149.02 @ 6°16' = 148.13

337.46

7.46

330.00

Returned 7.140

89°21'30" 40"
357°26 40"
89°21 38 1/3

89°20'00"
357°20'00"
89°20'00"

89°21'05"
359°21'05"
89°21'05"

SIDE P.G 47

330.00

563.58

21 38

89°

TO 1"X2" 2 Nail 199.6

330.00 OFFSET LINE

CONT. RT.

23+0.93 Set 1" I.P. FI. CONC. PL. & TAG L.A. Co. ENG.

TO 1"X2" TOP BLUFF

FROM RT. SIDE PG 44

62.14 @ 1°40' = 57.75
61.62 @ 20°28' = 57.73
109.85 @ 28°24' = 96.63
109.20 @ 27°46' = 96.63
1.84 @ Level = 1.84
300.04 @ 30°13' = 259.27
300.73 @ 30°26' = 259.30
149.18 @ 6°47' = 148.14
149.02 @ 6°16' = 148.13
563.63 @ 70°
.05
563.58

COUNTY ENGINEER T4W R9W 19 30 1/4 Cor R.E. 5869

Note: Any Additions or Changes on This Sheet Must Be Made & Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 900 Los Angeles County Engineering Bldg.

763098 CE #247—7-55

F.B. 2637 Pg. 46

CONT. LEFT SIDE PG 47

290.40 @ 16°40' = 285.38
290.28 @ 10°33' = 285.37
88.25 @ 11°40' = 86.43
88.51 @ 12°30' = 86.41
300.35 @ 7°34' = 297.73
300.43 @ 7°41' = 297.73
38.26 @ Level = 38.26
T 86° 1126.46 1126.46

275.87 @ 6°00' = 274.36
275.72 @ 5°42' = 274.36
145.90 @ 8°25' = 144.32
145.85 @ 8°14' = 144.34

193.65 @ 15°25' = 193.65
193.65 @ 15°05' = 193.65
45.35 @ Level = 45.35
124.90 @ 1°17' = 124.87
124.94 @ 1°53' = 124.87
300.15 @ 3°45' = 299.51
300.20 @ 3°52' = 299.52
104.34 @ 15°55' = 100.34
103.38 @ 15°15' = 100.32
300.38 @ Level = 300.38
105.60 @ 17°39' = 100.63
105.21 @ 16°57' = 100.64
318.31 @ Level = 318.31
T 70° 1483.03 1482.89

1126.46 To Sec Cor

4+88.28 P.O.T. SET L.E.L.A. Co. ENG. TAG ON ROCK RIDGE

318.28

1/16 Cor Nothing Set

136.34

38+70.00 SET 1"X2" IN TOP RIDGE

36+60 N 15° W

RAVINE

1482.89

RIDGE 33+70 NORTH

RIDGE NORTH

29+00

To 1X2 Mon 14 Cor

FROM TOP PG. 45

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

763095 CE #247—7-58

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

CONT. BOT. PG. 48

6+99.46
SET N&T
SHED ROOF

CHICKEN HOUSE

18'

.01

90° 05' 50"
360° 02' 20"
1680.84
90° 05' 43" 1/2

552.74

90° 06' 45"

FROM TOP
To Cook's 2"I.P. 294.30

88.5

24'

13'

901.26

SET 1"X2" EN
BY INT
6+42.19

499.85

330' OFFSET LINE

240.06 @ 4°27' = 239.38
240.07 @ 4°27' = 239.35 +.01

261.25 @ 4°21' = 260.50
261.19 @ 4°07' = 260.52
499.85
T-84° = 0.00
499.85

1+99.61
SET 1"X2" EN
Edge OF BLUFF

218.97 @ 24°16' = 199.63
218.31 @ 23°54' = 199.33
199.63
T-90° = +1.97
199.61

199.61

FROM WEST SIDE PG. 45

901.33 @ 72° = 901.26

FD. 2"I.P. 12" "LPS
INWOOD" MARKED "P.L.S.
LICENSED SURVEYOR
PER R.S. 26-70

Notes Ck'd by W. J. BRENNER
Map No. E-2805
Office Work G. D. BAILEY
Checked Miller
Date Aug. 6 '60

Survey of TUMBLEWEED RD
IN COS. Scale 1/01 Std. 84 of
Surveyed by J. S. COATES
Notes J. S. C. Date 3-30-60
Indexed K. C. Johnson

F. B. 2637 PG. 47

CONT. BOT PG 49

F.B. 2637 PG. 48

BARBED WIRE FENCE

22+06

To 1"x2"

571.64

180.54 @ 6°44' = 179.29
180.47 @ 6°30' = 179.31
5.31 @ Level = 5.31
296.47 @ 9°25' = 292.47
296.21 @ 9°05' = 292.50
95.91 @ 9°20' = 94.64
95.66 @ 9°16' = 94.67
571.74 @ 38°
= 571.64

10' DIRT ROAD

20+60.80 SET 1"x2" & 5 edge Rd

300.10 @ 7°36' = 297.47
300.00 @ 7°23' = 297.51
213.71 @ 5°47' = 212.62
213.70 @ 5°48' = 212.61
106.55 @ level = 106.55
616.65
T=64° -.08
616.57

616.57

530' OFFSET LINE

14+47.83 SET 1"x2" & IV

12' DIRT RD. 13+15 ℄

264.15 @ 7°44' = 261.75
264.12 @ 7°42' = 261.74
266.50 @ 7°51' = 264.60
266.36 @ 7°37' = 264.59
219.72 @ 6°02' = 218.50
219.62 @ 5°51' = 218.48
T=76° 744.82
.05
744.77

744.77

TO NET

FROM LEFT SIDE PG. 47

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

264.00
264.81

744.23
.05
744.18

763098 CE #247—7-53

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 18-C-1

Notes Ck'd by W. J. BRENNER
Mdp No. 8-2805
Office Work G. D. BAILEY
Checked Miller
Date Aug. 63

Survey of TIMBERVIEW RD
JN 00725.80 Tape 1.01 Std. 8 4 of F
Surveyed by J.S.C. COATES
Notes J.S.C. Date 5-5-64
Indexed J. C. Johnson

F. B. 2637 PG. 49

FROM RT. SIDE PG 30

29+74.55 W.P. SET 1" I.P. FL. IN CONC. ENG. TAG 10-24-63 J.S.C.

26+32.44 SET 1"X2" E.N.

1.85

CONT. FROM RT. SIDE 51

330' OFFSET LINE

41.78

Tie 1"X2" 571.64

1179.75

TO INT. P-LINE

FROM TOP PG 48

R.P. SET 1" I.P. FL. CONC. PL. & C.E. TAG 10-24-63 J.S.C.

100.55

330.00

26+85.85 P.O.T. SET 1"X2" E.N.

26+44.55 CENTER SECT 19 T4N R9W SET C.E. MON FL. MARKED See Pg 73

COUNTY ENGINEER R.E. 5869 R9W T4N CTR SEC 19

88°53'00"
355°32'00"
88°53'00"
173°19'00"
88°53'00"

593.76

R=1100.00

R=1130.00

Set S&T 10" P.INE

06°02

75.00

R.P. SET 1" I.P. FL. CONC. PL. & C.E. TAG 10-24-63 J.S.C.

TO L & T TAG SNWR. STNR. PAVE

CONT TOP PG 50

299.80 @ 5°55 = 298.20
299.88 @ 6°02 = 298.28
144.63 @ 5°22 = 144.00
144.77 @ 5°54 = 144.00
64.57 @ Level = 64.57
299.46 @ 7°38 = 296.81
299.30 @ 7°26 = 296.79
280.65 @ 5°36 = 279.31
280.52 @ 5°19 = 279.31
96.91 @ Level = 96.91

1179.80 @ 78 = 1179.76

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by W. J. BRENNER	Survey of TUMBLEWEED RD
Map No.	JN 0075.80 Tape 101 Std. 84 °F
Office Work	Surveyed by J.S. COATES
Checked	Notes 195 Date 5/26/60
Date	Indexed C. Johnson

F. B. 2637 Pg. 51

① 139° 15' 00"
④ 196° 59' 30"
⑤ 139° 14' 52½"
⑥ 115° 29' 10"
139° 14' 51⅞"

SIDE PG. 26

238.01 Level = 238.01
280.89 @ 2°13" = 278.66
280.82 @ 7°05" = 278.68
62.09 @ Level = 62.09
578.77 @ 52° = 578.65

TW #18
SET 1" I.P. FLUSH
CONC. PI. L.A.C.
ENG. TAG BY LHT

139.0°

14' 50"

TO TW #19

330' OFFSET LINE

FROM ET.

48.48

578.65

117.975

TO TOP PG. 28

132 # 65.52
TW #17
SET 1" X 2" & NAIL

172.52 @ 4°33" = 171.98
172.62 @ 4°57" = 171.98
171.98
04
= 171.94
T 52°

P.I.

171.94

130+93.58
TW #16
SET 1" I.P. FLUSH
CONC. PI. & TAG
L.A. CO ENG

① 171° 21' 00"
④ 325° 24' 00"
171° 21' 00"
⑥ 308° 06' 00"
171 21' 00"

00"

21

171°

57876

TO TW #15

FROM TOP PG. 28

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 SAE #247 1-56

F. B. 2637 PG. 52



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by AJA	Survey of Devils Punch Bowl Park
Map No.	JN 007709 Tape 168 Std 8 F °F
Office Work	Surveyed by J.S. COATES
Checked	Notes JSC Date 10-6-61
Date	Indexed H. E. OTT OCT 1 6 '61

F. B. 2637 PG. 53

J.N. 0077.09

DEVILS PUNCHBOWL PARK

LOCATION OF CONCRETE BLOCK CABIN

For verification of Aerial topo. on survey
Div file Map H.C. 9-6

COATES
BEERS
HUBBARD
VAN HOF

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.82,B-2



F.B. 2637 PG. 54 CONT. TO BOT. PG. 55

W.S. 82B-2

Notes Ck'd by Aja
Map No.
Office Work
Checked
Date

Survey of Devils Punch Bowl Park F. B. 2637 PG. 55
JN 0077.09 Tape 168 Std 84 °F
Surveyed by JSCOATES
Notes JSC Date 10-6-61
Indexed R. E. OTT

CONT. BOT. PG. 56

To 144.82 2"I.P.

0+00
P.B. # 18
FD. 2" I.P. 6" UP
Wood Pl & Nail
per ROAD DEPT.

93140

931.39 @ 86° = 931.40

236.21

Set 1"X1"EN
By INT.

FD. 2"I.P. 10" UP
WOOD PLETAG
C.W. COOK
LICENSED SURVEYOR"
per RS 26-70

19.17

22.91

15.52

FD. 2"X2" & TAG
L.S. 2249
Flush

90° 11' 45"

90°

FD. 2"I.P. in
Rock Mound
Wood Pl. ETC
per R.S. 26-70

To 1"I.P.
Park Bound

④ 90° 11' 50"
④ 360° 47' 00"
90° 11' 45"
⑥ 181° 10' 30"
90° 11' 45"

FROM TOP PG. 54

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

76F309S CE # 310 3-61

F. B. 2637 PG. 56

W.S. 82 B-2

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



W.S.82,B-2

Notes Ck'd by Aja	Survey of Devils Punch Bowl
Map No.	JN 0077.09 Tape 168 Std 84 °F
Office Work	Surveyed by J.S. COATES
Checked	Notes J.S.C. 10-9-61
Date	Indexed

F. B. 2637 PG. 57

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

To Cor. Sec 18, 19
T 4 N R 9, 10 W
FD. C.S. MON.
per F.B. 2637-24

GENERAL LAND OFFICE
U.S. #250 FOR REMOVAL
Density 1/4
S24 S19
SURVEY
1912

P.O.T. 23+35.87
FD. 1"X2" E N
per F.B. 2637-30

1/4 Cor. Sec 19, 24
T 4 N R 9, 10 W
F.D. G.L.O. MON.
Brass-Cap Set
IN CONC. H.
Per F.B. 2637-30
MARKED

P.O.T. 26+41.69
FD. 1"X2" E N
F.B. 2637-30

To P.O.T. 12+07.08
FD. L.A.C.E. Eng. tag
Top Sand Stone Rock
per F.B. 2637-30

SEE PAGE 30

75.89

Set Sight on Line
Prod from East
Top spur 750' N ±

88° 57' 30" Calc.
88° 50' 00"
91° 02' 30" Calc.

①	88° 57' 40"
④	355° 50' 00"
	88° 57' 30"
⑥	173° 45' 00"
	88° 57' 30"

①	88° 50' 00"
④	355° 20' 00"
	89° 50' 00"
⑥	173° 00' 00"
	88° 50' 00"

①	0° 07' 20"
④	0° 30' 00"
	0° 07' 30"
⑥	0° 45' 10"
	0° 07' 31 1/3"

0° 07' 30"

To W.C. To Sect. 19, 30, 24, 25
T 4 N R 9, 10 W
FD. C.E. MON.
F.B. 2637-32

Set Sight on Line Prod from North near P.O.T. 36+95.24 1"X2" N
F.B. 2637-31

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

R.B. 2637 Pg 58

Notes Ck'd by J. AJA
Map No. B-2805
Office Work G.D. BAILEY
Checked Miller
Date Aug. 62

Survey of Devils Punch Bowl Park F. B. 2637 Pg. 59
JN 0077.09 Tape 168 Std 84 °F
Surveyed by J.S. COATES
Notes JSC Date 2-7-62
Indexed H. E. OTT. 62

J.N. 0077.09
DEVILS PUNCH BOWL PARK

BOUNDARY SURVEY
OF

PARCEL #1 - The S½ of the N.W.¼ of the S.E.¼ Section 19 T4N R9W

PARCEL #2 - The N.W.¼ of the N.W.¼ of the S.E.¼ Section 19 T4N R9W

PARCEL #3 - The N.W.¼ of the S.W.¼ of the S.E.¼ Section 19 T4N R9W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

INDEX TO PAGES

COATES
BEERS
HUBBARD
TALBOT



76F3098 CE # 310 3-61


F.B. 2637 PG. 60
P.O.T. 12+07.98 FD. L&C.E. Tag per FB. 2637-50
372.96 @ level = 372.96
288.34 @ 1°59' = 288.17
288.39 @ 2°08' = 288.19
661.14 @ 70° = 661.08
W.S. 82.8-2
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
115.19
553.80
To 1"x2" N
PG. 67
1/16 COR. Set C.E. Mon. in SAND STONE RIDGE @ MID-POINT bet. CTR. Sec. & E. 1/4 Cor. Sec. 19 T 4N R 9W MARKED
COUNTY ENGINEER 1/16 COR R.E. 5869
CENTER LINE OF SEC. 19 E & W
88° 34' 40"
49.50
FB. 2637 pg.
661.08 Meas.
CONT. TOP
88° 34' 40"
354° 18' 40"
88° 34' 40"
171° 28' 00"
88° 34' 40"
91° 16' 50"
365° 07' 40"
91° 16' 55"
187° 41' 40"
91° 16' 56 3/4"
Returned 7-23-62
91° 16' 20"
365° 05' 20"
91° 16' 20"
187° 38' 00"
91° 16' 20"
PG. 68
661.13 pm
661.08
91°
16'
20"
Set CNS "X" Rock Spur 1.7 Top
FD. 2" I.P. IR UP WOOD PL. & TAG MARKED "C.W. Cook LICENSED SURVEYOR" per RS 26-7 FB. 2637-50
9.72
31.87
32.34
200.05
397.54 To 1"x2"
E. LINE PARCEL # 2
203.16 @ 10°01" = 200.06
203.10 @ 9°57" = 200.05
CONT. TOP
1/64 COR. Set 2" I.P. 4" UP @ MID-POINT bet. CTR. SEC. & 1/16 Cor. CONC. PL. & C.E. TAG
97.33
661.14 per FB. 2637-49.50 661.08 Meas.
To Ctr. Sec.
FD. Nail per FB. 2637-50
372.86 @ Level = 373.28
110.16 @ 2°26" = 110.07
110.18 @ 2°39" = 110.06
179.37 @ 7°28" = 177.85
179.19 @ 7°00" = 177.86
661.19 @ 58° = 661.08
CONT. RT. SIDE PG. 61

W.S. 82.8-2

Notes Ck'd by	J. AJA	Survey of	Devils Punch Bowl Park
Map No.	B-2865	JN 0077.02 Tape 168 Std 84 °F	F. B. 2637 PG. 61
Office Work	G.O. BAILEY	Surveyed by	J.S COATES
Checked	Miller	Notes	JSC Date 2-1962
Date	Aug 62	Indexed	H. E. OTT

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this time.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

COUNTY ENGINEER
T4N
CTR
R9W
SEC 19
R. E. 5869

CTR. SEC. 19
T 4 N R 9 W
FD. C.E. MON. F
Per F.B. 2637-49
MARKED
see Page 73 FOR TIES

Center line E. & W. OF SECT. 19

41.30

20.00

Set 1"X2" & N

661.14
See FB 2637/49.50
661.08 Meas

To 1/64 COR.

FD. 1"X2" & N
FB. 2637-49

88° 52' 15"

91° 07' 45"
calc 05"

55'

PARCEL BOUNDARY

20.0 FEET

FROM BOT. PG. 60

PARCEL # 2

①	88° 52' 10"	648.65
④	365° 59' 50"	648.26
	88° 52' 12½"	
⑥	173° 18' 30"	648.77 @ S 56° E = 648.65
	88 52' 15" ✓	648.38 @ S 56° E = 648.26

Rechained 7-23-62

300.49	@ 6° 57'	= 298.28
300.74	@ 7° 15'	= 298.29
210.18	@ 8° 44'	= 207.75
210.35	@ 8° 02'	= 207.74
142.92	@ 6° 18"	= 142.06
143.02	@ 6° 37'	= 142.07

0.47 @ Lev = 0.47

T 92° 648.55 +.03 648.58

648.26

20.0 FEET

648.65 58

CONT. LEFT SIDE PG. 68

1/64 COR
Set C.E. Mon F.
MARKED

20.00

R

50'

①	90° 59' 50"	
④	365° 59' 10"	
	90° 59' 47½"	
⑥	185° 58' 40"	
	90° 59' 46⅓"	

PARCEL # 1

COUNTY ENGINEER
1/64 COR
R. E. 5869

648.26

90°

55'

1/16 QR

CONT. TOP PG. 62

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 82,B-2



F.B. 2637 Pg. 62

W.S. 82.8-2

Notes Ck'd by J. AJA
Map No. B-2805
Office Work G.D. BAILEY
Checked Miller
Date Aug 62

Survey of DEVILS PUNCH BOWL PARK
JN 007109 Tape 68 Std 84 °F
Surveyed by JS COATES
Notes JSC Date 3-9-62
Indexed H. E. OTT

F. B. 2637 PG. 63

CONT. BOT. PG. 64

P.O.T.
FD. 1"X2" & N
Top r. edge
original Chaining
Point

16.57

To 1"X2"

549.23

SET 2" I.P. 4' UP
CON C. PI & C.E. tag

20° 48' 35" R

(A) 90° 48' 50"
(B) 363° 14' 30"
(C) 90° 48' 37½"
(D) 184° 51' 50"
(E) 90° 48' 38½" ✓

CONT. BOT. PG. 69

S. Line Section 19

654.20 calc per FB 2637 // 46, 45

178.41 @ 4°40' = 172.83
291.64 @ 19°58' = 264.71
178.64 @ 12°38' = 169.44
50.24 @ 35°59' = 40.65
0.59 @ Lev. = 0.59
648.22 @ 90° 648.28

Rechained 7-23-62 JSC

FD. L&T

20' 26

CALC. MAP

648.28

648.04

89° per office map

90°

20.00

648.28

7.365

6.5

FD L & C.E. Tag in Rock ledge

TO OPP. 1/16 Cor

TO 1/16 Cor & line Lot 3

FROM BOT. PG. 62

1/4 COR. SEC. 19, T3S, R9W, M.D.M.
FD. ROCK LEDGE
IN PILE OF ROCKS
MARKED "1/4 COR. 19 1962 R.E. 26374"

COUNTY ENGINEER
T 3 S
19
30
R 9 W
1/4 COR
R.E. 26374

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 82, B-2



W.S. 82, B-2

Notes Ck'd by J.A.A	Survey of Devils Punch Bowl Park
Map No. B-2805	JN 207.7.09 Tape 169 Std 97°F
Office Work G.D. BAILEY	Surveyed by J.S. COATES
Checked Miller	Notes J.S.C. Date 3-9-62
Date Aug 62	Indexed H. E. OTT

F. B. 2637 PG. 65

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

CONT. TOP PG. 66

To 1/4 Cor. Sec. 19, 20

E LINE SECT. 19

32+45.78
FD. CHIS "X" ON SANDSTONE OUTCROPPING overhanging ravine
F.B. 2637-39

Per F.B. 2637-39
290.99

35+36.77
FD. CHIS "X" edge of SAND STONE Ridge
F.B. 2637-39

05' 55" 76
23' 20" PG.
91° SEE

336.24

5' OFFSET LINE

Set 1" x 2" Nail

5.00

To center
S.E. Quarter
Sec. 19

COUNTY ENGINEER
1/16 COR.
R. E. 5869

1/16 COR.
Set C.E. MON.
ON NORTH SLOPE OF SAND STONE RIDGE
MARKED
See pg 74.

To C.E. MON
S.E. COR.
SEC. 19

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 82, B-2



76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 82, B-2

Notes Ck'd by J. ALA
Map No. B-2805
Office Work G.L. BAYLEY
Checked MILLER
Date AUG 62

Survey of Devil's Punch Bowl Park B 2637 Pg. 67
JN 0077.09 Tape 68 Std 84 °F
Surveyed by J.S. COATES
Notes M. E. OTT
Indexed Date 3-20-62

CONT. RT. SIDE PG 68

206.34 @ 6°19' = 205.09
206.18 @ 5°44' = 205.10 @ 56° = 205.05
176.54 @ 6°32' = 175.39
176.42 @ 6°09' = 175.40 @ 56° = 175.36
152.25 @ 15°50' = 152.25
45.21 @ level = 45.21
197.46 @ 50° = 197.42
97.35 @ 48° = 97.33
151.12 @ 1°41' = 151.08
151.18 @ 2°22' = 151.05
198.24 @ Level = 198.24
205.10 @ 3°53' = 204.63
205.06 @ 3°42' = 204.63
553.92 @ 52° = 553.80

365.74

P.O.T Set 1"x2" & N Top ridge

Returned 7-23-62
88° 42' 29"
354° 49' 20"
88° 42' 20"
172° 13' 50"
88° 42' 15 1/3"

88° 42' 20"
354° 48' 10"
88° 42' 02 1/2"
172° 12' 00"
88° 42' 00"

192.12 @ 56° = 192.08

1/4 Cor. Set 2" I.P. 2" up Conc. P.I. C.E. Tag
Conc. Mid-Bdry. 1/4 & 1/16 Cor.
C.H. S.E. 1/4 & 1/16 Cor.

192.08

FROM TOP

553.80 To 1/16 Cor.

11.77

97.33

To 1"x2" 205.05

175.36

197.42

P.O.T Set 1"x2" & N Top of ridge

P.O.T Set 1"x2" & N Top of ridge

FD. 2" I.P. C.E. Tag Wood Hub Tag C.W. Cook L.S. 4460 1962 Survey per R.S. 24-72

37.27 @ 50° = 37.26

Set L & C.E. TAG Top nick Line prod.

P.O.T Set 1"x2" & N

200'±

FROM TOP

LG RT SIDE PG 66

RT. SIDE PG 60

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 82, B-2



W.S. 82, B-2

Notes Ck'd by J. AJA		Survey of Devils Punch Bowl Park	F. B. 2637 PG. 69
Map No. B-2805		JN 0077.09 Tape 185 Std 84 °F	
Office Work G.D. BAILEY		Surveyed by J.S. COATES	
Checked Miller		Notes J.S.C. Date 3-22-62	
Date Aug. 62		Indexed P. E. OTT	

FROM BOT RT. SIDE PG. 66

125.68 @ 16°44' = 120.36 ✓
125.45 @ 16°24' = 120.35 ✓
T- 42° -.03'
120.32 ✓

To 1/4 Cor N.E. Cor. Parcel #3

507.19 @ 56° = 507.10 ✓
16.96 @ 56° = 16.96 ✓

230.78 @ 11°38' = 226.04 ✓
230.55 @ 11°21' = 226.04 ✓
T: 42° -.06
225.98 ✓

507.10
16.96
120.32

1/4 COR PARCEL #3
S.E. COR. PARCEL #3
SET 2" I.P. 10" UP
Pt. & T.A.C. IN MID. POINT BET.
SE & NE COR. TO N & S.
To 1/4 Cor

P.O.T. Set 1"x2" ⊄ N edge of bank

P.O.T. Set 1"x2" ⊄ N Top of Bank

Set 1"x2" ⊄ N

5.26

RT. SIDE PG. 62

127.23 @ 16°14' = 122.14 ✓
127.00 @ 16°56' = 122.12 ✓

RT. SIDE BOT PG. 64

See LEFT SIDE BOT PG. 64

63.65 @ 22°33' = 58.78 ✓
63.23 @ 21°39' = 58.77 ✓

283.37 @ 3°28' = 282.85 ✓
283.30 @ 3°15' = 282.84 ✓

89.62 @ 17°15' = 85.59 ✓
89.99 @ 18°00' = 85.59 ✓
549.33 ✓
T: 56° -.10
549.23 ✓

To C.E. Mon.
20.12
571.47
84.44
225.98
CONT. BOT.
68°
04'

P.O.T. Set 1"x2" ⊄ N Top of spur

100.55 @ 32°52' = 84.46 ✓
T 44° -.02
84.44 ✓

1 89°04'40"
2 356°19'00"
3 89°04'45"
6 174°28'20"
89°04'43½"

P.I. 12" UP WOOD PLG. TAG MARKED "C.W. Cook LICENSED SURVEYOR" WITNESS CORNER PER RS 26-7

Returned 7-8-62
1 89°04'40"
2 356°18'20"
3 89°04'35"
6 174°27'30"
89°04'35"

549.23

To 1/4 Cor on S. Line Sec. 19

FROM TOP LEFT SIDE PG. 63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2637 Pg. 70

Notes Ck'd by J.A.A.
Map No. B-2805
Office Work G.D. BAILEY
Checked Miller
Date Aug. 62

Survey of Devils Punch Bowl Park
JN 0077.09 Tape 125 Std 3 4 °F
Surveyed by J.S. COATES
Notes JSC Date 5/22/62
Indexed C. J. GALLI JUL 31 '62

F. B. 2637 PG. 71

J.N. 0077.09

DEVILS PUNCH BOWL PARK

ANGULAR CHECK ON 1/4 SECTION LINES AT 1/4 CORNERS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.



76F3095 CE # 310 3-61

F. B. 2637 Pg. 72



WS 82 B-2

SECTION 19

1/64 COR
FD. 2" I.P. & "LP TAG
CONC. PL. & C.E. TAG

COUNTY ENGINEER
T 4 N
19 * 30
R 9 W
1/4 COR
R.E. 5960

1/4 COR. 19, 30
T 4 N, R 9 W
ED. C.E. TAG
IN RCCR 1" 0.9'
F.B. 2637 - 45, 63
MARKED

S. LINE

CENTER-LINE SECTION N. & S.

CONT. BOT PG 73

25' adj
30"

20

80.00

89° 20' 40"
357° 22' 00"
89° 20' 30"
176° 03' 00"
89° 20' 30"

30' OFFSET LINE

P.O.T
FD. 1"X2" E N
TOP bank

FD. 1" I.P. Flush
CONC. P.L. &
C.E. TAG
F.B. 2637 - 45

P.O.T
FD. 1X2" E N
TOP OF bank

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

B-2

Notes Ck'd by J. A. J. A
Map No. B-2805
Office Work G. O. BAILEY
Checked Miller
Date Aug. 62

Survey of Devils Punch Bowl
JN 0077.09 Tape 185 Std 84 °F
Surveyed by J. S. COATES
Notes JSC Date 5/21/62
Indexed C. J. GALLI

PARK
F. B. 2637 PG. 73

WS 82

To C.S. Mon @ Cor. Sect. 18, 19

330.00

N. LINE SEC. 19

1/4 COR. SEC. 18, 19 T 4 N R 9 W
SEE PG. 26

WITNESS CORNER 1/4 COR. SEC. 18, 19 T 4 N R 9 W FD. C.S. MON. PER F.B. 2637-26 MARKED

COUNTY SURVEYOR'S MONUMENT T 4 N R 9 W S 18 S 19 RE 1/4 COR

54.55 adj

(1) 89° 55' 00"
(4) 359° 39' 30"
(6) 179° 29' 10"
89° 54' 51 1/3"

℄ Turnbleweed Road

℄ Section 19

330' OFFSET LINE

COUNTY ENGINEER T 4 N R 9 W CTR. SEC 19 R. E. 5869

CENTER SECT 19 T 4 N R 9 W FD. C.E. MON. PER F.B. 2637-1 PG. 49, 61 MARKED

(1) 88° 52' 50"
(4) 355° 31' 20"
(6) 173° 17' 00"
88° 52' 50"

(R.P. Set 1" I.P. F.I. Conc. Plug & C.E. Tag)

55.04 adj

50.00

100.00

330.00

175.00

CONT. RT. SIDE PG. 75

℄ SECT 19

FD. 1" I.P. F.I. CONC. PL. & C.E. TAG PER F.B. 2637-49

43.02

S 06° 02' E

Set 5/8" I.P. 10" PINE

R.P. Set 1" I.P. F.I. CONC. PL. & C.E. TAG

CONT. LEFT SIDE PG. 74

FROM LEFT SIDE PG. 72

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3085 CE # 310 8-61

F. B. 2637 Pg. 74

WS 92

B-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

N

E Line Sec 19

COUNTY ENGINEER
T4N
R9W
19 | 20
1/4 Cor
R. E. 5863

1/4 COR. 19.20
T4N R9W
FD. C.E. MON.
Per F.B. 2637-38

91° 43' 25"

STREAM

LINE PROD
800'±

A

109'±

TO L & C.E. TAG
Per F.B. 2637-50

FD. L & C.E. TAG
TOP SANDSTONE
ROCK RIDGE
Per F.B. 2637-38

FROM R.T. SIDE PG. 73

MAIN WATER

91° 43' 25"
MEASURED

① 91° 43' 30"
④ 366° 53' 40"
⑤ 91° 43' 25"
⑥ 190° 20' 40"
91° 43' 26 2/3"

35+36.77
FD. CAIS "X" edge
OF SAND STONE RIDGE
F.B. 2637-39

B-2

WS 82

Notes Ck'd by J. AJA
Map No. B-2805
Office Work G.D. BAILEY
Checked Miller
Date Aug. 62

Survey of Devils Punch Bowl Park F. B. 2637 Pg. 75
JN 0077.08 Tape 185 Std 84 °F
Surveyed by JS COATES
Notes JSC Date 5/22/62
Indexed C. J. GALLI

Note: Any Additions or Changes on This Sheet Must be Made and Name of Person Making Change in Red Ink With Date. Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

GENERAL LAND OFFICE SURVEY
1/4
S24 | S19
S. h. 1912

W 1/4 COR. 19
4N R 9W
FD G.L.O. MON
PER F.B. 263 - 30
-57
MARKED

W. LINE SEC 19

23+35.87
P.O.T.
FD. 1"X2" ⊕ N
F.B. 2637 - 30

P.O.T.
Set 1" I.P.F.A.
CONC. PI. & C.E. TAG
P. rep. Document 1 of 1"X1" ⊕
F.B. 2637 - 30

500'±

FROM LEFT SIDE PG. 73

℄ OF SECT. PROD

89°
88° 57' 30" PROD
50' 10"

SECTION LINE FROM NORTH

②	88° 57' 20"
④	355° 49' 50"
	88° 57' 27½"
⑥	173° 44' 50"
	88° 57' 28⅓" ✓

②	88° 50' 10"
④	355° 20' 40"
	88° 50' 10"
⑥	173° 01' 00"
	88° 50' 10" ✓

P.O.T. -44+61.97
FD. 1"X2" ⊕ N
TOP RIDGE
F.B. 2637 - 32

CONT. TOP PG. 77

70F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 82 B-2

F. B. 2637 Pg. 76



76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 82 B-2

Witness Corner
To Sect. 24, 19, 25, 30
T4N R9 10 W
FD. C.E. MON. FI.
Per F.B. 2637-32
MARKED

FD. 1" x 2" G.N.
39+53.38
F.B. 2637-31

W. LINE SECT. 19

CONT. BOT. PG. 75

COUNTY ENGINEER R.F. 5869 R10W T4N 24 19 25 30 R9W

179° 59' 15"

69° 29' 15"

135° 39' 45"

S. LINE SEC. 19

133°

45° 15"

Cor. Sect. 19, 30, N.E. 4, 25
FD. C.E. MON. FLUSH
Per F.B. 2637-33
MARKED

FD NAIL
IN 4" OAK
12+92.46
F.B. 2637-42

135° 33' 40"
135° 39' 45"
135° 58' 20"
135° 39' 43 1/2"

133° 45' 10"
133° 45' 00"
132° 31' 50"
133° 30' 15"

Notes Ck'd by J.A.A
Map No. B-2806
Office Work G.O. BAKER
Checked Auto
Date Aug. 62

Survey of Doyle Punch Bowl Park
JN 0777.09 Tape/85 Std. 34 °F
Surveyed by J.S.C. COATES
Notes J.S.C. Date 5/25/62
Indexed G.J. CALLI

F.B. 2637 PG. 77

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 2637 Pg. 78

F. B. 2637 Pg. 79

Profile No. | Notes Red. | Plotted | Job No. 0077.09 | Division No.
Date | Date | Survey of Devils Punchbowl Park
X-Sec. No. | Notes Chkd. | Checked | Survey by J. Terranova | Notes J.T. | Date 4-15-64
Date | Date | Map No. | Indexed C. J. GALLI | Date APR 21 '64

DEVILS PUNCH BOWL PARK

J.N. 0077.09
APRIL 1964

Bench Levels For Topog. Control
from P.B. #17 to park & return

Ref.: Road Dept. F.B. 435-58
F.B. 2637-54
Spec. Aerial Photography J.N. 0939.65
Apr. 1961

STATION	B. S.	H. I.	F. S.	ELEV.
				PARTY
			J. TERRANOVA	
			J. MOORE	
		V. HUCKABY		

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

761298 S & E #307 9-54

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2637 Pg. 80 | Job No. 0071.09 | Division No. | Notes Red. | Plotted | No. | Profile
Survey of Devils Punch Bowl Park | Date | Date | X-Sec.
Survey by J. Terranova Notes J.T. | Notes Chkd. | Checked | No.
Indexed E. J. GALLI | Date | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.	
P.B. #17	4 51	4825 41		4820 9	P.B. #17 - Elev. = 4820.9 - Fd. 2" I.P. 4" up Wood pl. & Mk. F.B. 2637-54, R.O.F.B. 435-58
	1 15	4814 54	12 02	4813 39	
	0 24	4803 11	11 67	4802 87	
C.E. Mon.	0 18	4797 81	5 48	4797 63	C.E. Mon. - Elev. = 4797.6 - Fd. C.E. Mon. 1/16 Sec. Cor. - up 3" per F.B. 2637-62
	0 15	4785 83	12 13	4785 68	
	0 81	4774 37	12 27	4773 56	
	0 20	4763 92	10 65	4763 72	
	1 95	4756 21	9 66	4754 26	
T.B.M.	12 17	4762 23	6 15	4750 06	T.B.M. - Elev. = 4750.1 - Chis. X on top of Sly. Flagpole support.
	12 12	4774 17	0 18	4762 05	
	11 92	4785 49	0 60	4773 57	
	11 96	4796 75	0 70	4784 79	
	11 78	4808 17	0 36	4796 34	
	11 12	4818 01	1 28	4806 89	
	8 47	4825 53	0 95	4817 06	
P.B. #17			4 57	4820 96	P.B. #17 - Elev. 4820.9 - See Disc. above.

Notes Ck'd by	Survey of Devils Punchbowl Park
Map No.	JN 0077.09 Tape 191 Std 84 °F
Office Work	Surveyed by J. Terranova
Checked	Notes J.T. Date 4-15-64
Date	Indexed C. J. GALLI

F. B. 2637 PG. 81

DEVILS PUNCHBOWL PARK

J.N. 0077.09
APRIL 1964

Tie Between Park Boundary & B.P. Control Pts. For Aerial Photography - J.N. 0939.65
Devils Punchbowl Rd. - Apr. 1961

REF: F.B. 2637
Road Dept F.B. 435

PARTY
J. Terranova
J. Moore
V. Huckaby

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 2637 PG 82



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Devils Punch Bowl Park F. BK 2637 PG. 83
Map No.	JN 007709 Tape 197 Std 84 °F
Office Work	Surveyed by JS COATES
Checked	Notes JSC Date 12-3-64
Date	Indexed C. J. GALL DEC 7 64

J.N. 007709

DEVILS PUNCH BOWL PARK

LOCATION
OF
FENCE
ON
W'LY BOUNDARY OF PARK

COATES
VAN NESS
RITTER
BRASILE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

"PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE #310 663

F. B. 2637 Pg. 84



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by:
Map No.
Office Work
Checked
Date

Survey of Devils Punchbowl Park F.B. 2637 PG. 85
JN 0077.29 Tape 197 Std 84 °F
Surveyed by J.S. COATES
Notes J.S.C. Date 2-3-64
Indexed

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

7F3095 CE # 310 R.61



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2637 PG 86

Notes Ck'd by	Survey of Devils Punch Bowl PARK F. B. 2637 PG. 87
Map No.	JN 0077.09 Tape 197 Std 84 °F
Office Work	Surveyed by J S COATES
Checked	Notes JSC Date 1-15-65
Date	Indexed C. J. GALLI JAN 18 '65

J.N. 0077.09

DEVILS PUNCH BOWL PARK

LOCATION OF NEW EXISTING FENCE CONSTRUCTED BY PARKS & RECREATION DEPT.

COATES
VAN NESS
RITTER
BRASILE

Letter 3790-B
1-13-65

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3085 CE #310 6-53

F. B. 2637 Pg. 88



3" O.D. STEEL Pipe 4' high end of fence 7+50.4 Set in Conc

7+48.26
1/16 Cor.
FD. C.E. Mon.
per FB 2637-62
MARKED

7+44.8

2" O.D Steel Pipe - Brace Set in Conc

7+00

.05

6+72.0
2" I.P. O.D.
4' high
Set in Conc

COUNTY ENGINEER
1/16 Cor
R. E. 5869

6+00

.07

.08

5+00

4+82.0
2" I.P. O.D. 4' high Set in Conc

42" - 3 Strand - 1/8" diameter wire fence with 1 1/2" "T" iron posts, except where noted and set approximately 12' apart

ON EAST SIDE OF WIRE

.21

4+00

.03

3+00

2" I.P. O.D. 4' high set in Conc
2+91.0

2+00

West park boundary adjacent to E 1/2 OF NE 1/4 OF SE 1/4 OF S.W 1/4 OF SECT. 19 T4N R9W

.05

.12

1+00

1+00
1/64 Cor
FD. C.E. Mon.
per FB 2637-62
MARKED

0+96.5
2" I.P. O.D.
4' high
set in Conc

COUNTY ENGINEER
1/64 Cor
R. E. 5869

.12

166.6

.54

end post
2" I.P. O.D.
4' high

0

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RIECK, NOFR	Survey of SEC 24 T4N R10W
Map No. B-5361	JN 0302.01 Tape 195 Std 84 °F
Office Work S. MASUDA	Surveyed by W J VOGE
Checked	Notes VOGE Date 9/27/76
Date	Indexed

F. B. 2637 Pg. 89

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

SEC 24 T 4 N R10W.

J.N. 0302.01

REF. USED: FB 2637
C.S 9178
C.S.B 2805
C.S 9441

PARTY: W. VOGE
R. BITTEL
D. EGSTROM
L. JERNIGAN

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by RIECK HOFF	Survey of SEC 24 TAN R10W	F. B. 2637 PG. 91
Map No. B-536	JN 0302.01 Tape 195 Std 84 °F	
Office Work G. MASUDA	Surveyed by W J VOGE	
Checked	Notes VOGE Date 9/25/76	
Date	Indexed	

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



To Top Pg 92

76F309s CE#310 3-69

F. B. 2637 Pg. 92

to Bot Pg 91

T = 84°
24.10 @ ℄ = 24.10

2676.17 V per FB 2637-18 & 23
SEC LINE

Set N&T in 8" oak

Set N&T in 4" Locust

9.30

9.58

Fd NE in PP 759448E

37.78

℄ COR
Found G.L.O. brass cap in cone, flush per FB 2637-18, marked as shown.

LAND OFFICE SURVEY FOR REMOVAL OF GENERAL PENALTY ASSESSMENT
1912
T 1N
R 12W

24.10

Set 2"x2" 5' Nail

095°48'00"
191°36'00"
95°48'00" ✓

95° 48'00" ✓

00°20'51" V
45 MOP.

1847.39
℄ LINE

1849.96 Calc
SEC LINE

00° 29' 50"
01° 23' 20"
00° 20' 56"
02° 05' 05"
00° 20' 51" V

Prod 1x2 Set 5' Nail

to Top Pg. 93

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RIECK HOFF
Map No. B-5361
Office Work G. MASUDA
Checked
Date

Survey of SEC 24 T4N R10W
JN 0302.01 Tape 195 Std 84 °F
Surveyed by WJ YOGE
Notes YOGE Date 9/24/76
Indexed

F. B. 2637 Pg. 93

TO Bot Pg. 92

1847.39 1.71 1849.98 Calc

Set 1" IP, Conc. Plug & nail with CE Tag, up 1', East Side of Spur.

Set 1x2 & Nail

90°

SEC LINE

172.77

H.P.
1856.16 @ 95°34'20" → 264°25'40"
M = 95°34'20" → 1847.39

4.P
172.77 @ ELEV. = 172.77

H.P.
578.70 @ 94°01'20" → 265°58'40"
M = 94°01'20" → 577.27

SEC. 13.
T. 4. N.
R. 10. W.

SEC. 24

172.78 Calc

SEC LINE

0.37

Set 1x2 & Nail

Set 1" IP, Conc. Plug & nail with CE Tag up 1" West Side of Spur.

90°

576.37 Calc

577.27

to Right Pg. 94

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

F. B. 2637 Pg. 94



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RIECKHOFF
Map No. B-5361
Office Work G. HASUDA
Checked
Date

Survey of SEC 24 T4N R10W
JN 0302.0 Tape 195 Std 84 °F
Surveyed by W J Voge
Notes Voge Date 8/24/76
Indexed

F. B. 2637 Pg. 95

5182.56
1782.45
3400.11

to Bot. pg. 94

Set 1x2 & nail

35.11

3422.11 Calc

1/4 Cor Found G.L.O. brass cap on a 3/4" I.P. up 12" per C.S. 9178-10 marked as shown. Set metal sleeve around mon. & filled + with conc. Mon. is on line N & S.

Δ 31°21'40"
Δ 125°26'40"
31°21'40" ✓

31°21'40"

44.69

Set NAIL in 6" Manzanita

5.46

N 43°21'40" E

563.05 Calc.

1782.45 Calc

T = 80°
35.11 @ LEV. = 35.11

H.P.

1846.50 @ 78°57'40"
28°02'20"
M = 78°57'40" ✓
1812.34 ✓

1251.53 @ 76°59'30"
283°00'50"
M = 76°59'20" ✓
1219.40 ✓

1782.45
- 1219.40
563.05 ✓

Found 5"x5" Juniper stake up 18", marked C.C. on the east face & 19 HES 92 on the north face, per C.S. 9441-11 Replaced with a 2" I.P. conc plug & nail with C.E. tag up 12" Witness post to pipe.

1219.40

SEC. LINE

Set 1" I.P. conc plug & nail with C.E. tag up 1" top of spur.

6402.55
- 5182.56
1219.99
- 360.94
359.05 ✓

45.41
163.54
+ 151.99
360.94 ✓

359.05 Calc

to top pg. 96

OFFICE SURVEY
GENERAL LAND OFFICE
SURVEY NO. 20 FOR REMOVAL
S23 S24
1912

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

F. B. 2637 PG. 96 — To Bot Pg. 95



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RIECKHOFF	Survey of SEC 24 T4N R10W
Map No. B-5361	JN0302.01 Tape 195 Std 84 °F
Office Work G. MASUDA	Surveyed by W.J. Voge
Checked	Notes Voge Date 9/27/76
Date	Indexed

F. B 2637 PG. 97

To Bot Pg. 98

1281.67
−8.17
1273.50

RAVINE

1281.67' calc

600'±

1273.50' calc

Set 5m bf. spk & T in 8" oak

0.65

26.11

Set Nail

98°

24.05

8.17

1689.73
+8.17
1697.90 V

Set 5m. bf. spk & T in 12" oak.

Set 1x2 & Nail on stage side hill.

Made diligent search for stone. Nothing found.

T4 Cor.

Set Co. Engr. mon (flush) by proportion, marked as shown.

4756.51 (Pg. 99)
−3066.78
1689.73 V

330'

1689.73' calc

1697.90' calc

0.23

1000'±

ENGINEER COUNTY OF LOS ANGELES T.4.N. 24 25 COR. R.E. T103

Set L & T with C.E. tag in rock outcropping.

SPUR

98°

Set 1x2 & Nail

Set 1" I.P., conc plug & Nail with C.E. tag, up 1", top of spur, which bears N.W.

T = 84°

26.11 @ LEV = 26.11

24.05 @ LEV = 24.05

33.57 @ 80°18' = 33.09 } 33.09

33.72 @ 281°03' = 33.09 }

8.17 @ LEV = 8.17

945.03 calc

T LINE

SEC LINE

945.03 calc

To Right Pg. 96

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2637 Pg. 98



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RIECK & HOFF	Survey of SEC 24 T4N R10W	F. B. 2637	PG. 99
Map No.	JN 9302.01 Tape 195 Std 84 °F		
Office Work	Surveyed by WJ VOGE		
Checked	Notes VOGE Date 9/2/76		
Date	Indexed		



℄ @ ℄ Line Prod.

TO 1" X 1" @ Ctr Pg 98

1118.56 @ 98° 50' 40" / 261° 49' 20" } 1105.26 ✓
M = 98° 50' 40" ✓

TO 1" X 2" @ bot Pg. 98

1789.74 @ 94° 07' 10" / 265° 52' 40" } 1785.11 ✓
M = 94° 07' 15" ✓

TO 1X2 @ 8.17 West of ℄ cor (Pg 97)

3067.32 @ 91° 04' 40" / 268° 56' 00" } 3066.78 ✓
M = 91° 04' 20" ✓

TO 1X2 @ bot Pg. 97

4781.24 @ 84° 10' 20" / 275° 50' 00" } 4756.51 ✓
M = 84° 10' 10" ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F309 CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F.B. 2637 Pg. 100

Notes Ck'd by RIECKHOFF	Survey of SEC. 35, 2, 11, E 14, T 4N
Map No. B-5361	JN 0302.01 Tape 18 Std 84 °F
Office Work G. MASUDA	Surveyed by W.J. VOGE
Checked	Notes VOGE Date 12/9/76
Date	Indexed

F. B. 2637 PG. 101

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

SURVEY OF EASTERLY PORTIONS OF SEC. 2, 11, & 14, T.4.N. R.10.W. & SEC 35 T.5 N. R.10 W

J.N 0302.01

REFERENCES USED:
C.S. 8539-1
C.S. 9178-2
F.B. 78
F.B. 1202
F.B. 2637
F.B. 2280
F.B. 3212
F.B. 1676
CSB 2090
CS 8770

PARTY:
VOGE
BITTEL
EGSTROM

76F309S CE#310 3-69


F. B. 263T PG. 102
INDEX
PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
T. 5 S.
T. 4 S.
R. 12 W.
SEC 35
SEC 2
SEC 11
SEC 14
Z-16
Z-32

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TO 80T, PG. 125

H. P.

467.88 @ 100- 16-00 = 460.39 ✓
3645.37 @ 90- 10-50 = 3645.35 ✓
490.44 @ 91- 40-00 = 490.23 ✓

460.39 + 572.86 = 1033.25 ✓

3645.35 − 1033.25 = 2612.10 ✓

1) 90-09-15
4) 00-36-55
90-09-13 3/4
6) 180-55-40
90-09-16 2/3 ✓

1) 00-25-55
4) 01-43-50
00-25-57 1/2 ✓
6) 02-35-50
00-25-58 1/3 ✓

SEC. LINE
490.23 ✓
90-09-17 ✓
SEC. LINE
00° 25' 58" ✓
460.39 ✓
3645.35 ✓
SEC. LINE
2612.10 ✓
TO LEFT PG 104

SEC. COR.
FD C.S. MON. IN H.H., PER C.S., 3539-2, MARKED
SEE F.B. 3212-130 FOR TIES

PROD
SET 1x2 & NAIL

1/4 COR
FD. C.S. MON., UP 2" PER C.S., 8539-1 MARKED

COUNTY SURVEYOR'S 1 HES 9
15 | 14
22 | 23
T.H.N. MONUMENT

COUNTY SURVEYOR'S 2 HES 9
RE 0 | 31 H
23 | 62
1/4 COR
T.H.N. MONUMENT

Notes Ck'd by R. LECKHOFF
Map No. B-5361
Office Work G. MASUDA
Checked
Date

Survey of SEC. 14 T1N, R10W
JN 0302.01 Tape 125 Std. 84 °F
Surveyed by BITTEL
Notes BITTEL Date 9/76
Indexed

F. B. 2637 PG. 103

F. B. 2637 PG. 104

TO BOT. PG. 106

9112.26

P.O.L.
SET 1" I.P., 1" UP

628.46

1) 90-25-46
4) 01-43-05
90-25-46 ½
6) 182-34-25
90-25-44 ½

1/16 COR. & COR #2 OF H.E.S. 92.

1951.22

1) 89-45-59
4) 359-03-40
89-45-55
6) 178-35-50
89-45-58

Found a granite stone 30"x14"x8" marked 1/16 S, E'2 HES 92 per CS 9441-5. Replaced with a 60 penny nail flush, marked as shown. (On line N.E.S.)

COUNTY ENGINEER T. 4. N. 14 + 13 R 1/16 COR. RE 22726

1317.72 CALC.

90-14-00 CALC.

90-25-44

89-45-58

36" AZ

PROD. SET IN ½ NAIL

SEC. LINE

2612.10

3645.35

572.86

SEC. LINE

576.37

PLR 2637-94

P.O.L.
FD. 1" I.P., CONC. PL. + CL. TAG, UP 1"
PLR I.B. 2637-94

SEC. COR.
FD. G.L.O. BRASS CAP ON 2" I.P. UP 18", PER C.S. 9178-3.
MARKED

GENERAL LAND OFFICE SURVEY FOR REMOVAL OF PENALTY
T4N R10W S14 S13 S24 S23
1914

SEE PG. 94 FOR TIES

T = 76
71.13 @ LEV = 71.13

H.P.

573.88 @ 93-24-35 = 572.86 ✓
1956.32 @ 85-51-50 = 1951.22 ✓
694.08 @ 95-10-15 = 691.26 ✓
558.62 @ 86-06-30 = 557.33 ✓

557.33 + 71.13 = 628.46

1951.22 − 628.46 = 1322.76

To Top PG. 103

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Ink With Date and Name of Person Making Change.

Notes Ck'd by RIECKHOFF	Survey of SEC. 14 T4N, R10W
Map No. B-5361	JN 030201 Tape 195 Std. 84 °F
Office Work G. MASUDA	Surveyed by BITTEL
Checked	Notes BITTEL Date 9/76
Date	Indexed

F. B. 2637 PG. 105

TO BOT. PG. 107

P. O. T.

FD. 2" I.P., CONC. PL. & C.E. TAG, FLUSH PER F.B. 1676-247

1/4 SEC. LINE

2124.30 PER F.B. 1676-247

497.65 PER F.B. 1676-247

1) 90-30-30
4) 02-01-30
90-30-22 1/2
6) 183-02-10
90-30-21 2/3

89-25-05 adj. PER F.B. 1676-247

90-30-22

1/4 COR., SEC. 14, T5 PER F.B. 1676-250

1/4 SEC. LINE

720.08

1/4 SEC. LINE

1782.35

TO LEFT PG. 106

P. O. L.

SET 1" I.P., 1" VP

3491

FD. N. & T. P.P. # 699006 E

89-39-49 CALC.

1035

90-24-44

FD. N. & T. P.P. # 336

CTR. SEC.

FD. C.E. MON., FLUSH PER F.B. 1676-247 MARKED

H. P.

2165.59 @ 93-58-20 = 2160.39
720.13 @ 90-40-10 = 720.08
1782.37 @ 90-14-45 = 17-82-35

2160.39

COUNTY ENGINEER T4N CTR. R10W SEC. 14 R.E. 7078

1/4 SEC. LINE

P. O. L.

SET 1" I.P., 1" VP

490.23

1) 90-24-45
4) 91-39-10
90-24-47 1/2
6) 182-28-25
90-24-44 1/6

TO LEFT PG. 103

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2637 PG. 106

TO BOT. PG. 103

H. P.

93.42 @ 94-05-55 = 93.18

SEC. LINE

2649.59

PER 2637-9,10

R. P.
FD. 2" I.P. CONC.
PL. & C. E. TAG, VP 6"

.03' ADJ.

P. O. L.

SET 1" I.P., CONC.
PL., & C. E. TAG, VP 1"

90-06-10
CALC.

179-57
PER F.B. 2237-8

1/4 SEC. LINE

1782.35

40.01

40.00

93.18

89-56-20

R. P.
FD. 2" I.P. CONC.
PL. & C. E. TAG
VP 6"

TO RIGHT PG 105

1) 89-56-26
4) 359-45-20
89-56-20
6) 179-38-00
89-56-20

1/4 COR.

FD. C. E. MON. IN. 12"
PER F.B. 2637-11
MARKED

COUNTY ENGINEER
T4N
R10W
14 13
1/4 COR.
R. E. 5869

SEC. LINE

691.26

TO TOP PG. 104

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R.LEE, G.HUFF	Survey of SEC 14 T4N, R10W
Map No. B-5361	JN 03020 Tape 195 Std. 84 °F
Office Work G. MASUDA	Surveyed by BITTEL
Checked	Notes BITTEL Date 7/76
Date	Indexed

F. B. 2637 PG. 107

TO BOT. PG. 115

SEC. 11
T4N. R10W

1/4 SEC. LINE
2643.60 ✓
PER F.B. 3212-101, 107, 108

89-57-03
PER F.B. 3212-108

SEC. COR., 10, 11, 14, 15
PER F.B. 3212-111

SEC. LINE

SEC. LINE
2623.64 ✓
PER 2637-7, 8, 9

90-57-25 ✓
PER F.B. 1676-217

90-06-30

1/4 COR.

1/4 COR, SEC. 11, 14
FD. 2" I.P. IN CONC.
WITH SPIKE IN CTR.
PER C.S. 8539-1

SEE PG. 7 FOR TIES

1) 90-06-30
4) 00-25-55
90-06-28 1/2
5) 180-37-00
90-06-30

1/4 SEC. LINE
2124.30
PER F.B. 1676-217, 247

SEC. 14
T4N R10W

TO TOP PG. 105

TO LEFT PG. 108

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#3103-69

F. B. 2637 Pg. 108

TO BOT. PG. 109.



TO TOP PG. 106

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RIECKHOFF	Survey of SEC 11 T4N R10W
Map No. B-5361	JN 0302 01 Tape 195 Std 84 °F
Office Work G. MASUDA	Surveyed by W.J VOGE
Checked	Notes V09 E Date 10/5/76
Date	Indexed

F. B. 2637 PG. 109

To Bot pg. 110

Set 1x2 & nail

H.P.

1979.19 @ 83°24'20" 276°36'00" M= 83°24'10" } 1966.08 ✓

193.20 @ 70°47'55" 289°12'25" M= 70°47'45" ✓ } 182.45 ✓

182.45 ✓

5.30

90°

182.45 calc

Set 1" I.P. cone plug & nail with C.E. tag up 1" top of spur.

SEC. 12
T. 4. N.
R. 10. W.

368.38 @ 103°08'05" 256°52'25" M= 103°07'50" } 358.75 ✓

358.75 ✓

358.75 calc

Set 1x2 & nail

4.51

H.P.

90°

134.80 @ 78°24'10" 291°35'30" M= 78°24'20" } 132.05 ✓

132.05 ✓

132.05 calc

Set 1" I.P. cone plug & nail with C.E. tag up 1" top of spur.

SEC. 11.

Set 1x2 & nail

4.22

Set 1" I.P. cone plug & nail with C.E. tag up 1" top of hill on North Side.

90°

H.P.

229.19 @ 85°39'00" 274°21'20" M= 85°38'50" } 228.53 ✓

228.53 ✓

228.53 calc

SEC LINE

Set 1x2 & nail

3.72

Set 1" I.P. cone plug & nail with C.E. tag up 1" top of hill.

90°

H.P.

247.12 @ 88°20'30" 271°39'40" M= 88°20'25" ✓ } 247.02 ✓

247.02 ✓

247.02 calc

Set 1x2 & nail

3.18

Set 1" I.P. cone plug & nail with C.E. tag up 1" top of hill on South side.

90°

H.P.

1465.78 @ 98°19'15" 261°40'45" M= 98°19'15" ✓ } 1450.35 ✓

1450.35 ✓

1450.35 calc

To Top pg 108

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2637 PG. 110

To Bot. Pg. 111

H. P @ 4"x4" (TO 1x2 No. of WC)
1135.26 @ 95°23'50"
264°31'20" } 1130.07
M= 95°28'45"

866.61

866.61 calc.

Found 4"x4" & Nail, up 3" per FB 78-109 & FB 1262-16 & 163. Top of spur.

Set 1x2 & nail

2.99

90°

1966.08 (Pg. 109)
— 182.45 (Pg. 109)
1783.63

1783.63

1783.63 calc.

① 89° 51' 00"
② 359° 24' 00"
③ 89° 51' 00"
④ 179° 06' 00"
89° 51' 00"

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Pg. 116

47' ± calc. 15 acres

90°

SEC. LINE

89° 51' 00" ①

1/4 SEC. LINE

61.82

5.70

179°

Prop. Set 1x2 & nail.

Set Nail

1/4 COR.

Found cut spk. set in 2" IP precast in conc. per FB 78-13 & 108 & FB 1262-163. Replaced with a Co. Engr. mon. up 2", marked as shown.

182.45

182.45 calc.

T. LINE

SEC. LINE

COUNTY ENGINEER T. 4. N. R. 10 W. 11 12 1/4 COR. RE T.103

To Top Pg. 109

Notes Ck'd by RIECKHOFF	Survey of SEC 2, T4N R10W
Map No. B-5361	JN 0302.01 Tape 18 Std 84 °F
Office Work G. MASUDA	Surveyed by WJ Voge
Checked	Notes Voge Date 10/19/76
Date	Indexed

F. B. 2637 Pg. 111

to Bot pg 112

SEC. 2
T. 4. N.
R 10. W.

SEC. 1

200.00 Rec. ✓
T LINE
SEC LINE
200.00 Calc. Rec. ✓

17° Calc.
20°
90°
30°
Nothing Set
2642.90 Calc
SEC LINE
117
Pg
Top
90°
1.67 Calc.
35° 23" 15" 42.5' Calc

SECTION CORNER. Nothing SET because this point falls in creek bottom and sighting is very limited. Position of this corner is fixed by record dist. (200.00) & line from the north.

SEC 11

SEC 12

63.46 (Pg 112)
+ 200.00 Rec Dist
263.46 ✓

1130.07' (Pg. 110)
- 263.46
866.61 ✓

866.61 Calc. ✓
SEC LINE
866.61 Calc.

To Top Pg. 110

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by RIECK & HOPPE	Survey of SEC 2 T4N R10W	F. B. 2637	PG. 113
Map No. B-5361	JN 030201 Tape 19 Std 84 °F		
Office Work G. MASUDA	Surveyed by WJ VOGE		
Checked	Notes VOGE Date 10/19/76		
Date	Indexed		

To Bot. Pg 114

463.98 per FB 2637-172

2.26

Set 1x2 ℄ nail

Found 4"x4" ℄ nail, up 3" per FB 78-109 ℄ FB 2637-172, Top of spur. Checked for line North & South.

90°

740.35 per FB 2637-172

℄ LINE

SEC LINE

SEC. 2
T 4 N
R 10 W

SEC 1

To Top Pg. 112

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S CE#310 3-69

F. B. 2637 Pg. 114

To Bot pg. 121



To Right pg 119

To Top Pg. 113

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RECKMEYER	Survey of SEC. 11 T4N R10W
Map No. B-5361	JN 0302.01 Tape 18 Std 84 °F
Office Work G. MASUDA	Surveyed by W. J. VOGE
Checked	Notes VOGE Date 10/27/76
Date	Indexed

F. B. 2637 PG. 115

TO Right pg. 118

4 COR Found Co. Sur. mon. flush per FB 3212-110 marked as shown.

COUNTY SURVEYOR T. 4. N. R. 10 W. 10 11 RE 329

2636.83 per AB 3212-99-101

193.30

75128

1/4 SEC LINE

PG 116

Per FB 3212-101. S 89° 57' 30" W

Fd 1" I.P. conc. plug & nail with C.E. tag, flush, per FB 3212-101.

CTR. SEC. 11

FD. C.E. MON. 12" DOWN PER FB. 3212-101 MARKED

COUNTY ENGINEER T4N R10W CTR SEC. 11 R.E. 5869

H.P.

193.30 @ ELEV. = 193.30

1/4 SEC. LINE

2643.60 PER FB. 3212-101, 108

TO TOP

PG 107

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

F. B. 2637 Pg 116

T = 78°

62.74 @ 279° 48' = 61.82
62.86 @ 79° 38' = 61.82 } 61.82 ✓

SEC. 11

T. 4. N.

R. 10. W.

H. P.

959.93 @ 94° 30' 20"
265° 29' 40"
M = 94° 30' 20" } 956.96 ✓

659.68 @ 90° 32' 00"
269° 28' 00"
M = 90° 32' 00" } 659.65 ✓

H. P.

208.31 @ 92° 53' 00"
267° 07' 00"
M = 92° 53' 00" } 208.05 ✓

973.27 @ 76° 03' 00"
283° 56' 40"
M = 76° 03' 10" } 944.58 ✓

944.58
— 193.30 (Pg 115)
751.28 ✓

to Right

to Left Pg. 110

61.82 ✓

Set 1" I.P. cone plug & nail with C.E. tag up 1" top of Spur.

956.96 ✓

Set 1" I.P. cone plug & nail with C.E. tag up 1" top of Spur.

659.65 ✓

1/4 SEC. LINE

Set 1" I.P. cone plug & nail with C.E. tag up 1" top of Spur.

208.05 ✓

Found 1" I.P. cone plug & nail with C.E. tag top of mon. per FB 3212-101.

751.28

Pg. 115

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by RIECKHOFF	Survey of SEC 11 T4N R10W
Map No. B-5361	JN 0302 01 Tape 18 Std 84 °F
Office Work G. MASUDA	Surveyed by W.J. \ 09E
Checked	Notes \ 09E Date 10/27/76
Date	Indexed

F. B. 2637 PG. 117

To Bot Left Pg. 112 & Pg 111

H.P.

1452.78 @ 88° 18' 00" / 271° 41' 40" } 1452.14
M= 88° 18' 10"

473.98 @ 91° 38' 00" / 268° 26' 40" } 473.81
M= 91° 33' 10"

725.79 @ 88° 58' 40" / 271° 01' 00" } 725.68
M= 88° 58' 50"

1452.14

Set 1x2 & nail

473.81 ℄ LINE

2642.90 Calc

SEC LINE

Set w.i. spk & T

SEC 2

725.68

SEC. 11.

T. 4 N.

R. 10 W.

To TOP pg 118

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2637 Pg. 118

to Bot Pg. 117



Set NET in PP #698960E

S89°55'27"E 2642.90 calc.

4°19'32" calc.

50.67

Fd. NET in PP #698961E

25' 22°40'

39.3.06

175

2642.07 V Per FB 3212 - 82,98-99

2636.83 V Per FB 3212-99-101

S11 pd

to Bot pg 119

8°20'38" FB 3212-99

39°41'06" per FB 3212-99

Found a 2" IP with a cut BPK in conc. per FB 3212-99 & FB 2637-176 Replaced with a Co. Engr. mon. up 3", marked as shown.

SEC Line

SEC COR. Found a Co Engr mon. dn. 12" per FB 3212-89, marked 95' shown.

COUNTY ENGINEER T.4.N. R.10W. SEC. 2 11 RE 2272

COUNTY ENGINEER T.4.N. R.10W. SEC. 2 11 RE 3809

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RIECKHOFF
Map No. B-5361
Office Work G. MASUDA
Checked
Date

Survey of SEC 2 T4N R10W
JN0302-01 Tape 18 Std 84 °F
Surveyed by W J Voge
Notes Voge Date 11/10/76
Indexed

F. B. 2637 Pg. 119

TO Bot. Pg 120

H.P.

777.77 @ 89°15'00"
271°45'30"
M= 88°14'45" } 777.41 ✓

1842.71 @ 90°52'00"
269°07'40"
M= 90°52'0" } 1842.70 ✓

T= 70'

21.83 @ ELEV. = 21.83 ✓

90° 28' 57" per FB 3212-82

2667.07

Per FB 3212-77 & 82

Set 1" IP conc plug & nail with tag, up 1' top of spur.

21.83 ✓ 1842.70 ✓ 777.41 ✓

¼ SEC. LINE

3+12

¼ CORNER
Found 2" IP, Set in conc. with a cut spk. in ctr. Tie 6" per FB 3212-83, 2637-176 & CSB 2090.

CENTER of SEC. 2
Found a Co. Sur. mon. flush, per FB 3212 & 82 E 65 8770. N marked as shown. Mon. checks intersection of ¼ cors.

COUNTY SURVEYORS
R10W
CENTER
+
SECTION 2
T.4.N.
MONUMENT

2642.07 Per FB 3212-82 98°99

¼ SEC LINE

TO Left Pg 114

To Left Pg. 118

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by RIECKHOFF	Survey of SEC 35 T5N R10W
Map No. B-5361	JN 0302.01 Tape 18 Std BA °F
Office Work G. MASUDA	Surveyed by WJ VOGE
Checked	Notes VOGE Date 1/9/76
Date	Indexed

F. B. 2637 PG. 121

TO Bot. Pg 122

H. P.

1959.99 @ 86° 43' 20" ? 1956.78 ✓
273° 16' 40" ?
M= 86° 43' 20"

686.40 @ 88° 24' 40" ? 686.14 ✓
271° 35' 40" ?
M= 88° 24' 30"

1956.78

Set 1" I.P. conc. plug & nail, up 7" top of spur.

① 90° 01' 50"
② 360° 07' 40"
90° 01' 56"
③ 180° 11' 40"
90° 01' 57" ✓

SEC LINE

686.14

90° 01' 57"

SEC Cor Found a Co. Engr. mon. up 3" per FB 2280 - 239, marked as shown.

COUNTY ENGINEER
T. 5 N.
R. 10 W. 35 36
2 1
T. 4 N.
RE 5869

2642.85 Per FB 2280 - 237-239

SEC LINE

To Right Pg. 120

90° 03' 13" Per FB 2280 - 239

239

2644.86 Per FB 2280

SEC LINE

TO Top Pg 114

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

TO Bot Pg. 123

F. B. 2637 Pg. 122

H. P.

1156.20 @ 83°49'20" } 1149.45 ✓
276°12'40"
M= 83°48'20"

387.06 @ 94°27'00" } 385.90 ✓
265°39'00"
M= 94°26'30"

240.42 @ 87°53'00" } 240.26 ✓
272°06'40"
M= 87°53'10"

1149.45

385.90

Set 1" I.P. Cone. nail & tag "LS 5737" E. 1.9' ft. top of spur.

Set 1" I.P. Cone. nail & tag "LS 5737" E. 1.9' ft. top of spur

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Pg 124

① 90° 13' 00"
② 360° 52' 05"
90° 13' 01"
③ 181° 18' 10"
90° 13' 02" ✓

90° 13' 02" 53" ADS

240.26

SEC LINE

COR Found Co. Bar mon., up 3" per CS B 734. marked LS Shown.

2646.61 ✓

1/4 SEC LINE

To Bot Right

COUNTY SURVEYORS
L.A.C.S.M.
12.P.B. 35-36
MONUMENT

90° 05' 57" ADS

① 90° 06' 08"
② 360° 23' 40"
90° 05' 55"
③ 180° 35' 40"
90° 05' 57" ✓

H. P.

3104.57 @ 92°02'50" } 3102.59 ✓
267°57'20"
M= 92°02'45"

3102.59
455.98 (Pg 124)
2646.61 ✓

1956.78 ✓

SEC LINE

To Top Pg. 121

Notes Ck'd by RIECKHOFF	Survey of SEC. 35 T5N R10W
Map No. B-5361	JN 0302.01 Tape 19 Std. 84 °F
Office Work G. MASUDA	Surveyed by WJ VOGE
Checked	Notes VOGE Date 12/9/76
Date	Indexed

F. B. 2637 PG. 123

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Fd. 2" I.P. conc plug & nail with C.E. tag, up 9".

S6.67

THE COR Co. Engr. mon. up 6" as shown per CS 8734. FB 3276 pg 84.

COUNTY ENGINEER
T 5 N.
R 10 W
26 25
35 36
RE 5869

2679.75 ✓
℄ LINE

2664.24 Calc
SEC LINE

℄ top Right pg 124

89° 55' 40" Calc.
95° 47' 14"

S6.67

Fd. 2" I.P., conc plug & nail with C.E. tag up 6".

865.71 ✓
SEC LINE

Set 1" I.P. conc plug & nail with tag C.E. north side of road on Cal. Aqueduct.

1149.45

℄ top pg. 122

Δ 95°47'20"
@ 23°09'00"
95°47'15"
@ 214°43'25"
95°47'14" ✓

H.P.

2679.77 @ 90°14'20" / 269°46'00" } 2679.75 ✓
M = 90°14'10"

872.21 @ 97°00'40" / 263°00'30" } 865.71 ✓
M = 97°00'05"

76F309S CE#310 3-69

F. B. 2637 Pg. 124

Line Prod from 1st Ext. Unit Sec.

T = 56°

273.62 @ LEN = 273.57

4" COR. Found Co. Engr. mon., dr. 10" in well with cover, per F.B. 3212-63, marked as shown.

See F.B. 3212-63 for Ties.

COUNTY ENGINEER T.S.N. R.O.W. 26 35 1/4 COR. RE 5869

Fd. 1" I.P. conc plug & mail with C.E. tag up 1' per F.B. 3212-73

4" COR Fd. Co. Engr. mon., dr. 8" in well with cover, per F.B. 3212-70, marked as shown.

For Ties See F.B. 3212-70.

COUNTY ENGINEER T.S.N. R.O.W. 34 35 1/4 COR. RE 5869

Ⓒ 83°49'30"
Ⓒ 335°17'40"
83°49'25"
Ⓑ 142°56'40"
83°49'27" ✓

2679.75

℄ LINE

273.57

83°49'27"

2664.24 Calc

SEC LINE

89°41'0" Calc

FB 3212-63-65 & 73.

2645.12 Per

1/4 SEC LINE

89°49'44" Per FB 3212-73

45598 Per FB 3212-73

2646.61

1/4 SEC LINE

CENTER OF SEC. 35 Found Co. Sur. mon. up 3" per FB 3212-73 marked as shown. Mon. checks int. of 1/4 cors.

2649.22 Per FB 3212-78 & 77 & 78

COUNTY SURVEYOR T.S.N. R.O.W. CENTER SEC 35 MONUMENT

TO TOP Pg 1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by G. E. BARR	Survey of CIMA ROAD
Map No.	JN 0095.54 Tape 172 Std 84 °F
Office Work	Surveyed by J. C. PIERCE
Checked	Notes J. C. PIERCE Date 8-29-62
Date	Indexed C. J. GALLI NOV 5 '63

F. B. 2637 Pg. 125

J. N. 0095.54

CIMA ROAD

PRELIMINARY CENTERLINE

FROM : 106TH ST. EAST

TO : FORT TEJON ROAD

PIERCE
MENDONCA
TALBOT
KING
HILL

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



76F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 84, D-1

U.S. GENERAL LAND OFFICE SURVEY 1912
S8 S9

1/4 SEC. COR.
FD. BRASS CAP MON.
10" DN, PER C.S. 8735
F.B. 78-51
F.B. 1824-36
STAMPED AS SHOWN

FD. NAIL & TIN
PP # 699115-E
E. SIDE

64.10

FD. 4X4 STK. & NAIL
UP 2"

62.32

CIMA ~~MESA~~ RD.

1061.40
1/4 SEC. LINE

89° 43' 30"

28.21

3.08

90° 09' 05"

1318.07
1/4 SEC. LINE

TO TOP PG. 184

(20)

(20)

TO BOT. PG. 128

(20)

(20)

FD. NAIL & TIN
PP # 699114 E
NW SIDE

FD. 4X4 STK. & NAIL
UP 4"

2631.29
SECTION LINE

1318.07 @ LEVEL (T=84) = 1318.07

1061.57 @ LEVEL (T=60) = 1061.40

SEC. 8

AVE) 89 - 43 - 18 73
3 358 - 53 - 20
2 178 - 16 - 50
1 89 - 43 - 00

AVE) 90 - 09 - 00
3 90 - 36 - 20
2 90 - 54 - 30
1 89 - 09 - 05

SEC. 9
T. 4N. R. 10 W.

TO TOP PG. 158

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CIMA ROAD
JN 0095.54 Tape 172 Std. 84 °F
Surveyed by J.C. PIERCE
Notes J.C. PIERCE Date 8-29-62
Indexed C.J. GALLI NOV 5 '63

F.B. 2637 PG. 127

F. B. 2637 PG 128

TO BOT. PG. 155

1120.01 @ LEVEL (T= 80) = 1119.98
1317.96 @ LEVEL (T= 86) = 1317.98

(20) (20)

1) 90 - 05 - 40
4) 90 - 23 - 20
6) 180 - 35 - 00
AVE) 90 - 05 - 50

1) 89 - 54 - 00
4) 359 - 36 - 40
6) 179 - 34 - 30
AVE) 89 - 54 - 05

1) 89 - 51 - 00
4) 359 - 24 - 40
6) 179 - 37 - 00
AVE) 89 - 51 - 10

SEC. 9
T. 4 N. R 10 W.

106TH ST.
1119.98

R.P. - SET 2" I.P. & CO. ENG'R. TAG UP 6"

55" SW

89° 54' 05"

90° 05' 55"

70.71 TAN. 45°

CIMA ROAD

1318.07 1317.98

P-LINE

1/4 SEC. LINE 1/4 SEC. LINE

(20) (50)

TO TOP PG 127 TO BOT. PG 129

24.59

31.49

32.18

89°51'02"

70.71 TAN

SET NAIL & TIN IN PP = 999110E

R.P. - SET A 2" I.P. & CO. ENG'R. TAG UP 6"

FD. CHISELED "+" IN BOS CONC. ST. SIGN

P-1
INT. 0+00.00 TO E.
INT. CIMA MESA RD. & 106TH ST. E.
FD. A 1" I.P. PLUG & NAIL DN. 18"
PER F.B. 1824 - 37
SET 1x2 STK ON SURFACE

FD. NAIL & TIN PP = 999109 E SE SIDE

1434.36

EAST

(20) (20)

TO TOP PG. 156

W.S.B.D.-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 84D-1

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CIMA ROAD
JN 00195.84 Tape 172 Std. 84 °F
Surveyed by J.C. PIERCE
Notes J.C. PIERCE Date 8-29-62
Indexed C.J. GALLI

F.B. 2637 Pg. 129

271.54 @ LEVEL (T=80) = 271.53
361.56 @ LEVEL (T=84) = 361.56
462.48 @ LEVEL (T=84) = 462.48
471.56 @ LEVEL (T=90) = 471.57

R.P.P.I. SET 1" I.P. & CO. ENG'R. TAG FL.
1957.07 FROM P.I. #1
SET NAIL 1X2 FL. STK

SEC. 9
T. 4 N. R. 10 W.

R.P. SET 2" I.P. & CO. ENG'R. TAG UP 8"

PROPOSED CIMA RD.

42.74 TAN.

70.71 TAN.

(50)

1317.98

271.53

361.56

462.48

1/4 SEC. LINE

471.57

P-LINE

To BAT. PT. 177

P.I. BAT. PG. 130

To TOP

R.P. SET 2" I.P. & CO. ENG'R. TAG UP 8" FL 120

45°

78.47 TAN.

179° 59' 25"

88° 29' 30"

57.26 TAN.

Δ = 11° 15' 00"
R = 1500
T = 147.74
L = 294.52

11° 12' 00"

R.P.P.I. SET 1" I.P. & CO. ENG'R. TAG FLUSH

(50)

P.I. 13+17.98
CENTER FD. SURVEYORS BRASS CAP STD. COUNTY SURVEYORS B.C. MON. UP 6" STAMPED 2S 5 SHOWN SEE F.B. 1824 - 37, 46

COUNTY SURVEYORS CNTR. MONUMENT 6" DIA

AVE. 359-59-57-40 359-56-20 179-59-23½ 6

AVE. 45-00-00 11-15-00 67-30-00 3

P.I. 15+89.51
SET 1X2 STK. & NAIL FLUSH


TO BOT. PG. 131
F. B. 2637 PG 130
W.S.82A-1
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
SEC. 10
T.4N. R.10W.
(50)
600.35
(50)
R.P. - SET 1"IP & CO. ENGR TAG FL.
101° 15' 05"
106.69
62.07
SECTION LINE SEE PG 163
R.P. - REPLACED 1X2 STK. PER R.S. 63 WITH 1" I.P. & CO. ENGR. TAG FL.
P-6
P.O.T. - INT. 39+90.78
INTERSECTION OF PROPOSED CIMA ROAD & SEC. LINE, SET 1X2 STK. & NAIL FLUSH
SEE PG. 163
680.15
P-5
P.O.T. 33+10.63
SET 1X2 STK. & NAIL FLUSH
SEC. 9
CIMA ROAD
P-LINE
1) 101 - 15 - 00
4) 45 - 00 - 20
6) 247 - 30 - 40
AVE) 101 - 15 - 06
P-4
P.O.T. 24+22.64
SET 1X2 STK. & NAIL FLUSH
PROPOSED
892.99
76.27 @ 16° 11' = 73.25
148.64 @ @ LEVEL = 148.64
236.08 @ 5° 10' = 235.12
144.49 @ 7° 18' = 143.32
600.33
(T = 90) = 600.35
114.08 @ 2°57 = 113.93
474.08 @ LEVEL = 474.08
(T = 88) = 887.99
680.11 @ LEV. (T = 94) = 680.15
471.57
(50)
(50)
TO TOP PG. 129

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CIMA ROAD
JN 009554 Tape 172 Std 84 °F
Surveyed by J.C. PIERCE
Notes J.C. PIERCE Date 10-30-62
Indexed J. GALLI

F. B. 2637 Pg. 131

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

TO BOT. PG. 132

(50)

P-LINE

749.19

CIMA ROAD

98° 17' 35"

37.73 TAN.

R.P.P.I. SET 1" I.P. & C.E. TAG FLUSH

45+91.13 PROP. P.I. # 2 SET A 1X2 STK. & NAIL FLUSH

43.44

R.P.P.I. SET 1" I.P. & C.E. TAG FLUSH

600.35

PROPOSED P-LINE

SEC. 10
T. 4 N. R. 10 W.

(50)

(50)

TO TOP PG. 130

169.17
268.31
124.87
192.65 @ [illegible]

9° 03' = 167.06
LEVEL = 268.97
11° 07' = 122.53
8° 02' = 190.76
749.32
(T=58) = -0.13
749.19

D 98° 17' 30"
98° 10' 20"
AVE 98° 45' 25"
98° 17' 35 1/3"

X

F. B. 2637 PG 132

TO BOT PG. 133

(50)

(50)

304.19

304.19 = 135.73 + 131.88 + 36.58 LEW. (CT=36)

SEC. 10
T.4N. R.10W.

CIMA ROAD

P.O.T. 62+06.92
P.I. SET 1x2 STK. & NAIL FLUSH

PROPOSED P-LINE

866.60

243.77
211.77
300.66
866.60
866.60

3° 48' = LEVEL
2° 40' =
2° 27' =
(T = 6°) =

P.O.T. 53+40.32
P.I. SET 1x2 STK. & NAIL FLUSH

749.19

(50)

(50)

244.31
211.77
300.95
111.25

TO LEFT PG. 131

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.82, A-1

Notes Ck'd by	Survey of CIMA ROAD
Map No.	JN 0095.54 Tape 172 Std 84 °F
Office Work	Surveyed by J. C. PIERCE
Checked	Notes PIERCE Date 12-27-62
Date	Indexed C. J. GALLI

F. B. 2637 PG. 133

R.P.P.I - SET 1" I.P. & C.E. TAG FL.

SEC. 3

PROD 1/

SET 1X2 STK. & NAIL FLUSH

R.P.P.I - SET 1" I.P. & C.E. TAG FL.

142.05 SEC. LINE

6.11

TAN. 32.07

440.62

(50)

TO BOT PG. 134

1.23

43° 35'

86+80.26 PROP. P.I. # 3

SET 1X2 STK. & NAIL FLUSH

9.36

674.27 CALC. DIST.

R-LINE

R.P.P.I. SET N. & T. IN 24" JUNIPER

109° 35' 15"

(50)

TO

SEC. 10 T.4N. R.10W.

334.16

1) 109 - 35 - 20
4) 78 - 51 - 10
6) 297 - 31 - 40
AVE. 109 - 35 - 16 2/3

R-10

P.O.T. 83+46.10

SET 1X2 STK. & NAIL FLUSH

142.06 @ LEV. (T = 74) = 142.05

TO TOP PG. 168

39.57 @ LEVEL = 39.57
300.53 @ 11° 19' = 294.69
334.26
(T = 40) = -0.10
334.16

1835.04
1834.99

P-9

P.O.T. 65+11.11

SET 1X2 STAKE & NAIL FLUSH

PROPOSED CIMA ROAD

114.58	LEVEL		114.58
81.76	5° 51'	=	81.33
225.38	11° 44'	=	220.67
243.54	11° 38'	=	238.54
28.89	LEVEL	=	28.89
43.83	LEVEL	=	43.83
117.09	LEVEL	=	117.09
105.71	LEVEL	=	105.71
93.91	LEVEL	=	93.91
300.12	3° 08'	=	299.67
284.79	3° 33'	=	284.24
207.37	2° 46'	=	207.31
			1835.59
	(T = 38)	=	-0.55
			1834.99
			1835.04

(50) PROPOSED P-LINE (50)

304.19

TO TOP PG. 132

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W. S. Rs A-1



76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No. B-5361
Office Work G. MASCUCH
Checked
Date

Survey of CIMA ROAD
JN 0095.54 Tape 172 Std. 84 °F
Surveyed by J.C. FIERCE
Notes J.C. FIERCE Date 10-29-62
Indexed C.J. GALLI

F. B. 2637 Pg. 135

300.87 @ 2° 20' = 300.62
214.52 @ 2° 46' = 214.27
300.84 @ 2° 03' = 300.65
175.95 @ 2° 29' = 175.78
991.32
-0.06
(T = 74) = 991.26

SEC. 3

300.75 @ 3° 37' = 300.15
203.03 @ 3° 39' = 202.62
202.94 @ 3° 53' = 202.68
243.35 @ 3° 54' = 242.79
179.02 @ 3° 32' = 178.68
182.52 @ 3° 28' = 182.19
1309.11
-0.02
(T = 82) = 1309.09

PROPOSED CIMA ROAD

Fd. 2x2, L.S. 3129, No Ref. 3-19-71 J.S.C.

Fd. 2x2 L.S. 3129 No Ref.

(50) TO TOP 299.77 299.81 PG. 134

(50) TO EOT. PG. 136

991.26

1309.09

349.37

SEC. LINE

649.85

1298.06

P. LINE

(50)

(50)

Rechained 3-19-71 JSC
106.77 @ 96° 36' 30" = 106.06
106.66 @ 96° 05' 00" = 106.06
Level 193.76
T = 60° 299.82
.05
299.77

P.12
P.O.T. 961+54.34
SET 1X2 STK. & NAIL - FLUSH

203.78 @ 87° 48' 40" = 203.63
203.83 @ 87° 34' 20" = 203.65
290.92 @ 267° 06' 50" = 290.55
290.90 @ 267° 14' 30" = 290.56
Level 155.76
649.95
T = 60° .10
649.85

P.13
P.O.T. 106+45.60 OUT
SET 1X2 STK. & NAIL FL.
3-19-71 JSC

204.62 @ 87° 45' 00" = 204.46
204.65 @ 87° 31' 20" = 204.46
145.15 @ 267° 02' 50" = 144.96
145.13 @ 267° 14' 30" = 144.96
349.42
T = 60 .05
349.37

SEC. 10
T. 4 N., R. 10 W.

X


TO BOT. PG. 137
F. B. 2637 PG. 136
(50)
SEC. LINE
(50)
WS 82 A-1
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
1) 89 - 50 - 40
4) 359 - 22 - 00
6) 179 - 03 - 00
AVE) 89 - 50 - 30
1) 89 - 48 - 20
4) 359 - 14 - 00
6) 178 - 51 - 20
AVE) 89 - 48 - 33 1/3
T. 4 N. R. 10 W.
1) 90 - 27 - 40
4) 01 - 51 - 20
6) 182 - 47 - 20
AVE) 90 - 27 - 53 1/3
SEC. 2
1) 89 - 52 - 30
4) 359 - 31 - 20
6) 179 - 17 - 20
AVE) 89 - 52 - 53 1/3
ROAD
P LINE
578.81
LEVEL
41.55
206.88
300.25
300.59
300.86
207.50
293.51
195.31
(T=82) = 1843.66
11-26-63
(T=82) = 1843.66
175.53
198.28
205.84
578.81
(T=48) = 578.81
SEC. 11
R.P. SET 2" I.P. CEM. PLUG & CO. ENG'R TAG UP 6"
89° 50' 30"
89° 48' 35"
16.76
45°
89° 52' 55"
90° 27' 53"
1843.66
+802.4
SEC. LINE
329.66
SEC. LINE
TO EOT. PG. 176
TO TOP PG. 176
INT.
FD 1X2 STK & NAIL FL. AT INT. OF SEC. LINE & TRANSIT LINE PER F.B. 1262 PG. 188
SEC. 3
SEC. 10
R.P. SET 2" I.P. CEM. PLUG & CO. ENG'R. TAG UP 6"
P/A 1197+54.69
SECTION CORNER FD. A G.L.O. MON. LYING ON SURFACE SET A STD. CO. ENG'R. MON. REC. DIST. FROM 1X2 STK. ON SEC. LINE TO NORTH SEE F.B. 1262 PG. 188 MON. STAMPED AS SHOWN MON. 12" DN.
FD. 1X2 STK. & NAIL PER F.B. 1262-188
300.00 @ 86° 47' 20" = 299.53
300.04 @ 86° 43' 40" = 299.55
274.42 @ 266° 07' 15" = 273.79
274.36 @ 266° 13' 45" = 273.77
300.04 @ 93° 30' 00" = 299.48
299.39 @ 93° 24' 25" = 299.46
253.51 @ 81° 43' 00" = 253.49
253.54 @ 81° 32' 15" = 253.48
171.50 @ 265° 35' 25" = 171.33
172.47 @ 265° 45' 42" = 172.00
1298.26
120
1298.06
T = 60°
TRANSIT LINE PER F.B. 1262-188
1309.09
1298.06
SEC. LINE
PROP. CIMA
(50)
P LINE
(50)
TO TOP PG. 135
COUNTY ENGINEER
T. 4 N.
R. 10 W.
SEC. COR.
R.E. 5969

76F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W. S. 82, A-1

591.00 @ LEV. (T = 74) = 590.96

172.08 @ 4° 40' = 171.51
269.53 @@ 3° 56' = 268.89
71.14 @ LEVEL = 71.14
511.54
(T = 48) = - 0.12
511.42

SEC. 2

1) 155 - 20 - 40
2) 261 - 24 - 20
3) 212 - 06 - 20
AVE) 155 - 21 - 03⅓

TO CIMA (50)

ROAD 155° 21' 05"

(PROPOSED) (50)

590.96
590.61

TO LEFT PG. 138

P-LINE (50)

578.81

TO TOP PG. 136

P-LINE (50)

SEC. LINE

99.57 TAN. PROD.

78.81

511.42

R.P.P.I. & C.E. TAG SET 1" I.P. FLUSH

P.I. = 4 SET 1X2 STK. & NAIL FLUSH

REPLACED 1X2 WITH 1" I.P. FLUSH FOR R.F.F.I. 3-4-63 J.C.P.

POINT ON SEC. LINE SET A 1X2 STK. & NAIL FLUSH

78.83 @ LEVEL (T = 48) = 78.81

~~200.68 @ 5° 01' = 199.92~~
~~300.84 @@ 3° 22' = 300.12~~
~~90.69 @ LEVEL = 90.69~~
~~590.73~~
~~(T = 54) = 590.61~~

SEC. 11
T. 4 N. R. 10 W.

Notes Ck'd by
Map No. 8-536
Office Work G. MASUDA
Checked
Date

Survey of CIMA ROAD
JN 0095.54 Tape 172 Std. 84 °F
Surveyed by J.C. PIERCE
Notes J.C. PIERCE Date 1-2-'63
Indexed C. J. GALLI

F. B. 2637 PG. 137

TO BOT PG. 139

F. B. 2637 PG. 138

(30) E. 131 ST

224.53

(30) PALLETT CREEK ROAD

W.S. 82 A-1

TO BOT RIGHT PG. 140

(50) ROAD

1217.96

R.P. - SET 1" I.P. & C.E. TAG FL.

60.33

(50) PROP. CIMA P-LINE

590.96 ~~590.61~~

60.33 S 55° 38' E

111° 56' 05"

TO TOP PG. 137

(50)

R.P. - SET 1" I.P. & C.E. TAG FL.

P-15

P.O.T. 131+24.11

INT. PROPOSED CIMA RD. & 131ST ST. E.

SET SPK. W. & TIN DN. 1" BY INTERSECTION

1) 111 - 56 - 20
4) 87 - 44 - 40
6) 311 - 36 - 40
AVE) 111 - 56 - 06 2/3

1554.23 @ LEV. = 1554.23
(T = 48) = -0.36
1553.87

1218.20 (T-54) = 1217.96

224.57 (T=58) = 224.53

246.69 (T=60) = 246.65

246.65

82° 17' 00"

TO TOP PG. 137

511.42

SEC. LINE

41.50 @ LEV. = 41.50
(T = 58) = 41.50

41.50

1553.87

SET PK. 178

POINT ON SEC. LINE SET 1X2 STK & N. FL.

1) 87 - 17 - 00
4) 349 - 08 - 00
6) 163 - 42 - 00
AVE) 87 - 17 - 00

INT. SEC. LINE & 131ST ST. E. NO EVID. OF SPK. & TIN PER C.S.B. 2090 SET BT. SPK. & TIN DN. 1" BY INTERSECTION

(30) 131 ST

1512.96 @ LEVEL = 1512.96
(T = 58) = -0.26
1512.70

1512.70

(30) PALLETT

(CM-14)

PI = 30 A

FD. 1" I.P. FL. & NAIL DN. 1" PER CSB - 2090

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CIMA ROAD
JN 0095.54 Tape 172 Std 64 °F
Surveyed by J. C. PIERCE
Notes J. C. PIERCE Date 1-3-63
Indexed C. J. GALLI

F. B. 2637 PG. 139

W.S. 82, A-1

1135.01 @ LEV. (T=46) = 1134.74
20.05 @ LEV. (T=54) = 20.05
102.74 @ LEV. (T=58) = 102.72

1) 95-26-10
2) 21-45-20
3) 212-37-50
AVE) 95-26-18⅓

SEC. 2
T. 4 N. R. 10 W.

EAST

(30)

PALLET CREEK RD. PER, C.S.B. 2320

140

P.I.
SET 1X2 STK, 0.4' N. FLUSH, FOR P.I. OF PALLETT CRK. RD. SEE C.S.B. 2090 SEE C.S.B. 2320

1134.74

1830.13 PER C.S.B. 2320

20.05

20' M. 25' REC.

(30)

PALLET CRK. RD. PER C.S. 8539-1

TO BOT PG.

FD. 3/4" I.P. PI & NAIL EL PER C.S.B. 2090

95° 95°

26'

ROAD

102.72

PI = 5A ON 131ST ST. EAST = A.O.S.T. PALLETT CREEK ROAD FD A 1" I.P DN. 1/2" PER C.S.B. 2090

CREEK

131ST ST.

224.53

(30) (30)

PALLETT

TO TOP PG. 138

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7 OF 3093 C.E. #310 6-62


R.P. SET 1" I.P. & C.E. TAG FLUSH
PROP. P.I. #5 CIMA ROAD = P.O.T. PALLETT CREEK RD. SET 1" I.P. & TAG DN. P.I. BY INTERSECTION
TAN. 91.50
51.97
90°
R.P. SET 1" I.P. & C.E. TAG FLUSH
SEC. 2
T. 4 N. R. 10 W.
F.B. 2637 PG. 140
TO BOT PG. 141
(30)
(30)
PALLETT CREEK ROAD
1134.74
℄ PER C.S.B. 2320
695.30
16° 29' 40"
1217.96
'P' LINE
PROP. CIMA ROAD
℄ PALLETT CRK. RD. PER C.S. 8539-1
TO RIGHT PG. 139
TO RIGHT PG. 138
(30)
(30)
(50)
(50)
695.46 @ LEV. (T=48) = 695.30
1) 16-29-50
2) 65-58-40
3) 98-57-50
AVE 16-29-38 1/3
W.S. 85, A-1
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 82, A-1

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CIMA ROAD
JN 0095.54 Tape / 72 Std. 84 °F
Surveyed by J. C. PIERCE
Notes J. C. PIERCE Date 3-4-63
Indexed E. J. GALLI

F. B. 2637 Pg. 141

D 174-11-20
D 336-46-30
D 325-10-00
AVE 174-11-40

FD. LRG BT. SPK. & W. FL. F.B. 1676-17

50.00 TAN.

174° 11' 40" M. 174° 11' 20" PER C.S.B. 2320

87° 05' 30"

50.00 TAN.

ROAD (30)

918.87 M. ℄ (30)

918.95 PER C.S.B. 2320

TO BOT. PG. 142

CREEK

TO PALLETT (30)

695.30 M. ℄

1830.13 PER C.S.B 2320

106.19 TAN.

90° 00'

2000

SET 'PK' IN PVM'T. FLUSH

TO TOP PG 140 (30)

℄ PER C.S. 8539

106.12 @ LEVEL (T=60) = 106.11

919.06 @ LEVEL (T=52) = 918.87

PI = 13.5' FD. NO EVIDENCE OF 3/4" I.P. SET A LARGE BT. SPK. W. & TIN BY TIES PER F.B. 1676-17

PI = 24.4 FD. 3/4" I.P. PLUG & NAIL PER F.B. 1232-17 SEE C.S.B. 2090

SEC. 2 T.4N. R.10W.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 82, A-1



76F3095 CE # 310 8-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 82, A-1

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CIMA RD.
JN 009554 Tape 172 Std. 84 °F
Surveyed by J. C. PIERCE
Notes PIERCE Date 3-6-63
Indexed C. J. GALLI

F. B. 2637 PG. 143

(30) PALLETT CREEK

TO TOP PG. 142

(30)

810.74

810.58 MEAS. ℄
PER C.S.B. 2320

R.R. - P.I.
F.D. BT. SPK. & T. FL.
F.B. 1676 - 15

86° 57' 50"

118.72

(R.P. - P.I.
F.D. BT. SPK. & T. FL.
F.B. 1676 - 15

SEC. 2
T. 4 N. R. 10 W.

173°
173°

46'

46' 10" PER C.S.B. 2320

67.25

℄

1) 173 - 46 - 10
4) 335 - 04 - 00
6) 322 - 36 - 20
AVE) 173 - 46 - 03 1/3

300.37 @ 2° 20' = 300.12
569.92 @ LEVEL = 569.92
(T = 60°) = 869.90

P.I. = L.S.
SET LRG. BT. SPK.
W. & TIN IN PVM'T.
FLUSH, BY TIES
PER F.B. 1676 - 15

(30) ROAD

869.90 M.
869.58
PER C.S.B. 2320

(30)

TO BOT PG. 144

1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 82 B-1



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CIMA ROAD
JN 0095.54 Tape 172 Std 84 °F
Surveyed by J. C. PIERCE
Notes J. C. PIERCE Date 3-6-63
Indexed C. J. GALLI

F. B. 2637 Pg. 145

W.S. 82 B-1

TO BOT. PG. 146

SEC. 1 T 4 N. R 11 W.

(30)

7+34 685.37 PER C.S.B. 2320

(30)

R.P.-P.I.
FD. A BT. SPK. & TIN FL.
PER F.B. 1676 - 13

10.00

TAN. PROD.

P.I. #9S
ON FACE OF CUT
NOTHING SET

INTERSECTION OF
10' OFFSET LINE
& TANGENT PROD. OF
PALLETT CREEK ROAD
SET A 1" I.P. 3" C.
TAG FL. BY INT.

46.65
TAN. PROD.

156° 08' 05" M.B.S.

ROAD

CREEK

RP - PI
FD. A BT. SPK. & TIN FL.
PER F.B. 1676 - 13

1	156 - 08 - 00	
4	264 - 32 - 20	
6	216 - 48 - 30	
AVE	156 - 08 - 05	

10' OFFSET LINE

864.30 PER C.S.B. 2323
802.46

PALLETT

(30)

(30)

TO TOP PG. 144

46.66 @ LEVEL (T-58) = 46.65
4° 17' = 299.70
302.54 @ LEVEL = 410.76
410.76 (T-58) = 710.46
715.34

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 2-61



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 CE # 310 8-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W. S. 82, B-1

965.34 @ LEVEL (T = 60) = 965.19



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CIMA ROAD
JN 0095.54 Tape 172 Std. 84 °F
Surveyed by J. C. PIERCE Date 3-7-63
Notes J. C. PIERCE
Indexed C. J. GALLI

F. B. 2637 PG. 147

F. B. 2637 PG. 148

SEC. 1
T. 4 N. R. 10 W.

D	162 - 30 - 30			
℄	290 - 02 - 30	300.40	@ 2° 58' =	300.00
℄	255 - 03 - 40	376.33	@ LEVEL =	376.33
AVE	162 - 30 - 36 2/3		(T = 60) =	676.33
				676.22



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

1-8 82 WS

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W. S. 82, B-1

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CIMA ROAD
JN 009554 Tape 172 Std. 84 °F
Surveyed by J. C. PIERCE
Notes J. C. PIERCE Date 3-7-63
Indexed G. J. GALLI

F. B. 2637 PG. 149

R.P. - P.I.
FD. BT. SPK. & TIN
FL. PER F.B. 1676-9, 77

1) 153 - 24 - 30
4) 253 - 37 - 10
6) 200 - 25 - 50
AVE) 153 - 24 - 18⅓

48.49 TAN.

R.P. - P.I.
FD. BT. SPK. & TIN FL.
F.B. 1676 - 9, 77

153°
153° TAN.
64.83
42.10
24' 40" 20 M. PER C.S.B. 2320
24°

601.95 M. PER C.S.B. 2320
601.94

(30) ROAD
TO BOT. PG. 150

CREEK

(30) PALLETT
676.22 M.
℄ 676.25 PER C.S.B. 2320
TO TOP PG. 148

PI ⌀ 5/8
FD. 1" I.P. & C.E. TAG
DN. 12" PER F.B. 1676-9
PG. 77 SEE F.B. 1676-9

602.04 ② LEVEL (T=60) = 601.95

SEC. 1
T. 4 N. R. 10 W.

1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 82, B-1



76F309S CE # 310 2-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 82, B-1

R.P. - P.I.
FD. 1" I.P. & C.E. TAG
FL. PER F.B. 1676-75

P.I. # 35
FD. 1" I.P. CEM. PL. 1/2"
& C.E. TAG DNS.
PER F.B. 1676-DNS.

53.62 TAN.

R.P. - P.I.
FD. 1" I.P. & C.E. TAG
FL. PER F.B. 1676-75

52.41 TAN.

96.27 R 15°

ROAD (30)

454.61 M.
454.65
PER C.S.B. 2320

TO BOT. PG. 152

CREEK

167° 25' 30" M.
167° 25' 25" PER C.S.B. 2320

167° 25'

PALLETT (30)

950.46 M.
950.47 PER C.S.B. 2320

(30)

TO TOP PG. 150

SEC. 1
T. 4 N. R. 12 W.

1) 167-25-20
2) 309-42-00
3) 284-32-50
AVE 167-25-28⅓

454.68 @ LEVEL (T = 60) = 454.61

Notes Ck'd by
Mbp No.
Office Work
Checked
Date

Survey of CIMA ROAD
JN 009554 Tape 172 Std. 84 °F
Surveyed by J.C. PIERCE
Notes J.C. PIERCE Date 3-8-63
Indexed E. J. GALLI

F. B. 2637 PG. 151

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 82 B-1



76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 82, B-1

TO BOT / PG. 154

276.22 @ LEVEL (T=62) = 276.18

276.26 PER C.S.B. 2328

276.18 BM

(30)

(30)

(30)

PALLETT CREEK ROAD

1127.00 M.
1127.10 PER C.S.B. 2328

TO TOP PG. 152

1

132° 45' 40" PER C.S.B. 2328

1) 132 - 45 - 40
4) 171 - 02 - 40
6) 76 - 34 - 00
AVE) 132 - 45 - 40

(CM-2)

P1
FD. 1" I.P. CEM. PL. & NAIL DN. 18"
PER F.B. 1676 - 68, 74

2520

OLD P1 # 2S
FD. 3/4" I.P. PL. & N. FLUSH
F.B. 1676 - 46, 68, 74

1125 E FROM

R.P. - P1.
FD. 1" I.P. PLUG & NAIL
12" DN. F.B. 1676 - 46, 68, 74

850 E FROM

R.P. - P1.
FD. 1" I.P. PLUG & NAIL
12" DN. PER F.B. 1676 - 46, 68, 74

SEC. 6
T. 4 N. R. 9 W.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CIMA ROAD
JN 002554 Tape 172 Std. 84 °F
Surveyed by J. C. PIERCE
Notes PIERCE Date 3-8-63
Indexed C. J. GALLI

F. B. 2637 PG. 153

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 82, B-1



F.B. 2637 PG. 154

Notes Ck'd by	Survey of CIMA MESA RD.
Map No.	JN 0095.54 Tape 172 Std 84 °F
Office Work	Surveyed by J.C. PIERCE
Checked	Notes J.C. PIERCE Date 9-29-62
Date	Indexed C. J. GALLI

F. B. 2637 PG. 155

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.



76F3095 CE # 310 3-61

F. B. 2637 PG 156

TO RIGHT PG 128

(20) (20)

1434.36

EAST

P.O.L.

SET 1" I.P. & C.I.E. TAG DN. 12" ON 1/4/4 SEC. LINE

93.82

SET 1 X 2 STK & NAIL FL.

202.98
299.61
300.02
299.54
1434.40
1434.36
93.82

5° 04' = 202.98
4° 34' = 299.61
3° 56' = 300.02
3° 21' = 299.54

(T=80) = 1434.40
(T=60) = 93.82

93.83 @ LEVEL

203.78
300.57
300.74
300.44

1196.37

1/4 1/4 SEC. LINE

STREET

60TH

(20) (20)

TO LEFT PG. 159

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SEC. LINES T.4N. R.10W.
Map No.	JN 0302.01 Tape 172 Std 60 °F
Office Work	Surveyed by J.C. PIERCE
Checked	Notes J.C. PIERCE Date 9-20-62
Date	Indexed C. J. GALLI NOV 5 '63

F. B. 2637 PG. 157

J.N. 0302.01

SECTION LINES IN T.4N R.10W. IN CONNECTION WITH CIMA ROAD SURVEY

FOR INDEX SEE PG. 126

PIERCE
MENDONCA
TALBOT
HILL
KING

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

TO RIGHT PG. 127

F. B. 2637 PG. 158

SEC. 9

TO ¼ SEC. COR.

SECTION LINE

262.16	8° 33'	=
298.30	6° 21'	=
138.60	3° 36'	=
245.80	5° 54'	=
283.93	3° 38'	=
299.96	2° 55'	=
201.29	2° 50'	=
141.75	5° 12'	=
299.47	4° 18'	=
162.23		
2631.26	(T = 86)	=
2631.29		

SEC. 8

T. 4 N. R. 10 W.

265.11	1)	89 - 51 - 10
300.14	4)	359 - 24 - 20
138.86	2)	179 - 06 - 50
247.33	AVE)	89 - 51 - 08⅓
285.44		
299.56		
201.53		
141.37		
300.28		
162.69		
2631.29		

SET NAIL & T. IN 12" PINE E. SIDE

89° 51' 10"

35.33

37.35

TO ¼ SEC. COR.

549.53

SECTION LINE

1151

TO BOT PG.

SET NAIL & T. IN 12" PINE N. SIDE

(CM-4)
SECTION CORNER
SECS 8, 9, 16, 17, T. 4 N. R. 10 W. FD. L. & TD. CO. SURVEYORS B.C. MON. UP 6" STAMPED AS SHOWN
PER F.B. 78-33, 42
SEE C.S. 8735

11.65

SET NAIL & TIN IN 10" PINE E. SIDE

SEC. 16

COUNTY SURVEYORS MONUMENT
R. 10 W.
T 4 N
8 | 9
17 | 16

285.82
264.70 (sic)

LEVEL	4° 58'	= 285.82
		263.71
		549.53
	(T = 84)	= 549.53

SEC. 17

W.S. 81, 2-0

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SEC. LINES T.4N. R.10W.
JN 0302.01 Tape 172 Std 84 °F
Surveyed by J.C. PIERCE
Notes J.C. PIERCE Date 9-25-62
Indexed C. J. GALLI NOV 5 63

F. B. 2637 PG. 159

TO BOT. PG. 160

W.S. 84, D-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

SEC. 9
T. 4 N. R. 10 W.

557.76

89° 51' 20"

1196.37
1/4 1/4 SEC. LINE

TO BOT PG. 156

4° 43' = 299.52
5° 41' = 298.97
6° 21' = 299.21
6° 20' = 298.72
(T=78) = 1196.42

300.54 @
300.45 @
300.52 @
300.55 @

(CM-5)
1/4 1/4 SECTION CORNER
FD. NO EVID. OF 1X2 STK.
PER C.S. 8735
SET A 1" I.P. & CO. ENG'R. TAG
DN. 12" BY PROPORTION

1) 89 - 51 - 20
2) 359 - 25 - 20
3) 179 - 08 - 00
AVE) 89 - 51 - 20

7.39

P.O.T. 13 + 10.87
SET 1X2 STK. & NAIL
FLUSH

SEC. LINE

557.78 @ LEVEL (T = 78) = 557.76

101.33
199.45
459.25
LEVEL =
LEVEL =
(T = 78) =
@ LEVEL (T = 78) = 557.76

P.O.T. 5 + 49.53
FD. 2 X 2 STK. & NAIL
FLUSH NO RECORD

549.53

SEC. 16

TO RIGHT PG. 158

76F3095 CE # 310 3-61

TO BOT. PG. 161

F. B. 2637 PG 160

90°00'

400.93

R.P. - SET A 2" I.P & CO. ENG'R. TAG UP 6"

50.00 TAN.

50.00 TAN.

R.P. - SET A 2" I.P. & CO. ENG'R. TAG UP 6"

50

53'

179°

186.12

(CM-6)

PT 26+36.53

1/4 CORNER SECTIONS 9 & 16 T.4N. R.10W.

FD. A 2" I.P. CUT SPK CTR. IN CONC. UP 6" PER C.S. 8735

Δ 179°53'-50

Δ 179°53'-50

AVE 179°53'-50

P.O.T 24+50.41

SET SQ. HD. SPK IN PVMT. FLUSH

581.78

SEC. LINE

SEC. 9 T. 4 N, R. 10 W.

SEC. 16

581.80 @ LEVEL (T=78') = 581.78

186.13 @ LEVEL (T=78) = 186.12

26.41 @ LEVEL (T=78) = 26.41

400.94 @ LEVEL (T=80) = 400.93

P.O.T. 18+68.63

SET 1X2 STK. & NAIL FLUSH

26.41

P.O.T. 18+42.22

FD. 1X2 STK. & NAIL FLUSH ON SEC. LINE

557.76

TO TOP PG. 159

18 WSW

2-D

LOS ANGELES COUNTY ENGINEER

403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SEC. LINES T.4N, R.10W, F. B. 2637 PG. 161
JN 0302.01 Tape 172 Std 84 °F
Surveyed by J. C. PIERCE
Notes PIERCE Date 9-24-62
Indexed G. I. GAULT

TO LEFT PG. 162

1353.27

1353.27 @ LEV. (T=84) = 1353.27

39 + 57.56
FD 2" I.P. WOOD PL.
& NAIL FLUSH

2.17

33.25

P.O.T. 39 + 24.31
SET 1X2 STK. & NAIL

SEC. 9
T. 4 N. R. 10 W.

SEC. 16

886.85

SEC. LINE

253.17	@	3° 05'	= 252.80
251.95	@	3° 37'	= 251.45
108.94	@	LEVEL	= 108.94
81.61	@	LEVEL	= 81.61
122.79	@	LEVEL	= 122.79
69.28	@	LEVEL	= 69.28
			886.87
		(T=80) =	1.02
			886.85

30 + 42.18
FD. 1X2 STK
& NAIL FLUSH

0.14

4.72

P.O.T. 30 + 37.46
SET 1X2 STAKE & NAIL FLUSH

TOUCH

P.O.T. 29 + 66.79
FD. A 2X2 STK & NAIL

400.93

TO TOP PG. 160

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

TO BOT. PG. 163

F. B. 2637 PG. 162

WS 82 A-2

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

SEC. 9
T. 4 N. R. 10 W.

SEC. 10

(CM-8)
7 + 15.94
COR. SECS. 10 & 15
T. 4 N. R. 10 W.
FD. 2" I.P. & B.C.
UP 18" STAMPED
AS SHOWN
F.B. 1262 - 167

R.P. - SET A 2" I.P.
& CO. ENG'R. TAG
UP 6"

762.60

45° 70.71 TAN.

70.71 TAN.

179° 54' 15"

	179 - 54 - 00	
	179 - 54 - 30	
AVE.	179 - 54 - 15	

=	299.61	35.02
=	214.32	300.28
=	202.02	217.28
=	115.85	209.58
(T = 82) =	715.94	762.56
		(T=90) = 724.60

GENERAL LAND OFFICE
U.S. PENALTY $250 FOR REMOVAL
S 10
S 15

R.P. - SET A 2" I.P.
& CO. ENG'R. TAG
UP 6"

715.94

SEC. LINE

3° 15'
3° 30'
6° 30'

LEVEL
3° 28'
5° 32'
4° 32'

300.10	①	35.02
214.72	②	300.28
203.16	③	218.86
	④	209.94
	⑤	

89° 48' 26"

1353.27

(CM-7)
0 + 00.00 TO N.
52 + 77.58 FR. E.
COR. SECS. 9 & 16 T. 4 N. R. 10 W.
FD. 2" I.P. & B.C. UP 14"
STAMPED AS SHOWN
F.B. 1262 - 167

70.71 TAN.

45°

70.71 TAN.

TO TOP SEC. LINE PG 161

D	89 - 48 - 10
D	359 - 13 - 10
D	178 - 50 - 00
AVE.	89 - 48 - 20

GENERAL LAND OFFICE
U.S. PENALTY $250 FOR REMOVAL
S 9
S 16

R.P. - SET A 2" I.P.
& CO. ENG'R. TAG
UP 6"

SEC. 16

SEC. 15

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SEC. LINES T.4N. R.10W.
JN 0302.01 Tape 172 Std 84 °F
Surveyed by J.C. PIERCE
Notes J.C. PIERCE Date
Indexed E. J. GALW

F. B. 2637 PG. 163

SEC. 10

TO BOT. PG. 164

PROPOSED

361.86

INT 22+37.49
INTERSECTION OF PROPOSED CIMA ROAD & SEC. LINE SET 1X2 STK. & N. FLUSH SEE PG. 130

CIMA ROAD

62.07

P.O.T. 21+75.42
SET 1X2 STK. & NAIL FLUSH
REPLACED WITH I.F. & CO. ENG'R. TAG FL. 2-28-63 JCP

47.61 @ LEVEL
14.46 @ 13° 11' = 14.46
62.07 (T=86) = 62.07

11-26-63 J.C.P.

696.88
~~694.89~~
696.88

90.57
272.75 @ LEVEL = 90.57
5° 56' = 271.29
(T=86) = 361.86

SEC. LINE

{49.85 @ 17° 16' = 47.66
{48.58 @ 12° 11' = 47.66

P.O.T. 14+78.54
SET 1X2 STK. & NAIL FLUSH

11-26-63 JCP

~~300.57~~ @ 6° 13' = ~~298.80~~
177.99 @ 5° 54' = 179.04 177.04
~~220.08~~ @ 5° 40' = 219.00
(T=92) = ~~696.84~~ 694.89
+2.04 + .04
~~696.88~~ 694.93

762.60

SEC. 9
T. 4 N. R. 10 W.

CHECKED CHAINING 11-26-63 J.C.P.
300.57 @ 6° 13' = 298.80
179.99 @ 5° 54' = 179.04
220.08 @ 5° 40' = 219.00
696.84
(T = 92) = 696.88

TO TOP PG 162

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

76F3095 CE # 310 3-61

TO BOT. PG. 165

F. B. 2637 PG. 164

W. S. 82 4-1

SEC. 10

705.36

167.25 @ 5° 52' = 166.37
177.54 @ 5° 48' = 176.29
210.18 @ 6° 22' = 207.38
156.83 @ 8° 04' = 155.28
705.32
(T=92) = +0.04
705.36

SEC. 9
T. 4N. R. 16 W.

90° 03' 05"

R.P. - SET 2" I.P. & C.E. TAG UP 6"

56.57 TAN.

668.73

1/4 SEC. LINE

PG. 177 TO TOP

(CM-9)
P.T. 24+35.46
A SECTION CORNER
F.B. I.P. & BRASS CAP
STAMPED AS SHOWN
PER F.B. 1262-168

56.57 TAN.

45°

R.P. - SET A 2" I.P. & C.E. TAG UP 6"

89° 00' 06"

GENERAL LAND OFFICE SURVEY
1/4 S9
1912

98.18

SEC. LINE

1) 90-07-50
2) 00-32-00
3) 180-48-50
AVE) 90-08-55

P.O.T. 25+37.28
SET 1/2" I.P. & NAIL FLUSH

1) 90-00-20
2) 00-00-40
3) 180-01-00
AVE) 90-00-10

100.80 @ 13° 05' = 98.18
(T=86) = 98.18

361.86

TO TOP PG. 163

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SEC. LINE T.4N. R.10W.
Map No.	JN 0302.01 Tape 172 Std 84 °F
Office Work	Surveyed by J. C. PIERCE
Checked	Notes J. C. PIERCE Date 9-18-62
Date	Indexed J. GALU

F. B. 2697 PG. 165

W.S. 82, A-1

TO BOT. PG. 166

1079.54

5.75	@	LEVEL	= 5.75
300.35	@	LEVEL	= 300.35
249.88	@	1° 43'	= 249.72
212.35	@	3° 54'	= 211.86
262.87	@	5° 41'	= 261.58
50.24	@	LEVEL	= 50.24
			1079.50
		(T = 90)	= 1079.54

P.O.T. 37+25.09
SET A 1x2 STK. & NAIL FLUSH

SEC. 9
T. 4N. R. 10W.

SEC. 10

384.27

TRANSIT LINE

169.80	@	5° 17'	= 169.08
215.18	@	LEVEL	= 215.18
			384.26
		(T = 88)	= +0.01
			384.27

1) 179° 47' 00"
4) 359° 08' 00"
6) 358° 42' 00"
AVE) 179° 47' 00"

R.P.
SET 2" I.P. & C.E. TAG UP 6"

70.71 TAN.

(CM-10)
4 P.T. 33+40.82
1/4 SECTION CORNER
SECTION 10, T.4N. R.10W.
FD. A 1" I.P. WITH 2" I.P. & BRASS CAP STAMPED AS SHOWN PER F.B. 1262-168

47° 00'

70.71 TAN.

45°

67.71

R.P.
SET A 2" I.P. & C.E. TAG UP 6"

GENERAL LAND OFFICE
250
FOR PENALTY
SURVEY
1/4 S10

705.36
SEC. LINE

TO TOP PG. 164

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 CE # 310 3-81

1

TO BOT. PG. 167

F. B. 2637 PG. 166

W.S. 82 A-1

53+95.42
FD. 2 X 2 STK. & NAIL

0.31

356.30

2.31

P.O.T 53+93.11
SET 1X2 STK. & TIN FLUSH

SEC. 4

T. 4 N., R. 10 W.

124.45

SEC. 10

52+68.66
SEC. COR. E
SEC. 4 T. 4 N., R. 10 W.
FD. A 1" I.P. WITH 2" B.C. STAMPED AS SHOWN
UP 18" PER F.B. 1262-169

0.18

GENERAL LAND OFFICE SURVEY
FINE FOR REMOVAL
TAN. R10W.
S4
S9

296.37

231.85 @ 7° 17' = 229.98
126.73 @ 4° 37' = 126.32
(T = 84) = 356.30
356.30

LINE

P.O.T. 50+96.74
SET A 1X2 STK. & NAIL FLUSH

125.59 @ 7° 46' = 124.44
(T = 92) = 124.45

298.67 @ 7° 09' = 296.35
(T = 94) = 296.37

292.11

TAN

55.67 @ LEVEL = 55.67
236.69 @ 2° 45' = 236.42
292.09
(T = 96) = +0.02
292.11

P.O.T. 48+04.63
SET A 1X2 STK. & NAIL FLUSH

SEC. 9

1079.54

TO TOP PG. 165

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet, Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SEC. LINES T4N R10W F.B. 2637 Pg. 167
JN 0302.0 Tape 172 Std 84 "F"
Surveyed by J.C. PIERCE
Notes J.C. PIERCE Date 9-18-62
Indexed

SEC. 3

NOTE:
THE ORIGINAL PAGE 166-167 HAS BEEN LOST THIS PAGE HAS BEEN MADE FROM THE ORIG. TRANSIT AND CHAINING PEG BOOKS
JAN. 8, 1971
J.C. Pierce

TO SEC. COR. E & 1/4 COR. T.4N R.10W, FD BRASS CAP 1/2" I.P. MKD. AS SHOWN F.B. 1262-170

GENERAL LAND OFFICE MEANDER LINE (1912) 250 T4NR10W 150 S.10 E. (1912)

59 + 77.72
SET 1X2 STK & N. FL. BY INTERSECTION

3.09

382.55
SEC. LINE
(1) 89° 50' 40"
(2) 89° 53' 20"
89° 50' 30"
(3) 179° 40' 10"
AVE. 89° 50' 51 1/3"

TO BOT PG. 1168

3.58

P.O.T. 59+74.14
SET 1X2 STK. & NAIL FLUSH

50.00'

47.88

89°

59+29.84
FD 2X2 STK. & TAG L.S. 2405

12.88

3.58 @ LEV = 3.58 (T=92)

224.23

4 LINE

101.57 @ LEV = 101.57
289.22 @ 15°42 = 280.99
(T=80) = 382.56

SEC. 4
T 4 N. R. 10 W.

P.O.T. 57+49.91
SET 1X2 STK. & NAIL FL.

7.11

57+42.30
FD. 2X2 STK. & NAIL

229.24 @ 12°00' = 224.23
(T=92) = 224.23

1.99

356.30 TRANSIT

SEC. 10

TO TOP PG. 166

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

165898 CE#310 9-67

F.B. 2637 Pg. 168

141.48	@	10° 02'	=	137.32
267.23	@	9° 22'	=	263.65
129.67	@	12° 11'	=	127.76
67.15	@	10° 35'	=	65.26
300.52	@	2° 35'	=	00.21
300.71	@	1° 35'	=	00.13
228.65	@	3° 26'	=	228.24
				1425.04
		(T=78)	=	1424.98

SEC. 3

T. 4 N. R. 10 W.

TO LEFT PG. 133

TO RIGHT PG. 167

382.55

1424.98 LINE

SECTION

142.05

P.O.T. SET 1/2 STK. & NAIL FLUSH

P.O.T. SET 1/2 STK. & NAIL FLUSH

SEC. 10

RELEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SEC. LINES T.4N.R.10W
JN 030201 Tape 172 Std 84 °F
Surveyed by J. C. PIERCE
Notes J. C. PIERCE Date 10-26-62
Indexed C. J. GALLI

F. B. 2637 PG. 169

TO BOT. PG. 170

W.S. 82, A-1

1129.38

3.49
0.30

FD. OLD 1X2 STK. & NAIL
PER F.B. 1262-156

SET 1X2 STK. & NAIL
FLUSH

SEC. 10
T.4N. R.10W.

SEC. 11

298.11 @ 6°34' = 296.15
(T=80) = 296.14

296.14

SEC. LINE

1°50' = 214.23
LEVEL = 18.14
11°32' = 259.69
5°43' = 216.55
1°44' = 195.85
16°57' = 242.42
(T=82) = 1129.38

SET 1X2 STK. & NAIL FL

137.46

142.89 @ 15°50' = 137.46
(T=80) = 137.46

R.P.
SET 2" I.P. & C.E. TAG
UP 6"

45° 56.57 TAN.

(CM-13)
1/4 SEC. COR.
FD. STD. CO. SURVEYOR B.C. MON.
UP 4" STAMPED AS SHOWN
PER F.B. 1262-156

56.57 TAN.

R.P.
SET 2" I.P.
C.E. TAG UP 6"

T.4N.
R.10W. COUNTY SURVEYOR
10/11
1/4 COR.
R.E. 329

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

78F3095 CE # 310 2-61

TO RIGHT PG 136

F. B. 2687 PG. 170

SEC. 10

T. 4 N. R. 10 W.

329.66

300.34 @ 4° 33' = 299.39
30.28 @ LEVEL = 30.28
329.67
(T = 78) = 329.66

FD. 1X2 STK. & NAIL FLUSH NO RECORD ← 1.14 → SET 1X2 STK. & NAIL FL.

SEC. 11

SEC. LINE

731.57

300.32 @ 10° 00 = 295.76
300.32 @ 7° 25' = 297.81
140.35 @ 10° 26' = 138.03
731.60
(T = 78) = 731.57

1.67 → FD. OLD 1X2 STK. & N. PER F.B. 1262-156

SET 1X2 STK. & NAIL FLUSH ← 0.19

1129.38

TO TOP PG. 169

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of SEC. LINES T.4N. R.10W.	F. B. 2637 PG. 171
Map No.		JN 0302.01 Tape 172 Std 84 °F	
Office Work		Surveyed by J. C. PIERCE	
Checked		Notes J. C. PIERCE Date 3-26-63	
Date		Indexed C. J. GALLI	

W.S. 82, B-1

SEC. 1

TO BOT PG. 172

1) 92-54-00
4) 11-37-20
3) 197-26-00
AVE) 92-54-20

SEC. 2
T. 4N. R. 10W.

SEC. LINE

754.51

92°54'20"

194.48	@	8°19'	= 192.43
140.25	@	5°28'	= 139.61
170.02	@	1°47'	= 168.45
255.16	@	5°21'	= 254.05
			754.54
(T=78)			= 754.51

PALLETT CREEK

22.40

ROAD

TO RPPJ #5-9 I.I.P. SEE PG. 145

14.16

P.I. #105 BT. SPK. IN PVM'T. SEE PG. 144

A LRG. W. & T. FLUSH

INT. SET LRG. BT. SPK. W. & T. IN PVM'T. FLUSH SEE PG. 144

SET 1X2 STK. & NAIL FLUSH

197.66

197.97 @ 3°08' = 197.67
(T=78) = 197.66

(CM-16)

WITNESS CORNER TO SEC. COR. ED. A STD. C.S. B.C. MON IN CONC. FLUSH STAMPED AS SHOWN
F.B. 79-109, 110
F.B. 167C-19

COUNTY SURVEYORS T.4N. R.10W. 2 | 1 / 11 | 12 W.C. MONUMENT

14.16 @ LEV. (T=60) = 14.16
22.40 @ LEV. (T=60) = 22.40

SECTION COR. 1, 2, 12, 11, 12 T. 4N. R. 10W. NOTHING SET

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 2-61

F. B. 2697 PG. 172

(CM-15)
1/4 SEC. COR.
SECS. 1, 2, T. 4 N. R. 10 W.
FD. 2" I.P. IN CONC. WITH CUT
SPK. CENTER UP 3"
PER F.B. 78-134 108
SEE F.B. 2280-239

1027.18

253.75 @ 3° 34' = 253.26
300.61 @ 5° 18' = 299.32
80.51 @ LEVEL = 80.51
99.52 @ LEVEL = 99.52
295.83 @ 5° 07' = 294.65
(T = 72) = 1027.26
1027.18

SEC 2
T. 4 N. R. 10 W.

FD. SPK. & TAG
PLS. NO RECORD

0.17
14.40

SET 1X2 STAKE & NAIL

294.55 @ 1° 01' = 294.50
(T = 72) = 294.48

294.48

SEC. 1

FD 2" I.P. CEM. PL. & TAG
R.E. 4750 UP 8"

170.35 @ 5° 42' = 169.51
(T = 72) = 169.50

169.50

FD 4X4 STK. & NAIL
UP 6" GOOD CONDITION
PER F.B. 78-109

754.5

SEC. LINE

TO TOP PG. 171

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of CIMA ROAD
Map No.	JN 009554 Tape 172 Std 84 °F
Office Work	Surveyed by J. C. PIERCE
Checked	Notes PIERCE Date 3-27-63
Date	Indexed C. J. GALLI

F. B. 2637 PG. 173

WS 82, B-1

TO BOT PG. 174

393.51

170.34 @ 2° 22' = 170.19
224.04 @ 4° 26' = 223.37
393.56
(T = 66) = 393.51

FD. 1X2 STK. & NAIL FLUSH PER F.B. 2280-200

273.74

SEC. 1
T. 4 N. R. 10 W.

SEC. 6
T. 4 N. R. 9 W.

135.14 @ 14° 21 = 130.92
145.33 @ 10° 36 = 142.85
273.77
(T = 66) = 273.74

FORT TEJON RD.

INT.
FD. BT. SPK. W. & TIN FLUSH PER F.B. 2280-200

400.80

400.86 @ LEVEL (T = 62) = 400.80

FD. OLD 1X2 STK. & NAIL F.B. 1676-19, 78

263.60 MEAS.
226.17 CALC.

TO LEFT PG. 152

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

TO BOT. PG 175

F. B. 2637 PG. 174

W.S. 82, B-1

1122.28

299.43 @ 5° 27' = 298.08
200.70 @ LEVEL = 200.70
276.73 @ 3° 57' = 276.07
300.21 @ 3° 40' = 299.60
47.96 @ LEVEL = 47.96
1122.41
(T=66) = 1122.28

SEC. 1
T. 4 N. R. 10 W.

FD. 1X2 STK. & NAIL FLUSH F.B. 2280 - 243

442.80 SEC. LINE

SEC. 6
T 4 N. R. 9 W.

145.42 @ 6° 38 = 144.45
300.68 @ 7° 04 = 298.40
442.85
(T= 66) = 442.80

FD. 1X2 STK. & NAIL FL. F.B. 2280 - 243

288.81 @ 9° 38' = 284.74
(T=66) = 284.71

R.P. = SET A 2" I.P. & C.E. TAG UP 12"

15"

284.71

58'

56.57 TAN.

(CM-17)
1/4 SECTION CORNER
SECS. 1 & 6 T. 4 N. R. 9 & 10 W.
FD. 2" I.P. & B.C. IN CONC.
STAMPED AS SHOWN
FLUSH
PER F.B. 960-137
SEE F.B. 2280-243

56.57 TAN

17.9°

393.51 SEC. LINE

R.P. = SET A 2" I.P. & C.E. TAG UP 6"

COUNTY SURVEYOR
T. 4 N.
R. 10 W. 1/6 R. 9 W.
1/4 COR.
R.E. 2177

D) 179 - 58 - 20
4) 359 - 02 - 50
5) 359 - 49 - 30
AVE) 179 - 58 - 15

TO TOP PG. 173

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of CIMA ROAD
Map No. B-5361	JN 0095.84 Tape 172 Std 84 °F
Office Work G. MASUDA	Surveyed by J.C. PIERCE
Checked	Notes J.C. PIERCE Date 3-25-63
Date	Indexed J. GALLI

F. B. 2637 PG. 175

WS 66 D-6

SEC. LINE

TOWNSHIP CORNER
AS PER C.S. 7384
FD. 4" IRON POST
FILLED W/ CEMENT
IN ROCK MOUND
PER C.S. 5566
SEE C.S. 5566
SEE F.B. 2280 - 242

SEC. 1
T. 4 N. R. 10 W.

256.60

FD 1X2 STK. & NAIL FLUSH

375.97

105° 00' 55"

FD. 1X2 STK. & NAIL FL.

3.50

SET 1" I.P. & CO. ENG'R. TAG FLUSH BY INT.

856.71

90.62 @ 8° 17' = 89.67
245.71 @ 9° 01' = 242.67
300.63 @ 5° 44' = 299.13
143.51 @ 4° 30' = 143.07
83.36 @ 9° 24' = 82.24
856.78
(T = 72) = 856.71

1) 105-01-20
2) 60-03-40
3) 270-05-20
AVE) 105-00-53 1/3

258.17 @ 6° 16' = 256.63
(T = 66) = 256.60

155.32

SEC. 6

'A' PT. "PIERCE"
A 2" I.P. & C.E. TAG
FLUSH SEE PG. 183

FD 1X2 STK. & NAIL FL.

SECTION LINE

288.76 @ 3° 35' = 288.20
87.81 @ LEVEL = 87.81
376.01
(T = 66) = 375.97

155.34 @ LEVEL (T = 66) = 155.32

1122.28

TO TOP PG. 174

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S CE # 310 2-61

F. B. 2637 PG 176

W.S. 82, A-1

R.P. SET 2" I.P. & C.E. TAG UP 6"

5657 TAN.

(CM-12)
VA SEC. CORNER
FD. 2" I.P. IN CONC. WITH CUT SPK. CTR. UP 6"
PER F.B. 78-113
SEE C.S. 8735

5657 TAN.

45°

R.P. SET 2" I.P. & C.E. TAG UP 8"

647.55

P.O.T SET 1X2 STK. & NAIL FLUSH

SEC. 2

148.78

SEC. 3

T. 4 N. R. 10 W.

11-26-63 F.C.P.

148.78

P.O.T SET 1X2 STK. & NAIL FL.

528.51

VOID 11-26-63 F.C.P.
793.51 @ 360° = 219.88
795.37 @ LEVEL = 441.63
(T=82) = 528.51

148.78 @ LEV (T=82) = 148.78
647.55 @ LEV (T=70) = 647.51

P.O.T. #1 SET 1X2 STK. & NAIL REFERENCED 1X2 WITH A STD. CO. ENGR. B.C. MON. STAMPED AS SHOWN
SEE PG. 182

COUNTY ENGINEER P.O.L. SEC. LINE R.E. 5869

11-26-63 F.C.P.
1843.66
1843.44
SEC. LINE

TO LEFT PG. 136

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 CE #310 7-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CIMA ROAD
JN 00955 Tape 172 Std. 84 °F
Surveyed by J. C. PIERCE
Notes J. C. PIERCE Date 8-29-62
Indexed G. J. GALU

SEC. 9
T. 4 N. R. 10 W.

R.O.T. SET 1/X 2 STK. & N.

462.48

TO TOP PG. 129

R.O.T. SET 1/X 2 STK & NAIL

868.79

668.73

TO LEFT PG. 164

1/4 SEC. LINE

868.79 @ LEVEL (T=84) = 868.79

130.58	@ 5° 30' =	129.98
300.01	@ 5° 47' =	298.48
240.24	@ LEVEL =	240.24
	(T=90) =	668.70
		668.73

F. B. 2637 PG. 177

F. B. 2637 PG 178

~~116 117~~

W.S. 82 4-1

SEC. 2
T. 4 N., R. 10 W.

SEC. 11

R.P. SET 2" I.P. & C.E. TAG DN. 12"

56.57

1/4 SEC. CORNER FD. A 2" I.P. WITH CUT SPK. CENTER IN CONC. DN. 12" PER F.B. 78-16, 108 SEE C.S. 8735

56.57

45°

R.P. - SET 2" I.P. & C.E. TAG DN. 12"

1553.87

SEC. LINE

TO RIGHT PG. 138

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of CIMA ROAD
Map No. B-5361	JN 0095.54 Tape Std 84 °F
Office Work G. MATSUDA	Surveyed by J.C. PIERCE
Checked	Notes J.C. PIERCE Date 10-18-63
Date	Indexed C. J. GALLI NOV 5 '63

F. B. 2637 PG. 181

J.N. 0095.54
CIMA ROAD
TIES TO ZONE 7 COORDINATES

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

PIERCE
MENDONCA
ALBRIGHT
TALBOT
HILL

75F3095 C.E. #310 6-62

F. B. 2637 PG. 182

W.S 82 A-1



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of CIMA ROAD
Map No.	JN 009554 Tape Std 84 °F
Office Work	Surveyed by J. C. PIERCE
Checked	Notes J. C. PIERCE Date 10-18-63
Date	Indexed C. J. GALLI

F. B. 2637 Pg. 183



NOTE
ANGLES MEASURED WITH
INST. No. TUE # 580792

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 81, D-1



F.B. 2637 Pg 184

F. B. 2637 Pg. 191

NOTES RED. JOB NO. 0095.54 SURVEY OF CIMA ROAD
DATE SURVEY BY J. C. PIERCE
NOTES CHKD. NOTES BY J. C. PIERCE DATE APRIL 10, 1963
DATE INDEXED C. J. GALLI DATE NOV 5 63

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 4-54

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						J. N. 0095.54
						CIMA ROAD
						BENCH LEVELS
						FROM: JUNIPER HILLS PARK
						TO: VALYERMO ROAD
						PIERCE
						MENDONCA
						KING
						HILL

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0095.54 SURVEY OF CIMA ROAD
SURVEY BY J. C. PIERCE
NOTES BY J. C. PIERCE DATE 4-10-63
INDEXED DATE

NOTES RED DATE NOTES CHKD DATE

F.B. 2637 Pg. 192

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM JH-2	3970.528					BM JH-2 UNADJ ELEV.= 3970.528 F.B. 2601-20
+	8.317		8.148			96TH ST. E. & PALLETT CREEK RD. SW COR.
π	3978.845	+ 7.739	+ 7.738			C.E. MON. AT N.E. COR. JUNIPER HILLS PARK
−	0.578		0.410			
TP	3978.267					T.P. SPK. IN PVM'T.
+	5.704		5.603			
π	3983.971	+ 4.236	+ 4.235			
−	1.468		1.368			
BM JH-1	3982.503					BM JH-1 UNADJ. ELEV = 3982.530 F.B. 2601-20
+	6.968		6.809			96TH ST. E. (W. SIDE) 990'± N. OF E. 1/4 COR. SEC.
π	3989.471	+ 5.100	+ 5.101			6 T. 4N. R. 10W. C.E. MON. AT S.E. COR.
−	1.868		1.708			JUNIPER HILLS PARK
T.P.	3987.603					T.P. SPK. IN PVM'T.
+	8.278		8.389	8.432		
π	3995.881	+ 8.053	+ 8.047	+ 8.049		
−	0.225		0.342	0.383		
T.P.	3995.656					T.P. SPK IN PVM'T
+	10.094		9.948			
π	4005.750	+ 9.567	+ 9.566			
−	0.527		0.382			
T.P.	4005.223					T.P. SPK. IN PVM'T.
+	9.17?		9.090			
π	4014.396	+ 8.260	+ 8.260			
−	0.913		0.830			
T.P.	4013.483					T.P. SPK IN PVM'T
+	10.100		10.202			
π	4023.583	+ 9.795	+ 9.794			
−	0.305		0.408			
T.P.	4023.278					T.P. SPK. IN PVM'T.

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED_____ JOB NO 0095.54 SURVEY OF CIMA ROAD
DATE_____ SURVEY BY J.C. PIERCE
NOTES CHKD_____ NOTES BY J.C. PIERCE DATE 4-10-63
DATE_____ INDEXED_____ DATE_____ C. J. GALLI

F.B. 2637 Pg. 193

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4023.278					T.P. SPK IN PVM'T.
+	9.370		9.318			
⊼	4032.648	+8.975	+8.975			
−	0.395		0.343			
T.P.	4032.253					T.P. SPK IN PVM'T
+	10.382		10.448			
⊼	4042.635	+10.129	+10.128			
−	0.253		0.320			
T.P.	4042.382					T.P. SPK. IN PVM'T
+	11.335		11.413			
⊼	4053.717	+11.101	+11.101			
−	0.234		0.312			
T.P.	4053.483					T.P. SPK IN PVM'T.
+	9.820		9.882			
⊼	4063.303	+9.623	+9.622			
−	0.197		0.260			
T.P.	4063.106					T.P. IXI STK.
+	10.928		11.050			
⊼	4074.034	+7.688	+7.688			
−	3.240		3.362			
T.P.	4070.794					T.P. SPK. IN PVM'T.
+	1.645		1.722			
⊼	4072.439	−8.845	−8.843			
−	10.490		10.565			
T.P.	4061.949					T.P. SPK IN PVM'T.
+	3.560		3.653			
⊼	4065.509	+3.370	+3.370			
−	0.190		0.283			
TP	4065.319					T.P SPK IN PVM'T.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 4095.54 SURVEY OF CIMA ROAD
SURVEY BY J. C. PIERCE
NOTES BY J. C. PIERCE DATE 4-10-63
INDEXED DATE
NOTES RED DATE
NOTES CHKD. DATE

F.B. 2637 Pg. 194

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4065.319					T.P. SPK. IN PVM'T.
+	8.568		8.438			
⌅	4073.887	+6.909	+6.910			
-	1.659		1.528			
T.P.	4072.228					T.P. IXI STK,
+	7.865		7.960			
⌅	4080.093	+5.557	+5.557			
-	2.308		2.403			
SET BM ⌯ CR-1	4077.785					BM ⌯ CR-1 ELEV. F.B. 2637-194 96TH ST. E. AT 1002'± N. OF SE COR. SEC. 6 T. 4N. R. 10W. A 2" I.P. & B.C. IN CONC. UP 3" STAMPED "COUNTY ENGINEER R.E. 5869 BM CR-1 27'± E. OF CENTER 96TH ST. E. 15'± N. OF PP ⌯ 699156-E
+	9.498		9.422			
⌅	4087.283	+9.193	+9.192			
-	0.305		0.230			
T.P.	4086.978					T.P. SPK. IN PVM'T.
+	10.020		10.128			
⌅	4096.998	+9.706	+9.704			
-	0.320		0.424			
T.P.	4096.678					T.P. SPK. IN PVM'T.
+	11.430		11.552			
⌅	4108.108	+11.248	+11.247			
-	0.182		0.305			
T.P.	4107.926					T.P. IXI STK
+	10.930		11.043			
⌅	4118.856	+10.628	+10.628			
-	0.302		0.415			
T.P.	4118.554					T.P. IXI STK,
+	11.150		11.280			
⌅	4129.704	+10.772	+10.775			
-	0.378		0.505			
T.P.	4129.326					T.P. SPK IN PVM'T,

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0095.54 SURVEY OF CIMA ROAD
DATE _____ SURVEY BY J. C. PIERCE
NOTES CHKD _____ NOTES BY J. C. PIERCE DATE 4-10-63
DATE _____ INDEXED R. J. GALLI DATE _____

F.B. 2637 Pg. 195

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4129.326					T.P. SPK. IN PVM'T.
+	10.103		9.961			
π	4139.429	+ 8.823	+ 8.826			
-	1.280		1.135			
T.P.	4138.149					T.P. SPK IN PVM'T.
+	10.612		10.706			
π	4148.761	+ 10.271	+ 10.271			
-	0.341		0.435			
T.P.	4148.420					T.P. SPK. IN PVM'T
+	11.967		11.901			
π	4160.387	+ 11.539	+ 11.539			
-	0.428		0.362			
T.P.	4159.959					T.P. SPK IN PVM'T.
+	7.528		7.448			
π	4167.487	+ 7.228	+ 7.228			
-	0.300		0.220			
T.P.	4167.187					T.P. SPK IN PVM'T.
+	11.953		11.741			
π	4179.140	+ 9.823	+ 9.823			
-	2.130		1.918			
T.P.	4177.010					T.P. SPK. IN PVM'T.
+	9.408		9.270	9.080		
π	4186.418	+ 7.838	+ 7.832	+ 7.832		
-	1.570		1.438	1.248		T.P. SPK IN PVM'T.
T.P.	4184.848					
+	10.323		10.141			
π	4195.171	+ 8.080	+ 8.081			
-	2.243		2.060			
T.P.	4192.928					T.P. SPK. IN PVM'T.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0095.54 SURVEY OF CIMA ROAD
SURVEY BY J.C. PIERCE
NOTES BY J.C. PIERCE DATE 4-10-63
INDEXED C.J. CALLI DATE 4-
NOTES RED. DATE
NOTES CHKD. DATE

F.B. 2637 Pg. 196

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4192.928					T.P. SPK IN PVM'T.
+	11.868		11.914			
=	4204.796	+11.623	+11.625			
-	0.245		0.289			
T.P.	4204.551					T.P. SPK IN PVM'T.
+	10.213		10.301			
=	4214.764	+10.028	+10.029			
-	0.185		0.272			
T.P.	4214.579					T.P. SPK IN PVM'T.
+	11.080		11.168			
=	4225.659	+10.690	+10.686			
-	0.390		0.482			
T.P.	4225.269					T.P. SPK IN PVM'T.
+	11.990		11.827			
=	4237.259	+8.720	8.727			
-	3.264		3.100			
T.P.	4233.995					T.P. SPK IN PVM'T.
+	8.140		8.263			
=	4242.135	+4.092	+4.091			
-	4.048		4.172			
SET BM# CR-2	4238.087					BM# CR-2 ELEV. = F.B. 2637-196 CIMA ROAD AT 1300'± W. OF 101ST ST. E. A 2" I.P. & B.C. IN CONC. UP 4" STAMPED "COUNTY ENGINEER R.E. 5869 BM CR-2" 15'± S. OF CENTER CIMA RD. 12'± E. OF FENCE COR.
+	7.712		7.858			
=	4245.799	+4.165	+4.166			
-	3.547		3.692			
T.P.	4242.252					T.P. SPK IN PVM'T.
+	7.890		7.980	7.905		
=	4250.142	+4.845	+4.852	+4.848		
-	3.045		3.128	3.057		
T.P.	4247.097					T.P. SPK IN PVM'T.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4247.097					T.P. SPK. IN PVM'T.
+	5.590		5.643			
Δ	4252.687	-0.157	-0.157			
-	5.747		5.800			
T.P.	4246.940					T.P. SPK. IN PVM'T.
+	0.390		0.425	0.368		
Δ	4247.330	-5.152	-5.147	-5.147		
-	5.542		5.572	5.515		
T.P.	4241.788					T.P. SPK. IN PVM'T.
+	3.717		3.630			
Δ	4245.505	-0.020	-0.017			
-	3.737		3.647			
T.P.	4241.768					T.P. SPK. IN PVM'T.
+	10.742		10.600			
Δ	4252.510	+10.068	+10.070			
-	0.674		0.530			
T.P.	4251.836					T.P. SPK. IN PVM'T.
+	9.577		9.450			
Δ	4261.413	+9.154	+9.153			
-	0.423		0.297			
T.P.	4260.990					T.P. SPK. IN PVM'T.
+	10.575		10.643			
Δ	4271.565	+10.054	+10.055			
-	0.521		0.588			
T.P.	4271.044					T.P. SPK. IN PVM'T.
+	9.612		9.522			
Δ	4280.656	+7.106	+7.109			
-	2.506		2.413			
T.P.	4278.150					T.P. SPK. IN PVM'T.

NOTES RED _____ JOB NO 0095.54 SURVEY OF CIMA ROAD
DATE _____ SURVEY BY J. C. PIERCE
NOTES CHKD _____ NOTES BY J. C. PIERCE DATE 4-11-63
DATE _____ INDEXED R. J. CAHI DATE _____

F.B. 2637 Pg. 197

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0095.54 SURVEY OF CIMA ROAD NOTES RED. ____ DATE ____
SURVEY BY J.C. PIERCE
NOTES BY J.C. PIERCE DATE 4-11-63 NOTES CHKD. ____ DATE ____
INDEXED C. J. CALLI DATE ____

F.B. 2637 PG. 198

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4278.150					T.P. SPK. IN PVM'T.
+	10.968		10.908	11.041		
=	4289.118	+10.561	+10.554	+10.556		
-	0.407		0.354	0.485		
T.P.	4288.711					T.P. SPK. IN PVM'T.
+	11.002		10.820			
=	4299.713	+10.548	+10.549			
-	0.454		0.271			
T.P.	4299.259					T.P. SPK. IN PVM'T.
+	11.128		11.290			
=	4310.387	+10.813	+10.815			
-	0.315		0.475			
T.P.	4310.072					T.P. SPK. IN PVM'T.
+	11.522		11.684			
=	4321.594	+11.005	+11.007			
-	0.517		0.677			
T.P.	4321.077					T.P. SPK. IN PVM'T.
+	11.162		11.000			
=	4332.239	+8.680	+8.680			
-	2.482		2.320			
T.P.	4329.757					T.P. SPK. IN PVM'T.
+	7.619		7.455			
=	4337.376	+4.339	4.338			
-	3.280		3.117			
SET BM= CR-3	4334.096					BM= CR-3 ELEV = 3000' (USC & GS) F.B. 2637-198
+	1.668		1.418			CIMA ROAD AT 200'± W. OF E. 1/4 COR. SEC. 8 T.4N. R.10 W. A 2" I.P. & B.C. IN CONC. UP 3" STMP'D. "COUNTY ENGINEER R.E. 5863 BM CR-3" 20'± S. OF CENTER CIMA ROAD 8'± WEST OF PP= 699128E
=	4335.764	-5.053	-5.050			
-	6.721		6.468			
T.P.	4329.043					T.P. SPK IN PVM'T.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0095.51 SURVEY OF CIMA ROAD
DATE _____ SURVEY BY J. C. PIERCE
NOTES CHKD _____ NOTES BY J. C. PIERCE DATE 4-11-63
DATE _____ INDEXED C. J. GALLI DATE _____

F. B. 2637 Pg. 199

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4329.043					T.P. SPK. IN PVM'T
+	5.358		5.545			
⊼	4334.401	+ 2.188	+ 2.185			
-	3.170		3.360			
T.P.	4331.231					T.P. SPK. IN PVM'T.
+	10.668		10.564			
⊼	4341.899	+ 9.437	+ 9.439			
-	1.231		1.125			
T.P.	4340.668					T.P. SPK. IN PVM'T.
+	7.830		7.953			
⊼	4348.498	- 2.903	- 2.907			
-	10.733		10.860			
T.P.	4337.765					T.P. SPK. IN PVM'T.
+	1.460		1.170			
⊼	4339.225	- 8.373	- 8.376			
-	9.833		9.546			
T.P.	4329.392					T.P. SPK. IN PVM'T.
+	0.412		0.247			
⊼	4329.804	- 9.858	- 9.857			
-	10.270		10.104			
T.P.	4319.534					T.P. SPK IN PVM'T.
+	0.788		0.911			
⊼	4320.322	- 10.934	- 10.934			
-	11.722		11.845			
T.P.	4308.600					T.P. SPK IN PVM'T.
+	0.712		0.855			
⊼	4309.312	- 8.940	- 8.938			
-	9.652		9.793			
T.P.	4299.660					T.P SPK IN PVM'T

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0095.54 SURVEY OF CIMA ROAD NOTES RED.
SURVEY BY J.C. PIERCE DATE NOTES CHKD.
NOTES BY J.C. PIERCE DATE 4-11-63
INDEXED C.J. GALLI DATE

F.B. 2637 Pg. 200

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4299.660					T.P. SPK IN PVM'T.
+	1.790		1.883			
⊼	4301.450	-3.892	-3.889			
-	5.682		5.772			
SET BM# CR-4	4295.768					BM# CR-4 ELEV = F.B. 2637-200
+	3.343		3.130			CIMA ROAD AT 310'± E. OF E.¼ COR SEC. 8 T.4N.
⊼	4299.111	-4.119	-4.117			R.10W. A 2" I.P. & B.C. IN CONC. UP 3" STAMPED
-	7.462		7.247			"COUNTY ENGINEER R.E. 5869 BM CR-3"
T.P.	4291.649					23'± S. OF CENTER CIMA RD. 85'± E. OF
+	2.735		2.503			PP# 699113-E
⊼	4294.384	-2.533	-2.532			T.P. SPK. IN PVM'T.
-	5.268		5.035			
T.P.	4289.116					T.P. SPK IN PVM'T.
+	4.511		4.258			
⊼	4293.627	-4.704	-4.708			
-	9.215		8.966			
P# 1	4284.412					P# 1 STA 1+00.00 1X2 STK & N. (F.B. 2637-128)
+	0.280		0.398			
⊼	4284.692	-8.567	-8.566			
-	8.847		8.964			
T.P.	4275.845					T.P. 1X1 STK
+	1.027		1.183			
⊼	4276.872	-8.133	-8.136			
-	9.160		9.319			
T.P.	4267.712					T.P. 1X1 STK
+	1.543		1.313			
⊼	4269.255	-9.362	-9.365			
-	10.905		10.678			
T.P.	4258.350					T.P. 1X1 STK.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0095.54 SURVEY OF CIMA ROAD
DATE _____ SURVEY BY J. C. PIERCE
NOTES CHKD _____ NOTES BY J. C. PIERCE DATE 4-11-63
DATE _____ INDEXED R. J. GALLI DATE _____

F.B. 2637 PG. 201

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	4258.350					T.P. 1X1 STK.
+	1.280		1.108			
π	4259.630	-8.138	-8.139			
-	9.418		9.247			
T.P.	4250.212					T.P. 1X1 STK.
+	4.685		4.348			
π	4254.897	+1.451	+1.451			
-	3.234		2.897			
P#2	4251.663					P#2 STA 13+17.98 C.S. MON. CTR. SEC 9.
+	4.033		3.810			T.4N. R.10W. SEE F.B. 2637-129
π	4255.696	-3.065	-3.063			
-	7.098		6.873			
SET BM#CR-5	4248.598					BM#CR-5 ELEV= F.B. 2637-201
+	5.569		5.459			AT CENTER SEC. 9 T.4N. R.10W. A 2" I.P. IN
π	4254.167	-0.912	-0.911			CONC. UP 3" STAMPED "COUNTY ENGINEER
-	6.481		6.370			R.E. 5869 BM CR-5" 50' N. & 30' E. OF CENTER
P#3	4247.686					OF SECTION
+	4.929		4.967			P#3 1X2 STK & NAIL FL. F.B. 2637-129
π	4252.615	-0.851	-0.851			
-	5.780		5.818			
T.P.	4246.835					T.P. 1X1 STK.
+	2.571		2.677	2.761		
π	4249.406	-6.191	-6.182	-6.183		
-	8.762		8.859	8.944		
P1#1	4240.644					P1#1 1X2 STK & NAIL FL. F.B. 2637-129
+	5.399		5.479			
π	4246.043	-0.059	-0.059			
-	5.458		5.538			
T. P	4240.585					1X1 STK

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 009.54 SURVEY OF CIMA ROAD
SURVEY BY J. C. PIERCE
NOTES BY J. C. PIERCE DATE 4-15-63
INDEXED C. I. GALLI DATE

NOTES RED. DATE
NOTES CHKD. DATE

F.B. 2637 Pg. 202

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4240.585					T.P. 1X1 STK
+	5.379		5.353			
⊼	4245.964	- 2.892	-2.895			
-	8.271		8.248			
T.P.	4237.693					T.P. 1X1 STK
+	6.984		6.914			
⊼	4244.677	+4.152	+4.152			
-	2.832		2.762			
P#4	4241.845					P#4 1X2 STK & NAIL FL. F.B. 2637 - 130
+	1.710		1.601			
⊼	4243.555	- 5.487	- 5.487			
-	7.197		7.088			
T.P.	4236.358					T.P. 1X1 STK.
+	7.230		7.103			
⊼	4243.588	+ 0.770	+ 0.771			
-	6.460		6.332			
T.P.	4237.128					T.P
+	3.623		3.611			
⊼	4240.751	- 1.670	- 1.672			
-	5.293		5.283			
T.P.	4235.458					T.P.
+	9.734		9.810			
⊼	4245.192	+ 2.930	2.936			
-	6.798		6.874			
P#5	4238.394					P#5 1X2 STK & NAIL F.B. 2637 - 130
+	9.009		9.124			
⊼	4247.403	+8.562	+ 8.563			
-	0.447		0.561			
T.P.	4246.956					T.P 1X1 STK

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0095.54 SURVEY OF CIMA ROAD
DATE _____ SURVEY BY J.C. PIERCE
NOTES CHKD. _____ NOTES BY J.C. PIERCE DATE 4-15-63
DATE _____ INDEXED E.J. GANI DATE _____

F.B. 2637 PG. 203

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4246.956					T.P. 1X1 STK.
+	11.598		11.492			
Δ	4258.554	+ 5.308	+ 5.307			
-	6.290		6.185			
T.P	4252.264					T.P. 1X1 STK.
+	10.411		10.351			
Δ	4262.675	+ 4.834	+ 4.833			
-	5.577		5.518			
T.P.	4257.098					T.P. 1X1 STK.
+	8.728		8.862			
Δ	4265.826	- 0.640	- 0.639			
-	9.368		9.501			
T.P	4256.458					T.P. 1X1 STK.
+	0.521		0.416			
Δ	4256.979	- 11.016	-11.014			
-	11.537		11.430			
T.P.	4245.442					T.P. 1X1 STK.
+	0.746		0.836			
Δ	4246.188	- 10.944	- 10.845			
-	11.590		11.681			
T.P	4234.598					T.P. 1X1 STK
+	2.100		2.182			
Δ	4236.698	- 8.890	- 8.892			
-	10.990		11.074			
SET BM#CR-6	4225.708					BM#CR-6 ELEV. = F.B. 2637-203 AT EAST LINE SEC. 9 T.5N. R.10W. A 2" I.P. & B.C. IN CONC. STAMPED "COUNTY ENGINEER R.E. 5869 BM CR-6 482' S. OF E. 1/4 COR. SEC. 9 81' W. OF SEC. LINE ON TOP SMALL SPUR BEARING NORTH
+	10.871		11.021			
Δ	4236.579	+ 7.397	+ 7.398			
-	3.474		3.623			
T.P.	4233.105					T.P. 1X1 STK.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0095.54 SURVEY OF CIMA ROAD
SURVEY BY J. C. PIERCE
NOTES BY J. C. PIERCE DATE APRIL 15, 1963 NOTES CHKD. DATE
INDEXED C. I. GALLI DATE NOTES RED. DATE

F. B. 2637 Pg. 204

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4233.105					T.P. 1X1 STK.
+	7.340		7.408			
⊼	4240.445	+ 0.553	+ 0.553			
−	6.787		6.855			
T.P.	4233.658					T.P. 1X1 STK.
+	2.129		2.178			
⊼	4235.787	- 8.697	- 8.694			
−	10.826		10.872			
P1 # 2	4224.961					P1 # 2 1X2 STK. & N. F.B. 2637 - 131
+	6.951		6.791			
⊼	4231.912	- 4.298	- 4.298			
−	11.249		11.089			T.P. 1X1 STK.
T.P.	4220.663					
+	4.691		4.821			
⊼	4225.354	- 5.416	- 5.416			
−	10.107		10.237			
T.P.	4215.247					T.P. 1X1 STK.
+	0.909		0.767			
⊼	4216.156	- 10.759	- 10.760			
−	11.668		11.527			
T.P.	4204.488					T.P. 1X1 STK.
+	9.560		9.382			
⊼	4214.048	- 1.208	1.206			
−	10.768		10.588			
T.P.	4203.280					T.P. 1X1 STK.
+	4.811		4.910			
⊼	4208.091	- 5.829	- 5.630			
−	10.640		10.740			
T.P.	4197.451					T.P. 1X1 STK.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED
DATE
NOTES CHKD.
DATE
JOB NO. 0095.54 SURVEY OF CIMA ROAD
SURVEY BY J. C. PIERCE
NOTES BY J. C. PIERCE DATE APRIL 16, 1963
INDEXED
DATE
C. J. CALL DATE

F. B. 263 PG. 207

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4120.704					T.P. 1X1 STK.
+	3.392		4.048			
I.	4124.096	- 3.212	- 3.212			
—	6.604		7.260			
T.P.	4117.492					T.P. 1X1 STK.
+	8.550		9.310			
I	4126.042	- 0.019	- 0.019			
—	8.569		9.329			
T.P.	4117.473					T.P. 1X1 STK.
+	3.570		2.970			
I	4121.043	- 4.855	- 4.853			
—	8.425		7.827			
T.P.	4112.618					T.P. 1X1 STK.
+	8.249		8.762			
I	4120.867	+ 2.058	+ 2.057			
—	6.191		6.705			
T.P.	4114.676					T.P. 1X1 STK.
+	10.029		10.243			
I	4124.705	- 0.001	- 0.001			
—	10.930		11.144			
T.P.	4113.775					T.P. 1X1 STK.
+	2.927		1.623			
I	4116.702	- 3.611	- 3.611			
—	11.042		10.245			
T.P.	4105.660					T.P. 1X1 STK.
+	1.613		0.995			
I	4106.768	- 9.034	- 9.035			
—	10.590		10.030			
T.P.	4096.178					T.P. 1X1 STK.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0095.54 SURVEY OF CIMA ROAD NOTES RED
SURVEY BY J.C. PIERCE DATE
NOTES BY J.C. PIERCE DATE APRIL 16, 1963 NOTES CHKD
INDEXED C. J. GATTI DATE

F.B. 2637 PG. 208

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	4096.122					STK.
+	2.379		2.884			
π	4098.561	- 7.469	- 7.468			
−	9.948		10.352			
P.#10	4088.613					1X2 STK & NAIL F.B. 2637 - 133
+	1.393		1.488			
π	4090.641	- 9.552	- 9.552			
−	11.545		11.940			
T.P.	4079.101					STK
+	2.811		1.678			
π	4079.913	- 10.334	- 10.352			
−	11.622		11.930			
T.P.	4068.247					STK
+	2.229		2.650			
π	4070.876	- 9.185	- 9.187			
−	11.414		11.837			
T.P.	4059.062					STK.
+	0.337		0.332			
π	4059.399	- 10.2[illegible]	- 10.422			
−	11.256		11.754			
T.P.	4048.643					STK.
+	1.040		0.449			
π	4049.683	- 10.269	- 10.269			
−	11.309		10.718			
T.P.	4038.374					STK.
+	0.342		0.468			
π	4038.716	- 11.466	- 11.464			
−	11.808		11.932			
P.I.#3	4026.908					P.I.#3 1X2 STK & NAIL F.B. 2637 - 133

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED____ JOB NO. 0095.54 SURVEY OF CIMA ROAD
DATE____ SURVEY BY J. C. PIERCE
NOTES CHKD.____ NOTES BY MENDONCA DATE APRIL 16, 1963
DATE____ INDEXED E. J. GALLI DATE____

F.B. 2637 PG. 209

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P.I. #3	4026.908					P.I. #3 1X2 STK & NAIL F.B. 2637 - 133
+	9.640		10.175			
π	4036.548	+ 8.810	+ 8.810			
−	0.830		1365			
T.P.	4035.718					1X1 STK.
+	10.338		10.860			
π	4046.056	+ 9.538	+ 9.538			
−	0.800		1.322			
T.P.	4045.256					1X1 STK.
+	11.320		11.925	11.675		
π	4056.576	+10.988	+ 10.983	+ 10.983		
−	0.332		0.944	0.692		
T.P.	4056.244					1X1 STK.
+	10.822		11.476			
π	4067.066	+ 10.412	+ 10.412			
−	0.406		1.058			
T.P.	4066.660					1X1 STK.
+	7.724		7.270	7.968		
π	4074.384	- 2.655	- 2.660	- 2.660		
−	10.279		9.930	10.628		
T.P.	4064.035					1X1 STK.
+	0.240		0.927			
π	4064.275	- 10.417	- 10.414			
−	10.687		11.341			
B.M. #CR-8	4053.588					B.M. #CR-8 ELEV. = FB. 2637 - 209
+	1.054		0.690			NEAR S - ¼ COR. SEC. 3 T.4N. R.10W. A 2" I.A & B.C. IN CONC. STAMPED "COUNTY ENGINEER R.E. 5869 BM CR-8 68' ± NORTH & 25' ± W. OF ¼ COR. ON TOP SMALL SPUR BEARING NE
π	4054.642	- 5.979	- 5.980			
−	7.033		6.670			
P #12	4047.609					P #12 1X2 STK. & NAIL F.B. 2637 - 135

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0095.54 SURVEY OF CIMA ROAD NOTES RED. DATE
SURVEY BY J.C. PIERCE
NOTES BY MENDONCA DATE APRIL 16, 1963 NOTES CHKD. DATE
INDEXED R.I. GALL DATE

F.B. 2637 PG. 210

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P#12	4047.609					P#12 1X2 STK. & NAIL F.B. 2637 - 135
+	2.630		2.580			
∧	4050.239	- 8.892	- 8.889			
−	11.522		11.469			
T.P.	4038.717					1X1 STK.
+	1.922		1.860			
∧	4040.639	- 6.298	- 6.299			
−	8.220		8.159			1X1 STK.
T.P.	4032.419					
+	1.562		1.497			
∧	4033.981	- 9.770	- 9.768			
−	11.332		11.265			
T.P.	4022.649					1X1 STK.
+	3.241		3.184			
∧	4025.890	- 8.364	- 8.366			
−	11.605		11.550			
T.P.	4014.285					1X1 STK.
+	0.504		0.445			
∧	4014.789	- 8.924	- 8.925			
−	9.430		9.370			
P#13	4005.359					P#13 1X2 STK. & NAIL FB 2637 -135
+	0.827		0.782	0.710		
∧	4006.186	- 10.597	- 10.659	- 10.660		
−	11.424		11.441	11.370		
T.P.	3994.762					1X1 STK.
+	0.645		0.613			
∧	3995.407	- 9.583	- 9.584			
−	10.228		10.197			
T.P	3985.179					1X1 STK

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. DATE
NOTES CHKD. DATE
INDEXED DATE

JOB NO. 2095.54 SURVEY OF CIMA ROAD
SURVEY BY J. C. PIERCE DATE APRIL 16, 1963
NOTES BY MENDONCA DATE
E. J. GALLI

F.B. 2637 Pg. 211

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3985.179					1X1 STK.
+	0.308		0.270			
⋏	3985.487	-10.690	- 10.688			
−	10.998		10.958			
T.P.	3974.489					1X1 STK.
+	0.888		0.842			
⋏	3975.377	-10.747	- 10.746			
−	11.635		11.588			
T.P.	3963.742					1X1 STK.
+	1.209		1.157			
⋏	3964.951	-10.359	- 10.358			
−	11.568		11.515			
T.P.	3953.383					1X1 STK.
+	1.302		1.250			
⋏	3954.685	-10.386	- 10.390			
−	11.688		11.640			
T.P.	3942.997					1X1 STK
+	2.387		2.318			
⋏	3945.384	- 8.275	- 8.274			
−	10.662		10.592			
T.P.	3934.722					1X1 STK.
+	2.902		2.835			
⋏	3937.624	- 2.750	- 2.750			
−	5.653		5.585			
BM.#CR-9	3931.971					BM# CR-9 ELEV. = F.B. 2637-211 AT COR. SECS. 2, 3, 10, 11, T. 4N. R. 10 W. A 2"I.P & B.C. IN CONC. UP 3" STAMPED "COUNTY ENGINEER R.E. 5869 BM CR-9" 50' SOUTH & 50' W. OF SEC. CORNER MON.

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0095.54 SURVEY OF CIMA ROAD NOTES RED
SURVEY BY J.C. PIERCE DATE
NOTES BY J.C. PIERCE DATE APRIL 16, 1963 NOTES CHKD.
INDEXED C.J. GALLI DATE

F.B. 2637 Pg. 2/2

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM #CR9	3931.971					BM #CR-9 ELEV = F.B. 2637-212 AT COR. SECS. 2, 3, 10, 11 T. 4N. R. 10W. A 2" I.P. & B.C. IN CONC. UP 3" "STAMPED" COUNTY ENGINEER R.E. 5869 BM CR-9" 50' SOUTH 50' W. OF SEC. COR. MONUMENT
+	1.776		1.722			
=	3933.747	- 7.008	- 7.008			
-	8.784		8.730			
P-14	3924.963					P #14 SEC. COR. 2, 3, 10, 11, T. 4N. R. 10W.
+	1.413		1.361			A STD. C.S.B.C. MON. SEE F.B. 2637-136
=	3926.376	- 9.969	9.969			
-	11.382		11.330			
T.P	3914.994					1X1 STK
+	0.922		0.843			
=	3915.916	- 10.447	10.446			
-	11.369		11.289			
T.P	3904.547					1X1 STK
+	0.395		0.337			
=	3904.942	- 11.180	11.178			
-	11.575		11.515			
T.P.	3893.367					1X1 STK
+	0.678		0.580			
=	3894.045	- 8.839	- 8.838			
-	9.517		9.418			
P.I. #4	3884.528					P.I. #4 1X2" STK. & NAIL
+	0.283		0.340			
=	3884.811	- 11.292	- 11.292			
-	11.575		11.632			
T.P	3873.236					1X1 STK
+	0.898		0.843			
=	3874.134	- 10.477	- 10.477			
-	11.375		11.320			
T.P.	3862.759					1X1 STK

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0095.54 SURVEY OF CIMA ROAD
DATE _____ SURVEY BY J. C. PIERCE
NOTES CHKD _____ NOTES BY J. C. PIERCE DATE APRIL 17, 1963
DATE _____ INDEXED C. J. GALLI DATE _____

F. B. 2637 Pg. 213

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3862.759					IXI STK.
+	0.642					
=	3863.401		0.585			
-	11.492	- 10.850	- 10.850			
T.P.	3851.909		11.435			IXI STK.
+	1.687		1.620			
=	3853.596	- 9.816	- 9.817			
-	11.503		11.437			
P-15	3842.093					P-15 B/SPK. W. & T. INT. F.B. 2637 + 138
+	2.243		2.108			
=	3844.336	- 2.935	- 2.934			
-	5.178		5042			
ROAD DEP'T. B.M.	3839.158					R.D.B.M. ELEV. =
+	4.307		4.230			75'± WEST OF INT. OF PALLETT CREEK RD.
=	3848.465	- 3.631	- 3.632			& LONGVIEW RD. & 6'± SO. OF PALLETT
-	7.938		7.862			CREEK RD PROJ. & STD. RD. DEP'T. B.M.
ROAD DEP'T B.M.	3835.527					R.D.B.M. ELEV. =
+	6.733		6.652			125'± EAST & 37'± SO. OF INT. OF
=	3842.260	+ 1.151	+ 1.149			PALLETT CREEK RD. & LONGVIEW RD. & STD.
-	5.582		5.503			R.D. DEP'T. B.M.
T.P.	3836.678					SPK.
+	5.369		5.302			
=	3842.047	+ 1.139	+ 1.140			
-	4.230		4.162			
T.P.	3837.817					SPK.
+	7.810		7.698			
=	3845.627	+ 3.760	+ 3.758			
-	4.050		3.940			
T.P	3841.577					

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0093.54 SURVEY OF CIMA ROAD NOTES RED
SURVEY BY J.C. PIERCE DATE
NOTES BY J.C. PIERCE DATE APRIL 17, 1963 NOTES CHKD
INDEXED C.J. GALLI DATE DATE

F.B. 2137 Pg. 2,14

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3841.577					SPK
+	4.878		4.777			
⅄	3846.455	+ 0.334	- 0.335			
-	5.212		5.112			
P.I.#5	3841.243					P.I.#5 B/SPK W&T FL.IN PAV. F.B. 2637-140
+	3.970		3.858			
⅄	3845.213	- 2.785	- 2.784			
-	6.755		6.642			
T.P	3838.458					SPK
+	4.141		4.052			
⅄	3842.599	+ 0.106	+ 0.103			
SET	4.035		3.949			
B.M.#CR-10	3838.564					B.M.#CR-10 ELEV. = F.B. 2637-214 PALLET CREEK RD. EAST OF LONGVIEW RD. A 2" I.P & B.C. IN CONC. U.P. 3" STAMPED "COUNTY ENGINEER R.E. 5869 BM CR-10" 38' S. OF CENTER PALLETT CREEK ROAD & 1240'± E. OF 131ST. ST. EAST 2' N. OF FENCE
+	1.328		1.180			
⅄	3839.892	- 6.633	- 6.629			
-	7.961		7.809			
P.I.-13S	3831.931					P.I.#13-S B/SPK. W&T. FL. IN PAV. F.B. 2637-141
+	2.673		2.612			
⅄	3834.604	- 3.848	- 3.848			
-	6.521		6.460			
T.P.	3828.083					SPK.
+	3.650		3.583			
⅄	3831.733	- 3.532	- 3.529			
-	7.182		7.112			
T.P.	3824.551					SPK.
+	2.043		1.998			
⅄	3826.594	- 5.534	- 5.531			
-	7.577		7.529			
T.P.	3819.017					SPK

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED JOB NO 0095.54 SURVEYOR C.L.M.A. RROD
DATE SURVEY BY J.C. PIERCE
NOTES CHKD NOTES BY J.C. PIERCE DATE APRIL 18, 1963
DATE INDEXED C.J. GAIN DATE

F.B. 2637 P. 2-5

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3819.017					SPK.
+	3.902		3768			
Σ	3822.919	+0.839 ✓	+0.839			
−	3.063		2929			
P.I.# 12-S	3819.856 ✓					P.I.# 12-S 1" I.P. 6' DN. TAG'D "L.A. CO. ENGR. F.B. 2637-142
+	3.720		3.919			
Σ	3823.576	−5.638 ✓	−5.637			
−	9.358		9.556			
T.P.	3814.218 ✓					SPK.
+	2.096		2.049			
Σ	3816.314	−5.937 ✓	−5.934			
−	8.033		7.983			
T.P.	3808.281 ✓					SPK.
+	0.744		0.648			
Σ	3809.025	−8.228 ✓	−8.228			
−	8.972		8.876			
T.P.	3800.053 ✓					SPK.
+	2.779		2.860			
Σ	3802.832	−3.293 ✓	−3.294			
−	6.072		6.154			
P.I.# 11-S	3796.760 ✓					SPK W/T IN PUNCH F.B. 2637-143
+	0.267		0.315			
Σ	3797.027	−9.267 ✓	−9.268			
−	9.534		9.583			
T.P.	3787.493 ✓					SPK
+	1.069		0.961 ✓			
Σ	3788.562	−8.712 ✓	−8.709			
−	9.781		9.670			
T.P.	3778.781 ✓					SPK

765420 8 & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0095.54 SURVEY OF CIMA ROAD NOTES RED
SURVEY BY J.C. PIERCE DATE
NOTES BY TALBOT DATE APRIL 18, 1963 NOTES CHKD
INDEXED C. J. GALLI DATE

F.B. 2637 Pg. 216

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3778.781					SPK.
+	0.904		1.024			
π	3779.685	-5.777	-5.778			
−	6.681		6.802			
P.I. # 10-S	3773.004					SWT IN PVM'T. F.B. 2637-144
+	2.937		3.041			
π	3775.941	-3.810	-3.810			
−	6.747		6.851			
SET BM #CR-11	3769.194					BM #CR-11 ELEV: F.B. 2637-216
+	0.367		0.380			PALLETT CREEK ROAD NEAR W. LINE SEC. 1 T 4N, R 10W,
π	3769.561	-10.227	-10.226			A 2" I.P. & B.C. IN CONC. UP 3" STAMPED "COUNTY
−	10.594		10.606			COUNTY ENGINEER R.E. 5860 BM CR-11" 370'± N.
T.P.	3758.967					& 160'± E. OF SW'LY COR. SEC. 1 30'± S. OF CENTER
+	0.919		0.769			PALLETT CR. RD. 6' SOUTH & 2'± E. OF T.P. = N 6797
π	3759.886	-8.291	-8.292			SPK.
−	9.210		9.061			
T.P.	3750.676					SPK.
+	1.478		1.568			
π	3752.154	-7.182	-7.183			
−	8.660		8.751			
T.P.	3743.494					SPK.
+	7.997		7.943			
π	3751.491	+6.343	+6.341			
−	1.654		1.602			
INT. PT.	3749.837					1" I.P. FLUSH 10'± N.W. of P.I. # 9-S ON ±
+	1.413		1.430			PROD. FROM EAST. F.B. 2637-145
π	3751.250	-10.099	-10.101			
−	11.512		11.531			
T.P.	3739.738					SPK.

766420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0095.54 SURVEY OF CIMA ROAD
DATE SURVEY BY J. C. PIERCE
NOTES CHKD NOTES BY R. L. TALBOT DATE APRIL 18, 1963
DATE INDEXED C. J. GALLI DATE

F. B. 2637 Pg. 217

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T. P.	3739.738					SPK.
+	0.627		0.745			
x	3740.365	-8.63	-8.636			
—	9.263		9.381			
T. P.	3731.102					SPK.
+	0.776		0.818			
x	3731.878	-7.410	-7.410			
—	8.186		8.228			
T. P.	3723.692					SPK
+	3.420		3.505			
x	3727.112	-5.730	-5.731			
—	9.150		9.236			
P.I. # 8-S	3717.962					P.I. # 8 S 3/4" I.P. WOOD PLUG & NAIL 10" DN. F.B. 2637-146
+	6.202		6.276			
x	3724.164	+0.615	+0.615			
—	5.587		5.661			
F.D. R.D. BM.#	3718.577					R.D.B.M. ELEV. = PALLETT CREEK RD. 1/2 MI. E OF 131ST ST. EAST A STD. PRECAST RD. DEPT CEM. MON. IN H.H. STAMPED L.A. CO. RD. DEPT. 1961 32'± S. OF CENTER PALLETT CREEK RD. 3' S. OF L.A. CO. F.D. T.P.# 116-806
+	3.005		2.932			
x	3721.582	-7.857	-7.857			
—	10.862		10.789			
F.D. RD.BM.#	3710.720					RDBM ELEV = PALLETT CREEK RD. 1/2 MI. E. OF 131ST. ST. EAST A STD RD. DEPT. CEM. MON IN H.H. STAMPED L.A. CO. RD. DEPT BM 1961 35'± N. OF CENTER PALLETT CREEK RD. 5' S. OF L.A. CO. F.B. T.P. # 806
+	3.004		3.035			
x	3713.724	-7.786	-7.789			
—	10.790		10.824			
P.I. # 7-S	3702.934					P.I. # 7-S SWT F.B. 2637-147
+	0.941		1.004			
x	3703.875	-7.668	-7.666			
—	8.609		8.670			
T. P.	3695.266					STK.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0095.54 SURVEY OF CIMA ROAD NOTES RED
SURVEY BY J.C. PIERCE DATE NOTES CHKD
NOTES BY R.L. TALBOT DATE APRIL 19, 1963 DATE
INDEXED J. GALLI DATE

F.B. 2637 Pg. 218

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3695.266					SPK.
+	1.108		1.151			
π	3696.374	-7.568	-7.569			
—	8.676		8.720			
T.P.	3687.698 ✓					SPK.
+	1.186		1.039			
π	3688.884	-8.953	-8.951			
—	10.139		9.990			
T.P.	3678.745 ✓					SPK.
+	2.681		2.611			
π	3681.426	+0.672	+0.671			
—	2.009		1.940			
BM*CR-12	3679.417 ✓					BM*CR-12 ELEV = F.B. 2637-218 PALLETT CREEK ROAD IN SEC. 1 T.4N. R.10W. A 2" I.P. & B.C. IN CONC. UP 3" STAMPED "COUNTY ENGINEER R.E. 5868 B.M. CR-12" 40'± S. OF CTR. PALLETT CREEK RD. 17'± S. OF L.A. Co. RD. T.P.* 116-816
+	2.156		2.202			
π	3681.573	-5.318	-5.318			
—	7.474		7.520			
P.I. *6-S	3674.099 ✓					P.I.*6-S LRG. BT. SPK. W. & T. F.B. 2637-148
—	0.328		0.374			
π	3674.427	-9.436	-9.439			
—	9.764		9.813			
T.P.	3664.663 ✓					SPK.
+	0.768		0.669			
π	3665.431	-8.321	-8.320			
—	9.089		8.989			
T.P.	3656.342 ✓					SPK
+	1.566		1.438			
π	3657.908	-8.896	-8.893			
—	10.462		10.331			
P.I. *5-S	3647.446 ✓					P.I.*5-S PALLETT CRK. RD. 1" I.P. F.B. 2637-149

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 2095.54 SURVEY OF CIMA ROAD
DATE _____ SURVEY BY J.C. PIERCE
NOTES CHKD. _____ NOTES BY J.C.P. DATE 4-23-63
DATE _____ INDEXED C.J. GALLI DATE _____

F.B. 2637 Pg. 219

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P.I. # 5-S	3647.446					1" I.P.
+	2.448		2.664			
π	3649894	- 6.067	6.066			
−	8.515		8.730			
T.P.	3641.379					SPK.
+	0.470		0.773			
π	3641.849	- 9.487	9.485			
−	9.957		10.258			
P.I. #4-S	3631.892					P.I. #4-S F.B. 2637-150
+	0.803		0.923			1" I.P. CEM PLUG & C.E. TAG. Wit. 4"
π	3632.695	- 9.227	9.227			
−	10.030		10.150			
T.P.	3622.665					SPK.
+	0.274		0.335			
π	3622939	- 9.473	9.472			
−	9.747		9.807			
T.P.	3613.192					SPK.
+	0.962		1.200			
π	3614.154	- 8.706	8.709			
−	9.668		9.909			
T.P.	3604.486					SPK.
+	1.195		1.290			
π	3605681	- 9.883	9.880			
−	11.078		11.170			
P.I. #3-S	3594.603					P.I. #3-S SWT F.B. 2637-151

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2095.54 SURVEY OF CINA ROAD
SURVEY BY T.C.P. ET AL
NOTES BY T.C.P. DATE 4-22-63
INDEXED B.J. GALL DATE

NOTES RED DATE
NOTES CHKD DATE

F.B. 2637 Pg. 220

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P.I. #3-S	3594.603					S.W.T.
+	4.388		4.525			
=	3598.991	- 0.820	0.822			
-	5.208		5.347			
RD. DEPT. B.M.	3593.783					R.D.B.M. ELEV.= ON PALLETT CRK. F.D. 0.9 MI. WEST OF VALLEY MMO RD. 30' N. OF ℄ PALLETT CREEK F.D. 3' W. OF ℄ A.T.&S.F. R.R. & 30 F.D. POLE #116695. IN A STD. RD. DEPT. B.M. TYP. H.H.
+	2.368		2.513	2.416		
=	3596.151	- 3.214	3.209	- 3.209		
-	5.582		5.722	5.627		
T.P.	3590.569					SPK.
+	5.103		5.260			
=	3595.672	- 0.368	- 0.368			
-	5.471		5.628			
INT. PT.	3590.201					S.W.T. PALLETT CRK. RD. & EAST LINE OF SECTION 1 F.B. 2637 - 152
+	2.345		2.429			
=	3592.546	- 6.942	- 6.439			
-	8.787		8.868			
T.P.	3583.759					SPK.
+	1.169		1.025			
=	3584.928	- 9.094	- 9.090			
-	10.263		10.115			
T.P.	3574.665					SPK.
+	0.380		0.539	0.588		
=	3575.045	- 8.679	8.673	- 8.675		
-	9.059		9.212	9.263		
T.P.	3565.986					SPK.
+	3.798		3.970			
=	3569.784	- 0.592	- 0.592			
-	4.390		4.562			
P.I.	3565.394					P.I. 3/4" I.P. F.B. 2637 - 153

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0095.5 SURVEY OF CIMA ROAD
DATE _____ SURVEY BY J.C. PIERCE
NOTES CHKD _____ NOTES BY J.C.P. DATE 4-23-63
DATE _____ INDEXED E. J. GALLI DATE _____

F.B. 2637 PG. 221

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P.I.	3565.394					3/4" I.P.
+	6.854		7.021			
π	3572.248	+ 0.551	+ 0.559			
−	6.298		6.462			
R.D. DEPT. B.M.	3565.950					R.D.B.M. ELEV. =
+	6.577		6.707			ON PALAETT CREEK RD. 350 ± FT. S.W. OF
π	3572.527	− 0.075	+ 0.076			VALYERMO RD. 17 ± FT. WEST & 100 ± FT.
−	6.652		6.783			SOUTH OF INT. OF PALAETT CREEK RD. & FT.
INT. PT.	3565.875					TEJON RD. ED. A STD. RD. CAPIT. B.M. IN
+	0.410		0.581			H.H.
π	3566285	− 7.825	− 7.823			NAIL & TIN INT. OF FT. TEJON RD.
−	8.235		8.404			& PALAETT CREEK RD. RB. 2637-154
P.I. # 1-S	3558.050					P.I. # 1-S SPK & WASHER
+	0.309		0.427			
π	3558.359	− 9.326	− 9.326			
−	9.635		9.753			
T.P.	3548.724					SPK.
+	1.699		4.512	4.587		
π	3553.423	− 0.683	− 0.606	− 0.683		
−	5.382		5.118	5.270		
B.M.	3548.041					B.M. ROOFING NAIL & LEAD IN
+	2.879		2.733			S.W. COR. OF BRIDGE
π	3550.915	− 1.459	− 1.459			
−	4.333		4.192			
T.P.	3546.582					SPK.
+	7.109		7.328	7.371		
π	3553.691	+ 3.972	+ 3.979	+ 3.968		
−	3.137		3.349	3.403		
T.P.	3550.554					SPK.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2095.54 SURVEY OF GLENN ROAD
SURVEY BY T.C. PIERCE T.C.P. DATE 4-23-63
NOTES BY C. J. GALLI DATE
INDEXED DATE
NOTES RED DATE
NOTES CHKD DATE
F.B. 2637 Pg. 222

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3550.554					SPK.
+	7.219		7.460			
⋔	3557.773	+ 6.014	6.017			
−	1.203		1.443			
T.P.	3556.570					SPK.
+	7.228		7.000	7.090		
⋔	3563.798	+ 0.495	0.501	+0.498		
−	6.733		6.499	6.592		
T.P.	3557.065					SPK.
+	2.761		2.550			
⋔	3559.826	− 5.574	5.576			
−	8.335		8.126			
T.P.	3551.491					SPK.
+	3.380		3.127			
⋔	3554.871	− 3.255	3.254			
−	6.635		6.381			
T.P.	3548.236					SPK
+	4.835		4.658			
⋔	3553.071	− 0.832	0.831			
−	5.667		5.489			
T.P.	3547.404					SPK.
+	5.071		4.855			
⋔	3552.475	− 1.390	1.391			
−	6.461		6.246			
T.P.	3546.014					SPK.
+	7.789		7.598			
⋔	3553.803	− 1.313	1.314			
−	9.102		8.912			
T.P.	3544.701					SPK.

769420 S & E-358 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 00 9554 SURVEY OF CIMA ROAD
DATE _____ SURVEY BY T.C. PIERCE
NOTES CHKD _____ NOTES BY T.C.P. DATE 4-24-63
DATE _____ INDEXED F.J. GATT DATE _____

F.B. 2637 PG. 223

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	3544.701					SPK.
+	0.552		0.668			
⊼	3545.253	-9.532 ✓	9.532			
−	10.084		10.200			
T.P.	3535.169 ✓					SPK
+	3.350		3.158			
⊼	3538.519	-0.493 ✓	0.492			
−	3.843		3.650			
T.P.	3534.676 ✓					SPK.
+	6.520		6.417			
⊼	3541.196	+2.457 ✓	2.457			
−	4.063		3.960			
T.P.	3537.133 ✓					SPK.
+	5.898		5.723	5.760		
⊼	3543.031	+0.708 ✓	+0.701	+0.702		
−	5.190		5.022	5.058		
T.P.	3537.841 ✓					SPK.
+	4.937		5.109			
⊼	3542.778	+1.317 ✓	+1.317			
−	3.620		3.792			
T.P.	3539.158 ✓					SPK.
+	5.142		5.040			
⊼	3544.300	+0.345 ✓	+0.347			
−	4.797		4.693			
T.P.	3539.503 ✓					SPK.
+	5.612		5.524 ✓	5.670		
⊼	3545.115	+0.836 ✓	+0.836	+0.835		
−	4.782		4.688	4.835		
T.P.	3540.333 ✓					SPK.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE, OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0095.54 SURVEY OF CIMA ROAD
SURVEY BY T.C. PIERCE
NOTES BY T.C.P. DATE 4-24-63
INDEXED DATE
NOTES RED DATE
NOTES CHKD DATE

F.B. 2437 Pg. 124

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	3540.333					SPK
+	5.890		5.600			
⊼	3546.223	- 1.540	- 1.540			
−	7.430		7.140			
TP	3538.793					SPK
+	4.565		4.281			
⊼	3543.358	- 3.375	- 3.371			
−	7.940		7.652			
TP	3535.418					SPK
+	0.840		0.440			
⊼	3536.258	- 7.681	- 7.681			
−	8.521		8.121			
TP	3527.737					SPK
+	1.701		1.409	1.903		
⊼	3529.438	- 7.849	- 7.842	- 7.847		
−	9.550		9.251	9.750		
T.P	3519.888					SPK
+	0.419		0.588			
⊼	3520.307	- 9.567	- 9.571			
−	9.986		10.159			
T.P.	3510.321					SPK
+	0.513		0.343			
⊼	3510.834	- 9.354	- 9.352			
−	9.867		9.695			
T.P	3500.967					SPK
+	1.120		0.875			
⊼	3502.087	- 8.866	- 8.866			
−	9.986		9.741			
T.P.	3492.101					SPK.

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 29554 SURVEY OF CIMA ROAD
DATE _____ SURVEY BY T.C. PIERCE
NOTES CHKD _____ NOTES BY T.C.P. DATE 1-24-63
DATE _____ INDEXED _____ DATE _____

F. B. 2637 Pg. 225

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	3492.101					SPK
+	1.503		1.243			
⋀	3493.604	- 9.567	- 9.567			
−	11.070		10.810			
T.P	3482.534					SPK
+	0.701		1.029	1.561		
⋀	3483.235	- 10.258	- 10.253	-10.251		
−	10.959		11.282	11.812		
TP	3472.276					SPK
+	1.607		2.118			
⋀	3473.883	- 8.562	- 8.562			
−	10.169		10.680			
T.P.	3463.714					SPK
+	0.811		0.569			
⋀	3464.525	- 9.139	- 9.136			
−	9.950		9.705			
T.P.	3454.575					SPK
+	0.877		0.579			
⋀	3455.452	- 8.802	- 8.800			
−	9.679		9.379			
T.P.	3445.773					SPK
+	0.968		0.654			
⋀	3446.741	- 8.953	- 8.954			
−	9.921		9608			
T.P.	3436.820					SPK
+	0.699		0.510			
⋀	3437.519	- 11.082	- 11.083			
−	11.781		11.593			
T.P.	3425.738					SPK

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 20957 SURVEY OF CIMA ROAD
SURVEY BY T.C.P. PIERCE
NOTES, BY T.C.P. & J. GALLI DATE 4-24-63
INDEXED DATE
NOTES RED DATE
NOTES CHKD DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	3425.738					SPK
+	0.999		0.709			
⏊	3426.737	- 8.679	- 8.677			
−	9.678		9.386			
T.P	3417.059					SPK
+	1.505		1.190			
⏊	3418.564	- 6.616	- 6.615			
−	8.121		7.805			
T.P.	3410.443					SPK
+	1.610		1.262			
⏊	3412.053	- 7.790	- 7.787			
−	9.400		9.049			
T.P	3402.653					SPK
+	0.479		0.862			
⏊	3403.132	- 8.471	- 8.473			
−	8.950		9.335			
T.P.	3394.182					SPK
+	0.521		0.191	1.310		
⏊	3394.703	- 9.703	- 9.708	- 9.709		
−	10.224		9.899	11.019		
T.P.	3384.479					SPK
+	0.681		1.280			
⏊	3385.160	- 9.851	- 9.850			
−	10.532		11.130			
T.P.	3374.628					SPK.
+	0.963		0.610			
⏊	3375.591	- 8.996	- 8.997			
−	9.959		9.607			
T.P.	3365.632					SPK.

EL 6.32 Pg. 226

765420 S & B-383 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE, OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. A095.54 SURVEY BY CHAS. BERD
DATE _____ SURVEY BY J.C. PIERCE
NOTES CHKD _____ NOTES BY J.C.P. DATE 4-24-63
DATE _____ INDEXED C.J. GALLI DATE

F. B. 2439

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	3365.632					SPK
+	0.240		1.028			
=	3865.872	-10.344	-10.346			
-	10.584		11.374			
T.P.	3355.288					SPK.
+	0.441		0.883			
=	3355.729	-9.472	-9.476			
-	9.913		10.359			
T.P.	3345.816					SPK.
+	1.370		0.901			
=	3347.186	-8.620	-8.621			
-	9.990		9.522			
T.P.	3337.196					SPK.
+	1.526		1.292			
=	3338.722	-8.616	-8.618			
-	10.142		9.910			
T.P.	3328.580					SPK.
+	0.413		0.171			
=	3328.993	-11.028	-11.027			
-	11.441		11.198			
T.P.	3317.552					SPK.
+	0.530		0.411	0.930		
=	3318.082	-10.603	-10.608	-10.601		
-	11.133		11.019	11.531		
T.P.	3306.949					SPK.
+	1.023		0.719			
=	3307.972	-8.589	-8.591			
-	9.612		19.310			
B.M. # U.S. 1930	3298.360					B.M. # U.S. 1930 ELEV. = 3298.42 [illegible] SERVICE STATION [illegible] TOILET STAMPED U.S.C.&G.S. 1929

F. B. 2637 PG. 228

JOB NO. _____ SURVEY OF _____ NOTES RED _____

SURVEY BY _____ DATE _____

NOTES BY _____ DATE _____ NOTES CHKD. _____

INDEXED _____ DATE _____ DATE _____

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

723 LOS ANGELES COUNTY ENGINEERING BLDG.

768420 S & S-383 4-54

Notes Ck'd by	Survey of CIMA ROAD
Map No.	JN 0095.54 Tape 196 Std 84 °F
Office Work	Surveyed by J. C. PIERCE
Checked	Notes J.C. PIERCE Date 11-27-64
Date	Indexed C. J. GALLI DEC 2 '64

F. B. 2637 PG. 229

J.N. 0095.54
CIMA ROAD

PROFILES TO CHECK AERIAL MAPPING

PIERCE
HUBBARD
ALBRIGHT
TALBOT

COATES
VAN NESS
RITER
BRASILE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3099 CE #310 6-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F.B. 2637 Pg. 230

Notes Ck'd by		Survey of CIMA RD	F. B. 2637 Pg. 231
Map No.		JN 0093.54 Tape Std 84 °F	
Office Work		Surveyed by J.S. COATES	
Checked		Notes JSC Pole 11-23-64	
Date		Indexed C. J. GALLE	

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

106TH ST E

NORTH

45°00'

Proposed

℄ To P-2

CIMA MESA RD.

P-1-0+00
~~P.O. C.S.M.A.N.~~ 1X2 ET K Flash.
~~F.B. 2637-12~~

76F3095 CE #310 6-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

℄ @ P-1 ELEV. 4284.41

STATION	BACK SITE	SITE ON	H.I.	SLOPE DIST.	VERTICAL ANGLE	HORIZ. DIST	ROD	VERT. DIFF.	ELEVATION	Remark
P-1 = 0+00	5.22	P-2	4289.63						4284.41	
0+58					0° 00'	58'	9.9		79.7	
0+72					0° 00'	72'	12.1		77.5	
1+15.7				116.0	- 3° 52'	115.7	5.22	7.8	76.6	
1+99.5				200.0	- 4° 03'	199.5	"	14.1	70.3	
2+23.3				224.0	- 4° 27'	223.3	"	17.4	67.0	
2+41.9				242.5	- 3° 58'	241.9	"	16.8	67.6	
2+99.3				300.0	- 3° 55'	299.3	"	20.1	64.3	
℄ @ 2+99.3	4.85		4269.15							
3+74.1				75'	- 4° 24'	74.8	4.85	5.8	58.5	
3+49.0				150'	- 3° 08'	149.7	"	8.2	56.1	
4+99.0				200'	- 3° 04'	199.7	"	10.7	53.6	
5+98.8				300'	- 3° 16'	299.5	"	17.1	47.2	
℄ @ 5+98.8	4.92		4252.12							
6+98.5				100'	- 4° 09'	99.7	4.92	7.2	46.0	
7+98.3				200'	- 3° 56'	199.5	"	13.7	33.5	
8+98.0				300'	- 4° 07'	299.2	"	21.5	25.7	
℄ @ 8+98.0	5.02		4230.72							
9+18.0					Lev.	20.0	7.00		23.7	
9+46.0					"	48.0	8.2		22.5	
9+97.7				100.0	- 4° 17'	99.7	5.02	7.5	18.2	
10+97.6				200.0	- 3° 44'	199.6	"	13.1	12.6	
11+97.4				300.0	- 3° 45'	299.4	"	19.6	06.1	
℄ @ 11+97.4	5.11		4211.21							
12+97.2				100.0	- 3° 38'	99.8	5.11	6.3	4199.8	
13+97.0				200.0	- 3° 41'	199.6	"	12.8	4193.3	
14+96.8				300.0	- 3° 36'	299.4	"	18.84	87.26	
℄ @ 14+96.8	4.94		4192.20							
16+01.6				105.0	- 3° 44'	104.8	4.94	6.8	80.5	
16+72.4				176.0	- 3° 44'	175.6	"	11.5	75.8	
16+96.3				200.0	- 3° 53'	199.5	"	13.6	73.7	
17+56.3				260.0	- 3° 26'	259.5	"	15.6	71.7	
17+96.3				300.0	- 3° 23'	299.5	"	17.7	69.6	
℄ @ 17+96.3	5.02		4174.62							
18+69.2				73.0	- 2° 42'	72.9	5.02	3.44	66.2	¼ Sect. Line
18+96.2				100.0	- 3° 05'	99.9	"	5.4	64.2	
19+95.9				200.0	- 3° 26'	199.6	"	12.0	57.6	
20+85.7				290.0	- 3° 39'	289.4	"	18.5	51.1	
℄ @ 20+85.7	4.92		4156.02							
21+85.5				100.0	- 3° 35'	99.8	4.92	6.2	44.9	
22+85.3				200.0	- 3° 32'	199.6	"	12.3	38.8	
23+85.1				300.0	- 3° 35'	299.4	"	18.8	32.3	
								-10.2	22.1	42' Rt. Bot. Ravine

F.B. 2637 Pg 232

76F309S CE #310 6-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CIMA RD
JN Tape Std. °F
Surveyed by J.S.C. & C.A.T.E.S.
Notes J.S.C. Date 11-24-69
Indexed G. H. GALLI

F.B. 2637 PG. 233

Proposed CIMA MESA RD

54° 05'

O TCO P-2 CTR. Set 3/4" I.P. Flush with Ground Stamped T4N R2W S.5 1969 FB 2637-129

SURVEY OF SEC 5 T4N R2W CNTR MONUMENT

OTTO

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

CROSS-SECTION @ P-2 ELEV. = 4251.66

STATION	BACK SITE	SITE ON	H.I.	SLOPE DIST	VERTICAL ANGLE	HORIZ. DIST	ROD	VERT. DIFF	ELEVATION	REMARK
℄ P-2 = 0+00	4.40	P-1	4256.06						4251.66	MON = 8" high
1+00				100.0	+1° 05'	100'	4.40	1.9	53.6	bot. swale
1+99.8				200.0	+2° 21'	199.8	"	8.2	59.9	
2+77.7				278.0	+2° 34'	277.7	"	12.4	64.1	bot. bank
2+86.8				287.0	+3° 17'	286.8	"	16.5	68.2	Top "
2+99.8				300.0	+3° 18'	299.8	"	17.27	4260.93	
℄ 2+99.8	5.08		4274.01							
3+70.8				71.0	+1° 44'	71.0	5.08	2.2	71.1	Toe slope
3+99.7				100.0	+2° 50'	99.9	"	4.9	73.8	
4+99.4				200.0	+3° 41'	199.6	"	12.8	81.7	
5+99.2				300.0	+3° 47'	299.4	"	19.80	4288.7	
℄ 5+99.2	4.91		4293.6							
6+42.1				43.0	+3° 12'	42.9	4.91	2.4	91.1	bot. swale
6+98.9				100.0	+4° 32'	99.7	"	7.9	96.6	
7+98.5				200.0	+4° 41'	199.3	"	16.3	4305.0	N edge Rd.
8+18.5				220.0	+4° 42'	219.3	"	18.0	06.7	S " "
8+98.2				300.0	+4° 46'	299.0	"	24.41	4313.1	
℄ 8+98.2	4.85		4317.95							
9+97.8				100.0	+5° 03'	99.6	4.85	8.8	21.9	
10+97.4				200.0	+5° 14'	199.2	"	18.2	31.3	
11+97.0				300.0	+5° 08'	298.8	"	26.8	4339.9	
℄ 11+97.0	5.03		4344.93							
12+96.6				100.0	+5° 20'	99.6	5.03	9.3	49.2	
13+96.7				200.0	+5° 16'	199.7	"	18.4	4358.3	
℄ 13+96.7	5.03		4363.33							
14+42.5				46.0	+5° 47'	45.8	5.03	4.6	62.9	
14+78.5				82.0	+4° 16'	81.8	"	6.1	64.4	
14+96.3				100.0	+4° 58'	99.6	"	8.6	66.9	
15+95.9				200.	+4° 59'	199.24	"	17.4	75.7	18' N. of N. edge Rd.

F.B. 2637 Pg. 234

Notes Ck'd by	Survey of CIMA ROAD
Map No.	JN 00954 Tape 196 Std 84 °F
Office Work	Surveyed by J.C. PIERCE
Checked	Notes J. C. P. Date 11-24-64
Date	Indexed C. J. GALLI

F. B. 2637 PG. 235



PROP

P.C. 6
FD. 1X2 STK & NAIL
F.B. 2637 - 133, 163

CIMA ROAD

SEC. LINE

CM - 8
CORNER TO SECS 10, 15
T. 4 N. R. 10 W. FD. 2" I.P.
W. BRASS CAP UP 0.8
SEE F.B. 2637-162
U.S. General Land Office Mon

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #810 6/63

F. B. 2637 Pg 236

PROFIL SOUTH ALONG SEC. LINE FROM P#-6

STATION	BACK SIGHT	H.I.	MEAS DIST	VERT ANGLE	HORIZ DIST	ROD	VERT ANGLE	VERT DIST	ELEVATION	
BM CR# 6	0.44	4226.15							4225.71	
T.P. P#-6	1.77	4217.24				10.68 11.10			4215.47 4206.14	
	π AT	P# 6	SIGHTING	SOUTH	ON SECTION	LINE				
0+00.00	4.61	4210.77								
0+61.9			65.0	+ 17° 44"	61.9	4.61	+17° 44'	+ 19.8	4206.14 25.9	TOP BRK P.O.L.
	π AT	P.O.L.	SIGHTING	SOUTH	ON SECTION	LINE				
0+61.9	4.56	4230.5							4225.9	
1+01.8			40.0	+ 4° 11	39.9	4.56	+ 4° 11	+ 2.9	28.8	
1+29.9			68.0	+ 2° 08	68.0	4.56	+ 2° 08	+ 2.5	28.4	
1+61.7			100.0	+ 5° 46	99.8	4.56	+ 5° 46	+ 6.6	32.5	
2+61.1			200.0	+ 5° 16	199.2	4.56	+ 5° 16	+ 18.2	44.1	BOT BRK
3+60.0			300.3	+ 6° 22'	298.1	4.56	+ 6° 22'	+ 33.3	4259.2	P.O.L.
	π AT	P.O.L.	SIGHTING	SOUTH	ON SECTION	LINE				
3+60.0	5.00	4264.2							4259.2	
4+59.5			100.0	+ 5° 59'	99.5	5.00	+ 5° 59	+ 10.4	69.6	
5+59.0			200.0	+ 5° 48	199.0	5.00	+ 5° 48'	+ 20.2	79.4	
6+58.4			300.0	+ 5° 58	298.4	5.00	+ 5° 58'	+ 31.2	4290.4	P.O.L.
6+58.4	4.71	4295.1								
7+58.0			100.0	+ 5° 03	99.6	4.71	+ 5° 03'	+ 8.8	4299.2	
8+57.6			200.0	+ 4° 53	199.2	4.71	+ 4° 53'	+ 17.4	4307.8	
9+57.4			300.0	+ 4° 44	299.0	4.71	+ 4° 44'	+ 24.8	4315.2	P.O.L.
9+57.4	4.88	4320.1								
10+57.1			100.0	+ 4° 38	99.7	4.88	+ 4° 38'	+ 8.1	4323.3	
11+56.7			200.0	+ 4° 56	199.3	4.88	+ 4° 56'	+ 17.2	32.4	
12+56.5			300.0	+ 4° 28	299.1	4.88	+ 4° 28'	+ 23.4	4338.6	P.O.L.
	5.00	4343.6								
13+56.3			100.0	+ 3° 24	99.8	5.00	+ 3° 24	+ 5.9	4344.5	
14+56.1			200.0	+ 3° 41	199.6	5.00	+ 3° 41	+ 12.8	51.4	
15+21.8			266.0	+ 4° 09	265.3	5.00	+ 4° 09	+ 19.3	4357.9	G.L.O. MON. S.W. COR. SEC. 10 MON 0.8 ABOVE SURFACE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by	Survey of CIMA ROAD
Map No.	JN 009554 Tape 196 Std 84 °F
Office Work	Surveyed by J. C. PIERCE
Checked	Notes J. C. P. Date 11-25-64
Date	Indexed C. J. GALL

F. B. 2637 Pg. 237

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F3095 CE #310 6-63

F. B. 2637 Pg. 238

LINE P#7 - A

	STATION	BACK SIGHT	H.I.	MEAS DIST	VERTICAL ANGLE	HORIZ DIST	ROD	VERT DIFF	ELEVATION	REMARKS
π @	P7(0+00.0)	4.96	4149.95						4144.99	TX 2 STK. & N.
	1+00.5			100.0	- 0° 51'	100.0	4.96	- 1.5	43.5	
	2+09.0			209.0	- 0° 29'	209.0	4.96	- 1.8	43.2	F.G.L. TOP BRK
π @	2+09.0	4.66	4147.9						4143.2	
	2+43.5			35.0	- 11° 33'	34.3	4.66	- 7.0	36.2	BOT. BRK.
	3+00.5			82.0	- 5° 58'	81.5	4.66	- 9.6	33.6	
	4+00.6			192.0	+ 3° 25'	191.6	4.66	+ 11.4	54.6	
	4+99.7			292.0	+ 5° 26'	290.7	4.66	+ 27.6	4170.8	
π @	4+99.7	4.70	4175.5						4170.8	
	5+96.2			100.0	+ 9° 48'	98.5	4.70	+ 17.0	87.8	
	6+96.8			200.0	+ 9° 46'	197.7	4.70	+ 33.9	4204.7	
	7+94.8			300.0	+ 10° 20'	295.1	4.70	+ 55.8	4224.6	
π @	7+94.8	5.09	4229.7						4224.6	
	8+91.9			100.0	+ 13° 52'	97.1	5.09	+ 24.0	48.6	
	9+88.3			200.0	+ 14° 37'	193.5	5.38	+ 50.6	75.2	
	10+83.6			300.0	+ 15° 43'	288.8	5.09	+ 81.3	4305.9	
π @	10+83.6	4.51	4310.4						4305.9	
	11+78.7			100.0	+ 18° 02'	95.1	4.51	+ 31.0	36.9	
	12+73.7			200.0	+ 18° 05'	190.1	4.51	+ 62.1	4368.0	
π @	12+73.7	4.75	4372.8						4368.0	
	13+71.1			100.0	+ 13° 13'	97.4	4.75	+ 22.9	4390.9	TOP BRK
π @	13+71.1	4.90	4395.8						4390.9	
	14+70.2			100.0	+ 7° 30'	99.1	4.90	+ 13.1	4404.0	TOP RIDGE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CIMA ROAD
JN 0095.54 Tape 196 Std 84 °F
Surveyed by J.C. PIERCE
Notes J.C.P. Date 11-25-64
Indexed C. J. GALLI

F. B. 2637 PG. 239

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #810 6-63



F. B. 2637 Pg 240

	STATION	BACK SIGHT	H.I.	MEAS DIST.	VERT ANGLE	HORIZ DIST.	ROD	VERT DIFF	ELEVATION	
π@ P-10	(0+00.0)	5.13	4093.82						4038.69	P-10 IX2 STK
	1+00			100.0	2°00'	100.0	4.95		4088.9	
	1+16.0			116.0	0°00'	116.0	2.80		4091.8	TOP BRK,
π@	1+16.0	5.20	4096.3						4091.0	
	2+01.7			86.0	-7°56'	85.7	5.20	-11.7	4079.3	TOP BRK
π@	2+01.7	4.90	4084.2						4079.3	
	2+97.0			100.0	-17°37'	95.3	4.90	-30.3	4049.0	
	3+75.2			180.0	-15°50'	173.5	4.90	-48.1	4031.2	BOT BRK
	4+22.1			225.0	-11°55'	220.4	4.90	-44.3	4035.0	TOP
	4+50.0			253.0	-11°02'	248.3	4.90	-48.4	4030.9	BOT DRAW
	4+99.2			300.0	-7°27'	297.5	4.90	-38.9	4040.4	SLOPE
π@	4+99.2	5.14	4045.5						4040.4	
	5+95.0			100.0	+16°34'	95.8	5.14	+28.5	4068.9	
	6+58.3			163.0	+15°29'	157.1	5.14	+43.5	4083.9	TOP BRK
π@	6+58.3	5.25	4089.1						4083.9	
	7+58.3			100.0	0°00'	100.0	0.62		4088.5	
	8+33.2			177.0	+2°12'	176.9	5.25	+6.8	4085.7	
π@	8+33.2	5.40	4094.1						4086.7	4PT IN LINE DEF 40°45'
	9+32.8			100.0	+5°17'	99.6	5.40	+9.2	4099.3	
	10+32.4			200.0	+5°11'	199.2	5.40	+18.1	4108.2	
	11+31.9			300.0	+5°14'	298.7	5.40	+27.4	4117.5	
π@	11+31.9	5.33							4118.1	
	12+31.5			100.0	+5°04'	99.6	5.33	+8.8	4126.9	
	13+30.8			200.0	+6°06'	198.9	5.33	+21.3	4139.4	
	14+30.0			300.0	+6°27'	298.1	5.33	+33.7	4151.8	
π@	14+30.0	5.04	4157.1						4151.8	
	15+28.8			100.0	+8°46'	98.8	5.34	+15.2	4167.0	
	16+27.3			200.0	+9°22'	197.3	5.34	+32.6	4184.4	
	17+25.6			300.0	+9°50'	295.6	5.34	+51.2	4203.0	
π@	17+25.6	5.18	4208.2						4203.0	
	18+23.4			100.0	+11°56'	97.8	5.18	+20.6	4223.6	
	19+18.6			200.0	+15°13'	193.0	5.18	+52.5	4255.5	
	20+13.6			300.0	+16°14'	288.0	5.18	+83.9	4286.9	
π@	20+13.6	4.95	4291.9						4286.9	
	21+08.2			100.0	+18°57'	94.6	4.95	+32.5	4318.4	
	22+02.3			200.0	+19°22'	188.7	4.95	+66.3	4352.2	
	22+97.1			300.0	+19°07'	283.5	4.95	+98.2	4385.1	
π@	22+97.1	5.25	4390.3						4385.1	
	23+78.2			82.0	+8°13'	81.1		+11.9	4397.0	
	24+06.3			110.0	+6°55'	109.2		+13.2	4383	END OF LINE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by	Survey of CIMA ROAD
Map No.	JN 0095.54 Tape 196 Std 84 °F
Office Work	Surveyed by J. C. PIERCE
Checked	Notes J. C. P. Date 11-9-64
Date	Indexed C. J.

F. B. 2637 PG. 241

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.



F.B. 2637 Pg. 242

T AT P#14 SIGHTING ALONG LINE #14C.

STATION	BACK SIGHT	H.I.	MEAS. DIST.	VERTICAL ANGLE	HORIZ. DIST	ROD.	VERT. ANGLE	VERT DIFF	ELEVATION	
	6.10	39.31.06					° '			
0+00.00									3924.96	
0+50			50.0	0° 00'	50.0	6.1	- 3° 59'	- 3.5	21.5	
1+00			50.0	0° 00'	100.0	6.1	- 4° 31'	- 7.9	17.1	
1+50			50.0	0° 00'	150.0	6.1	- 4° 20'	- 11.4	13.6	
2+00			50.0	0° 00'	200.0	6.1	- 4° 18'	- 15.0	10.0	
2+50			50.0	0° 00'	250.0	6.1	- 4° 21'	- 19.0	06.0	
3+00			50.0	0° 00'	300.0	6.1	- 4° 21'	- 22.8	02.2	
3+50			50.0	0° 00'	350.0	6.1	- 4° 19'	- 26.4	3898.6	
4+00			50.0	0° 00'	400.0	6.1	- 4° 15'	- 29.7	95.3	
4+50			50.0	0° 00'	450.0	6.1	- 4° 16'	- 33.6	91.4	
5+00			50.0	0° 00'	500.0	6.1	- 4° 18'	- 37.7	87.3	
5+50			50.0	0° 00'	550.0	6.1	- 4° 14'	- 40.7	84.3	
6+00			50.0	0° 00'	600.0	6.1	- 4° 15'	- 44.6	3880.4	R.O.L. #1 LINE 14C

T AT ROL #1 LINE #14C SIGHTING ALONG LINE 14C

	5.40									
6+00									3880.4	
6+50			50.0	0° 00'	50.0	5.4	- 4° 04'	- 3.6	76.8	
7+00			50.0	0° 00'	100.0	5.4	- 4° 07'	- 7.2	73.2	
7+50			50.0	0° 00'	150.0	5.4	- 4° 40'	- 9.6	70.8	
8+00			50.0	0° 00'	200.0	5.4	- 4° 31'	- 12.3	68.1	
8+50			50.0	0° 00'	250.0	5.4	- 4° 20'	- 14.6	65.8	
9+00			50.0	0° 00'	300.0	5.4	- 4° 18'	- 17.3	63.1	
9+50			50.0	0° 00'	350.0	5.4	- 4° 19'	- 20.3	60.1	
10+00			50.0	0° 00'	400.0	5.4	- 4° 08'	- 21.9	58.5	
10+50			50.0	0° 00'	450.0	5.4	- 4° 51'	- 22.4	58.0	
11+00			50.0	0° 00'	500.0	5.4	- 2° 43'	- 23.7	56.7	
11+50			50.0	0° 00'	550.0	5.4	- 1° 50'	- 17.6	62.8	
12+00			50.0	0° 00'	600.0	5.4	- 1° 31'	- 15.9	64.5	
12+50			50.0	0° 00	650.0	5.4	- 1° 24'	- 15.9	3864.5	

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3098 CE #310 6-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of CIMA RD.
JN 0095 Tape 196 Std. 84 °F
Surveyed by J. C. PIERCE Date 11-23-64
Notes J. C. P.
Indexed C. J. GALLI

F. B. 2637 PG. 243

TT AT P-14 SIGHTING ALONG LINE # 14 B

STATION	BACK SIGHT	H.I.	MEAS. DIST	VERT. ANGLE	HORIZ DIST	ROD	VERT ANGLE	VERT DIFF	ELEVATION
0+00.0	6.10	3931.06							3924.96
0+50.			50.00	0° 00'	50.0	1.4	0° 00'		206.7
1+00			50.00	0° 00'	100.0	6.1	+ 4° 46'	+ 8.3	233.3
1+50			50.0	0° 00'	150.0	6.1	+ 4° 49'	+ 12.6	37.6
2+00			50.0	0° 00'	200.0	6.1	+ 4° 54'	+ 17.5	42.5
2+50			50.0	0° 00'	250.0	6.1	+ 5° 05'	+ 22.2	47.2
3+00			50.0	0° 00'	300.0	6.1	+ 5° 04'	+ 26.6	51.6
3+50			50.0	0° 00'	350.0	6.1	+ 5° 00'	+ 30.6	55.6
4+00			50.0	0° 00'	400.0	6.1	+ 5° 00'	+ 35.0	60.0
4+50			50.0	0° 00'	450.0	6.1	+ 5° 07'	+ 40.	65.0
5+00			50.0	0° 00'	500.0	6.1	+ 5° 05'	+ 44.5	69.5
5+50			50.0	0° 00'	550.0	6.1	+ 5° 03'	+ 49.0	74.0
6+00			50.0	0° 00'	600.0	4.1	+ 4° 59'	+ 54.3	79.3

TT AT P.O.L. # 1 LINE 14-B SIGHTING ALONG LINE # 14 B

STATION	BACK SIGHT	H.I.	MEAS. DIST	VERT. ANGLE	HORIZ DIST	ROD	VERT ANGLE	VERT DIFF	ELEVATION
6+00	5.30	3984.6							3979.3
6+50			50.0	0° 00'	50.0	5.3	+ 0° 05'	+ 4.4	983.7
7+00			50.0	0° 00'	100.0	5.3	+ 0° 05'	+ 8.8	988.1
7+50			50.0	0° 00'	150.0	5.3	+ 0° 17'	+ 13.0	992.3	992.3
8+00			50.0	0° 00'	200.0	5.3	+ 0° 05'	+ 17.8	997.1	997.1
8+50			50.0	0° 00'	250.0	5.3	+ 0° 15'	+ 23.0	1002.3	1002.3
9+00			50.0	0° 00'	300.0	5.3	+ 0° 40'	+ 28.8	1008.1	1008.1
9+50			50.0	0° 00'	350.0	5.3	+ 0° 39'	+ 34.7	1014.0	1014.0
10+00			50.0	0° 00'	400.0	5.3	+ 0° 40'	+ 39.7	1019.0	1019.0
10+50			50.0	0° 00'	450.0	5.3	+ 0° 44'	+ 45.0	1024.3	1024.3
11+00			50.0	0° 00'	500.0	5.3	+ 0° 44'	+ 50.2	1029.5	1029.5
11+50			50.0	0° 00'	550.0	5.3	+ 0° 44'	+ 55.4	1034.7	1034.7
12+00			50.0	0° 00'	600.0	5.3	+ 0° 44'	+ 60.6	1039.9	1039.9
12+50			50.0	0° 00'	650.0	5.3	+ 0° 44'	+ 65.8	1045.1	1045.1
13+00			50.0	0° 00'	700.0	5.3	+ 0° 44'	+ 71.2	1050.5	1050.5

T AT P-14 SIGHTS ALONG LINE "A-A"

F.B. 2637 Pg. 244

	STATION	BACK SIGHT	H.I.	MEAS DIST	VERT ANGLE	HORIZ DIST.	ROD	VERT ANGLE	VERT DIFF	ELEVATION	
P#14	0+00.0	6.15	3931.11							3924.96	P#14
	D+99.7			100.0	+ 4°45'	99.7	6.15	+ 4°43'	+ 8.3	3932.8	
	1+99.2			200.0	+ 5°18'	196.2	6.15	+ 5°18'	+ 18.2	3943.0	
	2+98.5			300.0	+ 5°39'	298.5	6.15	+ 5°39'	+ 29.5	3954.3	
TP	2+98.5	5.35	3959.9							3954.6	
	3+97.8			100.0	+ 6°56'	99.3	5.35	+ 6°56'	+ 12.1	3966.8	
	4+97.0			200.0	+ 7°07'	198.5	5.35	+ 7°07'	+ 24.8	3979.5	
	5+96.1			300.0	+ 7°16'	297.6	5.35	+ 7°16'	+ 37.9	3992.6	
TP	5+96.1	5.39	3997.2							3992.4	
	6+94.8			100.0	+ 9°21'	98.7	5.39	+ 9°21'	+ 16.2	4008.6	
	7+93.4			200.0	+ 9°23'	197.5	5.39	+ 9°23'	+ 32.5	4024.9	
	8+70.0			278.0	+ 9°26'	274.2	5.39	+ 9°26'	+ 45.6	4038.0	
TP	8+70.0	5.20	4043.2							4037.8	
	9+29.3			60.0	+ 10°36'	59.0	5.20	+ 10°30'	+ 10.9	4048.9	
	10+24.9			160.0	+ 17°28'	154.5	5.20	+ 17°28'	+ 48.6	4086.6	
	11+08.7			250.0	+ 14°09'	238.4	5.20	+ 14°09'	+ 75.2	4113.2	
TP	11+08.7	5.18	4118.4							4113.2	
	12+06.6			100.0	+ 11°42'	97.9	5.18	+ 11°42'	+ 20.3	4133.5	TOP BRK

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by RIECKHOFF
Map No. B-5361
Office Work G. MASUDA
Checked
Date

Survey of SEC. 13, T4N, R10W
JN 0302.01 Tape 18 Std 84 °F
Surveyed by BITTEL
Notes BITTEL Date 2/77
Indexed G. D. BAILEY MAY 18 1977

F. B. 2637 PG. 245

J.N. 0302.01

SEC. 13 T4N R10W

&

SEC. 12 T4N R10W

PARTY : BITTEL
EGSTROM
JERNIGAN

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2637 Pg. 246



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RIECK HoFic
Map No. B-5361
Office Work G. MASUDA
Checked
Date

Survey of SEC. 13 T4N, R10W
JN 030201 Tape 18 Std 84 °F
Surveyed by BITTEL
Notes BITTEL Date 2/77
Indexed D. D. BAILEY MAY 18 1977

F. B. 2637 PG. 247

1/4 COR

FD. C.E. MON., FLUSH
PER FB. 2637-112
MARKED

COUNTY ENGINEER
T4N
R10W
11 | 12
14 | 13
1/4 COR
R.E. 7103

SEC. LINE

1) 89-33-10
4) 358-13-00
89-33-15
6) 177-19-20
89-33-13 1/3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

FD. N. & T. IN
4" X 4" FENCE POST

70.64

89° - 33' - 20" ADJ

2551.89

SEC. LINE

TO BOT. PG. 248

93.14

73.11 N 15° W

86.32

89° 49'

FD. SPK. & W.
IN 6" JUNIPER

FD. N. & T.
P.P. #555774N

1) 89-49-15
4) 359-17-00
89-49-15
6) 178-55-45
89-49-17 1/2

FD. N. & T.
P.P. #759415E

SEC. COR.

FD. C. S. MON., FLUSH,
PER F.B. 2637-108
MARKED

COUNTY SURVEYOR'S
MONUMENT
T4N
R10W
11 | 12
14 | 13

1/4 COR,

FD. C.E. MON., DN. 12"
PER F.B. 2637-1
MARKED

COUNTY ENGINEER
T4N
R10W
14 | 13
1/4 COR
R.E. 5869

SEC. LINE

76F309S CE#310 3-69

F. B. 2637 PG. 248

TO BOT. PG. 249



TO LEFT PG. 254

TO RT. PG. 247

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

H. P.

517.87 @ 105-03-25 = 500.09 ✓
3077.19 @ 97-20-20 = 3051.98 ✓
5411.34 @ 89-15-07 = 5410.88 ✓
4270.60 @ 89-22-15 = 4270.34 ✓

T = 68°

102.62 @ 260-16 = 101.14
102.54 @ 260-32 = 101.14 - 0.01' = 101.13 ✓

120.21 @ 245-02 = 108.98
120.38 @ 244-52 = 108.98 - 0.01' = 108.97 ✓

3051.98 - 500.09 = 2551.89 ✓

500.09 - 101.13 = 398.96 ✓

5410.88 - 4270.34 = 1140.54
1140.54 - 108.97 = 1031.57 ✓

Notes Ck'd by RIECKHOFF
Map No. B-5361
Office Work G. MASUDA
Checked
Date

Survey of SEC. 13 T4N, R10W
JN 0302.01 Tape 18 Std. 84 °F
Surveyed by BITTEL
Notes BITTEL Date 2/77
Indexed G. D. BAILEY MAY 18 1977

F. B. 2637 PG. 249

TO LEFT PG. 250

928.67

928.67 CALC.

SET 1X2¢ N. 6.72

P. O. T.
SET 1" I.P. CONC. PL. & C.E. TAG, UP 1" BREAK

H. P.
543.03 @ 86-40-00 = 542.11
513.99 @ 90-47-15 = 513.94
267.79 @ 88-40-10 = 267.72
929.49 @ 92-24-30 = 928.67

267.72

267.72 CALC.

SET 1X2¢ N. 5.67

P. O. T.
SET 1" I.P. CONC. PL. & C.E. TAG, UP 1" BREAK

SEC. 12 T4N, R10W

SEC. 13 T4N, R10W

513.94

¢ LINE

SEC. LINE

513.94 CALC.

SET 1X2¢ N. 3.67

P. O. T.
SET 1" I.P. CONC. PL., & C.E. TAG, UP 1" TOP SPUR

542.11

542.11 CALC.

TO TOP PG. 248

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2637 PG. 250

TO BOT. PG. 257

H.P.

73.63 @ 83-47-03 = 73.20

2567.67 SEC. LINE

P.O.T.

SET 1" I.P. CONC. PL., # C.E. TAG, UP 1" BREAK

73.20

928.67 ℄ LINE

SET 1X2½ NAIL

SEC. COR.

FD. C.S. BRASS CAP ON 2" I.P. UP 3" PER F.B. 1262-147 MARKED

SEC. LINE 928.67 CALC.

TO TOP PG. 249

1) 90-05-50
4) 00-23-40
90-05-55
6) 180-35-30
90-05-55

90°-06'-10"
90°-05'-55"

SURVEY T4N R10W 12 13 R9W R.E. 329

1) 90-06-10
4) 00-25-00
90-06-15
6) 180-37-30
90-06-15

196.32 CALC.

196.32 SEC. LINE

PROD. SET 1X2½ NAIL

TO TOP PG. 251

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RIECKNOFF
Map No. B-5361
Office Work G. MASUDA
Checked
Date

Survey of SEC. 13, T4N, R10W
JN 0302.01 Tape 18 Std. 84 °F
Surveyed by BITTEL
Notes BITTEL Date 2-77
Indexed G. D. BAILEY MAY 18 1977

F. B. 2637 Pg. 251

TO BOT. PG. 250

196.32 CALC.

196.32

CLOSING COR.

FD. C. S. MON. FLUSH, PER F.B. 1262-144 MARKER

0.02 MEAS

NOTHING SET

COUNTY SURVEYOR T4N R10W C.C. 7/18 R9W RE 329

560.22 CALC.

SEC. LINE

¼ LINE

560.22

P.O.T.

SET 1"I.P., CONC. PL. & C.E. TAG, UP 1" TOP OF RIDGE

0.06

SET 1X2 ⊕ N.

H.P.

196.42 @ 91-50-23 = 196.32 ✓

758.94 @ 94-33-12 = 756.54 ✓

1841.05 @ 96-39-30 = 1828.63 ✓

1828.63 CALC.

1828.63

756.54
196.32
560.22 ✓

TO TOP PG. 252

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2637 PG. 252

TO BOT. PG. 251

1828.63 CALC.

1828.63

P.O.L.

SET 1" I.P., CONC. PL. & C.E. TAG, UP 1" TOP SPUR

0.21

SET 1X2 ⌀ N.

T = 76°

60.89 @ 110°-12' = 57.14
60.98 @ 249°-34' = 57.14

1/4 COR.

FD. G.L.O. MON., WITH CONC. COLLAR FL. PER FB 2637-15 MARKED

GENERAL LAND OFFICE FINE FOR REMOVAL SEC. 1/4 S13 1912

57.14 CALC. SEC. LINE

57.14 CALC. SEC. LINE

S 0° 01' 15" E 2663.37 CALC.

2663.37

1/4 SEC. LINE

0.21

SET NAIL

TO TOP PG. 254

89°-55'-20" PER FB 2637-15

648.69 CALC. SEC. LINE

648.69

TO TOP PG. 253

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RIECKHOFF	Survey of SEC. 13, T4N, R10W	F. B. 2637 PG. 253
Map No. 8-5361	JN 0302.01 Tape 18 Std 84 °F	
Office Work G. MASUDA	Surveyed by BITTEL	
Checked	Notes BITTEL Date 2/77	
Date	Indexed G. D. BAILEY MAY 18 1977	

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

TO BOT. PG. 252

648.69 CALC

648.69

P.O.L.

SET 1" I.P. CONC. PL. & C.E. TAG, UP 1" BREAK

0.16

SET 1X2 ⊄ N.

93.05 CALC.

SEC. LINE

93.05

Closing 1/4 COR SEC. 18

FD. C.S. MON., UP 6" IN ROCK MOUND, PER F.B. 2637-15 MARKED

0.15 MEAS.

SET NAIL

T = 76°

95.30 @ 102°-29' = 93.05
95.43 @ 257°-10' = 93.05

LCB 5/24/77

COUNTY SURVEYOR T4N R10W 18 R9W 1/4 COR RE 32

1) 90-15-00
4) 01-00-00
90-15-00
6) 181-30-15
90-15-02½

H. P.

4531.64 @ 92-10-23 = 4528.38
2545.45 @ 95-19-38 = 2534.46

1900.87 CALC.

1900.87

2534.46
- 1885.77
648.69

1828.63
+ 57.14
1885.77

> Pg 252

90-15-02

SEC. COR.

FD. G.L.O. MON. WITH CONC. COLLAR, FLUSH, PER F.B. 2637-23 MARKED

2534.46
+ 93.05
2627.51

4528.38
- 2627.51
1900.87

US GENERAL LAND OFFICE SURVEY PENALTY $250 FOR REMOVAL T4N R10W S13 S24 1912

TO RT. PG. 256

SEC. LINE

2676.17 per F.B. 2637 182-23

76F309S CE#310 3-69

F. B. 2637 PG. 254

TO LEFT PG. 252

TO RIGHT PG. 248

TO TOP PG. 256

2663.37

90°-20'-40" PER FB 2637-H

1619.86

1/4 SEC. LINE

374.88

CTR. SEC. 13

FD. C.E. MON., FLUSH, PER FB. 2637-14 MARKED

H.P.	
2000.77 @	85-33-45 = 1,994.77 ✓
376.36 @	95-04-30 = 374.88 ✓
2859.84 @	92-13-30 = 2857.68 ✓
195.87 @	97-14-45 = 194.31 ✓

194.31

P.O.L.

FD. 1X2 ⅛ N. REPLACED WITH 1" I.P. CONC. PL. & C.E. TAG, UP 1"

1994.74
-374.88
1619.86 ✓

3746.13 PG. 255
2857.68
888.45 ✓

888.45

1/4 SEC. LINE

2857.68
-194.31
2663.37 ✓

P.O.L.

FD. 1X2 ⅛ N. REPLACED WITH 1" I.P., CONC. PL. & C.E. TAG, UP 1"

618.97

TO TOP PG. 255

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Ink With Date and Name of Person Making Change.

Notes Ck'd by RIECKHOFF	Survey of SEC. 13 T4N, R10W	F. B. 2637	PG. 255
Map No. B-5361	JN 0302.01 Tape 18 Std 84 °F		
Office Work G. MASUDA	Surveyed by BITTEL		
Checked	Notes BITTEL Date 2/77		
Date	Indexed G. D. BAILEY MAY 18 1977		

TO BOT. PG. 254

4365.10
− 3746.13
618.97 ✓

618.97

P.O.T.
SET 1" I.P. CONC. PL.,
& C.E. TAG, VP 1"

	H. P.	
178.38 @	86-36-15 =	178.07 ✓
5112.65 @	90-29-50 =	5112.46 ✓
4931.99 @	90-32-10 =	4931.77 ✓
4365.53 @	90-48-25 =	4366.10 ✓
3747.04 @	91-15-50 =	3746.13 ✓

4931.77
− 4365.10
566.67 ✓

566.67

1/4 SEC. LINE

P.O.T.
FD. 1X2 ½ NAIL
REPLACED WITH 1" I.P.
CONC. PL. & C.E. TAG, VP 1"

5112.46
− 4931.77
180.69 ✓

180.69

P.O.T.
SET 1" I.P., CONC. PL.,
& C.E. TAG, VP 1"

178.07

1/4 COR.
FD. C.E. MON. IN 12"
PER F.B. 2637-11
MARKED

ENGINEER
COUNTY
T 4 N
R 10 W
13
14
1/4 COR
RE 5869

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 2637 PG. 256

TO RT. PG. 254

374.88

P. O. T.
SET 1X2" NAIL

4270.34
- 1994.77
2275.57 ✓

pg. 248
pg. 254

1/4 SEC. LINE

2275.57

1) 89-28-50
4) 357-55-00
89-28-45
6) 176-52-25
89-28-44½ ✓

1/4 COR.
FD. G.L.O. MON., WITH CONC. COLLAR, FLUSH, PER F.B. 2637-18 MARKED

U.S. GENERAL LAND OFFICE PENALTY $250 FINE FOR REMOVAL
S13
S24
1912

89°-28'-44½" = 2676.17

SEC. LINE

2676.17 per F.B. 2637-18, 23

TO LT. PG. 252

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by RIECKHOFF
Map No. B-5361
Office Work G. MASUDA
Checked
Date

Survey of SEC. 12, T4N, R10W
JN 0302.01 Tape 18 Std 84 °F
Surveyed by BITTEL
Notes BITTEL Date 2/77
Indexed G. D. BAILEY MAY 18 1977

F. B. 2637 PG. 257

TO BOT. PG. 258



H.P.

26 22.55 @ 101-44-32 = 2567.67 ✓
29 41.68 @ 100-27-10 = 2892.86 ✓
48 13.85 @ 97-41-57 = 4770.45 ✓
49 13.05 @ 97-43-30 = 4868.46 ✓

4868.46 − 4770.45 = 98.01 ✓
4770.45 − 2892.86 = 1877.59 ✓
2892.86 − 2567.67 = 325.19 ✓

TO TOP PG. 250

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309s CE#310 3-66

F. B. 2637 PG. 258



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 CE#310 3-69

PLEASE RETURN TO:
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

SEC. 1 T4N R10W

Notes Ck'd by R. BECKHOFF
Map No. 8-536
Office Work S. MASUDA
Checked
Date

Survey of SEC. 12, T4N, R10W
JN 0302.d / Tape 18 Std. 84 °F
Surveyed by BITTEL
Notes BITTEL Date 3/77
Indexed G. D. BAILEY MAY 18 1977

F. B. 2637 PG. 259

TO TOP PG. 260

TO LEFT PG. 258

SET 1X2¢ N.

1329.17
X LINE

47.25

R. P.
SET 1½ I.P., CONC. PL.
¢C.E. TAG, UP 1"

237.82

SET 1X2¢ N.

2408.53

19°41'05" 51.23

86°44'10" 17.29

76°00'00" 139.55

1) 19-41-00
2) 39-22-10
19-41-05

1) 86-44-20
2) 173-28-20
86-44-10

1) 76-00-00
4) 304-00-00
76-00-00

T = 54°

51.24 ② LEV. = 51.23
139.58 ③ LEV. = 139.55
24.86 ④ LEV. = 24.86
17.29 ⑤ LEV. = 17.29
47.26 ⑥ LEV. = 47.25

24.86

FB 1232-30
133.34

R. P.
SET 2" I.P., CONC. PL. & C.E. TAG, UP 12"

17°57'19" C.16.05

SEC. LINE

2642.37
CALC.

263.43
per F.B. 1232-30

SEC. LINE

2378.63
CALC.

H. P.

2942.50 @ 90-24-10 = 2942.43
285.14 @ 91-13-30 = 285.07
1331.24 @ 86-48-10 = 1329.17

2942.43
- 248.83 PG. 258
2693.60
- 285.07
2408.53

285.07
- 47.25
237.82

R. P.
FD. C.S. MON. FLUSH
PER F.B. 1232-30
MARKED

COUNTY SURVEYOR
R. P.
RE 2177

¼ COR. 1/12
NOTHING FOUND,
NOTHING SET, FALLS
IN BOTTOM OF WASH

R. P.
FD. C.S. MON. UP 3"
PER F.B. 1232-30
MARKED

COUNTY SURVEYOR
R. P.
SEC. LINE
RE 2177

SEC 12 T4N R10W


1/4 COR.
F.D. C.E. MON., UP 3",
PER F.B. 2637-114
MARKED
COUNTY ENGINEER
T4N
2 1
11 12
1/4 COR
RE. 7103
SET 1X2" NAIL
BY INTERSECTION
1) 93-02-00
4) 12-07-45
93-01-56 1/4
6) 198-11-30
93-01-55
T = 58°
99.20 @ LEV. = 99.18
H. P.
1269.04 @ 90-15-15 = 1269.03
93° 01' 55"
48.01'
1269.03
LINE
SET 1X2" NAIL
TOP SPUR
1329.17
99.18
SEC. LINE
2000.00
PER F.B. 2637-111
WITNESS COR.
F.D. C.S. MON., FLUSH,
PER F.B. 2637-112
MARKED
COUNTY SURVEYORS
T4N
2 1
11 12
W. C.
MONUMENT
89° 48' 30"
43.48'
CALC.
SEC. LINE
2642.37 CALC.
SEC. COR. 2 1
11 12
F.B. 2637 PG. 260
TO BOT. PG. 259