Survey of
JN Tape Std 'F
Surveyed by
Notes Date
Indexed

F.B. 2652 Pg.

| Job | Description |
|---|---|
| | OAKBLUFF ROAD 0075.99 |
| Index | |
| P Line | (Oakbluff Rd) from int. with Sec. line Sec. 23, Sec. 26, T4N R15W S'ly to P102W. |
| P Line | (Oakbluff Rd) from P102W southwesterly to int. C.L. US Hwy #6. |
| Sec. Lines | South ½ sec. line bet Secs. 22, & 23 T4N R15W. |
| Sec. Lines | South line of Sec. 22, T4N R15W. |
| Sec. Lines | North ¼ sec. line bet. Secs. 27 & 28 T4N R15W. |
| Sec. Lines | South ¼ sec. line bet. Secs. 21 & 22, T4N R15W. |
| Sec. Lines | 1/4 sec. line from ctr. Sec. 28 north to north 1/4 sec. cor. sec. 28, T4N R15W. |
| B.M. | Bench levels. |
| Elev. | Elevations on "P" points. |

Microfilmed June 85

(cont'd on next page)

F.B. 2652 Pg.

| Page | Job | Description |
|---|---|---|
| 97-104 | Sec. Lines | Sec. line bet. Secs. 21 & 28, T4N R15W. |
| 105-110 | Sec. Lines | North ½ sec. line bet. secs. 28 & 29, T4N R15W. |
| 111-112 | Sec. Lines | South 1/2 sec. line bet. Sec. 20 & 21, T4N R15W. |
| 113-123 | Prof. | Profile from U.S. Hi-way #6 easterly to (OB-13) Sta. 34+36.17. (on Oak Bluff Road.) |
| 125-139 | Prof. | Profile-preliminary line & laterals from OB-13 to (B-40). |
| 141-165 | Prof. | Profile-P line & laterals from OB-40 to OB-54. |
| 166-171 | Prof. | Profile along sec. line from 1/4 cor. E'ly to Sec. cor. $\frac{23/24}{26/25}$ T4N R15W. |
| 173-193 | P-line | From intersection of Sierra Hwy U.S. #6 westerly to Rancho San Francisco Grant Line. |
| 193-207 | Sec. Lines | West & north lines of Section 29, T4N R15W. |
| 209-228 | B.M. | Bench levels from inter. of Sierra Hwy. U.S. No. 6 & Oak Bluff Rd. P-Line westerly to San Francisco Grant line. |
| 229-236 | Sec. Lines | North line of Sec. 30, T4N R15W. |
| 237-244 | Geod. Ties | Geodetic ties to Oakbluff Road & Golden Valley Rd. |

(cont'd on next page)

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made & Checked in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by _____ Survey of _____ F.B. 2652 Pg. _____

Map No. _____ JN _____ Tape _____ Std _____ °F

Office Work _____ Surveyed by _____

Checked _____ Notes _____ Date _____

Date _____ Indexed _____

| Page | Job | Description |
|---|---|---|
| 245-252 | Sec. Line | Sec. line changes between Sections 29 & 30 T4N R15W. |
| 253-254 | Sec. Cors. | Section corner ¼ corner Sec. 28 & 29 T4N, R15W surface ties. |
| 255-256 | Ties | Ties to ¼ corner Sec. 28 & 29 T4N, R15W. |

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7-63005 CK #110 5-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

P.B.

P.O.

| | |
|---|---|
| Notes Ck'd by | Survey of OAKBLUFF ROAD |
| Map No. | JN 0075.99 Tape 141 Std 84 °F |
| Office Work | Surveyed by C. L. WRIGHT |
| Checked | Notes C.L.W., R.C.B. Date MAY 1960 |
| Date | Indexed AUG 10 '60 L. A. CITY |

F. B. 2652 PG. 3

# OAKBLUFF ROAD
# J.N. 0075.99

REFERENCES:
C.S. 8576
C.S. B-736
F.B. 50
F.B. 1832
L.S. 25-39
CALIF. DIV. HI-WAYS F.B. A59.001
F.B. 446
F.M. 11261-3
C.S. 8151

PARTY:
C. L. WRIGHT
R.C. BOWERS JR.
T. MELTON
J. R. FULTON JR.
D. J. DRESSER

MAY 59 W.E. BARNETT JR.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this title on this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7CF3008 SBE 1247 11-58

# INDEX - OAKBLUFF ROAD

F. B. 2652 Pg. 4

T4N R15W

INDICATES LINES RUN.
SECTION LINES
ROADS

SEE PAGES 173 TO 176 FOR ADDITIONAL INDEX




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by L. Bacon | Survey of OAKBLUFF RD. |
| Map No. | JN 0075.99 Tape 141 Std 84 °F |
| Office Work | Surveyed by C.L. WRIGHT |
| Checked | Notes C.L.W. AUG & OCT 19 MAY 60 |
| Date | Indexed M. E. OTT |

F. B 2652 Pg. 6

# PRELIMINARY LINE (OAKBLUFF RD.) FROM INT. WITH SEC. LINE SEC. 23, SEC. 26, T4N, R15W WEST'LY TO P102W.

J.N. 0075.99

Note: Any Additions or Changes on this Sheet Must be Made, or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data past this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

REFERENCES:
C.S. 8576
F.B. 50
F.B. 1832
C.S. B736
L.S. 2539

PARTY
C. L. WRIGHT
R.C. BOWERS JR.
T. MELTON
JR. FULTON JR.
D.J. DIRESTER

7573058 SAE #247 11-


F.B. 2652 Pg. 6
F.B. 1832 - 170
2 1/2 + 1/8 COR. FD.
C.S. MON. 2"
I.P. BRASS CAP
SET CONC. DN. 16
08-53
COUNTY SURVEY
MONUMENT
R15W T4N
4 SEC. COR.
26 23
T-82°
MARKED
Pg. 65 FOR ELEV.
3.00
SET 1x2 ℄ NAIL
98°
3' OFF SEC. LINE
SECTION LINE
265.70 @ 0-56 = 265.66
270.28
CHAINING IN F.B. 1832 Pgs. 158, 180, 212
1070.64 CALC. FROM
R15W T4N
CONT. BOT. Pg. 7
5 STRAND BARB WIRE FENCE STARTS
1+17+99
BOARD FENCE ENDS
0.5'
P 95 W
SET 1x2 ℄ NAIL (UNDER LIVE OAK)
Pg. 65 for Elev.
T-84° LINE
ELEV. 11.69
300.48 @ 1-02 = 300.43
312.12
265.66
3/12.12
SEC. 23
SEC. 26
40'
PRELIMINARY
147°
8+05 87
BOARD FENCE 54" HIGH
1°
22.8
SET 1x2 ℄ NAIL
4.62
5.51
4.96
Pg. 65 FOR ELEV.
SET 1/2" I.P. CONC. PLUG, NAIL L.A. CO. ENGR. TAG. DN 10"
08-52 P.94W
8+00 36
3.00
Pg. 65 FOR ELEV.
COUNTY ENGINEER
R.E. 5889
R15W T4N
SEC. 26 SEC. 23
SAND CYN. RD.
FB. 1832-212
3' OFF SEC. LINE
CALC. 800.36
INT. SAND CYN. RD. & SEC LINE
FD. C.E. MON. 2" I.P. BRASS CAP SET CONC. IN WELL AND COVER. DN 10"
SEE Pg. 62 FOR ELEV.
℄ SAND CYN RD.
148.19 TO P.I. 25
CALC.
F.B. 1832-213
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L. J. McDN
Map No.
Office Work
Checked
Date

Survey of OAKBLUFF RD.
JN 00775.99 Tape 141 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C. L. W. Date 19-MAY-66
Indexed W. E. OTT

F. B 2652 Pg. 7

T 4N R 15W SEC 25

CONT. BOT. PG. 8

19+77.10 ✓
P 98 W
SET White top R.W. 2X2, Br. tack & L.A. Co. Engr. Tag. in low saddle-up 2"
Pg. 85 for Elev.

PRELIMINARY

T-86°
255.92 @ 4-23 = 255.17 ✓
300.02 @ 2-20 = 299.77 ✓
554.94
.01
554.95 ✓

S 54° 05' E ✓

14+22.15
P 97 W
Set White top R.W. 2X2, Br. tack & L.A. Co. Engr. Tag Top low spur up 1"
Pg. 85 for Elev.

OB. 51

| | | | |
|---|---|---|---|
| ① | 164 | 12 | 40 |
| ② | 296 | 50 | 20 |
| ③ | 265 | 15 | 30 ✓ |
| | 164° | 12' | 35" ✓ |

T 86°
95.30 @ 19-16 = 89.96 ✓
95.63 @ 19-49 = 89.97 ✓
89.96 ✓
LEV. 13.50
103.46 ✓

5 STRAND BARB WIRE PASTURE FENCE

13+18.69 ✓
P 96 W
SET 1X2 & NAIL Pg. 65 FOR ELEV.

T 84°
200.72 @ 0-54 = 200.70 ✓

11+17.99 ✓
P 95 W
SET 1X2 & NAIL (UNDER LIVE OAK TREE)
Pg. 65 for Elev.

CONT. FROM TOP PG. 6

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data past this line.

2652 SEE 2647

F. B. 2652 Pg. 8

CONT. BOT. Pg. 9

T4N R15W
SEC. 23

25+17.06
P 99AW
SET 1X2 "NAIL
BOT. DRAW.
Pg. 67 for Elev.

PRELIMINARY

T 86°
191.85 @ 14-57 = 185.40
192.47 @ 15-33 = 185.42
185.41

185.41

23+31.65
P 99W OB-49
SET 1X2 "NAIL
TOP SHARP SPUR
Pg. 85 for Elev.

T 86
199.17 @ 14-19 = 192.98
199.28 @ 14-28 = 192.96
192.97
148.46 @ 18-31 = 140.77
148.67 @ 18-46 = 140.77
140.77

LEV 20.81
354.55

354.55

LINE

| | | | |
|---|---|---|---|
| ① | 156 | 34 | 40 |
| ② | 246 | 18 | 20 |
| ③ | 219 | 27 | 20 |

156° - 34' - 33 1/3"

156° 34' 33 1/3"

19+77.10
P 98W SET White Top R.W. 2X2
Br. tack & A.C.E. Engr Tag in
low saddle - up 2.4
OB-50
Pg. 85 for Elev.

CONT. FROM TOP Pg. 7

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L. BRACKEN
Map No.
Office Work
Checked
Date

Survey of OAKBLUFF RD.
JN 0075.99 Tape 191 Std 84 °F
Surveyed by C.L. Wright
Notes R.C. Bowers Date 10 May 60
Indexed H. E. Ott

F. B. 2652 Pg. 9

Cont. Bot. Pg. 10

T 4 N R 15 W
SEC. 23

① 89° 05' 10"
② 178° 10' 20"
89° 05' 10" ✓

T = 70°
135.35 @ 6°17' = 134.54'
.01
134.53'

To R-102 W

89° 05' 10"

134.53

R-101 W

SET 1¼" I.P. CONC. PLUG, SNIP SPK & WASHER UP 2" B.M. O.B. 2. R.E. 5843 STAMPED ON WASHER Pg. 68 for Elev.

SET W.W. OB 46 2x2 WHITE TOP L.A. CO. ENGR. TAG & BRASS NAIL - FLUSH Pg. 68 for Elev.

2+31+23.72

PRELIMINARY

① 165° 44' 10"
② 302° 57' 00"
③ 274° 25' 20" ✓
165° 44' 13½" ✓

T = 80°
105.32 @ 7°44' = 104.36'
300.38 @ 1°49' = 300.23'
404.59'
.01
404.58' ✓

404.58 ✓

2+71+91.4 ✓

Set OB 47 P-100 W 1+27 N. Pg. 68 for Elev.

COUNTY ENGINEER B.M. O.B. 1 E. 5869

LINE ✓

202.08 ✓

MARKED B.M. O.B. 1 SET 2" I.P. BRASS CAP IN CONC., BUTTON MON. Pg. 67 for Elev.

191.17 ✓

T = 76°
210.09 @ 15°52' = 202.09'
210.08 @ 15°52' = 202.08'
.01
202.08'

T = 78°
191.24 @ 1°29 = 191.18
.01
191.17'

Set P-99 A W 1+28 N. OB 48

2+51+70.6 ✓
Pg. 67 for Elev.

① 95 — 41 - 00
② 191 — 22 - 00 ✓
95° 41' 00" ✓

CONT. FROM TOP Pg. 8

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

78F3095 SAE 1247 11-59

F. B. 2652 Pg. 10

CONT. BOT. PG. 13

T4N R15W

① 154° 09' 10"
④ 256° 36' 40"
⑥ 204° 55' 00" ✓
154° 09' 10" ✓

① 159° 20' 20"
④ 277° 21' 60"
⑥ 236° 01' 30" ✓
159° 20' 15" ✓

TO P103W P.C. 1 ✓

10" ✓

09'

154°

20'

15' ✓

36+46.84 ✓

P-102W 0845
SET R.W. 2X2 WHITE TOP L.A. CO. ENGR. TAC & BRASS NAIL FLUSH Pg. 13
Pg. 69 for Elev.

T = 84°

7.24 @ Lev. = 7.24'
300.02 @ Lev. = 300.02'

190.84 @ 14°28 = 184.79' = 184.79' ✓
190.87 @ 14°30 = 184.79' ✓

31.07 @ Lev. = 31.07'
523.12 ✓

TO SECTION SEC. 22-23 27-26 T4N R15W Pg. 12

Pg. 12 ✓ 26°01'23½" ✓

Pg. 12 444.9m TIE LINE TO SEC.

46° 36' 38½"

PRELIMINARY LINE

① 46° 30' 40"
④ 186° 02' 20"
⑥ 279° 03' 50" ✓
46° 30' 38½" ✓

Fd 1½" IPIN SEC. LINE INT. Pg. 12

523.12 ✓

LINE

SEC. 23

SEC. 26

LINE

165°

44'

13⅓"

31+23.72
set 08-46
P-101W
SET R.W. 2x2 WHITE TOP, L.A. CO. ENGR. TAC & BRASS NAIL FLUSH
Pg. 68 for Elev.

Cont. from Top, Pg. 9

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. L. WRIGHT
Map No.
Office Work
Checked
Date

Survey of OAKBLUFF RD.
JN 00759 Tape 141 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 4-MAY '60
Indexed H. E. OTT

F. B. 2652 Pg. 11

# PRELIMINARY LINE (OAKBLUFF RD) FROM P102 W-SOUTH-WEST'LY TO INT. ℄ U.S. HI-WAY #6.

REFERENCES:
CALIF. DIV. HI-WAYS
F.B. A59.001
L.A. Co. F.B. 1832

PARTY
C. L. WRIGHT
R. C. BOWERS JR.
J. MELTON
J. R. FULTON JR.
D. DRESSER
W. BARNETT

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this data past this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7EF3095 SAE #247 11-59

F.B. 2652 Pg. 12




PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend the use of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L. Bacon
Map No.
Office Work
Checked
Date

Survey of OAKBLUFF RD.
JN 00759 Tape 141 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W Date 4 MAY 60
Indexed H. E. O'M

F. B. 2652 Pg. 13

T4N R15W

CONT. ON BOT. PG. 14

SEC 22

4 STRAND BARE WIRE FENCE

08-42

45+58.48
P 102 W
SET R.W. 2x2, FLUSH
WHITE TOP
L.A. CO. ENGR TAG & BRASS NAIL
Pg. 70 for Elev.

| | | | |
|---|---|---|---|
| ① 175 | 15 | 40 | |
| ② 341 | 92 | 40 | ✓ |
| ③ 331 | 33 | 30 | |
| 175° - | 15' - | 35" | ✓ |

PRELIMINARY

175° 15' 35"

SEE SECTION PG. 30 FOR THIS LINE

911.64 LINE

T 68°
LEV = 184.23
215.26 @ 2-19 = 215.08
300.10 @ 4-53 = 299.01
214.86 @ 6-39 = 213.41
911.73
.09
911.64

36+46.84
P 102 W
SET R.W. 2x2, WHITE TOP, L.A. CO. ENGR. TAG & BRASS NAIL FLUSH - Pg. 10, 12, 30, Pg. 69 for Elev.

08-43

SEC. 23

CONT. FROM TOP Pg. 10, 12

PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this past of this line.

787305 SAE 1247 11-58

F. B. 2652 Pg. 14

CONT. ON BOT. Pg. 15

T 4 N
R 15 W
SEC 22

08-39
634+10.30
P 106 W
SET 1x2 C NAIL
Pg. 73 for Elev.

PRELIMINARY

906.22

4 STRAND BARB WIRE FN.

HUMPHREYS STATION SPUR

T - 80°
LEV 195.34
LEV. 137.78
LEV. 147.13
LEV. 185.90
240.15 @ 1-14 = 240.09
906.24
.02
906.22

10" O.D. WELL CASING UP 14" (ABANDONED)

90.96 CALC.

54+55 CALC. 50A

104.25

190' TO SPLIT OF RAILS MAIN LINE C.P.R.R.

SET R.W. 2x2 WHITE TOP, L.A. CO. ENGR. TAG & BRASS NAIL FLUSH.

P 105 W 08-40
Pg. 73 for Elev.
54+04.08

173° 09' 30"
332 38 20
318 57 20
173° 09' 33 1/3"

T 78°
LEV 73.71
300.36 @ 4-10 = 299.57
373.28
.01
373.27

373.27 LINE

92°

40

50+30.81

P 104 W 08-41
SET 1x2 C NAIL
TOP BRK. Pg. 71 for Elev.

98.8

T 78°
184.88 @ 1-11 = 184.84
292.39 @ 10-29 = 287.51
292.34 @ 10-26 = 287.51
287.51
472.35
.02
472.33

49+32.0

472.33 LINE

SET R.W. 2x2, WHITE TOP, L.A. Co. ENGR TAG & BRASS NAIL FLUSH

45+58.48

P 103 W 08-42
Pg. 70 for Elev.

CONT. FROM TOP Pg. 13

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this ink out of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L. BACON
Map No.
Office Work
Checked
Date

Survey of OAKBLUFF RD.
JN 00759 Tape 141 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 5 MAY 60
Indexed M. E. OTT

F. B. 2652 Pg. 15

FAN R15W SEC22

CONT. ON BOT. PG. 16

40'
71+20 21 190' To Split of RAILS, MAIN LINE S.P.R.R.
P 108 W 08-37
SET 1X2 C NAIL
Pg. 75 for Elev.

PRELIMINARY
509.08' V
4 STRAND BARB. WIRE

T 80°
LEV. 208.36'

300.78 @ 1-00 = 300.73'
509.09'
.01
509.08' V

119°-08'-50" Pg. 40
66+11 13
P 107 W 08-38
SET 1X2 C NAIL DN. 2"
Pg. 73 for Elev.
250.82
18'
2'
To 1/4 COR SEE PG. 40
BACKSTOP - SOFT BALL FIELD

LINE
300.83' V
FENCE

T 80°
LEV 23.76'
277.20 @ 1-42 = 277.08'
300.84'
.01
300.83' V

190' To ℄ MAIN LINE S.P.R.R.
4' HIGH BARB & WOVEN WIRE
40'
63+43 8
FENCE
12 5
63+31 3
℄ TRAVELED OILED RD. 46' WIDE ℄
16 5
63+14 8
40'
BOARD FENCE 4' HIGH.
45
63+10 30
P 106 W 08-39
SET 1X2 C NAIL
Pg. 73 for Elev.

CONT. FROM TOP PG. 14

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this file of this size.

STATION L.S.P.R.R.

76P3098 SSE #247 11-58

F. B. 2652 Pg. 16

CONT. ON BOT. PG. 17.

OB-34

77+49 89 ✓ P110 W SET PG. 75 for Elev. 1X2 & NAIL TOP BRK.

B-11 SET 1X2 & NAIL PG 42

PRELIMINARY

TAN R15W

SEC. 27

SEC. 22

SECTION LINE

Δ 9° 09' CALC. PG. 42

Δ 9° 09' PG. 42

B-10A OB-35

76+95 55 ✓ (P" LINE PLUS)

SET R.W. 2X2 WHITE TOP, L.A. CO. ENGR TAG & BRASS NAIL FLUSH PG. 42, PG. 75 for Elev.

368.10

T-68°

179.28 @ 9-17 = 176.93 ✓

191.23 @ 0-47 = 191.2 ✓

368.14 ✓

.04

368.10 ✓

P109W OB-36

SET R.W. 2X2 WHITE TOP L.A. CO. ENGR. TAG & BRASS NAIL FLUSH - PG. 75 for Elev.

73+81 79 ✓

Δ 146° 24' 31 2/3" ✓

① 146 24 30

② 225 38 00

③ 158 27 10 ✓

146° 24' 31 2/3 ✓

T 80°

261.68 @ 1-31 = 261.59 ✓

.01

261.58 ✓

71+20 21 ✓ P108W SET 1X2 & NAIL PG 75 for Elev.

CONT. FROM TOP PG. 15

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by L. BACON | Survey of OAKBLUFF RD. |
| Map No. | JN 0075.90 Tape 141 Std 84 °F |
| Office Work | Surveyed by C.L. WRIGHT |
| Checked | Notes C.L.W. Date 6-MAY '60 |
| Date | Indexed H. E. OTT |

F. B. 2652 Pg. 17

CONT. ON BOT. PG. 18

T 4 N
R 15 W
SEC. 27

OB-32
89+38.24
P112 W
SET 1x2 ¢ NAIL
Pg. 76 for Elev.

PRELIMINARY

861.14

T 90°
LEV 187.65
LEV 120.78
LEV 85.01
LEV 169.55
300.37 @ 7-01 = 298.12
861.77
.05
861.14

① 106-50-00
② 213-40-00
106-50+00

80+77.10
P111 W
SET 1x2 ¢ NAIL OB-33
TOP BRK. - S.W.S.H.
Pg. 75 for Elev.

191.71

T 92°
191.95 @ 2-50 = 191.71
.01
191.72

327.21

LINE

B.M. OB. 3
SET C.E. BUTTON
MONUMENT - 2" I.P.
BRASS CAP SET CONC.
UP. 6" - Pg. 76 for Elev.
MARKED

T - 88°
LEV. 227.06
100.47 @ 4-37 100.15
327.20
.01
327.21

77+49.89
P110 W OB-34
SET 1x2 ¢ NAIL TOP BRK.
Pg. 75 for Elev.

R.E. 988 COUNTY ENGINEER B.M. S.B.D.

CONT. FROM TOP PG. 16

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F3085 SEE #247 11-58

F. B. 2652 Pg. 18

CONT. ON 101+28.13

CONT. FROM Bot. Pg. 19

P115 W 08-16
SET White top R.W. 2X2, Br. tack, L.A.Co. Engr. Tag on side hill
Pg. 88 for Elev.

T 4 N
R 15 W

T 96°
211.81 @ 2-59 = 206.40
211.69 @ 2-50 = 206.40
297.90 @ 4-33 = 296.96
206.40
503.36
.04
503.40

PRELIMINARY 503.40'

08-17
96+24.73
P114 W
SET 1X2" NAIL TOP LOW SPUR
Pg. 87 for Elev.

08-17

BM OB 4
SEE Pg. 47 FOR LOCATION & DESCRIPTION.
Pg. 77 for Elev

T 90°
177.18 @ 9-21 = 174.83
.01
174.84

95+07.72
("P" LINE PLUS)
1.5 OFF SECTION

174.84'

Pg. 47
C-7 SET 1X2" NAIL
15+79.08 N.5' OFF SET SEC. LINE PLUS
Pg. 77 for Elev.

SECTION SEC. 28

3.59 CALC.

SET R.W. 2X2 WHITE TOP, L.A. CO. ENGR. TAG & BRASS NAIL FLUSH
15+82.67 (SEC. LINE PLUS)

SEC. 27

08-18
95+01.62
(PRELIMINARY LINE PLUS)
Pg. 77 for Elev.

57.88'

Pg. 47

08-18

Pg. 47
54° 21'

LINE

LINE

P113W 08-31
SET 1X2" NAIL
94+49.89
Pg. 77 for Elev.

T-92°
LEV 9.16
LEV 222.14
LEV. 280.32
511.62
.03
511.65

LINE

511.62'

92+18.5

280.3

30" H.P.S. GAS MAIN

89+38.24
P112 W 08-32
SET 1X2" NAIL
Pg. 76 for Elev.

CONT. FROM TOP Pg. 17

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L. BACON
Map No.
Office Work
Checked
Date

Survey of OAKBLUFF RD.
JN 007599 Tape 141 Std. 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date 10 Mar '60
Indexed H. E. OTT

F. B. 2652 Pg. 19

CONT. ON BOT. PG. 20

T 4 N
R 15 W
SEC. 28

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3085 SEE #247 11-59

PRELIMINARY L

SURVEY ℄

30" H.P.S. GAS MAIN

0 46 31 20
④ 136 04 40 ✓
216 31 10 ✓

0 173 05 00
④ 333 19 40 ✓
⑥ 318 30 00 ✓
173 05 00 ✓

124.10 @ 2-00 = 124.02 ✓
.01
124.03 ✓

OB-15
107+36.20 ✓
P 11 6 W
Set White top R.W. 2X2, Br. tack, ℄ L.A.Co. Engr. tag on top 16w spur. Pg. 88 for Elev.

31
10
46°
90 00 calc.
R/W
100'

LINE

124.05 ✓
608.07 ✓
173°

123

SET 1X2" NAIL REPLACED A.P. #1 FROM RP. POINTS

101.00

FD. 1X2 NAIL R.P.A.P. #1
SHEET 252 OF 255 SHEETS
So. CALIF. GAS CO. SURVEY (W.O. 8990-8)

T-106°
254.64 @ 3-44 = 254.10 ✓
137.92 @ 2-32 = 137.79 ✓
216.70 @ 4-18 = 216.09 ✓
607.98
.09
608.07 ✓

OB-16
101+28.13 ✓
P 11 5 W
Set White top R.W. 2X2, Br. tack, ℄ L.A.Co. Engr. Tag on Side hill Pg. 88 for Elev.

T-74°
36.70 @ 5-50 = 36.51 ✓
65.71 @ 11-00 = 64.50 ✓
101.01
.01
101.00 ✓

0 156 31 40
④ 266 07 20
⑥ 219 11 00 ✓
156° 31 50" ✓

CONT. FROM TOP PG. 18

F.B. 2652 Pg. 20

08.12 CONT. ON BOT. Pg. 21
P119W
SET 1x2 C NAIL
TOP BRK.
ON N. SH.
Pg. 81 for Elev.

118+60.15

380 1x

12.5

T4N
R15W
SEC. 28

B.M. 0.8.5
SET C.E. BUTTON MON.
2" I.P. BRASS CAP SET
CONC. UP 6"
MARKED - Pg. 78 for Elev.

DRY FL — FL WASH

PRELIMINARY SURVEY OF SO. CALIF. GAS CO. R/W 100' WIDE

30" HRS. GAS MAIN

T 84°
LEV. 119.92
" 159.98
" 90.90
" 110.21
481.01

36" Live Oak

13

192.5

682.33

SET 1x2
Pg. 89
FOR ELEV
112+50

72.2

481.01

30" LIVE OAK

63

20'

08.13
111+77.82
P118W
SET 1x2 NAIL
Pg. 78 for Elev.

T 94°
245.58 @ 3-14 = 245.19
145.82 @ 14-57 = 140.88
146.01 @ 15-13 = 140.89
140.88

386.07
.03
386.10

159°

386.10

① 159 58 10
② 279 53 20
159 58 20

08.14
107+91.72
P117W
SET 1x2
NAIL TOP
BRK.
Pg. 88 for Elev.

T 106°
56.02 @ 7-44 = 55.51
.01
55.52

55.52

08.15
107+36.20
P116W
Set White top
R.W. 2x2, Bl. Rock,
L.A. Co. Engr.
tag on top NW
Spot. - Pg. 88 for Elev.

90.00 — 12.5 — LINE

CONT. FROM TOP Pg. 19

COUNTY ENGINEER
R.E. 5369
O.B.S.
B.M.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L. BACON
Map No.
Office Work
Checked
Date

Survey of OAKBLUFF RD.
JN 00759 Tape 141 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date 4-MAY '60
Indexed H. E. OTT

F. B. 2652 Pg. 21

T4N R15W
SEC. 28

CONT. ON BOT. PG. 22

OB-9
126+06 33
P12 W
SET 1X2 & NAIL
Pg. 81 for Elev.

90.00 — 125 —

30" I.R.S. STEEL CAS

PRELIMINARY

320.79

SURVEY @ SO. CALIF. GAS CO. R/W 100' WIDE

SET R.W.
2X2 WHITE TOP.
L.A. CO. ENGR. TAG
& BRASS NAIL
122+80 67
"P" NAIL PLUS
Pg. 81 for Elev.

T 104°
143.48 @ 2-16 = 143.37
177.44 @ 1-33 = 177.38
320.75
.04
320.79

OB-10
P 12 OW
SET 1X2
& NAIL
CEM.

122+89 54
Pg. 81 for Elev.

2 STRAND BARBWIRE FN.

9
5 OFF
5 OFF
989
Pg 55

MAIN

SEC. LINE

122+75 65

D-4
SET 1X2
& NAIL BY INT.
PG 55
Pg. 81 for Elev.

CEM. SEC. LINE

85° 18' 55"
425.39

LINE

T=100°
233.55 @ 2-00 = 233.41
192.03 @ 1-46 = 191.94
425.35
.04
425.39

OB-12
P 11 9 W
SET 1X2 & NAIL
TOP BRK., N & SH.
Pg. 81 for Elev.

118+60 15
90.00 — 125 —

CONT. FROM TOP PG. 20

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 SEE #2x7 11-58

CONT. ON BOT. PG 23

F. B. 2652 Pg. 22

LEV. 47.19

T 4 N R 15 W

A.P. #2 — 47.19 — 115.51 — T 10° 99.08

SET 1x2 ¢ NAIL

Fd 1x2 ¢ NAIL RP & So. Calif. Gas Co. Survey Sheet # 252 of 255 Sheets W.O. 89908-TP

119.58 @ 15-00 = 115.51
119.43 @ 14-44 = 115.50
.01
115.51

08-7A
135+12.91

P/23W
SET 1x2 ¢ NAIL E. BRK. TOP SPUR Pg. 91 for Elev.

40° AS CALC.

90.00 CALC.

135.12

PRELIMINARY

172.17

30" H.P.S.

T-94°
173.38 @ 6-48 = 172.16
.01
172.17

29.37

SET 1x2 ¢ NAIL

SEC. 28

Set B.M. O.B. 6 C.E. Br. Cap Button Mon on 2" I.P. set in Conc. UP 6" Pg. 82 for Elev.

310.73

COUNTY ENGINEER B.M. O.B. 6 B.M. 5069

138° 14' 10"

428.84

SURVEY ℄ S.O. ALT GAS CO. R/W 100' WIDE

GAS MAIN 3' TO 4' DEEP

① 32° 04' 40"
② 64° 09' 30"
32° 04' 45"

T = 90°
203.11 @ 10° 35' = 199.65
111.42 @ 4° 34' = 111.07
310.72
.01
310.73

T-84°
242.85 @ 12-00 = 237.54
242.71 @ 11-50 = 237.55
237.54
191.41 @ 1-55 = 191.30
428.84

08-8
130+84.07

P/22W
SET 1x2 ¢ NAIL Pg. 82 for Elev.

LINE

477.74

143'

T-104°
256.16 @ 1-48 = 256.03
LEV 110.59
LEV. 111.06
477.68
.06
477.74

08-9
126+06.33

P/21W
SET 1x2 ¢ NAIL Pg. 81 for Elev.

90.00

12.5

CONT. FROM TOP PG. 21

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. BACON
Map No.
Office Work
Checked
Date

Survey of OAKBLUFF Rd.
JN 00 75.32 Tape 141 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date 12-MAY '60
Indexed H. E. OTT

F. B. 2652 Pg. 23

CONT. ON TOP RIGHT - PG 24

T.4N.
R.15W
SEC. 28

14/+29 80 ✓
P/26W
SET 1x2
&NAIL TOP
LOW HILL
Pg. 83 for Elev.

OB-4A

163°

PRELIMINARY

297.74 ✓

20'

T 94°
LEV. 297.72
.02
297.74 V

OB-5A
138+32 06 ✓
P/25W
SET 1x2 &NAIL
Pg. 83 for Elev.

44'

30" H.P.S. GAS MAIN

LINE

271.29 ✓

150°

T 94°
281.17 @ 15-15 = 271.27'
281.02 @ 15-08 = 271.27'
271.27'
.02'
271.29 ✓

OB-6A
135+60 77 ✓

P-/24W
Set White top
R.W. 2x2, Bt. tack
& L.A. Co. Engr tag,
Flush on W. Brk.
of Spur.
Pg. 91 for Elev.

47.86 ✓

T 92°
LEV. 47.86 ✓

OB-7A
135+12 91 ✓

P-/23W
SET 1x2 &NAIL
E. BRK. SPUR. - Pg. 91 for Elev.

| | | |
|---|---|---|
| ① 150 | 14 | 40 |
| ② 240 | 59 | 00 ✓ |
| ③ 181 | 28 | 40 |
| 150° | 14' | 46 2/3" V |

CONT. FROM TOP PG 22

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data at this line.

75F3098 SEE #247 11-58

F. B. 2652 Pg. 24

CONT. ON BOT. PG. 25

T 4 N
R 15 W
SEC. 28

CALIF. DIV. OF HWY. F.B. A59.001 PG. 11
220+49.27 P.O.T. NOTHING FD. OR SET

TO REF. POINTS - SEE PG. 25

22.00 CALC.

SET 1"X2" NAIL IN GUTTER - S. EDGE RD.

T=100°
LEV. 19.69
" .01
80.71
.01
80.72

CALC. "P" LINE PLUS
"

CALC. HI-WAY PLUS
219+66.37 P.O.T.

144+22.80 "P" LINE PLUS

143+98.21 "P" LINE PLUS

72.59

89° 58' 00" Pg. 25

T=100°
LEV. 72.58
.01
72.59

268.41

PRELIMINARY LINE

P-1260W
SET 1"X2" NAIL
T 98° TOP PG. 23

269.76 @ 5-46 = 268.39
.02
268.41

CALC. 24.59

22.00 CALC.

10.99 CALC.

43 1/3"

32'

116°

OB-3A
SET WHITE TOP R.W. 2"X2" BRASS NAIL & L.A.CO. ENGR. TAG, DN 2" IN GUTTER OR RD. SEE PG. 108

| | | | |
|---|---|---|---|
| ① | 116 | 32 | 40 |
| ④ | 106 | 10 | 40 |
| ⑤ | 339 | 16 | 20 |
| | 116° | 32' | 43 1/3" |

80.72

BM OB 7
SET L & T.,
L.A.CO. ENGR.
TAG, TOP CURB,
S.E. OF TIPS
RESTAURANT
PG. 83 FOR ELEV.

CALC INT. NOTHING SET

1962.06 CALC.
1962.19 R

LINE 7

FROM TIES F.B. A59.001 PGS. 10, 11, 39

T=100°

300.36 @ 0-59 = 300.32
LEV. 175.33
" 178.40
" 185.31
" 178.79
" 181.93
" 173.19
" 249.60
" 266.40
1889.27
.19
1889.46

17.25 @ 2-58 = 16.81
LEV 16.46
" 24.82
" 2.61
60.70

SEE PG. 108

1889.46

| | | | |
|---|---|---|---|
| ① | 89 | 58 | 00 |
| ② | 179 | 59 | 10 |
| | 89° | 58' | 05" |

US HI-WAY #6

FD. SET

SEE PG. 108

249.68 @ 1-25 = 249.60
266.44 @ 0-56 = 266.40

FD 1" □ REIN. BAR, CTR. PUNCH MK. UP 7" CALIF. DIV. HI-WAYS F.B. A59.001 PG. 11

CALIF. DIV. HWY. F.B. A59.001 NOTHING FD. OR SET 200+87.78 P.O.T.

OFFSET ESTABLISHED AS PER CALIF. DIV. HI-WAYS

SET 1"X2" NAIL

11.23

60.70

88.69

89° 58' 05"

99.92 M.
99.93 R.

22.00

.001 CALC.

T 94°
88.80 @ 3-01 = 88.68
.01
88.69

SET SHIP SPK FLUSH

FD. 1" □ REIN. BAR CTR. PUNCH MK. UP 8" CALIF. DIV. HI-WAYS F.B. A59.001 PG. 11

T 82°

LEV. 110.08
" 25.27
" 43.61
178.96

19/+17.54 E.C. R.P.

179.03 R
178.96 M.

90° 00' 00"

22.00

R. 17.00

5.00

21.04 M.
21.05 R

NOTHING FD. OR SET

| | | | |
|---|---|---|---|
| ① | 90 | 00 | 00 |
| ② | 180 | 00 | 00 |
| | 90° | 00' | 00" |

SET SHIP SPK. FLUSH IN GUTTER

19/+17.54 E.C. R.P.
FD. 2" I.P. CONC. PLUG & NAIL UP 5" CALIF. DIV. HI-WAYS F.B. A59.001 PG. 39

FD. AUTO AXE, UP 4" CTR. PUNCH MK. CALIF. DIV. HI-WAYS F.B. A59.001 PG. 10, 39

FD. CUT SPK. T & W. DN 2" CALIF. DIV. HI-WAYS F.B. A59.001 PG. 10, 39

SEC. 29

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. Baron
Map No.
Office Work
Checked
Date

Survey of OAK BLUFF RD.
JN 0075.30 Tape RL Std. 84 °F
Surveyed by C.L. WRIGHT
Notes C. L. W. Date 28-JUNE 60
Indexed H. E. OTT

F. B 2652 Pg. 25

T.4N
R.5W
SEC. 28

T 96°
LEV. 45.11
71.21
116.32
.01
116.33

235+46.74 B.C.
CALIF. DIV. HI-WAYS
F.B. A59.001 Pg. 11
NOTHING FD. OR SET

FD. L & T.
TOP LOW
RETAINING WALL (2'± HIGH)
EAST OF STANDARD
OIL STATION
CALIF. DIV. HWYS.
F.B. A59.001 Pg. 11

116.30 R.
116.33 M.

51.03
CALC. ℄ R.

22.00
CALC.

43.30
SET 1X2 NAIL
IN GUTTER

FD. 1" □ REIN. BAR,
CTR. PUNCH MK. ON
TOP 5"
CALIF. DIV. OF HWYS.
F.B. A59.001. Pg. 11

T 96°
LEV. 43.32

US. HI-WAY #6

OFFSET LINE ESTABLISHED FROM TIES AS PER CALIF. DIV. HI-WAYS F.B. A59.001 P.S. 10, 11, 39

CALIF. DIV. HI-WAYS F.B. A59.001 Pg. 11
220+49.27 P.O.T.
NOTHING FD. NOTHING SET

(CALC.) 0.02

22'

SET 1 x 2 ℄ NAIL
Pg 24

28.60

22.00
CALC.

T 96°
30.34@22-39 = 28.00

FD 1" □ REIN.
BAR
CALIF. DIV. HI-WAYS
F.B. A59.001
Pg 11
41.73 R
41.71 M

UP 5"

T 98°
42.09@7-41 = 41.71

J.C.

Pg. 24
72.59

89° 56'

① 89 56 10
② 179 52 20
89° 56 10"

℄

"P" LINE

24 FOR

SEE PG

SET WHITE TOP R.W. 2x2
BRASS NAIL ℄ L.A. CO. ENGR. TAG DN 2"
IN GUTTER OF RD. PG. 24

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SEE #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 26526 pg. 26

| | |
|---|---|
| Notes Ck'd by | Survey of |
| Map No. | JN Tape Std °F |
| Office Work | Surveyed by |
| Checked | Notes Date |
| Date | Indexed |

F. B 2652 PG. 27

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this disk of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S SAE #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2452 Pg. 28

Notes Ck'd by L BACON
Map No.
Office Work
Checked
Date

Survey of SEC. LINES
JN 0302.01 Tape 141 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 24-MAY'60
Indexed AUG 10 60 M. E. OTT

F. B. 2652 Pg. 29

# THE SOUTH HALF OF THE SECTION LINE BETWEEN SEC. 22 & SEC. 23, T4N-R15W

## J.N. 0302.01

REFERENCES:
C.S. 8576
C.S.B-736
F.B. 446
F.B. 1832
L.S. 25-39

PARTY
C. L. WRIGHT
R. C. BOWERS JR.
J. R. FULTON JR.
D. J. DRESSER
W. BARNETT

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 SBE #247 11-58

CONT. ON BOT. Pg. 31

F. B 2652 Pg. 30

T 78°
205.67 @ 5-42 = 204.65
.01
204.64

P-103W
FD. 1x2 ℄ NAIL
Pg. 13

1+95 84

204.64

OB 45

T4N
R15W

PRELIMINARY

A-3
SET 1x2 ℄ NAIL

OB 43
SET RW 2x2 -
WHITE TOP, L.A.CO.
ENGR. TAG & BRASS
NAIL - FLUSH
(SET BY INT.)
Pg. 69 for Elev.

P-102W
FD. RW 2x2
WHITE TOP,
L.A. CO. ENGR. TAG
& BRASS NAIL - FLUSH
Pg. 10, 12, 13

| | | | |
|---|---|---|---|
| Ⓓ | 90 | 35 | 20 |
| Ⓐ | 02 | 20 | 50 |
| Ⓑ | 183 | 31 | 20 |
| | 90° | 35' | 13 1/3" |

24.10
LINE

T-72°
LEV. 24.10'

1+74 60

0.06

FD. BURNT 1x2 ℄ NAIL

2.86

1+71 14

A-2

SET 1x2 ℄ NAIL -
TOP BRK.

NOTE: THIS MONUMENT EXCAVATED OUT BY HOGS. MARCH '64 C.L.M.

65.91

T 70°
LEV. 65.92
.01
65.91

1+05 83

A-1

SET 1x2 ℄ NAIL
TOP BRK.
Pg. 69 for Elev.

CALC. Pg. 31
89° - 14 - 11 2/3"

90° CALC.

105.83
SECTION

T-70°
111.97 @ 19-03 = 105.84
112.08 @ 19-12 = 105.85
= 105.84
.01
105.83

F.B. 50

FD. C.S. MON.
2" I.P. BRASS CAP
SET CONC.

OB 44
Pg. 12, 36

COUNTY SURVEYOR'S
T4N
S22 S23
S27 S26
U.S.B.L.M.
1947
MONUMENT

SEC. 22
0+00

SEC 23

SEC. SEE

LINE Pg. 36

SEC 27

C.S. 8576
C.S. B-736
F.B. 446-91
F.B. 1832-156
L.S. 25-39

SEC. LINE Pg. 12

SEC 26

W.S. 62-12

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLD.

PLEASE RETURN TO

Do not extend this area of this line.

Note: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L. BACON
Map No.
Office Work
Checked
Date

Survey of SEC LINES
JN 03024 Tape 141 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 24-MAY '60
Indexed H. E. Ott

F. B. 2652 Pg. 31

CONT. ON BOT. PG. 32

T 4N
R 15W

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this dot of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SEE #247 11-58

A-5 — 7+03.87 — SET 1x2" NAIL — LINE

T-78°
117.05 @ 6-1/5 = 116.35

116.35

SO CALIF GAS CO
GAS MAIN
6+48.5 ±
61'

103° 01' 43 1/3"

| | | | |
|---|---|---|---|
| ① | 103 | 01 | 40 |
| ① | 52 | 06 | 50 |
| ② | 258 | 10 | 20 |
| | 103° | 01" | 43 1/3" |

A-4 — 5+87.52 — SET 1x2" NAIL

TO 1/4 COR PG. 40

SEC. 22

391.68

13.90

FD. 1x2" NAIL
5+73.62

T-78°
LEV.
275.19 @ 5+16 +

| | |
|---|---|
| | 117.67 |
| | 274.03 |
| | 391.70 |
| | .02 |
| | 391.68 |

SEC. 23

107° 01' 17"

1+95.84

A-3 — SET R.W. 2x2 WHITE

PRELIMINARY ---- LINE PG. 30

89° - 14' - CALC. 11 3/3"

TOP L.A.CO. ENGR. TAC & BRASS NAIL FLUSH PG. 30 PG. 69 for ELEV.

SECTION

17° 57' 15"

SEC. LINE INT. FD. 1x2" & Nail PG. 12

606.93 CALC. PG. 12

LINE

| | | | |
|---|---|---|---|
| ① | 17° | 57' | 20" |
| ② | 71° | 49' | 20" |
| ② | 107° | 43' | 30" |
| | 17° | 57' | 15" |

| | | | |
|---|---|---|---|
| ① | 107 | 11 | 20 |
| ② | 68 | 45 | 40 |
| ② | 283 | 08 | 40 |
| | 107° | 11' | 26 2/3" |

SEC. COR. FD. 2" I.P. BRASS CAP SET CONC. PG. 12

SEC. 17

CONT. FROM PG. 30

SEC. 26

F. B. 2652 Pg. 32

CONT. ON BOT. PG. 33

T4N
R15W

14+96.24 A-7 SET 1x2 ⌀ NAIL TOP BRK

T-72°
LEV. 26.30'

℄ LINE

26.30

FD. BURNED 2x2 ⌀ NAIL NR 10"

14+69.96

T 72°
130.96 @ 9-46 = 129.06'
.0
129.05

040

129.05

SEC. 22

SEC. 23

13+70.4

0.3

FD. BURNED 1x2 - NO NAIL

21

13+67.21 A-6 SET 1x2 ⌀ NAIL TOP SPUR

T 72°
199.29 @ 12-29 = 194.58'
199.52 @ 12-46 = 194.59'
205.30 @ 3-44 = 204.86'
266.86 @ 8-28 = 263.95'
663.39
.05
663.34

663.34

SECTION

7+03.87 A-5 SET 1x2 ⌀ NAIL TOP BRK.

CONT. FROM TOP PG. 31

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this date of this line.

Note: Any Additions or Changes of This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by C. BACON
Map No.
Office Work
Checked
Date

Survey of SEC. LINES
JN 3024 Tape 141 Std. 84 °F
Surveyed by C. L. Wright
Notes R.C. Bowers Date 24 MAY '60
Indexed H. E. OTT

F. B. 2652 Pg. 33

CONT. ON BOT. PG. 34

T. 4 N.
R. 15 W.

4 Strand Barb Wire Fence

4-9
Set 1X2 Nail Flush
24+34.93

2.2

SEC 22

SEC 23

T = 68°
Lev. = 153.05
Lev. = 162.69
Lev. = 148.19
Lev. = 140.47
141.47 @ 9°52' = 138.38
743.78
.08
743.70

743.70

17+00.33

℄ R.R. TRACKS (S.P.R.R.)

9.10

16+91.23 A-8
SET 1X2" NAIL IN ROADBED
2 SIDE TRACKS S.P.R.R.

T - 78°
201.47 @ 14-35 = 194.98
201.05 @ 14-07 = 194.98
194.98
.01
194.97

194.97

14+96.26 A-7
1X2 ℄ Nail Top Brk

SECTION

CONT. FROM TOP PG. 32

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SEE #247 11-58

F. B. 2652 PG. 34

SEC 15

SEC. 14

END OF LINE

FD. C.S. MON.
2" I.P. BRASS CAP
SET CONC.
UP 6"
MARKED

C.S. 8576
C.S. B-736
F.B. 446 86, 110
L.S. 25-39

COUNTY SURVEYOR'S MONUMENT
T4N
R15W
15 | 14
22 | 23

T 4 N
R 15 W

SEC. 22

SEC. 23

SEC. LINE

① 179° 58' 00"
④ 359° 52' 10"
⑤ 359° 47' 50" ✓
179° 57' 58½" ✓

26+33 06 ✓

Fd 1/4 Sec. Cor.,
Bet. Sections 22 & 23
Br. Cap C.S. Mon. set
in Conc. Up 2"
desc. as shown.
08.57

COUNTY SURVEYOR'S MONUMENT
T4N
R15W
22 | 23
1/4 SEC. COR.

L.S. 25-39
C.S. B-736
FB 446-84

179° 57' 58½" ✓

198.13 ✓

~~T = 72°~~
Ler = 198.14 ✓
.01
198.13 ✓

SEC. LINE

A-9
1 X 2 IN.
24+34 93 ✓

CONT. FROM TOP PG 33

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by L. BACON | Survey of SEC. LINES |
| Map No. | JN 0302.01 Tape 141 Std 84 °F |
| Office Work | Surveyed by C. L. WRIGHT |
| Checked | Notes C.L.W Date 26 MAY 20 |
| Date | Indexed H. E. OTT |

F. B. 2652 PG. 35

# THE SOUTH LINE OF SECTION 22 T4N, R15W

## J.N. 0302.01

REFERENCES;

C.S. 8576
C.S. B-736
F.B. 446
F.B. 1832
L.S. 25-39
F.B. 50

PARTY;
C. L. WRIGHT
R. C. BOWERS JR.
J. R. FULTON JR.
D. J. DRESSER
W. BARNETT

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

765098 CE #247—7-58

F. B. 2652 PG. 36

T4N R15W

CONT. ON BOT. PG. 37

6+55 27 — FD. 1"X2" ℄ NAIL TOP BRK.

8.64

6+46 63 B-2 — SET 1"X2" ℄ NAIL TOP EAST BRK.

SECTION LINE

SET C.E. MON. 2" I.P. & BRASS CAP IN CONC. UP 3". REF. MON. TO SEC. COR. 12 — MARCH '64 C.L.W.

COUNTY ENGINEER REF. MON. 18500 FT. EAST TO SEC. COR. W.E. 5869

466.51

T-94°

30.52 @ 14-40 = 29.53.
30.72 @ 15-59 = 29.53.
300.13 @ 5-34 = 298.71
139.23 @ 6-50 = 138.24
466.48 .03
466.51

4.88

1+80 12 B-1 — FD. 1"X2" ℄ NAIL TOP BRK.

180.12

T-92°

181.19 @ 6-16 = 180.11
.01
180.12

SEC. 22

SEC. 27

SEC. 26

SEC. 23

SEC. 26

SEC. 27

SEC. 26

SEC. 23

SEC. 22

SEC. 27

SEC. 26

SEC. 23

SEC. 22

SEC. 27

SEC. 26

SEC. 23

SEC. 22

| | | | |
|---|---|---|---|
| Notes Ck'd by L BACON | Survey of SEC. LINES | F. B. 2652 PG. 37 |
| Map No. | JN 03029 Tape 14 Std. 84 °F | |
| Office Work | Surveyed by C.L. WRIGHT | |
| Checked | Notes C.L.W. Date 26 May '62 | |
| Date | Indexed H. E. OTT | |

T4N R15W

CONT. ON BOT. PG. 38

9495.43 B4
SET 1X2 & NAIL

34.00
T 78°
LEV 34.00

9495.43
B4A
SET 1X2 & NAIL

SECTION LINE

34' OFFSET

159.55

WASH ROOM

FRAME DWELLING

T=78°
159.81 @ 3-12 = 159.56
.01
159.55

BEG 22

8435.88
B-3
SET 1X2 & NAIL

34.00

8435.88
B-3A

T 92°
LEV. 34.00
90 00 00
180 00 00
90° - 00' - 00"

GARAGE BLDG.

135

T-94°
193.67 @ 1-2-17 = 189.24
193.80 @ 12-28 = 189.23
189.24
.01
189.25

189.25 LINE

6446.63 B-2
SET 1X2 & NAIL TOP EAST BRK.

CONT. FROM TOP PG. 36

RETURN TO
LOS ANGELES COUNTY ENGINEER
00 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76098 CE #247 7-53


F. B. 2652 PG. 38
CONT. ON BOT. PG. 39
13+39.76
335
446
FD. 1½" I.P. NO PLUG SET CONIC. UP 4"
13+35.30 B-5
SET 1X2 SPIKE
T1AN
R15W
SECTION LINE
4 STRAND BARB WIRE PASTURE FENCE
11+06.4
339.87
111'
T 72°
LEV
300.64@0-20=
① 90 00 00
② 130 00 00
90° 00 00
39.27
300.63
339.90
339.87
9+95.43 B-4
SET 1X2 SPIKE
PG. 37
34.00
9+95.43
B4A
SET 1X2 SPIKE
PG. 37
62'
65.7'
34' OFFSET LINE
29°
14'
27.5'
FRAME DWELLING
5.2'
32.3'
16.2'
11.3'
16.6'
16.2'
159.55'
TO B3A
PG. 37
SEC. 22
SEC. 27
CONT. FROM TOP PG. 37
RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L. BACON
Map No.
Office Work
Checked
Date

Survey of SEC. LINES
JN 03201 Tape 141 Std 84 °F.
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 27-MAY '60
Indexed H. E. OTT

F. B. 2652 PG. 39

T4N R15W

W.S. 62-C2

CONT. ON BOT PG. 40

SEE PG 40 FOR REPLACEMENT BY CE. MON.

PG 74 FOR ELEV OF NEW MONUMENT.

1/4 COR. FD. 6"X8" HEWN STONE UP 8" WITH CROSS CUT IN TOP AND "1/4 L.S. 25-39" ON NORTH SIDE

26+24.00

13.4

7.8

T 84°
LEV. 15.81
LEV. 116.43
132.24

Pg. 73 for Elev.

26+10.7

132.24

24+91.76 B-7 SET 1X2 NAIL

11°

4' HIGH BOARD FENCE

24+80.8

4' HIGH W.W. & BARB WIRE FN.

END OF BOARD FENCE

14.3

10°

℄ ± ON LED 24+77.5

RD. 15.5± WIDE

2°

15.4

PASTURE FENCE 4' HIGH (BOARD CONSTR)

24+76.4

T 84°
LEV. 42.77
LEV. 103.68
300.05 @ 1-24 = 299.96
LEV. 168.48
LEV. 191.67
806.56

SECTION 806.56'

SECTION LINE

16+85.20 B-6 SET 1X2 NAIL

349.90'

T 82°
LEV. 162.04
LEV. 187.86
349.90

13+35.30 B-5 SET 1X2 NAIL

CONT. FROM TOP PG. 38

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

768095 CE #247—7-53

F. B. 2652 Pg. 40

T4N R15W

W.S. 2-C2

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

CONT ON Pg. 41

OLD OLIVE GROVE IN THIS AREA.

SECTION LINE

OLD X WIRE FNC. BRITTALLY ± DBLE

PRELIMINARY TO P-108W Pg 15

| | | | |
|---|---|---|---|
| ① | 119 | 09 | 00 |
| ② | 116 | 35 | 20 ✓ |
| ⑥ | 354 | 53 | 00 ✓ |
| | 119° | 08' | 50" ✓ |

119° 08' 50" ✓

250.82 ✓

Fd P-107W 1X2 C NAIL Pg. 15 Pg. 73 for Elev.

REMOVED THIS STONE & SET CE. MON. 2" I.P. W/ BRASS CAP SET CORR.

COUNTY ENGINEER T4N R15W SEC 22 SEC 27 1/4 COR. L.S. 5869

SEC. 22

LINE

26+24.00 ✓

1/4 COR.

6'

FD 6"x8" HEWN STONE 8-79 UP 8" WITH CROSS CUT IN TOP AND 1/4" CUT ON NORTH SIDE.
Pg. 39 & 41
L.S. 25-39
Pg. 73 for ELEV.
Pg 74 FOR ELEV. OF NEW MONUMENT

SECTION LINE

T 84°

250.93 @ 1+44 = 250.82 ✓

| | | | |
|---|---|---|---|
| ① | 121 | 23 | 50 |
| ② | 125 | 35 | 40 |
| ⑥ | 8 | 23 | 40 ✓ |
| | 121° | 23' | 56 2/3" ✓ |

| | | | |
|---|---|---|---|
| ① | 12 | 36 | 00 |
| ② | 50 | 23 | 50 |
| ⑥ | 75 | 35 | 40 ✓ |
| | 12° | 35' | 56 2/3" ✓ |

12° 35' 56 2/3" ✓

TO Pg 31 A-4

CONT FROM TOP Pg 39

Notes Ck'd by L. BACON
Map No.
Office Work
Checked
Date

Survey of SEC. LINES
JN 0302 91 Tape 141 Std. 84 °F
Surveyed by C.L. Wright
Notes R.C. Bowen 10 Date 27 May 60
Indexed M. E. OH

F. B. 2652 Pg. 41

CONT. ON BOT. PG. 42

19

12±

1124

4' Woven Wire Fence

725

29+37 55.

B-9
Set 1X2 ϕ N.

29+32.8

4±

Random 3' Inload Fence

2±

SEC 27

SEC. 22

SECTION LINE

120.29

T = 86°
Lev = 120.29

Random 3 Strand Barb Wire Fence

28+19 2

28+17 26

2±

9±

B-8
Set 1X2 ϕ N.

OLIVE GROVE

4' Woven Wire Fence

T = 86°

193.31 @ 1°17' = 193.26

193.26

SEE Pg. 40 FOR REPLACEMENT BY C.E. MON.

26+24 00

Fd. ¼ Sec. Cor. Bet. Sec. 22 & 27 6"x6" Brass with Cross on Top of ¼ Sec. on Mt. face. Up 8" Pg. 39, 40

Pg. 73 for Elev.
Pg. 74 FOR ELEV. OF NEW MONUMENT.

LS. 25-39

CONT. FROM Pg. 40

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78F3098 SEE #247 11-58

CONT. BOT. PG. 43

F. B. 2652 Pg. 42

T. 4 S., R. 3 W.

Fd P-110W 1x24N Pg. 16 Pg. 75 for Elev.
① 30° 10' 00"
② 120° 40' 20"
③ 181° 00' 30" ✓
30° 10' 05" ✓

① 15° 37' 30"
② 31° 15' 20" ✓
15° 37' 40" ✓

1¢

15° 37' 40" ✓

30° 10' 05" ✓

54.34 ✓

38+19.10 ✓
B-11
Set 1x24N

T = 88°
40.34 @ 18°31' = 38.25 ✓
40.13 @ 17°36' = 38.25 ✓
1.70 @ Lev = = 1.70 ✓
39.95

37+79.15 ✓
B-10A
Set R.W. 2x2 White Top, L.A.G. Engr. Tag & Brass Nail Flush
Pg. 75 for Elev.

85.36

P. Line

T = 88°
86.73 @ 10°11' = 85.36 ✓

4¢ 1¢

4' Woven Wire Fence

Fd 1x24N

T = 92°
58.58 @ 21°56' = 5434' ✓
58.22 @ 21°02' =
5434 ✓

5° 40' 31⅓" ✓

31+20 ✓

Pg. 75 for Elev.

P-109W
Fd. R.W. 2x2 White Top Pg. 16
① 05° 40' 20"
② 22° 42' 20"
③ 34° 03' 10" ✓
05° 40' 31⅓" ✓

1¢

35+02.90 ✓
B-10
Set 1x24N

T = 96°
18.56 @ Lev = 18.56' ✓
299.91 @ 7°05' = 297.62 ✓
316.18 ✓
02
316.20 ✓

175¢

SEC. 27

SEC. 22

SECTION LINE

33+27.73

Random 4' Woven Wire Fence

T = 94°
270.26 @ 10°08' = 266.04 ✓
270.33 @ 10°14' = 266.03 ✓ = 266.03'

32+20.5

299.46 @ 2°00' = 299.28' ✓
565.31 ✓
04
565.35 ✓

565.35 To B-9

4' Woven Wire Fence

283¢

To B-9

SECTION LINE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

CONT. FROM TOP PG. 41

| | |
|---|---|
| Notes Ck'd by C. BACON | Survey of SEC. LINES |
| Map No. | JN 03202 Tape 141 Std B4 °F |
| Office Work | Surveyed by C. L. Wright |
| Checked | Notes R. C. Bowers Date 31 May '60 |
| Date | Indexed H. E. Ott |

F. B. 2652 Pg. 43

CONT. ON BOT. PG 44

B-13
Set 1X2 & N

47+40.01

45°

R.P. PK

4 Wire Barbed Wire Fence

702.38

SEC 27

SECTION LINE

SEC 22

T = 92°
183.27 @ Lev. = 183.27
225.37 @ 1° 00' = 225.34
300.29 @ 12° 00' = 293.73
300.22 @ 11° 56' = 293.73
702.34
.04
702.38

0.35

40+41.38

Fd 1X2 & N.

3.75

B-12
Set 1X2 & N

40+37.63

218.53

T = 94°
219.43 @ 5° 11' = 218.53

1½

Random 4' Woven Wire Fence

39+60.1

141.3

38+19.10

B-11
Set 1X2 & N

CONT. FROM TOP PG. 42

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
DO LOS ANGELES COUNTY ENGINEERING BLDG.

765098 CE #247 7-53

F. B. 2652 PG. 44




SEE Pg. 98 FOR LINE BETWEEN SEC. 21, SEC 28

C.S. 8576
F.B. 50-110
L.S. 25-39




52+46.90

FD. C.S. MON. 2" I.P. BRASS CAP SET CONC. - FLUSH MARKED

(See Pg 98)

T=80°
255.39 @ 1°14' = 255.33
162.52 @ 2°39' = 162.35
89.22 @ Lev. = 89.22
506.90
.01
506.89

SECTION LINE

506.89

E.P.

P.I.

SEC. 27

SEC. 22

0.35

Fd. 1½" I.P. No Plug, up 1"

48+92.69

4 strand Barb Wire Fence

98.46

E.

S.P.

R.P.

47+94.23

P.C.

24.83

47+69.40

TRACK 3 MAIN LINE

29.39

B-13
Set 1X2 FN.

47+40.01

CONT. FROM TOR PG. 43

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by L. BACON | Survey of SECTION LINES |
| Map No. | JN 0302.01 Tape 141 Std 84 °F |
| Office Work | Surveyed by C. L. Wright |
| Checked | Notes R. C. Bowers Date 2 June '60 |
| Date | Indexed H. E. OTT |

F. B 2652 PG. 45

Note: Any Additions or Changes on this Sheet Must be Made, or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

THE NORTH - ONE HALF OF THE SECTION LINE BETWEEN SEC. 28 & SEC. 27 T4N R15W

REFERENCES:

L.S. 25-39

PARTY
C. L. WRIGHT
R. C. BOWERS JR.
J. R. FULTON JR.
D. J. DRESSER
W. BARNETT

76F3098 SAE #247 11-58

Cont. Bot. Pg. 47

F. B. 2652 Pg. 46




LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this tide of this line.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L. BACON
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 2302.01 Tape 141 Std. 84 °F
Surveyed by C. L. Wright
Notes R.C. Bowers Date 2 June 60
Indexed H. E. Ott

F. B. 2652 Pg. 47

T. 4 N., R. 15 W.

17+93.64 Cont. Bot. Pg. 48
C-8
Set 1X2 ¢N. Flush
53
① 54° 21' 20"
④ 217° 24' 30" ✓
⑥ 326° 06' 40" ✓
54° 21' 06⅔"
T = 114°
214.81 @ 3°00' = 214.52 ✓
.04 ✓
214.56 ✓
49.40
214.52 ✓
4.95
Fd 1X2 ¢N. Flush
17+44.24
To Pg. 17
BM O.B. 4
COUNTY ENGINEER B.M. O.B. 4 B.E. 5868
SET C.E. BUTTON MON. 2" I.P. BRASS CAP IN CONC. UP 6"
178.52
54° 21' 06⅔"
SET R/W 2x2 Pt. 18
P 113 W Fd 1X2 ¢N. Pg. 18
57.88
OB-18
T = 114°
57.96 @ 3°15' = 57.87 ✓
.01 ✓
57.88 ✓
15+79.08 ✓
C-7
Set 1X2 ¢NAIL
Pg. 77 for Elev.
Pg. 77 for Elev.
T 84°
179.09 @ 4-30 = 178.54 ✓
P 114 W Fd 1X2 ¢N Pg. 18
5' offset
87.91 ✓
T = 116°
91.53 @ 16°13' = 87.89 ✓
91.50 @ 16°09' = 87.89 ✓
87.89
87.91
P LINE
SEC. 28
14+91.17 ✓
C-6
Set 1X2 ¢N Flush
49
① 127-22-00
② 254-44-00 ✓
127°-22'-00" ✓
SECTION LINE
SEC. 27
T = 118°
85.88 @ 6°34' = 85.32 ✓
.02 ✓
85.34 ✓
Section Line
85.34 ✓
14+05.83
C-5
Set 1X2 ¢N Flush
43
5' Woven Wire Fence
T = 112°
136.62 @ 3°35 = 136.35 ✓
273.01 @ 9°56' = 268.92 ✓
405.27 ✓
.07 ✓
405.34 ✓
405.34
C-4
Set 1X2 ¢N Flush
49
10+00 49 ✓
Cont. From Top Pg. 46

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3088 S&E #247 11-58

F. B. 2652 Pg. 48

T 4 N.

21 | 22
28 | 27

COUNTY SURVEYOR'S MONUMENT

W.S.Y.

SEC. 21

F.B. 50-10
L.S. 25-39
F.B. 446-82
Fd. Sec. Cor. 21, 22, 27, 28
Br. Cap Mon. Flush
as Shown

SECTION LINE

SEC. 22

10' OFFSET

Fd 2x2 ⊕N.

Set 1x2 ⊕N. Flush, on Section line Prod. From EAST.

Set 1x2 ⊕N. on Section Line

C-11

C-11A
See Pg. 50

SEC. 28

SEC. 27

4 Strand Barb Wire Fence

Set nail

C-10
Set 1x2 ⊕N. Flush

R.R. P/L

T.S.P.R.R.

FRACKS

Set nail on R.R. Tie

C-9
Set 1x2 ⊕N. Flush

4' Woven Wire Fence

LINE

C-8
1x2 ⊕N. Flush

Fd. 1x2 ⊕N. Dn. 2"

Cont. from top Pg. 47

① 90° 05' 50"
② 00° 23' 00"
③ 180° 34' 10"
90° 05' 41⅓"

① 89° 48' 20"
② 359° 13' 30"
③ 178° 49' 50"
89° 48' 18⅓"

T = 76°

253.70 @ 1°27' = 253.62'
.01'
253.61

T = 84°
74.61 @ Lev = 74.61
77.13 @ Lev = 77.13
151.74

T = 84°
144.18 @ Lev. = 144.18'
69.11 @ 2°45' = 69.03'
228.32 @ 2°34' = 228.09'
441.30

① 120° 12' 00"
② 240° 24' 10"
120° 12' 05"

26+40.29
CALC.
26+40.27

5.00
10.02
10.00
0.14
89° 48' 18⅓"

253.61

24+33.9

6.5

23+86.68

47.2

23+72.33

14.35

23+75.24
calc.

2.91

50'

1.48

4 Strand Barb Wire Fence

23+17.5

120°

151.74

5' OFFSET

22+42.5

49

7.6

22+34.94

441.30

18+44.25

4.95

50.61

17+93.14

5.2

Note: Any Additions or Changes of This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

KM 5-62-C21

| | | |
|---|---|---|
| Notes Ck'd by C.L.BACON | Survey of SECTION LINES | F. B. 2652 Pg. 99 |
| Map No. | JN 0302.01 Tape 141 Std. 84 °F | |
| Office Work | Surveyed by C.L. Wright | |
| Checked | Notes R.C. Bowers Date 8 June '60 | |
| Date | Indexed | |

G. E. Off

THE SOUTH ONE HALF OF THE SECTION LINE BETWEEN SECTION 21 AND SECTION 22 T4N, R15W.

REFERENCES:
L.S. 25-39
F.B. 446
C.S. 8151

PARTY:
C.L. WRIGHT
R.C. BOWERS JR.
T.R. FULTON JR.
D.J. DRESSER
W. BARNETT

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3088 SSE #247 11-58

T 4N R 15W

F. B 2652 PG 50

Cont. Bot Pg. 51

17+89 39' W
C-14
Set 1X2 ¢N
Flush on
Top River
Bank

12½

16+68 9' W

CHANNEL
Flow

CTR. MAIN RIVER
Flow

636.74'

T=86°
264.00 @ 1°34' 263.90'
169.72 @ Lev = 169.72'
203.11 @ Lev. = 203.11'
636.73'
.01
636.74'

13+19 51' W

10.08

166.92

11+52 65' W
C-13
Set 1X2 ¢N.
Dag 2"
in River Bot.

FD. 2" I.P. Wood Plug
NAIL & TAG L.S. 2572
UP 6"

T= 88°
249.82 @ 0°26' = 249.81'
200.26 @ 0°33' = 200.25'
450.06'
.01
450.07'

SECTION LINE

10 FT.

450.07'

7+11 7' W

9'

7+03' W

7+02 58' W
C-12
Set 1X2 ¢N.
Flush

12½

4 strand Barb Wire Fence

05'

T= 86°
235.22 @ 0°17' = 235.22'
133.86 @ Lev. = 133.86'
105.82 @ Lev = 105.82'
227.69 @ Lev = 227.69'
702.59'
.01
702.60'

7 strand Barb Wire Fence

OFFSET LINE

702.60'

Sec. 21

Sec. 22

90°
05-41 3/4" W
Pg. 48

SURVEYOR'S MONUMENT
T 4N
21 | 22
28 | 27

FD. C.S. Mon.
2" I.P. Brass Cap
Set Conc. Flush
Marked 0+00 N
L.S. 25-39
F.B. 446-82
F.B. 50-110

C-11
01'

10.00

Section Line

0+00 92 S

C-11A
Set 1X2 ¢N. By Int.
Pg. 18

Sec. 27

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 62-C2

Notes Ck'd by L. Gibson
Map No.
Office Work
Checked
Date

Survey of SECTION LINE
JN 5202 Tape 141 Std 84 °F
Surveyed by C.L. Wright
Notes R.C. Bowers Date 9 June '60
Indexed H. E. OTT

F. B. 2652 Pg. 51

T.4N. R.15W.

W.S. 62-22

T4N R15W 21+22 S 1/4 COR MONUMENT

(& SOLEDAD CYN RD.)

OB-58
26+39 05
Fd. C.S. Mon. 2" I.P. Brass Cap Set Conc. on 8" Well & Cover Marked

10.00 — 0.03

C-18
Fd. cut spk. W.E.T. Flush in Pvmt.
26+39 02

27.54

T=84°
27.54 @ Lev. = 27.54

26+11 48
C-17
Set 1x2 #N Flush

2.65 — 9.77

Fd 2" I.P. Conc Plug & L.S. 2249 Tag. up 6"
26+08 83

40' OFFSET

T=84°
199.55 @ Lev = 199.55
163.39 @ Lev = 163.39
362.94

362.94

SECTION LINE

SEC. 21

SEC. 22

22+48 54
C-16
Set 1x2 #N Flush

T=84°
94.19 @ Lev = 94.19
179.85 @ Lev = 179.85
68.19 @ Lev. = 68.19
342.23

342.23

5' Conc Wall — 8"

10' — 19+18 8

14' — 19+15 8

C-15
Set 1x2 #N - Flush
19+06 31

9.5 — 12.5

679

18+94 — 11'

River Channel Fence

4' Woven Wire

2°

116.92

T=86°
116.98 @ 1°51' = 116.92

17+89 39
C-14
Set 1x2 #N.

Cont from Top Pg. 50

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3093 SEE #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 26652 Pg. 52

| | | |
|---|---|---|
| Notes Ck'd by L. BACON | Survey of Section Lines | F. B. 2652 Pg. 53 |
| Map No. | JN 0302.01 Tape 141 Std 84 °F | |
| Office Work | Surveyed by C. L. Wright | |
| Checked | Notes R.C. Bowers Date 9 June '60 | |
| Date | Indexed H. E. OTT | |

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

# 1/4 SEC. LINE FROM CENTER SEC. 28, T.4N., R.15W. NORTH TO NORTH 1/4 SEC. COR. SEC. 28 T.4N. R.15W.

J.N. 0302.01

REFERENCES.

L.S. 25-39

PARTY:
C.L. WRIGHT
R.C. BOWERS JR.
J.R. FULTON JR.
D.J. DRESSER
W. BARNETT

76F3095 S&E #247 11-58

F. B. 2652 Pg. 54

Cont. on Bot. Pg. 55

SEC. 28
T.4N. R.15W.

6+52.05
D-3
Set 1x2 ø N.
Flush

2 strand Barb Wire Fence

298.20

3+53.85
D-2
1x2 ø N.
Dn. 2"

T = 90°
150.56 @ 4°01' = 150.19'
148.29 @ 3°34' = 148.00'
298.19'
.01
298.20

CENTER SECTION LINE

5'

17'

2 strand Barbed Wire Fence

5' OFFSET LINE

320.12

T = 82°
65.74 @ 3°16' = = 65.63'
285.80 @ 27°04' = 254.50'
285.52 @ 26°58' = 254.48'
= 254.49'
320.12

90°-08'

0.38

5.00

0.10

0+33.73
D-1A
Set 1x2 ø N.
Flush

Fd 1½" I.P., No plug.
up 12"

0+33.73
D-1
Set 1x2 ø N.
Flush on Top of Ridge

T = 76°
39.39 @ 31°05' = 33.73'
39.06 @ 30°17' = 33.73'
= 33.73

33.73

CENTER
SEC. 28
•
T.4N. R.15W.
S.B.M.

0+00

0+00.55
Fd. Center Sec. 28
2" I.P. Iron Cap
Stamped as shown
With "FRIEL" stamped
on E. Side. UP 10"
Ref: L.S. 25-39

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L. BACON
Map No.
Office Work
Checked
Date

Survey of Section Lines
JNO302.01 Tape 141 Std. 84 °F
Surveyed by C.L. Wright
Notes R.C. Bowers Date 9 June 60
Indexed H.E. OTT

F. B 2652 Pg. 55

W.S. 62-C3

SEC. 28
T.4N. R.15W.

Cont. Bot. Pg. 56

1-16 SEC. COR.
SEC. 28
T.4N. R.15W.
S.B.M.
L.S. 25-39

2.86
13+27.98
Fd 1/16 Cor, Sec 28
2" I.P. Iron Cap
Stamped as shown
with "FRIEL"
Stamped on
N.E. Side. Up 10"

5.16
4ª
13+30.84
D-6
Set 1X2 #N
Flush

85.13

T=82°
85.41 @ 4°38' = 85.13

2 Strand Barb Wire Fence

12+45.71
D-5
Set 1X2 #N
Flush

5' Offset Line

T=78°
257.51 @ Lev = 257.51
.01
257.50

257.50

9+88.21
D-4
Set 1X2 #N
by Intersection
Pg. 81 for Elev.
122+75.45 ("P" Line Plus)

CENTER

Fd P-120 W.
1X2 #N
Pg. 21
Pg. 81 for Elev.

CALC 0.46
01
5.00
5.02
9.89

P-LINE

SET R.W. 2 X 2
WHITE TOP, L.A. CO.
ENGR TAG & BRASS NAIL
122+80.52 ("P" LINE PLUS)
9+87.75 (SEC. LINE PLUS)
PG 81 FOR ELEV.

095
95° 18' 56 2/3

Fd. P-116 W.
1X2 #N.
Pg. 19

SECTION LINE

336.16

① 95° 18' 40"
② 21° 15' 40"
③ 21° 53' 40"
95° 18' 56 2/3

T=78°
197.23 @ 1° 57' = 197.12
139.38 @ 3° 57' = 139.05
336.17
.01
336.16

6+52.05
D-3
Set 1X2 #N.
Flush

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 3&E #247 11-58

CONT. FROM TOP PG. 54

F. B. 2652 Pg. 56

T.4N. R.15W.

W.5.62-C2

SEC. 21

NOTE: SEE PG. 102 FOR REMOVAL & THE SETTING OF C.E. MONUMENT

26+55.98
Fd. 1/4 Cor. Sec 21 & 28
1½" I.P. Set in 2" Conc. Mon. plug, ⅜" Hex bolt in ctr. dn. 8"
Looks like it may have been hit with tractor

WITNESS CORNER To ¼ SEC. COR. SEC.S 21 & 28 T.4N. R.15W. S.B.M. TRUE CORNER 12 FT. NORTH

4.91

OB-29

1200

4 Strand Barb Wire Fence

S.P.R.R. P/L

54

26+43.98
Fd Wit. Cor to ¼ Sec. Cor. 21&28
2" I.P. Iron Cap stamped as shown with "FRYEL" stamped on N.E. side, up 4"
L.S. 28-39
D-10

2'

5.00

26+43.98
D-9
Set 1X2 ϕN
Flush

T=92°
116.22 @ Lev = 116.22

138.16 @ Lev = 138.16
101.77 @ Lev = 101.77
172.24 @ Lev = 172.24
528.39
.03
528.42

SEC. 28

528.42

Fd. 2X2 ϕN. Flush
2/+1 84

4'

21+15.56
D-8
Set 1X2 ϕN. Flush

4.08 3.72

2.07

5.03

21+11.48
Fd. 2X2 ϕN. Flush

T=88°
23.58 @ Lev = 23.58
300.28 @ 2°26' = 300.01
323.59
.01
323.60

5' offset

323.60

4'

17+91.96
D-7
Set 1X2 ϕN. Flush

CENTER SECTION LINE

4' Woven Wire Fence

℄ Line

T=88°
163.55 @ 2°23' = 163.41
63.96 @ Lev = 63.96
234.07 @ 3°03' = 233.74
461.11
.01
461.12

461.12

4'

13+30.84
D-6
Set 1X2 ϕN. Flush

CONT. FROM TOP PG. 55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes of This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3098 S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed

F. B. 2652 PG. 57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2652 PG. 58

76F3095 S&E #247 11-86

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed

F. B. 2652 PG. 59

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 26652 PG 60

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 0075.99 Division No.
No. X-Sec. Date Date Survey of Oak Bluff Rd.
Notes Chkd. Checked Survey by C.L. Wright Notes R.C.B. Date 15 June 1960
No. Date Date Map No. Indexed H.E.ON Date

F. B. 24652 Pg. 61

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| | BENCH LEVELS FROM U.S.C.&G.S. B.M. H 486, SOUTHLY TO CO. ENG'S. MONUMENT @ INT. SAND CANYON RD. & EAST-WEST SEC. LINE SEC. 23, SEC. 26 T4N, R15W AND RETURN. J.N. 0075.99 | | | | |
| B.M. H 486 | | | | 1557 520 | Fd. B.M. H 486 1.3 Mi. E along the S.P.R.R. from the section house at Humphreys, 6-34 poles E. of the mile pole 442, at wooden, Conc. & steel structure Bridge 441.84, on Sand Cyn. Rd., in the top of the No. end of the E. conc. abutment 6.1 ft. No. of the No. Rail and about 1 ft. lower than the track. El = 1557.520, 1958 U.S.C.&G.S. adj. |
| | 0651 | 1558 171 | | | |
| T.P. | | | 11 830 | 1546 341 | |
| | 5 985 | 1552 326 | | | |
| T.P. | | | 7966 | 1544 360 | |
| | 10 072 | 1554 432 | | | |
| T.P. | | | 1165 | 1553 267 | |
| | 6 559 | 1559 826 | | | |
| T.P. | | | 1878 | 1557 948 | |
| | 7431 | 1565 379 | | | |
| T.P. | | | 4540 | 1560 839 | |
| | 7945 | 1568 784 | | | |
| T.P. | | | 3295 | 1565 489 | |
| | 8472 | 1573 961 | | | |
| | | | 1906 | 1572 055 | Set T.B.M. Ship spk. on E. Side of P.P.# 533915E on W. Side of Sand Cyn. Rd. |
| | 5865 | 1577 920 | | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
**LOS ANGELES COUNTY ENGINEER**
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F. B. 2652 Pg. 62 | Job No 0075.99 | Division No | Notes Red. | Plotted | Profile
Survey of Oak bluff Rd. | Date | Date | No.
Survey by C.L. Wright Notes R.C. Bowers | Notes Chkd | Checked | X-Sec.
Indexed T. L. Ott | Date | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1577 920 | | | | |
| B.M | | | 2630 | 1575 290 | Set B.M. on P.I.#23 of Sand Cyn. Rd. Fd. L.A.Co. Surveyor's Br. Cap Mon. in Well. Dn. 0.2' El. taken on Sc. Edge. F.B. 1832-215 | |
| | 8807 | 1584 097 | | | | |
| B.M. | | | 1578 | 1582 519 | Set B.M. on P.I.#24 of Sand Cyn. Rd. Fd. L.A.Co. Engr. Br. Cap Mon. in Well. Dn. 0.2 El. taken on Sc. Edge. F.B. 1832-214 | |
| | 8654 | 1591 173 | | | | |
| T.P. | | | 1961 | 1589 212 | | |
| | 7940 | 1597 152 | | | | |
| T.P. | | | 0799 | 1596 353 | | |
| | 7556 | 1603 909 | | | | |
| T.P. | | | 2425 | 1601 484 | | |
| | 6702 | 1608 186 | | | | |
| B.M. | | | 3442 | 1604 744 | Set B.M. on Sand Cyn. Rd. & ℄ Int. of Sec. Line 23-26 Fd. L.A.Co. Engr. Br. Cap Mon. in Well. Dn. 0.2 El cv. taken on ctr. of Mon. F.B. 1832-212 | |
| | 3215 | 1607 959 | | | | |
| T.P. | | | 6481 | 1601 478 | | |
| | 2420 | 1603 898 | | | | |
| T.P. | | | 7549 | 1596 349 | | |
| | 0745 | 1597 094 | | | | |
| T.P. | | | 7886 | 1589 208 | | |
| | 2060 | 1591 268 | | | | |
| B.M. | | | 8751 | 1582 517 | B.M. on P.I.#24 desc. as above | |
| | 1819 | 1584 336 | | | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1584 336 | | | | |
| B.M. | | | 9 045 | 1575 291 | B.M on P.I.# 23, desc. as on preceding fly. | |
| | 2 620 | 1577 911 | | | | |
| T.B.M. | | | 5853 | 1572 058 | T.B.M. ship spk. on E. Side of P.P.# 533915E on W. Side of Sand Cyn. Rd. | |
| | 1 858 | 1573 916 | | | | |
| T.P. | | | 8 413 | 1565 503 | | |
| | 3 251 | 1568 754 | | | | |
| T.P. | | | 7 900 | 1560 854 | | |
| | 4 465 | 1565 319 | | | | |
| T.P. | | | 7 349 | 1557 970 | | |
| | 2 025 | 1559 995 | | | | |
| T.P. | | | 6 711 | 1553 284 | | |
| | 1 852 | 1555 136 | | | | |
| T.P. | | | 10 760 | 1549 376 | | |
| | 8 248 | 1552 624 | | | | |
| T.P. | | | 6271 | 1546 353 | | |
| | 11 930 | 1558 283 | | | | |
| B.M. H 486 | | | 0 751 | 1557 532 | B.M. H 486 = Starting PAGE 61 | B.M. = El = 1557.520 |

Profile Notes Red Plotted Job No. 00759 Division No.
No. X-Sec. Date Date Survey of Oakbluff Rd.
Notes Chkd. Checked Survey by C.L. Myatt Notes by C.C.B. Date 15 June 60
No. Date Date Map No. Indexed H.E. OTT Date

F. B. 26652 Pg. 63

F. B. 2652 Pg. 64 | Job No. 0075.99 | Division No. | Notes Red | Plotted | Profile

Survey of Oak bluff Rd. | Date | Date | No.

Survey by C. L. Wright | Notes R. S. Powers | Notes Chkd. | Checked | X-Sec.

Indexed | Date | Date | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

76L-298 S & E #307—1-56

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red. ____ Plotted ____ Job No. 0075.99 Division No. ____
X-Sec. No. ____ Date ____ Date ____ Survey of Oak Bluff Rd. F. B. 2652 Pg. 65
Notes Chkd. ____ Checked ____ Survey by C. [illegible] Notes F.C.B. Date 4 Jan 56
Date ____ Date ____ Map No. ____ Indexed H.E.O.H. Date ____

BENCH LEVELS FROM CO. ENGR. MON. @ INT. SAND CYN. RD. & EAST-WEST SEC. LINE, SEC. 23, SEC 26 T.4N., R15W, ALONG PRELIMINARY LINE, THRU SEC. COR. 22-23-26-27 TO U.S.C.&G.S. B.M. G 486.
J.N. 0075.99

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| B.M. | | | | 1604.744 | Cd. B.M. on Sand Cyn. Rd. & ℄ Int. of Sec. line 23-26 L.A. Co. Engr. Br. Cap Mon. in Well. Dn. 0'. Elev. Taken on Cap of Mon. F.B. 1832-212 Elev. = 1604.74 = F.B. 2652- |
| | 5 979 | 1610 723 | | | |
| T.B.M. | | | 3 187 | 1607 536 | Set Skip spk. on No. Side of P.P. #461922E or So. Side Stanley Lane 250' W. of Sand Cyn. Rd. |
| | 4 848 | 1612 384 | | | |
| T.B.M. | | | 4 051 | 1608 233 | Set Skip spk. on No. Side of P.P. #461932E on So. Side Stanley Lane 500' W. of Sand Cyn. Rd. |
| | 2 448 | 1610 781 | | | |
| T.B.M. | | | 2709 | 1608 072 | Set Skip spk. on No. Side of P.P. #461932E on So. Side Stanley Lane 750' W. of Sand Cyn. Rd. |
| | 3349 | 1611 421 | | | |
| P-94W T.B.M. OB-52 | | | 5061 | 1606 360 | Fd. P-94 W. 1½" I.P. Cons. 1'up, nail & L.A.C. Engr tag Dn. 10" F.B. 2652-6 (Elev. on nail & tag) |
| | 5039 | 1611 399 | | | |
| B.M. | | | 6711 | 1604 668 | Fd 1/4 Sec. Cor. bet 23 & 26. L.A.Co. Surveyors Br. Cap Mon. Dn. 16", Elev. on W. Edge, F.B. 2652-6 = F.B. 1832-170 OB-53 |
| | 1 999 | 1606 687 | | | |
| P-95W | | | 4 37 | 1602 32 | Fd P-95W, 1.1' Ft. F.B. 2652-6 |
| P-96W = T.P. | | | 3699 | 1597 988 | Fd P-96W, 1.1' Ft. F.B. 2652-7 |
| | 2 989 | 1600 977 | | | |
| T.P. | | | 4 885 | 1596 092 | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F. B. 2652 Pg. 66 Job No. 00 75.99 Division No. Notes Red. Plotted Profile
Survey of Oakbluff Rd. Date No. X-Sec.
Survey by C.L. Wright Notes R.C. Barnes Notes Chkd. Checked No.
Indexed H.E. Dix Date Date Date

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| T.P. | | | | 1596 092 |
| | 3100 | 1599 192 | | |
| T.P. | | | 1 212 | 1597 980 |
| | 10771 | 1608 751 | | |
| T.P. | | | 0311 | 1608 440 |
| | 9532 | 1617 972 | | |
| T.P. | | | 1879 | 1616 093 |
| | 6488 | 1622 581 | | |
| T.P. | | | 10735 | 1611 846 |
| | 0609 | 1612 455 | | |
| T.P. | | | 11350 | 1601 105 |
| | 0299 | 1601 404 | | |
| T.P. | | | 9050 | 1592 354 |
| | 0644 | 1592 995 | | |
| T.P. | | | 11597 | 1581 401 |
| | 0335 | 1581 736 | | |
| T.P. | | | 9864 | 1571 872 |
| | 0649 | 1572 521 | | |
| T.P. | | | 9829 | 1562 692 |
| | 1049 | 1563 741 | | |
| T.P. | | | 6355 | 1557 386 |

(See Fg. 85486 for El. of P-97 98.99 W.)

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 0975.99 Division No.
No. X-Sec. Date Date Survey of Oak Bluff Rd.
No. Notes Chkd. Checked Survey by C.L. Wright Notes E.C.R. Date 16 June 60
No. Date Date Map No. Indexed H. E. Ott Date

F. B. 2652 Pg. 67

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | | | | 1557 386 | | |
| | 10230 | 1567 616 | | | | |
| T.P. | | | 1 472 | 1566 144 | | |
| | 11 208 | 1577 352 | | | | |
| T.P. | | | 0 690 | 1576 662 | | |
| | 10 631 | 1587 293 | | | | |
| T.P. | | | 0 418 | 1586 875 | | |
| | 10827 | 1597 702 | | | | |
| T.P. | | | 1 250 | 1596 452 | | |
| | 9 162 | 1605 614 | | | | |
| B.M. O.B.-1 | | | 0313 | 1605 301 | Set L.A.Co. Br. Cap Button Mon. up 6" F.B. 2652-9 | |
| | 11 503 | 1616 804 | | | | |
| P-99A W. | | | 8 02 | 1608 78 | Fd P-99AW, 1X2 ⊕ F.B. 2652-9 | 08-48 |
| T.P. | | | 4 180 | 1612 624 | | |
| | 11 980 | 1624 604 | | | | |
| T.P. | | | 0 242 | 1624 362 | | |
| | 9 448 | 1633 810 | | | | |
| T.P. | | | 0 751 | 1633 059 | | |
| | 9 929 | 1642 988 | | | | |
| T.P. | | | 0 789 | 1642 199 | | |

76L-296 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 68 Job No. 0075.99 Division No. Notes Red. Plotted Profile
Survey of Oakbluff Rd. Date No. X-Sec.
Survey by C.L. Wright Notes R.C. Bowers Notes Chkd Checked
Indexed Date Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | | |
|---|---|---|---|---|---|---|---|
| T.P. | | | | 1642 199 | | | |
| | 11 455 | 1653 | 654 | | | | |
| T.P. | | | 1 404 | 1652 250 | | | |
| | 9 703 | 1661 | 953 | | | | |
| T.P. | | | 1 105 | 1660 848 | | | |
| | 7 651 | 1668 | 499 | | | | |
| P-100 W. | | | 1 262 | 1667 237 Fd | P-100 W. | 1x2 # N | F.B. 2652-9 OB-47 |
| | 11 211 | 1678 | 448 | | | | |
| T.P. | | | 1 681 | 1676 767 | | | |
| | 10 378 | 1687 | 145 | | | | |
| T.P. | | | 0 740 | 1686 405 | | | |
| | 10 561 | 1696 | 966 | | | | |
| T.P. | | | 0 449 | 1696 517 | | | |
| | 11 645 | 1708 | 162 | | | | |
| B.M. OB-2 | | | 0 498 | 1707 664 Set | B.M. OB-2 F.B. 2652-9 | 1¼" I.P., Conc. Plug, Ship spk & W. | |
| | 0 581 | 1708 | 245 | | | | |
| T.P. | | | 10 443 | 1697 802 | | | |
| | 0 689 | 1698 | 491 | | | | |
| P-101 W | | | 682 | 1691 67 Fd | OB-46 P-101 W. | 2x2, Nail & L.A. Co. Engr Tag. | F.B. 2652-9 |
| T.P. | | | 11 442 | 1687 049 | | | |

76L-298 S & E #307 — 56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | | | | 1687.049 | | |
| | 0352 | 1687.401 | | | | |
| T.P. | | | 11761 | 1675.640 | | |
| | 0749 | 1676.389 | | | | |
| T.P. | | | 11269 | 1665.120 | | |
| | 2264 | 1667.384 | | | | |
| T.P. | | | 11403 | 1655.981 | | |
| | 0581 | 1656.562 | | | | |
| P 102W | | | 968 | 1646.881 | Fd. | OB-45<br>P-102W., 2X2, Nail & L.A.Co. Engr. Tag F.B. 2652-12 |
| T.P. | | | 11330 | 1645.232 | | |
| | 0935 | 1646.167 | | | | |
| T.P. | | | 11600 | 1634.567 | | |
| | 1113 | 1635.680 | | | | OB-43 |
| A-3 | | | 10649 | 1625.031 | Fd | A-3, 2X2, Nail & L.A. Co. Engr. Tag Int. of "P" Line & Sec. Line 22 & 23 F.B. 2652-12,30 |
| | 4542 | 1629.573 | | | | |
| A-1 | | | 167 | 1627.90 | Fd | A-1 1X2 & N. on Sec. Line F.B. 2652-30 |
| T.P. | | | 11360 | 1618.213 | | |
| | 0972 | 1619.185 | | | | |
| T.P. | | | 9993 | 1609.192 | | |
| | 1491 | 1610.633 | | | | |
| T.P. | | | 10761 | 1599.872 | | |

Profile Notes Red. Plotted Job No. 9975.99 Division No.
No. X-Sec. Date Date Survey of Oakbluff Rd.
No. Notes Chkd. Checked Survey by A.L. Wright Notes R.C.B. Date 6 June '60
No. Date Date Map No. Indexed H.E.Ott Date

F.B. 2652 Pg. 69

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 70 Job No. 00759 Division No. Profile
Survey of Oakcliff Rd. Notes Red. Plotted
Survey by C. L. Wright Notes Rec. E. C. Bowers Date No. X-Sec.
Indexed H. E. 017 Date Notes Chkd. Checked
Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | | | | 1599 872 | ✓ | |
| | 1 076 | 1600 948 | | | ✓ | |
| B.M. | | | 9 683 | 1591 265 | ✓ | Fd Sec Cor, Secs 22, 23, 26 & 27. L.A. Co Surveyors Br. Cap Mon. Elev. on Cross. F.B. 2652-12, 31 F.B 1832-156 |
| | 8833 | 1600 098 | | | ✓ | |
| T.P. | | | 0869 | 1599 229 | ✓ | |
| | 8801 | 1608 030 | | | ✓ | |
| T.P. | | | 2 589 | 1605 441 | ✓ | |
| | 0639 | 1606 080 | | | ✓ | |
| T.P. | | | 11 013 | 1595 067 | ✓ | |
| | 1219 | 1596 286 | | | ✓ | |
| P-103 W | | | 383 | 1592 46 | ✓ | Fd. OB ~~43~~ 42 P-103 W, 2x2, mal & L.A.Co. Engr Tag F.B. 2652-13 |
| T.P. | | | 11 398 | 1584 888 | ✓ | |
| | 0188 | 1585 076 | | | ✓ | |
| T.P. | | | 11 149 | 1573 727 | ✓ | |
| | 0740 | 1574 667 | | | ✓ | |
| T.P. | | | 11 128 | 1563 539 | ✓ | |
| | 0797 | 1564 336 | | | ✓ | |
| T.P. | | | 11 369 | 1552 967 | ✓ | |
| | 0785 | 1553 752 | | | ✓ | |
| T.P. | | | 10 679 | 1543 073 | ✓ | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| T.P. | | | | 1543 073 | |
| | 1 038 | 1544 111 | | | |
| P-104W | | | 9 22 | 1534 89 | Fd. P-104 W, 1.2 ± N A.B. 2652-13 08-41 |
| T.P. | | | 9 226 | 1534 885 | |
| | 1 417 | 1536 302 | | | |
| T.P. | | | 11 274 | 1525 028 | |
| | 0 667 | 1525 695 | | | |
| T.P. | | | 11 436 | 1514 259 | |
| | 1 880 | 1579 139 | | | |
| B.M. G 486 | | | 7 252 | 1511 887 | Fd. U.S.C.&G.S. Br. disk stamped G 486, 1955 0.3 mi. E. along the S.P.R.R. from the Section house at Humphreys, 7 poles E. of milepost 443, at 24 in. conc. pipe culvert 442.82; in the top of the No. conc. headwall, 1.6 ft. E. of the W. end, 6.8 ft. No. of the No. rail of the main track, and about ½ ft. lower than the track. 1958 U.S.C.&G.S. El. = 1511.834 |

Profile Notes Red. Plotted Job No. 0075.99 Division No.
No. X-Sec. Date Date Survey of Oakbluff Rd.
No. Notes Chkd. Checked Survey by C.L. Wright Notes F.C.E. Date 17 June 1960
Date Date Map No. Indexed H.E. 011 Date

F. B. 2652 Pg. 71

F. B. 2652 Pg. 72

Job No. Division No. Notes Red Plotted Profile

Survey of Date Date No.

Survey by Notes. Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

76L-208 S & E #307—1-56

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No. Notes Red. Date Notes Chkd. Date Date Plotted Checked Date Job No. 007599 Survey of Oakbluff Rd. Survey by C.L. Wright Notes by H.E. Orr Date 12 June '60 Map No. Indexed Date Division No F.B. 2652 Pg. 73

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | | | | ELEVATIONS ON P105W, P106W, P107W AND 1/4 COR. BETWEEN SEC. 22, 27 T.4N. R15W. | |
| B.M. G 486 | | | | 1511 834 | Fd. U.S.C.&G.S. Br. disk Mon. stamped G 486, 1955 0.3 mi. E. along the S.P.R.R. from the Section House at Humphreys, 7 poles E. of mile post 148, at 24 in. conc. pipe culvert 4 ft. S. of the top of the No. conc. headwall, 1.6 ft. E. of the W. end, 6.6 ft. No. of No. rail of the main track, and about ½ ft. lower than the track. U.S.C.&G.S. 1958 EL. 1511.834 | |
| | 6 555 | 1518 384 | | | | |
| T.P. | | | 4 655 | 1513 734 | | |
| | 4 576 | 1518 310 | | | | |
| P- 105W | | | 4 585 | 1513 725 | Fd. P-105W., 2x2, Nail & L.A.C.E. Engt Tag. OB-40 F.B. 2652-14 | |
| | 2 884 | 1516 609 | | | | |
| T.P. | | | 9 504 | 1507 105 | | |
| | 1 800 | 1508 905 | | | | |
| T.P. | | | 8 886 | 1500 069 | | |
| | 1 581 | 1501 650 | | | | |
| P- 106W | | | 5 66 | 1495 992 | Fd. P-106W, 1x2 & N. F.B. 2652-14 OB-39 | |
| T.P. | | | 5 728 | 1495 942 | | |
| | 4 889 | 1500 831 | | | | |
| B.M. ~~REMOVED~~ SEE Pg. 74 FOR ELEV ON NEW MON. | | | 3 902 | 1496 928 | Fd 1/4 Sec. Cor. 22 & 27, 6"x8" Hewn Stone, up 8" with cross cut on top & 1/4 cut on No. face. Elev. on S.E. top Cor. F.B. 2652-39, 40, 41; L.S. 25-39 REPLACED BY C.E. MON. SEE Pg. 74 FOR NEW ELEV. | |
| | 0 435 | 1497 364 | | | | |
| P- 107W. | | | 8 96 | 1488 80 | Fd. P-107 W., 1x2 & N. F.B. 2652-15 OB-38 | |
| T.P. | | | 9 143 | 1488 221 | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 74 Job No 00759 Division No. Profile
Survey of Oakbluff Rd. Plotted
Survey by C. Wright Notes E. C. Bowers Notes Ckld. Checked
Indexed Date Date Date
Notes Red. Date No. X-Sec. Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| T.P. | | | | 1488.221 | |
| | 2.286 | 1490.507 | | | |
| T.P. | | | 8.208 | 1482.299 | |
| | 3.740 | 1486.039 | | | |
| B.M. F 486 | | | 7.581 | 1478.458 | Fd. U.S.C.&G.S. Br. disk mon. stamped F 486, 1955 At Humphreys, 0.2 mi. W. along S.P.R.R. from the Section house, 7½ poles N. of milepost 443, at 8 by 10 ft. conc. arched culvert 443.26, in the top of the E. end of the So. conc. head wall, 21.1 ft. So. of the So. rail of the main track, 0.6 ft No. of the E end of an iron guard rail and about 1 ft. lower than the Track O.S.C.&G.S. 1958 El.= 1478.452' |
| ELEVATION ON NEW ¼ COR. SEC. 22-27 T4N R15W 29-JULY/960 C.L.W. | | | | | |
| ¼ COR B.M. | | | | 1496.929 | FD. HAND HEWN & STONE Pg. 39,40,41 (73 FOR ELEV.) |
| | 4.412 | 1501.341 | | | |
| T.B.M. | | | 4.688 | 1496.653 | SET 1X2 |
| | 4.583 | 1501.236 | | | |
| ¼ COR. B.M. | | | 4.308 | 1496.928 | SEE 4 LINES ABOVE |
| T.B.M. | | | | 1496.653 | TBM SEE 3 LINES ABOVE |
| | 4.580 | 1501.233 | | | |
| NEW ¼ COR. B.M. | | | 4.795 | 1496.438 | SET C.E. MON. 2" I.P. BRASS CAP SET CONC. UP 2" SEE Pg. 40 B-7-A |
| | 4.807 | 1501.245 | | | |
| T.B.M. | | | 4.594 | 1496.651 | FD 1X2, SEE 4 LINES ABOVE (1496.653) |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 00 75.92 Division No ____
No. ____ Date ____ Date ____ Survey of Oak Bluff Rd.
X-Sec. Notes Chkd. ____ Checked ____ Survey by C. L. Wright Notes H. E. Bell Date 21 June 60
No. ____ Date ____ Date ____ Map No. ____ Indexed ____ Date ____

F. B. 2652 Pg. 75

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | | | | ELEVATIONS ALONG P LINE - P108W - P113W INCLUSIVE, B10A, B.M. OB.3, BM OB.4, B.M. OB5. ALSO P118W | |
| B.M. E-486 | | | | 1478.452 | Fd. U.S.C.&G.S. Br. disk Mon., Stamped E 486, 1955 At Humphreys, 0.2 mi. W. along S.P.R.R. from the section house, 7½ poles W. of Milepost 443, at 8 by 10 ft. conc. arched culvert 443.26, in the top of the E. end of the So. conc. headwall, 21.1 ft. So. of the So. rail of the main track, 0.6 ft. No. of the E. end of an 11gn guard rail, and about 1 ft. lower than the track. U.S.C.&G.S. 1958 El. = 1478.452. | |
| | 5.753 | 1484.205 | | | | |
| P-108 W. | | | 2.81 | 1481.40 | Fd P-108 W., 1X2 ¢ N | F.B. 2652-15,16 OB-37 |
| P-109 W. T.P. | | | 8.329 | 1475.876 | Fd. P-109 W., 2X2, Nail & L.A.Co. Engr. Tag. | F.B. 2652-16 OB-36 |
| | 11.035 | 1486.911 | | | | |
| T.P. | | | 0.473 | 1486.438 | | |
| | 10.749 | 1497.187 | | | | |
| B-10A | | | 10.15 | 1487.04 | Fd OB-35 B-10A, 2X2, Nail & L.A.Co. Engr. Tag. | F.B. 2652-16,42 |
| T.P. | | | 0.636 | 1496.551 | | |
| | 11.439 | 1507.990 | | | | |
| P-110 W. | | | 0.13 | 1507.86 | Fd P-110 W., 1X2 ¢ N. | F.B. 2652-16,17 OB-34 |
| T.P. | | | 5.939 | 1502.051 | | |
| T.P. | 6.438 | 1508.489 | | | | |
| P- 111 W | | | 7.934 | 1500.555 | Fd P-111 W., 1X2 ¢ N. | F.B. 2652-17 OB-33 |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 76 | Job No 007599 | Division No | Profile
Survey of Oak Bluff Rd. | Plotted | No | X-Sec.
Survey by C.L. Wright Notes R.C. Bowers | Notes Chkd. | Checked | No
Indexed H. E. Cox Date | Date | Date | No

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| P-111W = T.P. | | | | 1500 555 | |
| | 1 265 | 1501 820 | | | |
| T.P. | | | 11 601 | 1490 219 | |
| | 1 430 | 1491 649 | | | |
| T.P. | | | 11 161 | 1480 488 | |
| | 7 350 | 1487 838 | | | |
| T.P. | | | 0 889 | 1486 949 | |
| | 6 153 | 1493 102 | | | |
| B.M. OB-3 | | | 0 753 | 1492 349 | Set L.A.Co. Engr. Br. Cap Button Mon. on 2" I.P. set in conc., up 6" F.B. 2652-17 |
| | 1 017 | 1493 366 | | | |
| T.P. | | | 6 414 | 1486 952 | |
| | 0 654 | 1487 606 | | | |
| T.P. | | | 11 359 | 1476 247 | |
| | 1 895 | 1478 132 | | | |
| T.P. | | | 8 496 | 1469 636 | |
| | 9 334 | 1478 970 | | | |
| T.P. | | | 3 973 | 1474 997 | |
| | 2 752 | 1477 749 | | | |
| P-112W. | | | 6 25 | 1471 50 Fd. | P-112W., 1X2 ft. F.B. 2652-17, 18 OB-32 |
| T.P. | | | 7 555 | 1470 194 | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| T.P. | | | | 1470.194 | |
| | 4.585 | 1474.779 | | | |
| P-113 W.=T.P. | | | 4.399 | 1470.380 Fd. | P-113 W., 1 1/2 ϕ S. F.B. 2652-18 OB-31 |
| | 8.866 | 1479.246 | | | |
| P-Line & Sec. Line Int. | | | 7.40 | 1471.85 Fd. | P-Line & Sec Line 27 & 28 Int. 2x2, nail & L.A.Co. Engr. tag. F.B. 2652-18 OB-18 |
| C-7 | | | 7.18 | 1472.07 Fd. | C-7, 1 x 2 ϕ N, F.B. 2652-18 |
| T.P. | | | 0.623 | 1478.623 | |
| | 10.893 | 1489.516 | | | |
| BM. - OB 4 | | | 1.094 | 1488.422 | Set B.M. OB 4, L.A.Co. Engr. Br. Cap Button Mon on 2" I.P. set in Conc. F.B. 2652-18, 47 |
| | 2.261 | 1490.683 | | | |
| T.P. | | | 9.221 | 1481.462 | |
| | 0.629 | 1482.091 | | | |
| T.P. | | | 11.034 | 1471.057 | |
| | 4.291 | 1475.348 | | | |
| T.P. | | | 0.331 | 1475.017 | |
| | 9.705 | 1484.722 | | | |
| T.P. | | | 0.994 | 1483.728 | |
| | 8.214 | 1491.942 | | | |
| T.P. | | | 0.742 | 1491.200 | |
| | 8.965 | 1500.165 | | | |
| T.P. | | | 0.242 | 1499.923 | |

(See Pg. 87 & 88 for P-114 W, P-116 W, & P-117 W, P-115 W)

Profile Notes Red. Plotted Job No. 2975.99 Division No.
No. X-Sec. Date Date Survey of Oesblut Est.
No. Notes Chkd. Checked. Survey by L.L. Wright Notes S.C.B. Date 21 June, 1960
Date Date Map No. Indexed H.E.O.M. Date

F. B. 2652 Pg. 77

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 78 Job No. 0075.99 Division No. Notes Red Plotted Profile
Survey of Oak Bluff Rd. Date Date No. X-Sec.
Survey by C. G. Wright Notes R. C. Bowers Notes Ckd Checked
H. I. 5' Date Date Date No.
Indexed

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | | | | 1499 923 | ✓ | |
| | 4 180 | 1504 103 | | | | |
| T.P. | | | 11 219 | 1492 884 | ✓ | |
| | 1 068 | 1493 952 | | | | |
| T.P. | | | 5 909 | 1488 043 | ✓ | |
| | 1 085 | 1489 128 | | | | |
| T.P. | | | 11 114 | 1478 014 | ✓ | |
| | 0 817 | 1478 831 | | | | |
| T.P. | | | 10 120 | 1468 711 | ✓ | |
| | 0 525 | 1469 236 | | | | |
| T.P. | | | 11 180 | 1458 056 | ✓ | |
| | 4 880 | 1462 936 | | | | |
| P-118 W-TP | | | 6 162 | 1456 774 | ✓ | Fd. P. 118 W, 1.12 ¢ N. F. B. 2652-20 OB-13 |
| | 2 612 | 1459 386 | | | | |
| T.P | | | 7 051 | 1452 335 | ✓ | |
| | 3 236 | 1455 571 | | | | |
| T.P. | | | 1 829 | 1453 742 | ✓ | |
| | 5 501 | 1459 243 | | | | |
| B.M. OB 5 | | | 2 601 | 1456 642 | ✓ | Set L.A.Co. Engr. Br. Cap Button Mon. on 2" I.P. Set in Conc. UP6" F.B. 2652-20 |
| | 3 083 | 1459 725 | | | | |
| T.P | | | 5 567 | 1454 158 | ✓ | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| T.P. | | | | 1454.158 | |
| | 1.298 | 1455.456 | | | |
| T.P. | | | 10.289 | 1445.167 | |
| | 1.517 | 1446.684 | | | |
| T.P. | | | 10.968 | 1435.716 | |
| | 2.305 | 1438.021 | | | |
| T.P. | | | 2.562 | 1435.459 | |
| | 5.602 | 1441.061 | | | |
| T.P. | | | 10.279 | 1430.782 | |
| | 0.235 | 1431.017 | | | |
| U.S.C.&G.S. B.M. on W.C. Sec. 21#28 | | | 8.281 | 1422.736 | Fd. 2" I.P. & Iron Cap as desc. on Pg. 56, W.C. to Sec. 21#28. 1.1 mi. W. along the S.P.R.R. from the Section house at Humphreys, 9½ rails E. of the U.S. Hwy. Overpass at the "T" junction of fence lines 50.4 ft. So. of the So. rail, 2.0 So. of the fence, 0.3 E. of the No.-So. fence, about 6 ft. lower than the track, and screwed on the top of a 1½" iron pipe projecting 0.3 ft. above the ground. Elev. taken on the "28" 1958 U.S.C.&G.S. Elev = 1422.684 |

F.B. 2652-56 D-10

(It is Noted the U.S.C.&G.S. desc. this as a G.L.O. Sec. Cor, being 1½" in dia. I found a 2" I.P., W.C. to ¼ Sec. Cor 21#28 set by "FREL" as per L.S. 25-39)

Profile Notes Red. Plotted. Job No. 2075.99 Division No.
No. Date Survey of Oakhurst Rd.
X-Sec. Date Survey by C.L. Wright Notes R.C.E. Date 21 June '60
No. Notes Chkd. Checked. Map No. Indexed H.E. 011 Date
No. Date Date

F. B. 2652 Pg. 79

F. B. 2652 Pg. 80

Job No. Division No. Notes Red. Plotted Profile

Survey of Date Date No.

Survey by Notes Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Do not extend notes this side of this line.

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

76L-298 S & E #307—1-56

76L-298 S & E #307 4-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| | ELEVATIONS P-119W-122W INCLUSIVE, B.M. OB 5, B.M. OB 6, B.M. OB 7, P125W, P126W. | | | | |
| B.M. OB 5 | | | | 1456.642 | Fd. L.A.Co. Engr. Br Cap Button Mon on 2" I.P. set in Conc. F.B. 2652-20, for Elev, F.B. 2652-78 |
| | 8.142 | 1464.784 | | | |
| T.P. | | | 5.530 | 1459.254 | |
| | 9.389 | 1468.643 | | | |
| T.P. | | | 2.060 | 1466.583 | |
| | 8.872 | 1475.455 | | | |
| P-119W. | | | 5.57 | 1469.89 | Fd P-119W. 1x2 #N. F.B. 2652-20,21 OB-12 |
| P-Line & Sec. Line Int. | | | 4.60 | 1470.86 | Fd P-Line & Sec. Line 21&28 Int. 2x2, nail & L.A.Co. Engr. tag. F.B. 2652-21, 55 OB-11 |
| D-4 | | | 4.85 | 1470.61 | Fd. D-4, 1x2 #N. F.B. 2652-21, 55 |
| P-120W. | | | 4.28 | 1471.18 | Fd. P-120W, 1x2 #N F.B. 2652-21, 55 OB-10 |
| T.P. | | | 1.461 | 1473.994 | |
| | 7.331 | 1481.325 | | | |
| T.P. | | | 1.783 | 1479.542 | |
| | 4.150 | 1483.692 | | | |
| P-121W. | | | 2.90 | 1480.79 | Fd P-121W. 1x2 #N. F.B. 2652-21,22 OB-9 |
| T.P. | | | 10.045 | 1473.647 | |

Profile Notes Red. Plotted Job No. 57-5.93 Division No.
No. X-Sec. Date Date Survey of Oakbluff Rd.
No. Notes Chkd. Checked Survey by L.L. Wright Notes E.C.B. Date 22 June 60
Date Date Map No. Indexed H.E.O.M. Date

F.B. 2652 Pg. 81

76L-298 S & E #207—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 82 Job No 0075.99 Division No _____ Notes Red _____ Plotted _____ Profile
Survey of Oakbluff Rd. Date _____ No _____ X-Sec.
Survey by C. L. Wright Notes R. C. Barnes Notes Chkd. _____ Checked _____
Indexed _____ Date _____ Date _____ No _____

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | | | | 1473 647 | | |
| | 11 573 | 1485 220 | | | | |
| T.P. | | | 0 651 | 1484 569 | | |
| | 11 115 | 1495 684 | | | | |
| T.P. | | | 1 300 | 1494 384 | | |
| | 6 023 | 1500 407 | | | | |
| P-122 W | | | 7 51 | 1492 90 | Fd. P-122 W. 1X2 ⌀ N. F.B. 2652-22 | 08-8 |
| T.P. | | | 0 391 | 1500 016 | | |
| | 11 889 | 1511 905 | | | | |
| T.P. | | | 2 339 | 1509 566 | | |
| | 6 312 | 1515 878 | | | | |
| T.P. | | | 2 128 | 1513 750 | | |
| | 11 641 | 1525 391 | | | | |
| B.M. O.B.6 | | | 0 602 | 1524 789 | Set B.M. O.B. 6, L.A.C. Engr. Br. Cap Bolt Horn Mon. up 6", F.B. 2652-22 | |
| | 0 499 | 1525 288 | | | | |
| T.P. | | | 11 530 | 1513 758 | | |
| | 5 000 | 1518 758 | | | | |
| T.P. | | | 9 970 | 1508 788 | | |
| | 1 201 | 1509 989 | | | | |
| T.P. | | | 11 469 | 1498 520 | | |

76L-298-S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES, ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| T.P. | | | | 1498 520 | |
| | 0 699 | 1499 219 | | | |
| T.P | | | 11 797 | 1437 422 | |
| | 0 780 | 1488 202 | | | |
| P-125 W. | | | 8 73 | 1479 47 | Fd. P-125 W., 1X2 #N. F.B. 2652-23 OB-5A |
| P-126 W. | | | 6 56 | 1481 64 | Fd. P-126 W., 1X2 #N. F.B. 2652-23, 24 OB-4A |
| T.P. | | | 11 691 | 1476 511 | |
| | 1 083 | 1477 594 | | | |
| T.P. | | | 11 254 | 1466 340 | |
| | 0 199 | 1466 539 | | | |
| T.P. | | | 11 441 | 1455 098 | |
| | 3 589 | 1458 687 | | | |
| B.M. O.B.7 | | | 5 350 | 1453 337 | Set B.M. O.B.7, Lead, Br. Tack, & L.A.Co. Engr. Tag, in curb on No. side of Hwy. 6, 11.9 ft. So. of Light standard bet. Union Oil Station & Tips Restraunt, and 6.1 ft. E. of W. end of curb in Front of Tips along Hwy. F.B. 2652 – 24 |
| | 5 228 | 1458 665 | | | |
| T.P. | | | 3 460 | 1455 105 | |
| | 5 079 | 1460 184 | | | |
| T.P. | | | 3 337 | 1456 847 | |
| | 5 725 | 1462 572 | | | |
| T.P. | | | 4 195 | 1458 377 | |
| | 5 218 | 1463 595 | | | |
| T.P. | | | 4 829 | 1458 766 | |

Profile Notes Red. Plotted Job No. 0075.99 Division No.
No. X-Sec. Date Date Survey of Oakbluff Rd.
Notes Chkd. Checked Survey by C. Wright Notes R.C.B. Date 23 June 60
No. Date Date Map No. Indexed H. E. OTT Date

F. B. 2652 Pg. 83

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2652 Pg. 84
Job No. 0075.98 Division No. Notes Red Plotted Profile
Survey of Oakbluff Rd. Date Date No. X-Sec.
Survey by C.L. Wright Notes Chkd. R.C. Bowers Checked
Indexed [illegible] Date Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| T.P. | | | | 1458.766 | |
| | 5.020 | 1463.786 | | | |
| T.P. | | | 4.811 | 1458.975 | |
| | 5.451 | 1464.426 | | | |
| T.P. | | | 5.293 | 1459.133 | |
| | 4.165 | 1463.298 | | | |
| T.P. | | | 6.635 | 1456.663 | |
| | 1.005 | 1457.668 | | | |
| T.P. | | | 11.067 | 1446.601 | |
| | 0.266 | 1446.867 | | | |
| T.P. | | | 11.009 | 1435.858 | |
| | 2.951 | 1438.809 | | | |
| T.P. | | | 10.941 | 1427.868 | |
| | 1.670 | 1429.538 | | | |
| B.M. E 486 | | | 6.362 | 1423.176 | Fd. U.S.C.&G.S. Br. disk stamped E 486, 1955 1.1 mi. W. along the S.P.R.R. from the section house at Humphreys, near the U.S. Hwy. 6 overpass at the conc. bridge 449.22 over a wash, in the of the No. end of the W. conc. abutment, 5.8 ft. No. of the No. rail, and about 1½ ft. lower than the track. U.S.C.&G.S. 1958 Elev. = 1423.088 |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. X-Sec. No. Notes Red. Date Notes Chkd. Date Plotted Date Checked Date Job No. 0075.99 Division No. Survey of Oakbluff Rd. Survey by C.L. Wright Notes R.C.B. Date 24 June '60 Map No. Indexed H. E. Ott Date F.B. 2652 Pg. 85

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| | | ELEVATIONS ON P 96W - P 99W. INCLUSIVE. | | | |
| P- 96 W. | | | | 1597.988 | Fd. P-96 W., 1X2 ¢ N. F.B. 2652-7,65 |
| | 10.689 | 1608.677 | | | |
| T.P. | | | 0.540 | 1608.137 | |
| | 10.870 | 1619.007 | | | |
| T.P. | | | 0.595 | 1618.412 | |
| | 11.209 | 1629.621 | | | |
| P-97W=T.P. | | | 0.509 | 1629.112 | Fd P-97W. 2x2, Br. Nail, ¢ L.A.Co. Engr. Tag. F.B. 2652-7 OB-51 |
| | 11.440 | 1640.552 | | | |
| T.P. | | | 4.940 | 1635.612 | |
| | 10.919 | 1646.531 | | | |
| T.P. | | | 2.009 | 1644.522 | |
| | 11.685 | 1656.407 | | | |
| T.P. | | | 1.035 | 1655.372 | |
| | 9.631 | 1665.003 | | | |
| P-98W | | | 3.45 | 1661.55 | Fd P-98W. 2x2, Br. Nail, ¢ L.A.Co Engr Tag. F.B. 2652-7,8 OB-50 |
| T.P. | | | 0.310 | 1664.693 | |
| | 5.203 | 1669.896 | | | |
| P-99W=T.P. | | | 10.229 | 1659.667 | Fd P-99W., 1X2 ¢ N. Fd. 2652-8 OB-49 |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F. B. 2652 Pg. 86 | Job No. 8075.99 | Division No. | Profile
Survey of Oakbluff Rd. | Notes Red | Plotted | No.
Survey by Wright | Notes Clkd | Checked | X-Sec.
Indexed | Date | Date | No.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| P.I. 99 + T.P. | | | | 1659.667 | | |
| | 1.020 | 1660.687 | | | | |
| T.P. | | | 10.760 | 1649.927 | | |
| | 0.442 | 1650.369 | | | | |
| T.P. | | | 11.380 | 1638.989 | | |
| | 0.301 | 1639.290 | | | | |
| T.P. | | | 11.385 | 1627.905 | | |
| | 0.366 | 1628.271 | | | | |
| T.P. | | | 11.749 | 1616.522 | | |
| | 0.619 | 1617.141 | | | | |
| B.M. O.B.1 | | | 11.830 | 1605.311 | Fd. B.M. O.B.1, L.A.Co. Engr. Br. Cap Bolt on Mon. Up. 6" F.B. 2652-9 Elev. = 1605.301, F.B. 2652-67 | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Rcd. ____ Plotted ____ Job No. 0075.99 Division No. ____
X-Sec. No. ____ Date ____ Date ____ Survey of Oakcliff Rd.
Notes Chkd. ____ Checked ____ Survey by C.L. Wright Notes C.C.B. Date 24 June 60
Date ____ Date ____ Map No. ____ Indexed H.E.O.H. Date ____

F. B. 2652 Pg. 87

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| | ELEVATIONS ON P114W - P117W INCLUSIVE | | | | |
| B.M. O.B.4 | | | | 1488.422 | Fd. B.M. O.B.4, L.A.Co. Engr. Br. Cap Button Mon. on 2" I.P. set in conc. F.B. 2652-18, 47, 77 |
| | 11.799 | 1500.221 | | | |
| T.P. | | | 0.929 | 1499.292 | |
| | 7.671 | 1506.963 | | | |
| P-114 W = T.P. | | | 8.901 | 1498.062 | Fd P-114 W., 1X2 ft M. F.B. 2652-18 OB-17 |
| | 8.859 | 1506.921 | | | |
| T.P. | | | 7.629 | 1499.292 | |
| | 0.911 | 1500.203 | | | |
| B.M. O.B.4 | | | 11.769 | 1488.434 | B.M. O.B.4, starting B.M. |
| B.M. O.B.4 | | | | 1488.422 | Fd. B.M. O.B.4, L.A.Co. Engr. Br. Cap Button Mon. on 2" I.P. set in conc., F.B. 2652-18, 47, 77 |
| | 2.080 | 1490.502 | | | |
| T.P. | | | 11.165 | 1479.337 | |
| | 0.201 | 1479.538 | | | |
| T.P. | | | 11.084 | 1468.454 | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 88 | Job No. 8075.99 | Division No. | Notes Red | Plotted | Profile
Survey of Oak Cliff Rd. | Date | No. | X-Sec.
Survey by C. L. Wright | Notes R. G. Bowers | Notes Chkd | Checked
Indexed H. E. Ott | Date | Date | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | | | | 1468 454 | | |
| | 7 050 | 1475 504 | | | | |
| T.P. | | | 0 529 | 1474 975 | | |
| | 11 694 | 1486 669 | | | | |
| T.P. | | | 0 496 | 1486 173 | | |
| | 11 755 | 1497 928 | | | | |
| T.P. | | | 0 230 | 1497 698 | | |
| | 11 270 | 1508 968 | | | | |
| T.P. | | | 0 301 | 1508 667 | | |
| | 11 512 | 1520 179 | | | | |
| T.P. | | | 0 345 | 1519 834 | | |
| | 5 879 | 1525 713 | | | | |
| P-115 W. | | | 4 41 | 1521 30 | Fd. P-115 W., 2x2, Br. tack & L.A.Co. Engr. Tag. F.B. 2652-18,19 | OB-16 |
| T.P. | | | 7 132 | 1518 581 | | |
| | 0 771 | 1519 352 | | | | |
| P-116 W. | | | 3 45 | 1515 90 | Fd. P-116 W., 2x2, Br. tack & L.A.Co. Engr. Tag. F.B. 2652-19,20 | OB-15 |
| P-117 W. | | | 10 02 | 1509 33 | Fd. P-117 W, 1x2 ft. N. F.B. 2652-20 | OB-14 |
| T.P. | | | 10 868 | 1508 484 | | |
| | 0 500 | 1508 984 | | | | |
| T.P. | | | 11 244 | 1497 740 | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | | | | 1497 740 | | |
| | 0 370 | 1498 110 | | | | |
| T.P. | | | 11 341 | 1486 769 | | |
| | 0 970 | 1487 739 | | | | |
| T.P. | | | 11 851 | 1475 888 | | |
| | 1 278 | 1477 166 | | | | |
| T.P. | | | 10 870 | 1466 296 | | |
| | 0 550 | 1466 846 | | | | |
| T.P. | | | 10 710 | 1456 136 | | |
| | 5 200 | 1461 336 | | | | |
| Fd. P-118 W. | | | 4 570 | 1456 ~~796~~ | Fd. P-118 W, 1x2 ✱ N. F.B. 2652-20 Elev. = 1456.774, F.B. 2652-78 | OB-13 |
| | 4 994 | 1461 7X 60 | | | | |
| 112+50 | | | 596 | 14558X 0 | Fd. 1x2, NO NAIL - Pg. 20 | |
| | 5 89 | 1461 ~~61~~ X | | | | |
| P 118W | | | 493 | 14567X 6 | FD 1X2 ✱NAIL SEE 4 LINES ABOVE | |

Profile Notes Red. Plotted Job No. 0075.99 Division No.
No. X-Sec. Date Survey of Oakhurst Rd.
No. Notes Chkd. Date Checked Survey by C.L. Wright Notes RSB Date 24 June 60
No. Date Map No. Indexed H. E. Ott Date

F. B. 2652 Pg. 89

F. B. 2652 Pg. 90 | 0075.99

Job No. Division No. Notes Red Plotted Profile

Survey of Oakbluff Rd. Date Date No.

Survey by C.L. Wright Notes R.C. Bowers Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

76L-298 S & E #307—1-56

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| | | ELEVATIONS ON P123W, P124W | | | |
| B.M O.B. 6 | | | | 1524.789 | Fd. B.M. O.B.6, L.A.Co. Engr. Br. Cap Bottom Hex. up 6" F.B. 2652-22, 82 |
| | 9.861 | 1534.650 | | | |
| T.P. | | | 2.209 | 1532.441 | |
| | 11.522 | 1543.963 | | | |
| T.P. | | | 0.213 | 1543.750 | |
| | 11.212 | 1554.962 | | | |
| P-123 W. | | | 5.06 | 1549.90 | Fd. P-123 W, 1x2, ft. N. F.B. 2652-22,23 OB-7A |
| P-124W = T.P. | | | 3.280 | 1551.682 | Fd. P-124 W, 2x2, Br. Face of L.A.Co. Engr. Tag. F.B. 2652-23 OB-6A |
| | 2.991 | 1554.673 | | | |
| T.P. | | | 10.927 | 1543.746 | |
| | 0.372 | 1544.118 | | | |
| T.P. | | | 11.679 | 1532.439 | |
| | 2.191 | 1534.630 | | | |
| B.M. O.B.6 | | | 9.839 | 1524.791 | Fd. B.M. O.B. 6, starting B.M. El.= 1524.789 |

Profile Notes Red. Plotted Job No. 8075.98 Division No.
No. X-Sec. Date Date Survey of Oak Bluff Rd.
No. Date Notes Chkd. Date Checked Survey by C.L. Wright Notes K.C.B. Date 24 June 60
Date Map No. Indexed Date
F.B. 2652 Pg. 91

F. B. 2652 Pg. 92

Job No. Division No. Notes Red. Plotted. Profile

Survey of Date Date No.

Survey by Notes Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |

76L-295 S & E #307—1-56

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 0075.99 Division No.
No. X-Sec. Date Date Survey of Oak Bluff Rd.
Notes Chkd. Checked Survey by C.L. Wright Notes R.C.B. Date 23 June 60
No. Date Date Map No. Indexed H. E. OTT Date

F. B. 2652 Pg. 93

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| | ELEVATIONS ON POINTS ALONG TRANSIT LINE BETWEEN SEC. 23, SEC 26 T4N, R15W. WEST OF THE 1/4 COR. | | | | |
| B.M. O.B. 2 | | | | 1707 664 | B.M. O.B. 2, 1¼" I.P. Conc. Plug, Ship Spk, ℄ W. F.B. 2652-9, 68 |
| | 10 040 | 1717 704 | | | |
| T.P. | | | 0 449 | 1717 255 | |
| | 11 742 | 1728 997 | | | |
| 6+11.91 | | | 9 10 | 1719 90 | Fd. 1X2 ℄ N. F.B. 1832-156, F.B. 2652-12 |
| T.P. | | | 2 093 | 1726 904 | |
| | 6 231 | 1733 135 | | | |
| 8+24.60 | | | 0 93 | 1732 21 | Fd. 1X2 ℄ N. F.B. 1832-156, F.B. 2652-12 |
| T.P. | | | 11 667 | 1721 468 | |
| | 0 445 | 1721 913 | | | |
| T.P. | | | 11 804 | 1710 109 | |
| | 0 190 | 1710 299 | | | |
| T.P. | | | 9 942 | 1700 357 | |
| | 0 811 | 1701 168 | | | |
| | | | 11 021 | 1690 147 | |
| | 0 465 | 1690 612 | | | |
| 11+92.15 | | | 4 42 | 1686 19 | Fd. 1X2 ℄ N. F.B. 1832-156, 157 |
| T.P. | | | 11 070 | 1679 542 | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F. B. 2652 Pg. 94 | Job No 8075.98 | Division No | Profile
Survey of Oak Bluff Rd | Notes Red | Plotted | No
Survey by C.L. Wright Notes C.C. Bowers | Date | Date | X-Sec.
Indexed H. E. Ott | Notes Chkd | Checked | No
Date | Date | Date

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| T.P. | | | | 1677.542 ✓ | |
| | 0.415 | 1679.957 ✓ | | | |
| T.P. | | | 11.398 | 1665.559 ✓ | |
| | 1.409 | 1669.968 ✓ | | | |
| T.P. | | | 11.804 | 1658.164 ✓ | |
| | 6.630 | 1664.794 ✓ | | | |
| 13+91.56 | | | 11.24 | 1653.55 Fd ✓ | 1X2 #N. F.B. 1832-157 |
| T.P. | | | 0.242 | 1667.552 ✓ | |
| | 6.580 | 1671.132 ✓ | | | |
| 14+96.88 | | | 4.17 | 1666.96 Fd ✓ | 1X2 #N. F.B. 1832-157 |
| 15+82.55 | | | 2.79 | 1668.34 Fd ✓ | 1X2 #N. F.B. 1832-157 |
| T.P | | | 11.075 | 1660.057 ✓ | |
| | 1.096 | 1661.153 ✓ | | | |
| T.P. | | | 10.742 | 1650.411 ✓ | |
| | 0.612 | 1651.023 ✓ | | | |
| T.P. | | | 11.152 | 1639.871 ✓ | |
| | 0.765 | 1640.636 ✓ | | | |
| T.P | | | 11.004 | 1629.632 ✓ | |
| | 0.333 | 1629.965 ✓ | | | |
| T.P. | | | 10.868 | 1619.097 ✓ | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | | | | 1619.097 | | |
| | 0.795 | 1617.892 | | | | |
| T.P. | | | 9.849 | 1610.043 | | |
| | 2.355 | 1612.398 | | | | |
| T.P. | | | 9.973 | 1602.425 | | |
| | 5.523 | 1607.948 | | | | |
| B.M. | | | 3.250 | 1604.698 | Fd. 1/4 Sec. Cor. bet. 23 & 26. L.A.Co. Surveyors Br. Cap Mon. Dn. 16". Elev. on W. Edge. El.= 1604.688 F.B. 2652-6,65 F.B. 1832-158,170 | |

Profile Notes Rec. Plotted Job No. 0275.99 Division No.
No. X-Sec. Date Date Survey of Oakcliff Rd
Notes Chkd. Checked Survey by C.L. Wright Notes H. E. Ott Date 23, Twp 6S
No. Date Date Map No. Indexed Date

F. B. 2652 Pg. 95

F. B. 2652 Pg. 96

Job No. Division No. Notes Red Plotted Profile

Survey of Date Date No.

Survey by Notes Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

76L-298 S & E #307—1-56

| | |
|---|---|
| Notes Ck'd by L. BACON | Survey of SEC. LINES |
| Map No. | JN 0302.01 Tape 141 Std 84 °F |
| Office Work | Surveyed by C.L. WRIGHT |
| Checked | Notes C.L.W. Date 12-JULY'60 |
| Date | Indexed H.E. OTT |

F. B. 2652 Pg. 97

# THE SECTION LINE BETWEEN SEC. 21, SEC. 28 - T.4N. R.15W. J.N. 0302.01

REFERENCES:
C.S. 8151
L.S. 25-39
F.B. 60

PARTY:
C. L. WRIGHT
R. C. BOWERS JR.
J. R. FULTON JR.
D. J. DREGER
W. F. BARNETT JR.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 SRE #247 11-58

F. B. 2652 PG 98

CONT. ON BOT. PG. 99

T4N R15W

F-2 SET 1X2 8" NAIL OB-22

8+52 63

5" LIVE OAK T=78° LEV 18.64

F-1 SET 1X2 8" NAIL OB-21

8+33 99

T 90°

LEV. 119.87
LEV. 149.31
LEV. 166.91
436.09
.02
436.11

SECTION 436.11

SEC. 22

SEC. 28

FD 1X2 8" NAIL OB-20

3+97.88

| | | |
|---|---|---|
| 89 | 28 | 20 |
| 357 | 52 | 50 |
| 176 | 49 | 10 |
| 89° | 28' | 11 1/3" |
| 90 | 37 | 40 |
| 2 | 30 | 50 |
| 183 | 46 | 10 |
| 90° | 37' | 41 1/3" |

T= 90°
LEV. 50.62
LEV. 230.95
LEV. 116.26
397.86
.02
397.88

397.88 LINE

90°

37° 41 1/3"

To 1/4 Cor. Pg 46

0+00

COUNTY SURVEYOR'S MONUMENT R15W T4N 21 22 28 27

To 1/4 Cor Pg. 51

FD. SEC. COR. C.S. MON. 2" I.P. BRASS CAP SET COR. Pg. 44, 48, 50 F.B. 446-82 L.S. 2511-39 F.B. 50-110

48 Pg. 48 18 1/3"

90°

05 48 Pg.

To 1/4 Cor. Sec 22 - Sec 27 Pg. 39, 40, 41

SEC. 27

SEC. 22

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes or This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L. BACON
Map No.
Office Work
Checked
Date

Survey of
JN 302.0 Tape Std °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 13 JULY '60
Indexed H. E. OTT

F. B. 2652 Pg. 99

T4N R15W

CONT. ON POT. PG. 100

17+27.40

F-4 FD. 1x2" NAIL ON LINE FLUSH
OB-21

ROAD

63'

4 STRAND BARB WIRE FN. S.P.R.R. R/W±

DIRT

80'

337.35

FENCE LINE, NO WIRE

14+85.03

T 86°
242.81 @ 3-27 = 242.37
LEV. 94.98
337.35

FD. 1¾" I.P. WOOD PLUG NAIL & TAG UP L.S. 2572

0.05

94.98

F-3 SET 1x2" NAIL
OB-23

13+90.05

SEC. 28

SECTION

SEC. 27

0.14

FD. 1x2" NAIL UP 3"

10+89.74

T 82°
LEV 300.32
LEV. 99.46
LEV. 137.65
537.43
537.42

99.46

537.42

0.03

FD. 1¾" I.P. CONC. PLUG, NAIL & TAG. FLUSH L.S. 2231

9+90.28

137.65

F-2 SET 1x2" NAIL

8+52.63

LINE

CONT. FROM TOP PG. 98

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 SRE #247 11-58

F. B. 2652 Pg 100

CONT. ON BOT. PG. 101

T4N
R15W

F-6
SET 1x2 ¢ NAIL
TOP BRK.
OB-27

22+00 38

SEC. 16

22

T 8°
LEV 221.25
01
221.26

001

19+79 12

I.D. 1 3/4" I.P. WOOD PLUG
NAIL & TAG
LS. 2572
UP 7"
OB-26

T 88°
LEV. 78.58

4 STRAND BARB WIRE FN.
S.P.R.R. R/W

64 ¢

78.58

F-5
SET 1x2 ¢ NAIL
TOP CUT-BANK
OB-25

19+00 54

SEC. 28

SEC. 21

173.14

LINE

¢ RAILS

S.P.R.R.

T 86°
139.42@4-31=138.99
LEV 34.15
173.14

SET #6
NAIL IN TIE

17+61 55

S.P.R.R. TRACKS

34.15

F-4
FD 1x2 ¢ NAIL
ON LINE

17+27 40

CONT. FROM TOP PG 99

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L. BACON
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 3202.01 Tape 14' Std 82 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date 13 July 60
Indexed H.E.O.M.

F. B. 2652 Pg. 101

CONT. ON BOT. PG. 102

T 4N
R 15W




| | | | |
|---|---|---|---|
| ① | 89 | 26 | 40 |
| ② | 357 | 46 | 20 |
| ③ | 176 | 39 | 40 |
| | 89° | 26' | 36 1/3" |

| | | | |
|---|---|---|---|
| ① | 179 | 58 | 30 |
| ② | 359 | 54 | 10 |
| ③ | 359 | 51 | 00 |
| | 179° | 58' | 30" |

| | | | |
|---|---|---|---|
| ① | 90 | 35 | 00 |
| ② | 2 | 19 | 40 |
| ③ | 183 | 29 | 20 |
| | 90° | 34' | 53 1/3" |

T = 92°
153.45 @ 1-30 = 153.40
LEV. 55.54
231.42 @ 4-35 = 230.68
439.62
.02
439.64'

CONT. FROM TOP PG. 100

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SAE #247 11-58

CONT. ON BOT. PG 103

F. B 2652 PG 102

4 STRAND BARB WIRE FENCE SPRR. R/W ±

34+69 ±

T 4 N
R 15 W

N 5.62-C 2.

SECTION

87'

2.79

FD. 2x2 ℄ NAIL TOP CUT BANK

3.79

33+86.19

SET 1x2 ℄ NAIL TOP CUT BANK

F-8

33+82.41

℄ TRACK

352.62

SET 1x2 ℄ PUNCH MARK IN BALLAST

32+61.55

SEC. 21

T 98°

121.17 @ 4.17 = 120.83

LEV. 146.34

LEV. 85.42

352.59

.03

352.62

SEC. 28

231.76

SPRR RAILS

F-7

SET 1x2 ℄ NAIL UNDER U.S. ℄ CA

30+29.79

399.77

LINE

T 108°

LEV. 137.24

LEV. 252.47

389.71

.06

389.77

COUNTY ENGINEER
R/SW
SEC. 21
¼ COR.
SEC. 28
T 4 N
R 15 W
E.E. 5869

08-29

SET C.E. MON. 2" I.P. BRASS CAP SET CONC. DN 16" MARKED

26+40.02

CONT. FROM TOP PG. 101

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by L. BACON | Survey of SEC. LINES |
| Map No. | JN 03 02 01 Tape 141 Std 84 °F |
| Office Work | Surveyed by C. L. WRIGHT |
| Checked | Notes C.L.W Date 19-21 MAY '60 |
| Date | Indexed M. E. OH |

F. B. 2652 Pg. 103

T4N R15W

CONT. ON BOT. PG. 104

52+60 08

F-10 SET 1x2 & NAIL

1308.92

SECTION

T-100°

| | |
|---|---|
| ELEV | 214.21 |
| " | 196.09 |
| " | 137.47 |
| " | 210.66 |
| " | 155.39 |
| " | 207.14 |

187.89 @ 1-32 = 187.82

1308.78

.14

1308.92

FD. 2" I.P. CONC. PLUG NAIL & TAG RE 4750 DN. 12"

S 87° 28' W

878

BOUNDARY

39+59 94

PP# C48244 E

F-9 SET 1x2 & NAIL

39+51 14

POWER LINE

568.75

T 96°

269.48 @ 0-26 = 269.47

100° 300.53 @ 5-19 = 299.24

568.71

.04

568.75

F-8 SET 1x2 & NAIL TOP CUT BANK

33+82 41

CONT. FROM TOP PG. 102

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SEE #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 62-C2

SEC. 20

SEC. 21

T4N R15W

FD. N. & T. LIN. CO. SIDE TRANSMISSION POLE # 468E4TE

COUNTY SURVEYOR'S MONUMENT T4N R15W 20 + 21 29 + 28 SEC. COR

MARKED "LS" C.S. T.P. FROM CAP SET F.M. IN 2" C.I.P. 4" BELOW GRADE

CONC. PN 24" C.S. BEARS N 61-3 E.M. IN LEAD FILLED WITH COPPER 4" I.P. CALLS FOR S 3°E. TR. ALSO LS 25-39 F.B. 60-45

T 100° LEV. 19.31

TRANSCONTINENTAL TELEPHONE LINES

52+60.08

F-10 SET 1" x 2" GALV. I.P.

FROM Top Pg. 103

CONT.

END OF LINE

EDISON

S 2

31.03

POWER. 19.31

SEC. LINE PROD. FROM EAST

14.70

SEC. LINE

52.50

52+79.39

SEC. LINE

FD. CUT SPK. & W. SIDE TEL. POLE

FD. CUT SPK. & W. SIDE TEL. POLE * J24-9 4602

FD. CUT SPK. & W. SIDE TEL. POLE (NO NUMBER)

90°

10 40 30 05"

14 56 24 14"

90 00 18 90°

TO WIT. ¼ COR Pg. 106

F. B. 22652 PG. 104

SEC. 29

SEC. 28

| | | |
|---|---|---|
| Notes Ck'd by L. BACON | Survey of SEC. LINES | F. B 2652 Pg. 105 |
| Map No. | JN 0302.01 Tape 141 Std 84 °F | |
| Office Work | Surveyed by C. L. WRIGHT | |
| Checked | Notes C.L.W. Date 8-Nov 60 | |
| Date | Indexed H. E. OTT | |

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F 005 SEE #247 11-58

THE NORTH 1/2 OF THE SECTION LINE BETWEEN SEC. 29, SEC. 28 T. 4N. R. 15W

J.N. 0302.01

REFERENCES:

C.S. 8151
L.S. 25-39
F.B. 60

PARTY:
C.L. WRIGHT
R.C. BOWERS JR.
J.R. FULTON JR.
D.J. DRESSER
W.F. BARNETT JR.

F. B. 2652 PG 106

CONT. ON BOT. PG 107

T. 4 N.
R. 15 W.

M.S.B.&M.

98

TEL POLE # E-11 4622

43

5+29.96

SET 1X2 & NAIL TOP BRK

10°

4+04.4

TEL POLE # 4625 T 2A-2.3

TELEPHONE LINE

T-118°

285.26 @ 14-25 = 276.28

285.37 @ 14-29 = 276.30

= 276.29

LEV - 67.61

LEV. 5370

138.85 @ 0-46 = 138.84

536.44

12

536.56

MEANDERING W.W. & BARB WIRE FN.

NOTE: SEE PG. 254 FOR TIES C.L.W. 12-JAN-65

330'

534.56

SEC. 29

SEC. 28

TRANSCONTINENTAL

OB-1A

SET C.E. MON. 2" I.P. BRASS CAP SET CONC. FLUSH - MARKED

COUNTY ENGINEER T 4 N R 15 W SEC 29 SEC 28 COR. R.E. 886

3.2

0+74.4

0.02

SECTION

0+00

SEE F.B. 4312-52

FD. 2" I.P. WOOD PLUG, NAIL & TAG # L.S. 2800 (REMOVED SAME)

6.56

8.1

6.60

11.1

0+06.6 S.

TEL. POLE # 4627 1/2

1.3

FD. 4" I.P. CONC. PLUG & WIRE SPIKE, UP 8" WIT. MON. TO 1/4 COR. - 6.60 SOUTH OF 1/4 COR. C.S. 81.51 L.S. 25-39

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L. BACON
Map No.
Office Work
Checked
Date

Survey of SEC. LINES
JN 0302.01 Tape 41 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W Date 12 JULY '60
Indexed M. E. O.

F. B. 2652 Pg. 107

T4N
R15W

CONT. ON BOT PG 108

SEC. 29

SEC. 28

TELEPHONE LINES

7+35.69
SET 1X2" NAIL
TOP CUT BANK

6+29.3

T 116°

105.77 @ 21-36 = 98.34
105.74 @ 21-33 = 98.35
98.35
.02
98.37

98.37

BARE WIRE FN.
U.S. #60
HIGHWAY
4 STRAND
R/W
FENCE

6+37.32
FD. 2" I.P. CONC. PLUG
NAIL & TAG # R.E. 726
TOP NORTH BRK. UP 6"

T-116
LEV. 94.53
.02
94.55

94.55

SECTION

TRANSCONTINENTAL

5+42.77

0.1'

FD. 2" I.P. CONC.
PLUG, NAIL & TAG # R.E. 726
TOP S. BRK. UP 6"

LEV. 12.81

12.81

98

5+29.96
SET 1X2" NAIL
TOP BRK.

CONT. FROM TOP PG. 106

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SEE 1247 11-58

CONT. ON BOT. PG. 109

F. B. 2652 PG. 108

14+76.85
SET 1x2 & NAIL
W. EDGE RD. CUT TOP
LOW SPUR

T4N
R15W

T. 84°

273.25 @ 1-20 = 273.18
LEV. 114.08
LEV. 150.48
537.74

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO

Do not extend this tide of this line.

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SEC. 29

T-104°

103.12 @ 12-09 = 100.81°
103.06 @ 12-07 = 100.80
.01
100.81

SEC. 28

9+39.11
SET 1x2 & NAIL
IN FIELD

T-104°
LEV 152.22
" 148.97
" 175.32
" 178.39
" 107.48
761.48
.10
761.58

8+38.30
SET 1x2 & NAIL
TOP BERM

T-104°
LEV. 53.16
LEV. 6.80
59.96
.01
59.97

PRELIMINARY LINE
22
24.59
PG. 24

51° 18' 10"

OB-3A
FD. RW
2x2, NAIL
STAG. LA CO.
ENGR. DN 2"
PG. 24, 25
143+98.21 "P" LINE
PLUS

51 - 18 - 10
205 12 30
307 49 00
51 - 18 - 10

59.97
203.42
161.58

U.S. #6
HI-WAY
SECTION

OB-2A
SET SHIP SPK
& W. FLUSH

7+78.33
T-112°
213.82 @ 17-59 = 203.37
213.90 @ 18-02 = 203.39
203.38
.04
203.42

FROM

22' OFFSET
24
PG

7+35.69
SET 1x2 & NAIL
TOP CUT BANK

TRANSCONTINENTAL TELEPHONE LINES

CONT. FROM TOP PG. 107

Notes Ck'd by L. BACON
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 191 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 19 JULY 1960
Indexed H. E. OTT

F. B. 2652 Pg. 109

T4N R15W

CONT. ON BOT. PG. 110

TEL. POLE # 4607

15°

20+14.3

64.3

19+50

4 STRAND BARB WIRE FN.

CAT 5

S.P.R.R. R/W ±

33.9

19+16.13

SET 1"x2" & NAIL IN S.P.R.R. RD. BED.

LINE

SECTION LINES

ROAD

17.87

18+98.26

SET NAIL - SPLIT OF RAILS

℄ OF TRACKS

RAILS S.P.R.R.

SEC 29

SEC 28

S.P.R.R.

R/W ±

50.4

18+47.2

TEL. POLE # 4608 J 2A-16

3.6

4 STRAND BARB WIRE FN.

TELEPHONE

CONTINENTAL

439.28

SECTION

7.88°

LEV 63.12

76.69

66° 300.39 @ 4-31 = 299.46

439.27

01

439.28

14+81.69

I.P. 2" I.P. CONC. PLUG, NAIL & TAG RE. 72.6 UP 4"

005

4.84

10.3

14+76.85

SET 1"x2" & NAIL W. EDGE RD. CUT. TOP LOW SPUR

TRANS

CONT. FROM 10A PG 108

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

70F3095 SRE #247 11-58


SEC. 20
SEC. 21
F. B. 2652 PG 110
T4N
R15W
END OF LINE
147
TEL POLE #ZA-9, 4602
SEC. LINE
SEE PG. 104 FOR THIS LINE
26+72 53
FD. C.S. MON. 2" I.P. BRASS CAP, SET CONS. DN. 24" MARKED OB-30
F.M. 11261-3
C.S. 8151 CALLS FOR 4" I.P. FILLED WITH CONC., S.T. CTR. ALSO L.S. 25-39
COUNTY SURVEYOR'S MONUMENT
T4N R29 20 21 28 SEC. COR.
SEE F.B. 4312-10
SEC. 28
SEC. 29
TEL POLE NO NUMBER
13 6
26+21 5
415.93
TELEPHONE LINE
TRANSCONTINENTAL
4 STRAND BARB WIRE FN.
ROAD
LINE
T 94°
LEV. 84 55
LEV. 131.11
LEV. 200.24
415.90
415.93
15 9
22+56 60
SET 1x2 & NAIL IN FIELD
DIRT
SECTION
340.47
15°
3°
TEL. POLE #4607
20+14 3
T 84°
LEV. 40.32
300.26 @ 1.31 = 300.15
340.47
19+16 13
SET 1x2 & NAIL IN S.P.R.R. RD. BED
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | | |
|---|---|---|
| Notes Ck'd by C. L. GALLI | Survey of SEC. LINES | F. B 2652 Pg. 111 |
| Map No. | JN 0302 Tape 141 Std 84 °F | |
| Office Work | Surveyed by C. L. WRIGHT | |
| Checked | Notes C. L. W Date 3 JAN 60 | |
| Date | Indexed H. E. ON JAN 26 60 | |

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this tie of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

# LINE & DISTANCE TIE TO 1/4 COR. BETWEEN SEC. 20 & SEC. 21 T4N, R15W

J.N. 0302.01

C. L. WRIGHT
R. C. BOWERS JR.
J. R. FULTON JR.
W. F. BARNETT JR.

76F3098 S&E #247 11-58

F. B. 2652 Pg. 112

T4N
R15W

W.S.62-C-2

FD. ¼ COR 2" I.P. MARKED BRASS CAP SET CONC. FLUSH

COUNTY SURVEYOR'S T4N R15W/SW ¼ SEC. COR. MONUMENT 20 | 21

T-74°

LEV. 178.78
LEV. 41.24
220.02
.01
220.01

SEC. 20

SEC. 21

220.01

0.05

FD. NAIL & TAG #LS 2602 DN 3"

0.05

OLD MINT CYN. HI-WAY

FD OLD BROKEN OFF NAIL IN CONC. - DN 3"

0.05

0.20

FD. OLD BROKEN OFF NAIL IN CONC. DN 3"

0.23

T-74°
LEV. 48.86

48.86

LINE

SET 2" I.P. NAIL & TAG L.A. CO. ENGR. DN. 15".

6.05

CUT + IN N.W. SIDE OF 5" GALV. IRON PIPE GATE POST UP 12"

CUT + IN NORTH SIDE OF FENCE POST (2" GALV. IRON PIPE) UP 12"

N 5.2 W

3 STRAND BARB WIRE FENCE

3 STRAND BARB WIRE FENCE

GATE
13±

5" GALV. IRON PIPE GATE POSTS 60" HIGH

SEC.

COUNTY SURVEYOR'S T4N R15W 20 | 21 / 29 | 28 SEC. COR. MONUMENT

MARKED FD. C.S. MON. - 2" I.P. BRASS CAP SET CONC. DN. 24"

SEC. 29

SEC. 28

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

# PROFILE - OAK BLUFF ROAD FROM INT. WITH ℄ U.S. HI-WAY #6 EASTERLY TO OB-6A

J.N. 0075.99

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| OB 7 | | | | 145334 | FD. LEAD, BRASS NAIL & L.A. CO. ENGR. TAG TOP OF CURB - N. SIDE U.S. HI-WAY #6 11.9' S. OF LIGHT STANDARD BET. UNION OIL STATION & TIP'S RESTAURANT & 6.1 FT. E. OF W. END OF CURB Pg. 24 | |
| | 475 | 145809 | | | | |
| 0+00 | | | 426 | 53 83 | | ℄ U.S. HI-WAY #6 |
| + 24 59 | | | 479 | 53 30 | | ON 2X2 ON 2" |
| +50 | | | 156 | 425 | | |
| +75 | | | 370 | 4039 | | |
| T.P. | | | 058 | 145751 | | |
| | 1095 | 146841 | | | | |
| 1+50 | | | 714 | 146127 | | |
| 2+00 | | | 564 | 62 77 | | |
| TP | | | 005 | 146836 | | |
| | 1112 | 147948 | | | | |
| 2+50 | | | 873 | 147075 | | |
| 2+93 (P/26W) (OB4A) | | | 4220 | 148168 | REC ELEV 146164 | FD 1X2 ℄ NAIL Pg. 23, 24, 83 |
| 3+00 | | | + 14 | 808 | | |
| T.P. | | | 1203 | 146745 | | |

Profile Notes Red Plotted Job No. 0075.99 Division No.
No. X-Sec. Date Date Survey of Oak Bluff Rd.
Notes Chkd C. L. Gillilland Checked Survey by C. L. Gillilland Notes C.L.G. Date 18-Jan-1964
No. Date 2-1-61 Date Map No. Indexed H. E. Ott Date JAN 26 1964

F. B. 26652 Pg. 113

76L-298 S & E #307—1-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 110 Job No 007599 Division No Profile
Survey of BAK BLUFF RD Plotted No
Survey by C.L. WRIGHT Notes C.L.W. Date No X-Sec.
Indexed H. E. OTT Date 18-JAN-61 Notes Chkd C. J. GALLI Checked Date 2-1-61 No

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | | | | 146745 | | |
| | 020 | 146765 | | | | |
| 3+50 | | | 717 | 6048 | | |
| 4+00 | | | 1341 | 5424 | | |
| +50 | | | 1222 | 5543 | | |
| 5+00 | | | 445 | 6320 | | |
| T.P. | | | 009 | 146756 | | |
| | 1189 | 147945 | | | | |
| 5+50 | | | 646 | 7299 | | |
| TP | | | 030 | 147915 | | |
| | 1211 | 149126 | | | | |
| 5+90.24 (P#/25W)(OBSA) | | | 1177 | 147949 | REC. 147947 | P. 53 FOR ELEV. |
| OBSA | | | | 147947 | | |
| | 1177 | 149124 | | | | |
| 6+00 | | | 1112 | 8012 | | |
| +50 | | | 758 | 8366 | | |
| 7+00 T.P. | | | 008 | 149116 | | |
| | 1213 | 150329 | | | | |
| T.P. | | | 002 | 150327 | | |
| | 1222 | 151549 | | | | |
| 7+50 | | | 667 | 150882 | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| | | 15149 | | | |
| TP | | | 004 | 15145 | |
| | 1203 | 15745 | | | |
| TP | | | 002 | 15746 | |
| | 1176 | 15922 | | | |
| 8+00 | | | 1053 | 2869 | |
| TP | | | 003 | 15919 | |
| | 1177 | 15096 | | | |
| 8+50 TP | | | 354 | 14742 | |
| | 655 | 15397 | | | |
| 8+62.23 (OBLA) | | | 226 | 15171 | REC. ELEV. 15168 FD. 2X2, N.C.T.M.# LA CO. ENGR. PG 23 |

## PROFILE - 300' LATERAL LINE S.W. FROM (OBLA) PROD. FROM OB6

| | | | | | |
|---|---|---|---|---|---|
| 8+62.23 (PLANE) = (0+00 S.W.) (OBLA) | | | | 15168 | FD 2X2, N.C.T.M.# L.A. CO. ENGR. |
| | 226 | 15394 | | | |
| TP | | | 1198 | 14196 | |
| | 009 | 14205 | | | |
| T.P. | | | 1197 | 13008 | |
| | 067 | 13075 | | | |
| 0+50 S.W. | | | 523 | 2552 | |

SKETCH




Profile Notes Red. Plotted Job No. 007599 Division No.
No. X-Sec. Date Date Survey of Oak Bluff Rd.
Notes Chkd. J. GALLI Checked Survey by C.L. WRIGHT Notes C.L.W. Date 18 JAN '61
No. Date 2-1-61 Date Map No. Indexed H. E. OTT Date

F. B. 2652 PG. 115

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 116 Job No 207598 Division No Profile
Survey of OAK BLUFF RD. Notes Red Plotted
Survey by C.L. WRIGHT Notes C. L. W. Date No X-Sec.
Indexed H.E. ON Date 18-JAN '61 Notes Chkd. J. J. GALLI Checked
Date 2-1-61 Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 153075 | | | | |
| T.P. | | | 1185 | 151890 | | |
| | 028 | 151918 | | | | |
| T.P. | | | 1212 | 150706 | | |
| | 007 | 150713 | | | | |
| 1+00 S.W. | | | 970 | 149743 | | |
| T.P. | | | 1218 | 149495 | | |
| | 029 | 149524 | | | | |
| T.P. | | | 1198 | 148326 | | |
| | 004 | 148330 | | | | |
| T.P. | | | 1102 | 147228 | | |
| | 356 | 147584 | | | | |
| 1+50 S.W. | | | 195 | 147389 | | |
| 2+00 S.W. | | | 508 | 7076 | | |
| +50 S.W. | | | 668 | 6916 | | |
| 3+00 S.W. | | | 888 | 6696 | | |
| T.P. | | | 083 | 147501 | | |
| | 973 | 148474 | | | | |
| OBSA | | | 534 | 147940 | REC ELEV, 147947 ✓ | PG 83 FOR ELEV. |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 2575-93 Division No.
No. T-Sec. Date Date Survey of Oak Bluff Rd.
No. Notes Chkd. C. J. GALLI Checked Survey by C. L. WRIGHT Notes C. L. W. Date 15-JAN '61
Date 2-1-61 Date Map No. Indexed H. E. OTT Date

F. B. 2652 Pg. 117

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | PROFILE - 300' LATERAL - AS SHOWN | | |
| OB6 | | | | 152479 FD. C.E. BRASS CAP BUTTON MON. SET CONC. PG. 22, 82 |
| | 8.35 | 153314 | | |
| 0+50 N. | | | 995 | 23 19 |
| T.P. | | | 12 15 | 152099 |
| | 0.28 | 152127 | | |
| T.P. | | | 11 84 | 150943 |
| | 0.26 | 150969 | | |
| 1+00 N. | | | 1054 | 149915 |
| T.P. | | | 12 14 | 149755 |
| | 0.15 | 149770 | | |
| 1+50 N | | | 673 | 149097 |
| T.P. | | | 11 94 | 148576 |
| | 0.33 | 148609 | | |
| T.P. | | | 1203 | 147406 |
| | 0.13 | 147419 | | |
| 2+00 N. | | | 829 | 146590 |
| +50 N. | | | 1381 | 6038 |
| 3+00 N. | | | 1439 | 5980 |



76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 118 Job No 2075.59 Division No Notes Red Plotted Profile
Survey of OAK BLUFF RD Date No X-Sec.
Survey by C.L.W. Notes C.L.W. Notes Chkd. J. GALLI Checked
Indexed H. E. OTT Date 18-JAN'61 Date 2-1-61 Date No

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1474 19 | | | | |
| T.P. | | | 013 | 1474 06 | | |
| | 11 51 | 1485 57 | | | | |
| T.P. | | | 056 | 1485 01 | | |
| | 9 52 | 1494 53 | | | | |
| OB 5A | | | 15/6 | 147937 | 147941 REC. | Pg. 83 FOR ELEV. |

PROFILE - PRELIMINARY LINE - OAK BLUFF ROAD FROM OB-6A - EASTERLY TO OB-10

| | | | | | | |
|---|---|---|---|---|---|---|
| OB 6A (B+62 93) | | | | 155168 | FD. 2x2, N. & TAG. L.A. CO. ENGR. | Pg. 23 |
| | 075 | 155243 | | | | |
| 9+00 | | | 567 | 4676 | | |
| T.P. | | | 1167 | 159076 | | |
| | 021 | 154097 | | | | |
| 9+50 | | | 838 | 3259 | | |
| T.P. | | | 1203 | 152894 | | |
| | 015 | 152909 | | | | |
| 10+00 | | | 707 | 152202 | | |
| +50 | | | 1479 | 1430 | | |
| 11+00 | | | 1540 | 1369 | | |
| +50 | | | 1850 | 1059 | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1529.0 | | | | |
| 12+00 | | | 6.02 | 2307 | | |
| OBG (12+14.24) | | | 4.33 | 1524.76 | Rec. Elev 1424.79 | Fd. C.E. Button Mon. Pg. 22, 82 |
| OBG | | | | 1524.79 | " " " " " " | |
| | 4.33 | 1529.12 | | | | |
| 12+50 T.P. | | | 12.28 | 1516.84 | | |
| | 1.31 | 1518.15 | | | | |
| 13+00 | | | 10.29 | 0756 | | |
| T.P. | | | 11.87 | 1506.28 | | |
| | 0.40 | 1506.68 | | | | |
| 13+50 | | | 3.59 | 1503.09 | | |
| 14+00 | | | 9.79 | 1496.89 | | |
| T.P. | | | 12.04 | 1494.64 | | |
| | 0.81 | 1495.45 | | | | |
| 14+48.00 | (OBB) | | 2.56 | 1492.89 | 1492.90 Rec. | |
| 15+00 | | | 11.43 | 8402 | | |
| +50 | | | 16.55 | 7890 | | |
| 16+00 | | | 18.46 | 7699 | | |
| +50 | | | 1.97 | 7575 | | F.L. DRY WASH |
| 17+00 T.P. | | | 9.82 | 1495.63 | | |
| | 0.39 | 1486.02 | | | | |

Profile Notes Red _____ Plotted _____ Job No 2573-93 Division No. _____
No. X-Sec. Date _____ Date _____ Survey of Oak Bluff Rd.
Notes Chkd. C. J. GALLI Checked _____ Survey by C.L. Lukman Notes C.L.W. Date 18-JAN 61
No. _____ Date 2-1-61 Date _____ Map No. _____ Indexed H. E. OH Date _____

F. B. 2652 PG. 119

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 20
Job No. 007599 Division No. Notes Red Date Plotted
Survey of Oak Bluff Rd. Date Profile
Survey by C.L. McKNIGHT Notes C. L. W. Notes Chkd C. J. GALLI Checked
Indexed H. E. OH Date 18-JAN '61 Date 2-1-61 Date
No. X-Sec. No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 148602 | | | | |
| 17+50 | | | 794 | 147809 | | |
| 18+00 | | | 1006 | 7596 | | |
| +50 | | | 946 | 7656 | | |
| 19+00 | | | 838 | 7764 | | |
| +25.74 (OB-9) | | | 523 | 148079 ✓ | FD 1X2 3/4" REC. ELEV 148079 ✓ | |
| +50 | | | 552 | 8050 | | |
| 20+00 | | | 731 | 7871 | | |
| +50 | | | 912 | 7690 | | |
| 21+00 | | | 1028 | 7574 | | |
| +50 | | | 1171 | 147431 ✓ | | |
| | 227 | 147658 ✓ | | | | |
| 22+00 | | | 424 | 7234 | | |
| +46.53 (OB10) | | | 542 | 147116 ✓ | 147118 REC. ELEV. PG. 21 | |

PROFILE -335.39' LATERAL SOUTH FROM OB-10 TO D-3

SKETCH 7

PRELIMINARY LINE




| | | | | | | |
|---|---|---|---|---|---|---|
| OB10 = 0+00.5 | | | | 147118 ✓ | PG. 21 FD. 1X2 ¢ NAIL | OB-10 = 0+00.5 ✓ |
| | 974 | 148092 ✓ | | | | |
| 0+50.5 | | | 932 | 7160 | | |
| 1+00.5 | | | 815 | 7277 | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red. ____ Plotted ____ Job No. 007599 Division No. ____
X-Sec. No. ____ Date 2-1-61 Notes Chkd. C. J. GALLI Date ____ Checked ____ Survey of OAK BLUFF RD. Survey by C. L. WRIGHT Notes C.L.W. Date 12-JAN '61
Date ____ Map No. ____ Indexed H. E. OTT Date ____

F. B. 2652 Pg. 121

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 148092 | | | | |
| 1+50 S | | | 592 | 147510 | | |
| 2+00 S | | | 289 | 7383 | | |
| +50 S. | | | +10 | 819 | | |
| 3+00 S. | | | +44 | 853 | | |
| 3+35.39 S=D-3 | | | +57 | 8662 | | FD 1x2 8N. Pg. 54 |
| OB 10 | | | 974 | 147118 | REC. ELEV 147.18 Pg. 21 | FD. 1x2 3/4 N. |

PROFILE - LATERAL-343.69 FROM OB-10 NORTH'LY TO D-6

SKETCH




| | | | | | |
|---|---|---|---|---|---|
| OB 10=0+00N | | | | 147119 | FD 1x2 8N Pg. 21 |
| | 365 | 147483 | | | |
| 0+50N | | | 459 | 147024 | |
| 1+00N | | | 709 | 6774 | |
| 1+44N | | | 82 | 666 | |
| +50N | | | 963 | 6520 | |
| +80N | | | 20' | 547 | |
| 2+50N | | | 444 | 7039 | |
| 3+00N | | | 603 | 6880 | |
| +43.69N=D-6 | | | 1135 | 6348 | |
| OB 12 | | | 365 | 147118 | REC. ELEV. 147.18 FD. 1x2 3/4 NAIL Pg. 21 |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 122
Survey of Oak Bluff Rd. Job No 207599 Division No Notes Red Plotted
Survey by C. L. Wright Notes C. L. W. Date Date No. X-Sec.
Indexed D. E. OH Date 18-JAN-61 Notes Chkd C. J. GALLI Checked Date 2-1-61 Date No. Profile

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| | | PROFILE - OAK BLUFF ROAD FROM OB-10 EASTERLY TO OB-13 | | | |
| OB-10 | | | | 1471.18 | FD. 1x2 & NAIL P.G. 21 |
| | 3.65 | 1474.83 | | | |
| 23+00 | | | 6.24 | 68.59 | |
| +50 | | | 7.93 | 66.90 | |
| 24+00 | | | 8.90 | 65.93 | |
| +50 | | | 9.59 | 65.24 | |
| 25+00 | | | 10.89 | 63.94 | |
| +50 | | | 11.37 | 63.46 | |
| 26+00 | | | 9.50 | 65.33 | |
| +50 | | | 5.21 | 69.62 | |
| T.P. | | | 3.76 | 1471.07 | |
| | 0.01 | 1471.08 | | | |
| 26+71.92 | | | 1.20 | 69.88 | FD 1x2 SN. |
| 27+00 | | | 6.85 | 64.23 | |
| +50 | | | 10.47 | 60.61 | |
| 28+00 T.P. | | | 11.17 | 1459.91 | |
| | 2.30 | 1462.21 | | | |
| 28+50 | | | 3.52 | 58.69 | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1462 21 | | | | |
| 29+00 | | | 4 55 | 145766 | | |
| +50 | | | 596 | 5625 | | |
| +55 16 | OB-5 | | 5 57 | 145664 | | |
| 30+00 | | | 849 | 5372 | | |
| +50 | | | 876 | 5345 | | |
| +75 | | | 100 | 522 | TOP BRK - Rt. | |
| - T.P. | | | 878 | 145343 | | |
| | 355 | 145698 | | | | |
| 31+00 | | | 949 | 4749 | FL - WASH | |
| +50 | | | 622 | 5076 | | |
| 32+00 | | | 493 | 5205 | | |
| +50 | | | 432 | 5266 | | |
| 33+00 | | | 244 | 5454 | | |
| +50 | | | 201 | 5497 | | |
| 34+00 | | | 096 | 5602 | | |
| +36 11 | (OB-13) | | 023 | 145675 | 145677 REC. ELEV ✓ Ft. 1x2 8" NAIL - Pg. 20, 78 | |

Profile Notes Red. Plotted Job No. 307338 Division No.
No. X-Sec. Date Date Survey of OAK BLUFF RD.
Notes Chkd. C. J. GALLI Checked Survey by C.L.W. Notes C.L.W. Date 18-JAN '61
No. Date 2-1-61 Date Map No. Indexed H. E. OTT Date

F. B. 2452 Pg. 123

F. B. 2652 Pg. 124

Job No. Division No. Notes Red Plotted Profile

Survey of Date Date No.

Survey by Notes Notes Chkd Checked X-Sec.

Indexed Date Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| | | | | | |

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

76L-298 S & E #307—1-56

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

Profile No. ____ Notes Red ____ Plotted ____ Job No. 0075.99 Division No. ____
X-Sec. No. ____ Notes Chkd. C.J. CALL Date ____ Checked ____ Survey of OAKCLIFF RD. Survey by C.L. WRIGHT Notes C.L.W. Date 1 FEB. '61
Date 2-16-61 Date ____ Map No. ____ Indexed H.E.O.D. Date ____

F. B. 2652 Pg. 125

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| PROFILE - OAKCLIFF PRELIMINARY LINE & LATERALS AS SHOWN FROM OB 13 TO O.B. 33 J.N. 0075.99 | | | | | |
| OB 13 = 0+00 N, E, S. | | | | 145.76' | FD. 1X2 NAIL PG. 20, 78, 89 |
| | 909 | 146.55' | | | |
| | | | 1006 | 145.79' | CHECK SHOT FD. 1X2 PG. 39 MARKED 112+50 REC ELEV. 145.80 |
| SOUTH LATERAL | | | | | |
| 0+50 S | | | 77 | 581 | |
| 1+00 S | | | 64 | 594 | |
| +50 S | | | 51 | 607 | |
| 2+00 S | | | 39 | 619 | |
| +50 S | | | 33 | 625 | |
| 3+00 S | | | 22 | 636 | |
| NORTH LATERAL | | | | | |
| 0+50 N | | | 100 | 558 | |
| 1+00 | | | 115 | 543 | |
| +50 | | | 115 | 543 | |
| 2+00 | | | 107 | 551 | |
| +50 | | | 102 | 556 | |
| 3+00 | | | 96 | 562 | |
| OB 13 | | | 909 | 145.76' | SEE 1ST LINES ABOVE |
| | 1164 | 146.40' | | | |
| 0+50 S | | | 107 | 145.77' | |
| 1+00 S | | | 74 | 610 | |



76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F. B. 2652 Pg. 126 | Job No. 007599 | Division No. | Notes Red. | Plotted | No. | Profile
Survey of OAKBLUFF RD. | Date | Date | No. | X-Sec.
Survey by C. L. WRIGHT | Notes C. L. W. | Notes Chkd. C. J. GALLI | Checked
Indexed H. E. OTT | Date 1-FEB. '61 | Date 2-16-61 | Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1468 40 | | | | |
| 1+50 E. | | | 56 | 1462 8 | | |
| 2+00 | | | 28 | 656 | | |
| TP. | | | 004 | 1468 36 | | |
| | 1237 | 1480 73 | | | | |
| 2+50 | | | 91 | 1471 6 | | ROAD |
| 3+00 | | | 15 | 792 | | |
| TP | | | 071 | 1480 02 | | |
| | 1122 | 1491 24 | | | | |
| TP | | | 046 | 1490 78 | | |
| | 1152 | 1502 30 | | | | |
| 3+50 | | | 68 | 1495 5 | | |
| TP | | | 052 | 1501 78 | | |
| | 1190 | 1513 68 | | | | |
| 3+86 10 OB-14 | | | 427 | 1509 41 | REC ELEV. 1509.33 PER FD 1x2 & NAIL PG 20 | |
| OB-14 | | | | 1509 33 | SITE 1 LINE ABOVE | |
| | 1013 | 1519 46 | | | | |
| 4+00 | | | 80 | 1511 5 | | |
| 4+41 62 OB-15 | | | 355 | 1515 91 | 1515 90 PER PG. 89 FD. 1x2 & NAIL PG 20 | |
| 5+00 | | | 124 | 1507 1 | | |
| + TP | | | 1047 | 1508 99 | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| TP | | | | 150899 |
| | 127 | 151026 | | |
| 5+50 | | | 85 | 15018 |
| 6+00 | | | 93 | 15010 |
| +50 | | | 96 | 15007 |
| 7+00 | | | 102 | 15001 |
| 7+50 | | | 96 | 15007 |
| 8+00 | | | 81 | 022 |
| +50 | | | 49 | 054 |
| T.P. | | | 757 | 150269 |
| | 485 | 150754 | | |
| 9+00 | | | 25 | 15050 |
| +27 = 0+00 S.W. & N.E. | | | 522 | 150232 |
| S.W. LATTRAL | | | | |
| 0+50 S.W. | | | 57 | 15018 |
| 1+00 S.W. | | | 89 | 14986 |
| +50 S.W. | | | 116 | 14959 |
| 2+00 S.W. | | | 135 | 14940 |
| +50 S.W. | | | 157 | 14918 |
| N.E. LATTRAL | | | | |
| 0+50 N.E. T.P. | | | 1178 | 149576 |
| | 048 | 149624 | | |
| 1+ CONE | | | 73 | 14889 |

SET 1X2 IN ROAD




Profile Notes Red Plotted Job No. 00753-99 Division No.
No. X-Sec. Date Survey of OAKGLEN RD.
Notes Chkd. C. J. GILL Date Checked Survey by C.L. WINANT Notes C.L.W. Date 1-FEB. '61
No. Date 2-16-61 Date Map No. Indexed H E OH Date

F. B. 2652 Pg. 127

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 128 Job No 0075.99 Division No Profile
Survey of OAKRUFF Rd. Notes Red Plotted
Survey by C.L. WRIGHT Notes C.L.W. Date No. X-Sec.
Indexed H. E. OTT Date 1-FEB. '61 Notes Chkd. J. GALLI Checked
Date 2-16-61 Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 149624 | | | | |
| 1+50 N.E. | | | 141 | 14821 | | |
| T.P. | | | 047 | 149577 | | |
| | 816 | 150393 | | | | |
| T.P. | | | 125 | 150268 | | |
| | 919 | 151187 | | | | |
| 9+50 | | | 61 | 15058 | | |
| 10+00 | | | 17 | 15102 | | |
| T.P. | | | 156 | 151031 | | |
| | 1225 | 152256 | | | | |
| OB-16 | | | 128 | 152128 | 1" ø 2×2, NAIL & TAG-LACO ENGR REC. ELEV. 152130 | Pg. 18 |
| OB-16 | | | | 152130 | SEE 1 LINE ABOVE | |
| | 128 | 152258 | | | | |
| 11+00 | | | 122 | 15104 | | |
| T.P. | | | 1230 | 151028 | | |
| | 000 | 151028 | | | | |
| T.P. | | | 1170 | 149858 | | |
| | 057 | 149915 | | | | |
| 11+50 | | | 64 | 14927 | | |
| T.P. | | | 1171 | 148744 | | |
| | 060 | 148804 | | | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 0075.99 Division No.
No. X-Sec. Date Date Survey of OAKCLIFF RD. F. B. 2652 Pg. 29
Notes Chkd. J. GALLI Checked Survey by C. L. WRIGHT Notes C. L. W. Date 2-FEB. '61
No. Date 2-16-61 Date Map No. Indexed H. E. OTT Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1488 04 | | | | |
| 12 + 00 | | | 81 | 1479 9 | | |
| + 50 | | | 130 | 750 | | |
| 13 + 00 | | | 131 | 749 | | |
| + 50 | | | 128 | 752 | | |
| 14 + 00 | | | 85 | 795 | | |
| + 50 | | | 15 | 865 | | |
| - T.P. | | | 080 | 1487 24 | | |
| | 121 | 1499 45 | | | | |
| 15 + 00 | | | 50 | 1494 4 | | |
| + 59.09 | OB-17 | | 142 | 1498 03 | FD 1×2" NAIL - Pg. 18 | |
| OB 17: 0+00 S.E. | | | | 1498 08 | REC. ELEV. 1498.08 " " | |
| | 595 | 1504 03 | | | | |
| SE. LATERAL 0+50 S.E. | | | 95 | 1494 5 | | |
| 1 + 00 | | | 40 | 1500 0 | | |
| T.P. | | | 304 | 1500 99 | | |
| | 1165 | 1512 64 | | | | |
| 1 + 50 S.E. | | | 84 | 1504 2 | | |
| 2 + 00 S.E. | | | -5 | 101 | | |
| + 34 S.E. | | | +31 | 157 | | |
| + 50 S.E. | | | +27 | 153 | | |



76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 130 Job No. 0075.99 Division No. Profile
Survey of OAKBLUFF RD. Notes Red. Plotted No. X-Sec.
Survey by C.L. WRIGHT Notes C.L.W. Date Date No.
Indexed H. E. OTT Date 2-FEB.'61 Notes Chkd. ...with Checked
Date 2-16-61 Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 15 12.64 | | | | |
| OB 17 = 0+00 N.W. | | | 14.64 | 149800 | 1498.28 V REC. FD. 1x2, NAIL. Pg. 18 | |
| OB-4 | | | | 148842 V | FD. 2". PATTEN MON., 2" I.P. & BRASS CAP SET CONC. UP 6" Pg. 47 | |
| | 0 31 | 1488 73 | | | | |
| N.W. LATERAL | | | | | | |
| 0+62 NW | | | +14 | 14901 | | TOP BANK |
| 4 66 5 NW | | | 28 | 859 | | TOE FILL |
| 1+00 N.W. | | | 33 | 854 | | |
| 1+50 N.W. | | | 17 | 870 | | |
| 2+00 N.W. | | | 106 | 781 | | |
| +50 N.W. | | | 263 | 624 | | |
| O.B. 4 | | | 031 | 148842 | SEE 8 LINES ABOVE | |
| | 0 73 | 148915 | | | | |
| 16+00 | | | 45 | 846 | | |
| TP | | | 1204 | 147711 | | |
| | 0 35 | 147746 | | | | |
| 16+50 | | | 32 | 7426 | | |
| OB 18 | | | 563 | 147183 | FD 2x2, NAIL & LACo. ENGR. TAG Pg 77- 147185 ✓ REC. ELEV. | |
| OB 31 | | | | 147038 | FD 1x2 & NAIL Pg 18 REC. ELEV. 147038 ✓ | |
| | 5 59 | 1475 97 | | | | |
| 17+00 | | | 52 | 708 | | |
| +50 | | | 55 | 705 | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted. Job No. 0075.99 Division No.
No. X-Sec. Date. Survey of OAKCLIFF RD.
Notes Chkd. C. J. GALLI Checked Survey by C. L. WRIGHT Notes C. L. W. Date 2-16-61
No. Date 2-16-61 Date Map No. Indexed H. E. OH Date

F. B. 2652 PG. 131

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 147597 | | | | |
| 18+00 | | | 55 | 1470 5 | | |
| +50 | | | 60 | 700 | | |
| 19+00 | | | 59 | 701 | | |
| +50 | | | 51 | 709 | | |
| 20+00 | | | 56 | 704 | | |
| +50 | | | 59 | 701 | | |
| 21+00 | | | 63 | 697 | | |
| +50 | | | 52 | 708 | | |
| 22+00 | | | 47 | 713 | | |
| +59.58 | | =OB-32 | 4 49 | 1471 48 | REC. ELEV 1471.50 PG 18, 76 | FD 1x2" I/AIL |
| OB-32 | | =0+00 N. | | 1471 50 | SEE ABOVE-1 LINE. | |
| | 3 71 | 147521 | | | | |
| N. LATERAL 0+50 N. | | | 52 | 700 | | |
| 1+00 N. | | | 69 | 683 | | |
| +50 N. | | | 85 | 667 | | |
| 2+00 N. | | | 98 | 654 | | |
| +50 N. | | | 112 | 640 | | |
| 3+00 N. | | | 126 | 626 | | |
| +50 N. | | | 144 | 608 | | |
| 4+00 N. | | | 164 | 588 | | |



76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 26052 Pg. 132 | Job No. 007599 Division No. | Notes Red | Plotted | Profile
Survey of Oakleaf Rd. | Date | Date | No. | X-Sec.
Survey by C.L. Wright Notes C.L.W. | Notes Chkd. E. J. Calli | Checked
Indexed H. E. Ott Date | Date 2-16-61 Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1475 21 ✓ | | | | |
| 22+50 | | | 39 | 1436 | | |
| 23+00 | | | 53 | 1419 | | |
| +50 | | | 27 | 1425 | | |
| 24+00 | | | 27 | 1425 | | |
| +50 | | | 31 | 1421 | | |
| 25+00 | | | 38 | 1414 | | |
| +50 | | | 51 | 1401 | | |
| 26+00 | | | 72 | 1380 | | |
| +50 | | | 87 | 1365 | | |
| 27+00 | | | 102 | 1350 | | |
| +50 | | | 112 | 1340 | | |
| 28+00 | | | 110 | 1342 | | |
| +50 | | | 96 | 1356 | | |
| 29+00 | | | 73 | 1379 | | |
| +50 | | | 50 | 1402 | | |
| 30+00 | | | 637 | 789 | | |
| OB-32 | | | 371 | 1471 50 | FD 1x2 & NAIL Pg 17,18 REC. ELEV. 1471 50 ✓ | |
| OB-33 | | | | 1500 56 | FD 1x2 & NAIL Pg 17 " ELEV. 1500 56 ✓ | |
| | 468 | 1500 24 | | | | |
| 30+50 | | | 123 | 14929 | | |
| 31+00 72 OB 33 | | | 468 | 1500 56 ✓ | FD 1x2 & NAIL Pg. 17 | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted. Job No. 0075.99 Division No.
No. X-Sec. Date Date Survey of OAK BLUFF RD.
Notes Chkd. C. J. CALL Checked Survey by C. L. WRIGHT Notes C.L.W. Date 2-FEB '61
No. Date 2-16-61 Date Map No. Indexed Date

F. B. 2652 Pg. 133

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| PROFILE + PRELIMINARY LINE & LATERALS AS INDICATED — OAKBLUFF ROAD J.N. 0075.99 | | | | | |
| OB-3 | | | | 149235 | FD. C.E. MON. 2" I.P. BRASS CAP SET CONC. UP 6" ELEV. 149235 Pg. 17, 76 |
| | 5.50 | 149785 | | | |
| S.E. LATERAL | | | | | |
| 0+50 S.E. | | | 141 | 14937 | |
| 1+00 S.E. | | | 147 | 8331 | |
| 1+50 S.E. | | | 102 | 8776 | |
| 2+00 S.E. | | | 51 | 9277 | |
| +50 S.E. | | | 35 | 9433 | |
| 3+00 S.E. | | | +12 | 9900 | |
| +41.1 S.E. | | | +103 | 150811 | |
| OB-3 | | | 550 | 149235 | SEE 9 LINES ABOVE. |
| OB 33 = 0+00 N.W. S.E. & N.E. | | | | 150056 | FD. 1/2" NAIL Pg. 17, 75 |
| | 11.79 | 151235 | | | |
| N.W. LATERAL | | | | | |
| 0+50 N.W. | | | +48 | 15171 | |
| T.P. | | | 1094 | 150141 | |
| | 0.10 | 150151 | | | |
| 1+50 N.W. | | | 81 | 14934 | |
| T.P. | | | 1179 | 148972 | |



76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 134 | Job No. 0075 99 Division No. | Profile
Survey of OAK BLUFF RD. | Date | Notes Red. | No.
Survey by C. L. Wilson Notes C. L. W. | Date | Notes Chkd. C. J. CALLI Checked | X-Sec.
Indexed B. E. OH Date 2-FEB. '61 | Date 2-16-61 Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | | | | 1439 72 | | |
| | 0 26 | 1439 98 | | | | |
| 1+50 N.W. | | | 123 | 777 | | |
| T.P. | | | 1219 | 1477 80 | | |
| | 0 54 | 1478 34 | | | | |
| 2+00 N.W. | | | 79 | 704 | | |
| T.P. | | | 1033 | 1468 01 | | |
| | 6 75 | 1474 76 | | | | |
| OB-32 | | | 330 | 1471 46 | FD 1x2 NAIL Pg. 18, 76 REC ELEV. 1471.50 ✓ | |
| OB-33 = 0+00 N.E. | | | | 1500 56 ✓ | FD. 1x2 NAIL Pg. 17, 75 REC ELEV. 1500 56 ✓ | |
| | 8 70 | 1509 26 | | | | |
| 0+50 | | | 109 | 1499 4 | | |
| 1+00 | | | 143 | 950 | | |
| +50 | | | 156 | 937 | | |
| 2+00 | | | 129 | 964 | | |
| +50 | | | 96 | 997 | | |
| 3+00 | | | 44 | 1504 86 | | |
| +27 21 = OB-34 | | | 135 | 1507 91 | FD. 1x2 NAIL Pg. 17, 75 (ELEV. 1507 86 ✓) | |
| OB-34 | | | | 1507 86 ✓ | " " " " " " " " | |
| | 135 | 1509 21 | | | | |
| 3+50 | | | 90 | 1500 2 | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1509 21 | | | | |
| T.P. | | | 1200 | 149721 | | |
| | 026 | 149747 | | | | |
| | OB-35 | | 1043 | 148704 | FD. 2x2, NAIL & TAG # LA. CO. ENGR. PG. 16, 42, 75 REC ELEV. 148704 | |
| | 185 | 148889 | | | | |
| 4+00 | | | 72 | 14817 | | |
| +50 | | | 111 | 778 | | |
| 5+00 | | | 129 | 760 | | |
| +50 | | | 137 | 752 | | |
| 6+00 | | | 142 | 747 | | |
| +50 | | | 137 | 752 | | |
| +95 31 | =OB-36 | | 1308 | 147581 | FD. 2x2, NAIL & TAG - L.A. CO ENGR. PG. 16, 75 REC. ELEV. 147588 | |
| | OB-37 | | | 148140 | FD 1x2 & NAIL PG 15, 16, 75 ELEV. 148140 | |
| | 721 | 148861 | | | | |
| 7+00 | | | 127 | 14759 | | |
| +50 | | | 118 | 768 | | |
| 8+00 | | | 106 | 780 | | |
| +50 | | | 97 | 789 | | |
| 9+00 | | | 86 | 800 | | |
| +50 | | | 75 | ~~800~~ 811 | | |
| 10+00 | | | 55 | 831 | | |

Profile Notes Red. Plotted Job No. 2075.99 Division No.
No. X-Sec. Date Date Survey of OAKBLUFF RD.
Notes Chkd. U.J. GAULT Checked Survey by C.L. WRIGHT Notes C.L.W. Date 3-FEB.-61
No. Date 2-16-61 Date Map No. Indexed H.E.OTT Date

F. B. 26652 Pg. 135

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 24652 Pg. 136 Job No. 0373.39 Division No. Profile
Survey of Oakcliff Rd Notes Red. Plotted No. X-Sec.
Survey by C.L.W. Notes C.L.W. Date Notes Chkd. Checked No.
Indexed W.R.O.H. Date 3-Feb '61 Date 2-16-61 Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1485.61 | | | | |
| 10+09 | | | 5.7 | 1479.29 | | Top Bank. |
| +24 | | | ~~8.0~~ 7.6 | ~~1477.06~~ 1479.06 | | F.L. - Wash |
| +50 | | | 6.9 | 817. | | |
| +54 | | | 5.2 | 834 | | Top Brk |
| 11+00 | | | 4.5 | 841. | | |
| +50 | | | 4.0 | 846. | | |
| 12+00 | | | 2.8 | 858. | | |
| +50 | | | 2.1 | 865 | | |
| 13+00 | | | 1.6 | 870. | | |
| +50 | | | 1.2 | 874. | | |
| T.P. | | | 1.52 | 1487.09 | | |
| | 8.12 | 1495.21 | | | | |
| 14+00 | | | 7.2 | 838. | | |
| +65.97 = OB-38 = 0+00 S.W. | | | 6.45 | 1488.76 | TD 1x2 $ NAIL DN. 2" Pk. 15,73 Elev. 1488.90 | |
| LATERAL FROM OB-37 S.E. TO B-8 | | | | | | |
| OB-38 | | | | 1495.30 | SEE 2 LINES ABOVE | |
| | 6.45 | 1495.25 | | | | |
| 5+50 S.E. | | | 1.23 | 1472.9 | | |
| 1+00 S.E. | | | 1.06 | 846 | | |
| +42 S.E. | | | 1.07 | 845 | OB-37 = 9+56.89 = 0+00 S.E. | Top Bank |



76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 149525 | | | | |
| 1+50 S.W. | | | 135 | 1491.7 | | |
| 1+66 S.W. | | | 215 | 737 | | P. L. - WASH |
| +82 P.I. | | | 285 | 867 | | 70= BRK. |
| 2+00 P.I. | | | 89 | 863 | | |
| +50 P.I. | | | 79 | 873 | | |
| 3+00 P.I. | | | 61 | 891 | | |
| +50 P.I. | | | 55 | 897 | | |
| 4+00 P.I. | | | 41 | 911 | | |
| +50 P.I. | | | 33 | 919 | | |
| +86.24 SEE B-8 | | | 158 | 9367 | FD. 1X2 9/16" P.L. Pg. 41 | |
| LATERAL FROM OB-38 S.W. TO B-8 | | | | | | |
| OB-38 = 0+00 S.W. | | | 645 | 1483.80 | FD 1X2 9/16" P.L. IN 2" Pg. 15, 73 ELEV. 1483.80 | |
| 0+50 S.W. | | | 54 | 898 | | |
| 1+00 S.W. | | | 48 | 904 | | |
| +50 S.W. | | | 34 | 918 | | |
| 2+00 S.W. | | | 26 | 926 | | |
| +23.03 S.W. = B-8 | | | 158 | 9367 | FD 1X2 9/16" NAIL Pg. 41 | |
| OB-38 | | | 645 | 1488.80 | SEE 6 LINES ABOVE | |




Profile Notes Red Job No. 2675.29 Division No.
No. X-Sec. Date Survey of OAK KNOLL NO. 9
No. Notes Chkd C. J. GALL Date Checked Survey by G. L. WILLIAMS Notes C.L.W. Date 3-FEB-61
Date 2-16-61 Date Map No. Indexed H. E. OTT Date

F. B. 2652 Pg. 137

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 138 — Job No. 0075.99 — Division No. — Profile No. — X-Sec. No.

Survey of Oak Bluff Rd. — Notes Red. — Date — Plotted —

Survey by C. L. Wright Notes R. C. Bowers — Date 3-Feb. '61 — Notes Chkd. C. J. Galli — Date 2-16-61 — Checked —

Indexed Bi. E. On

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| PROFILE - OAKBLUFF RD. PRELIMINARY LINE - OB-38 TO OB-40 | | | | | J.N. 0075.99 | |
| 14+65.97 = OB-38 | | | | 1488.80 ✓ | Fd. OB-38, 1X2 ℄N. Elev = 1488.80 | F.B. 2652-15 DN 2" |
| | 9.54 | 1498.34 | | | | |
| 15+00 | | | 9.1 | 1489.2 | | |
| +50 | | | 7.9 | 1490.4 | | |
| 16+00 | | | 6.8 | 1491.5 | | |
| +50 | | | 6.1 | 1492.2 | | |
| 17+00 | | | 5.2 | 1493.1 | | |
| +45.7 | | | 5.2 | 1493.1 | ℄ of dirt Rd. | |
| +50 | | | 5.4 | 1492.9 | | |
| 17+66.80 = OB-39 | | | 2.31 | 1496.03 | Fd. OB-39, 1X2 ℄N. Elev = 1495.99 ✓ | F.B. 2652-15 |
| 17+66.80 OB-39 | | | | 1495.99 ✓ | Fd. OB-39 See 2 lines Above | |
| | 10.88 | 1506.87 | | | | |
| 18+00 | | | 10.9 | 1496.5 | | |
| +50 | | | 9.4 | 1497.5 | | |
| 19+00 | | | 8.6 | 1498.3 | | |
| +50 | | | 7.5 | 1499.4 | | |
| 20+00 | | | 6.2 | 1500.7 | | |
| +50 | | | 4.7 | 1502.2 | | |

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1506.87 ✓ | | | | |
| 21+00 | | | 3.7 | 1503.2 | | |
| +50 | | | 2.5 | 1504.4 | | |
| 22+00 | | | 1.2 | 1505.7 | | |
| +50 | | | 0.1 | 1506.8 | | |
| T.P. | | | 0.03 | 1506.84 | | |
| | 10.08 | 1516.92 ✓ | | | | |
| 23+00 | | | 9.7 | 1507.2 | | |
| +50 | | | 9.1 | 1507.8 | | |
| 24+00 | | | 8.0 | 1508.9 | | |
| +50 | | | 5.6 | 1511.3 | | |
| 25+00 | | | 5.7 | 1511.2 | | |
| +50 | | | 5.7 | 1511.2 | | |
| 26+00 | | | 4.3 | 1512.6 | | |
| +50 | | | 3.9 | 1513.0 | | |
| 26+73.02 = O.B.-40 | | | 3.17 | 1513.75 | Fd. O.B.-40, 1x2¢ N. Elev. 1513.72 ✓ | F.B. 2652-14 |

Profile Notes Red_____ Plotted_____ Job No. 0075.99 Division No._____ F.B. 2652 Pg. 139

No._____ Date_____ Date_____ Survey of OAK BLUFF RD.

X-Sec. Notes Chkd C. J. GALLI Checked_____ Survey by C.L. WRIGHT Notes R.C.B. Date 3 FEB. 61

No._____ Date 2-10-61 Date_____ Map No._____ Indexed H.E.OM Date_____

F. B. 2652 Pg. 140

Job No. Division No. Notes Red. Plotted Profile

Survey of Date Date No.

Survey by Notes Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

76298 S & E #307—7-55

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

**Do not extend notes this side of this line.**

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 00238 Division No.
No. X-Sec. Date Date Survey of OAK BLUFF RD
Notes Chkd. Checked Survey by Hensley & Nolte Date Feb 3, '61
No. Date Date Map No. Indexed Date FEB 23 61

F. B. 2652 PG. 141

| STATION | B. S. | H. I. | F. S. | ELEV. | OAK BLUFF RD "P" LN PROFILE | |
|---|---|---|---|---|---|---|
| | | | FROM "OB40" | TO "OB41" | P="PLN | |
| 0+00 OB40 (Fd) | | | | 1513.72 | TBM OB40 EL 1513.72 2"x2" Stk & Co. Tag. | P FB2652-14 |
| +50 | | | | 13.8' | | P |
| 1+00 | | | | 14.2' | | P |
| +50 | | | | 14.8' | | P |
| 2+00 West edge of Ditch | | | | 15.8' | | P |
| +10 F.L. of Ditch | | | | 14.6' | | P |
| ±20 East edge " | | | | 16.5' | | P |
| +50 | | | | 16.7' | | |
| +80 | | | | 16.7' | | |
| 2+92' West edge small wash | | | | 15.2' | | |
| 3+00 East " | | | | 15.4' | | |
| +21 Toe of slope | | | | 17.8' | | |
| T.P. | | | | 1518.07' | | |
| T.P. | | | | 1526.99' | | |
| 3+50 | | | | 28.6' | | |
| +61.5 Top of slope | | | | 33.0' | | |
| 3+73.27 OB41 | | | | 1534.90' | TBM OB41 EL 1534.88' 1"x2" Stk & Nail | FB2652-14 |
| LATERAL LN TO THE W.S.W. from OB41 | | | | | L="P" LN LATERAL To B-6 | |
| 0+00 W.S.W. OB41 | | | | 1534.9' | | P&L |
| 0±15 Top of slope | | | | 32.7' | | L |
| +50 | | | | 1520.0' | | L |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 142 Job No 20753 Division No Profile
Survey of OAKBLUFF RD Notes Red Date No X-Sec.
Survey by Montoya Notes Chkd Date Checked No.
Indexed Date Date

| STATION | B. S. | H. I. | F. S. | ELEV. | OAK BLUFF RD "P" LN PROFILE |
|---|---|---|---|---|---|
| | | LATERAL LN OB41 TO BG (Cont) | | | L = P" LN of Lateral |
| 0+60 | Toe of Slope | | | 1517.8' | L |
| +61.5 | East edge Wash | | | 15.4 | " |
| +66 | West " " | | | 15.4' | " |
| 0+69 | " Bank " | | | 17.8' | " |
| 1+00 | | | | 1518.3' | " |
| +50 | | | | 18.4' | " |
| +72 | Top Bank | | | 18.5' | " |
| +85 | CTR DITCH | | | 17.5' | " |
| 2+00 | Top Bank | | | 1518.6' | " |
| +50 | | | | 18.9 | " |
| 3+00 | | | | 19.5' | " |
| +50 | | | | 19.8 | " |
| 4+00 | | | | 1519.9' | " |
| +50 | | | | 19.4' | " |
| 5+00 | | | | 19.8' | " |
| 5+59.18 | BG | | | 1519.1' | " |
| | "P" LN FROM OB41 TO OB42 | | | | P = "P" LN |
| 3+73.27 | OB41 | | | 1534.90' | P |
| 4+00 | | | | 34.6' | P |
| +50 | | | | 1534.5' | P |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 67539 Division No.
No. X-Sec. Date Date Survey of OAK BLUFF RD
Notes Chkd. Checked Survey by ETTY & Notes ETTY Date
No. Date Date Map No. Indexed H. E. OTT Date

F. B. 2652 Pg. 143

| STATION | B. S. | H. I. | F. S. | ELEV. | OAK BLUFF RD "P" LN PROFILE |
|---|---|---|---|---|---|
| | | "P" LN FROM OB 41 TO OB 42 (cont) | | | |
| 5+00 | | | | 1532.4 | P |
| +31.5 | Bot of Vertical Cut | | | 1528.4 | P |
| +31.5 | Top " " | | | 40.1 | P |
| 5+50 | | | | 39.7 | P |
| T.P. | | | | 1539.05 | |
| 5+85 | | | | 43.8 | P |
| 6+00 | | | | 43.0 | P |
| 50 | | | | 38.9 | P |
| 7+00 | | | | 1544.0 | P |
| TP | | | | 1547.79 | |
| 7+49 | | | | 53.0 | P |
| TP | | | | 1556.72 | |
| TP | | | | 1565.13 | |
| TP | | | | 1574.07 | |
| 8+00 | | | | 79.1 | P |
| +10 | | | | 83.6 | P |
| TP | | | | 1582.87 | |
| 8+45.60 | OB 42 | (Continued on pg 146) | (out) | 1592.46 | TBM OB 42 EL 1592.46 FB 2652-14 |
| | | | (in) | 1592.51 | 1"x 2" STK & COENG TAG. |

76L-298 S & E #307—1-56

10.62
3.3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

1534.6
2.13

Do not extend notes this side of this line.

F.B. 26652 Pg. 144 Job No. 007529 Division No. Profile
Survey of OAKBLUFF RD. No. X-Sec.
Survey by ETTA Notes OAKBLUFF RD. Notes Red. Plotted
Indexed M.E. Ott Date Notes Chkd. Date Checked Date

| STATION | B. S. | H. I. | F. S. | ELEV. | OAKBLUFF RD "A" LN PROFILE |
|---|---|---|---|---|---|
| | SSW. LATERAL LN FROM "OB4Z" TO B3 | | | | L="PLN. on Lateral" |
| 0+00 (Going SSW) | | OB4Z | | 1592.16' | L |
| +20 | | | | 95.6' | L |
| +41 | | | | 92.7' | L |
| +50 | | | | 89.6' | L |
| T.P. | | | | 1587.12 | |
| +80 | | | | 80.2' | L |
| 1+00 | | | | 77.3' | L |
| TP | | | | 1577.72' | |
| 1+08 | | | | 76.0' | L |
| +25 | | | | 70.4' | L |
| TP | | | | 1569.21' | |
| T.P. | | | | 1560.40' | |
| 1+50 | | | | 58.0' | L |
| TP | | | | 1551.35' | |
| 1+80 | Toe Slope | | | 43.2' | L |
| TP | | | | 1543.34' | |
| 2+00 | Top Bank | | | 40.0' | L |
| 2+03 | | | | 35.9' | L |
| 2+33.68 TP | B-3 | | | 1532.3' 1534.90' | L |
| TBM OB A1 | | | | 1534.86' | TBM OB A1 EL 1534.80' FB 26 Pg 14 |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 0253.39 Division No.
No. X-Sec. Date Date Survey of OAKBLUFF RD.
Notes Chkd. Checked Survey by Hankey & Notes STAFF Date 2-5a-64
No. Date Date Map No. Indexed H. E. ON Date

F. B. 2652 Pg. 175

OAKBLUFF RD. "A" LN PROFILE

J.S.W. LATERAL LN FROM "OB 42" TO "B-3" PRODEO N.N.E. L=Lateral LN 250'

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| 0+00 (Going N.N.E.) OB 42 (Fd) | | | | 1592.16 | TBM OB 42 EL 1592.16 FB 2652-14 | |
| T.P. | | | | 1585.58 | ✓ | |
| T.P. | | | | 1577.45 | ✓ | |
| +50 | | | | 74.8 | ✓ | L |
| T.P. | | | | 1569.16 | ✓ | |
| T.P. | | | | 1560.72 | ✓ | |
| 1+00 | | | | 54.6 | ✓ | L |
| T.P. | | | | 1552.23 | ✓ | |
| T.P. | | | | 1542.98 | ✓ | |
| +50 | | | | 39.8 | ✓ | L |
| T.P. | | | | 1534.91 | ✓ | |
| 1+78 | Toe Slope | | | 33.2 | ✓ | L |
| 2+00 | | | | 30.5 | ✓ | L |
| +50 | | | | 27.2 | ✓ | L |
| T.P. | | | | 1535.93 | ✓ | |
| T.B.M. OB 41 | | | | 1534.90 | TBM OB 41 EL. 1534.89 ✓ 1X2 STK & NAIL | FB 2652-14 |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 14 | Job No. 007599 | Division No. | Notes Red | Plotted | Profile
Survey of Oakbluff Rd | Date | No. | X-Sec.
Survey by Hanley & Notes E. Ott | Notes Cbkd | Checked
Indexed E. E. Ott | Date | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | OAKBLUFF RD. "P" LN PROFILE |
|---|---|---|---|---|---|
| | "P" LN FROM "OB42" TO "A-1" | | | | P = "P" LN |
| 8+45.60 | OB42 | | | 1592.46 | TBM ELEV. 1592.46 FB 2652-14 P |
| 8+80 | | | | 88.9' | P |
| 9+00 | | | | 88.5' | P |
| +50 | | | | 88.1' | P |
| +80 | | | | 1589.2' | P |
| 10+00 | | | | 92.2' | P |
| +20 | | | | 94.0' | P |
| +50 | | | | 93.2' | P |
| 11+00 | Top Slope | | | 1592.9' | P |
| TP | | | | 1599.72 | |
| 11+32 | Top Bank | | | 79.4' | P |
| +36 | West edge of RD | | | 72.3' | P |
| 11+63 | East " " " | | | 73.9' | P |
| +69 | Top Bank | | | 1579.2' | P |
| 12+00 | | | | 93.2' | P |
| +35 | | | | 1607.7' | P |
| +50 | | | | 089' | P |
| A-1 | | | | 1605.1' | 1"x2" & Tag |
| TP | | | | 1608.30 | |
| 12+86 | | | | 1611.7' | P |
| 13+00 | | | | 1610.9' | P |

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 20752 Division No.
No. X-Sec. Date Date Survey of OAKBLUFF RD
No. Notes Chkd. Checked Survey by Manley Notes by ETM Date 2-6-61
Date Date Map No. Indexed H.E.OH. Date

F. B. 2652 PG. 17

| STATION | B. S. | H. I. | F. S. | ELEV. | OAKBLUFF RD. "P" LN. PROFILE |
|---|---|---|---|---|---|
| | "P" LN OB 42-"A-1" (Cont) | | | | |
| 13+50 | | | | 1613.3' | P |
| 14+00 | | | | 17.0' | P |
| T.P. | | | | 1617.77' | |
| 14+50 | | | | 20.0' | P |
| 15+00 | | | | 23.0' | P |
| 15+25 | | | | 27.0' | P |
| TP | | | | 1625.28 | |
| | | | (Out) 27.90 | | TBM A-1 EL 1627.90 ✓ FB 2652-30 |
| 15+57.64 | A-1 | | ON | 1627.93 | 1"x 2" Stk. & Nail |
| | "P" LN "A-1" TO OB 45" | | | | |
| 15+63.6 | Top Bank | | | 1627.8 | P |
| +64.6 | Bot Bank | | | 23.9' | P |
| +77 | | | | 20.9 | P |
| 16+00 | | | | 23.6' | P |
| +50 | | | | 1528.1' | P |
| 16+96 | Bot Bank | | | 32.8' | P |
| TP | | | | 1633.46' | |
| 16+97 | Top Bank | | | 36.1' | P |
| 17+50 | | | | 41.5' | P |
| TP | | | | 1640.71 | |
| 17+81.84 | OB-45" | | | 1646.88 | TBM EL 1646.88 ✓ FB 2652-16 2"x 2" Stk & Tag |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 26652 Pg. 148 Job No. 007393 Division No. Notes Red. Plotted. Profile
Survey of OAK BLUFF RD Date. No. X-Sec.
Survey by STAFF Notes Mankayan Notes Chkd. C. J. GA Checked. No.
Indexed by C. M. Date 2-18-61 Date. Date.

OAK BLUFF RD. "P" LN PROFILE

LATERAL LN to NORTH FROM "OB-45" to "A-4" L=Lateral LN.

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| 0+00 "OB-45" Going No. | | | | 1646.88 | L |
| | 0.0 | 1646.9 | | | |
| TP | | | 12.3 | 1634.6' | |
| | 0.0' | 1634.6' | | | |
| 0+50 TP | | | 12.6' | 1622.0. | L |
| | 4.0' | 1626.0' | | | |
| TP | | | 8.0' | 1618.0'. | |
| | 0.0' | 1618.0' | | | |
| TP | | | 12.0' | 1606.0'. | |
| | 0.0' | 1606.0' | | | |
| 1+00 | | | 7.5 | 1598.5'. | L |
| TP | | | 12.0' | 1594.0'. | |
| | 0.0' | 1594.0' | | | |
| 1+35 | | | 8.7' | 85.3'. | L |
| TP | | | 12.0' | 1582.0. | |
| | 6.0' | 1588.0' | | | |
| 1+55 | Bot of Draw | | 12.5' | 1575.5'. | L |
| +63 | | | 8.2' | 79.8'. | L |
| 2+00 | | | 0.2' | 87.8 | |
| TP | | | 0.0' | 1588.0'. | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

OAKBLUFF RD "P" LN PROFILE

LATERAL LN to North 08-45-A-4" (Cont) L=Lateral LN (PG 148)

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| TP | | | | 1588.0' | |
| | 12.0 | 1600.0' | | | |
| TP | | | 0.0 | 1600.0 | |
| | 12.0' | 1612.0' | | | |
| 2+50 | | | 4.9' | 1607.1' | L |
| TP | | | 3.9' | 1608.1' | |
| | 8.9 | 1617.0' | | | |
| 2+71 | | | 3.5' | 1613.5' | L |
| 3+00 | | | 3.2' | 1613.8' | L |
| +13 | | | 5.1 | 1611.9' | L |
| TP | | | 11.0 | 1606.0 | |
| | 0.0 | 1606.0' | | | |
| 3+50 | | | 10.2' | 1595.8 | L |
| TP | | | 12.0 | 1594.0' | |
| | 2.0' | 1596.0' | | | |
| 3+73 | Bot of Draw | | 7.3 | 1588.7' | L |
| 3+94 | | | 3.7 | 1592.3' | L |
| 4+00 | | | 1.5 | 1594.5' | L |
| TP | | | 0.0 | 1596.0' | |

Profile Notes Red. Plotted Job No. 02259 Division No.
No. X-Sec. Date Date Survey of OAKBLUFF RD
Notes Chkd. C. J. GALL Checked Survey by Hunkeler Date 2-6-61
No. Date 2-18-61 Date Map No. Indexed Date

F. B. 2652 Pg. 149

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2652 Pg. 150 Job No 20275 Division No. Profile
Survey of OAK BLUFF RD. Notes Red Plotted No. X-Sec.
Survey by ETM & Notes Memos, Sketches, Notes Checked GAL Checked No.
Indexed R.E.D. Date Date 2-18-64 Date

| STATION | B. S. | H. I. | F. S. | ELEV. | OAK BLUFF RD "D" LN PROFILE |
|---|---|---|---|---|---|
| LATERAL to No. "OB-45" to "A-4" (Cont) | | | | | L = Lateral LN |
| TP | | | | 1596.0' | (PG 149) |
| | 9.2 | 1605.2' | | | |
| 4+21. | | | 2.5' | 1602.7' ✓ | L |
| 4+39.89 A-4 | | | 0.0 | 1605.2' ✓ | TBM EL 1605.1' FB 2652-146 1"x2" stk & Tag |
| LATERAL to So. "OB45"-"A-4" Proxied So. 250' | | | | | L = Lateral LN |
| 0+00 "OB-45" Going South, | | | | 1646.9 ✓ | L |
| | 3.1 | 1650.0 | | | |
| 0+10 | | | 0.3 | 49.7' ✓ | L |
| +20 | Top of Cut | | 0.6 | 49.4' ✓ | L |
| +24 | Bot of " | | 4.6 | 1645.4' ✓ | |
| +38 | Top of Bank | | 3.7 | 46.3' ✓ | L |
| +41 | Bot. " | | 9.2' | 40.8 ✓ | L |
| 0+50 TP | | | 10.9' | 39.1' ✓ | L |
| | 0.9 | 1640.0 | | | |
| 0+65 | | | 1.1 | 1638 9 ✓ | L |
| +85 | | | 9.7' | 30.3' ✓ | L |
| 1+00 | | | 11.2' | 28.8' ✓ | L |
| +16 | | | 11.5' | 28.5' ✓ | L |
| TP | | | 12.0 | 1628.0' ✓ | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Rod Plotted Job No. 007529 Division No.
No. X-Sec. Date Date Survey of OAK BLUFF RD
Notes Chk. C. J. GALL Checked Survey by MEULEMANS Notes ENTERED Date 2-7-61
No. Date 2-18-61 Date Map No. Indexed H.E.ON Date

F. B. 2652 Pg 15

| STATION | B. S. | H. I. | F. S. | ELEV. | OAK BLUFF RD "P" LN PROFILE |
|---|---|---|---|---|---|
| | LATERAL LN 50. | OB45-"A-4" | PROCEED 50. (Cont.) | | |
| TP | | | | 1628.0 | PG 150 |
| | 0.0 | 1628.0 | | | |
| 1+50 | | | 6.7' | 21.3' | ✓ 4 |
| +79 | | | 9.6' | 18.4' | ✓ 4 |
| TP | | | 12.0' | 1616.0' | ✓ |
| | 3.0 | 1619.0' | | | |
| 2+00 | | | 9.1 | 1609.9 | ✓ 4 |
| 2+15 | | | 9.2' | 09.8' | ✓ 4 |
| +27 | | | 4.4' | 14.6' | ✓ 4 |
| 2+41 | | | 0.1' | 18.6' | ✓ 4 |
| TP | | | 0.0 | 1619.0' | ✓ |
| | 2.9 | 1621.9' | | | |
| 2+50 | | | 0.0' | 1621.9' | ✓ 4 |
| TP | 3.1 | 1624.0 | | | |
| TP | | | 0.0' | 1624.0 | ✓ |
| | 12.0 | 1636.0 | | | |
| TP | | | 0.0 | 1636.0' | ✓ |
| TP | 12.0 | 1648.0 | 0.0 | 1648.0' | ✓ X |
| TBM OB45 | 5.0 | 1653.0 | 6.3 | 1646.7' | TBM OB 45 EL 1644.88 FB 2652-16 |

76L-298 S & E #207—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 52 Job No. 0025.99 Division No. Notes Red. Plotted Profile
Survey of OAKBLUFF RD Date No X-Sec.
Survey by ETT + Notes PENZKEY etc. Notes Chkd. C. J. GALL Checked No.
Indexed By S. W. Date Date 2-18-61 Date

| STATION | B. S. | H. I. | F. S. | ELEV. | OAKBLUFF RD "P" LN PROFILE |
|---|---|---|---|---|---|
| "P" LN FROM "OB-45" TO "OB 54" | | | | | P-"P" LN |
| 1748.84 "OB-45" | | | | 1646.88 | "TBM OBAS EL 1646.88" FB 2652-16 2"x2" STK & TBS |
| | 11.48 | 1658.36 | | | |
| 18+00 | | | 7.7' | 1650.7 | P |
| +15 | Top | Bank | 8.2' | 50.2 | P |
| +28 | Bot | " | 10.0 | 48.4' | P |
| 18+50 | | | 9.0' | 49.4 | P |
| 19+00 | | | 4.3' | 1654.1' | P |
| +33 | Top Bank | | 1.6' | 56.8' | P |
| +36 | Bot Bank | | 8.3' | 50.1' | P |
| 19+50 | | | 9.0 | 49.4' | P |
| +69 | | | 5.9' | 1652.5 | P |
| 20+00 | | | 14.8' | 43.6' | P |
| +16 | | | 17.4' | 41.0' | P |
| 20+50 | | | 7.2' | 51.2 | P |
| +68 | | | 2.7 | 1655.7 | P |
| TP | 11.75 | 1669.36 | 0.75 | 1657.61 | |
| 20+95 | | | 4.0' | 65.4 | P |
| 21+00 | | | 3.3' | 66.1 | P |
| 21+04 | | | 2.6' | 66.8 | P |
| TP | | | 0.52' | 1668.84 | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted. Job No. 27522 Division No.
No. X-Sec. Date Date Survey of OAK BLUFF RD
Notes Chkd. C. J. GALL Checked Survey by Manley Notes E. TRUCKS Date FEB 7 '61
No. Date 2-16-61 Date Map No. Index H. E. OTT Date

F. B. 2652 Pg. 153

OAK BLUFF RD. "P.L.N. PROFILE

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| P.L.N. From OB45-OB54 (Cont) | | | | | |
| TP | 11.77 | 1680.61 | | 1668.84 | PG 152 |
| 21+12 | | | 9.2' | 1671.4' | P |
| TP | 12.04 | 1692.20 | 0.45 | 1680.16' | |
| 21+50 | | | 5.1 | 87.1' | P |
| TP | 11.68 | 1703.34 | 0.54 | 1691.66' | |
| TP | 10.35' | 1713.67 | 0.02' | 1703.32' | |
| 22+00 | | | 0.6 | 13.1' | P |
| TP | 11.71 | 1725.10 | 0.28' | 1713.39' | |
| 22+26.87 | OB54 | T.P. | 6.24 | 1718.86' | P |
| LATERAL LN No. 3 | | 50' from "OB54" & 109° in S.W. quad. off of LN. "OB54"-"OB45" | | | |
| 0+00 "OB-54" Going South | | | | | |
| TP | 0.91 | 1719.77' | | 1718.86' | |
| TP | 0.32 | 1708.19' | 11.90 | 1707.87' | |
| 0+50 | | | 12.0 | 1696.2' | L |
| TP | 0.42' | 1696.42' | 12.19' | 1696.00' | |
| | 0.27' | 1684.83' | 11.86' | 1684.56' | |
| 1+00 | | | 10.5 | 74.3' | L |
| T.P. | 0.77 | 1673.27' | 12.33 | 1672.50' | |
| T.P. | 0.20 | 1661.31' | 12.16 | 1661.11' | |
| 1+50 | | | 10.5 | 30.8' | L |

76L-295 S & E #307—1-56

PLEASE RETURN TO
**LOS ANGELES COUNTY ENGINEER**
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 154 Job No. 00753 Division No. Profile
Survey of OAKBLUFF RD. Notes Red Date No.
Survey by ETMD/C Notes Ranges Etc. Date X-Sec.
Indexed Date Notes Chkd. C. J. GALL Checked
Date 2-18-61 Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| T.P. | | 1661.31 | 12.10 | |
| | 0.13 | 1649.34 | | 1649.21 |
| 1+78.5 | | | 6.7 | 42.6 |
| +84 | | | 9.6 | 39.7 |
| 2+00 | | | 5.4 | 43.9 |
| +18 | | | 4.5 | 1644.8 |
| 2+50 | | | 14.0 | 35.3 |
| +70 | | | 21.0 | 28.3 |
| 3+00 | | | 20.0 | 29.3 |
| +29 | | | 17.1 | 1632.2 |
| +50 | Bot of Bank | | 20.1 | 1628.9 |
| 3+51 | Top of Bank | | 15.1 | 34.2 |
| T.P. | 12.26 | 1661.46 | 0.14 | 1649.20 |
| T.P. | 11.73 | 1672.53 | 0.66 | 1660.80 |
| T.P. | 12.18 | 1684.56 | 0.15 | 1672.38 |
| T.P. | 11.61 | 1695.84 | 0.33 | 1684.23 |
| TP | 11.63 | 1706.57 | 0.90 | 1694.94 |
| TP | 12.43 | 1718.90 | 0.10 | 1706.47 |
| TBM "OB-54" | | | 0.07 | 1718.83 |

OAKBLUFF RD P'LN PROFILE
LATERAL LN. 50. (Cont)

| | |
|---|---|
| | 4 |
| | 4 |
| | 4 |
| | 4 |
| | 4 |
| | 4 |
| | 4 |
| | 4 |
| | 4 |
| | 4 |
| | 4 |
| | 4 |
| | 4 |
| TBM "OB45" EL 1718.86 | FB 2652-153 |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES, ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

OAKBLUFF RD "P" LN PROFILE

"P" LN "OB 54" to "OB-A7"  P="P" LN

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| 22+26.87 OB 54 | | | | 1718.86 | TP FB 2652-153 |
| | 7.00 | 1725.86 | | | |
| +50 | | | 4.4 | 1721.5 | P |
| +59 | | | 4.1 | 21.8 | P |
| 22+88 | Bot Bank | | 7.1 | 1718.8 | P |
| +90 | Top " | | 1.6' | 24.3 | P |
| 23+00 | | | 1.4' | 24.5 | P |
| +14 | | | 2.1 | 23.8 | P |
| +50 | | | 4.9 | 1721.0 | P |
| 24+00 | | | 8.1' | 17.8 | P |
| +33 | | | 9.9 | 16.0' | P |
| +50 | | | 3.2' | 22.7 | P |
| TP | 11.84 | 1737.40 | 0.30 | 1725.56 | |
| 25+00 | Top of Ridge | | (+)5.7' | 1743.1' | P |
| TP | 1.23 | 1726.71 | 11.92 | 1725.48 | |
| 25+50 | | | 2.0 | 24.7 | P |
| TP | 0.81 | 1716.44 | 11.08 | 1715.63 | |
| 26+00 | | | 8.5 | 07.9' | P |
| +50 | | | 22.0 | 1694.4 | P |
| 27+00 | | | 13.4 | 1703.0' | P |

Profile  Notes Rec.  Plotted  Job No. 42-2352 Division No.
No. X-Sec.  Date  Date  Survey of OAKBLUFF RD
Notes Chkd. C. J. GALLI Date  Survey by MCCLOY Notes FEB 8 64
No.  Date 2-18-64 Date  Map No.  Indexed H. E. W. Date  Date
F. B. 2652 PG. 153

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 156
Survey of OAKBLUFF RD. Division No. Job No 002539 Profile
Survey by ETTINGER/NOTES MANKEWICZ Notes Red Date No. X-Sec.
Indexed N. B. 013 Date Notes Chkd Date 2-18-61 Checked Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | OAKBLUFF RD "P" LN PROFILE |
|---|---|---|---|---|---|
| | | "P" LN "OB 54" - "OB-47" (Cont'd) | | | P-T LN |
| | | 1716.44 | | | PG 155 |
| 27+21 | | | 12.5' | 03.9' | P |
| 27+50 | | | 15.4' | 1701.0' | P |
| TP | 0.98 | 1705.42 | 12.00' | 1704.44' | |
| TP | 0.70 | 1694.01 | 12.11' | 1693.31' | |
| 28+00 | | | 6.2' | 87.8' | P |
| TP | 0.15 | 1682.32 | 11.84' | 1682.17' | |
| +27 | | | 4.7' | 77.6' | P |
| +50 | | | 8.6' | 73.7' | P |
| TP | 1.25 | 1671.81 | 11.76' | 1670.56' | ✓ |
| 28+75.14 "OB-47" | | | 4.52' | 1667.29' | TBM OB-47 EL 1667.24 FB 2652-9 1"x2" STK #NG11 |
| | | LATERAL LN WEST "OB-47" to "OB-2" | | | L = lateral |
| 0+00 "OB-47" | Going West + | | | 1667.24' | |
| | 2.39 | 1669.63 | | | |
| 0+50 | | | 9.6 | 60.0' | L |
| TP | 0.83 | 1658.47 | 11.99 | 1657.64' | |
| +85 | | | 1.3 | 57.2' | L |
| 1+00 | | | 3.3 | 55.2' | L |
| TP | | | 11.59 | 1646.88' | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

OAKBLUFF RD "P" LN PROFILE

LATERAL LN WEST "JB-12+00B-2" (Cont.) L=Lateral Ln.

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| TP | 0.47 | 1647.35 | | 1646.88 | PG 156 |
| 1+50 | | | 7.2 | 40.2 | L |
| 2+00 | | | 14.8 | 32.6 | L |
| 2+17 | | | 12.7' | 34.7 | L |
| +32 | | | 14.1' | 1633.3 | L |
| +50 | | | 10.4' | 37.0 | L |
| +87 | | | 1.0' | 46.4' | L |
| 3+00 | | | 1.9 | 45.5 | L |
| +15 | | | 4.5' | 1642.9' | L |
| TP | 12.17 | 1659.20 | 0.32 | 1647.03 | |
| +50 | | | 1.5 | 57.7 | L |
| TP | 11.74 | 1670.79 | 0.15' | 1659.05 | |
| TP | 12.03 | 1682.30' | 0.52 | 1670.27' | |
| 3+75 | | | 8.5' | 73.8 | L |
| +88 | | | 7.2' | 75.1' | L |
| TP | 11.69 | 1693.71' | 0.28 | 1682.02' | |
| 4+00 | | | 11.0 | 82.7' | L |
| TP | 12.01 | 1704.45' | 1.27' | 1692.44 | |
| TP | | | 0.13' | 1704.32 | |

Profile Notes Red. Plotted Job No. 22753 Division No.
No. X-Sec. Date Date Survey of OAKBLUFF RD
Notes Chkd. L. L. GALLI Checked Survey by Manley Notes KITT Date FEB 9 '61
No. Date 2-18-61 Date Map No. Indexed H. E. OH Date

F. B. 26652 Pg. 157

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 158 Job No 00259 Division No. Notes Red Plotted Profile
Survey of OAK BLUFF RD Date Date No. X-Sec.
Survey by Engineering Notes Mr. Lee & Crew Notes Chkd. C. L. Gill Checked
Indexed Date Date 2-15-61 Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | OAK BLUFF RD "P" LN. |
|---|---|---|---|---|---|
| LATERAL LN "OB-17+00 OB-2" (Cont) | | | | | |
| TP | 5.13 | 1709.45 | | 1704.32 | TP PG 157 |
| 4+44 | | | 3.8 | 05.7' | |
| +50 | | | 2.4' | 07.1 | |
| 4+58.57 "OB 2" | | | 1.7 | 1707.67 | TBM OB 2 EL 1707.67 FB 2652-9 1½ IP with BR. SPK. & Washer Stamped RE 5869 in Conc Plug |
| LATERAL LN. NE "OB-47" to "OB-1" | | | | | |
| 0+00 "OB-47" Going NE | | | | 1667.24 | TBM OB 47 EL 1667.24 FB 2652-9 |
| | 0.22 | 1667.46' | | | |
| T.P. | | | 11.46 | 1656.00 | |
| | 0.0' | 1656.0' | | | |
| 0+37 | | | 0.9 | 55.1' | |
| +56 | | | 4.0 | 52.0' | |
| TP | 0.0' | 1644.0' | 12.0 | 1644.0' | |
| 1+00 | | | 2.2' | 41.8' | |
| +19 | | | 8.6 | 35.4' | |
| TP | 0.0' | 1632.0' | 12.0 | 1632.0' | |
| 1+50 TP | 0.0 | 1621.3' | 10.7 | 1621.3' | |
| TP | 0.4 | 1610.0' | 11.7 | 1609.6' | |
| 2+00 | | | 9.4 | 1600.6 | |
| +22 | | | 14.2' | 1595.8' | |
| 2+31 | | | 13.9 | 1596.6' | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | OAK BLUFF RD "P" LN PROFILE |
|---|---|---|---|---|---|
| | | | | | LATERAL LN. OB 47-OB-1 (Cont) L=Lateral LN |
| | | 1610.0 | | | PG 158 |
| 2+50 | | | 8.8' | 1601.2 | |
| 2+64.06 "OB-1" | | | 4.5' | 1605.5' | TBM OB 1 EL 1605.30 FB 2652-9 C.S. B.M. MON |
| | | | | | "P" LN PROFILE "OB 47"-"OB 49" P=P'LN |
| 28+75.44 OB-47 | | | | 1667.24 | TBM OB 48 EL 1667.24 FB 2652-9 1"x2" STK & NAIL |
| | 0.22 | 1667.46' | | | |
| 28+91 | | | 4.2 | 63.3 | P |
| 29+00 | | | 8.2' | 1659.3' | P |
| TP | 0.03 | 1655.72' | 11.77 | 1655.69 | |
| TP | 0.16 | 1643.80' | 12.08 | 1643.64 | |
| 29+50 | | | 9.4 | 34.4' | P |
| TP | 0.61 | 1632.22 | 12.19 | 1631.61' | |
| TP | 0.62 | 1620.78 | 12.06 | 1620.16 | |
| 30+00 | | | 10.5 | 1610.3 | P |
| +31 | | | 21.8 | 1599.0 | P |
| +50 | | | 15.0' | 1605.8' | P |
| +61 | | | 12.4 | 1608.4' | P |
| +70 | | | 11.8 | 1609.0 | P |
| 31+00 | | | 18.3' | 1602.5' | P |
| 31+19 | | | 20.2 | 1600.6 | P |

Profile Notes Rec. Plotted Job No. 2752 Division No.
No. X-Sec. Date Date Survey of OAK BLUFF RD
Notes Chkd. C.I. Gill Checked Survey by Mosley Notes ETM Date FEB 9, 61
No. Date 2-18-61 Date Map No. Indexed ~~H E OH~~ Date
F. B. 2652 PG. 159

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 160 | Job No 02752 Division No | Notes Red | Plotted | Profile
Survey of OAKBLUFF RD | Date | Date | No
Survey by E. Tyler Notes Manker & Yee | Notes Chkd C. J. Gilli | Checked | X-Sec.
Indexed | Date | Date 2-18-64 | Date | No

| STATION | B. S. | H. I. | F. S. | ELEV. | OAKBLUFF RD "P" LN PROFILE | |
|---|---|---|---|---|---|---|
| | "P" LN PROFILE | | | | OB 47 - OB 49 (Cont.) | P = "P" LN |
| | | 1620.78 ✓ | | | PG 159 | |
| 31+50 | | | 30.5' | 1590.3 | - | P |
| 32+00 | | | 6.5' | 1614.3 | - | P |
| TP | 10.35 | 1631.01 | 0.12' | 1620.66 | | |
| TP | 11.86 | 1642.50 | 0.37 | 1630.64 | | |
| TP | 11.11 | 1653.33 | 0.28 | 1642.22 | | |
| 32+50 | | | 1.5' | 51.8 | - | P |
| TP | 6.86 | 1659.64 | 0.55 | 1652.78 | | |
| 32+62.93 | OB 49" | | 0.00 | 1659.64 | TBM OB 49 EL 1659.67 ✓ FB 2652-8 1"x2" S+F @ Ng, I | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| PROFILE - PRELIMINARY LINE & LATERALS AS INDICATED OAK BLUFF ROAD | | | | | | |
| | | | | | J.N.- 0075.99 | |
| OR-49=0+00 | | | | 1659.67 | F.D. 2×2, NAIL & TAG, # L.A.Co. ENGR. PG. 8, 85 | |
| | 0.70 | 1660.37 | | | | |
| TP | | | 11.80 | 1649.57 | | |
| | 0.20 | 1648.77 | | | | |
| TP | | | 12.07 | 1636.70 | | |
| | 0.14 | 1636.84 | | | | |
| 0+50 | | | 1.2 | 1635.6 | | |
| TP | | | 12.00 | 1624.84 | | |
| | 0.21 | 1625.05 | | | | |
| 1+00 | | | 11.1 | 1613.9 | | |
| TP | | | 11.98 | 1613.07 | | |
| | 4.43 | 1617.50 | | | | |
| 1+50 | | | 1.59 | 1601.6 | | |
| +56 | | | 1.80 | 1599.5 | | P.T. DRAW |
| 2+00 | | | 4.0 | 1613.5 | | |
| T.P. | | | 0.17 | 1617.33 | | |
| | 12.00 | 1629.33 | | | | |
| 2+50 | | | 6.7 | 1622.6 | | F.L. DRAW |

Profile 14
Notes Red. Plotted Job No. 0075.99 Division No. F. B. 26652 Pg. 161
No. X-Sec. Date Date Survey of OAK BLUFF RD.
Notes Chkd. Checked E.J. GALLI Survey by C.L. LAURENT Notes C.L.L. Date 7-FEB-61
No. Date Date 2-18-61 Map No. Index M.E. Gill Date

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 162 Job No 00735.99 Division No. Profile
Survey of Oakcliff Rd. Plotted No. X-Sec.
Survey by C.L. Wright Notes C.L.W. Date No.
Indexed Date 7-FEB-61 Notes Chkd. C. J. Gill Checked Date 2-12-61 Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 162933 | | | | |
| T.P. | | | 024 | 162909 | | |
| | 1054 | 163963 | | | | |
| T.P. | | | 019 | 163944 | | |
| | 1193 | 165137 | | | | |
| 3+00 | | | 90 | 16424 | | |
| T.P. | | | 009 | 165128 | | |
| | 217 | 166345 | | | | |
| OB-50 = 3+54 55 | | | 187 | 166158 | Fd. RW. 2x2, Nail, Tag-L.A.Co. Engr. Pg. 8, 85 166155 | UP 2" |
| OB-50 | | | | 166155 | 166155 Rec. Elev. Pg. 8, 85 | SEE ABOVE |
| | 052 | 166207 | | | | |
| 3+623 | | | 10 | 611 | Top Brk | |
| TP | | | 2 14 | 164993 | | |
| | 023 | 165016 | | | | |
| 4+00 | | | 77 | 16425 | | |
| TP | | | 206 | 163810 | | |
| | 002 | 163812 | | | | |
| 4+50 | | | 85 | 16296 | | |
| T.P. | | | 973 | 162839 | | |
| | 180 | 163019 | | | | |
| 5+00 TP | | | 605 | 162414 | Set 1x1 = 0+00 Going S.W. | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 6075.00 Division No.
No. X-Sec. Date Date Survey of OAK BLUFF RD.
Notes Chkd. C. J. GALLI Checked Survey by C.L. WRIGHT Notes C.L.W. Date 8-FEB '61
No. Date 2-18-61 Date Map No. Indexed E. ON Date

F. B. 2652 Pg. 163

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | PROFILE - LATERAL "OAKBLUFF RD. AS INDICATED | | |
| OB-50 | | | | 1661 55 FD 2×2, NAIL, TAG, L.A. CO. ENGR. UP 2" PG. 8, 85 |
| | 4 54 | 1666 09 | | |
| 0+50 S.W. | | | 160 | 1650' |
| T.P. | | | 062 | 166547 |
| | 7 19 | 167266 | | |
| ~ +59 S.W. | | | 16 | 1671' |
| 1+ 00 S.W. | | | 46 | 1668' |
| | | | 1196 | 166070 |
| | 046 | 166116 | | |
| 1+50 S.W. | | | 115 | 1649 7 |
| T.P. | | | 1181 | 164935 |
| | 019 | 164954 | | |
| TP | | | 125 | 163739 |
| | 065 | 163804 | | |
| 2+00 S.W. | | | 81 | 16299 |
| +12 S.W. | | | 116 | 264 |
| 2+50 S.W. | | | 98 | 282 |
| ~ T.P. | | | 065 | 163739 |
| | 1219 | 164958 | | |



76L-298 S & E #907—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 164 Job No. 6273-98 Division No. Profile
Survey of OAKBLUFF RD. Notes Red. Plotted No.
Survey by S. L. WRIGHT Notes C. L. W. Date Date X-Sec.
Indexed H. L. OTT Date 8. Feb. '61 Notes Chkd. J. GALLI Checked No.
Date 2-18-61 Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 164958 | | | | |
| T.P. | | | 024 | 164934 | | |
| | 1168 | 166102 | | | | |
| | | | 034 | 166068 | | |
| | 1235 | 167303 | | | | |
| OB-50 | | | 1148 | 166155 | SET FD. 2×2, MAG & TAG # L.A.CO. ENGR. UP 2" Pg. 8, 85 REF ELEV. 166155 | |
| PROFILE - PRELIMINARY LINE - OAKBLUFF RD. | | | | | | |
| 5+00 | | | | 162414 | FD 1×1 - BOT Pg. 162 | |
| | 1221 | 163635 | | | | |
| 5+50 | | | 16 | 347 | | |
| | | | 027 | 163608 | | |
| | 1000 | 164608 | | | | |
| 6+00 | | | 27 | 434 | | |
| +20 | | | 34 | 427 | | BRK. |
| T.P. | | | 1136 | 163422 | | |
| | 028 | 163450 | | | | |
| 6+50 | | | 37 | 308 | | |
| | | | 1150 | 162300 | | |
| | 1219 | 163519 | | | | |
| 7+00 | | | 172 | 161800 | | |
| +50 | | | 137 | 16215 | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | | | | | 31 2 11 |
| | | 1635 19 | | | | |
| 8+00 | | | 140 | 1621 2 | | |
| +50 | | | 22 0 | 132 | | |
| 9+00 | | | 77 | 275 | | |
| 9+09 50 = OB-51 | | | 622 | 1628 97 | FD. 2x2, NAIL STAMPED L.A.CO. ENGR. PG 7, 85 | ELEV. 1629 11 |
| OB-51 | | | | 1629 11 | " " " " " " " " " " | " |
| | 049 | 1629 60 | | | | |
| - TP. | | | 1200 | 1617 60 | | |
| | 016 | 1617 76 | | | | |
| 9+50 | | | 31 | 1614 7 | | |
| TP | | | 1204 | 1605 72 | | |
| | 170 | 1607 42 | | | | |
| 10+00 | | | 55 | 1601 9 | | |
| +50 | | | 82 | 1599 2 | | |
| +65 | | | 85 | 1598 9 | | F.L. |
| 11+00 | | | 68 | 1600 6 | | |
| +50 | | | 58 | 1601 6 | | |
| 12+00 | | | 46 | 1602 8 | | |
| +50 | | | 34 | 1604 0 | | |
| 13+00 | | | 21 | 1605 3 | | |
| + 31 11 = OB. 53 | | | 276 | 1604 66 | FD. C.S. MON. 2" I.P. BRASS CAP SET CONC. DN. 16" PG. 6, 65 FB. 1832-170 | REC ELEV. 1604 69 V |

Profile Notes Rod Plotted Job No. 5375.99 Division No.
No. X-Sec. Date Date Survey of CHARLVOFF RD.
Notes Chkd. C.J. GALLI Checked Survey by C.L. LEATHAM Notes C.L.W. Date 8 FEB. '61
No. Date 2-16-61 Date Map No. Indexed H.E.OTT Date
F. B. 2652 PG. 165

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 166 | Job No. 0075.99 | Division No. | Notes Red | Date | Plotted | Profile
Survey of CARSON-WILMINGTON Rd. | Date | No. | X-Sec.
Survey by C. J. LAURENT | Notes C. L. W. | Notes Chkd. C. J. GALLI | Checked
Indexed FEB 2 3 01 H. E. OLD | Date 8-Feb-'61 | Date 2-18-61 | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| PROFILE - SEC. LINE FROM 1/4 COR - SEC 26-23 T4N R15W EASTERLY TO SEC COR. - 23, 24, 25, 26 T4N, R15W. J.N. 0075.99 | | | | | | |
| OB-53-0400 | | | | 1604.69 ✓ | FD C.S. MON. 1/4 COR. SEC 23-26 T4N R15W ON 16" F.B. 1632-176 | |
| | 6.95 | 1611.64 | | | | |
| 0+50 | | | 5.6 | 1606.0 | | |
| 1+00 | | | 4.8 | 06.3 | | |
| +50 | | | 4.5 | 07.1 | | |
| 2+00 | | | 4.3 | 07.3 | | |
| +50 | | | 4.3 | 07.3 | | |
| 3+00 | | | 4.4 | 07.2 | | |
| +50 | | | 7.1 | 04.5 | | |
| +77 | | | 8.1 | 03.5 | | F.L. SAND CYN. WASH |
| 4+00 | | | 7.0 | 04.6 | | |
| +50 | | | 5.6 | 06.0 | | |
| 5+00 | | | 4.7 | 06.9 | | |
| +50 | | | 4.4 | 07.2 | | |
| 6+00 | | | 3.3 | 07.8 | | |
| +50 | | | 3.7 | 07.9 | | |
| 7+00 | | | 3.7 | 07.9 | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1611 64 | | | | |
| 7+32± | | | 3 97 | 1607 67 | FD 3½" I.P. NO PLUG (M1?) | |
| +50 | | | 4 7 | 073 | | |
| 8+00 | | | 4 7 | 069 | | |
| +50 | | | 3 7 | 069 | | |
| 9+00 | | | 5 2 | 064 | | |
| +50 | | | 5 7 | 059 | | |
| 10+00 | | | 5 9 | 057 | | |
| +50 | | | 5 9 | 057 | | |
| +B.M. 64 | | | 6 90 | 1604 74 | FD. C.E. MON.-WELL & COVER DN. 11" PG. 65 REC'D TV 1604.74 F.B. 1832-212 INT. SAND CYN RD. & ℄ SEC LINE - SECTIONS 23-26 T4N R15W | |
| B.M. | | | | 1604 74 | FD. B.M. - C.E. MON. - WELL & COVER, DN. 11" PG. 65. EL = 1609.74 F.B. 1832-212, INT. SAND CYN. RD. & ℄ SEC. LINE - SEC. 23-26-T4N R15W. | |
| | 11 00 | 1615 74 | | | | |
| 11+10 | | | 10 2 | 1605 5 | BOT. BRK. | |
| T.P. | | | 0 14 | 1615 60 | | |
| | 11 27 | 1626 87 | | | | |
| T.P. | | | 0 19 | 1626 68 | | |
| | 11 17 | 1637 85 | | | | |
| 11+75 | | | 0 9 | 1637 0 | BRK. | |
| T.P. | | | 0 35 | 1637 50 | | |

Profile Notes Red. Plotted Job No. 00 75 99 Division No.
No. X-Sec. Date Date Survey of OAKBLUFF RD.
Notes Chkd. E.J. GALLI Checked Survey by C.C. Wright Notes E.C.B. Date 2-16-61
No. Date 2-16-61 Date Map No. Indexed H. E. OH Date

F. B. 2652 Pg. 167

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 168 | Job No. 8875.99 Division No. | Notes Red. Plotted | Profile
Survey of Oakglen Rd. Date Date No. X-Sec.
Survey by C. L. Wright Notes E. C. Bowers Notes Chkd. J. GALLI Checked
Indexed E. E. Ott Date Date 2-13-91 Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | | | | 1631 50 ✓ | | |
| | 12 27 | 1649 77 ✓ | | | | |
| 12+00 | | | 5 9 | 1643 9 | | |
| T.P. | | | 0 06 | 1649 71 ✓ | | |
| | 7 26 | 1656 97 ✓ | | | | |
| 12+50 | | | 3 3 | 1653 7 | | |
| 12+83 Z | | | +1 5 | 1658 5 | Top Ridge | |
| 13+00 | | | 0 3 | 1655 | | |
| T.P. | | | 12 12 | 1644 85 ✓ | | |
| | 2 09 | 1646 94 ✓ | | | | |
| 13+50 | | | 2 1 | 1644 8 | | |
| 14+00 | | | 5 7 | 1641 7 | | |
| M-3 14+42 39 | | | 2 94 | 1644 00 | M-3, 12" RCP, 9° So. of | Sec. Line |
| 14+50 | | | 2 8 | 1644 1 | Top. Bnk. | |
| T.P. | | | 12 15 | 1634 79 ✓ | | |
| | 0 25 | 1635 04 ✓ | | | | |
| 15+00 | | | 10 1 | 1624 9 | | |
| T.P. | | | 12 01 | 1623 03 ✓ | | |
| | 0 43 | 1623 46 ✓ | | | | |
| 15+50 | | | 10 7 | 1612 8 | | |
| T.P. | | | 11 72 | 1611 74 ✓ | | |

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | | | | 1611.79 | | |
| | 0.04 | 1611.78 | | | | |
| 15+78.2 | | | 2.10 | 1609.68 | Fd. 1x2 ft. on 9' offset to So. | |
| 15+78.2 | | | 4.6 | 1607.2 | Sec. Line | |
| 16+00 | | | 7.2 | 1604.6 | | |
| 16+50 | | | 11.3 | 1600.5 | | |
| 17+00 | | | 11.4 | 1600.4 | | |
| 17+50 | | | 10.5 | 1601.3 | | |
| 17+67.9 | | | 9.5 | 1602.3 | Sec. Line | |
| T.P.=17+67.9 | | | 7.72 | 1604.06 | Fd. 1x2 ft. on 9' offset to So. | |
| | 4.44 | 1608.50 | | | | |
| 18+00 | | | 6.8 | 1601.7 | | |
| 18+17.2 | | | 6.73 | 1601.77 | Fd. M-4, 1" I.P. Flush | |
| 18+50 | | | 6.3 | 1602.2 | | |
| 19+00 | | | 5.8 | 1602.7 | | |
| 19+50 | | | 6.2 | 1602.3 | | |
| 20+00 | | | 4.8 | 1603.7 | | |
| 20+50 | | | 4.1 | 1604.4 | | |
| 21+00 | | | 3.0 | 1605.5 | | |
| T.P.= 21+50.8 | | | 2.68 | 1605.82 | Fd. M-5, 2x2, L.A.Co. Engr. Tag & Br. Nail Dn. 2" F.B. 1832? | |

Profile Notes Red. Plotted Job No. 2075.99 Division No. F. B. 2652 Pg. 169
No. X-Sec. Date Date Survey of Oakwood Rd.
Notes Chkd. C. J. Gill Checked Survey by C. L. Wright Notes E.C.E. Date 2-28-61
No. Date 2-16-61 Date Map No. Indexed H. E. Ott Date

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 170 Job No 8075.99 Division No. Profile
Survey of OAK CREST RD. Notes Red. Plotted No.
Survey by C.L. Wright Notes R.C. Bowers Date Date X-Sec.
Indexed M.E. OH Date Notes Chkd. C. J. GALLI Checked No.
Date 2-12-91 Date

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | | | | 1605.82 | | |
| | 8.17 | 1613.99 | | | | |
| 22+00 | | | 7.2 | 1606.8 | | |
| 22+50 | | | 6.4 | 1607.6 | | |
| 23+00 | | | 5.7 | 1608.3 | | |
| 23+50 | | | 5.2 | 1608.8 | | |
| 23+86 | | | 10.3 | 1603.7 | Bot. Wash | |
| 24+00 | | | 4.7 | 1609.3 | | |
| 24+42 | | | 4.7 | 1609.3 | Bot. Brk, Edge dirt Rd. | |
| T.P. | | | 2.79 | 1611.20 | | |
| | 10.70 | 1621.90 | | | | |
| 24+50 | | | 9.4 | 1612.5 | Brk. | |
| 25+00 | | | 8.1 | 1613.8 | | |
| 25+50 | | | 6.0 | 1615.9 | | |
| 26+00 | | | 11.3 | 1610.6 | | |
| T.P. | | | 7.73 | 1612.17 | | |
| | 3.57 | 1615.74 | | | | |
| T.B.M. 26+18.30 | | | 7.44 | 1608.30 | Rd. M-6 C.S. Bk Cap Mon. set in Conc., Sec. 23,24,25,26 T.4N. R15W Aerial Map El. = 1607.90 | |
| | 4.86 | 1613.16 | | | | |
| T.P. | | | 4.27 | 1608.89 | | |

76L-298 S & E #307—1.56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| T.P. | | | | 1608 89 | ✓ | |
| | 1 04 | 1609 93 | | | | |
| T.P. | | | 8 17 | 1601 76 | | |
| | 2 04 | 1603 80 | | | | |
| T.P. | | | 6 60 | 1597 20 | | |
| | 3 05 | 1600 25 | | | | |
| T.P. | | | 5 96 | 1594 29 | | |
| | 4 41 | 1598 70 | | | | |
| T.P. | | | 2 89 | 1595 81 | | |
| | 9 12 | 1604 93 | | | | |
| T.P. | | | 0 30 | 1604 63 | | |
| | 5 25 | 1609 88 | | | | |
| B.M. 10+70 64 | | | 5 14 | 1604 74 | Fd. B.M. - C.E. Mon. - Well & Cover Dn. 11' Pg. 65. El = 1604.74 F.B. 1832-212, Int. Sand Cyn. Rd. ℄ & Sec. Line. | |

Profile Notes Red. Plotted Job No 2975.99 Division No.
No. X-Sec. Date Date Survey of OAK BLUFF RD.
Notes Chkd. C.J. GAULT Checked Survey by C.L. Wright Notes E.C.B. Date 7-26-61
No. Date 7-1 & 7-6-61 Date Map No. Indexed H.E. Ott Date
F. B. 27652 Pg. 177

F. B. 2652 Pg. 172

Job No. Division No. Notes Red Plotted Profile

Survey of Date Date No.

Survey by Notes Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

76L-298 S & E #307—1-56

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of OAKBLUFF ROAD
JN 00 75.99 Tape LSD Std 85 OF
Surveyed by J.P. MENNE
Notes J P M Date Nov. 1960 To Jan 62
Indexed H. E. OTT FEB 1 5 1962

F. B. 2652 Pg. 173

# OAKBLUFF ROAD

## J.N. 0075.99

## P- LINE

FROM

INTERSECTION OF SIERRA HWY U.S. No. 6

WESTERLY

TO

RANCHO SAN FRANCISCO GRANT LINE

REFERENCES

C.S. 8151

CAL. DIV. HWY F.B. A-59.001

F.B. 1455

C.S. 9438

F.B. 60

C.S. 9043

C.S. 8205

R.S. 64-25

C.S.B. 2238-1

CHIEF
C.V. CROWE
12-26-61 TO
12-29-61

J.P. MENNE
W. J. VOGE
V. HUCKABY
R. GILROY
L.C. LOVE

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
7700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE #247—8-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



76F3095 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T 4 N R 15 W




Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of OAK BLUFF ROAD
JN007 $.99 Tape _____ Std. _____ of
Surveyed by J.P. MENUE
Notes J.P.M. Date JAN 62
Indexed H. E. OTT JAN 22 62

F.B. 2652 Pg. 15

Pgs. 209 to 228

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

AGENT

F.B. 2572 Pg 1176

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of OAK BLUFF ROAD
JN 0075.99 Tape 150 Std 85 °F
Surveyed by J. P. MENNE
Notes J.P.M. Date 11-27-61
Indexed H. E. OTT FB 1.5 62

F. B. 2452 Pg. 177

W.J. 62 C-3

LEV. @ T-62°
147.53
150.37
150.54
150.19
65.47
664.10 = 664.00

664.10
97.59
761.69 = 761.58

44.23 LEV. T-62° = 44.22
T = 68° = -0.02
232.74 @ 6°-27' = 231.27
232.82 @ 6°-38' = 231.26

22.00

90-00-00 Ⓔ
360-00-00 Ⓕ
180-00-00 Ⓖ
90-00-00 Ⓗ

OB-3A
FD. 2" I.P. & C.E. TAG.
FD. 2" I.P.
FB. 2652-24-108

SEC. 28
T. 4 S.
R. 13 W.

664.00

761.58
CENTER LINE
OFFSET LINE

POST
SET 1" I.P. & C.E. TAG ON R.R. CLE (FLUSH)

6°-00'
90°-00'
0+00
0.B.99
44.28
231.24

SET BT. SPK. W. ET
OF ED. RD.

To Bottom of Pg. 178

PROP. OAKBLUFF ROAD
PER STAKING SHEET

SET 1" I.P. & C.E. TAG ON ED. RD. DN. 2" & 3" SUR. TIES.

97.58

S4.97
FB. 2652-108
SEC. LINE

FD. BT. SPK. & W. (FLUSH)
7+78.33 (SEC. 4N FLUSH)
FB. 2452-108

SEC. 29
T. 4 S.
R. 13 W.

FD. BT. SPK. (FLUSH)
FB. 2452-24
USED FOR LINE

22.00

191+11.55 & C.R.A.
FD. 2" I.P. CONC. PLUG & H. 0.4 S"
(10.04)
FB. 2452-24

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Ink With Date and Name of Party Making Change.
Do not extend this line beyond this line.

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

707-3095 SEE 12-47 11-60

TO RT. of PG. 15

F.B. 2652 PG. 178

T = 60° = -0.05

298.54 @ 2°-50' = 298.18 ✓

298.46 @ 2°-30' = 298.18 ✓

Fd. 1x2 & N

141-18-30 (1)

205-13-50 (B)

127-50-40 (C)

141-18-27 (A)

F.B. 2652-108 S37.74

F.B. 2652-108 1738.13 ℄ TO SEC. COR.

F.B. 2652-109-110

Fd. 1x2 & N F.B. 2652-108 9+39.11

4' BARBED WIRE

SET 1x2 & N (FLUSH) ED DIRT RD 1+55.83 (N.W.)

SEC. 29

SEC. 28 T 4 S R 15 W

34.03 PROP.

4.71

DIRT RD.

4.71 LEV. @ T-62°

T = 62° = -0.01

35.33 @ 15°-31' = 34.04 ✓

35.15 @ 14°-27' = 34.04 ✓

T = 62° = -0.01

79.80 @ 13-33 = 77.58 ✓

79.94 @ 13-57 = 77.58 ✓

T = 62° = -0.01

97.80 @ 10°-22' = 96.11 ✓

97.78 @ 10°-37' = 96.11 ✓

SET 1x2 & N (FLUSH) BY INTERSECTION 9+34.40 (N) 1+21.80 (W.)

OAKDALE 77.57 PROP.

SHORT SIGHT

0+44.22 BT. SEW.

F.B. 2652-108-109 934.40

96.10

SEC. LINE

TO LEFT OF PG. 177

OB-1-A

F.B. 2652-106

59.97

Fd. 1x2 & N TOP BERM F.B. 2652-108 8+38.30 (N)

TO LEFT OF PG. 177

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by H. E. AUSTIN | Survey of OAKBLUFF ROAD |
| Map No. | JN 007599 Tape 150 Std 8C OF |
| Office Work | Surveyed by J.P. MENNE |
| Checked | Notes J.P.M. Date 11-28-61 |
| Date | Indexed H. E. OTT |

F. B. 2652 Pg. 179

COUNTY ENGINEER B. M. O.B. 100 R.E. 5869

B.M. O.B. 100 1-5-62
SET C.E. BUTTON MON UP 6"

CONC. BRIDGE

P.P.

SET N. & T. (PROJ) ON R.R. TIE

SET N. & T. UP 6'

S.P. R.R.

T-58 LEVEL
182.56 = 182.53

SET L. & TAG. ON CONC. BRIDGE

182.53

101.54 = 101.52
94.78 = 94.76

10+50.00

SET 1" I.P. & C.E. TAG. (PROJ.) (FLUSH)

548.92

152.35

152.36 @ LEV. T-70

P-LINE

831.63

P-1 IN FIELD
SET 1" I.P. & C.E. TAG (FLUSH)
10+50.00

100-07-50

T = 58 = -0.09
163.67 LEV
178.33 "
207.01 "
549.01 = 548.92

T = 56 = -0.15
181.54
251.80
128.83
258.56
11.05
831.78 = 831.63

100-07-50
40-31-20
240-47-00
100-07-50

SEC. 29
T 4 N
R 15 W

T = 64° = -0.03

596.04

PROP. PER OAK BLUFF STAKING SHEET

ROAD

223.27 @ 0°-55' = 223.24

T = 66° 223.21

177.38 @ LEV. = 177.36

170.02 @ LEV. = 170.00

25.47 @ LEV. = 25.47

596.04

SET ½ E N FLUSH IN FIELD
4+53.96

248.13

To Left Pg. 178

To Top of Pg. 180

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE #247—3-37

TO TOP LEFT PG. 179

F.B. 2652 PG. 180

12+50 ±

12+75 ±

40' →

831.63

SEC. 29

T 4 N

R 15 W

15+20 ±

P-1 LINE

48" OAK

42' → 18+50 ±

P-1-A
SET IX & N
(FLUSH)
18+81.63

T-58 = -0.04
251.17 LEV. = 251.13 ✓✓

T=60°= -0.05
298.20 @ 2°-04 = 298.01 ✓✓ = 299.96 ✓✓
T=60°= -0.05
297.85 @ 2°-19' = 297.61 ✓✓ = 297.56 ✓✓
T-54°= -0.05
261.37 @ 7°-14 = 259.29 ✓
261.26 @ 7°-04' = 259.27 ✓ = 259.23 ✓✓

MAG. S 61° W

251.13 ✓✓
297.96 ✓✓
297.56 ✓✓
259.23 ✓✓
1105.88 ✓✓

29+87.51
P-1-B
SET IX & N. (FLUSH)
TOP SM. RIDGE

TO TOP OF PG. 181

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of OAKBLUFF ROAD
JN 0075.99 Tape 150 Std 66 OF
Surveyed by J.P. MANNE
Notes J.P.M Date 1-28-61
Indexed H. E. OTT

F. B. 2652 PG. 181

To Bottom of Pg. 180

29 + 87.51
P-1-B
SET 1x2 & N

T - 54° = - 0.06
294.07 @ 3°-54 = 293.89
294.00 @ 3°-44 = 293.88
T - 54° = - 0.05
271.84 @ LEV.
T - 56° = - 0.03
167.18 @ LEV.

COUNTY ENGINEER B.M. O.B. 101 R.E. 5869

1-5-62
293.32
271.79
167.15
732.26

B.M. O.B. 101 SET C.E. 7 BUTTON CP

175.12
32+39.58

732.26

131° 25' 30" (D)
165 - 42 - 10 (A)
68 - 33 - 00 (G)
131 - 25 - 30 (A)

P.I. 1m 1° - 25' - 30"

P.I. LINE

SEC. 29
T 4 N
R 15 W

P-2
37 + 19.77
SET 1" I.P. & C.E.
TAG. (FLUSH)
FLAT AREA
GRAZING LAND

208.43
2 ± no rim dpk.

P-2-A 39 + 28.20
SET 1x2 & N. (FLUSH)
ON EDGE OF SM. RIDGE

T - 56° = - 0.04
211.17 @ 9-10 = 208.47
211.28 @ 9-20 = 208.48

To Top Rt. Pg. 182

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 CE #247—3.37

TO BOTTOM LEFT PG. 181

F.B. 2652 Pg. 182



T- 60° = -0.03
219.27 @ 1°-08' = 219.33 ✓

T- 60° = -0.04
237.09 LEV. =

T- 58° = -0.05
280.02 @ 4°-04 = 279.31 ✓

279.95 @ 3-54 = 279.30 ✓

T = 60 = -0.02
105.02 @ 6°-45 = 104.29 ✓
104.86 @ 6°-00 = 104.29 ✓

59-52-20 ① 1-5-62
119-44-40 ② FOR B.M. MON.
T- 66
297.33 @ 7-58 = 294.46 ✓

34.13 @ LEV. = 34.13 ✓
328.59 ✓
- .04 ✓
328.55 ✓

T- 58 = -0.05
289.51 @ 4°-13 = 288.72 ✓
289.46 @ 4°-07 = 288.71 ✓

T- 60° = -0.02
117.58 @ 6°-42 = 116.78 ✓
117.50 @ 6°-17 = 116.79 ✓

T- 60° = -0.03
176.34 @ 4°-20 = 175.84 ✓
176.39 @ 4°-31 = 175.84 ✓

T- 62° = -0.01
93.31 @ 5°-26' = 92.72 ✓
93.21 @ 5°-46' = 92.74 ✓

219.20 ✓
237.05 ✓
279.25 ✓
104.27 ✓
839.77 ✓

P2-A
39 + 28.20
182.82 N

839.77
P-LINE
B.M. 0.0 101.83
SET 2" I.P.

P2-B
SET 1X2 & N.
(FLUSH)
47 + 67.97
TOP SM. RIDGE

52+77.01
CALC. 164.91

856.60
N 28°-25'-45" E

S6+24.57
P-3
SET 1" I.P.
& K.E. TAG
TOP SM. RIDGE

182.65

SEC. 29
T 4 N
R 15 W

CALC. 289.16
288.66
116.76
175.81
92.72
182.65
856.60

T- 62 = -0.03
182.83 @ 2°-18'
182.68 ✓

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
RETURN TO

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

COUNTY ENGINEER
2 0 8 3
6383
R.E.

TO TOP OF PG. 183

| | |
|---|---|
| Notes Ck'd by H. E. AUSTIN | Survey of OAKBLUFF ROAD |
| Map No. | JN 0075.99 Tape 150 Std 89 °F |
| Office Work | Surveyed by J. P. MENNE |
| Checked | Notes J P M Date 11-30-61 |
| Date | Indexed H. E. OTT |

F. B. 2652 Pg. 183

To Bottom of Pg. 182

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

164-25-20 ①
297-41-00 ④
266-31-30 ⑥
164-25-15 Ⓐ

T-60 = -0.04
264.03 @ 2°-00 = 263.87
263.98 @ 1°-58 = 263.85
T-60 = -0.02

120.17 @ 14-44 = 116.22
120.07 @ 14-32 = 116.23
T-66 = -0.03
298.39 @ 3-28 = 297.84
298.34 @ 3-23 = 297.82
19.48 @ LEV.

263.82
116.20
380.02

297.80
19.48
317.28

FOR NEW INTERSECTION SEE PG. 251 J.P.M. 8-17-62

P-2 R=380.00 Ft

164-25-15

P-3 56+24.57 (W) Top Sm. RIDGE

SEC. 29

P-3A 60+04.59 (W) SET 1½ & N (FLUSH) TOP RIDGE

54-52-20 ①
219-29-30 ④
329-14-00 ⑥
54-52-20 Ⓐ
TRANSIT LINE
SEE LINE

317.28

54-52-20

A-14 40+28.92 (N) SET 1" I.P. & C.E. TAG F.B. 2652-198

277.75

35.60

P-3B

SET 1" I.P. & C.E. TAG BY INTERSECTION (FLUSH) ON SIDE HILL 63+21.87 (W) = 39+93.32 (N)

A-15 37+51.17 (N) SET 1½ & N. F.B. 2652-198

SECTION LINE

T=66°
35.60 @ LEV.
30.90 @ LEV.

30.90

SEC. 30
T 4 N
R 15 W

P-4 - 63+52.77 (W) SET 1" I.P. & C.E. TAG. (FLUSH) TOP RIDGE

& ON PG. 184

To Top Pg. 184

7673095 CE #247—8-57

To Bottom of Pg. 183

F.B. 2652 Pg. 184



SEC. 29

SEC. LINE

63 + 52.77
P-4
SET 1" I.P. & C.E. TAG.
T - 50 = -0.05

141-52-20 ①
207-28-00 ②
131-12-00 ③
141-52-00 Ⓐ

235.24 @ 2-21 = 235.08
235.21 @ 2-06 = 235.05
T - 50
158.98 @ LEV. = 235.00
158.94

SEC. 30
T 4 N
R 15 W

136.62 @ LEV. = 136.59
T - 50 = -0.05
220.59 @ 8-42 = 218.05
220.48 @ 8-32 = 218.04
217.99
748.52

140-01-20 ①
200-05-10 ②
120-08-00 ③
140-01-20 Ⓐ

1-5-62 FOR B.M. MIN.
150-59-20 ①
301-58-40 ②
T - 64
140.96 @ LEV. 140.96
300.94 @ 7-19 298.49
439.45
- .06
439.39

71 + 01.29
P-5
SET 1" I.P. & C.E. TAG (FLUSH) ON SIDE OF RIDGE

121.01 @ 6°18' = 120.28
120.89 @ 6°45 = 120.28 T 72° = 120.27
212.73 @ Lev. = 212.73 T 72° = 212.71
194.06 @ 11°11 = 190.37
193.72 @ 10°42 = 190.35 T 72° = 190.34
(CALC.) 75+33.66

178.07 @ 2°41 = 177.87
178.10 @ 2°58 = 177.86 T 72° = 177.84
701.16

P-5 = 78+02.45
Set 1"x2' N on ridge

COUNTY ENGINEER
R.E. 5889
L.S. 1103
B.M.
O.B.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

To Top of Pg. 185

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of Oak Bluff Rd
JN 007599 Tape 150 Std 84 °F
Surveyed by C.V. Crowe
Notes C.V.C. Date Dec. 1960
Indexed H. E. OTT

F. B. 2652 Pg. 185

To Bottom Pg 184

167.10 @ 7°35 = 165.51
167.15 @ 8°02 = 165.51
T 72° = 165.49

276.05 @ 7°01 = 273.98
276.80 @ 6°36 = 273.97
T 70° = 273.94

439.43

297.81 @ 14°57 = 287.73
297.39 @ 14°39 = 287.72
T 70° = 287.69

82.09 @ 3°42 = 81.92
82.20 @ 4°46 = 81.92
T 70° = 81.91

369.60

P-5B = 82+41.88
Set 1X2 4N on ridge top

297.81 @ 14°57 = 287.73
297.39 @ 14°39 = 287.72
T 70° = 287.69

| | | | |
|---|---|---|---|
| 1 | 126 | 31 | 40 |
| 4 | 146 | 06 | 50 |
| 6 | 39 | 10 | 00 |

Ⓐ 126° 31 40

SEC. 30
T 4 N
R 15 W

P-6 = 86+11.48
Set 1" I.P. & C.E. tag top spur.

300.39

P-6A = 89+11.87
Set 1X2 4N. top ridge

77.92 @ Lev. = 77.92
222.49 @ Lev. = 222.49
300.41
T 79° = 300.39

Changed to Lev. = 99

297.27 @ 4°41 = 296.28
297.40 @ 4°56 = 296.30
T 78° = 296.28

54.71 @ 16°00 = 52.59
54.46 @ 15°06 = 52.58
T 72° = 52.58
348.86

To top Pg 186

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

F.B. 2652 Pg. 186

Tape #94

Bot. Pg 185



348.86

20054 @ 2°10 = 200.40
20058 @ 2°31 = 200.39
T 74° = 200.38

136.38 @ Lev. = 136.38
T 78° = 136.37

336.75

1-5-62 FOR B.M. MIN.
88° 03' 30" ①
176 - 07 - 00 ②
T - 74°
74.79 @ LEV.
278.45 @ 5°00 = 277.39
74.79
277.39
352.18
352.15

SEC. 30
T 4 N
R 15 W

109.17 @ Lev. = 109.17
T 78° = 109.17

282.38 @ 5°10 = 282.33
282.46 @ 5°20 = 282.23
T 62° = 282.19

391.36

70.75 @ Lev. = 70.75
T 74° = 70.74

238.38 @ 8°44 = 235.61
238.35 @ 8°40 = 235.63
T 64° = 235.59

306.33

P-6B
= 92760.73
Set 1X2 IN
top spur

N 75° E
P-Line
336.75

COUNTY ENGINEER
B.M.
O.B. 104
R.E. 5869

B.M. O.B. 104
S. 89° 30' W. 7.00

SET

131 13 00
164 52 00
97 18 00
131 13 00

88° 03' 30"
CALC.
9.17
131°

P-7
= 95197.43
Set 1X2 IN
top spur

CALC.
352.03
352.15

95+88.31

P-7A
= 99+88.84
Set 1X2 IN
top ridge

306.33

Top Pg 187

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of Oak Bluff Rd.
JN 007599 Tape 94 Std 84 °F
Surveyed by C. V. Crowe
Notes C.V.C. Date Dec. 28, 61
Indexed H. E. OTT

F. B. 2652 Pg. 187

To Bot. Pg 186

229.33 @ 5°22 = 228.32
229.28 @ 5°15 = 228.32
T 62° = 228.29

306.33

P-73
= 102+95.17
set 1" I.P. & C.E. tag
top ridge

Sec. 30
T 4 N
R 15 W

228.29

P-72
= 105+23.46
set 1x2 in
top spur

P.T. Line

246.60 @ 8°03 = 244.17
246.76 @ 8°20 = 244.15
T 64° = 244.13

244.13

P-70
= 107+62.59
set 1x2 in

168.00 @ 13°58 = 163.03
167.67 @ 13°31 = 163.03
T 64° = 163.01

163.01

To top Pg 188

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57

F.B. 2652 Pg. 188

To Bot. Pg. 187

P-1E to Ctrline
239.03 @ Lev. = 239.03
T 64° = 239.00
2.13 @ Lev. = 2.13
T 64° = 2.13
241.13

163.01

P-Line

P-7E
= 109+30.60
Set 1X2 4N.
side hill

241.13

49°

14.50

Line Prod.
Set 1 I.P. & C.E. tag
edge of mesa

SEC. 30
T 4 N
R 15 W

100.00

49 14 30
196 58 00
245 28 00
49 14 30

P-8 = 111+71.73
Set 1 I.P. & C.E. tag
on side hill

P-8A
= 112+35.90
Set 1X2 4N
side hill

Line Prod.
Set 1 I.P. & C.E. tag
top ridge

66.79 @ 16°05 = 64.18
66.94 @ 16°21 = 64.18
T 62° = 64.17

109.09 @ 4°50 = 108.75
109.20 @ 5°31 = 108.69
T 66° = 108.68

108.68

To top Pg. 189

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of Oak Bluff Rd.
JN 0075.22 Tape 94° Std 84° °F
Surveyed by C. V. Crowe
Notes C.V.C. Date Dec. 29, 61
Indexed H. E. OTT

F. B. 2652 Pg. 189

To Bot. Pg. 188

254.94 @ 1°30 = 254.85
254.96 @ 1°29 = 254.87
T 68° = 254.83

209.06 @ 9°20 = 206.79
209.27 @ 9°40 = 206.30
T 72° = 206.27
461.10

1-5-61 FOR B.M.
138-16-00 (1)
276-32-00 (2)

SEC. 30
T 4 N
R 15 W

COUNTY ENGINEER
B.M.
O.B. 105
R.E. 5869

T-70° = -0.01
149.25 @ 3-32 = 148.97

P-Line

P-8B
= 113+44.58
Set 1X2 IN
top ridge

1088

138°-16'-00"

461.10

1 141 03 40
2 204 14 40
3 126 21 50

141 03 38

148.96

B.M. O.B. 105
SET C.E. BUTTON
MON. UP 6"

P-9
= 118+05.68
Set 1" I.P. & C.E. tag
top ridge

CALC. 111.17

141° 03' 40"

199.14 CALC.

87.27 @ 9°10 = 86.16
87.00 @ 8°30 = 86.15
T 70° 86.14

112.92 @ 7°52 = 111.80
112.99 @ 8°10 = 111.84
T 70° = 111.84
197.98

1978

P-9A
= 120+03.66
Set 1X2 IN.
top spur.

299.02 @ 2°42 = 298.69
299.10 @ 3°00 = 298.69
T 70° 30' = 298.66

298.66

To top Pg. 190

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 CE #247—3-57

F.B. 2652 Pg. 190

To Bot. Pg 189




108.51 ✓
243.38 ✓
351.89 ✓

119.30 @ 18°17 = 108.53 ✓
113.92 @ 17°44 = 108.51 ✓
17°27' = 108.51 ✓

T - 58 - 0.04

244.51 @ 5-26 = 243.41 ✓
244.58 @ 5-34 = 243.43 ✓

T - 62 - 0.02

172.31 @ 1-06 = 172.28 ✓
172.35 @ 1-43 = 172.27 ✓

29-20-30 ①
117-22-00 ④
176-02-40 ⑤
29-20-27 ④

T-72 = -0.02

231.98 @ 4-17 = 231.33 ✓
231.90 @ 4-04 = 231.32 ✓

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of OAKBLUFF Road
JN 007599 Tape 94 Std 89 OF
Surveyed by J. P. MENNE
Notes J. P. M Date
Indexed H. E. OTT

F. B 2652 Pg 191

T-72 = -0.01

142.38 @ 4-48 = 141.88 ✓

142.28 @ 4-19 = 141.88 ✓

T-72 = -0.02

249.81 @ 0-37 = 249.80 ✓

To Bottom of P6.192

77.09 @ 5°-30 = 76.72 ✓

77.16 @ 6°-15' = 76.70 ✓

To Bottom P6. 190

130 + 57.76

P10-A

T-48 = -0.02

141.87 ✓

249.78 ✓

391.65 ✓

FD. 2" I.P. & CONC. PLUG

202 + 18.78

TOP DIVIDE

F.B. 1455-41

3.10

0.35

SET 1" I.P. & C.E. TAG

202 + 18.43

76 76.99

134 + 49.41

P10-B

SET 1" I.P. & C.E. TAG TOP SM. RIDGE

SEC 30

135 + 26.10

TAN RISW 117-10-50 ①

108-43-20 ④

343-05-00 ⑤

T-48 = -0.01

44.45 @ 9-17 = 43.87 ✓

44.67 @ 10-59 = 43.85 ✓

T-48 = -0.05

197.17 @ 6-08 = 196.04 ✓

197.08 @ 5-52 = 196.05 ✓

SET 1" I.P. & C.E. TAG BY INT.

135 + 26.10 W = 199 + 78.59 (N)

FD. C.S. MON. VP 2" HELD FOR LINE

F.B. 1455-40

C.S.B. 22384

FD 2" I.P. & CONC PLUG TOP RIDGE

192 + 73.30

F.B. 1455-41

2.99 ✓

177 + 97.76

SET 1" I.P. & N. (FLUSH)

3.00

NOTE BARBED WIRE FN. APPEARS TO HAVE BEEN ERECTED AFTER SURVEY IN 1949 WAS MADE CAUSING 2" I.P. TO BE OFF LINE BETWEEN END MONS.

F.B. 1455-41

945.48

ELY LINE OF RANCHO SAN FRANCISCO

3383.11

SEC. LINE

SET 1" I.P. & C.E. TAG

195.99

SEC. 25

T 4 N

R 15 W

SIGHT

RIDGE

43.85

76.69

P-10-C

ADJUST SHORT SIGHT

117-10-50 (M)

3 OFFSET LINE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7875088, CE #247 3-55

F.B. 2652 Pg. 192

U.S. 62-B-2

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.




SEE PG. 230

89°-29-13

SET 1x2 & N

3.00

SEC. LINE

3.00

0.11 CALC.

90°

90°-02-58

SEE PG. 230

Fd. C.S. mon. (FLUSH)
233+62.09
HELD FOR LINE
F.B. 1455-42-43
C.S.B. 2238-1

SAN FRANCISCO




Fd. C.S. mon
230+85.21
F.B. 1455-42

3.02

Fd. 2" I.P. & CONC. PLUG
218+59.02
F.B. 1455-42

RANCHO

3.02

SET 1" I.P. & C.E. TAG ON 3' OFFSET LINE LOT 90° TO 2" I.P.

E'LY LINE

3' OFFSET LINE

3383.61

COUNTY ENGINEER
B.M.
O.B. 106
R.E. 5869

62-00-00 (1)

124-00-00 (2)

32.40 LEN.

Fd. 2" I.P. & CONC. PLUG - TOP DIVIDE
202+18.78
F.B. 1455-41

3.10

0.35

SET 1" I.P. & C.E. TAG. 202+18.43 (N)

SET C.E. Button mon. up 6"

(CALC.) 28.87

32.40

62°-00-00

CALC. 15.21

TO TOP OF PG. 191

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 150 Std 84 °F
Surveyed by J. P. MENNE
Notes J.P.M. Date 12-1-61
Indexed M. E. OTT FEB 15 '62

F.B. 2652 Pg. 195

WEST LINE & NORTH LINE
OF
SECTION 29
T 4 N
R 15 W

FOR NEW LOCATION OF WEST LINE OF SEC. 29
SEE PGS. 245 TO 252 - J.P.M. 8-17-62

REFERENCES -

C.S. 8151 F.B. 60
C.S. 9438 L.S. 25-39
F.B. 11661

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—7/67

F.B. 7652 Pg. 194

← To Bottom of Pg. 195

LEV. 16.02
4.32 T = 58°=0
11.70
16.02'

SET L.G. BT. SPK. ↓ & T No. Ed. RD.

A-2 4+16.06
SET 1½ & N (FLUSH) FOR BANK No. SIDE HWY. 6

U.S. 62-B-3

RETURN TO LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

T = 58 = -0.05
287.58 @ 22°-20' = 266.01
287.38 @ 22°-14' = 266.01

265.96

SEC. LINE

TRANSIT

SECTION LINE

SEC. 30

A-1 1+50.10
Fd. 1½ & N. - REPLACED WITH 1" I.P. & C.E. TAG. UP 1" - TOP CUT SOUTH OF SIERRA Hwy. U.S. No. 6

T = 60°-00'
79.91 @ 4°-50' = 79.62
79.98 @ 5°-15' = 79.64

79.62

73.81 @ 17°-15' = 70.49
73.55 @ 16°-33' = 70.50

70.48
150.10

150.10

SEC. 29
T 4 N
R 15 W

U.S. GENERAL LAND OFFICE
T 4 N | R 15 W
S. 530 | 529
S. 531 | 532
1949 SURVEY

B+00

Fd. MON. ON SIDE HILL
UP 2"
PER. C.S. 9438

SEC. 31

SEC. 32

| | |
|---|---|
| Notes Ck'd by H. E. AUSTIN | Survey of SECTION LINE |
| Map No. | JN 0302.01 Tape 150 Std 84 OF |
| Office Work | Surveyed by J.P. MENNE |
| Checked | Notes J.P.M Date 12-1-61 |
| Date | Indexed H. E. OTT |

F. B. 2652 Pg. 195

TO BOTTOM OF PG. 196

37.74 ✓
298.35 ✓
336.09 ✓

A-5 13+64.84
SET 1½ & N (FLUSH)
Sm. RIDGE

336.09

T = 60° - 0.01
37.75 LEV.
T = 60° = - 0.05
298.71 @ 2°-36' = 298.40

SECTION LINE

A-4 10+28.75
SET 1½ & N. (FLUSH)
Sm. RIDGE

T = 56° = - 0.05
298.54 @ 7°-35' = 295.93 ✓
298.44 @ 7°-21' = 295.92 ✓

SEC. 30

295.87 ✓

SEC. 29
T 4 N
R 15 W

TRANSIT LINE SEC. LINE

A-3 7+32.88
SET 1½ & N (FLUSH)
SIDE HILL

T = 56 = - 0.04
207.33 @ 10°-02' = 204.16 ✓
207.25 @ 9°-55' = 204.15 ✓

316.82 ✓

112.71 ✓
204.11 ✓
316.82 ✓

T = 56 = - 0.02
113.81 @ 7°-53' = 112.73 ✓
113.89 @ 8°-08' = 112.74 ✓

732.84
825
54337

A-2 4+16.06
SET 1½ & N (FLUSH)

TO TOP OF PG. 194

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247 3-57

To Bottom of Pg. 197

F.B. 2652 Pg. 196

A-8 22+33.92
SET 1x2 & N (FLUSH)
TOE SLOPE
34.08±
BEGIN FLAT AREA

22+68±
GAS LINE
SO. CAL.

126.00±

21+42±
P
TEL. & POW. LINE

19+81.59
FD. 2x2 & L.S. TAG.
No. 1768

T- 64° = -0.09
297.78 @ 14°-29 = 288.32
297.52 @ 14°-17 = 288.32

T- 66° = 0

37.54 @ 17-13 = 35.95
.86 ✓✓

288.28
0.37
35.86 calc
35.95
.86

221.72 ✓
220.59 ✓

A-7 19+45.64
SET 1x2 & N (FLUSH)
TOP HILL

T- 66° = -0.03
221.75 @ LEV.

442.31 ✓

SECTION LINE
SEC. LINE
TRANSIT LINE
R 15 E

SEC. 29
T 4 N
R 15 W

BARRANCA

T- 66° = -0.03
220.79 @ 2°-14 = 220.62 ✓

SEC. 30

A-6 15+03.33
SET 1x2 & N (FLUSH)
TOP Sm. RIDGE

138.49 ✓
43° ±
15+00

T-62 = -0.02
138.51 @ LEV. = 138.49 ✓

A-5 13+64.84
SET 1x2 & N

To Top of Pg. 195

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of SECTION LINE
JN 0312.0 Tape 150 Std 89 °F
Surveyed by J. P. MENNE
Notes J.P.M. Date 12-9-61
Indexed H. E. OTT

F. B. 2652 Pg. 197

TO BOTTOM OF PG. 198

A-11 32+56.62
SET 1X2 & 4 (FLUSH)

RE-SET C.E. MON. @ THIS POINT SEE PG 249

T-66 = -0.07
266.01
152.97
190.59
609.51 = 609.50

J.P.M. 8-17-62

609.50

A-10 26+47.12
SET 1X2 & 4 (FLUSH)

SEC. 30

T-68 = 0

9.03 @ LEV.

9.03

26+41.90

THIS POINT REMOVED TO SET C.E. MON.

PER C.S. 9047 PG. 11Y COPY OF GOV'T NOTES

SET C.E. MON. @ MID-POINT BETWEEN SEC. COR. & SOUTH SEC. SIX TO NORTH WP 4" - E MARKER PIPE

0.30

26+41.49

FD. 2" I.P. WITH 2" I.P. PUP IS ALONG SIDE IN ROCK MOUND PER R.S. 64-25 PER C.S. 8205

148.30
255.87
404.17

A-9 26+38.09
SET 1X2 & 4 (FLUSH)

SEC. 29
T 4 N
R 15 W

T-68 = -0.02
149.00 @ S-29 = 148.32
148.95 @ S-15 = 148.32

404.17

TOP SM. HK.

T = 68 = -0.03
255.92 @ 0°-36' = 255.90

A-8 22+33.92
SET 1X2 & 4 (FLUSH)

TO TOP OF PG. 196

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F309S CE #247—3-57

To Bottom of Pg. 199

F.B. 2652 Pg. 198

SEE F.B. 2652-183

35.68

30.90

P-4
SEE F.B.
2652-183

FOR NEW INTERSECTION SEE PG. 251

J.P.M.
8-17-62

SET 1" I.P. & C.E.TAG. BY INTERSECTION
39+93.32 N =
63+21.87 W
F.B. 2652-183

A-14 40+28.92
SET 1" I.P. & C.E. TAG (FLUSH)
TOP RIDGE

P3-B

54°52'20"
F.B. 183

317.28

P-3
SEE F.B. 2652-183

F-LINE
OAKBLUFF RD.

0.20

FD. 2x2 & N. (FLUSH)

1.58

FD. 2x2 & N. (FLUSH)
39+62.58

T-66 = -0.03
278.66 @ 4°-33 = 277.78
278.71 @ 4°-39 = 277.79

211.41

277.75

A-13 37+51.17
SET 1x2 & N. (FLUSH)
Sm. RIDGE

T-66 = -0.01
97.36 @ 12-00 = 95.23
97.23 @ 11-36 = 95.24

T-64° = -0.04

TOP SLOPE

95.22
297.43
392.65

TRANSIT LINE

392.65

SEC. 29
T 4 N
R 15 W

297.50 @ 0-55 = 297.46
297.54 @ 1°-10' = 297.48

SEC. 30

SECTION LINE

SEC. LINE

A-12 33+58.52
SET 1x2 & N (FLUSH)

101.90

T-66 = -0.01

101.91 @ LEV. = 101.90

A-11 32+56.62
SET 1x2 & N (FLUSH)

To Top of Pg. 197

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by H. E. AUSTIN | Survey of SECTION LINE |
| Map No. | JN 0302.01 Tape F50 Std 8 OF |
| Office Work | Surveyed by J.P. MENNE |
| Checked | Notes J.P.M Date 12-5-61 |
| Date | Indexed H. E. OTT |

F. B. 2652 PG. 199

TO BOTTOM OF PG. 200

T-62 = -0.04
253.11 @ LEV.
T-68 = -0.02
206.76 @ 8-56 = 204.25 ✓✓
207.00 @ 9-21 = 204.25 ✓✓
253.07 ✓✓
204.23 ✓✓
457.30 ✓✓

457.30

A-16 47 + 77.61
WIGGLE PT.
SET 1" I.P. & C.E. TAG. (FLUSH)
TOP RIDGE

T-66 = -0.02
154.27 @ 5°-07 = 153.66 ✓
154.39 @ 5°-38 = 153.64 ✓

T = 66° = -0.03
260.15 @ 3-41 = 259.61 ✓✓
260.00 @ 3-10 = 259.60 ✓✓
153.63 ✓✓
259.57 ✓✓
413.20 ✓

SEC. LINE

413.20

RIDGE

SEC. 29
T 4 N
R 15 W

SEC. 30

T = 66° = -0.03
283.55 @ 12°-14 = 277.11 ✓
283.35 @ 12°-03 = 277.12 ✓

SECTION LINE

TRANSIT LINE

335.49

A-15 43 + 64.41
SET 1/2 & N (FLUSH)
ON RIDGE

T-60° = -0.01
59.75 @ 12-07 = 58.42 ✓✓
59.65 @ 11-36 = 58.43 ✓✓
277.08 ✓✓
58.41 ✓✓
335.49 ✓

A-14 40 + 28.92
SET 1" I.P. & C.E. TAG.

TO TOP OF PG. 199

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78F309S CE #247—3-57

F.B. 2652 PG. 200




W.S. 62-B-2

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of SECTION LINE
JN 0382.01 Tape 150 Std 84 °F
Surveyed by J.P. MENNE
Notes J.P.M Date 12-
Indexed H. E. OTT

F. B. 2652 Pg. 20

To Bottom of Pg. 202

136.01 ✓
258.71 ✓
394.72

T-58 = -0.04

259.92 @ 5-27 = 258.75 ✓
259.89 @ 5-22 = 258.75 ✓

B-4 9+11.49
SET 1" I.P. & C.E. TAG (FLUSH)
TOP RIDGE

T-62 = -0.02

136.66 @ 5°-27' = 136.04 ✓

394.72 ✓

136.60 @ 5°-15' = 136.03 ✓

SEC. 20

B-3 5+16.77
RIDGE
SET 1X2 & N (FLUSH)
at Sum. Ridge

T-62 = -0.03

174.48 @ 4-28 = 173.95 ✓
174.54 @ 4-37 = 173.97 ✓

T-62 = -0.02

163.56 @ 20°-14' = 153.47 ✓

327.37 ✓

SEC. LINE

SEC. 29
T 4 N
R 15 W

163.42 @ 20°-07' = 153.45 ✓

173.93 ✓
153.44 ✓
327.37 ✓

B-2 1+89.40
SET 1X2 & N (FLUSH)
NEAR TOP OF RIDGE

53.99 ✓

T-64 = -0.01

54.54 @ 8°-04 = 54.00 ✓
54.45 @ 7°-22 = 54.00 ✓

B-1 1+35.41 (E)
SET 1" I.P. & C.E. TAG.
TOP RIDGE

To Top Rt. of Pg. 200

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE #247

TO BOTTOM OF PG. 203

F.B. 2452 Pg. 202

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.G.E.-C.-2

DRAW

B-7 17+02.81
SET 1X2 & N (FLUSH)
TOP RIDGE

T-60 = -0.05
298.68 @ 3°-12 = 298.21 ✓
298.59 @ 2°-55 = 298.20 ✓

298.15

MAIN DRAW

SEC. 20

B-6 14+04.66
SET 1X2 & N (FLUSH)
TOP RIDGE

T-60 = -0.01

17.38 LEV.
20.83
38.21 = 38.20 ✓

38.20

B-5 13+66.46
SET 1X2 & N (FLUSH)
ON SIDE HILL

T-60 = -0.01
50.15 @ 14-34 = 48.54 ✓
50.00 @ 13-52 = 48.54 ✓

48.53

SURVEYORS T4N R15W 29 SEC. COR. 1/16 MONUMENT MSIB 1907

13+17.93
FD. C.S.MON. UP 6"
ON SIDE HILL

SEC. LINE

SEC. 29
T4N
R15W

0.20

SET 2" MARKER PIPE
5' N. OF MON

406.44

T-60 = -0.04

245.55 @ 3-08 = 245.18 ✓

245.14 ✓
161.30 ✓
406.44 ✓

T-60 = -0.03

161.33 @ LEV.

B-4 9+11.49
SET 1" I.P. & C.E.
TAG.

TO TOP OF PG. 201

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of SECTION LINE
JN 030201 Tape 150 Std 8 of F
Surveyed by J.P. MENNE
Notes J.P.M Date 12-7-61
Indexed H.E.O.T

F. B. 7652 Pg. 203

To Bottom of Pg. 204

B-10 29+99.71
SET 1" I.P. & C.E. TAG (FLUSH)
TOP SADDLE WIGGLE PT.

T-58 = -0.04
261.55 @ 13-00 = 254.85 ✓
261.60 @ 13-02 = 254.86 ✓

254.8

B-9 22+44.90
SET 1x2 & N. (FLUSH)
TOP SM. RIDGE

SEC. 20

T-58 = -0.02
101.93 @ 3-39 = 101.72 ✓
101.99 @ 4-13 = 101.71 ✓

101.69 ✓
103.76 ✓
205.45 ✓

205.45

SEC. 29
T 4 N
R 15 W

SEC. LINE

T-60 = -0.02
104.03 @ 3-54 = 103.79
103.97 @ 3-29 = 103.78 ✓

B-8 20+39.45
SET 1x2 & N. (FLUSH) ON SIDE HILL

37.97 ✓
298.67 ✓
336.64 ✓

T-62 = -0.01
38.68 @ 10-54 = 37.98 ✓
38.52 @ 9-33 = 37.99 ✓

336.64

T-62 = -0.04
298.90 @ 2-03 = 298.71 ✓
298.82 @ 1-27 = 298.72 ✓

B-7 17+02.81
SET 1x2 & N (FLUSH)
TOP RIDGE

To Top of Pg. 202

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3.5

TO BOTTOM OF PG. 205

F.B. 2652 Pg. 204

259.58 ✓
189.11 ✓
448.69 ✓

B-12 33+84.20
SET 1½ E.N. (FLUSH)
TOP RIDGE

448.69 ✓

T-60° = -0.05
296.37 @ 28-50 = 259.63 ✓
295.68 @ 28-35 = 259.64 ✓
T-56 = -0.04

RIDGE

196.61 @ 15-50 = 189.15 ✓
196.14 @ 15-20 = 189.16 ✓

B-11 - 29+35.51
SET 1" I.P. E.C.E.TAG (FLUSH)
TOP RIDGE
SET 1½ E.N. TOP RIDGE FOR SIGHT ON
30.00
30.00 OFF AT 90° TO LINE

SEC. LINE
1299.43 ✓

T-56 = -0.05
299.58 @ 1°-27 = 299.48 ✓
299.57 @ 1°-18 = 299.49 ✓

SEC. 29
T 4 N
R 15 W

SEC. 20

26+36.08
¼ COR.
FD. C.S. MON.
(FLUSH)
ON TOP RIDGE

SEC. 20
T 4 N
R 15 W

SEC. LINE
1336.37 ✓

SURVEYOR'S MONUMENT
T 4 N
SEC. 20
SEC. 29
R 15 W
1/4 SEC. COR.

T-62 = -0.02
137.98 @ 8-44 = 136.38 ✓
137.89 @ 8-26 = 136.40 ✓

SET 2" MARKER PIPE
5' N. OF MON.
SEC. 29

B-10 - 24+99.71
SET 1" I.P. E.C.E. TAG.

TOP TOP OF PG. 203

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by H. E. AUSTIN | Survey of SECTION LINE |
| Map No. | JN 0302.01 Tape 150 Std 84 OF |
| Office Work | Surveyed by J.P. MENNE |
| Checked | Notes J.P.M Date 12-8-61 |
| Date | Indexed H. F. OTT |

F. B. 2652 Pg. 205

TO BOTTOM OF PG. 204

B-14 38+50.84
SET 1" I.P. & C.E. TAG
DN. 12"

FIELD

SEC. LINE

230.37 ✓

T-52 = -0.05
230.45 @ 0°-59 = 230.42 ✓
230.49 @ 1-26 = 230.42 ✓

4' BARBED WR

SET N&T IN FN. POST

SEC. 20
T 4 N
R 15 W

36+24±

B-13 36+20.47
SET 1" I.P. & C.E. TAG IN MON.

44.68 ✓
17.28 ✓
16.37 ✓

TEL. POLE

SET N.&T. ON R.R. TEL. POLE

T-58 = -0.01
16.37
17.28 (LEV.)
44.68 = 44.67 ✓

36+42±

35+93±

SET N.&T. TEL. POLE

PACIFIC R.R.

±50'

161.14 ✓
75.13 ✓
236.27 ✓

35+51±

SEC. 29

T-58 = -0.03
169.19 @ 17-43 = 161.17 ✓
169.42 @ 17-57 = 161.17 ✓

236.27

4' BARBED WR.

T-56 = -0.01
79.15 @ 18-19 = 75.14 ✓
79.36 @ 18-46 = 75.14 ✓

34+78±

B-12 33+84.20
SET 1½" & N. (FLUSH)

TO TOP OF PG. 204

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

TO BOTTOM OF PG 207

F.B. 2652 Pg. 206

32" COTTONWOOD

92.82

P.P. No. 66BIS7E

SET N. & T. ON LINE IN POLE

B-16

48 + 52.11

SET 1" I.P. & C.E. TAG DN. 12"

12.75

420.03 (CALC.) TO SEC. COR

420.36

30' OFFSET LINE

30.00

SET 1X2 N. (FLUSH)

90°

SEC. 20

T-60 = -0.14

181.08

208.85

201.15

146.98

176.80

914.86 = 914.72

SEC. LINE

914.72

SEC. 29

T 4 N

R 15 W

B-15 39 + 37.39

SET 1" I.P. & C.E. TAG DN. 12"

APPROX. ℄ WHITES CN RD. (PROPOSED)

T-60 = -0.01

86.56 ELEV. = 86.55

86.55

B-14 38 + 50.84

SET 1" I.P. & C.E. TAG

TO TOP OF PG. 205

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by H. E. AUSTIN | Survey of SECTION LINE |
| Map No. | JN 0302-01 Tape 150 Std 84 OF |
| Office Work | Surveyed by J.P. MENNE |
| Checked | Notes J.P.M Date 12-1-61 |
| Date | Indexed H. E. OTT |

F.B. 2652 Pg. 207

W.S. 62-C-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
7700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57




TO TOP OF PG. 226

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

START 229

F.B. 2652 Pg 208

F. B. 2652 PG. 209

Profile No. | Notes Red. | Date | Plotted | Date | Job No. 0075.99 | Division No.
Survey of OAK BLUFF ROAD.
X-Sec. No. | Notes Chkd. | Date | Checked | Date | Survey by J.P.MENNE Notes J.P.M. Date 1-8-62
Map No. | Indexed H. F. OTT Date JAN 22 '62

OAK BLUFF ROAD
J.N. 0075.99

BENCH LEVELS
(P - LINE)

FROM

INTERSECTION SIERRA HWY U.S. No. 6

&

OAK BLUFF ROAD "P". LINE

WESTERLY TO SAN FRANCISCO GRANT LINE
TO SOLEDAD CN. ROAD

ZEISS LEVEL No. 26274
ROD No. 31 - 6274
ROD No. 32 - 6274
ROD READINGS TO 0.005

| STATION | B. S. | H. I. | F. S. | ELEV. |
|---|---|---|---|---|
| | | V. HUCKABY<br>L. C. LOVE<br>R. GILROY | J.P.MENNE<br>W.J. VOGE | |

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

76L298 S & E #307 9-54

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2652 Pg. 210 | Job No. 2075.99 Division No. | Profile
Survey of OAKBLUFF Road | Plotted | No. | X-Sec.
Survey by J.P. MENNE Notes A.P.M. | Notes Red. | Date | Date | Checked | No.
Indexed H.E. OTT | Notes Chkd. | Date | Date | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| (FD) B.M. O.B.-7 | 3 150 | 1456490 | | 1453340 | B.M. O.B.7 — | NO. SIDE U.S. HWY. NO. 6 — 11.9' SO. OF LIGHT STANDARD BET. UNION OIL STATION & TID'S RESTAURANT & 6.1' E. OF W. END OF CURB FD. LEAD, BRASS NAIL & L.A. Co. ENG. TAG. - TOP OF CURB F.B. 2652-24-83 |
| | | | 5 680 | 1450810 | | |
| | 3 260 | 1454070 | | | | |
| | | | 6 080 | 1447990 | | |
| | 3 230 | 1451220 | | | | |
| (FD) B.M. O.B.-99 (0+00 ℄) | | | 5 045 | 1446175 | B.M. O.B. 99 — | SO. SIDE U.S. HWY. NO. 6 - INT. OF 22' OFFSET LN. OF ℄ HWY. NO. 6 & ℄ PROP. OAKBLUFF ROAD. - BEGINNING OF STA. 0+00. - TOP OF 1" I.P. & C.E. TAG - F.B. 2652-177 |
| | 2 215 | 1448390 | | | | |
| | | | 11 400 | 1436990 | | |
| | 0 700 | 1437690 | | | | |
| | | | 7 840 | 1429850 | | |
| | 2 465 | 1432315 | | | | |
| FD. IXZ 1+21.80 (W) | | | 7 895 | 1424420 | | INT. OF SEC. LN. & ℄ PROP. OAKBLUFF RD. 1+20.80 W = 9+34.40 N. - TOP IXZ & N. F.B. 2652-178 |
| | 2 500 | 1426920 | | | | |
| (SET) T.B.M. - 1 | | | 3 715 | 1423205 | T.B.M. - 1 | 100'± NO. & 24' W. FROM SEC. LN. & ℄ OAKBLUFF RD. INT. - SET LG. BT. SPK. IN W. SIDE P. POLE NO. V-2419-UP 1' |
| | 0 760 | 1423965 | | | | |
| | | | 6 560 | 1417405 | | |
| | 3 140 | 1420545 | | | | |
| | | | 7 105 | 1413440 | | |
| | 0 870 | 1414310 | | | | |
| (SET) B.M. O.B.-100 | | | 6 350 | 1407960 | B.M. O.B.-100 — | P. LN. PLUS 10+50.00 & 152.35' R. - SET C.E. BUTTON MON. UP 6" F.B. 2652-179 |
| | 5 250 | 1413210 | | | | |

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1413 210 | | | | |
| (FD) P-1. 1"I.P. 10+50.00 | | | 2 810 | 1410400 | P-1 — 10+50.00 ON TOP 1"I.P. & C.E. TAG | P-LINE -F.B. 2652-179 |
| | 6 860 | 1417 260 | | | | |
| | | | 4 145 | 1413 115 | | |
| | 9 275 | 1422 390 | | | | |
| | | | 0 900 | 1421 490 | | |
| (FD) P-1A 142 | 5 600 | 1427 090 | | | | |
| | | | 3 335 | 1423 755 | P-1-A 18+81.63 ON TOP 142 & N | P-LINE -F.B. 2652-180 |
| 18+81.63 | 7 045 | 1430 800 | | | | |
| | | | 2 230 | 1428 570 | + 220 | |
| | 8 100 | 1436 670 | | | | |
| | | | 0 860 | 1435 810 | + 230 | |
| | 7 790 | 1443 600 | | | | |
| | | | 1 905 | 1441 695 | + 230 | |
| | 10 300 | 1451 995 | | | | |
| | | | 1 765 | 1450 230 | + 200 | |
| | 11 695 | 1461 925 | | | | |
| | | | 1 090 | 1460 835 | | |
| | 10 880 | 1471 715 | | | | |
| | | | 0 440 | 1471 275 | | |
| | 11 400 | 1482 675 | | | | |

Profile Notes Red. Plotted. Job No. 0075.99 Division No.
No. Date. Date. Survey of OAKGLEN ROAD F. B. 2652 Pg. 211
X-Sec. Notes Chkd. Checked. Survey by J.P. MENNE Notes J.P.M. Date 1-8-62
No. Date. Date. Map No. Indexed E. A. OTT Date

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2652 Pg. 217 | Job No. 0075.99 Division No. | Notes Red. | Plotted | Profile
Survey of OAKBLUFF ROAD | Date | Date | No.
Survey by J.P. MENNIS Notes J.P.M. | Notes Chkd. | Checked | X-Sec.
Indexed H.E.OTT Date | Date | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| (FD) P.1-B - 1/2 29+87.51 | | 1482 675 | | | | |
| | | | 1 030 | 1481645 | P.1-B | 29+87.51 ON P.LINE - TOP 1/2 & TOP SM. RIDGE F.B. 2652-180-181 |
| | 0 460 | 1482 105 | | | | |
| | | | 11 290 | 1470 815 | | |
| | 0 515 | 1471 330 | | | | |
| | | | 8 855 | 1462 475 | | |
| | 0 470 | 1462 945 | | | | |
| (SET) B.M. O.B.101 | | | 6 765 | 1456180 | B.M. O.B.101 | 32+39.58 & 175.12' LEFT OF P.LINE - SET C.E. BUTTON MON. F.B. 2652-181 |
| | 7 980 | 1464 160 | | | | |
| | | | 1 070 | 1463 090 | | |
| (FD) P-2 1" I.P. 37+19.77 | 10 080 | 1473 170 | | | | |
| | | | 1 030 | 1472 140 | P-2 | 37+19.77 ON P.LINE TOP 1" I.P. & C.E. TAG F.B. 2652-181 |
| | 11 330 | 1483 470 | | | | |
| | | | 0 315 | 1483155 | | |
| | 10 595 | 1493 750 | | | | |
| | | | 0 335 | 1493415 | | |
| | 10 835 | 1504 250 | | | | |
| | | | 0 775 | 1503475 | | |
| (FD) P.2A 1/2 -39+28.20 | 5 910 | 1509 385 | | | | |
| | | | 1 360 | 1508025 | P.2A | 39+28.20 ON P.LINE TOP 1/2 F.B. 2652-181-182 |
| | 5 030 | 1513 055 | | | | |

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1513 055 | | | | |
| | | | 4 330 | 1508 725 | | |
| | 3 910 | 1512 635 | | | | |
| | | | 3 115 | 1509 520 | | |
| | 10 570 | 1520 090 | | | | |
| | | | 0 950 | 1519 140 | | |
| | 11 420 | 1530 560 | | | | |
| | | | 0 800 | 1529 760 | | |
| | 8 360 | 1538 120 | | | | |
| (FD) P.2 B-142 47+67.97 | | | 1 420 | 1536 700 | P.2.B | 47+67.97 ON "P" LINE TOP 1½ ø IN TOP Sm. R.I.&E. F.B. 2652-182 |
| | 0 250 | 1536 950 | | | | |
| | | | 11 420 | 1525 530 | | |
| | 0 395 | 1525 925 | | | | |
| | | | 11 530 | 1514 395 | | |
| | 2 070 | 1516 465 | | | | |
| | | | 4 970 | 1511 495 | | |
| | 5 790 | 1517 285 | | | | |
| (SET) Bm. O.B. 102 | | | 3 300 | 1513 985 | B.m. O.B. 102 | 52+77.01 & 284.16 LEFT OF "P" LINE SET C.E. BUTTON MON. "D G" F.B. 2652-182 |
| | 8 950 | 1522 935 | | | | |
| | | | 0 370 | 1522 565 | | |
| | 10 395 | 1532 960 | | | | |

Profile Notes Red Plotted Job No. 0075.99 Division No.
No. Date Date Survey of OAK BLUFF ROAD
X-Sec. Notes Chkd. Checked Survey by J.P. MENNE Notes J.P.M. Date 1-11-62
No. Date Date Map No. Index M. E. O.K. Date

F.B. 2652 Pg. 2/3

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 214 | Job No. 0075.99 Division No. | Profile
Survey of OAKBLUFF ROAD | Plotted | No.
Survey by S.P. MEANS Notes S.P.M. | Notes Red. | Date | X-Sec.
Indexed H.E. OTT | Notes Chkd. | Date | Checked | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1532 960 | | | | |
| | | | 0 245 | 1532 715 | | |
| | 11 125 | 1543 840 | | | | |
| | | | 0 355 | 1543 485 | | |
| | 11 140 | 1554 625 | | | | |
| | | | 0 455 | 1554 170 | | |
| | 10 635 | 1564 805 | | | | |
| R-3 (FD) 1" I.P. 56+24.57 | | | 1 685 | 1563 120 | P-3 | 56+24.57 ON P-LINE TOP 1" I.P. & C.E. TAG F.B. 2652-183 |
| | 11 640 | 1574 760 | | | | |
| | | | 1 035 | 1573 725 | | |
| | 11 155 | 1584 880 | | | | |
| | | | 0 200 | 1584 680 | | |
| | 11 970 | 1596 650 | | | | |
| | | | 0 355 | 1596 295 | | |
| R3-A (FD) 1X2 60+04.59 | 11 765 | 1608 060 | | | | |
| | | | 3 955 | 1604 105 | P-3A | 60+04.59 ON P-LINE TOP 1X2 B.N. F.B. 2652-183 |
| | 5 600 | 1609 705 | | | | |
| | | | 11 470 | 1598 235 | | |
| | 0 575 | 1598 810 | | | | |
| | | | 8 665 | 1590 145 | | |
| | 6 585 | 1596 730 | | | | |

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| (FD) P-3B - 1" I.P. 63+21.87 W = 39+93.32 N | | 1596 730 | | | | |
| | | | 7 925 | 1588 805 | P-3B — | INT. OF "P" LINE & SEC. LINE 63+21.87 W = 39+93.32 N TOP 1" I.P. & C.E. TAG. F.B. 2652 - 183 - 198 |
| | 6 730 | 1595 535 | | | | |
| (FD) A-14 - 40+28.92 (N) | | | 2 160 | 1593 375 | A-14 — | 40+28.92 (N) ON SEC. LINE - TOP 1" I.P. & C.E. TAG. TOP RIDGE - F.B. 2652 - 198 |
| (FD) P-4 - 1" I.P. 63+52.77 | 2 130 | 1595 505 | | | | |
| | | | 2 225 | 1593 280 | P-4 — | 63+52.77 ON P. LINE - TOP 1" I.P. & C.E. TAG. - TOP RIDGE F.B. 2652 - 183 - 184 |
| | 11 795 | 1605 075 | | | | |
| | | | 0 375 | 1604 700 | | |
| | 11 505 | 1616 205 | | | | |
| | | | 0 255 | 1615 950 | | |
| | 11 535 | 1627 485 | | | | |
| | | | 0 305 | 1627 180 | | |
| | 11 120 | 1638 300 | | | | |
| | | | 0 225 | 1638 075 | | |
| (FD) P-5 1" I.P. 71+01.29 | 8 155 | 1646 230 | | | | |
| | | | 7 665 | 1638 565 | P-5 — | 71+01.29 ON P. LINE TOP 1" I.P. & C.E. TAG F.B. 2652 - 184 |
| | 11 970 | 1650 535 | | | | |
| | | | 0 265 | 1650 270 | | |
| | 9 310 | 1659 580 | | | | |
| | | | 0 405 | 1659 175 | | |
| | 11 350 | 1670 525 | | | | |

Profile Notes Red. Plotted. Job No. 0075.99 Division No.
No. Date Date Survey of OAK BLUFF ROAD
X-Sec. Notes Chkd. Checked Survey by J. P. MAHONEY Notes by Date 1-11-62
No. Date Date Map No. Indexed Date
F. B. 2652 Pg. 215

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 2652 Pg. 216 Job No. 0275.99 Division No. Notes Red. Plotted
Survey of OAKBLUFF ROAD Date. Date. No.
Survey by J.P. MENNE Notes J.P.M. Notes Chkd. Checked X-Sec.
Indexed H.E. OTT Date. Date. Date. No.
Profile

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1670 525 | | | | |
| | | | 0 205 | 1670 320 | | |
| | 11 070 | 1681 390 | | | | |
| (SET) B.M. O.B.103 | | | 2 265 | 1679 125 | B.M. O.B. 103 | 75+39.66 ℄ 83.59 LEFT OF "P" LINE - SET BUTTON MIN. UP 6" F.B. 2652 - 184 |
| | 11 215 | 1690 340 | | | | |
| | | | 0 795 | 1689 545 | | |
| | 3 330 | 1692 875 | | | | |
| | | | 10 020 | 1682 855 | | |
| | 1 220 | 1684 075 | | | | |
| (FD) R5A - 1X2 78+02.45 | | | 6 230 | 1677 845 | R5-A | 78+02.45 ON "P" LINE TOP 1X2 & N. F.B. 2652 - 184 |
| | 0 890 | 1678 735 | | | | |
| | | | 11 505 | 1667 230 | | |
| | 0 955 | 1668 185 | | | | |
| | | | 11 590 | 1656 595 | | |
| | 11 880 | 1668 475 | | | | |
| | | | 0 390 | 1668 085 | | |
| | 11 925 | 1680 010 | | | | |
| | | | 0 445 | 1679 565 | | |
| | 10 445 | 1690 010 | | | | |
| (FD) R5B - 1X2 82+41.88 | | | 4 415 | 1685 595 | R5-B | 82+41.88 ON "P" LINE TOP 1X2 & N. F.B. 2652 - 185 TOP RIDGE |
| | 0 215 | 1685 810 | | | | |

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | | |
|---|---|---|---|---|---|---|---|
| | | 1685 810 | | | | | |
| | | | 11 035 | 1674 775 | | | |
| | 0 360 | 1675 135 | | | | | |
| | | | 11 750 | 1663 385 | | | |
| | 0 975 | 1664 360 | | | | | |
| | | | 11 735 | 1652 625 | | | |
| | 0 225 | 1652 850 | | | | | |
| | | | 11 235 | 1641 615 | | | |
| | 0 365 | 1641 980 | | | | | |
| | | | 11 395 | 1630 585 | | | |
| | 8 605 | 1639 190 | | | | | |
| | | | 11 525 | 1627 665 | | | |
| | 3 640 | 1631 305 | | | | | |
| | | | 11 915 | 1619 390 | | | |
| (FD) R6 1" I.P. 86 + 11.48 | 5 675 | 1625 065 | | | | | |
| | | | 8 605 | 1616 460 | P-6 | 86+11.48 ON F.B. 2652-185 | P-LINE TOP 1" I.P. B.C.E. TAG |
| | 9 830 | 1626 290 | | | | | |
| | | | 11 030 | 1615 260 | | | |
| R6A (FD) 1X2 89+11.87 | 6 055 | 1621 315 | | | | | |
| | | | 8 480 | 1612 835 | P-6A | 89+11.87 ON TOP Sm. RIVET | P-LINE TOP 1X2 ON F.B. 2652-185 |
| | 0 885 | 1613 720 | | | | | |

Profile Notes Red. Plotted Job No. 0075.99 Division No.
No. Date Date Survey of OAK BLUFF ROAD F.B. 2652 Pg. 217
X-Sec. Notes Chkd. Checked Survey by J.P.M. & W. Notes J.P.M. Date 1-12-67
No. Date Date Map No. Index H. E. OTT Date

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F.B. 2652 Pg. 218 | Job No. 0075.99 | Division No. | Notes Red. | Plotted | No. | Profile
Survey of OAKBUNK Road | Date | Date | No. | X-Sec.
Survey by J.P. MEANS | Notes J.P.M. | Notes Chkd. | Checked
Indexed H.E. OTT | Date | Date | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | | |
|---|---|---|---|---|---|---|---|
| | | 1613 720 | | | | | |
| | | | 3 615 | 1610 105 | | | |
| (FD) P-6 B 1½ 92+60.73 | 6 150 | 1616 255 | | | | | |
| | | | 11 805 | 1604 450 | P-6-B | 92+60.73 on Sm. SPUR | P LINE TIP 1½ & N. ON F.B. 2652-186 |
| (FD) P-7 1" I.P. 95+97.48 | 6 230 | 1610 680 | | | | | |
| | | | 11 945 | 1598 735 | P-7 | 95+97.48 on C.E. TAG. on SPUR | P LINE TOP 1" I.P. & F.B. 2652-186 |
| | 11 580 | 1610 315 | | | | | |
| | | | 0 895 | 1609 420 | | | |
| | 11 510 | 1620 930 | | | | | |
| | | | 0 610 | 1620 320 | | | |
| | 10 645 | 1630 965 | | | | | |
| B.M. O.B. 104 | | | 2 395 | 1628 570 | B.M. OB. 104 | 95+88.31 & 352.03 LEFT OF "P" LINE UP 6" | SET C.E. BUTTON MON. F.B. 2652-186 |
| | 5 335 | 1633 905 | | | | | |
| | | | 11 725 | 1622 180 | | | |
| | 4 620 | 1626 800 | | | | | |
| (FD) P-7A 1½ 99+88.84 | | | 5 485 | 1621 315 | P-7 A | 99+88.84 on P" LINE F.B. 2652-186 | TOP 1½ E N |
| | 4 975 | 1626 290 | | | | | |
| | | | 9 485 | 1616 805 | | | |
| | 6 635 | 1623 440 | | | | | |
| | | | 0 230 | 1623 210 | | | |
| | 9 925 | 1633 135 | | | | | |

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | | |
|---|---|---|---|---|---|---|---|
| | | 1633 135 | | | | | |
| | | | 0 190 | 1632 945 | | | |
| | 10 575 | 1643 520 | | | | | |
| | | | 0 755 | 1642 765 | | | |
| | 11 495 | 1654 260 | | | | | |
| | | | 0 560 | 1653 700 | | | |
| (FD) P-7-B 1" I.P. 102+95.17 | 6 025 | 1659 725 | | | | | |
| | | | 4 990 | 1654 735 | P-7 B | 102+95.17 C.E.TAG | ON "P" LINE TOP 1" I.P. & F.B. 2652 - 187 |
| | 1 955 | 1656 690 | | | | | |
| | | | 9 120 | 1647 570 | | | |
| | 0 580 | 1648 150 | | | | | |
| | | | 10 325 | 1637 825 | | | |
| (FD) P-7 C 182 105+23.46 | 3 025 | 1640 850 | | | | | |
| | | | 5 245 | 1635 605 | P-7 C | 105+23.46 | ON "P" LINE TOP 182 F.B. 2652 - 187 |
| | 0 395 | 1636 000 | | | | | |
| | | | 11 030 | 1624 970 | | | |
| | 0 260 | 1625 230 | | | | | |
| | | | 11 825 | 1613 405 | | | |
| | 0 730 | 1614 135 | | | | | |
| | | | 8 830 | 1605 305 | | | |
| | 3 205 | 1608 510 | | | | | |

Profile Notes Red. Plotted Job No. 0075.99 Division No.
No. Date Date Survey of OAKBLUFF ROAD
X-Sec. Notes Chkd. Checked Survey by J. PYNENNE Notes by PYN Date 1-15-62
No. Date Date Map No. Index No. H.E. OIL Date
F. B. 2652 Pg. 219

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg 220 | Job No. 0075.99 Division No. Roads | Profile
Survey of OAKBLUFF Notes Red. Date Plotted No.
Survey by J.P.MEUNIE Notes Chkd. Date Checked X-Sec.
Indexed H. E. OTT Date Date No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | | |
|---|---|---|---|---|---|---|---|
| | | 1608 510 | | | | | |
| (FD) P-7D 1x2 107 + 67.59 | | | 7 155 | 1601 355 | P-7D | 107 + 67.69 F.B. 2652 - 187 | ON "P" LINE TOP 1x2 |
| | 2 940 | 1604 295 | | | | | |
| | | | 9 155 | 1595 140 | | | |
| | 0 850 | 1595 990 | | | | | |
| | | | 11 830 | 1584 160 | | | |
| | 0 475 | 1584 635 | | | | | |
| | | | 11 205 | 1573 430 | | | |
| (FD) P-7E 1x2 109 + 30.60 | 0 480 | 1573 910 | | | | | |
| | | | 11 560 | 1562 350 | P-7E | 109 + 30.60 F.B. 2652 - 188 | ON "P" LINE TOP 1x2 |
| (FD) P-8 - 1" I.P. 111 + 71.73 | 3 925 | 1566 275 | | | | | |
| | | | 2 880 | 1563 395 | P-8 | 111 + 71.73 & C.E. TAG. | ON "P" LINE TOP 1" I.P. F.B. 2652 - 188 |
| | 10 950 | 1574 345 | | | | | |
| | | | 0 315 | 1574 030 | | | |
| (FD) P-8A 1x2 112 + 35.90 | 11 230 | 1585 260 | | | | | |
| | | | 0 875 | 1584 385 | P-8A | 112 + 35.90 F.B. 2652 - 188 | ON "P" LINE TOP 1x2 |
| (FD) P-8B 1x2 113 + 44.58 | 10 920 | 1595 305 | | | | | |
| | | | 2 435 | 1592 870 | P-8-B | 113 + 44.58 F.B. 2652 - 189 | ON "P" LINE TOP 1x2 |
| | 6 935 | 1599 805 | | | | | |
| | | | 9 770 | 1590 035 | | | |
| | 11 070 | 1601 105 | | | | | |

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1601 105 | | | | |
| | | | 0 185 | 1600 920 | | |
| | 11 365 | 1612 285 | | | | |
| | | | 0 275 | 1612 010 | | |
| | 11 575 | 1623 585 | | | | |
| | | | 0 185 | 1623 400 | | |
| | 11 845 | 1635 245 | | | | |
| P-9 (FD) 1" I.P. 118 05.68 | | | 0 750 | 1634 495 | P-9 | 118+05.68 ON "P" LINE TOP 1" I.P. & C.E. TAG. F.B. 2652 - 189 |
| | 7 890 | 1642 385 | | | | |
| | | | 1 290 | 1641 095 | | |
| (SET) B.m. O.B. 105 | 6 295 | 1647 390 | | | | |
| | | | 2 305 | 1645 085 | B.m. O.B. 105 | 111.17 S.W. ON PROD. OF BACK LINE FROM P-9 & 99.16' RT. - F.B. 2652-189 |
| | 0 550 | 1645 635 | | | | |
| | | | 11 165 | 1634 470 | | |
| | 0 855 | 1635 325 | | | | |
| | | | 11 440 | 1623 885 | | |
| | 0 325 | 1624 210 | | | | |
| | | | 10 665 | 1613 545 | | |
| P-9 A (FD) 1/2" 120 +03.66 | 1 345 | 1614 890 | | | | |
| | | | 10 160 | 1604 730 | P-9 A | 120+03.66 ON "P" LINE TOP 1/2" F.B. 2652 - 189 |
| | 0 695 | 1605 425 | | | | |

Profile Notes Red. Plotted Job No. 2075.99 Division No.
No. Date Date Survey of OAK BLUFF ROAD
X-Sec. Notes Chkd. Checked Survey by J.P.M. & Notes J.P.M. Date 1-15-62
No. Date Date Map No. Indexed H. E. Otte
F.B. 2652 Pg. 21

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F. B. 2652 Pg 22 | 0075.99 | Job No. | Division No. | Notes Red. | Plotted | No. | Profile
Survey of OAK BLUFF ROAD | Date | Date | No. | X-Sec.
Survey by J.P. MENNE | Notes J.P.M. | Notes Chkd. | Checked
Indexed H.E. OTT | Date | Date | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1605 425 | | | | |
| | | | 11 715 | 1593 710 | | |
| P-9 B (FD) 1½ 123+02.32 | 9 355 | 1603 065 | | | | |
| | | | 11 085 | 1591 980 | P-9 B | 123 + 02.32 ON "P" LINE TOP 1½ F.B. 2652 - 190 |
| | 0 275 | 1592 255 | | | | |
| | | | 11 555 | 1580 700 | | |
| P-9-C (FD) 1½ 126 + 54.21 | 3 495 | 1584 195 | | | | |
| | | | 5 335 | 1578 860 | P-9-C | 126 + 54.21 ON "P" LINE TOP 1½ F.B. 2652 - 190 |
| P-10 (FD) 1" I.P. 128 + 26.46 | 9 020 | 1587 880 | | | | |
| | | | 3 510 | 1584 370 | P-10 | 128 + 26.46 ON "P" LINE TOP 1" I.P. & C.E. TAG F.B. 2652 - 190 |
| | 11 775 | 1596 145 | | | | |
| | | | 0 275 | 1595 870 | | |
| P-10-A (FD) 1½ 130 + 57.76 | 10 940 | 1606 810 | | | | |
| | | | 6 485 | 1600 325 | P-10-A | 130 + 57.76 ON "P" LINE TOP 1½ F.B. 2652-190 |
| P-10-B (FD) 1" I.P. 134+49.41 | 3 015 | 1603 340 | | | | |
| | | | 9 155 | 1594 185 | P-10-B | 134 + 49.41 ON "P" LINE TOP 1" I.P. & C.E. TAG. F.B. 2652-191 |
| P-10-C (FD) 1" I.P. 135+26.10 | 1 530 | 1595 715 | | | | |
| | | | 10 935 | 1584 780 | P-10-C | 135+26.10 ON 'P' LINE & GRANT LINE INT. TOP 1" I.P. & C.E. TAG F.B. 2652-191 |
| | 11 350 | 1596 130 | | | | |
| | | | 0 930 | 1595 200 | | |
| | 11 970 | 1607 170 | | | | |

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1607 170 | | | | |
| | | | 0 530 | 1606 640 | | |
| | 8 240 | 1614 880 | | | | |
| (SET) B.M. O.B. 106 | | | 3 410 | 1611 470 | B.M. O.B. 106 | 202 + 03.22 (N) ℄ 28.89' R' OF 3' OFFSET LINE OF RANCHO SAN FRANCISCO LINE — SET C.E. BUTTON MON. UP 6" F.B. 2652-192 |
| | 2 575 | 1614 075 | | | | |
| | | | 3 090 | 1610 955 | | |
| | 11 865 | 1622 820 | | | | |
| | | | 11 330 | 1611 490 | | |
| | 0 425 | 1611 915 | | | | |
| | | | 11 540 | 1600 375 | | |
| | 1 690 | 1602 065 | | | | |
| | | | 11 495 | 1590 570 | | |
| | 0 755 | 1591 325 | | | | |
| | | | 11 990 | 1579 335 | | |
| | 0 955 | 1580 290 | | | | |
| | | | 11 145 | 1569 145 | | |
| | 0 445 | 1569 590 | | | | |
| | | | 11 525 | 1558 065 | | |
| | 0 540 | 1558 605 | | | | |
| | | | 11 395 | 1547 210 | | |
| | 0 705 | 1547 915 | | | | |

Profile Notes Red. Plotted Job No. 0075.99 Division No.
No. Date Date Survey of OAK BLUFF ROAD
X-Sec. Notes Chkd. Checked Survey by J.P. MENNE Notes J.P.M. Date 1-15-62
No. Date Date Map No. Indexed E. OTT Date

F.B. 2652 PG. 223

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F. B. 26052 Pg. 224 | Job No. 037599 Division No. Notes Red. Plotted
Survey of OAKBLUFF Road Date Date No.
Survey by J.P. MENNE Notes A.P.M. Notes Chkd. Checked X-Sec.
Indexed H. E. OTT Date Date Date No.
Profile

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1547 915 | | | | |
| | | | 11 975 | 1535 940 | | |
| | 0 725 | 1536 665 | | | | |
| | | | 11 935 | 1524 730 | | |
| | 0 705 | 1525 435 | | | | |
| | | | 11 505 | 1513 930 | | |
| | 0 600 | 1514 530 | | | | |
| | | | 11 885 | 1502 645 | | |
| | 0 230 | 1502 875 | | | | |
| | | | 11 840 | 1491 035 | DRILL [illegible] | |
| | 2 320 | 1493 355 | | | | |
| | | | 10 035 | 1483 320 | | |
| | 1 530 | 1484 850 | | | | |
| | | | 9 560 | 1475 290 | | |
| | 2 160 | 1477 450 | | | | |
| | | | 10 425 | 1467 025 | | |
| | 1 000 | 1468 025 | | | | |
| | | | 4 980 | 1463 045 | | |
| | 2 860 | 1465 905 | | | | |
| | | | 11 395 | 1454 510 | | |
| | 1 540 | 1456 050 | | | | |

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1456 050 | | | | |
| | | | 8 035 | 1448 015 | | |
| | 11 800 | 1459 815 | | | | |
| | | | 3 310 | 1456 505 | | |
| | 0 520 | 1457 025 | | | | |
| | | | 11 510 | 1445 515 | | |
| | 1 940 | 1447 455 | | | | |
| | | | 11 520 | 1435 935 | | |
| | 0 460 | 1436 395 | | | | |
| | | | 11 230 | 1425 165 | | |
| | 0 715 | 1425 880 | | | | |
| | | | 11 275 | 1414 605 | | |
| | 0 330 | 1414 935 | | | | |
| | | | 10 025 | 1404 910 | | |
| | 1 005 | 1405 915 | | | | |
| | | | 11 160 | 1394 755 | | |
| | 1 550 | 1396 305 | | | | |
| | | | 9 415 | 1386 890 | | |
| | 2 770 | 1389 660 | | | | |
| T.B.M.-1 | | | 6 790 | 1382 870 | T.B.M.-1 | TOP OF C.S. MON. F.B. 1455-42-43 F.B. 2652-197 |
| | 2 125 | 1384 995 | | | | |

1XZ @ [illegible] DIAGONALLY

COUNTY SURVEYOR T 4 N R 16 W R.O.S.K. S.K. 6 19 30 R.E. 329

Profile Notes Red. Plotted. Job No. 0075.99 Division No. F.B. 2652 Pg. 225

No. Date Date Survey of OAK BLUFF ROAD

X-Sec. Notes Chkd. Checked Survey by J.P. MENNIE Notes J.R.M. Date 1-16-62

No. Date Date Map No. Indexed H. E. OTT Date

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

F. B. 7652 Pg. 226 | Job No. 0075.99 Division No. | Notes Red. | Plotted | Profile
Survey of OAKBURST Rd & RD | Date | Date | No.
Survey by J.P. MENNE Notes J.P.M. | Notes Chkd. | Checked | X-Sec.
Indexed H. E. OTT Date | Date | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | | |
|---|---|---|---|---|---|---|
| | | 1384 995 | | | | |
| | | | 8 705 | 1376 290 | | |
| | 1 010 | 1377 300 | | | | |
| | | | 9 875 | 1367 425 | | |
| | 1 200 | 1368 625 | | | | |
| | | | 11 820 | 1356 805 | | |
| | 1 080 | 1357 885 | | | | |
| | | | 9 065 | 1348 820 | | |
| | 0 950 | 1349 770 | | | | |
| | | | 9 055 | 1340 715 | | |
| | 1 085 | 1341 800 | | | | |
| | | | 8 730 | 1333 070 | | |
| | 0 945 | 1334 015 | | | | |
| | | | 9 735 | 1324 280 | | |
| (FD) T.B.M.-2 | 1 510 | 1325 790 | | | | |
| | | | 6 620 | 1319 170 | T.B.M.-2 | |
| | 1 100 | 1320 270 | | | | |
| | | | 8 470 | 1311 800 | | |
| | 3 415 | 1315 215 | | | | |
| | | | 10 520 | 1304 695 | | |
| | 8 095 | 1312 790 | | | | |




APPROX. 0.35 mi. SO. ON ROAD TO MARQUART PLANT FROM SOLEDAD CN. RD.
L.A. W. & P. HI. LINE TOWER No. 24/-6
250'± SO. OF INT. OF DIRT ROAD & ASPHALT RD. - DIRT ROAD IN CENTER OF HI-LINE TOWERS
FD. CUT SQK. ON MOST EASTERLY FOOTING FOR TOWER

76L298 S & E #307 9

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

**Do not extend notes this side of this line.**

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| | | 1312 790 | | | |
| | | | 11 980 | 1300 810 | |
| | 0 220 | 1301 030 | | | |
| | | | 11 955 | 1289 075 | |
| | 0 855 | 1289 930 | | | |
| | | | 8 385 | 1281 545 | F.H. |
| | 0 330 | 1281 875 | | | |
| | | | 6 400 | 1275 475 | |
| (FD.) B.M. U.S. 988 | 1 885 | 1277 360 | | | |
| | | | 6 995 | 1270 365 | B.M. U.S. 988 — U.S. FOREST RESERVE BOUNDARY POST 157 (S.B. RES.) ON SOUTH SIDE OF BOTTOM OF SOLEDAD CANYON, NEAR RAILROAD CROSSING; STANDARD L.A.A. PIPE No. 125, MARKED WITH WHITE FLAG. — ELEV. 1928 = 1269.483 |
| | 5 415 | 1275 780 | | | |
| | | | 2 240 | 1273 540 | |
| | 6 055 | 1279 595 | | | |
| | | | 3 600 | 1275 995 | |
| | 6 410 | 1282 405 | | | |
| | | | 2 775 | 1279 630 | |
| | 7 040 | 1286 670 | | | |
| | | | 2 950 | 1283 720 | |
| | 7 275 | 1290 995 | | | |
| | | | 4 655 | 1286 340 | INT. OF SOLEDAD CN. RD. & SURVIVAL AVE. SO SIDE RD. |
| | 6 975 | 1293 315 | | | |

AT INTERSECTION OF SOLEDAD CN. RD & MARQUARDT RD. - SOUTH EAST COR. NORTH OF R.R. TRACKS

See precise level line #201

FD. ENGINEER COUNTY B.M. 201-1/16 1961 R.E. 5869

Profile Notes Red. Plotted Job No. 0075.99 Division No.
No. Date Date Survey of OAKBURN ROAD F. B. 7652 Pg. 27
X-Sec. Notes Chkd. Checked Survey by J. PIMENTEL Notes J.R.M. Date 1-16-67
No. Date Date Map No. Indexed H. E. OIL Date

76L288 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2652 Pg. 228 | Job No. 0075.99 | Division No. | Notes Red | Plotted | Profile
Survey of OAKBLUFF ROAD | Date | Date | No.
Survey by J.P. MENNE J.R.M. | Notes Chkd. | Checked | X-Sec.
Indexed H. E. O'N. | Date | Date | No.

| STATION | B. S. | H. I. | F. S. | ELEV. | |
|---|---|---|---|---|---|
| | | 1293 315 | | | |
| B.m. U.S. 2235 | | | 1 130 | 1292 185 | Z-52 — AT HONBY ACROSS THE HIGHWAY FROM THE S.P.R.R. TRACK IN THE W. WALL OF THE GREEN OAKS GARAGE, 3 FT. N. OF S.W. COR. AND 4 FT. ABOVE THE GROUND — A STD. DISK STAMPED "Z-52-1926" 1932 ADJ. ELEV. = 1292.268 |
| | BENCH CIRCUIT BETWEEN B.m. U.S. 2104 & B.m. O.B. 100 | | | | |
| | NOTE — DID NOT HAVE INFO. ON B.m. U.S. 2104 WHEN LEVELS WERE STARTED ON PAGE 209 | | | | |
| (FD) B.m. U.S. 2104 | 8 090 | 1408 651 | | 1400 561 | U.S. 2104 - U.S.C. & G.S. A-53 — ABOUT 6 mi EAST OF SANGUS, LOS ANGELES CO., ON THE SO. PAC. R.R., AT A ROAD CROSSING, 165' WEST OF CULVERT NO. 444-C, 40' SO. OF A WINDMILL, 40' NO. OF ℄ OF TRACK A STD DISK STAMPED A-53-1926 — 1932 ADJ. EL. = 1400.561 |
| (FD) B.m. O.B. 100 | | | 0 580 | 1408 071 | — B.m. O.B. 100 — "P" LINE PLUS 10+50.00 ℄ 152.35' R — FD. C.E. BUTTON MON. UP 6" F.B. 2652-179 — LOCATION F.B. 2652-210 — ELEV. = 1407.960 |
| | 0 540 | 1408 611 | | | |
| (FD) B.m. U.S. 2104 | | | 8 050 | 1400 561 | — U.S. 2104 — DESCRIPTION ABOVE |

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINE
JN 0302.01 Tape 94 Std 84 °F
Surveyed by J.P. MENNE
Notes J.P.M Date 1- -62
Indexed H. E. OTT FEB 15 '62

F.B. 2652 Pg. 229

NORTH LINE
OF
SECTION 30
T 4 N
R 15 W

REF
C.S.B. 618

J.P. MENNE
E.J. VOGE
V. HUCKABY
L.C. LOVE
R. GILFOY

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57

TO BOTTOM OF PG. 231

F.B. 2652 Pg. 230

T-58 = -0.05

267.42 @ 14°-59 = 258.33 ✓

267.57 @ 15°.06 = 258.33 ✓

258.28 ✓

C-3 7+60.81
SET 1" I.P. & C.E. TAG UP 2"
(W. ANGLE PT.)

SEC. 30

54.25
260.74 T-56 = -0.09
184.63
499.62 ✓ = 499.53 ✓
SEC. 19
T 4 N
R 15 W

C-2 5+02.53
SET 1X2 & N (FLUSH)

499.53 SEC. LINE

89-29-10 ①
357-57-00 ④
176-55-20 ✓ ⑥
89-29-13 Ⓐ

92-02-50 ①
08-11-40 ④
192-17-10 ✓ ⑥
92-02-53 Ⓐ

92°-02'-53" 0.11 CALC.

89°-29'-10" ✓

C-1 (E)
0+03.00
SET 1X2 & N
(FLUSH)
BY INT.

3000

90°

3' OFFSET LINE
3383.61
TO P-110-C
1" I.P.

0+00 (E)

TO RETNED PT.

PG. 191

E'LY LINE OF RANCHO SAN FRANCISCO

3093.81

TO A-7
ON GOLDEN VALLEY & RANCH LINE

F.B. 2908
14-15-16

SURVEYOR
L.S. 3656
REG.
COUNTY
RIVERSIDE
R.O.S.F.

FB 1455-19

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of [illegible] Lines
JN 0362.01 Tape 24 Std [illegible] °F
Surveyed by L.P. ENGINEER
Notes [illegible] Date 1-11-62
Indexed H. E. OTT

F.B. 2652 PG. 231

To Bottom of Pg. 232

47.45 ✓
297.16 ✓
344.61 ✓

C-6 15+11.55
SET 1X2 & N (FLUSH)
TOP RIDGE

T = 58° = -0.01
49.33 @ 15°-50' = 47.46 ✓
49.50 @ 16°-30' = 47.46 ✓

SEC. 30

T = 54 = -0.06
299.60 @ 7°-04' = 297.22 ✓
299.60 @ 7°-13' = 297.23 ✓

344.61 ✓

13.46

FD 1" I.P. & WITNESS PLUG & 4" DOWN 6" PAR. C.S.O. 6/8

SEC. 19
T 4 N
R 15 W

SEC. LINE

10.55

C-5 11+06.94
SET 1X2 & N (FLUSH)

T = 58 = -0.01
62.38 @ 9°-59' = 61.44 ✓
62.26 @ 9°-18' = 61.44 ✓

61.43 ✓

C-4 11+05.51
SET 1X2 & N (FLUSH)
TOP RIDGE

T = 60° = -0.04
266.16 @ LEV. = 266.12 ✓

T = 56 = -0.01
80.75 @ 13°-16' = 78.59 ✓
80.59 @ 12°-45' = 78.60 ✓

266.12 ✓
78.58 ✓
344.70 ✓

344.70

C-3 7+60.81
SET 1" I.P. & CC&TAG

To Top of Pg. 230

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247

TO BOTTOM OF PG. 233

F.B. 2652 Pg. 232

2-14-62

SET C.E.MON. 1/4 COR ON SIDE HILL + T- 58° = -0.03

ENGINEER — L.S. 5627 — REGISTERED — CALIFORNIA

C-10 26+30.99
SET 1x2 & N (FLUSH)
TOP SPUR
31.93
25+99.06
14 SET MON. T-56 = -0.01

153.06 @ 19-01 = 144.79
153.36 @ 19-20 = 144.77
SEARCHED FOR COR. NEAR STA. 25+21 25+99 & 26+80 — NOTHING FOUND - SET C.E. MON. BY PROPORTION PER GOVT. NOTES. C.S. 9046 - PG. 37
T- 48 = -0.04
163.00 @ 10°-28 = 160.29
162.75 @ 10°-00 = 160.28
160.24
251.41
411.65

36.74 @ 29°-37' = 31.94
36.38 @ 28°-32 = 31.94
T- 56 = -0.02
116.99 @ 15°-26' = 112.77
117.00 @ 15°-34' = 112.77
144.68
112.75

C-9 24+86.31
SET 1x2 & N. (FLUSH)

SEC. LINE

SEC. 30
T 4 N
R 15 W

T- 98 = -0.06
251.56 @ 1°-31 = 251.47
SEC. 19

C-8 20+74.66
SET 1x2 & N (FLUSH)

242.77

T- 42 = -0.07
242.91 @ 1°-20 = 242.84

C-7 18+31.89
SET 1x2 & N (FLUSH)

320.34

LEV. T- 54° = -0.06
296.70
23.70
320.40

C-6 15+11.58
SET 1x2 & N (FLUSH)

TO TOP OF PG. 231

L.S. 6627 B-2

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of
JN 0382 01 Tape Std 66 OF
Surveyed by
Notes P.M. Date
Indexed H. E. OTT

F.B. 6652 Pg. 295

To Bk. 13 of Pg. 234

T-64 = -0.02
137.10 @ 25-01 = 124.24 ✓
137.37 @ 25-15 = 124.24 ✓

C-13 34+52.47
SET 1" I.P. & C.& T.C. (FLUSH)
(WIGGLE POINT)

124.22 ✓
200.78 ✓
325.00 ✓

T-64 = -0.03
200.81 @ LEV. = 200.78 ✓

SEC. 30

SEC. LINE 325.00

SEC. 19
T-4 N
R 15 W

30.42

FD 1½" I.P. no TAG PGE

13.21

C-12 31+12.47
SET 1½ & N (FLUSH)

T-62 = -0.03
183.59 @ 8-12 = 181.71 ✓
183.35 @ 7-39 = 181.72 ✓

181.68 ✓
149.58 ✓
331.26 ✓

331.26

T-60 = -0.02
151.96 @ 10-07 = 149.60 ✓
151.77 @ 9-41 = 149.61 ✓

C-11 27+81.21
SET 1½ & N (FLUSH)

T-50 = -0.03
150.25 @ LEV. = 150.22 ✓

150.22

C-10 26+30.99
SET 1½ & N.

To Top of Pg. 232

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
7700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE #247—8-66

TO BOTTOM OF PG. 235

F.B. 2652 Pg. 234

C-16 44+63.14
SET 1½ B.N. (FLUSH)
SIDE HILL

T-68 = -0.01
71.46 @ 14°-17' = 69.25 ✓
71.59 @ 14°-40' = 69.26 ✓

T = 64 = -0.01
94.93 @ 6°-39 = 94.29 ✓
95.00 @ 7°-01 = 94.29 ✓

94.28 ✓

T-64 = -0.03
224.34 @ 8-05 = 222.11 ✓
224.39 @ 8°-12' = 222.10 ✓

222.07 ✓

230.76 ✓

547.11 ✓

T-64 = -0.03
67.29 @ LEV. 67.29
163.50 @ LEV. 163.50
230.79
-.03
230.76 ✓

18°-44-00 (1)
37°-28-00 (2)

SEC. 19

69.24

C-15 43+93.90
SET 1" I.P. & C.E. TAG
TOP RIDGE
(WIGGLE PT.)

SEC. LINE

547.11 ✓

SEC. 30
T 4 N
R 15 W

FD. 1" I.P. & UNCLE PLUG & TAG UP 1'

18°-44'

110.65 ✓

T-62 = -0.02
110.67 @ LEV. = 110.65 ✓

C-14 38+46.79
SET 1½ B.N. (FLUSH)

T-58 = -0.03
150.46 @ LEV. = 150.43 ✓

258.89 ✓

409.32 ✓

T-58 = -0.05
269.83 @ 16°-20' = 258.94 ✓
269.77 @ 16°-17' = 258.95 ✓

409.32 ✓

C-13 34+37.47
1" I.P. & C.E. TAG

TO TOP OF PG 233

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of SECTION LINE
JN 0302.01 Tape 94 Std 84 °F
Surveyed by J.P. MENNE
Notes J.P.M Date 1-25-62
Indexed H. E. OTT

F. B. 2652 PG. 235

TO BOTTOM OF PG. 236

180.21
10.94
27.97 FD. 2" I.P. NO. POINT UP 10" PER C.S.B. 618

SEC. 19
T 4 N
R 15 W

C-18 51+40.38
SET 1/2" & N (FLUSH)

T = 70° = -0.02
202.95 @ 10-11 = 199.75 ✓
203.39 @ 10-52 = 199.74 ✓
199.72 ✓
295.11 ✓
494.83 ✓

494.83 ✓
SEC. LINE
SEC. 30
℄ MAIN CANYON

T = 74° = -0.02
299.15 @ 9°-25' = 295.12 ✓
299.33 @ 9°-36' = 295.14 ✓

49+40 ±

C-17 46+45.56

4.90
182.42 ✓
1.60
FD. 3/4" I.P. WOOD PLUG & TACK UP 6" PER C.S.B. 618

T = 74° = -0.01
197.35 @ 22°-25 = 182.44 ✓
197.24 @ 22°-21 = 182.42 ✓

C-16 44+63.14
1/2" & N.

TO TOP OF PG. 234

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 2652 PG. 236



SEC. 20

SEC. LINE

135.41

F.B. 2652-200

SEC. 29

F.B. 2652-200

FD. IXZ & N. (ELUSN)

LINE PROJ FROM SOUTH TOP RIDGE

TRANSIT LINE

TRANSIT LINE

SEC. LINE

48.89

F.B. 2652-200

SECTION LINE

23.1' CALC.

SURVEYORS COUNTY

T 4 S
R 15 W
19 20
30 29
SEC. LINE

FD. U.S. MON (ELUSN)

90°-30-00" CALC.

90°-29-45"

53+20.59 (E) =
52+83.80 (N)

| | |
|---|---|
| 90-29-40 | ① |
| 01-59-00 | ④ |
| 182-58-30 | ⑥ |
| 90-29-45 | Ⓐ |

SEC. 19

NOTE
SEE PG. 252 FOR TRUE SEC. LN. B.M. 8-17-62

SEC. 30

T 4 S
R 15 W

SEC. LINE

180.21

T-68 = -0.02

181.28 @ 6°-11 = 180.22 ✓

181.34 @ 6°-01 = 180.29 ✓

C-18 51+40.38
IXZ & N.

TO TOP OF PG. 235

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

U.S.C.&G.S. 2-B-22

| | |
|---|---|
| Notes Ck'd by | Survey of OAKBLUFF ROAD |
| Map No. | JN 0075.99 Tape Std °F |
| Office Work | Surveyed by J.P. MENNE |
| Checked | Notes J.P.M. Date 2-2-62 |
| Date | Inked FEB 1 5 '62 H. E. OTT |

F. B. 2652 PG. 237

GEODETIC

TIES

TO

OAKBLUFF ROAD J.N. 0075.99

GOLDEN VALLEY ROAD J.N. 0095.40

J.P. MENNE

W.J. VOGE

V. HUCKABY

R. GILLEON

L.C. LOVE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 2-61

F.B. 2652 PG 238

P.G. 239

G.V.O.B.
FD. 1X2 &
(N)

P.G. 242

(FD.)
RODEO
U.S.G.S. MON.
BRONZE TABLET
CEMENTED IN
EMBEDDED BUILDER

P.G. 240

P-7
F.B. 2652-186
1" I.P. & C.E. TAG.

P.G. 241

(FD.)
PLACERITA
U.S.G.S. MON.
BRONZE TABLET

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by H. E. AUSTIN | Survey of OAKBLUFF ROAD |
| Map No. | JN 0075.99 Tape Std °F |
| Office Work | Surveyed by J. D. MENNE |
| Checked | Notes J.D.M. Date 2-2-62 |
| Date | Indexed H. E. OTT |

F. B. 2652 PG. 239

△ - STA. G.V.O.B.

FD. 1/2 & N. - USED FOR AUX. & PT.




| | | |
|---|---|---|
| 5-27-30 ① | | |
| 21-50-00 ④ | 68-53-50 ① | 285-38-30 ① |
| 32-45-00 ⑥ | 275-35-40 ④ | 62-34-10 ④ |
| 5-27-30 Ⓐ | 53-23-30 ⑥ | 273-51-10 ⑥ |
| | 68-53-55 Ⓐ | 285-38-32 Ⓐ |

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

F.B. 2652 PG. 240

△ STA. P-7 ON OAKCLIFF ROAD
F.B. 2652-186
1" I.P. & C.E. TAG.

△ G.V.O.B.




| | |
|---|---|
| 82-46-40 (1) | 277-13-10 (1) |
| 331-06-40 (4) | 28-52-50 (4) |
| 136-40-00 ✓ (6) | 223-19-30 ✓ (6) |
| 82-46-40 (A) | 277-13-15 (A) |

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by H. E. AUSTIN | Survey of OAKBLUFF ROAD |
| Map No. | JN 00759 Tape Std °F |
| Office Work | Surveyed by J.P. MENNE |
| Checked | Notes GILFOY & J.P.M Date 2-2-62 |
| Date | Indexed H. E. OTT |

F. B. 2652 PG. 241

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.




| | |
|---|---|
| 51-48-50 ① | 308-11-20 ① |
| 207-15-00 ④ | 152-45-10 ④ |
| 310-52-40 ⑥ | 49-07-50 ⑥ |
| 51-48-47 Ⓐ | 308-11-18 Ⓐ |

76F309S CE # 310 2-61

F. B. 2652 Pg. 292

# STA. RODEO U.S.G.S. MON.

| | | | |
|---|---|---|---|
| 28-19-30 | ① | 25-30-20 | ① |
| 113-18-00 | ④ | 102-01-20 | ④ |
| 169-56-50 | ⑥ | 153-02-00 | ⑥ |
| 28-19-28 | Ⓐ | 25-30-20 | Ⓐ |

| | |
|---|---|
| 306-10-15 | ① |
| 144-41-00 | ④ |
| 217-01-30 | ⑥ |
| 306-10-15 | Ⓐ |





PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | | | |
|---|---|---|---|
| Notes Ck'd by H. E. AUSTIN | Survey of GOLDEN VALLEY ROAD | F. B. 2652 | PG. 243 |
| Map No. | JN 0095.40 Tape 94 Std 84°F | | |
| Office Work | Surveyed by J.P. MENNE | | |
| Checked | Notes J.P.M. Date 2-6-62 | | |
| Date | Indexed H. E. OTT FEB 15 '62 | | |

# GEODETIC TIE TO GOLDEN VALLEY ROAD

P.I. 2
FD. 1½ & N
F.B. 2908-8

109-02-10 (D)
76-08-20 (A)
294-12-40 (G)
109-02-07 (A)

GV. 12
FD. 1½ & N.
F.B. 2908-9

T = 56° = -0.05
132.32 LEV.
128.40
260.72 ✓

SEC. 19
T 4 N
R 15 W

260.67 ✓

GOLDEN VALLEY ROAD

109° 02' - 07"

SET 1½ & N. (FLUSH)
6+19.01 (E)

619.01

TRANSIT LINE

SET 1½ & N. (FLUSH)
BY INTERSECTION

RODEO
PG. 242

T-58. = -0.06
123.11
117.64
96.47
337.22 ✓ LEV.

T-58. = -0.10
168.96
191.29
258.86
619.11 ✓

337.16 ✓

P.I. 3
FD. 1½ & N.
F.B. 2908-9

To bottom of Pg. 244

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 2652 PG. 244



PLACERITA

5°-27'-30"

Pg. 239

Pg. 239

A- GV. O.B.

FD. 1½ & N.

12+45.51 (E)

P-7

R=239

53.55

68°

T-60 = -0.04

264.83 @ 4-21 = 264.07

265.00 @ 4-45 = 264.09

264.04

77.36

285.10

626.50

626.50

TRANSIT LINE

SEC. 19

T 4 N

R 15 W

T-60 = -0.01

79.43 @ 13-02 = 77.38

79.34 @ 12-47 = 77.37

T-60° = -0.05

298.95 @ 17-29 = 285.14

298.75 @ 17-21 = 285.16

6+19.01

SET 1½ & N. (FLUSH)

TO RT. OF PG. 243

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINE
JN 030201 Tape 118 Std 84 °F
Surveyed by J.P.MENNE
Notes J.P.M Date 8-16-62
Indexed E. J. CADY 8/26/62

F. B. 2652 PG. 245

# SECTION LINE CHANGE

BETWEEN

SECTIONS 29 AND 30

T 4 N R 15 W.

NEW INTERSECTION WITH OAKBLUFF & GOLDEN VALLEY ROADS

F.B. 2652 - 183
194 TO 200

F.B. 2908 - 34 - 48

J.P. MENNE
W. VOGE
R. GILFOY

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3005 CE # 310 7-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



| | |
|---|---|
| Notes Ck'd by H. E. AUSTIN | Survey of SECTION LINE |
| Map No. | JN 0302-01 Tape 118 Std 84 °F |
| Office Work | Surveyed by J. P. MENUE |
| Checked | Notes J.P.M Date 8-16-62 |
| Date | Indexed C. J. GALLI |

F. B. 2652 Pg. 247

TO BOTTOM OF PG. 248

A-3
7 + 32.88
RE-SET 1X2 & N.
(FLUSH)

0.08

7 + 32.88
REMOVED 1X2
B.N.
F.B. 2652-195

TRANSIT LINE

72-30-50 ①
290-03-00 ④
15-04-50 ⑥
72-30-48 ⑧

72°30'48" 50.

GOLDEN VALLEY ROAD "D" LINE

5 + 43.32
REMOVED
1" I.P.
F.B. 2908-34

0.06
0.01
0.06

P.T.E
5 + 43.33
RE-SET 1" IRON PIPE
(FLUSH) BY INTER-
SECTION.

SEE F.B. 2908-34

SEC. 29
T 4 N
R 15 W

SECTION LINE

SEC. 30

4 + 16.06

TO TOP OF PG. 246

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

To Bottom of Pg. 249

F.B. 2652 PG 248

A-8
22+33.92
RE-SET 1x2 & N.
(FLUSH)

0.25

22+33.92
REMOVED
1x2 & N.
F.B. 2652-196

A-7
19+45.64
RE-SET 1x2 & N.
(FLUSH)

0.22

19+45.64
REMOVED
1x2 & N.
F.B. 2652-196

A-6
15+03.33
RE-SET 1x2 & N.
(FLUSH)

0.17

15+03.33
REMOVED
1x2 & N.
F.B. 2652-19[illegible]
SEC. 29

SEC. 30
T 4 N
R 15 W

A-5
13+64.84
RE-SET 1x2 & N.
(FLUSH)

0.15

13+64.84
REMOVED
1x2 & N.
F.B. 2652-195

A-4
10+28.75
RE-SET 1x2 & N.
(FLUSH)

0.12

10+28.75
REMOVED
1x2 & N.
F.B. 2652-195

A-3
7+32.88

0.08

To Top of Pg. 247

SECT. LINE

SECT. LINE

TRANSIT

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by H. E. AUSTIN | Survey of SECTION LINE |
| Map No. | JN 030201 Tape 118 Std 89 °F |
| Office Work | Surveyed by J. P. MENNE |
| Checked | Notes J.P.M. Date 8-17-62 |
| Date | Indexed C. J. CALL |

F. B. 2652 PG. 249

W.S. 62-B-3

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

TO BOTTOM OF PG. 250

A-10
26+47.12
RE-SET 1X2 & N.
(FLUSH)

0.30

26+47.12
REMOVED
1X2 & N.
F.B. 2652-197

COUNTY ENGINEER
R.15W T.4N
SEC. 30 • SEC. 29
1/4 COR.
R. E. 5838

1/4 COR.
26+41.49
RE-SET C.E. MON.
REPLACING FOUND
2" I.P

0.30

0.41

26+41.90
REMOVED C.E.
MON.
F.B. 2652-197

179-59-00 ①
359-56-10 ④
359-54-20 ⑥
179-59-03 Ⓐ

179°-59'-30"

TRANSIT LINE

A-9
26+38.09
RE-SET 1X2 & N.
(FLUSH)

0.30

26+38.09
REMOVED
1X2 & N.
F.B. 2652-197

SECTION LINE

SEC. 30
T. 4 N
R. 15 W

SEC. 29

A-8
22+33.92

22+33.92
REMOVED
1X2 & N.

TO TOP OF PG. 248

To Bottom of Pg. 251

F. B. 2652 Pg. 250

A-13
37 + 51.17
RE-SET 1X2 & N.
(FLUSH)

+ 0.17

37 + 51.17
REMOVED
1X2 & N.
F.B. 2652-198

SEC. 30
T 4 N
R 15 W

N. 2 L.

SECTION LINE

TRANSIT LINE

SEC. 29

A-12
33 + 58.52
RE-SET 1X2 & N.
(FLUSH)

0.22

33 + 58.52
REMOVED
1X2 & N.
F.B. 2652-198

A-11
32 + 56.62
RE-SET 1X2 & N.
(FLUSH)

0.23

32 + 56.62
REMOVED
1X2 & N.
F.B. 2652-197

A-10
26 + 47.12
RE-SET 1X2 & N

To Top of Pg. 249

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

| | |
|---|---|
| Notes Ck'd by H. E. AUSTIN | Survey of SECTION LINE |
| Map No. | JN 0302.01 Tape 118 Std 84 °F |
| Office Work | Surveyed by J.P. MENUE |
| Checked | Notes S.P.M. Date 8-17-62 |
| Date | Indexed C. J. GALLI |

F. B. 2652 PG. 251

TO BOTTOM OF PG. 252

A-16
47+77.61
RE-SET 1" I.P. & C.E. TAG (FLUSH)

+0.06

47+77.61
REMOVED 1" I.P.
Pg. 199

SEC. 30
T 4 N
R 15 W

A-15
43+64.41
RE-SET 1X2 & N.
(FLUSH)

+0.10

43+64.41
REMOVED 1X2 & N.
F.B. 2652-199

SEC. 29

P.T.
SEE PG. 183

A-14
40+28.92
RE-SET 1" I.P. & C.E. TAG
(FLUSH)

+0.14

40+28.92
REMOVED 1" I.P.
F.B. 2652-198

P-3-B
39+93.43 (N)
= 63+22.05 (W)
RE-SET 1" I.P. & C.E. TAG. BY INTERSECTION
(FLUSH)

0.11

+0.18

+0.15

P-3-B.
39+93.32 (N)
REMOVED 1" I.P.
63+21.87 (W)
F.B. 2652-183

OAK BLUFF P.U.E. ROAD

54° 55' 10"

P-3-A
SEE PG. 183

54-53-10 ①
219-32-30 ④
329-19-00 ⑥
54-53-10 Ⓐ

A-13
374+57.17
RE-SET 1X2 & N.

TO TOP OF PG. 250

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 1-61

F. B. 2652 PG. 252




TO TOP OF PG. 251

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this tide of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.67-B-2

| | |
|---|---|
| Notes Ck'd by M. OSHI | Survey of Sec. Lines |
| Map No. | JN 0302.01 Tape 175 Std 84 °F |
| Office Work | Surveyed by C.L. Wright |
| Checked | Notes C.R. Yasui Date 12 Jan 64 |
| Date | Indexed by M. GALLI FEB 1 7 '85 |

F. B. 2652 Pg. 253

# SECTION LINES

## 1/4 CORNER SECTION 28 & 29

## T4N - R15 W -

## SURFACE TIES

## JN. 0302.01

References:
C.S. 81/51
L.S. 25-39

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

DO NOT ERASE THIS SIDE OF THIS FILE

74F3093 C.E. 4310 6-62

F. B. 2652 PG 254




NOTE: REPLACED THIS MON W/ MON MARKED THE SAME AS PER TIES FROM THIS PAGE MAY 65

DN. 12 CLW. SEE PG. 256 F.B. 431-54

| | |
|---|---|
| Notes Ck'd by M. OSHITA | Survey of SECTION LINES |
| Map No. | JNO302.01 Tape 175 Std 84 °F |
| Office Work | Surveyed by C. L. WRIGHT |
| Checked | Notes C.L.W Date MAY '65 |
| Date | Indexed C. J. GALL 1 3 '66 |

F. B. 2652 PG. 255

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

SECTION LINES
T.4.N. R.15W.
SECTIONS 28 & 29
1/4 CORNER -
REPLACEMENT OF,
PER SURFACE TIES
J.N. 0302.01

76F3095 CE #310 663

F. B 2652 Pg 256

T4N
R15W

FD. 1"x2" N.
TOP BRK
PG 106, 107, 254

SEC 29

SEC 28

SEC LINE

110°

16'

T-68°
115.22 @ 7-09 = 114.39
115.16 @ 6-35 = 114.40 = 114.39
106.80 @ 5-42 = 105.54 = 105.54
106.01 @ 5-23 = 105.54
LEV 7.95
227.38
.02
227.36

T-68°
172.82 @ 8-36 = 170.88 = 170.88
172.72 @ 8-24 = 170.87
170.

227.36

10.25

170.86
170.91 PG 254

FD. 2"x2" N.
NO REF.
THIS POINT
WAS RECENTLY
SET BY CONTROL
ENGR. FOR OWNER USE
REMOVED. SAVE

FD. 3/4" IP CONS.
FLUG = L.A. CO.
ENGR TAG & N.
PG 254

53°

SET L.A. Co. ENGR. MON.
2" I.P. & BRASS CAP IN
CONC. PD. 12"
PER TIES - PG 254

1 STORY FRAME
DWELLING
(FLAT ROOF)

NOTE: THIS
AS SHOW
DOES NO
SIDING
STUCCO
DIMENS
TO THE
FOUNDATION LINE

COUNTY ENGINEER
T.4 N.
R.15 W.
SEC. 29
SEC. 28
1/4 COR.
F. B. 5869

SEE F.B. 4312-52