Notes Ck'd by
Task No.
Work

Survey of
JN Tape Std "N"
Surveyed by
Notes Date
Indexed

F.B. 2655 Pg.

	Job	Description
		WILMINGTON CEMETERY 0830.01
5	Bdry.	Retracement of Cemetery Bdry. (bet. Pacific Coast Hwy & Lomita Blvd. on Eubank Ave.) and C.L. of adjacent Streets.
7	C.L.	C.L. of Eubank Ave. & intersecting St. from Pacific Coast Hwy. to Lomita Blvd.
6	C.L.	Re-establishment of road & walk center lines within the cemetery.
4	B.M.	Precise level bench marks within the cemetery.
6	Mon.	Witness mon. at the N.E. Cor. of cemetery.

Microfilmed June 85

Notes Ck'd by:
Map No.
Office Work
Checked
Date

Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed

F. B. Pg.

Note: Any Additions or Changes on This Sheet Must be Made or Ordered by Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

7580-3 CE #247—7-58

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. ____ PG. ____

Notes Ck'd by W. J. BRENNER
Map No. B-2747
Office Work T. M. ICHIEN
Checked W. J. BRENNER
Date

Survey of Wilmington Cemetery
JN 0882.32 Tape 074 Std 68' oH
Surveyed by Dougherty
Notes Dougherty Date 7-1-60
Indexed M. E. OTT JUL 1 '60

F. B. 2655 PG. 5

J.N. 0882.32

Wilmington Cemetery

Retracement of Cemetery Boundary
and
℄ of adjacent Streets

July 1, 1960

Dougherty
Newman
Adams
Sullivan

Ref:

F.B. 389
L.A.C.Cty F.B. 8810
Rd. Dept F.B. 725
Tr# 3116
Tr# 25425
Prosperity Tr.
Wilmington Cemetery Tr. (R.E. 311)
Wilmington Cemetery Add.
R.E. 244
C.S.B. 379

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

765OSS CE #247—7-55

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F. B. 2655 PG. 6

Notes Ck'd by W. J. BRENNER	Survey of Wilmington Cemetery
Map No. B-2747	JN 0892.32 Tape 074 Std 68 °F
Office Work I. M. ICHIEN	Surveyed by Dougherty
Checked W. J. BRENNER	Notes Dougherty Date 7-1-60
Date FEB 24 1961	Indexed H. E. OTT

F. B. 2655 PG. 7

W.S. 24 - C - 3

Cont. on Bot pg. 8

(25) (30)

Fd. Hex. brass rod in well with L.A. City Eng. Cap. Checks Remaining ties per L.A. City F.B. 8810-41

Fd. RM. in M.H. R.im

30.82

"M"

(30) St.

(60)

Fd. L & T.

E Percy Eng

Eubank. Ave

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

769095 CE #247—7-55


Cont. on Bot Pg. 9.
F.B. 2655 Pg. 8
336.10 @ 0° T 84 = 334.14
Fd. 1½" square headed bolt dn 2' Per F.B. 389-62
COUNTY ENGINEER R. E. 5869
Reset C.E. Mon 18" dn 7 Dec. 60 F.E.B.
179-30-45
359-01-30
178-32-15
89° 45' 20"
25.00
0.26
Fd. 3" I.P. cmt & Cop. Tk. per Tr. # 25485
Ave. 1
Fd. old Rotted 3x3' remains of Nail dn 2' Per Wilmington Cemetery Tract & F.B. 389-62
95.63 @ 0° T 96 = 95.65
Reset with C.E. Mon 18" dn 7 Dec. 60 F.E.B.
205.51
95.65
Fd. old Rotted remains of 2x3 R.W. Stake dn 6" No Ref used center
23.48
24.95
11.01 F.E.B.
10.84
89°
Fd. old R.W. 2x2" & Tag dn 6" Tag marked Howes & Pearsall R.E. 2913 & 3204
Fd. Nothing
Set W & T in P.P.
Fd. old 2x2 & N.I. dn 8" Per L.A. City F.B. 8810. 49 used for Line to cast
28.92
41.00
40.83
30.00
33.38 m.
336.14
Fd. Spk. No Ref Removed
0.07
38.72
Set Spk W & T in Ov. Intrs. Checks Tie dist. to 2x2. Per L.A. City F.B. B810-49.
=0+00 North
30.02
30.23
Set C.E. Mon 18" dn. 7 Dec 60 F.E.B.
Fd. Spk
Eubank
(25)
(30)
Fd. L & T
Fd. very old rusted 2" I.P. No Plug dn 2". No Ref. used center. 1 ou. 0.3' to edge of Walk. 0.3' to edge of Curb. 8' Mesa found grinded. No evidence of S/S. Collapsed for Wilmington Cemetery Ft.
Cont. from Top Pg. 7
Cont. on Bot Pg. 12
N. 1° 27' 22" W. 2.42 - C-3
RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend noted this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by W. J. BRENNER
Map No. B-2742
Office Work T. M. ICHIEN
Checked W. J. BRENNER
Date FEB 24 1961

Survey of Wilmington Cemetery F. B. 2655 Pg. 9
JN 0882.32 Tape 074 Std 68 °F
Surveyed by Dougherty
Notes Dougherty Date 7-5 60
Indexed W. E. OTT

Cont on Bot Pg 10

205.50 @ 0° T = 72 205.51

1+17 — 24.30 — Head stone (1918)

6" Conc Bumb. Plot outline (1916)

0+90 — 24.18

Head stone (1915)

0+84 — 25.32

6" Conc Cb Plot outline No dates

0+66 — 24.25

Head stone (1950)

0+56 — 24.78

Conc. Grave (1950)

0+50 — 25.05

0+43.0 Fence Cor

0+41.0 3 & 3 Pg. 8

22.98

Ave

205.51

4' C.L. Fence

Eubank.

40' Ld. of Eng.

Note

In order to help to reestablish the west line of the Wilmington Cemetery I have located the westerly portion of those graves or family plots that next to the west Fence & The date shown on my notes is the earliest date of burial of the graves & the earliest date of burial in the family plots.

J. N. Dougherty

Cont from top Pg 8

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Revised CR #847 — 1-63

Cont. on Bot. Pg. 11

F. B. 2655 Pg. 10

Ave

3+84 — 23.23 — Head stone (1949)

3+06 — 23.03 — 6" Conc. Cb Plot Outline (1942)

TR # 25425

(30)

387.00 — ℄ Rec. City Eng.

4' Chain-Link Fence

S 88° 00' 22" E 387.00

Embank

2+50 — 23.22 — 6" Conc Cb. Plot out Line (1917)

Fd. SET per Tr # 25425

0.02'

1+25.51 — 22.88 — 6" Conc Cb. Plot out Line (1917)

205.51

1+22.5 — 23.97

Cont. from Top Pg 9

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend notes this side of this line.

Noted on by W. J. BRENNER
Map No. 8-2747
Office Work T. M. ICHIEN
Checked W. J. BRENNER
Date FEB 24 1961

Survey of Wilmington Cemetery
F. B. 2655 Pg. 11
JN0882-32 Tape 074 Std. 68 °F
Surveyed by Dougherty
Notes Dougherty Date 7-5-60
Indexed H. E. Ott

Cont. on Bot Pg. 15

@ 179-21-00
@ 358-42-00
@ T78-03-00
89° 40' 30"

WS, 28 + C-3

6' O.V. Fence

89°

40'

Fd. 2x2 & Tag dn 8" LS. 2137

Fd. Bolted remain. of 4x4 dn 12" used center.

(30)

(25)

24.86

25.21

0.25

50.99

set spk & T on Line

209.56

T-Line

Set S & T on Line and at rec dist from 3 & 3 to So. Bdy Wilmington Cemetery Tr.

Note See Pg 18 for Additional Pts Fd. @ NW Cor. of Cemetery Sandison

6.00

24.90

22.86

Fd. Old rusted Log Spk beside R/W-1" dn 6" No Ref.

21.50

Fd. S & T per Tr # 25425

See Pg 18 for Mon. set. in N. W. cor. of cemetery R.E.B. 4 1960

℄ per Tr # 25425

St.

0.03

Note There are graves along entire west line, but some are not defined well enough to locate

Wilmington Cemetery

Eubank Ave.

℄ Per L.A. City Eng.

387.00

5+78

24+18

Wooden Grave outline (1959)

Tr # 25425

209.55 @ 0° 78' - 209.5℄

Headstone (1951)

4+52

23.80

Cont. from top Pg. 10

Notes: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

76809S CE #247—7-53

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 28 - C-3



76809S CE #247—7-58

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 28 - C - 3

Destroyed 6-Dec-60 F.E.B.
Fd. 2" I.P. Rotted plug
& Nail dn 3' per F.B.
389-62, C.S.B. 379-2
& Tr. #3116.

Wilmington Cemetery Addition

Set C.E. Mon. in Mon. 6-Dec-60 F.E.B.

COUNTY ENGINEER R.E. 5869

72.0

MON

Original Lot "G" Prosperity Tr.

Dug dn 18" Fd. nothing Set 1x2 & N

0.10

N 1°-32' E 300.00

MON

Cont. on Lt. Pg. 14

(30) "O" St.

163.72

Line-& Prod

146.63

146.62 @ 0°-7'6"-146.63

COUNTY ENGINEER R.E. 5869

Fd. 1" I.P. & spk. dn 0.2 & 18" Per F.B. 389-62 & L.A.C.T.Y. B.B. 8810-49

Replaced C.E. Mon. with Mon. 6-Dec-60 F.E.B.

89° 49' 55" Turned off Prol. C.S.B. 379-2

Cont. from Top Pg. 12

Notes Ck'd by W. J. BRENNER
Map No. B-2742
Office Work I. M. ICHIEN
Checked W. J. BRENNER
Date FEB 24 1961

Survey of Wilmington Cemetery
JN0862-32 Tape 074 Std. 68 of
Surveyed by Dougherty
Notes Dougherty Date 7-4-60
Indexed H.E. OTT

F. B. 2655 Pg. 13

F. B. 2655 PG. 14 — Cont. on Bot Pg 17

W.S. 28 - C-3

RETURN TO LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend noted this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

154.73@0°T74=154.74

154.74

POL #D
Set 1X2 E.N. on Line

180.80@0°T78°=180.81
Wilmington Cemetery Addition.

T Line

180.81

4' C.L. Fence

Set C.E. Mon 18" dn 70 Deg 60 F.E.B.

COUNTY ENGINEER
W. M.
3 FT.
R. E. 5869

POL #E
Set N&T. in Roadway

② 179-51-00
④ 359-42-00
⑥ 179-33-00
89°55'30"

Fd. 2" I.P. No plug; Caretaker said this pipe was a one foot offset pipe set by his father.

285.44@0°78=285.46.

285.46

Fd. R.R. Track "P" 24" used center. No Ref. Gale Tater Said R.R. Survey Party Set this pt as Cor.

30"

5°5'

89°

3.00

315.39

41.68

41.74

Cont. from Top Pg 13

T Line

146.63.

11.47

90°

90°

12.47

8-23-60 - Replaced with 1" I.P. conc. plug & C.E. Tag. dn 12" W.E.N. set 1X2 E.N. on ℄ Prod of "D" St

Dug 4' hole dn 18" Fd. no evidence of Pipe.

Notes Ck'd by W. J. BRENNER
Map No. B-2247
Office Work T. M. ICHIEN
Checked W. J. BRENNER
Date FEB 24 1961

Survey of Wilmington Cemetery
JN 0882.32 Tape 074 Std 68 °F
Surveyed by Dougherty
Notes Dougherty Date 7-7-60
Indexed H. E. Ott

F. B. 2655 Pg. 15

Wls. 28 - C - 3

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763085 CE #247—7-58

Lomita Blvd.

(69.9)

(30)

76.41

53.38

87.12

46.72

Fd (X) in F.P.

Fd. Rd. Dept. B.C. 18" ∉ 22.5° W Flush Per Rd. Dept F.B. 725-41 & 42 City F.B. 8810-48 Line only

Fd. N&T in P.P.

Fd. L&T. in Conc. base to F.P.

(25)

(25)

Eubank Ave

∉ Eubank per City Eng 2

Cont. from Top Pg 11

F.B. 2655 PG. 16

Cont. on Lt. Pg. 17

W.S. 28 + C-3

Wilmington Cemetery Addition

242.60@0°T78=242.62

242.62

COUNTY ENGINEER R.E. 5895

Replaced with C.E. Monument C.C.S.G. F.F.

Fd. old rotted Shell of 3X3 on 16" Rusted remains of Nail in top No Ref I believe this is original Corner of Wilmington Cem. Tr. Per RF. 311

POL #B. Set 1X2 ℄ N. on Line

0.20

6.02

0.15

6.27

27.16

To Top Pg 19

200.01

P-Line

Set 1X2 ℄ N on Line

190.92@0°T78=190.93

190.93

T Line

Fd. Rotted 4X6 Post in 12" with square nail still in North side It could very possible be original corner Post of Board Fen per. RF. 244

4.5'

90° 16'

180-33-30

361-07-00

181-40-30

POL #A Set 1X2 on Line

Wilmington Cemetery

209.56

Cont. from Rt. Pg. 11

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend noted this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by: W. J. BRENNER
Map No. B-2747
Office Work T. M. ICHIEN
Checked W. J. BRENNER
Date FEB 24 1961

Survey of Wilmington Cem.
JN 088232 Tape 074 Std. 68 °F
Surveyed by Dougherty
Notes Dougherty Date 7-11-60
Indexed H. E. Ott

F. B. 2655 Pg. 17

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
00 LOS ANGELES COUNTY ENGINEERING BLDG.

Cont from Top Pg 16.

POL #C
Set 1x2 e/n
on Line

Set 1x2 e/n
on Calc & to make
N. Line Same bear.
as So. Line per
So Line Shown on
Tr# 3116

COUNTY ENGINEER
W M
3 FT.
R. E. 5869

Set C.E. Mon
18" dp. 9 Dec.
1960 F.E.B.
See Pg 86

page 86

15.47
8.67
6.80
6.85
.05
242.62
15.26
3.00
0.90
N Line
89°
59'
40"
Fd. Remains of
4"x4" on 8" no
nail no ref

Set 1 4 C.E. Tag in
conc. base of fn.
post. 8 Dec. 60 F.E.B.
see Pg 86
Corner of
4 Chain Link
Fence

(3) 179-59-15
(4) 359-58-30
(6) 179-57-45
89° 59' 40"

154.74

Wilmington Cemetery
Addition

N Line

Cont from Top of Pg. 14

7830SS CE #247—7-59

F. B. 2655 Pg. 18



RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. J. BRENNER	Survey of Wilmington Cemetery F. B. 2655 Pg. 19
Map No. 13-2747	JN 0882.32 Tape 074 Std 68 °F
Office Work T. M. ICHIEN	Surveyed by Dougherty
Checked W. J. BRENNER	Notes Dougherty Date 7-11-60
Date FEB 24 1961	Indexed H. E. OTT

Cont. from Rt. Pg 16

200.00@0°T76=200.01 ✓

200.01 ✓

P#1 Set N&T in Road on Line

200.02@0°T76=200.03 ✓

200.03 ✓

P-Line T

P#2 Set N&T on Line in Road

182.31@0°T76=182.32 ✓

182.32 ✓

P#3 set IRZ&N on Line

38.19@0°T76=38.19 ✓

38.19 ✓

Cont. from Lt. Pg 13

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763OS CE #247—7-58

F. B. 2655 Pg. 20

July 8, 1960

Wilmington Cemetery

On July 8, 1960 I talked to Mr. Pashke who is the Caretaker. He is of sound mind and has a clear memory of the events of this area. He told me he has been on the Wilmington Cemetery grounds since 1910 at which time his father was caretaker.

When I asked him about the old wooden fence which ran around the cemetery he told me exactly how it was constructed and that the corner posts were 4"x6" instead of 6"x6" as shown by Hayes in 1907 (R.F. 244) Also that the old wooden fence was removed in the latter part of 1937 and about a week later the present 4' Chain link fence was put up, how close the new fence was to the old he could not say.

He also told me that Prosperity Tract was moved from its original location as shown per Tract in 1909 to a new position in 1917 by, Jordon who was City Engineer in Wilmington. (Note I do not know if he ment City Eng. of Wilmington or of Los Angeles.) Mr. Pashke said the tract was moved as he remembers 5 (five) feet to the east.

He told me Jordon Later worked for Engineering Service in Los Angeles and that he put on the Survey for the Wilmington Cemetery Addition.

Mr. Pashke said the Santa Fe R.R. Surveyed the East Line of the cemetery and they set the R.R. Track at the SE. cor. of the cemetery as the true Corner by their Survey.

I swear the above statement is true as it was told to me by Mr Pashke.

Jack M. Daugherty Deputy Co. Eng.

Witnessed.
William [illegible]
James [illegible]
John M. Sullivan } Survey Party

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Wilmington Cemetery
Map No.	JN 0882.32 Tape 143 Std 84 °F
Office Work	Surveyed by Dougherty
Checked	Notes Dougherty Date 8-16-60
Date	Indexed

F. B. 2655 PG. 21

J.N. 0882.32

Wilmington Cemetery.

Reestablishment of Road & Walk Center Lines.

8-16-60

Dougherty
Newman (acting chief)
Sandoval
Adams
Sullivan
Lybrand

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
P.O. Box 1460
LOS ANGELES COUNTY ENGINEERING BLDG.

763098 CE #247—7-58

F. B. 2655 PG. 22



RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

763098 CE #247—7-55

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 28-C-3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Williming Jon Cemetery
JN 0882 32 Tape 143 Std 81 OF
Surveyed by Daugherty
Notes Daugherty Date 8-16-60
Indexed
H. E. ON

F. B. 265 PG. 23

68.47 @ 0° T84 = 68.47
129.47 @ 0° T84 = 129.47
129.47 @ 0° T84 = 129.47

Set s&T per office Calc.

Set s&T per office Calc.

Set s&T per F.B. 265-18

Eubank Ave

Cont. on Rel. Pg. 24

(25)

68.47
℄ per L.A. City Eng.

129.47

129.47

(30)

(30)

(30)

(?)

89°

49.84

89°

14.

"00

14.

"00

Sd. 62

ATLine

ATLine

1799° 22' 15"
359° 59' 30"
179° 22' 15"
89° 59' 41" 00"

1799° 23' 30"
359° 59' 46' 45"
179° 23' 30"
89° 59' 41' 45"

Cont. Pg. 46.

Cont. Pg. 47

Cont. on Bot Pg. 25

F. B. 2655 PG. 24

Ave

129.47

89° 35' 50"

179° 11' 45"
358° 23' 15"
177° 34' 45"
89° 35' 50"

Set s&t per office Calc

Set L & C.E. Tag Prod

29.35

48.41

℄ Line

4th St.

6th Pl.

Cont.

(30)

(1)

℄ per L.A. City Engr

129.47

Eubank

179° 23' 45"
358° 47' 30"
178° 11' 15"
89° 41' 55"

89° 41' 55"

Set s&T. per office Calc.

Set L. & C.E. Tag Prod.

24.29

49.18

℄ Line

3rd St.

6th Pl.

Cont.

129.47

(25)

Cont. from Top Pg. 23

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend noted this side of this line.

W.S. 28-C-3

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of Wilmington Cem.
JN 0882.32 Tape 143 Std 84° OF
Surveyed by Dougherty
Notes Dougherty Date 8-16-60
Indexed R.E. ON

F. B. 2655 PG. 25

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN to
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

768098 CE #247—7-59

Ave.

(?)

(30)

Fd. S&T. per F.B. 2655 - 11

6.00

Fd. S&T per F.B. 2655 - 11

℄ Line

Sandison

St.

33.66

Engr ℄

Sets S&T. per office calc.

(This St. abd.)

℄ Line ℄

Cemetery

Wilmington

Eubank.

℄ Rec. L.A.C., Ty.

129.47

Cont. from Top Pg. 24

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

W.S. 28-C-3



W.S. 28-C-3

Notes Ck'd by	Survey of Wilmington Cemetery
Map No.	JN 088232 Tape 143 Std. 82 °F
Office Work	Surveyed by Dougherty
Checked	Notes Newman Date 8-25-60
Date	Indexed H. E. ON

F. B. 2655 Pg. 27

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
7700 Los Angeles County Engineering Bldg.



TOPBOSS CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 2655 Pg. 28

Notes Ck'd by	Survey of Wilmington Cemetery
Map No.	JN 088232 Tape 143 Std 84 °F
Office Work	Surveyed by Dougherty
Checked	Notes Newman Date 8-22-60
Date	Indexed H. E. Ott

F. B. 2655 Pg. 29

Cont. pg. 56

9.22 at "E" St.

"E" St.

Conc. c.b.

50'

9.00 at "D" St.

27.89 ℄ Line

Set Spk. & T. in office Calc.

Wilmington Cemetery Addition

Wilmington Cemetery

T 82°
23.83 level = 23.83

6" cb

12.56

27.02

7.44

"C" St.
℄ Line
129.42

7.54

68.92

Cont. Pg. 31

Cont. Pg. 43

Set Spk & T. by Int.

6" cb

7.69

1.52

162.86

359° 57' 45"
359° 55' 30"
359° 53' 15"
1179° 56' 30"

Cont 53

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red. Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

7-58 CE #247

F. B. 2655 PG. 30

cont. pg. 55

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

ST

Wilmington Cemetery Addition

35"

58'

27.61

Set SpK & T. pm. office calk.

4"cb ac. 7.47 7.53 4"cb.

359° 57' 15"
359° 59' 30"
359° 51' 45"
179° 58' 35"

27.17

Cont. pg. 32

"C" ST.
℄ Line of
130.09

129.45

Set SpK & T. by Init.

Cont. pg. 55

3rd
℄ Line of
122.52

Wilmington Cemetery

Cont pg. 51

X

Notes Ck'd by	Survey of Wilmington Cemetery
Map No.	JN 0552.32 Tape 143 Std 84 °F
Office Work	Surveyed by Dougherty
Checked	Notes Newman Date 8-26-60
Date	Indexed H. E. OTT

F. B. 2655 PG. 31



Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

76808 CE #247—7-58

Cont. Pg. 30

6" cb

Set Spk & T.

7.52

"C"

129.45

129.42

ST.

Line

Cont. Pg. 29

7.30

7.30

89° 6" cb

6.97

6.99

6" cb.

59'

05"

162.69

ST.

(3) 179° 58' 15"
(4) 359° 56' 00"
(5) 179° 54' 30"
89° 59' 05"

2nd

Line

Cont. Pg. 52

F. B. 2655 PG. 32

Cont. Pg. 54

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend noted this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

ST.

Wilmington Cemetery Addition

① 359° 47' 15"
② 359° 34' 30"
③ 359° 21' 30"
179° 53' 35"

27.50 ± Line

6"ch 2ft

9.03

6"ch

Set Spk & T. PK. office calc.

11.43

5 3 11

179°

27.23

Cont Pg. 36

162.43
Set Spk & T
By Int.

"C" St.

± Line

130.09

N 89° 40' W

Alley

162.44

Wilmington Cemetery

Cont. Pg. 50

X

Notes Ck'd by	Survey of Wilmington Cemetery
Map No.	JN 0882.32 Tape 143 Std. 84 °F
Office Work	Surveyed by Dougherty
Checked	Notes Newman Date 8-22-60
Date	Indexed H. E. OTT

F. B. 2655 PG. 33

Cont. Bot. pg. 34.

Set 1" I.P. Prod. Conc. Plug & C.E. Tag.

215.06

41.59

162.58

"D" St. ℄ Line

Spk. St.

Cont. Top pg. 34

Set 1x2 ± N. by Entr.

54.76

90° 00' 50"

Wilmington Cemetery Addition

Wilmington Cemetery

① 180° 01' 45"
② 360° 03' 30"
③ 180° 05' 00"
90° 00' 50"

℄ Line Pk. Bg. 18 ± E.

Cont. Top pg. 36.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

765C9S CE #247—7-59

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Wilmington Cemetery
JN 088232 Tape 143 Std 84 °F
Surveyed by Dougherty
Notes Newman Date 8-22-60
Indexed

H. E. OTT

F. B. 2655 Pg. 35

R/R Yards.

Set L&T tag. Prod.

12" Conc. Ret. Wall 2' 10' high

6" cb

19.58

162.73

129.99 "E" ST. ℄ Line

7.52

7.52

Cont. To Pg. 39

Cont. Fr. Pg. 34

Set Spket. by split of cbs.

7.43 7.43

6" cb.

90° 03' 00"

215.00

Wilmington Cemetery Addition

T-78
130.00 Lwd = 129.99

4th ST. ℄ Line

180° 06' 00"
360° 11' 45"
180° 17' 45"
90° 03' 00"

Cont. Pg. 54

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

763095 CE #247—7-53

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



Notes Ck'd by	Survey of Wilmington Cemetery
Map No.	JN 0882.32 Tape 193 Std 84 °F
Office Work	Surveyed by Dougher-Ty
Checked	Notes Newman Date 8-23-60
Date	Indexed B. E. OTT

F. B: 2655 PG. 37

90-04-30
360-26-00
90-05-00

2-3-61
89-54-20
359-89-00
89-54-45

Cont. Bk. pg. 36

Ⓐ 180° 09' 30"
Ⓑ 360° 19' 00"
Ⓒ 180° 28' 30"
90° 04' 45"

Note: Any Additions or Changes on This Sheet Must be Made or Ordered in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
100 LOS ANGELES COUNTY ENGINEERING BLDG.

Wilmington Cemetery

Set 1" I.P. Prod. Conc. plug & C.E. Tag

℄ Line pr Pg. 182

~~162.14~~ 162.14

~~N~~ - M - B.N.M.

90° 04' 45"

℄ Line

ST

42.82

162.83

162.78

0.50

Spk & T

"B" St. ℄ Line

Cont. Pg. 38

Set 1X2 & M. by info.

~~163.24~~ 163.24

T. 82°
42.82 level = 42.82

Cont Top Pg 38

763098 CE #247—7-55

W.S. 28-C-3

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F.B. 2655 Pg. 38

Notes Ck'd by	Survey of Wilmington Cemetery
Map No.	JN 0882.32 Tape 143 Std. 84 °F
Office Work	Surveyed by Dougherty
Checked	Notes Newman Date 8-23-60
Date	Indexed H. E. OTT

F. B. 2655 PG. 39

Cont. fr. Pg. 35

Set Spike & T. by Inst.

7.50 — 7.44 — 18.56

6" C.L.

129.99

2nd ST.

6" C.L.

12" conc. Rock Wall 10' high.

R/R. Y.

℄ Line 3rd ST. 215.06

Cont. 3.5°

7.50

7.44

90° 01' 05"

Set 1½" Iron Rod

Wilmington Cemetery Addition

258.95

℄ Line

6" C.L.

T-74
18.56 level = 18.56

T-74
258.97 level = 258.95

T-74
215.07 level = 215.06

(A) 180° 02' 15"
(B) 360° 04' 30"
(C) 180° 06' 30"
90° 01' 05"

Cont. Top Pg. 40

Notes: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
DO LOS ANGELES COUNTY ENGINEERING BLDG.

7850S CE #247 7-55

F. B. 2655 Pg. 40

Cont. Bot. Pg. 39

① 179°58'45"
② 359°59'30"
③ 179°56'15"
89°59'25"

"E" ST
℄ Line
258.95

Wilmington
Cemetery
Addition

89°59'25"

6" Cb

7.52

9.00

1st ST
℄ Line
215.10

17.22

1st Conc. Ret. Wall 10' high

R/R

Cont. Top

69.36

Set Spk & T. by Intrs.

Set L & C.E. Top Brad.

T-84
17.22 level = 17.22

T-84
215.10 level = 215.10

T-84
69.36 level = 69.36

Cont. Top Pg. 41

X

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Wilmington Cemetery
Map No.	JN 0882.32 Tape 143 Std. 84 °F
Office Work	Surveyed by Daugherty
Checked	Notes Neuman Date 8-23-40
Date	Indexed

F. B. 2655 Pg. 41

Notes Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7580S CE #247—7-58

Cont. Bot. Pg. 40

Wilmington Cemetery Addition

"E" St.
℄ Line J

℄ Line per Bk 14 J

Spk & T

15 St.
℄ Line J

② 179° 47' 15"
③ 359° 34' 15"
⑥ 179° 21' 30"
89° 53' 35"

35"
53
89°
9,136
6

Cont. Top Pg. 42

146.39
℄ Prod of "O" St. J

Fd. 1x2 per pg. 14 replaced with 9" I.P. Conc. plug & C.E. Tag dn. 18"

0.24

Set 1" I.P. Prod. Conc. plug & C.E. Tag dn. 18", by Intfs.

F. B. 2659 Pg. 42



Cont. fr. pg. 41

Fd. 1" I.P. & Spk. dn. 18" per F.B. 389-42 & L.A. City F.B. 8810-44 See Pg 13

146.39

ST

dn. 12"

68.63

1st ST Line

"D" ST Line

90° 06' 15"

Spk ET

69.00

Set 1" I.P. & Cond. Plug & C.E. Tag

"D"

Wilmington Cemetery Addition

Wilmington Cemetery

(30) (30)

68.63 T-84 level = 68.43

69.00 T-84 level = 69.00

Cont. Top Pg. 43

① 180° 12' 30"
② 360° 24' 45"
③ 180° 37' 15"
90° 06' 15"

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 28-C-3

Notes Ck'd by	Survey of Wilmington Cemetery
Map No.	JN 0882.32 Tape 143 Std 84 °F
Office Work	Surveyed by Dougherty
Checked	Notes Newman Date 8-23-60
Date	Indexed H. E. Ott

F. B. 2655 Pg. 45



Cont. Bot. pg. 42

Wilmington Cemetery Addition

② 180°09'15"
④ 360°18'30"
⑥ 180°27'45"
90°04'30"

(30) (30)

1st St.
℄ Line

51.39

40"

90° 0' 0"

℄ Line pr. pg. 12 & 16 3

INT 3.56

Set 1" I.P. & Cont. pkg. & C.T. tag, 0.12'

Cont. pg. 29

℄ 6th St.

℄ Line

Spk & T 2

68.92

Wilmington Cemetery

"O" ST.

40.14

Hyatt Ave. (30)

Fd. 1" I.P. & Spk. o/n. 2'
pm. F.B. 389-62 L.A.
City F.B. 8810-49

Cont. Top. Pg. 44

Note: Any Additions or Changes on This Sheet Must be Made or Cited in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7875305 CE #247—3-57

F.B. 2635 Pg. 44

W.S. 28-C-3

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Cont. Bot. Pg 43

Fd. 1" I.P. & Spk. dn. 2"
Per. F.B. 389-62 & 64.
City F.B. 8810-49

Hyatt St.

Ave.

Ⓐ 180° 00' 45"
Ⓑ 360° 01' 30"
Ⓒ 180° 02' 15"
90° 00' 25"

1st St.

122.78

90° 00' 25"

Wilmington Cemetery

"B" ST

Cont. pg. 53

Spk & T.

S.B. 74

Set. BT. Spk. W.T.

142.39

(30) (30)

Cont pg. 45

W.S. 28-C-3

Notes Ck'd by	Survey of Wilmington Cemetery
Map No.	JN C882.32 Tape 143 Std 84 °F
Office Work	Surveyed by Dougherty
Checked	Notes Newman Date 8-24-60
Date	Indexed H. E. OTT

F. B. 2655 Pg. 45

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Cont. pg 44

1st St. ℄ Line

5T.

5T. ℄

15'

90° 05'

162.39

Sdt 1/2" Spk. w.c.t.

(1) 180° 16' 30"
(2) 360° 20' 45"
(3) 180° 31' 15"
90° 05' 15"

Cont. pg 46

"A" ST. ℄ Line

68.52

Spk & T. 2

Wilmington Cemetery

"D" 4.69

℄ Eubank Ave.

Fd. Spk. w.c.t.
pr. F.B. 2655-8

70F3008 CE #247—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F.B. 2655 Pg. 46

Notes Ck'd by	Survey of Wilmington Cemetery
Map No.	JN 088232 Tape 148 Std 84 °F
Office Work	Surveyed by Dougherty
Checked	Notes Newman Date 8-24-60
Date	Indexed H. E. OTT

F.B. 2693 PG. 47



Cont. pg. 52

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3008 CE #247 3-57



49.86

Cont. pg. 23

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.



F.B. 2615 Pg. 48

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Wilmington Cemetery
JN 0882.32 Tape 143 Std 84 °F
Surveyed by Daugherty
Notes Newmann Date 8-24-60
Indexed H. E. OTT

F. B. Pg. 49

Cont. Pg. 50

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

7675OSS CE #247—3-57

Line 2

48th St.

163.00

Cont. Pg. 38

163.02

"A" St. ℄ Line

129.53

Set Spk. & T.

Cont. Pg. 48

48.41

Cont. Pg. 24

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 4455 Pg. 50



Notes Ck'd by	Survey of Wilmington Cemetery	F. B. 2655 Pg. 57
Map No.	JN 0882.32 Tape 143 Std. 84 °F	
Office Work	Surveyed by Dougherty	
Checked	Notes Newman Date 8-24-60	
Date	Indexed H. E. Ott	



Cont. pg. 30



Cont. pg. 50

Cont. pg. 52

Cont. pg 48

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7675098 CE #847—3-57

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Cont. pg. 53

℄ Line 2

ST.

129.47

7.95

6"cb

6.66

Set Spk. & T

Cont. pg. 31

℄ 24.17 N

ST.

162.69

09.27

℄ 24.17 S

Cont. pg. 47

7.26

7.32

6"cb

6"cb

7.26

7.32

6"cb

6"cb

"B"

129.45

Cont. pg. 67

F.B. 2655 Pg. 52

X

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Wilmington Cemetery
JN 0882.32 Tape 143 Std. ±4 °F
Surveyed by Dougherty
Notes Newman Date 8-24-60
Indexed H. E. Ott

F. B. 265 Pg. 53



Cont. pg. 29

"B" St. ℄ Line 2

162.49

6" cb. 2

7.23

7.39

6" cb.

Cont. pg. 52

"B" St. ℄ Line 2

129.47

7.32

68.74

Cont. pg. 44

Set Spk. & T. 2

1st

162.49

Cont. pg. 46

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76FSOSS CE #247—3-57

F. B. 2655 Pg. 54



Cont. pg. 35

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

ST. ℄ Line 2

2455.00

7.52

6"cb.

6"cb.

Cont. pg. 33

162.58

7.50

"D"

ST. ℄ Line 2

130.14

Cont. pg. 55

Set. Spk & T. by Intr.

7.50

6"cb.

4℄

2750

Wilmington Cemetery Addition

Spk. & T.

Wilmington Cemetery.

Cont. Pg. 32.

Notes Ck'd by	Survey of Wilmington Cemetery	F.B. 2655 Pg. 35
Map No.	JN 0882.32 Tape 143 Std 84 °F	
Office Work	Surveyed by Dougherty	
Checked	Notes Newman Date 8-24-60	
Date	Indexed H. E. OTB	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.



Cont. pg. 39



Cont. pg. 34

Cont. pg. 36

Cont. pg. 30

76FROSS CE #247—3-57

F.B. 2655 Pg. 56

Cont pg. 40

Line 2

210.10

ST

6"cb

9.00

7.48

"D" ST.

258.90

Line 2

7.48

Cont. pg. 65

12.47

Set Spk & T. by Intr.

6"cb

27.89

Wilmington Cemetery Addition

Spk & T.

Wilmington Cemetery

cont. pg. 29

24' Rd. 40.0

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

X

NOTES RED. JOB NO. 0301.02 SURVEY OF Precise Levels Wilmington Area F. B. 2655 Pg. 79

DATE SURVEY BY F E Brooks

NOTES CHKD. NOTES BY F.E.B. DATE 25 Aug 1960

DATE INDEXED H. E. OTT DATE 10 80

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						J. N. 0301. 02
						PRECISE LEVELS
						WILMINGTON CEMENTERY

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0301.02 SURVEY OF Wilmington Cemetery NOTES RED
SURVEY BY F.E. Brooks DATE
NOTES BY F.E.B. DATE 25 Aug 1960 NOTES CHKD
INDEXED H.E.O.T. DATE

F.B. 2655 Pg. 80

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM 5-46	39.772					B.M. 5-46 L.A.C.S. #07430
+	6.097		6.130			1959 Elev. = 39.772
π	45.869	+0.833	+0.832			Lomita Blvd and Wilmington
-	5.264		5.298			Ave at the E inter. in a hand-
TP #1	40.605					hole 12" deep protected by a
+	3.923		3.889			cast iron cover. marked City
π	44.528	-2.855	-2.853			of L.A. Engineering Monument
-	6.778		6.742			& L.A. Co. Rd. Dept B.M. monument
TP #2	37.750					
+	2.237		2.207			
π	39.987	-4.808	-4.807			
-	7.045		7.014			
TP #3	32.942					
+	3.899		3.823			
π	36.841	-2.507	-2.508			
-	6.406		6.331			
TP #4	30.435					
+	4.896		4.848			
π	35.330	+0.613	+0.612			
-	4.282		4.236			
TP # 5	31.048					
+	6.202		6.111			
π	37.250	+1.589	+1.589			
-	4.613		4.622			
T.P. #6	32.637					
+	4.260		4.160			
π	36.897	-0.641	-0.639			
-	4.901		4.799			
L.A. City # 00527	31.996					L.A. City #00527 Elev. 31.990

See pg 81

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED _____ DATE _____ NOTES CHKD _____ DATE _____ INDEXED _____ DATE _____

JOB NO. 0701.02 SURVEY OF Precise Levels running thru Culver
SURVEY BY F.E. Brooks DATE 25 Aug 1960
NOTES BY F.E.B. DATE _____
H.E. OTT

F. B. 2653 Pg. 81

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
L.A. City # 00527	31.996					L.A. City # 00527 Elev. 31.990 (1959 Adj)
+	6.463		6.492			Eubank Ave at S.E. Cor. of
π	38.459	-0.139	0.141			Municipal Power and Light
-	6.602		6.633			sub. station 0.3 ft E of 4" steel
TP #7	31.857					Cor post a wire spk in conc.
+	5.440		5.411			12" deep
π	37.297	+0.741	+0.739			
-	4.699		4.672			
T.P. #8	32.598					
+	5.421		5.389	5.368		
π	38.019	+0.810	+0.814	+1.810		
-	4.611		4.575	4.558		
TP #9	33.408					
+	4.989		4.926			
π	38.397	-0.504	-0.504			
-	5.493		5.430			
L.A. City # 00490	32.904					L.A. City # 00490 Elev. 32.892 (1959 Adj)
						Eubank Ave E. side 5 ft W of
						S.W. fence Cor. of Atlantic
+	5.852		5.817			Oil Co. Corp. 14.9 ft N. of Tele pole
π	38.756	+1.760	+1.759			# 549780H
-	4.092		4.058			
BM W.C. #1	34.664					BM W.C. #1
+	3.862		3.790			Eubank Ave and Sandison St. N.W.Cor.
π	38.526	+0.333	+0.335			Bt. spk in cb. 10' N. of N. end C.B.
-	3.529		3.455			
BM W.C. #2	34.997					BM W.C. #2
						Eubank Ave and Sandison St.
						S.W. Cor.
						Bt. spk. in cb. 12' S. of S end C.B.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0301.02 SURVEY OF Precise Levels
SURVEY BY F.E. Brooks DATE
NOTES BY F.E.B. DATE 25 Aug 1960 NOTES CHKD
INDEXED M.E. Ott DATE DATE NOTES RED.

F.B. 2653 Pg. 82

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM W.C. #2	34.997					BM W.C. #2
+	4.059		4.019			See pg. 81
π	39.056	0.000	+0.001			
−	4.059		4.018			
TP #10	34.997					
+	6.669		6.582			
π	41.666	+2.429	+2.428			
−	4.240		4.154			
BM W.C. #3	37.426					BM W.C. #3
+	9.222		9.150			Eubank Ave W. Curb
π	46.648	+5.384	+5.387			Bt. spk in cb. 300' ± S. of Sand C.R.
−	3.838		3.763			of Sandisan St.
TP #11	42.810					
+	5.002		4.950			
π	47.812	-0.178	-0.179			
−	5.180		5.129			
L.A.C.ity #00420	42.632					L.A.C.ty #00460 Elev. = 42.636 (1959 adj)
+	4.649		4.600			Wire spk in W. Curb Eubank
π	47.281	-0.754	-0.755			Ave 36 ft. S. of ℄ Prod "O" St.
−	5.403		5.355			5.5 ft. S. of N. end of curb.
BM W.C. #4	41.878					BM W.C. #4
+	5.267		5.229			Eubank Ave and "O" St. S.E. Cor.
π	47.145	-0.184	-0.185			Bt. Spk in curb ft. S. of S. end C.R.
−	6.451		5.414			
TP #12	41.694					
+	4.913		4.858			
π	46.607	-0.704	-0.703			
−	5.617		5.561			
BM W.C. #5	40.990					BM W.C. 5
						See Pg 83

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0320.02
DATE _____ SURVEY OF Precise Levels in Whittier Area
SURVEY BY. F.E. Brooks
NOTES CHKD. _____ NOTES BY. F.E.B. DATE 25 Aug 1960
DATE _____ INDEXED. H.E. Ott DATE _____

F.B. 2655 Pg. 83

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM W.C. #5	40.990					B.M. W.C. #5
+	7.111		7.034			"O" St. and Hijar Ave S.W. Cor.
π	48.101	+1.240	+1.237			Bt. Spk in curb 7.5 ft. S. of S end
-	5.871		5.797			C.R.
TP #13	42.230					
+	4.680		4.589			
π	46.910	-0.633	-0.632			
-	5.313		5.221			
BM W.C. #6	41.597					BM W.C. #6
+	5.893		5.803			S.E. Cor. of Cemetery
π	47.490	+0.690	+0.688			Bt. Spk in Retaing Wall 42.5
-	5.203		5.115			ft. N. of S. end of wall
TP #14	42.287					
+	6.117		6.059			
π	48.404	+2.537	+2.535			
-	3.580		3.524			
BM W.C. 7	44.824					BM W.C. 7
+	4.200		4.133			E. side of Cemetery
π	49.024	-1.429	-1.429			L. & C.E. Tag in Retaining wall
-	5.629		5.562			297 ± ft N. of S. end of wall
TP. # 15	43.395					3rd st. prod F.B. 2655 - 39
+	3.561		3.428			
π	46.956	-3.066	-3.064			
-	6.627		6.492			
BM W.C. 8	40.329					BM W.C. 8
+	3.848		3.685			N.E. Cor. of Cemetery
π	44.177	-4.313	-4.314			Bt. spk in retaing wall 29 ft S
-	8.161		7.999			of S. end of Wall
BM W.C. 9	36.016					BM W.C. 9
						see pg 84

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0301.02 SURVEY OF Precise Levels
SURVEY BY F.E. Brooks DATE Wilmington Cemetery NOTES RED
NOTES BY F.E.B. DATE 25 Aug 1960 NOTES CHKD
INDEXED H & O.M. DATE DATE

F.B. 2655 Pg. 34

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM. W.C. 9	36.016					BM W.C. 9
+	5.507		5.440			N. E. Cor. of Cemetery
π	41.523	-0.801	-0.798			E. st. prod. 1" I.P. & C.E. Tag 6"dn
-	6.308		6.238			46.5 ft ± N. of N. P/L F.B. 2655-34
T.P. #16	35.215					
+	4.289		4.251			
π	39.504	-2.242	-2.244			
-	6.531		6.495			
BM W.C. 10	32.973					BM W.C. 10
+	4.018		4.162			N. side of Cemetery
π	36.991	-0.820	-0.820			C. st. prod. 1" I.P. & C.E. Tag 6"dn
-	4.838		4.982			48 ft ± N. of N. P/L F.B. 2655-36
T.P. #17	32.153					
+	4.855		4.786			
π	37.008	+0.756	+0.757			
-	4.099		4.029			
L.A. City # 00490	32.909					L.A.C.Ty #00490 Elev. = 32.892 (1959 adj)
						En bank Ave E. side 5 ft. W. of
						S.W. fence Cor. of Atlantic Oil
						Co. Corp. 14.9 ft. N. of Tele. pole
						# 549780 H.

Notes Ck'd by	Survey of Wilmington Cemetery F. B. RC 55 Pg. 86
Map No. B-2747	JN 0303.00 Tape Std °F
Office Work T. M. ICHIEN	Surveyed by F. E. Brooks
Checked	Notes F. E. Brooks Date Dec 60
Date	Indexed M. E. OTT DEC 22 '60

J. N. 0303.00

WILMINGTON CEMETERY

Method of sitting monument at N.E. Cor. of Wilmington Cemetery because of obstructions on E Plk of cemetery

F.E. Brooks
A.R. Barichi
R.R. Rodriguez
N. Smith
G.R. Esquivel

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3098 SAE #247 11-58

F. B. 2655 Pg. 86



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Wilmington Cemetery F. B. 2655 PG.
JN 0882.23 Tape Std °F
Surveyed by Dougherty
Notes Dougherty Date 7
Indexed

Note: Any Additions or Changes on This Sheet Must Be Made as Coded in Red Ink With Date and Name of Person Making Change.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 SOUTH FREMONT AVENUE, ENGINEERING BLDG.
ALHAMBRA, CALIFORNIA

Do not extend notes this side of this line.

#847—7-58

P. B. PG.