Survey of
JN Tape Std "F"
Surveyed by
Notes Date
Indexed

F.B. 2674 Pg

	Job	Description
		NEW YORK DRIVE - 0074.59
8	C.L.	Loc. of Veranada Ave. intersection of New York Drive.
7	Topog.	Loc. Imp. of New York Drive from Altadena Dr. westerly to Allen Ave.
6	Topog.	Loc. Imp. on New York Drive from Allen Ave. to Lake Ave.

Microfilmed June 85

Notes Ck'd by	Survey of NEW YORK DRIVE
Map No. 8-97-1	JN Tape Std °F
Office Work L.J.	Surveyed by G. PORTER
Checked L. W. BACON	Notes PORTER Date 11-10-60
Date 4-25-61	Indexed H. E. OTT DEC 2 1960

F. B. 2674 Pg. 7

LOCATION OF
VERANADA AVE
INT. OF NEW YORK DRIVE

1960

Note: Any Additions or Changes on This Sheet Must be Made or Ended in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—8-57

F.B. 2674 Pg. 8



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

N. 1, S. 44 B-1

Notes Ck'd by:	Survey of New York Drive
Map No. 8-97-1	JN 007459 Tape Std °F
Office Work L.T.	Surveyed by G. Porter
Checked L. W. BACON	Notes Date 11-10-60
Date 4-25-61	Indexed H. E. OTT DEC 1 2 '60

F. B. 2674 Pg. 9

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

LOCATION OF IMPROVEMENTS

NEW YORK DRIVE

AS OF NOV. 1960.

ALTADENA DR. Westerly To ALLEN AVE

G. Porter & Party

FOR. IMPROVEMENTS Taken 1933

See F.B 531-50-69

Ref. CSB 951 - Sht. 1

1

76F2008 GE #247—8-57

Cont Bot Pg - 11

F. B. 2674 Pg. 10



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Certified in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by
Map No. 8-97-1
Office Work L.T.
Checked E. W. BACON
Date 4-25-61

Survey of NEW YORK DRIVE
JN 007459 Tape Std °F
Surveyed by G. PORTER
Notes C. ADAMS Date 11-14-60
Indexed R. E. ON

F. B. 2674 Pg. 11

Cont Left Page 14

Cont Right Page 12

COOLIDGE AVE

6+78.49

6+19.77 corner

58.7

6+10.6

6+35.4

26.7

Cond.

6" Conc Curb

R=12'

SS M.H.

24.1 → 6+21.9

8" Headwall

5+94.9 → 12.8

5+93.7 → 12.9

11.6

35.0 → 6+00.8

5+97.6 → 24.3

37.1 → 5+92.8

5+94.0 → 14.8

12" Oak Tree

W.M.

Conc. Drive 8D

10.5

8.0

10R

14.2

35.9 → 5+50.8

40.1 → 5+50.8

48" Oak Tree

Guard Cable Conc. Posts

OPEN COBBLE STONE STORM DRAIN

W.M.

5D

3.0

37.0 → 5+18.4

P.P.

36.9 → 5+19.4

5+02.0 → 44.8

5+05.4 → 13.2

5+02.0 → 12.8

15.2

25.1

Mac Drive 8.0

8.0

16.1

6" Conc. Curb

10.8

35.0 → 5+02.0

12" Oak Tree

40.1 → 4+99.7

Conc Bridge

4+89.4 → 15.7

4+87.8 → 12.9

R=6'

18.5

37.3 → 4+88.6

W.M.

1+70.9 → 38.0

R=3'

T.P.

10.9

4+63 → 12.9

4+63.8

49.4

Conc. Bridge

6" Conc. Curb

Mac. DR.

168

4+52.1 → 15.8

4+49.7 → 13.0

4+38.8 → 49.3

39.5

2" Hydr.

3' Pick. Fence

5' Conc Walk

9.0

30' Conc Curb

NEW YORK DR.

4+24.4 → 42.0

4" CI Pipe

Collared

39.9 → 4+03.7

4+01.0 → 3.8

3+89.7 → 44.2

6" Pipe

10" Oak

34.7 → 3+98.4

10.9

30" Bread Tree

3+93.4 → 12.9

49.4 → 3+95.2

4' Sidewalk

3+83.4 → 12.9

3+82.1 → 13.6

70.2

3+78.6 → 34.97

53.2 → 3+75.4

Curb

6.4 → 3+70.3

3+71.7 → 37.2

Curb

MAC

H.H.

3+56.4 → 43.5

29.8 → 3+49.9

3+43.3 → 72.7

N. VALENCIA AVE

3+55.60

SPRW+T

F.B. 5311-7-25

S.S. M.H.

24.1 → 3+49.8

3+22.4A

W. SPRW+T

Cont from Top Pg 10

Notes: Any Additions or Changes on This Sheet Must be Made or Called in Red Ink With Date and Name of Person Making a Change.

Do not submit mylar this size of this line.

RECORD OF SURVEY
LOS ANGELES COUNTY ENGINEER
Filed Los Angeles County Engineering Bldg.

F. B. 2674 Pg. 12

(1) = 94° 35' 55"
(A) = 18° 23' 40"
94° 35' 55"



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of New York Drive
Map No. 8-97-1	JN 007459 Tape Std °F
Office Work L. T.	Surveyed by G. Porter
Checked L. W. BACON	Notes C. Adams Date 11-15-60
Date 4-25-61	Indexed H. E. OTT

F. B. 2674 PG. 13

Cont. Bot page 19

C.S. Mon

10+88.22

FB 531-8
Facs mon capdwell
No Ref

N. HARDING AVE
MAC. Pav.

Conc. Catch Bsn

Conc. Side walk

18" Cor iron Pipe Outlet in Drain

20" oak

20" oak

30" oak

24" oak

24" oak

4' Chain Link Fence

5' Chain Link Fence

28" oak

Brick Planter Box

1 story Frame Garage

1 story Frame House

5' Chain Link Fence

10+71.4 26.9
10+69.4 26.7
10+61.0 14.0
10+52.4 13.9
10+49.0 13.3
10+47.5 22.3
10+27.0 52.7
9+98.8 13.3
9+68.5 52.7
9+38.0 59.0
9+20.5 59.0
9+21.4 13.0
9+09.0 52.7
8+78.8 52.7
8+57.4 25.4
8+40.8 13.0
8+25.7 13.0
8+10 13.0

Guard Cable

OPEN Cobble Stone Storm Drain

6" Conc Curb

Conc Bridge

Mac. Dr. wy.

6" Conc. Curbs

Conc. Bridge + Dr. way

Conc. with

DR

NEW YORK

MAC PAV.

Notes: Any Additions or Changes on This Sheet Must be Made or Dated in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Cont. from Lt. Pg. 12.

Cont. Bat Page 15

F. B. 2674 Pg. 14



9+032
Mac Drive 8.1
34.8
9+04.9
144
Conc
W Meter
18" oak
36.5
23.5
39.9
8+86.6
8+75.0
8+73.3
55 M H
P. Pole
36.1
8+55.4
8+53
Conc Drive 7.8
34.8
8+54.3
15.6
W. Meter
10" oak
36.6
39.7
8+25.9
8+20.5
NEW YORK
8+041.7
Mac Drive 9.0 12.6
34.8
8+06.7
17.0
Conc
34.8
W. Meter
1" Crepe Myrtle
36.6
39.5
7+86.4
7+84.4
5' WATER
39.5
7+60.8
30" Conc. GUTTER
DRIVE
12" oak
39.8
7+20.7
P. Pole
36.1
34.70
7+01.9
7+01.4
Pol.
Mac.
R=30'
Valve in H.H.
48.8
6+61.4
COOLIDGE
AVE
Valve H.H.
25.1
6+43.8
Conc Gutter
Fd 3/4" IP by Ives
FB 521-27-8
No Ref
= 6+39.11
58.5

cont. from TOP Page VI

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-47-1
Office Work L.I.
Checked K. W. BACON
Date 4-25-61

Survey of NEW YORK DRIVE
JN 007457 Tape Std °F
Surveyed by G. PORTER
Notes Porter Date 11-16-60
Indexed K. E. OH

F. B. 2674 Pg. 15

Cont. Bot Pg - 16

P. Pole — 36.4 — 11+51.0
12" oak — 40.0 — 11+26.2
12" Cypress — 40.5 — 11+10.7
35.0 — 11+08.2
10+98.7
10+88.22
SSMH. — 24.00
Fdcsmon cap d well No Ref
10.94
4' walk
7.4
R=35'
5.9
H.H. — 49.8 — 10+80.4
10+77.28
FB 531-29
Fd 3/4" IPdn 4" No Ref
HARDING AVE
conc. Gutter
mac pav.
R=35'
7.3
4' walk
H.H. — 27.6 — 10+53.1
mac Pav.
NEW YORK DRIVE
5.0
15" oak — 35.0 — 10+15.2
9.6
P. Pole — 36.4 — 10+00.5
conc. walk — 35
35.0 — 9+85.2
W. Meter — 37.0 — 9+73.8
5' walk
conc. Drive 9.5
8.5 conc.
12.0
9+45.2
35.0 — 9+42.6
W. Meter & valve — 36.7 — 9+42.3

cont from top Page 14

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 700 LOS ANGELES COUNTY ENGINEERING BLDG.

787308 CE #247—5-57


Cont. Bot Page 17
F.B. 2674 Pg 16
35.0
14+53.9
Facs Mon Copywell No Ref
14+58.27
SSMH
24.2
14+51.7
496
14+26.3
H.H.
ROOSEVELT
14+23.36
F.B. 531-8-31
Fd. Spk. dn 3" No Ref
MAC. PAV.
AVE
MAC PAV.
4' WALK
CONC. GUTTER
3" oak
39.6
13+62.5
35.0
13+60.3
18" oak
40.3
13+42.8
1" oak
416
13+31.0
Water Meter
368
13+30.0
P.P
364
13+06.0
NEW YORK DRIVE
20" oak
40.3
12+87.0
W. Meter
36.5
12+75.8
44.5
12+70.9
144
12+68.4
MAC DRIVE
W. Meter
36.7
12+42.2
18" oak
40.3
12+36.2
12+14.0
35.0
12+14.0
mac Drive
68
9.7
T.P.
368
12+04.8
W. Meter
36.8
11+83.7
12" oak
40.1
11+80.7
11+66.3
35.0
mac Dr.
7.9
131
35.0
11+55.2
cont from top Pg - 15
RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of New York DR.	F. B. 2674 PG. 17
Map No. 8-97-1		JN 007459 Tape Std °F	
Office Work		Surveyed by G. Foster	
Checked L. W. BACON		Notes Foster Date 11-18-60	
Date 4-25-61		Indexed R. E. Ott	

Cont Bar Page 18

17+68.55
Fd C.S. Mon dn
Cap dwl all No Ref

GRAND OAKS

mac pav.

5.9 conc gutter

NEW YORK DRIVE

mac pav.

	35.0	→	16+94.2
P. Pole	36.7	→	16+92.0
W Meter.	36.8	→	16+58.2
SS MH	24.0	→	16+56.3
	35.0	→	16+40.8
	44.5	→	16+38.5

95

mac

Dr

14.0

16+29.3

W. Meter

P. Pole

5' conc w/ 12" CMP

18.0 conc.

	36.9	→	15+99
	36.5	→	15+86.2
4" Shrubs	40.1	→	15+53.6
14" oak	40.3	→	15+18.1
W meter.	36.8	→	15+1.66
14+97.7	35.0	→	15+01.0

13

mac 85
or

9.0 conc.

14.0

P.P. 37.0 → 14+84.8

Cont from top Page 12

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

REPRODUCE SIZE #247 11-58

Cont. Bot Page 24

F. B. 2674 Pg. 18



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this data on this item.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of NEW YORK Drive
Map No. 8-97-1	JN 00759 Tape Std °F
Office Work L. T	Surveyed by G. PORTER
Checked L. W. BACON	Notes CADAMS Date 11-18-60
Date 9-25-61	Indexed H. E. OH

F. B. 2674 PG. 19

Cont Bot. Pg 20

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 900 Los Angeles County Engineering Bldg.

13+80.0 13.4
13+50.6 28.9
Guard Cable
13+19.3 28.9
13+12.8 12.9
13+03.2 24.3
12+97.2 29.3
12+96.2 53.0
12+93.6 53.7
12+94.9 13.0
12+83.4 29.9
12+73.5 29.9
12+63.7 52.3
Guard Cable
12+50.9 36.9
12+42.3 38.7
12+33.2 13.0
12+24.3 52.3
12+17.6 24.9
12+15.5 12.7
12+13.0 13.0
12+10 13.5
12+04.4 53.4
11+85.2 43.5
11+77.0 39.1
11+74.5 53.4
11+68.8 41.3
11+52.4 45.3
Guard Cable
11+42.8 42.8
11+29.7 21.5
11+28.0 14.0
11+27.4 13.0
11+23.0 13.8
11+07.6 36.2
11+05.6 36.2
11+05.9 26.0
10+94.6 31.0

1.5 10
B.4
10.6 Conc Bridge 7.6 5.2
Conc Dr.wy. 16.3
26.0
Storm Drain
PP
Conc Bridge 12.9 10.0
Storm Drain
8.1
Open Cable 10.0
3.9.0
8" Conc. Header 11.9
7.9
3.5
R=10.0
11.9
HH

20" Oak
36" Palm
30" Oak
4' Chain Link Fence
Frame Playhouse
20" Oak
Mac. Dr. Wy.
7.4
4' Chain Link Fence
28" Oak
12" Palm
4" Oak
20" Oak
4" Oak
4' Chain Link Fence
10.9 Mac. 12" RCP Dr. Wy.
18.6
Conc. Walk 19.0 5.0
Conc. Dr. Wy.
17.3
10.9
29
MAC PAV.

40" Palm
40" Palm
4' Chain Link Fence

NEW YORK DRIVE
Mac. Pav.

C.S. MON. 10+88.22 No Ref. #0.531-8

N HARDING ℄ AVE.

Cont. from Top Page 13

F.B. 2674 Pg. 20

Cont. Bot. Pg. 21



Cont. from top Pg. 19

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-017-1
Office Work
Checked L. W. BACON
Date 4-25-61

Survey of New York Drive
JN 007452 Tape Std °F
Surveyed by G. Porter
Notes C. Adams Date 11-21-60
Indexed E. E. ON

F. B. 2674 Pg. 21

Cont. Bot. Pg. 22

19+82.2 ← 55.6
19+46.4 ← 52.2
19+28.0 ← 27.5
19+22.0 ← 47.5
18+70.0 ← 14.3
18+70.0 ← 21.8
18+66.0 ← 12.8
18+63.1 ← 13.8
18+55.2 ← 13.9
18+45.2 ← 35.1
18+45.0 ← 26.0
18+35.0 ← 25.8
Fd 1" I.P. dn. 4" No Ref 18+28.20
18+10.7 ← 25.2
18+09.0 ← 26.3
18+00.9 ← 13.8
17+93.1 ← 13.7
17+89.2 ← 13.1
17+88.0 ← 22.2
17+91.0 ← 23.3
17+81.9 ← 27.0
17+80.0 ← 14.2
17+72.0 ← 25.6
17+62.9 ← 30.3
17+58.2 ← 25.0
17+32.0 ← 26.3
17+19.0 ← 36.4
17+08.8 ← 40.0
17+00.5 ← 26.5

8.3 1P 1P
8" 24" oak shrub 6"
8.3 Hedge 41.5
8" Conc Header 2" I.P. Hand Rail
12.3 5.0 Conc wk.
2.8 27.1 7.8 130" oak
R=12.0 11.1 F.H. H.H. 8.7 13.0 Conc. Catch Bas.
11.7 1.9 3.4 3.0 33.8
N. GRAND/OAKS AVE.
meas. Pav.
11.4 10.4 3P
12.0 2.0 Conc Catch Basins
R=12 T.P. 11.8 3.5 13.0
2.8 7.1
5.0 Conc wk.
8" Conc Header 2" I.P. Hand Rail
Shrub
4" ornl Tree 2.2 24" oak
8.5 4 to 8" 5.9 27.4 6.7
8" Acacias 18.1 1 story Stucco House
1.0 1.0 18" 2.2 36.7
12" 3.0
12.4 49.8
Covered Conc. Patio 25.9
8.4 18" 12" 8"
Conc. Block Wall

NEW YORK DRIVE

Cont from top Pg 20

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data beyond this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

FORM 2058 BSE 1247 11-58

Cont Bot Page 23

F.B. 8674 PG 22



22+35.4 ← 14.5
22+33.2 ← 14.4
22+25.2 ← 14.7
22+16.4 ← 27.4
22+15.0 ← 26.0
22+04.8 ← 37.6
Fd SW&T. FB 531-10 21+98.28
21+86.7 ← 54.5
21+81.1 ← 26.4
21+71.0 ← 14.5
21+63.3 ← 14.4
21+55.5 ← 30.5
21+56.6 ← 22.9
21+48.6 ← 14.3
21+47.5 ← 13.1
21+40.8 ← 15.7
21+17.7 ← 47.0
20+62.1 ← 68.7
20+60.0 ← 29.7
20+54.9 ← 13.4
20+41.9 ← 14.6
20+35.6 ← 13.4
20+38.1 ← 54.2
20+14.6 ← 27.4
20+12.8 ← 13.1
19+98.9 ← 12.1
19+95.9 ← 13.2

Cont. from Top pg. 21

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-97-1
Office Work L.T
Checked L. W. BACON
Date 9-25-61

Survey of New York Drive
JN 0074.59 Tape Std °F
Surveyed by G. Porter
Notes C. Adams & Dan 11-21-60
Indexed H. E. ON

F. B. 2674 Pg. 23

Cont. B.T. Page 29

Falcsmon/
Cardwell No. Ref
= 24+96.23
F.B. 531-11

N. PEPPER MAC. Pav.

25+19.6 46A
25+18.9 35.6 H.H.
55.0 H.H. 25+07.6
Mac. Pvt. Sd. 3.0 Conc Catch Basin
24+99.6 29.0 14.0 13.5
R=15.0 3.5 13.5
24+84.5 14.5 3.0 5.0 5.0 Conc. Wk
24+ 27.1 8P 12.0 conc. Light post
8" Conc. Header 2" I.P. Hand Rail
20" Oak
24+78.6 14.4
24+75.3 26.8 PP
24+29.2 53.0 18" Cor. Iron Pipe
24+76.3 23.4
24+51.6 53.8 20" Oak
10" Conc Curb
24+36.3 14.3 Ornm. Shrubs
Guard Rail 16.0 Open Cobble Stone Storm Drain
4' Chain Link Fence 0.5 from Drain
24+17.9 14.9
24+16.0 14.4
24+22.7 54.6 24" Oak
10" Conc Curb
6" Conc Curbs
Conc. 11.0 Bridge 11.9 Mac. Dr. Wy
23+89.3 14.4
23+82.9 27.1 P.P.
23+81.3 29.8 Row of Cedars 4" to 8"
23+62.4 53.6 24" Oak
23+60.0 14.4 9.6 10" Pine
23+54.7 30.2 6.3 18" Pine
23+34.5 53.8 28" Oak
23+09.7 28.0 2" Ornm. Tree
10" Conc Curb
22+90.6 24.0
22+73.9 53.7 28" Oak
22+64.3 27.6
22+48.3 26.0 2" Conc. Block Wall
3.0
22+45.8 53.7 30" Oak
22+39.2 22.8
18" Cor. Iron P.P. (open in Drain)

NEW YORK DR. MAC. Pav.

Cont. from Top Pg. 22

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineers Bldg.
Do not extend this side of this line.

7-67 2000 GSC 1247 11-60

Cont. Bot Page 25

F.B. 2674 Pg. 24



LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Cont from top Page - 18

Notes Ck'd by
Map No. S-97-1
Office Work L. T
Checked L. W. BACON
Date 4-25-61

Survey of NEW YORK DRIVE
JN 007457 Tape Std °F
Surveyed by G. PORTER
Notes PORTER Date 11-18-60
Indexed R. E. OTT

F. B. 2674 Pg. 25

Cont Bot Page - 2.6

NEW YORK DRIVE

6" Conc Block Wall
PRIVET HEDGE (3+ Ac+)
MAC. DRIVE 16.1
3½" curb
STUCCO BLDG
42.4
2-4" Prong Tr.
W.M.
2-5" shrubs
6" oak
2-10" oaks
3/4" H.B.
12" oak
2-4" cherry
18" oak
SHRUBS
W. Meter
1" W. Valve
4-6" Prong Bread TR.
3/4" H.B.
3/4" Valve
MAC. DRIVE
ROW 3" PINES
4' W.W. Fence
6" Birch
W.M. & 3/4" Riser
EDGE OF PAVT.

21.7		
25.6	→	24+25.7
20.9		
25.5	→	24+05.6
28.0	→	23+98.5
30.5	→	23+81.8
21.0		
26.4	→	23+75.8
34.0	→	23+54.4
43.8	→	23+43.8
47.9	→	23+41.3
45.9	→	23+19.0
28.5	→	23+09.5
29.8	→	23+07.6
20.9	→	23+02.2
42.0	→	22+94.0
30.4	→	22+81.3
31.5	→	22+77.8
26.8	→	22+75.3
20.3		
50.6	→	22+67.2
61.6	→	22+55.0
29.5	→	22+50.7
32.2	→	22+35.7

Cont from Top Pg. 2A

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Cont Bot. Page – 27

F.B. 2674 Pg. 26

33.0	→	26+90.1
24.0	→	26+27.1
21.0	→	26+45.4
26.1	→	26+41.2
24.0	→	26+30.9
46.4	→	26+25.0
175	→	26+19.8
		Ed Swl/Tan 34" FB 531-11 26+13.31
22.0		
26.1	→	26+08.4
47.0	→	26+02.3
53.4	→	25+97.3
24.0	→	25+90.9
32.8	→	25+83.3
51.3	→	25+74.4
35.9	→	25+58.0
3.2		
24.0	→	25+47.8
25.9	→	25+47.0
35.8	→	25+41.6
		25+34.9
51.2	→	CS mon/Cap & well = 24+96.23 FB 531-11
9.8		
25.9	→	24+92.0
16.1	→	24+87.5
59.9		
24.0	→	24+65.9
38.0	→	24+68.6
25.7	→	24+57.6
17.3	→	24+48.5
44.2	→	24+39.2
60.2	→	24+38.0
10.4		

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend meter this side of this line.

cont from top Page 25

Notes Ck'd by
Map No. 8-07-1
Office Work
Checked E. W. BACON
Date 4-25-61

Survey of NEW YORK DRIVE
JN 0074.39 Tape Std °F
Surveyed by S. PRETER
Notes Date 11-21-60
Indexed M. E. ON

F. B. 2674 Pg. 27

Cont Bot page 28



NEW YORK DRIVE
MAC. PAV.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not detach this side of this line.

Cont Bot Page 33

F. B. 2674 Pg 28



17.0 →	30+08
51.5 →	30+04.8
24.4 →	29+88.1
33.9 →	29+84.4
26.0 →	29+75.5
56.9 →	29+73.3
26.0 →	29+69.5
41.3 →	29+56.0
35.0 →	29+43.1
24.0 →	29+42.6
19.5 →	29+41.3
14.0 →	29+34.8
17.7 →	29+28.0
25.9 →	29+19.8
31.9 →	29+07.3
32.4 →	29+06.3
25.7 →	29+05.7
23.9 →	28+92.1
53.2 →	28+86.2
25.6 →	28+76.0
53.5 →	28+67.7
36.9 →	28+72.4
45.2 →	28+69.5
35.8 →	28+60.5
33.8 →	28+43.6
33.7 →	28+32.2
38.0 →	28+24.3
24.0 →	

cont from top pg 27

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of New York Dr.
Map No. 8-97-1	JN 0079.59 Tape Std °F
Office Work L.L.	Surveyed by G Porter
Checked L. W. BACON	Notes C. Adams Date 11-28-60
Date 1-25-61	Indexed M.E. OH

F. B. 2674 Pg. 29

Cont Bottom pg. 30

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line off this line.

LOS ANGELES COUNTY ENGINEER
7320 Los Angeles County Administration Bldg.

P.I. C.S. Mon. Cap + Well
F.B. 531-11
= 27+84.19

E NEW YORK Dr

26+73.5	23.4
26+70.0	24.2
26+67.8	18.5
26+71.2	32.8
26+69.6	75.3
	42.1
26+53.4	34.0
26+50.6	15.3
26+38.3	24.3
26+30.6	36.5
26+23.0	68.5
26+27.9	14.3
25+98.3	50.4
26+09.7	25.3
25+89.5	64.5
25+94.0	67.5
25+97.9	41.3
25+88.2	43.4
25+75.8	44.8
25+75.8	40.8
25+77.9	80.5
25+65.6	58.3
25+58.8	78.0

27+82.9
27+62.4
27+50
27+43.8
27+25.0
27+11.7
27+14.2
27+00.0
26+95.0

34.0
14.2
44.4
25.2
64.3
14.7
29.0
57.0
59.8
34.2
18.7

Flag Stone Patio
Mac. Court
46.0
3" shrub
6" oak
12.7
34.6
3.5
6.7
3.0
3.5
4.0
1 Story Stucco House
12.6
10.9
19
10.9
pp
6" Tree
6" pine
2p
40" oak
4' Dia
oak
40
125
3' Flag Stone walks
4' Dia
30
Brick
48.0
37.9
Edge Pvmt.
Curb & Gutter
6" oak
8.0
Fence
12" oak
10.6
2.1
20.8
6" orn.
6" syc.
30.0
Fence N.W.
Tp
Tp
Cornfree
18" orn. Tree
2'x2' Conc Posts
12" oak
F.H.
H.H.
6.1
6.2
6" Conc. curb

C.S. Mon No Ref
= 24+96.23
= FB 531-11

N PEPPER DR

Cont. from top. pg. 23

F. B. 2674 Pg. 30

Cont Bottom Pg. 31



LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made on Circled Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of New York Dr.	F. B. 2674 Pg. 31
Map No. S-07-1		JN 2074.59 Tape Std °F	
Office Work L.T.		Surveyed by G Porter	
Checked L W BACON		Notes C Adams Date 11-28-60	
Date 4-25-61		Indexed H.E. ON	

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not submit this type of this like.

Cont Bottom Pg. 32

NEW YORK DR
MAC. PKWY

32+24.0 ← 14.6
32+24.0 ← 13.9
32+09.9 ← 69.2
32+04.3 ← 30.2
58.4
31+85.9 ← 43.1
31+90.8 ← 26.1
31+74.7 ← 26.1
31+68.9 ← 48.4
31+69.3 ← 45.1
31+55.3 ← 49.6
31+59.5 ← 26.2
31+45.0 ← 89.2
31+43.0 ← 13.5
31+40.9 ← 72.4
31+44.9 ← 26.1
31+34.8 ← 35.5
31+01.0 ← 85.8
30+89.3 ← 26.5
30+80.4 ← 77.9
30+50.3 ← 25.2
30+64.2 ← 87.1
30+49.2 ← 58.9
30+29.7 ← 14.0
30+37.3 ← 37.1
30+34.4 ← 56.7
30+31.7 ← 79.4
30+31.7 ← 101.3
30+11.8 ← 26.1
30+08.4 ← 12.3
30+16.8 ← 76.5
30+01.5 ← 38.1
29+99.4 ← 68.3
30+00.0 ← 13.2
29+98.0 ← 88.3
30+00.0 ← 14.1
29+82.2 ← 73.8

Open Cobble Stone Storm Drain

1 story Brick + Frame House
Conc.
Conc Bridge
Mac
Trees
Cont. from top Pg 30

cont. BOT. Page 41

F. B. 2674 PG. 32.



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of NEW YORK DR.
Map No. 8-77-1	JN 007459 Tape Std °F
Office Work L.L.	Surveyed by G. PORTER
Checked E. W. BACON	Notes PORTER Date 11-28-60
Date 4-25-61	Indexed H. E. ON

F. B. 2674 Pg. 33

Cont Bot Pg-34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not adad this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 LOS ANGELES COUNTY ENGINEERING BLDG.

7-67 2035 sec 1147 11-58

16.3 → 32+35.0

Conc Walk

3.0

5' Link Fence

26.5 → 32+24.8
35.2 → 32+14.1
47.6 → 32+12.4

9.4

32.8

Conc Dr.

5' chain link fence

40.6 → 32+08.6
32.8 → 31+99.6
26.0 → 31+93.6

NEW YORK DRIVE

3 Prong Oak

17.3 → 31+90.7
30.8 → 31+85.4

3-12" Oak

12" Oak

42.2 → 31+71.3
59.2 → 31+65.2
23.7 → 31+58.4

2.1

WM

3/4" Valve

37.2 → 31+46.3
26.1 → 31+40.4
16.7 → 31+32.5

2-12" Oak

5.5

1.3

2.3

9.7

4.6

Mac Drive

60.8 → 31+35.8

17.5

12" Oak

16.3
46.2 → 31+24.5
31+26.0

Conc Block Wall

26.8 → 31+22.1
26.8 → 31+20.7

Mac. Dr.

8.0

14.5

21.3

25.2 → 31+10.6

Conc Walk

16.3 → 31+08.0
42.4 → 31+04.8

MAC. DRIVE

12" Oak

23.8 → 30+98.2

14" Oak

58.0 → 30+55.7

12" Oak

40.1 → 30+54.9
16.7 → 30+51.0

Conc Block Wall

3/4" Valve

27.7 → 30+49.4
26.1 → 30+48.5

Mac. Dr.

8.0

29.2

25.8 → 30+36.4
51.4 → 30+39.4
25.8 → 30+35.8
51.4 → 30+34.5
16.8 → 30+32.0

Oak

1/2" Riser

2" PINE

34.1 → 30+31.5

Cont from top Page 28

cont Bot Page 35

F. B. 2674 PG. 34



cont from top Page 33

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-97-1
Office Work
Checked L. W. BACON
Date 9-25-61

Survey of New York Drive
JN 00745 Tape Std °F
Surveyed by G. Porter
Notes Date 11-8-60
Indexed H. E. On

F. B. 2674 Pg. 35

Cont Bot Pg - 36

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7873008 SEE #142 11-58

5' Palm 17.2
Conc Block wall 11 5' high
8" Brick wall 24" High
Hedge & Shrubs
Mac 20.5 Drive
3/4" Riser
18" & 16" oak
8" oak
5-12" oak cluster
18" oak
Light & Post
Mac Drive
Chain Link Fence
Curb
39 Walk
70.0
1 Story Stucco House
3-10" oaks
9.8
13.9
12.0
Conc Drive
15.0
Conc Block Wall
12.2
Pool
3.9
12.1
32.2
5.9
5.9
Edge of Pav't
H.H.
W.M.
Conc Slab
SSMH

37.5 → 37+01.1
16.0
26.1 → 36+94.7
25.7 → 36+83.4
14.1 → 36+87.0
24.5 → 36+81.8
18.0
28.0 → 36+71.6
32.2 → 36+59.4
39.2 → 36+41.4
21.2 → 36+33.2
26.5 → 36+08
38.0 → 36+10.0
34.7 → 35+95.2
35.4 → 35+85.2
19.6 → 35+79.5
48.3 → 35+68.8
9.0
22.3 → 35+58.0
17.2 → 35+57.0
30.5 → 35+56.0
26.2 → 35+55.0
40.9
52.7 → 35+51.6
19.8 → 35+49.8
17.4 → 35+39.2
14.1 → 35+34.8
16.6
26.2 → 35+18.7
59.3 → 35+15.8

NEW YORK DRIVE

Mac. Pav.

Cont from Top Page 34

Cont. B of Page 37

F. B. 2674 PG. 36



26.4	40+00.
30.2	39+90.7
27.5	39+86.8
59.8	
23.6	39+77.7
39.1	39+61.8
38.4	39+42.0
59.8	39+25.4
26.4	39+23.2
32.0	39+21.2
36.0	39+15.5
28.6	39+17.0
33.1	39+14.4
26.0	39+12.1
60.5	
41.3	38+83.5
56.4	38+79.8
16.5	
2.60	38+58.9
26.0	
24.6	38+41.3
26.9	38+40.0
17.1	38+39.0
33.3	38+33.2
31.9	38+28.4
20.3	38+22.8
	37+94.0
14.2	38+09.2
26.2	37+90.5
41.8	37+71.0
21.9	37+45.8
37.4	37+20.2
16.5	
25.9	37+06.5
16.0	37+01.4

Cont from top Page 35

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of New York Drive
Map No. 8-97-1	JN 00764.59 Tape Std °F
Office Work L.J.	Surveyed by G. Reese
Checked L. W. BACON	Notes Date 11-29-60
Date 4-25-61	Indexed H. E. Ott

F. B. 2674 PG. 37

cont Bot Page 38

NEW YORK DRIVE

16.8
30.4 41+84.0
24.3 41+83.9
25.3 41+80.8
27.2 41+69.0
42.0 41+56.9
40.5 41+50.7
55.0 41+38.5
24.0 41+01.0
17.0 40+85.3
49.9 40+90.1
26.4 40+82.6
61.5 40+62.0
30.0 40+69.0
17.4 40+51.9
26.0 40+50.6

Edesmont cap & tell No Ref = 40+37.72 FB 531-13-31

40+28.9

40.3
33.3
40+31.6

33.5 40+03.4
31.2 40+00
16.9 39+96.0

wood fence
2" PINE
P.P
2" PINE
2" PINE
14" oak 7.2
25.6
40
21.8
1.8
8.1
9.
19.2
1.5
1 Story Stucco House
Garage
28.0
20.0
MAC DRIVE
10.8
15.3
2-12" oak
4" F.H.
6.1
HH
3.0
2-12" oaks
split rail fence
14.3
MAC Pav.
BELLFORD AVE
SSMH
24.9
25.3
22" TWIN OAK
shrubs
Rail Fence

Top Pg 86

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3065 SAE #343 11-58

cont Bot Page 39

F. B. 2674 Pg. 38



LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Cont. from top Page 37

Notes Ck'd by	Survey of NEW YORK DRIVE
Map No. 8-97-1	JN 0074.59 Tape Std °F
Office Work L.T.	Surveyed by G. PORTER
Checked L. W. BARON	Notes PORTER Date 12-7-60
Date 4-25-61	Indexed H.E. ON

F. B. 2674 PG. 39

See Pge 57

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this file.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

49+75.8
+2.00
49+69.8
28.0
8'R
12.0
RP'd PARK LOT.
70.4
21.2
40.2
48+10.1
MAC PAV.
NEW YORK DRIVE
1 Sto'y stucco Store Bldgs
103.9
Conc walk
W.G.
47+50
SS M.H.
11.7
3.1
5.0
Drug Store
39.5
47+06.5
45.5
32.3
28.0
47+00.8
CONC WALK
15.8
47.4
47+00.0
Traf signal
43.0
46+86.6
45.2
46+84.1
H.H.
10.1
46+95.4
36" CONC GUTTER
ALLEN AVE
SS M.H.
4.4
46+59.4
MAC PAV.
46+59.9
50.5
46+54.32
Fd 3PK nail + No Ref
Fd common Cap & well No Ref ANGLE PT. ALLEN AVE?
H.H
46+43.7
15.6
P.I.
46+02.68

cont. from top Page 38

END — See Page 49

F. B. 2674 Pg. 40

48+41.7 — 20.1
48+38.0 — 40.5
Conc Block Wall
0-5" Steel Pipe Hood light
Sync.
3 Ac. Park
48+05.5 — 20.0
47+89.1 — 42.4
40 conc Wall
NEW YORK DRIVE
3 Ac Park
30
21.0
29
3 Gas Pumps
29 conc.
13.4
13.7
120
10.0
29
21
29.00
STANDARD Oil Station
47+75.0 — 23.4
47+71.6 — 42.4
30" Palm
ORN. Light Post
47+45.7 — 22.6
WM
47+42.8 — 21.8
47+34.4 — 21.5
10.0
Tank inlet W.M.
RM #1 C.S. Brass Cap. Hirsh ALTADENA K 3
3 Ac Park
47+12.0 — 20.0
46+99.6 — 30.1
3 Ac Park
46+89.2 — 33.5
5" Steel Hood light Post
46+75.3 — 60.1
ORN. Light Post
46+73.8 — 51.6
4.6
Traf. Signal
46+68.6 — 51.0
46+62.8 — 60.5
conc walk
conc curb
28
Fd Spk. & T. 46+54.32
ALLEN AVE
46+44.9 — 16.5
C.S. mon Cap. & Well (ALTADENA K-3)
46+37.0 — 29.7
W.M. Water
51.64
40.02
IP 46+02.68

Cont. from TOP Page 47

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-017-1
Office Work L-7
Checked L. W. BACON
Date 4-25-61

Survey of NEW YORK DRIVE
JN 00074.59 Tape Std °F
Surveyed by G. PORTER
Notes C. ADAMS Date 11-30-60
Indexed H. E. OTT

F. B. 2674 PG. 41

Cont Bot Page 42

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SEE #247 11-58

NEW YORK DR

MAC ARTHUR DR

OPEN COBBLESTONE DRAIN

Cobble Stone Storm Drain Covered with Conc. Slab (Under Pavement)

6" Conc. Curb

24" Conc. Gutter

6" Conc. Curb & 24" Conc. Gutter

6' Chain Link Fence

4" shrub

Oleanders

Spr. Hd.

orn. Lamp Post

SS. M.H.

2" shrub

F.H.

H.H.

R=150

R=100

51.50

51.50 off Set Line

Cont from Top Page 32


F. B. 2674 Pg. 42
Cont. Bottom Pg. 43
12.5 → 38+16.0
13.7 → 38+14.5
38+19.5 ← 12.5
38+10.6 ← 14.8
26.0 → 38+01.3
18.8 → 37+96.2
18.5 → 37+92.0
22.8 → 37+85.8
18.4 → 37+82.4
25.1 → 37+79.4
15.5 → 37+72.7
37+60.2 ← 15.9
37+58.2 ← 21.2
37+56.2 ← 1.25
21.8 → 37+52.1
37+44.6 ← 16.2
22.2 → 37+36.4
14.9 → 37+27.8
51.50 offset Line
22.4 → 37+13.3
51.50 offset
17.6 → 37+03.7
MAC. Pav
22.0 → 36+89.8
36+92.9 ← 12.5
21.3 → 36+80.9
36+82.9 ← 15.2
21.3 → 36+73.3
17.8 → 36+70.2
12.3 → 36+77.3
16.7 → 36+65.7
36+62.5 ← 16.5
36+58.6 ← 12.5
11.2 → 36+52.2
24.8 → 36+46.0
12.4 → 36+26.6
36+19.2 ← 15.3
Ornm. Lamp Post
W.M.
Mac. Dr. Wy.
8" Tree
Shrubs
6" Conc Curb
24" Conc. Gutter
6" Chain Link Fence
Guard Rail
Conc. Gutter
Conc. Curb & Gutter
Conc. Curb
Conc. Gutter
Stone Drain
Pav.
Mac
Guard Rail
Bush
Shrub
Oak
Pine
Cont. from top Page 41
Please Return To
Los Angeles County Engineer
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 2-97-1
Office Work
Checked L. W. BACON
Date 4-25-61

Survey of NEW YORK DRIVE
JN 20759 Tape Std °F
Surveyed by G. FOETOR
Notes C.A.DAM 2 Date 11-30-60
Indexed H. E. OTT

F. B. 2674 PG. 43

Cont Bottom Pg. 44

Please return to
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

NEW YORK DRIVE

Guard Rail

MAC Pav't

Open Cobble Stone Drain

Guard Rail

Curb & Gutter

24" Conc.

Cont. from Top Pg 42

	12.6 →	
39+48.2	←	12.5
39+39.8	←	13.1
15.2 →	39+31.3	
19.6 →	39+21.5	
39+21.5	←	16.6
39+17.4	←	12.5
18.4 →	39+12.5	
39+05.0	←	13.2
38+92.0	←	15.7
15.5 →	38+83.0	
38+91.3	←	16.9
22.5 →	38+86.5	
14.5 →	38+82.8	
38+79.4	←	12.3
51.50 of Set →		
14.3 →	38+78.6	
18.6 →	38+75.0	
19.2 →	38+68.7	
38+61.0	←	12.3
22.3 →	38+66.4	
38+60.0	←	19.5
15.4 →	38+63.0	
38+60.3	←	6.4
38+56.5	←	13.2
18.6 →	38+51.7	
14.1 →	38+44.9	
MAC. Pav. →		
16.2 →	38+41.0	
38+38.8	←	15.8
18.5 →	38+37.8	
38+35.7	←	12.4
17.0 →	38+33.9	
17.3 →	38+23.9	
25.6 →	38+23.3	
22.5 →	38+21.9	
25.0 →	38+17.8	

3.0, 2.5 Post, ORN Lamp, 6" Hedge, SPR. HD.

17.5, 10.0, 3.2, 10.1, SPR. Hd., 10.0, W.M., SPR Hd, H.B., 9.9, SPR. Hd.

mac. Dr. Wy.

7.0, SPR Hd, S.S. M.H., SPR. Hd., Shrubs

14.8, 9.1, 2.25, mac Dr. Wy.

6.5, 7.0, 7.0 3" Pine, 8" PINE, 6.4, 4.0 Bushes, 6.5 Bushes, 6.6, 8.1, Bushes, 1.0, 1.0, 7.6, 39+00.0, 15.4, 26.4, Bushes, 6-4" Trees, Bush, 3.8, 5 Shrubs, Bush, 10.3, Shrubs, 4-3" Bush, Bush, 8.2, 4" Tree, P.P., 4" Tree, Bush

7EF3088 SEE #247 11-58

Cont. Bot Page 45

F. B. 2674 PG. 44



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-977-1
Office Work
Checked L. W. BACON
Date 4-25-61

Survey of NEW YORK DRIVE
JN 0079.59 Tape Std °F
Surveyed by G. Porter
Notes C. Adams Date 12-1-60
Indexed B. E. Ott

F. B. 1674 PG. 45

Cont Bot Page 46

Shrub
5.5
4" Tree
6.0
Shrub
W.I. Fence
18.1 → 42+84.8
15.6 → 42+81.6
42+94.8 ← 14.9
Z 35 → 42+72.3
W.M. H.B.
4.0

Guard Rail
Shrubs
4.8
19.6 → 42+65.0
42+62.6 ← 19.2
42+60.0 ← 12.4
16.0 → 42+58.8
42+55.1 ← 16.4
1.50
10.1
Mac Dr. Wy.
Shrub

Mac. Pav.
Curb
24" Pine
1.0
1.0
7.9
25.8
15.3
14.4
16.0 → 42+35.4
42+31.4 ← 14.4
Mac Pav.
WM 1.0
H.B.
1.4
17.7 → 42+23.0
8.5
Brick Walk

Open Gabble Stone Drain
Gutter
6.4
7.0
Shrubs
7.0
Shrub
15.1 → 42+07.0
42+05.4 ← 12.5
2.5
3.0
Ornl Lamp Post
22.1 → 41+93.0
16.0 → 41+91.5
Mac
10.5
Mac Dr Wy

Cond Conc
T.P.
12" RCP
33" RCP
12" RCP
41+86.0 ← 19.5
41+84.2 ← 12.5
23.1 → 41+77.2
41+82.6 ← 6.5
16.8 → 41+64.5
17.8 → 41+62.7
19.3 → 41+61.7
Sta. Mh.
24"
19.8
9.3
Mac. Dr. Wy.

Guard Rail
Shrubs
24"
24"
Shrubs
8.9
5.8
W.I. Fence
18.3 → 41+41.6
15.8 → 41+35.2
Bushs.
8.7
9.0
W.M.
9.5
Bushs
8.8

6.0
6.3
Bushs
3.7
41+37.0 ← 15.5
51.50 offset Line
22.0 → 41+19.2
41+12.2 ← 16.3

Cont from Top Page 44

NEW YORK DRIVE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not erase this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3055 SAE #247 11-58


Cont. Bot Page 47
F. B. 2674 PG 46
45+52.1
45+6.3
45+55.2
45+53.4
45+46.4
45+44.6
24" Conc Gutter
45+19.4
45+06.5
SS MH
C.S. MON
45+00.2
MINORU DRIVE
24" Conc. Gutter
48" Conc Gutter
36.9
12.7
44+78.0
R=15.0
44+67.0
10.5
12.5
44+63.1
44+59.4
44+53.2
44+51.8
2p
orn Lamp Post Conc Base
3.0
MAC PAV
51.50 offset LINE
24" Conc. Curb
6" Conc. Curb
NEW YORK DRIVE
MAC PAV.
Open cobble stone Drain
Guard Rail
Guard Rail
Shrubs
T.P.
3-12 pines
43+52.4
43+43.5
43+34.2
43+34.0
43+31.2
43+25.0
43+09.5
43+11.2
43+05.0
shrub
3-4" Trees
spr Hd
3.0
2.5
orn Lamp post Conc Base
Cont. from TOP Page 45
Cont Slab Under Pvmt
Fd SPKS Pnt & Ref = 45+25.82
51.50
44+82.8
44+78.8
44+83.6
44+82.8
44+78.5
44+76.8
R=60
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of NEW YORK Drive
Map No. 8-97-1, 2	JN 0074.59 Tape Std °F
Office Work L.J.	Surveyed by G. Foeter
Checked E. W. BACON	Notes C.A. ADAMS Date 12-5-60
Date 4-25-61	Indexed H. E. Ott

F. B. 2674 Pg. 47

cont'd for Page 40

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do Not Extend this Side of this Line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

ALLEN AVE

NEW YORK DR.

Tangent Prod.

0+75.9 ← 57.9
0+74.8 ← 83.6
0+69.2 ← 75.2
0+55.6 ← 37.3
0+55.4 ← 29.4
0+55.0 ← 30.3
0+50.3 ← 29.0
0+54.3 ← 74.8
0+48.1 ← 28.0
0+44.9 ← 25.5
0+40.9 ← 34.5
0+33.9 ← 19.6
0+37.4 ← 100.1
0+38.8 ← 58.4
0+31.5 ← 73.0
0+21.5 ← 65.0
0+21.9 ← 50.9
0+14.6 ← 65.3
← 71.1
P.I. 46+02.8 = 0+09 Ahead
F.B. 5315 Pg. 14
45+98.3 ← 98.0
45+96.9 ← 25.6
45+96.1 ← 47.7
45+89.4 ← 29.6
45+82.7 ← 56.9
45+86.0 ← 40.0
45+79.4 ← 79.5
45+75.5 ← 35.0
45+72.9 ← 30.8
45+75.5 ← 90.4
45+72.5 ← 35.0
45+69.9 ← 38.1
45+67.4 ← 39.3
45+63.1 ← 40.5
45+64.8 ← 29
45+49.1 ← 38.7
45+50.7 ← 53.0
45+25.9 ← 88.2

Mac Pvmt.
Catch Basin
Conc. Apron
6" Conc. Curb
Conc. Walk
Drive Way
Iron Covers
Mac. Pavement
HH
Conc. Walk
Drive Way
R=40
6" Conc. Curb
Traffic Signal
Traffic Elec. Box
16" W.P. Sign Post
Pump Islands
Conc. Apron
Mac. Pvmt.
Conc. Drive Way
Conc. Walk
1.5 Conc. Curb
Conc Bumpers
Tank Inlets
Union 76 Service Station
Traffic Signal Control Box
Conc Bumpers
Tank Inlets
Drn. Comp. Mast
Pump Island
Mac Pvmt.
Traffic Signal Control Box
Conc. Drive Way
Conc. Walk
Conc. Curb
6" Conc Curb
Conc. Curb
Mac Dr. Way
Mac Pvmt.

Cont. from Top Page 46

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2674 PG. 48

Notes Ck'd by		Survey of NEW YORK DRIVE	F. B. 2674 Pg. 49
Map No. 8-97-2		JN 00745 9 Tape	Std °F
Office Work L-7		Surveyed by G. PETOE	
Checked E. W. BACON		Notes C. Adams Date 12-14-60	
Date 4-25-61		Indexed H. E. OTT JAN 3 0 '61	

Cont. Bottom Pg. 50



Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Cont from top Page 40

F. B. 2674 PG. 50

Cont. Bottom pg. 51



Cont. from Top pg. 49.

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of New York Drive	F. B. 2674 Pg. 51
Map No. 8-97-2		JN 00245 Tape Std °F	
Office Work		Surveyed by G Porter	
Checked L. W. BACON		Notes C. Adams 5 Date 12/14/60	
Date 4-26-61		Indexed E. E. OTT	

Cont. Bo Hem Pg. 52

54+90.0 ← 25.9
54+90.0 ← 19.9
54+86.5 ← 22.1 — W.M. — 4.0 — 30" Palm
54+59.0 ← 23.1 — Spr. Hd.
54+46.6 ← 25.7 — W.K. — 10.0 Spr. Hds.
54+42.0 ← 29.9
54+41.8 ← 29.9 — 4.0 Brick walk
Spr. Hd. — W.M. 4.3 — 4.0 — Conc
54+32.0 ← 21.4 — Valve 3.4 — 9.9 Spr Hds
Curb
54+12.5 ← 30.2 — Spr. Hds. — 10.7
54+08.6 ← 25.7 — 10.1 — 1.0 Spr. Hd.
53+99.5 ← 23.4 — 36" Palm — 5" Conc. Retaining wall
Conc
Conc steps
53+85.8 ← 21.5 — W.M. — 6" wall — 3.0 Conc Walk
6" — 8.0
Mac Pvmt — 15.0 — 5" conc Retaining wall — Shrub
NEW YORK DR
Conc. — 15.0 Mac Dr. wy.
22.0
53+43.2 ← 23.7
53+39.3 ← 19.7 — 36" Palm
53+37.8 ← 23.0 — W.K.
6.9 — 4.6 Conc. walk
53+09.0 ← 21.5 — W.M. — Conc W.K. — 26.3
11.0 — 7.7 — 7.4 conc. Dr. wy.
52+84.7 ← 25.8
52+83.0 ← 19.8
36" Palm
52+78.0 ← 23.1 — 4.0
52+68.6 ← 22.0 — W.M.

Cont. From top Pg. 50

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this slop of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

F. B. 2674 PG. 58

Cont. Bottom Pg. 53

56+75.0 ← 19.9
56+76.0 ← 25.9
56+74.0 ← 39.1
56+58.8 ← 30.0
56+49.0 ← 45.0
56+47.0 ← 20.0
56+39.2 ← 23.5
56+35.6 ← 25.8
56+29.1 ← 20.0
56+19.4 ← 25.9
56+15.9 ← 21.9
56+12.1 ← 25.9
55+90.8 ← 25.9
55+83.8 ← 35.6
55+76.3 ← 23.8
55+61.0 ← 26.0
55+59.1 ← 20.0
55+58.0 ← 25.5
55+26.2 ← 25.5
55+24.6 ← 21.6
55+19.0 ← 23.1
55+09.5 ← 25.4
54+99.3 ← 45.2
54+96.4 ← 30.0
54+93.0 ← 26.0
54+92.0 ← 19.9

NEW YORK DR

9.0
4.0
Brick steps
5' Conc wk
10.1
4" Conc Block curb.
6" Tree
23.7
10" Brick Retaining Wall
7.5
Conc Walk
30" Palm
Spr. Hd.
Shrubs
4' Chain Link Fence
3.0'
Conc wk
Conc. Walk
Spr Hds
8.2
Shrubs
W.M.
Valve
3.5
10.0
4.3
10.0
Spr. Hds.
Spr. Hds.
7.2
Mac Pvmt
7.1
11.2
4.2
5.5
Curb
Hedge
30" Palm
4.0
19.5
15.9
16.0
15.0
16.0
Conc Dr. Wy.
Shrubs + Flowers
Brick
5.5
10.6
10.4
6" Conc.
Spr. Hd.
10.6
W.M.
8.6
Valve
30" Palm
5.1
Spr. Hds.
Ornm Lamp
Post
Hedge
Conc.
9.2
7.6
Mac. Dr. Wy.
13.7
12.7
4.0
Cont. from top Pg. 51

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of New York Drive
Map No. 8-67-2	JN 007457 Tape Std. °F
Office Work L-7	Surveyed by G. Porter
Checked F. W. BACON	Notes C. Adams Date 12-14-60
Date 4-26-67	Indexed H. E. ON

F. B. 2674 Pg. 53

Cont Bottom Pg 54

59+34.8 — 34.0
59+15.0 — 16.0
59+13.5 — 33.8
59+08.2 — 30.5
59+03.2 — 33.4
58+98.4 — 30.6
58+87.8 — 28.7
58+47.9 — 20.0
58+46.5 — 31.0
58+33.4 — 35.0
58+18.32 — C.S. Mon
F.B. 531-15
58+04.3 — 33.6
57+80.5 — 46.8
57+83.4 — 32.9
57+71.4 — 19.8
57+68.6 — 19.8
57+63.0 — 30.2
57+30.4 — 30.4
57+07.8 — 21.8

3.5
3.8
3.6
3.5 shrubs
3.7
3.4
3.7 Conc. Wk.
4.4 shrubs
E 398 Mac. Pkwy.
10" oak
4' Wire Fence
R=15.0
20
25 Orn. Lamp Post
6" Conc. Curb
SINALOA AVE.
mac. Pav.
H.H.
6" Conc Curb
NEW YORK DR
R=26.0'
R=20.0
4.0
4.8
Brick steps
2.5
6.0
3.1
2.5
Orn Lamp Post
4.0
Brick Retaining Wall
6" Conc Curb
Conc Wk
5' Hedge
W.M.
4.0

Cont from top Pg 52

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

F. B. 2674 PG 54

Cont Bottom Pg 55

61+79.0 ← 25.5 →
1.7
1.8
61+78.4 ← 21.8 → Orn. Lamp Post (Conc. Base)

61+48.8 ← 22.4 → W.M.
← 21.8 →
Conc Drwy. 7.4
19.3 ← 20.3 → 16.7
1.0
61+21.9 ← 30.6 →
61+21.5 ← 21.8 →
8" Conc. Block Ret. Wall
10" Flowering Euc.
60+98.1 ← 45.5 →
W.M.
60+96.8 ← 24.6 →
19.3
6" Pine
1.0

C.S. MON
E.B. +35.1-9.6
60+69.7 ← 30.1 →
10.8 ← 9.0 → Conc. Dr. Wy. 6" Conc Curbs
60+69.0 ← 21.1 →
60+67.4 ← 44.1 → 10" Pine
60+62.0 ← 39.1 → 12" Pine
60+58.6 ← 42.2 → 20" Oak
60+52.8 ← 44.1 → 3" Pine
60+48.1 ← 39.8 → 3-6" Pines
60+30.8 ← 22.3 → W.M.
Hedge
60+25.0 ← 44.1 → 18" Pine
60+23.0 ← 35.1 → 5" Pine
60+19.5 ← 31.1 → 4" Cyp

NEW YORK DR

60+19.2 ← 30.0 →
60+10.2 ← 21.1 → W.M.
60+05.2 ← 39.3 → 10" tree
Mac. Pymt.
10" conc Block Wall
6" tree
59+80.0 ← 39.4 →
59+77.9 ← 30.0 →
9.1 Mac Dr. W. y.
6.4
59+55.4 ← 30.0 →
8.9 Mac Dr. wy.
59+46.6 ← 32.7 →
59+45.1 ← 15.5 →
3.6
59+38.3 ← 34.0 →

Cont. from top Pg. 53

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of NEW YORK DRIVE	F. B. 2674 Pg. 55
Map No. 8-97-2		JN 00274.59 Tape Std °F	cont Bot. Page 56
Office Work L.T.		Surveyed by G. Porter	
Checked E. W. BACON		Notes C. Adams Date 12-15-60	
Date 9-26-61		Indexed M. E. ON	

SIERRA BONITA AVE

= 64+81.72 FB 551-17

CRMON cap & WCH. N. Rd = ANGLE PT.

64+75.0	24.3 / 16.0	7.5 Conc Dr.wy.
64+73.0	24.3	
64+68.2	30.3	1.0x0.7 Conc. Post
64+60.7	21.4	30" Palm
64+46.6	20.3	H.H.'s
64+33.4	21.7	12" Pine
		1.8 1.8 orn Lamp Post Conc. Base
64+28.7	21.7	
64+20.1	45.0	8.3 8.0 Mac Dr.wy.
64+19.2	28.7	14.8
64+15.5	16.0	
64+10.6	20.5	W.M.
63+81.5	30.1	3' Picket Fence
	Edge Mac Pvmt	
63+30.5	40.5	4' Hedge
63+15.5	42.0	10" Tree
63+04.2	20.5	W.M.
62+99.7	35.7	3" Pine
62+94.1	28.6	13.0 7.8 Conc. Dr.wy. 6" Conc Curbs
62+84.0	16.0	
62+70.4	31.9	
62+62.9	20.1	W.M. 15.3 Shrubs 7.8
62+49.4	31.9	
	Edge Mac Pvmt	
62+32.0	22.4	16.2 10.1 Conc Dr.wy.
62+29.1	15.7	
62+28.5	18.7	W.M.
61+89.9	16.0	8.0 Mac. Dr.wy. 5" conc. Curbs
61+81.3	25.5	5.4

Cont. from top Pg. 54

E. NEW YORK DR

MAC. PAV.

Edge of mac Pvmt

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 LOS ANGELES COUNTY ENGINEERING BLDG.

Cont. Bk Page 67

F. B. 2674 PG. 56



66+85.1 ← 15.0

66+70.6 ← 21.7

66+59.8 ← 38.0

66+51.0 ← 19.2

66+45.7 ← 19.7

66+34.3 ← 15.0

66+30.8 ← 28.6

66+27.4 ← 37.3

66+27.0 ← 38.2

66+24.0 ← 35.0

6.5+96.2 ← 19.6

65+93.6 ← 19.7

65+92.7 ← 37.7

65+90.7 ← 18.1

65+89.3 ← 24.5

65+81.2 ← 28.6

65+56.2 ← 21.3

65+53.3 ← 16.0

65+33.8 ← 15.5

65+31.2 ← 28.1

65+29.5 ← 29.0

65+26.1 ← 21.1

65+12.6 ← 22.8

64+84.2 ← 21.6

2.0
7.0 12.7 Conc Dr.Wy.
2.0
2.0 ora lamp post
2.0 8" pine
30' Palm
W.H.
6.9 Conc Dr.Wy.
3.8
34.7
3" oak
40" Pine
shrubs
W.H.
4" Hedge
20" Palm
shrub
4.4
4.5 7.4 Conc. Dr.W.y.
9.2
3.2
4' Hedge
W.M.
6" Conc Curb
10.8 Mac. Dr.Wy.
6" Conc Curb
2.7
30" Palm
4" conc Curb
W.M.
8.0
7.4 Conc Dr.Wy.

NEW YORK DRIVE

MAC DAY

SIERRA BONITA AVE

S.M.H. on Cap of Wall
68+81.72 = ANGLE PT.

cont from top Page 55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-17-2
Office Work
Checked E. W. BACON
Date 4-26-61

Survey of NEW YORK DRIVE
JN 0074.59 Tape Std °F
Surveyed by G. PORTER
Notes H. E. Ott Date 12-14-60
Indexed

F. B. 2674 Pg. 57

Cont Bot Page 58

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

30" Palm
2.3
Conc Drive
Dirt
Conc. Drive
2.3
2.9
12.9
23.4 → 50+28.4
26.0 → 50+15.7
20.0 → 50+11.8

WM
21.4 → 50+08.7

4" Peach
11.9
20.0 → 49+75.8

Cobblestone Wall 1.0' high
Conc
Drive
10.2
3.6
R=8.0
27.9 → 49+69.9

54.9 → 49+61.4

NEW YORK Drive

MAC. Pav.

W.M.
30.1 → 49+26.2

4" conc. Ret. wall
1.1
4.2
R=7.0
32.7 → 49+20.1

Conc Drive
9.0
19.4

4" curb
R=7.0
Lawn & Sprinklers
27.9 → 49+07.2

W.M.
29.3 → 48+91.2

Conc. Block Wall
4' high
31.4 → 48+61.9

Mac Pav.
3.0
2.5
Oran. Lamp Post
27.8 → 48+49.0

MAC. Pav. Lot
Conc Drive
24.9
11.5
Conc. Walk
27.9 → 48+20.1

Cont from top Page 39

Cont Bot. Page 59

F. B. 2674 Pg. 58



Cont from top Page 57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-97-2
Office Work
Checked L. W. BACON
Date 4-26-61

Survey of NEW YORK Drive
JN 00745 9 Tape Std °F
Surveyed by G. PORTER
Notes H. E. Ott Date 12-14-60
Indexed

F. B. 2674 PG. 59

Cont But Page 60

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NEW YORK DRIVE

		20.0	55+81.2
Conc. Drive	7.0 mac 13.0	25.8	55+79.9
	WM	21.7	55+64.9
16" Pine		40.3	55+59.3
30" Palm		23.2	55+41.7
Shrubs		20.0	55+33.0
Mac Drive	7.7 12.4	25.7	55+22.3
4" Shrub		25.2	55+18.2
18" ELM		22.6	54+92.0
WM		21.8	54+88.7
		20.0	54+84.5
Mac. Drive	9.0 13.1	31.3	54+82.0
30" Palm		23.6	54+58.1
WM		21.7	54+41.1
		20.0	54+26.4
		29.7	54+23.9
	8.2 conc 12.3		
MACDrive			
30" Palm		22.8	53+99.5
W Wire fence		24.9	53+96.5
Privit Hedge			
	3.0		
Sprinkler	2.5	20.5	53+71.1
Overlight Post			
WM		21.6	53+58.4
30" Palm		22.8	53+39.1
		20.1	53+34.1
Conc Drive	7.2 12.4		
		26.1	53+24.5
		22.0	53+21.5
Box Wood Hedge	WM	21.8	52+96.4
3/4" Riser Sprink		21.8	52+85.9

Cont from Top Page 58

Cont. Bot Page 61

F. B. 2674 PG. 60



Cont from top Page 59

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of NEW YORK Drive	F. B. 2674 Pg. 61
Map No. S-97-2		JN 007459 Tape Std °F	Cont. Bot Pg-62
Office Work L.T.		Surveyed by G. PORTER	
Checked L. W. BACON		Notes Date 12-15-60	
Date 1-26-61		Indexed H. E. ON	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Conc Drive
6" conc wall & wood fence
Wood Rail fence
Valve
F.H.
H.H.
OXFORD AVE
MAC Pav.
SSM.H
1½" Riser
4" ELM
4" Shrub
WM.
Conc walk
6" SYC.
24" Pine
WM.
Conc Drive
3/4" Riser
WM
4" Orange Picket Fence

17.1 → 61+20.0
30.5 → 61+18.0
29.7 → 61+16.0
23.3 → 60+64.2
20.0 → 60+65.3
30.5 → 60+60.7
30.5 → 60+51.8
33.7 → 60+50.8
5.2 → 60+38.5
GS.MON. No. 6 of = 60+35.79 FB 531-16
33.4 → 60+25.2
31.8 → 60+22.6
29.5 → 60+18.0
23.3 → 59+95.6
25.1 → 59+82.7
38.2 → 59+74.7
28.0 → 59+50.8
23.0 → 59+46.1
25.1 → 59+39.3
19.0 → 59+28.5
35.9 → 59+30.1
21.3 → 59+23.9
59+19.0
36.0 → 58+99.1

NEW YORK Drive

Cont. from top page 60

Cont Bot Page 63

F. B. 2674 PG. 62



Cont from top Page 61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-97-2
Office Work L.T.
Checked L. W. BACON
Date 4-26-61

Survey of NEW YORK DRIVE
JN 007459 Tape Std °F
Surveyed by G. PORTER
Notes Porter Adams Date 12-15-60
Indexed H. E. OTT

F. B. 2674 Pg. 63

Cont Bot Pg-64

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

20" Cypress tr — 21.6 → 66+14.0
19.7 → 65+91.5
16" Palm tr — WM — 21.2 → 65+87.4
2.1 Conc 2.8 Lawn 2.1 Conc
4' chain link fence?
Mac Drive 8.0
Walk — Conc. — 10.2 — Conc. — 13.4
30.0 → 65+73.7
NEW YORK DRIVE
6" cypress — 30.6 — 65+62.6
12" Palm — 21.5 → 65+26.2
FH. — 19.9 → 65+12.2
Lawn & Spring Plans
17.0 → 65+11.3
5.0 — 8.0 — 3.4
10.0 → 65+07.8
FH.
R=15.0
31.7 → 64+97.1
SIERRABONITA
FH. — 29.6 → 64+87.0
SS MH. — 5.3 → 64+83.9
64+81.72 CS MON Cap & Well No. Ref ANGLE PT FB 531-17
Mac Pav 30.0
32.1 → 64+66.7
1.9 — 5.6 — R=15.0 — 4.7 — 4.9 — 8.1
17.1 → 64+52.0
Shrubs
Conc. Walk
WM — 18.8 → 64+20.2

Cont from top Page 62

Cont Bot Pg- 65

F. B. 2674 PG. 64



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Cont from Top Page 63

Notes Ck'd by
Map No. S-97.2
Office Work
Checked L. W. BACON
Date 4-26-61

Survey of NEW YORK DRIVE
JN 00749 Tape Std °F
Surveyed by G. Poore
Notes Porter Date
Indexed H. E. OTT

F. B. 2674 Pg. 65
Cont Bot Pg-66

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NEW YORK DRIVE

Shrubs
3" conc curb
Shrubs 32.0
WM 19.9 → 70+66.1
20" Palm 20.6 → 70+60.3
95 MH 5.0 → 70+42.2
16.9 → 70+39.0
25.0 → 70+36.8
Mac. Drive 8.7 4.6
4' Privit Hedge
12.2
30.0 → 70+27.0
WM 21.0 → 70+04.1
30" Palm 21.2 → 70+01.0
16.9 → 69+96.0
25.1 → 69+92.1
Mac. Dr 9.2
9.2 16.0
4" W.W. fence 3.7
6" conc curb
ALK
30.0 → 69+76.4
MAC. DR.
8.0
5.0 conc
3" conc curb
15 Eqal Bushes
6" curb
14" Palm 21.5 → 69+42.9
16.9 → 69+42.5
WM 20.0 → 69+39.7
R=5.0
3.0
16.9
conc Drive 3.7
8.1
3" curb
8" conc curb
3.3
W.W. fence
3.0
R=5.0
22.2 → 69+29.4
16.9 → 69+23.8
WM 19.9 → 69+06.5
14" Palm 21.4 → 68+91.9
16.9 → 68+90.2
25.0 → 68+88.2
Conc Drive 8.0
3.0
5' High Privit Hedge
12.3
30.7 → 68+75.4

Cont from Top Pg - 64

Cont Bk Page - 77

F. B. 2674 PG. 66



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-97-2
Office Work L.T.
Checked E. W. BACON
Date 4-26-61

Survey of New York Drive
JN 00764.59 Tape Std °F
Surveyed by G. Perloe
Notes Date 1-15-61
Indexed H. E. OD

F. B. 2674 Pg. 67
Cont/Bk pg-68

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NEW YORK DRIVE

69+09.0 ← 33.0 — 4" tree
2.0
100 ← 11.0 → 3.0 — Conc Drwy
68+89.8 ← 28.1
68+88.3 ← 15.7 — 2" tree
2.0
4.4
68+79.2 ← 34.2 — 3" tree
68+73.0 ← 32.1 — 4" syc.
68+71.2 ← 24.0 — w.m.
68+55.6 ← 30.0 — 3' Wire Fence
68+53.7 ← 20.7 — 18" Pine — 3" oak
68+46.6 ← 32.6 — 14.0 → 36" Pine
Cobble Stone Curb
68+31.5 ← 20.4 — 12" palm — 8.1
68+18.5 ← 33.1 — 5.8 Holly bushes
w.m.
68+07.5 ← 21.7
68+03.6 ← 32.0 — 10" tree
68+02.5 ← 15.5
7.0
9.0
17.3
9.2 Mac Drwy.
67+91.4 ← 30.7
67+90.3 ← 15.0 — Cobble Stone Curb
67+82.0 ← 15.0
67+80.8 ← 31.0 — 3' Wire Fence
67+73.0 ← 19.5 — 12" palm
67+55.0 ← 21.2 — w.m. — 6" Conc. Block Wall
Mac. Pvmt.
Mac Drwy.
11.2
52.6
8.3
4.2
Mrt
67+30.9 ← 31.0
67+30.0 ← 15.0 — 6" Conc. Block Wall
67+18.1 ← 38.5 — 30" Pine
66+98.7 ← 20.4 — 12" Pine
0.7
66+93.2 ← 16.7 — H.H.s

Cont from top page 56

F. B. 2674 PG. 68

Cont. Bottom pg. 69



Cont from top pg. 67

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-97-2
Office Work
Checked E. W. BACON
Date 4-26-61

Survey of NEW YORK DR. ve
JN 00745 Tape Std °F.
Surveyed by G. Pietse
Notes C. Adams Date 1-13-61
Indexed M. E. OD

F. B. 2674 Pg. 69

Cont: Bot Page 70

NEW YORK DR.

74+20.5	28.1	
74+17.5	16.0	
74+16.8	58.0	
73+98.3	21.1	W.M.
73+84.4	54.7	
73+80.7	31.5	4' Picket Fence
73+75.9	19.8	10" Pine
73+68.2	30.7	12" Pine
73+64.3	21.7	H.H. (shrubs)
73+53.2	44.0	24" Pine
73+48.4	30.0	3" Pine
73+34.8	36.5	1" mag.
73+2[illegible]	21.1	20" Palm
73+06.3	20.5	4' conc. wk
72+97.9	20.8	W.M.
72+94.7	21.3	20" Palm
72+77.6	29.9	
72+54.8	21.2	20" Palm
72+54.6	30.6	10" tree
72+51.0	35.8	2"+3" oaks
72+40.8	38.4	24" tree
72+38.1	21.1	10" Pine
72+20.1	21.3	24" Palm
72+12.4	20.7	W.M.
72+02.2	20.8	10" Pine
72+00.8	38.9	30" Pine
72+00.0	16.5	



Cont From Top Pg. 681

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Cont. Bottom pg. 71

F. B. 2674 PG. 70



Cont. from top pg. 69

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by _____
Map No. 8-97-2
Office Work I. T.
Checked L. W. BACON
Date 4-27-61

Survey of New York Dr.
JN 007459 Tape _____ Std _____ °F
Surveyed by G. Porter
Notes C. Adams Date 1-17-61
Indexed H. E. Orr

F. B. 2674 Pg. 71

Cont. Bk Page 72

79+46.6 ← 32.3 — 30"
79+36.8 ← 33.0 — W.M.
79+20.6 ← 21.4 — 30" Palm

NEW YORK DRIVE

79+03.2 ← 25.3 — Conc. 13.9 10.9 — 10.1 Conc Dr.wy. 1.5 — Hedge
79+02.0 ← 17.0 — Hedge — 5.0 Shrub
78+76.6 ← 32.5 — W.M.S 1.6
78+58.2 ← 21.6 — 36" Palm — Shrubs 10.0 — 10.0
MAC PLACE
78+37.3 ← 25.4 — Conc. 13.0 8.2 — 9.9 Mac Dr.wy.
78+35.5 ← 17.0
78+18.0 ← 17.0

NEW YORK DRIVE

78+13.7 ← 21.5 — 5.0 Shrub
77+93.0 ← 31.7 — 1.8 W.M.S
77+90.8 ← 33.9 — Shrub

R=4.0
13.6 — Conc. 5.4 4.0 7.0 — 7.0 Conc. Dr.wy.
77+77.8 ← 20.6
R=4.0
77+74.3 ← 17.0
18" Pine
77+68.3 ← 21.0

R=4.0
16.0 — Conc. 5.4 4.0 8.2 — 10.0 Conc Dr.wy.
77+58.4 ← 21.0
R=4.0
77+54.3 ← 17.0

30" Palm
77+36.7 ← 21.4
10" Pine
77+04.5 ← 21.2
Conc. wk
76+99.5 ← 35.1 — 3" Hollys

Cont from top Page 70

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

7672OSS CE #247—8-57

F.B. 2674 Pg. 72

Cont Bottom pg 73

NEW YORK DRIVE

81+79.3 ← 21.3
81+66.6 ← 18.8
81+48.9 ← 18.8
81+18.9 ← 21.3
81+07.2 ← 18.5
80+93.4 ← 21.3
80+84.6 ← 17.0
80+81.2 ← 21.2
80+49.1 ← 21.5
80+45.4 ← 18.9
80+40.7 ← 17.0
80+33.3 ← 34.9
80+31.4 ← 21.1
80+30.5 ← 25.0
80+12.6 ← 37.8
80+11.1 ← 24.8
80+00.5 ← 30.5
79+97.3 ← 40.2
79+85.2 ← 17.4
79+84.2 ← 19.1
79+80.8 ← 21.9
79+77.2 ← 30.3
79+73.6 ← 40.0
79+73.0 ← 19.5
79+50.7 ← 21.4

24" Palm
48" Redwood
35.0
P.P. 27.9" Pine
24" Palm
Conc. wk.
6" Conc. Curb
w.m.
10" Pine
Conc. wk.
5.2
Brick steps + walk
7.0
8.5
24" Palm
P.P.
5.0 Conc wk
Conc.
16" tree
R 8.0
5.1
6" Conc Curb
3.5
2.7 Conc. Gutter
Conc.
7.8 Conc. Catch Basin
Conc. slab under Pvmt.
C.S. Mon. Cap + Well
80+15.63
Mac. Pvmt
N. Hollister Ave ℄
H.H.
H.H.
10.9
1.9 Conc. Gutter + Catch Basin
71.5
3.3
3.5
Valve 0.8
F.H.
5.7
R 13.0
50
shrubs
Conc. wk.
w.m.
36" Palm
Curb
Conc. wk.
2.9
6" Conc Curb
T.P.
10" Pine
shrubs

Cont from top pg. 71

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-97-2
Office Work L.T.
Checked E. W. BACON
Date 4-27-61

Survey of New York Dr
JN 007459 Tape Std °F.
Surveyed by G. Porter
Notes C. Adam's Date 1-17-61
Indexed H. E. Ott

F. B. 2679 Pg. 73

Cont. Bottom Pg. 74

NEW YORK DRIVE

83+70.7 ← 19.1 → w.m.
83+63.5 ← 17.0
83+60.6 ← 29.9
83+58.7 ← 21.3
83+45.1 ← 17.0
83+29.2 ← 40.0
83+26.1 ← 30.0
83+25.3 ← 23.0
83+22.8 ← 17.0
83+03.5 ← 24.8
83+00.2 ← 17.0
82+99.0 ← 21.5
82+96.2 ← 18.4
82+73.3 ← 33.0
82+70.2 ← 30.0
82+70.2 ← 18.6 → P.P.
82+58.9 ← 49.0 → w.m.
82+38.4 ← 21.5
82+35.5 ← 18.7
82+27.5 ← 30.3
82+13.3 ← 25.1
82+09.3 ← 17.0
82+08.9 ← 21.3

8" Conc Wall
R= Conc Steps
Conc. wk. 16.5 10.4 Total 5.0 Conc. wk.
R= Hedge
18" Palm
10" Pine
22.2 Conc. 18.0 16.2 10.2 Conc. Drwy.
8" Conc Wall
Grass
Conc Drwy. 10.0 18.0 9.0 Conc. Drwy.
8" Conc wall
Dirt 4.5 5.0 5.5
Hedge
20" Palm
R=3.5
Conc.
Conc. steps
12.3 2.9 5.0 Conc. wk.
Conc.
6.3
R=3.5
8" Conc. Retain. Wall
24" Palm in hole in Conc. Slab
6" Conc. Wall
Dirt 5.9 5.5
Conc.
Dirt.
17.8 Conc. Drwy. 10.4 10.5 4.0 Conc Drwy 10" Brick Retn. Walls
10" Pine
Dirt.

Cont From top Pg 72

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

DO NOT WRITE ON THIS SIDE

F. B 2679 PG. 74

Cont. Bottom Pg. 75



Cont. from top Pg. 73

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of New York Dr
Map No. 4-97-2	JN 007459 Tape Std °F.
Office Work L.T.	Surveyed by G. Porter
Checked E. W. BACON	Notes C Adams Date 1-17-61
Date 4-27-61	Indexed H. E. OH

F. B. 2674 PG. 75

Cont. Bot. Pg. 76

NEW YORK DRIVE

89+39.3 ← 25.1
89+37.2 ← 17.0
89+31.4 ← 21.3
89+23.6 ← 18.5
89+00.8 ← 21.4
88+70.5 ← 21.6
88+41.1 ← 31.6
88+40.2 ← 21.6
88+22.9 ← 25.0
88+19.3 ← 16.9
88+15.3 ← 18.8
88+10.6 ← 21.2
88+06.9 ← 42.4
88+05.4 ← 18.4
88+04.4 ← 16.9
87+90.5 ← 16.9
87+80.0 ← 20.9
87+66.5 ← 16.9
87+46.6 ← 16.9
87+42.8 ← 45.7
87+34.7 ← 30.1
87+26.0 ← 21.6
87+21.8 ← 16.9

15P
Conc.
10.5
8P Conc. Drwy.
19.7 → 12" tree
10" Pine
W.M.
20" Palm
12" Pine
27.0 → 36" Pine
16" Palm
4' W.W. Fence
17.0
Conc.
10.7
Conc Drwy.
9.9
30.1
W.M.
14" Pine
30" Pine
P.P.
1.5
Conc. Curb
Conc. 28'
12" Palm
Conc. 28'
6"
1.5
Conc. W'k
Shrub
15.6
Holly
18.6
Conc.
3.5
9.9
8.0
Conc. Dr.wy.
8P
33.9

Cont from top Pg 74

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

FORM 696 SAE Rev. 11-58

Cont Bot Page 91

F. B. 2679 PG. 76



Cont. from top Pg. 75

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of NEW YORK DRIVE
Map No. 4-97-2	JN 007459 Tape Std °F.
Office Work L.T.	Surveyed by G. Peeler
Checked E. W. BACON	Notes Date 1-13-61
Date 4-27-61	Indexed H. E. OH

F. B. 2674 PG. 77

cont Bot pg. -78

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data beyond this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

26.6 → 74+92.2

Guy Pole — 35.4 → 74+89.6

20" Palm — 10.6 — 35.5 → 74+85.6

Conc Walk 4.8 — 8.0 — 5.9 — 17.0 → 74+81.8

5.0 — 17.0 → 74+75.9

Shrubs — Shrubs

20.9 → 74+36.9

16" Palm — 17.0 → 74+32.9

NEW YORK DRIVE

3/4" H.B. 4" Shrub — 4.8 — R=40

Conc Drive — 8.2 — 4.0 — 15.0 — MAC. AVE.

4.0 — 21.2 → 74+20.9

4" Shrub — 5.0 — Conc Walk — R=10.0 — 17.0 → 74+17.4

Shrubs — 12.9 — 12" Cypress 9.3 — Oleander 10.0 — 10.9 — PAV.

15.0 — 20.9 → 73+80.1

3/4" H.B. — 8.9 — 16" Palm 21.4 → 73+71.3

Oleander 34.1 → 73+60.3

PAYanthia Shrub PYRA.

12" Cypress — 21.3 → 73+52.1

Pickett Fence — 29.9 → 73+45.4

SS.MH. 5.1 → 73+41.3

WM. 20.0 → 73+29.7

16" Palm 21.1 → 73+20.7

16.9 → 72+99.5

R=40 — 21.4 → 72+94.5

1.0 — 9.0 — 4.5 — 8.8 — 16.4 — 3.4 — 25.2 — Conc.

Mac Drive — 4.1 — R=40.0 — 16.9 → 72+74.3

cont from top Page 66

Cont Bot Page 79

F. B. 2674 PG. 78

WM E
16" Palm
20" cypress
3/4" HB
8" cypress
30" Palm
WM E
14" cypress
12" Shrub
Hedge
Conc Walk
12" Shrub
30" Palm
14" cypress
Conc Drive
Sidewalk
Conc Walk
8" Cypress
Conc. Walk
Conc. Gutter
HILL AVE
W.H.H.
Conc. Gutter
S.R.M.H.
SS M.H.
C.B.
MAP
MAP
NEW YORK DRIVE

20.7	→	77+45.1
21.5	→	77+36.5
21.5	→	77+30.6
30.5	→	76+90.0
37.2	→	76+88.3
35.0	→	76+83.4
20.8	→	76+74.8
20.6	→	76+66.3
21.0	→	76+43.5
37.2	→	76+40.9
17.0	→	76+30.1
36.7	→	76+25.3
21.2	→	76+12.8
59.3	→	76+00
21.3	→	75+81.2
17.0	→	75+78.2
30.0	→	75+64.5
25.0	→	75+60.3
17.0	→	75+39.7
26.6	→	75+29.8
11.4	→	75+26.1
0.4	→	75+22.8
29.9	→	75+02.8
10.0	→	75+01.9

75+10.80 c SMON Cap & well N.O. Ref. FB 531-18

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

cont. from top page - 77

Notes Ck'd by
Map No. S-97-2
Office Work L.T.
Checked F. W. BACON
Date 4-12-61

Survey of NEW YORK DRIVE
JN 00749 Tape Std °F
Surveyed by G. PORTER
Notes Date 1-13-61
Indexed H. E. ON

F. B. 267A Pg. 79

Cont Bot Pg -80

Conc Gutter
3.0
26.2 → 80+06.8
37.1 → 80+00.2
R=10.0
17.0 → 79+91.2
31.0 → 79+85.3
55 M.H. 79+55.9
5" EUC.
21.1 → 0.3 79+54.5
3.7' Conc. w.k.
WM
20.1 → 79+18.4
4' w.w. fence
7' High Plant Hedge
R=6.0
30.9 → 79+[illegible]
25.0 → 79+09.0
Conc Drive
8.7
16.2
MAC. DR.
R=6.0
50'
20" Palm
17.0 → 78+96.5
21.5 → 78+58.2
16" Cedar
38.8 → 78+56.8
WM
20.0 → 78+51.7
R=40'
Conc Walk
4.0
10.1
18.3
21.1 → 78+42.6
Mac Dr.
4.0
R=4.0
Box Wood Hedge
Brick Walk
Box Wood Hedge
29
17.0 → 78+28.2
29.9 → 78+12.2
WM
20.2 → 78+04.6
20" Palm
21.4 → 77+97.8
20" deodora
42.3 → 77+81.7
12" Cypress
R=40'
21.7 → 77+68.5
30' Conc
Dirt
30' Conc
8.6
19.3
12.3
R=7.0
25.2 → 77+57.7
20" Deodora Tree
17.0 → 77+52.2
45.8 → 77+49.7

Cont from Top Page 78

NEW YORK DRIVE

Note: Any Additions or Changes on This Sheet Must be Made or Called in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

TAPECON CE #247 — 8-57

Cont Bot Page 81

F.B. 2674 Pg. 80



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

cont from top page - 79

Notes Ck'd by
Map No. C-97-2
Office Work L.T.
Checked E. W. BACON
Date C-27-61

Survey of NEW YORK DR
JN 0074.59 Tape Std °F
Surveyed by G. Portea
Notes Date 1-16-61
Indexed H. E. Ott

F. B. 2674 Pg. 81

Cont Bot pg - 82

12-Large Shrubs Hedge 8'4.9.4
6'
4' W/W fence
5.7
2.4
2.2
8.2
Mac Drive
6" ELM
12" Deodora
2-2" Crepe Myrtle
Box Wood Hedge 7
0.7
Mac Drive
8.0
14" Palm
12" F.H.
WM
12" Palm
40 R.O.
18.0
R=40.0
10.8
16.7
12" Palm
1.7
SSMH
5.2
cond w/ALP
6" Cypress
14" Deodora
WM
14" Palm
6" Birch
oleander
Holly
5.0
Pittosporum Shrubs
Box Wood
Mac Drive
7.9
8.0
11.0
15.6
8" Cypress
14" Palm
WM
8" Cypress
6" PINE
6.4
Large Shrub
30" Palm
WM

32.0	85+97.2
21.4	85+95.0
20.4	85+88.7
18.6	85+53.1
17.0	85+39.3
21.2	85+38.7
21.2	85+35.5
17.0	85+21.2
36.1	85+20.4
18.9	84+92.0
50.9	84+86.7
36.4	84+81.2
21.0	84+78.6
30.4	84+65.4
25.3	84+56.2
17.1	84+53.9
21.1	84+49.8
45.8	84+46.7
18.6	84+30.8
21.4	84+18.5
41.1	84+15.6
33.0	84+00.5
34.0	83+94.0
38.7	83+91.8
21.6	83+89.3
17.0	83+87.2
50.0	83+82.0
21.4	83+60.9
18.6	83+53.6
21.4	83+29.2
32.9	83+25.8
21.4	82+99.0
18.9	82+83.6

NEW YORK DRIVE

Cont from top Pg-80

RETURN TO LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

78F3098 GE #247—8-57

Cont Bk Pg 83

F.B. 2674 Pg. 82



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Cont from top Page 81

Notes Ck'd by
Map No. 8-67-2
Office Work L. T.
Checked E. W. BACON
Date 4-27-61

Survey of NEW YORK DRIVE
J.N. 00765 Tape Std °F.
Surveyed by G. Porter
Notes Peter Date 1-17-61
Indexed M & C OK

F. B. 2670 Pg. 88

Cont B.O.T. Pg-84

14" Palm ℄ 21.5 → 91+30.8
5" Shrub ℄ 31.8 → 91+28.0
Conc Walk 3.0' 30.4 → 91+24.7
40.0 → 91+22.8
34" Deodar 3/4" HB 27
22.8
12" Cypress 21.3 → 91+01.0
20" Magnolia 22.0 21.3 → 90+71.1
20" Palm S.S.M.H. 17.1 → 90+66.0
W.M. 18.9 → 90+68.7
21.2 → 90+62.9
Conc Drive 9.0
60°
16.0
4' Pad 17.1 → 90+50.9
30" Twin Deodar 20" 38.0 → 90+44.7
80°
6" Cypress 21.3 → 90+41.0
8" Evergreen 37.4 → 90+24.5
6" Cedar 38.4 → 90+18.0
20" Palm 24 → 90+13.7
Conc. Walk 40
17.1 → 90+05.1
Hedge of Shrubs 6' W.M. 20.2 → 90+03.4
17.1 → 89+66.5
4" Conc Curb
Conc. Drive 9.7
Dirt 3.8
Conc. Drive
30.5
3.0
MAC. AV.
22.2 → 89+41.4
17.1 → 89+36.0
36" Cypress 21.7 → 89+31.8
W.M. 16.8 → 89+16.0
S.S.M.H. 4.9 → 89+08.8
5.0
14" Palm 21.4 → 89+00.6
34.0 → 88+91.4
4" Shrub 33.0 → 88+84.0
14" Cypress 21.5 → 88+69.9
W.M. 18.5 → 88+45.5
14" Palm 21.6 → 88+40.7

NEW YORK DRIVE

Cont from Top Page 82

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Cont. Bk. Pg. 85

F. B. 2674 Pg. 84



Cont. from top Pg. 83

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-97-2
Office Work
Checked L. W. BACON
Date 4-27-61

Survey of NEW YORK Drive
JN 0074.57 Tape Std °F
Surveyed by G. PORTER
Notes Date 1-18-61
Indexed H. E. OTT

F.B. 2674 Pg. 85

Cont B.F. Pg-86

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.



Cont from top Pg-84

Cont B.T Page 87

F.B. 0674 Pg. 86



cont from top pg. 85

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-97-2
Office Work L.T.
Checked L. W. BACON
Date 4-27-61

Survey of NEW YORK Drive
JN 00749 Tape Std °F
Surveyed by G Foster
Notes Date 1-18-61
Indexed H. E. On

F. B. 2674 Pg. 87

Cont Bef Pg-88

1" Cypress — 21.1 → 101+94.8

WM — 21.8 → 101+71.7

20" Palm — 21.7 → 101+67.5

14" oak — 38.4 → 101+49.8

5.0 — 17.0 → 101+38.8

2.8 — 5.0 — 22.5 → 101+33.4

MAC. Drive

9.5 — Cond — 20.2

R=50

4' w.i. w fence

8' High Hedge — 17.0 → 101+18.6

12" Pine — 21.1 → 101+12.5

Conc Drive

8.0 — 15.0 — 25.0 → 100+92.0

8.0 — 17.0 → 100+88.7

8.0 — 4.6 — 8.1 — 8.3 — 8.2 — 8.2 — 8.1 — 7.9 — 21.3 → 100+80.5

10" Cypress

Conc Walk

21.2 → 100+59.2

12" Palm

5" M.H. — 5.2 → 100+39.1

oleanders & Shrubs — 35.0 → 100+29.3

WM — 19.4 → 100+28.2

21.1 → 100+15.2

20' Palm — 17.0 → 100+07.6

1.3 — 10.3 — 5.0 — R=130

Hedge 8' High — 30.8 → 100+07.6

30.0 → 99+93.8

99+79.10
Fd Galv Spk
2" W. FB
FB 581-22

32.3 — CATALINA — 33.0 — AVE

mac Pav.

H.H. — 11.8 → 99+69.5

Cont from top Page 86

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76FORM CE #247 — 8-57

Cont B.O.T. Page 89

F. B. B674 PG. 88



30.8	104+99.9
39.3	104+91.7
21.1	104+59.0
40.8	104+34.9
38.4	104+25.1
30.5	104+21.1
21.1	104+10.4
33.7	104+01.9
17.0	104+00.1
21.7	103+96.5
37.9	103+92.7
34.4	103+71.6
21.2	103+69.4
20.0	103+51.8
17.0	103+48.8
42.5	103+26.8
21.2	103+18.7
30.0	103+12.8
SSMN 5.1	102+98.6
21.1	102+69.3
19.3	102+50.6
25.2	102+26.7
17.0	102+21.5
21.6	102+20.5
17.0	102+14.2
30.0	102+09.8
40.0	102+03.9

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Cont from TOP Pg - 87

Notes Ck'd by
Map No. 8-97-2
Office Work L. T.
Checked E. W. BARR
Date 4-27-61

Survey of NEW YORK DRIVE
JN 007459 Tape Std °F
Surveyed by G. PORTER
Notes Date 1-1961
Indexed H. E. OTT

F. B. 2674 PG. 89

106+28.49 CEMENT @ P/L Well no Ref F.B. 531-24

LAKE AVE
MAC Pav.

SS MH. 4.7
15.0
SS. MH. 5.0 — 106+14.5

Tel. MH. 34.4 — 106+09.1
Conc Gutter
30'
10.0
31.2 — 105+97.1
G. Pole
drive
Conc WALK
7.0
R=15.0
35.4 — 105+95.8
13.8
5.9
105+92.7
30.0 — 105+90.4
10.6
21.0 — 105+88.3
4" Steel Post Traffic Signal
3.0
4" Steel Post Flood light
17.0 — 105+81.6
HH 18.3 — 105+81.2

4" ½ Post & Box
So Calif Gas Co
18.5 — 105+77.5
under Grd Vault
iron Cover
3.0
20.1 — 105+73.0
2.6

FLYING A SERVICE STATION
MAC PAV.
Conc. Drive
38.2
17.0 — 105+33.6
4" Steel Post Flood light
31.3 — 105+26.9
WM.
19.2 — 105+22.2
GASM.
2.7
1.9
11.5
20" PALM 21.1 — 105+10.3
CONC.
N
S
CONC. BLOCK WALL
4'-6" HIGH
17.0 — 105+01.4
30.4 — 105+00.6
5.0

cont from top Pg-88

RETURN TO LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes into this area of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F. B. 2674 PG. 90

Notes Ck'd by
Map No. 8-57-2
Office Work L.T.
Checked L. W. BACON
Date 6-27-61

Survey of New York Dr
JN 00745 Tape Std °F
Surveyed by G. Porter
Notes C. Adams Date 1-19-61
Indexed H. E. OTT

F. B. 2674 Pg. 91

Cont. Bet. Pg. 92

94+33.1 ← 20.8
94+19.0 ← 17.0
94+05.3 ← 45.3
93+95.3 ← 20.7
93+91.5 ← 35.0
93+71.5 ← 20.7
93+60.2 ← 50.9
93+45.4 ← 20.7
93+40.7 ← 18.6
93+20.3 ← 21.8
93+07.0 ← 45.5
92+95.0 ← 20.6
92+86.8 ← 17.0
92+78.5 ← 25.0
92+62.14 Angle Pt. Lit. down 8" Cap + well
92+44.9 ← 25.2
92+40.5 ← 35.1
92+35.2 ← 17.0
92+31.7 ← 17.0
Cont. from Top Page 76 ← 80

NEW YORK DR

20" Palm
2P
6.0
Brick wk
3.7
6.0
10.6
9.5
25 Brick wk + steps
6.8
1.6
18" Hedge R=10.0
2.0
28" Pine
18" Palm
12" C y P.
Row of small shrubs
60P
18 Palm
Conc.
P.P.
10" C y P.
R=10.0
18" Hedge
90" Pine
20" Palm
9" Conc Retaining wall
8.0
5.0
5.3
Conc. wk.
5.0
Conc.
8.0
2.3
Conc Catch Basin + Iron Grate
3.0
4.6
0.6
5.0
1.5
1.9
Conc. Gutt
2.9
3.4
7.0
13.6
N. MAR VISTA AVE
Mac. Pvmt.
Conc Catch Basin + Iron Grate
9.8
8.2
3.0
5.0
2.9
1.5
1.9
4.6
0.6
18" Palm
Conc.
5.0
Conc. wk.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink. With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78F3095 CE #247—8-57

F.B. 2674 Pg. 92

Cont. Bot. Pg 93



RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-97-2
Office Work L. I.
Checked L. W. BACON
Date 2-27-61

Survey of New York Dr
JN 0074-S Tape Std °F
Surveyed by G. Porter
Notes C. Adams Date 1-19-61
Indexed H. E. OTT

F. B. 2674 Pg. 93

Cont. Bott. Pg. 94

99+56.0 ← 25.0
99+41.5 ← 17.0
99+36.3 ← 19.0
98+94.2 ← 18.9
98+89.5 ← 30.0
98+82.9 ← 21.2
98+58.3 ← 21.0
98+52.1 ← 33.8
98+32.3 ← 21.5
Conc. Gutter Under Pvmt.
98+17.8 ← 20.0
98+14.7 ← 17.0
98+14.2 ← 30.4
98+00.8 ← 40.0
97+97.2 ← 25.0
97+93.7 ← 14.0
97+76.0 ← 18.7
97+66.5 ← 21.1
97+51.6 ← 18.5
97+43.7 ← 21.2
97+42.2 ← 34.0
97+33.3 ← 32.0
97+28.2 ← 21.1
97+20.2 ← 36.6
97+12.0 ← 17.0
97+09.4 ← 36.6
97+03.1 ← 21.1
96+94.5 ← 21.3
96+81.6 ← 34.0
96+69.8 ← 41.8
96+65.8 ← 18.6
96+62.7 ← 17.0

Conc. 11.2 160 5.0 mac. Dr. wy.
W.M. P.P.
13.5 16" oak
16" Palm.
12" C.y.P.
Cobble stone Curb
20" Palm
14' Palm
12.6 3" citrus tree
R=8.0
15.0 9.2 Conc 50
9.1 mac Dr. wy.
R=3.0
5.0 conc. wall
8.5
26
Conc. 18 8.8
8.3 2.8
2.4
97+98.2
P.P.
12" C.y.P.
W.M. 20" Palm
Conc Wk
8" oak
2.9 3.6 orn. trees
5.0
6" Conc. Curb
6" tree
Hedge
25.0 conc.
21" Tree
6" tree
Conc Block wk.
12' Palm
shrub
shrub
Hedge
P.P.
8.1
1.8 5.0
Conc.

NEW YORK DR

Cont. from top Pg. 92

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F308 CE #247 — 8-57

F.B. 2674 Pg. 94

Cont. Bot. Pg. 95



102+01.8 ← 30.0
101+95.0 ← 36.4
101+71.4 ← 15.0
101+64.8 ← 19.2
101+54.0 ← 20.7
101+30.8 ← 21.1
101+22.2 ← 39.7
101+14.4 ← 30.0
101+13.6 ← 19.0
101+07.0 ← 21.0
100+95.2 ← 21.0
100+84.0 ← 18.2
100+83.1 ← 21.1
100+71.4 ← 20.5
100+59.3 ← 20.5
100+54.2 ← 17.0
100+43.5 ← 20.0
100+41.2 ← 14.0
100+40.5 ← 17.0
100+39.7 ← 34.8
100+34.0 ← 21.2
100+21.0 ← 17.0
100+01.0 ← 18.6
99+78.1 ← 21.2
99+77.10 ← 20.0
99+66.7
99+63.7 ← 14.0
99+63.1 ← 17.0

Cont. from Top Pg. 93

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Cited in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. 8-97-2
Office Work
Checked R. W. BACON
Date 2-27-61

Survey of New York Dr
JN 0079.55 Tape Std °F
Surveyed by G. Porter
Notes C. Adams Date 1-19-61
Indexed

F. B. 2674 PG. 95

Cont. Bot. Pg. 96

104+85.6	←	19.0
104+84.1	←	40.0
104+76.0	←	14.0
104+67.7	←	19.5
104+58.0	←	24.0
104+32.8	←	21.8
104+29.0	←	17.0
104+16.5	←	19.5
104+14.7	←	14.0
104+13.7	←	17.0
104+10.0	←	21.3
103+88.1	←	18.8
103+71.3	←	21.2
103+70.2	←	18.5
103+68.2	←	17.0
103+65.3	←	20.0
103+55.3	←	30.0
103+52.1	←	14.0
103+50.0	←	17.0
103+32.3	←	33.4
103+27.0	←	17.0
103+24.7	←	30.0
103+18.0	←	21.1
102+95.2	←	21.3
102+87.1	←	33.8
102+80.8	←	32.6
102+77.3	←	40.0
102+70.3	←	21.3
102+64.0	←	19.3
102+29.6	←	16.0
102+26.1	←	21.2
102+02.0	←	20.9

8" conc. wall
4' W.W. Fence
9.4 Conc Drwy.
#68
8" Conc wall
4' W.W. Fence
5' Hedge
9.3 Conc. Drwy.
6.8 3" tree
Hedge
Conc. Drwy.
7' Hedge
Conc wk + steps
7' Hedge
2-4" trees
4" tree
18" tree
4' W.W. Fence

w.m.
10" Cyp
12" Palm
P.P.
Conc. Drwy.
4.0 Conc. wk
12" Palm
12" Cyp
2' conc. Gutter
12" Palm
4" Cyp
6" Conc Curb
Conc wk

NEW YORK DR

Cont from top Pg 94

Note: Any Additions or Changes on This Sheet Must be Made or Ordered in Red Ink With Date and Name of Person Making Change.

Do not extend work this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7873OBS QE #847—8-57

F.B. 2674 Pg. 96



Cont from to Pg 95