Survey of
JN Tape Std "F"
Surveyed by
Notes Date
Indexed

F.B. 2678 Pg.

Job	Description
	J.N. 0095.12 J.N. 0095.13 MARKET STREET & WILEY CYN. ROAD
Index	
C.L.	Retracement of existing Market St. C.L. & preliminary line of Market St. from Newhall Ave. to Wiley Cyn. Rd.
Tr.	Market St.-Retracment of lot lines in Tracts #2703 & #19708.
Tr.	Market St.-Retracement of lot lines in Tracts #2703 & #3165.
B.M.	Market St.-Bench levels.
Bdry.	Wiley Cyn. Rd.-San Francisco Rancho Bdry. between SF Ro. #3 and SF Ro #4.
Trav	Wiley Cyn. Rd.-Traverse from Powell Dr. to Golden State Fwy.
Bdry.	Wiley Cyn. Rd-Add'l points found along San Francisco Rancho line.
Ties	Market St-Ties to stations Edison & Newhall E-3.
Tr.	Market St.-Lot lines-Lot 42, Tr. 2703.
Topog.	Market St.-Loc. imp. along prelim. line from Cross St. to int. Maple & Valley Sts.

Microfilmed Dec 84.

(cont'd on next page)

F.B. 2678 Pg.

Page	Job	Description
91-92	Tie	Market St-Triangulation tie bet. two traverse lines.
93-94	Tie	Market St.-Triangulation ties to ℄ U.S. 99 Hwy. west of Wiley Cyn. Rd. J.N. 0095.12.
95-96	Triang.	Wiley Cyn. Rd.-Add'l triangulation & chaining-U.S. Highway #99 near Newhall.
97-106	B.M.	Wiley Cyn. Rd-Replacement & elevations of points destroyed from P.I. W-4A to Lyons Ave.
		LYONS AVE. - J.N. 0095.57
107	Index	
108	C.L.	Lyons Ave. just W. of Wiley Cyn. Rd.
109-110	C.L.	Wiley Cyn. Rd. S. of Lyons Ave.
111-117	C.L.	Lyons Ave. from Wiley Cyn. Rd. E'ly to Arcadia St.
119-122	Topog.	Peachland Ave. from Lyons Ave. S. to Cherry St.
123-126	Trans.	Transit line on Cherry St. from transit line-Peachland Ave. E'ly to C.L. Apple St.
127-130	Topo.	Wheeler Rd. from C.L. Lyons Ave. S'ly to vicinity Evans Ave.
131-133	Topo.	Vermont Dr. from Lyons Ave. S'ly to vicinity Evans Ave.
135-139	Topo	Everett Dr. from C.L. Lyons Ave. S'ly 1500'.

(cont'd on next page)

Notes Ck'd by	Survey of	F.B. 2678 Pg.
Map No.	J.N. Tape Std °F	
Office Work	Surveyed by	
Checked	Notes Date	
Date	Indexed	

Page	Job	Description
141-145	Topo	Atwood Blvd. from C.L. Lyons Ave. S'ly 1500'.
147-149	Topo	Delwolfe Rd. from Lyons Ave. S'ly to Evans Ave.
151-153	Topo	Fourl Rd. from Lyons Ave. S'ly to Evans Ave.
155-159	C.L.	Transit line on Evans Ave. from S.P. Rd. Bdry. ± to transit line on Wheeler Rd.
161-162	C.L.	Proposed line change Lyons Ave. W. of Peachland Ave. per Rd. Dept. staking sheet.
163-215	Prof.	Profile checks for aerial mapping on P-line (Sur. Div. Map 108-1) Newhall Ave. to Wiley Cyn. Rd. Market St. extension 0095.12.
217-219	Util.	26" Gas Ln.-Loc. & elev. both sides of Market St. (Newhall) thru Edison Co. R/W.
220-221	C.L.	Chaining & ties on Lyons Ave. bet. Newhall Ave. & Arcadia St.
222-225	C.L.	Survey on Lyons Ave. from P.I. #1 W'ly to P.I. #2. Also chaining on Hwy. #99 & S'ly from C.L. inter. with Lyons Ave.
226-230	C.L.	C.L. retracement-Pico Cyn. Rd. from P.I. #2 to P.I. #6 J.N. 0095.47

(cont'd on next page)

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

7870-S5 CE #10 5-58

F.B. 2678 Pg.

Page	Job	Description
		GRASSLAND AVE. 0096.29
233-234	Index	
235-250	"P"	P-line survey.
		WILEY CYN. RD. 0095.13
251-252	Index	
253-264	P-line	Survey S'ly fr. Lyons Ave.
265-266	"P"	Ext. of P-line of Grassland Ave. to PI #3.
267-269	"P"	Re-setting of P.I. 2 & P.I. 3.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes C'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Surveyed by S. L. WRIGHT
Notes
Indexed

INDEX PAGE
MARKET STREET
WILSON RD



Note: Any Alterations or Changes on this Sheet Must be Made in Ink and Dated. Name of Person Making Change.

DO NOT REMOVE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
200 Los Angeles County Engineering Bldg.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this size of this line.

12678 Pg. 4

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of Mkt. St. - Alameda
JN 0095.12 Tape 141 Std. °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 28 NOV 61
Indexed H. E. CITY SEP 1 1981

F. B. 2678 Pg. 5

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

RETRACEMENT OF EXISTING MARKET ST. & AND PRELIMINARY LINE - MARKET STREET.

REFERENCES;

F.B. 594
F.B. 2297
F.B. 2345

PARTY:
C.L. WRIGHT
R.C. BOWERS JR.
J.R. FULTON JR.
W.F. BARNETT

787-3098 SEE F247 1-68


CONT. ON BOT. P.T.
F.B. 2678 Pg. 6
Fd. 3/4" I.P. Wood Plug/Nail on .15' —
REPLACED Wood Plug with Conc. & Nail
Set Sq. Srk. at T. 56° in Paved Drive
F.B. 594-131
Set N&T on W. side up 24"
P. Pole # 414725E/275
LEV. 15.79
LEV. 87.75
LEV. 149.24
300.26 @ 1.23 = 300.17 V
552.95 V
.10 V
552.85 V
92° 09' 20"
184 18 20
92° 09' 10"
176 39 20
346 37 30
339 56 20 V
176° 39' 23 1/3" V
Set N.&T. in N. side of 14" Pepper Tree
S 72° 09' E
552.85 M
552.78 R
MARKET
30.00
30.00
FB 594-130
FB 2297-138
FB 2345-10
~~FB 594-50~~
COUNTY ENGINEER R.E. 5869 P.L.S.
Fd. C.E. Mon. - 2" I.P. Set Conc. - Well & Cover F.B. 594-130 F.B. 2297-138 F.B. 2345-10
134° 50' 53 1/3" V
134 50 50
179 23 50
89 05 20 V
394.09 F.B. 594-129
STREET
30.00
30.00
Fd. C.E. Mon. 2" I.P. Brass Cap Set Conc. F.B. 594- F.B. 2297-138
W.O. 62-A-3
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of MKT. ST. NEWHALL
JN 0095.12 Tape 14' Std 68° F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 30 Nov '66
Indexed H. E. OTT

F. B. 2678 Pg. 7

W.S. 62

PI #3

CONT. ON DGT. PG. 8

FD. 3/4" I.P. WOOD PLUG & NAIL DN. 1.5' F.B. 594-132, 139 REPLACED WOOD PLUG WITH CONC. & NAIL.

T 62°
55' 185.19 @ 1-36 = 185.12 ✓
.03 ✓
185.09 ✓

MARKET ST.

189.09 M&T

PI #4 30.00

SET 2" I.P. CONC. PLUG, NAIL & L.A.CO. ENGR. TAG DN 12"

RECORD BETWEEN PI #3 PP PI TAN PROD. F.B. 594-132, 140

30.00

153° 42' 15"

① 153 42 24
② 254 49 10
③ 202 13 38 ✓
153° 42' 15" ✓

RECORD CURVE
Δ 26° 18' 15"
R 250'

14.15

44.97

SET NGT. IN W. SIDE OF P. POLE #4147276 E 2 FT UP 30"

S. 25° 41' 45" E. 109.93 TAN

SET NGT IN N. SIDE GUY POLE #8985 98E UP 15'

PROD.

536.87 M&T

536.87 R

STREET

T 64°
110.93 @ 8-57 = 109.58 ✓
.01
109.57 ✓

FD. 3/4" I.P. WOOD PLUG AND NAIL ON NOSE OF SPUR F.B. 594-140 R.P.P.I. TANG. PROD.

T-38°
LEV.
184.86 @ 6-33 = 16.02 ✓
LEV.
38° 299.76 @ 2-32 = 183.65 ✓
37.89 ✓
299.47 ✓
537.03 ✓
.16 ✓
536.87

30.00 30.00

SET SQ SPK. & T. IN PAVED DRIVE.

F.B. 594-131
FD. 3/4" I.P. WOOD PLUG & NAIL DN 1.5" F.B. 594-131 REPLACED WOOD PLUG WITH CONC. & NAIL.

CONT. FROM TOP PG. 6

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

Do not extend this dist. of this line.

1-58

CONT. ON BOT. PG. 9

P.B. 2078 PG. 8



CONT. FROM TOP PG. 7

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Name Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of MKT. ST. NEWHALL
JN 0095/121 Tape 191 Std 84 °F
Surveyed by O. L. VINCENT
Notes C. to C. Date 1-DEC-'60
Indexed H. E. Ott

F. B. 2678 Pg. 9

CONT. ON SOT PG. 10

FD. C.S. MON (RE. C3)
2" I.P. BRASS CAP
SET CONC. DN. 10" REF. F.B. 594-135
SET WELL COVER

F.B. 594-135
756.45

℄ CROSS STREET

FD. C.S. MON. (RE.C3)
2" I.P. BRASS CAP
SET CONC. DN 12"
SET WELL COVER
F.B. 594-135

HILL STREET

℄ MARKET STREET

S 19° 54' W

30.00 — 30.00

T 52°
LEV. 220.16
300.21 @ 3-55 = 299.51
519.67
519.51

RECORD CURVE:
Δ 54° 49' 00"
R 200'

SPIRAL

125.11

STREET

P.C.

P.I. #1
FD. ¾" I.P.
W/ WOOD PLUG
& NAIL - REPLACED
WOOD PLUG WITH
CONC. PLUG
& NAIL. (DN. 10"
F.B. 594 134, 137, 138

FD. ¾" I.P. BENT
OVER
F.B. 594-137

30.00

CONT. FROM TOP PG. 8

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

F. 2698 Pg. 10

CONT. ON TOP RIGHT, Pg 11



T = 44°
Lev. = 115.20
Lev. = 198.48
313.68
.08
313.60

T 54°
LEV = 124.38
Lev = 117.21
Lev. = 59.99
301.58
.06
301.52

T 60
LEV. 79.83
LEV. 161.92
241.75
.04
241.71

T 60
LEV. 183.64
.03
183.61

T 58°
LEV. 32.22
.01
32.21

①	145°	51'	40"
②	223°	27'	00"
③	155°	11'	00" ✓
	145°	51'	50" ✓

①	164	51	00
④	299	23	40
②&③	469	05	20 ✓
	164°	50'	53 1/3" ✓

W.S. 62 - A-3

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

CONT. FROM TOP Pg 9

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of Mkt. St. Newhall
JN 2095.12 Tape 141 Std. 84 °F
Surveyed by C.L.W., J.A.T.
Notes R.C. Rainey Date 6 Dec. 60
Indexed H. E. OTT

F. B. 2678 Pg. 11

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

FD. C.S. MON. RE. 63
SET CONC. DN 12"
C.S. B2523
28.66

M-4
Set in Z.A.M.

℄ LYONS AVE

MARKET STREET

W.S. 62

①	89	58'	10"
②	359°	52'	30"
③	179°	48'	40" ✓
	89°	58'	06⅔ ✓

①	89	58	00
②	359	52	00
③	179	48	00
	89°	58'	00"

C.L.W. JUNE 62

Fd. Sq. Hd. Spk Flush

SEE PG. 26

89° 58' 05"

℄ VALLEY

49° 41' 05" ✓

509.40

PRELIMINARY LINE

T = 44°
Lev. = 108.26
Lev. = 199.66
201.70 @ 1°44' = 201.61 ✓
509.53 ✓
-.13 ✓
509.40 ✓

℄ MAPLE

M-5
Set ship spk., 4" ft. Flush in Pavt.

STREET →

①	49°	41'	10"
②	180°	44'	00"
③	298°	06'	20" ✓
	49°	41'	33⅓" ✓

30.00

30.00

Fd. C.S. Br. Cap Mon. Dn. 6" Per C.S. B-2523

SEE PGS. 38, 53 FOR ELEV. Fd. C.S. Br. Cap Mon. Dn 12" per C.S. B-2523

①	89	59	40
②	359	58	00
③	179	57	20
	89°	59'	33⅓" ✓

690.74

T 50°

213.62 @ 2-12 = 213.46 ✓
213.80 @ 1-02 = 213.77 ✓
263.89 @ 2-24 = 263.66 ✓
690.89 ✓
.15
690.74 ✓ ✓

See Pg. 18

89° 59' 35" ✓

See Pg. 18

Set 1x2 ℄ NAIL BY INT. See Pg. 18

083

M-6
Set 1x2 ℄ NAIL

See Pg. 19

CONT. ON TOP PG. 12

1-56

T. 3678 Pg. 12

CONT. FROM BOT. PG. 11



① ∠ 49° 00' 20"
② 286° 00' 40"
③ 174° 00' 50"
149° 00' 09⅓" ✓

T = 40°
Lev = 22.18 ✓
.01 ✓
22.17 ✓

T = 40°
217.83 @ 2°15' = 217.66 ✓
.06 ✓
217.60 ✓

T = 44°
267.07 @ Lev. = 267.07 ✓
163.08 @ 3°01' = 162.85 ✓
181.07 @ 3°53' = 180.65 ✓
610.57 ✓
.16 ✓
610.41 ✓

T = 44°
66.15 @ Lev. = 66.15 ✓
.02 ✓
66.13 ✓

① 174° 33' 50"
④ 338° 16' 10"
⑤ 327° 24' 20" ✓
174° 34' 03⅓" ✓

Cont. on Top Pg. 13

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of Mkt. St. Newhall
JN 00 95.12 Tape 141 Std 84 °F
Surveyed by C. L. Wright
Notes R. C. Bowers Date 8 Dec. 60
Indexed H. E. OTT

F. B. 2678 Pg. 13

Cont. from Bot. Pg 12

M-11
Set 1x2 ø N.

80.58

M-12
Set 1x2 ø N.

346.63

M-13
Set See Pg. 40 For Elev.
Co. Engr. Br. Cap Man, on
2" I.P., Set in Conc. up 1'
with Ring of rocks

T = 46°
80.60 @ Lev = 80.60 ✓
.02 ✓
80.58 ✓ ✓

T = 52°
163.42 @ 3°57' = 163.03 ✓
189.95 @ 14°46' = 183.68 ✓
189.84 @ 14°39' = 183.67 ✓
183.67 ✓
346.70 ✓
.07 ✓
346.63 ✓ ✓

① 101° 06' 50"
④ 44° 27' 40"
⑥ 246° 41' 40" ✓
101° 06' 56⅔" ✓✓

101° 06' 55" ✓

T = 56°
206.91 @ 0°45' = 206.89 ✓ ✓
185.75 @ Lev. = 185.75 ✓
392.64 ✓ ✓
.07 ✓ ✓
392.57 ✓ ✓

SEE Pg 22 FOR THIS LINE

Pg 22
198.18
392.57

M-14
Set 1x2 ø N

Cont. on Bot. Pg 14

COUNTY ENGINEER
D.M.
M-13
R. E. 5869

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

FORM 6247 1-58

F.B. 2678 Pg. 14

CONT. ON BOT. PG 15



M-18
SET 1x2 C NAIL
TOP BRK ON
NORTH S.H.

T 56°
82.39 @ 2-05 = 82.34 ✓
133.90 @ 10-54 = 131.48 ✓
133.84 @ 10-45 = 131.49 ✓ = 131.49 ✓
275.27 @ 16-02 = 264.56 ✓
275.20 @ 15-59 = 264.56 ✓ = 264.56 ✓
478.39 ✓
.09 ✓
478.30 ✓

478.30 ✓

COUNTY ENGINEER
B.M.
M-14A
R.E. 5869

M-17
Set 1x2 ⊕N
W. Top Ridge

T = 50°
68.16 @ Lev. = 68.16 ✓
.02
68.14 ✓

68.14 ✓

93° 10' 45" ✓
① 93° 10' 50"
② 86 21 30
95° 10' 45" ✓

MARKED
SET C.E. BUTTON MON.
2" I.P. BRASS CAP IN CONC.
UP 0.1'

M-16
Set 2x2 ⊕N, BLACK ENAMEL TOP
E. Top Ridge DN. 0.1'
ON E. SIDE OF ROAD

114.36 ✓

LEV. 114.37 @ T = 70°
.01
114.36

BM M.16A
Pg. 42 For Elev.

T = 44°
136.53 @ 11°41' = 133.70 ✓
136.62 @ 11°50' = 133.72 ✓ = 133.71 ✓
166.54 @ 7°56' = = 164.95 ✓
164.16 @ Lev. = 164.16 = 164.16 ✓
462.82 ✓
.12 ✓
462.70 ✓

462.70 ✓

M-15
Set 1x2 ⊕N.

220.06 ✓

T = 50°
220.64 @ 3°59' = 220.11 ✓
.05 ✓
220.06 ✓

M-14
Set 1x2 ⊕N.

Cont. from Bot. Pg. 13

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of MKT. ST. (NEWHALL)
JN 009512 Tape 141 Std 84 °F
Surveyed by C. L. WRIGHT
Notes R.E. BOWERS Date 1/87 PG. 64
Indexed M. E. 011

F. B. 2678 PG. 15

CONT. ON 30TI, PG. 16

M-23 SET 1X2 & NAIL IN FIELD

T 66°
300.37 @ 0-52 = 300.34 ✓
300.52 @ 1-39 = 300.40 ✓
600.74 ✓
.07 ✓
600.67 ✓

600.67'
FL.
280'
FL.

M-22 SET 1X2 & NAIL IN FIELD

T 66°
300.36 @ 1-20 = 300.28 ✓
300.55 @ 5-27 = 299.19 ✓
599.47 ✓
.07
599.40 ✓

599.40'
FL.

② 275 17 20 ✓
137° 38' 40" ✓

M-21 SET 1X2 & NAIL ON SOUTH S.H. OF SPUR

T 64°
169.46 @ 16-32 162.45 ✓
169.37 @ 16-26 162.45 ✓
162.45 ✓
.02
162.43 ✓

162.43'

LEV. 214.31 @ T-76°
.01
214.30 ✓

214.30'

M-20 SET 1X2 & NAIL TOP SPUR

T 64°
61.87 @ 11-56 = 60.53 ✓
61.93 @ 12-N = 60.54 ✓
60.53 ✓
.01 ✓
60.52 ✓

60.52'

B.M. M21A

SET C.E. BUTTON MON. 2" I.P. BRASS CAP IN CONC. ON SOUTH S.H. UP 6" MARKED
PG. 44 FOR ELEV.

M-19 SET 1X2 & NAIL TOP OF SPUR

COUNTY ENGINEER B.M. M-21A R.E. 5869

T 58°
183.43 @ 1-34 = 183.36 ✓
275.19 @ 4-55 = 274.18 ✓
457.54 ✓
.08
457.46 ✓

457.46'

M-18 SET 1X2 & NAIL TOP BRK. ON NORTH S.H.

CONT. FROM TOP PG. 14

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

70F2005 SEE #247 1-86

F. B. 2678 PG. 16

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

①	68	24	10
④	273	36	00
⑥	50	24	00
	68°	24'	00" ✓

SET 2" I.P. CONC. PLUG BRASS NAIL & L.A. CO. ENGR TAG UP 2" IN RING OF ROCK

OLD 4 STRAND BARB WIRE FENCE

M-26

T 78°

LEV. 21.39

SET 1X2 NAIL BY INT. ON L"

M-25 SET 1X2 NAIL ON W. SIDE OF RD.

LEV. 12.20 ✓

12.20 ✓

21.39

TO S.F. STA. #3 RO PG 50

424+13.96 FD. 1X2 NAIL PG 58

333.39 ✓

①	37	06	00
④	148	13	40
	37°	05'	50"
			55

50'

See P.T.-59

T 68°

68°24'09"

LEV. 47.87 ✓

4 STRAND BARB WIRE FN

191.58 @ 0-52 = 191.56 ✓

239.43 ✓

.03 ✓

239.40 ✓

239.40 ✓

T 88°

LEV 161.32

172.06

333.38 ✓

.01 ✓

333.39 ✓

LEV. 120.14 @ T 78° ✓

120'

37° 05' 55"

M-24 SET 1X2 NAIL IN FIELD

B.M. M-25A

SET BOAT SPK. LEAD IN TOP CONC. PIER N.E. COR. EDISON TOWER #E4-2

T 68°

293.30 @ 0-56 = 293.26 ✓

300.46 @ 1-50 = 300.31 ✓

593.57 ✓

.06 ✓

593.51 ✓

593.51 ✓

M-23 SET 1X2 NAIL IN FIELD

CONT. FROM TOP PG. 15

Notes Ck'd by W. D. WAGNER	Survey of AKT ST. - NEWHALL	F. B. 2678	Pg. 17
Map No.	JN 0095.12 Tape 141 Std. 84 °F		
Office Work	Surveyed by C. L. WRIGHT		
Checked	Notes C. L. W. Date		
Date	Indexed SEP 1 8 1961 H. E. OST		

LOT LINES - TRACTS # 27039 & 19708

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3088 SAE #247 1-56

CONT. ON BOT PG 19

F. B. 2678 PG. 18

3+45 28

SET 1x2 ℄ NAIL

7-DEC '60

T 50°

157.18 @ 6-44 = 156.10 ✓
.03
156.07 ✓

W.S. 62 - A-4

9' W.W. FN. - MEANDERS

℄ LINE

156.07

TRANSIT

SET 1x2 ℄ NAIL

1+89.21 — 4.00 — 1+89.21

T 46°

112.75 @ 1-24 = 112.72 ✓
.03 ✓
112.69 ✓

112.69

4' OFF

0+76.52

SET 1x2 ℄ NAIL — 4.00 — SET 1x2 ℄ NAIL

T 42°

84.22 @ 15-18 = 81.24 ✓
.02 ✓
81.22 ✓

FENCE MEANDERS

℄ LINE

81.22

0+00 E

0.33

LOT 42

TRACT 2703

℄ VALLEY ST. PROD. FROM NORTH.

M-6 SET 1x2 ℄ NAIL Pg. 11

4.79

SET 1x2 ℄ NAIL

SET 1x2 ℄ NAIL BY INT.

89° 59' Pg. 11

35'

TRANSIT

306.23 ✓

T 40°

LEV. 141.51 ✓

164.85 @ 1-13 = 164.81 ✓
306.32 ✓
.09 ✓
306.23 ✓

FD. 1/2" I.P. CONC. PLUG, NAIL & TAG #L.S. 2602
TRACT # 19708 - 2

T 50°

113.86 @ 5-23 = 113.36 ✓
.03 ✓
113.33 ✓

TRACT #19708

BOOK 621 — 46

17.00 E

169.87 M ✓

113.33 ✓

SET 1x2 ℄ NAIL

T 50°

57.91 @ 12-27 = 56.55 ✓
.01 ✓
56.54 ✓

56.54 ✓

FD. 1/2" I.P. CONC. PLUG, NAIL & TAG (NO NUMBER)
FLUSH ON S.H. TRACT # 19708 - 2

SEE PG 78 FOR THIS LINE C.L.W. JAN. '62

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of MKT. ST. - NEWHALL
W.O. 0895.12 Tape No. 141 St'd. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 7-DEC. '60
Indexed E. E. OTT

F. B. 2678 Pg. 19

W.S. 62 - A - 4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-51

LOT 5

END OF LINE

6+89.56

FD. 2" I.P. NO PLUG. SOUTH OF & NEXT TO 6" FENCE POST @ INT. OF E.-W. FENCE & FENCE FROM THE NORTH (THE N.E. COR. OF LOT 42 PER. TRACT #2703

BARB WIRE FN.

3.12

T 52°
44.42 @ 6-20 = 44.15 ✓
.01 ✓
44.14 ✓

44.14 ✓

44.03 ✓ CALC.

6+45.53
SET 1x2 ℄ NAIL

3'

2703

LOT 42

T-52°
LEV. 109.90 ✓
.02 ✓
109.88 ✓

4' W. W. FN. - MEANDERS

TRANSIT LINE

109.88 ✓

5+35.65
SET 1x2 ℄ NAIL

4' OFF

190.37 ✓

TRACT

T-52°
LEV. 115.03
LEV. 75.38
190.41 ✓
.04 ✓
190.37 ✓

3+45.28
SET 1x2 ℄ NAIL

CONT. FROM TOP PG. 18

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

F.B. 22678 Pg. 20

Notes Ck'd by W. D. WAGNER	Survey of MRT. ST.
Map No.	JN 0095.12 Tape 141 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date DEC 60
Date	Indexed SEP 2 '61 H. E. ON

F. B. 2678 PG. 21

LOT LINES - TRACT 2703

JOB NUMBER 0095.12

REFERENCES:
TRACT 2703 - 3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SAE #247 1-56

F. B. 2678 Pg. 22

CONT. ON BOT. PG. 23

W.S. 62 + A-4

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

①	93	08	40
②	12	35	20 ✓
③	198	53	00 ✓
	93°	08'	50" ✓

93° 08' 50" ✓

T 56°

ELEV 185.75
" 12.47
198.22 ✓
.04
198.18 ✓

198.18 ✓

SET 1X2 ℄ NAIL BY INT. STREET

MARKET

PRELIMINARY LINE

M-14
FD 1X2 ℄ NAIL
PG 13, 14

T 58°

97.71 @ 19-00 = 92.39 ✓
97.81 @ 19-1 = 92.38 ✓

92.38 ✓
.01 ✓
92.36 ✓

92.34 ✓

SET 1X2 ℄ NAIL TOP BRK.

①	138	50	30
②	195	22	10
③	113	03	20 ✓
	138	50	33 1/3 ✓

LOT 54

LOT 42

175.77 ✓

T 76°

179.60 @ 11-50 = 175.78 ✓
179.62 @ N-51 = 175.79 ✓

175.78 ✓
.01 ✓
175.77 ✓

139° 50' 35" ✓

FD 2" I.P. NO PLUG. SET WOOD PLUG & NAIL IN CTR. OF PIPE. UP 8" REF. - TRACT # 2703

FD 1/2" I.P. NO PLUG UP 8" SET WOOD PLUG & NAIL IN CTR. REF. TRACT # 2703

LOT LINE

248.65

T 76°

44.23 @ 9-15 = 43.65 ✓
207.03 @ 8-01 = 205.01 ✓

248.66 ✓
.01 ✓
248.65 ✓

TRACT 2703

① 123-09-00
② 246-17-40
123-08-50 ✓

T

80.24 @ 18-00 = 76.31 ✓
.01
76.30 ✓

102.01

129° 08' 50" ✓

SET 1X2 ℄ NAIL TOP OF NAGE RECORD ANGLE & DIST. FROM PIPE FD TO THE N.W.

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of MKT ST. (NEWHALL)
JN 00 9 S. 12 Tape 191 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date DEC. '60
Indexed Ck E. OTT

F. B 2678 Pg 23

W.S. 62-4

SEE Pg 78 FOR THIS LINE

MADE SEARCH FOR N.W. COR OF LOT 42 IN THIS AREA FD. VERY OLD 3x3 LYING ON GROUND 185 @ 7-35 STADIA

182

SET 1x2" NAIL

58'

FD. 1½" I.P. NO PLUG UP 13"
SET WOOD PLUG & NAIL IN CTR.

See Traverse for this line Later

436' @ 3-10 = STADIA

LOT 42

LOT 43

① 162	19	40
② 289	18	40
③ 253	58	00 ✓
162°	19	40 ✓

FD. 1" I.P. NO PLUG SET WOOD PLUG & NAIL IN CTR. — UP 24" REF. TRACT 2703-3 (LEANS S.E.) (SOUTH COR. LOT 43)

T - 50°
93.79 @ 2-45 = 93.68 ✓
93.67 ✓

TRACT 2703

T - 56°
LEV.
222.26 @ 17-51 = 211.56
222.27 @ 17-51 = 211.57 ✓ = 211.56 ✓
160.39 @ 10-56 = 157.48 ✓
160.52 @ 11-11 = 157.47 ✓ = 157.47 ✓
385.24 ✓
.07
385.17 ✓

SET 1x2" NAIL TOP OF SPUR

16.21 ✓ +/-

93.67 ✓

LOT LINE

385.17 ✓

93° 08' 50"
Pg. 22

SET 1x2" NAIL BY INT.

MARKET STREET

PRELIMINARY LINE
TO M-14 198.18
Pg 3

CONT. FROM TOP PG. 22

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SAE #247 1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2078 Pg. 24

Notes Ck'd by W. D. WAGNER	Survey of MKT. ST.
Map No.	W.O. 5895.12 Tape No. 154 St'd. 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date DEC '60
Date	Indexed SEP 8 '61 H. E. OTT

F. B. 2678 Pg. 25

LOT LINES - TRACT 2703-3,4; TRACT 3165; LS. 25-30

J.N. 0095.12

REFERENCES;
TRACT 2703, 3-4
ST. JOHN SUB. MAP M.R. 196, 306-309
TRACT 1437
TRACT 3165
LS. 25-30

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

76F3095 247 2-81

CONT. / BOT. PG. 27

F.B. 2670 PG. 26

℄ 98 38 10
℄ 97 16 10
98° 38' 05"

TRACT 2703

LOT 43

TRACT BDY ±

TRACT BDY ±

452

29.70

30.04

SET 1x2, NAIL

FD. 1½" I.P. CONC. PLUG, NAIL & TAG L.S. 2602 FLUSH

℄ 173 12 20
℄ 332 40 10
℄ 319 19 20
173° 12' 23½"

155.48

98° 38' 13" 20

173° 13' CLW JUNE 62

T-62°
LEV. 155.48
.02
155.46

005

29.93

DN. 2"

FD 1½" I.P. CONC. PLUG, NAIL & TAG (NO NUMBER)

FD 2x2 SET NAIL IN NORTH EDGE

N.E. COR ± LOT 43
TR. 2703-3

T-60°
LEV. 10.71
" 40.08
" 29.29
80.08
.01
80.07

FD. C.S. MON. 2" I.P. - BRASS CAP SET CONC. D/S 6" R.E. 63 C.S. B-2523

30.00

80.071

APPLE STREET

0° 11"

FD. SQ SPK FL. IN PAVT.

℄ MAPLE STREET

89° 58'

SEE PG. 11

00"

609.70

T-60
LEV 157.52
" 287.92
" 164.36
609.80
10
609.70

FD. CHIP SPK. W.C.T. FLUSH PG. 41

℄ VALLEY STREET

PRELIMINARY LINE - P.G.H.

CLW JUNE '62

RETURN TO
LOS ANGELES COUNTY SURVEYOR
728 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of MK.T. ST.
W.O. 5951 Tape No. 1 St'd. 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Dec. 21-Dec. 60
Indexed B. E. OH

F. B. 2678 Pg. 17

CONT. BOT. PG. 28

B-3

SET 1x2¢ NAIL TOP OF SPUR

T 70°

168.83 @ 15-13 = 162.91 ✓
168.81 @ 15-12 = 162.90 ✓
= 162.90 ✓
01 ✓
162.89 ✓

T-68°
249.32 @ 7-01 = 247.45
03
247.42 ✓

OLD 3 STRAND BARB WIRE FN. - MEANDERS

FD. 2" IP. & WOOD PLUG UP 9" - LEANING N.W.

247.42

162.89

CLW ?

25'

S.W. COR. LOT 22 ST. JOHN SUB; M.R. 196-30
(SEE TR. 2703)

①	173	11	00
②	352	44	40
③	319	07	00
	173°	11'	10"

CLW JUNE '62

TRACT

LOT 43

TRACT

B-2

SET 1x2 ¢ NAIL TOP SPUR

2.8

4.54

FD. 1x2¢ NAIL UP 5"

T 78°

2.82

112.20 @ 8-21 = 111.01 ✓

FENCE MEANDERS

111.01

BDY. ±

B-1 Pg. 26

SET 1x2¢ NAIL TOP BRK.

12.8

2.23

3.11

FD. 1x2¢ NAIL UP 3"

OLD 3 STRAND BARB WIRE FN.

243.24

T-78°

229.04 @ 16-33 = 219.55 ✓
229.08 @ 16-35 = 219.55 ✓
= 219.55 ✓

LEN. 23.70
243.25 ✓
01 ✓
243.24 ✓

6.52

29.70

30.0

FD. 1½" IP. CONC. PLUG NAIL & TAG # LS 2602 FLUSH

~~SET 1x2 ¢ NAIL~~
~~SET NAIL IN NORTH FACE~~
SEE PG. 26

℄ MAPLE ST. PROD. FROM EAST

CONT. FROM TOP PG. 26

173° 11' 10"

2703

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

SURVEY NO.
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

76FSO95 247 2-51

F.B. 2678 Pg 28

CONT. ON BOT PG 29



CONT. FROM TOP PG 27

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of MKT. ST.
JN 00951 Tape 154 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 18 MAY 6
Indexed M. E. OTT

F. B. 2678 Pg. 29

@ 153° 27' 00" ✓
153° 27' 05" ✓

CONT. ON BOT PG. 30

T 28°
179.09 @ 2-36 = 178.86 ✓
.01 ✓
178.85 ✓

FD 2" I.P. - WOOD PLUG & NAIL UP 15"

OLD FD 1/" I.P. DIRT PLUG AND NAIL UP 12"

CALC. 72°

CALC. 79.94

① 177 24 20
② 349 38 00 ✓
177° 24' 30" ✓

T 62°
168.99 @ 18-31 = 160.24 ✓
168.82 @ 18-21 = 160.20 ✓
160.24 ✓
.02 ✓
160.22 ✓

153° 27' 05" ✓

CALC. 160.04
CALC. 159.99
160.22

178' 8"

B-8 SET 1 X 2 & NAIL TOP MAIN RIDGE

T 64°
146.70 @ 4-08 = 146.32 ✓
300.40 @ 4-54 = 299.45 ✓
445.77 ✓
.06 ✓
445.71 ✓

FD 1X2 & NAIL

319

1.10

445.77 ✓

72° 24' 30"

163° 36' 15"
PG. 30

TRACT 2703
LOT 44

B-7 SET 1 X 2 & NAIL TOP MAIN RIDGE

0.64

T 62°
263.46 @ 4-06 = 262.77 ✓
145.16 @ 1-49 = 145.05 ✓
407.82 ✓
.06 ✓
407.82 ✓

FD 1X2 - NO NAIL

407.82 ✓

145.07

0.13

FD 1X2 & NAIL

4.69

B-6 - SET 1 X 2 & NAIL TOP SPUR

T 60°
42.23 @ 10-35 = 41.51 ✓
42.14 @ 10-00 = 41.50 ✓
41.50 ✓
.01 ✓
41.49 ✓

41.49 ✓

B-5 FD. 1 X 2 & NAIL

CONT. FROM TOP PG 28

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend any of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SAE #247 11-80

F. B 2678 Pg 30

CONT ON TOP RIGHT - Pg 31

S.W. COR ± LOT 12
TRACT 3165

B-10 — SET 1x2 & NAIL TOP OF RIDGE

LOT 11

TRACT 3165

LOT 12

S 08° 42' W 499.93

166° 52' 10"

S 21° 05' W

T-66°

28601 @ 1-15 = 286.84 ✓

224.66 @ 9-24 = 221.64 ✓

508.48 ✓

.06 ✓

508.42 ✓

S.W. COR ± LOT 13
TR. 3165

B9 SET 1x2 & NAIL IN OLD RING OF ROCKS - TOP OF RIDGE

SET 1x2 & NAIL

①	166	52	10
④	307	28	30
⑥	281	12	40 ✓
	166	52'	06⅔" ✓

RE-RUN MAY '62 CLW

LT	166	52	10
④	307	28	50
⑥	281	13	00
	166°	52'	10"

459.96 ✓

①	163	36	20
④	294	25	30
⑥	261	38	20
	163	36	23⅓

RE-RUN MAY '62 CLW

163°

T 72°

163° 36' 25"

217.39 @ 6-53 = 215.82 ✓

LEV. 244.18 ✓

460.00 ✓

.04 ✓

459.96 ✓ ✓

①	163	36	20
④	294	25	00
⑥	261	37	30 ✓
	163°	36'	15" ✓

B8 SET 1x2 & NAIL

CONT FROM TOP Pg 29

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
00 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of MKT. ST.
JN 0095.17 Tape 154 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W Date MAY '62
Indexed E. E. OTT

F. B. 2678 Pg. 31

LOT 12

LOT 11

B-10
SET 1X2 & NAIL
TOP RIDGE
PG 30

T 62°
LEV. 18.97

499.93
B-9

18.97

SET 1X2
& NAIL

160° 42' 35"

T-62°
300.15 @ 4-52 = 299.07 ✓
300.50 @ 1-01 = 300.45 ✓
599.52 .09 ✓
599.43 ✓

618.40

165° 13'

①	165	13	10
④	300	53	00
⑥	271	19	40 ✓
	165°	13'	16⅔"

B-11
SET 1X2 & NAIL
IN OLD RING
OF ROCK.
TOP OF RIDGE

S.W. COR ± LOT 11
TRACT 3165

NEW & MAY '62
C.L.W.

CHECKED
MAY '62
C.L.W.

144° 03'

①	160	42	30
④	282	50	20
⑥	244	15	40
	160°	42'	36⅔"

①	144	04	00
④	216	15	20
⑥	184	23	00 ✓
	144°	03'	53⅓"

T 66°
93.30 @ 2-30 = 93.21 ✓
.01 ✓
93.20 ✓

93.20

NEW & MAY '62
C.L.W.

①	110	49	40
④	83	10	00
⑥	304	58	30
	110°	49'	45"

B-12
SET 1X2 ¢
NAIL
TOP OF RIDGE

RE-RUN MAY '62
C.L.W.

①	142	15	20
④	209	01	20
⑥	133	31	40
	142°	15'	16⅔"

①	142	16	00
④	209	03	40
⑥	133	35	30 ✓
	142°	15'	55" ✓

T 56°
227.62 @ 11-00 = 223.44 ✓
227.85 @ 11-47 = 223.45 ✓
223.44 ✓
.04
223.40 ✓

223.40 TO 2" I.P.

TRACT 10

CONT. ON BOT. RIGHT. PG. 32

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

78F3098 SBE #247 11-80

F. B. 2678 PG. 32

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this tide of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SAN FRANCISCO RD. BDY.

LOT 10
TRACT 3165

Fd. 1x2 & NAIL PG 58 T 76°
32+07 28

88.05 @ 14 - 54 = 85.09 ✓
88.18 @ 15 - 14 = 85.08 ✓ = 85.08 ✓

①	96	58	50
⑥	27	55	00
⑥	221	52	30 ✓
	96°	58'	45" ✓

12.18

SET 1x2 NAIL

85.08

35.1

MADE SEARCH IN THIS AREA FOR N.W. COR OF LOT 44 TRACT 2703 EDISON TRANSMISSION TOWER NOW SETS HERE NOTHING FOUND

SET 1x2 & NAIL

20" ✓

382.02 ✓

96

58'

45" ✓

SEE Pg 31

0.31

223 Pg

58°

46'

MOST S'LY CORE LOT 10 - TR. 3165

①	58	46	20
⑥	235	05	20 ✓
⑥			
	58°	46'	20" ✓

FD. OLD 2" I.P. - NO PLUG. SET WOOD PLUG & NAIL UP 10"
T = 76°

107.02 @ 1 - 16 = 106.99 ✓
277.91 @ 8 - 14 = 275.05 ✓
382.04 ✓
.02 ✓
382.02 ✓

SEE Pg 58 FOR THIS LINE

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 2095.12 SURVEY OF MARKET ST. NEWHALL
DATE SURVEY BY C.L. WRIGHT
NOTES CHK'D WAGNER NOTES BY R.C. BOWERS DATE 27 APRIL '61
DATE INDEXED H. E. OTT DATE SEP 1 8 '61

F.B. 2678 Pg. 33

BENCH LEVELS FROM B.M. 60-37 WESTLY TO B.M. 60-36 - THENCE SOUTH'LY ALONG VALLEY ST. TO PRELIMINARY LINE, MARKET ST. AND SOUTH'LY ALONG MARKET ST. PRELIMINARY LINE AND WEST'LY ALONG MARKET ST. PRELIMINARY TO B.M. 60-32

ELEVATIONS ARE BASED ON L.A.CO. PRECISE LEVEL NET LINE NO. 60

J. N. 2095.12

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. 60-37	1270.356				1270.356	Fd. (U.S.C. & G.S. K-53, 1926, reset) (US 2063) Newhall at San Fernando Rd. & 8th St. in the S.E'ly Cor., 12.5' E'ly from E'ly curb & 9.0' S'ly from S'ly curb. A U.S.C. & G.S. bronze disc marked "K-53, 1926", set vertically in the S.W. brick wall 4.5' above the conc. walk. B.M. has not been stamped "reset". F.B. 2839-28, L.A. Co. Adj. Elev. = 1270.356
+	(-) 1.641		(-) 1.517			
⊼	1268.715	- 9.191	-9.186			
−	7.550		7.669			
T.P.	1261.165					
+	3.551		3.455			
⊼	1264.716	- 3.065	-3.064			
−	6.616		6.519			
T.P.	1258.100					
+	4.522		4.398			
⊼	1262.622	- 3.016	-3.011			
−	7.538		7.409			
T.P.	1255.084					
+	4.748		4.662			
⊼	1259.832	-1.883	-1.887			
−	6.631		6.549			
T.P.	1253.201					
+	4.530		4.592			
⊼	1257.731	- 2.409	-2.409			
−	6.939		7.001			

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 25.12 SURVEY OF Marcet St. Avenue NOTES RED
SURVEY BY C.L. Wright DATE
NOTES BY E.C. Bowers DATE 27 April 61 NOTES CHKD
INDEXED H.E. Ott DATE DATE

F.B. 2678 Pg. 34

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1250.792					
+	5.179		5.089			
⌅	1255.971	-0.820	-0.820			
−	5.999		5.909			
T.P.	1249.972					
+	4.790		4.712			
⌅	1254.762	-0.945	-0.941			
−	5.735		5.653			
T.P.	1249.027					
+	4.541		4.605			
⌅	1253.568	-2.108	-2.107			
−	6.649		6.712			
T.P.	1246.919					
+	3.762		3.830			
⌅	1250.681	-2.732	-2.732			
−	6.494		6.562			
T.P.	1244.187					
+	5.789		5.642			
⌅	1249.976	+0.588	+0.592			
−	5.201		5.050			
T.P.	1244.775					
+	8.771		8.652			
⌅	1253.546	+6.783	+6.783			
−	1.988		1.869			
T.P.	1251.558					
+	10.197		10.069			
⌅	1261.755	+8.376	+8.376			
−	1.821		1693			
T.P.	1259.934 ✓					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 29 S.S. 12 SURVEY OF Market St. Newhall
DATE _____ SURVEY BY C.L. Wright
NOTES CHKD. WAGNER NOTES BY E.C. Bowers DATE 27 April 61
DATE _____ INDEXED 4.6.62 DATE _____

F. B. 2673 Pg. 35

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	1259.934					
+	8.900		9.102	8.940		
π	1268.834	+2.729	+2.724	+2.730		
−	6.171		6.378	6.210		
T.P	1262.663					
+	4.470		4.401			
π	1267.133	−1.296	−1.297			
−	5.766		5.698			
B.M. 60-36	1261.367				1261.386	Fd. B.M. 60-36. In Newhall at Lyons Ave. & Wayman St., 28.0' N. of the ℄ of Lyons Ave., 16.0' E. of the ℄ Prod of Wayman St., 3.5' N'ly from a P.P. & 57.5' N.W'ly of P.P.# 250424 E. A Co. Engr. B.M. br. cap mon. marked "B.M. 60-36, R.E. 5869, 1960," set in 12" conc. post 4" above surface. F.B. 2839-27, L.A.C. 1961. Adj. Elev. = 1261.386
B.M.60-36	1261.386	(Adj Elev.)			1261.386	
+	5.070		4.941			
π	1266.456	+0.048	+0.048	+0.048		
−	5.022		4.893			
T.P.	1261.434					
+	5.769		5.665			
π	1267.203	−0.120	−0.123	−0.120		
−	5.889		5.788			
T.P.	1261.314					
+	4.821		4.909			
π	1266.135	−2.122	−2.126	−2.122		
−	6.943		7.035			
B.M.	1259.192				1259.192	Fd. C.S. Mon., R.E. 63, 2" I.P., Br. Cap Set in Conc., Dr. 12". Lyons Ave. & Valley St., & Prod of Valley St & 28.66' N. of ℄ Lyons Ave. Pg. 11, C.S. BZ523 Elev. to Sq. Rim

COUNTY ENGINEER B.M. 60-36 1960 R.E. 5869

COUNTY SURVEYOR R.E. 63

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00 95.12 SURVEY OF Market St
SURVEY BY C.L. Wright
NOTES BY R.C. Bowers DATE 28 April 61 NOTES CHKD
INDEXED E. on DATE NOTES RED. DATE

F. B. 2523 PG. 36

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M.	1259.192				1259.192	Fd C.S. Mon., R.E. 63. 2" I.P., Br. Cap set in Conc., Dr. 12" - Lyons Ave. & Valley St., & Prod. of Valley St. & 28.66' N. of Lyons Ave. &. Pg 11, C.S. B2523 Elev. on So. Rim
+	8.663		8.751			
↗	1267.855	+5.172	+5.171	+5.172		
−	3.491		3.580			
T.P.	1264.364					
+	8.080		7.941			
↗	1272.444	+4.679	+4.677	+4.679		
−	3.401		3.264			
T.P.	1269.043					
+	8.330		8.219			
↗	1277.373	+4.608	+4.610	+4.610		
−	3.722		3.609			
T.P.	1273.651					
+	7.745		7.649			
↗	1281.396	+4.748	+4.749	+4.749		
−	2.997		2.900			
T.P.	1278.399					
+	7.516		7.709			
↗	1285.915	+4.955	+4.956	+4.956		
−	2.561		2.753			
T.P.	1283.354					
+	7.899		7.808			
↗	1291.253	+5.913	+5.913	+5.913		
−	1.986		1.895			
T.P.	1289.267					
+	9.815		9.703			
↗	1299.082	+4.610	+4.610	+4.610		
−	5.205		5.093			
T.P.	1293.877					

COUNTY SURVEYOR
R. E. 63

76S420 S & E-38B 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 95.12 SURVEY OR Market St. Metro
DATE _____ SURVEY BY C.L. Wright
NOTES CHKD WAGNER NOTES BY R.C. Bowers DATE 28 April 1961
DATE _____ INDEXED H.E. Ott DATE _____

F.B. 3628 Pg. 37

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1293.877					
+	7.218		7.286			
=	1301.095	+3.827	+3.826	+3.827		
−	3.391		3.460			
T.P.	1297.704					
+	7.167		7.069			
=	1304.871	+3.472	+3.472	+3.472		
−	3.695		3.597			
T.P.	1301.176					
+	5.992		6.110			
=	1307.168	+3.062	+3.061	+3.062		
−	2.930		3.049			
B.M.	1304.238				1304.242 Fd.	In Newhall at Valley St. & 8th St. U.S.C. & G.S. Reference Mark Brass disk set in 12" Sq. Conc., marked "Edison, 1932, No. 2, with Arrow." 47'± No. of ℄ 8th St. & 28'± E. of ℄ of Valley St. Elev. on Ctr. of disk.
+	5.797		5.737			
=	1310.035	+2.529	+2.530	+2.530		
−	3.268		3.207			
T.P.	1306.767					
+	7.779		7.643			
=	1314.546	+4.781	+4.782	+4.782		
−	2.998		2.861			
T.P.	1311.548					
+	8.024		7.973			
=	1319.572	+6.274	+6.276	+6.276		
−	1.750		1.697			
T.P.	1317.822					
+	9.023		8.959			
=	1326.845	+7.303	+7.301	+7.303		
−	1.720		1.658			
T.P.	1325.125					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 95.12 SURVEY OF MARKET St, NEWHALL NOTES RED.
SURVEY BY C.L. WRIGHT DATE
NOTES BY J.R. FULTON DATE 28 APRIL 61 NOTES CHKD.
INDEXED E.O.M. DATE DATE

F.B. 2678 Pg. 38

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1325.125					
+	8.671		8.760			
⊼	1333.796	+6.927	+6.928	+6.928		
−	1.744		1.832			
T.P.	1332.052					
+	5.527		5.443			
⊼	1337.579	+1.521	+1.522	+1.522		
−	4.006		3.921			
B.M.	1333.573				1333.582	Fd. C.S. Br. Cap Mony on 2" I.P. set in Conc., Dn. 12", 30.00' So. of ℄ Maple St on ℄ Prod. of Valley St. C.S. B-2523', Pg. 11, Elev. taken on So. Rim of Br. Cap. SEE Pg. 11, 53
+	8.253		8.139			
⊼	1341.826	+6.870	+6.871	+6.871		
−	1.383		1.268			
T.P.	1340.443					
+	8.551		8.709			
⊼	1348.994	+6.849	+6.849	+6.849		
−	1.702		1.860			
T.P.	1347.292					
+	10.066		10.479			
⊼	1357.358	+8.955	+8.954	+8.955		
−	1.111		1.525			
T.B.M.	1356.247				1356.257	Fd. M-8, 1x2 ℄ N., Pg. 12, Dn. 2"
+	6.140		5.830			
⊼	1362.387	+2.480	+2.480	+2.480		
−	3.660		3.350			
T.B.M.	1358.727				1358.737	Fd. M-7, ℄ Prod. from No., 1x2 ℄ N, Pg. 12
+	11.430		11.330			
⊼	1370.157	+7.825	+7.825	+7.825		
−	3.605		3.505			
T.B.M.	1366.552				1366.562	Fd. M-9, 1x2 ℄ N. Pg. 12



765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED DATE JOB NO. 95.12 SURVEY OF MARKET ST. NEWHALL
DATE SURVEY BY C. L. Wright
NOTES W/KD WAGNER NOTES BY R. C. Bowers DATE 1 May 61
DATE INDEXED H. E. Ott DATE

F. B. 267 Pg. 39

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M.	1366.552				1366.562	Fd. M-9, 1X2 ⊕N., Pg. 12
+	1.753		1.657			
=	1368.305	- 3.545	-3.543	-3.543		
−	5.298		5.200			
T.P.	1363.007					
+	10.489		10.391			
=	1373.496	+9.760	+9.761	+9.761		
−	0.729		0.630			
T.P.	1372.767					
+	8.598		8.425			
=	1381.365	+6.748	+6.745	+6.748		
−	1.850		1.680			
T.P.	1379.515					
+	8.975		8.852			
=	1388.490	+7.835	+7.835	+7.835		
−	1.140		1.017			
T.B.M.	1387.350				1387.363	Fd. M-10, 1X2 ⊕N. Pg. 12
+	3.269		3.460			
=	1390.619	- 1.716	-1.714	-1.714		
−	4.985		5.174			
T.P.	1385.634					
+	9.649		9.698			
=	1395.283	+9.209	+9.213	+9.211		
−	0.440		0.485			
T.P.	1394.843					
+	10.170		10.349			
=	1405.013	+9.580	+9.580	+9.580		
−	0.590		0.769			
T.P.	1404.423					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 8095.12 SURVEY OF Market St, Alhambra NOTES RED
SURVEY BY C.L. Wright DATE NOTES CHKD
NOTES BY R.C. Ryan DATE 1 May 61
INDEXED B.E. Ott DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1404.423					
+	9.124		9.333			
↗	1413.547	+8.644	18.644	+8.641		
−	0.480		0.689			
T.P.	1413.067					
+	11.959		11.939			
↗	1425.026	+11.725	+11.724	+11.725		
−	0.234		0.215			
T.P.	1424.792					
+	11.079		11.430			
↗	1435.871	+10.601	+10.600	+10.601		
−	0.478		0.830			
T.P.	1435.393					
+	10.669		10.608			
↗	1446.062	+9.510	+9.512	+9.511		
−	1.159		1.096			
B.M.	1444.903				1444.921	Fd. C.E. Br Cap Monion 2" I.P. set in conc., up 1" Marked M-13, B.M. Elev. Taken on So. Rim - Pg. 13
+	2.572		2.963			
↗	1447.475	+2.811	+2.808	+2.811		
−	5.383		5.771			
T.B.M.	1442.092				1442.110	Fd. M-14, 1x24 N. Pg 13, 14
+	10.039		10.262	10.368		
↗	1452.131	+6.567	+6.559	+6.566		
−	3.472		3.703	3.802		
T.P.	1448.659					
+	8.148		8.281			
↗	1456.807	+7.625	+7.621	+7.625		
−	0.523		0.660			
T.P.	1456.284					

COUNTY ENGINEER B.M. M-13 R.E. 5869

F.B. 2678 Pg. 40

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED ____ JOB NO 95.12 SURVEY OF Market St. Avenue
DATE ____ SURVEY BY C.L. Wright
NOTES BY WAGNER NOTES BY R.C. Bowers DATE 2 May 61
DATE ____ INDEXED H. E. OTT DATE ____

F.B. 2678 Pg. 44

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1456.284					
+	9.623		9.772			
=	1465.907	+ 9.193	+ 9.193	+9.193		
−	0.430		0.579			
T.P.	1465.477					
+	8.021		8.136			
=	1473.498	+ 7.399	+ 7.398	+7.399		
−	0.622		0.738			
T.P.	1472.876					
+	11.506		11.545			
=	1484.382	+ 11.114	+ 11.114	+11.114		
−	0.392		0.431			
T.P.	1483.990					
+	11.105		11.408			
=	1495.095	+ 10.747	+ 10.749	+10.748		
−	0.358		0.659			
T.P.	1494.737					
+	11.466		11.254			
=	1506.203	+ 10.044	+ 10.043	+10.044		
−	1.422		1.211			
T.P.	1504.781					
+	8.254		8.163			
=	1513.035	+ 4.634	+ 4.633	+4.634		
−	3.620		3.530			
T.P.	1509.415					
+	9.989		10.124			
=	1519.404	+ 6.101	+ 6.102	+6.101		
−	3.888		4022			
B.M.-M-16A	1515.516				1515.535	FD. C.E. Br. Cap Mon. on 2" I.P. set in Conc. on top of ridge. Up 6". Marked as shown. Pg. 14

COUNTY ENGINEER
B.M.
M-16A
E. 58

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 00952 SURVEY OF Market St, Newhall NOTES RED. DATE
SURVEY BY C.L. Wright
NOTES BY R.C. Bowers DATE 2/May/61 NOTES CHKD
INDEXED R.E. Ott DATE

F. B. 2678 Pg. 42

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. M-16A	1515.516				1515.535	Fd. C.E. Br Cap Mon, on 2" I.P. Set in Conc. on top of ridge - Up 6" & Marked as shown - Pg. 14
+	0526		0592			
↑	1516.042	+ 4.357	4357	-4.357		Fd. M-17, 1.1 Z ft N, Pg 14
−	4883		4949			
T.B.M.	1511.159					
+	5640		5539			
↑	1516.799	- 5.107	5103	-5.105		
−	10.747		10.642			
T.P.	1506.052					
+	0.601		0.520			
↑	1506.653	- 11.119	- 11.119	-11.119		
−	11.720		11.639			
T.P.	1494.933					
+	0528		0.696			
↑	1495.461	- 8.680	- 8.681	-8.680		
−	9.208		9.377			
T.P.	1486.253					
+	0.433		0.614			
↑	1486.686	- 10.111	-10.111	-10.111		
−	10.544		10.725			
T.P.	1476.142					
+	0.325		0.620			
↑	1476.467	- 10.403	-10.401	-10.402		
−	10.728		11.021			
T.P.	1465.739					
+	0.230		0.544			
↑	1465.969	- 6.506	-6.506	-6.506		
−	6.736		7.050			
T.P.	1459.233					

COUNTY ENGINEER
B.M.
M-16A
R.E. 5859

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0095.12 SURVEY OF Market St. Network
DATE _____ SURVEY BY C.L. Wright
NOTES dkwd WAGNER NOTES BY R.C. Bowers DATE 2 May 61
DATE _____ INDEXED H.E. OTT DATE _____

F.B. 2678 Pg. 43

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1459.233					
+	0.415		0.526			
↗	1459.698	-9.225	9.224	-9.228		
-	9.640		9.750			
T.P.	1450.008					
+	0.342		0.491			
↗	1450.350	-8.769	-8.769	-8.769		
-	9.111		9.260			
T.P.	1441.239					
+	0.550		0.774			
↗	1441.789	-10.423	-10.424	-10.423		
-	10.973		11.198			
T.P.	1430.816					
+	0.308		0.457			
↗	1431.124	-11.482	-11.482	-11.482		
-	11.790		11.939			
T.P.	1419.334					
+	0.732		0.798			
↗	1420.066	-8.660	-8.660	-8.660		
-	9.392		9.458			
T.P.	1410.674					
+	0.488		0.485			
↗	1411.162	-9.881	-9.882	-9.882		
-	10.369		10.367			
T.P.	1400.793					
+	0.966		0.874			
↗	1401.759	-8.030	-8.031	-8.030		
-	8.996		8.905			
T.P.	1392.763					

768420 S & E-853 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 95.12 SURVEY OF Market St, Newhall NOTES RED ____ DATE ____
SURVEY BY C.L. Wright
NOTES BY E.C. Bowers DATE 2 May 61 NOTES CHKD ____ DATE ____
INDEXED H.E.O.T. DATE ____

F.B. 2628 Pg. 44

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1392.763					
+	0.789		0.701			
↗	1393.552	-9.262	-9.264	-9.263		
−	10.051		9.965			
T.P.	1383.501					
+	0.970		0.849			
↗	1384.471	-8.891	-8.892	-8.891		
−	9.861		9.741			
T.P.	1374.610					
+	4.348		4.435	4.309		
↗	1378.958	-1.484	-1.526	-1.485		
−	5.832		5.961	5.785		
T.P.	1373.126					
+	4.992		4.870			
↗	1378.118	+3.340	+3.339	+3.340		
−	1.652		1.531			
B.M. M-21A	1376.466				1376.466	Fd. C.E. Br. Cap Button Mon., on 2" I.P., set in Conc. on Sa. S.H., up 6" Pg. 15, Marked as shown.
+	1.286		1.230			
↗	1377.752	-9.838	-9.836	-9.837		
−	11.124		11.066			
T.P.	1366.628					
+	0.420		0.579			
↗	1367.048	-11.180	-11.179	-11.180		
−	11.600		11.758			
T.P.	1355.448					
+	1.950		2.050			
↗	1357.398	-6.931	-6.930	-6.931		
−	8.881		8.980			
T.P.	1348.517					

COUNTY ENGINEER
B.M.
M-21A
R.E. 5869

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 00 25.12 SURVEY OF MARKET ST, NEWHALL
DATE SURVEY BY C. L. Wright
NOTES WHITE ROD WAGNER NOTES BY R. C. Bowers DATE 2 May 61
DATE INDEXED H. E. OTT DATE

F. B. 2678 Pg. 45

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1348.517					
+	1.751		1.616			
⊼	1350.268	- 7.613	- 7.611	- 7.612		
−	9.364		9.227			
T.B.M.	1340.904				1340.926	Fd M-22, 1+28 N., Pg. 15
+	2.342		2.223			
⊼	1343.246	- 6.504	- 6.508	- 6.506		
−	8.846		8.731			
T.P.	1334.400					
+	2.648		2.543			
⊼	1337.048	- 5.654	- 5.656	- 5.655		
−	8.302		8.199			
T.P.	1328.746					
+	3.561		3.450			
⊼	1332.307	- 4.783	- 4.787	- 4.784		
−	8.344		8.237			
T.P.	1323.963					
+	1.735		1.664			
⊼	1325.698	- 6.584	- 6.584	- 6.584		
−	8.319		8.248			
T.P.	1317.379					
+	3.011		2.889			
⊼	1320.390	- 4.753	- 4.753	- 4.753		
−	7.764		7.642			
T.P.	1312.626					
+	4.550		4.495			
⊼	1317.176	+ 0.074	+ 0.075	+ 0.075		(Fd. Bk. Spk. in lead on top of Conc. Pier, N. E. Con. Edison Tower #E 4-2 Pg. 16
−	4.476		4.420			
B.M. M-25A	1312.700				1312.719	

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 8095.12 SURVEY OF Market St. Newhall NOTES RED DATE
SURVEY BY C.L. Wright
NOTES BY E.S. Bowers DATE 3 May 61 NOTES CHKD.
INDEXED H.E. Ott DATE

F.B. 2678 PG. 46

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. M-29	1312.700 ✓				1312.719	Fd. Bt. Spk. in lead on Conc. Pier, N.E. Cor. Edison Tower #EA-2 Pg. 16
+	2.891		2.820			
↑	1315.591 ✓	-2.850 ✓	-2.850	-2.850		
−	5.741		5.670			
T.P.	1309.850 ✓					
+	3.582		3.481			
↑	1313.432 ✓	-2.978 ✓	-2.979	-2.978		
−	6.560		6.460			
T.P.	1306.872 ✓					
+	2.951		2.879			
↑	1309.823 ✓	-3.630 ✓	-3.629	-3.630		
−	6.581		6.508			
T.P.	1303.242 ✓					
+	4.239		4.150			
↑	1307.481 ✓	-2.061 ✓	-2.062	-2.061		
−	6.300		6.212			
T.P.	1301.181 ✓					
+	3.992		3.901			
↑	1305.173 ✓	-2.760 ✓	-2.760	-2.760		
−	6.752		6.661			
T.P.	1298.421 ✓					
+	4.090		4.112			
↑	1302.511 ✓	-1.999 ✓	-1.998	-1.999		
−	6.089		6.110			
T.P.	1296.422 ✓					
+	4.868		4.929			
↑	1301.290 ✓	-0.356 ✓	-0.355	-0.356		
−	5.224		5.284			
T.P.	1296.066 ✓					

76S420 S & E-383 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0095.12 SURVEY OF Makeup Stn. Hemet
DATE SURVEY BY C. L. Wright
NOTES BLUE WAGNER NOTES BY E. C. Bakers DATE 3 May 61
DATE INDEXED H. E. ON DATE

F. B. 2678 Pg. 42

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1296.066					
+	5.866		5.968			
=	1301.932	+2.700	+2.702	+2.701		
−	3.166		3.266			
T.P.	1298.766					
+	7.239		7.350			
=	1306.005	+0.736	+0.732	+0.735		
−	6.503		6.618			
B.M. 60-32	1299.502				1299.521	Fd. 60-32 State B.M. 26a-A-52. Golden State Highway 99, 0.6 mi. from Lyons Ave and on ℄ Const. Sta. 240+50.96 P.C.T., A State of Calif. Br. cap set in Conc. F.B. 2839-22, L.A.C. 1961 Adj. Elev. = 1299.521

F. B. 2478 PG. 48

JOB NO. _____ SURVEY OF _____ NOTES RED. _____

SURVEY BY _____ DATE _____

NOTES BY _____ DATE _____ NOTES CHKD. _____

INDEXED _____ DATE _____ DATE _____

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0095.12 SURVEY OF MARKET ST - NEWHALL
DATE _____ SURVEY BY C. L. WAGNER
NOTES INKD WAGNER NOTES BY C. L. W. DATE 3-MAY '61
DATE _____ INDEXED H. E. OTT DATE SEP 1 '61

F. B. 2678 P. 49

Bench Levels from B.M. 60-37 Southwest'ly via Market, Cross, and Maple Sts. to C.E. Mon. @ Int. South R/W Line of Maple & Valley.
J.N. 0095.12

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. 60-37	1270.356 ✓					(U.S.C.&G.S. K-53, 1929 Reset) (US 2063) Newhall at San Fernando Road and 8th Street in the S.E.'ly corner, 12.5 ft. E'ly from the E'ly curb and 3.0 ft. S'ly from the S'ly curb. A U.S.C.&G.S. bronze disk marked "K-53, 1926," set vertically in the S.W. brick wall 4.5' above the conc. walk. B.M. has not been stamped "Re-set." F.B. 2839 - 28 D.A.G. Adj. Elev. 1270.356
	- 2.339		- 2.170			
T	1265.017	- 9.196	- 9.194	-9.194		
	6.557		7.024			
T P	1261.160					
+	7.524		3.628			
T	1264.684	- 3.059	- 3.059	-3.059		
	6.583		6.687			
T P	1258.101					
+	4.233		4.144			
T	1262.334	- 2.588	- 2.588	-2.588		
	6.832		6.732			
T P	1255.513					
+	7.751		7.817			
T	1263.264	+ 3.250	+ 3.250	+3.250		
	4.561		4.567			
T P	1258.763					
+	6.806		7.008			
T	1265.569	+ 3.130	+ 3.134	+3.133		
	3.676		3.674			
T P	1261.893					
+	7.000		7.002			
T	1268.893	+ 6.250	+ 6.249	+6.250		
	1.553		1.653			
T P	1268.143 ✓					

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2095.12 SURVEY OF Mkt. St. (Artesia)
SURVEY BY C.L. WRIGHT
NOTES BY C.L.W. DATE 3-MAY '61
INDEXED H.E. OTT DATE

NOTES RED
DATE
NOTES CHKD
DATE

F.B. 2678 Pg. 58

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1268.143					
+	8.347		8.262			
Π	1276.490	+6.532	6.530	+6.532		
-	1.815		1.732			
T.P.	1279.675					
+	6.873		6.974			
Π	1281.548	+4.932	4.932	+4.932		
-	1.891		1.992			
TP	1279.657					
+	7.095		7.111			
Π	1286.702	+6.650	6.649	+6.650		
-	0.395		0462			
T.B.M.	1286.307				1286.312	F(M-A)
+	8.532		8.532			T.D. 2" I.D. BRASS CAP SET CONC. IN WELL
Π	1294.699	+7.730	7.731	+7731		COVER ELEV TAKEN ON U. RIM OF
-	0.462		0.301			BRASS CAP ON 4"
TP	1294.037					MARKED
+	10.740		10.636			P.G. 6
Π	1304.777	+9.419	9.423	+9.422		F.B. 594, 130
-	1.321		1.214			F.B. 2297,
TP	1303.456					F.B. 2345,
+	10.031		10.012			COUNTY ENGINEER ROAD • P.I. R.E. 5869
Π	1313.487	+9.718	9.718	+9.718		
-	0.312		0.294			
TP	1313.175					
+	11.645		11.684			
Π	1324.819	+11.399	+11.399	+11.399		
-	0.246		0285			
TP	1324.573					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 2095.12 SURVEY OF MKT. ST. NEWHALL
DATE SURVEY BY C. L. WRIGHT
NOTES CHKD. WAGNER NOTES BY C. L. W. DATE 3 MAY 61
DATE INDEXED H. E. OH DATE

F. B. 2678 Pg. 57

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T1	1324.573					
+	11.752		11.858			
T	1336.325	+11.574	11.573	+11.574		
−	0.299		0.255			
T2	1336.147					
+	11.911		1.902	11.845		
T	1348.118	+9.095	9.107	+9.092		
−	2.876		2.705	2.752		
T3	1345.242					
+	11.873		1.791			
T	1357.115	+11.523	11.526	+11.525		
−	0.350		0.265			
T4	1356.765					
+	11.071		10.933			
T	1367.836	+9.208	9.207	+9.208		
−	1.563		1.731			
T.L.M.	1365.973				1365.986	FD. KNOT CUT. IN (PAINT MARK) TOP CONC. FOOTING OF SOUTH TOWER LEG, EDISON TOWER # 214-7 30'± N. OF ℄ MKT. ST.
+	1.753		1.637			
T	1367.726	−7.338	7.337	-7.337		
−	9.091		8.974			
T5	1358.635					
+	0.549		0.472			
T	1359.184	−11.319	11.315	-11.316		
−	11.568		11.760			
T6	1347.616					
+	1.152		1.024			
T	1348.493	−9.393	9.393	-9.392		
−	10.575		10.417			
T7	1337.923					

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO 0095.12 SURVEY OF Mkt. St. Newhall NOTES RED:
SURVEY BY C.L. Wright DATE
NOTES BY C.L.W. DATE 3-MAY '61 NOTES CHKD.
INDEXED H.E. Ott DATE DATE

F.B. 2678 PG. 52

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1337.[illegible]					
+	0.697		0.548			
∧	1338.570	- 0.459	- 8.455	-8.458		
—	9.106		3.001			
TP	1329.464					
+	5.122		5.015			
∧	1334.586	+ 1.406	+ 1.408	+1.408		
—	3.716		3.607			
T.B.M.	1330.870				1330.889	Fd. C.S. Mon. 2" I.P. Brass Cap in Conc. (M-B)
+	8.888		8.989			DN 10' W/Iron Post Pg. 9, F.B. 594-135
∧	1339.758	+ 6.071	+ 6.06[illegible]	+6.071		
—	2.917		2.920			
TP	1336.841					
+	8.121		3.052			
∧	1345.062	+ 3.915	3.91[illegible]	+3.915		
—	4.206		4.137			
TP	1340.856					
+	7.955		3.091			
∧	1348.811	- 2.477	- 2.476	-2.476		
—	5.432		5.567			
TP	1340.379					
+	3.002		2.878			
∧	1343.381	- 5.682	- 5.685	-5.682		
—	8.654		8.563			
TP	1334.697					
+	3.304		3.225			
∧	1338.001	- 5.754	- 5.753	-5.753		
—	8.658		8.578			
TP	1329.343					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	329.143					
+	4.796		4.699			
=	334.139	+ 1.337	+ 1.336	+1.337		
−	3.459		3.363			
TP	330.680					
+	6.843		6.923			
=	337.523	+ 2.881	+ 2.880	+2.881		
−	3.962		4.043			
T.H.	333.561 ✓				1333.582	(M-E) Fd. C.S. Mon. 2" I.P. in Pavement Cap Set in Conc. on ℄ @ 7th & Valley Sts. & Southerly ℄ Line of Maple St. Marked ○ See Pg. 11, 38

COUNTY SURVEYOR
R. E. 6

NOTES RED. JOB NO. 2095.12 SURVEY OF Mkt. St. Metro. Sta.
DATE SURVEY BY C. L. W.
NOTES BY C. L. W. DATE 3-MAY '61
NOTES CHKD. WAGNER DATE
INDEXED R. E. OT DATE

F. B. 2678 Pg. 53

F. B. 2678 Pg. 54

JOB NO. _____ SURVEY OF _____ NOTES RED _____

SURVEY BY _____ DATE _____

NOTES BY _____ DATE _____ NOTES CHKD _____

INDEXED _____ DATE _____ DATE _____

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

Notes Ck'd by W. D. WAGNER	Survey of WILEY CYN RD.	F. B. 2678 Pg. 55
Map No. B-2851	JN 0095.13 Topo Std 84 °F	
Office Work J. S. EDWARDS	Surveyed by S. L. WRIGHT	
Checked W. D. WAGNER	Notes Cl. & W.I. Date 11 MAY '64	
Date FEB. 12 64	Indexed R. E. OTT SEP. 8 '64	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

SAN FRANCISCO RANCHO
BOUNDARY BETWEEN S.F. RO. #3 AND S.F. RO. #4± - ALSO CERTAIN SUBDIVISION LOT LINES AS INDICATED.
J.N. 0095.13

REFERENCES:
C.S. 9019
F.B. 658
F.B. 1455
TRACT 2703
" 3165

F.B. 2678 Pg. 56

NOTE: SEE PG. 98 OF F.B. FOR REPLACING W-3, W-2, W-1, C.L.W. '67 SEPT.

RECORD OF SF. RD. COR. POSITION #3

5.0±

T 3 N
R 16 W
SEC. 4

Fd. 3" I.P. CONC. PLUG & BRASS TUBE CTR F.B. 658-141

226.71

T 68°
31.63 @ 19-40 = 29.78
31.49 @ 19-00 = 29.77
29.77

197.84 @ 5-25 = 196.96
226.73
.02
226.71

Fd. 1½" I.P. CONC. PLUG & BRASS CARTRIDGE CTR. DN 0.4' IN WELL & COVER

Fd. 3" I.P. CONC. PLUG & BRASS TUBE CTR ON CUT BANK F.B. 658-141

005

T 68°
LEV. 30.13

W-1
0+00 S
SET 2x2 & NAIL DN 4"

30.13

682.86

TO A FD. S.W.T. 28.66 SOUTH OF C.S. MON. FD ON PG 11 & PROB. VALLEY ST. C.S.B. 2523

LYONS AVE.

T-66°
LEV

299.89
177.78
203.85
1.42
682.94
.08
682.86

82.41

T-70°
LEV. 82.42
.01
82.41

W-2
0+82.41
SET 1x2 & NAIL
5.00
SET 1x2 & NAIL

T-70°
LEV

300.36 @ 0-28 = 300.35
188.66
178.82
155.17
822.99
.07
822.92

SAN FRANCISCO RANCHO BOUNDARY LINE

TRANSIT 822.92

5' OFF TRANSIT LINE

W-3
9+05.33
SET 1x2 & NAIL
5.00
9+05.33
SET 1x2 & NAIL

CONT'D ON TOP PG 57

W.S. 67, A-3

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bld.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER | Survey of WILEY CYN RD.
Map No. B-2851 | INCO 25 13 Tape 154 Std 84 °F.
Office Work J. J. EDWARDS | Surveyed by C. L. WRIGHT
Checked W. D. WAGNER | Notes C. L. W. Date MAY '61
Date Feb. 1962 | Indexed B. E. 8M

F. B 2678 Pg. 57

Continued From Book Pg. 56

W-3
SET 1x2" NAIL
5.00
9+05.33
SET 1x2" NAIL

T3N
R16W
SEC 4

710.3'

16+15.54
SET SHISPK & W. DN 2"

NOTE! FOR ADD'L POINTS FOUND IN THIS SEC SEE PG 69

SAN FRANCISCO RANCHO BDY ± TRANSIT LINE

TRANSIT 814.95'

24+26.82
SET 1x2" NAIL DN. 3"

5' SEE 281.04'

SET 1x2" NAIL
27+07.63

T 60°
132.61 @ 9°-13' =
109.06 @ 3°-47' =
96.32 @ 26°-05' = 90.46'
96.07 @ 9°-43' = 90.44'
104.25 @ 17°-45' = 99.29'
104.39 @ 17°-59' = 99.29'
70.21 @ 13°25' = 68.29'
70.29 @ 13°-37' = 68.31'
499.95'

SET 1x2" NAIL
5.00
32+07.28
SET 1x2" NAIL

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not detach this sheet from this line.

CONT. FROM BOT. PG. 57

B. 3678 Pg. 58

5' OFF TRANSIT LINE

SET 1x2 NAIL

32+07.28

SET 1x2 & NAIL

T 80°
LEV. 12.18

12.18

32+19.46
FD. 1x2
& NAIL
PG. 32

SEE PG. 32 FOR THIS LINE

375.73

T 84°

118.41 @ 8°-21' = 117.15

79.26 @ 21°-49' = 73.58

79.07 @ 21°-29' = 73.58 = 73.58

191.52 @ 14°-59' = 185.01

191.39 @ 14°-51' = 185.00 = 185.00

375.73

WILEY'S CYN RD. TRANSVERSE PG. 64

W-9

PG. 64
87.50

SET 1x2 & NAIL

35+83.91

T 58°

LEV

186.43
48.49
162.18
233.96
631.06
111
630.95

234.00 @ 1°-04'

T 3N
R 16W
SEC. 4

SAN FRANCISCO RANCHO BDY. ±

TRANSIT

630.95

42+13.96

SET 1x2 & NAIL

W. SIDE WILEY'S CYN. RD.

CONT. ON TOP PG. 59

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this ... of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER
Map No. B-2851
Office Work J.J. EDWARDS
Checked W. D. WAGNER
Date Feb. 1964

Survey of WILEY CYN. RD.
JN 9295.3 Tape 154 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date MAY '61
Indexed N. E. [illegible]

F. B. 2678 Pg. 59

CONT. FROM BOOK Pg. 58

42+13.26
SET 1x2" NAIL
W. SIDE WILEY CYN RD.

T3N
R16W
SEC 4

Pg 16
333.66

1027.85'

M-D
SEE Pg 16
FOR INT.

PRELIMINARY LINE
MARKET ST. Pg. 16

280.98 @ 1-23 = 280.98
1427.38
1027.85

T 62
LEV. 300.33
211.66
235.16
280.98
1427.38

Δ 126 43 20
Δ 146 53 20
Δ 40 20 00
126 43 20

OLD 4 STRAND BARB WIRE FENCE

FD. 2" I.P. UP 4"
SET WOOD PLUG
& NAIL

SAN FRANCISCO RANCHO BDY

Pg 16

68.24

C.S. 9019
S.F. Rd. Sta. 41

126° 43' 20"

SAN FRANCISCO RANCHO

T 78
LEV. 40.

W-13
40.94
52+10.42
34°

25°

OLD 5 STRAND BARB WIRE FENCE

SET 1x24" NAIL
IN CLUMP OF ELDER.
THIS IS THE ONLY ELDER TREE WITHIN A RADIUS OF SEVERAL HUNDRED FEET. (PART OF THE ORIGINAL ROOT SYSTEM)
52+41.55
SET 1x2" NAIL

T 78
LEV. 31.13

16.838' ±
C.S. 9019
SAN FRANCISCO RANCHO BDY

℄ PT IN FENCE

SEC. 9

SEC 10, 11

SEE Pg 65
FOR THIS LINE

FD. 1455 - 23
FD. 2" I.P. WOOD PLUG & NAIL, DN. 8" ON WEST EDGE OF OILED RD.

S.F. Rd. #6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLD

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this [illegible] of this line.

F. B. 2678 PG. 60

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey of WILEY CYN RD.
JN 0095 13 Tape 154 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date JUNE '61
Indexed SEP 1 8 61

F. B. 2678 Pg. 61

TRAVERSE · WILEY CYN. RD.

REFERENCE:
C.S. MAP # 66664

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SAE #247 11-58

F. B. 2678 Pg. 62



①	118	15	00
②	113	00	00
③	349	30	00 ✓
	118°	15'	00" ✓

①	162	50	00
②	291	20	00
③	257	00	08 ✓
	162°	50'	00" ✓

①	145	32	00
②	222	08	00
③	153	11	40 ✓
	145°	31'	56⅔" ✓

202.63 ⓐ − 08 = 202.59 ✓

LEV.	2.13
	204.72 ✓
	.02 ✓
	204.70 ✓

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. O. WAGNER
Map No.
Office Work
Checked
Date

Survey of WILEY CYN. RD.
JN 2095.13 Tape 154 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W.
Indexed H. E. Ott

F. B. 2678 Pg. 63

CONT. FROM BOT. PG 62

SET 1x2¢ NAIL - W. BANK - WILEY CYN. WASH.

37° 07' 56 3/3"

TO 1x2¢ NAIL BOT. PG. 62

①	37	08	00
②	148	31	50
③	222	47	40
	37°	07'	56 3/3"

W-7
SET 1x2¢ NAIL

SET 1x2¢ NAIL IN ROAD FILL - (WEST SIDE)

EDGE TRAVELED DIRT RD. WIDTH VARIES

204.70

15°

22°

27.99

SET 1x2¢ NAIL TOP BERM

05"

T 82°
28.96 @ 14-51 = 27.99
28.84 @ 13-55 = 27.99

142° 52'

41

158°

123.92

SET 1x2¢ NAIL LINE PROP. S.W. BANK WILEY CYN. WASH

1-84 LEV

3°

40"

①	158	41	40
②	274	47	00
③	232	10	00
	158°	41'	40"

W-8
SET 1x2¢ NAIL TOP BERM S.W. SIDE WILEY CYN. RD.

20°

28.27

RE-SET DN. 8" 9-6-62 C.L.W.

T 84° LEV

290.40
5.68
296.08

296.08

CONT. ON TOP PG 64

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

70F3095 SAE #242 11-58

F. B. 2678 Pg. 64



CONT. ON TOP PG. 65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER	Survey of WILEY CYN. RD.	F. B. 2678 Pg. 65
Map. No.	JN 00295 13 Tape 154 Std 84 °F	
Office Work	Surveyed by C. L. WRIGHT	
Checked	Notes C. L. W. Date JUNE '61	
Date	Indexed H. E. OTT	

CONT. FROM BOT. PG. 64

① 163 - 35 - 00
② 294 - 20 - 00 ✓
③ 261 - 30 - 00 ✓
163° - 35' - 00" ✓

W-13
52+10.42
FD. 1×2
NAIL RG.59

913.26
163° 35' 00"
4.08
2.1
12.5
21.5

T82
LEV. 53.46

OLD 4 STRAND BARB WIRE FN.

IDENTICAL

S.F. RR. TRK. LINE

53.46

OLD 5 STRAND BARB WIRE FN.

① 31 55 00
② 127 40 00 ✓
③ 191 30 00 ✓
31° 55' 00" ✓

21.5

W-14
SET 1×2 & NAIL

EDGE OF DIRT RD.

T80
LEV. 193.92
" 204.20
3.17
401.29 ✓
.01
401.28 ✓

IDENTICAL

① 171 50 00
② 327 - 19 10 ✓
③ 310 55 80 ✓
171° 49' 50" ✓

31° 55' 00" ✓

401.28 ✓

SET 1×2 NAIL - LINE TROD.

IDENTICAL

50" ✓

49

IDENTICAL

171°

W-15
SET SHIP SPK & WASH. ON 5"

9°

5.5

10.5

9°

T 76
LEV.

300.42
50.72
351.14 ✓
.02 ✓
351.12

GATE

351.12

CONT. ON TOP PG. 66

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this file.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

787-2098 SBE #247 1-70

CONT. FROM BOT. PG 65

F. B 2678 Pg. 66



CONT. ON RIGHT SIDE PG. 67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER | Survey of WILEY CYN. RD
Map No. | JN 095.13 Tape 154 Std 84 °F
Office Work | Surveyed by C. L. WRIGHT
Checked | Notes C.L.W. Date 26 July 61
Date | Indexed H. E. ON

F. B. 2618 Pg. 67

W-20
FD. HI-WAY BRASS DISK SET CONC. DN 10" P.O.T. NO STATION MARKINGS

STATE HIGHWAY
976.23 ✓
975.92 (See Pg 96)

T 82°
LEV 162.48
LEV 171.45
LEV 169.48
LEV 187.56
LEV 203.79
LEV. 81.98
976.24 ✓
.01 ✓
976.23 ✓

CONT. FROM B.S. Pg. 66

1 x 2 & NAIL DN 4" PG. 66

W-18

86° 38' 50" ✓

192.72 ✓

CURB FACE

W-19
SET SQ SPK & T FL. IN PAV'T.
LEV 30.73

30.73

CUT + TOP CURB
CURB FACE

T 80°
LEV. 55.74
136.99
192.73 ✓
.01
192.72 ✓

SET 1 x 2 & NAIL DN 4" Pg

59.22 Pg 40

①	86	38 40
④	346	35 20
⑤	159	53 00 ✓
	86°	38' 50" ✓

T 80°
LEV. 217.75
.02 ✓
217.77 ✓

217.77

W-21

FD. HI-WAY BRASS DISK SET CONC. DN 10" PAINTED ON PAV'T.
205+51 64 P.O.T.

0.02

GOLDEN

W-22
FD. HI-WAY BRASS DISK SET CONC. DN. 10" PAINTED ON PAV'T.
193+05 94 P.O.T. AHD. =
192+55 15 EC. BACK. ALSO
H-19-V-7

C.L.W.
12-SEPT '62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3098 SAE #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2678 Pg. 68

Notes Ck'd by W. D. WAGNER
Map No.
Office Work
Checked
Date

Survey on WILEY CYN. RD
JN 0095.13 Tape 154 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date 8 JUNE 61
Indexed H. E. OTT SEP 1 5 '61

F. B. 2678 PG. 69

ADD'L. POINTS FOUND ALONG SAN FRANCISCO RANCHO LINE ±, (TRANSIT LINE)

T 3N
R 16W
SEC 4

SEE PG. 57

16+15 ±
FD. SHIP SPK & W. DN 2" PG. 57

T-76°
LEV 92.99

92.99
LINE
SAN FRANCISCO RANCHO LINE ±
TRANSIT LINE

24.88
FD. 2" I.P. & NO PLUG
SET WOOD PLUG & NAIL

150.07

24.86
NEW FD 2×2, NAIL & TAG * LS. 2504

T-74°
LEV. 150.08
.01
150.07

5.00
51 OFF
PG 57

FLUSH
25.12

FD 2×2, NAIL & TAG RE. 7858
DN 2"

80.05
25.12

80.08
25.19
64.19

FD. 2×2, NAIL & TAG RE. 7858 FLUSH

24+26.59
FD. 1×2 & NAIL ON 3" PG. 57

36.14
77.36
24.78
NEW FD 2×2 & TAG * LS. 2504

25.19
FD 1×2 & NAIL (NEW)

CONT. ON TOP PG. 70

SAN FRANCISCO RANCHO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SEK #247 11-59

F. B. 2678 Pg. 70

CONT. FROM BOT. PG 69



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of MARKET ST.
JN 0095.12 Tape 54 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date NOV '31
Indexed H. E. OTT FEB 8 1932

F. B. 2678 PG. 71

TIE LINE FROM U.S.C.&G.S. ΔSTA. EDISON 1932 TO P.I. #1, MARKET ST. NEWHALL.

J.N. 0095.12

REFERENCES:
F.B. 594
F.B. 947

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this file.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

F. B. 2678 Pg. 72

W.S. 62A-3



LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of MARKET ST.
Map No.	JN 0095.12 Tape 154 Std 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes C.L.W. Date Dec. '61
Date	Indexed H. E. OTT FEB 1 3 62

F. B. 2678 Pg. 73

TIE LINE FROM S.F. RO. STA. #3 TO L.A. CO. GEODETIC CONTROL STA. # NEWHALL E-3 AND CERTAIN A.S. AS INDICATED.

J.N. 0095.12

REFERENCES

F.B. 947 C.S.B-1248

F.B. 658

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

F. B 2678 PG 74



FD L.A. CO GEODETIC CONTROL STA. NEWHALL E-3 BRONZE TABLET SET IN 12" X 12" CONC. MON. UP 4" F.B. 947-67-68

1235.46 see pg 75

T 58°

300.15 @ 14-39 = 290.39		
299.86 @ 14-26 = 290.40	= 290.39	
LEV.	55.77	
300.26 @ 10-00 = 295.70		
300.06 @ 9-47 = 295.70	= 295.70	
270.26 @ 8-55 =	266.99	
300.58 @ 1-53 =	300.42	
LEV.	11.28	
LEV.	15.12	
	1235.67	
	.21	
	1235.46	

SAN FERNANDO RANCHO

RANCHO BDY LINE PER C.S.B-1248

SEC. 4
T 3 N
R 16 W

S.F. RO. STA 3 FD. 2 X 2, NAIL & TAG* RE. 72 11 PG. 56, 75

501

FD. 4" I.P. CONC. PLUG & BRASS TUBE CTR. PG. 56 F.B. 658:141 C.S.B - 1248

THIS LINE PER PG. 56

RANCHO BDY. LINE

W.S. 23-3

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W6.62.43

Notes Ck'd by	Survey of MARKET STREET
Map No.	JN 0095.12 Tape 159 Std 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes C.L.W Date 4-DEC'61
Date	Indexed H. E. OTT FEB 1 1962

F. B. 2678 PG. 75

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

USC&GS. △ STA. EDISON
FD. BRONZE TABLET SET
IN CONC. PG. 72
F.B. 947, 65, 66

(NEWHALL H-3)

①	8	06	30
④	32	25	45
⑥	48	38	45
	8°	06'	27½"

8° 06' 27½"

SAN FRANCISCO RANCHO

51° 45' 30" ✓

120° 08' 02½" ✓

66° 01' 10" ✓

"I.P." F.B. 658, 141 WITH C.S.B. 1248 ALSO PG. 510

FD. FILLED CONC. TUBE W/ BRASS CTR.

1235.46 Pg. 74

To STA. 32+07 2B
S.F. Rd. LINE Pg. 58

S.F. Rd. STA. #3
FD. 2x2 TAG #
R.E. 7211
Pg. 56, 74

△ STA. NEWHALL E-3
FD. BRONZE TABLET
SET IN CONC.
Pg. 74
F.B. 947-67, 68

①	51	45	15
④	207	02	00
⑥	310	33	00 ✓
	51°	45'	30" ✓

①	120	08	00
④	120	32	15
⑥	00	48	15 ✓
	120°	08'	02½" ✓

①	66	01	00
④	264	04	45
⑥	36	07	00 ✓
	66°	01'	10" ✓

①	173	51	00
④	335	24	15
⑥	323	06	15 ✓
	173°	51'	02½" ✓

To S.F. Rd. Sta. #2 ✓
RANCHO BDY.

T3N
R16W
SEC. 4

76F3098 S&E #247 1-56

F. B. 2678 Pg. 76



①	24	43	30
④	98	53	30
⑥	148	20	00
	24°	43'	20"

①	43	40	45
④	174	43	00
⑥	262	04	30
	43°	40'	45"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

X

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of MKT. ST.
JN 0095.12 Tape 154 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date 16 JAN '62
Indexed H. E. OTT FEB 13 '62

F. B. 2678 PG. 77

CERTAIN LOT LINES AS SHOWN - LOT 42 TRACT 2703,

J.N. 0095.12

REFERENCES:
TRACT MAP 2703 - 3

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this file.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 SSE #247 11-58

F. B. 2078 Pg. 78

W.S. 62 A-4

T 62°
LEV 108.16
2.02
110.18
.02
110.16

SET 1x2 ¢ NAIL TOP BRK

S.W. COR LOT 35 (+) SET 1x2 ¢ NAIL
TR. 1437

FD 1½" IP Pg. 18

NOTE THIS IS THE SAME AREA AS SEARCHED ON TOP Pg. 23 DEC. Pg. 0

110.16 — 154.87 — 113.33 Pg. 18

FD 1x2 ¢ NAIL Pg. 18

T 52°
166.51 @ 21-31 = 154.91
166.42 @ 21-27 = 154.89
154.90
.03
154.87

T 70°
LEV. 23.92

230.1

89°

SET 1x2 ¢ NAIL

N.W. COR (+) LOT 42 TRACT 2703

T 46°
159.90 @ 14-09 = 155.05
159.65 @ 13-47 = 155.05
155.05
.04
155.01

155.01

FD. 1x2 ¢ NAIL Pg. 23

T - 42°
LEV. 58.68
.02
58.66

58.61

FD. 1½" I.P., WOOD PLUG & NAIL UP 13" Pg. 23

LOT 42 TRACT 2703

LOT A3 TRACT 2703

LOT 54

T - 58°
LEV

172.52 @ 16-11 = 165.68
172.42 @ 16-06 = 165.66
246.67 @ 17-47 = 234.88
246.60 @ 17-53 = 234.88

32.84
165.67
234.88
433.39
.07
433.32

433.32

SEE Pg. 23
S. COR. LOT 43
FD. 1" I.P. & WOOD PLUG & NAIL UP 24"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of MARKET ST. (NEWHALL)
Map No.	JN 0095.12 Tape 154 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date JAN. '62
Date	Indexed H. E. OTT FEB 1 1962

F. B. 2678 PG. 79

IMPROVEMENT LOCATION
ALONG PRELIMINARY LINE
FROM CROSS ST. TO
INT. MAPLE & VALLEY STS.
NEWHALL AREA
J.N. 0095.12

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76E2028 BAE #247 11-58


F. B. 2678 Pg. 80
CONT ON BOT Pg 82
PRELIMINARY LINE
CONC. LANDING
COVERED PORCH
STEPS
RAMP
1 STORY FRAME & STUCCO DWELLING
COVERED BREEZE-WAY
1 STORY FRAME DWELLING
CONC. DECK
PLANTER
COVERED PORCH
8" PEACH TREE
6" ALMOND
CONC. LANDING
3/4" I.B.
ROSE GARDEN
8" CONC. 12" ITALIAN CYPRESS
CONC. DRIVE
CURB
4" CONC. CURB
END OF CONC. DRIVE
48" LIVE OAK
CONC. PLANTER DIVIDER
LAWN
10" ALMOND TREE
CONC. DIVIDER
PLANTER WIDTH 4'
LAWN
2" RISER & VALVE
ROW OF CHINESE ELM SHRUBS 4' WEST OF BOARD FENCE
END OF 4" CONC. CURB
60° BOARD FENCE 4' HIGH
EDGE PAV'T.
END
℄ CROSS ST.
CONC. GUTTER 2' WIDE
END OF CURB, WALK & GUTTER
FD. C.S. MON WELL & COVER Pg. 9,10 ALSO F.B. 594-135
FD. ⊕ CUT IN CONC. DRIVE Pg. 10
END OF CONC. DRIVE
℄ MKT ST.
FOR RIGHT SIDE SEE Pg. 81
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of NAT. ST. (NEUHALL
JN 0095.12 Tape 154 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date JAN 62
Indexed H.E. OTT
F.B. 2678 PG. 81
CONT. ON POT. PG. 82
FOR LEFT SIDE SEE PG. 80
PRELIMINARY LINE
30" LIVE OAK
3 ARIZONA CYPRESS
8" 12" 18"
6' BOARD FN.
2' APART
S.W.W.FN.
6' HIGH SOLID BOARD FENCE STARTS
GUY POLE
18" UMBRELLA TREE
1 STORY FRAME DWELLING
CONC. PORCH
MANY ORNIMENTAL SHRUBS
LAST TREE IN ROW OF ARIZONA CYPRESS
END CONC. DRIVE
END CURB
GUY WIRES
4 TREES AV. DIA - 4"
4" CONC. CURB
10" LOCUST TREE
1ST. TREE IN ROW OF ARIZONA CYPRESS
49" 3 BOARD FENCE ON S.W.W.FN.
SAME ON 35
24" PINE
48" LIVE OAK
DRIVE
0+32.21 FD ⊕ CUT IN CONC DRIVE PG. 10
END OF CONC.
PP STARTS HERE
END OF 4" CONC CURB
5'W.W FN
4' W.W. FN.
PP# 1382 110E
18" PALM TREE
4" F.H.
EDGE PAVT.
FD C.S. MON. W/ L.C. COVER - PG. 9, 10 ALSO F.B. 594-135
CROSS ST.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
76F3095 SAE #247 11-58

CONT. ON BOT. PG 83

F. B. 2678 PG. 82

ROW OF 4" IRRIGATION VALVES - P.P.# 898668E

6' W.W. FN.

5°

6+96°

6+92 7 — 48 —

6+89 9 — 75 1 — 84 8

6+87 3

ANCHOR GUY

5°

FENCE INT.

DRAIN

6' W.W. FN.

36" LIVE OAK

45 2

5+48 2

57°

5+43 7

24" CALIF. BLACK WALNUT

3 STRAND BARB WIRE

5+32 8 — 16 6 — 65 6

24 7 — 8 16 5 — 44 9 3 7

36" LIVE OAK

36" LIVE OAK

8" W.W. FN.

NATURAL — FL

3 STRAND BARB WIRE FN.

4+66 6

4+56°

59 2

64 3

4+41

4+57 53 FD. 1x2 N. PG 10

PRELIMINARY LINE

1 STORY FRAME BLDG.

16'

20 3

80 3

3+80 3

82°

3+64 4

6" APRICOT TREE

8' W.W. FN.

25 4

3+09 5

1/2" STAND PIPE - NO VALVE

8 1

3+06 5

2+76 7

39 8

6' W.W. FN.

8' W.W. FN.

40" FORKED OAK

2+38°

35°

37 6

2+32 3

6' W.W. FN

96 7

2+27 7

2'

2+19 2

2°

8' W.W. FN.

SOLID BOARD FN. 6' HIGH

2+17 6

2+15 82 FD. 1x2 N. PG. 10

2+15 2

7 3

30 4

SOLID BOARD FN. 6' HIGH

5' W.W. FN.

CONT. FROM TOP PG 80 & 81

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of MARKET ST. (NEWHALL)	F. B. 2678 Pg. 83
Map No.		JN 0095 12 Tape 154 Std 84 °F	
Office Work		Surveyed by C. L. WRIGHT	
Checked		Notes C. L. W. Date FEB. '62	
Date		Indexed H. E. OTT	

CONT. ON BOT PG 84

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg. Do not extend this tie of this line.

7RF3095 SSE f247 11-58

IRRIGATED PASTURE

IDENTICAL

5' W.W. FN.

FD 1X2 NAIL PG. 10, 11 ~ 10+72 M-4

NEW SUBDIVISION HERE

NEW DRIVEWAY

TOP OF CURB FACE

RAMP

SIDEWALK

NEW SIDEWALK

RADIAL PT. - CUL-DE-SAC

TOP OF CURB FACE

DRIVEWAY

END OF NEW CONC. SIDEWALK 4' WIDE

4' W.W. FN.

IDENTICAL

6' W.W. FN.

CONT. FROM TOP PG. 82

12+04 5

151 5

12+00 IRRIGATION

11+58 5

11+57 7

PASTURE

11+43 5

11+28 0

IDENTICAL

CORRAL

CORRAL FN. 3 BOARDS 5' HIGH

10+72 4.5

10+70 5

10+68 5

10+40 2

5' W.W. FN.

IDENTICAL

9+88 8

5' W.W. FN.

9+83 4

4' W.W. FN.

112 0

74 6

44 8

9+44 5

9+37 3

74 3

9+10 2

8+69 5

PRELIMINARY LINE

IRRIGATED PASTURE

7+59.05 FD 1X2 NAIL - M-3 PG. 10

37

59 5

13 3

48 8

7+05.9

6+96 0

83 8

R=10

Δ=45° 01' 50"

CORRUGATED ALUMINUM PUMP HOUSE

SWITCH & METER POLE FOR ELECT. PUMP

VALVES

CONC. SLAB UNDER 96" DIA. PRESSURE TANK 7' HIGH

FRAME HORSE BARN

3 RAIL FN 5' HIGH

CORRUGATED IRON PUMP HOUSE ELECTRIC TURBINE PUMP


F. B. 2678 Pg. 84
℄ MAPLE ST.
FD. S. W. ST. INT. VALLEY ST. & MAPLE ST. Pg 11
15+82
15+52
PP# 2594486
PP# 1401846
15+39
15+44.8
15+43
15+37
122
48" CMP CULVERT
GAS VALVE IN WELL & COVER
IDENTICAL
24" LIVE OAK
30" LIVE OAK
5' W.W. FN
772
192
626
14+87.8
14+82.3
315
14+70
14+75.2
583
14+62.2
14+66.8
93
14+50.5
19
3/4" HOSE BIBB
233
110°
14+37.4
FL.
14+08
BOARD FN. 3 BOARDS 4' HIGH
3 STRAND BARB WIRE FN
13+94.2
6" APRICOT TREE
13+66.4
13+80
13+61.8
13+68.2
13+65.2
13+57.2
13+51.2
13+39.2
LINE
35°
89.7
DRAIN
WOOD H.S. BRIDGE
3' CONC.
82.1
45.3
39.8
BRIDGE
DIRT DRIVE
MANY SHRUBS IN THIS YARD
LAWN
12" ELM
20.2
LAWN
PRELIMINARY
94.3
24" CMP.
82.2
18" ELM
41.5
1 STORY FRAME DWELLING Co.
41
5'
GATE
5°
CONC BLOCK WALL
78.5
14.0
15'
13+13.4
12+57.5
2.0
86.2
FL.
38.2
CONS. SLAB (HEAT PUMP?)
7.2
GARAGE
20.6
28.2
1½" RISER & VALVE
CONC. DECK
CONC. BLOCK WALL 4' HIGH
PATIO AREA
CONT FROM TOP Pg 83
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of MARKET ST. (NEWHALL)	F. B. 2678 PG. 85
Map No.		JN 0095.12 Tape 154 Std 84 °F	
Office Work		Surveyed by C. L. WRIGHT	
Checked		Notes C. L. W. Date Feb. '62	
Date		Indexed H. E. OTT	

CONT. ON DOT. PGS. 86, 87

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61


CONT. ON BOT. Pg. 88
F. B. 2678 Pg. 86
2 RAIL FN. 30" HIGH
CONC. PATIO
IRREGULAR
CONC. SLAB
1 STORY STUCCO
3 PRONG 30" LIVE OAK
BRICK WALK 30" WIDE AVENUE
3" SYCAMORE IN 5' DIA. BRICK PLANTER
W.M.
LAWN SPRINKLER SYSTEM
2 RAIL FN 30" HIGH
1 STORY STUCCO
CONC. SLAB
LAWN
2' WIDE PLANTER
W.M.
CONC. CURB 1' WIDE
R=25'
CONC. WALK
2" SYCAMORE
CONC. BLOCK WALL
R=42'
BLACKTOP DRIVE
CONC. BLOCK WALL 6' HIGH
CONC. BLOCK WALL 5' HIGH
CONC. SLAB
PP#13,810E
24" LIVE OAK
LAWN
CONC. SLAB
10" LIVE OAK
COVERED PORCH
1 STORY STUCCO HOUSE
CAR PORT & BREEZEWAY
CONC. LANDING
PLANTER
BLACKTOP DRIVE
CONT FROM TOP Pg 85
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
FOR RIGHT SIDE SET Pg 87
STREET
VALLEY

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of MARKET ST. (NEWHALL)
JN 0095/12 Tape 154 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. W. ADAMS Date FEB. '62
Indexed H. E. OTT

F. B. 2678 PG. 87

Cont. Bot. pg. 85



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

FOR LEFT SIDE SEE PG. 86

28.1
19+19.2 — 13.5 — 36" oak
19+09.0 — 35.0 — 30" oak
18+60.4 — 28.0 — 30" oak
18+52.6 — 26.8 — END
18+30.0 — 43.0
18+14.0 — 37.4 — END
18+05.0 — 3.0 — 40" oak
18+00.0 — 33.0
17+88.0 — 49.7 — 30" oak
17+72.0 — 29.2 — 40" oak 4-18" prongs
17+60.0 — 56.6 — oak 3-8" prongs
17+20.0 — 49.0 — oak 3-18" prongs
17+16.0 — 60.2
17+03.5 — 17.7 — 12" oak
17+01.0 — 51.0 — oak 5-12" prongs
16+99.0 — 27.7 — END
16+60.0 — 107.6

B.W. Fence
Brick Steps
3.1 conc. wk.
Gravel
Pool
Patio
Slope
Frame House
VALLEY ST.
FL
EP
WV

Cont. from top pg. 85

76F309S CE # 310 2-61

Cont. Bot Pg. 89

F. B. 2678 PG. 88



Cont. From Top Pg. 86 & 87

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of MARKET ST. (NEWHALL	F. B. 2678 PG. 89
Map No.	JN 0095.12 Tape 54 Std 84 °F	
Office Work	Surveyed by C.L. WRIGHT	
Checked	Notes C.W. ADAMS Date FEB. '62	
Date	Indexed H. E. OTT	

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

END OF IMPROVEMENTS

PRELIMINARY LINE

FD 1 X 2 8/NAIL M-6 PG. 11, 12 22+73.24

22+72.4



CONT. FROM TOP P. 88

76F3095 CE # 310 8-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 2678 Pg. 90

Notes Ck'd by	Survey of MARKET ST. (NEWHALL)
Map No.	JN 0095.12 Tape 154 Std. 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date FEB. '62
Date	Indexed H. E. OTT

FEB 1 5 '62

F. B. 2678 PG. 91

TRIANGULATION TIE ACROSS TRAVERSE - MARKET ST. SURVEY, NEWHALL

J.N. 0095.12

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this field of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SEE #247 11-59

F. B. 2678 Pg. 92

① 127	33	40
④ 150	14	20
⑥ 45	21	30 ✓
127°	33'	35" ✓
① 32	10	20
④ 128	41	30
⑥ 193	02	00 ✓
32°	10'	20" ✓
① 64	03	40
④ 256	14	20
⑥ 24	21	20 ✓
64°	03'	33 1/3" ✓
① 31	53	20
④ 127	33	00
⑥ 191	19	30 ✓
31°	53'	15" ✓
① 95	23	10
④ 21	32	30
⑥ 212	19	00 ✓
95°	23'	10" ✓

① 49	03	10
④ 196	12	30
⑥ 294	19	00 ✓
49°	03'	10" ✓
① 84	37	00
④ 338	27	20
⑥ 147	41	20 ✓
84°	36'	53 1/3" ✓
① 63	30	10
④ 254	00	30
⑥ 21	00	40 ✓
63°	30'	06 2/3" ✓

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes or This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of MARKET ST. (NEIGHALL)
JN 0095.12 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date JUL 16 '62
Indexed C. J. GALLI JUL 16 '62

F. B. 2678 PG. 93

TRIANGULATION TIES TO ℄ U.S. #99 HIGHWAY - WEST OF WILEY CYN. RD.

J.N. 0095.12

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-81

F. B. 2678 PG. 94

①	13	45	40
④	55	02	30
⑥	82	33	50
	13°	45'	38 1/3"
①	49	35	30
④	198	22	10
⑥	297	33	10
	49°	35'	31 2/3"
①	53	33	50
④	214	15	00
⑥	321	22	20
	53°	33'	43 1/3"

△ STA. NEWHALL E-3
FD. BRONZE TABLET SET IN CONC. PG. 75
F.B. 947 - 67-68

①	54	01	40
④	216	06	40
⑥	324	10	00
	54°	01'	40"

To S.F. Rd. STA. 3

15°-45'-40"

45+47.35
FD. 1X2 C.N.
PG. 161, 59
(INT. MASKET ST. PRELIMINARY LINE & S.F. Rd. LINE +-)

SEE PG. 96 FOR NEW CHAINING AUG. 62 C.L.W.

49°-35'-30"

53°-33'-45"

54°-01'-40"

SAN FRANCISCO RANCHO LINE +-

72°-24'-30"

SET 1X2" NAIL - LINE PROJ. THRU. POINTS AS ENDWISE

△ STA. NEWHALL E-5
FD. 2" I.P. PLUG, CHAIL TOP OF SHARP PUNCH
F.B. 947-55, 60

T-78°
238.63 @ 0-46 = 238.61
.01
238.60

238.60

172°-14'-50"

69°-04'-50"

W-20
FD. HI-WAY BRASS DISK SET IN CONC. DN 10" P.O.T. NO STA. MARKING. PG. 67

W-13
(SF Rd COR #4+)
52+10 42
FD. 1X2" C.N.
PGS. 59, 65

1214.51

SEE PG. 96 FOR NEW CHAINING AUG 62 C.L.W.

①	69	04	50
④	276	19	20
⑥	54	28	50
	69°	04'	48 1/3"
①	172	14	00
④	328	56	10
⑥	313	24	20
	172°	14'	05"
①	72	24	20
④	289	37	50
⑥	74	22	50
	72°	24'	28 1/3"

976.23
975.92
72.67
3.92

US #99 HI-WAY

W-19
FD Sq. SHK. C.T. FL. IN PVMT. PG. 67

TRAVERSE LINE - WILEY CYN RD. PGS. 65 - 67

FD. HI-WAY MON. W-22
BRASS DISK SET IN CONC. DN 10" PG. 67

193+05.94 P.O.T. AHD.
193+85.15 BCK.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of WILEY CYN RD	F. B 2678	PG. 95
Map No.	JN 0095.13 Tape 175 Std 84 °F		
Office Work	Surveyed by C.L. WRIGHT		
Checked	Notes C.L.W Date AUG. '62		
Date	Indexed C. J. GALLI AUG 21 '62		

ADDITIONAL TRIANGULATION & CHAINING - WILEY CYN. RD & U.S. HIGHWAY #99 NEAR NEWHALL.

J.N. 0095.13

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

C.L. WRIGHT
B.A. PEAVY
W.F. BARNETT
R.M. TERRAZONE

76F3095 CE # 310 3-61

F. B. 2678 Pg. 96



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of WILEY CYN. RD
Map No.	JN 0095.13 Tape 175 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C.L.W. Date 5 SEPT '62
Date	Indexed C. J. GALLI SEP 1 3 '62

F. B. 2678 PG. 97

REPLACEMENT OF POINTS DESTROYED BY L.A.Co.RD.DEPT.

J.N. 0095.13

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F3095 CE # 310 3-61

C. L. WRIGHT
C. W. ADAMS
B. A. PEAVY
W. F. BARNETT
R. M. TERRAZONE

F. B. 2678 Pg. 98

(W-1)
0+00 5
FD. NEW 2X2
SET FLUSH
IN PVMT.
TIES CHECK PG. 56
℄ LYONS

5.00

82.41

SET NAIL
IN PVMT.

AVE

T 76°
LEV. 82.41 ✓

W-2
SET 1X2
& NAIL DN 6"

5.00

0+82.41
SET 1X2 ℄ N.
DN. 6"

T 76°
LEV. 156.13
155.58
162.98
165.09
159.27
29.92
.93
822.90 ✓
.04 ✓
822.92 ✓

BDY. ℄ LINE

822.92

PP# 1383170E

18°

9+05.29
(W-3)
SET 1X2 ℄ N.
DN 6"

10°

ROADWAY

0.0°

5.0°

9+05.33
SET 1X2 ℄ N.
DN 6"
PG. 156

OFFSET

T 96°
LEV
153.22
156.28
159.27
155.54
158.74
159.09
158.64
177.10
1277.83 ✓
.10 ✓
1277.93 ✓

1277.93

PP# 1383176E

23°

18°

ENTRANCE

21+83.26
SET S.W.T.
DN 4"

T 96°
LEV
154.77
155.08
156.72
139.11
605.68 ✓
.05
605.73 ✓

5'

605.73

STAN

(W-4A)
27+88.99
FD. 1X2 ℄ N. - PG. 62
UP 3" IN BOTTOM OF
DRAIN DITCH ALONGSIDE
WILEY CYN. RD.

TO W-5 PG. 62 ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 0095.13 Division No.
No. Date Date Survey of WILLEY CYN. RD. F. B. 2678 PG. 99
X-Sec. Notes "CARL WAGNER Checked Survey by C.L. WAGNER Notes C.L.W. Date FEB. '62
No. Date Date Map No. Indexed J. GATT Date SEP 13 '62

STATION	B. S.	H. I.	F. S.	ELEV.		
		LEVELS OVER "W" POINTS AS INDICATED. WILEY CYN. RD.			J.N. 0095.13 (NEAR NEWHALL)	
					(GOLDEN STATE HIGHWAY 99, 1.2 MI. FROM LYONS AVE. AND 80FT. LEFT OF CENTERLINE STA. 215+90. FD. A STATE OF CALIF. BRONZE TABLET STAMPED 24F40 SET IN CONC. F.B. 2839-22 L.A. CO. 1961 ADJ. ELEV. 1338.292 ✓	
B.M. 60-31				1339.292		
	4683	1342.975				
W-20			6577	1336.398	FD. HI-WAY BRASS DISK SET IN CONC. DN 10" PC. 67	
					1330.396 Adjusted Elev.	
	6261	1342.659				
TP			5698	1336.961		
	3093	1340.059				
TP			6804	1333.255		
	3519	1336.774				
TP			5815	1330.959		
	4677	1335.636				
					1333.172 Adj Elev.	
T.B.M.			2455	1333.181	FD. BOLT HEAD. 1' N. OF S. END. HEADWALL (1923) E. SIDE S. LANES US 99 (STA. 209+16)	
	6007	1339.188			1333.586 Adj Elev.	
W-19			5591	1333.597	FD. SQ. SPK & T. FL. IN PVMT. PC. 67	
	5568	1339.165			1334.498 Adj Elev.	
W-21			4654	1334.511	FD. HI-WAY BRASS DISK SET IN CONC. DN 10' PC. 67	

76298 S & E #307—7-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

F. B. 2678 Pg. 100 | Job No. 0095/13 Division No. | Notes Red. | Plotted | Profile
Survey of Willey Cyn. Rd. | Date | Date | No.
Survey by C.L. Wright | Notes C.L.W. | Notes Chkd. | Checked | X-Sec.
Indexed E. J. Gauld | Date 7-8 SEPT. '62 | Date | Date | No.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
W-21				1334 511	Fd. Hi-Way Brass Disk Set in Conc. Dn. 10' Pg. 67	
	4 613	1339 124			1334.498 Adj Elev.	
W-19			5 528	1333 596	Fd. Sq. Spk. & T. Pg. 67, 99 (Ft. in Ann.	
	3 775	1337 374			1333.581 Adj Elev.	
W-18			7 854	1329 520	Fd. 1x2 & N. Dn 4"	Pg 66, 67
	3 781	1333 301			1329.503 Adj Elev.	
W-17			6 530	1326 771	Fd. 1x2 & N. Dn 6'	Pg. 66
	4636	1331 407			1326.753 Adj Elev.	
W-16			5 196	1326 211	Fd. 1x2 & N. Dn. 4"	Pg. 66
	4944	1330 655			1326.191 Adj Elev.	
TP			5 852	1324 803		
	4 718	1329 521				
W-15			5701	1323 820	Fd. Spk & W. Dn. 5"	Pg. 65
	5 098	1328 918			1323.796 Adj Elev.	
			7 324	1321 598		
	3 153	1324 781				
W-14			5276	1319 505	Fd. 1x2 & N. Flush	Pg. 65
	3 560	1323 065			1319.477 Adj Elev.	
W-13			4 994	1318 071	Fd 1x2 & N. Flush	Pg. 65
	2812	1320 883			1318.041 Adj Elev.	
TP			6 650	1314 233		

761-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
TP				1314 339	
	3 982	1318 245			
TP			6 472	1311 763	
	5 813	1317 551			
BM. M-25			4 800	1312 756	FD. BOLT & SPK. IN LEAD ON TOP OF CONC. PIER N.E. COR. EDISON TOWER #E4-2
BM. M-25A				1312 719	PG. 16 & 45. ADJ. ELEV. 1312.719
	1 657	1314 406			
TP			6 650	1307 726	
	4 773	1312 459			1306.247 Adj Elev.
W-12			6 211	1306 248	FD. 1X2 IN. DN. 6" PG. 64
	5 101	1311 349			
TP			6 479	1304 870	
	3 382	1308 752			
TP			7 431	1301 321	
	4 810	1306 131			1303.350 Adj Elev.
W-11			2 779	1303 352	FD. 1X2 IN. FLUSH PG. 64
	4 767	1305 119			1302.939 Adj Elev.
W-10			5 178	1302 941	FD. 1X2 IN. DN. 6" PG. 64
	5 568	1308 509			1303.233 Adj Elev.
W-9			5 275	1303 236	FD. 1X2 IN. DN. 3" PG. 64

Profile Notes Red Plotted Job No. 2935/3 Division No.
No. X-Sec. Date Survey of WILLEY CYN. RD.
Notes Chkd. W. D. WAGNER Checked Survey by C. L. WAGNER Notes C. L. W. Date 7 SEPT. '62
No. Date Map No. Indexed C. J. GALLI Date
F. B. 2675 Pg. 101

F. B. 2678 Pg. 102 | Job No 0095.13 | Division No | Notes Red | Plotted | Profile

Survey of Wilcox Cyn. Rd. | Date | No | X-Sec.

Survey by C. L. WARNT | Notes C. L. W | Notes Cked | Checked | Date | No

Indexed C. J. GALLI | Date SEPT. '62 | Date | Date | No

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
M-9				1303.236	Fd. 1x2 9N. DN. 3" Pg. 64	
					1303.233 Adj Elev.	
	4450	1307686				
T.P.			5691	1301995		
	9803	1305798				
					1299.324 Adj Elev.	
W-8			6470	1299.323	Fd. 1x2 9N. DN. 8" Pg. 63	
	4771	1304099				
					1294.194 Adj Elev.	
W-7			9901	1294198	Fd. 1x2 9N. ON FILL BANK - FLUSH Pg. 63	
	8429	1302627				
					1296.593 Adj Elev	
W-6			6090	1296.597	Fd 1x2 9N. DN 6" Pg. 62	
	2575	1299172				
					1291.944 Adj Elev.	
W-5			7228	1291949	Fd. 1x2 9N. DN. 6" Pg. 62	
	4207	1296156				
					1289.516 Adj Elev.	
W-4			6628	1289521	Fd 1x2 9N. IN ROAD GUTTER FLUSH Pg. 62	
	3559	1292580				
					1288.913 Adj Elev.	
W-4A			3961	1288919	" " " " " " UP 3" "	
	1230	1290149				
TP			7380	1282769		
	5861	1296630				
TP			5315	1291315		
	4741	1286056				
					1280.672 Adj Elev.	
21+83.26			5377	1280679	Fd. S.U.T. 1/4 99 DN 4" (21+83.26)	

76L-298 S & E #307-1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
21+83.26				1280.672	FD. B.M.T. DN. 4" PG. 98	(21+83.26)
					1280.672 Adj Elev.	
	1639	1282 311				
			5415	1279 903		
	3 611	1283 514				
			5 520	1273 054		
	3 641	1281 695				
			5 490	1276 206		
	3 290	1279 496				
			5 870	1273 623		
	3 683	1277 306				
			5705	1271 601		
	4 235	1275 836				
					1270.174 Adj Elev.	
W-3			5 653	1270 183	FD. 1x2 & NAIL - DN. 6"	PG. 98
	3 786	1274 969				
TP			5 511	1268 458	SPK.	
	3 638	1272 096				
TP			5 613	1266 483	SPK.	
	3 272	1269 755				
TP			6095	1263 660	SPK.	
	3 740	1267 400				
					1261.322 Adj Elev.	
W-2			6069	1261 331	FD. 1x2 STK. & NAIL - DN 6"	PG 98

Profile Notes Red Plotted Job No. 13857/3 Division No.
No. X-Sec. Date W.D. WAGNER Date Survey of Wiley Cyn. Rd.
Notes Chkd. Checked Date Survey by C.J. GALLI Notes Chkd. Date 7-11-62
No. Date Date Map No. Indexed C. J. GALLI Date
F. B. 2667/8 Pg. 98

76L-298 S & E #307—1-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2678 Pg. 104 | Job No 2295.3 | Division No | Profile
Survey of Valley Cyn. Rd. | Plotted | No | X-Sec.
Survey by C.L.W. & T.G.K. | Notes Red | Date | No
Indexed | Notes Cbkd. | Checked | Date
C. J. GALLI | Date Sept. '62 | Date | No

STATION	B. S.	H. I.	F. S.	ELEV.	
W-2				1261 331	F.D. 1x2 STK. & NAIL - DN. 6" Pg 98 1261.322 Adj' Elev.
	4 545	1265 876			
W-1			4 877	1260 999	F.D. 2x2 STK. IN PVMT. (FLUSH) Pg 98 1260.989 Adj Elev.
	5 380	1266 379			
TP			6 009	1260 370	SPK.
	4083	1264 453			
TP			6402	1258 051	SPK.
	3 462	1261 513			
B.M. 60-34			4 249	1257 264	LYONS AVENUE & FOURL ROAD, 1.5 MILES WEST OF NEWHALL, 27.0 FT. N. OF THE CENTER LINE OF LYONS AVE., 34.5 FT. E. OF THE CENTER LINE PRODUCED OF FOURL RD., 2.5 FT. N. OF POWER POLE NO. 1072624E AND 49.5 FT. N. OF POWER POLE NO. 1072625E. A COUNTY ENGINEER B.M. BRASS CAP MONUMENT MARKED "BM 60-43, 1960, R.E. 5869," SET IN A 12 INCH CONC. POST. F.B. 2839-25 L.A. CO. 1961 ADJ. ELEV = 1257.254 ✓

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 205.13 Division No.____
No.____ Date____ Date____ Survey of WILEY CYN. RD.
X-Sec. Notes Chkd WAGNER Checked____ Survey by C.L. GALL Notes C.L.G. Date SEPT. '62
No.____ Date____ Date____ Map No.____ Indexed C. L. GALL Date____

F.B. 2618 Pg. 105

STATION	B.S.	H.I.	F.S.	ELEV.		
	ELEVATION ON PRELIMINARY LINE)	ON	M-D -	(INT. WILEY CYN. RD. & MARKET ST.		
B.M. M-25A				1312.719	FD. BOAT SPK. IN LEAD ON TOP OF CONC. PIER N.E. LEG EDISON TOWER #E4-2 Pg. 16, 45, 101	
	1.873	1314.592				
A.P.			6.013	1308.579	FD 1X2 3/4" IN 6" Pg. 16, 59	
	5.824	1314.403			★ Accepted Elev.	
B.M. M-25A			1.685	1312.718	SEE 4 LINES ABOVE	
	ELEVATION ON		W-22 (℄	U.S. #99, Pg. 67)		
W-21				1334.511	FD. CALTRANS HIGHWAY BRASS DISK SET CONC. ON 10" Pg. 67, 99. (℄ U.S. 99)	1334.498 Adj Elev.
	8.131	1342.993				
TP			3.465	1339.483		
	7.723	1347.306				
TP			3.611	1343.585		
	8.155	1351.720				
TP			3.240	1348.480		
	6.869	1355.349				
TP			2.171	1353.178		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2678 Pg. 106 Job No. 8209-5/3 Division No. Notes Red Plotted Profile
Survey of Ayley Cyn. Rd. Date Date No. X-Sec.
Survey by C.L. Wrenn Notes C.L. Jr. Notes Chkd. Checked
Indexed E. L. Gall Date Sept. '62 Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
TP				1355.178		
	6.029	1361.207				
TP			3.684	1357.523		
	5.368	1362.093				
W-22			5.251	1356.842	Fd. Calif. Dept. Highways Triangulation Mon. in 18" Pg. 67	
	9.300	1364.142			~1355.892 Adj Elev.	
TP			4.040	1360.102		
	6.800	1366.932				
TP			3.653	1363.279		
	6.537	1369.816				
TP			3.209	1366.607		
	6.069	1372.740				
B.M. 60-30			2.01*	1370.727	Golden State Highway 99. 1.7 mi. S'ly from Lyons Ave. and 89 ft. West'ly of ℄ Const. Sta. 195+28 Fd. A State of Calif. Bronze Tablet Stamped 24F40 set in Conc. F.B. 2939-22 L.A. Co. 1961 Adj. Elev. 1370.744 ✓	

Notes Ck'd by W. D. WAGNER	Survey of LYONS AVE	F. B. 2678 Pg. 107
Map No. B-2851	JN 0095.57 Tape 175 Std 84 °F	
Office Work J. J. EDWARDS	Surveyed by C. L. WRIGHT	
Checked W. D. WAGNER	Notes C. L. W. Date SEPT. '62	
Date Feb. 1964.	Indexed B. J. CALLI NOV 15 '62	

PROPOSED LINE CHANGE — LYONS AVE. W. OF WILEY CYN. RD. PER RD. DEPT. STAKING PLAN AND OTHER LINES AS SHOWN ON INDEX J.N. 0095.57



PARTY
C. L. WRIGHT
J. G. RANDALL
E. A. PEAVY
W. F. BARNETT
R. M. TERRAZONE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

78F3098 CE # 310 3-61


TO B.C. SQSPK&T PG 162
F. B. 2678 PG. 108
FD. 2X2 C.N. PG 98, 112
0+00 SOUTH EAST WEST
OLD & WILEY CYN RD
SAN FRANCISCO RD. BDY
LYONS AVE.
C.L.W. JAN 63 2016
SET SQSPK&T.
PROPOSED WILEY CYN. RD.
CALC. B.C. TO B.C. 3+14.28
192.79
T 80°
LEV. 189.10
8.66
192.76
.01
192.75
R.P.B.C. SET 2" I.P. CONC. PLUG, L.A.CO. ENGR. TAG UP 4"
N 19°15' W
B.C.
5.00
30.00
SET SQSPK&T.
R.P.B.C. SET 2" I.P. CONC. PLUG L.A.CO. ENGR. TAG UP 4"
CURVE: R 1000' Δ 4° 03' 08" T 35.38 L 70.72 CHORD 70.71
T 80° LEV. 105.95
P.R.C. 2+63.47 W.
CURVE: R 1000' Δ 4° 03' 08" T 35.38 L 70.72 CHORD 70.71
35.38
80° LEV. 35.38
E.C. 3+34.19 W.
30.00
30.00
R.P.E.C. SET 2" I.P. CONC. PLUG L.A.CO. ENGR. TAG UP 4"
R.P.E.C. SET 2" I.P. CONC. PLUG L.A.CO. ENGR. TAG UP 4"
EXIST R/W
EXISTING C.L. 78 1/2" I.P. CONC. PLUG & BRASS SHELL CAP. L.A. 56
EXIST R/W
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER	Survey of LYONS AVE	F. B. 2678 PG. 109
Map No. [redacted]	JN 0095.57 Tape 115 Std 84 °F	
Office Work J. J. EDWARDS	Surveyed by C. L. WRIGHT	
Checked	Notes C. L. WRIGHT Dates SEPT. '62	
Date	Indexed C. J. GALLI NOV 1 5 '62	

W. E. 9-21-89
C. R. 6-0263
E. L. MOSCOVITHTZ

PROPOSED LINE CHANGE ON WILEY CYN. RD. SOUTH OF LYONS AVE., INT. PER RD. DEPT. STAKING PLAN.

J.N. 0095.57

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PARTY
C. L. WRIGHT
T. G. RANDALL
B. A. PERRY
W. F. BARNETT
R. M. TERRAZONE

76F309S CE # 310 3-61

F. B. 2678 Pg. 110



MARKED
SET C.E. MON. 2" I.P. & BRASS CAP SET IN CONC. DN 18"

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by W. D. WAGNER	Survey of LYONS AVE	F. B. 2678 PG. 111
Map No. B-2851	JN 0095.57 Tape 175 Std. 84 °F	
Office Work J. J. EDWARDS	Surveyed by C. L. WRIGHT	
Checked W. D. WAGNER	Notes C. L. W. Date SEPT '62	
Date FEB. 1964	Indexed C. J. GAUDI NOV 1 5 '62	

℄ - LYONS AVE FROM
INT. WILEY CYN. RD. EASTLY
TO ARCADIA ST.

J.N. 0095.57

C.S.B-2523

F.B. 973

PARTY
C.L. WRIGHT
J.G. RANDALL
B.A. PERRY
W.F. BARNETT
R.M. TERRAZONE

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this data on this line.

76F3098 S&E #247 11-58

CONT. BOT. PG 113

F.B. 2678 PG. 112



W S 6 2

4-3

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER
Map No. B-2851
Office Work J. J. EDWARDS
Checked W. D. WAGNER
Date Feb. 1964

Survey of LYONS AVE
JN 0095.57 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date SEPT '62
Indexed J. GALLI

F. B. 2678 PG. 113

CONT. BOT. PG 114

4-3

W S 62

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61

86°
LEV 178.98
" 125.79
" 45.35
350.12
12+43.71

30' 30'

350.12 ✓

LYONS AVE

12+43.44
SET SQ SPK & T. BETWEEN PRORATE DIST. 3+40.92 PER LS 25-30 & 1+34.52 PER LS 25-30

FD RR SPK. & PUNCH MARK ON 1"
REF RD DEPT. F.B. 493-3

SET SQ SPK & T.
12+38.30

5 14 ✓

ATWOOD BLVD. TRANSIT LINE
SEE PG. 142

Atwood Blvd

90° 00 00
360 00 00
90° 00' 00"

T 86°
LEV. 161.12
" 152.98
" 36.65
350.75 ✓

30' 30'

350.75 ✓

LYONS

SET SQ SPK & T.
PRORATE DIST. BETWEEN 0+34.91 & 1+23+40.92 PER LS 25-30
8+93.46

FD. SQ SPK & T. 0.10 DN 1" REF. RD DEPT. F.B.N 493-3

0.35

DEWOLFE RD. TRANSIT LINE
SEE PG. 148

5 91 ✓

SET SQ SPK & T.
18+87.55

Dewolfe Road

350.84 ✓

T 96°
LEV 140.69
" 155.32
" 54.80
350.81
.03
350.84

30' 30'

CONT. FROM TOP PG 112

F. B. 2678 Pg. 114 CONT. FROM TOP PG. 115



Notes Ck'd by W. D. WAGNER	Survey of LYONS AVE	F. B. 2678 Pg. 115
Map No. B-2851	JN 0095.57 Tape 175 Std 84 °F	
Office Work J. J. EDWARDS	Surveyed by C. L. WRIGHT	
Checked W. D. WAGNER	Notes C. L. W. Date SEPT. '62	
Date FEB. 1964	Indexed E. J. GALLI	

A-3

WS 62

CONT ON BOT PG 116

30' 30'

T 90°
LEV 205.06
150.65
156.85
152.77
665.36
.03
665.36

SET SQ. SPK & T.
1 41+08 0⅙

AVE

LYONS

T 90°
LEV 233.11
156.14
155.12
152.33
696.70
.03
696.73

FD 2" I.P. BENT SOUTH WEST
TIES IN JOINT WITH CURB
GOES STRAIGHT DOWN

FB 973-202
C.S.B-2523
34+36.90

2994

696.73

34+18.95
FD SPK & T.
FB 973-202
C.S.B-2523

0.02

RD DEPT.
F.B. 493-5

7.62
25.57

20'

SET SQ SPK & T.
34+11.38

SEE PG. 120 FOR THIS LINE
TRANSIT LINE - PEACHLAND AVE

34+17.08
SET
SHIP SPK W.
DN.

575

20'

NOTE: THIS POINT SET 20.00' WEST'LY OF REC. POSITION OF 2" I.P. NOW FD @ STA 34+36.90 BUT ON C.S.B-2523 WAS @ STA. 34+37.08. I ASSUMED THE SPK & T. FD. @ STA. 34+18.95 IS STILL ON RECORD POSITION PER C.S.B-2523 & THE 2" I.P. HAS BEEN BENT SOUTH WEST.

628.17

T 92°
LEV 164.43
154.33
153.70
155.68
628.14
.03
628.17

30' 30'

SET SQ SPK & T
1 27+83.16

CONT. FROM TOP PG. 114

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 CE # 310 3-01

F. B. 2678 Pg. 116

CONT. BOT. Pg 117

G1+06.75



W 5 Co 4-3

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER
Map No. B-2851
Office Work J. J. EDWARDS
Checked W. D. WAGNER
Date FEB. 1964.

Survey of LYONS AVE.
JN 2095.57 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date SEPT '62
Indexed C. J. GALLI

F. B. 2678 PG. 117

SEE F.B. 2678-218 & 221
ALSO F.B. 2949-6
CLW
MAY '63

FD. 2" I.P. PLUG & CTR. CONC. BRASS SHELL CTR. NO REF.

℄ NUTWHALL
C.S.B-2523

C.L.W. - MAY '63
1111.97 - C.S.B. 2523
1111.99 F.B. 2949-6
1111.91 F.B. 2678-218 & 221

AVE

SEE F.B. 2678-218
ALSO F.B. 2949-6
CLW
MAY '63

℄ ARCADIA ST.

FD. 1¼" I.P. IN WELL & COVER
F.B. 973-108
C.S.B-2523

65+30.40

T 98°
LEV. 148.62
" 155.08
" 114.41
" 5.50
423.61
.04
423.65

423.65

①	179	52	10
②	359	29	00
③	359	13	20
	179°	52'	13 1/3"

C.E. B.M. #60-36
13" X 12" CONC. MON. W/ BRASS CAP

SET NAIL W. SIDE P.P. (NO NUMBER)

SET NAIL W. SIDE P.P. #258424E & 404

SET R.W.2 X 2, L.A. CO. ENGR. TAG ON 6" REPLACED WITH C.E. MON. - 2" I.P. & BRASS CAP SET IN CONC. DN. 7" IN WELL COVER MARKED C.L.W. MAY '63

FD. 3" I.P. FILLED WITH CONC. (COPPER TUBE CR.)
F.B. 973-108, 109
C.S.B-2523
THIS TUBE LOOKS LIKE IT HAS BEEN PUSHED TO THE N.E. BY HEAVY EQUIP.

61+06.75

THIS POINT SET BY ℄ PROD. THRU VALLEY ST. FROM THE WEST & ℄ PROD. FROM THE EAST THRU ARCADIA ST. AND ON A PRORATE ℄ DISTANCE BETWEEN ℄ VALLEY ST. & ℄ ARCADIA ST. AS SHOWN.

COUNTY ENGINEER
LYONS AVE.
ANGLE POINT
R.E. 5859

30'
30'

725.7 ± To Sta. of ℄ LYONS

CONT FROM TOP PG. 116

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2678 PG. 118

Notes Ck'd by W. D. WAGNER	Survey of LYONS AVE.	F. B. 2678	PG. 119
Map No. B-2851	JN 0095.57 Tape 175 Std 84° °F		
Office Work J.J. EDWARDS	Surveyed by C. L. WRIGHT		
Checked W. D. WAGNER	Notes C.L.W. Date Oct '62		
Date Feb. 1964.	Indexed E. J. GALLI NOV 1, 1962		

PEACHLAND AVE.
FROM LYONS AVE.
SOUTH TO CHERRY ST.

J.N. 0095.57

TRACT 1437
" 23179

PARTY:
C.L. WRIGHT
J.G. RANDALL
B.A. PEAVY
W.F. BARNETT
R.M. TERRAZONE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 2678 Pg. 120

NOTE

SET NAIL IN R SIDE TEL POLE# LA Co I.D. 101-23 UP 30"

THIS POINT WAS 3.00' WEST OF A 2" I.P. FD. IN F.B. 973-202 BY USING A FD SPK. PG 115 (3+18.03)

A SQ SPK WAS FD. ON THIS PLUS AS SHOWN IN RD. DEPT. FR. 493-5 NOW REPLACED WITH SPK & W.

3+11.33 LYONS AVE

SET SQ SPK PG 115 20.00' RT

SET SHIP SPK & W. PG 115

30'

℄ LYONS AVE

0+00 S.

30' SET NAIL PP# S. SIDE 121 W 5 E UP 24"

41.73

38.57

63.84

0+00 FN. POST

0+19

0+30

52.42

I.D. C.L. TEN # 60-35

ANCHOR GUY 4" FH

0+36.6

1.28

0+41

T 68°

0+52.42 SET SPK & W.

LEN 52.43
.01
52.42

①	90	02	00
④	00	09	20
⑥	180	14	20
	90°	02	23 1/3"

SET NAIL W. SIDE UP 30"

FD# 1187034E

1.26

0+62.6

FROM STREET LINE

T 72°

LEN 173.69
126.94
300.13
.02
300.11

LOT 30

20'

(PER CITY MAP) LINE

20'

LOT 29

PP# 1187033E

1.26

2+36.6

300 LYONS AVE TRANSIT

40" W.W & BARB WIRE FENCE

20'

3+52.53 SET SQ SPK & T

MADE SEARCH FOR LOT COR FD NOTHING

20'

3+60

48" W.W & BARB WIRE FN.

FENCE COR MADE SEARCH FOR LOT COR FD NOTHING

PP# 1187032E

1.32

4+36.5

T 76°

LEN 155.76
171.89
2.53
330.18
.02
330.16

330.16

SQ SPK & T

LOT 31

20'

20'

LOT 24

CONT. ON TOP PG. 121

W 5 62

4-B

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of LYONS AVE
Map No.	JN 0095.57 Tape 175 Std 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes C. L. W. Date 8-OCT '62
Date	Indexed B. J. GALLI

F. B. 2678 Pg. 124

A-3

W.S. 62

CONT. FROM ROT. PG. 120

P.P.# 1187031E — 12° — 6+36.5

46" W W FN: — 20' — 330.16' TO SQ SPK & T — 20' — BOARD FN. 30" HIGH

6+82.69 SET SQ SPK & T

6+90.93

FD REMAINS OF OLD R.W. STAKE DN 20" — 20.11 — 20.0' — 21.3 — 6+90.69 FD. 2x2 N & TAG # 1 (EATY)

FN. COR.

TRACT 14737

T 82° LEV 199.82 141.35 291.17

LOT 32

291.17 (PEACH ST.)

LOT 25

P.P.# 1187030E — 13° — 8+35.9

PP# 1155190E — 13° — 9+45.9

12° — 9+70.9

21.2 — 9+73.86 SET SQ SPK & T.

T 90° LEV 26.90

4" FH — 13.6 — 26.90' — 9+74.1

2' x 1' — 9+91.1 — 20.9 — 10+80.76 SET SQ SPK & T. 20.00' N'LY OF FD 2" I.P. ON W. SIDE OF PEACH TRANSIT LINE CHERRY ST.

SEE PG. 124

OLD FIELD STONE & CONC. GATE POST

OLD BARB WIRE FN. — 2' x 2' — 20.6 — 10+20.9

FD OLD 2" I.P. DIRT PLUG & NAIL DN 3" — 20.12 — 10+20.76

89°

TRANSIT

18.18 — 17.95 — 10+59 (STADIA)

NEW CONC CURB

PEACHLAND

NEW CONC. CURB

18.14 — 17.97 — 13+06 (STADIA)

①	90	00	00
②	359	59	50
③	179	59	40
	89°	59'	56.3"

TRACT # 23179

CONT. ON TEN PG 122

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 2-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT LINE
PACHLAND AVE

SET 1X2 PM

20.00 E

FD 1X2 PM IN OLD MONUMENT BOX

S.W. COR. LOT 25
SUB. JOHN SUB.
MR: 196-30&4
TR: 2703-4
M: 1437

FD 1X2 PM IN OLD MONUMENT BOX

THIS MAY BE POINT (3×3) USED IN TR. 23179-4 TO ESTABLISH ULT. R/W OF PEACHLAND AVE

F. B. 2678 Pg. 122

Notes Ck'd by	Survey of LYONS AVE.	F. B. 2678 PG. 123
Map No.	JN 00957 Tape 175 Std 84 °F	
Office Work	Surveyed by C. L. WRIGHT	
Checked	Notes C. L. W. Date OCT '62	
Date	Indexed E. J. GALLI NOV 1 5 62	

TRANSIT LINE
ON CHERRY ST. FROM
TRANSIT LINE - PEACHLAND AVE
EAST'LY TO ℄ APPLE ST.

JN. 00957

C.S.B-2523

PARTY:
C. L. WRIGHT
J. G. RANDALL
B. A. PEAVY
W. F. BARNETT
R. M. TERRAZONE

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78F309S CE # 310 3-61

F. B. 2678 Pg. 124

CONT. ON BOT. Pg. 125

WS 62 A-3

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

198.41 TO SPK & T.

FD 2x2 & N. NO TAG

1986 — 6+43.82

20' 20'

T 90°
LEV 198.40
.01
198.41

113.94

5+29.88 SET SQ SPK & T.

5+19.82 — 30.05 — FD 2x2 N. & TAG LS 2504

153.62 CHERRY

T 90°
LEV 153.61
.01
153.62

3+76.26 SET SQ SPK & T.

FD 2x2 NAIL & TAG NO NUMBER — 20.20 — 3+69.89

3+59.86 — 29.95 — FD. 2 x 2 NAIL & TAG LS 2504

376.26 ℄ LINE

20' 20'

SET N.F.T. S.W. SIDE P.P. # 1188991 E UP 12"

89°

TRANSIT

50.58

59.12

T 86°
LEV 185.08
148.52
42.66
376.26

55.54

← 1000.76 TO ℄ LYONS AVE Pg. 129/21

TRANSIT LINE ON FRACHLAND AVE

10+00.76 S. 0+00 E.

41.05

56.41

SET SPK & T. Pg. 121

SET N.℄T. N.E. SIDE P.P. # 1155190 E UP 12"

SET N.℄T. SE. SIDE P.P. # 1155191 E UP 12"

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of LYONS AVE.
JN 0095.5 Tape 175 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date OCT '62
Indexed C. J. GALLI

F. B. 2678 PG. 125



CONT. ON BOT. LEFT PG. 126

20' 20'

TO INT. OF PROJ. ST.

FD. 2X2 N.&TAG L.S. 2280 — 19.55 — 12+15.02

T 56°
LEV 21.46
LFV 194.86
216.32
.04
216.28

T 54°
-10.12

216.28

FD. 1/2" CARRIAGE BOLT, TOUCH MARK FLUSH — 19.79 — 11+74.91

ST.

T 54° 31.13

20' 20'

FD. 1 3/4" I.P. WOOD PLUG N.&TAG #L.S. 2313 — 20.00 — 11+43.79

CHERRY

(11+43.82) FD. T-K NAIL IN PVMT. USED THIS FOR TRANSIT LINE

T-88°
LEV 230.14
LFV 185.38
415.52
.01
415.53

LINE

315.53

TRANSIT

FD. 2X2 N.&TAG (BATTY) — 20.03 — 7+33.81

7+28.29 SET Sq. SPK&T

56.71
48.16
30.06 — FD. 2" I.P. WOOD PLUG N.&TAG L.S. 2504

20' 20'

198.41

TO SPK&T

CONT. FROM TOP OF PG. 124

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 2678 Pg. 126

WS 62 A-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by W. D. WAGNER	Survey of LYONS AVE	F. B 2678 Pg. 127
Map No. B-2851	JN 0095.57 Tape 175 Std 84 °F	
Office Work J. J. EDWARDS	Surveyed by C. L. WRIGHT	
Checked W. D. WAGNER	Notes C. L. W. Date OCT '62	
Date FEB. 1964.	Indexed C. J. GALLI NOV 1 5 '62	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

WHEELER ROAD FROM
& LYONS AVE. SOUTH'LY
TO VICINITY EVANS AVE.

J.N. 0095.57

L.S. 2.5-30

PARTY:
C. L. WRIGHT
J. G. RANDALL
B. A. PEAVY
W. F. BARNETT
R. M. TERRAZONE

75F3095 CE # 310 3-61

F. B. 2678 PG. 128



CONT. ON TOP PG 129

WS 62

A 43

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of LYONS AVE.	F. B. 2678 Pg. 129
Map No.		JN 0095.97 Tape 175 Std. 85° °F	
Office Work		Surveyed by C. L. WRIGHT	
Checked		Notes C.L.W. Date OCT '62	
Date		Indexed C. J. GALLI NOV 1 5 '82	

CONT. FROM BOT. PG. 128

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

4+39 15/84.23
4+39 98 — 17± — 29.89 — PP 1155045E — Fd. 2x2 N TAG # LS 2504 — S'CH LNK. FN.

53.0°

4+86 77 — SET SQ. SPK & T.

7 80°
LEV. 196.94
.01
196.93

196.93 LINE ROAD

5+38 97 — 29 ± — S'CH LNK FN.

5+89 97 — 25 ± — PP#1155046E
5+92 3 — 17 ± — BOARD FN. 30" HIGH
6+40 ± — 25 ± —

TRANSIT WHEELER

6+83 70 — SET SQ SPK & T.
12 ± — 6+89 ± — 25 ± — 6+90 ±

WOOD PICKET FN. 4' HIGH
4' CH. LNK. FN.

12 ± — 7+21 ±

Fd OLD NOTED STAKE
7+40 ± — 7+40 ± — 25 ± — PP#948961E
5'CH LNK FN. — 29 ± — 17 ±

10 ±

224.79 — To 1x2 PV.

T.S.
LEV 224.83
.04
224.79

CONT. ON TOP PG. 130

76F309S CE # 310 3-61

F. B. 2678 Pg. 130

CONT. FROM B01 Pg. 129



W562 A-3

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER	Survey of LYONS AVE	F. B. 2678 Pg. 131
Map No. B-2857	JN 0095.57 Tape 175 Std 84 °F	
Office Work J.J. EDWARDS	Surveyed by C. L. WRIGHT	
Checked W. D. WAGNER	Notes C. L. W Date Oct '62	
Date Feb., 1964	Indexed C. J. GALLI NOV 1 5 '62	

VERMONT DRIVE FROM
LYONS AVE SOUTHERLY TO
VICINITY EVANS AVE.

J.N. 0095.57

L.S. 25-30

PARTY:
C. L. WRIGHT
T. G. RANDALL
B. A. PEAVY
W. F. BARNETT
R. M. TERRAZONE

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 2678 Pg. 132

WS 68 A-3

LOS ANGELES COUNTY ENGINEER,
403 Los Angeles County Engineering Bldg.
Please Return To

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SET N&T SE. SIDE TEL. POLE # 101-35 UP 12"

L.A.Co.F.D. CONTROL STA. 4-16-A TOP MKT E'LY GUARD POST, N. SIDE ROAD @ BRIDGE

FD. PAFFORD JONES & WHITE

18+35.80 LYONS AVE + FD. SQ. SPK & T TG. 114

27.30

30'

℄ LYONS AVE

SET N&T UP 12" N.W. SIDE

90°00'25"+/- LINE

T-P# 1072581E

1) 90-00-00'
4) 360-00-00
90-00-00

ANGLE IN CURV

T-P# 1155118E

65.21

T 68°
LEV 65.27
.01
65.21

0+65.21 SET SQ. SPK & T.

PP# 1155119E

4" F.M.

T 76°
LEV. 206.07
.01
206.06

206.06

WOOD RAIL FNC 30" HIGH

50'

SET SQ. SPK & T. FL.

DRIVE

WOOD RAIL FN. 30" HIGH

PP# 1155120E

231.52

FD 2x2, N & TAG # LS 2504

T-80°
LEV. 231.53
.01
231.52

PICKET FN. 40" HIGH

P.P.# 1155121E

FD. OLD 2x2 SET NAIL IN CIR.

PICKET FN 40" HIGH

SET 1x2 & N. FL.

VERMONT

TRANS.

BRICK & WOOD FN.

T 76°
LEV.
182.77
181.63
364.40
.02
364.38

FD. 1x2 &

CONT. ON TOP P. 133

Notes Ck'd by	Survey of LYONS AVE
Map No.	JN 0955.5 Tape 175 Std. 34 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes C.L.W Date OCT '62
Date	Indexed C. J. GALLI

F. B. 2678 PG. 133

CONT. FROM BOT PG 132

LINE DRIVE

6+01.6 56 — WOOD GUARD RAIL FN. 20" HIGH

FD. 1x2 SET NAIL IN CTR.

TRANS. P# 1155122E — 40.2 — 6+39.7

6+39.97 — 5.9 — WOOD FN. 30" HIGH

ANCHOR GUY — 41.3 — 6+65.3

6+67.8 — 5.4

PP# 1248591E — 40.2 — 7+89.6

8+39.8 — 56.7 — FD 2x2 N & TAG LS. 2371

PG 132 364.89

TRANSIT LINE Pg. 158 EVANS

SET 1x2 STK. & N. INT. FLUSH FB. 2678-158

8+67.7 — SET 1x2 S.N. FL. — AVE.

8+89.89 — 46.7 — FD. 1½" IP. NO PLUG SET NAIL IN CTR.

PP# 1248592E — 40.2 — 8+92.4 — 48.6 — COR. CONC. BLOCKWALL 4.97 OFF 8+90.24

166.73

ANCHOR GUY — 39.2 — 9+25.4

9+89.56 — 46.7 — FD. 1" IP - WOOD PLUG

T 76°

LPV. 166.74 .01 166.73

TRANSIT VERTICAL

50'

10+33.99 — SET 1x2 S.N. FL.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

78F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2678 Pg. 134

Notes Ck'd by W. D. WAGNER	Survey of LYONS AVE	F. B. 2676	Pg. 135
Map No. B-2851	JN 0095.57 Tape 175 Std 84 °F		
Office Work J. J. EDWARDS	Surveyed by C.L. WRIGHT		
Checked W. D. WAGNER	Notes C.L.W Date Oct '62		
Date FEB. 1964.	Indexed C. J. GALLI NOV 1 5 62		

EVERETT DRIVE
FROM ℄ LYONS AVE. SOUTH'LY 1500'

J.N. 0095.57

L.S. 25-30

PARTY:
C.L. WRIGHT
J.G. RANDALL
B.A. PEAVY
W.F. BARNETT
R.M. TERRAZONE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 8-61

F. B. 2678 Pg. 136



W.S. 62 A-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of LYONS AVE
Map No.	JN 095.57 Tape 175 Std 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes C.L.W. Date OCT '62
Date	Indexed C. J. GALLI

F. B. 2678 PG. 137

CONT FROM BOT PG. 136

25' 25'

TO S.F. SPRGFLD LINE

36° 00'

FD OLD RW. IN ⊙ SET NAIL IN CIR — 24.78 — 4+90.64

49.85

135.56

T 74°
LEV 135.57
.01
135.56

FD. "½" COPPER PIPE — 24.91 — 5+40.49

49.93

FD 2X2 TR.C.# RCE. 11288 — 24.64 — 5+90.13 FD "P.K." NAIL — 5+90.21

PP# 1121046E — 19.2 — 5+91.5

T 74°
LEV 242.98
67.85
310.83
.02
310.81

PP# 1266426E — 19.6 — 7+41.1

25' 25'

FD 2X2 — SET NAIL IN CTR

310.81

8+00.10 FL. BOAT SPRGS. W. FL. RD DEPT F.B. 493-14

24.73 — 8+40.10

30.2 — 8+44.94

TRANSIT EVANSETT

(REMOVED TO SET INT. TR. 158)

SET 1X2 STK. & N. INT. DN. 2' F.B. 2678-158 AVE

EVANS TRANSIT LINE

FD "PK" NAIL — 8+65.13

PX. 158

2.05

FD 1X2 SET NAIL IN CTR.

24.79 — 8+89.82

25.9 — 8+91.0

19.3 — 8+97.0

PP# 1226431E — 9+00.94 SET 1X2 & N. FL.

WOOD & WIRE FN 5' HIGH

CONT ON TOP PG 138

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 2678 Pg. 138

CONT FROM BOT. PG. 137



CONT ON TOP PG 139

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this date of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of LYONS AVE.	F. B. 2678 PG. 139
Map No.		JN 095.97 Tape 175 Std 84 °F	
Office Work		Surveyed by C. L. WRIGHT	
Checked		Notes C.L.W Date Oct 62	
Date		Indexed C. J. GALLI	

CONT FROM BOT PG 138



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 2-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2678 Pg. 140

Notes Ck'd by W. D. WAGNER	Survey of LYONS AVE.	F. B. 2678	PG. 141
Map No. B-2851	JN 0095.57 Tape 175 Std 89° °F		
Office Work J. J. EDWARDS	Surveyed by C. L. WRIGHT		
Checked W. D. WAGNER	Notes C. L. W. Date OCT '62		
Date Feb. 1964	Indexed C. J. GALLI JAN 1 '63		

ATWOOD BLVD. FROM
℄ LYONS AVE SOUTH'LY
1500'

J.N. 0095.57

LS. 25 - 30

PARTY:
C. L. WRIGHT
J. G. RANDALL
J. A. FEAVY
W. F. BARNETT
R. M. TERRAZONE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 2678 Pg. 142



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of LYONS AVE
Map No.	JN 95.57 Tape 175 Std. 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C.L.W. Date OCT 62
Date	Indexed C. J. GALM

F. B. 2678 PG. 143

CONT. FROM ROT PG 142

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3085 CE # 310 3-61

RIGHT FD. 3' HIGH

TOP OF CURB

PP# 1008172E

4+90 ~

2.45

(PG. 142) 300.03

0.49

FD. N & T.

5+40.14

16.2

5+40.5

5+46.57 SET SQ SPK & T.

5+90.16

0.30

25.17

FD. N & T.

CEMENT BLOCK WALL 24" HIGH

BLVD. LINE

6+40.12

FD. N & T.

0.13

T 62°

LEV. 143.58
" 50.00
" 60.00
" 40.02
" 64.08
357.68
.05
357.63

357.63

FD 2x2 & N & TAG NO NUMBER

6+90.08

0.31

FD. N & T.

25.51

17°

6+90.98

6.91

T-POST 1147965

TRANSIT

0.33

FD. N & T. 7+40.07

FD. N. & TAG NO NUMBER IN CONC. BASE FENCE POST

25.60

7+40.86

ATWOOD

0.18

FD. SPK. & W. 8+00.06 REF. RD DEPT. F.B. 493-12

0.40

FD 1x2 & N

25.41

FD. N & T. 8+40.08

8+40.27

0.26

TRANSIT SET 1x2 STK. & N. INT. F.B. 2678-157 EVANS

8+69.2 I.D. BOTTOM OF PINE 2x2 DM. 2"

LINE AVE

9+04.15 SET 1x2 & N.

CONT. ON TOP PG. 144

CONT FROM BOT. PG. 143

F. B. 2678 Pg. 144



T 66°
LEV. 267.62
.03
267.59

CONT ON TOP PG 145

X

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of C. L. WRIGHT
Map No.	JN 09562 Tape 175 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date OCT '62
Date	Indexed C. J. GALLI

F. B. 2612 Pg. 145

CONT FROM BOT. PG. 144

RAIL FN. 3' HIGH

(PG. 144) 294.79 PLUD. LINE

25° → 13+90²

13+90⁸⁵ ← 24 LO ← PD. NAIL IN HEADER BOARD

OIL

FD. 2X2 - SET NAIL IN CK. DRIVE

25⁹² → 14+40⁷⁴

14+40⁸⁶ ← 24⁵² ← FD OLD 2X2 N. & TAG LS 2504 (OUT)

14+66⁵³ SET 20 SPK & T.

4' W.W. FN

17⁸ → 14+90⁸

26¹ → 14+90²

PP (NO NUMBER)

ATT'D TO 7" BOD TREE NET

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F308S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2678 Pg. 146

Notes Ck'd By W. D. WAGNER	Survey of LYONS AVE	F. B. 2675	Pg. 47
Map No. B-2851	JN 0095.57 Tape 175 Std 84 °F		
Office Work J. J. EDWARDS	Surveyed by C. L. WRIGHT		
Checked W. D. WAGNER	Notes C. L. W. Date Oct '62		
Date Feb., 1964	Indexed C. J. GALLI NOV 1 5 '62		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

DEWOLFE ROAD
FROM LYONS AVE SOUTH'LY TO EVANS AVE.

JN 0095.57

L.S. 25-30

PARTY:
C. L. WRIGHT
J. G. RANDALL
B. A. PEAVY
W. F. BARNETT
R. M. TERRAZONE

76F309S CE # 310 3-61

F. B. 2678 Pg. 148

SET N&T W. SIDE TEL POLE # 583045 H UP 12'

FD. SQ SPK & T PG 113 8+87.52

FD. SQ SPK & T PG 113 8+93.46 29.95

WS Lyons Ave 4-3

℄ LYONS AVE

30'

30'

30'

FD. N&T. N.W. SIDE PP # 12,14,742E LIP 24" F.B. 493-2

38.82

90° 00' 59" 44.38 .00

FD △ PUNCH MARK TOP N.W. COR 2" I.P. CAGE AROUND GAS CO. VALVE BOX F.B. 493-2

0+32.3 26.2

1) 90-00-00
2) 360-00-00
90-00-00

180.97 LINE ROAD

CH. LINK F.M.

ANCHOR GUY

16.7

T 90° LEV. 180.96 .01 180.97

1+66.7 1+69.5 25.9 16.8 REC. 410145 H

1+80.97 SET SQ SPK & T.

4" F.M. 19.1 1+89.0 25.6 FD 1x2 NAIL

T 90° LEV. 150.17 149.65 299.82 .01 299.83

2+40.64 25.13 FD 2x3 - N.& TAG # LS 2504

FD 2x2 N.& TAG # LS 2327

2+46.2 2+90.13 2+90.50 25.21 FD. 2x2 N.& TAG # LS 2504

2+37.2 16.5 TEL 410146 H

FD. 2x2 N.& TAG LS 2327

2+46.9 3+40.15 2+40.49 24.86 FD 2x2 N.& TAG LS (NO NUMBER)

299.83 TRANSIT DEVIATE

4+40.57 24.9 FD. 1x3 & N.

4+80.80 SET SQ. SPK. & T.

CONT ON TOP Pg. 149

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of LYONS AVENUE	F. B. 2678 Pg. 149
Map No.		JN 0095.57 Tape 175 Std. 84 °F	
Office Work		Surveyed by C.L. WRIGHT	
Checked		Notes J.G.R. Date OCT. '62	
Date		Indexed C. J. GALLI	

CONT FROM BOT Pg. 148

4+80.8 SET SQ. SPK. & T.

4+86.7 — 16.5 → 8" P.P. # 4694085

FN. COR. POST — 4+90.6 — 25.8 — 4+91.5 — 25°

LINE ROAD

4' CHICKEN WIRE FN.

5+40.8 — 24.6

T = 54°
LEV. 154.05
= 251.42
405.47
.08
405.39

DRIVE

3' WIRE FN.

405.39

25.4 — 5+81.7

5+91.0 — 24.9

4' CHAIN LINK FN.

FN. COR. POST — 6+40.4 — 26.5 — 6+40.9 — 24.8

6+89.8 — 16.5 → 8" P.P. # 4146532E

6+90.8 — 25.6 — 6+89.7 — 26.0

3' WOOD FN

4' CHAIN LINK FN.

TRANSIT DEWOLFE

7+41.0 — 25.8

3' WOODEN FN.

DRIVE

4' WIRE FN.
FD. LARGE SPK.

25.4 — 8+39.7

8+40.8 — 24.2

8+43.3 — 17.5 → 6" TELE. POLE # 4205381

8+46.5 — SET 1X2 STK. & N.
INT. - F.B. 2678-157

LINE AVE.

TRANSIT
EVANS

8+82.0 — 25.5 → 8" P.P. # 4146532E

8+86.1 — SET SQ. SPK. & T.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2678 Pg. 150

Notes Ck'd by W. D. WAGNER	Survey of LYONS AVENUE	F. B. 2678	PG. 151
Map No. B-2851	JN 009557 Tape 175 Std 84 °F		
Office Work J. J. EDWARDS	Surveyed by C. L. WRIGHT		
Checked W. D. WAGNER	Notes J.G.R. Date OCT 62		
Date Feb., 1964.	Indexed C. J. GALLI NOV 15 '62		

FOURL ROAD
FROM LYONS AVENUE SOUTH'LY TO EVANS AVE.

J.N. 0095.57

LS 25-30

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PARTY:
C. L. WRIGHT
J. G. RANDALL
D. A. TEAVY
W. F. BARNETT
R. M. TERRAZONE

76F309S CE # 310 3-61

F. B. 2678 Pg. 152



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of LYONS AVENUE
Map No.	JN 0095.57 Tape 175 Std 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes J.G.P. Date OCT. 62
Date	Indexed C.J. GALLI

F. B. 2678 PG. 153

W.S. 6.2 A-3

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

CONT. FROM BOT PG. 152

CHAIN LINK FN.

DRIVE

30" CONC. WALL

0.15

5+89.30 - FD. NAIL

24.8

5+90.0

24.9

3' RAIL FN

5+91.0

5+91.5

21.1

8" P.P. # 1072620E.

24.8

6+40.1

T= 60°
LEV. = 146.67
200.89
95.45
443.01
.07
442.94

FD. 2x2 ℄ N.

LINE

ROAD

24.8.3

6+89.93

6+89.99

25.3.2

FD. 2x2 ℄ TAG (L.S. 2313)

2.2

36

MOVED

442.94

5' CHAIN LINK FN.

4' WOVEN WIRE FN.

7+40.5

25.4

7+36.5

21.3

8" P.P. # 1072630E

7+90.13

25.02

FD. 2x2 ℄ TAG (R.C.E. 6410)

7+90.14 - FD. NAIL (ON LINE)

4' WOVEN WIRE FN.

TRANSIT

8+00.02

FD. B.S. & W. REF. TO DEPT. F.B. 493-8

0.14

8+40.12

25.00

FD. 2x2 ℄ TAG (R.C.E. 6410)

8+40.13 - FD. NAIL (ON LINE)

25.8

8+40.3

DN. 2"

SET 1x2 STK. & NAIL BY INT. F.B. 2678-156

AVE.

T= 64°
LEV. = 20.59

TRANSIT

EVANS

LINE

20.59

FOUND

8+85.59

SET SQ. SPK. & T.

78F3095 CE # 310 3-81

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2678 Pg. 154

Notes Ck'd by	Survey of LYONS AVENUE
Map No.	JN 0095.57 Tape 175 Std 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes J.G.R. Date OCT. 62
Date	Indexed G. J. GALLI NOV 1 5'62

F. B. 2678 Pg. 155

TRANSIT LINE ON EVANS AVE FROM S.F. R.O. BDY. ± TO TRANSIT LINE ON WHEELER ROAD

J.N. 0095.57

LS 25-30

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PARTY:
C. L. WRIGHT
J. G. RANDALL
D. D. PEAVY
W. F. KARNETT
R. M. TERRAZONE

76F3085 CE # 310 3-61


F. B. 2678 PG. 156
CONTINUED
BOT. PG. 157
W.S. 6-2 4-3
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
(R5) TO DEWCLIFFE ROAD
(P3, 151) 349.99
(25)
T=58°
LEV. 20.59
SET N.&T. N.E. P.P. # 1072631E UP 12"
BY RECORD PER L.S. 25-30 TO & Pg. 152 (CALC.) 865.00
LYONS AVE
TRANSIT LINE
FOURL ROAD
90-00-13⅓
37.34
SET 1x2 & N. DN 2" 14+34.24 TO EAST 20.59
FD. SQ. SPK & I FB. 2678-153 8+85.59
35.76
31.78
SET N.&T. S.E. SIDE PP # 4146516E UP 8"
1) 90-00-20
4) 360-00-50
90-00-12½
6) 180-01-20
90-00-13⅓
SET "X" IN COR. IN. POST - UP 12" N.E. SIDE
LINE
AVE.
T= 60°
LEV. 176.03
434.81
434.74
434.74
T= 56°
LEV. 33.54
.01
33.53
1) 97-10-30
4) 28-42-00
97-10-30
6) 223-02-40
97-10-26⅔
(25)
TRANSIT
EVANS
(25)
SET "X" IN 4" T04" REDUCER - FH. N.E. SIDE
DN 6"
FD. 1x2 & N. F.B. 2678-95 9+05.33
52.68
33.53
97° 10' 26⅔"
(CALC) 871.80 Pt. 98,56
BDY. ±
TO & LYONS AVE. S. F. RO.
BY INTERSECTION SET 1x2 STK. & N. DN 6" 0+00.00 TO EAST
30.87
29.24
SET N.&T. S.E. SIDE PP# 1383170E 12" UP
CUT "X" IN N. SIDE OF 24" CONC. STAND PIPE UP 24"

Notes Ck'd by		Survey of LYONS AVENUE	F. B. 2678 Pg. 157
Map No.		JN 009557 Tape 175 Std 84 °F	
Office Work		Surveyed by C.L. WRIGHT	
Checked		Notes J.G.R. Date OCT-62	
Date		Indexed B. & GALLI	

W5 62 A-3

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

CONT. ON BOT. PG. 158

(25) (25) (25) (25) (25) (25)

(25.38) TO EVERETT CR. (PG. 158) 349.99

90° 00' 10" LINE

AVE.

T = 68° LEV. 39.15

(BY INTERSECTION SET 1X2 STK. & N. DN 2" 11+34.79 TO EAST

39.15

FD. 1 X 2 & N. FLUSH F.B. 2678-143 9+04.15

SET N. & T. N.W. SIDE P.P.# 615819H UP 12"

1) 90-00-10
4) 360-00-40
90-00-10
6) 180-01-00
90-00-10

TO ℄ Pg. 142 LYONS AVE. TRANSIT ATWOOD

(CALC.) 865.00 LINE BLVD.

4.53 31.82 40.52

T = 72° LEV. 25.94 153.70 170.42 350.06 .03 350.03

4" WOVEN WIRE FN. W/ CONC. FOOTING. SET CONC. N. IN COR. OF FOOTING

SET N. & T. S.E. SIDE 8" R.P.# 588980E UP 12"

350.03

SET N. & T. S.E. SIDE TEL. POLE # 420535 H UP 6"

SET N. & T. S.W. SIDE P.P.# 414652E UP 6"

T = 50° LEV. 21.16

27.80 31.09

TO ℄ Pg. 148 LYONS AVE. TRANSIT DE WOLFE

(CALC.) 865.03 LINE ROAD

21.16

FD. SQ. SPK. & T. FB. 2678-149 8+86.12

7+84.23 TO EAST SET 1X2 & N. FLUSH BY INTERSECTION

89° 59' 46" 36.17

SET "X" IN N.W. SIDE FN. COR. POST

1) 89-59-40
4) 359-59-10
89-59-47½
6) 179-58-40
89-59-46⅔

T = 50° LEV. 174.41 175.66 350.07 .08 349.99

349.99 TRANSIT

TO ℄ LINE COURL RD.

EVANS

CONT. FROM TOP PG. 156

78F309S CE # 310 3-61

F. B. 2678 Pg. 158

CONT. ON BOT. PG. 159



(25) To WHEELER ROAD (25)

W.S. 62 4-3

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

1) 89-59-40
4) 359-59-20
89-59-50
6) 179-58-40
89-59-46 2/3

(PG. 159) 330.20 LINE AVE.

SET CONC. NAIL WEST SIDE, COR. POST, CONC. F.N. UP 12"

BY INTERSECTION SET 1x2 & NAIL DN 6" 17+27.13 TO EAST

TO ℄ Pg 132 LYONS AVE. TRANSIT VERMONT (CALC.) 865.03

LINE DR.

89°-59'-46 2/3"

85.88

26.87

14.87

FD. 1x2 & N. FLUSH FB. 2678 - 133 9+67.17

SET N & T IN S.E. SIDE PP# 1248591E UP 12"

SET N & T IN N.E. SIDE PP# 1248591E UP 24"

T = 76°
LEV. 117.22
= 105.86
= 19.33
242.41
.01
242.40

242.40

1) 90-00-00
4) 360-00-20
90-00-00
6) 180-00-40
90-00-06 2/3

T = 78°
LEV. 35.88

SET N. S.W. COR. 4x4 FN. POST UP 5"

90.00-06 2/3"

BY INTERSECTION SET 1x2 & N. DN 2" 14+84.73 TO EAST

36.23

35.88

28.40

37.60

FD. 1x2 & N. FB 2678-137 9+00.24

(25) TO ℄ Pg 136 LYONS AVE. TRANSIT EVERETT (CALC.) 865.06

(25)

LINE DR.

SET X IN S.W. SIDE OF 4" FH. UP 6"

349.97

SET N & T. N.W. SIDE PP# 1224643 L UP 12"

T = 78°
LEV. 99.05
= 83.60
167.33
349.98
.01
349.97

(25) TO ATWOOD BLVD. TRANSIT EVANS (25)

CONT. FROM BOT. PG. 157

Notes Ck'd by	Survey of LYONS AVENUE
Map No.	JN0095.57 Tape 175 Std 84 °F
Office Work	Surveyed by C.L. WRIGHT
Checked	Notes J.G.R. Date OCT-62
Date	Indexed E. & GALLI

F. B. 2678 Pg. 159

A-3

W3 62

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.



CONT. FROM TOP OF PG. 158

76F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2678 Pg. 160

Notes Ck'd by W. D. WAGNER	Survey of LYONS AVE	F. B. 2678 PG. 161
Map No. B-2851	JN 0095.57 Tape 175 Std 84 °F	
Office Work J. J. EDWARDS	Surveyed by C. L. WRIGHT	
Checked W. D. WAGNER	Notes C. L. W. Date OCT '62	
Date FEB., 1964	Indexed B. J. GALLI NOV 1 5 '62	

PROPOSED LINE CHANGE - LYONS AVE.
WEST OF PEACHLAND AVE.
PER RD. DEPT. STAKING
SHEET.

J.N. 0095.57

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PARTY:
C. L. WRIGHT
J. G. RANDALL
B. A. PEAVY
W. F. BARNETT
R. M. TERRAZONE

76F309S CE # 310 3-61

F. B. 2678 Pg. 162



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked Harry L. Jackson
Date

Survey of MARKET ST.
JN 0095.12 Tape 1.5 Std 34 °F
Surveyed by C. L. WRIGHT
Notes C. L. W Date 21-FEB'63
Indexed E. J. CALL

F. B. 2678 Pg. 163

PROFILE LINE WEST'LY FROM STA. M-A (PT. MKT. ST. - NEWHALL) AS SHOWN ON SHT. #1, SURVEY DIV. F.M. 108-1.

J.N. 0095.12

REFERENCE
SURVEY DIV. F.M. 108-1.
FB. 594

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 9-61

F. B. 2678 Pg. 164

COUNTY ENGINEER ROAD P.I. R.E. 5869

COUNTY ENGINEER R.E. 5869

FB 2678 - C - 50
" 2345 - 16
" 2297 - 138
" 594 - 130

310'

PROFILE LINE
SEE THIS PG FOR PROFILE

℄ MKT ST
394.09 F.B. 594-129

MA

FD. C.E. MON, 2" I.P. & BRASS CAP SET IN CONC. DN. 4" WELL COVER Pg. 6, 50 FB. 594-130

49°-39'

30'

30'

℄ 49° - 39'
℄ 99 - 18
130° - 59'

℄ @ 1+50
101.17 @ 6-43 = 100 = 2+50
154.04 @ 13-09 = 150 = 3+00
169.31 @ 13-09 = 160 = 3+10

STATION	B.S.	H.I.	F.S.		ELEV.
			B.M. M-A F.D. C.E. MON DN. 4" IN WELL & COVER Pg. 6, 50		1286 312
0+00	546	1291	77 TRANSIT @ 1+50		
			6 49	GUTTER	85 28
+28 L			5 43	TOP BRK	86 34
+31			5 24		86 53
+50			4 77		87 00
1+00			4 97	TOP BRK	86 80
+50			5 71	F.L.	86 06
+61			3 66	TOP BANK	88 11
+75 R			+0 45		92 22
2+00					
2+50					1306 46
3+00					1321 89
+10					1324 86

VERTICAL ANGLE	MINUS ROD
+ 8° - 55'	1 00
+ 12° - 49'	4 00
+ 13° - 03'	4 00

MARKET

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

X

Notes Ck'd by	Survey of MARKET ST. (NEWHALL) F. B. 2678 PG. 165
Map No.	JN 0095.12 Tape 175 Std. 54 °F
Office Work	Surveyed by C. L. WRIGHT
Checked Harry E. Jackson	Notes C. L. W Date 25-FEB.'63
Date	Indexed G. J. GALLI MAR 13 '63

PRELIMINARY LINE FOR PROFILE CHECK AS SHOWN ON SURVEY DIV. F.M. 108-1, (SHEET 2) VICINITY MARKET & CROSS STS, NEWHALL.

J.N. 0095.12

REFERENCES
SURVEY DIV F.M. 108-1
F.B. 594

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3085 CE # 310 8-61

X


F. B. 2678 PG. 166
COUNTY SURVEYOR
R. E. 63
℄ 8TH ST
FD. C.S. MON. 2" I.P. WELL & COVER DN. 12" PG 9 FB. 594 - 135
NOTE: SEE PGS 167-169 FOR PROFILE OF HAWK LINE TRAVERSE
PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
30' CROSS 30'
T 78°
LEV. 113.73
211.01
324.74
.01
324.73
T 74°
LEV 136.40
150.16
239.38 @ 7-06 = 237.54
524.10
.03
524.07
P.I. # 2
FD 3/4" I.P. & CONC PLUG PG 8
-11+86
6+62.17
524.07
SET SQSPK FT.
60° 19' 07"
92° 47'
CROSS STREET
324.73
184.74
MARKET STREET
139° 45' 22½"
SET SQSPK FT. 4+77.43
67° 07' 52½"
477.43
℄ MARKET ST.
P.I. #1 MARKET ST. PG 9 DN. 20"
T-86°
178.03 @ 4-52 = 177.39
49.99
150.05
99.99
477.42
.01
477.43
M-B FD. C.S. MON. 2" I.P. WELL & COVER DN. 10" PG. 9, 52 FB. 594-135
IN OUT
T 84°
112.50 @ 4-13 = 112.20
LEV. 72.54
184.74
A

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 0095.12 Division No. 11
No. X-Sec. By Date Survey of MARKET ST. (NEWHALL)
No. Date Notes Chkd Jackson Checked Date Survey by C.L. WRIGHT Notes C.L.W. Date 26 FEB. '63
Date Date Map No. Indexed E.J. GALLI Date

F.B. 2678 Pg. 167

STATION	B.S.	H.I.	F.S.	ELEV.	
	PROFILE - TRAVERSE AS SHOWN ON PG 166 - MARKET ST. (NEWHALL				
			J.N. 0095.12		
T.B.M.-M-B				1330 889	2" I.P. & BRASS CAP SET IN CONC. FL. C.S. MON. INT. & CROSS & MARKET STS.
	281	1333 70			DN. 10" IN WELL & COVER PG. 9, 52, 166 - F.B. 594-135
0+00			281	1330 90	
+50			326	1330 44	PVMT.
1 -			401	1329 69	
+50			451	1329 19	
2 -			478	1328 92	
+50			439	29 31	
3 -			256	31 14	
TP			065	1333 05	
	1051	1343 56			
3+50			963	1333 93	PVMT
4 -			617	1337 39	
+50			227	1341 29	
TP			031	1343 25	
	11 24	1354 49			
4+77.88			1088	1343 61	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 24678 Pg. 168 | Job No. 8095.12 | Division No. 11 | Notes Red | Plotted | Profile
Survey of MARKET ST. (NEWHALL) | Date | No.
Survey by C.L. WRIGHT | Notes S.L.W. | Notes Chkd. | Checked | X-Sec.
Indexed R. J. GALLI | Date Feb '63 | Date | Date | No.

STATION	B.S.	H.I.	F.S.	ELEV.		
		1354 49				
5+—			1017	1344 32		PVMT.
+50			760	46 89		"
6—			440	50 09		"
+50			098	53 51		1×1 DIRT
+62.17			181	52 68	TI #2 FD. ¾" IP	DN 19"
+69.2			036	54 13		1×1 DIRT
+78.2			356	1350 93		" "
7+00			794	1347 15		" "
TP			1191	1342 58		
	093	1343 51				
7+50			212	1341 34		1×1 DIRT
8—			758	1335 93		" "
TP			1190	1332 61		" "
	069	1338 30				
8+50			192	1330 38		" "
			548	1326 82		" "
9+51.2			794	1324 76		11 SINK
10+00			684	1325 46		" DIRT
10+49.8			727	1325 03		" "
11+00 T.P.			709	1326 21		" "

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
11 + 00				1326 21		IX1 TWO
	8 15	133 36				
11 + 50			7 52			" "
+ 86			8 36			TWO
12 —			8 05			"
+ 50			6 86			"
13 —			5 39			"
+ 50			4 41			"
14 —			3 46			
+ 50			2 65			
15 —			1 78			
15 + 06 97 IN			2 46	133 90	FD. C.S. MON. - 2" I.D. WELL & COVER ON 10" INT. CROSS @ MKT ST	
0 + 00 OUT					PC	

Profile Notes Red Plotted Job No. 095.1 Division No. 11
No. Date Date Survey of MARKET ST.
X-Sec. Notes C.L.W. Date FEB '13 Date Checked Survey by C.L. WRIGHT Notes C.L.W. Date FEB '13
No. Date Date Map No. Indexed J. Gatti Date

F.B. 2678 Pg. 169

F. B. 2678 Pg. 170

Job No. 2095.12 Division No. 11 Notes Red _____ Plotted _____ Profile

Survey of MARKET ST. (NEWHALL) Date _____ Date _____ No. _____

Survey by _____ Notes _____ Notes Chkd. _____ Checked _____ X-Sec.

Indexed _____ Date _____ Date _____ Date _____ No. _____

STATION	B. S.	H. I.	F. S.	ELEV.

76-L298 CE 307 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by		Survey of MARKET ST. (NEWHALL)	F. B 2678 PG. 71
Map No.		JN 0095.12 Tape 175 Std 84 °F	
Office Work		Surveyed by C. L. WRIGHT	
Checked		Notes C. L. W. Date FEB '63	
Date		Indexed J. GALLI JAN 13 '66	

PRELIMINARY LINES FOR PROFILE
AS SHOWN ON SHEET 3, SURVEY
~~DIVISION F.M. 108 1.~~
MARKET ST. SURVEY - (NEWHALL)
J.N. 0095.12

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 2678 PG. 172



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Form 301 IBM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
—	—			ELEVATIONS - PROFILE LINE S.E'LY FROM M-8 AS SHOWN ON PG 172											
				—	MARKET ST. SURVEY - (NEWHALL)								—		
M-8 1x2	M-9							M-8 135626	543		136169		FD 1x2 & N. PG. 12, 39, 172 M-8 & M-9		
				543	287			135626					0+00 (M-8)		
				47	"	12	—	13570					+12		
				20	"	50	+ 4.58	13640				+ 435	+50		
				10	"	100	+ 10.52	13790				+ 192	1+00		
				10	"	150	+ 15.03	14010				+ 403	+50		
				10	"	167	+ 16.11	14092				+ 485	+67 TOP BRK		
				20	"	200	+ 16.43	14198				+ 601	2+00		
2+80	2+00						—		53		14351				
				70	000		—	14281					+50		
				00	"		—	14351					+80		

Add'n'l Inform.

Notes Rod. _____ Plotted _____ Job No. 2595.12 Division No. 11 F.B. 2478 Pg. 13

Date _____ Date _____ Survey of MARKET ST (NEWHALL)

Notes Chkd. _____ Checked _____ Survey by C.L.W. RIGHT Notes C.L.W. Date FEB. '63

Date _____ Map No. _____ Indexed J. GALLI Date _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

ELEVATIONS - PROFILE LINE E' FROM M-9 AS SHOWN ON PG. 172
MARKET ST. SURVEY (NEWHALL)

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
								M-9 1366.56	14.52		1381.08		1+50 Fd. IXI & N. Pg. 172		
1+50	M-9 0+00 E.					150	—						M-9 - Fd IX 28 N. Pg. 172, 38, 172		
				14.52	00	150	—						0+00		
													+50		
				11.1	00	100	—	1370.0					1+00		
				9.4	00	50	—	1371.7					+26		
				8.1	00	24	—	1373.0					+50		
				4.98			—	1376.10					+61.5		
				3.1	180	115	—	1378.0							
				2.0	11	50	+17.20	1394.7				+ 15.6	= 2+00		
				2.0	11	100	+21.01	1417.5				+ 38.4	+50		
				3.0	11	132	+23.24	1435.2				+ 57.1	+82		
				4.0		142.5	+23.29	1439.0				+ 61.9	= +92.5		
				7.0		151.9	+23.35	1440.4				+ 66.3	= 3+01.9		

Add'n'l Notes

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Inters. of Draw, V.D's
Break in Slope ..... Br.S.
Steep Slope ..... S.S.
Top of Cliff ..... T.Cl.
Bottom of Cliff ..... B.Cl.
Top of Escar. ..... T.Sp.
Bottom Canyon ..... B.Cn.

Side of Canyon
Top of Bank ..... T.B.
Bottom of Bank ..... B.B.
Top of Cut ..... T.C.
Bottom of Cut ..... B.C.
Top of Fill ..... T.F.
Bottom of Fill ..... B.F.

Saddle
Single
Flat
Stream
Trail
Pavement
Edge of Road

Traveled Rd. Tr. Rd.
Fence
Int. Fence
Ditch
Telephone Pole
Power Pole
Culvert

Dec.-D. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore Eu.
Eucalyptus
Pine combinations of those and all common abbreviations.

Notes Ck'd by	Survey of MARKET ST. (NEWHALL)	F. B. 2678 Pg. 175
Map No.	JN 0095.12 Tape 175 Std 84 °F	
Office Work	Surveyed by C. L. WRIGHT	
Checked	Notes C. L. W. Date FEB '63	
Date	Indexed G. J. GALLI MAR 13 '63	

PRELIMINARY LINE FOR PROFILE
FROM - M-9 N.W'LY AS SHOWN
ON SURVEY DIV. F.M. 108-1,
SHEET 3 - MARKET ST (NEWHALL)

J.N. 0095.12

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78F3095 CE # 310 8-61

F. B. 2678 PG. 176



TO 6+00

SEE PROFILE

PC. 177,178

2+80.59

SET 1 x 2 & N

109.20

1+71.39 ℄ ST.

SET 1 x 2 & N.

FOR

LINE

171.39 PROFILE

91°

13' 00"

72° 44' 15"

T-76°

109.40 @ 3-25 = 109.21

.01

109.20

T-76

171.74 @ 3-26 = 171.40

.01

171.39

① 172 44 20

② 345 28 30

172° 44' 15"

① 91 - 13 00

② 182 - 26 00

91° 13' 00"

LINE - MARKET ST.

TO M-8

PG 12, 38, 172

PRELIMINARY

M-9

FD 1 x 2 & N

PG 12, 38, 172

X

LOS ANGELES COUNTY ENGINEER

403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Form 361 (8M) 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

ELEVATIONS - PROFILE LINE AS SHOWN ON PG 176 - N.W'LY
FROM M-9 MARKET ST. (NEWHALL)

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
									1						
									2						
									3						
									4						
									5						
M-9 Pg 176	M-8							M-9 136656	6	525	137181		M-8 & M-9 FD 1X28 N. Pg 12, 38, 172, 174, 176		
				53	268 47			136651	7				0+02 TB		
				67	" "			136511	8				+03 4 Bot Brk		
				68	" "			136501	9				+18		
				92	" "			136261	10				+50		
				116	" "			136021	11				1+00		
				60	" "	150	228	135931	12			646	+50		
				60		171 39	226	135853	13			728	+71 39 DT.		
1+71 39	M-9								14	521	136374				
				10		171 39	+ 115	M-9 136648	15			+ 374	M-9 - CHECK SHOT		
				58	172 44	100	—	135791	16				1+81 4 Top Brk		
				74		150	—	135633	17				+86 9 Flr Edge Wash		
				81		242	—	135556	18				+95 6 " "		
				65		278	—	135721	19				+99 2 Top Brk		
				57		536	—	135801	20				2+25 Bot Brk		
+				12		786	—	136241	21				2+50 ± W.		

Date Indexed R. L. GAULT Date

Date Notes Chkd. Date Checked Date Map No.

Date Surveyed by C. E. WRIGHT Date FEB. '63

Date Plotted Date Drawn by L. W. Date

Book 878 Page 11 Name of MARKET ST. (NEWHALL) Name Rec. R.B. 2678 Pg. 177

ADD'N'L Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

P.B. 71/78 Pg. 178

Topography Description Legend:
Side Hill...S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope...T.S.

Intersection of Draw, Y.D's
Break in Slope...Br.S.
Stone...T.S. Top of Cliff...T.Cl.
Top of Cliff...B.Cl.
Top of Spur...T.Sp.
Bottom Canyon...B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank...B.B.
Top of Cut...T.C.
Bottom of Cut...B.C.
Top of Fill...T.F.
Bottom of Fill...B.F.

Stable...Sta.
Shed...Sh.
Flat...Fl.
Stream...Str.
Trail...Tr.
Pavement...Pvt.
Edge of Road...E.Rd.

Fence...F.
Int. Fence...I.F.
Ditch...Ditch
Telephone Pole...T.P.
Power Pole...P.P.
Culvert...Culv.

Eucalyptus...Euc.
Sycamore...Sy.
Pine...Pi.
Cedar...Ce.
Plus combinations of these and all numerous standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
1+71.39	M-9										1363.74				
				2.0	172° 44'	89.6	+ 2.35	1365.7				+ 4.0	2+61		
				3.0		109.20	+ 4.14	1368.82				+ 8.08	+80.59 1×2		
2+80.59 1×2	1+71.39 1×2			6.2	00° 00'	109.20	− 4.47	1358.5	4.83		1373.65	9.14	1+71.39 CHECK SHOT		
				4.8	180°			688					2+92.1		
				5.8	"			678					3+00		
				4.1	"			695					+50		
				2.0	"			716					+72 BOT BRK		
				1.0	"	119.4	+ 4.34	1382.1				+ 9.5	4+00		
				1.0	"	140.9	+ 5.36	1386.4				+ 13.8	+21.5 BRK		
				1.0	"	169.4	+ 8.26	1397.7				+ 25.1	+50		
				1.0	"	219.4	+ 13.16	1424.3				+ 51.7	5+00		
				1.0	"	229.4	± 13° 41'	1428.4				± 55.8	+10 BRK		
6+00	5+50			6.0	"	269.4	+ 14.32	1437.4				+ 69.8	+50		
									10.0		1447.4		TOP SPUR S. BRK. 6+00		
				3.0	"			1444.4					TOP SPUR N. BRK. 6+00		
				3.0				1444.4							

Add'l Intercepts

Notes Ck'd by	Survey of MARKET ST.
Map No.	JN 0095 12 Tape 174 Std 84 °F
Office Work	Surveyed by J S COATES
Checked	Notes JSC Date 3-4-63
Date	Indexed G. J. GALLI MAR 13 63

F. B 2678 Pg. 179

J.N 0095.12

MARKET ST. ET. AL.

LOCATION OF PROFILE FOR CROSS-SECTION

AT M-14

SUB-FILE MAP # 108-1

SHEET 4

COATES
BEERS
ALBRIGHT
HUBBARD
CHERRY

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61

F. B 2678 PG. 180



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

X

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

SLOPE

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle ° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					PROFILE ON CROSS-SECTION 1 AT M-14									See page 180		
M-14	M-13				84 15				1442 11	5 05		1447 16				
			50	5 05	" "	46.5	+	21 27	1460 39		+ 13 23		+ 18 28	0+46.5	Swale	
			105	5 05	" "	97.28	+	22 06	1481 61		+ 34 45		+ 39 50	0+97.28	Brk	
0+97.28	M-14				180 00					4 83		1486 44				
			50	4 83	"	49.95	+	2 29	1483 78		− 2 66		+ 2 17	1+47.23		
			85	4 83	"	84.18	+	7 58	1493 39		+ 6 95		+ 11 78	1+81.46		
1+81.46	M-14				"					5 00		1498 39				
			20	6 78	"			Level	1491 61		6 78			2+01.46		
			60	5 00	"	58.59		12 28	1480 44		17 95		12 95	2+40.05		
			96	10 00	"	94.67		9 32	1472 49		25 90		15 90	2+76.13		
			145	6 00	"	145	−	0 17	1491 67		6 72		0 72	3+26.46		
			183	7 00	"	182.51	+	4 12	1504 79		+ 6 40		+ 13 40	3+63.97		
1+81.46	M-14				"					4 63		New H.I. 1498.02		3-4-63		
			235	4 63	"	231.48	+	9 56	1533 93		+ 35 91		+ 40 54	4+12.94		
			300	4 63	"	293.70	+	11 46	1554 56		+ 56 55		+ 61 18	4+75.16		
4+90	M-14			5 00	0 00	32	−	19 02	1548 66	5 00	16 04	1564 66	11 04	4+58		
	4+75.16			10	0 00	14.8	−	Level	1559 7		5 00			4+90	North edge Road	
				7 3	180			Level	1557 4		7 3			5+11	South edge Ro	
			31	5 00	"	30.8	+	12 30	1566 4		+ 1 71		+ 6 71	5+20.3	Top Cut bank	
			61	5 00	"	57.8	+	18 36	1579 11		+ 14 46		+ 19 46	5+47.8	Top brk	

OVER

Notes Rod. _____ Plotted _____
Date _____ Date _____ Job No. 6095.12 Division No. U F.B. 2678 Pg. 181
Notes Rod. _____ Checked _____ Survey of MARKET ST
Survey by JSC Notes JSC Date 3-4-63
Date _____ Map No. _____ Indexed _____ Date _____

Form 301 JBM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Slope

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	REMARKS Left Right
4+90									5.00		1564.66			
			71.0			67.7	+ 17.37	1581.2		+ 16.49		+ 21.49	5+57.7	Top knoll
				PROFILE OF CROSS-SECTION LINE 2									SEE PAGE	180
M-14	M-13				247 30			1442.11	5.00		1447.11			
			57	6.00	"		21.10	1420.53		26.58		20.58	0+53.2	Bot. WASH
			139	4.88	"		Level	1442.23		4.88			1+39	
			219	5.00	"		+ 8.00	1472.59		+ 25.48		+ 30.48	2+16.9	
			300	5.00	"		+ 12.02	1502.65		+ 57.54		+ 62.54	2+93.4	
2+93.4	M-14				180 00				5.00		1507.65			
			45	5.00	" "	40.2	+ 26.35	1522.79		+ 15.14		+ 20.14	3+33.6 @ Point	Top ridge
3+33.6	M-14				188 00				5.00		1527.79			
			297					1524.82		2.97				
			63		" "	62.1	+ 9.45	1531.49		+ 3.70		+ 10.70	3+43.6 & 10.L	Top Spur
			85	10.50	" "	83.8	+ 9.45	1531.68		+ 3.89		+ 14.39	3+55.5	brk
			168	5.00		164.2	+ 12.15	1558.44		+ 30.65		+ 35.65	4+17.4	saddle
			185	5.00		181.1	+ 11.46	1560.52		+ 32.73		+ 37.73	4+97.8	Top brk
													5+14.7	Top Spur

Side of Canyon S.Ca. Saddle Flat Stream Trail Pavement Edge of Road
Top of Bank Bottom of Bank Top of Cut Bottom of Cut Top of Fill Bottom of Fill
T.B. B.B. T.C. B.C. T.F. B.F.

Intersect. of Draw, V.Ds, Creek in Slope, Bk.S. Slope Slope, T.S. Top of Cliff, T.Cl. Bottom of Cliff, B.Cl. Top of Spur, T.Sp. Bottom Canyon, B.Cn.

Fr.-Fr. Fine-Pl. Cedar-Cy. Sycamore Eucalyptus Pine combinations of these and all common standard abbreviations.

Trans'd Rd. Tr. Rd. Fence Int. Fe. Ditch Telephone Pole Power Pole Culvert
V.Fe. Fl. Str. T. P.P. Cul.

Bk. Sh. Sta. Flat Stream Trail Pavement Edge of Road
Fl. Str. Tr. Pvt. E. Rd.

Topographic Description Legend:
Top Hill
Bottom Draw B.D.
Bottom Wash B.W.
Top of Ridge T.R.
Toe of Slope T.S.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.

Add'l Intervals

Pg. 182

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance (Slope)	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+	Vertical Distance	REMARKS Station	Left	Right
					PROFILE			ON	CROSS-SECTION #3	1				AT	M-14 See page 180		
M-14	M-13				275 45				1442 11	2 475		1446 86					
			54	4 75		49	−	2 48	1419 46	3	27 40			22 65 ✓	0+49		Bot draw
			95 5	4 75		94 4	−	8 36	1427 83	4	19 03			14 28 ✓	0+94 4		Brk
			170	4 75		169 8	+	3 00	1451 01	5	+ 4 15		+	8 90 ✓	1+69 8		Top Slope
			210	4 75		209 5	+	4 05	1457 06	6	+ 10 20		+	14 95 ✓	2+09 5		Top brk
2+09 5	M-14									7 5 10		1462 16					
			33	5 10	180 00	30 6	−	21 50	1444 79	8	17 37			12 27 ✓	2+40 1		Bot Wash
			58	5 10	"	57 1	−	5 45	1451 25	9	10 91			5 81 ✓	2+66 6		Top brk
			86 5	5 10	"	86 1	−	5 28	1448 82	10	13 34			8 24 ✓	2+95 6		Bot Wash
			153	5 10	"	151 1	+	8 59	1480 95	11	+ 18 79		+	23 89 ✓	3+60 6		
			205	5 10	"	200 0	+	12 51	1502 65	12	+ 40 49		+	45 59 ✓	4+09 5		
			254 5	5 10	"	246 6	+	14 21	1520 14	13	+ 57 98		+	63 08 ✓	4+56 1		Top ridge
										14							
										15							
										16							
										17							
										18							
										19							
										20							
										21							

Add'l Inform.

Notes Red. _____ Platted _____ Job No. 09512 Division No. 11 F.B. 2482 pg. 193

Notes Chkd. _____ Checked _____ Survey of MARKET ST

Date _____ Date _____ Survey by JSC Notes JSC Date 3-5-63

Date _____ Date _____ Indexed _____ Date _____

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Add'n'l Remarks

Topography Description Legend:

Side Hill ....S.H. Bottom Draw..B.D.
Side of Draw..S.D. Bottom Wash B.W.
Side of Ridge..S.R. Top of Ridge..T.R.
Head of Draw H.D. Toe of Slope..T.S.

Intersection of Draw V.D's
Break in Slope ..B.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon...B.Cn.

Side of Canyon S.Ca.
Top of Bank....T.B.
Bottom of Bank..B.B.
Top of Cut.....T.C.
Bottom of Cut...B.C.
Top of Fill.....T.F.
Bottom of Fill..B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Trusted Rd. Tr. Rd.
Fence .....Fe.
Int. Fences..V.Fe.
Ditch .....Di.
Telephone Pole T.P.
Power Pole...P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Pine combinations of these and all common standard abbreviations.

FB 2269 Pg 1 of 1

Notes Ck'd by	Survey of MARKET ST. (NEWHALL)	F. B 2678 Pg. 185
Map No.	JN 0095.12 Tape 174 Std 84 °F	
Office Work	Surveyed by J S COATES	
Checked	Notes JSC Date 3-4-63	
Date	Indexed E. J. CALLI MAR 13 '63	

J.N 0095.12

MARKET ST. ET AL

LOCATION OF PROFILE ON PRELIMINARY LINE M-16 TO M-24

SHEET 5

SUB-FILE MAP # 108-1

(COATES
BEERS
ALBRIGHT
HUBBARD
CHEKR.)

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 'CE' # 310 3-61

F. B. 2678 Pg. 186



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE, OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Slope

PROFILE ON P LINE FROM M-16 TO M-24

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	Back Sight	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
				—						1							
0+68!																	
M-17	M-22			—	180 00				1510 67	5 20		1515 87			0+68!		
	M-16A			0 33				Level	1515 54								
	M-16			5 68	180 00			Level	1510 19						0+00	E Edge Road	
				6 78				Level	1509 09						0+15	West Edge Rd.	
				3 20				Level	1512 67						0+22	Top cut	
				1 35				Level	1514 52						0+52	Top Spur	
				9 00	0 00			Level	1506 87						0+83		
			62	5 20		55 53		26 24	1483 10		32 77			27 57 ✓	1+23 6	brk	
			113	5 20		101 3		26 19	1460 57		55 30			50 10 ✓	1+69 4		
			159	5 20		142 8		26 04	1440 80		75 07			69 87 ✓	2+10 9		
			212	5 20		191 2		25 34	1419 18		96 69			91 49 ✓	2+59 3	draw	
			244	5 20		229 5		19 50	1427 89		87 98			82 78 ✓	2+97 6		
			277	5 20		266 7		15 41	1485 79		80 08			74 88 ✓	3+34 8	EAST Edge ROAD	
3+34 8	M-22			—	0 0					5 10		1440 89					
				7 4		13'		Level	1433 49						3+47 8	W. edge ROAD	
				4 9		20		Level	1436 0						3+54 8	Top cut bank	
			48	5 10		47 9	+	2 45	1438 1		2 80		+	2 30 ✓	3+82 7	brk	
			100	5 10		98'	+	11 18	1455 4		14 50		+	19 60 ✓	3+32 9	Top Ridge	
4+32 9	M-22			—	0 00					5 30		1460 70					
4+			52 5	5 30		32 5	+	10 30	1461 32		0 62		+	5 92 ✓	3+64 1	Top brk	

Date
Notes Red.
Platted
Date
Job No. 0995.12 Section No. 11 E.B. 2678 Pg. 187
Notes Chkd.
Checked
Date
Survey of MARKET ST.
Map No.
Indexed
Survey by J.S.C. Notes J.S.C. Date 8-4-63
Date
Date

Ass't Inform.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left Right
4+32.9	-										1460.70			
			74	5.30		73.5	+ 6 48	1464.16		+ 3.46		+ 8.76 ✓	4+06.4	brk
	M-18		113.8	5.30		113.5	+ 4 12	1463.72		+ 3.02		+ 8.32 ✓	5+46.4	
5+46.4	M-22								5.00		1468.72			
M-18			36	5.00		35.7	- 7 45	1458.87		- 9.85		- 4.85 ✓	5+82.1	brk
			90	8.00		89.1	- 8 15	1447.81		- 20.91		- 12.91 ✓	6+35.5	
			151	9.00		149.4	- 8 17	1437.97		- 30.75		- 21.75 ✓	6+95.8	Saddle
			217	5.00		215.8	- 6 03	1440.85		- 27.87		- 22.87 ✓		Top brk
			244	5.00		242.8	- 5 42	1439.49		- 29.23		- 24.23 ✓		Saddle
			276	5.00		275.0	- 4 47	1440.70		- 28.02		- 23.02 ✓	8+21.4	Top brk
8+21.9									5.00		1445.70			
			67	5.00		66.2	- 8 47	1430.47		- 15.23		- 10.23 ✓	8+87.6	brk
			104	5.00		103.2	- 7 16	1427.55		- 18.15		- 13.15 ✓	9+24.6	Saddle
			138	5.00		137.5	- 4 56	1428.84		- 16.86		- 11.86 ✓	9+58.9	brk
			178	10.51		178	Level	1435.19					9+99.4	brk
	M-19		182.5	11.20		182.5	Level	1434.50					10+03.9	
10+03.9									5.25		1439.75			
M-19	M-20		62	5.25		60.7	- 11 43	1421.91		- 17.84		- 12.59 ✓	10+64.4	brk
10+64.4									5.00		1426.91			
M-20			93	6.00		86.9	- 20 48	1387.88		- 39.03		- 33.03 ✓	11+51.3	brk
			121.5	5.00		115.6	- 18 00	1384.36		- 42.55		- 37.55 ✓	11+80	brk

Topography Description Legend:
Hill ... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Intersection of Draw V.P.'s ... Int.
Break in Slope ... Br.S.
Steep Slope ... S.S.
Top of Cliff ... T.Cl.
Bottom of Cliff ... B.Cl.
Top of Sawtooth ... T.Sa.
Bottom of Canyon ... B.Cn.

Side of Drawn V.P.'s ... Side
Top of Bank ... T.B.
Bottom of Bank ... B.B.
Top of Cut ... T.C.
Bottom of Cut ... B.C.
Top of Fill ... T.F.
Bottom of Fill ... B.F.

Saddle ... Sad.
Fence ... Fen.
Flat ... Flt.
Stream ... Str.
Trail ... Tr.
Pavement ... Pvt.
Edge of Road ... E.Rd.

Trees: Nat. Tr. ... N.T.
Fence ... Fen.
Fenced V. ... F.V.
Int. ... Int.
Ditch ... Dit.
Telephone Pole ... T.P.
Power Pole ... P.P.
Culvert ... Culv.

Sta. ... Sta.
Sprg. ... Sp.
Sycamore ... Sy.
Eucalyptus ... Eu.
Pine combinations ... Pi.
Use these and all common standard abbreviations.

Oak ... O.
Pine ... Pi.
Cedar ... Ce.
Fir ... Fr.

Page 188

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE, OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	Back Sight	+	Difference Elevation	Height of Instrument	+	Vertical Distance	REMARKS Station	Left	Right
12+64 M-20										1			1426 91					
			149	5 00	0° 0'	142 9		16 30	1379 49	2		47 42			42 42	✓ 12+07 3	brk	
	M-21		169 3	5 00	0 0	162 6		16 14	1374 58	3		52 33			47 33	✓ 12+26.85 1x2		
12+26.85 M-21										4	5 00		1379 58					
			23	5 00		22 2		15 28	1368 45	5		11 13			6.13	12+49	brk	
			60	5 00		58 0		14 39	1357 41	6		20 17			15 17	✓ 12+84 9	brk	
			107	5 00		105 5		11 12	1353 80	7		25 78			20 78	✓ 13+31 9	Toe of Slope	
			119	5 00		117 1		10 15	1353 42	8		26 17			21 17	✓ 13+44		
										9	00 05		1353 47					
				0 53					1352 94	10						13+95		
				1 61					1351 86	11						14+45		
				3 4					1350 07	12						14+95		
				5 1					1348 37	13						15+45		
				6 3					1347 17	14						15+95		
				7 4					1346 07	15						16+45		
				9 0					1344 47	16						16+95		
				10 1					1343 37	17						17+45		
				11 5					1342 0	18						17+95		
	M-22			12 5					1340.93 1341 6	19						18+26.25 M-22 Elev. 1340.93 FB. 2678-45 1x2		
										20	1 87		1342 80					
				2 4					1340 4	21						18+50		

Add'l Inform.

Notes Rec. _____ Plotted _____ Job No. 2295.12 Division No. 11 F.B. 2678 Pg. 1-2-3
Date _____ Date _____ Survey of MARKET ST
Notes Chkd. _____ Checked _____ Survey by JSC Notes JSC Date 3-7-63
Date _____ Date _____ Map No. _____ Indexed _____ Date _____

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
									1		1342.80				
				3.5				1339.3	2				19+00		
				5.6				1337.2	3				+50		
				6.8				1336.0	4				20+00		
				8.2				1334.6	5				+50		
				9.1				1333.7	6				21+00		
				9.06				1333.74	7	1.44	1335.18		TP		
				2.9				1332.3	8				21+50		
				4.2				1331.0	9				22+00		
				5.4				1329.8	10				+50		
				5.9				1329.3	11				23+00		
				7.0				1328.2	12				+50		
				7.8				1327.5	13				24+00		
				8.05				1327.13	14	0.75	1327.88		+26.92	Top 1x2 FL	
				1.3				1326.6	15				24+50		
				2.5				1325.4	16				25+00		
				4.0				1323.9	17				+50		
				5.6				1322.3	18				26+00		
				7.3				1320.6	19				+50		
				8.9				1319.0	20				27+00		
				9.8				1318.1	21				+50		X

Add'l Inform.

Tracks-R.R. Tr.Rd. Pk.-Pl. Cedar-Cy. Fence.....V.Fn. Ft. Ditch Fences..P.Fn. Telephone Pole..T.P. Power Pole.....P.P. Culvert .....Culv.

Bk. ..... Sty. Fl. ..... Fl. Str. ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..E.Rd.

Side of Canyon S.Cn. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut....B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Inter. of Draw, V.D's Break in Slope...B.S. Steep Slope.....S. Top of Cliff....T.Cl. Bottom of Cliff...B.Cl. Top of Spur....T.Sp. Bottom Canyon...B.Cn.

Topography Description Legend:
Side Hill.....S.H.
Bottom Draw.B.D.
Bottom Wash B.W.
Side of Ridge T.R.
Toe of Slope..T.S.
Head of Draw H.D.

RB 2428 Pg. 190

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercept	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′				1327 88				
				10 9	° ′		° ′	1317 °	2				28+00		
				11 6	° ′		° ′	1316 3	3				+50		
				11 54	° ′		° ′	1316 34	4 2 54		1318 88		TP		
				3 8	° ′		° ′	1315 1	5				29+00		
				5 6	° ′		° ′	1313 3	6				+50		
				6 4	° ′		° ′	1312 5	7				30+00		
				6 37	° ′		° ′	1312 51	8				+20 43		
					° ′		° ′		9 411		1316 62				
	BM25A			3 83	° ′		° ′	1312 79	10				BM25A Elev. 1312.72		
					° ′		° ′		11				Bt Spk. in lead on		
					° ′		° ′		12				Top Conc. pier		
					° ′		° ′		13				NE Cor. Edison		
					° ′		° ′		14				Tower #E 4-2		
					° ′		° ′		15				FB. 2687-16,45		
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Add'l Inform.

Notes Rod. _____ Plotted _____ Date _____ Job No. 6095.12 Division No. 11 F.B. 2678 Pg. 121

Notes Chkd. _____ Checked _____ Date _____ Survey of MARKET ST. Survey by JSC Notes JSC Date 3-7-63

Date _____ Map No. _____ Indexed _____ Date _____

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traverse Mon. Fence ..... Fa. Int. Fence ..... V. Fa. Ditch ..... Di. Telephone Pole ..... T. P. Power Pole ..... P. P. Culvert ..... Cul.

Saddle ..... Sa. Bridle ..... Br. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E. Rd.

Side of Canyon ..... S. Cn. Top of Bank ..... T. B. Bottom of Bank ..... B. B. Top of Cut ..... T. Ct. Bottom of Cut ..... B. C. Top of Fill ..... T. F. Bottom of Fill ..... B. F.

Intern. of Draw ..... Y. D's Break in Slope ..... Br. S. Steep Slope ..... S. S. Top of Cliff ..... T. Cl. Bottom of Cliff ..... B. Cl. Top of Spur ..... T. Sp. Bottom Canyon ..... B. Cn.

Topography Description Legend:

Hill ..... A. H.
Bottom Draw ..... B. D.
Bottom Wash ..... B. W.
Top of Ridge ..... T. R.
Top of Slope ..... T. S.
Side of Draw ..... S. D.
Side of Ridge ..... S. R.
Head of Draw ..... H. D.

FB 2628 Pg. 132

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Addn'l Inform.

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		PROFILE ON CROSS-SECTION 1				AT M-22 See pg. 186.
M-22 = 0+00	10 68	1351 61		1340.93		M-22 Elev. 1340.93 1x2
						F.B. 2678 - 15, 45
0+50			8 8	13428		
1+00			7 3	13443		
1+50			5 5	13461		
2+00			4 0	13476		
2+50			2 6	13490		
3+00			1 9	13497		
T.P.	1 89	3 62 36	1 14	135047		
3+50			11 2	13512		
4+00			8 9	13535		
4+46			6 1	13563	N Edge dirt Rd.	
4+61			5 6	13568	S Edge " "	
5+00			2 3	13601		
T.P.	5 05	1365 77	1 62	136014		
5+50			1 2	13646	End of line.	

Profile Notes Red. Plotted Job No. 0095.12 Division No. 11 F. B. 2678 Pg. 193
No. X-Sec. Date Date Survey of MARKET STA
No. Notes Chkd. Checked Survey by JSC Notes JSC Date 3-7-63
Date Date Map No. Indexed R. J. GALLI Date

76L-298 S & E #307—1-56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 2678 Pg. 194 Job No. 0095.12 Division No. 11 Notes Red Date Notes Chkd. Date
Survey of MARKET ST Profile Plotted Date No. X-Sec.
Survey by JSC Notes JSC Checked Date No.
Indexed R. J. GALLI Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		PROFILE	ON	CROSS-SECTION #2 @ M-22		SEE Page 196
M-22 = 0+00	9 85	1350 78		1340 93		M-22 Elev 1340.93 FB. 2678/1545 Fd. 1"X2" ε N.
0+50			9 3	1341 5		
0+78			9 2	1341 6		
1+00			7 9	1342 9		
1+50			6 4	1344 4	Top Bk	
2+00			6	1345 3		
2+50			5 5	1345 3		
3+00			4 4	1346 2		
3+50			3 7	1347		
4+00			1 4	1349 4		
4+33 T.P.	8 65	1359 17	0 26	1350 52	Top Bk	
4+47			9 0	1350 2	Btm Bk	
4+95			6 5	1352 7	Top Bk	
5+24			6 1	1353 1	Btm Bk	
5+50			4 1	1355 1	Top Bk	
6+00			1 2	1358 0		
T.P.	11 75	1370 38	0 54	1358 63		
6+50			10 3	1360 1		
7+00			7 7	1362 7		
7+40			3 7	1366 7		
7+50			1 5	1368 9		

X

Notes Ck'd by	Survey of MARKET ST.
Map No.	JN 0095.12 Tape 174 Std 84 °F
Office Work	Surveyed by J S COATES
Checked	Notes JSC Date 3-7-63
Date	Indexed G. J. GALLI MAR 13 '63

F. B. 2678 PG. 195

J.N. 0095.12
MARKET ST. ET AL
LOCATION OF PROFILE
FOR
CROSS SECTION AT W-12

SHEET 7

SUB-FILE MAP #108-1

COATES
ALBRIGHT
HUBBARD
BEERS
CHERRY

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
	PROFILE	ON	CROSS-SECTION	AT	W-12	See page 96
BM M-25A	5 35	1318 07		1312 72		BM25A Elev. 1312.72 F.B. 2678-45 Edison Tower #E4-2 Bt. Spk. in N.E. Cor. Conc. Pier.
W-12			[illegible]	1306.26		
0+00			11 2	13069		
0+22.5			11 7	13064	Btm Bx.	
0+39			8 7	13094		
0+50			9 4	13077		
1+ 00			10 1	13088		
1+50			9 9	13082		
2+00			9 [illegible]	13085		
2+50			9 6	13085		
3+00			8.8	13093		
3+50			8 4	13097		
4+00			7 4	13097		
4+50			6 1	13120		
5+00			5 2	13129		
5+50			4 0	13141		
6+00			3 [illegible]	13153		
6+50			1 5	13166		
7+ 00			0 8	13173		

Profile Notes Red ____ Plotted ____ Job No. 3095.12 Division No. 11 F. B. 2678 Pg. 197
No. X-Sec. Date ____ Date ____ Survey of MARKET ST
No. ____ Notes Chkd. ____ Checked ____ Survey by USC Notes USC Date 3-7-62
Date ____ Date ____ Map No. ____ Indexed R. J. GALL Date ____

F.B. 2678 Pg. 198 Job No. 0095.12 Division No. 11 Notes Red Plotted Profile

Survey of MARKET ST. Date Date No.

Survey by JSC Notes JSC Notes Chkd. Checked X-Sec.

Indexed E. J. GALLI Date Date Date No.

78-L298 CE 307 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.
7+50	7 55	13[illegible].01	0 55	13[illegible].52
7+72 TP.	11 70	13[illegible].07	3 4	13[illegible].7
8+00		13[illegible].97	0 2[illegible]	13[illegible].27
			0.1	13[illegible].9

To Sta. 8+00

X

Notes Ck'd by		Survey of MARKET ST	F. B. 2678 Pg. 199
Map No.		JN 0095.12 Tape 174 Std 84 °F	
Office Work		Surveyed by JS COATES	
Checked		Notes JSC Date 3-7-63	
Date		Indexed B. J. GALLI MAR 13 '63	

J.N. 0095.12
MARKET ST ET AL

LOCATION OF PROFILE FOR CROSS-SECTION AT W-15

SHEET 7

SUB-FILE MAP # 108-1

COATES
BLURS
T-BRTSHT
HUBBARD
CHEEK J

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

END 4+81

FOR PROFILE SEE PG. 201

98° 40'

WILEY CANYON RD P-LINE

W-14
FD. 1"X2"E.N.
FB. 2678-65

W-15
FD. 1"X2"E.N.
FB 2678-66

F. B. 2678 Pg. 200

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

SLOPE

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle ° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
					PROFILE			ON	CROSS-SECTION AT				W-15			See page 200		
W-15	W-14								1323.80	5.52			1329.32			W-15 Elev. 1323.80 FB. 2678-100 1&2		
				4.3	98° 40'			0.0	1325.0							0+13		
				2.8	"			0.0	1326.5							0+16 TOP CUT		
				2.7	"			0.0	1326.6							0+34		
				4.6	"			0.0	1324.7							0+46 EL WASH		
				2.8	"			0.0	1326.5							0+59		
				0.9	"			0.0	1328.4							1+00		
			150	5.52	"	149.9	+	2.30	1330.3		+	1.02		+	6.54	1+49.9		
			200	5.52	"	199.8	+	2.15	1331.6		+	2.33		+	7.85	1+99.8		
			250	5.52	"	249.8	+	2.00	1332.53		+	3.21		+	8.73	2+49.8		
2+49.8	W15				180° 00'					5.35			1337.88					
				4.1	"	29.1		0.0	1333.8							2+78.8 TOE SLOPE		
			70	5.35	"	68.4	+	12.21	1347.5		+	9.62		+	14.97	3+18.2		
			105	5.35	"	100.5	+	16.45	1362.8		+	24.91		+	30.26	TOP BREAK 3+50.3		
			155	5.35	"	149.5	+	15.22	1373.6		+	35.73		+	41.08	3+99.3		
			203	5.35	"	196.3	+	14.48	1384.4		+	46.51		+	51.86	4+46.1		
			239	5.35	"	231.1	+	14.45	1393.4		+	55.50		+	60.85	Top knoll 4+80.9		

Add'l Inform.

Notes Ref. _____ Plotted _____ Job No. 0085.12 Division No. 11 F.B. 2678 Pg. 201
Date _____ Date _____ Survey of MARKET ST. ET AL
Notes Chkd. _____ Checked _____ Survey by JSC Notes JSC Date 3-7-63
Date _____ Map No. _____ Indexed C.J. GAW Date _____

Form 301 10M 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 2628 Pg 202

Topography Description Legend:

Side Hill ... S.H.
Bottom Draw B.D.
Bottom Wash B.W.
Side of Draw S.D.
Top of Ridge T.R.
Side of Ridge S.R.
Toe of Slope T.S.
Head of Draw H.D.

Inters. of Draw V.Ds
Break in Slope: R.B.
Steep Slope ... S.S.
Top of Cliff ... T.Cl.
Bottom of Cliff ... B.Cl.
Top of Spur ... T.Sp.
Bottom Canyon ... B.Cn.

Side of Canyon S.Cn.
Top of Bnk ... T.B.
Bottom of Bank B.B.
Top of Cut ... T.C.
Bottom of Cut ... B.C.
Toe of Fill ... T.F.
Bottom of Fill ... B.F.

Saddle ... Sa.
Swale ... Sw.
Flat ... Fl.
Stream ... Str.
Trail ... Tr.
Pavement ... Pvt.
Edge of Road ... E.Rd.

Traveled Rd. Tr.Rd.
Fence ... Fe.
Int. Fence ... V.Fn.
Ditch ... Di.
Telephone Pole T.P.
Power Pole ... P.P.
Culvert ... Cul.

Oak ... O.
Pine ... Pi.
Sycamore ... Sy.
Eucalyptus ... Eu.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Add'l Notes

Notes Ck'd by		Survey of MARKET ST.	F. B. 2678 PG. 203
Map No.		JN 0095.12 Tape 174 Std 84 °F	
Office Work		Surveyed by J.S. COATES	
Checked		Notes JSC Date 3-7-63	
Date		Indexed J. GALLI MAR 13 '63	

J.N. 0095.12

MARKET ST ET AL

LOCATION OF PROFILE FOR CROSS-SECTION AT W-18

SHEET 6

SUB-FILE MAP 108-1

COATES
ELLIS
ALBRIGHT
HUBBARD
CHERRY

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 8-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle ° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
					PROFILE OF CROSS-SECTION # 1 @										W-18 See Pg 204		
W-18	W-15								1329 50	5 45		1334 95			W-18 Elev 1329.50		
															FB 2678-100 1x2		
				54	88 00				1329 6						0+09 edge Rd		
				41	"				1330 9						0+13		
				49	"				1330 0						0+50		
				42	"				1330 8						1+00		
				0	"				1335 0						1+50		
			200	5 45	"	199 6	+	3 49	1342 81		+ 7 86		+	13 31	1+996		
1+996	W-18									5 12		1347 93					
			46	5 12	180 00	45 2	+	10 55	1351 5		+ 3 6		+	8 71	Brk 2+498		
			77	5 12	"	75 9	+	9 53	1356 0		+ 8 1		+	13 22	Brk 2+755		
			100	5 12	"	96 7	+	14 42	1368 2		+ 20 3		+	25 38	2+963 TOE Rock Cliff		
			168	5 12	"	144 8	+	30 27	1427 9		+ 80 0		+	85 14	Top " " 3+444		
			211	5 12	"	184 1	+	29 15	1445 9		+ 98 0		+	103 10	Top narrow ridge 3+857		
			238	9 00	"	206 5	+	29 50	1457 8		+ 109 4		+	118 4	4+021 brk		
			287	16 95	"	250 0	+	29 26	1472 0		+ 124 1		+	141 03	4+49 6 brk		
										10 0		1482 0			TP		
				6 6	180 00	2 1		0 0	1475 4						4+70 0 Top knoll		
				5 4	"	4 7		0 0	1476 6						4+97 0 Top ridge		

Aux'l Inform.

Date Map No. Indexed

Date Checked Notes Chkd.

Date Survey of MARKET ST. Survey by JSC Notes JSC Date 3-8-63

Date Platted Job No. 2095.12 Division No. 11 F.B. 2678 Pg. 205

Form 381 (6M) 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / − Vertical Angle	Elevation of Point	+ Back Sight	+ / − Difference Elevation	Height of Instrument	+ / − Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′		3						
					° ′		° ′		4						
					° ′		° ′		5						
					° ′		° ′		6						
					° ′		° ′		7						
					° ′		° ′		8						
					° ′		° ′		9						
					° ′		° ′		10						
					° ′		° ′		11						
					° ′		° ′		12						
					° ′		° ′		13						
					° ′		° ′		14						
					° ′		° ′		15						
					° ′		° ′		16						
					° ′		° ′		17						
					° ′		° ′		18						
					° ′		° ′		19						
					° ′		° ′		20						
					° ′		° ′		21						

Add'l Interm.

Topography Description Legend:

Hill.....S.H. | Bottom Draw..B.D. | Bottom Wash..B.W. | Top of Ridge..T.R. | Toe of Slope..T.S.

Side of Draw H.D.

Head of Draw H.D.

Side of Ridge..S.R.

Side of Draw..S.D.

Intern. of Draw Side..S.D. | Break in Slope..Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff..B.Cl. | Top of Spur..T.Sp. | Bottom Canyon..B.Cn.

Side of Canyon S.Cn. | Top of Bank..T.B. | Bottom of Bank..B.B. | Top of Cut..T.C. | Bottom of Cut..B.C. | Top of Fill..T.F. | Bottom of Fill..B.F.

Saddle.....Sa. | Swale.....Sw. | Flat.....Fl. | Stream.....St. | Trail.....Tr. | Pavement.....Pvt. | Edge of Road..E.Rd.

Trav'sd Rd. Tr. Rd. | Fence.....Fce. | Int. Fence..V.Fl. | Ditch.....Dl. | Telephone Pole..T.P. | Power Pole.....P.P. | Culvert.....Cul.

Gas-G. | Fire-Pl. | Spring.....Sp. | Eucalyptus.....Eu. | Pine.....Pi. | Cedar.....Ce. | Sycamore.....Sy. | Oak.....Oa.

Plan combinations of these and all common standard abbreviations.

NOTE: Any additions or changes on this sheet must be made or circled in red ink. With date and name of person making change.

FB 2608 PG. 206

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ✓ Notes Red Date Notes Chkd. Date Map No. Plotted Date Checked Date Indexed

X-Sec. No. Job No. 0095 12 Division No. 11 Survey of MARKET ST Survey by JSC Notes JSC Date 3-8-63 Date

F.B. 2678 Pg 207

STATION	B. S.	H. I.	F. S.	ELEV.		
		PROFILE	ON CROSS-SECTION AT W1-18	See page 204		
W1-18	10 06	1339.56		1329 50	W1-18 Elev. 1329.50 FB 2678-100	
0+00			9.7	1329.9		
0+19			9.7	1329.9		
0+29			8 5	1331.1		
0+63			8 [illegible]	1331.2		
1+00			8 2	1331.4		
1+50			6 5	1333.1		
2+00			3 7	1335.9		
2+50			1 4	1338.2		
T.P.	[illegible]	1349 41	0 35	[illegible]		
3+00			[illegible]	1340.8		
3+50			6 5	1342.9		
4+00			4 0	1345.4		
4+[illegible] T.P.	10 32	1358.75	[illegible]	1348.53		
5+[illegible]			6 1	1352.7		
5+50 T.P.	1201	1369.38	1 38	1357 37		
6+00			2.1	1362 3		
6+50			2.1	1367 3		

F.B. 2678 Pg. 208 | 0095.12

Job No. ____ Division No. 11 Notes Red ____ Plotted ____ Profile

Survey of MARKET ST Date ____ Date ____ No. ____

Survey by JSC Notes JSC Notes Chkd. ____ Checked ____ X-Sec.

Indexed R. J. GALLI Date ____ Date ____ Date ____ No. ____

STATION	B.S.	H.I.	F.S.	ELEV.

76-L298 CE 307 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by		Survey of MARKET ST.	F. B. 2678 Pg. 209
Map No.		JN 0095.12 Tape 174 Std 84 °F	
Office Work		Surveyed by J.S. COATES	
Checked		Notes JSC Date 3-12-63	
Date		Indexed C. J. GALLI MAR 13 '63	

J.N 0095.12
MARKET ST. ET AL

LOCATION OF PROFILE FOR CROSS-SECTIONS AT W-11, W-7, & W-4

COATES
BEERS
ALBRIGHT
HUBBARD
CHERRY

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 2678 Pg. 210



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE, OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PROFILE ON CROSS SECTION AT W-11 See pg 210

Transit Set At	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ −	Difference Elevation	Height of Instrument	+	Vertical Distance	REMARKS Station	Left	Right
W-11	W-10				70 0				1303.35	5.18			1308.53					
				4.2					1304.3							0+03	Top Berm	
				4.4					1304.1							0+24		
			87.5	5.18		87.2	+	4 43	1310.5		+	2 °		+	7.20	0+87.2		
			132	5.18		130.3	+	9 12	1324.5		+	16 °		+	21.26	1+30.8		
			163	5.18		159.°	+	12 48	1339.5		+	30.93		+	36.11	1+59.°		
			215	5.18		203.6	+	18 43	1372.3		+	63 8		+	69.°	2+03.6	Top brk	
			232	5.18		220.°	+	18 30	1376.9		+	68.4		+	73.6	2+20	draw	
2+20	W-11									4.93			1381.83					
			42	4.93	180 00	41.4	+	9 45	1384.0		+	2 18		+	7.11	2+61.4	draw	
			104	4.93	" "	96.9	+	21 18	1414.7		+	32.85		+	37.78	3+16.9		
			132	4.93	" "	120.8	+	23 45	1430.1		+	48.23		+	53.16	3+40.8		
			177	4.93	" "	158.1	+	26 44	1456.38		+	74.55		+	79.62	3+78.1		
3+78.1	W-11									5.08			1461.46		10.68	HI		
			50.1	5.08	" "	48.9	−	12 18	1443.6		−	17.9		+	2.78	4+27.0		
			95.1	5.08	" "	93.7	−	9 32	1440.7		−	20.8		−	15.73	4+71.8		
			151.1	5.08	" "	150.8	+	2 52	1464.°		+	2.5		+	7.55	5+28.9		
			183.1	5.08	" "	181.4	+	7 33	1480.5		+	19 °		+	24.04	5+59.5		
			230.1	5.08	" "	225.3	+	11 33	1502.5		+	41 °		+	46.05	6+03.4		
			242.1	5.08	" "	237.°	+	11 38	1505.2		+	43.7		+	48.8	6+15.1		

+ Add'l Inform.

OVER

Notes Red. _____ Plotted _____ Job No. D0965 Drawing No. 11 F.B. 2678 Pg. 24
Date _____ Date _____ Survey of MARKET ST
Notes Chkd. _____ Checked _____ Survey by JSC Notes JSC Date 3-12-63
Date _____ Date _____ Map No. _____ Indexed _____ Date _____

Form 301 34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
					° '		° '				1461 46				
3+78	W-11				243 22	54'		1462 3		+ 0 8			Top knoll		

Add'l Notes

Topography Description Legend:
Side of Hill...S.H. Bottom of Drain...B.D.
Side of Drain...S.D. Bottom of Wash...B.W.
Side of Ridge...S.R. Top of Ridge...T.R.
Head of Draw...H.D. Toe of Slope...T.S.

Fir-Fr. Oak-O. Pine-Pi. Cedar-Ce. Sycamore-Sy. Eucalyptus-Eu. Pine combinations-Pi. of these and all common standard abbreviations.

Traverse Sta. Yr. Rd. Fence-Fe. Int. Fence-I. Fe. Ditch-Di. Telephone Pole-T. P. Power Pole-P. P. Culvert-Cul.

Bldg.-Bl. Sty.-St. Pvt.-Pvt. Edge of Road-E. Rd.

Saddle-Sadd. Knoll-Kn. Flat-Fl. Stream-Str. Trail-Tr. Pavement-Pvt.

Side of Drain-S. Dr. Top of Bank-T. B. Bottom of Bank-B. B. Top of Cut-T. C. Bottom of Cut-B. C. Top of Fill-T. F. Bottom of Fill-B. F.

Inters. of R. R. Break in Slope-Br. Top of Cliff-T. Cl. Bottom of Cliff-B. Cl. Top of Spur-T. Sp. Bottom Canyon-B. Cn.

Form 301 IOM 3-34

RELEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE DATED, CIRCLED IN RED INK, WITH INITIALS AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Slope

PROFILE ON CROSS-SECTION AT W-7

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	− Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′		1				See page 210		
W-7	W-6				84 30			1294 19	2 4.95		1299 14				
		13	4.95		"	11 3	+ 29 30	1300 7	3	+ 1 45		+ 6 40	0+11 3 Top berm		
		16 5	4.95		"	15 5	+ 19 43	1299 7	4	+ 0 6		+ 5 6	0+15 5 W-edge road		
		36	8.00		"	35 4	+ 10 56	1300 9	5	+ 1 8		+ 6 8	0+35 4 E "		
		45	4.95		"	42 8	+ 17 51	1307 9	6	+ 8 8		+ 13 8	0+42 8 Top cut bank		
		66 5	4.95		"	61 1	+ 23 18	1320 4	7	+ 21 3		+ 26 3	0+61 1 brk		
		95	4.95		"	85 2	+ 26 15	1336 1	8	+ 37 0		+ 42 0	0+85 2 Top Spur		
		151	4.95		"	135 0	+ 26 37	1361 8	9	+ 62 7		+ 67 7	1+35 0 " "		
		188	4.95		"	168 6	+ 26 15	1377 3	10	+ 78 2		+ 83 2	1+68 6		
1+68 6	W-7								11 4.92		1382 2				
		33	4.92		180 00	31 2	+ 19 15	1388 2	12	+ 6 0		+ 10 9	1+99 8		
		51	4.92		"	48 6	+ 17 43	1392 8	13	+ 10 6		+ 15 5	2+17 5		
		71	7.0		"	67 9	+ 17 08	1396 1	14	+ 13 9		+ 20 9	2+36 5		
		100	7.0		"	96 8	+ 14 29	1400 2	15	+ 18 0		+ 25 0	2+65 Top ridge		

Add'l Inform.

Date Plotted Job No. 2673 Sht. No. 2 of 2 Sheets
Notes Red. Date Division No. 11
Notes Chkd. Date Survey by JSC Date 3-12-63
Date Checked Notes JSC
Date Initialed
Date Data
MARKET ST.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Slope

PROFILE ON CROSS-SECTION AT W-4

See page 210

Transit at	Sight on	Slope Distance	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
W4	W5				282 45			1289 52	5 64		1295 16				
			236		"	17							0+17		
		49	564		"	44²	+ 25 38	1310 7		+ 15 56		+ 21 20	0+44²	Top brk	
		62	564		"	56⁸	+ 23 36	1314 32		+ 19 16		+ 24 8	0+56⁸	Top spur	
0+56⁸	W-4								5 24		1319 56				
			293		180 00	18'	Level	1316 6					0+74⁹		
			360		"	52'	Level	1316 0					1+08⁸	draw	
		71	524		"	70³	+ 8 16	1324 8		+ 5 2		+ 10 2	1+27!	brk	
		110	524		"	107⁹	+ 11 15	1335 76		+ 16 2		+ 21 46	1+64⁷	Top spur	
1+64⁷	W-4								5 15		1340 91				
		38	515		180 "	37⁹	− 5 08	1332 3		− 8 64		+ 3 40	2+02⁶	brk	
		92	515		" "	92°	− 1 54	1332 6		− 8 3		+ 3 08	2+56⁷	brk	
		100	508		" "	100°	− 1 30	1333 1		− 7 8		+ 2 6	2+64⁷	Bot draw	
		130	515		" "	129⁵	+ 4 56	1346 9		+ 6 0		+ 11 2	2+94²		
		187	515		" "	184⁸	+ 8 48	1364 3		+ 23 4		+ 28 6	3+49⁵	brk	
		225	515		" "	222¹	+ 9 15	1371 9		+ 31 0		+ 36 2	3+86⁸		
		261	515		" "	257°	+ 10 0	1381 0		+ 40 1		+ 45 3	4+21⁷		
		279	515		" "	274³	+ 10 30	1386 5		+ 45 6		+ 50 8	4+39°		
4+39	W-4								5 23		1391 74				
		45	523		"	42°	+ 21 02	1402 7		+ 11 0		+ 16 2	4+81°		

Add'n'l Inform.

Form 301 10M 9-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE IN CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Slope

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle ° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	Station	Left	Right
4+39										5 23		1391 74				
			74	5 23		68 7	+	21 52	1414 14		+ 22 4		+ 27 6	5+07 7		Spur Fork
			94	5 23		88 4	+	19 52	1418 4		+ 26 7		+ 31 9	5+27 4		Top Ridge

Platted _____ Job No. 2955/2 Division No. II F.B. 2678 Pg. 25
Plotted _____ Date _____ Survey of MARKET ST
Checked _____ Survey by J.S. COATES Data J.S.C. Date 3/12/63
Checked _____ Date _____ Mtg No. _____ Indexed _____ Date _____

Add'l Inform.

Form 301 10" 3-34

PLEASE RETURN TO

LOS ANGELES COUNTY SURVEYOR

700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° '		° '		1						
					° '		° '		2						
					° '		° '		3						
					° '		° '		4						
					° '		° '		5						
					° '		° '		6						
					° '		° '		7						
					° '		° '		8						
					° '		° '		9						
					° '		° '		10						
					° '		° '		11						
					° '		° '		12						
					° '		° '		13						
					° '		° '		14						
					° '		° '		15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Add'n'l Inform.

Topography Description Legend:

Side Hill ... S.H. | Bottom Draw B.D. | Top of Slope ... T.S.
Side of Draw ... S.D. | Bottom Wash B.W. | Top of Cliff ... T.Cl.
Side of Ridge ... S.R. | Top of Ridge ... T.R. | Bottom of Cliff ... B.Cl.
Head of Draw H.D. | Toe of Slope ... T.S. | Top of Gorge ... T.Gr.
Bottom Canyon ... B.Cn.

Inters. of Draw w. Slope ... Sh.
Bank w. Slope ... S.S.
Top of Cliff ... T.Cl.
Bottom of Cliff ... B.Cl.
Top of Gorge ... T.Gr.
Bottom Canyon ... B.Cn.

Side of Bank ... S.B.
Top of Bank ... T.B.
Bottom of Bank ... B.B.
Top of Cut ... T.C.
Bottom of Cut ... B.C.
Top of Fill ... T.F.
Bottom of Fill ... B.F.

Saddle
Swale ... Sw.
Flat ... Fl.
Stream ... Str.
Trail ... Tr.
Pavement ... Pvt.
Edge of Road ... E.Rd.

Traveled Rd. Tr. Rd.
Fence ... Fe.
Int. Fences ... V.Fns.
Ditch ... Di.
Telephone Pole ... T.P.
Power Pole ... P.P.
Culvert ... Cul.

Oak ... O.
Pine ... Pi.
Sycamore ... Sy.
Eucalyptus ... Eu.
Plus combinations of these and all common standard abbreviations.

Fir ... Fr.
Cedar ... Ce.

F.B. 2678 Pg. 215

Notes Ck'd by	Survey of MARKET ST. (NEWHALL)	F. B. 2678 PG. 217
Map No.	JN 0095.12 Tape Std °F	
Office Work	Surveyed by C.L. WRIGHT	
Checked	Notes C.L.W Date APRIL '63	
Date	Indexed E. J. GALLI APR 2 6 63	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

26" GAS LINE - LOCATION & ELEVATIONS BOTH SIDE OF MARKET ST. (NEWHALL) THRU EDISON CO. RIGHT OF WAY

J.N. 0095.12

April 63

78F3095 CE # 310 3-61

F. B. 2679 Pg. 218

SEE Pg. 219 FOR ELEVATIONS



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 0095.12 Division No.
No. X-Sec. Date Date Survey of MARKET ST. (NEWHALL)
No. Notes Chkd. Checked Survey by C.L.L. Notes C.L.L. Date APRIL '63
Date Date Map No. Indexed E.P. CALL Date

F.B. 2678 Pg. 219

STATION	B.S.	H.I.	F.S.	ELEV.		
		ELEVATIONS ON 26" GAS LINE BOTH SIDES OF MARKET ST (NEWHALL) THRU EDISON RIGHT OF WAY. SEE PG. 218 FOR LOCATION				
		J.N. 0095.12				
TBM				1365.99	FD. LEAD & "X" TOP CONC. S.M. TOWER LEG. EDISON TRANSMISSION TOWER # 214-7	
	1.41	1377.40				
#1			2.75	74.65		TOP 26" GAS LINE
#4			3.30	74.10		" " " "
TBM			1.41	1365.99		
	0.78	1366.77				" " " "
#2			1.49	5.19		" " " "
#3			1.40	5.28		
TBM			0.78	1365.99		

F. B. PG. 220

Job No. Division No. Notes Red Plotted Profile

Survey of Date Date No.

Survey by Notes Notes Chkd. Checked X-Sec.

Indexed C. L. Gray Date Date Date No.

N. G.

STATION	B. S.	H. I.	F. S.	ELEV.

76-L298 CE 307 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by W. D. WAGNER	Survey of LYONS AVE.
Map No. 8-2851	JN 0095.57 Tape 175 Std 82 °F
Office Work J. J. EDWARDS	Surveyed by C. L. WRIGHT
Checked W. D. WAGNER	Notes C. L. W. Date MAY '63
Date Feb. 1964.	Indexed E. J. GALLI JAN 20 '89

F. B. 2678 PG. 220

TOWN OF NEWHALL — LYONS AVE. - CHAINING BETWEEN ARCADIA ST. INT. E'LY TO INT. WITH NEWHALL AVE. ALSO TIES TO ℄ INT. LYONS AVE ℄ ARCADIA, LYONS AVE ℄ NEWHALL AVE.

J.N. 0095.57

REFERENCES;

F.B. 973 C.S.B - 2523
" 2949
" 2383

PARTY:
C.L. WRIGHT
J.G. RANDALL
B.A. PEAVY
W.F. BARNETT
R.M. TERRAZONE

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SSE #247 11-58

F.B. 2678 Pg. 22


Fd. 2" I.P. Conc. Plug, Brass Shell Ctr. Dn. 6" in Well & Cover
F.B. 2678-117 F.B. 2383-218
" 2949-6
C.S.B. 2523 calls for 3/4" I.P.
Set L&T. Top Curb Tangent Ties
T 66° Lev 29.16
Newhall
T 66° Lev 52.31 .01 52.30
Set L&T. Top Curb Tangent Ties
T 66° Lev. 76.72 .01 76.71
℄ Int.
Ave.
T 66° Lev 50.74 .01 50.73
① 71 33 40
② 143 07 40
71° 33' 50"
② 140 59 30
① 281 59 00
140° 59' 30"
30' Ave S27.62
T 62°
Lev 199.22
" 155.65
" 172.89
S27.70 .08 S27.62
Fd. Sq. Spk. & T. F.B. 2949-6
F.B. 116
Kansas 60' Street
1111.99 per F.B. 2949-6
1111.97 Rec. C.S.B. 2523
1111.91 Meas.
Lyons
247.88 ② 3-04 =
T 62°
Lev 136.55
" 82.72
" 117.57
247.53
584.37 .08 584.29
T 60°
71.24 @ 3-13 = N.13 .01 71.12
T 60° Lev. 77.46 .01 77.45
T 60° Lev. 64.00 .01 63.99
Set 3/4" I.P. Conc. Plug L.A.Co Engr. Tag Flush 1 Ft. E. of Stop Sign
① 136 37 20
② 279 14 50
136 37 25"
① 36 10 00
② 72 20 00
36° 10' 00"
① 76 10 30
② 152 21 00
76 10 30
30' Stream
T 60° Lev 40.11 .01 40.10
① 147 18 20
② 294 36 00
147° 18' 00"
Arcadia
Set N&T W. Side PP# 299432E Up 1/2"
Set N&T S.E. Side PP# 287363E Up 12"
Fd. 1 1/4" I.P. Conc. Plug, Spk & W. Dn. 1/2" Well & Cover. Set Four Sq. Spk. & T. Tangent Ties in Pmt.
F.B. 2949-6 C.S.B. 2523
" 2678-117
" 973-108
Set N&T N.E. Side PP# 393275E Up 36"
T & T Lyons Ave. F.B. 2678-117
℄ 423.65
WS 68 A-3
Los Angeles County Engineer
700 Los Angeles County Engineering Bldg.
Please Return to
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER	Survey of LYONS AVE.	F. B. 2678	PG. 222
Map No. B-2851	JN 00957 Tape 175 Std. 84 °F		
Office Work J. J. EDWARDS	Surveyed by C. L. WRIGHT		
Checked W. D. WAGNER	Notes C. L. W. Date MAY - JUNE 63		
Date Feb. 1964.	Indexed C. J. CALM JAN 2 1965		

NEAR TOWN OF NEWHALL
LYONS AVE. FROM P.I. #1
WEST'LY TO P.I. #2.
CHAINING ON HIGHWAY #99 NORTH'LY
AND SOUTH'LY FROM ℄ INT. WITH
℄ OF LYONS AVE.
J.N. 0095.57

REFERENCES:
F.B. 658 C.S. B-2523
CALIF. DIV. HIGHWAYS LA4F - A26.001

PARTY:
C.L. WRIGHT
J.G. RANDALL
R.A. PEAVY
W.F. BARNETT
R.M. TERRAZONE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

F. B. 2678 PG. 223

CONT. RIGHT SIDE PG. 224

T-60°
246.29 @ 3-17 = 245.89
246.35 @ 3-29 = 245.89

SET SQ. SPK & T.

T 60°
245.89
LEV 95.45
" 148.76
" 111.72
" 157.49
759.31
.12
759.19

759.19 & LYONS
30'
30'

T-62°
291.87 @ 3-29 = 291.33
291.84 @ 3-23 = 291.33
291.33
.04
291.29

SET SQ. SPK & T.

LIONS AVE.

291.29

FB. 658-143 & C.S.B.-2523. CALL FOR A SPK W. & T.

172° 17' 00"
329 07 40
313 41 30
172° 16' 55"

SET N & T. S.E. SIDE TP # 121 6737E

FD N & T S.W. SIDE TP 44 49 SE (GUY POLE) & TEL. LINES

FD. 1½" I.P. CON. PLUG & BRASS CAP L.S. PG.

31.94
29.82
83.73
348.85
30'
30'
20'
55°
27° 43'

T 60°
84.67 @ 8-30 = 83.74
.01
83.73

CURVE PER
F.B. 658-143
Δ 7° 43' - 10"
R 1000'
T 67.47
L 134.73

T 60°
LEV 31.94
T 60°
LEV 29.82

SET LARGE SPK. S.W. S.E. SIDE 48" WHITE OAK UP 36"

T 60°
299.27 @ 2-54 = 298.89
LEV 50.01
348.90
.05
348.85

30' E. LYONS AVE. PER 682.94 THIS PAGE
30'
682.86 PG. 56
682.881 - C.S.B.-2523

Ⓐ 27 43 20
Ⓑ 55 26 40
27 43 20

NOTE: LINE CHANGE IN THIS BOOK PG. 108.

T 62°
LEV 141.36
" 192.78
334.14
.05
334.09

334.09

FD. SQ. SPK. & T. (EF. PG. 108.

CHECK

T-60°
299.27 @ 2-52 = 298.90

AVE.

SAN FRANCISCO RD. EDY

FD. 2 X 2 & N. PG. 98, 108, 112

WS 64 7-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by: W. D. WAGNER
Map No. B-2851
Office Work J. J. EDWARDS
Checked W. D. WAGNER
Date Feb. 1964.

Survey of LYONS AVE.
JN 0095.57 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date JUNE '63
Indexed E. J. CALLI

F. B. 2678 Pg. 224

W564 E4

END OF LINE

PER CALIF. DIV. HIGHWAYS FIELD NOTES A 26,001 - 102

T 66°
117.56 @ 15-53 = 113.07
117.82 @ 16-18 = 113.08
117.64 @ 16-32 = 113.06

113.07

BM H-27 V-40 ONLY PAINTED IN LEFT HAND NORTH BOUND LANE

No Station Fd. Painted on Pvmt. Fd. Calif. Div. Highways 2" Brass Disk Set in Conc. Dn. .9' This looks like a B.C.

T-70°
215.23 @ 1-12 = 215.18
292.49 @ 2-28 = 292.22
Lev. 7.95
598.86
.05
598.81

LEV 59.12
172.19
.02
172.16

598.81

Fd. 2" I.P. & Conc. Plug & Brass Shell Ctr. F.R. 658-144

Set Lead, Brass Nail, L.A.C.O. Engr. Tag Dn. ½" in Pvmt. by Sitt.

T 66°
LEV. 40.59
Set L.&T. Top Curb

T 66°
Lev. 51.99
80.78
Lev. 109.46
242.23
.04
242.19

16.58 M&R

172.16

40.59

SET NAIL

LYONS

242.19

AVE

℄ LYONS AVE

Construction ℄ U.S. 395

T 66°
LEV 40.50

40.50

1.19

S 56°

Set Sq. Spk. & T Pg. 228

P.I. #2 Fd. C.S. Mon. 2" I.P. & Brass Cap Set in Conc. F.R. 658-144

COUNTY SURVEYOR P.I. + No. 2 A.E. 63

Set L.&T. Top Curb

HIGHWAY # 99

580.39

T 70°
298.58 @ 3-07 = 298.14
262.14 @ 1-31 = 262.05
580.44
.05
580.39

Lev. 9.80
Lev. 10.45

P.O.T. Set 1x2" N.

℄	73	56'	10
℄	295	94	40
℄	83	37	20
	73°	56	13⅓"

T 72°
299.32 @ 1-08 = 299.26
Lev. 83.43
227.95
610.64
.05
610.59

610.59

PER CALIF. DIV. HIGHWAYS FIELD NOTES A 26,001-58

Fd. Calif. Div. Highways 2" Brass Disk Set in Conc. Dn. 1.2' Sta. 260+51.02 P.O.T. Painted on Pvmt. Left Hand - South Bound Lanes.

BM 4-25 V-37 PAINTED IN LEFT HAND NORTH BOUND LANE

0.13

CONT. ON TOP PG. 225

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-65

F. B. 2678 Pg. 225.

CONT P.O.T. Pg. 224



PER CALIF DIV. HIGHWAYS FIELD NOTES A 26.001-58

FD. A CALIF. DIV. HIGHWAYS 2" BRASS DISK SET IN CONC. DN. 12"
STA. 260+51.02 P.O.T. PAINTED ON PVMT. LEFT HAND SOUTH BOUND LANE PVMT.
B.M. H-25
V-37 PAINTED IN LEFT HAND NORTH BOUND LANE PVMT.

FD. A CALIF DIV. HIGHWAYS 2" BRASS DISK SET IN CONC. DN 12"
STA. 249+90.2 P.O.T. PAINTED IN LEFT HAND SOUTH BOUND LANE PVMT.
B.M. V-36
H-24 PAINTED IN LEFT HAND NORTH BOUND LANE, PVMT.

PER CALIF DIV. HIGHWAYS FIELD NOTES A 26.001-57

FD. A CALIF DIV. HIGHWAYS 2" BRASS DISK SET IN CONC. DN. 16"
STA. 240+50.96 P.O.T. PAINTED ON PVMT. - LEFT HAND SOUTH BOUND LANE.
B.M. V-35
H-23 PAINTED ON PVMT. LEFT HAND NORTH BOUND LANE.

PER. CALIF. DIV. HIGHWAYS FIELD NOTES - A 26.001-57

FD. A CALIF DIV. HIGHWAYS 2" BRASS DISK SET IN CONC DN 9"
EQUATION = 231+12.89 B.C. 231+13.24
B.M. 26-F-52
H-22
V-24 ALL PAINTED ON PVMT. LEFT HAND NORTH BOUND LANE

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER	Survey of LYONS AVE.
Map No. B-2851	JN 0095.57 Tape 175 Std 84 °F
Office Work J. J. EDWARDS	Surveyed by C. L. WRIGHT
Checked W. D. WAGNER	Notes C. L. W. Date JAN 64
Date Feb 1964.	Indexed D. J. GALLI JAN 27 '64

F. B. 2678 PG. 226

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this title of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

LYONS AVENUE (NEWHALL)
RETRACEMENT - P.C.O. CYN.
ROAD FROM P.I. #2 TO P.I. #6
J.N. 0095.57

REFERENCES:

F.B. 658

C.S.B. - 1818

PARTY:

WRIGHT
RANDALL
PEAVY
BARNETT
BENDER

76F3098 SAE #247 1-65

F.B. 2678 PG. 227

CONT. TO PG. 228



WS 63 D-4

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this title beyond this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER	Survey of LYONS AVE	F. B. 7678	Pg. 228
Map No. B-2851	JN 0095.57 Tape 175 Std 84 °F		
Office Work J.J. EDWARDS	Surveyed by C.L. WRIGHT		
Checked W. D. WAGNER	Notes C.L.W Date JAN '64		
Date FEB. 1964	Indexed E. J. GALLI		

D-3

CONT. BOT. PG 229

PICO CYN. RD.

TO R.P. TANG. RDS. &

TO P.I. #5

40'

1" I.P. INT.

SAN FRANCISCO RANCHO

COUNTY SURVEYORS R.O. S.F. INT. P.O.S.T. R.E. 63

FD. C.S. MON. 2" I.P. & BRASS CAP SET IN CONC. FLUSH F.B. 658-246 C.S.B. 1818 (MARGINAL ADDN.)

BOUNDARY TO S.F. RO #3

NOTE: SEE DETAIL OF R/W ON C.S.B. 1818

1306.25 M
1306.36 R

143.38 R
143.15 M

40'

153.58 V

30'

RECORD CURVE:
Δ 16° 08' 20"
R 500.00'
T 70.89
L 140.84

SET 1" I.P. CONC. PLUG L.A.C. ENGR. TAG DN. 10" BY INT.

163°

163°

10.43

N 0.89 E

SET NAIL & WSHR

101.70 R
101.58 M

FD. 2" I.P. CONC. PLUG BRASS SHELL CTR F.B. 658-241

10' AB.

40' R

96.65

689.40 R
689.59 M

TO P.I. #2

S 36.01 W

T-52°
155.45 @ 8-58 = 153.61 ✓
155.63 @ 9-14 = 153.61 ✓ 153.61
.02
153.58 ✓

① 163	52	10
② 295	28	30 ✓
③ 263	12	50
163°	52'	08" ✓

T-56°
97.16 @ 5-42 = 96.68 ✓
97.08 @ 5-15 = 96.67 ✓ 96.67 ✓
.02 ✓
96.65 ✓

CONT. TOP PG 227

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F3095 S&E 1-58

F. B. 2678 PG. 229



T 69°
LEV. 81.39
.02
81.37 ✓

① 165	20	50
② 301	23	20
③ 272	04	50 ✓
165°	20'	48½" ✓

T 69°
LEV.
LEV.
2.50 ✓
59.82 ✓
88.31 @ 8-09' = 87.42 - 87.41 ✓
88.18 @ 7-38 = 87.41
149.73 ✓
.02
149.71 ✓

279.39 @ 3-05' 278.99 ✓
279.37 @ 2-57 = 279.00 ✓
266.70 @ 2-40 = 266.41 ✓
266.77 @ 2-58 = 266.41 ✓
257.55 @ 2-59 = 257.20 ✓
257.54 @ 2-53 = 257.21 ✓

T - 52°

LEV. 289.77
" 138.09
278.99 ✓
266.41 ✓
257.20 ✓
LEV. 173.34 ✓
1398.80 ✓
-.29 ✓
1398.51 ✓

WS 68 P-11

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. D. WAGNER
Map No. B-2851
Office Work J. J. EDWARDS
Checked W. D. WAGNER
Date FEB 1964.

Survey of LYONS AVE.
JN 0095.57 Tape 175 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date JAN '64
Indexed E. J. GALLI

F. B. 2678 PG. 230

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 SEE #247 11-58

COUNTY SURVEYOR
P.I. 9 ON P.E. 89

FD. SPKET IN TEL POLE 113-25 F.B. 658-243

48.17 R
48.03 M

P.I. #6 F.D. C.S. MON. - N. 1/2 A. & BRASS CAP DN. 16" F.B. 658-243

PICO

69.22 R
69.24 M.

C-L N.

FD. 2" I.P. CONC. PLUG & BRASS CHELL GR F.B. 658-243

40'

40'

T-40°
LEV. 1152.08
.33
1151.75

1151.93 R to P.I. SA

1151.75 to 1" I.P. PG 229

R.D.

CONT. TOP PG 229

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this time.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 2618 PG. 231

Notes Ck'd by G. E. BARR	Survey of Grassland Ave.
Map No. B-2898	JN 0096.29 Tape 154 Std 84 °F
Office Work R. S. DOWNS	Surveyed by Crowe
Checked G. E. BARR	Notes C VC Date Aug 64
Date OCT 26 '64	Indexed [illegible] 2 7 64

F. B. 2678 Pg. 233

GRASSLAND AVE.
PRELIMINARY TRANSIT LINE

J.N. 0096.29

Aug. 1964

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not attach this side of this Tie.

References

C.S.B. 2523
F.B. 973
L.S. 31-41
Development Consultants Inc. map (28 May 1964)
F.B. 2698
C.S.B. 1948

Party

Crowe
Adams
Jackson
Farley
Boots

78F3095 C.E. #310 8-62

F. B. 2678 Pg 234

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

80

Notes Ck'd by G. E. BARR
Map No. B-2898
Office Work R. S. DOWNS
Checked G. E. BARR
Date OCT 26 '64

Survey of Grassland Ave.
JN 009629 Tape 154 Std 84 °F
Surveyed by Adams
Notes C.V.C. Date Aug 64
Indexed

F. B. 2678 Pg. 235

Contd. Bk. 1/Pg. 236

705.22

(30) ST. (30)

VALLEY

Tr. 1437
Lot 11

89° 57' 50" per F.B. 973-215

Fd. CA. X top Fire Hyd.

42.69
67.80

Tr. 1059
Lot 109
M.B. 17-94,95

Set N.&T. PP# 1407846-E

Fd. nothing

38.82.5
61.77

(30)

Contd. Pg. 209

Contd. Pg. 208, 2/5

30.11 29.89

329.99 per Pg 208

248.18 per Pg 208, 209

MAPLE

30.00

107.15

(30) ST

Contd.

Fd. nothing

Set L.&C.E. Tag N.E. Cor. Cond. C.B.

Enter Fd. Std. C.S.B.C. Man. On. 16' Mkd. as shown per C.S.B. 2523 F.B. 973-215, 208

12' 86'

Fd. L.&T. Mkd. B.M. in C.e.r. Conc. walk. House # 23410

100.11

Lot 36

Tract 1437
Lot 35
M.B. 20-54, 55

30.00 @ Lev. 788' = 30.00

COUNTY SURVEYOR RE 63

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this file.

W, S, 62, A-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

F.B. 3093 C.E. #3 0 6-62

F. B. 2678 PG 236

Contd. Bot. Pg. 237



Lot 8

672.69

ST.

115.64
213.94
200.69
142.35

672.62 @ Lev. T/00° +7 = 672.69

Tr. 1437
Lot 9

Tr. 1059
Lot 107

Lot 10

Lot 106

Set. N. Prmt.

136.66
93.53
107.81
137.69
158.20
71.16

705.15 @ Lev. T/00° +7 = 705.22

(30)

(30)

Lot 11

705.22

VALLEY

Contd. top Pg. 235

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by G. E. BARR
Map No. B-2698
Office Work R. S. DOWNS
Checked G. E. BARR
Date OCT 26 '64

Survey of Grassland Ave.
JN 00 90 29 Tape 154 Std 64 °F
Surveyed by Adams
Notes C.V.C. Date Aug 64
Indexed [redacted] & GALLI

F. B. 2678 Pg. 237

Chntd Bk. Pg. 238

5.00 @ Lev. T86° = 5.00

W.S. 62, M-3

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

759.68'

ST.

Loc 10B

(30)

(30)

Lot 7

Set N. & T.

(10)

5.00

(30)

EIGHTH

(30)

ST.

Set N. & T.

Inter. Fd. nothing (See FB 993 218, 221)

672.00'

VALLEY

Tr 1437
Lot 8

Tr 1059
Lot 107

Contd. top Pg. 239

76F3095 C.E. #3102

F. B. 2678 PG 238

Contd. Bot. Pg. 239

200.18

ST.

Set N.

200.61
200.95
200.74
122.71
725.01 @ Lev. T 84° = 725.01

725.01

Set N.

200.39
129.21
103.08
127.57
560.25 @ Lev. T 94° = 560.29

560.29

(30) (30)

199.41
200.72
200.80
157.69
758.62 @ Lev. T 96° = 758.68

Set Bt Spk. W. & I. Pylon S. of bridge on line between & Inter @ Lyons Ave., Pg. 239 and & Inter Maple St. Pg. 235.

VALLEY

758.68

Contd top Pg. 237

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by G. E. BARR
Map No. B-2890
Office Work R. S. DOWNS
Checked G. E. BARR
Date OCT 26 '64

Survey of Grassland Ave.
JN 0096 29 Type 154 Std 84 °F
Surveyed by Crowe
Notes CVC Date Aug 64
Indexed E. I. GALL

F. B. 2678 Pg. 239

Contd Bot. Pg 244

Note: 4 run-ups are on Pg. 240

Note: The 2 Mons. called for here in L.S. 31-41 are out

Offset line To Pg 245

Offset line To Pg 245

S.C.E. R/W

18'

Set L.S.C.E. tagtop Conc. B/k. wall

22.89

38.9

28.97

58.00

55.70'

719.39

Contd. Bot. Pg 240

E Prod. Fd Std C.S. B.C. Mon. Dn. 12" Mkd as shown per C.S. B-2523 F.B. 973-213

Fd L.S. & Pd. Dept Tag Conc. base of fence post

Q-4 Set nail edge Pvmt.

64.34

19.48

N 61° 29' 29" W

560.84

49.39

(30)

(30)

Contd. top Pg 241

(30)

LYONS AVE.

Inter Fd. Spk. Dn. ½" per F.B. 973-213 C.S. B. 2523

T-3 = Inter. Set Bt. Spk. W. & T. by intersection

T-2 Set Bt. Spk. @ 90° from offset line & 58' from Q-4 Used for line

18.33'

60° 01' 30"

30" Adj.

89° 58' 25" E

84.70

6.20

Set L.S.C.E. Tag No. of S.C.E. M.H.

8.00

6.00

Q-3 Set 1X2 N. @ 90° & 8 Ft. from S.C.E. Mon Used for offset line.

84.70 @ Ler. T 92° = 84.70

6.20 @ Ler. T 92° = 6.20

3.49 @ Ler. T 92° = 3.49

200.18 @ Ler. T 84° = 200.18

16° 31' 03" 05" Adj.

85.21

3.49

Set N.

R/W Fd B.C. Mon. Fl. Mkd. as shown per L.S. 31-41 Sht 4

S.C.E. R/W

T-1 = PI-1 Set Bt Spk. W. & T. Dn. ½" by intersection

CURVE DATA
Δ = 28° 28' 55"
R = 2000.00
T = 507.51
L = 994.21

ST.

VALLEY

200.18

Set N.T. PK Nail & Tag LS 4926

SOUTHERN CALIFORNIA EDISON STATION

(30)

(30)

Contd. top Pg 238

Contd. top Pg 243

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this file.

N.S. 62, A-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7 OF 3095 C.E. 8310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.62, A-3



F.B. 2678 PG 240

	89 58 30	
A	359 53 45	
G	179 50 30	
	89 58 25	
	90 01 30	
A	360 00 00	
G	90 01 30	

237.57
210.26
108.08
719.42 @ 78°
= 719.39

	61 29 30	
A	245 57 54	
G	68 56 29	
	151 31 00	
A	246 04 12	
G	189 00 18	
	151 31 03	

Notes Ck'd by G. E. BARR
Map No. 13-2898
Office Work R. S. DOWNS
Checked G. E. BARR
Date OCT 26 '64

Survey of Grassland Ave
JN 0096.29 Type 15' Std 84 °F
Surveyed by Adams
Notes CVC Date Aug. 64
Indexed G. L. GALM

F. B. 2678 Pg. 241

Contd. At Pg. 239

49.39 @ Lcr. T86° = 49.39

4.71
217.51
199.98
100.01
38.65

560.80 @ Lcr. T18° = 560.84

AVE.

560.84

W. S. 62, A-3

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this file.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

(30) (30)

(20)

APPLE ST.

Enter Ad. Std. C.S.B.C. Mon. Dn. 1" Mkd. as shown per C.S.B. 2523 F.B. 973-190

90° 01' 40" per F.B. 973-190

Contd. F.B. 973-190

SURVEYOR COUNTY RE 63

LYONS

Contd. F.B. 973-190

76F3095 CE #310 9-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F.B. 2678 Pg 242

Notes Ck'd by G. E. BARR
Map No. B-2898
Office Work R. S. DOWNS
Checked G. E. BARR
Date OCT 26 '64

Survey of Grassland Ave
JN 099629 Type 15.4 Std 84. °F
Surveyed by Crowe
Notes CVC Date 1 Aug. 64
Indexed G. J. GALU

F. B. 2678 Pg. 243

Contd. Rt. Pg. 239

SOUTHERN CALIFORNIA EDISON CO. STATION

R/W Fd. B.C. Mon. Fl. Mkd. as shown per L.S. 3/-41

690.76

S.C.E. Tower #2143

Searched, Fd. nothing

9.04

9.04

26.07

Set N. by split of Tower leg

Offset line

8.06

O-1 Set 1x2 ♯ N. on line Prod. from O-5 Pg. 245 through O-3 Pg. 239

Tr. 1039 Lot 115

Lot 112

Fd. B.C. Mon. partially destroyed L.S. 3/-41

Lot 113

Fd. loose 2x2 ♯ N.

SOUTHERN CALIF. EDISON R/W

690.73 @ Lev. T90° = 690.76 ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this title of this line.

76F3095 CE #310 6-62

F. B. 2678 PG 244 Contd. Bot. Pg. 245

718.10'

123.35
147.31
138.99
139.96
168.46

718.07 @ Lev. T 90° +3 = 718.10

Tower #2141

T-5
Set 1x2 ⊀N.
Dn. 10" on line

74.96

18.00

St. John
Lot 17

S.C.E. R/W

R/W Fd. 1½" I.P. Conc. ⊀ tag RE 720
Dn. 24" per L.S. 31-41

SOUTHERN CALIFORNIA EDISON CO. STATION

704.00'

℄ line

111.42
112.51
139.79
148.21
192.07

704.00 @ Lev. T 84° = 704.00

Fd. B.C. Mon. Dn. 12" Mkd. as shown per L.S. 31-41 (Mon. is leaning badly to So.)

35.46
0.43

10'

Searched Fd. nothing

29.92

Note: The SW and NE sides of typical towers are plumb

200.08

Tower #2142

18.05

T-4
Set 1x2 ⊀N.
Dn. 12" on line

75.08

18.02

230.12 @ 0°24 = 230.11
T 84° = 230.11
30.36 @ Lev. T 80° = 30.36
260.47

18.33 @ Lev. T 80° = 18.33

85.21 @ Lev. T 80° = 85.21

200.11 @ Lev. T 60° = 200.08

260.47

Contd. top Pg. 239

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by G. E. BARR
Map No. B-2896
Office Work R. S. DOWNS
Checked G. E. BARR
Date OCT 26 '64

Survey of Grassland Ave
JN 0096.29 Type 154 Std 84 °F
Surveyed by Crowle
Notes CNC Date 2-4-64
Indexed E. J. GALLI

F. B. 2678 Pg. 245

Contd. Bot. Pg.

Assumed ℄ of west line of transmission towers is 34' from west Bdy of So. Cal. Edison R/W. Set 1X2 N. @ 90° from center of towers Used for lines

T-7B

J 92 11 30
A 08 45 48
C 193 08 54
92 11 29

2.50'±

3.00 offset line To Pg. 239

Edison transmission Tower # 2137

O-5

8.00

C.W.A. 9-20-64

63.96

55.00

17.00

12.99

Set Nail @ mid-point between legs.

Offset line To Pg. 239

9.01

9.01

Cont. Bot. Pg. 246

Cont. Bot. Pg. 247

T-7A
Set 1" I.P. & C.E. tag Dn. 24" by intersection

206.54

T LINE

619.22
C.A. 9-25-64

W 141°45'00"
(A) 20°00'00"
(C) 30°30'00"
141°45'00"

92° 11' 29"

236.24

T-7
=OI-2
Set 1" I.P. & C.E. tag Dn. 18" on line between T-2 Pg. 239 & T-7A Pg. 245 @ plan Dist. from P-1 per Developments Consultants Inc. map approved by L.E.C. 28 May 1964
(See also Pg. 268)

CURVE DATA
Δ = 38°15'00
R = 1300.00
L = 450.00
T = 232.26

Tower 2138

219.89

T-6
Set 1X2 N. Dn. 12" on line

76.00

18.00

St. John Lot 17

117.61
98.31
3.96

219.88 @ Lev. T 92° = 219.89
111.86 @ Lev. T 92° = 111.87
124.36 @ Lev. T 92° = 124.37
236.24

718.10'

T line

S.C.E. R/W

Contd. top Pg. 244

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

F. B. 2078 Pg. 246

Cont. to bot. pg. ~~255~~ 265

T = 70°
166.13
− .02
166.11

166.11

T-9
set 1x2 5/8"

606.33

T = 100°
151.89 @ Lev
151.12 "
152.84 "
150.42 "
606.27
+ .06
606.33

T-8
set 1x2 5/8"

619.22

T = 100°
128.84 @ Lev
170.60 "
179.95 "
144.77 "
619.16
+ .06
619.22

Cont from Right of Pg. 245

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by G. E. BARR	Survey of Grassland Ave.
Map No. B-2898	JN 009829 Tape 154 Std 84 °F
Office Work R. S. DOWNS	Surveyed by Crowe
Checked G. E. BARR	Notes GYC Date 13 Aug. 64
Date OCT 26 '64	Indexed G. J. GALLI

F. B. 2678 Pg. 241

Contd. Bk. Pg. 248

179.87 ✓
174.54 ✓
354.41 @ Lev. T +2 92° = 354.43 ✓

354.43 ✓

D-3
Set 1x2 & M.F.

T line

204.53 ✓
2.00 ✓
206.53 @ Lev. T 92° = 206.54 ✓

206.54 ✓

Contd. Rt. Pg. 245

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not offend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

F. B. 2678 PG 248

Contd. Bot. Pg. 250

383.30

189.92
193.38
383.30 @ Len T 84° = 383.30

D-2
Set 1X2 & N. F/L

354.43

℄ line

Contd. top Pg. 247

4

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by G. E. BARR
Map No. B-2898
Office Work R. S. DOWNS
Checked G. E. BARR
Date OCT 26 '64

Survey of Grassland Ave.
JN 009629 Type 154 Std 84 °F
Surveyed by Crowe
Notes CVC Date 13 Aug. 64
Indexed E. J. GALU

F. B. 2678 Pg. 249

W.S.-62, A-3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

70F3095 C.E. #3 10 8-62

& Prod. Fd. L. & C. E. tag top of Cb. per F.B. 2698 - 11

NEWHALL AVE.

20.29

224.50 per F.B. 973-165

38.90

29.99

38.95

Contd. F.B. 973-165

Fd L. & T. Cb No Ref.

Fd. L. & T. Cb No Ref.

Inter. Fd. Std. C.E.B.C. Mon. on line between L. & C.E. tag & B.C. Mon. Pg. 250 Mon. is On 8" in H.H. Mkd. as shown No Ref. See F.B. 2698-11, 34 F.B. 973-165

Fd Nail Punch No Ref.

90° 01' 40" per C.S.B. 1948

COUNTY ENGINEER NEWHALL AVENUE RE 5869

968.48 per F.B. 2698-11 C.S.B. 9-23-64

DR

DALEBY

H. M. NEWHALL MEMORIAL PARK

Contd. top Pg. 250

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 62, A-3



Notes Ck'd by
Map No. B-2916
Office Work G. LUDVICKSON
Checked
Date

Survey of Wiley Cyn. Rd
JN 0095.13 Tape 143 Std 84 °F
Surveyed by W J Voge
Notes Voge Date 9-0-64
Indexed C. J. GALLI SEP 25 '64

F. B. 2678 Pg. 251

WILEY CYN. RD

JN 0095.13

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

References Used:
F.B. 2670
Alignment Map of Wiley Cyn. Rd. Sheets 8 & 9
Alignment Map of Market St. Ext sheets 6 & 7

VOGE
FULTON
STRADER
RANGEL

76F3095 CE # 310 3-61

F. B. 2678 Pg. 252

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. D-2916
Office Work G. LUDVICKSON
Checked
Date

Survey of Wiley Cyn Rd
JN 0095.13 Tape 143 Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 9-8-64
Indexed C. J. GALLI

F. B. 2678 PG. 253

Fd spk w&T 28.66 South of C.S. Mon, per FB 2678-56

TE 72°
192.18 @ 5°18' = 191.34
192.21 @ 5°25' = 191.33 } 191.34
62.55 @ 14°32' = 60.55
62.15 @ 13°04' = 60.54 } 60.54

191.34
60.54
251.88

TE 72°
5.04 @ ELEV. = 5.04

W-1 set 1x2 & Nail (Flush) by int. (set 2.2' South of Ties)

Lyons Ave

Set C.E. type TK in lead in curb

① 15°27'45"
② 61°51'30"
③ 92°47'15"
15°27'52"

W-2 W-3

98.11

Set Nail

5.04

251.88

Fd. 3" I.P. Cement plug & 1" brass tube per FB 2678-56

180.60

15°27'52"

P.T.

Set NAIL in P.P. 101+49

95.65

21.88

97°10'17"

① 97°10'15"
② 28°41'15"
③ 223°01'45"
97°10'17"

TE 72°
21.88 @ ELEV. = 21.88

27.35

set NAIL in P.P. 1216738E

184.71

P.T. 2

Pg. 254

BC set Pt. Spk W&T (Flush) @ rec. dist. from int. of 5' offset Line & 5' N Line.

① 88°51'30"
② 355°26'00"
③ 173°09'00"
88°51'30"

88°51'30"

Fd. NAIL in C.O. F.D. BD No. 187

33.2'

5' North Line

682.99

T = 68°
682.99 @ ELEV. = 682.92

Set Nail

5.00

Fd. 1½" I.P. Cement plug & brass cartridge, in well, Ref FB 2678-56.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F309S CE # 310 8-61

F. B. 2678 PG. 254

T = 80°
184.71 @ LEV. = 184.71 ✓
180.60 @ LEV. = 180.60 ✓

P.I. #2
Set 1"x2" Hd. L. by angle & distance from W.L. per Alignment Map of Wiley Cyn. Rd., Sheet 9.
Replaced 1"x2" N. with L.A. Co. Engr. Brass Cap mon. (Flush)

COUNTY ENGINEER
P.I. 2
R. E. 5860

65.54
40.25

RP
P.I.-2 set 1" I.P. cement plug & C.E. Tag on 6" set on ∠ bisector.

① 165° 57' 45"
② 303° 51' 00" ✓
③ 275° 46' 30" ✓
165° 57' 45" ✓

T = 92°
384.82 @ LEV. = 384.84 ✓

To Rt. Pg. 253

To Bc. ℄

W.L.

184.71

180.60

105.78

165° 57' 45"

106.99

Set NAT in forked olive tree

Set NAT in middle fork of olive tree

384.84

Wiley Cyn Rd.

Proposed R/W

PP

PP Pg. 255

P

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No. B-2916
Office Work G. LUDVICKSON
Checked
Date

Survey of Wiley Cyn Rd
JN 0095.13 Tape 143 Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 9-8-64
Indexed C. J. GALLI

F. B. 2178 Pg. 257

To Bk Pg. 256

T=102°
854.60 @ LEV. = 854.70

854.70
248.56
273.18
104.56
1481.00

T=106°
248.90 @ 3°09' = 248.56 } 248.56
248.84 @ 2°57' = 248.55

1481.00 ℄ Line

T=104°
283.65 @ 15°39' = 273.17 } 273.18
283.48 @ 15°31' = 273.19

T=104°
108.49 @ 15°31' = 104.55 } 104.56
108.32 @ 15°10' = 104.56

Set 1x2 & Nail

T=100°
11.84 @ LEV. = 11.84

11.84

Set 1x2 & Nail

T=100°
137.52 @ 9°06' = 135.80 } 135.80
137.68 @ 9°28' = 135.81

T=100°
231.29 @ 19°00' = 218.71 } 218.72
231.58 @ 19°12' = 218.72

T=100°
1265.26 @ LEV. = 1265.39

135.80
218.72
1265.39
1619.91

1619.91 ℄

To Top Pg. 258

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 2678 Pg. 258

To Bo# Pg. 257



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. B-2916
Office Work G. LUDVICKSON
Checked
Date

Survey of Wiley Cyn. Rd
JN 109513 Tape 143 Std 84 °F
Surveyed by W. Voge
Notes Voge Date 9-8-64
Indexed C. J. GALLI

F. B. 2678 PG. 255

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3088 CE # 310 3-61



F. B. 2678 Pg. 256



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. B-2916
Office Work G. LUDVICKSON
Checked
Date

Survey of Wiley Cyn. Rd.
JN 0095.13 Tape 143 Std 87 °F
Surveyed by W. J. Voge
Notes Voge Date 9-10-64
Indexed C. J. GALLI

F. B 2678 PG. 259

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 CE # 310 3-61

T = 104°
665.83 @ ELEV. = 665.92 ✓

P.O.B. Const. R/W Pr. 258

Proposed R/W

W-1/4 Cor. Rd.

665.92 ✓

Prod. Set 1" I.P. Cement Plug dn 6" C.E. Tag.

64.10

PI-7 Set 1x2 ℄ Nail @ Record Angle & dist. from W 1/4 Per Alignment map of Market St. Ext. Sheet 7. Referenced With 2" L.A. Co Engr. Brass cap mon (Flush)

COUNTY ENGINEER P.I. 7. R. E. 5869

46.45

T = 80°
454.90 @ ELEV. = 454.89 ✓
187.06 @ ELEV. = 187.06 ✓

W-1/4 Rd. 1x2 ℄ Nail for F.B 2678-65.

454.89

42.13

162° 16' 47" ✓

187.06

59.18

101° 08' 42" ✓

Prod. Set 1" I.P. Cement Plug C.E. Tag (dn. 6")

TO TOP PP. 260

⊙ 101° 08' 45"
④ 44° 35' 00"
⑥ 246° 52' 15" ✓
101° 08' 42"

⊙ 162° 16' 45"
④ 289° 07' 00"
⑥ 253° 40' 45" ✓
162° 16' 47" ✓

W-1/4 Rd. Stmp 3pk ℄ W. dn 5" per F.B 2678-65

F. B. 2678 Pg. 260



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. B-2916
Office Work G. LUDVICKSON
Checked
Date

Survey of Wiley Cyn Rd
JN 10 9513 Tape 143 Std. 84 °F
Surveyed by W. J. Voge
Notes Voge & J. GARDATE 9-10-64
Indexed

F. B. 2678 PG. 261



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61

F. B. 2678 Pg. 262

T = 100°

199.48 @ Elev. = 199.50

To B. & M. Pg. 261

101.75

0.07

Fd. 2x2 with ¢ Nail / steel marker / Marked R.P. 209+08 16 Rt

¢ Fwy. = 30+02.68

Market

X 199.50 Points.

No Ref.

199.50

0.04

Fd. 2x2 ¢ Nail with steel marker. Marked 209+08 16 Rt

Fwy. — Market St. = 30+02.68

No Ref.

Proposed R/W

39.44

Market St. Ext.

T = 84°

40.98 @ 15°46' = 39.44

40.61 @ 13°41' = 39.45 } 39.44

122.49

Set 1x2 ¢ Nail

T = 90°

123.71 @ 8°03' = 122.49

123.59 @ 7°40' = 122.49 } 122.49

To To p Pg. 263

X

LOS ANGELES COUNTY ENGINEER

403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. B-2916
Office Work G. LUDVICKSON
Checked
Date

Survey of Wiley Cyn Rd
JN 0095.13 Tape 143 Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 9-10-64
Indexed C. J. GALLI

F. B. 2678 PG. 263



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 2178 Pg. 264

To B&K Pg. 263



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this title of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by G. E. BARR
Map No. B-2898
Office Work R. S. DOWNS
Checked G. E. BARR
Date OCT 26 '64

Survey of Grassland Ave
JN 20926 29 Tape 154 Std 89 °F
Surveyed by C. Adams
Notes C. W. A. Date 9-25-64
Indexed E. J. GALLI Oct 5 '64

F. B. 2678 Pg. 245

Note: Any Additions or Changes on This Sheet Must Be Made in Ink and Initialed With Date and Name of Person Making Change.

Do not extend this side of this Tie.

W.S. 62, A-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

T-11
Set 1x2½n
Flush

T=89°
50.00 @ Lev = 50.00

Set 1x2½n

50.00

998.49

℄ Line

Cont. from Lft. Pg. 246

T=74°
262.10 @ Lev
-.02
262.08

262.08

℄ Line

20359

TANG. PROD
Set 1" I.P. Conc.
S.C.E. Tag
Dn 1'
See 9/50 Pg. 260
T=80
203.40 @ Lev
-.01
203.39

T=70°
77.06 @ Lev
-.01
77.05

77.06

T-10
Set 1" I.P. Conc.
S.C.E. Tag.
Dn. 18"

(1) 40°28'00"
(2) 161°52'30"
(3) 292°48'30"
40°28'05"

166.11

40°28'00"
05"

881.70

ENGINEER
COUNTY
Cor.
Park
RE 5809

D-1
Fd. Std. C.E.
BC. Mon. on 20
per Pg. 250

℄ Line

T=89°
50.00 @ Lev = 50.00

50.00

998.44

E

DALBY DR.

Cont. from Top Pg. 246

Cont.

T=79°
151.99 @ Lev
156.89
160.99
150.96
133.53
128.00
881.76
-.06
881.70

NEWHALL
MEMORIAL
PARK

ENGINEER
COUNTY
Cor.
SCHOOL
LOT
RE 5809

Cont. from Lft. Pg. 246

78F3095 CE #310 8-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 62, A-3

16th. St.

NEWHALL AVE

DALBY DR

Fd. Std C.E. Bc. Mon. In well 9" Cover Fd. FB. 3130-22

Fd. S.W.S.T. Flush FB. 3130-21

Fd. Std C.E. Bc. Mon. Dn. 8" In H.H. Per. Fd. 2-30 F.B. 2698-11-34 F.B. 3130-20

Per FB. 3130-20

90° 01' 40"

90° 01' 40"

90° 01' 40"

998.44

998.44

998.44

T Line

T=90°
130.08 Elev
213.98
214.56
207.91
200.26
998.39
+.05
998.44

T=78°
196.69 @ Elev
201.95
201.87
228.34
228.99
998.44
-.05
998.44

Coat to Pt Pg 225

Coat to Pt Pg 225

F. B. 2678 PG 266

Notes Ck'd by G. E. BARR	Survey of Grassland Ave.
Map No. B-2898	JN 0096.29 Tape 154 Std. 84 °F
Office Work R. S. DOWNS	Surveyed by Crowe
Checked G. E. BARR	Notes CVC Date 20 Oct. 64
Date OCT 26 '64	Indexed C. J. GALLI OCT 27 '64

F. B. 2678 Pg. 267

GRASSLAND AVE.
PRELIMINARY TRANSIT LINE
RE-SETTING OF PI-2 and PI-3

J.N. 0096.29
20 October 1964

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

DO NOT ERASE THIS SIDE OF THIS TITLE.

Reference
Pgs. 245 and 265
New staking sheet (no date)

Party
Crowe
Swann
Fasey
Terrazone

96F309S C.E. #310 6-62

F. B. 2678 Pg 268



94.63 ℄
5.37
100.00 @ Lev. T84° = 100.00
136.24 @ Lev. T84° = 136.24

T-7B
Fd. 1x2 ¾ N. Fl. per Pg 245
Used for line

250'±

T-7A
Fd. 1" I.P. & C.E. tag Dn. 24" per Pg. 245
Used for line

per Pg 245

136.24

1,011.95 Calc.

Proposed ℄ Grass Land Ave.

Contd. Pg. 245

New P.I. 2
Set I.P. & C.E. tag Dn. on line between T-7 & T-7A @ Plan Dist. from T-7 per staking sheet (no date)

236.24

100.00

141° 45' 00" Calc.

619.22 per Pg. 245

CURVE DATA
Δ = 39° 15' 00"
R = 1800.00
T = 450.60
L = 867.56

Old P.I. 2 = T 7
Fd. 1" I.P. & C.E. tag Dn. 18 per Pg 245
Used for line

per Pg. 245

219.89

℄ Line

141° 45' 00" per Pg. 245

Contd. Pg. 245

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not attend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'd by G. E. BARR
Map No. B-2899
Office Work R. S. DOWNS
Checked G. E. BARR
Date 10 26 64

Survey of Grassland Ave.
JN 0054.64 Tape 154 Std 84 °F
Surveyed by Crowe
Notes avc Date 29 Oct. 64
Indexed C. J. GALLI

F. B. 2678 Pg. 269

95.39 @ Lev. 782° = 95.39
108.00 @ Lev 784° = 108.00

139° 32' 00" Calc.

108.00 per Pg. 265

Set 1/2 x 2 N. per Pg. 265

New Tang. Prod Set 1/2 x 2 C.A. tag Dn. on line between Old Tang. Prod & 1/2 x 2 N. @ plan Dist. from Old Tang. Prod. per revised staking sheet (no date)

95.39

203.39

1011.95 Calc.

Proposed & Grassland Ave

Old Tang. Prod. Set 1/2 x 2 C.A. tag Dn. 2" per Pg. 265

77.05 per Pg 265

265

Fd. Std. C.E. B.C. Mon. Dn. 20" Mkd. as shown per Pg. 265 C.S.B. 1948 F.B. 2698-11 F.B. 973-165

881.70 per Pg. 265

COUNTY ENGINEER N.W. COR. PARK RE 5869