Notes Ck'd by
Job No.
Work

Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed

F.B. 2694 Pg.

	Job	Description
		SAND CYN. RD. 0075.64
5	Sec. Line	Survey btwn. Secs. 1 & 12, & Secs. 13 & 14 T4N, R15W 0302.01.
4	P-line	Survey on Sand Cyn. Rd. 0075.64.
6	Index	
7	Tilt	Tilt points for Sand Cn. Rd. prelim. line.
28	B.M.	Levels.
54	Prof.	Profille checks.
190	C.L.	Proposed C.L. of Sand Cyn. Rd. Lost Cyn. Rd. Southerly to Sec. Cor. T4N R15W.
196	Slope	Loc. of toes of slopes, S'ly of Live Oak Sp. Cn. Rd.
198	Index	
229	C.L.	Survey to set PI of prop. Sand Cn. Rd. & ties to Sec. lines T4N, R15W.
240	P-line	On Sand Cn. Rd. (proposed) S'ly from Lost Cn. Rd.
242	Index	
244	C.L.	Prop. C.L. Sand Cyn. Rd. in relation to bridges.

Microfilmed July 85

F.B. _____ Pg. _____

Page	Job	Description
245-246	Index	
247-254	C.L.	C.L. P.I. changes on Sand Cn.Rd., S'ly. from Live Oak Spring Cn.Rd.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this tag.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by F. CESSOR
Map No.
Office Work
Checked
Date

Survey of Section Lines
JN 0302.01 Tape 127 Std 84°F
Surveyed by W. J. Voge
Notes Voge Date 3-23-64
Indexed E. J. GALLI MAY 2 9 '64

F. B. 2694 PG. 5

SECTION LINES

J.N. 0302.01

Ref. Used.
C.S.B. 736
C.S.B. 1563-1

Party:
W. Voge
J. Fulton
R. Strader
I. Rangel

POLARIS REPRODUCTION
LOS ANGELES COUNTY ENGINEER

79E30

F. B. 2694 PG 6

INDEX

T. 4 N. R. 15 W.



SEC. 2 SEC. 1

24 23 22

SEC. 11 19 SEC. 12

15 11 14

0

SEC. 14 10 SEC. 13

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
Do

Any Additions or Changes or
of Must be Made or Circled in
With Date and Name of P
Using Change.

Notes Ck'd by F. CERSOR	Survey of Section Lines
Map No.	JN 0302.01 Tape 127 Std 84 °F
Office Work	Surveyed by W. J. Voge
Checked	Notes Voge Date 3-30-64
Date	Indexed C. J. GALLI

F. B. 2694 Pg. 7

NORTH ½ EAST LINE OF SEC 14 T 4N R 15 W

Set Wire Spike & T in Sand Stone Bank

54.12

16.79

76.06

T = 66°

Sec cor Fd L.A. Co. Surv. Brass Cap Mon. Up 6. Per C.S.B. 1563-1 & C.S.B. 736

0+00 S

COUNTY SURVEYOR'S MONUMENT T.4.N. R.15.W. 13 14 SEC. COR.

N 4,271,911.51
E 4,162,276.19

283.19 @ 8°33' = 280.01
283.10 @ 8°26' = 280.01
} 280.01 ✓

280.01

SEC. LINE

SEC 14
T 4 N
R 15 W

SEC 13

A-1
2+ 80.01'
Set 1" IP cement plug & C.E. Tag. Flush.

T = 76°
46.88 @ 20°06' = 44.02
47.14 @ 20°51' = 44.02
} 44.02

44.02
156.35
200.37 ✓

200.37

T = 70°
169.04 @ 22°20' = 156.34
169.22 @ 22°28' = 156.36
} 156.35 ✓

4+80.38
Fd ¾" IP & L.S. Tag 15 2747

0.12

A-2
4+80.38'
Set 1" I.P. cement plug & C.E. Tag Flush Top of Ridge

285.91

To Top Pg 8

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 62, D-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

78F3095 CE 4310 A-62

F. B. 2694 PG. 8

TO Bo.# P97

T = 78°

285.92 @ LEV = 285.91 ✓

285.91 ✓

A-3
7+66.29 ✓
Set 1" IP Cement
plug & C.E. Tag
Elgsh.
Top of Ridge

T = 82°

75.33 @ 11°02' = 73.94
75.27 @ 10°50' = 73.93
} 73.94 ✓

SEC. 14

T 4 N

R 15 W

SEC. 13

73.94 ✓

SEC. LINE

A-4
8+40.23 ✓
Set 1x2 ENAIL

T = 84°

220.81 @ 13°40' = 214.56
220.59 @ 13°26' = 214.55
} 214.56 ✓

214.56
202.98
417.54 ✓

T = 78°

205.21 @ 8°26' = 202.98
205.37 @ 8°45' = 202.97
} 202.98 ✓

417.54 ✓

A-5
12+57.77 ✓
Set 1x2 ENAIL
Top of Spike

406.20 ✓

TO TOP Pg. 9

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L. F. CESSOR
Map No.
Office Work
Checked
Date

Survey of Section Lines
JN 0302 01 Tape 127 Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 3-30-64
Indexed C. J. GALLI

F. B. 2694 Pg. 9

To Bk Th. Pg 8

T=78°
25369 @ 8'19' = 251.01
25358 @ 8°07' = 251.03 } 251.02

T=80°
155.24 @ 1°39' = 155.17
155.27 @ 1°55' = 155.18 } 155.18 ✓

251.02
155.18
406.20 ✓

406.20 ✓

A-6
16+63.97
Set 1x2 & Nail
TSP of SPUR

SEC. 14
T 4 N.
R 15 W

SEC 13

T= 80°
157.48 @ 5°41' = 156.71
157.57 @ 6°00' = 156.71 } 156.71 ✓

156.71 ✓

SEC. LINE

A-7
18+20.68'
Set 1x2 & Nail

T= 80°
52.52 @ 17°21' = 50.13
52.34 @ 16°41' = 50.14 } 50.14 ✓

50.14
245.41
295.55 ✓

295.55 ✓

Set 1x2 & Nail
21+16.23'

T= 82°
256.75 @ 17°06' = 245.40
256.93 @ 17°13' = 245.42 } 245.41

T= 84°
60.00 @ 1 EA = 60.00

60.00 ✓

90°

90°

A-8
21+16.23
Set 1x2 & Nail

524.28 ✓

TO TOP Pg. 10

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

79F3085 CE #3 0 6-62

F. B. 2694 PG. 10

To Bk 11 pg. 9

W.S. 62, D-2



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by E. OSSOR
Map No.
Office Work
Checked
Date

Survey of Section Lines
JN 0302 d Tape 127 Sid 64 °F
Surveyed by W. J. Voge
Notes Voge Date 3-31-64
Indexed E. J. GALLI

F. B. 2694 Pg. 11

W. ½ NORTH LINE OF SEC. 13 T 4 N R. 15 W.

To 30th Pg. 12

W, S, 62, D-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

376.35

B-1
4+93.84
Set 1" IP Cement plug & C.E. Tag Flush

T = 62°
29586 @ 18°30' = 280.53
29549 @ 18°18' = 280.51
} 280.52 ✓

280.52
213.32
493.841

T = 60°
213.48 @ 2°06' = 213.31
213.46 @ 1°50' = 213.32
} 213.32 ✓

① 91°08'10"
② 4°32'50"
③ 186°49'20"
91°08'13" ✓

493.84

SEC. LINE

SEC. 12
T. 4. N.
R. 15 W.

N 4 271 911.51
E 4 162 276.19

91° 08' 13"

SEC. 13

SURVEYOR'S MONUMENT
COUNTY
T.4.N.
R.15.W.
11 12 13 14
Sec. Cor.

Sec. Cor. Co Sur. Mon., per F.B. 2694-7

SEC. LINE

SEC 11

SEC 14

A:2
Ft. 1" IP Cement plug & C.E. Tag (Flush) Per F.B. 2694-7

7-65 2093 C.E. #310 8-62

F. B. 2694 Pg. 12

To Bott. Pg. 13

T = 48°

115.07 @ 11°31' = 112.72
115.27 @ 12°00' = 112.72 } 112.72 ✓

T = 48°

132.65 @ 16°50' = 126.94
132.80 @ 17°02' = 126.95 } 126.94 ✓

T = 48°

50.83 @ LEV = 50.82 ✓

T = 48°

276.31 @ 37°26' = 219.65
275.91 @ 37°14' = 219.63 } 219.64 ✓

112.72
126.94
50.82
219.64
510.12'

510.12

B-3
8+73.11
5/8" 1x2 & Nail
Edge of Ridge

T = 46°

5.92 @ LEV = 5.92 ✓

5.92

SEC 12

T. 4 N.

R. 15 W.

SEC. 13

B-2
8+69.19
Set 1" I.P. Cement
Plug & C.E. Tap.
Flush
Top of Ridge

T = 46°

15.07 @ LEV = 15.07 ✓

T = 46°

86.45 @ 31°59' = 73.31
86.10 @ 31°38' = 73.29 } 73.30 ✓

15.07
73.30
286.98
375.35 ✓

375.35 ✓

Sec. Line

T = 50°

288.19 @ 5°07' = 286.98
288.25 @ 5°16' = 286.97 } 286.98 ✓

To Top Pg. 11

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by L.E. CESSOR
Map No.
Office Work
Checked
Date

Survey of Section Lines
JN 0302.21 Tape 127 Std 64 °F
Surveyed by W. J. Voge
Notes Voge Date 4-2-64
Indexed C. J. GALLI

F. B. 2674 PG. 13

TO B.M. 19.14

SEC 13
T 4 N
R 15 W

271.09

T = 82°
297.99 @ 24°32' = 271.09
297.60 @ 24°22' = 271.09
271.09

SEC 12

B-6
18+65.44
Set 1x2 & Nail
Top of Spur

124.71

T = 48°
131.14 @ 17°59' = 124.71
130.99 @ 17°46' = 124.71
124.71

B-5
17+40.73
Set 1x2 & Nail
Top of Spur.

64.48

T = 48°
69.31 @ 21°29' = 64.48
69.02 @ 20°51' = 64.48
64.48

64.48
291.02
355.50

355.50

Sec. Line

T = 48°
295.00 @ 10°27' = 291.02
295.82 @ 10°15' = 291.03
291.02

B-4
13+85.23
Set 1x2 & Nail
Top of Spur

510.12

TO TOP 19.12

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

75F3093 C.E. #310 8-62

F. B 2694 Pg. 14

W.S. 62, D-1

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

1/4 Sec Cor
21+74.29
Rd. L.A. Co. Surv.
Brass Cap Mon.
(Flush)
Det CSB 1563-1

SURVEYOR
T. 4 N.
SEC. 12
SEC. 13
1/4 Cor.
R. 15 W.
L.A. Co. Surv.

N 4 271 967.35
E 4 1664 950.57

T = 86°
21581 @ 3°41' = 215.36
215.88 @ 3°58' = 215.36
215.361

215.36
271.76
50.64
537.76

T = 86°
288.07 @ 19°22' = 271.77
287.94 @ 19°18' = 271.76
271.761

SEC. 12

T = 86°
55.59 @ 24°22' = 50.64
55.74 @ 24°41' = 50.65
50.641

Sec. Line

SEC 13
T 4 N
R 15 W

B-7 21+36.53
set 1" IP. Cement
plug & C.E. Tag
Flush
Top of Ridge.

271.09

To Top Pg. 13

Notes Ck'd by F. GESSNER	Survey of Section Lines	F. B. 2694 Pg. 15
Map No.	JN 0302.01 Tape 127 Std 82 °F	
Office Work	Surveyed by W. I. Yoge	
Checked	Notes Yoge Date 4-4-64	
Date	Indexed C. J. GALLI	

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S C.E. #310 6-62

W.S. 62, D-1

WEST LINE OF SEC. 12, T 4 N, R 15 W

To Bott Pg. 16

S 49°72' E

C-1
0-40.72
Set 1x2 & Nail

T = 58°

45.81 @ 27.5' = 40.72
45.22 @ 25.5' = 40.72
} 40.72'

Sec. Line

SEC. 11

T. 4. N.

R. 15 W.

SEC. 12

N 4°27' 91.51
E 1°62' 296.19
40.72

Sec. Line

Sec. Cor
Fd L.A.C.
Sur. Mon.
Per FB 2694-7
0.00 N.

Sec. Line

B-2
Fd 1" IP Cement Plug L.A.C. Tag (illegible)
Per FB 2694-12

COUNTY SURVEYOR'S MONUMENT

T. 4. N.
R. 15 W.
11/12
4/13
Sec Cor

91° 0' 13" per FB 2694-11

92° 13' 22"

① 92° 13' 20"
② 8° 53' 40"
③ 193° 20' 10"
92° 13' 22"

SEC. 14

SEC. 13

Prod.
Set 1x2 & N.

A-2
Fd 1" IP Cement Plug
L.A.C. Tag (Illegible)
Per FB 2694-7

Sec. Line

F. B. 2694 PG 16

To B.M. Pg. 17

T = 60°

299.31 @ 3°15' = 298.78
299.26 @ 3°07' = 298.77
298.78

T = 56°

233.69 @ 3°58' = 233.09
233.65 @ 3°45' = 233.11
233.10

T = 62°

160.54 @ 26°24' = 143.78
160.81 @ 26°35' = 143.79
143.78

T = 60°

262.83 @ 8°59' = 259.57
262.57 @ 8°36' = 259.58
259.58

SEC 11

T = 58°

90.95 @ 3°11' = 90.79
91.00 @ 3°37' = 90.80
90.80

T = 60°

56.99 @ 12°46' = 55.57
57.15 @ 13°30' = 55.56
55.56

531.88

298.78
233.10
531.88

C-2
5+90.44
Set 1" IP Center plug & C.E. Tag, Flush Top of Ridge

143.78
259.58
90.80
55.56
549.72

549.72

Sec. Line

SEC 12

T. 4. N.

R. 15 W.

To Top Pg. 15

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CRSSOR	Survey of Section Lines	F.B. 2694 Pg. 17
Map No.	JN 0302.01 Tape 127 Std 84 °F	
Office Work	Surveyed by W. I. Voge	
Checked	Notes Voge Date 4-4-64	
Date	Indexed C. J. GALLI	

To Bk 189 18

SEC 11

T 4 N

R 15 W

SEC 12

269.76

C-5
15+83.71
Set 1x2" Nail

T=56°
95.16 @ 1°41' = 95.14

85.14

Sec Line

C-4
14+98.57
Set 1x2" Nail
Top of Spun

T=62°

284.73 @ 18°45' = 269.58
284.45 @ 18°36' = 269.56
} 269.57

269.57
106.68
376.25

0.06

Fd 2x2" L.S. Tag
L.S. #2313
J. W. BATTY
13+27.26

376.25

T=62°

108.07 @ 9°08' = 106.68
107.99 @ 8°54' = 106.67
} 106.68

206.22 @ 6°19 = 204.94

204.94

C-3
11+22.32
Set 1x2" Nail
in Saddle

531.88

To Top Pg. 16

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #3100 9-62

F. B. 2694 Pg. 18

TO BK. Pg. 19

1266.3

S.8
35+29.21
Set 1x2" Nail
Top of Ridge

T=60°

277.88 @ 21°04 = 259.27
277.03 @ 26°37' = 259.25
} 259.26

259.26
135.70
394.96

SEC. 11

394.96

SEC. 12

T. 4. N.

R 15 W

SEC. LINE

T=58°

135.72 @ 1°EV. = 135.70

S.7
21+34.25
Set 1x2" Nail
Top of Spur

T=60°

260.92 @ 1°35' = 260.79
260.97 @ 2°00' = 260.77
} 260.78

260.78

S.6
13+73.47
Set 1x2" Nail
Top of Spur

T = 56°

299.14 @ 14°21' = 289.76
299.02 @ 14°15' = 289.77
} 289.76

289.76

TO TOP Pg. 17

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. OESSOR
Map No.
Office Work
Checked
Date

Survey of Section Lines
JN 03020 Tape 127 Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 4-6-62
Indexed C. J. GALLI

F. B. 2694 Pg. 19

TP Both Pg. 20

Prod. Set in 2" Nail

T=80°

128.40 @ 18°20' = 121.88
128.15 @ 17°59' = 121.89 } 121.88

T=76°

162.25 @ 20°14' = 152.23
162.07 @ 20°02' = 152.25 } 152.24

T=10°

299.20 @ 8°51' = 295.59
299.33 @ 8°59' = 295.61 } 295.60

SEC 11
T. 4. N.
R. 15 W.

T=60°

61.67 @ 19°02' = 59.29
61.82 @ 19°26' = 59.29 } 58.29

T=58°

68.35 @ LEV. = 68.34

126.63

SEC LINE

TO TOP PG. 18

2284.27

D-1
54 69.72
Set 1" IP Cement Flush & C.E. T99, Flush. Top of Ridge.

121.88
152.24
295.60
569.72

569.72

① 0°00'30"
② 0°02'40"
⑥ 0°02'40"
0°00'27"

SEC 12

½ Sec. Cor. Fd. L.A. Co. Surv. Brass Cap Mon., Flush, per C.S.B. 1563-1
26+55.84 from South = 0+00 North

COUNTY SURVEYOR
T. 4. N.
R. 15 W.
SEC. 11
SEC. 12
JACOBY
R.E. 21

58.29
68.34
126.63

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 62, D-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE #310 6-62

F. B. 2694 PG. 30

To Bot pg. 21

11.48

Fd. 2" IP No plug, LP 12" No Ref. 13+54.63

T=84°

214.00 @ 8°03' = 211.89
214.07 @ 8°11' = 211.89
} 211.89

T=84°

21.74 @ Elev. = 26.74

26.74

0.18

Fd. 2 X 2 ⊄ 2.5 Tag LS 1872 N Ref. 13+27.89

211.89

154.07

T=84°

154.52 @ 4°22' = 154.07

D-3
11+73.82
Set 1x2 ⊄ Nail

T=80°

299.42 @ 21°47' = 278.03
299.48 @ 21°49' = 278.02
} 278.02

278.02
97.75
375.77

SEC. 11

SEC 12
T 4 N
R 15 W

375.77

Sec. Line

T=80°

111.70 @ 28°57' = 97.74
110.93 @ 28°12' = 97.76
} 97.75

D-2
7+98.05
Set 1x3 Nail
Top of Spur

T=80°

241.49 @ 19°00' = 228.32
241.24 @ 18°49' = 228.34
} 228.33

228.33

To Top Pg. 19

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR
Map No.
Office Work
Checked
Date

Survey of Section Lines
JN 0302.01 Tape 127 Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 4-9-64
Indexed C. J. GAIR

F. B. 2694 Pg. 21

To Bott. Pg. 22

T = 84°
226.27 @ 11°17' = 221.90
226.12 @ 11°06' = 221.89
} 221.90

221.90

SEC. 11

T = 84°
32.59 @ LEV = 32.59

D-6
22+19.71
Set 2x2 ℄ No.L

T = 84°
299.92 @ 4°30½' = 299.00
300.00 @ 4°39' = 299.01
} 299.00

439.40

Sec Line

SEC. 12
T. 4 N.
R. 15 W.

T = 84°
112.71 @ 16°57½' = 107.81
112.51 @ 16°37' = 107.81
} 107.81

32.59
299.00
107.81
439.40

D-5
17+80.31
Set N2 ℄ No.L
Top of SPKL

T = 84°
235.35 @ 9°33' = 232.09
235.15 @ 9°11' = 232.08
} 232.08

232.08
162.52
394.60

394.60

T = 84°
175.15 @ 21°54' = 162.51
174.67 @ 21°30' = 162.52
} 162.52

D-4
13+85.71
Set 1x2 ℄ No.L

211.89

Top Pg. 20

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes.

Do not extend this side of this line.

76F3095 C.E. #3110 8-62

F. B. 2694 PG. 22

W.S. 62, D-1

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Prod. Set 1x2 & Nail

SEC 2

SEC. 1

Set 1x2 & Nail

70' offset Line

T=60°

50.00

90.00

20' offset Line

70.01

T=60°

78.02 @ LEV. = 70.01

Set Nail in 4" oak

E-4
Fd 1x2 & Nail
Pgt PB 2694-24

17.96

Sec. Line

Sec Cor.
Fd L.A. Co. Surv. Brass cap mon.
up 6 pgt
S.B. 1563-1
26+55.77

20°

To E-5

T=60

20' offset Ln.

16.0

0.93

221.13 @ 14°23' = 214.17
221.34 @ 14°36' = 214.16
214.161

T. 4. N.
R. 15. W.
21
12

COUNTY SURVEYOR
RE 2177

Set Nail in 5" forked oak

Set Nail in 4" forked oak.

214.16

SEC. 11

SEC. 12

T. 4. N.

R. 15. W.

Sec. Line

NOTE:
Offset line was shown on the wrong side of Sec. Line. Correction is made in red & true distance is shown below. W. Vogt 7-13-64

T=84°

79.95 @ 9°39' = 78.82
79.98 @ 9°46' = 78.82
78.82

11.18 @ LEV. = 11.18
90.00

221.90

D-7
24+41.61
Set 1" I.P. Cement Plug & C.E. Tag Flush.

TO TOP PG. 21

Notes Ck'd by F. CESSOR
Map No.
Office Work
Checked
Date

Survey of Section Lines
JN 0302.41 Tape 127 Std 84 °F
Surveyed by W. J Voge
Notes Voge Date 3-31-64
Indexed C. I. GAIN

F. B. 2694 PG. 23

E ½ NORTH LINE OF SEC. 11 T. 4 N R 15 W

ON 20' OFFSET LINE

Sec. Cor. F.L.A. Co. Sur. Brass Cap from WP 6 Ref ESB 1563-1 & F.B. 2694-22

20.00

E-1 Set 1x2 Sq. No. L 0+00 W.

90°

90°

SURVEYOR COUNTY RECORDER R. 15 W.

T = 70°

134.08 @ 10°31' = 131.82
133.95 @ 10°14' = 131.81 } 131.82

SEC 2

T. 4. N.

R. 15. W.

SEC LINE

131.82

SEC 11

20.00 OFFSET LINE

E-2 131.82 Set 1x2 @ No. 2

T = 70°

72.41 @ 2°44' = 72.32
72.39 @ 2°03' = 72.33 } 72.32

72.32
154.92
227.24

T = 64°

160.17 @ 14°41' = 154.92
160.27 @ 14°50' = 154.91 } 154.92

227.24

TO TOP PG. 24

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 62, D-1

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

6F3095 CE #310 8-62

F. B. 2694 Pg 24

To Bott Pg 23

T=52°

177.34 @ 13°22' = 172.50 } 172.51
177.17 @ 13°06' = 172.52 }

SEC. 2

T 4 N

R 15 W

T=54°

137.75 @ 8°41' = 136.14 } 136.14
137.64 @ 8°24' = 136.13 }

T=56°

269.45 @ 8°37' = 266.36 } 266.36
269.34 @ 8°27' = 266.37 }

T=56°

274.95 @ 0°45' = 274.88 } 274.89
274.98 @ 0°52' = 274.90 }

266.36
274.89
541.25

To Top Pg. 25

E-3
3+59.06
Set 1" I.P.
Top of Curb

E-4
5+31.57
Set 1x2 ℄ No. L
Top of Curb

E-5
6+67.71
Set 1x2 ℄ No. L
Top of Curb

SEC 11

Sec. Line

20' Offset Line

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR	Survey of Section Lines
Map No.	JN 0302.01 Tape 127 Std 84 °F
Office Work	Surveyed by W + Voge
Checked	Notes Voge Date 4-2-64
Date	Indexed C. J. GALLI

F. B. 2694 Pg. 25

132.23
218.94
351.17

To B.T. Pg. 24

541.25

E-6
12+08.96
Set 1x2 5/8 No. L

SEC. 11

T. 4. N.

R. 15 W.

T = 54°
132.76 @ 4°58' = 132.23
132.63 @ 4°17' = 132.23 } 132.23 ✓

T = 54°
222.13 @ 9°39' = 218.95
222.03 @ 9°30' = 218.94 } 218.94 ✓

SEC. 2

351.17

E-7
15+60.13
Set 1x2 5/8 No. L
Top of Bank

T = 54°
286.01 @ 11°10' = 280.54
285.84 @ 11°00' = 280.53 } 280.54 ✓

T = 52°
83.18 @ LEV. = 83.16

280.54
83.16
363.70 ✓

Sec. Line

363.70

20.00 Offset Line

E-8
19+23.00
Set 5/8 I.P.T. in edge of pav.

T = 52°
37.37 @ LEV. = 37.36 ✓

37.36

To Top Pg. 26

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3093 C.E. #310 6-62

F. B. 2694 PG. 26

T = 80° Pg. 25

3736

E-9
19+61.
Set
Sq. H
Sq. edge
Pav.

171.36

SEC. 11

W. S. 62, D-1

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T = 66°
173.30 @ 8°32' = 171.36
173.46 @ 8°51' = 171.37
171.36 ✓

SEC 2
T. 4. N.
R 15 W.

T = 64°
91.74 @ LEV = 91.73 ✓

91.73

E-10
21+32.55
Set 1x2
Nail

T = 64°
140.56 @ 7°17' = 139.41
140.49 @ 7°04' = 139.40
139.40 ✓

Sec. Line

E-11
22+24.28
Set 1x2 N.
Top of
Ridge

T = 68°
278.30 @ 5°44' = 276.88
278.40 @ 5°58' = 276.86
276.87 ✓

139.40
276.87
416.27 ✓

416.27

20' Offset Line

90°

20.00

20.

E-12
Set 1x2 & Nail
26+40.55.

1/4 Sec. Cor
Fd. L.A. Co. Brass
Cap mon. in HP 6.1'
per
CSB 1563-1

SURVEYOR
T. 4. N.
R. 15 W.
SEC. 2
SEC. 11
1/4 Cor

Notes Ck'd by F. OESSOR	Survey of Sand Cyn Rd
Map No.	JN 0075.64 Tape 127 Std 64 °F
Office Work	Surveyed by W. J. Voge
Checked	Notes Voge Date 3-3-64
Date	Indexed K. J. GALLI MAY 2 9 '64

F. B. 2694 PG. 27

SAND CYN. RD. PRELIMINARY LINE

J.N. 0075.64

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Ref. Used

CSB 736
CSB 1563-1
RDFB 439

Party

W. Voge
J. Fulton
R Strader
I. Rangel

76F3095 C.E. #310 6-62

F. B. 2694 PG 28

INDEX

T. 4 N. R. 15 W.



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR
Map No.
Office Work
Checked
Date

Survey of Sand Cyn Rd
JN 0075.64 Tape 127 Std 84 °F
Surveyed by Al-Voge
Notes Voge Date 12-26-63
Indexed C. J. GALLI

F. B. 2694 PG. 29

To Sht Pg 30

EC
Set Nail
Rec. from P.I. #19

0.06 0.06

Fd Sq. H. w&T Flush. No Ref.

T = 76°
29909
28690
585.99 @ LEV. = 585.96

585.96

Fd Tk in lead. No ref.

T = 76°
101.12 @ LEV. = 101.11

SAND CYN RD

101.11

Set Sq. H. & T (Flush) P.O.T.

T = 76°
234.79 @ 3°12' = 234.41
234.75 @ 2°59' = 234.42 } 234.42

234.42
168.16
402.58

T = 72°
168.76 @ 4°45 = 168.16
168.66 @ 4°16 = 168.17 } 168.16

402.58

N 4 266 643.21
E 4 159 732.01

¼ Cor Fd L.A. Co. Surv. Brass Cap Mon. in well Dn 1.0'
PE = CS B-736
(Used as B.M. No. 1057)

COUNTY SURVEYOR
T 2 S
R 13 W
SEC 14
4 SCD 25
¼ COR
PE 37

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W, S, 62, D-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3095 CE #310 8-62

F.B. 2694 PG 30



W.S. 62, D-2

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR	Survey of Sand Cyn Rd
Map No.	JN 007564 Tape 127 Std 84 °F
Office Work	Surveyed by W-1 Voge
Checked	Notes Voge Date 12/27-63
Date	Indexed C. J. GALLI

F. B. 2694 Pg. #1

To Bott Pg 32

T = 66°
287.57 @ 3°05' = 287.12
287.60 @ 3°15' = 287.13
T = 66°
1.63 @ Lev. = 1.63 ✓

287.12
1.63
288.75 ✓

288.75

BC
Fd 5/8" W&T
T = 72°
31.01 @ Lev. = 31.01 ✓

Fd Cut Spk
W&T Flush
No Ref
T = 72°

① 162°47'40"
② 291°10'20"
⑥ 256°45'40"
162°47'37" ✓

162°47'37"

44.13
1.38
15.14
61.37

Set Pt. Spk
W&T (Flush)
on ℄ Beacon
N 4 268 680.09
E 4 159 973.45

T = 68°
6138 @ Lev. = 61

Fd Cut Spk
W&T Flush
No Ref.
T = 68°
1428 @ Lev. = 142

EC
Fd Cut Spk W&T
Flush. No Ref.

T = 68
105.28
104.53
99.59
313.40 @ Lev. 313.37

313.37 ✓

SAND CYN RD.

(30)

(30)

BC
Fd. Cut Spk W&T
Pg. 36

To TPP Pg 30

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3093 CE #310 6-62

F. B. 2694 PG. 32

To Bott Pg 33

W.S. 62, D-2

P.O.S.T.
Set 4, Bt. Spk W.F.T. Flush.

T=68°
166.62 @ 4°14' = 166.15
166.52 @ 3°47' = 166.14 } 166.14

T=68°
300.54 @ 2°08' = 300.30
300.60 @ 2°20' = 300.32 } 300.31

T=68°
300.39 @ 1°29' = 300.26
300.43 @ 1°44' = 300.26 } 300.26 (3₀)

166.14
300.31
300.26
300.00
298.74
1365.45

1365.45

SAND CYN RD

(3₀)

T=68°
300.13 @ 1°26' = 300.01
300.10 @ 1°15' = 300.00 } 300.00

T=66°
298.90 @ 1°42' = 298.74
298.85 @ 1°24' = 298.73 } 298.74

P1-17
Fd 3½" I.P. Wood plug FTK. HP 2" No Ref. Replaced with 1" I.P. Concrete plug & C.E. Flush.

N 4269 043.12
E 4160 004.72

53.30'
49'
138°
288.75'
21.71'

RPPI 7
Set 1" I.P. Conc. Plug F.C.E. Flush (Proj.)

113.57

To Top. Pg. 31

① 138° 49' 50"
② 195° 19' 30"
③ 112° 39' 10"
138° 49' 52"

T=68°
21.71 @ LEV = 21.72 71
113.58 @ LEV = 113.57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not attend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR
Map No.
Office Work
Checked
Date

Survey of Sand Cyn Rd
JN 007564 Tape 127 Std 84 °F
Surveyed by W.J. Voge
Notes Voge Date 1-2-64
Indexed C. J. GALLI

F. B. 2694 PG. 33

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line. W.S. 62, D-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3005 CE #310 8-62

N 4270419.94
E 4761106.81

P.I. - 15
Rd 2x2 Remains
Dn 6" Per
C.S.B. 736
Replaced with
1" I.P. Cement
Plug & C.E. Tag
Dn 12.

Set N&T in P.P. #1115102E

77.30
30.028
377.58

Set N&T in P.P. #1123570E

T = 68°

77.31 @ LEN. = 77.30
T = 68°
300.44 @ 1°41' = 300.28
300.47 @ 1°50' = 300.29
} 300.28

Set C.E. Tag in lead Conc. Top of Head Wall

(30)
(30)

377.58

SAND CYN. RD.

11°09'30"

① 11°09'30"
② 22°19'00"
11°09'30"

To B.o.T. Pg. 34

Fd L.A. Co. Eng. Bench Mark Set in conc. up 6" 202-11 (Used as B.M. N.C. 1061 Per F.B. 2694-106.

COUNTY ENGINEER B.M. 202-11 1962 RE 5869

412.20
R. Line

139.99

20" 55' 142°

15.32

16.79

N 4270 047.02
E 4761 047.65

Set Lg. Bt. Spk. W&T. Flush on Disector.

① 142°55'20"
② 211°41'10"
③ 137°31'50"
142°55'18"

T = 68°
82.14 @ LEN. = 82.13

P.O.S.T.

82.13

47.08

P.I. 16 = S-1
Set 1" I.P. Cement Plug & C.E. Tag Dn 36', Set 1x2 & Nail on Surface.
Begin Sand Cyn. Rd. "P" Line.
Set Using record angles Dist (312.30) from P.I. 17 Sly. & Lying Rec. to Disappearing Set N&T in P.P. on West side. #1123590E

To Top Pg. 32

F. B. 2694 PG 34

To Both Pg 35



188.80
224.66
413.46

T=66°

194.69 @ 14°07' = 188.79
194.37 @ 13°43' = 188.81
} 188.80

413.46

P Line

T=62°

226.40 @ 7°04' = 224.65
226.53 @ 7°19' = 224.66
} 224.66

Set 1/A 1x2 Fillet

T=60°

231.28 @ LEV. = 231.24

231.24
180.96
412.20

412.20

T=58°

180.99 @ LEV. = 180.96

To Right Pg 33

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR	Survey of Sand Cyn. Rd
Map No.	JN 0075.64 Tape 127 Std. 84 °F
Office Work	Surveyed by W J Voge
Checked	Notes Vol e Date 2-27-64
Date	Indexed C. J. GALLI

F. B. 2694 Pg. 35

TO Boff. Pg 36

436.08'

S-2A
Set 1x2 & Nail

T = 66°

23639 @ 7°12' = 234.50
23627 @ 6°57' = 234.50 } 234.50

234.50
186.92
421.42'

421.42'

P-Line

T = 66°

18829 @ 6°51' = 186.92
18812 @ 6°26' = 186.91 } 186.92

① 161° 10' 30"
② 284° 42' 10"
③ 247° 03' 20"
161° 10' 33"

T = 56°

23.08 @ Lev. = 23.08'
31.78 @ Lev. = 31.77'

161° 10' 33"

N 4270 619.162
E 4161 642.50

S-2
Set 1" I.P. Cement plug & C.E. Tag. (Flush)

23.08

31.77

413.76'

RP. S-2
Set 1" I.P. Cem. Plug F.C.E. Tag (Flush)
& Bisector

to Top Pg 34

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

70F3095 C.E. #310 9-62

F. B. 2694 PG 36

To B.M. left
Pg. 37



T = 68°
137.78 @ 8°25' = 136.29
137.90 @ 8°45' = 136.28
136.28

136.28
37.17
173.45

T = 66°
37.17 @ LEV = 37.17

173.45

R.P. S-3
Set 1" IP
Cement plug &
C.E. tag (flush)
& Bisect

34.56

S-3
Set 1" IP Cement
plug & C.E. Tag
Flush.

R.P. S-3
Set 1" IP
Cement plug & C.E.
Tag (Flush)
& Bisect

45.80

T = 56°
45.80 @ 23°05' = 42.12
38.95 @ 27°00' = 34.56

N 27° 53' 09" E
115.04

142° 43' 52"

174.25

① 147° 43' 50"
② 230° 55' 30"
③ 166° 23' 10"
147° 43' 52"

T = 66°
175.78 @ 7°32' = 174.24
175.92 @ 7°50' = 174.26
174.25

S-2B
Set 1x2 & Nail

T = 66°
299.96 @ 12°35' = 292.72
299.83 @ 12°27' = 292.74
292.73

292.73
10.12
133.23
436.08

436.08

T = 66°
10.12 @ LEV = 10.12

T = 66°
135.25 @ 9°52' = 133.23
135.11 @ 9°31' = 133.23
133.23

TO TOP Pg. 35

W.S. G2, D-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR
Map No.
Office Work
Checked
Date

Survey of Sand Cyn. Rd.
JN 0075 64 Tape 127 Std 84°F
Surveyed by W. J. Voge
Notes Voge Date 2-27-64
Indexed C. J. GALLI

F. B. 2694 Pg. 37

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

79F3095 C.E. #3 10 8-62

USGS Datum

COUNTY SURVEYORS MONUMENT
T.4.N
R.15.W
11 12 14 13
Sec Cor

Sec. Cor. Fd. L.A. Co. Surv. Mon. per F.B. 2694-7 (Used as B.M. NC 1062) per F.B. 2694-110.

N 427 911.51
E 4162 276.19

S 59° 35' 33" W

2360.01 per F.B. 2694-7

A-1 = 5-3B
Fd. 1" IP Cement Plug F.C.E. Tag per F.B. 2694-7
N 427 631.50
E 4162 276.44

T = 68°
13.57 @ LEN = 13.57'

256.82'

To Bot Pg. 38

① 59°35'30"
② 238°22'10"
③ 357°33'26"
59°35'33"

13.57'

P. LINE

173.45'

To Top Pg. 36

5-3A
Set 1x2 E 16.2

SEC. 14
T 4 N
R 15 W

2360.50 Per F.B. 2694-7&10

SEC. LINE

SEC. 13

N 4 269 290.99
E 4 161 381.88
1/4 Sec. Cor.
Fd. L.A. Co. Surv. Mon. per F.B. 2694-10

COUNTY SURVEYORS MONUMENT
T.4.N
R.15.W
14 13
1/4 Cor

F. B. 2694 PG. 38

TO Bott Rt Pg. 39



T = 60°

176.85 @ 6°17' = 175.76
176.76 @ 6°02' = 175.75 } 175.76 ✓

T = 62°

140.07 @ 1°57' = 139.97
140.12 @ 2°29' = 139.97 } 139.97 ✓

175.76
139.97
315.73 ✓

315.73 ✓

S-3C
Set 1X2 & Nail

T = 66°

155.36 @ 7°36' = 153.97
155.24 @ 7°18' = 153.96 } 153.96 ✓

153.96
102.86
256.82 ✓

256.82 ✓

℄ LINE

T = 66°

103.61 @ 6°47' = 102.87
103.68 @ 7°09' = 102.86 } 102.86 ✓

TO TOP Rt. Pg. 37

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR
Map No.
Office Work
Checked
Date

Survey of Sand Can. Rd.
JN 007564 Tape 127 Std 64 °F
Surveyed by W. J. Voge
Notes Voge Date 2-29-64
Indexed C. I. GALLI

F. B. 2694 PG. 39

Wo 62 D-1/D-2

N 427 967.38
E 4162 950.57
TO TOPK. PT. 40

1/4 Sec. Cor. Fd L.A.C. Surv. mon., per FB 2694-14

COUNTY SURVEYOR T.4N. R.15W. SEC. 12 SEC 13 1/4 Cor. 1964

Δ 150°43'30"
Ⓐ 242°55'40"
Ⓑ 184°23'20"
150°43'53" ✓

283.05 P. LINE

2180.45 Per FB 2694-11 & 14

150°43'53"

N 427 921.76
E 4162 769.98

B-1=S-3D
Fd 1" I.P. Cement Plug & C.E. Tag per FB 2694-11

SEC. 12
T. 4. N.
R. 15 W.

SEC. 13

4938.4 Per FB 2694-11

SEC. LINE

315.73

TO TOPK PT. 38

COUNTY SURVEYOR'S MONUMENT T.4N. R.15W. 1963 1413 Sec Cor

N 427 911.51
E 4162 276.19

SEC Cor Fd L.A.C. Surv. mon., per FB 2694-7 & 11

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #3 10 8-62

F. B. 2694 PG 40

W.S. 62, D-1

TO Bott. PG. 41



513.56

S-4A
Set 1x2 ft Nail

T = 52°

143.49 @ 15°17' = 138.39
143.25 @ 14°57' = 138.37
138.38 ✓

138.38

R.P. S-4
Set 1" I.P. Cem.
plug & C.E. Tag
(Flush)
& Bisector

① 130° 39' 10"
② 62° 36' 50"
③ 63° 55' 00"
130° 39' 10" ✓

130° 39' 10"

R.P. S-4
Set 1" I.P. Cem.
plug & C.E. tag (Flush)
& Bisector

50.02

52.22

S-4
Set 1" I.P.
Cement Plug
& C.E. Tag
Flush

N 4892.005.24
E 4163013.91

T = 56°
52.27 @ 16°51' = 50.02 ✓
55.21 @ 18°54' = 52.22 ✓

283.05
P-LINE

T = 54°
283.28 @ 2°04' = 283.04
283.36 @ 2°20' = 283.06
283.05 ✓

TO TOP PG. 39

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR	Survey of Sand Cyn. Rd.
Map No.	JN 0075.64 Tape 127 Std 84 °F
Office Work	Surveyed by W. J. Voge
Checked	Notes Voge Date 3-3-64
Date	Indexed C. J. GALLI

F. B. 2694 PG. 41

To B.T. Pg 42

T = 56°
58.87 @ 31°31' = 59.18 ✓

T = 54°
119.51 @ ELEV = 119.49 ✓

① 162° 45' 20"
④ 291° 01' 00"
⑤ 256° 31' 30"
162° 45' 15" ✓

N 4272977.93
E 4163178.03

RP 5-5
Set 1" I.P. Cem. Plug & C.E. Tag (Flush) Set on 4 Bis. Pt.

5-5
Set 1" I.P. Cement Plug & C.E. Tag Flush.

T = 56°
234.62 @ 2°06' = 234.42 ✓

234.42

275.39

119.49

162° 45' 15"

35° 41' 00"

T = 56°
279.64 @ 9°51' = 275.38
279.81 @ 10°08' = 275.40
275.39 ✓

B.M. N.C. 1063 R.E. 5869

BM NC 1063
Set L.A. B. Engr. Mon (Bench Mark) up 3" per FB 2694-113

① 35°41' 00"
② 71°22' 00"
35°41' 00" ✓

5-4B
Set 1x2" No. L.

T = 56°
236.45 @ 2°37' = 236.16
236.37 @ 2°15' = 236.15
236.16 ✓

236.16
277.40
513.56 ✓

513.56

P. Line

T = 52°
279.73 @ 7°98' = 277.40
279.56 @ 7°02' = 277.40
277.40 ✓

To Top Pg. 40

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #3100 6-62

F. B. 2694 PG. 12

To Bk. Pg 43



344.69

S-5B
Set 1x2 & Nail

T = 60°

158.21 @ 20°19' = 148.35
158.56 @ 20°38' = 148.37 } 148.36

148.36

S-5A
Set 1x2 & Nail

T = 62°

192.17 @ 5°41' = 191.19
192.09 @ 5°25' = 191.20 } 191.20

P-Line

191.20
292.34
483.54

483.54

T = 60°

292.39 @ ELEV. = 292.34

To Top Pg. 41

X

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR	Survey of Sand Cyn. Rd.
Map No.	JN 00 75.64 Tape 127 Std. 84 °F
Office Work	Surveyed by W. J. Voge
Checked	Notes Voge Date 3-364
Date	Indexed C. J. GALLI

F. B. 2694 PG. 43



TO BOTT PG 44

W.S. 62, D-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



TO TOP PG 42

76F305 CE #310 6-62

F. B. 2694 PG. 44



TO TOP Pg. 43

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR	Survey of Sand Cyn. Rd
Map No.	JN 00275.64 Tape/27 Std 64 °F
Office Work	Surveyed by W. J. Voge
Checked	Notes Voge Date 3-4-64
Date	Indexed C. J. GALIS

F. B. 2694 Pg. 45

To Bk# Pg. 46

T=68°
26.94@EV. = 26.94
24.54@8°55' = 24.24
419.84

① 161°51'20"
② 287°25'40"
③ 251°08'40" ✓
161°51'27"

RP S-8 Set 1" IP Cement plug C.E. Tag (Flush)

N 4 075 420.41
E 4 163 543.66

S-8 Set 1" IP Cement plug C.E. Tag Flush.

24.24
26.94
90°
161°51'27"

T=72°
274.78@23°21' = 252.26
274.35@23°09' = 252.24 } 252.25 ✓

252.25
103.71
355.96 ✓

355.96

BM N.C. 1064 Set L.A. Co Brass cap (BM) in monument per FB 2694-118

T=70°
104.49@6°59' = 103.70
104.36@6°59' = 103.72 } 103.71 ✓

63°10'00"

T=56°
178.48@5°36' = 177.60 ✓

① 62°10'00"
② 126°20'00"
63°10'00" ✓

177.60

S-7A Set 1x2 & Nail

COUNTY ENGINEER B.M. N.C. 1064 EL=586'

T=62°
300.81@15°51' = 289.33
300.44@15°36' = 289.33 } 289.33 ✓

289.33

To Top Pg 44

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 62, D-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F309S CE #310 8-62

F. B. 2694 PG 46

TO Bott. Pg 47



T= 58°
87.24 @ 2°40' = 87.14
87.29 @ 3°15' = 87.14
87.14

384.96

87.14
297.82
384.96

T= 58°
298.43 @ 3°29' = 297.83
298.32 @ 3°10' = 297.81
297.82

S-8B
Set 1x2¢ Na.L.

T= 58°
124.66 @ LEV. = 124.64

124.64
263.36
388.00

388.00

P. line

T= 58°
266.20 @ 8°19' = 263.35
266.04 @ 8°03' = 263.37
263.36

S-8A
Set 1x2¢ Na.L.

T= 72°
41.14 @ LEV. = 41.14

41.14
289.05
89.65
419.84

T= 72°
293.52 @ 9°59 = 289.06
293.67 @ 10°10' = 289.04
289.05

419.84

T= 72°
95.02 @ 19°21 = 89.64
94.86 @ 19°03' = 89.66
89.65

TO TOP 89.45

X

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR	Survey of Sand Cyn Rd
Map No.	JN 00756 Tape 127 Sta 89 °F
Office Work	Surveyed by W. J. Voge
Checked	Notes Voge Date 3-6-64
Date	Indexed C. J. GALLI

F. B. 2694 Pg. 47

To Be Ret. Roff Pg 48

112.01
84.41
19642'

19642

T=64°
112.02 @ LEV. = 112.01 ✓

T=64°
86.40 @ 12°18' = 84.41
86.18 @ 11°35' = 84.41
84.41 ✓

S-8D
Set 1x2 & Nail

298.59
287.52
586.11

58611

T=58°
298.64 @ LEV. = 298.59 ✓

P Line

T=58°
300.37 @ 16°47' = 287.52
300.14 @ 16°38' = 287.53
287.52 ✓

S-8C
Set 1x2 & Nail

38496

To Top Pg 46

Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE #310 6-62

F. B. 2694 PG 48

W.S. 62, D-1

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by F. OESSOR	Survey of Sand Cyn Rd.
Map No.	JN 007564 Tape 127 Std 84 °F
Office Work	Surveyed by W. J. Voge
Checked	Notes Voge Date 3-10-64
Date	Indexed C. J. GALDI

F. B. 2694 Pg. 49

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F2095 C.E. #310 6-62



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 62, D-1



Notes Ck'd by		Survey of Sand Cyn Rd	F. B. 2694 Pg. 51
Map No.		JN 00 7564 Tape 127 Std 84 °F	
Office Work		Surveyed by W. I. Vogel	
Checked		Notes Vogel Date 3-1964	
Date		Indexed C. J. GALLI	

T = 68°

161.11 @ 7°57' = 159.54
161.06 @ 7°47' = 159.56
} 159.55

27.89
159.55
187.44

T = 68°

27.89 @ LEV = 27.89

T = 70°

299.74 @ 6°23' = 297.35
299.19 @ 6°18' = 297.35
} 297.35

TO ~~TOP~~ left pg 50

187.44

5-90 set 1x2 F Nail

297.35 P. Line

5-90 set 1x2 F Nail

539.90

TO ~~TOP~~ pg 52

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F309S CE #310 6-62

F. B. 2694 PG. 52

T = 68°

230.46
15.11
245.57 @ LEV. = 245.54

T = 70°

297.78 @ 8°40' = 294.35
297.86 @ 8°45' = 294.36 } 294.36 ✓

245.54
294.36
539.90 ✓

539.90

TO Bott Pg 51

RP S-10
Set 1" I.P. Cement
Plug & C.E. Tag
Set on (Flush)
& B. sector

RP S-16
Set 1" I.P. Cement
plug & CE Tag
(Flush) set
on & B sector

177°20'10"

S-10
Set 1" I.P.
Cement Plug
& C.E. Tag
Flush.

27.43

12.58

Ⓐ 177°20'10"
Ⓑ 349°20'40"
Ⓒ 344°01'00"
177°20'10" ✓

T = 70°
17.58 @ LEV. = 17.58 ✓
27.43 @ LEV. = 27.43 ✓

T = 70

21.52
24.89
46.41 @ LEV. = 46.41 ✓

335.66

T = 70°
295.37 @ 11°40' = 289.24
295.25 @ 11°32' = 289.26 } 289.25 ✓

T. T. P
Rt. Pg. 53

46.41
289.25
335.66 ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

52, 79 234-197, 249-157, 264-157

52 A-2

7-12

A-1

1-9 12 16-19, 33-35 37-38

B-1

~~1414-89,91~~

~~5182-135134~~

~~6487~~

25, 27, 28

83-60, tw

~~4415-152,154~~ B-d

1608-36 41 42 52, 53 524 534

84, 32, 36 48-51, 39, 40

1864-89 102 ~~103~~ 90, 91

86 85 84

3133-81, 103, 78, 100, 76, 94

RDPS 268-50 = 1864-82-89

1814-89-? = 1608 AB 524

1008-73 = 1608-46

79-B-5

C-10, 12

583-108-118, 14

1608-30, 73

1608-28, 70, 26, F1, 67 63 64

23, 61, 62, 21, 58, 29, 57, 19, 56

42, 54, 55, 14, 45, 22, 59

25, 65, 66, 27, 69, 71, 72

234-137

C-2

3-9

B-2

5-6, 8-10

B-1

5-13

434-14 18, 24 28

34, 41, 44, 47, 76

282-66, 83, 84, 139, 77, 78, 132, 75, 43 130-41, 129

72, 77, 78, 14, 69, 137 89, 135, 45, 85, 113, 143, 144

SAN LEANDRO

249-187

N-3

1, 2, 4, 12-15, 17

N-2

1-6, 10, 11

N-1

1, 2, 3, 8, 9, 13, 18

B 1832-174, 68, 172, 173, 187, 218, 180, 212, 64, 15, 211, 61, etc.

B 2694-170, 247, 172, 173, 238, 248 253, 179 180

3077-5

3172-221

4312-60 SEE 2694-167 SAME CONDITIONS

~~3[illegible]~~

3062-93, 107, 111, 110, 120, 112, 113

~~3230~~

4358-27-32 INCREASE N/P2 @ PLEASANTON CYN. 2ND

4044-61-63

Notes Ck'd by F. CESSOR	Survey of 2nd Cyn Rd.
Map No.	JN 00756 Tape 127 Std 84 °F
Office Work	Surveyed by W. J. Voge
Checked	Notes Voge Date 3-20-64
Date	Indexed C. J. GALLI

F. B. 2694 Pg. 53

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

70F3095 CE #310 8-62

W.S. 62, D-1

Fd □ Spk Dn 2" Per FB 1872-117

Fd N.E.T in P.P. 592415H Per FB 1872-117

80.70

45.37

T=74°

255.65
109.45
365.10 @ LEV. = 365.08

123.89

Fd L&T in Head Wall per R.D. FB 438-29

Fd L&T in Head Wall Per R.D. FB 438-29

Fd N.E.T in P.P. #4+3662 Per FB 1872-117 & R.D. FB 438-29

Fd N.E.T in P.P. #5+3308 Per FB 1872-117

(40) VASQUEZ CYN RD

89° 16' 38"

59.41

94.12

335.66

14.35

0.02

Fd Spk. & T Dn 3" per FB 1872-117 & R.D. FB 438-29

Int of Vasquez Cyn. Rd & Sierra Hwy Fd Spk. & T Dn. 1" Per R.D. FB 438-22

68.57

132.59

Set N&T in P.P. #5956H

T=72°

Set N&T in P.P. #5012H

59° 09' 22"

781.49

217.26
150.44
150.50
263.35
781.55 @ LEV. = 781.49

① 89°16'44"
② 357°06'50"
③ 175°39'50"
89° 16' 38" ✓

① 59° 09' 20"
② 236° 37' 20"
③ 35° 56' 10"
59° 09' 22" ✓

T=72°

18.59 @ LEV. = 18.59
18.77 @ LEV. = 18.77

18.77

E-8 Fd Sq. H&T Per FB 2694-25

Int. of Sierra Hwy & 2nd Set B.L. Spk. W&T. (FLUSH)

T=72°

18.59

(50)

(50)

SIERRA HWY

137.08
200.79
152.02
266.69
756.58 @ LEV. = 756.52

E-9 Fd Sq H&T in Edge of Pav. Per FB 2694-26

756.52

28.67

Fd. cM (cT) in Conc. Head Wall per FB 1872-39

30.52

Fd cM (cT) in Conc Head Wall per FB 1872-39

36.34

Fd □ Spk. Dn. 2" Per FB 1872-39

F. B. 2694 PG 54

W.S. 62, D-1

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by F. CESSOR	Survey of Sand Cyn. Rd
Map No.	JN 007564 Tape 127 Std 84 °F
Office Work	Surveyed by W. J. Voge
Checked	Notes Voge Date 4-16-64
Date	Indexed C. J. GALLI

F. B. 2694 Pg. 55

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

TILT POINTS FOR SAND CYN. RD PRELIMINARY LINE.

IN 0075.64

Reference Used:
F.B. 2694

Party:
W. Voge
J. Fulton
R. STrader
I. Rangel

Note: All Vertical angles for Trig. levels are mean angles.

76F3095 C.E. #310 -82

F. B 2694 PG. 56

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR
Map No.
Office Work
Checked
Date

Survey of Sand Cyn Rd
JN 007564 Tape 127 Std 64 °F
Surveyed by H. J. Voge
Notes Voge Date 4-20-64
Indexed C. J. GALLI

F. B. 2694 Pg. 57

T @ T-1
H.I. = 5.11
Sight on P.O.T.
Rod = 2.00 @ -6°20'50"
Rod = 4.00 @ -6°16'10"

Sight on P.I. 19
Rod = 4.00 @ -9°26'30"
Rod = 6.00 @ -9°20'20"

Sight on T-2
Rod = 2.00 @ -2°59'40"
Rod = 4.00 @ -2°53'00"

Sight on T-3
Rod = 2.00 @ +2°41'20"
Rod = 4.00 @ +2°45'50"

Sight on T-4
Rod = 2.00 @ -6°57'30"
Rod = 4.00 @ -6°52'40"



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S C.E. #310 6-62

F. B. 2694 PG 58

T @ P.I. #16

H.I. = 4.41

Sight on T-2
Rod = 2.00 @ +1°07'40"
Rod = 4.00 @ +1°14'30"

Sight on T-3
Rod = 2.00 @ +11°34'30"
Rod = 4.00 @ +11°43'40"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by F. OESSOR	Survey of Sand Cyn. Rd.
Map No.	JN 007564 Tape 127 Std 84 °F
Office Work	Surveyed by W. L. Voge
Checked	Notes Voge Date 4-16-69
Date	Indexed C. J. GALLI

F. B. 2694 PG. 59

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

74F3095 C.E. #310 8-82



@ P.O.T.
HI = 5.16
Sight on T-1
Rod = 2.00 @ +6°06'25"
Rod = 4.00 @ +6°10'50"
Sight on T-2
Rod = 2.00 @ +2°53'10"
Rod = 4.00 @ +2°55'50"

F. B. 2694 PG. 60

① 199°24'50"
② 77°39'10"
⑥ 116°28'00"
199°24'47"

To T-2
To Pg 61

① 54°21'10"
② 217°24'50"
⑥ 326°07'00"
54°21'10"

54°21'10"

199°24'47"

To T-1
To Pg 57

P.I. #19
Fd 1" I.P. Cement
Plug & C.E. Tag
Dn 18" Pan
FB 2694-30

① 106°14'00"
② 64°56'00"
⑥ 277°24'10"
106°14'02"

106°14'02"

To P.O.T.
109.9

T@ P.I. #19
H.I. = 6.16
Sight on T-1
Rod = 2.00 @ + 9°08'50"
Rod = 4.00 @ + 9°15'10"
Sight on T-2
Rod = 4.00 @ + 4°42'40"
Rod = 6.00 @ + 4°47'40"

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR	Survey of Sand Cyn. Rd	F. B. 2694 PG. 61
Map No.	JN 007564 Tape 127 Std 64 °F	
Office Work	Surveyed by W J Voge	
Checked	Notes Voge Date 4-17-64	
Date	Indexed J. GALLI	

T@T-2

H.I = 4.42

Sight on P.O.T.

Rod = 2.00 @ -3°02'20"

Rod = 4.00 @ -2°59'40"

Sight on P.I. 16

Rod = 2.00 @ +1°24'20"

Rod = 4.00 @ -1°18'20"

Sight on P.I. 19

Rod = 6.00 @ - 4°45'10"

Rod = 8.00 @ -4°40'20"

Sight on T-1

Rod = 2.00 @ +2°41'40"

Rod = 4.00 @ +2°47'30"

Sight on T-3

Rod = 2.00 @ +5°01'20"

Rod = 4.00 @ +5°06'30"



① 30°37'30"
② 122°30'10"
③ 183°45'30"
30°37'35"

① 68°12'20"
② 272°49'00"
③ 49°13'40"
68°12'17"

① 213°21'30"
② 133°26'20"
③ 200°59'20"
213°21'33"

① 39°42'40"
② 138°50'30"
③ 238°16'00"
39°42'40"

① 8°05'40"
② 32°23'00"
③ 48°34'20"
8°05'43"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 C.E. #310 6-62

F. B. 2694 PG 62

T@ T-3

H.I. = 5.10

Sight on T-1

Rod = 2.00 @ - 2°57'40"

Rod = 4.00 @ - 2°53'00"

Sight on T-2

Rod = 2.00 @ - 5°15'50"

Rod = 4.00 @ - 5°11'10"

Sight on P.I. #16

Rod = 2.00 @ - 12°00'30"

Rod = 4.00 @ - 11°51'10"

Sight on T-2

Rod = 2.00 @ - 4°21'20"

Rod = 4.00 @ - 4°15'20"

Sight on T-6

Rod = 2.00 @ - 0°31'50"

Rod = 4.00 @ - 0°24'05"

Sight on T-5

Rod = 2.00 @ - 7°15'10"

Rod = 4.00 @ - 7°09'20"

Sight on T-4

Rod = 2.00 @ - 10°16'45"

Rod = 4.00 @ - 10°12'35"



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR	Survey of Sand Gn Rd	F. B. 2694 Pg. 63
Map No.	JN 07564 Tape 127 Std. 84 °F	
Office Work	Surveyed by W-1 Voge	
Checked	Notes Voge Date 4-2064	
Date	Indexed C. J. GALLI	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

T@T-4

H.I. = 5.00

Sight on T-1
Rod = 6.00 @ +6°51'00"
Rod = 8.00 @ +6°54'50"

Sight on T-3
Rod = 2.00 @ +10°01'40"
Rod = 4.00 @ +10°06'30"

Sight on T-5
Rod = 2.00 @ +5°54'50"
Rod = 4.00 @ +6°00'20"



F. B. 2694 PG. 64

PI @ T-5

H.I. = 4.43

Sight on T-3

Rod = 2.00 @ + 6°56'30"

Rod = 4.00 @ + 7°02'50"

Sight on T-4

Rod = 2.00 @ - 6°11'20"

Rod = 4.00 @ - 6°05'15"

Sight on T-6

Rod = 2.00 @ + 6°35'40"

Rod = 4.00 @ + 6°41'20"



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



① 44°54'10"
④ 179°36'50"
⑥ 269°25'00"
44°54'10"

① 79°23'40"
④ 317°34'46"
⑥ 116°22'20"
79°23'43"

① 235°42'00"
④ 222°48'00"
⑥ 334°12'20"
235°42'03"

Notes Ck'd by F. CESSOR	Survey of Sand Gn Rd	F. B. 2694 PG. 65
Map No.	JN 0075.64 Tape 127 Std. 84 °F	
Office Work	Surveyed by W & Voge	
Checked	Notes Voge Date 4-22-64	
Date	Indexed E. J. GALLI	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

T@ T=6

H.I. = 5.03

Sight on S-2
Rod = 4.00 @ − 9°20'10"
Rod = 6.00 @ − 9°06'10"

Sight on T=3
Rod = 2.00 @ + 0°05'10"
Rod = 4.00 @ + 0°13'50"

Sight on T=5
Rod = 2.00 @ − 6°53'30"
Rod = 4.00 @ − 6°47'05"

Sight on T=7
Rod = 2.00 @ − 1°14'05"
Rod = 4.00 @ − 1°07'35"

Sight on T=8
Rod = 2.00 @ + 0°43'40"
Rod = 4.00 @ + 0°47'50"

Sight on T=9
Rod = 4.00 @ + 2°30'20"
Rod = 6.00 @ + 2°35'30"

Sight on T=10
Rod = 2.00 @ + 1°13'40"
Rod = 4.00 @ + 1°17'30"



F. B. 2694 PG. 66

T @ S-2

H.I = 4.43

Sight on T-3

Rod = 2.00 @ +4°03'15"

Rod = 4.00 @ +4°09'00"

Sight on T-6

Rod = 6.00 @ +9°23'35"

Rod = 8.00 @ +9°38'00"

Sight on T-7

Rod = 2.00 @ +4°45'20"

Rod = 4.00 @ +4°56'00"

Sight on T-8

Rod = 2.00 @ +5°03'30"

Rod = 4.00 @ +5°10'00"



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by F. CESSOR	Survey of Sand Cyn. Rd	F. B. 2694	PG. 67
Map No.	JN 007564 Tape 127 Std 64 °F		
Office Work	Surveyed by W. J. Voge		
Checked	Notes Voge Date 4-24-64		
Date	Indexed R. J. GALLI		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg. Do not extend this side of this line.

76F3095 CE #310 6-62

At T-7

H.I. = 4.95

Sight on T-6

Rod = 4.00 @ +1°01'00"

Rod = 6.00 @ +1°07'15"

Sight on T-8

Rod = 2.00 @ +2°37'00"

Rod = 4.00 @ +2°45'15"

Sight on T-9

Rod = 4.00 @ +2°50'30"

Rod = 6.00 @ +2°55'30"

Sight on S-2

Rod = 2.00 @ −5°04'45"

Rod = 4.00 @ −5°04'00"

Sight on S-3

Rod = 2.00 @ +0°27'30"

Rod = 4.00 @ +0°32'00"

① 269°33'00"	① 258°58'30"	① 46°07'00"	① 36°10'45"
④ 358°12'15"	④ 315°54'00"	④ 184°28'00"	④ 144°42'45"
⑥ 177°18'15"	⑥ 113°51'15"	⑥ 276°41'45"	⑥ 217°04'00"
269°33'02"	258°58'32"	46°06'57"	36°10'40"



① 54°54'30"	① 54°16'15"	
④ 217°38'15"	④ 217°04'30"	
⑥ 329°27'30"	⑥ 325°37'00"	
54°54'35"	54°16'10"	

F. B. 2694 PG 68

T @ T-8

N.I = 4.90

Sight on T-6
Rod = 4.00 @ -0°53'30"
Rod = 6.00 @ -0°48'30"

Sight on T-7
Rod = 4.00 @ -2°53'00"
Rod = 6.00 @ -2°44'30"

Sight on T-9
Rod = 2.00 @ +1°36'30"
Rod = 4.00 @ +1°43'00"

Sight on Sec. Cor 11 | 12 / 13 | 14
Rod = 2.00 @ -6°01'45"
Rod = 4.00 @ -5°53'45"

Sight on S-2
Rod = 2.00 @ -5°20'45"
Rod = 4.00 @ -5°15'30"

Sight on S-3
Rod = 2.00 @ -2°24'00"
Rod = 4.00 @ -2°15'00"

① 257°34'15"
④ 310°16'15"
⑥ 105°24'45"
257°34'07"

① 233°06'15"
④ 212°25'00"
⑥ 318°37'30"
233°06'15"



① 44°46'30"
④ 179°06'15"
⑥ 268°39'15"
44°46'32"

① 36°23'00"
④ 145°32'30"
⑥ 218°18'30"
36°23'05"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. OESSOR
Map No.
Office Work
Checked
Date

Survey of Sand Cyn Rd.
JN 07564 Tape 12 ft Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 4-24-64
Indexed J. GALLI

F. B. 2694 PG. 69

T @ 5-3

HI = 4.44

Sight on T=7
Rod = 2.00 @ -0°41'00"
Rod = 4.00 @ -0°36'15"

Sight on T=8
Rod = 2.00 @ +2°00'30"
Rod = 4.00 @ +2°10'00"

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

① 288°39'45"
④ 74°39'15"
⑥ 291°58'30"
288°39'45"

288°39'45"

To T-8 Pg 68

① 41°23'15"
② 165°33'15"
⑥ 248°19'45"
41°23'17"

41°23'17"

5-3
Fd. 1" IP
Cement ±/-
C.E. Tag
(Flush)
per F.B. 2694-36

29°56'57"

To T-7 Pg 67

① 29°57'00"
④ 119°48'00"
⑥ 179°41'45"
29°56'57"

To 5-2 Pg 66

76F3095 CE #310 8-62

F. B. 2694 PG 70

T @ T=9

H.I = 4.97

Sight on Sec. Cor 11/12 / 14/13

Rod = 2.00 @ – 15°01'00"

Rod = 4.00 @ – 14°48'00"

Sight on T=6

Rod = 2.00 @ – 2°42'07"

Rod = 4.00 @ – 2°36'52"

Sight on T=7

Rod = 2.00 @ – 3°00'00"

Rod = 4.00 @ – 2°56'15"

Sight on T=8

Rod = 2.00 @ – 1°55'15"

Rod = 4.00 @ – 1°48'45"

Sight on T=10

Rod = 2.00 @ – 1°18'30"

Rod = 4.00 @ – 1°11'45"

Sight on T=11

Rod = 2.00 @ + 2°33'22"

Rod = 4.00 @ + 2°41'37"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



① 59°15'30"
④ 237°01'45"
⑥ 355°32'45"
59°15'27"

① 74°40'00"
④ 298°39'30"
⑥ 87°59'30"
74°39'55"

① 33°54'00"
④ 135°36'00"
⑥ 203°24'00"
33°54'00"

① 44°26'30"
④ 177°45'30"
⑥ 266°38'15"
44°26'22"

① 88°01'30"
④ 352°06'00"
⑥ 168°59'00"
88°01'30"

① 59°43'00"
④ 238°57'30"
⑥ 358°17'30"
59°42'55"

Notes Ck'd by E. CESSOR
Map No.
Office Work
Checked
Date

Survey of Sound Cyn. Rd
JN 0075.64 Tape 127 Std 84 °F
Surveyed by W-J Voge
Notes Voge Date 4-24-64
Indexed C. J. GALLI

F. B. 2964 PG. 71

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

6F3095 CE #3 0 8-62

At T-10
H.I. = 4.55

Sight on T-6
Rod = 2.00 @ -1°26'40"
Rod = 4.00 @ -1°22'30"

Sight on T-9
Rod = 2.00 @ +0°58'10"
Rod = 4.00 @ +1°05'50"

Sight on T-11
Rod = 6.00 @ +3°49'20"
Rod = 8.00 @ +3°56'30"



① 52°53'40"
④ 211°34'40"
⑥ 317°22'40"
52°53'47"

① 254°09'30"
④ 296°38'20"
⑥ 84°57'40"
254°09'37"

① 52°56'30"
④ 211°45'50"
⑥ 317°38'50"
52°56'28"

F. B. 2194 Pg 72

T @ T=11

HI = 5.03

Sight on Sec. Cor 11/12/13

Rod = 2.00 @ -11°26'00"

Rod = 4.00 @ -11°18'30"

Sight on T=9

Rod = 2.00 @ -2°57'45"

Rod = 4.00 @ -2°49'30"

Sight on T=10

2.00 @ -3°56'15"

4.00 @ -3°48'30"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



① 258° 46' 15"

④ 315° 05' 15"

⑥ 112° 38' 00"

258° 46' 20"

① 33° 50' 00"

② 135° 20' 30"

④ 203° 00' 45"

33° 50' 07"

① 67° 23' 30"

④ 269° 34' 00"

⑥ 44° 21' 00"

67° 23' 30"

Notes Ck'd by F. CESSOR	Survey of Sand Cyn Rd	F. B 2694 PG. 73	
Map No.	JN 007564 Tape 127 Std 84 °F		
Office Work	Surveyed by W. J. Voge		
Checked	Notes Voge Date 4-24-64		
Date	Indexed C. J. GALM		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG. Do not extend this side of this line.

T @ Sec Cor

HI = 4.33

Sight on T=8

Rod = 2.00 @ + 5°42'22"

Rod = 4.00 @ + 5°49'52"

Sight on T=9

Rod = 6.00 @ + 14°53'00"

Rod = 8.00 @ + 15°06'15"

Sight on T=11

Rod = 2.00 @ + 11°05'15"

Rod = 4.00 @ + 11°12'45"

① 194° 40' 00"

② 58° 40' 15"

③ 88° 00' 00"

194° 40' 00"



① 71° 30' 00"

② 286° 00' 00"

③ 69° 00' 15"

71° 30' 02"

① 93° 50' 00"

② 15° 20' 30"

③ 203° 00' 30"

93° 50' 05"

76F3095 CE #310 6-62

F. B. 2694 PG 74

T@ S-4

H.I. = 4.61

Sight on T-12
Rod = 2.00 @ +7°37'15"
Rod = 4.00 @ +7°47'07"

Sight on T-13
Rod = 2.00 @ +5°02'22"
Rod = 4.00 @ +5°08'15"

Sight on T-15
Rod = 2.00 @ +4°57'00"
Rod = 4.00 @ +5°01'00"



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR	Survey of Sand Cyn Rd	F. B. 7694 PG. 75
Map No.	JN 00754 Tape 127 Std 84 °F	
Office Work	Surveyed by W. J. Voge	
Checked	Notes Voge Date 4-24-69	
Date	Indexed E. J. GALLI	

T @ T=12

H.I. = 5.01

Sight on S-4
Rod = 2.00 @ − 8°05'37"
Rod = 4.00 @ − 7°55'22"

Sight on S-5
Rod = 2.00 @ − 11°38'52"
Rod = 4.00 @ − 11°25'15"

Sight on T=13
Rod = 2.00 @ + 0°10'00"
Rod = 4.00 @ + 0°20'22"

Sight on T=14
Rod = 2.00 @ + 5°50'07"
Rod = 4.00 @ + 5°54'37"

Sight on T=15
Rod = 2.00 @ + 2°06'52"
Rod = 4.00 @ + 2°11'15"

Sight on T=16
Rod = 2.00 @ + 3°28'30"
Rod = 4.00 @ + 3°30'52"



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

76F3095 CE #310 6-62

F. B. 2094 PG. 76

T @ T-13

H.I. = 4.67

Sight on S-4

Rod = 2.00 @ -5°20'10"

Rod = 4.00 @ -5°13'15"

Sight on T-12

Rod = 2.00 @ -0°41'25"

Rod = 4.00 @ -0°30'20"

Sight on T-14

Rod = 2.00 @ +5°04'30"

Rod = 4.00 @ +5°09'25"



① 64°31'20"

④ 258°05'20"

⑥ 27°08'00"

64°31'20"

① 36°14'40"

④ 144°58'30"

⑥ 217°28'40"

36°14'40"

① 259°13'50"

④ 316°55'20"

⑥ 115°23'10"

259°13'52"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR	Survey of Sand Cyn Rd	F. B. 2694 Pg. 78
Map No.	JN 00754 Tape 127 Std 84 °F	
Office Work	Surveyed by W-1 Vogel	
Checked	Notes Vogel Date 4-28-14	
Date	Indexed C. J. GALLI	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3093 CE #310 6-62

TP 5-5
HI = 4.85

Sight on T-12
Rod = 2.00 @ + 10°57'52"
Rod = 4.00 @ + 11°11'52"

Sight on T-15
Rod = 2.00 @ + 8°24'45"
Rod = 4.00 @ + 8°31'08"

Sight on T-16
Rod = 2.00 @ + 6°42'30"
Rod = 4.00 @ + 6°45'45"

① 7°41'00"
④ 30°44'30"
⑥ 46°06'45"
7°41'07"

① 154°35'00"
④ 258°19'45"
⑥ 207°29'30"
154°34'55"

① 35°56'00"
④ 143°44'15"
⑥ 215°36'15"
35°56'02"

① 42°40'00"
④ 170°39'30"
⑥ 255°59'00"
42°39'50"

① 119°08'00"
④ 116°31'30"
⑥ 354°47'15"
119°07'52"



F. B. 2694 PG. 78

TP @ S-6

H.I. = 4.88

Sight on T-15

Rod = 2.00 @ + 0°59'45"

Rod = 4.00 @ + 1° 08' 15"

Sight on T-16

Rod = 2.00 @ + 6°49'15"

Rod = 4.00 @ + 6°56' 15"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

① 196°49'30"
② 67°18' 15"
③ 100°57'00"
196°49'30"

196°49'30"

To T-16 Pg 81

① 106°20'30"
② 65°22' 15"
③ 278°03'15"
106°20'32"

106°20'32"

S-6
Rd. 1" IP
Concrete plug
& C.E. tag.
(Found)
per F.B. 2694-43

56°50'05"

To T-15 Pg 80

① 56°50'00"
② 227°20'15"
③ 341°00'30"
56°50'05"

P.I. 5+49

Notes Ck'd by F. CESSOR
Map No.
Office Work
Checked
Date

Survey of Sand Cyn Rd.
JN 00756 Tape 127 Std 54 °F
Surveyed by W + Voge
Notes Voge Date 4-2764
Indexed C. J. GALLI

F. B. 269 & PG. 79

T @ T = 14
H I = 4.73
Sight on T-12
Rod = 2.00 @ -6°04'07"
Rod = 4.00 @ -5°59'45"

Sight on T-13
Rod = 2.00 @ -5°17'45"
Rod = 4.00 @ -5°13'45"

Sight on T-15
Rod = 2.00 @ -3°07'30"
Rod = 4.00 @ -3°03'00"

Sight on T-16
Rod = 2.00 @ 40°41'37"
Rod = 4.00 @ 40°45'37"

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

F6F3095 C.E. #3 0 8-82



F. B. 2694 PG 80

T@ T=15

HI = 5.06

Sight on S-4

Rod = 2.00 @ -5°09'37"

Rod = 4.00 @ -5°05'30"

Sight on S-5

Rod = 2.00 @ -3°44'15"

Rod = 4.00 @ -3°37'30"

Sight on S-6

Rod = 2.00 @ -1°24'52"

Rod = 4.00 @ -1°16'45"

Sight on T=16

Rod = 2.00 @ +3°58'00"

Rod = 4.00 @ +4°03'00"

Sight on T-12

Rod = 2.00 @ -2°21'07"

Rod = 4.00 @ -2°16'22"

Sight on T=14

Rod = 2.00 @ +2°53'37"

Rod = 4.00 @ +2°58'07"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by F. CESSOR
Map No.
Office Work
Checked
Date

Survey of Sand Cyn Rd.
JN 007504 Tape 127 Std 84 F
Surveyed by W. J. Voge
Notes Voge Date 5-1-64
Indexed J. GALLI

F. B. 2694 PG. 81

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

T-16

H.I. = 4.33

Sight on 5-5
Rod = 2.00 @ - 6°50'00"
Rod = 4.00 @ - 6°47'00"

Sight on 5-6
Rod = 2.00 @ - 7°06-37"
Rod = 4.00 @ - 6°59'30"

Sight on T-12
Rod = 2.00 @ - 3°36'30"
Rod = 4.00 @ - 3°33'30"

Sight on T-14
Rod = 2.00 @ - 0°51'53"
Rod = 4.00 @ - 0°48'15"

Sight on T-15
Rod = 2.00 @ - 4°11'22"
Rod = 4.00 @ - 4°07'00"

① 305° 28' 15"
④ 141° 53' 30"
⑥ 32° 50' 00"
305° 28' 20"

① 327° 04' 45"
④ 228° 19' 00"
⑥ 162° 28' 45"
327° 04' 47"

← To T-14 Pg 79

① 27° 34' 45"
④ 110° 19' 00"
⑥ 165° 28' 15"
27° 34' 42"

To 5-6 Pg 76

To T-12 Pg 76

To 5-5 Pg 71

① 9° 08' 15"
④ 36° 33' 00"
⑥ 54° 49' 30"
9° 08' 15"

① 23° 47' 00"
④ 95° 08' 00"
⑥ 142° 42' 00"
23° 47' 00"

To T-15 Pg 80

① 26° 57' 00"
④ 107° 48' 15"
⑥ 161° 42' 30"
26° 57' 05"



F.B. 2694 PG 82

AT @ 5-8

HI = 4.79

Sight on T = 18

Rod = 2.00 @ — 2°34'07"

Rod = 4.00 @ — 2°29'00"

Sight on T = 19

Rod = 2.00 @ — 7°49'15"

Rod = 4.00 @ — 7°45'37"



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not attend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

① 27°04'30"
④ 108°18'00"
⑥ 162°26'45"
27°04'27"

① 36°10'15"
④ 144°40'45"
⑥ 217°01'00"
36°10'10"



① 296°45'30"
④ 107°02'45"
⑥ 340°33'45"
296°45'37"

Notes Ck'd by F. CESSON	Survey of Sand Cyn Rd
Map No.	JN 007564 Tape 127 Std 84 °F
Office Work	Surveyed by W. J. Voge
Checked	Notes Voge Date 5-4-64
Date	Indexed C. J. GALLI

F. B 2694 PG. 83

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #310 6-62

Sight on T=17
H.I = 4.87

Sight on T=18
Rod = 2.00 @ - 4°24'30"
Rod = 4.00 @ - 4°20'30"

Sight on T=19
Rod = 2.00 @ - 9°40'30"
Rod = 4.00 @ - 9°37'45"

Sight on T=20
Rod = 2.00 @ - 8°51'45"
Rod = 4.00 @ - 8°45'00"

Sight on T=21
Rod = 2.00 @ - 8°39'00"
Rod = 4.00 @ - 8°33'45"

①	46°37'15"
②	186°28'45"
⑥	279°43'00"
	46°37'10"

①	31°48'15"
②	127°12'45"
⑥	190°49'00"
	31°48'10"

①	34°49'00"
②	139°16'15"
⑥	208°54'15"
	34°49'02"

①	246°45'45"
②	267°02'30"
⑥	40°34'15"
	246°45'42"



F. B. 2694 PG 84

T @ T-18

H.I. = 4.98

Sight on S-8

Rod = 2.00 @ +2°18'00"

Rod = 6.00 @ +2°28'45"

Sight on S-9

Rod = 2.00 @ − 5°09'30"

Rod = 4.00 @ − 5°05'45"

Sight on T-17

Rod = 2.00 @ + 4°12'30"

Rod = 4.00 @ +4°16'37"

Sight on T-19

Rod = 2.00 @ − 10°10'52"

Rod = 4.00 @ − 10°05'00"

Sight on T-20

Rod = 2.00 @ − 1°06'52"

Rod = 4.00 @ − 1°03'00"

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

① 46°43'00"
② 186°52'15"
③ 288°18'30"
46°43'05"

① 25°16'45"
② 101°06'45"
③ 151°39'45"
25°16'37"

① 277°27'45"
② 29°51'00"
③ 224°46'15"
227°27'42"



① 76°59'00"
② 307°56'15"
③ 101°59'30"
76°59'05"

① 35°49'15"
② 143°17'15"
③ 214°55'30"
35°49'15"

① 257°44'15"
② 310°57'15"
③ 106°26'00"
257°44'00"

Notes Ck'd by F. CESSOR	Survey of Sand Cyn Rd	F. B. 2694 PG. 85
Map No.	JN 00275.64 Tape 127 Std. 84 °F	
Office Work	Surveyed by W. J. Voge	
Checked	Notes Voge Date 5-1-64	
Date	Indexed E. J. GAULT	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

At T-19

H.I = 4.97

Sight on S-8
Rod = 2.00 @ +7°38'15"
Rod = 4.00 @ +7°42'15"

Sight on S-9
Rod = 2.00 @ +2°34'07"
Rod = 4.00 @ +2°41'45"

Sight on S-9A
Rod = 2.00 @ +2°38'52"
Rod = 4.00 @ +2°45'37"

Sight on T-17
Rod = 2.00 @ +9°31'22"
Rod = 4.00 @ +9°34'30"

Sight on T-18
Rod = 2.00 @ +9°52'22"
Rod = 4.00 @ +9°58'15"

Sight on T-20
Rod = 2.00 @ +7°56'15"
Rod = 4.00 @ +8°02'00"



① 35°12'00"
④ 140°48'30"
⑥ 211°12'30"
35°12'05"

① 237°59'00"
④ 231°55'30"
⑥ 347°53'30"
237°58'55"

① 234°40'00"
④ 218°39'30"
⑥ 327°59'15"
234°39'52"

① 41°34'15"
④ 166°17'30"
⑥ 249°36'00"
41°34'20"

① 62°38'45"
④ 250°34'45"
⑥ 15°52'15"
62°38'42"

① 27°29'30"
④ 109°57'45"
⑥ 164°56'30"
27°29'25"

① 80°26'45"
④ 321°47'00"
⑥ 122°40'45"
80°26'47"

F. B. 2694 PG. 86

TC @ T=20

H.I. = 4.82

Sight on T=18

Rod = 2.00 @ +0°54'30"

Rod = 4.00 @ +0°59'30"

Sight on T=19

Rod = 2.00 @ −8°12'45"

Rod = 4.00 @ −8°07'07"

Sight on T=21

Rod = 2.00 @ −2°35'00"

Rod = 4.00 @ −2°28'45"

Sight on T=17

Rod = 2.00 @ +8°33'45"

Rod = 4.00 @ +8°39'52"

Sight on S-9A

Rod = 2.00 @ −10°20'30"

Rod = 4.00 @ −10°11'30"



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR	Survey of Sand Cyn. Rd	F. B. 2694	PG. 87
Map No.	JN 0075.64 Tape 127 Std 84 °F		
Office Work	Surveyed by W.J. Voge		
Checked	Notes Voge Date 5-5-64		
Date	Indexed C. J. GALLI		

T @ S-9

H.I. = 4.84

Sight on T-18

Rod = 2.00 @ +4°58'45"

Rod = 4.00 @ +5°01'45"

Sight on T-19

Rod = 2.00 @ −2°55'45"

Rod = 4.00 @ −2°48'15"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.



① 287°31'00"
② 70°04'45"
③ 285°06'45"
287°31'07"

① 32°42'15"
② 130°49'30"
③ 196°14'00"
32°42'20"

① 39°46'45"
② 159°06'45"
③ 238°39'45"
39°46'37"

76F309S CE #310 6-62

F. B. 2694 PG 88

I @ 5-9A

H.I. = 5.21

Sight on T-19

Rod = 2.00 @ − 3°00'30"

Rod = 4.00 @ − 2°53'30"

Sight on T-20

Rod = 4.00 @ + 10°00'37"

Rod = 6.00 @ + 10°11'07"

Sight on T-21

Rod = 2.00 @ + 3°20'30"

Rod = 4.00 @ + 3°26'00"

Sight on T-22

Rod = 2.00 @ + 3°52'00"

Rod = 4.00 @ + 3°57'30"

Sight on T-23

Rod = 2.00 @ − 0°23'00"

Rod = 4.00 @ − 0°20'00"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.



① 47°27'00"
④ 189°48'30"
⑥ 284°42'30"
47°27'05"

① 28°54'00"
④ 115°36'15"
⑥ 173°24'15"
28°54'02"

① 60°03'30"
④ 240°13'30"
⑥ 0°20'30"
60°03'25"

① 84°58'15"
④ 339°53'30"
⑥ 149°50'40"
84°58'20"

① 93°03'30"
④ 12°14'00"
⑥ 198°20'45"
93°03'27"

① 45°33'30"
④ 182°14'30"
⑥ 273°21'45"
45°33'37"

Notes Ck'd by F. CESSOR	Survey of Sand Cyn Rd.
Map No.	JN 1075.64 Tape 127 Std 84 °F
Office Work	Surveyed by W-J Voge
Checked	Notes Voge Date 5-1-64
Date	Indexed J. GALM

F. B. 2694 PG. 89

T@ 5-9D

H.I. = 5.06

Sight on T=21

Rod = 2.00 @ + 6°31'15"

Rod = 4.00 @ + 6°36'15"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

6F309S CE #310 6-62



① 296° 41' 15"
④ 106° 45' 15"
⑥ 340° 07' 30"
296° 41' 15"

① 63° 18' 45"
④ 253° 14' 45"
⑥ 19° 52' 30"
63° 18' 45"

F. B. 2694 PG 90

T@ T=21

H.I = 4.96

Sight on 5-9A

Rod = 2.00 @ - 3°36'45"

Rod = 4.00 @ - 3°31'30"

Sight on 5-9D

Rod = 2.00 @ -6°45'30"

Rod = 4.00 @ -6°41'15"

Sight on T-17

Rod = 2.00 @ +8°24'00"

Rod = 4.00 @ +8°29'30"

Sight on T-20

Rod = 2.00 @ + 2°15'15"

Rod = 4.00 @ + 2°22'15"



① 31°43'00"
② 126°52'00"
③ 190°17'45"
31°42'57"

① 29°54'30"
② 119°37'45"
③ 179°26'15"
29°54'22"

① 50°21'45"
② 201°27'00"
③ 302°10'30"
50°21'45"

① 248°01'00"
② 272°04'00"
③ 48°06'30"
248°01'05"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not attend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR	Survey of Sand Cyn. Rd.
Map No.	JN 00754 Tape 127 Std 84 °F
Office Work	Surveyed by W. J. Voge
Checked	Notes Voge Date 5-5-64
Date	Indexed E. J. GALM

F. B. 2694 Pg. 91

T@ T-22

H.I. = 4.89

Sight on S-9A
Rod = 2.00 @ — 4°09'30"
Rod = 4.00 @ — 4°03'30"

Sight on S-10
Rod = 2.00 @ — 4°56'00"
Rod = 4.00 @ — 4°51'30"

Sight on T-23
Rod = 2.00 @ — 5°24'45"
Rod = 4.00 @ — 5°18'45"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.



① 61° 45' 15"
② 247° 01' 00"
③ 10° 31' 45"
61° 45' 17"

① 54° 38' 15"
② 218° 32' 30"
③ 327° 49' 00"
54° 38' 10"

① 243° 36' 30"
② 254° 26' 15"
③ 21° 39' 30"
243° 36' 35"

6F309S CE #310 6-62

F.B. 2694 PG 92

T @ S-10

HI = 5.05

Sight on T-22
Rod = 4.00 @ +4° 47' 00"
Rod = 6.00 @ +4° 51' 30"

Sight on T-25
Rod = 2.00 @ − 3° 33' 15"
Rod = 4.00 @ − 3° 27' 00"

Sight on T-23
Rod = 2.00 @ 1° 23' 15"
Rod = 4.00 @ 1° 28' 15"

Sight on T-26
Rod = 2.00 @ − 4° 17' 30"
Rod = 4.00 @ − 4° 09' 30"

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

① 28° 19' 15"
② 113° 16' 45"
③ 169° 55' 00"
28° 17' 10"

① 50° 38' 00"
② 202° 31' 45"
③ 308° 47' 30"
50° 37' 55"

① 40° 10' 15"
② 160° 41' 30"
③ 241° 02' 00"
40° 10' 20"

① 59° 50' 00"
② 239° 19' 30"
③ 358° 59' 45"
59° 49' 57'

① 300° 10' 00"
② 120° 40' 45"
③ 01° 01' 00"
300° 10' 10"

① 191° 52' 00"
② 47° 27' 45"
③ 71° 11' 30"
191° 51' 55"

① 49° 00' 45"
② 196° 09' 15"
③ 294° 05' 00"
49° 00' 50"



Notes Ck'd by F. CESSOR	Survey of Sand Gin Rd	F. B. 2694 Pg. 93
Map No.	JN 007564 Tape 27 Std 84 °F	
Office Work	Surveyed by W. J. Voge	
Checked	Notes Voge Date 5-7-64	
Date	Indexed C. J. GALLI	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

T @ T-23

HI = 5.00

Sight on T-22
Rod = 2.00 @ + 5°05'30"
Rod = 4.00 @ + 5°12'30"

Sight on T-24
Rod = 2.00 @ — 0°29'45"
Rod = 4.00 @ — 0°22'37"

Sight on T-26
Rod = 2.00 @ — 7°17'30"
Rod = 4.00 @ — 7°09'15"

Sight on S-10
Rod = 2.00 @ — 1°38'15"
Rod = 4.00 @ — 1°33'30"

Sight on S-9A
Rod = 2.00 @ + 0°12'00"
Rod = 4.00 @ + 0°16'46"



① 206° 28' 00"
② 105° 52' 30"
③ 158° 48' 30"
206° 28' 05"

① 44° 56' 00"
② 179° 44' 00"
③ 269° 36' 00"
44° 56' 00"

① 34° 42' 30"
② 138° 50' 15"
③ 208° 15' 00"
34° 42' 30"

① 30° 31' 30"
② 122° 06' 30"
③ 183° 09' 45"
30° 31' 37"

① 43° 21' 45"
② 173° 27' 15"
③ 260° 10' 45"
43° 21' 47"

F. B. 2694 PG. 94

π @ T=24

H.I = 5.0 8

Sight on T=23

Rod = 2.00 @ + 0°07' 15"

Rod = 4.00 @ + 0°14' 30"

Sight on T=25

Rod = 2.00 @ − 6°01'45"

Rod = 4.00 @ − 6°00' 45"

Sight on T-26

Rod = 2.00 @ − 7°42'30"

Rod = 4.00 @ − 7°32'45"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.



① 245° 11' 45"
② 260° 47' 30"
③ 31° 11' 30"
245° 11' 55"

① 62° 47' 15"
② 251° 08' 45"
③ 16° 43' 30"
62° 47' 15"

① 52° 00' 45"
② 208° 03' 00"
③ 312° 04' 45"
52° 00' 47"

Notes Ck'd by F. CESSOR	Survey of Sand Cyn Rd
Map No.	JN 007564 Tape 127 Std 84 °F
Office Work	Surveyed by W. J. Voge
Checked	Notes Voge Date 5-6-64
Date	Indexed C. J. GAUDI

F. B. 2694 PG. 95

A @ T-25

H. I. = 5.22

Sight on S-10

Rod = 4.00 @ + 3°19' 45"

Rod = 6.00 @ + 3°26' 00"

Sight on T-24

Rod = 4.00 @ + 5°51' 52"

Rod = 6.00 @ + 5°59' 45"

Sight on T-26

Rod = 4.00 @ + 0°27' 00"

Rod = 6.00 @ + 0°33' 45"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 C.E. #310 6-62

① 269° 12' 30"
④ 356° 50' 30"
⑥ 175° 16' 00"
269° 12' 40"



① 44° 17' 15"
④ 177° 09' 45"
⑥ 265° 44' 15"
44° 17' 22"

① 46° 30' 00"
④ 186° 00' 00"
⑥ 278° 59' 45"
46° 29' 57"

F. B. 2694 PG. 96

T @ T-26

H.I = 4.92

Sight on B.C.
Rod = 2.00 @ − 0°56'15"
Rod = 4.00 @ − 0°47'15"

Sight on S-10
Rod = 2.00 @ + 3°53'15"
Rod = 4.00 @ + 4°01'45"

Sight on T-23
Rod = 2.00 @ + 6°53'15"
Rod = 4.00 @ + 7°01'00"

Sight on T-24
Rod = 2.00 @ + 7°14'45"
Rod = 4.00 @ + 7°25'00"

Sight on T-25
Rod = 6.00 @ − 0°27'45"
Rod = 8.00 @ − 0°20'00"

① 318°56'45"
④ 195°46'45"
⑥ 113°40'00"
318°56'40"

① 83°03'00"
④ 332°12'15"
⑥ 138°18'45"
83°03'07"

① 72°55'15"
④ 291°41'15"
⑥ 77°32'00"
72°55'20"

① 121°09'30"
④ 124°37'45"
⑥ 06°56'15"
121°09'22"

① 82°52'15"
④ 331°28'30"
⑥ 137°13'00"
82°52'10"

① 41°03'15"
④ 164°13'30"
⑥ 246°20'15"
41°03'22"



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by F. CESSOR	Survey of Sand Cyn. Rd.	F. B. 2694 PG. 97
Map No.	JN 0075.64 Tape 127 Std 84 °F	
Office Work	Surveyed by W. J. Voge	
Checked	Notes Voge Date 5-6-64	
Date	Indexed C. J. GALLI	

~~A @ BC~~

H.I. = 5.92

Sight on T-26
Rad = 6.00 @ + 0°42'00
Rad = 8.00 @ + 0°51'45"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.



76F3095 CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F.B. 2694 PG 98

NOTES RED JOB NO. 0075.64 SURVEY OF Sand Cyn Rd. F. B. 2694 PG. 99
DATE 5-11-64 SURVEY BY W. J. Voge
NOTES CHKD F. CESSOR NOTES BY Voge DATE
DATE INDEXED B. J. GALM DATE MAY 27 '64

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 9-55

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						LEVELS FOR SAND CYN RD.
						J.N. 0075.64
				References Used:		Party:
				U.S. 4787		W. Voge
				U.S. 4788		J. Fulton
				F.B. 1872		R. STrader
						J. Rangel

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 007564 SURVEY OF Sand Cyn Rd NOTES RED. DATE 5-11-64
SURVEY BY W. J. Voge
NOTES BY Voge DATE
INDEXED J. Galli DATE
NOTES CHKD. DATE

F.B. 2694 Pg. 100

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
(F8) BM U.S.4787	1568.137					BM U.S.4787 Elev = 1568.137 (1958) 1.8 mi. E. along the S.P.R.R. from Section house at Humphreys, 6 mils West of the W. end of a Wooden bridge over a private road, at 24' C.M.P. Culvert 441.24, in the top of the N. Concrete head wall 1.2' E. of the W. end, 31.6' N. of the N. rail and about 15' lower than the Track, a Brass Disk Stamped J 486 1955
+	9.350		9.821			
∧	1577.487	+ 8.804	+ 8.805			
-	0.546		1.016			
TP	1576.941					
+	9.300		9.081			
∧	1586.241	+ 3.038	+ 3.038			
-	6.262		6.043			
TP	1579.979					
+	3.281		2.957			
∧	1583.260	- 2.429	- 2.421			
-	5.701		5.378			
TP	1577.559					
+	4.055		3.860			
∧	1581.614	- 2.442	- 2.440			
-	6.497		6.300			
TP	1575.117					
+	3.568		3.383			
∧	1578.685	- 2.753	- 2.755			
-	6.321		6.138			
TP	1572.364					
+	3.743		3.550			
∧	1576.107	- 2.002	- 2.001			
-	5.745		5.551			
TP	1570.362					
+	3.890		3.649			
∧	1574.252	- 2.832	- 2.833			
-	6.722		6.482			
TP	1567.530					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED DATE 5-11-64 JOB NO. 0075.64 SURVEY OF Sand Cyn. Rd.
SURVEY BY W.J. Voge
NOTES CHK'D. CESSOR NOTES BY Voge DATE
DATE INDEXED G.J. GALL DATE

F.B. 2674 Pg. 101

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1567.530					
+	4.360		4.130			
⊼	1571.890	-2.056	-2.059			
-	6.416		6.189			
TP	1565.474					
+	4.564		4.420			
⊼	1570.038	-2.296	-2.294			
-	6.860		6.714			
TP	1563.178					
+	4.341		4.150			
⊼	1567.519	-2.599	-2.599			
-	6.940		6.749			
TP	1560.579					
+	4.062		3.903			
⊼	1564.641	-3.051	-3.052			
-	7.113		6.955			
TP						
BM. USS 4788	1557.528					B.M. USS 4788 Elev. = 1557.520 (1958)
BM. USS 4788	1557.520					1.3 mi. E. along S.P. R.R. from Section House
+	0.578		0.420			at Humphreys, 6 3/4 poles E. of the mile pole
⊼	1558.098	-9.784	-9.783			442, at Wooden Concrete & Steel structure
-	10.362		10.203			bridge 441.84 on Sand Cyn. Rd., in the
TP	1547.736					top of the N. end of the E. concrete
+	0.665		0.985			abutment. 6.1' N. of the N. rail, and
⊼	1548.401	-9.498	-9.498			about 1' lower than the track,
-	10.163		10.483			a Brass Disk Stamped H. 486 1955.
TP	1538.238					
+	5.022		4.871			
⊼	1543.260	-0.998	-0.998			
-	6.020		5.869			
TP	1537.240					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.64 SURVEY OF Sand Cyn. Rd. NOTES RED.
SURVEY BY W. J. Voge DATE 5-11-64
NOTES BY Voge DATE NOTES CHKD.
INDEXED E. J. GALLI DATE DATE

F.B. 2694 PG. 102

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	1537.240					
+	5.211		5.061			
⊼	1542.451	- 1.722	- 1.721			
-	6.933		6.782			
TP	1535.518					
+	2.869		2.708			
⊼	1538.387	- 3.442	- 3.441			
-	6.311		6.149			
TP	1532.076					
+	5.891		5.759			
⊼	1537.967	+ 3.031	+ 3.032			
-	2.860		2.727			
TP	1535.107					
+	7.489		7.380			
⊼	1542.596	+ 2.759	+ 2.759			
-	4.730		4.621			
TP	1537.866					
+	6.322		6.171			
⊼	1544.188	+ 1.621	+ 1.622			
-	4.701		4.549			
TP	1539.487					
+	6.735		6.560			
⊼	1546.222	+ 3.459	+ 3.459			
-	3.276		3.101			
TP	1542.946					
+	10.992		10.876			
⊼	1553.938	+ 8.701	+ 8.699			
-	2.291		2.177			
BM NC 1059	1551.647					Description top pg. 103

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. DATE 5-12-64 JOB NO. 1075.64 SURVEY OF Sand Cyn. Rd.
SURVEY BY W.J. Yeager
NOTES CHKD. C. J. GAUM DATE
NOTES BY Yeager DATE
INDEXED DATE

F. B. 2694 Pg. 103

B.M. (Set)	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM. NC1059	1551.647					BM. NC1059 Elev.=
+	11.830		11.690			1200' S. on Sand Cyn. Rd from the
⊼	1563.477	+11.330	+11.330			Int. of Sand Cyn. Rd & Soledad Cyn.
−	0.500		0.360			Rd, Rd. L.A. Co. Sur Brass Cap mon. in
TP	1562.977					well in Pav., 1/4 Sec. Cor, Sec. 14 &
+	11.594		11.869			Sec. 23 T. 4 N., R 15 W. Dw. 18" per
⊼	1574.571	+11.392	+11.389			FB 2694-29. (Held rod on —)
−	0.202		0.480			
P.O.T.	1574.369					P.O.T. Elev.=
+	8.322		8.210			Rd Sq. H. & T., 402.58' North of 1/4 Cor
⊼	1582.691	+4.053	+4.051			per FB 2694-29 & 59.
−	4.269		4.159			
TP	1578.422					
+	5.669		5.544			
⊼	1584.091	+0.617	+0.616			
−	5.052		4.928			
TP	1579.039					
+	5.931		5.778			
⊼	1584.970	+0.819	+0.820			
−	5.112		4.958			
TP	1579.858					Rd Sq. H. w & T, per FB 2694-29
+	6.743		6.467			
⊼	1586.601	+0.522	+0.522			
−	6.221		5.945			
(Set) BM. NC1060	1580.380					B.M. NC1060 Elev.=
+	7.945		7.613			At Int. of Sand Cyn. Rd & Soledad
⊼	1588.325	−0.928	−0.928			Cyn. Rd., Rd Div. of Hwys. Brass
−	8.873		8.541			Cap mon. in well 12" Dia., per
P.I. 19	1579.452					FB 2694-30. Held rod on (1A) in
						California.

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00275.64 SURVEY OF Sand Cyn Rd. NOTES RED.
SURVEY BY W.J. Voge DATE 5-11-64
NOTES BY Voge DATE NOTES CHKD.
INDEXED E.J. GALL DATE DATE

F.B. 2694 Pg. 104

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
PI 19	1579.452					PI 19 Elev.
+	11.186		11.370			Fd. 1"IP Cement plug & C.E. Tag, Dn.
℄	1590.638	+ 9.745	+ 9.741			18" per FB 2694-30 & 60
-	1.441		1.629			
TP	1589.197					
+	9.070		8.927			
℄	1598.267	+ 5.527	+ 5.527			
-	3.543		3.400			
TP (BC)	1594.724					Fd. cut spk WET (Flush) per FB.
+	9.939		9.800			2694-30 & 31
℄	1604.663	+ 8.994	+ 8.993			
-	0.945		0.807			
TP	1603.718					
+	8.524		8.308			
℄	1612.242	+ 5.638	+ 5.639			
-	2.886		2.669			
TP (E.C.)	1609.356					Fd cut spk w & T (Flush) per FB
+	7.312		7.132			2694-31
℄	1616.668	+ 3.017	+ 3.017			
-	4.295		4.115			
PI 18	1612.373					PI 18 Elev =
+	6.902		6.726			Fd 2"IP Cement plug & Sq. H., Dn 6"
℄	1619.275	+ 2.177	+ 2.177			per FB 2694-31
-	4.725		4.549			
TP (BC)	1614.550					Fd. Sq. H. WET (Flush) per FB 2694-31
+	7.901		8.008			
℄	1622.451	+ 6.701	+ 6.705			
-	1.200		1.303			
TP	1621.251					

76S420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED IN INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. DATE 5-11-64 JOB NO. 8075.64 SURVEY OF Sand Cyn. Rd
NOTES CHKD. CESSOR NOTES BY V.Vaz SURVEY BY W.J. Vaz DATE
DATE INDEXED R.J. GAUM DATE

F.B. 2694 Pg. 105

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1621.251					
+	11.504		11.785			
↗	1632.755	+11.177	+11.175			
−	0.327		0.610			
TP	1632.428					
+	3.831		3.411			
↗	1636.259	+ 1.746	+ 1.747			
−	2.085		1.664			
P.I. 17	1634.174					P.I. 17 Elev.=
+	2.072		1.744			Fd. 1" IP Cement plug & C.E. Tag (Flush)
↗	1636.246	− 4.231	− 4.231			per F.B. 2694 + 32
−	6.303		5.975			
TP	1629.943					
+	7.405		7.205			
↗	1637.348	+4.684	+4.684			
−	2.721		2.521			
TP	1634.627					
+	10.429		10.650			
↗	1645.056	+ 9.639	+ 9.639			
−	0.790		1.011			
TP	1644.266					
+	11.180		10.895			
↗	1655.446	+10.449	+10.446			
−	0.731		0.449			
TP	1654.715					
+	11.064		10.853			
↗	1665.779	+9.634	+ 9.633			
−	1.430		1.220			
TP	1664.349					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2275.64 SURVEY OF Sand Cyn. Rd NOTES RED. DATE 5-11-64
SURVEY BY W.L. Voge NOTES CHKD.
NOTES BY Voge DATE
INDEXED E.J. Galli DATE

F.B. 2694 Pg. 106

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1664.349					
+	9.206		9.499			
=	1673.555	+6.212	+6.213			
−	2.994		3.286			
P.I. 16	1670.561					P.I. 16=S1 Elev=
+	8.680		8.524			Fd 1x2 & Nail (Flush) per FB 2694-33 & 58
=	1679.241	+6.730	+6.727			
T.P. (Set)	1.950		1.797			
B.M. N.C. 1061	1677.291					B.M N.C 1061 Elev.=
+	3.070		2.891			0.5 mi. N. along Sand Cyn. Rd.
=	1680.361	−3.031	−3.030			from the Int. of Sand Cyn. Rd. &
−	6.101		5.921			Soledad Cyn. Rd. West side of Rd.
T.P.	1674.260					30' South of P/L of House No. 29025
+	2.189		2.028			& 10' West of Pav., Fd. L.A. Co. Engr.
=	1676449	−3.651	−3.651			Brass Cap mon. marked B.M. 202-11
−	5.840		5.679			1962, per FB 2694-33
S-1A	1670.609					S-1A Elev=
+	7.978		8.045			Fd 1x2 & Nail per FB 2694-34
=	1678.587	+7.640	+7.640			
−	0.338		0.405			
T.P.	1678.249					
+	11.554		11.840			
=	1689.803	+11.113	+11.111			
−	0.441		0.729			
T.P.	1689.362					
+	11.376		11.852			
=	1700.738	+11.119	+11.120			
−	0.257		0.732			
T.P.	1700.481					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. DATE 5-12-64 JOB NO. 0075.64 SURVEY OF Sand Cyn. Rd
SURVEY BY W J Voge
NOTES CHKD. F. CESSOR NOTES BY Voge DATE
DATE INDEXED E. J. GALL DATE

F. B. 2694 PG. 107

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1700.481					
+	11.211		11.521			
⊼	1711.692	+10.922	+10.922			
−	0.289		0.599			
T.P.	1711.403					
+	11.777		11.968			
⊼	1723.180	+11.390	+11.389			
−	0.387		0.579			
T.P.	1722.793					
+	11.940		11.881			
⊼	1734.733	+11.551	+11.551			
−	0.389		0.330			
T.P.	1734.344					
+	11.401		11.787			
⊼	1745.745	+10.902	+10.905			
−	0.499		0.882			
S-2	1745.246					S-2 Elev.=
+	10.189		10.500			Fd. 1" I.P., Cement plug & C.E. Tag (Flush)
⊼	1755.435	+8.393	+8.396			per F.B. 2694-35 & 66
−	1.796		2.104			
T.P.	1753.639					
+	4.479		4.210			
⊼	1758.118	−1.829	−1.829			
−	6.308		6.039			
S-2A	1751.810					S-2A Elev.=
+	11.688		11.840			Fd. 1x2" Nail (Flush) per F.B. 2694-35
⊼	1763.498	+11.368	+11.369			
−	0.320		0.471			
T.P.	1763.178					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.69 SURVEY OF Sand Cyn Rd NOTES RED.
SURVEY BY W.J. Voge DATE 5-12-64
NOTES BY Voge DATE NOTES CHKD.
INDEXED E.J. Cahill DATE DATE

F.B. 2694 PG. 108

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1763.178					
+	11.650		11.877			
⊼	1774.828	+ 11.450	+11.454			
−	0.200		0.423			
T.P.	1774.628					
+	11.987		11.874			
⊼	1786.615	+ 11.381	+ 11.379			
−	0.606		0.495			
T P	1786.009					
+	2.610		2.878			
⊼	1788.619	+ 1.492	+ 1.490			
−	1.118		1.388			
S-2B	1787.501					S-2B Elev.=
+	11.921		11.864			Fd. 1x2 ¢ Nail (Flush) per FB 2694-36
⊼	1799.422	+ 11.495	+11.494			
−	0.426		0.370			
T P	1798.996					
+	11.264		11.535			
⊼	1810.260	+10.715	+10.716			
−	0.549		0.819			
T P	1809.711					
+	7.526		7.651			
⊼	1817.237	+ 3.671	+3.670			
−	3.855		3.981			
S-3	1813.382					S-3 Elev.=
+	1.826		1.626			Fd. 1" IP cement plug ¢ C.E. Tag (Hush)
⊼	1815.208	- 9.701	- 9.702			per F.B. 2694-36 ¢ 89.
−	11.527		11.328			
T P	1803.681					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED DATE 5-12-64 JOB NO. 0075.64 SURVEY OF Sand Cyn. Rd.
SURVEY BY W.J. Voge
NOTES CHKD. CESSOR NOTES BY W.J. Voge DATE
DATE C. J. GALLI DATE
INDEXED DATE

F.B. 2694 Pg. 109

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1803.681					
+	0.341		0.645			
=	1804.022	-10.600	-10.601			
-	10.941		11.246			
TP	1793.081					
+	3.194		2.970			
=	1796.275	-4.341	-4.340			
-	7.535		7.310			
S-3A	1788.740					S-3A Elev.=
+	3.831		3.109			Fd 1x2 & Nail (Flush) per FB 2694-37
=	1792.571	-4.965	-4.966			
-	8.796		8.075			
S-3B	1783.775					S-3B Elev.=
+	0.468		0.638			Fd 1" IP cement plug & C.E. Tag (FLUSH)
=	1784.243	-10.964	-10.965			per FB 2694-37
-	11.432		11.603			
TP	1772.811					
+	0.275		0.340			
=	1773.086	-11.237	-11.236			
-	11.512		11.576			
TP	1761.574					
+	0.500		0.709			
=	1762.074	-10.563	-10.560			
-	11.063		11.269			
TP	1751.011					
+	2.529		2.400			
=	1753.540	-6.060	-6.061			
-	8.589		8.461			
BM NC1062	1744.951					B.M. N.C 1062 Elev.=
						Description Next Page.

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 10 7564 SURVEY OF Sand Cyn Rd NOTES RED. DATE 5-12-64
SURVEY BY W.L. Voge
NOTES BY Voge DATE NOTES CHKD. DATE
INDEXED C.J. GALLI DATE

F.B. 2694 Pg. 110

B.M. (Sta)	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. NC 1062	1744.951					0.8 mi. N. along Sand Cyn. Rd from Soledad Cyn. Rd. & Sand Cyn. Rd. Int., thence N.E. 1/4 1000'± along main Canyon, and 50'± N. from bottom of creek, Fd. L.A. Co. Sur. Brass Cap mon., up 6", Sec. Cor. 11 12 14 13 T. 4 N. R. 15 W. per FB 2694-7, 37, & 73. Held Rod on "C" of County.
+	11.164		11.297			
⊼	1756.115	+10.891	+10.892			
−	0.273		0.405			
⊥P	1755.842					
+	11.852		11.954			
⊼	1767.694	+11.482	+11.482			
−	0.370		0.472			
⊥P	1767.324					
+	11.957		11.969			
⊼	1779.281	+11.618	+11.618			
−	0.339		0.351			
⊥P	1778.942					
+	11.763		11.815			
⊼	1790.705	+11.336	+11.337			
−	0.427		0.478			
⊥P	1790.278					
+	11.607		11.777			
⊼	1801.885	+11.431	+11.429			
−	0.176		0.348			
⊥P	1801.709					
+	11.294		11.352			
⊼	1813.003	+10.956	+10.957			
−	0.338		0.395			
⊥P	1812.665					
+	8.324		8.796			
⊼	1820.989	+5.028	+5.028			
−	3.296		3.768			
S-3C	1817.693					S-3C Elev.= Fd. 1x2 & Nail (flush) per FB 2694-38

76S420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. DATE 5-12-64 JOB NO. 0075.64 SURVEY OF Sand Cyn. Rd.
NOTES CHKD. F. CESSOR SURVEY BY W.J. Voge
NOTES BY Voge
DATE INDEXED C. J. GALLI DATE DATE

F.B. 2694 Pg. 111

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
S-3C	1817.693					
+	11.314		11.551			
⊼	1829.007	+11.023	+11.023			
−	0.291		0.528			
TP	1828.716					
+	11.749		11.833			
⊼	1840.465	+11.020	+11.021			
−	0.729		0.812			
T.P.	1839.736	−				
+	3.790		3.958			
⊼	1843.526	+1.557	+1.556			
−	2.233		2.402			
S-3D-B-1	1841.293					S-3 D-B-1 Elev.=
+	11.837		11.906			Fd 1" I.P. Cement plug & C.E. Tag (Flush)
⊼	1853.130	+11.467	+11.466			per F.B. 2694-11 & 39
−	0.370		0.440			
TP	1852.760					
+	9.201		9.671			
⊼	1861.961	+2.618	+2.613			
−	6.583		7.058			
S-4	1855.378					S-4 Elev.=
+	0.323		0.258			Fd. 1" IP Cement p/ug & C.E. Tag
⊼	1855.701	−11.492	−11.492			(Flush) per FB #694-40 & 74
−	11.815		11.750			
TP	1843.886					
+	2.396		2.287			
⊼	1846.282	−9.246	−9.247			
−	11.642		11.534			
T.P.	1834.640					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0275.64 SURVEY OF Sand Cyn. Rd. NOTES RED.
SURVEY BY W.H. Voge DATE 5-12-64
NOTES BY Voge DATE NOTES CHKD.
INDEXED C. J. CALL DATE DATE

F.B. 2694 Pg. 112

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1834.640					
+	4.410		4.536			
⊼	1839.050	- 7.005	- 7.005			
−	11.415		11.541			
TP	1827.635					
+	0.411		0.623			
⊼	1828.046	-6.445	-6.447			
−	6.856		7.070			
S-4A	1821.190					S-4A Elev.=
+	1.108		1.540			Fd. 1x2 & Nail (Flush) per F.B. 2694-40
⊼	1822.298	- 7.895	-7.898			
−	9.003		9.438			
TP	1813.295					
+	0.197		0.650			
⊼	1813.492	-10.534	-10.533			
−	10.731		11.183			
TP	1802.761					
+	3.183		3.330			
⊼	1805.944	- 5.163	- 5.163			
−	8.346		8.493			
S-4B	1797.598					S-4B Elev.=
+	11.629		11.837			Fd. 1x2 & Nail (Flush) per F.B. 2694-41
⊼	1809.227	+11.449	+11.448			
−	0.180		0.389			
TP	1809.047					
+	11.888		11.966			
⊼	1820.935	+11.582	+11.581			
−	0.306		0.385			
TP	1820.629					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. DATE 5/3-64 JOB NO. 0075.64 SURVEY OF Sand Cyn. Rd.
NOTES CHKD. CESSOR NOTES BY Vogt SURVEY BY W.J. Vogt
DATE INDEXED DATE DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1820.629					
+	11.961		11.974			
⊼	1832.590	+11.741	+11.742			
−	0.220		0.232			
TP	1832.370					
+	11.461		11.304			
⊼	1843.831	+10.948	+10.946			
−	0.513		0.358			
TP	1843.318					
+	5.097		4.976			
⊼	1848.415	+2.407	+2.405			
−	2.690		2.571			
(Both) BM.N.C.1063	1845.725					B.M. N.C. 1063 Elev.=
+	7.602		7.410			0.8 mi. N. along Sand Cyn. Rd. from Int
⊼	1853.327	+6.022	+6.023			of Soledad Cyn. Rd. & Sand Cyn. Rd.,
−	1.580		1.387			thence N.E'ly 2400 ± along main Canyon
TP	1851.747					and 150' ± N.W. from bottom of Creek,
+	4.263		4.500			Fd. L.A. Co. Engr Brass Cap mon. (BM)
⊼	1856.010	−2.270	−2.269			up 3", per FB 2694-41
−	6.533		6.769			
S-5	1849.477					S-5 Elev.=
+	10.902		10.228			Fd. 1" IP cement plug & C.E. Tag (Flush)
⊼	1860.379	+8.234	+8.238			per FB 2694-41 & 77
−	2.668		1.990			
TP	1857.711					
+	8.082		7.828			
⊼	1865.793	+5.879	+5.879			
−	2.203		1.949			
S-5A	1863.590					S-5A Elev.=
						Fd. 1/2" Nail (Flush) per FB 2694-42

F.B. 2694 Pg. 13

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0075.64 SURVEY OF Sand Cyn. Rd. NOTES RED.
SURVEY BY W.J. Voge DATE 5-13-64
NOTES BY Voge NOTES CHKD.
INDEXED J. GALLI DATE DATE

F.B. 2694 Pg. 114

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
S-5A	1863.590					
+	11.941		11.829			
⊼	1875.531	+11.532	+11.531			
−	0.409		0.298			
TP	1875.122					
+	11.594		11.514			
⊼	1886.716	+11.054	+11.053			
−	0.540		0.461			
TP	1886.176					
+	11.883		11.913			
⊼	1898.059	+11.606	+11.605			
−	0.277		0.308			
TP	1897.782					
+	11.842		11.687			
⊼	1909.624	+11.296	+11.296			
−	0.546		0.391			
TP	1909.078					
+	11.303		11.180			
⊼	1920.381	+7.655	+7.656			
−	3.648		3.524			
TP	1916.733					
+	10.989		11.179			
⊼	1927.722	+4.507	+4.508			
−	6.482		6.671			
S-5B	1921.240					S-5B Elev.
+	1.469		1.455			Fd: 1x2 ℄ Nail (Flush) per F.B. 2694-42
⊼	1922.709	−10.206	−10.206			
−	11.675		11.661			
TP	1911.034					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	1911.034					
+	3.387		3.609			
⊼	1914421	-5.732	-5.733			
−	9.119		9.342			
S-5C	1905.302					S-5C Elev.=
+	11.506		11.441			Rd. 1x2 & Nail (Flush) per FB 2694-43
⊼	1916.808	+10.776	+10.775			
−	0.730		0.666			
T.P	1916.078					
+	11.572		11.735			
⊼	1927.650	+11.342	+11.342			
−	0.230		0.393			
T.P	1927.420					
+	11.657		11.862			
⊼	1939.077	+11.304	+11.304			
−	0.353		0.558			
T.P	1938.724					
+	11.900		11.768			
⊼	1950.624	+11.267	+11.267			
−	0.633		0.501			
T.P	1949.991					
+	11.781		11.995			
⊼	1961.772	+11.537	+11.535			
−	0.244		0.460			
T.P	1961.528					
+	11.961		11.973			
⊼	1973.489	+11.741	+11.741			
−	0.220		0.232			
T.P	1973.269					

NOTES RED JOB NO. 2075.64 SURVEY OF Sand Cyn. Rd.
DATE 5-13-64 SURVEY BY W. J. Voge
NOTES CHKD. C. CESSOR NOTES BY Voge DATE
DATE INDEXED C. J. GALM DATE

F. B. 2694 PG. 115

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.64 SURVEY OF Sand Cyn Rd NOTES RED. DATE 5-13-64
SURVEY BY W. L. Voge NOTES CHKD. DATE
NOTES BY Voge DATE
INDEXED C. J. Gault DATE

F.B. 2694 PG. 116

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1973.269					
+	11.506		11.636			
↑	1984.775	+ 8.829	+ 8.827			
−	2.677		2.809			
TP	1982.098					
+	7.577		7.438			
↑	1989.675	+ 4.682	+ 4.687			
−	2.895		2.751			
S-C	1986.780					S-6 Elev.=
+	0.600		0.707			Fd. 1" IP, cement plug, & C.E. Tag (Flush)
↑	1987.380	− 11.050	− 11.052			per F.B. 2694-43 & 78
−	11.650		11.759			
TP	1975.730					
+	0.751		1.154			
↑	1976.481	− 9.228	− 9.228			
−	9.979		10.382			
S-6A	1966.502					S-6A Elev.=
+	11.830		11.683			Fd. 1x2 & Nail (Flush) per FB 2694-44
↑	1978.332	+ 11.330	+ 11.229			
−	0.500		0.354			
TP	1977.832					
+	11.752		11.650			
↑	1989.584	+ 11.351	+ 11.350			
−	0.401		0.300			
TP	1989.183					
+	11.141		11.299			
↑	2000.324	+ 10.524	+ 10.522			
−	0.617		0.777			
TP	1999.707					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0075.64 SURVEY OF Sand Cyn. Rd.
DATE 5-13-64 SURVEY BY W. J. Voge
NOTES CHKD. E. CESSOR NOTES BY Voge DATE
DATE _____ INDEXED W. J. GAIN DATE

F.B. 2694 PG. 117

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1999.707					
+	11.747		11.699			
℄	2011.454	+11.286	+11.287			
−	0.461		0.412			
T.P.	2010.993					
+	11.195		11.516			
℄	2022.188	+10.923	+10.923			
−	0.272		0.593			
T.P.	2021.916					
+	8.509		8.620			
℄	2030.425	+5.475	+5.475			
−	3.034		3.145			
S-7	2027.391					S-7 Elev.=
+	0.382		0.455			Fd. 1" IP, Cement plug & C.E. Tag (Flash)
℄	2027.773	−11.325	−11.325			per RB 2694-44
−	11.707		11.780			
T.P.	2016.066					
+	0.960		0.950			
℄	2017.026	−10.740	−10.740			
−	11.700		11.690			
T.P.	2005.326					
+	0.567		0.771			
℄	2005.893	−10.824	−10.829			
−	11.391		11.600			
T.P.	1994.502					
+	0.465		0.626			
℄	1994.967	−11.185	−11.184			
−	11.650		11.810			
T.P.	1983.317					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00756.64 SURVEY OF Sand Cyn. Rd. NOTES RED.
SURVEY BY W. J. Vogt DATE 5-13-64
NOTES BY Vogt DATE NOTES CHKD.
INDEXED C. J. GALLI DATE DATE

F.B. 2694 Pg. 118

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1983.317					
+	0.481		0.450			
✕	1983.798	-11.208	-11.210			
-	11.689		11.660			
TP	1972.109					
+	0601		0.541			
✕	1972.710	-10.863	-10.866			
-	11.464		11.407			
TP	1961.246					
+	0.249		0.278			
✕	1961.495	-11.636	-11.635			
-	11.885		11.913			
TP	1949.610					
+	5.050		4.969			
✕	1954.660	-1.200	-1.198			
-	6.250		6.167			
S-7A	1948.410					S-7A Elev.=
+	0.716		0.530			Fd. 1x2 & Nail (Flush) per FB 2694-45
✕	1949.126	-10.876	-10.876			
-	11.592		11.406			
TP	1937.534					
+	3.382		3.998			
✕	1940.916	-3.093	-3.092			
BM	6.475		7.090			
BM N.C. 1064	1934.441					BM. N.C. 1064 Elev.=
+	11.222		11.411			0.1 mi N. along Sierra Hwy. from Int. of
✕	1945.663	+10.876	+10.878			Sierra Hwy. & Vasquez Cyn. Rd. to Baker Cyn.,
-	0.346		0.533			E. 0.4 mi on dirt Rd. to House No. 18000, thru fence
TP	1945.317					on dirt Rd. 0.2 mi S'ly, 900±', S'ly along main
						Canyon & 100' E. of Creek Bottom, Fd. L.A. C. Eng. Brass

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED DATE 5-14-64 JOB NO. 0075.64 SURVEY OF Sand Cyn Rd
NOTES CHKD. CESSOR NOTES BY Vore SURVEY BY W-1 Vore DATE
INDEXED C. J. GALLI DATE DATE

F.B. 2694 Pg. 114

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1945.317					
+	11.883		11.772			
⊼	1957.200	+11.291	+11.290			
-	0.592		0.482			
T.P.	1956.608					
+	11.890		11.780			
⊼	1968.498	+11.542	+11.542			
-	0.348		0.238			
T.P.	1968.150					
+	11.474		11.760			
⊼	1979.624	+11.294	+11.294			
-	0.180		0.466			
T.P.	1979.444					
+	11.349		11.592			
⊼	1990.793	+11.175	+11.173			
-	0.174		0.419			
T.P.	1990.619					
+	11.761		11.713			
⊼	2002.380	+11.334	+11.335			
-	0.427		0.378			
T.P.	2001.953					
+	10.428		10.679			
⊼	2012.381	+10.110	+10.110			
-	0.318		0.569			
T.P.	2012.063					
+	11.974		11.751			
⊼	2024.037	+11.248	+11.249			
-	0.726		0.502			
T.P.	2023.311					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.64 SURVEY OF Sand Cyn. Rd.
SURVEY BY KJL Vogel DATE 5-14-64
NOTES BY Vogel DATE NOTES RED.
INDEXED E. J. GALLI DATE NOTES CHKD.
DATE

F.B. 2694 Pg. 120

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	2023.311					
+	11.721		12.000			
℄	2035.032	+11.520	+11.520			
-	0.201		0.480			
TP	2034.831					
+	11.806		11.795			
℄	2046.637	+10.430	+10.430			
-	1.376		1.365			
S-8	2045.261					S-8 Elev= Fd 1" I.P., Cement plug & C. E. Tag, (Flush) per F.B. 2694-45 & 82
+	1.311		1.320			
℄	2046.572	-10.467	-10.466			
-	11.778		11.786			
TP	2034.794					
+	0.600		0.480			
℄	2035.394	-10.588	-10.587			
-	11.188		11.067			
TP	2024.206					
+	0.250		0.229			
℄	2024.456	-11.031	-11.031			
-	11.281		11.260			
TP	2013.175					
+	0.350		0.537			
℄	2013.525	-10.977	-10.978			
-	11.327		11.515			
TP	2002.198					
+	0.281		0.220			
℄	2002.479	-11.471	-11.469			
-	11.752		11.689			
TP	1990.727					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED DATE 5-14-64 JOB NO. 0075.64 SURVEY OF Sand Cyn. Rd.
DATE SURVEY BY W.J. Voge
NOTES CHKD. CESSOR NOTES BY Voge DATE
DATE INDEXED E. J. GALLI DATE

F.B. 2694 PG. 121

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1990.727					
+	0.362		0.848			
✗	1991.089	-10.501	-10.497			
-	10.863		11.345			
TP	1980.226					
+	0.850		0.701			
✗	1981.076	- 9.515	- 9.514			
-	10.365		10.215			
TP	1970.711					
+	2.359		2.229			
✗	1973.070	- 6.245	-6.244			
-	8.604		8.473			
S-8A	1964.466					S-8A Elev.=
+	0.816		0.932			Fd. 1x2 & Nail (flush) per F.B. 2694-46
✗	1965.282	- 10.949	-10.949			
-	11.765		11.881			
TP	1953.517					
+	1.021		1.530			
✗	1954.538	- 9.928	- 9.929			
-	10.949		11.459			
TP	1943.589					
+	10.591		10.536			
✗	1954.180	- 1.048	- 1.047			
-	11.639		11.583			
TP	1942.541					
+	0.704		0.649			
✗	1943.245	-10866	-10.864			
-	11.570		11.513			
TP	1931.675					

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0275.64 SURVEY OF Stud Gym Rd. NOTES RED. DATE 5-14-64
SURVEY BY R.J. Vogt
NOTES BY Vogt DATE NOTES CHKD. DATE
INDEXED G. J. GALLI DATE

F.B. 2694 Pg. 122

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1931.675					
+	2.307		2.209			
↗	1933.982	- 6.085	- 6.085			
-	8.392		8.294			
S-8B	1925.590					S-8B Elev.=
+	0.520		0.665			Fd. 1x2 & Nail (Flush) per FB 2694 - 46
↗	1926.110	- 10.953	- 10.953			
-	11.473		11.618			
TP	1914.637					
+	1.490		1.546			
↗	1916.127	- 9.701	- 9.703			
-	11.191		11.249			
S-8C	1904.936					S-8C Elev.=
+	0.577		0.468			Fd. 1x2 & Nail (Flush) per FB 2694 - 47
↗	1905.513	- 10.614	- 10.619			
-	11.191		11.087			
TP	1894.322					
+	0.335		0.665			
↗	1894.657	- 11.330	- 11.328			
-	11.665		11.993			
TP	1882.992					
+	0.284		0.204			
↗	1883.276	- 11.338	- 11.338			
-	11.622		11.542			
TP	1871.654					
+	0.197		0.352			
↗	1871.851	- 11.579	- 11.579			
-	11.776		11.931			
TP	1860.075					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1860.075					
+	0.355		0.620			
⊼	1860430	-10.809	-10.809			
-	11.164		11.429			
TP	1849.266					
+	0.751		0.570			
⊼	1850.017	-10.631	-10.630			
-	11.382		11.200			
TP	1838.635					
+	1.968		1.794			
⊼	1840603	-9.733	-9.733			
-	11.701		11.527			
TP	1828.902					
+	0.210		0.558			
⊼	1829.112	-10.933	-10.932			
-	11.143		11.490			
TP	1817.969					
+	0.360		0.253			
⊼	1818.329	-2.823	-2.824			
-	3.183		3.077			
S-8D	1815.146					S-8D Elev.=
+	0.406		0.202			Fd. 1x2 & Nail (Flush) per FB 2694-47
⊼	1815552	-10693	-10.694			
(Set)	11.099		10.896			
BM. NC 1065	1804.453					BM. NC 1065 Elev.=
+	11.280		11.467			0.1 mi± N along Sierra Hwy from Int of Vasquez
⊼	1815733	+10.890	+10.888			Cyn. Rd & Sierra Hwy., to Baker Cyn., E. along dirt Rd
-	0.390		0.579			0.3 mi±, 65.600'± to House #15940, SW'ly 200'±
TP	1815.343					to top of spur, Fd L.A.C. Eng. Brass Cap mon.
						(B.M.). Flush per FB 2694-48

NOTES RED DATE 5-14-64 JOB NO. 007564 SURVEY OF Sand Cyn. Rd.
DATE SURVEY BY W. J. Vogel
NOTES CHKD. C. CESSOR NOTES BY Vogel DATE
DATE INDEXED C. J. CALL DATE

F.B. 2694 Pg. 123

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 007569 SURVEY OF Sand Cyn. Rd NOTES RED.
SURVEY BY W. J. Voge DATE 5-15-64
NOTES BY Voge DATE NOTES CHKD.
INDEXED E. J. GALLI DATE DATE

F.B. 2694 Pg. 124

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1815.343					
+	10.135		10.250			
⊼	1825.378	+9.377	+9.378			
−	0.658		0.872			
TP	1824.720					
+	7.894		8.279			
⊼	1832.614	+5.111	+5.111			
−	2.783		3.168			
S-9	1829.831					S-9 Elev.=
+	8.675		8.449			Fd. 1" I.P., Cement plug & C.E. Tag (Flush)
⊼	1838.506	+3.757	+3.758			per FB 2694- 48 & 87
−	4.918		4.691			
S-9A	1833.588					S-9A Elev.=
+	0.748		0.685			Fd. 1x2 & Na.L (Flush) per FB 2694- 49 & 88
⊼	1834.336	−10.324	−10.324			
−	11.072		11.009			
TP	1823.264					
+	0.266		0.196			
⊼	1823.530	−11.655	−11.654			
−	11.921		11.850			
TP	1811.609					
+	1.270		1.550			
⊼	1812.879	−10.176	−10.175			
−	11.446		11.725			
TP	1801.433					
+	0.245		0.383			
⊼	1801.678	−11.423	−11.424			
−	11.668		11.807			
TP	1790.010					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED DATE 5-15-64 JOB NO. 0075.64 SURVEY OF Sand Cyn. Rd.
SURVEY BY W. L. Voge
NOTES CHK'D. CESSOR NOTES BY Voge DATE
DATE INDEXED E. J. GAILL DATE

F. B. 2694 PG. 125

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1790.010					
+	0.323		0.564			
⊼	1790.333	-11.266	-11.271			
−	11.589		11.835			
TP	1778.744					
+	0.453		0.395			
⊼	1779.197	-11.332	-11.333			
−	11.785		11.728			
TP	1767.412					
+	0.182		0.485			
⊼	1767.594	-11.098	-.11.098			
−	11.280		11.583			
TP	1756.314					
+	3.559		3.493			
⊼	1759.873	-3.254	-3.255			
−	6.813		6.748			
S-9B	1753.060					S-9B Elev.=
+	3.960		3.840			Fd. 1" I.P., cement plug & C.E. tag (flush)
⊼	1757.020	+2.897	+2.898			per F.B. 2694-50
−	1.063		0.942			
TP	1755.957					
+	10.933		11.086			
⊼	1766.890	+10.258	+10.257			
−	0.675		0.829			
TP	1766.215					
+	9.443		9342			
⊼	1775.658	+4.990	+4.990			
−	4.453		4.352			
S-9C	1771.205					S-9C Elev.=
						Fd. 1x2" Nail (flush) per F.B. 2694-51

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0075.64 SURVEY OF Sand Cyn. Rd. NOTES RED.
SURVEY BY W. J. Voge DATE 5-15-64
NOTES BY Voge DATE NOTES CHKD.
INDEXED C. J. GALLI DATE DATE

F.B. 2694 PG. 126

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
S-9C	1771.205					
+	2.195		2.058			
✕	1773.400	-9.306	-9.305			
-	11.501		11.363			
TP	1761.899					
+	0.552		0.490			
✕	1762.451	-11.258	-11.257			
-	11.810		11.747			
TP	1750.641					
+	11.141		1.051			
✕	1751.782	-9.335	-9.337			
-	10.476		10.388			
TP	1741.306					
+	4.738		4.599			
✕	1746.044	-2.446	-2.447			
-	7.184		7.046			
S-9D	1738.860					S-9D Elev.=
+	4.274		4.348			Pd. 1x2 & Nail (Mush) pe FB 2694 - 51 & 89
✕	1743.134	+3.904	+3.899			
-	0.370		0.449			
TP	1742.764					
+	11.472		11.615			
✕	1754.236	+10.829	+10.829			
-	0.643		0.786			
TP	1753.593					
+	10.152		9.989			
✕	1763.745	+9.462	+9.461			
-	0.690		0.528			
TP	1763.055					

763420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED DATE 5-15-64 JOB NO. 007 5.64 SURVEY OF Sand Cyn. Rd.
DATE 5-15-64 SURVEY BY W.J. Voge
NOTES CHKD. C. CESSOR NOTES BY Voge DATE
DATE INDEXED G.J. CALLI DATE

F.B. 2694 Pg. 127

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1763.055					
+	11.369		11.659			
✶	1774.424	+10.869	+10.871			
-	0.500		0.788			
TP	1773.924					
+	10.006		9.751			
✶	1783.930	+ 6.916	+ 6.915			
-	3.090		2.836			
TP	1780840					
+	7.250		7.474			
✶	1788.090	+4.650	+ 4.651			
-	2.600		2.823			
S-10	1785.490					S-10 Elev.=
+	0.377		0.548			Fd 1"IP Cement plug & C.E. Tag, (Flush)
✶	1785.867	-9.257	-9.255			per FB 2694-52 & 92
-	9.634		9.803			
TP	1776.233					
+	0.495		0.419			
✶	1776.728	-11.348	- 11.349			
-	11.843		11.768			
TP	1764.885					
+	0.438		0.370			
✶	1765.323	-11.304	-11.306			
-	11.742		11.676			
TP	1753.581					
+	1.348		1.177			
✶	1754.929	-10.299	-10.298			
-	11.647		11.475			
TP	1743.282					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0075.64 SURVEY OF Sand Cyn. Rd. NOTES RED.
SURVEY BY W. J. Voge DATE 5-15-64
NOTES BY Voge DATE NOTES CHKD.
INDEXED W. J. GAUM DATE DATE

F.B. 2694 PG. 128

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1743.282					
+	0.350		0.475			
⊼	1743.632	-11.452	-11.453			
−	11.802		11.928			
TP	1731.830					
+	0.247		0.561			
⊼	1732.077	-6.398	-6.399			
−	6.645		6.960			
TP	1725.432					
+	3.600		3.410			
⊼	1729.032	-5.900	-5.900			
−	9.500		9.310			
TP	1719.532					
+	2.416		2.235			
⊼	1721.948	-0.725	-0.726			
−	3.141		2.961			
Int: Vasquez & Sierra	1718.807					Int: Vasquez Cyn. Rd & Sierra Hwy. Elev =
+	3.877		3.590			Rd. Spk. & T Dn. 1" per FB 2694-53
⊼	1722.684	-3.891	-3.890			
−	7.768		7.480			
B.C.	1714.916					B.C. Elev =
+	8.031		7.890			B.C. on Vasquez Canyon Rd. Fd. Std.
⊼	1722.947	+4.493	+4.491			R.D. Brass Capman in well, dn 8" per
−	3.538		3.399			FB 2694-54 & 97 (Non Adjusted)
B.M. Y-1	1719.409					B.M. Y-1 Elev. = 1719.644 (1955)
						Mint Cyn. Hwy. E'ly side, 1000'± N'ly int. Sand Cyn. Rd. at end White rail fence, toe of N'ly slope of hill 27'± S'ly & 18' E'ly of Tel. pole #443662 H. Fd. 2'± BC in conc. marked Y-1 per FB 1872-46

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Sand Cyn Rd
JN 00764 Tape 143 Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 11-18-64
Indexed C. J. GALLI DEC 3 '64

F. B. 2694 PG. 131

SAND CYN. RD

PROFILE CHECK

J.N 00764

Party.
W. Voge
J. Fulton
I. Rangel
R. Strader

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #310 6-63

F. B. 2694 PG. 132

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	− Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
A-Line					° '		° '	1752.11	1		4.92		T=) 1"I.P. (Top of Ridge)		
T-1					° '		° '		2						
	EC		4.0	4.92	° '	4.0	0 00	1752.1	3	0.0	"	0.0	Edge of "		
	"	5.50 4.32	118.0	"	° '	96.8	25 04	1706.8	4	45.3	"	45.3	Side Hill		
	"	5.84 4.00	184.0	"	° '	162.0	20 15	1692.4	5	59.7	"	59.7	Break		
	"	6.20 3.62	258.0	"	° '	251.3	9 15	1711.2	6	40.9	"	40.9	Top of Spur		
	"	6.57 3.30	327.0	"	° '	320.5	8 05	1706.6	7	45.5	"	45.5	A-1(1x2) Edge of Spur		
A-1					° '		° '	1706.6	8		4.78				
	EC	5.28 4.26	102.0	4.78	° '	92.7	17 37	1677.2	9	29.4	"	29.4	Side Hill		
	"	5.80 3.71	209.0	"	° '	194.5	15 16	1653.5	10	53.1	"	53.1	A2(1x2) Edge of Break		
A-2					° '		° '	1653.5	11		4.78				
	EC	5.12 4.43	69.0	4.78	° '	61.9	18 42	1632.5	12	21.0	"	21.0	Break		
	"	5.64 3.96	168.0	"	° '	146.3	21 03	1597.2	13	56.3	"	56.3	Edge of Trailer Park		
	"	6.05 3.46	259.0	"	° '	243.2	14 17	1591.6	14	61.9	"	61.9	" " " "		
	"	6.52 3.05	347.0	"	° '	334.0	11 09	1587.7	15	65.8	"	65.8	Flat		
	"	7.07 2.46	461.0	"	° '	449.3	9 09	1581.1	16	72.4	"	72.4	Edge of Pav.		
	"	7.69 1.80	589.0	"	° '	579.6	7 15	1579.7	17	73.8	"	73.8	Edge of Pav.		
	"	8.90 2.62	628.0	5.78	° '	618.0	7 15	1573.9	18	79.6	"	78.6	Culvert		
	"	7.93 7.55	638.0	4.78	° '	629.3	6 42	1579.6	19	73.9	"	73.9	Edge of Pav.		
	"	8.06 7.46	660.0	"	° '	651.6	6 28	1579.6	20	73.9	"	73.9	E.C. (Nail in Pav.)		
					° '		° '		21						

Add'n'l Inform.

Notes Rod. Platted
Date 11-10-64 Job No. 0575.64 Division No.
Notes Clkd. Checked Survey of Sand Cyn. Rd.
Date Date Survey by W. J. Voge Notes Voge Date
Date Date Map No. Indexed C. J. GALLI Date

F.B. 2694 PG. 133

76S614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	REMARKS Left Right
B-Line					° '		° '							
T-5	T-4	4.98			320 00			1688.49			4.75			T-5 (1" IP) Top of Spur
	B-1	4.50 5.62	48.0	4 75		43.3	18 18	1674.2		14.3	"	14.3		Break
	"	3.88 5.84	174.0	"		150.5	21 34	1629.2		59.5	"	59.5		Side Hill
	"	3.66 6.09	218.0	"		211.0	10 20	1650.0		38.5	"	38.5		" "
	"	3.40 6.47	269.0	"		267.8	3 47	1670.8		17.7	"	17.7		Break
	"	3.01	346.0	"		345.9	1 07	1681.8		6.7	"	6.7		(B-1) 1x2 Top of Spur
B-1	T-5				233 03			1681.8			4.77			
	T-4	5.30 4.21 5.75	109.0	4 77		94.9	21 07	1645.2		36.6	"	36.6		Side Hill
	"	3.77 6.03	198.0	"		168.1	22 53	1610.9		70.9	"	70.9		Swale
	"	3.49 6.45	254.0	"		222.2	20 43	1597.8		84.0	"	84.0		Side Hill
	"	3.10 6.92	335.0	"		299.4	19 01	1578.6		103.2	"	103.2		Toe of Slope
	"	2.63 7.41	429.0	"		401.0	14 47	1576.3		105.8	"	105.8		Flat
	"	2.14 7.90	527.0	"		503.1	12 18	1572.1		109.7	"	109.7		"
	"	1.56 8.44	634.0	"		612.5	10 37	1567.0		114.8	"	114.8		"
	"	1.07 9.05	737.0	"		717.1	9 27	1562.5		119.3	"	119.3		"
	"	1.52 10.70	843.0	5 77		825.2	8 21	1559.7		122.1	"	121.1		"
	"	0.70	1000.0	5 77		984.8	7 05	1558.5		123.3	"	122.3		F4 (1" IP) Flat
														Elev = 1558.72

Add'n'l Inform.

Inters. of Draw. V.P's: Break in Slope, Bk. S. Steep Slope, S.S. Top of Cliff, T.Cl. Bottom of Cliff, B.Cl. Top of Spur, T.Sp. Bottom Canyon, B.Cn. | Side of Canyon S.Cn. Top of Bank, T.B. Bottom of Bank, B.B. Top of Cut, T.C. Bottom of Cut, B.C. Top of Fill, T.F. Bottom of Fill, B.F. | Saddle, Sa. Swale, Sw. Flat, Fl. Stream, Str. Trail, Tr. Pavement, Pvt. Edge of Road, E.Rd. | Traveled Rd. Tr.Rd. Fence, Fn. Int. Fence, V.Fn. Ditch, Di. Telephone Pole, T.P. Power Pole, P.P. Culvert, Cul. | Oak-O. Pine-Pi. Sycamore, Sy. Eucalyptus, Eu. Plus combinations of these and all common standard abbreviations. | Fir-Fr. Cedar-Ce.

Topography Description Legend:
Side Hill, S.H. Bottom Draw, B.D.
Side of Draw, S.D. Bottom Wash, B.W.
Side of Ridge, S.R. Top of Ridge, T.R.
Head of Draw, H.D. Toe of Slope, T.S.

F.B. 6041 Pg. 134

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	Vertical Angle	Elevation of Point	Back Sight	Difference Elevation	Height of Instrument	Vertical Distance	REMARKS Station	Left	Right
C-Line									1						
									2						
T-3								1824.06			4.95		T-3 (1 IP) Top of Ridge		
		5.62							3						
	S-1	4.26	136.0	4.85		103.2	29 25	1765.9		58.2	"	58.2	Break		
		6.16							4						
	"	3.80	236.0	"		192.9	25 18	1732.9		91.2	"	91.2	Side Hill		
		6.75							5						
	"	3.15	360.0	"		296.7	24 47	1687.1		137.0	"	137.0	Draw		
		7.08							6						
	"	2.77	431.0	"		379.2	20 17	1684.0		140.1	"	140.1	Small Spur		
		7.64							7						
	"	2.18	546.0	"		486.9	19 12	1654.5		169.6	"	169.6	Side Hill		
		7.93							8						
	"	1.85	608.0	"		550.4	17 56	1646.0		178.1	"	178.1	Creek Bottom		
		8.36							9						
	"	1.42	694.0	"		647.1	15 04	1649.9		174.2	"	174.2	Bott of Break		
		8.55							10						
	"	1.35	720.0	"		680.1	13 37	1659.4		164.7	"	164.7	Top " "		
		8.78							11						
	"	1.18	760.0	"		725.0	12 23	1665.0		159.1	"	159.1	Break		
		8.78							12						
	"	1.05	773.0	"		740.8	11 46	1669.8		154.3	"	154.3	S-1 (1x2 f Nail) Rd berm		
									13						
S-1	T-3				121 00			1670.56			4.43				
		4.54							14						
	C-3	4.33	21.0	4.43		21.0	1 55	1669.9		0.7	"	0.7	Edge of Rd.		
		4.67							15						
	"	4.18	49.0	"		48.8	3 17	1667.8		2.8	"	2.8	" " "		
		4.89							16						
	"	3.98	91.0	"		87.2	+ 11 52	1680.9	+	18.3	"	+ 18.3	Top of Cut		
		5.12							17						
	"	3.75	137.0	"		132.2	+ 10 48	1695.8	+	25.2	"	+ 25.2	C-1 (1x2) Top of Spur		
									18						
C-1								1695.8			4.00				
		4.27							19						
	C-3	3.73	54.0	4.00		51.7	11 51	1685.0		10.8	"	10.8	Drain		
		4.57							20						
	"	3.42	115.0	"		114.9	+ 1 43	1699.2	+	3.4	"	+ 3.4	C-2 (1x2) Top of Spur		
									21						

Add'n'l Inform.

Notes Red. Date Platted Date 11-18-64 Job No. 007564 Division No. F.B. 22694 Pg. 155
Notes Chkd. Date Checked Date Survey of Sand Cyn Rd Survey by: KLJ Vogt Notes Vogt Index C. J. GALL Date
Map No. Date

765614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
C-2					° '		° '	1699.2			4.55				
	C-3	4.98 4.11 5.18	87.0	4.55	° '	72.0	24 34	1666.3	2	32.9	"	32.9	Toe of slope		
	"	3.92 5.36	126.0	"	° '	110.6	20 30	1657.9	3	41.3	"	41.3	Draw		
	"	3.75 5.84	161.0	"	° '	153.3	12 40	1664.8	4	34.4	"	34.4	Toe of slope		
	"	3.27	257.0	"	° '	257.0	+ 0 25	1701.2	5	+ 2.0	"	+ 2.0	C-3 (end of Line)		
					° '		° '		6						
					° '		° '		7						
					° '		° '		8						
					° '		° '		9						
					° '		° '		10						
					° '		° '		11						
					° '		° '		12						
					° '		° '		13						
					° '		° '		14						
					° '		° '		15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Add'n'l Inform.

F.B. 2641 Pg. 136

Traveled Rd. Tr. Rd. Fn. | Fence ..... Fn. | Int. Fence ..... V. Fn. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road E. Rd.

Side of Canyon S. Cn. | Top of Bank ... T. B. | Bottom of Bank ... B. B. | Top of Cut ... T. C. | Bottom of Cut ... B. C. | Top of Fill ... T. F. | Bottom of Fill ... B. F.

Oak-O. | Pine-Pi. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Fir-Fr. | Cedar-Ce.

Interr. of Draws, V. B's | Break in Slope ... Bk. S. | Steep Slope ..... S. S. | Top of Cliff ..... T. Cl. | Bottom of Cliff ... B. Cl. | Top of Spur ... T. Sp. | Bottom Canyon ... B. Cn.

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ... S.D.
Side of Ridge ... S.R.
Head of Draw ... H.D.
Bottom Draw ... B.D.
Bottom Wash ... B.W.
Top of Ridge ... T.R.
Toe of Slope ... T.S.

768614 CE301 7-87

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
D-Line															
T-7								1799.83			4.75		T-7 1"IP (Top of Spur)		
	T-8	5.04 / 4.46	58.0	4.75		57.5	− 5° 06'	1794.7		5.1	"	5.1	D-1 (1x2) " " "		
D-1								1794.7			4.70				
	T-8	5.28 / 4.10	118.0	4.70		107.0	− 17° 44'	1760.5		34.2	"	34.2	Draw		
	"	5.74 / 3.67	207.0	"		206.9	+ 1° 01'	1798.4		+ 3.7	"	+ 3.7	D-2 (1x2) Top of Spur		
D-2								1798.4			4.85				
	T-8	5.52 / 4.19	133.0	4.05		106.2	− 26° 39'	1745.1		53.3	"	53.3	Draw		
	"	5.70 / 4.00	170.0	"		166.8	− 7° 55'	1775.2		23.2	"	23.2	Side Hill		
	"	6.07 / 3.62	245.0	"		242.8	+ 5° 25'	1821.4		+ 23.0	"	+ 23.0	D-3 (1x2) Top of Spur		
D-3								1821.4			4.93				
	T-8	5.30 / 4.48	82.0	4.93		69.3	− 23° 10'	1791.7		29.7	"	29.7	Side Hill		
	"	5.79 / 4.05	174.0	"		151.6	− 21° 03'	1763.1		58.3	"	58.3	Draw		
	"	6.10 / 3.75	235.0	"		231.2	− 7° 21'	1791.6		29.8	"	29.8	Side Hill		
	"	6.70 / 3.18	352.0	"		350.8	+ 3° 22'	1842.0		+ 20.6	"	+ 20.6	T-8 (1"IP) Top of Spur		
T-8	D-4				106° 00'			1842.2			4.78				
	"	5.15 / 4.41	74.0	4.78		74.0	− 0° 51'	1841.1		1.1	"	1.1	Break		
	"	5.61 / 3.96	165.0	"		161.6	+ 8° 12'	1865.5		+ 23.3	"	+ 23.3	"		
	"	6.05 / 3.55	250.0	"		239.8	+ 11° 38'	1891.6		+ 49.4	"	+ 49.4	D-4 (Top of Spur)		
													End of Line		

Add'l Inform.

Notes Rcd. _____ Platted _____ Job No. 00756 Division No. _____
Date _____ Date 11-19-64 Survey of Sand Cn. Rd.
Notes Chkd. _____ Checked _____ Survey by H.J. Voge Notes Voge Date _____
Date _____ Date _____ Map No. _____ Indexed C. J. GALLI Date _____

F.B. 2694 Pg. 137

765614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
E-Line															
T-6	S-2			4.90	134 00			1819.27			4.90		T-6 (1"IP) Top of Ridge		
	E-3	5.40 4.39	101.0	"		95.1	− 14 03	1795.5		− 23.8	"	23.8	Side Hill		
	"	5.90 3.90	200.0	"		185.4	− 15 40	1767.3		− 52.0	"	52.0	" "		
	"	12.36 9.40	296.0	10.90		274.4	− 15 41	1736.3		− 83.0	"	77.0	E-1 (1x2) Break		
E-1								1736.3			4.77				
	E-3	5.24 4.32	92.0	4.77		69.7	− 29 31	1696.9		− 39.4	"	39.4	Break		
	"	5.41 4.13	128.0	"		114.2	− 19 10	1696.6		− 39.7	"	39.7	E-2 (1x2) Top of Spur		
E-2								1696.6			4.50				
	E-3	12.08 10.96	112.0	11.50		83.1	− 30 32	1640.6		− 56.0	"	49.0	Toe of slope		
	"	5.45 3.54	191.0	4.50		172.4	− 18 12	1639.9		− 56.7	"	56.7	Ctr. of Draw		
	"	5.94 3.04	290.0	"		280.8	− 10 14	1645.9		− 50.7	"	50.7	Toe of slope		
	"	6.27 2.75	352.0	"		351.6	+ 2 01	1709.0		+ 12.4	"	+ 12.4	Break		
	"	6.57 2.45	412.0	"		408.6	+ 5 12	1733.8		+ 37.2	"	+ 37.2	"		
	"	6.79 2.18	461.0	"		453.6	+ 7 17	1754.5		+ 57.9	"	+ 57.9	"		
	"	7.42 1.60	582.0	"		562.6	+ 10 32	1801.2		+ 104.6	"	+ 104.6	E-3 (Top of Ridge)		
													End of Line		

Add'n'l Inform.

F.B. 2694 Pg. 138

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope T.S.

Inters. of Draw V.D's | Side of Canyon S.Cn.
Break in Slope Bk.S. | Top of Bank T.B.
Steep Slope S.S. | Bottom of Bank B.B.
Top of Cliff T.Cl. | Top of Cut T.C.
Bottom of Cliff B.Cl. | Bottom of Cut B.C.
Top of Spur T.Sp. | Top of Fill T.F.
Bottom Canyon B.Cn. | Bottom of Fill B.F.

Fir-Fr. | Oak-O.
Pine-Pi. Cedar-Ce.
Sycamore Sy.
Eucalyptus Eu.
Plus combinations of these and all common standard abbreviations.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence ..... Fn.
Int. Fences V.Fn.
Ditch ..... Di.
Telephone Pole T.P.
Power Pole P.P.
Culvert ..... Cul.

768614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Platted
Notes Clkd. Checked
Date 11-20-64 Survey of Sand Gu Rd
Survey by H. J. Voge Notes Voge
Date Map No. Indexed C. J. GALLI
Date Date

Job No. 08756.4 Division No. F.B. 2694 Pg. 139

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
F-Line															
B-1	S-4			5.00	82 00			1841.30			5.00		B-1 (1"IP) Top of Spur		
	F-2	5.34 / 4.66 / 5.68	68.0	"		66.2	+ 9.29	1852.4		+ 11.1	"	+ 11.1	Side Hill		
	"	4.32	136.0	"		132.9	+ 8.45	1861.7		+ 20.4	"	+ 20.4	F-1 (1x2) Side Hill		
F-1	F-2							1861.7			5.00				
	"	5.40 / 4.60 / 5.72	80.0	5.00		79.9	- 2.07	1858.7		- 3.0	"	- 3.0	Draw		
	"	4.25 / 6.06	147.0	"		141.3	+ 11.24	1890.2		+ 28.5	"	+ 28.5	Break		
	"	3.93	213.0	"		194.4	+ 17.12	1921.9		+ 60.2	"	+ 60.2	F-2 (End of Line)		
													Top of Ridge		

Add'l Inform.

76S614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
G-Line					° '		° '								
B-1								1841.30			5.00		B-1 (1"IP) Top of Spur		
	S-4	9.37 / 8.66	71.0	9.00		58.4	−24 53	1810.2		31.1	"	27.1	Side Hill		
	"	9.67 / 8.30	137.0	9.00		111.5	−25 33	1784.0		57.3	"	53.3	Draw		
	"	5.80 / 4.78	162.0	5.00		148.1	−17 01	1796.0		45.3	"	45.3	Side Hill		
	"	6.07 / 3.92	215.0	"		211.3	−7 31	1813.4		27.9	"	27.9	Swale		
	"	6.42 / 3.58	284	"		288.3	+2 50	1855.3		+14.0	"	+14.0	S-4 (1"IP) Top of Spur		
S-4	B-1				92 00			1855.38			4.85		S-4 (1"IP) Top of Spur		
	G-1	5.17 / 4.54	63.0	4.85		54.2	−21 57	1833.6		21.8	"	21.8	Break		
	"	9.45 / 5.23	122.0	8.85		101.4	−24 14	1805.7		49.7	"	45.7	Side Hill		
	"	6.70 / 4.95	175.0	5.85		143.9	−24 55	1787.5		67.9	"	66.9	Toe of Slope		
	"	6.17 / 3.52	265.0	4.85		236.9	−19 00	1773.8		81.6	"	81.6	Edge of Creek		
	"	6.25 / 3.45	280.0	"		251.1	−18 45	1770.2		85.2	"	85.2	Creek Bottom		
	"	6.41 / 3.29	312.0	"		299.9	−11 21	1795.2		60.2	"	60.2	Side Hill		
	"	6.60 / 3.11	349.0	"		346.8	−4 35	1827.6		27.8	"	27.8	Side Hill		
	"	6.80 / 2.89	391.0	"		391.0	+0 23	1858.0		+2.6	"	+2.6	Top of Spur		
	"	7.25 / 2.47	478.0	"		473.9	+5 20	1899.6		+44.2	"	+44.2	G-1 (End of Line)		
													Top of Ridge		

Add'n'l Inform.

F.B. 2694 Pg. 140

Topography Description Legend:
Side Hill ....S.H. | Bottom Draw B.D.
Side of Draw..S.D. | Bottom Wash B.W.
Side of Ridge..S.R. | Top of Ridge..T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Saddle ..... Sa.
Swale ..... Sw.
Flat ..... Fl.
Stream ..... Str.
Trail ..... Tr.
Pavement ..... Pvt.
Edge of Road ..... E.Rd.

Side of Canyon S.Cn.
Top of Bank ..T.B.
Bottom of Bank..B.B.
Top of Cut ..T.C.
Bottom of Cut..B.C.
Top of Fill ..T.F.
Bottom of Fill..B.F.

Inters. of Draws..V.D's
Break in Slope..Bk.S.
Steep Slope ..... S.S.
Top of Cliff ..T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur ..T.Sp.
Bottom Canyon..B.Cn.

Traveled Rd. Tr.Rd.
Fence ..... Fn.
Int. Fence..V.Fn.
Ditch ..... Di.
Telephone Pole T.P.
Power Pole ..P.P.
Culvert ..... Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Co.
Sycamore ..... Sy.
Eucalyptus ..... Eu.
Plus combinations of these and all common standard abbreviations.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	Vertical Angle + / −	Elevation of Point	Back Sight	Difference Elevation + / −	Height of Instrument	Vertical Distance + / −	REMARKS Station	Left	Right
H-Line									1						
									2						
S-5	S-4C				245 00			1849.48			4.53		S-5 (1½P) Side Hill		
		4.90							3						
	H-2	4.16	74.0	4.53		60.8	24 58	1821.2		28.3	"	28.3	Toe of Slope		
		5.18							4						
	"	3.85	133.0	"		121.5	17 07	1812.1		37.4	"	37.4	Creek Bottom		
		5.24							5						
	"	3.80	144.0	"		139.6	10 03	1824.8		24.7	"	24.7	Top of Bank		
		5.45							6						
	"	3.61	184.0	"		182.3	5 28	1832.1		17.4	"	17.4	Toe of Slope		
		5.79							7						
	"	3.29	250.0	"		248.4	+ 4 39	1869.7		+ 20.2	"	+ 20.2	H-1 (1x2) Top of Spur		
									8						
H-1								1869.7			4.66				
		4.99							9						
	H-2	4.32	67.0	4.66		66.9	2 00	1867.4		2.3	"	2.3	Break		
		11.30							10						
	"	10.01	129.0	10.66		128.8	2 20	1858.4		11.3	"	5.3	Draw		
		5.57							11						
	"	3.77	180.0	4.66		179.9	+ 1 00	1872.8		+ 3.1	"	+ 3.1	Break		
		5.78							12						
	"	3.55	223.0	"		221.2	+ 5 09	1889.6		+ 19.9	"	+ 19.9	Top of Spur		
		10.89							13						
	"	8.44	245.0	9.66		242.4	+ 5 55	1889.8		+ 20.1	"	+ 25.1	Draw		
		6.10							14						
	"	3.20	290.0	4.66		283.5	+ 8 37	1912.7		+ 43.0	"	+ 43.0	Side Hill		
		6.42							15						
	"	2.95	347.0	"		332.6	+ 11 44	1938.2		+ 69.0	"	+ 69.0	H-2 (1x2) Top of Ridge		
									16						
													End of Line		
									17						
									18						
									19						
									20						
									21						

Add'l Inform.

Notes Red. Platted
Date Date 11-23-64 Job No. 07564 Division No.
Notes Chkd. Checked Survey of End Cyn Rd
Date Date Survey by H. J. Vogt Notes Vogt
Map No. Indexed C. J. GALLI
Date Date

F.B. 2694 PG. 141

765614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight −	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
I-Line															
S-5								1849.48			4.53		S-5 (1" IP) Side Hill		
	F12	5.09 / 3.96	113.0	4.53		106.6	13 46	1823.4		26.1	"	26.1	Break		
	"	12.29 / 10.78	151.0	11.53		141.3	14 40	1805.5		44.0	"	37.0	Creek Bottom		
	"	5.49 / 3.54	195.0	4.53		188.1	10 56	1813.5		36.0	"	36.0	Toe of Slope		
	"	5.74 / 3.32	242.0	"		241.8	1 37	1846.9		2.6	"	2.6	Side Hill		
	"	6.00 / 3.05	295.0	"		294.2	+ 2 59	1864.8		+ 15.3	"	+ 15.3	" "		
	"	6.15 / 2.92	323.0	"		321.7	+ 3 38	1869.9		+ 20.4	"	+ 20.4	Swale		
	"	6.29 / 2.72	357.0	"		352.8	+ 6 16	1880.2		+ 38.7	"	+ 38.7	Side Hill		
	"	6.64 / 2.42	422.0	"		416.4	+ 6 36	1897.7		+ 48.2	"	+ 48.2	Top of Draw		
	"	7.12 / 2.05	507.0	"		487.5	+ 11 18	1946.9		+ 97.4	"	+ 97.4	T-12 (1" IP) Top of Ridge		
													End of Line		

Add'n'l Inform.

Topography Description Legend:
Side Hill....S.H. | Bottom Draw..B.D.
Side of Draw..S.D. | Bottom Wash B.W.
Side of Ridge..S.R. | Top of Ridge..T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draw. V.B's: Break in Slope....Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff...B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon...B.Ca.

Side of Canyon S.Ca.: Top of Bank...T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut..B.C. | Top of Fill.....T.F. | Bottom of Fill.B.F.

Saddle .....Sa. | Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement .....Pvt. | Edge of Road E.Rd.

Traveled Rd. Tr. Rd. | Fence .....Fe. | Int. Fence..V.Fe. | Ditch .....D. | Telephone Pole T.P. | Power Pole....P.P. | Culvert .....Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore .....Sy. | Eucalyptus .....Eu. | Plus combinations of these and all common standard abbreviations.

F.B. 2284 PG. 142

708614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Plotted
Notes Data Data 11-23-64
Notes Circ'd. Checked
Date Date
Survey of Saud Gin Rd
Survey by W. J. Vogt
Map No. Indexed C. J. GALLI
Date Date
Job No. AD 75.64 Division No.
Notes Red. F.B. 2694 Pg. 149

Transit at	Sight on	Stadia Interceptr	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station Left Right
J-Line									1				
									2				
T-13	T-12				263 00			1951.13			4.80		T-13 (1"IP) Top of Ridge
		5.07							3				
	J-5	4.32	55.0	4.80		50.9	15 56	1936.6		14.5	"	14.5	Break
		11.30							4				
	"	10.30	100.0	10.80		89.0	19 25	1913.7		37.4	"	31.4	Swale
		5.58							5				
	"	4.02	156.0	4.80		140.4	18 27	1904.3		46.8	"	46.8	Draw
		5.75							6				
	"	3.84	191.0	"		186.8	8 30	1923.2		27.9	"	27.9	J-1 (1x2) Top of Spur
J-1								1923.2	7				
		5.29							8		4.85		
	J-5	4.41	88.0	4.85		66.1	29 53	1885.2		38.0	"	38.0	Side Hill
		10.61							9				
	"	9.09	152.0	9.85		117.1	28 38	1854.3		68.9	"	63.9	Draw
		5.72							10				
	"	3.96	176.0	4.85		152.9	21 13	1863.8		59.4	"	59.4	Side Hill
		5.86							11				
	"	3.80	206.0	"		188.3	17 03	1865.5		57.7		57.7	J-2 (1x2) Top of Spur
J-2								1865.5	12				
		5.07							13				
	J-5	4.42	65.0	4.75		54.1	24 07	1841.3		24.2	4.75	24.2	Side Hill
		16.05							14				
	"	14.85	110.0	15.50		92.4	23 36	1814.3		51.2	"	40.4	Drain
		5.38							15				
	"	4.09	129.0	4.75		119.2	16 00	1831.3		34.2	"	34.2	Break
		5.60							16				
	"	3.90	170.0	"		169.7	2 12	1859.0		6.5	"	6.5	Side Hill
		5.94							17				
	"	3.56	238.0	"		235.7	+ 5 40	1888.9		+ 23.4	"	+ 23.4	J-3 (1x2) Top of Spur
J-3								1888.9	18		4.35		
		4.56							19				
	J-5	4.14	42.0	4.35		36.0	22 18	1874.2		14.7	"	14.7	Swale
		4.72							20				
	"	3.98	74.0	"		68.2	16 15	1869.0		19.9	"	19.9	Small Spur
		10.80							21				
	"	9.81	107.0	10.35		98.8	16 07	1854.4		34.5	"	28.5	Draw

Add'n'l Inform.

76S614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
J-Line	(Cont'd)				° '		° '		1						
					° '		° '		2		4.35				
J-3					° '		° '		3						
	J-5	5.00 3.76	130.0	4.35	° '	121.3	− 14° 58'	1856.5		− 32.4	"	− 32.4	Small Spur		
	"	5.28 3.42	186.0	"	° '	173.1	− 15° 16'	1841.7	4	− 47.2	"	− 47.2	Draw		
	"	5.42 3.28	214.0	"	° '	210.1	− 7° 46'	1860.2	5	− 28.7	"	− 28.7	Top of Spur		
	"	5.65 3.05	260.0	"	° '	254.4	− 8° 28'	1851.0	6	− 37.9	"	− 37.9	Swale		
	"	5.87 2.83	304.0	"	° '	299.2	− 7° 14'	1850.9	7	− 38.0	"	− 38.0	J-4(1R2) Break		
J-4					° '		° '	1850.9	8						
	J-5	5.20 4.70	50.0	4.95	° '	47.9	− 11° 44'	1840.9	9	− 10.0	4.95	− 10.0	Break		
	"	11.90 11.72	78.0	11.50	° '	75.6	− 10° 08'	1830.8	10	− 20.1	"	− 13.5	Drain		
	"	5.44 4.47	97.0	4.95	° '	93.9	− 10° 17'	1833.9	11	− 17.0	"	− 17.0			
	"	7.52 6.37	115.0	6.95	° '	111.8	− 9° 34'	1830.1	12	− 20.8	"	− 18.8	Creek Bottom		
	"	5.69 4.20	149.0	4.95	° '	148.8	− 2° 16'	1845.0	13	− 5.9	"	− 5.9	Side Hill		
	"	6.04 3.85	219.0	"	° '	215.4	+ 7° 21'	1878.7	14	+ 27.8	"	+ 27.8	Break		
	"	6.40 3.51	289.0	"	° '	268.6	+ 15° 24'	1924.9	15	+ 74.0	"	+ 74.0	Spur		
	"	6.82 3.10	372.0	"	° '	344.0	+ 15° 56'	1949.1	16	+ 98.2	"	+ 98.2	Break		
	"	7.20 2.67	453.0	"	° '	413.0	+ 17° 18'	1979.5	17	+ 128.6	"	+ 128.6	J-5(1R2) Top of Hill		
					° '		° '		18				End of Line		
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Add'n'l Inform.

F.B. 2694 Pg. 144

Topography Description Legend:
Side Hill.....S.H. | Bottom Draw.B.D. | Bottom Wash B.W. | Top of Ridge.T.R. | Toe of Slope..T.S.
Side of Draw.S.D. | Side of Ridge.S.R. | Head of Draw H.D.

Inters. of Draws, V.P's: Break in Slope...Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff..B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Cn.

Side of Canyon S.Cn. | Top of Bank.T.B. | Bottom of Bank.B.B. | Top of Cut.....T.C. | Bottom of Cut..B.C. | Top of Fill.....T.F. | Bottom of Fill.B.F.

Saddle .....Sa. | Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement .....Pvt. | Edge of Road E.Rd.

Traveled Rd. Tr.Rd. | Fence .....Fe. | Int. Fence..I.Fe. | Ditch .....Dt. | Telephone Pole T.P. | Power Pole....P.P. | Culvert .....Cul.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore.....Sy. | Eucalyptus.....Eu. | Plus combinations of these and all common standard abbreviations.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. _____ Platted _____ Job No. 10175.64 Division No. _____
Date _____ Date 11-24-64 Surveyed Sand Cyn. Rd.
Notes Cked. _____ Checked _____ Survey by W.J. Voge Notes Voge
Date _____ Date _____ Map No. _____ Indexed C.J. GALLI Date _____

F.B. 2894 Pg. 145

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
K-Line									1						
									2						
T-16								2110.75			4.50		T-16 (12P) Top of Spur		
		4.95							3						
	K-4	4.03	92.0	4.50		75.3	− 25 14	2075.3	4	− 35.5	"	− 35.5	Side Hill		
		3.46													
	"	3.32	194.0	"		158.2	− 25 27	2035.5	5	− 75.3	"	− 75.3	" "		
		6.00													
	"	2.98	302.0	"		245.8	− 25 33	1993.3	6	− 117.5	"	− 117.5	K-1 (1x2) Break		
K-1								1993.3	7		4.10				
		15.33													
	K-4	14.88	45.0	15.10		35.1	− 28 00	1963.6	8	− 29.7	"	− 18.7	Drain		
		2.42													
	"	3.78	64.0	4.10		60.0	− 14 28	1977.8	9	− 15.5	"	− 15.5	Break		
		4.76													
	"	3.43	133.0	"		127.1	+ 12 12	2020.8	10	+ 27.5	"	+ 27.5	Side Hill		
		5.10													
	"	5.11	199.0	"		174.6	+ 20 30	2058.6	11	+ 65.3	"	+ 65.3	Small Spur		
		5.38													
	"	2.82	256.0	"		217.5	+ 22 48	2084.7	12	+ 91.4	"	+ 91.4	K-2 (1x2) Top of Spur		
K-2								2084.7	13		4.45				
		8.77													
	K-4	8.13	64.0	8.45		47.4	− 30 36	2052.7	14	− 32.0	"	− 28.0	Side Hill		
		5.15													
	"	3.73	142.0	4.45		108.5	− 29 04	2024.4	15	− 60.3	"	− 60.3	Break		
		5.48													
	"	3.40	208.0	"		192.0	− 16 06	2029.3	16	− 55.4	"	− 55.4	Side Hill		
		5.69													
	"	3.20	249.0	"		235.2	− 13 36	2027.8	17	− 56.9	"	− 56.9	5-7 (1-2P) Saddle		
S-7								2027.39	18		4.75				
		5.18													
	K-4	4.31	87.0	4.75		86.1	− 5 52	2018.6	19	− 8.8	"	− 8.8	Swale		
		5.41													
	"	4.09	132.0	"		131.4	+ 3 51	2036.2	20	+ 8.8	"	+ 8.8	K-3 (1x2) Spur		
K-3								2036.2	21		4.90				
		4.21													
	K-4	3.79	42.0	4.00		41.2	− 7 42	2030.6		− 5.6	"	− 5.6	Side Hill		

Add'n'l Inform.

76S614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
K-Line (Cont'd)															
K-3											4.00				
	K-4	4.43 / 3.57	86.0	4.00		86.0	− 0 24	2035.6		0.6	"	0.6	Side Hill		
	"	6.64 / 5.36	128.0	6.00		128.0	+ 0 44	2035.8		+ 1.6	"	+ 1.6	Draw		
	"	4.82 / 3.18	164.0	4.00		162.4	+ 5 40	2052.3		+ 16.1	"	+ 16.1	Side Hill		
	"	5.05 / 2.95	210.0	"		206.8	+ 7 06	2061.9		+ 25.7	"	+ 25.7	Top of Drain		
	"	5.30 / 2.70	260.0	"		247.9	+ 12 26	2090.9		+ 54.7	"	+ 54.7	Bott. of Cliff		
	"	5.49 / 2.57	292.0	"		265.6	+ 17 30	2119.9		+ 83.7	"	+ 83.7	K-4(1x2) Top of Ridge (End of Line)		

Topography Description Legend:
Side Hill....S.H. | Bottom Draw B.D. | Top of Cut....T.C. | Bottom of Cut....B.C. | Top of Fill....T.F. | Bottom of Fill B.F.
Side of Draw S.D. | Bottom Wash B.W. | Top of Bank....T.B. | Bottom of Bank B.B. | Top of Cliff....T.Cl. | Bottom of Cliff....B.Cl. | Top of Spur....T.Sp. | Bottom Canyon....B.Cn.
Side of Ridge S.R. | Top of Ridge T.R. | Top of Slope....T.S. | Toe of Slope....T.S. | Head of Draw H.D.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore....Sy. | Eucalyptus....Eu. | Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. | Fence....V.Fn. | Int. Fence....V.Fn. | Ditch....Di. | Telephone Pole T.P. | Power Pole....P.P. | Culvert....Cul.

Saddle....Sa. | Swale....Sw. | Flat....Fl. | Stream....Str. | Trail....Tr. | Pavement....Pvt. | Edge of Road E.Rd.

Side of Canyon S.Cn. | Top of Bank....T.B. | Bottom of Bank B.B. | Top of Cut....T.C. | Bottom of Cut....B.C. | Top of Fill....T.F. | Bottom of Fill B.F.

Inters. of Draw V.D's | Break in Slope....Bk.S. | Steep Slope....S.S. | Top of Cliff....T.Cl. | Bottom of Cliff....B.Cl. | Top of Spur....T.Sp. | Bottom Canyon....B.Cn.

F.B. 2694 Pg. 146

Add'n'l Inform.

768614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left Right
L-Line														
T-18								1989.83			5.15		T-18 (1"IP) 1x2, Top Spur	
	T-19	5.56 / 4.74 / 5.89	82.0	5.15		73.6	18 43	1964.9		24.9	"	24.9	Break	
	"	4.40 / 6.40	149.0	"		140.5	13 48	1955.3		34.5	"	34.5	Top of Spur	
	"	3.86 / 9.67	254.0	"		241.2	12 58	1934.3		55.5	"	55.5	" " "	
	"	6.64	303.0	8.15		287.6	13 02	1920.2		69.6	"	66.6	L-1 (1x2) Side Hill	
L-1								1920.2			4.80			
	T-19	9.33 / 8.26 / 5.90	107.0	8.80		92.2	21 49	1879.3		40.9	"	36.9	Side Hill	
	"	3.70 / 6.33	220.0	4.80		188.5	22 14	1843.2		77.0	"	77.0	" "	
	"	3.23 / 6.61	310.0	"		273.7	20 00	1820.6		99.6	"	99.6	" "	
	"	3.00 / 6.90	361.0	"		326.3	18 04	1813.8		106.4	"	106.4	Top of Spur	
	"	2.68 / 6.39	422.0	"		384.3	17 24	1799.8		120.4	"	120.4	Toe of Slope	
	"	1.22	517.0	3.80		482.4	15 00	1791.9		128.3		129.3	L-2 (1x2) Flat	
L-2											5.25			
	T-19	5.70 / 4.80 / 6.06	90.0	5.25		89.8	2 40	1787.7		4.2	"	4.2	Flat	
	"	4.42 / 6.36	164.0	"		163.8	2 05	1785.9		6.0	"	6.0	"	
	"	4.13 / 7.62	223.0	"		222.7	1 58	1784.3		7.6	"	7.6	Break	
	"	4.91 / 6.90	271.0	6.25		270.5	2 30	1779.1		12.8	"	11.8	Small Drain	
	"	3.60 / 7.99	330.0	5.25		329.7	1 39	1782.3		9.6	"	9.6	Center of Dirt Road	
	"	3.30	389.0	"		388.8	1 06	1784.4		7.5	"	7.5	T-19 (1"=P) (over)	

Add'n'l Inform.

Noted Rod. Platted
Date Date 11-25-64 Job No. 00 25.64 Division No.
Noted Chkd. Checked Survey of Sand Cyn. Rd.
Date Date Survey by W. J. Voge Noted Voge
Map No. Indexed C. J. GALLI Date

F.B. 2694 PG. 147

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. Pg.

Topography Description Legend:
Side Hill ....S.H. | Bottom Draw B.D.
Side of Draw..S.D. | Bottom Wash B.W.
Side of Ridge..S.R. | Top of Ridge..T.R.
Head of Draw H.D. | Toe of Slope..T.S.

Inters. of Draws. V.B's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank..B.B.
Top of Cut....T.C.
Bottom of Cut..B.C.
Top of Fill....T.F.
Bottom of Fill..B.F.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Traveled Rd. Tr.Rd.
Fence .....Fe.
Int. Fences..V.Fe.
Ditch .....Dt.
Telephone Pole T.P.
Power Pole....P.P.
Culvert .....Cul.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left Right
L-2	T-19				° '		° '	1785.86	1				End of Line	
					° '		° '		2				Side HILL	
					° '		° '		3					
					° '		° '		4				NOTE: Pump house	
					° '		° '		5				on L-Line is	
					° '		° '		6				mis plotted.	
					° '		° '		7				See sheet 4.	
					° '		° '		8				for correct position.	
					• '		• '		9					
					° '		° '		10					
					° '		° '		11					
					° '		° '		12					
					° '		° '		13					
					° '		° '		14					
					° '		° '		15					
					° '		° '		16					
					° '		° '		17					
					° '		° '		18					
					° '		° '		19					
					° '		° '		20					
					° '		• '		21					

Add'n'l Inform.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
M-Line									1						
									2						
S-8A	S-8				308 00			1964.41			4.56		S-8A (INTGN) Side HILL		
		4.77							3						
	M-1	4.33	44.0	4.56		37.5	22 32	1948.9	4	15.6	"	15.6	Break		
		11.24													
	"	9.88	136.0	10.56		109.6	26 09	1904.7	5	59.8	"	53.8	"		
		5.49													
	"	3.65	184.0	4.56		147.7	26 23	1891.2	6	73.3	"	73.3	Drain		
		5.70													
	"	3.42	228.0	"		215.3	13 37	1912.3	7	52.2	"	52.2	Side HILL		
		6.03											(M-1)		
	"	3.12	291.0	"		290.0	3 21	1947.5	8	17.0	"	17.0	TOP of SPUR		
													End of Line		
									9						
									10						
									11						
									12						
									13						
									14						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

Add'l Inform.

Notes Rod. _____ Platted _____ Job No. 007564 Division No. _____ F.B. 2844 Pg. 149
Date 11-25-64 Survey of Sand Cyn Rd
Notes Cked. _____ Survey by W.J. Voge Notes Voge Date _____
Date _____ Checked _____ Indexed C. J. GALLI Date _____
Date _____ Map No. _____

76S614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod→	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
N-Line					° '		° '								
					° '		° '								
S-8A					° '		° '	1964.47			4.56		S-8A (1x2 FN) side Hill		
	T-17	4.95 / 4.19	76.0	4.56	° '	62.7	+ 24 46	1993.4		+ 28.9	"	+ 28.9	N-1 (1x2) Top of Spur		
N-1					° '		° '	1993.4			4.52				
	T-17	4.81 / 4.22	59.0	4.52	° '	59.0	+ 1 18	1994.7		+ 1.3	"	+ 1.3	N-2 (1x2) Break		
N-2					° '		° '	1994.7			5.05				
	T-17	5.45 / 4.64 / 5.70	81.0	5.05	° '	77.3	- 12 20	1977.8		16.9	"	16.9	Side Hill		
	"	4.38 / 5.88	132.0	"	° '	126.9	- 11 21	1969.2		25.5	"	25.5	Draw		
	"	4.22	166.0	"	° '	165.4	- 3 28	1984.7		10.0	"	10.0	N-3 (1x2) Top of Spur		
N-3					° '		° '	1984.7			5.22				
	T-17	5.65 / 4.78 / 5.80	87.0	5.22	° '	79.6	- 16 54	1960.5		24.2	"	24.2	Top of Bank		
	"	4.62 / 5.83	118.0	"	° '	106.4	- 18 16	1949.6		35.1	"	35.1	Draw		
	"	4.59 / 6.11	124.0	"	° '	120.2	- 10 02	1963.4		21.3	"	21.3	Top of Bank		
	"	4.32 / 6.49	179.0	"	° '	179.0	+ 0 37	1986.6		+ 1.9	"	+ 1.9	Side Hill		
	"	3.96 / 7.22	253.0	"	° '	248.2	+ 7 54	2019.1		+ 34.4	"	+ 34.4	Bottom of Cliff		
	"	3.21	401.0	"	° '	342.0	+ 22 33	2126.9		+ 142.2	"	+ 142.2	T-17 (1 IP) Top of Ridge		
					° '		° '						End of Line		
					° '		° '								
					° '		° '								
					° '		° '								
					° '		° '								
					° '		° '								

Add'n'l Inform.

Traveled Rd. Tr. Rd. Fence ... Fr. Int. Fence ... V. Fn. Ditch ... Dt. Telephone Pole ... T.P. Power Pole ... P.P. Culvert ... Culv.

Saddle ... Sa. Swale ... Sw. Flat ... Fl. Stream ... Str. Trail ... Tr. Pavement ... Pvt. Edge of Road ... E.Rd.

Side of Canyon S.Ca. Top of Bank ... T.B. Bottom of Bank ... B.B. Top of Cut ... T.C. Bottom of Cut ... B.C. Top of Fill ... T.F. Bottom of Fill ... B.F.

Inter. of Draw. V.Dr. Break in Slope ... Bk.S. Steep Slope ... S.S. Top of Cliff ... T.Cl. Bottom of Cliff ... B.Cl. Top of Spur ... T.Sp. Bottom Canyon ... B.Cn.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ... Sy. Eucalyptus ... Eu. Plus combinations of these and all common standard abbreviations.

Topography Description Legend:
Side Hill ... S.H.
Bottom Draw ... B.D.
Draw ... D.
Bottom Wash ... B.W.
Side of Ridge ... S.R.
Top of Ridge ... T.R.
Side of Draw ... S.D.
Toe of Slope ... T.S.
Mesa of Draw ... M.D.

PG. 152

768614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. Platted
Date Date 11-27-64 Job No. 5075.64 Sand Cyn. Rd.
Notes Ckkd. Survey of Sand Cyn. Rd. P.B. 278 Pg. 1
Checked Survey by L. J. Vogt Mgr. F. Hoff
Date Date
Map No. Indexed C. J. GALLI
Date Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight −	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
O-LINE															
5-9	5-9B				316 00			1829 83					5-9 (1" I.P) SIDE HILL		
"	0-1	5.27 4.64 5.09	63	4 95		60 0	+ 12 32	1843 1		+ 13 3	4 95	+ 13 3	1x2 0-1 TOP SPUR		
0-1	0-2	4.91 5.27	18	5 00		16 3	18 00	1837 8		5 3	5 00	5 3	TOP BREAK		
"	"	4.74 5.65	53	"		40 6	28 56	1820 7		22 4	"	22 4	BREAK IN SLOPE		
"	"	4.35 5.94	130	"		104 5	26 18	1791 5		51 6	"	51 6	SIDE HILL		
"	"	4.06 6.19	188	"		159 8	22 48	1775 9		67 2	"	67 2	SIDE HILL		
"	"	3.83 6.45	236	"		209 0	19 45	1768 1		75 0	"	75 0	BOTTOM DRAIN		
"	"	3.55 6.67	290	"		271 3	14 42	1771 9		71 2	"	71 2	TOE OF SLOPE		
"	"	3.32 6.91	335	"		327 3	8 44	1792 8		50 3	"	50 3	SIDE HILL		
"	"	3.10 5.65	381	"		380 2	2 31	1826 4		16 7	"	16 7	0-2 (1x2) TOP SPUR		
0-2	0-3	4.55 12.05	110	5 12		92 5	23 31	1786 2		40 2	5 12	40 2	DRAW		
"	"	10.21 6.24	184	11 12		170 3	15 49	1772 2	+6'	54 2	"	48 2	TOE OF SLOPE		
"	"	4.00 6.64	224	5 12		208 1	15 29	1768 8		57 6	"	57 6	DRAW		
"	"	3.60 11.91	304	"		293 2	10 57	1769 7		56 7	"	56 7	TOP SPUR		
"	"	8.39 7.33	352	10 12		339 4	10 55	1755 9	+5'	70 5	"	65 5	TOE OF SLOPE		
"	"	2.95 12.14	438	5 12		424 2	10 14	1749 8		76 6	"	76 6	CANYON - DIRT RD		
"	"	6.12	602	9 12		591 3	7 40	1742 8	+4'	83 6	"	79 6	FENCE LINE - FLAT		
													END OF LINE		

Add'n'l Inform.

76S614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	REMARKS Left Right
P-1	LINE				° '		° '		1					
									2					
S-10	T-22				215 00			1785.49						S-10 (1" I.P.) TOP OF RIDGE
"	P-1	503 479	24	4.91		23.0	11.53	1780.7		4.8	4.91	4.8		TOP OF RIDGE BREAK IN SLOPE
"	"	527 457	70	"		69.2	6.17	1777.9		7.6	"	7.6		BREAK IN SLOPE
"	"	549 434	115	"		112.9	7.49	1770.0		15.5	"	15.5		BREAK IN SLOPE
"	"	1082 900	182	9.91		180.5	5.10	1764.2	+5'	21.3	"	16.3		BREAK IN SLOPE
"	"	1403 1179	224	12.91		222.6	4.31	1759.9	+8'	25.6	"	17.6		BREAK IN SLOPE
"	"	1140 840	300	9.91		298.6	3.59	1759.7	+5'	25.8	"	20.8	P-1 1X2	TOP OF BREAK
P-1								1759.7						
"	P-2	1000 986	14	9.92		14.2	LEVEL	1754.2		5.52	4.40	5.52		TOP STEEP SLOPE
HAND LEVEL FROM N. EDGE HWY			3.4			39.5	LEVEL	1717.9	4.0	41.8		+0.6		TOE STEEP SLOPE SOUTH EDGE HWY.
P-1	P-2	1086 997	89	10.40		70.1	27.26	1717.3	+6'	42.4	4.40	36.4		N. EDGE HWY
"	"	520 360	160	4.40		146.6	16.50	1715.3		44.4	"	44.4		FLAT - LOT
"	"	564 318	246	"		237.5	10.42	1714.8		44.9	"	44.9		TOP OF CUT
"	"	572 309	263	"		252.9	11.17	1709.3		50.4	"	50.4		TOE OF CUT
"	"	664 216	448	"		441.6	6.53	1706.4		53.3	"	53.3		FLAT AREA
"	"	753 127	626	"		621.0	5.07	1704.1		55.6	"	55.6		TOP OF SLOPE
"	"	1060 420	640	7.40		634.9	5.06	1700.1	+3'	59.6	"	56.6		V's OF DRAIN
														END OF LINE

Add'l Inform.

Traveled Rd. Tr.Rd. Fir-Fr. Oak-O. Fence ..... V.Fn. Pine-Pi. Int. Fences V.Fns. Cedar-Ce. Sycamore ..... Sy. Ditch ..... Dt. Eucalyptus ..... Eu. Telephone/Pole T.P. Plus combinations Power Pole ..... P.P. of these and all Culvert ..... Culv. common standard abbreviations.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Side of Draw. V.D's Top of Break in Slope ..... Bk.S. Bottom Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Topography Description Legend: Side Hill ..... S.H. Side of Draw. S.D. Side of Ridge. S.R. Head of Draw H.D. Bottom Draw. B.D. Bottom Wash B.W. Top of Ridge. T.R. Toe of Slope. T.S.

F.B. 2694 PG. 152

768614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Note Red. Plotted
Date 11-30-64 Surveyed Sand Cyn. Rd
Notes Ckkd. Checked Survey by W. J. Voge Notes Voge Date
Date Date Map No. Indexed C. J. GALLI Date

F.B. 2694 Pg. 15-3

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	± Difference Elevation	Height of Instrument	± Vertical Distance	REMARKS Station	Left	Right
Q-Line															
T-22	S-10	5.23			115° 00'			1919.0			4.91		T-22 (1" = 2') Top of Ridge		
	Q-4	4.57 / 5.74	66.0	4.91		57.3	21° 15'	1896.7		22.3	"	22.3	Break		
	"	4.07	167.0	"		150.0	18° 37'	1868.5		50.5	"	50.5	Small Spur		
	"	13.91 / 11.90 / 6.39	201.0	12.91		186.8	15° 26'	1859.4		59.6	"	51.6	Break		
	"	3.45	294.0	4.91		287.6	8° 31'	1876.0		43.0	"	43.0	Q-1 (1x2) Top of Hill		
Q-1								1876.0			5.17				
	Q-4	10.63 / 9.70 / 10.30	93.0	10.17		81.2	20° 52'	1840.0		36.0	"	31.0	Side Hill		
	"	8.05	225.0	9.17		194.3	21° 41'	1794.8		81.2	"	77.2	Bott. of Drain		
	"	6.64 / 3.69 / 7.06	295.0	5.17		276.5	14° 30'	1804.5		71.5	"	71.5	Side Hill		
	"	3.32	368.0	"		362.0	7° 21'	1829.3		46.7	"	46.7	Q-2 (1x2) Saddle		
Q-2								1829.3			5.25				
	Q-4	4.26 / 3.24	102.0	3.75		100.5	7° 02'	1818.4		10.9	"	12.4	Q-3 (1x2) Side Hill		
Q-3								1818.4			5.08				
		10.42 / 9.74 / 10.08	68.0	10.08		65.6	10° 52'	1800.8		17.6	"	12.6	Draw		
		8.05	203.0	9.08		202.7	+ 2° 15'	1822.4	+	4.0	"	+ 8.0	Q-4 (1x2) Top of Spur		
													End of Line		

Add'l Inform.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 2694 Pg. 154

Topography Description Legend:
Side Hill S.H. | Bottom Draw B.D. | Oak-O. | Fir-Fr. | Traveled Rd. Tr.Rd. | Saddle .....Sa. | Side of Canyon S.Cn. | Inters. of Drwys. V.D's
Side of Draw S.D. | Bottom Wash B.W. | Pine-Pi. | Cedar-Ce. | Fence .....Fe. | Swale .....Sw. | Top of Bank...T.B. | Break in Slope...Br.S.
Side of Ridge S.R. | Top of Ridge T.R. | Sycamore .....Sy. | Int. Fences. V.Fe. | Flat .....Fl. | Bottom of Bank..B.B. | Steep Slope.....S.S.
Head of Draw H.D. | Toe of Slope...T.S. | Eucalyptus .....Eu. | Ditch .....Di. | Stream .....Str. | Top of Cut....T.C. | Top of Cliff...T.Cl.
| | Plus combinations of these and all common standard abbreviations. | Telephone Pole T.P. | Trail .....Tr. | Bottom of Cut..B.C. | Bottom of Cl.B.Cl.
| | | Power Pole....P.P. | Pavement .....Pvt. | Top of Fill ...T.F. | Top of Spur....T.Sp.
| | | Culvert .....Cul. | Edge of Road E.Rd. | Bottom of Fill.B.F. | Bottom Canyon..B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left Right
R-Line					° '		° '							
					° '		° '							
T-23					° '		° '	182.35			5.15		T-23 (1"IP) Top of Ridge	
	T-24	5.35 / 4.95	40.0	5.15	° '	32.4	− 25 47	180 7.8		15.7	"	15.7	Top of Drain	
	"	11.66 / 10.53	101.0	11.15	° '	80.4	− 26 52	1776.8		46.7	"	40.7	Side Hill	
	"	8.19 / 6.12	207.0	7.15	° '	177.3	− 22 15	1749.0		74.5	"	72.5	Top of Break	
	"	9.28 / 7.03	225.0	8.15	° '	191.6	− 22 39	1740.5		83.0	"	80.0	Edge of Rd.	
	"	6.42 / 3.87	255.0	5.15	° '	224.1	− 20 22	1740.3		83.2	"	83.2	" " "	
	"	6.61 / 3.66	295.0	"	° '	265.1	− 18 34	1734.4		89.1	"	89.1	Top of Bank	
	"	6.66 / 3.62	304.0	"	° '	272.9	− 18 40	1731.3		92.2	"	92.2	Bottom of Drain	
	"	6.70 / 3.58	312.0	"	° '	284.5	− 17 16	1735.1		88.4	"	88.4	Top of Bank	
	"	7.00 / 3.30	370.0	"	° '	346.6	− 14 33	1733.6		89.9	"	89.9	R-K(1x2) Flat	
					° '		° '	1733.6			5.35			
R-1		5.90 / 4.80	110.0	5.35	° '	110.0	− 0 22	1732.9		0.7	"	0.7	Flat	
	T-24	6.44 / 4.26	218.0	"	° '	218.0	− 0 14	1732.7		0.9	"	0.9	"	
	"	8.08 / 4.67	347.0	6.35	° '	347.0	− 0 06	1732.0		1.6	"	0.6	Toe of slope	
	"	11.48 / 7.23	425.0	9.35	° '	423.3	+ 3 42	1757.0		+ 23.4	"	+ 27.4	Side Hill	
	"	7.90 / 2.80	510.0	5.35	° '	503.4	+ 6 32	1791.2		+ 57.6	"	+ 57.6	Side Hill	
	"	12.25 / 6.45	580.0	9.35	° '	569.9	+ 7 35	1805.5		+ 71.9	"	+ 75.9	Side Hill	
	"	12.38 / 5.57	681.0	8.98	° '	669.1	+ 7 36	1879.3		+ 85.7	"	+ 89.3	T-24 (1"IP) Side Hill	
					° '		° '						EL = 1818.5	

Add'l Inform.

Notes Ck'd by KNOWLES	Survey of Sand Cyn Rd	F. B. 2694	Pg. 15
Map No. B 3030	JN 007564 Tape 43 Std 84 °F		
Office Work G. LUDVICKSON	Surveyed by W. J. Voge		
Checked J. A. CHURCH	Notes Voge. Date 4-27-65		
Date MAY 15 '67	Indexed C. J. GALLI		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PROPOSED ℄ OF SAND CYN. RD.

FROM LOST CYN RD S'LY TO SEC COR 26|25 35|36

T 4 N, R 15 W

J.N. 007564

References Used:
FB. 1832
C.S.B. 736
Staking Sheet (G 172)

Party:
W. Voge
J Moore
R Strader
N. Cherry

76F3095 CE # 310 3-61

F. B. 2694 Pg. 160

INDEX

Soledad Cyn Rd

1/4 Cor (161)

Lost Cyn Rd.

(162)

PI #1 (163)

Proposed Sand Cyn. #2

SEC 23

(169)

PI #2

PI #3 (173)

PI #4 (176)

Center of Sec. (180)

(180)

1/4 Cor (177)

SEC. 26

PI #5 (187)

Sec. Cor (184)

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Knowles
Map No. B3030
Office Work G. LUDVICKSON
Checked J. A. CHURCH
Date MAY 15 65

Survey of Sand Cyn. Rd
JN 0075.64 Tape 143 Std 84 °F
Surveyed by W. J. Yoge
Notes Yoge Date 4-27-65
Indexed G. J. GALLI

F. B. 2696 PG. 161

(All ties are @ T=84° & Level.)

Fd. Nail in PP #123972 per F.B. 2694-30.

Pt #19
Fd. 1" IP conc. plug, tag & tk CE dn. 18 per F.B. 2694-30 & F.B. 8736

53.81

65.93

89.02

180.27

Set C.E. tag & tk in lead in 36" sq. conc. block.

Set C.E. tag & tk in lead in conc. head wall 16" from N. end.

(1) 178°31'00"
(2) 354°03'15"
(3) 351°04'45"
178°30'47"

(30) (30)

SAND CYN RD

1394.54 FB

1/4 cor 0+00 S. Fd. L.A.C.S. Surv. Brass Cap, upon in well (dn. 15" per F.B. 2694-29.

COUNTY SURVEYOR T 4 N SEC. 14 SEC. 23 R 14 W R.E. 329

45" Adj.

178°30'47"

Set PH(+) in metal corner fence post.

36.57

74.78

84.97

Set C.E. tag & tk in lead in East corner of conc. base of telephone booth.

Set NAIL in P.P. #111548E

T=80°

1420.11 @ EL = 1420.07

1420.07

Set C.E. tag & tk. in lead in conc. & rock curb.

To Left P9.162

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.C.Z.D-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 2694 Pg. 162

W.S. 67, D-2

PI 18
Fd. L.A.C. Sur. Brass cap mon. in Well, dn. 8', per F.B. 1832-68.

COUNTY SURVEYOR P.I. 18

(30) LOST CYN. RD.

(30)

(20)

SAND CYN RD

SAND CYN. RD

(30)

(20)

39.72 rad

R=1431.14' (832-172) Rad

619.87

1420.07

83.89

91° 57' 23" Meas.

619.87

14+20.07
Fd 2" IP Conc. plug and Cart. (dn. 8") per F.B. 1832-68 (Set 2-2' Spk E. T. Ties.)

① 91° 57' 30"
② 7° 49' 45"
⑥ 191° 44' 15"
91° 57' 23"

Fd Nail in P.P. #1337820E (No Ref.)

T=88°

619.85@LEV.=619.87

(30)

LOST CYN. RD. (30)

50.27

51.63

Fd 2" IP Conc. plug & Cart. dn. 8" per F.B. 1832-172 (Set 2-2' Spk E. T. Ties)

Set CH(H) in metal fence Post.

T=84°

Fd Nail in P.P. #405834E (No Ref.)

103.89

59.73

50.27@LEV.=50.27
103.89@LEV. 103.89
59.73@LEV. 59.73
51.63@LEV. 51.63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Knowles	Survey of Sand Cyn. Rd.	F. B. 2694 Pg. 163
Map No. B 3030	JN 0075 67 Tape 143 Std 84 °F	
Office Work [illegible] CHURCH	Surveyed by W. J. Voge	
Checked J. A. CHURCH	Notes Voge Date 4-29-65	
Date MAY 15 67	Indexed C. J. GALLI	

To Right Pg 162

T=80°

83.89 @ LEV = 83.89 ✓
19.11 @ LEV = 19.11 ✓
11.78 @ LEV = 11.78 ✓
21.97 @ LEV = 21.97 ✓
49.32 @ LEV = 49.32 ✓
80.84 @ LEV = 80.84 ✓

(20) (20)

83.89 ✓

Ⓒ 155° 16' 00"
Ⓐ 261° 04' 00"
Ⓑ 211° 36' 00" ✓
155° 16' 00" ✓

155° 16' 00" Meas.

SAND CYN. RD

15+03.96
Set 1" I.P. Conc. Plug, C.E. Tag & Tk, Dn. 12" Int 2-2' Spk & T. Ties.

Set N&T in 10" Elm

11.78

19.11

PI #1
Set 1" I.P. Conc. Plug C.E. Tag & Tk Dn. 12" Set @ rec. dist from N

8.00

Set N&T

80.84 ✓

Set N&T in 48" Oak

8' Offset Line

425.30 ✓

21.97 ✓

49.32

Proposed C.L.

Set N&T in 12" Elm

Fd N&T in P.P. # 1337822E No Ref.

Pg. 164

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by Knowles
Map No. B 3030'
Office Work G. LUDVICKSON
Checked R. CHURCH
Date 11 15 67

Survey of Sand Cyn Rd
JN 00 75.64 Tape 143 Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 4-29-65
Indexed C. J. GALLI

F. B. 2694 Pg. 165

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

W.S. 62, D-2

T.B.M. Pg 164

T.B.M. Pg 166

19+80.3
19+69.4
19+40.2
Conc Wing Wall 12'
Conc Abutment 3'
19+66.1
19+52.9
SAND CYN RD
47.6'
31.9'
42°
49.2'
34'
Exist 47'
318.30
Proposed 47'
3'
19+45.2
19+59.4
3'
Conc Abutment 3'
42'
8'
11 Rows of Wood Pilings
170.2
166.6
150.4
171.6
176.0
19+36.4
19+15.0
55°
55°
Conc Wing Wall 18'
19+05.2
19+45.4

76F3095 CE # 310 3-61

F. B. 2694 Pg. 166

To Right Pg. 165



T = 92°
25.12 @ LEY = 25.12 ✓
16.58 @ LEY = 16.58 ✓
68.09 @ LEY = 68.09 ✓

T = 92°
23.71 @ 22°53' = 21.84 ✓
23.12 @ 19°08' = 21.84 ≈ 21.84 ✓

T = 90°
1148.00 @ LEY = 1148.04 ✓

P.O.P. Pg. 167

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Knowles
Map No. B 3030
Office Work G. LUDVICKSON
Checked J. A. CHURCH
Date

Survey of Sand Cyn Rd
JN 0075.92 Tape 173 Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 4-30-65
Indexed C. J. GALLI

F. B. 2694 PG. 167



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3085 CE # 310 3-61

F. B. 2694 Pg. 168



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Mounts
Map No. 33030
Office Work G. LUDVICKSON
Checked J. A. CHURCH
Date MAY 15 '61

Survey of Sand Cyn. Rd
JN 07564 Tape 143 Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 9-30-65
Indexed C. J. GALLI

F. B. 2694 Pg. 169

All Ties are Level & @ T=84°

TO Bott. Pg. 168

PI #23
F&LA Co Std Brass Cap mon. in Well dn. 8" per FB 1832-215

COUNTY SURVEYOR
23
P.I.
R.E.

Proposed ℄

8.00 Offset Line

Set NAT in P.I. #201-113

Set NAT in 40" Oak.

(20) 8.00 (20)

T=84°
25.21 @ Lev = 25.21 ✓

74.76

PI #2
Set 1" IP Conc plug C.E. tag & TK dn. 12" @ Rec. dist. from N. & 18' E @ 90°

23.83

91.69

① 154°41'30"
② 258°45'45"
③ 208°08'45"
154°41'27" ✓

40+91.76
Set 1x2 Hub (Flush) @ 90° to P.I. #2

SAND CYN RD

9.00
18.00
18.00
18.00
25.21 ✓

Set 1x2 Eng. Ck @ 90° to P.I. #2

Set NAT in 48" oak.

55.00

5.22

7.09

Set ch(+) in metal fence post

41+15.97

Set 1" I.P. Conc Plug C.E. tag & TK dn. 15" by Int

93.70

8.12

16.69

Proposed ℄

PI #24
F&LA C. Engr. Brass Cap mon. in Well dn. 8" per FB 1832-214

COUNTY ENGINEER
PI 24
SAND CYN RD
R.E. 5869

18' offset Line

90.93 ✓

T=84°
90.93 @ Lev = 90.93 ✓
80.00 " 8000 ✓

TO P Pg. 170

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 62, D-2

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B 2694 Pg. 170

to B.# Pg. 169

W.S. 62, D-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



to to P Pg. 171

Notes Ck'd by Knowles	Survey of Sand Cyn. Rd
Map No. B 3030	JN 0075.04 Tape 143 Std 84 °F
Office Work G. LUDVICKSON	Surveyed by W.J. Voge
Checked J. A. CHURCH	Notes Voge Date 5-465
Date MAY 15 '67	Indexed C. J. GALLI

F. B. 2694 PG. 171

To Bo# pg. 170

T=66°

606.29 @ LEV = 606.22 ✓



To Left pg. 172

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 2694 Pg. 172

W.S. 62, D-2

LOS ANGELES COUNTY ENGINEER
409 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by Yeager
Map No. B 3030
Office Work G. LUDVICKSON
Checked J. A. CHURCH
Date MAY 15 '67

Survey of Sand Cyn. Rd.
JN 00 75.64 Tape 143 Std S 4 °F
Surveyed by W. J. Yeager
Notes Yeager Date 5-13-65
Indexed C. J. GALLI

F. B. 2694 Pg. 173

All Ties @ Level, t = 84°

TO Right Pg. 172

Set NET in 20" oak

59.55 Lev = 59.55
46.22 " 46.22

Set NET in PP #X726/E

Proposed ℄

161.59

18' Offset Line

142.44

93.38

Set BT SPK WET in 18" oak, No ref.

Δ 163°21'00"
Δ 293°23'45"
Δ 260°05'45"

163°20'57"

59.55

63.12

64+33.90
Set BT SPK WET (Flag) by JHT

Set #3 1" IP, Cone, Plug & Tack C.E. Mon. 1.2' @ rec dist from PI 28 A.

2.00

Set Nail

46.22

Set NET in P.P. 107-91

T = 80°

18.00

16.63

Set Nail

9.00

141.22

Offset Line

9.00 @ Lev = 9.00
22.00 @ Lev = 22.00
18.00 @ Lev = 18.00
16.63 @ Lev = 16.63

101.72

Set NET in 36" oak.

PI 28 A
Fd. L.A. Co. Engr. brass cap mon. in well dn. 9' Per FB 1832-211

PI 27
Fd. L.A. Co. Engr. brass cap mon. in Well dn. 9' per FB 1832-211

(20) Existing

Proposed

(20) SAND CYN RD

COUNTY ENGINEER PI 27 SAND CYN RD R. E. 5869

COUNTY ENGINEER PI 28A SAND CYN RD R. E. 5869

TO TOP Pg. 174

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 62, D-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 810 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by Known Ms	Survey of Sand Cyn. Rd.	F. B. 2694	Pg. 175
Map No. B3030	JN 007564 Tape 143 Std 84 °F		
Office Work G. LUDVICKSON	Surveyed by W. J. Vogt		
Checked	Notes Vole Date 5-18-65		
Date NOV 15 '67	Indexed C. J. GALLI		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

78F309S CE # 310 3-61



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by Knowles
Map No. B 3030
Office Work G. LUDVICKSON
Checked J. A. CHURCH
Date MAY 15 '67

Survey of Sand Cyn Rd
JN 10756 Tape 143 Std 84 °F
Surveyed by N.J. Vogt
Notes Vogt C. J. CAPILI Date 5-4-65
Indexed

F. B. 2694 Pg. 177

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 62, D-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

To Top Pg. 178

¼ Cor
Fd. L.A. Co. Surv
Brass Cap mon.
(Flush) per F.B. 1832-47

COUNTY SURVEYOR
T. 4 N.
R 15 W
S 26 / 25
1/4 SEC. COR.
USBLM 1927
MONUMENT

212.50 ✓
℄ Sec. 26

① 89° 50' 00"
④ 359° 19' 45"
⑥ 178° 59' 15" ✓
89° 49' 52" ✓

89° 49' 52" ✓
95.29

1.72

24.74 ✓

Set NGT in P.P. #1560988E

T = 60°
24.74 @ L.E.Y. = 24.74 ✓

Sec. Line

Set 1" I.P. Conc. Plug C.E. tag & Tk. (Flush)

T = 66°
139.29 @ 7°21' = 138.13 ✓
139.23 @ 7°12' = 138.11 ✓ 138.12 ✓

138.12 ✓

To Top Pg. 181

76F3089 CE # 310 3-61

F. B. 2694 Pg. 178

To Left Pg. 177



T = 74°

212.96 @ 3°45' = 212.49 ✓
212.91 @ 3°32' = 212.50 ✓
212.50 ✓

212.50

0.03

Fd. 2" I.P. Cone plug & L.S. Tag #3041. No Ref.

T = 74°

287.18 @ Elev. = 287.16 ✓

287.16

℄ Sec. 26

Set 1x2 & Nail (Flush)

T = 74°

75.85 @ Elev. = 75.85 ✓

75.85

Set 1" I.P. Conc. Plug C.E. Tag & Tk. (Top of Spur)

T = 72°

249.21 @ 11°06' = 244.53 ✓
249.09 @ 10°57' = 244.53 ✓
244.53 ✓

244.53

To Top Pg. 179

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Knowles
Map No. B-3032
Office Work G. LUDVICKSON
Checked J. A. CHURCH
Date

Survey of Sand Cyn. Rd.
JN 007564 Tape 143 Std. 84 °F
Surveyed by W. J. Vogt
Notes Vol 2 Date 5-4-65
Indexed G. J. GALLI

F. B. 2694 Pg. 179

To Bk 4 Pg. 178

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 62, D-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

244.53
℄ Sec. 26

132.02
43.74
175.76 ✓

Set 1x2 P/Nail (Flush)

T = 72°
132.40 @ 4°19' = 132.01 ✓
132.37 @ 4°01' = 132.03 ✓ } 132.02 ✓

T = 56°
43.75 @ LEV = 43.74 ✓

T = 56°
47.97 @ LEV = 47.96 ✓

(P.I. 29A) Fd. C.E. Brass Cap mon. in well dn. 9', per FB 1832-210.

COUNTY ENGINEER 29A CYN. SAND RD. R.E. 5988

175.76 ✓

(20) ✓

47.96

0.08

(0.21)

SAND CYN RD.

EYIS-Hwy

℄

24.72 ✓

65°34'46"

5 adj.

Set 1/2" I.P. (Flush) by Jnt.

P.I. 30A Fd. C.E. Brass Cap mon. in well dn. 9', per F.B. 1832-210.

Fd L.A.Co. Flood Control Tag & T.K. in Lead (No Ref.)

COUNTY ENGINEER 30A CYN. SAND RD. R.E. 5988

① 65°34'46"
② 262°18'45"
③ 33°28'15" ✓
65°34'42" ✓

To Top Pg. 180

76F3095 CE # 310 3-61

F. B. 2694 Pg. 180

To Bott. Pg. 179

W.S. 62, D-3

Pg 185 of

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T = 80°
24.72 @ LEV = 24.72 ✓
52.98 @ LEV = 52.98 ✓
97.00 @ LEV = 97.00 ✓
35.50 @ LEV. = 35.50 ✓
49.04 @ LEV. = 49.04 ✓
3.94 @ LEV. = 3.94 ✓
33.85 @ LEV. = 33.85 ✓

24.72

Set 1X2 & Nail (Flush)

33.85

3.94 ✓

461.20

BH 96.43
Set 1X2 & Nail (Flush)

82+30.28
Set 1" I.P. conc. plug, C.E. tag & TK (Flush) by Int.

97.00 ✓

35.50 offset Line

52.98

49.04

42" ✓

38

133°

To Bott Pg 176

Proposed ℄

① 133°39' 00"
④ 174° 34' 45"
⑥ 81° 52' 15" ✓
133° 38' 42" ✓

Set 1" I.P. conc. plug, C.E. tag, TK. (Flush) @ rec. dist. from 1/4 cor.

℄ Sec. 26

Fd. Nail in P.P. 1186824 E No Ref.

Ties are @ level, & T = 76°

Fd. U.S. General Land Office Brass Cap mon. dn. 18" Ref. F.B. 1832-44.

58.96

Set Nail in P.P. (No Num.)

59.25

Fd. Nail in top of 8"x8" Post. No Tag.

10.43

30.10

0.25

Fd. U.S. General Land office Brass cap mon. dn. 18", per F.B. 1832-44.

Fd. ch (H) in Metal fence Post. (No Tag)

5.98

SURVEY REMOVAL FOR LAND OFFICE $250 PENALTY U.S. - 1947

SURVEY REMOVAL FOR LAND OFFICE $250 PENALTY U.S. - 1947

R.M. ↑ S 26 ↓

66-1

Notes Ck'd by Knowles	Survey of Sand Cyn. Rd	F. B. 2694	Pg. 181
Map No. B 30-30	JN 20756 Tape 143 Std 84 °F		
Office Work G. LUDVICKSON	Surveyed by W. J. Voge		
Checked J. A. CHURCH	Notes Voge Date 5-6-65		
Date W 1 5 67	Indexed C. J. GALLI		

To Batt Pg. 177



T=66°
285.00@5°14' = 283.78
285.11@5°28' = 283.73
283.76

T=66°
395.76 @ LEV. = 395.71

T=68°
191.71@7°56' = 189.86
191.55@7°36' = 189.85
189.86

959.14

T=68°
89.80 @ LEV. = 89.79

283.78
395.71
189.86
89.79
959.14

To TP Pg. 182

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 2694 PG. 182



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Knowles
Map No. 13030
Office Work G. LUDVICKSON
Checked
Date

Survey of Sand Cyn Rd
JN 00756 Tape 194 Std 84 °F
Surveyed by W. J. Yoge
Notes Yoge Date 5-14-65
Indexed E. J. GALLI

F. B. 2694 PG. 183

TO Batt Pg. 182

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

T=80°
219.97 @ LEV = 219.96 ✓

219.96
111.90 ✓
331.86 ✓

331.86 ✓

Sec. Line

T=80°
112.25 @ 4°26' = 111.91 ✓
112.30 @ 4°49' = 111.90 ✓ 111.90 ✓

Set 1½" L (Flush)

152.80

T=80°
154.65 @ 8°53' = 152.79 ✓ 152.80 ✓
154.52 @ 8°34' = 152.80 ✓

Set 1" I.P., conc. plug, C.E. tag & tk. (Flush)

T=78°
244.47 @ 2°40' = 244.20 ✓
244.50 @ 2°50' = 244.19 ✓ 244.20 ✓

244.20 ✓
276.39 ✓
520.59 ✓

T=78°
276.49 @ 1°28' = 276.39 ✓
276.46 @ 1°11' = 276.39 ✓ 276.39 ✓

520.59

TO TOP Pg. 184

76F3095 CE # 310 3-61


F. B. 2694 Pg. 184
To Bo# Pg. 190
P Bo# Pg. 183
W.S. 62, D-3
206.21
2.04 sqft Line
520.59
107+46.46
Set 1X2 C Nail
T=80°
508.30 @ Ker = 508.29
Proposed ℄
508.29
Sec Line
SAND CYN RD
510.02
(20)
(20)
T=80°
510.03 @ Ker = 510.02
Fd NET in LAC FD PP # 10249 No ref.
Set NET in 30" oak
67.24
65.33
Fd Sq Spk ET in P.P. # 10947 BGE No ref.
19.17
53.41
112+54.75
Sec Cor. Fd L.A. Co. Sur. brass Cap mon. dn. 5" occ. FB 1832-49.
Set NET in 30" oak.
59.09
Fd Sq Spk ET in P.P. (No number) No ref.
See F.B. 4312-60
COUNTY SURVEYOR'S MONUMENT
T. 4 N.
R. 15 W.
26 25
35 36
USBLM
1947
Δ 2° 01' 00"
Δ 8° 04' 15"
Δ 12° 06' 15" V
2° 01' 02" V
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Knowles	Survey of Sand Cyn Rd	F. B. 2694 Pg. 185
Map No. B-3030	JN 0075.64 Tape 194 Std 89 °F	
Office Work G. LUDVICKSON	Surveyed by W. J. Voge	
Checked J. A. CHURCH	Notes Voge Date 5-17-65	
Date 7/15/67	Indexed G. J. GALLI	

To Right Pg. 180

46.20 ✓

83+95.1

9°

26'

18'

5'

61

5'

13.5'

FRAME HOUSE HSE. # 27166

22.5'

6'

22'

8'

54

59.5'

35.50' to First Curve

18'

18'

84+25.6

16'

50.5'

64.4'

Proposed ℄

T = 84°

46.20 @ ℄ = 46.20 ✓

86+91.48

Set 1x2 F Nail (Flush)

Set 2-2' S+K F T.T.S.

624.91 ✓

To To P Pg. 186

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3085 CE # 310 3-61

F. B. 2694 Pg. 186

To Both Pg. 185

T = 84°
624.97 @ LEV. = 624.97 ✓

624.97
35.50 offset

Proposed ℄

93+16.45
Set 1x2 & Nail (FLUSH)

70.34 ✓
232.33 ✓
8.28
310.95 ✓

93+34.2

20.4'

15'

20.2

FRAME GARAGE

26.6

26.8

20.0

93+58.8

10.2'

310.95 ✓

T 84°
70.34 @ lev = 70.34 ✓
234.61 @ 5-01 = 232.32
234.53 @ 7-50 = 232.34 } 232.33 ✓

T=66°
8.28 @ LEV. = 8.28

39.8

19.8

93+69.9

20.6

7.6

12.8

23.9

14.8

FRAME HOUSE (STUCCO)
HSE. # 27038

24.3

10.2

22.0

28.2

21.8

94+05.2

93+91.0'

10.0'

20.2

FRAME HOUSE (WOOD)

20.2

20.2

94+10.2

6.1

23.6

10.0'

To TOP Pg. 187

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by Knowles
Map No. B 30 80
Office Work G. LUDVICKSON
Checked J. A. Gilchrist
Date NOV 4 5 67

Survey of Sand Cyn Rd
JN 0075.64 Tape 194 Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 5-19-65
Indexed G. J. GALLI

F. B. 2694 PG. 187

NOTE
SEE PG. 251 FOR CHANGE OF P.I. LOCATION 9-30-68 L.V.S.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 CE # 310 3-61

℄ Prop. ℄ 188
Prop. ℄
35.50 offset
310.95
Prop. ℄
Set 1" I.P. @ Conc. Plug (Flush) CE. Pg. Tk.
T = 66°
51.20 @ LEV = 51.19
39.70 @ LEV = 53.26
53.26 @ LEV. = 53.26
67.19
96+27.40 Int.
Set 1" I.P. conc. plug C.E. Pg. Tk. dn. 3" by inst.
Set Nail in 6" oak
39.70
(1) 138°12'00"
(2) 192°47'30"
(3) 109°11'30"
138°11'55
138° 11' 55" 109.92
76.84
53.26
T = 78°
78.48 elev = 78.48
84.58 elev = 84.58
Set 1x2 & Nail, (Flush)
35.50
80.00
Set Nail in 14" oak
84.58
96+80.65 P.I. #5
Set 1" I.P. Conc. plug C.E. Pg. Tk. (dn. 3" @ rec. dist. from Sec. Line.
Prop. ℄
330.41
To Top of Pg. 188
To Top of Pg. 187

F. B. 2694 Pg. 188



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Knowles
Map No. B 3030
Office Work G. LUDVICKSON
Checked J. A. CHURCH
Date MAY 15 '67

Survey of Sand Cyn Rd
JN 007564 Tape 194 Std 84 °F
Surveyed by W. T. Voge
Notes Voge Date 5-1965
Indexed C. J. GALLI

F. B 2194 PG. 189

to B.H Pg. 188

T 74°

110.78 @ lev = 110.77 ✓
220.03 @ 3-20 = 219.65 } 219.64 ✓
220.05 @ 3-26 = 219.64 }

330.41 ✓

110.77 ✓
219.64 ✓
330.41 ✓

100+11.06
Set 1x2 Tag (Flush)

T 80°

111.44 @ 11-59 = 109.01 ✓ } 109.02 ✓
111.54 @ 12-10 = 109.03 }
106.95 @ 2-59 = 106.80 } 106.80 ✓
106.97 @ 3-13 = 106.80 }

109.02 ✓
106.80 ✓
215.82 ✓

Proposed ℄

215.82 ✓

102+26.88
Set 1x2 Tag (Flush)

313.37 ✓

P P P Pg. 190

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3098 CE # 310 3-61

F. B. 2694 Pg. 190

T 80°
313.38 @ LEV = 313.37 ✓

To Bott Pg 189

313.37 ✓

105+40.25
5 set ½ 2.5' (Flush)

2.00

5 set ½ x2 (Flush)

2' 04 set Line

206.21 ✓

Proposed ℄

T 80°
206.22 @ LEV = 206.21 ✓

To Top Pg. 184

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

761 268 Cdb 2-62

LOS ANGELES COUNTY

LETTERGRAM

Mr. George J. Franceschini
Assistant Division Engineer

To Attn: Wm. C. Mack From Wm. H. Fitch Date August 4, 1965

Subject SAND CANYON ROAD - J.N. 0075.64 No.

Please obtain additional information necessary to locate the tops and toes of slopes in the locations indicated below. Tie this data to the proposed center line.

1. House Number 27664 as shown in Field Book 2694 page 171.
2. House located 900 feet southerly of Live Oak Spring Canyon Road.
3. House Number 27424 as shown in Field Book 2694 page 174.
4. House Number 27342 as shown in Field Book 2694 page 174.
5. House Number 27166 as shown in Field Book 2694 page 185.

Wm. H. Fitch

Wm. H. Fitch
Design Section

WHF:JTE-cf 11

cc: WCM (2)
WHF
FILE

OK
WF

To: Stock
A
wm c. mack
8-6-65

3429-F

Notes Ck'd by Linaways	Survey of SAND CYN. RD
Map No:	JN 0075.64 Tape Std °F
Office Work	Surveyed by J.P. MENNE
Checked	Notes McCALL Date 8-10-65
Date	Indexed NOV 1 '65 C. J. GALL

F. B. 2694 PG. 191

SAND CYN. RD.

J.N. 0075.64

LOCATIONS OF TOPS & TOES OF SLOPES AT HOUSE NOS. 27166, 27342, 27424, 27664 & HSE. 900± SLY. OF LIVE OAK SPRING CYN. RD.

AUG. 10 1965

MENNE
McCALL
DUERBECK

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3099 CE #310 6-63

F. B. 2694 PG 192

HOUSE NO. 27166

SEE F.B. 2694 - 185



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by [illegible]	Survey of SAND CANYON ROAD
Map No.	JN 0075-64 Tape Std °F
Office Work	Surveyed by J.P. MENNE
Checked	Notes J.P.M. Date 8-9-65
Date	Indexed

F.B. 2694 PG. 193

HOUSE No. 27342

SEE F.B. 2694 - 174

70+08.3

15'
14'
13'
5'
2'
99.8
99.8
99.0
99.5
99.2 TOE SLOPE
105.5 TOP BANK
75.7
107.1

22' OFFSET LN.

PROPOSED ℄

16'
13'
14'
6'
2'
100.3
100.3
99.7
99.5
73.7
105.0 TOP BANK
105.3
TOE SLOPE

FRAME HOUSE NO. 27342
SEE PG. 174

70+30.3
ASSUMED EL. = 100.00
ELEVS. WITH
HAND LEVEL
F.B. 2694-174

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3099 CE #310 8-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by [illegible]	Survey of SAND CANYON ROAD
Map No.	JN 007514 Tape Std °F
Office Work	Surveyed by J.P. MENUT
Checked	Notes J.P.M Date 8-10-65
Date	Indexed

F.B. 2694 PG. 195

HOUSE - 900'± SOUTHERLY OF LIVE OAK SPRING CAN. RD.

606.22 TO INTER. OF LIVE OAK SPRINGS CAN. RD. — PG. 170

54+99.52
FD. BT. SPK. W. & T.
F.B. 2694 - 172

PROPOSED

18' OFFSET

293.0

30°

100.0

934.38
PG. 173

54.5

98.0

98.8 TOP

163.5

STA 2.111

STA 2.111

108.3 BOTTOM

39.0

24.0

108.5

FRAME HOUSE (No House Number)

54.5

163.5

8.100

5.13

5.9

4.0.14

99.0

100.3 TOP

112.7 TOP

107.8 BOTTOM

108.4

58+47.02

58+47.02
ASSUMED EL. = 100.00
HAND LEVEL USED

64+33.90
FD. BT. SPK. W. & T.
F.B. 2694 - 173

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78F3095 CE #310 6-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

HOUSE NO. 27664

SEE F.B. 2694-171

F.B. 2694 PG 196



Notes Ck'd by [illegible]		Survey of SAND CANYON ROAD	F. B. 2694 PG. 197
Map No. 13-30-30		JN 0075.64 Tape 235 Std. 84 °F	
Office Work G. LUDVICKSON		Surveyed by L.V. SMITH	
Checked J. A. CHURCH		Notes L.V. SMITH Date 4-15-66	
Date [illegible]		Indexed C. J. GALLI NW 3 '68	

SAND CANYON ROAD

J.N. 0075.64

SURVEY TO SET P.I.'S OF PROPOSED SAND CANYON ROAD AND TIES TO SECTION LINES

APRIL 1966

PARTY
L.V. SMITH
R.L. STRADER
M.E. WACKER
E.M. GOSHORN

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3085 CE # 310 8-61

F. B. 2694 Pg. 198

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Knowles
Map No. B 3030
Office Work G. LUDVICKSON
Checked J. A. CHURCH
Date

Survey of SAND CN. ROAD
JN 00715.64 Tape 235 Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 3-16-66
Indexed C. J. GALLI

F. B. 2694 PG. 199

(30') (30')

BOT.
PG. 200

W.S. 62, D-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

SAND CN ROAD

F.B. 2694-29-30

FD. LD. & TACK IN PVMT. PER F.B. 2694 - 29 HELD TO THIS POINT FOR ℄

FD. SQ. HD. & TIN FLUSH IN PVMT. F.B. 2694 - 29

1/4 SEC. COR. FD. CO. SURVEYOR BRASS CAP MON. IN WELL PER F.B. 2694 - 29 HELD TO THIS PT. FOR ℄ MON. MARKED AS SHOWN

COUNTY SURVEYOR

T. 4 N.
R. 15 W.
SEC. 14
SEC. 23
1/4 COR.
R.E. 329

76F3095 CE # 310 3-61

F. B. 2694 Pg. 200

BOT. PG. 201

W.S. 62, D-2

SAND CN. ROAD

30A 45"

P.I. #19
SET BOAT SPK. W. & TIN FLUSH IN NEW PVMT. BY INTERSECTION. 1" I.P. PER F.B. 2694 PG. 30 ESTIMATED TO BE 6 TO 7 FT. BELOW NEW PVMT. SURFACE.

SET N. & TIN IN GUY POLE #N 51292 E

R=1252.5'

53.82'

FD. N. & TIN IN P.P. #11235 97 E F.B. 2694 PG. 30

SET L.A.CO. ENGR. TAG IN LEAD IN CONC. CURB ON TANG. PROD. FROM NORTH.

179.77'

242.45'

157°

03' 13"

1) 157° 03' 15"
4) 268 13 00
6) 222 19 15
157° 03' 13" ✓

SOLEDAD CN. ROAD

FD. SMALL BT. SPK. & TIN IN NEW PVMT. NO REF.

242.47' @ LEV.
T: 70° = 242.45' ✓

(50') (50')

TOP PG. 199

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this site of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Knowles | Survey of SAND CN. ROAD | F. B 2694 PG. 201
Map No. B3030 | JN 00755.64 Tape 235 Std 84 °F | BOT PG. 202
Office Work G. LUDVICKSON | Surveyed by L.V. SMITH
Checked J. A. CHURCH | Notes L.V. SMITH Date 3-16-66
Date | Indexed C. J. GALLE

W.S. 62, D-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

FD. BT. SPK. W. & TIN FLUSH F.B. 2694-31

279.96'

15.14'

6.38'

FD 2" I.P. CONC. PLUG & SQ. SPK. DN. 6" = P.I. 18 PER F.B. 2694-31 HELD TO THIS POINT FOR LINE TO SET P.I. #19 SLY. & FOR PROPOSED P.I. #1 NLY.

61.37'

FD. CUT SPK. W. & TIN FLUSH F.B. 2694-31

SAND CANYON RD.

14.28'

61.37' @ LEV.
T = 72° - 61.37'

14.28' @ LEV.
T = 72° - 14.28'

FD. CUT SPK. W. & TIN FLUSH = E.C. PER F.B. 2694-31

313.37'
F.B. 2694-31
PROPOSED

FD. CUT SPK. W. & TIN FLUSH = B.C. PER F.B. 2694-30. HELD TO THIS POINT FOR LINE FOR SETTING P.I. #19 BY INTERSECTION

304.48' @ LEV. T = 70° - 304.15'

304.45'

(50')

TO P
PG. 200

(50')

76F309S CE # 310 8-61

F. B. 2694 PG. 202



1) 139° 14' 30"
2) 196 57 45
3) 115 27 00
139° 14' 30" ✓

130.33' @ LEV. T=74°: 130.32' ✓

144.16' @ 8°04': 142.73' ✓
144.05' @ 7°43': 142.73 ✓
T=72°: 142.72' ✓

280.09' @ 1°34': 279.99' ✓
280.07' @ 1°25': 279.98' ✓ 279.98' ✓
T=72°: 279.96' ✓

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by [illegible]
Map No. B 30.30
Office Work G. LUDVICKSON
Checked J. A. CHU[illegible]
Date MAR 15 67

Survey of SAND CN. ROAD
JN 00275.64 Tape 235 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 3-18-66
Indexed C. J. GALLI

F. B 2694 PG. 203

BOT. PG. 204

261.27' ✓

1-C SET 1X2 & NAIL FLUSH

297.53' @ 5°01' = 296.39' ✓ = 296.39' ✓
297.45' @ 4°49' = 296.40' ✓
34.10' @ 5°56' = 33.92' ✓ = 33.92' ✓
34.03' @ 4°40' = 33.92' ✓

330.31' ✓

T = 60° = 330.26' ✓

330.26' ✓ PROPOSED

SAND CANYON ROAD

1-B SET 1X2 & NAIL FLUSH

1-A SET 1X2 & NAIL FLUSH

℄

231.94' ✓

232.10' @ 2°07' = 231.94' ✓
232.05' @ 2°48' = 231.94' ✓

T = 82° = 231.74' ✓

216.00' @ LEV. T: 78° = 215.99' ✓

215.99' ✓

(50')

(50')

RIGHT PG. 202

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 2694 PG. 204 LEFT PG. 205

Notes Ck'd by Knowles
Map No. B3030
Office Work G. LUDVICKSON
Checked J. A. CHURCH
Date MAY 15 '67

Survey of SAND CN. ROAD
JN 0075.44 Tape 235 Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 3-19-66
Indexed C. J. GALLI

F. B. 2694 PG. 205

28.04' @ LEV.
T = 76° = 28.04'

1) 138° 25' 00"
4) 193 39 30
6) 110 29 30
138° 24' 55"

R.I. #16 = S-1
FD. 1" I.P. CONC. PLUG & L.A.CO. ENGR. TAG DN. 36" PER F.B. 2694-33

P.I. #17
FD. 3/4" I.P. CONC. PLUG & L.A.CO. ANGR. TAG FLUSH PER F.B. 2694-32

BOT. PG. 206

W.S. 62, D-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

ROAD

SAND CANYON

PROPOSED

92° 11' 10"

54adj
55"
191.92'

R.P.P.I.2
SET 1" I.P. CONC. PLUG & L.A.CO. ENGR. TAG

24'

138'

451.00'

56.19'

P.I. #2
SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG FLUSH

90°

185.00'

28.04'

R.P.P.I.2
SET 1" I.P. CONC. PLUG & L.A.CO. ENGR. TAG

(50')
(50')

161.71'

TOP PG. 204

39.98' @ 16°42' = 38.29'
146.72' @ LEV = 146.72
185.01
T = 78° = 185.00'

T-3
NOTHING FD. SEARCHED FOR 1" I.P. PER F.B. 2694-62

1) 92° 11' 15"
4) 08 44 45
6) 193 07 00
92° 11' 10"

187.20' @ 6°30' = 186.00'
175.08' @ 11°48' = 171.38'
93.99' @ 2°55' = 93.65'
451.03'
T = 74° = 451.00'

57.68' @ 13°02' = 56.19'
T = 76° = 56.19'

76F309S CE # 310 3-61

F. B. 2694 PG. 206

BOT. PG. 207



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K. Lewis	Survey of SAND CANYON ROAD	F. B. 2694 Pg. 207
Map No. B3030	JN 0075.64 Tape 235 Std 84 °F	BOT. PG. 208
Office Work G. LUDVICKSON	Surveyed by L.V. SMITH	
Checked J. A. CHURCH	Notes L.V. SMITH Date 3-21-66	
Date MAY 5 67	Indexed C. J. GALLI	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-81



F. B. 2694 Pg. 208

W.S.62 D-1

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by Knowles	Survey of SAND CANYON ROAD
Map No. 330-30	JN 2075-64 Tape 235 Std 84 °F
Office Work G. LUDVICKSON	Surveyed by L-V-SMITH
Checked J. A. CHURCH	Notes L-V-SMITH Date 3-30-66
Date JAN 13 '67	Indexed C. J. GALLI

F. B. 2694 PG. 209

148.80 @ 29°53' = 129.02' = 129.01'
148.64 @ 29°47' = 129.01'
T = 66° = 128.99'

285.21' @ LEV. T = 76° = 285.20'

BOT. PG. 210

(50')

128.99'

(50')

SAND CANYON ROAD

℄

12.27' OFFSET

PROPOSED

285.20'

3-B SET 1X2 & NAIL FL.

3-A SET 1X2 & NAIL FLUSH

26.79'

RIGHT PG. 208

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

BOT
PG. 211

BOT.
PG. 211

N

1) 136° 35' 45"
4) 186 24 15
6) 99 36 30
136° 36' 05"

36'

00 adj
08"

257.70'

12.27'

1.41'

CANYON ROAD

SEC. 14
T. 4 N.
R. 15 W.

SET 3-C 1x2 6" NAIL FLUSH

SECTION LINE

12.27' OFFSET

PROPOSED
128.99'

SAND

FD. S-3-B
PLUG & L.A. CO. ENGR.
TAG ON SPUR PER
F.B. 2694-7-37

SEC. 13
T. 4 N.
R. 15 W.

(50.)

(50.)

RIGHT
PG. 209

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Knowles
Map No. B3030
Office Work G. LUDVICKSON
Checked C. M. CHURCH
Date MAY 15 '67

Survey of SAND CANYON RD.
JN 00275.04 Tape 235 Std. 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 3-30-67
Indexed C. J. GALLI

F. B. 2694 PG. 211

SEC. 12
T. 4 N
R. 15 W.

291.29' @ 4°57' = 290.20' ✓
291.22' @ 4°46' = 290.21' ✓ 290.20'
T = 60° = 290.15' ✓

299.03' @ 17°32' = 285.14' ✓
195.35' @ 1°30' = 195.28' ✓
480.42' ✓
T = 62° = 480.35' ✓

FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON SPUR PER F.B. 2694-39 P. 11

1) 134° 32' 45"
4) 178 11 00
6) 87 16 15
134° 32' 43" ✓

BOT. PG. 212

(50')

261.41' ✓

(50')

SECTION CORNER FD. STD. CO. SURVEY-ORS BRASS CAP NOW UP 6" PER F.B. 2694-7-11-39

480.35' ✓

INT. SET 2" I.P. & L.A. CO. ENGR. TAG BY INT.

134° 32' 43" ✓

13.50

1.83'

D 91° 08' 30"
4 34 30
6) 186 51 45
91° 08' 37" ✓

91° 08' 37" (Std.)

290.15' ✓

3-F SET 1x2 & NAIL-FLUSH
SEC. 13
T. 4 N.
R. 15 W

3-E SET 1x2 & NAIL FLUSH

COUNTY SURVEY T-4N. 3 11 12 13 14 13 QR SEC. COR. MONUMENT

137.77' ✓

139.03' @ 7°42' = 137.78' ✓
139.20' @ 8°12' = 137.78' ✓
T = 70° = 137.77' ✓

3-D SET 1x2 & NAIL FLUSH

259.25' @ 6°13' = 257.73' ✓
259.34' @ 6°22' = 257.74' ✓ 257.73' ✓
T = 64° = 257.70' ✓

PROPOSED 257.70'

SECTION LINE

SAND CANYON ROAD

TOP PG. 210

RIGHT PG. 210

W.S. 62, D-1

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

F. B. 2694 Pg. 212

241.87 @ 5°42' = 240.67 ✓
241.96 @ 5°26' = 240.67 ✓
T = 68° = 240.64' ✓

SET 3-J 1x2 FLUSH & NAIL

LEFT PG. 213

240.64' ✓

32.89 @ 24°07' = 30.02 ✓
32.41 @ 22°08' = 30.02 ✓
T = 66° = 30.02' ✓

ROAD

CANYON

30.02'

SAND

297.69' ✓

3-I SET 1x2 & NAIL FLUSH

299.75' @ 6°32' = 297.73'
297.74' = 297.73'
T = 66° = 297.69' ✓

PROPOSED

136.03' ✓

3-H SET 1x2 & NAIL FLUSH

136.73 @ 5°44' = 136.05' ✓
136.47 @ 4°29' = 136.06' ✓ = 136.05' ✓
T = 66° = 136.03' ✓

(50.)

3-G SET 1x2 & NAIL FLUSH

261.41' ✓

(50.)

261.77 @ 2°52' = 261.44' ✓
261.73 @ 2°42' = 261.44' ✓
T = 66° = 261.41' ✓

RIGHT PG. 211

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Knowles	Survey of SAND CANYON ROAD	F. B. 2694	Pg. 213
Map No. B3030	JN 00S5.44 Tape 235 Std. 84 °F		
Office Work G. LUDVICKSON	Surveyed by L.V. SMITH		
Checked J. A. CHURCH	Notes L.V. SMITH Date 3-30-66		
Date JAN 15 '67	Indexed C. J. GALL		

BOT. PG. 214

131.96'

3-N SET 1X2 & NAIL FLUSH

204.70'

3-M SET 1X2 & NAIL FLUSH

190.44'

3-L SET 1X2 & NAIL FLUSH ON SPUR

336.49'

258.57' @ LEV. = 258.57'
85.38' @ 23°59' = 77.96'
85.08' @ 23°34' = 77.97'
T=68° = 336.49' 336.53'

3-K SET 1X2 & NAIL FLUSH ON SPUR

240.64'

RIGHT (50') PG. 212

190.99' @ 2°52' = 190.45'
190.99' @ 2°27' = 190.45'
T=72° = 190.44'

210.19' @ 13°06' = 204.72'
210.02' @ 12°55' = 204.73'
T=70° = 204.70'

SAND CANYON ROAD PROPOSED

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

F. B. 2694 PG. 214



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

167.60' @ 9°52' = 165.12' ✓
167.41' @ 9°30' = 165.11' ✓ 165.11'

T: 90° = 165.12' ✓

176.81' @ 11°01' = 173.55' ✓
176.53' @ 10°32' = 173.53' ✓

T = 92° = 173.56' ✓

298.80' @ 1°52' = 298.64' ✓
298.77' @ 1°47' = 298.62' ✓ 298.63' ✓
21.61' @ 34°12' = 17.87' ✓ 17.87' ✓
21.58' @ 34°06' = 17.87' ✓
31650' ✓

T = 94° = 31652' ✓

Notes Ck'd by KA Miles
Map No. B 3230
Office Work G. LUDVICKSON
Checked J. A. CHURCH
Date MAY 15 '67

Survey of SAND CANYON ROAD
JN 0075-64 Tape 235 Std. 84 °F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 4-14-66
Indexed C. J. GALLI

F. B. 2694 Pg. 215

SAND CANYON ROAD

PROPOSED ℄

(G.O.)

(G.O.)

116.20'

165.12' ✓

316.52' ✓

173.55' ✓

273.53' ✓

TOP PG. 214

SET 4-A 1X2 FLUSH & NAIL

SET 4-B NAIL 1X2 FLUSH

SET 4-C NAIL 1X2 FLUSH

SET 4-D 1X2 FLUSH & NAIL

307 PG 216

F. B. 2694 PG 216

BOT. PG 217

272.91' ✓

4-G
SET 1X2 & NAIL FLUSH ON RIDGE

114.42' @ LEV.
T = 88° = 114.42' ✓

114.42' ✓

4-F
SET 1X2 & NAIL FLUSH ON RIDGE

228.68' @ 18°11' = 217.26' = 217.25' ✓
229.04' @ 18°28' = 217.25' ✓
T = 98° = 217.27' ✓

217.27' ✓

4-E
SET 1X2 & NAIL FLUSH

228.54' @ 12°03' = 223.51' ✓
228.68' @ 12°12' = 223.51' ✓
T = 98° = 223.53' ✓

223.53' ✓

(50')

(50')

SAND CANYON ROAD

TOP PG. 215

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

14

76F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Ndtes Ck'd by [illegible]
Map No. 13330
Office Work G. LUDVICKSON
Checked J. A. CHURCH
Date MAY 15 '61

Survey of Sand Canyon Road
JN 00276 Tape 235 Std. 84 °F
Surveyed by A.V. SMITH Date 4-14-76
Notes A.V. SMITH
Indexed G. J. GALLI

F. B. 2694 PG. 217

295.98' @ 21°56' = 274.56' ✓
295.91' @ 21°55' = 274.56
T = 88° = 274.57' ✓

237.76' @ 7°57' = 235.48' ✓
237.83' @ 8°03' = 235.49' ✓ 235.48' ✓
T = 88° = 235.49'

298.64' @ LEV. = 298.64' ✓
34.70' @ 53°54' = 28.80' ✓
34.35' @ 53°01' = 28.80' ✓
327.44'
T = 88° = 327.45' ✓

261.96' @ 5°06' = 260.92' ✓
261.89' @ 5°57' = 260.91' ✓
261.99' @ 4°57' = 260.97' ✓
T = 88° = 272.91' ✓

99.28' @ 1°52' = 99.23' ✓
99.31' @ 2°28' = 99.22' ✓
T = 82° = 99.22' ✓

SAND CANYON ROAD
PROPOSED ℄
SDT. 76 218

274.57' ✓
327.45' ✓
235.49' ✓
99.22' ✓
272.91' ✓

(50')
(50')

SET 4-H I.P. CONC. PLUG L.A.CO. ENGR. TAG ON RIDGE

SET 4-I 1"x2" NAIL FLUSH

SET 4-J 1"x2" NAIL-FLUSH ON SPUR

SET 4-K 1"x2" FLUSH ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 62, D-1



Notes Ck'd by KNOWLES	Survey of SAND CANYON ROAD	F. B. 2694	PG. 219
Map No. B 3030	JN 0075.64 Tape 235 Std 84 °F		
Office Work G. LUDVICKSON	Surveyed by L. V. SMITH		
Checked J. A. CHURCH	Notes L. V. SMITH Date 4-12-66		
Date NOV 15 '67	Indexed C. J. GALLI		



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 2-61

F. B. 2694 PG. 220

BOT RIGHT PG. 221

250.36' @ 5°59' = 249.00' ✓
250.32' @ 5°52' = 249.01' ✓ = 249.00 ✓
T = 60° = 248.96' ✓

5-G
SET 1X2 & NAIL FLUSH

248.96' ✓

(50')

292.30' @ 16°51' = 279.75' ✓
292.38' @ 16°52' = 279.75' ✓
T = 54° = 279.69' ✓

5-F
SET 1" I.P. CONC. PLUG
F.L.A.CO. ENGR. TAG
FLUSH ON SPUR

(50')

279.69' ✓

SAND CANYON ROAD

5-E
SET 1X2 & NAIL FLUSH

PROPOSED ℄

293.56' ✓

197.94' ✓

TOP LEFT PG. 219

296.45' @ 7°56' = 293.61' ✓
296.49' @ 8°00' = 293.61' ✓
T = 56° = 293.56' ✓

213.88' @ 22°14' = 197.98' ✓ 197.98' ✓
213.46' @ 21°57' = 197.99' ✓
T = 58° = 197.94' ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KNOWLES	Survey of SAND CANYON ROAD
Map No. B3030	JN 0075-44 Tape 245 Std. 84 °F
Office Work G. LUDVICKSON	Surveyed by L.V. SMITH
Checked J. A. CHURCH	Notes L.V. SMITH Date 4-19-66
Date MAY 15 '67	Indexed G. L. GALLI

F. B. 2694 PG. 221

71.36' @ 13° 40' = 69.34' ✓
71.19' @ 13° 06' = 69.34' ✓
T = 62' = 69.33' ✓

31.29' @ 14° 42' = 30.27' ✓
31.04' @ 12° 45' = 30.27' ✓
T = 70° = 30.27' ✓

75.28' @ LEV.
T = 56° = 75.27' ✓

R.P. PROP. P.I. #6
SET 1" I.P. CONC.
PLUG & L.A. CO.
ENGR. TAG

71.00' CALC.

75.27' ✓

60.73' ✓

PROPOSED RIGHT PG. 222

SAND CANYON ROAD

24.99' CALC.

69.33' ✓

30.27' ✓

96°

00'

04" ✓

1) 96° 00' 00"
4) 24 00 15
96° 00 04" ✓

SET 1 X 2 & NAIL - LINE PROJ. FOR ANGLE

248.96' ✓

12° 00' 00" ✓

(50')

(50')

TOP LEFT PG. 219 220

PROPOSED P.I. #6
SET 2" I.P. CONC.
PLUG & L.A. CO.
ENGR. TAG FLUSH

1) 12° 00' 00"
4) 48 00 00
6) 72 00 00
12° 00' 00"

60.74' @ LEV.
T = 70° = 60.73' ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

F. B. 2694 PG 222

SEC. 2

W.S. 62, D-1

COUNTY SURVEY
T. 4 N.
R. 15 W.
2 1
11 12
P.O.B.
R.E. 2177

FD. 1"X2" & NAIL ON SECTION LINE PROD. FOR ANGLE PER F.B. 2694-22-48

SEC. 1

SEC. COR.
FD. STD. L.A. CO. SURVEY MON. BRASS CAP IN CONC. PER F.B. 2694 PG. 22-23-48. MON MARKED AS SHOWN MON. UP 6"

S-9-A
FD. 1"X2" & NAIL
F.B. 2694-49

S-9
FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG PER F.B. 2694-22-48

1) 121° 06' 00"
2) 124 24 50
3) 06 37 00
121° 06' 10" ✓

121°

"P" LINE

70.48' ✓

TOP RIGHT PG. 223

23.02'

160'

SAND

36'

20'

06.48' ✓

71.00' CAL.

75 27' ✓

LEFT PG 221

60.73' ✓

1) 160° 36' 15"
2) 282 25 15
3) 77 38 00
160° 36' 20" ✓

G-7
SET 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG BY INT.

198.87' ✓

PROPOSED

CANYON ROAD

(50')

D-6
FD. 2"X2" & NAIL
F.B. 2694-121

SEC. 11
T. 4 N.
R. 15 W.

SECTION LINE

SEC. 12

202.67' @ 11°04' = 198.90' ✓
T = 64° = 198.87' ✓

23.02' @ LEV.
T = 62° = 23.02' ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by EDWARDS
Map No. B3030
Office Work G. LUDVICKSON
Checked J. A. CHURCH
Date MAY 15 '67

Survey of SAND CANYON RD
JN 00754 Tape 235 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 4-19-66
Indexed G. J. GALLI

F. B. 2694 PG. 223

LEFT PG. 222

70.49' @ LEV. T=60° = 70.48'

70.48'

120.37' @ 18°15' = 115.05'
120.37' @ 18°00' = 115.05'
T=60° = 115.03'

SAND CANYON ROAD

115.03'

6-B. SET 1X2 & NAIL FLUSH TOP OF SPUR

6-C SET 1X2 & NAIL FLUSH

299.80' @ 9°38' = 295.57'
299.91' @ 9°44' = 295.59' = 295.58'
T=60° = 295.53'

295.53' PROPOSED

(60')

(60')

TOP RIGHT PG. 224

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 2694 Pg. 224

RIGHT PG. 225

1) 33° 07' 15"
2) 732 29 30
3) 198 44 30
33° 07' 25"

BOT. LEFT PG. 223

SEC. 2
T. 4 N.
R. 15 W.

53.61 @ N. 09° = 52.60'
53.53 @ 10° 41' = 52.60
T: 64° = 52.59'

70.00' OFFSET LINE

295.53'

CANYON ROAD

6-D
SET 1X2 & NAIL FLUSH

33° 07' 25"

17.31' @ LEV.
T: 66° = 17.31'

6-E
SET 1X2 & NAIL BY INTERSET-ION.

80.89'

PROPOSED ℄

SAND

SECTION LINE

20.00 OFFSET LINE

81.64' @ 7° 44' = 80.90'
81.75' @ 8° 16' = 80.90'
T: 66° = 80.89'

SEC. 11

17.31'

52.59'

E-4
FD. 1X2 & NAIL
F.B. 2694-22-24

(50')

FD. 1X2 ℄ NAIL F.B. 2694-22

90 00'
PG. 22

(50')

TOP RIGHT PG. 226

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by KNOWLES
Map No. B 3030
Office Work G. LUDVICKSON
Checked J. A. CHURCH
Date MAY 13 '67

Survey of SAND CANYON ROAD
JN 0075-64 Tape 235 Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 4-20-66
Indexed G. J. GALLO

F. B. 2694 PG. 225

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 67, D-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3085 CE # 310 3-61

FD. 1X2 & NAIL F.B. 2694-22-222

SEC. 2

SEC. 1

25.00' R

92° 01'

F.B. 2694-22

FD. 1X2 & NAIL F.B. 2694-22

70.00 OFFSET LINE F.B. 2694-22

SEC. COR. FD. STD. L.A. CO. SURVEY MON. BR. CAP IN CONC. PER F.B. 2694 PG. 22-23-48-222 MON. MARKED AS SHOWN

COUNTY SURVEYOR T. 4 N. R. 15 W. 2 1 11 12 R.E. 2177

70.01' F.B. 2694-22

TOP PG. 224

SECTION LINE

F.B. 2694 PG. 22-23

20.00' F.B. 2694-22

20.00' OFFSET LINE

FD. 1X2 & NAIL F.B. 2694-22-23

SEC. 11 T. 4 N. R. 15 W.

SECTION LINE F.B. 2694-22-48-222

SEC 12

F. B. 2694 Pg. 226



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by K.D.W.L.S.
Map No. B 3030
Office Work G. LUDVICKSON
Checked J. A. CHURCH
Date

Survey of SAND CANYON ROAD
JN 0075-64 Tape 235 Std 84 °F
Surveyed by L-V-SMITH
Notes L-V-SMITH Date 4-21-66
Indexed C. J. GALLI

F. B. 2694 Pg. 227

BOT LEFT PG 226

R.P.P.I. SET 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG

157.46' @ 4°36' = 156.95' ✓
157.40' @ 4°20' = 156.95' ✓
T = 70° = 156.94' ✓

105.11' @ 10°07' = 103.48' ✓
105.25' @ 10°30' = 103.49' ✓ = 103.48' ✓
T = 68° = 103.47' ✓

103.47' ✓

(50')

(50')

01 ad 00" ✓

156.94' ✓

34'

167°

ROAD

1) 167° 33' 45"
4) 310 16 00
6) 285 24 00
167° 34' 00" ✓

76.00' CALC.

30° 41' 48" ✓

S-9-C FD. 1x2 & NAIL PER F.B. 2694-PG. 51

PROPOSED P.I. 7 SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ON SAUR

PROPOSED ℄

47° 21' 05" ✓

48.88' ✓

"P" LINE

1) 30° 42' 00"
4) 122 47' 15
6) 184 10 45
30° 41' 48" ✓

S-10 FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG PER F.B. 2694-52

118.02' CALC.

476.59' ✓

SAND CANYON

RIGHT PG. 228

1) 47° 21' 15"
4) 189° 24' 30"
6) 284 06 30"
47° 21' 05" ✓

148.91' @ LEV. T = 58° = 148.88' ✓

59.63'

29.58' @ 15°51' = 28.46' ✓
29.45' @ 14°52' = 28.46' ✓ = 28.46'
231.98' @ 12°25' = 226.55' ✓ = 226.55' ✓
231.93' @ 12°22' = 226.55' ✓ = 221.62' ✓
221.62' @ LEV. 476.63' ✓

T = 72° = 476.59' ✓

R.P.P.I. SET 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG

60.48' @ 9°32' = 59.64'
T = 70° = 59.63'

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.62, D-1



F.B. 2694 PG. 228

Notes Ck'd by ICHENLES
Map No. B3030
Office Work G. LUDVICKSON
Checked I. A. CHURCH
Date MAY 1 [illegible]

Survey of SAND CANYON ROAD
JN0075-64 Tape 235 Std. 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 1-21-66
Indexed G. J. GALLI

F. B. 2694 Pg. 229

BOT. PG. 228

RIGHT PG. 228

256.03' @ LEV.
T = 90° = 256.04'
1) 90° 00' 00"
4) 360 00 00
6) 180 00 00
90° 00' 00"

256.04'

90°

197.08'

FD. LD & TK. TANG TIES F.B. 2694-54

(40')

21.44'

45.57

SET CONC. NAIL BY TIES

(40')

46.08'

21.84'

VASQUEZ ROAD CYN.

FD. LD & TK. TANG TIES F.B. 2694-54

INT. VASQUEZ CN. ROAD & SIERRA HWY. FD SPK & TIN DN. 1" PER F.B. 2694-53

HWY.

197.09' @ LEV
T = 14° = 197.08'

(50')

SIERRA

(50')

FD. SQ. SPK DN. 2" PER F.B. 2694-53

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 62, D-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 2694 Pg. 230

Notes Ck'd by J. A. CHURCH	Survey of SAND CANYON RD.
Map No. B-3030	JN 0075.64 Tape 143 Std. 84 °F
Office Work G. LUDVICKSON	Surveyed by L.V. SMITH
Checked	Notes L.V.S. Date 7-22-66
Date MAY 16 '67	Indexed C. J. GALLI AUG 18 '66

F. B. 2894 Pg. 231

SAND CANYON ROAD
J.N. 0075.64

SURVEY TO ESTABLISH NEW P.I. 2-A – P.I. 2-B P.I. 3-A & P.I. 4-A ON PROPOSED ℄ OF SAND CANYON RD. SLY. FROM LOST CN. ROAD

JULY 1966

PARTY
L.V. SMITH
A. GOBLE
N. SMITH
E.M. GOSHORN

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 8-61

F. B. 2694 PG. 232

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. A. CHURCH	Survey of SAND CANYON ROAD	F. B. 2694 PG. 233
Map No. B 3030	JN 0025-64 Tape 143 Std 84 °F	
Office Work G. LUDVICKSON	Surveyed by L-V. SMITH	
Checked J. A. CHURCH	Notes L-V. SMITH Date 7-21-66	
Date MAY 15 '67	Indexed G. J. GALLI AUG 1 8 '68	

15+03.96
FD. 1" I.P. CONC. PLUG & L.A.CO. ENGR. TAG ON 12" PEIR TIES
F.B. 2694-163

19.11'

1136'

P.I. #1

FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ON 12" PEIR F.B. 2694-163

425.30'
F.B. 2694-163

PROPOSED ℄

425.42' ℄ L.F.V.
T = 52° = 425.33'
11-23-66
L.V.S

19+29.26'
F.B. 2694-164
SQ. SPK. & TIN

BFT.

OFFSET

318.30'
L.V.S.

TOP PG. 234

165.53' @ 3°01' = 165.30
165.47' @ 2°37' = 165.30
153.58' @ 4°91' = 153.07'
153.52' @ 4°27' = 153.06'

165.30
153.06
318.36

T = 54° = 318.30'
11-23-66
L.V.S.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F309S CE # 810 3-61

F. B. 2694 PG. 234

BOT. PG. 233

318.30'

8 FT. PROPOSED ℄

22+47.5℄

FD. 1x2 & NAIL FB. 269 A L 166

528.71' @ LEV.

T=98°: 528.76'

SET 1x2 & NAIL FOR ✕

8.00' OFFSET

528.90' @ LEV.

T=50°: 528.78'

1) 173° 17' 15"
4) 333 09 30
6) 319 44 45
173° 17' 27"

1) 173° 16' 30"
4) 333 06 45
6) 319 40 30
173° 16' 45"

528.78'

528.76' LINE

173° 11'-28"-66

16.

17.

FD. "X" IN R/R RAIL GUARD RAIL POST

SET SQ. SPK & TIN IN BLACKTOP DRAIN

T.V.S.

18.89'

1.00'

57.39

SET CO. ENGR. TAG IN LEAD ON CONC. HEADWALL

12.41

SET CO. ENG. TAG IN LEAD IN CONC. CAP OF RETAINING WALL

SET "X" ON 3" I.P. FENCE COR. POST

P.I. # 2-A

5.35'

SET 2" I.P. CONC. PLUG E.L.A. CO. ENGR. TAG ON 6" ON SLOPE BANK 125.00' FROM P.I. #1 ON LINE TO P.I. #2

741.20 @ LEV.

T=52°: 741.05'

NEW PROPOSED ℄

619.28'

8 FT. OFFSET

619.22' @ LEV.

T=98°: 619.28' ✓

NOTE

CHECKED LINE BETWEEN P.I. #1 & P.I. #2 ON 8FT OFFSET LINE FD. "HOOK" IN LINE - RESET P.I. 2-A RETURNED ANGLE & PULLED TIES TO NEW POINT. CHECKED CHAINING FROM P.I. TO P.I. 2-A) FROM P.I. 2-A TO P.I. 2) FROM P.I. 2-A TO P.I. 2-B) AND FROM P.I. 2-B TO P.I. #2

11-28-06 L.V.S.

TOP LEFT PG 235

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this title of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. A. CHURCH	Survey of SAND CANYON RD.	F. B. 2694	PG. 235
Map. No. B3030	JN 0875-64 Tape 1/43 Std 84 °F		
Office Work G. LUDVICKSON	Surveyed by L-V. SMITH		
Checked J. A. CHURCH	Notes L-V. SMITH Date 7-21-66		
Date 11 3 67	Indexed C. J. GALLI		

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

619.35' @ LEV.
T = 62° = 619.24'
11-23-66
L.V.S.

BOT. PG. 234

318.55' @ LEV.
T = 60° = 318.50'

NEW 619.28'
800 619.24'
11-23-66 L.V.S.
OLD ℄ 2

1.00' OFFSET LINE

741.05' PROPOSED ℄ 3

OFFSET LINE

SET 1X2 & NAIL DN. 6" ON NEW PROPOSED ℄ FROM 1 FT. OFFSET LINE FOR ℄ AT P.I 2-A

SET NAIL & TIN UP 3 FT. IN 10" GATE POST

33+95.60
SET 1X2 & NAIL PER TIES R.B. 2694-168

31.05'

23.66'

SET N. & TIN IN P.R.M. 201-118 UP 2.5'

SET NAIL ON 1 FT. OFFSET

15.83'

695.21'

318.50'

695.32' @ LEV.
T = 60° = 695.21
11-23-66
L.V.S.

SET N. & TIN UP 3 FT. IN 8" X 8" GATE POST

TOP PG 236

TOP LEFT PG. 237

76F3095 CE # 310 2-61

F. B. 2694 PG. 236

BOT. PG. 235

W.S. 62, D-2

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

NEW PROPOSED 4-2

100.00' OFFSET

318.50'

26.88' @ LEV
T = 84° = 26.88'

32.32' @ LEV.
I = 84° = ~~26.88~~ 32.32
11-23-66 L.V.S.

P.I. 2-B
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG DN. 15'. POINT SET FROM 18.00' OFFSET LINE 290.00' NLY. FROM P.I. 2 ON LINE PROD. FROM SOUTH.

SET 1x2 & NAIL

SET 1x2 & NAIL 309.36' FROM FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG AT INT. OF 8 FT. & 18.00' OFFSET LINES PER F.B 2694-169

1.00'

39.23'

18.00'

84.35'

32.32'

26.88'

34.34'

SET N. & TIN IN 15" OAK

SET N. & TIN UP 30" P.P. #201-115

93.91'

147°

1) 147° 58' 45"
4) 231 55 30
6) 167 52 45
147° 58' 47" ✓

290.04' @ LEV.
T = 56° = 289.99'
11-23-66 L.V.S.

99.05'

290.00' CAL.

289.99 MEA

80.41'

309.36' OFFSET

INT.
SET 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG DN. 12" ON INTERSECTION OF 1.00' & 18.00' OFFSET LINES

SET NAIL & TIN UP 24" P.P. 1090799 E.

309.36' @ LEV.
T = 84° = 309.36' ✓

18 FT.

TOP RG. 237

Notes Ck'd by J. A. CHURCH
Map No. B 3036
Office Work G. LUDVICKSON
Checked
Date MAY 15 '67

Survey of SAND CANYON RD.
JN 0075-64 Tape 0244 Std 68° F
Surveyed by L-V-SMITH
Notes L-V-SMITH Date 7-21-66
Indexed C. J. GALLI

F. B. 2694 PG. 237

BOT. PG. 236

BOT. PG. 235

8.00 OFFSET ℄

695.21'

OLD ℄

290.00' CALC. ℄ NEW PROPOSED 289.99 MEA. 11-23-66 L.V.S.

18.00' OFFSET PROP ℄ 309.36'

40+90.76' FD. 1"x2" ℄ NAIL F.L. F.B. 2694 PG. 169

P.I. # 2 FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG DN. 12" PER TIES F.B. 2694-169

8.00'

19.36' CALC. & MEA.

41+15.97 FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG DN. 13" PER TIES F.B. 2694-169 AT INT. OF 8.00' & 18.00' OFFSET LINES.

N

W.S. 62, D-7

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this title of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

TO TOP PG. 238

76F3085 CE # 310 3-61

F. B. 2694 PG. 238

BOT. PG. 237

W.S.62, D-2

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



129.98 @ 2EV
T: 86' = 130.00
(100' TAPE USED)

PROPOSED ℄

64 + 33.90
FD. B.T. SPK.
W. & TIN
PER F.B.
2694 - 173

16.63'

P.I. #3
FD. 1" I.P. CONC.
PLUG & CO. ENGR.
TAG BN. 12" PER
F.B. 2694 - 173

18.00'

FD. B.T. SPK.
W. & TIN
No. REC
PB 2694 - 173
CALLS. FOR
N.A.G.

18 FT. OFFSET PROD. ℄

130.00'

TO TOP PG. 239

Notes Ck'd by	Survey of Sand Canyon Rd
Map No. D3030	JN 007564 Tape 122 Std 64 °F
Office Work G. LUDVICKSON	Surveyed by W J Yoge
Checked	Notes Yoge Date 8-10-66
Date MAY 15 '67	Indexed C. J. GALLI

F. B. 2699 PG. 239

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

T= 94°

40.74 @ LEV = 40.74'

79.22 @ LEV = 79.23'

23.82 @ LEV = 23.82'

33.11 @ LEV = 33.11'

15.50 @ LEV = 15.50'

18.00 @ LEV = 18.00'

T= 88

92.72 @ LEV = 92.72'

17.04 @ LEV = 17.04'

51.54 @ LEV = 51.54'



7GF309S CE #310 1-65

F. B 2694 PG 240

To Bo'k Pg. 239

T=80°
35.50 @ LEV = 35.50'
15.50 @ LEV = 15.50'
97.00 @ LEV = 97.00'
33.85 @ LEV = 33.85'
8.63 @ LEV = 8.63'
40.52 @ LEV = 40.52'

Main Proposed ℄

15.50 offset line

8l+96.43
Fd. 1X2 ℄ Nail
per FB 2694-180.

Set 1X2 ℄ Nail

Set NET in 36" Oak tree.
① 155°29'45"
② 261°59'00"
③ 212°58'45"
155°29'47"

PI #4
Rd. LET with C.E. tag in Boulder on 12" per FB 2694-176

35.50°

97.00

35.50 offset line

33.85

8.63

11.44

Set NET in P.P. 610669E

155°29'47"

82+30.28
Fd. 1" I.P. conc. plug & TK with C.E. tag (Flush) Per FB 2694-180

40.52

Set NET in 18" Oak tree.

4.75

Set 1" I.P. conc. plug & TK with C.E. tag on 12" by intersection.

T=78°

49.32 @ LEV = 49.32'
52.13 @ LEV = 52.13'
13.70 @ LEV = 13.70'
11.44 @ LEV = 11.44'
4.75 @ LEV = 4.75'
51.59 @ LEV = 51.59'

49.32

35.50

51.59

52.13

15.50

Set 1X2 ℄ Nail @ 180.00 from P.I. 4 on the 135.50 ℄ Set line.

P.I. #4A
Set 1" I.P. conc. plug & TK with C.E. tag @ 180.00' from P.I. 4 on line between PI 4 & PI 5.

13.70

Set 1X2 ℄ Nail

Set NET in 24" Oak tree

NOTE
SEE PG 249
FOR CHANGE
OF P.I. LOC-
ATION
8-30-68 L.V.S.

86+91.48
Fd. 1X2 ℄ Nail (Flush) per FB 2694-185.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. A. CHURCH	Survey of SAND CYN. ROAD	F. B. 2694 PG. 241
Map No. B 3030 G. LUDVICKSON	JN 0075-64 Tape 169 Std 84 °F	
Office Work	Surveyed by L. V. SMITH	
Checked J. A. CHURCH	Notes L. V. SMITH Date 11-28-66	
Date MAY 15 '67	Indexed C. J. GALLI DEC 6 '68	

SAND CANYON ROAD
J.N. 0075.64

SURVEY TO SHOW POSITION OF PROPOSED CENTER LINE OF SAND CYN. ROAD IN RELATION TO EXISTING BRIDGES OVER SANTA CLARA RIVER AND ANTELOPE VALLEY FREEWAY

NOV. 29, 1966

PARTY
L.V. SMITH
R.C. DALE
M.R NEVAREZ
S.J. WILL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 2694 PG. 242

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. A. CHURCH	Survey of SAND CYN. ROAD
Map No. B3030	JN 0025.64 Tape 1.69 Std. 84 °F
Office Work G. LUDVICKSON	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 11-28-66
Date MAY 13 '67	Indexed E. J. GALLI

F. B. 2694 PG. 243

W.O. 63 D-2

13+94.15 N.
P.I. #19
FD. LG. BT. SPK W.
ETLN IN PVMT.
PER F.B.

ROAD

6+44.86'
16.19'
11.75'
6+13.95
28.18'
8.11'
CONC. BRIDGE OVER ANTELOPE VALLEY FREEWAY
CONC. GUARD RAIL
1.32'
CONC. WALK
CONC. GUARD RAIL
1.33'
10.15'
16.00'
4+06.90
5.65'
14.80'
CYN.
13+94.15
FB 2694-
PG. 161
27.94'
4+78.54
0+00 TO NORTH
0+00 TO SOUTH
SAND
℄
1/4 SEC. CORNER
FD. STO. CO. SURVEYOR
BRASS CAP MON. IN
WELL DN. 15' PER
F.B. 2696 - 141. MON-
MARKED AS SHOWN
PROPOSED
1420.07'
F.B. 2694-161
COUNTY SURVEYOR
T. 4 N.
R. 15 W.
SEC. 14
SEC. 23
1/4 COR.
R.E. 32.9
TOP
PG. 244

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by H.J. AMBERS	Survey of SAND CYN. RD.
Map No. B 3030	JN 0075-64 Tape 157 Std 84°F
Office Work M. HAMASU	Surveyed by L. V. SMITH
Checked H.J. AMBERS	Notes L. V. SMITH Date 7-68
Date NOV 14 68	Indexed D. J. GALLI SEP 23 68

F.B. 2694 Pg. 245

SAND CANYON ROAD

J.N. 0075.64

SURVEY TO ESTABLISH NEW P.I. 3-B - 4-B & 5-A ON PROPOSED ℄ OF SAND CANYON ROAD

SEPT. 1968

PARTY
L. V. SMITH
T. C. PETERSON
B. R. JACKSON
J. F. MONDEZ
R. G. BLANCHARD

Note: Any Additions or Changes on this Sheet Must be Made or Checked In Red Ink With Date and Name of Person Making Change

Do not extend this line of this title.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

787088 CK #310 8-68

F.B. 2694 Pg. 246

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this sign or this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by M.J. AMBERS
Map No. B 3030
Office Work M. HAMASU
Checked M.J. AMBERS
Date NOV 14 69

Survey of SAND CYN. RD.
IN0075-64 Tape 157 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date SEPT 69
Indexed C. GALLI

F.B. 2694 Pg. 247

Notice: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this title.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7SP3018 CE #310 8-68

W.O. S.6 2, D-2



TOP PG 248

F.B. 2694 Pg. 248

BOT Pg. 247

30 FT. OFFSET LINE PROD SET 1" I.P. CONC. PLUG & CO. ENGR. TAG ON 2" ON LINE PROD

FD. 1/2" SPK. W. & TIN IN PVMT. PG 2694-238

84.44' @ LEV T=90°=84.45'

WS 6 2, D = 2°

D 141° 00' 20"
A 184 01 20
G 246 03 33
161° 00' 33"

P.I. #3 FD. 1" I.P. CONC. PLUG & CO. ENGR. TAG ON 1/2" F.B. 2694-238

81.21 @ LEV. T=90°=81.22'

39.88' @ LEV T=90°=39.88'

P.I. 3-B SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG ON 1/2" ON PROPOSED ℄ & 30.00' NLY OF P.I. 3-A

31.85' @ LEV. T=90°=31.85'

18.00' @ LEV. T=90°=18.00'

P.I. #3-A FD. 1" I.P. CONC. PLUG & L.A.CO. ENGR. TAG ON 1/2" PER F.B. 2694 PG. 239

124.34' @ LEV T=86°=124.34'

INTERSECTION SET 2" I.P. CONC. PLUG L.A.CO. ENGR. TAG ON 0.2' IN PVMT. ON INTERSECTION OF OFFSET LINES

NOTE SEE PG. 253 FOR TIES TO P.I. 3-B & INT. OF OFFSET LINES

SET SQ. SPK. & TIN ON 30' FT. OFFSET LT. 90° TO P.I. 3-B

SET 1X2 & NAIL FLUSH

INTERSECTION OF OFFSET LINES FD 1" I.P. CONC. PLUG & CO. ENGR. TAG ON 1/2" PER F.B. 2694-PG. 239

TOP PG. 249

PROPOSED ℄ OFFSET LINE

PROPOSED OFFSET LINE

L.S. SD. F.B. 2694-239

0.03 B1. 22' 17.97' 124.37 39.88 18.00' 31.85' 30.00' 5.66' 6.30' 30.00' 0.00 16.00' 0.00 81

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

DO not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by H.J. AMBERS
Map No. B 3030
Office Work M. HAMASU
Checked H.J. AMBERS
Date MAY 14 '69

Survey of SAND CYN. ROAD
IN 00 ZI-69 Type LS-7 Std. 34'-1"
Surveyed by L.V. SMITH
Notes L.V. SMITH Date FEB 2-68
Indexed H.J. AMBERS

F.B. 2694 Pg. 249

SEC 26
T. 4 N.
R 15 W

W.S. 62, D-3

BOT.
PG. 248

28.66' @ LEV
T: 78°: 28.66'

49.04' @ LEV.
T: 78°: 49.04'

INTERSECTION EXISTING & FD. AT SPK. FLUSH PER F.B. 2694-179

NOTE
SEE PG. 254 FOR TIES TO P.I. 4-B INT. OF OFFSET LINES

FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG PER F.B. 2694-180

16.02' @ LEV.
T: 80°: 16.02'

PROPOSED

30.00' OFFSET

SET 1X2 ENAIL

1/4 SEC

LINE 28.66'

30.00'

49.04'

SET 1X2 & NAIL

24.34'

16.02'

SET 1X2 ENAIL

50

30.00'

SET 1X2 ENAIL

FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH PER F.B. 2694-180

156°

08'

SAND CANYON ROAD

P.I. 4-B
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ON 8"

D	156°	08' 30"
4	267	51 50
6	210	50 10
	156°	08 27"

INTERSECTION OF OFFSET LINES SET 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ON 6" CRIMP (LEANING ELY.)

48.17' @ LEV.
T: 78°: 48.17'

37.43' @ LEV.
T: 78°: 37.43'

24.34' @ LEV.
T: 80°: 24.34'

30.00' @ LEV.
T: 80°: 30.00'

TOP
PG. 250

PROPOSED

OFFSET

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7673DGS (CK #310 8-68)

F.B. 2694 Pg. 250

BOT.
PG. 249



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this title.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by H.J. AMBERG
Map No. B 3030
Office Work M. HAMASU
Checked H.J. AMBERG
Date MY 14 '69

Survey of SAND CYN. ROAD
IN 20 CC 4 Tape 157 Std 84°F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 9-68
Indexed

F.B. 2694 Pg. 251

NOTE
ANGLES TURNED AT INTERSECTION OF ℄ PROD & 11.50 OFFSET LINE TURNED TO SIGHTS OF LESS THAN 200' L.V.S.

BOT PG 250

11.50 OFFSET LINE

PROPOSED ℄ SAND CANYON ROAD

INTERSECTION
96 + 27 ±
FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG PER F.B. 2694 - 187

96 + 80 ±
P.I. #5
FD. 1" I.P. CONC. PLUG L.A. CO. ENGR. TAG ON 3" PER F.B. 2694 - 187

INTERSECTION OF ℄ & 11.50' OFFSET LINE SET 1x2 & NAIL

CLOSING PT. TO ℄ PG. 250

1) 73° 58' 40"
4) 295 55 00
6) 83 57 00
73° 58' 50"

56.87 @ LEV.
T = 72° = 56.87'
SET SM. BT. SPK. & TIN IN 18" S PRONG OAK

S 5° E 81'

P.I. 5-A
SET 2" I.P. CONC. PLUG L.A.CO. ENGR. TAG ON 6" ON PROPOSED ℄ & 133.76 SLY. OF P.I. #5.

SET 4" SPK. & TIN IN 6"x6" FENCE POST

SET 1x2 & NAIL ON LINE PROD FOR ℄

56.87' @ LEV.
T = 71°: 56.87'

1) 39° 21' 00"
4) 157 34 15
6) 236 06 10
39° 21' 07"

77.00 @ 2°57' = 76.90'
76.95 @ 2°05' = 76.90'
T = 72°: 76.89'

196.63' PROPOSED ℄

TOP PG. 252

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Notes: Any Additions or Changes on this Sheet Must Be Made in Circled In Red Ink With Date and Name of Person Making Change

Do not extend this side of the line.

7689-08 CK #210 8-68

F.B. 2674 Pg. 252

197.27 @ 4°37' = 196.63
197.36 @ 4°51 = 196.63 = 196.64
T = 78' = 196.63

CONT.
BOT. PG 251

1966

1.00 + 11.06
EQ. 1x2 & NAIL
REPLACED 1x2
WITH 2" I.P. CONC.
PLUG & L.A. CO.
ENGR. TAG FLUSH

SAND CANYON ROAD
PROPOSED ℄

102 + 26.88
EQ. 1x2 & NAIL
REPLACED 1x2
WITH 2" I.P. CONC.
PLUG & L.A. CO. ENGR.
TAG FLUSH

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by H. J. AMBERS
Map No. B 3030
M. HAMASU
Office Work
Checked H. J. AMBERS
Date NOV 14 '69

Survey of SAND CYN. RD
JN 0075 64 Tape 157 Std 84°F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 7-68
Indexed

F.B. 7674 Pg. 253

TIES TO P.I. 3-13 & INTERSECTION OF OFFSETS

SET NAIL & TIN UP 2 FT. IN GUY POLE # 107-90

ALL TIES LEVEL & STANDARD TEMPURATURE

INTESECT. OF OFFSET LINES FD. 2" I.P. CONC. PLUG & L.A. CO. ENGR. TIAC ON. 0.2' PER PG. 248

SET NAIL & TIN IN I.P. #107-91

SET NAIL & TIN IN I.P. #107-89

P.I. 3-13 FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TIAC ON. 1.2' PER PG. 248

SET N. & TIN UP 1.8' 36" OAK

FD. NAIL IN GUY POLE NO NUMBER PG. 239

FD. NAIL & TIN IN 24" OAK PG. 239

FD. NAIL & TIN 30" OAK PG. 239

SET NAIL & TIN IN I.P. #45 40.90 E

SAND CYN. ROAD

18.00' OFFSET

81.22'

60.23'

14.39'

36.66'

36.98'

36.42'

60.67'

28.99'

PROPOSED

30.00' OFFSET

WS 62, D-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
ATTN: MAP SECTION
900 SOUTH FREMONT AVENUE
ALHAMBRA, CALIFORNIA 91803

Note: Any Additions or Changes to this Sheet Must be Made or Placed on Record with Date and Name of Person Making Changes

DO NOT ERASE THIS SIDE OF THIS LINE.

Form No. 210 5-68

F.B. 2694 Pg. 254

TIES TO P.I. & INTERSECTION OF OFFSET LINES PG. 249

ALL TIES ARE STANDARD

SET SPK IN UP

30.00 OFFSET

63.36

SET SM. RR SPK. & TIN IN 24" OAK UP 24"

P.I. & I.B. FD. 2" I.R. CONC. PLUG & L.A.C.S. ENGR. TAG ON 8" PER PG. 249

CL. 56'

89°42'

56°02'

INTERSECTION OF OFFSET LINES FD. 3/4" I.R. CONC. PLUG & L.A.C.S. ENGR. TAG ON 6" PER PG. 249

40.89'

SET SPK. IN UP

SAND

CANYON

ROAD

1150 O.C.