Notes Ck'd by	Survey of
Map No.	JN Tape Std °F
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed

F.B. 2913 Pg.

Page	Job	Description
		NEWHALL EAST BY-PASS RD. 0095.34
5	Index	
7-46	Ties	P-line, prop. lines & C.L. ties.
47-84	B.M.	Bench levels.
85-98	Ties	To Placerita Cyn. Rd., N'ly bdry. of Tr. 1078, San Fernando Rd., & the S.P.R.R.
99-102	Ties	To Zone 7.
103-105	B.M.	Bench levels on San Fernando Rd & S.P.R.R.
107-126	Prof.	Profile check on Sur. Div. Map 108-8:1 & 2
		EMBERBROOK DRIVE 0095.54
127-128	Index	
129-138	C.L.	Survey of Emberbrook from San Fernando Rd. S. of Newhall, N'ly to intersect. with Placerita Cyn. Rd. (prop.
		NEWHALL AREA J.N. 0074.00
145-146	Index	
147-201	Photo Control	Photogrammetry control in the S.W. Area of Newhall - south of Market Street.

Microfilmed March '85.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76P3095 CE #310 R-54

Notes Ckd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of NEWHALL EAST BY-PASS Rd.
J.N. 0095.34 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes Ckd. by _____ Date 10-2-1963
Indexed E. J. GALLI 11-20-63

F. B. 2913 Pg. 5

INDEX -
NEWHALL EAST BY-PASS RD.
J.N. 0095.34

SAUGUS

SAN FRANCISQUITO CREEK

TRACT 1274

PLACERITA BLVD.

TOWN OF NEWHALL

SAN FERNANDO RD.

TRACT 1274

LINES RUN
BENCH MARKS
CIRCLED NUMBERS INDICATE PAGE NUMBER

Note: Any Additions or Changes on This Sheet Must Be Made by Circle in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
7900 LOS ANGELES COUNTY ENGINEERING BLDG.

78P8008 BAE 8247 11-58

Notes Ck'd by M. E. AUSTIN
Map. No.
Office Work
Checked
Date

Survey of NEWHALL EAST BY-PASS Rd. F.B. 2913 Pg. 17
J.N. 0095.34 Tape 775 Sta. 84 +
Surveyed by C. L. WRIGHT
Notes C. L. W. Date APR. '62
Indexed C. J. CALL MAR 20 '63

NEWHALL EAST BY-PASS Rd.
PRELIMINARY LINE

J.N. 0095.34

REFERENCES:

TRACT 2725 1928.	STATE OF CALIF. DIV. OF HIGHWAYS L.A. Co. RTE 9 SEC. E.	E.B. 2929 " 1453 " 2383	C.S.F. 2238

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this map

PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
408 Los Angeles County Engineering Bldg.

C. L. WRIGHT
C. W. ADAMS
R. E. PEAVY
W. F. BARRETT

C. L. WRIGHT
J. C. BANTON
B. L. PEAVY
W. F. BARRETT
R. M. TOWLE

7-61 3095 CE & PD 8-61

F.B. 2913 PG. 8

CONT. ON BOT. PG 9

W.S. 62, B-4

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

18+87.13 N
SET S.W.T. IN 1" IN PVMT. SHOULDER
30'
T 54°
LEV 66.32 99.57 300.59
300.70 @ 1-33 = 300.59
466.48'
TRACT
R/S
LOT 1
14+20.65 N
SET S.W.T. DN 1" IN PVMT. SHOULDER
4.64
16.0
FD OLD 2" I.P. WOOD PLUG & NAIL DN. 2" S.W. COR LOT 1 TR. 2703
SAN FERNANDO
RW
237.41'
5°14'
T 84°
237.47 @ 1-15 = 237.41
LOT 7
2703
4 STRAND BARB WIRE FN. PARTIALLY DOWN
FD. OLD 2" I.P. WITH 1" PIPE IN CTR. DIRT PLUG - SET #6d NAIL IN CTR. DN 12"
44.32
T-75°
COR. LOTS 7, 8 TR. 2703
11+83.24 N
SET S.W.T. DN. 1" IN PVMT.
6.59
15'
LOT 2
LEV 64.95
300.43 @ 1-12 = 300.36
365.31
.01
365.30
LOT 8
4' W.W. FN.
30'
30
ROAD
365.30'
OFFSET
OLD 5' W.W. FN.
8+17.94 N
SET S.W.T. DN 1" IN PAVED SHOULDER
LATH & WIRE FN.
413
428
T 68°
299.69 @ 1-51 = 299.53
300.42 @ 1-41 = 300.29
599.82
.06
599.76
79'
17'
599.76'
DIRT RD.
CUT ⊕ N. END HORIZONTAL 4" PIPE - CAGE AROUND 4" FIRE HYDRANT
OLD 4 STRAND BARB WIRE FN. 2" I.P. POSTS
T 86°
LEV 137.43
" 92.06
" 64.44
293.93
EL.
FD. DPK. CHIS. FL. IN PVMT. E.C. - SEE CALIF. DIV. HIGHWAYS L.A. CO. RTE 4 SEC E PG. 5
14.00
2+18.15 N
34.85
SET 1"x2" N. DN 3" IN PAVED SHOULDER
SET 1½" I.P. CONC. PLUG - L.A. CO ENGR TAG ON 24"
LINE 2
293.93
RECORD CURVE:
Δ 50° 47' 15"
R 600'
T 284.82
L 531.85
FD. NAIL (RECENT POINT) NO REF.
14.00
9.30
86.54
SET N&T ON E. SIDE TEL. POLE # 5440268
SET 1"x2" NAIL

Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of E. Pomona East Fly-Pass-Re
LN0055.84 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 1-MAY-67
Indexed J. GALLI

F.B. 2913 Pg. 9

Cont. on Sht. Pg. 10

GOLF COURSE

1 STORY FRAME PUBLIC GOLF COURSE PRO SHOP ETC.

40.49

8.30 CONC

56.93

14.00

30'

30'

57.99

14.14

26.87 20

EXIST. SWITCH BOX IN PVMT SHOULDER

282.47 @ 1" = 23.5 282.38 ✓

282.38' ✓

T.90'

GOLF COURSE

SET SPIKE ALL 1" IN PVMT

24.04 81

Fd. Cap 2" I.P. STAMPED L.S. PLUG LOOKS OLD NOTHING ATTACHED # 2280 FLUSH

N.W. COR. LOT 52 TR. 2703

229.55 @ 1" = 19.1 = 229.47 ✓

229.38' ✓

OLD E. WALL

LOT 52

SET SPIKE ALL 1" IN PVMT

21.75 33

N.W. Cor. Lot 1 TR 2703

Fd. OLD 2" I.P. STAMPED L.S. NO TAG - SET NAIL IN LEAD UP 3"

T.84'

168.09 (TPU) 288.20 ✓

LOT 1

14.00

30'

30'

SET SPIKE ON 1" IN PVMT & MONUMENT

18.87 12 N

Cont. on Sht. No. 8

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes

W.S.Z. 8-4

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 4031 Los Angeles County Engineering Bldg. Do not extend this side of this line

Rev 2005 SEE SHT 310 INDEX

W.S. 62, B-3

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

2913 Pg 10



①	85	31	00
②	171	02	00
	85°	31'	00"

③	34	17	30
④	137	10	10
⑤	205	45	10
	34°	17'	31⅓"

⑥	145	42	20
⑦	222	99	40
⑧	154	14	40
	145°	42'	26⅔"

①	147	57	30
②	295	54	20
	147°	57'	10"


Notes Ckd by H. E. BUSTIN
Map No.
Office Work
Checked
Date
Survey of Alhambra Ext. Rx-18.5 Rev
JN 0035-34 Tape 175'
Surveyed by C.L. WRIGHT
Notes C.L.W. Date NOV 62
Inceked J. GALLI
F.B. 2913 Pg. 19
CONT. CIN BOT. PG 12
SET 1"x2" GALL E-8
ELEV. PG. 48
SET NAIL E. SIDE SO. GUM
SET 1"x2" NAIL E-4
ELEV. PG. 51
ELEV. NAIL N.W. SIDE 36" GUM
SET 1"x2" NAIL E-3
ELEV. PG. 61
12' OFF E-3
SET 1"x2" NAIL
N. SIDE SOU GUM
HOUSE TRAILER SN
SET 1"x2" NAIL E-2
ELEV. PG. 51
SET NAIL E. SIDE 24" GUM
SET 1"x2" NAIL
ELEV. PG. 51
E-1
Please Return To
Los Angeles County Engineer
408 Los Angeles County Engineering Bldg.
Do not extend this side of this line
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.
7-57 3098 CR # 210 (3-61)

F. B. 2913 PG. 12

CONT ON PG. 13

BOT

E-9
SET 1X2 3/4" IRON PIPE
ELEV. PG. 49

T 68°

181.20 @ 1-20 = 181.15

216.71
157.64
184.44
739.94
.08
739.86

739.86 PRELIMINARY

E-8
SET 1X2 3/4" NAIL
ELEV. PG. 49

T 86°

186.58 @ 6-26 = 185.41

1) 155 - 59 - 20
4) 243 - 57 - 30
5) 215 - 56 - 20
AV) 155 - 59 - 23 1/3

185.41

T 86°

137.39 @ 11-53 = 134.45
137.30 @ 11-42 = 134.44 = 134.44
94.24 @ 2/2-15 = 92.09
94.46 @ 2-53 = 92.08 = 92.09
226.53

E-7
SET 1X2
& NAIL

R.P.P.I. - SET A 1" I.P. W/ CONC. PLUG & L.A. CO. ENGR. TAG UP 1" - TAN. PROD.

29.78 @ T=78° = 29.78

R.P.P.I. - SET A 3/4" I.P. W/ CONC. PLUG & L.A. CO. ENGR. TAG UP 1" - TAN. PROD.

39.33 @ T=78° = 39.33

P.I. #2
ELEV. PG. 53
SET 1/2" I.P. CONC. PLUG, L.A. CO. ENGR. TAG FLUSH ON POINT OF CURVE

T 94°

113.30 @ 16-31 = 108.62
112.77 @ 5-36 = 105.62 = 108.62
112.73 @ 5-35 = 108.59
112.93 @ 5-50 = 108.65
88.48 @ 8-02 = 87.16
88.31 @ 17-42 = 84.13 = 84.13 / 192.75 / 192.76

LINE

155°

59' 22"

192.76

CURVE:
Δ 24° - 00' 37"
R 12° - 00' 18 1/2
L 1500'
T 318.98
Ext. 628.59

15.98

ELEV. PG. 48

E-5
SET 1X2" NAIL

SET N.G.T. N. SIDE MOUTH E'LY OF TWO SYCAMORE TREES ON E. BANK - NEWHALL CREEK

T 62°

LEV 113.19
.02
113.17

① 39 19 20
② 78 38 40
39° - 19 - 20

COUNTY ENGINEER
B. M.
R.E. 5869
N E 2

420.54 TO E-4

113.17

19° 19' 20"

ELEV. PG. 49

MARKED
SET B.M. N.E. 2
UP 6" 4.1± W. OF HINGE POST - GATE TO N. CLUB TANKS

CONT. FROM TOP PG. 11

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Chkd by: G. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of: Alameda East Rd - Pass Rd
JN 0935-34 Tape 178 Sta 24 °F
Surveyed by: C. L. WRIGHT
Notes: [illegible] Date: MAY 62
Indexed: E. J. GALL

F.B. 2913 Pg. 13

CONT. ON
Bk. Pg. 14

T 82°
44.26 @ 7-47
43.55 @ 6-31

T 57°
Lev. 29.22

44.26

S 17° 20' E

Alameda East Rd

RP Trans. Prod.
Set 1/2" I.P. Cor. Flush
L.A. Co. Eng. Tac. Up 2"
6 195 58 10
6 223 52 05
6 153 49 10
125 38 - 11 3/8

Pg. 77 for Elev.
E-12
Set 1/2" I.P. Cor.
Plug, L.A. Co. Engr.
Tac. Flush
on Side Line

T 71°
Lev. 292.79
292.71

292.71

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Please Return to
Los Angeles County Engineer
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

E-11
Set 1/2" I.P. Cor.
Top Curb

T 72°
243.38 @ 10-54 238.91
233.18 @ 6-45 238.91
Lev. 85.59
324.50
324.41

Elev. Pg. 99
E-10
Set 1/2" I.P. Cor.

T 70°
Lev. 1256.02
129.71
1385.73
405.84
405.89
405.84

Elev. Pg. 99
E-9
Set 1/2" I.P. Cor.

26F3066 ct. # 319 3-61

F. B. 2913 PG. 14

CONT. ON BOT. PG 15

E 15
SET 1¼" I.P.
CONC. PLUG
L.A.CO. ENGR
TAG DN. 2"
SEE PG 15 FOR TIES

ELEV
PG. 83

165° 30' 15
PG

321.36

149° 42' 50"

T-64°
239.82 @ 1-24 = 289.73
level
31.67
321.40
.04
321.36

E 14
SET 1x2 SPIKE
TOP OF SPUR

149° 42' 50"

408.99

T-60°
70.49 @ 6-36 = 69.97
203.14 @ 4-50 = 202.42
142.56 @ 16-33 = 136.65
1-12.39 @ 6-18 = 136.67
= 136.66
409.05
.06
408.99

THIS LINE ARRANGED

E-13 SET 1X2 SPIKE
TOP OF CUT BANK

517.70 TO E-12

T 60°
296.42 @ 6-21 = 294.60
63.65 @ 13-24 = 61.79
63.48 @ 13-11 = 61.81
161.41 @ 1-07 = 161.38
517.73
.03
517.70

CONT. FROM TOP LEFT PG 13

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of WEST HALL CANYON-PARCEL
JN 895.3A Tape 115 Sta 84 °F
Surveyed by C. L. WRIGHT
Notes C.W. ADAMS Date MAY '62
Indexed C. L. GALLI

F. B. 2913 Pg. 15

CONTD. ON EOT, Pg 16

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this file.



"NOTE: "P" LINE FROM E-21 TO E-31 ABANDONED (FOR CLOSURE ONLY)

F.B. 2913 PG. 16

CONT. ON BOT. PG. 17

SET N.C.T. L.A.CO. F.D. NO. SIDE POLE UP 24"

88.51

E-21

TO E-22

6.41

77.60

FD. 1" IP. & CONC. PLUG, L.A.CO. RD. DEPT. TAG ON 20"

F.B. 2383-28 " 799-8 RD.DEPT. EX 173-2

E-20 SET 1x2 & NAIL

SET N.C.T. NO. SIDE L.A.CO. F.D. POLE # 102-12 UP 24"

SET CHIS. "X" IN TOP OF 6" CONC. CURB

C.S. B-2238-3

F.B. 1455-18 " 2383-27

COUNTY SURVEYOR R.E 329

℄ 13TH ST.

30'

30'

MARKED

FD. C.C. MON. 2" I.P. BRASS CAP CAT IN CONC. IN 30'

SET WELL & COVER

℄ 12TH ST.

30'

30'

SHIRLEY AVE.

30.04

30'

30'

89° S9.40" E

PER F.B. 2383-27

S9.40" M

T-78°

LFV 108.79

" 141.46

" 172.45

" 107.36

530.06

.02

530.04

12TH STREET

SEE PG. 128 FOR THIS LINE

T 78°

214.44 @ 1°-43' 214.34

.01

214.33

214.33

ELEV. PG 58, 61

①	89	59	40
②	359	56	10
③	179	59	10
	89°	59'	52"

OCT '63 CLW

L.A.CO. RD. DEPT. YARD.

278.51

8' CH. LINK. F.N.

T 78°

LFV 140.95

" 137.57

278.52

.01

278.51

E-17 SET 1x2 C.N.

227.91

T 78°

LFV 81.51

" 106.95

" 39.46

227.92

.01

227.91

ELEV. PG. 84

PROPOSED ℄ PLACERITA

F.B. 2949-8, 10

E-16 SET 1x2 C.N. BY INT.

CYN. RD.

CONT. FROM TOP PG. 15

W.S. 62, A-3

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'k'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of ALEGRIA - EAST BY-PASS
N 0085.34 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date MAR 62
Indexed B. J. GALLI

F. B. 2913 Pg. 17

CONT'D ON BOS. PG. 18

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
ATTN: LOS ANGELES COUNTY ENGINEERING BKGS.

TRACT

E-25
SEC. 12 2N. 10E. DEPRM.
T-60°
LEV 23.40
" 31.69
" 25.81
" 111.85
608.73
09
608.64

E-24
SEC. 12 2N.

T-60°
LEV 30.78
" 41.37
" 13.82
" 128.74
437.72
96
457.66

E-23
SEC. 12 2N.
T 60
LEV 142.89
" 44.17
" 56.89
" 119.87
623.82
10
623.72

E-22
SEC. 12 2N.
T 62°
LEV 131.37
" 169.04
" 170.63
471.04
01
470.94

FOR DET. SEE TOR. BS. 16

E-21
BS. 1-2 R. Clear
Plat L.A. Co. Fla. Dept. Pk.
E.B. 2-83-28 E.B. 229-8
Fla. Dept. E.B. 173-2

F. B. 2913 Pg. 18



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Name Cpd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of Vermont Canyon-Big Rock Rd. F.B. 2913 Pg. 19
JN 0095.94 Tape 775 Std. 84°F
Surveyed by C.E. WRIGHT
Notes C.L. W. Date 27 Nov 62
Indexed J. GALLI

CONTROL Pg. 20

20' OF SET LINE SOUTHERN UNDERG. PROD.
Pg. 22

E-32 SET 1x2 W/NAIL

ELEV. Pg. 63

326.89
326.87

E-31A ELEV Pg. 64

SEE Pg. 22 FOR THIS INT.

SET 1x2 W/NAIL

E-31 SET 1x2 W/NAIL ELEV Pg. 64

Note: Any Additions or Changes on This Sheet Must be Made and Initialed With Date and Noted on Revised Sheet.

Changes on This Sheet Must be Made and Initialed With Date and Noted on Revised Sheet.

E-30 SET 1x2 W/NAIL

E-29 SET 1x2 W/NAIL

N 14° BDY TR. 1078

SEE Pg. 88 FOR INT. OCT '63

E-28 SET 1x2 W/NAIL

Cont. From Tr. Pg. 18

LOS ANGELES COUNTY ENGINEER
Please return to:
4031, Los Angeles County Engineering Bldg.
Do not unfold this side of this filer

7873085, OCT 3 810 8-61

F. B. 2913 Pg. 20

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PRELIMINARY

THIS LINE TO BE CONTINUED N.W'LY ACROSS S.P.R.R. & SAN FERNANDO RD. & PROPERTY OWNED BY NEWHALL LAND & FARMING CO. AT A LATER DATE. PER INSTRUCTIONS FROM FIELD ENGR.

R.P.
SET A 1" I.P.
W/ CONC. PLUG
& L.A. CO. ENGR. TAG
UP 2"

90°-00'-00"

51.37.

LINE

T=86°
51.60 @ 5°-27' = 51.37 ✓

ELEV. Pg. 63
E-33
Set 1 x 2" N'ly

32.69

102.84

7 74°

103.96 (1.38-23 = 102.85
.01
102.84

T=86°
32.92 @ 6°-50 = 32.69

SET N.&T. IN E. SIDE OF 48" OAK UP 24"

ELEV Pg. 63

E-32
Set 1 x 2" N'ly

Notes Check'd by: H.F. AUSTIN	Survey of: Newhall East By-Pass Rd.	E.B. 29/5 Pg. 12
Map No.	J.N. 0095.34 Page 175 Sec. R4 SE	
Office Work	Surveyed by: G.L. WRIGHT	
Checked	Notes Comp. W Date: APR. '63	
Date	Indexed: G.J. GALLI AUG 20 63	

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Label and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
ADM. Los Angeles County Engineering Bldg.

INTERSECTION -
20' OFFSET LINE, SAN FERNANDO
RD. PROD. S'LY TO PRELIMINARY
LINE, NEWHALL EAST BY-PASS RD.

J.N. 0095.34

REFERENCES:

CALIF. DIV. HIGHWAYS
L.A. Co. RTE. 4 SEC. E-FIELD NOTES

NOTE:

7-67 20M 2-61

F.B. 2913 Pg. 22

CONT. ON BOOK Pg. 23

FD. SPK & W Pg. 23

SET Sq. OPP. P.T. Pg. 23

20.00

0.03

20.

T 56°
LEV. 90.15

20.20
99.39
43.43
353.17 ✓
.06
353.11 ✓

353.11'

OFFSET

A.E. PROD. SAN FERNANDO

NOTE: THIS PG. FIELD WORK APRIL '63

BRASS TACK

SET 1X2 & N.

RR. TEL. POLE.

15'

20°

T 56°
LEV 21.68

21.68

SET 1X2 & N.

120.99 @ 94° = 121.00 ✓

RD

124.00 LINE

S.P.R.R. CENTER LINE

240.17 ✓

SET NAIL

SPLIT OF RAILS

119.16 @ T = 94° = 119.17 ✓

119.17 ✓

SET 1X2 & N.

T 66°
LEV 11

202.74
122.77

240.38 @ 6-29 = 238.84 ✓
564.35 ✓
.07
564.28 ✓

564.28

127° 21' 30"
149 25 30
44 08 00
127° - 21' - 20"

127°

21'

20.

E-32
FD 1X2 & N Pg 19,20

SET 1X2 & N. BY INT.

TO E-33

120.41 ✓

PRELIMINARY

F 31 A
ELEV. PG. 63

T = 62°
120.50 @ 1-58 = 120.43 ✓
.02
120.41 ✓

36.52

T = 88°
39.46 @ 22-15 = 34.52 LINE
39.69 @ 23-04 = 36.52

TO E-31
Pg 19

R.P. INT.
SET 1" I.P. & CONC. PLUG W/ L.A.CO. ENGR. TAG ON LINE PROD. 12"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


Notes Ck'd by M. E. ARISTEI
Map No.
Office Work
Checked
Date
Survey of Point Set By Pins Re
N 0595.34 Tape 175 Std.
Surveyed by C. J. WRIGHT
Notes C. W. Date MAY '62
Indexed I. GALIS
F.B. 2913 Pg. 23
1967
SET X'CN
SET NAIL & TAG IN CONC. WALK
SET NAIL & TAG IN CONC. CURB
SET NAIL & TAG IN CONC. GUTTER
SET NAIL & TAG IN CONC. PAVEMENT
SET NAIL & TAG IN CONC. SIDEWALK
SET NAIL & TAG IN CONC. MEDIAN
SET NAIL & TAG IN CONC. ISLAND
SET NAIL & TAG IN CONC. CROSSWALK
SET NAIL & TAG IN CONC. BRIDGE
SET NAIL & TAG IN CONC. CULVERT
SET NAIL & TAG IN CONC. DRAINAGE DITCH
SET NAIL & TAG IN CONC. RETAINING WALL
SET NAIL & TAG IN CONC. FENCE
SET NAIL & TAG IN CONC. GATE
SET NAIL & TAG IN CONC. POST
SET NAIL & TAG IN CONC. POLE
SET NAIL & TAG IN CONC. TOWER
SET NAIL & TAG IN CONC. TANK
SET NAIL & TAG IN CONC. BUILDING
SET NAIL & TAG IN CONC. HOUSE
SET NAIL & TAG IN CONC. GARAGE
SET NAIL & TAG IN CONC. SHED
SET NAIL & TAG IN CONC. BARN
SET NAIL & TAG IN CONC. SILO
SET NAIL & TAG IN CONC. WINDMILL
SET NAIL & TAG IN CONC. WATER TANK
SET NAIL & TAG IN CONC. WATER WELL
SET NAIL & TAG IN CONC. OIL WELL
SET NAIL & TAG IN CONC. GAS WELL
SET NAIL & TAG IN CONC. POWER POLE
SET NAIL & TAG IN CONC. TELEPHONE POLE
SET NAIL & TAG IN CONC. LIGHT POLE
SET NAIL & TAG IN CONC. TRAFFIC SIGNAL
SET NAIL & TAG IN CONC. STREET SIGN
SET NAIL & TAG IN CONC. MILEPOST
SET NAIL & TAG IN CONC. BENCH MARK
SET NAIL & TAG IN CONC. CONTROL POINT
SET NAIL & TAG IN CONC. TRIANGULATION STATION
SET NAIL & TAG IN CONC. TRAVERSE STATION
SET NAIL & TAG IN CONC. LEVEL LINE
SET NAIL & TAG IN CONC. PROFILE LINE
SET NAIL & TAG IN CONC. CROSS SECTION
SET NAIL & TAG IN CONC. TOPOGRAPHIC FEATURE
SET NAIL & TAG IN CONC. CULTURAL FEATURE
SET NAIL & TAG IN CONC. HYDROGRAPHIC FEATURE
SET NAIL & TAG IN CONC. BOUNDARY LINE
SET NAIL & TAG IN CONC. PROPERTY LINE
SET NAIL & TAG IN CONC. RIGHT OF WAY
SET NAIL & TAG IN CONC. EASEMENT
SET NAIL & TAG IN CONC. ROAD
SET NAIL & TAG IN CONC. STREET
SET NAIL & TAG IN CONC. HIGHWAY
SET NAIL & TAG IN CONC. FREEWAY
SET NAIL & TAG IN CONC. EXPRESSWAY
SET NAIL & TAG IN CONC. TOLL ROAD
SET NAIL & TAG IN CONC. BRIDGE
SET NAIL & TAG IN CONC. TUNNEL
SET NAIL & TAG IN CONC. RAILROAD
SET NAIL & TAG IN CONC. AIRPORT
SET NAIL & TAG IN CONC. HELIPORT
SET NAIL & TAG IN CONC. SEAPORT
SET NAIL & TAG IN CONC. HARBOR
SET NAIL & TAG IN CONC. DAM
SET NAIL & TAG IN CONC. RESERVOIR
SET NAIL & TAG IN CONC. LAKE
SET NAIL & TAG IN CONC. RIVER
SET NAIL & TAG IN CONC. STREAM
SET NAIL & TAG IN CONC. CANAL
SET NAIL & TAG IN CONC. DITCH
SET NAIL & TAG IN CONC. LEVEE
SET NAIL & TAG IN CONC. DIKE
SET NAIL & TAG IN CONC. JETTY
SET NAIL & TAG IN CONC. BREAKWATER
SET NAIL & TAG IN CONC. SEAWALL
SET NAIL & TAG IN CONC. GROIN
SET NAIL & TAG IN CONC. REVETMENT
SET NAIL & TAG IN CONC. RIPRAP
SET NAIL & TAG IN CONC. GABION
SET NAIL & TAG IN CONC. MATTRESS
SET NAIL & TAG IN CONC. SACK
SET NAIL & TAG IN CONC. BAG
SET NAIL & TAG IN CONC. BOX
SET NAIL & TAG IN CONC. CRATE
SET NAIL & TAG IN CONC. BARREL
SET NAIL & TAG IN CONC. DRUM
SET NAIL & TAG IN CONC. CAN
SET NAIL & TAG IN CONC. BOTTLE
SET NAIL & TAG IN CONC. JAR
SET NAIL & TAG IN CONC. CUP
SET NAIL & TAG IN CONC. GLASS
SET NAIL & TAG IN CONC. PLATE
SET NAIL & TAG IN CONC. BOWL
SET NAIL & TAG IN CONC. SAUCER
SET NAIL & TAG IN CONC. SPOON
SET NAIL & TAG IN CONC. FORK
SET NAIL & TAG IN CONC. KNIFE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B 2913 Pg. 24

Notes Ck'd by H. F. AUSTIN
Map No.
Office Work
Checked
Date

Survey of NEWHALL EAST BY-PASS RD. F.B. 2918 PG. 25
J.N. 0095.34 Tape 175 Std. 72° °F
Surveyed by C. L. Wright
Notes C. L. W. Date 10/5/62
Indexed R. J. GALLI MAR 20 63

NEWHALL EAST BY-PASS RD.
CUTOFF LINE - E-R. TO E-15A

J.N. 0095.34

Note: Any Additions or Changes on This Sheet Must be Made on Original in Ink With Data and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
402 Los Angeles County Engineering Bldg.
Do not detach this side or fold (file)

7014085 SE 2-10 1-61

F. B. 2913 Pg. 26

To E-16, Pg. 15



① 148	02	40
② 232	11	00
③ 168	16	18
148°	02	41 2/3"

① 158	28	00
② 273	51	40
③ 230	47	20
158°	27	53"1/3"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Cmd by: H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of Alameda St. at Fifth St.
T.N. 0095.34 Tape 175 Std. 68 °F
Surveyed by C. L. WRIGHT
Noted C. L. W. Date Nov. 42
Indexed [redacted] J. GALLI

F.B. 2918 Pg. 27

CHAINING ON 12TH ST. ℄

T.N. 0095.34

REFERENCES:

C.S.B-1238-3

F.B. 1455

T.R. 10178

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
Do not unroll this side of this line.

78F8088 cle # 210 8-61

F.B. 2913 Pg. 28

W.S. 62, A-3

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



FD. N. & T. No. SIDE 12"
P.P.# 4825 - UP 24"

19.61

FD. C.S. MON.
F.B. 1455-72, 85, 145
C.S.B. 2238-3
S.E. COR. LOT 50
ST. JOHN SUB., (S.E.
COR TR. 1078)

67.23

ELEV. PG. 58

9+40.30
SET 1"x2" ⊙N

30.00

90° 00' 00"

80.86

① 90 00 00
② 180 00 00
90° 00' 00"

FD N. & T. W. SIDE
OF TELE. POLE
No NUMBER
UP 20"

T 72'
ELEV. 142.06
150.08
292.14
.02
292.12

FD. N. & T. NO SIDE
10" P.P.# 4826
UP 18"

LOT 22

LOT 21

30'

307.85

STREET

292.12

30'

1078

50'

SEE PG. 35
45° OFFSET LINE

450.0

SEE PG. 35
FOR "T" LINE

15.73

6+48.18
SET □ SPK & T.

6+32.45
SET □ SPK & W.
SEE PG. 35
FOR TIES

T. 74°

NOTE: THIS POINT WAS SET ON A PRORATE DIST. BETWEEN THE ℄ OF ARCH ST. & 30' OFF THE S.E. COR OF LOT 50 ST. JOHN SUB. (S.E. COR. TR. 1078) MAKING IT IN A POSITION 50' W'LY OF THE W'LY BDY. OF THE MOST E'LY LINE OF NUMBERED LOTS, TR. 1078

ELEV. PG. 58

12TH.

SEE PG. 46

55.28

59° 54' PG. 46

ELEV. 153.63
153.12
153.36
142.44
144.31
144.36
648.22
.04
648.18

C.L.W. LAB
APRIL '63

648.18

30'

FD. N. & T. SO. SIDE
12" P.P.# 46138GE
UP 20"

TRACT

R/W

ARCH STREET

30'

℄ ARCH ST.

69.23

ELEV. PG. 58

0+00

SEE PG. 16
FOR THIS LINE

MARKED

38.28

FD. C.S. MON.
2" I.P. & BRASS CAP
SET IN CONC.
ON 20" PI. 16
ALSO F.B. 1455-118

SURVEYOR
R.E. 329

FD. N. & T. W. SIDE
10" P.P.# 844445E
UP 8"

FD. N. & T. IN NO. SIDE
12" P.P.# 4833
UP 18"

Notes Ckd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of NEWHALL EAST SIDE R/R RD.
JN 0095.3A Tape 1.5 Std 86 °F
Surveyed by C. E. L. W. R. I. G. H. T.
Notes C.E.L.W. Date 3/7 & 8/63
Indexed J. E. GALLI JUN 1 6 '63

F. B. 2913 PG. 29

PORTIONS OF
NORTHERLY & N.E'LY & E'LY TRACT 1078
AS SHOWN ON THE FOLLOWING PAGES.

JN 0095.3A

REFERENCES:
TR. 1078
" 1079
CS. B-2238-3

F.B. 1455

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
400 Los Angeles County Engineering Bldg.
Do not detach this portion of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 62, A-3




Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date
Survey of Newhall Fast By-Pass Rd.
JN 0095-32 Tape 175 Sta. 84 °F
Surveyed by C. C. WRIGHT
Notes C. C. W. Date 11 SEP '69
Indexed H. E. GALLI
F. B. 2913 PG. 31
TRACT 1801
COUNTY SURVEYOR
M.E. 329
MARKED
FD C.S. MON. 2 1/2" C. BRASS CAP SET IN CONC. F.B. 1455-111, 89 C.S.B. 2038-3
TRACT
B. BY.
457.81 PER L.P. 1455-89
P.B. 1455-89 (S2+63 E.)
TRACT 1819
TOP SPUR
TRACT 1078
COUNTY SURVEYOR
M.E. 329
FD C.S. MON. 1 1/2" BRASS CAP SET IN CONC. F.B. 1455-132, 89 C.S.B. 2038-3 MARKED
TRACT BDY.
W.S. 62, A-3
LOS ANGELES COUNTY ENGINEER
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red with Date and Name of Person Making Change.
Do not extend this line of this line.
PLEASE RETURN TO LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2913 Pg. 32

Notes C'd'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of NEWHALL EAST BY-PASS RD.
J.N. 0095.34 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date JAN '62
Indexed C. J. GALLI 1-4-63

F.B. 2913 PG. 33

PRELIMINARY LINE - NEWHALL EAST BY-PASS RD THROUGH TRACT 1078

J.N. 0095.34

REFERENCES:

TRACT 1078

C.S. B-2288-3

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Data Field Name of Person Making Change

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
Do not detach this side of this line.
LOS ANGELES COUNTY ENGINEERING BLDG.
108 Los Angeles County Engineer

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 2913 PG. 34

Notes Ck'd by H. E. [illegible]
Map No.
Office Work
Checked
Date

Survey of Normandie East By-Pass Rd.
INCO 98.32 Tape 178 Sht 22 OF
Surveyed by C. & M.
Notes C. & M. Date JAN '63
Indexed C. GANT

F.B. 2913 Pg. 35

COUT. ON ASST. PG. 32

E-47
SET LEAD-C.N.

1078

TRACT

ASSTD. LINE

45' OFFSET LINE

ELEV. PG. 60
E-A-6
SET NAIL-C.N.

LOT 24

LOT 23

45' OFF E-45
SET NAIL-C.N.

E-45
SET NAIL-C.N.

45.00

ELEV. PG. 60

LOT 22

PRELIMINARY

LOT 21

SET NAIL & DISC
PER MAP #6528 RE-2 R-L

12TH

STREET

SET NAIL & DISC
PER MAP #6528 RE-2 R-L

6.32.45
TO ARM & DISC
PG. 28

45.00

SET NAIL & DISC
ELEV. PG. 32

6.32.45
TO ARM & DISC
PG. 28

ELEV. PG. 58

SET NAIL & DISC
PER ALIGNMENT

SET NAIL & DISC OPP 1.32 98 E

COUNTY ENGINEER
R.E. 5559

Curve Data:
Δ 90° 00' 00"
R 180.00
T 90.00
L 282.74
CC 254.56
Ext 57.1/2"

Lev. 160.73
" 161.68
" 154.49
477.20
04
477.16

Lev. 97.88
" 144.05
241.93
02
241.91

Lev. 45.00

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.
Do not extend this side of this (file)

Note: Any Additions or Changes on This Sheet Must be Made or Checked in Ink With Date and Name of Person Making Change.

7DF3025 CE 11 310 4-61

F. B. 2913 PG. 36

CONT. ON BOT. PG. 37



E-48
SET IX2&1

ELEV. PG. 60

458.57'

1078

TRACT

T-72°

146.77
154.82
157.02
458.61
.04
458.57'

E-48
SET IX2&1

ELEV. PG. 60

PARCEL LINE

476.27'

T-72°

ELEV.
168.76
154.96
152.59
476.31
.04
476.27'

E-47
SET IX2&1

ELEV. PG. 60

CONT. FROM TOP PG. 35

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ckd by B. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of PRELIMINARY EAST BY-PASS Rd
JN 6595.39 Tape 125 Std 8 F °F
Surveyed by C. L. WRIGHT
Notes C. I. W. Date JAN '62
Indexed by G. J. GALLI

F.B. 2913 Pg. 37

CONT. FROM BOT. PG. 38

ELEV. PG. 67

E-53
SECTION
TOP OF BERM

60°
188.95 @ 0-58 = 188.92
.03
188.89

E-52
SECTION
TOP OF BERM

TRACT

340.61
340.58
.03
340.61

TOE
ELEV. 180.06
" 160.60
340.66
.05
340.61

ELEV. PG. 59

E-52
SECTION

259.22
.04
259.18

ELEV. 184.63
74.60

NOTE - SET P.K.
DIST. 3.31 P.K.

BM J 29-3
FD. L.A. CO. LOOP CONTROL
DIST. BM. MON. 3'
BRASS PLATE 0.2 IN
CENTER IN 10"

TOE
ELEV. 98.52
" 113.83
212.35
433.62
.07
433.55

ELEV. PG. 59.67

E-49

ELEV. PG. 60

Cont. from This Pg. 41

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7CF9088 CE # 510 2-61

F. B. 2913 Pg. 38

CONT. ON BK. PG. 39

E-59
SET 1x2" N.
TOP OF PIPE
UP 4"

ELEV PG. 65

T 68°
216.22 @ 8°-55' = 213.61
.02
213.59

213.59

E-58
SET 1x2" N.
ON S.H.

ELEV. PG. 65

T 68°
LEV. 90.95
.01
90.94

90.94

E-57
SET 1x2" N.
TOP CURB

ELEV PG 66

T - 54°
70.41 @ 19°-42' = 66.29
70.63 @ 20°-10' = 66.30
66.30
.01
66.29

66.29

LINE

1078

ELEV. PG. 66
E-56
SET 1x2" N.
TOP CURB
ON S.H.

T 56°
232.56 @ 11°-08' = 228.18
232.83 @ 11°-27' = 228.20
228.19
.04
228.15

228.15

TRACT

E-55
SET 1x2" N.

ELEV. PG. 66

362.62

PRELIMINARY

T 56°
204.51 @ 6°-38'
158.46 @ 5°-22'
204.50
158.19
362.69
.07
362.62

E-54
SET 1x2" N.
ON S.H. PERP.
PLANTING C.N. WASH.
FLOOD CONTROL

ELEV. PG. 67

CONT. FROM TOP PG. 37

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


Notes Chkd by H. E. AUSTIN
Map No.
Office Work
Checked
Date
Surveyed by
Notes C.L.C. W
Date JAN '62
Indexed E. J. OAELI
F.B. 2913 PG. 30
TRACT
LOT 1
TRACT 1
LOT 5
LOT 4
1078
801
(E-61)
TIES
LOS ANGELES COUNTY ENGINEER
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this line of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change
LOT 6
LOT 7
LOT 8
LOT 9
LOT 10
LOT 11
LOT 12
LOT 13
LOT 14
LOT 15
LOT 16
LOT 17
LOT 18
LOT 19
LOT 20
LOT 21
LOT 22
LOT 23
LOT 24
LOT 25
LOT

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2913 Pg. 40

Notes Ck'd By: H. F. AUSTIN
Map No.
Office Work
Checked
Date

Survey of: Newhall East By-Pass
J.N. 009534 Tape 125 Std. 68 °F
Surveyed by: C. L. WRIGHT
Notes C. L. W. Date 7-68
Indexed: J. GALU AUG 20 68

F.B. 2213 PG. 4

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Changes.

NEWHALL EAST BY-PASS RD.

PRELIMINARY LINE FROM E-62 TO TIE IN WITH E-31

J.N. 009534

REFERENCES

TRACT 1078
" 1801

PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
ROOM 1005 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not unfold this side of this line

75-3005-DE-# 310 (5-67)

F. B. 2913 Pg. 42

To AE-32 Pg. 19

E-31
FD. 1x2 STK
& N. FLUSH
S.H.
PG. 19

Pg 64 FOR ELEV

T = 62°

261.21 @ 17° 54' = 248.57
260.87 @ 17° 41' = 248.54 } 248.55
149.83 @ 6° 10' = 148.96
397.51
.06
397.45

397.45

PRELIMINARY

SET 1x2 STK
& N. FLUSH
TOP BRK.

E 65

30.90

ELEV. PG. 64

T 62°
LEV. 130.90

SET 1x2 STK.
& N. UP 2"
TOP BRK.

E 64

SEE PG 30, 31 TRACT

T = 62°
290.75 @ 2° 24' = 290.49
LEV. = 8.90
" 15.26
" 19.96
334.61
.05
334.56

334.56

SET 1x2 STK
& N. UP 2"
TOP BRK.

ELEV. PG. 74

E 63

TRACT 1078

T = 58°
LEV. = 74.93
285.75 @ 10° 12' = 281.23
285.86 @ 10° 18' = 281.25 } 281.24
356.17
.06
356.11

LINE

356.11

TRACT 1801

00"
02"

10'

-12°-59'-32"
PG. 39

E 61
PG 75 FOR ELEV.

7+29.84 TRACT BDY
FD. 1½" I.P. CONC. PLUG
L.A. CO. ENGR TAG
PG 39

151°

290.98 PG 39

20.17 RDL

① 151 - 10 - 40
② 244 - 40 - 10
③ 187 - 00 - 10
151 - 10 - 01 3/8

E-62
SET 1½" I.P.
CONC. PLUG
L.A. CO. ENGR TAG
FLUSH
PG 75 FOR ELEV.

E-60
FD. 1x2 SN
TOP BRK
PG 39

ELEV. PG. 65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Cc'd by H. E. AUSTIN
Map. No.
Office Work
Checked
Date

Survey of NEWHALL EAST BY PASS RD. E.B. 2943 Pg. 43
J.N. 0095.34 Tape 175 Std. 84 °F.
Surveyed by C. L. WRIGHT
Notes C.L.W. Date APRIL '68
Indexed L. A. CALIF. 1962-0-63

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes

NEWHALL EAST BY PASS RD.
PRELIMINARY LINE FROM E 14-A N'LY TO INT. ℄ & 12TH ST.
J.N. 0095.34

REFERENCES
E.B. 2949
TRACT 1274
" 1418

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
ADD'L LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line

Jobboss QC# 310 8-01

F. B. 2913 Pg. 44

CONT. ON Bot. Pg 45



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.


Notes CRS by U.S. ASSTAN
Map No.
Office Work
Checked
Date
Survey of U.S. Forest Service By Aero Service
JN 2095 24 Topo 175 Sec 22 SE
Screened by E.L. WRIGHT
Notes C. W. Date APRIL '63
Indexed K.J. GALLI
E.B. 1291 Pg. 45
CONT. ON DGT TO Pg. 46
PACIFIC LIGHTING GAS SUPPLY CO.
Notice: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes
Do not extend this side of this line
PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
ADD: Los Angeles County Engineer Adm. Bldg.
SEE NEW SIDE FOR VILLAGE BE (ADD. PAGE)
PROPOSED 3RD. PLACENTIA CHL
SEE Y.C. FOR INT. L-2 CONT-OF
COUNTY ENGINEER
PLACENTIA
CAL.
6959
Note: FOR ELEVATION SEE P.E. PLACENTIA CHL RD. SEC. PG. 57

F. B. 2913 Pg. 46

SEE Pg. 35

TRACT 1078

5' OFFSET LINE Pg. 28

COUNTY SURVEYOR R.E. 329

F.B. 1455-118
C.S. B-2238-3

CALC. 677.45 TO INT ARCH ST.

12TH. ST. TO INT ARCH ST. Pg. 28

30. W.

59° 54' ~~58"~~ 55"

12TH STREET

30.

ST. Pg. 28, 35

30'

P.O. ~~ARCH~~ ST. Pg. 35

E. 15

10

530.27

CONT FROM TOP Pg. 45

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76-L695 OE #07 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 695534 Division No.____
No.____ Date____ Date____ Survey of NEWHALL EAST Ry-PASS Ry
X-Sec. Notes Ckd.____ Checked____ Survey by C. LUKICH Notes C. L. W. Date APRIL 1963
No.____ Date____ Date____ Map No.____ Indexed C. L. CALL Date____

F.B. 2913 Pg. 47

STATION	B. S.	H. I.	F. S.	ELEV.	
	NEWHALL EAST Ry-PASS Ry. & SAN FERNANDO Rd & 6TH ST. AND RETURN.				BENCH LEVELS FROM BM. 60-37 NEAR INT. IN NEWHALL S. E'LY TO BM. N.E. 2
					T.M. 0095.34
BM 60-37				1270.356	TBM U.S.C.&G.S. K-53 1926 RESET) (U.S. 2063) NEWHALL - S.E. COR. INT. SAN FERNANDO Rd & 6TH ST. 2.3' S. OF N.W. COR. BRICK BLDG. UP 4.5' IN SIDEWALK FACE. TOP A BRONZE DISK. U.S.C.&G.S. "K 53 (1926)" F.B. 2839-28 L.A.Co. 1961 ADJ ELEV 1270.356
	0.017	1270.433			
4' R. TOP CURB			4.903	1265.530	
	6.430	1272.160			
P			4.693	1267.467	
	5.300	1272.767			
T.N.H.			1.517	1271.250	INT. MKT. & CRAVE S.E. COR. Rp# 28.726L SET L.C. PUNT
	5.425	1276.675			SAW N. SIDE UP 12"
11'			4.371	1272.304	
	5.179	1277.483			
7'			3.551	1273.932	
	5.989	1279.921			
7'			3.331	1276.590	
	7.150	1283.129			
4'			1.349	1282.380	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 48 | Job No. 895.34 | Division No. | Profile
Survey of NEWHALL EARTH STA. 19 | Notes Red | Plotted | No. | X-Sec.
Survey by C. L. WRIGHT | Date | Date | No.
Indexed C. J. GALLI | Notes Chkd. | Checked
Notes C. L. W. | Date | Date
Date APRIL 63

STATION	B. S.	H. I.	F. S.	ELEV.		
TP				1282.380		
	6929	1299.309				
TP			3349	1295.960		
	6193	1292.143				
T.B.M.			2.438	1289.654	17th & Sol. Ln. Ct. Con. TEL. Pole 554720 H	
	7683	1297.337			SET Lt. Bra. Spk. & Tag on 6"	
TP			1935	1295.402		
	8081	1303.483				
TP			2311	1301.172		
	8481	1309.655				
TP			4650	1305.005		
	7270	1312.273				
TP			6.799	1305.540		
	7409	1312.949				
TP			9217	1303.732		
	5855	1309.507				
TP			5.630	1302.967		
	7041	1311.914				
			1709	1310.205	Ft. Ct. Iron Pipe Pg 12	
F.S.	Side Shot		7117	~~0309~~ 1304.797	Fd 1x2 Pg. Pg 12	

COUNTY ENGINEER B. M. N. E. 2 E. 5059

76-L288 CE 307 2-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
405 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No 295.34 Division No.____
No.____ Date____ Date____ Survey of Newhall East By Page Rod
X-Sec. Notes Chkd.____ Checked____ Survey by C.L. Wescott Notes C.L.W. Date April '63
No.____ Data____ Date____ Map No.____ Indexed L. L. Gray Date____

F.B. 2913 Pg. 49

STATION	B.S.	H.I.	F.S.	ELEV.		
B.M. NE2				1310.205	Fd. C.E. Bronze Mon.	Pg. 12
	1.590	1311.795				
TP			0.391	1301.454		
	5.221	1306.675				
TP			7.565	1299.110		
	3.159	1302.269				
E 8.			3.743	98.53	Fd. 1x2½N. Pg 12	
TP			6.760	1295.509		
	3.131	1298.640				
TP			7.901	1290.739		
	5.323	1296.062				
E-9			4.529	91.53	Fd 1x2½N. Pg. 12, 13	
T.B.M.E. 9A			3.520	1292.542	Set L.S. Plug & Tack N.E. Side Pg 12, 13	30" Oak 50'± N.E. of E 9
	1.690	1294.432				
E-10			8.353	1286.079	Fd 1x2½N. Pg. 13	
	2.515	1288.654				
TP			9.917	1278.737		
	6.457	1285.194				
TP			6.863	1278.331		
	4.770	1283.101				
T.B.M.			4.439	1278.662	Fd. S.W.T. W. side PP# 747937E E. side Rock, 15.0' N of 67#	

COUNTY ENGINEER
B M
N.S. V
R.E. 5859

F.B. 2913 PG. 50

Job No. 6895.2 Division No. Profile

Survey of INTERMEDIATE FAST BY - PASS RD. Notes Red Plotted

Survey by C.L. WRIGHT Notes C.L.W. Notes Chkd. Checked

Indexed [redacted] J. GALL Date APRIL '63 Date Date

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T/M				1[redacted]662	FD. SQ.T. - W. SIDE PP# 747937E, E. SIDE RACE ST., 150'N. OF 67TH	
	1580	1280242				
TP			6319	273923		
	3721	276421				
TP			5356	272294		
	4627	276921				
T/M			5677	271244	INT. NW'LY ST. & RR AVE. S.E. COR. BOAT SPK. N. SIDE UP 12"	PP# 2872698E - FD. LARGE PG. 47
	2410	2-3654				
TP			4715	268939		
	4870	273809				
TP			7141	266663		
	4555	271223				
TP LOST			5700	265523		
	5007	270530				
B.M. 60-37			6180	1270356 / 270356	FD. (USC&GS. K-53) (U.S. 2063) NEWHALL - S.E. COR. L.N.T. SAN FERNANDO RD. & 83RD ST. 2'± S. OF N.W. COR. BRICK BLDG. UP 4.5 FT. IN S.W. FACE. FD. A USC&GS BRONZE DISK MARKED "K-53, 1926." F.B. 2839-28 L.A.CO. 1961 ADJ. ELEV. 1270.356	

76-L288 CE 307 2-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
433 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Rod____ Plotted____ Job No. 03 35 24 Division No.____
No.____ Date____ Date____ Survey of NEWHALL EAST BY-PASS ROAD
X-Sec. Notes Cmkd.____ Checked____ Survey by C.L. WRIGHT Notes JG 2 Date 4-12-63
No.____ Date____ Date____ Map No.____ Indexed____ Date____

F.B. 2913 Pg. 51

STATION	B.S.	H.I.	F.S.	ELEV.		
		NEWHALL EAST BY-PASS RD. - BENCH LEVELS FROM B.M. N.E. 2 S'LY TO B.M. N.E. 1 & RETURN.				
			J.N. 0095.34			
B.M. N.E. 2				1310.205	U.S.C.E. Button Mon.	Pg 12, 18, 49
	2.411	1312.616				
T.P.			4.474	1308.142		
	6.667	1314.809				
E-4			5.818	1308.991	FD. 1x2 & N.	PG. 11
T.P.			3.602	1311.207		
	4.593	1315.800				
E-3			7.842	1307.958	FD. 1x2 & N.	PG. 11
E-2			4.808	1310.992	FD. 1x2 & N.	PG. 11
E-1			3.835	1311.965	FD. 1x2 & N.	PG. 10
T.P.			3.104	1312.696		
	5.571	1318.267				
T.P.			3.937	1314.330		
	7.183	1321.513				
			5.131	1316.382	FD. S.W. & T. DN. 1" IN SHOULDER OF PVMT.	PG. 10
T.P.			3.092	1318.421		

COUNTY ENGINEER B.M. N.E. 2 R.E. 5869

76-L298 C.E. 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 52

Job No. 009534 Division No. _____ Notes Red _____ Plotted _____ Profile _____
Survey of NEWHALL EAST BY-PASS ROAD Date _____ Date _____ No. _____ X-Sec. _____
Survey by C.L. WRIGHT Notes JGR Notes Chkd. _____ Checked _____ No. _____
Indexed C. 1 CAIII Date APR. 63 Date _____ Date _____

STATION	B. S.	H. I.	F. S.	ELEV.		
				1318.42.1 ✓		
	5743	1324164 ✓				
B.M. N.E. 1			3190	1320974 ✓	FD. C.E. BUTTON TOP MON	PG. 10
	3042	1324016 ✓				
T.P.			5619	1318397 ✓		
	2348	1320745 ✓				
T.P.			6381	1314364 ✓		
	3899	1318263 ✓				
T.P.			6043	1312220 ✓		
	4443	1316663 ✓				
T.P.			6088	1310575 ✓		
	3701	1314276 ✓				
T.P.			8711	1305565 ✓		
	5135	1310700 ✓				
B.M.N.E.2			0498	1310202 ✓	FD. C.E. BUTTON TOP MON.	PG. 12, 48, 49



76-L888 CE 307 5-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

P.I. 12 PG 12

Profile Notes Red____ Plotted____ Job No. 0225.24 Division No.____
No.____ Date____ Date____ Survey of NEWHALL EAST BY-PASS & CONN.
X-Sec. Notes Chkd.____ Checked____ Survey by Cole, Wright Notes 1/68 Date 1962-63
No.____ Date____ Date____ Map No.____ Indexed [illegible] Date____

F.B. 2913 Pg. 53

STATION	B.S.	H.I.	F.S.	ELEV.	
		NEWHALL EAST BY-PASS RD. - BENCH LEVELS			
		FROM B.M. N.E. 2 N'LY.			
				J.N. ~ 0095.34	
B.M. N.E. 2				1310 205	F.D. Q.E. BUTTON TOP MON. PGS. 12, 48, 49.
	9 575	1319 780			
T.P.			0 188	1319292	
	10 743	1330 035			
T.P.			0 609	1329 426	
	10 951	1340 377			
T.P.			0 322	1340055	
	11 661	1351 716			
T.P.			0 351	1351365	
	10139	1361 504			
T.P.			2 179	1359 325	
	6 576	1365 901			
P.I. #2			1 262	1364 639	FD. 1 1/2" I.P. FOR 1 TOP OF BRASS NAIL - PG. 12
	1 055	1365 694			
T.P.			11 315	1354 379	
	1 248	1355 627			

COUNTY ENGINEER B.M. N.E. 2 R.E. 5869

F.B. 2913 Pg. 54

Job No 009534 Division No. Notes Red Plotted Profile

Survey of NEWHALL EAST BY-PASS ROAD Date Date No. X-Sec.

Survey by CLWRIGHT Notes J.G.R. Notes Chkd. Checked No.

Indexed E. J. GALLI Date APR-63 Date Date

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		13 55 627				
T.P.			11 622	1344 005 ✓		
	0 203	1344 208 ✓				
T.P.			11 455	1332 753 ✓		
	0 539	1333 292 ✓				
T.P.			11 636	1321 656 ✓		
	0 932	1322 588 ✓				
E-7			4 509	1318 079 ✓	FD. 1x2 & N. PG. 12	
	1 145	1319 224 ✓				
T.P.			11 713	1307 511 ✓		
	1 658	1309 169 ✓				
E-8			10 640	1298 529 ✓	FD. 1x2 & N. PG. 12 & 49.	

76-L288 CE 307 8-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
405 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 0095.34 Division No. ____ F.B. 2913 Pg. 55

No. ____ Date ____ Date ____ Survey of NEWHALL EAST BY-PASS ROAD

X-Sec. Notes Chkd. ____ Checked ____ Survey by C.E. WEIGHT Notes JOR Date APR-63

No. ____ Date ____ Date ____ Map No. ____ Indexed J. GAULT Date ____

STATION	B.S.	H.I.	F.S.	ELEV.	
	NEW HALL EAST BY-PASS ROAD BENCH LEVELS FROM B.M 60-38, IN S.P.R.R. BRIDGE NEAR SAN FERNANDO RD. & 12TH ST., THROUGH B.M N.E. 3 ETC. & RETURN. J.N. ~ 0095.34				
B.M. 60-38				1258 673	(60-38 (1961) B.M. ELEV. = 1258.673) NEWHALL. 0.3 MI. N.W'LY FROM THE S.P.R.R. CROSSING OF MARKET ST., AT SAN FERNANDO RD. AND 12TH ST., 32.0 FT. SO. OF THE ℄ OF 12TH ST. PRODUCED EAST, 70.5 FT. S.E. OF RR No. 192419 H, AND 70 FT. S.W. OF THE S.W. RAIL IN BALLAST DECK BRIDGE. NO. 452.57. AN IRON BOLT AND WASHER MARKED "49 L.M.C.", SET IN THE TOP OF THE S.W. END OF THE S.E. ABUTMENT F.B. 2839-29
⊼	4 520	1263 193			
T.P.			2 130	1261 063	
⊼	11 025	1272 088			
T.P.			0 543	1271 545	
⊼	10 388	1281 933			
T.P.			1030	1280 903	
⊼	11 481	1292 384			
T.P.			1091	1291 293	
⊼	11 623	1302 916			
T.P.			0 798	1302 118	
⊼	11 288	1313 406			
T.P.			0 454	1312 952	
⊼	11 111	1324 063			
			2248	1321 815	
⊼	11 311	1333 126			

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 56

Job No. 009534 Division No. _____ Notes Red _____ Plotted _____ Profile _____
Survey of NEWHALL EAST BY-PASS ROAD Date _____ Date _____ No. _____ X-Sec. _____
Survey by C.L. WRIGHT Notes JGR Notes Chkd. _____ Checked _____ No. _____
Indexed J. J. GAILI Date APR-63 Date _____ Date _____

STATION	B. S.	H. I.	F. S.	ELEV.		
		1333126				
T.P.			2102	1331024		
⅄	6490	1337514				
T.P.			0857	1336657		
⅄	9690	1346347				
E-70			7033	1339314	FD. 1x2 & N. PG. 44	
T.P.			0338	1346009		
⅄	11249	1357258				
T.P.			0222	1357036		
⅄	11022	1368058				
B.M. N.E. 3			3528	1364530	FD. C.E. BUTTON TOP MON. PG. 26	
⅄	3200	1367730				
T.P.			10761	1056969		
⅄	0248	1357217				
T.P.			6550	1350667		
⅄	0563	1351230				
E-14A			11049	1340181	FD. 1x2 & N. PG. 26 & 44	
T.P.			11201	1340029		
⅄	0318	1340347				
T.P.			11022	1329325		
⅄	0435	1329760				

COUNTY ENGINEER B.M. N.E. 3 R.E. 5869

75-L698 OE 307 9-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
408 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 59534 Division No.____
No.____ Date____ Date____ Survey of NEWHALL EAST BY-PASS ROAD
X-Sec. Notes Chkd.____ Checked____ Survey by C.K. WRIGHT Notes by____ Date 8-22-62
No.____ Date____ Date____ Map No.____ Indexed J. GALLI Date____

F.B. 2913 Pg. 57

STATION	B. S.	H. I.	F. S.	ELEV.	
		1329 760			
T.P.			11 825	1317935	
⊼	0769	1318 704			
E-71 T.P.			10 771	1307938	FD. 1x2 & N. PG. 44
⊼	0350	1308 283			
T.P.			11 332	1296 951	
⊼	0575	1297 526			
E-72			7024	1290 502	FD. 1x2 & N. PG. 44
T.P.			9104	1288422	
⊼	2107	1290 529			
E-73			11 255	1279 274	FD 1x2 & N. PG. 44 & 45
T.P.			8.868	1281661	
⊼	2728	1284 389			FD. C.E. MON. IN CAP & WELL, ON 9", PLACERITA CYN. ROAD R.I. 2., F.D. 2949-10 ROD HELD ON THE LETTERS "P.E." ON SOUTH'LY EDGE OF BRASS CAP
B.M. N.E. 4			10 424	1273965	
⊼	4245	1278 210			
E-74 T.P.			6 055	1272155	FD. 1x2 & N. PG. 45.
⊼	2297	1274 452			
INT.			3003	1271 449	FD. SQ. SPK. & T. PG. 45
E-75			3868	1270 564	FD. 1x2 & N. PG. 45
T.P.			8 410	1266 042	
⊼	1580	1267 422			

COUNTY ENGINEER PLACERITA CYN. ROAD R.I. 2 R.E. 5869

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 58

Job No. 20095.34 Division No. ____ Notes Red ____ Plotted ____ Profile ____

Survey of NEWHALL EAST BY-PASS ROAD Date ____ No. ____ X-Sec. ____

Survey by C.L. WRIGHT Notes by G.R. Notes Chkd. ____ Checked ____

Indexed ____ Date APR-63 Date ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.	
		12 67 622			
T.P.			6 468	1261 154	
"	1 954	12 63 108			
T.P.			7 230	1255 878	
"	6 358	12 62 236			
B.S.W. & T.			4 642	1257 594	FD. B.S.W. & T. FLUSH ℄ 12TH ST. PG. 28 & 35
			4 130	1258 106	FD. SQ SP. & T. PG. 35 & 46 (INT. 45' OFFSET LINE & ℄ 12TH ST.)
T.P.			3 345	1258 891	
	6 740	12 65 631			
B.M.-N.E. 5			5 615	1260 016	FD. A C.S. BRASS CAP MON. S.E. COR LOT 50 IN ST. JOHN SUB. ROD HELD ON "R" IN SURVEYOR PG. 28 - F.B. 1455-72, 85; 145. C.S.B. 2238-3
"	2 820	12 62 836			
T.P.			6 781	1256 055	
"	5 046	12 61 101			
T.P.			5 040	1256 061	
"	4 427	12 60 488			
B.M.-N.E. 6			5 221	1255 267	FD. A C.S. BRASS CAP MON. ℄ INT. 12TH ST. & ARCH ST. ROD HELD BETWEEN THE "R" IN R.E. & THE "C" IN COUNTY PG. 16, 28 F.B. 1455-118 F.B. 2383-27 & C.S.B. 2238-3
"	11 092	12 66 359			
T.P.			4 668	1261 691	
"	4 472	12 66 163			
B.M. 60-38			7 472	1258 691	B.M. ELEV. = 1258.673 ADJ. 1961. NEWHALL, 0.3 MILES N.W.'LY FROM THE SPRR CROSSING OF MARKET ST., AT SAN FERNANDO RD. AND 12TH ST., 32.0 FT. S. OF THE ℄ OF 12TH ST. PRODUCED EAST, 70.5 FT. S.E. OF P.P. # 492419 H AND 7.0 FT. S.W. OF THE S.W. RAIL IN BALLAST DECK BRIDGE NO. 452.57. AN IRON BOLT AND WASHER MARKED "49 C.H.C.", SET IN THE TOP OF THE S.W. END OF THE S.E. CONC. ABUTMENT. F.B. 2839-29





76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No 0095.34 Division No.____
No.____ Date____ Date____ Survey of NEWHALL EAST BY-PASS ROAD
X-Sec. Notes Chkd.____ Checked____ Survey by C.L. WRIGHT Notes J.G.R. Date APRIL '63
No.____ Date____ Date____ Map No.____ Indexed J. GALL Date____

F.B. 2913 Pg. 59

NEWHALL EAST BY-PASS ROAD BENCH LEVELS FROM BM 60-39 IN BRIDGE # 53-14, THROUGH P-LINE POINTS, TO B.M. 60-38 IN S.P.R.R. BRIDGE # 452.57

J.N. 0095.34

STATION	B.S.	H.I.	F.S.	ELEV.	
B.M. 60-39				1216 524	B.M. ELEV. = 1216.524 (ADJ. 1961) SAUGUS, 1.3 MI. S'LY FROM THE SPRR STATION AT SAUGUS, AT SAN FERNANDO ROAD AND BRIDGE NO. 53-14 OVER LA PLACERITA CREEK, 51.3 FT. W. OF W. RAIL, 17.0 FT. E. OF THE ℄ OF SAN FERNANDO ROAD AND 3.5 FT. N. OF THE SO. END OF THE CURB. A U.S.C.&G.S. BRASS DISK MARKED "Q-370, 1953", SET IN THE TOP OF THE S. END OF THE E. CURB, AND ABOUT LEVEL WITH THE TRACK. F.B. 2839-30
⊼	5 700	1222 224			
T.P.			2 961	1219 263	
⊼	5 591	1224 854			
T.P.			4 432	1220 422	
⊼	6 688	1227 110			
T.P.			6 296	1220 814	
⊼	8 788	1229 602			
T.P.			3 056	1226 546	
⊼	7 903	1234 449			
E-53 T.P.			1 719	1232 730	FD. 1x2 ℄ N. PG. 37
⊼	4 019	1236 749			
E-52 T.P.			3 399	1233 350	FD. 1x2 ℄ N. PG. 37
	6 486	1239 836			
B.M. 129-3			3 204	1236 632	FD. L.A. CO. FLOOD CONTROL DISTRICT BRASS CAP B.M. PG. 37, 67
⊼	3230	1239 862			

PUNCH MARK



76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

Profile ____ Plotted ____ Notes Red ____ Job No 0295.34 Division No. ____
No. ____ Date ____ Date ____ X-Sec. ____
Survey of NEWHALL EAST BY-PASS ROAD
Survey by C.L. WRIGHT Notes J.G.R. Notes Chkd. ____ Checked ____ No. ____
Indexed J. GAIII Date APR. 63 Date ____ Date ____

F.B. 2913 Pg. 60

STATION	B. S.	H. I.	F. S.	ELEV.	
		1239 862			
T.P.			4 856	1235 006	
"	5 987	1240 993			
E-49 T.P.			3 243	1237 750	FD. 1x2 & N. PG. 37-36
"	7371	12 45 121			
E-48			2048	1243 073	FD. 1x2 & N. PG. 36
"	7218	12 50 291			
T.P.			1 792	1248499	
"	6919	1255 418			
E-47			4 817	1250 601	FD. 1x2 & N. PG. 35 & 36
T.P.			2 907	1252 511	
"	6 483	1258 994			
E-46 T.P.			3 429	1255 565	FD. 1x2 & N. PG. 35
"	5542	1261 107			
E-45			6 065	1255 042	FD. 1x2 & N. PG. 35
43' OFF E-45			4 621	1256 886	FD. 1x2 & N PG. 35
T.P.			3 037	1258 070	
"	5 142	1263 212			
B.M.-N.E. 5			3 242	1259 970	FD. A C.S. BRASS CAP MON. S.E. COR. LOT 50 IN ST. JOHN'S SUB. PG.'S. 58 & 28 · F.B. 1455-72-85-145 - C.S.B. 2238-3
"	3 757	1263 727			
T.P.			6 100	1257 627	

COUNTY SURVEYOR
LOT 48
LOT 50
LOT 49
R.E 329

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
				1257 627		
T	3 859	1261 486				
T.P.			4645	1256 841		
T	4215	1261 056				
T.P.			6731	1254 325		
T	6007	1260 332				
B.M. N.E. 6			5119	1255 213	B.M. FD. A C.S. BRASS CAP MON. @ INT. 12TH & ARCH ST'S. - ROD HELD BETWEEN THE "R" IN R.E. & THE "C" IN COUNTY. PG. 16, 28, & 58 F.B. 1455-118, F.B. 2383-27, C.S.B. 2238-3	
T	9563	1264 776				
T.P.			3541	1261 235		
T	5039	1266 274				
B.M. 60-38			7640	1258 634	B.M. 60-38 ELEV. = 1258.673 ADJ. 1961 NEWHALL, 0.3 MI. NW'LY FROM THE SPRR CROSSING OF MARKET ST., AT SAN FERNANDO RD. AND 12TH STREET, 32.0 FT. S. OF THE ℄ OF 12TH STREET PRODUCED EAST, 70.5 FT. S.E OF POWER POLE NO. 492419 H AND 7.0 FT. S.W. OF THE S.W. RAIL IN BALLAST DECK BRIDGE NO. 452.57. AN IRON BOLT AND WASHER MARKED "49 C.H.C.", SET IN THE TOP OF THE S.W. END OF THE S.E. CONC. ABUTMENT. F.B. 2839-29	

COUNTY SURVEYOR
R.E 329

Profile Notes Red. Plotted Job No 0095.34 Division No.
No. X-Sec. Notes Chkd. Checked Survey by C.L. WRIGHT Notes J.G.R. Date APR. - 63
Date Date Date Map No. Indexed C. J. GALLI Date

F.B. 2913 Pg. 61

F. B. 2913 Pg. 62

Job No 009534 Division No. Notes Red Plotted Profile

Survey of NEWHALL EAST BY-PASS RD. Date Date No.

Survey by C.L. WRIGHT Notes J.G.R. Notes Chkd. Checked X-Sec.

Indexed J. GAITT Date APR-63 Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.
			BLANK	

76-L298 CE 307 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

76-L295 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red No. ____ Date ____ Plotted ____ Job No. 0095.34 Division No. ____
X-Sec. Notes Chkd. ____ Date ____ Survey of MAYWOOD F.S.D. Survey No. ____ Date APRIL 1963
No. ____ Date ____ Checked ____ Date ____ Survey by C. L. WILLIAMS Notes C.L.W. Date APRIL 1963
Map No. ____ Indexed ____ Date ____ E. J. GALL

F.B. 29/13 Pg. 63

STATION	B. S.	H. I.	F. S.	ELEV.		
	BENCH LEVELS FROM B.M. 60-40 S'ELY TO B.M. 60-39					
					J.N. 0095.34	
B.M. 60-40				1191 899	SAUGUS, 0.8 MI. S. OF S.P.R.R. STATION @ SAUGUS, 8.0 FT. E. OF THE E. EDGE OF SAN FERNANDO RD. 46.5 FT. W. OF THE W. RAIL OF THE MAIN S.P. TRACK 81.5 FT. E. OF POWER POLE # 235 37/E AND 22/FE OF TELEPHONE POLE # 524550 H NOTE: THIS IS A NEW POLE #	
	8653	/200552				
TP			3770	1196 782	FD. A COUNTY ENGINEER B.M. BRASS CAP MON. MARKED B.M. 60-40, R.E. 5869, 1960 SET IN A 12" CONC. POST. F.B. 2839 - 31 L.A.C. (1961 ADJ. ELEV 1191 899	
	5909	/202691				
TP			3030	1199 661		
	11 129	/210790				
E-33			5683	/205 107	FD 1X2 SN. PG 20	
TP			0763	/210027		
	11105	/221132				
F-32			2717	/218415	FD 1X2 SN. PG 19, 20	
	8950	/227365				
E-31A			4840	/222525	FD 1X2 SN. PG 22	
	9591	/232122				
TP			0409	/231713		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 64 | Job No. 2 95.34 Division No. | Profile
Survey of Newmark East By-Pass Rd. | Notes Red | Plotted | No. | X-Sec.
Survey by C. J. Gault | Date | Date | No.
Notes E. L. Wi | Notes Chkd. | Checked
Indexed | Date Apr 1963 | Date | Date

STATION	B.S.	H.I.	F.S.	ELEV.		
TP				231 713		
	11 001	242 714				
E-31			2 680	240034	FD 1×2 S.N. Pg 19	
	8 045	248 679				
TP			0 289	247 790		
	11 880	259 670				
TP			0459	259 211		
	11 357	270 568				
TP			0 221	270 347		
	11 640	281 987				
TP			0 341	281 646		
	11 587	293 233				
TP			0 513	292 720		
	11 523	304 243				
E 64			2 707	301 536	FD 1×2 S.N. Pg 42	
E 65			2 013	302 230	" " " " "	
	4 827	307 057				
TP			0 451	306 606		
	11 683	318 289				
TP			0 700	317 589		

76-L296 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
TP				13/7 599 ✓		
	11640	1329 249 ✓				
TP			0629	1328 620 ✓		
	11825	1340 445 ✓				
TP			1603	1338 842 ✓		
	7950	1346 792 ✓				
△ Newhall			4730	1342 062 ✓	D. BRONZE TABLET SET IN CONC. TOP OF HIGHEST KNOB ON SPUR N'LY OF MOUTH. PLACERITA CYN. U.S.C. & G.S. △ STA. NEWHALL 1932 ELEV. TAKEN ON P.M. IN CTR. OF TABLET F.B. 1455-112	
	0909	1342 971 ✓				
TP			11960	1331 011 ✓		
	1913	1332 924 ✓				
TP			3120	1329 804 ✓		
	6021	1335 825 ✓				
[illegible] 60			0560	1335 265 ✓	FD 1x2 °N. Pg. 39, 42	
	1871	1337 156 ✓				
[illegible] 59			0325	1336 811 ✓	FD 1x2 °N. Pg. 38, 39	
"			11889	1325 247 ✓		
	0477	1325 724 ✓				
TP			11741	1313 983 ✓		
	0539	1314 522 ✓				
[illegible] 58			11170	1303 352 ✓	FD 1x2 °N. Pg 38	
TP			11940	1302 582 ✓		

CHANGAL

Profile Notes Red. ____ Plotted ____ Job No. 2395.34 Division No. ____
No. ____ X-Sec. ____ Date ____ Date ____ Survey of Newhall Farm & Ranch Co.
No. ____ Notes Chkd. ____ Checked ____ Survey by P. L. Hamnett Notes C. L. M. Date March 1923
Date ____ Date ____ Map No. ____ Indexed C. J. Gault Date ____

F. B. 2913 Pg. 65

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 66
Job No. 6095.34 Division No. Profile
Survey of Newman East By-Ass't Co. Plotted No. Notes Red Date No. X-Sec.
Survey by C.L. Wright Notes C.L. Wright Date Notes Chkd. Date Checked Date No.
Indexed [redacted] Date April 1963

STATION	B. S.	H. I.	F. S.	ELEV.	
T.P.				1302582 ✓	
	0285	1302867 ✓			
E-57			4560	1298307 ✓	FD 1x2½ N. Pg 35
T.P.			11743	1291124 ✓	
	0447	1291571 ✓			
T.P.			11977	1279594 ✓	
	0440	1280034 ✓			
E 56			5187	1274847 ✓	FD 1x2½ N Pg 38
T.P.			11679	1263355 ✓	
	0339	1268694 ✓			
T.P.			11863	1256831 ✓	
	0491	1257668 ✓			
T.P.			11941	1245727 ✓	
⊼	0765	1246492 ✓			
T.P.			11613	1234879 ✓	
⊼	0533	1235412 ✓			
T.P.			10160	1225252 ✓	
⊼	5768	1231020 ✓			
E-55			5241	1225779 ✓	FD. 1x2 & N. Pg. 38
T.P.			2375	1228645 ✓	
⊼	5470	1234115 ✓			

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
		1234 115			
T. B. M.			1 785	1232330	T.B.M. FD. A 2" I.P. DN. 4", WITH A BRASS PLATE SET FLUSH INSIDE OF PIPE. 77.3 FT. S.W. OF E-54 ON TOP OF BERM, NORTHLY EDGE OF LA PLACERITA CREEK. YELLOW GUARD PIPE 4' HIGH SET 5' N.E.'LY. BRASS PLATE MKD. AS SHOWN, ROD HELD ON EDGE OF PIPE ABOVE LETTERS "ON" IN THE WORD CONTROL.
⊼	7204	1239 534			
E-54			5032	12 34 502	
T.P.			3868	1235666	FD. 1X2 STK. & N. PG. 38
⊼	6643	1242 309			
T.P.			6361	1235948	
⊼	6333	1242 281			
B.M. 129-3			5718	1236563	FD. L.A. CO. FLOOD CONTROL DIST. BRASS CAP BENCH MARK PG. PGS. 37 & 59.
⊼	3128	1239 691			
T.P.			7449	1232242	
⊼	3878	1236 120			
T.P.			7328	1228 792	
⊼	2745	1231 537			
T.P.			7440	1224 097	
⊼	3288	1227 385			
T.P.			6398	1220987	
⊼	4664	1225 651			B.M. 60-39 ELEV. = 1216.524 - ADJ. 1961. SAUGUS, 1.3 MI. S'LY FROM THE SPRR STATION AT SAUGUS, AT SAN FERNANDO RD. AND BRIDGE NO. 53-14 OVER LA PLACERITA CREEK, 51.3 FT. W. OF W. RAIL, 17.0 FT. E. OF ℄ OF SAN FERNANDO RD. & 3.5 FT. N. OF S. END OF CURB. A USC&GS BRASS DISK MKD. "Q-370, 1953", SET IN THE TOP OF THE SO. END OF THE E. CURB, AND ABOUT LEVEL WITH TRACK. F.B. 2839-30
T.P.			5379	1220272	
⊼	2152	1222 424			
B.M. 60-39			5975	1216449	





Profile Notes Red. Plotted Job No. 0095.34 Division No.
No. X-Sec. Date Date Survey of NEW HALL EAST BY PASS RD.
No. Notes Chkd. Checked Survey by C.L. WRIGHT Notes J.G.R. Date APR. '63
Date Date Map No. Indexed C. L. Wright Date

F. B. 2973 Pg. 67

F.B. 2913 Pg. 68 | Job No. 009534 Division No. | Notes Red | Plotted | Profile

Survey of NEWHALL EAST BY-PASS ROAD | Date | Date | No. | X-Sec.

Survey by C.L. WRIGHT Notes | Notes Chkd. | Checked

Indexed E. J. GATT. Date ADD 1963 | Date | Date | No.

STATION	B.S.	H.I.	F.S.	ELEV.

BLANK

76-L298 CE 307 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red ____ Plotted ____ Job No 0095.34 Division No. ____
X-Sec. No. ____ Date ____ Date ____ Survey of NEWHALL EAST BY-PASS ROAD
Notes Chkd. ____ Checked ____ Survey by C.L. WRIGHT Notes J.G.R. Date APR-63
Date ____ Date ____ Map No. ____ Indexed C. J. Galli Date ____

F.B. 2913 Pg. 69

STATION	B.S.	H.I.	F.S.	ELEV.	
		BENCH LEVELS FROM B.M. 60-39 THROUGH B.M. 60-40 & 60-41 TO B.M. 60-42			
					J.N. 0095.34
B.M. — 60-39				1216 524	B.M. 60-39 ELEV. = 1216.524, ADJ. 1961, SAUGUS, 1.3 MI. S'LY FROM THE S.P.R.R. STATION AT SAUGUS, AT SAN FERNANDO RD. AND BRIDGE NO. 53-14 OVER LA PLACERITA CREEK, 51.3 FT. W. OF THE W. RAIL, 17.0 FT. E. OF THE ℄ OF SAN FERNANDO RD. AND 3.5 FT. N. OF THE S. END OF THE CURB. A USC & GS BRASS DISK MARKED "Q-370, 1953", SET IN THE TOP OF THE S. END OF THE E. CURB, AND ABOUT LEVEL WITH THE TRACK. FB. 2839-30
⊼	4572	1221 096			
B.M. 129-00150			5991	1215 105	B.M. 129-00150 ELEV. = SAUGUS, 1.3 MI. S'LY FROM THE S.P.R.R. STATION AT SAUGUS, AT S.P.R.R. MAIN LINE AND BRIDGE NO. 451.92 OVER LA PLACERITA CREEK, 77.5 FT. E. OF B.M. 60-39, 69.4 FT. E. OF TELEPHONE POLE NO. 558855 H, 14.3 FT. E. OF E. RAIL, 10.4 FT. S'LY ALONG THE WING WALL ON THE E'LY SIDE OF THE S'LY ABUTMENT. A LOS ANGELES COUNTY FLOOD CONTROL DISTRICT BRASS DISK (3½ IN. IN DIAMETER) MKD. "B.M. 129-00150, 1963", SET IN THE TOP OF THE CONCRETE WING WALL. NO REFERENCE.
⊼	3135	1218 240			
T.P.			6452	1211 788	
⊼	1838	1213 626			
T.P.			6922	1206 704	
	1551	1208 255			
T.P.			5385	1202 870	
	9863	1212 733			
T.P.			8920	1203 813	
	2697	1206 510			
T.P.			6578	1199 932	
	2780	1202 712			

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 70 | Job No. 0095.34 Division No. | Notes Red | Plotted | Profile
Survey of NEWHALL EAST BY-PASS ROAD | Date | Date | No. | X-Sec.
Survey by G.L. WRIGHT Notes J.G.R. | Notes Chkd. | Checked | No.
Indexed E. J. GALLY | Date APR. 63 | Date | Date

STATION	B.S.	H.I.	F.S.	ELEV.		
⊼		1202.712 ✓				
T.P.			5 582	1197 130 ✓		
⊼	3 218	1200 348 ✓				
T.P.			5 249	1195 099 ✓		
⊼	3 752	1198 851 ✓				
B.M. 60-40			6889	1191 962 ✓	B.M. 60-40 ELEV. = 1191.899, ADJ. 1961, SAUGUS, 0.8 MI. S. OF S.P.R.R. STATION AT SAUGUS, 8.0 FT. E. OF THE E. EDGE OF SAN FERNANDO RD., 46.5 FT. W. OF THE W. RAIL OF THE MAIN LINE S.P. TRACK, 81.5 FT. ± (RELOCATED) OF POWER POLE NO. 123 537 E AND 2.2 FT. E. OF TELEPHONE POLE NO. 52-4550H,. A COUNTY ENGINEER B.M. BRASS CAP MONUMENT MKD. B.M. 60-40, R.E. 5869, 1960" SET IN A 12" CONC. POST. F.B. 2839-31	
⊼	1 303 ✓	1193 265 ✓				
T.P.			5866	1187 399 ✓		
⊼	5 490 ✓	1192889 ✓				
T.P.			6 330	1186 559 ✓		
⊼	6671 ✓	1193 230 ✓				
T.P.			4 242	1188 988 ✓		
⊼	4 804	1193 792 ✓				
T.P.			4 984	1188 808 ✓		
⊼	4 410	1193 218 ✓				
T.P.			4 967	1188 251 ✓		
⊼	3 091	1191 342 ✓				
T.P.			5 321	1186 021 ✓		
⊼	3919	1189 940 ✓				
T.P.			5 706	1184 234 ✓		
⊼	5423	1189 657 ✓				

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
⊼		1189657			
T.P.			3642	1186015	
⊼	4125	1190140			T.B.M.
T.B.M.			4122	1186018	SET BOAT SPIKE IN WEST SIDE OF SQUARE CUT TELEGRAPH POLE, UP 6". 12 FT. S.E. OF POWER POLE NO. 1110740 E.
⊼	3440	1189458			
T.P.			5984	1183474	
⊼	3867	1187341			
T.P.			5704	1181637	
⊼	3854	1185491			
T.P.			5937	1179554	
⊼	3251	1182805			
T.P.			7155	1175650	
⊼	3360	1179010			
B.M. 60-41			7574	1171436	B.M. 60-41 ELEV. = 1171.387, ADJ. 1961, SAUGUS, 0.3 MI. S'LY FROM S.P. R.R. STATION AT SAUGUS, 2.0 MI. N'LY OF NEWHALL, AT "T" JUNCTION OF POWER LINES, 60.0 FT. W. OF THE ℄ OF SAN FERNANDO ROAD, 1.5 FT. E. OF A WOVEN WIRE FENCE AND 6.5 FT. S. OF POWER POLE NO. 724408E. A USC & GS BRASS DISK MARKED "R-370; 1953", SET ON TOP OF A CONC. POST 0.2 FT ABOVE THE GROUND AND 5.0 FT. LOWER THAN THE TRACK. F.B. 2839-32.
⊼	8115	1179551			
T.P.			6529	1173022	
⊼	4047	1177069			
T.P.			3187	1173882	
⊼	5316	1179198			
T.P.			5569	1173629	
⊼	3792	1177421			

Profile Notes Red Plotted Job No 209534 Division No.
No. X-Sec. Date Date Survey of NEWHALL EAST BY-PASS ROAD
No. Notes Chkd. Checked Survey by C.L. WRIGHT Notes J.G.R. Date APR-63
Date Date Map No. Indexed E. J. GALL Date

F. B. 2913 Pg. 71

76-L296 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 72

Job No. 0095.34 Division No. Notes Red Date Plotted Date Profile No.
Survey of NEWHALL EAST BY-PASS RD. Date Date X-Sec. No.
Surveyed by C.L. WRIGHT Notes JGR Notes Chkd. Checked Date
Indexed G.J. GALLI Date APR. 63 Date

STATION	B.S.	H.I.	F.S.	ELEV.	
⊼		1177.421 ✓			
T.P.			5.828	1171.593 ✓	
⊼	4.679	1176.272 ✓			
T.P.			5.949	1170.323 ✓	
⊼	5.069	1175.392 ✓			
B.M. 60-42			5.432	1169.960	B.M. 60-42 ELEV. = 1169.927 ADJ. 1961. SAUGUS, IN S.P.R.R. STATION YARD, 33.5 FT. S. OF THE S.W. CORNER OF THE STATION, 49.5 FT. N. OF THE N.W. COR. OF A PUMP HOUSE, AND 18.0 FT. E. OF THE E. RAIL OF THE MAIN TRACK. A 3½ INCH USGS BRONZE CAP MARKED "USGS BM 1171", RIVETED ON TOP OF A 3½ INCH IRON PIPE FLUSH WITH THE GROUND. NOTE: MARK IS LEANING SLIGTLY TO THE E., ROD WAS HELD ON LETTERS "BM" ON THE W. SIDE OF PIPE. F.B. 2839-33.

F.B. 2913 Pg. 73

Profile No. | Notes Red | Plotted | Job No. 0095.34 | Division No.
Date | Date | Survey of NEWHALL EAST BY-PASS ROAD
X-Sec. No. | Notes Chkd. | Checked | Survey by C.L. WRIGHT | Notes JGR | Date APR-63
Date | Date | Map No. | Indexed C. J. GALL | Date [illegible] 20 63

NEWHALL EAST BY-PASS RD.
LEVELS: FROM E-64 THROUGH
P-LINE POINTS TO E-60

J.N. 0095.34

STATION	B.S.	H.I.	F.S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76-L298 CE 907 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 74

Job No. 0095.34 Division No. ____ Notes Red ____ Plotted ____ Profile

Survey of NEWHALL EAST BY-PASS ROAD Date ____ No. ____ X-Sec.

Survey by C.L.W.&RIGHT Notes JGR Notes Chkd. ____ Checked ____ No.

Indexed C. J. GALLI Date APR-63 Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
		LEVELS FROM E-64, THROUGH P-LINE POINTS, TO E-60				
				J.N. 0095.34		
E-65				1302 230	FD. 1x2 STK. & N. PGS. 42 & 64	
⊼	6 624	13 08 854 ✓				
T.P.			1 190	1307 664 ✓		
⊼	6 902	1314 566 ✓				
T.P.			2651	1311 915 ✓		
⊼	0 314	1312 229 ✓				
T.P.			11 430	1300 799 ✓		
⊼	0 608	1301 407 ✓				
E-63			4201	1297 206 ✓	FD. 1x2 STK. & N. PG. 42	
⊼	1 035	1298 241 ✓				
T.P.			11 652	1286 589 ✓		
⊼	0 350	1286 939 ✓				
T.P.			11 698	1275 241 ✓		
⊼	0 367	1275 608 ✓				
T.P.			11 756	1263 852 ✓		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
				1263 852 ✓		
⊼	0 391	1264 243 ✓				
T.P.			11 658	1252585 ✓		
⊼	0 399	1252 984 ✓				
T.P.			9 385	1243599 ✓		
⊼	3066	1246 665 ✓				
T.P.			1 064	1245 601 ✓		ROD = 21 SET 1x2 STK AS T.B.M.
⊼	4909	1250 510 ✓				
E-61			10 337	1240 173 ✓	FD. 1½" I.P. PG. 39,42-ROD	HELD ON N.E. RIM OF PIPE
E-62 T.P.			5971	1244 539 ✓	FD. 1½" I.P. PG. 42 ROD	HELD ON E. RIM OF PIPE
⊼	11 313	1255 852 ✓				
T.P.			0445	1255407 ✓		
⊼	11428	1266 835 ✓				
T.P.			0359	1266476 ✓		
⊼	11 079	1277 555 ✓				
T.P.			0 194	1277361 ✓		
⊼	11 522	1288 883 ✓				
T.P.			0540	1288 343 ✓		
⊼	11 266	1299 609 ✓				
T.P.			0376	1299 233 ✓		
⊼	11 552	1310 785 ✓				

Profile Notes Red. Plotted Job No. 2095.34 Division No.
No. X-Sec. Date Date Survey of NEW HILL ROAD BY PASS ROAD
No. Notes Chkd. Checked Survey by C.A. WRIGHT Notes JGR Date APR-43
Date Date Map No. Indexed C. J. GALLI Date

F. B. 2913 Pg. 75

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 76

Job No 095334 Division No. _____ Profile _____
Survey of NEWHALL EAST BY-PASS ROAD Notes Red _____ Plotted _____ No. _____
Survey by C.L. WRIGHT Notes J.G.R. Date _____ Date _____ X-Sec. _____
Indexed J. GALLI Date APR-63 Notes Chkd. _____ Checked _____ No. _____
Date _____ Date _____

STATION	B. S.	H. I.	F. S.	ELEV.		
⊼		1310 785 ✓				
T.P.			0411	1310 374 ✓		
⊼	11360	1321 734 ✓				
T.P.			0430	1321 304 ✓		
⊼	10697	1332 001 ✓				
T.P.			1831	1330 170 ✓		
⊼	6034	1336 204 ✓				
E-60			0927	1335 277 ✓	FD. 1x2 STK. & N. PG'S. 39, 42, 65 ELEV. PER PG 65 - 1335.265	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.		
		LEVELS FROM E-10 N.W'LY THRU E-12 TO T.B.M. IN				
		P.P. # 74 (9.49) (NEWHALL EAST BY-PASS RD.				
		7937E J.N. 0095.34				
E-10				1286.079	FD. 1x2, N. PG. 13, 49	
	4.325	1290.404				
- 71			6.479	1283.925		
	11.365	1295.290				
TP			0.771	1294.519		
	11.555	1306.074				
TP			0.891	1305.183		
	11.697	1316.880				
TP			0.315	1316.565		
	11.021	1327.586				
TP			0.838	1326.748		
	4.303	1331.051				
E-12			0.499	1330.552	FD. 1½" I.P. CONC. PLUG, L.A.C. ENGR. TAG PG. 13	
	0.430	1330.982				
TP			11.690	1319.292		

Profile Notes Red Plotted Job No. 0095.34 Division No.
No. X-Sec. Notes Date Date Survey of NEWHALL EAST BY-PASS RD. F.B. 2913 Pg. 77
No. Date Checked Survey by C.L. WARMAN Notes C.L.W. Date MAY '63
Date Map No. Indexed Date

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2213 Pg. 78

Job No. _____ Division No. _____ Notes Red _____ Date _____ Plotted _____ Profile

Survey of NEWHALL EAST BY-PASS RD. Date _____ No. _____ X-Sec.

Survey by C. L. WRIGHT Notes C. L. W. Notes Chkd. _____ Checked _____ No.

Indexed C. J. GATES Date MAY 1963 Date _____ Date _____

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				1319292		
	0590	1319822				
T.P.			1119	1308003		
	0422	1308425				
T.P.			1156	1297269		
	0377	1297292				
T.P.			1269	1256023		
	3997	1280402				
T.P.			1423	1256979		
	4207	1285194				
T.P.			6809	1278385		
	4811	1283186				
T.B.M.			4523	1278663	FD. SPK. W. ST. W. SIDE PP# 147937E E. SIDE RACE ST. 150' N. OF 6TH ST. - NEWHALL PG. 49	

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO 2095.34 SURVEY OF NEWHALL EAST BY PASS RD.
DATE SURVEY BY C.L. LUKLIGHT
NOTES CHKD. NOTES BY C.L.W. DATE MAY 63
DATE INDEXED E. J. GALLI DATE

F.B. 2913 PG. 79

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	BENCH LEVELS FROM B.M. 60-42 S.E'LY ALONG SAN FERNANDO RD. THRU B.M.S 60-41, 60-40 TO P.M. 60-39 NEWHALL EAST BY PASS ROAD. J.M. 30 S.E. 34					
60-42	1169.927				1169.927	FD. (U.S.G.S. 1171) (U.S. 1003) & SAUGUS, IN S.P.R.R. STATION YARD 73.5 FT. S. OF THE S.W. COR. OF THE STATION, 49.5 FT. N. OF THE N.W. COR. OF A PUMP HOUSE AND 15.0 FT. E. OF THE E. RAIL OF THE MAIN TRACK. A 3½" U.S.G.S. BRONZE CAP MARKED U.S.G.S. BM. 1171, RIVETED ON TOP OF A 3½" IRON PIPE FLUSH WITH THE GROUND. NOTE: MARK IS LEANING SLIGHTLY TO THE EAST. ROD WAS HELD ON THE LETTERS "E.M." ON THE W. SIDE OF THE PIPE. P.B. 2839-33 L.A.Co. 1964 ADJ. ELEV. 1169.927
+	4.789		4.817	4.590		
π	74.716	+ 0.912	0.917	+ 0.911		
−	3.877		3.900	3.679		
TP	70.839					
+	5.435		5.631			
π	76.274	+ 1.114	+ 1.112			
−	4.321		4.519			
TP	71.953					
+	6.355		6.147			
π	78.308	+ 1.722	+ 1.722			
−	4.633		4.425			
TP	73.675					
+	6.167		6.073			
π	79.842	+ 0.433	+ 0.431			
−	5.734		5.642			
TP	74.105					
+	0.762		0.687	0.609		
π	74.795	− 5.801	− 5.812	− 5.811		
−	6.567		6.109	6.420		
TP	68.296					

NOTE: AVERAGES OF ROD READINGS WERE TAKEN IN THIS AREA DUE TO A GLASS FACTORY @ SYLMAR CAUSING A PULSATING LIGHT THRU THE GROUND.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 0095.34 SURVEY OF Newhall East By-Pass Rd. NOTES RED. DATE
SURVEY BY R.L. Wright NOTES CHKD
NOTES BY C.L.W. DATE May '63 DATE
INDEXED E. J. GALLI DATE

F.B. 2913 PG. 80

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1168.296					
+	9.694		9.507			
IT	77.990	+ 3.099	+ 3.097			
−	6.295		6.410			
BM 60-41	1171.395				1171.387	FD. (U.S.C.&G.S. R-370 1953)
+	9.470		9.363			SAUGUS, 0.3 MI. S'LY FROM S.P.R.R. STATION @ SAUGUS, 2.0 MI. N'LY OF NEWHALL, AT THE "T" JCT. OF EDISON POWER LINES 60.0 FT. W. OF ℄ OF SAN FERNANDO RD. 1.5 FT. E. OF A WOVEN WIRE FLOOD CONTROL FENCE AND 6.5 FT. S. OF P.P.# 724408E. A U.S.C.&G.S. BRASS DISK MARKED "R-370, 1953," SET ON TOP OF A CONC. POST 0.2 FT. ABOVE GROUND & 5.0 FT. LOWER THAN THE TRACK.
IT	80.874	+ 6.064	+ 6.064			
−	3.415		3.290			
TP	77.459					
+	7.230		7.091			
IT	84.689	+ 2.781	+ 2.781			
−	4.449		4.310			
TP	80.240					
+	5.551		5.713			
IT	86.091	+ 1.736	+ 1.738			
−	4.115		3.975			
TP	81.976					
+	6.661		6.483			
IT	89.637	+ 2.692	+ 2.693			
−	3.969		3.790			
TP	84.668					
+	5.107		4.990	4.925		
IT	89.775	+ 1.066	+ 1.061	+ 1.065		
−	4.041		3.929	3.860		
TP	85.734					
+	4.745		4.645			
IT	90.479	− 0.482	− 0.480			
−	5.227		5.125			
TP	85.252					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED____ JOB NO. 0095.34 SURVEY OF Newhall Ext. Bx/Bss Rd.
DATE____ SURVEY BY C.L. WRIGHT
NOTES CHKD____ NOTES BY C.L.W. DATE MAY '63
DATE____ INDEXED C. J. GAU DATE

F.B. 2913 PG. 81

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1185.252					
+	7.200		7.319			
Δ	92.651	+ 0.428	+ 0.428			
−	2.971		3.891			
TP	56.650					
+	5.721		5.590			
Δ	94.401	− 0.272	− 0.234			
−	5.953		5.823			
TP	88.448					
+	5.395		5.359			
Δ	93.843	+ 0.300	+ 0.299			
−	5.095		5.060			
TP	88.748					
+	6.275		6.171			
Δ	95.023	+ 3.165	+ 3.164			
−	3.110		3.008			
BM 60-40	91.913				1191.899	FD. SAUGUS 0.8 MI. S'LY FROM S.P.R.R. STATION @ SAUGUS 8.0 FT. E. OF E. EDGE OF SAN FERNANDO RD., 46.5 FT. W. OF THE W. RAIL OF THE MAIN S.P. TRACK 81.5 FT. E. OF PP# 123537E, AND 2.2 FT. E. OF TEL. POLE # 5245504 (NEW POLE). A COUNTY ENGR. B.M. BRASS CAP MON. MARKED "B.M. 60-40, R.E. 5860/960", SET IN A 12" CONC. POST. F.B. 2839-31 L.A.Co. 1961 ADJ. ELEV. 1191.899
+	4.971		4.890			
Δ	96.884	− 0.178	− 0.179			
−	5.149		5.069			
TP	91.735					
+	7.215		7.159			
Δ	98.950	+ 1.535	+ 1.538			
−	5.680		5.621			
TP	93.270					
+	5.669		5.607			
Δ	98.939	+ 2.708	+ 2.707			
−	2.961		2.900			
TP	95.978					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO 0095.34 SURVEY OF Normandie East Bk. Pass Rd. NOTES RED. DATE
SURVEY BY C.L. WRIGHT
NOTES BY C.L.W. DATE MAY '63 NOTES CHKD. DATE
INDEXED E. J. GALLI DATE

F.B. 2913 PG. 82

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP	1195.978 ✓					
+	3.840		3.725			
I	99.818 ✓	- 0.145	- 0.145 ✓			
-	3.985 ✓		3.870			
TI	95.833 ✓					
+	7.079		6.995			
Δ	202.912 Δ	+ 4.894	+ 4.801 ✓			
-	2.185		2.103			
TI	200.727 ✓					
+	7.573		7.480			
Δ	208.300 Δ	+ 4.909	+ 4.301 ✓			
-	3.270		3.179			
TI	205.030 ✓					
+	7.547		7.479			
Δ	12.577 Δ	3.716	+ 3.714 ✓			
-	3.831 ✓		3.765			
TP	08.746 ✓					
+	7.770		7.740			
Δ	16.516 Δ	+ 4.820	+ 4.820 ✓			
-	2.950		2.920			
TI	13.566 ✓					
+	7.321		7.231			
Δ	20.887 Δ	3.231	+ 3.231 ✓			
-	4.390		4.300			
B.M. 60-39	216.497 ✓				216.524 ✓	FD. 1 SAUGUS, 1.3 MI. S'LY FROM THE S.P.R.R. STATION @ SAUGUS, @ SAN FERNANDO RD. & BRIDGE # 53-14 OVER L.A. PLACERITA CREEK, 51.3 FT. W. OF THE W. RAIL, 17.0 FT. E. OF THE ℄ SAN FERNANDO RD. & 3.5 FT. N. OF THE S. END OF THE CURB. A U.S.C. & G.S. BRASS DISK MARKED "B 370, 1953," SET IN THE TOP OF THE S. END OF THE E. CURB, & ABOUT LEVEL WITH THE TRACK. F.B. 2839-30 L.A.CO. ADJ. ELEV. (1961) 216.524

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 0095.34 Division No.____
No.____ X-Sec. Notes Chkd.____ Checked____ Survey by C.L. WRIGHT Notes C.L.W. Date MAY '63
No.____ Date____ Date____ Map No.____ Indexed E.J. GALLI Date____

F.B. 2913 Pg. 83

STATION	B.S.	H.I.	F.S.	ELEV.	
	ELEVATIONS FROM T.P. 5183 E 14A THRU E 15, E 16 TO E-74				
			J.N. 0095.34		
				1340 029	FD 1x1 T.P. Pg 56
T.P.					
	5183	1345 212			
			5035	1340 177	FD 1x2½ N. Pg. 26, 44, 56 Check
E 14A					
E-74			5897	1339 315	" " " " " " Check
			8 810	1336 402	
T.P.					
	0 549	1336 951			
			6341	1330 610	
T.P.					
	5 739	1336 349			
			6061	1330 288	FD. 1½" I.P. Cor. Pgs. 26, 15 & E 14A Tie Pg. 26, 15 Elev. Taken on N.F.
E 15					
	2 179	1332 467			
			11 939	1320 619	
T.P.					
	0 323	1320 941			
			11 032	1309 909	
T.P.					
	0 291	1310 200			
			11 740	1298 460	
T.P.					
	0 231	1298 691			
			11 830	1286 861	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 84 Job No. 8095.34 Division No. Profile
Survey of NEWHALL LAST BY-PASS EL. Notes Red Plotted No.
Survey by C.L. HERGET Notes C.L.W. Date Notes Chkd. Date X-Sec.
Indexed E. J. GALLI Date MAY 63 Date Checked Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
				1283.84		
	0.908	1284.749				
T.C. #2			1.089	1276.930	Fd. 1x2 Sh. F.S. [illegible] (CYN Bk. Pg. 15 A-sol F.F. 2949-8,10	
	1.745	1278.679				
E-16			1.513	1277.162	Fd. 1x2 Sh. M. 15,16	
TP			6.359	1272.316		
	3.351	1275.667				
E-74			3.505	1272.162	Fd. 1x2 Sh. Pg. 45	

Notes Ck'd by H. E. AUSTIN	Survey of NEWHALL EAST BY PASS Rd.
Map No.	JN 0095.34 Tape 115 Std 8A oF
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W Date OCT '63
Date	Indexed C. J. GALLI NOV 5 '63

F. B. 2913 Pg. 85

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NEWHALL EAST BY PASS ROAD

INTERSECTION -

PROPOSED ℄ - PLACERITA CYN. RD. &
"P" LINE BETWEEN E-73 & E-74
NEWHALL EAST BY-PASS RD.

J.N. 0095.34

PARTY
C. L. WRIGHT
V. G. RANDALL
D. F. PEAVY
W. F. BARNETT
L. D. BENDER

76F309S CE #247—3-57

F.B. 2913 Pg. 86


COUNTY ENGINEER
CO. PLACERITA CYN RD.
EL. 2
R.E. 5869
SEM. TANK RD.
PROPOSED ℄ PLACERITA CYN RD. F.B. 2949
FD. 2" I.D. & BRASS CAP SET IN CONC. DN 9" IN WELL & COVER F.B. 2949-10
T-78° LEV 265.84 .01 265.83
265.83
SET 1X2 & N BY INT.
T-78° LEV 98.88
209.74
"P" LINE - NEWHALL EAST
98.88
BY-PASS RD
E-74, FD 1X2 & N. PG. 45
To E-70 Pg. 94
T-78° LEV 209.75 .01 209.74
E-73, FD 1X2 & N. PG 45
82° 45' 35" 40"
355.47
T 80° LEV. 355.48 .01 355.47
B.C. (31+56.00) (PLACERITA CYN RD.) FD. 1X2 & N PG 15 ALSO F.B. 2949-8,10
T 80° LEV 23.11
23.11
"P" LINE NEWHALL EAST BY-PASS RD.
E-16, FD 1X2 & N PG 15, 16
PROPOSED ℄ PLACERITA CYN RD.
① 82 45 40
② 331 02 20
③ 136 33 30
82° 45' 35"
RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN	Survey of NEWHALL EAST BY PASS RD	F. B. 2913	PG. 87
Map No.	JN 0095.34 Tape 175 Std 84 °F		
Office Work	Surveyed by C. L. WRIGHT		
Checked	Notes C.L.W Date OCT '63		
Date	Indexed J. GALLI NOV 5 '63		

NEWHALL EAST BY-PASS RD.

INTERSECTION - PRELIMINARY LINE BETWEEN E-29 & E-30 WITH N'LY BDY - TR. 1078

J.N. 0095.34

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PARTY:
C. L. WRIGHT
J. G. RANDALL
B. G. PENNY
W. F. BARNETT
L. D. BENDER

76F3098 SAF #247 11-58

F.B. 2913 Pg 88

TRACT 1801

To E-30 Pg 19

To E-30 Pg 19

⊙ 114	59	40
⊙ 94	58	30
⊙ 329	58	00
114°	59'	40"

W.S.62, A-3

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

COUNTY SURVEYOR
TR 1078
F.B. 329

PRELIMINARY

114°

59.40 ✓

FD C.S. MON. 2" I.P. & BRASS CAP SET IN CONC.
PG. 30
F.B. 1455 - 112, 113
C.S.B. - 2238 - 3

TRACT BOUNDARY

74.37 ✓

SET 1×2 ℄N. BY INT.

To 1×2 ℄N Pg 30, 90

23.70

T-70°
78.75 @ 19 - 10 = 74.38 ✓
78.37 @ 18 - 20 = 74.38

74.38
.01
74.37 ✓

T-70°
LEV. 23.70

E-29
FD. 1×2 ℄N.
Pg 19

LINE

TRACT 1078

Notes Ck'd by H. E. AUSTIN	Survey of NEWHALL EAST BY PASS RD.	F. B. 2913	PG. 89
Map No.	JN 0095-34 Tape 175 Std 84 °F		
Office Work	Surveyed by C. L. WRIGHT		
Checked	Notes C. L. W. Date OCT '63		
Date	Indexed E. J. GALLI NOV 5 '63		

NEWHALL EAST BY-PASS RD.

INTERSECTION -

NORTH BOUNDARY TRACT 1078 &

A STRAIGHT LINE BETWEEN

U.S.C.&G.S. Δ STA. NEWHALL &

U.S.F.&G.S. Δ STA SAUGUS

J.N. 0095.34

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 2-61

F. B. 2913 Pg. 90

W.S. 62, A-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by H. E. AUSTIN	Survey of NEWHALL EAST BY-PASS RD. F.B. 2913 PG. 91
Map No.	JN 0095.34 Tape 175 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date OCT '63
Date	Indexed J. GALLI

NEWHALL EAST BY-PASS RD.-
LINE PROD. THRU E-12 FROM
△ STA. EDISON (NEWHALL H-3)
N.E.'LY TO E-12-B.

J.N. 0095.34

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 SSE #247 11-58

F.B. 2913 PG 92



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. E. AUSTIN	Survey of NEWHALL EAST BY-PASS RD.
Map No.	JN 0095.34 Tape 175 Std 84 °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date OCT '63
Date	Indexed E. J. GATT

F. B. 2913 Pg. 93

(NEWHALL EAST BY-PASS RD.)

℄ SAN FERNANDO RD.
FROM FIRST P.I. N.W'LY
OF U.S. FOREST SERVICE
SOLEDAD HDQTS. TO
P.I. @ MAIN ENTRANCE
TO W.S. HART PARK IN
NEWHALL.
ALSO SPLIT OF RAILS -
MAIN LINE S.P.P.R. FROM
SAN FERNANDO RD. N.W'LY
TO ℄ 10TH ST. PROD.
J.N. 0095.34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3099 CE #247—3-57

F.B. 2913 Pg. 94

CONT. DOT. PG 95

W.S. 62, B-3

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by H. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of NEWHALL EAST BY-PASS RD
JNo 95.54 Tape 175 Std. 84° F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date 9-63
Indexed E. J. GALLI

F. B. 2913 Pg. 95



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 62, A-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 SAE #243 11-58

F.B. 2913 PG 96

W.S. 62, A-3

SEE F.B. 3130-8 FOR NEWHALL AVE

℄ NEWHALL AVE

℄ SAN FERNANDO RD.

FD. RD DEPT. BRASS CAP IN 2" F.B. 2297 - 171, 172 F.B. 3130 - 6 F.B. 973 -

①	179	53	00
②	359	32	20
③	359	18	20
	179°	53'	03⅓"

179°

53'

03"

T-72°
LEV. 981.87
08
981.79

℄ SAN FERNANDO RD.

981.79

CONT. BOT. PG. 97

①	29	52	20
②	119	29	00
③	179	13	30
	29	52	15

29° 52' 15"

2882.65' LINE

1067.97' MAIN

60' PG

E-82A, SET 1X2 L.N. ELEV PG 104

ELEV PG 104

E 82
SET LG. BOAT SPK W.&T FLUSH ON SPLIT OF RAILS

T-72°
LEV 49.26

49.26

E. RAIL

RAIL

P.

S.

T-72°
LEV. 160.81
01
160.80 ✓

160.80

CONT. TOP PG. 95

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this date at this time.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. E. AUSTIN	Survey of NEWHALL EAST BY-PASS Rd
Map No.	JN 0095.24 Tape 175 Std 84° F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C.L.W Date 0CT '63
Date	Indexed R. J. GALLI

F. B. 2913 PG. 97

CONT. BOT. PG 98





CONT. RIGHT PG 96

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3088 SEE #247 11-59

F.B. 2913 Pg. 98

W.S. 62, A-3

D	89	58	10
D	353	52	20
Δ	179	48	10
	89°	58'	40"

T. 78°
112.21 @ 8-28 = 110.99 ✓
112.36 @ 8-55 = 111.00 ✓
LEV
= 110.99 ✓

5093
161.92 ✓
.01
761.91 ✓

Fd. Spk W/℄ T. Flush in Pvmt. F.B. 2949-8

Elev Pg 105
E-88
Set Sq Spk ℄ T.
in R.R. Tie
By Int.

59.19
Preliminary
20.68
Line
29.35
Placerita
161.91 ✓
Cyn Rd.

T 80°
Lev 59.19
R.P. E-88
Set 1x2 ℄ N.

S 58-07-10 E

8.47

Fd. 2" I.P. Conc Plug, L.A. Co. Engr. Tag up 4"
F.B. 2949-8
Also F.B. 2913-15

E-87
Set 1x2 ℄ N.
on Split of Rails

Set 1x2 ℄ N.
R.P. E-88

T 80°
Lev. 402.03
.01
402.02 ✓

E-86
Set Sq Spk ℄ T.
in R.R. Tie

2.27
2.42
21.11
25.98

R.P. E-86
Set 1x2 ℄ N.
Elev Pg 105

T-78°
Lev 605.39
.02
605.37 ✓

Elev Pg 105
E-85
Set Sq Spk ℄ T.
in R.R. Tie

2.62
19.92
22.20
2.08

R.P. E-85
Set 1x2 ℄ N.

T-74°
Lev 390.12
215.69 @ 1-18 = 215.63 ✓
605.75 ✓
.04
605.71 ✓

R.R. Rail
2882.65
402.02 ✓
Rail
605.37 ✓
Rail
605.71 ✓
R.R. Main Line

Cont Top Pg. 97

Please Return To
Los Angeles County Engineer
700 Los Angeles County Engineering Bldg.
Do not extend this title of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. E. AUSTIN	Survey of NEWHALL EAST BY PASS	F. B. 2913	PG. 99
Map No.	JN 0095.34 Tape 175 Std 87 °F		
Office Work	Surveyed by C. L. WRIGHT		
Checked	Notes C. L. W. Date Oct '63		
Date	Indexed C. J. GALLI NOV 5 63		

NEWHALL EAST BY-PASS RD.
TRIANGULATION NET

J. N. 0095.34

F.B.-G-987-21-32

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78F3098 SAE #247 11-59

F.B. 2913 PG. 100



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this data at this time.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. E. AUSTIN
Map No.
Office Work
Checked
Date

Survey of NEWHALL EAST BY-PASS Rd.
JN 0095.34 Tape 175 Std. 87 °F
Surveyed by C. L. WRIGHT
Notes C. L. W Date Oct '63
Indexed E. J. GALLI

F. B. 2913 Pg. 101

To △ RODEO (SAUGUS J-12)
Pg 101

E-12B
Pg. 92

46° - 45' - ~~35.1~~ 40"

7° 43' - ~~49.1~~ 49"

To △ NEWHALL (NEWHALL H-1)
Pg 100

64° 50' ~~41.8~~ 41"

72° - 34' - ~~34.1~~ 30"

To △ RODEO (SAUGUS J-12)
Pg 100

△ ARM
Pg 102

41° 45' ~~15.3~~ 11"

41° 32' ~~44.7~~ 36"

△ EDISON
(NEWHALL H-3)
FD. MON.

23° 15' - ~~38.9~~ 39"

23° 28' - ~~09.5~~ 14"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

F.B. 2913 Pg 102

W.S.G.2, A-3

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

①	29	37	40
④	18	30	10
⑥	177	45	20
	29°	37'	33 1/3"

△ ARCH
SET 2" I.P.
CONC. PLUG, NAIL
L.A.CO. ENGR TAG
DN 18".
SET WHITE TOP
R.W. 2x2, NAIL &
L.A.CO. ENGR TAG
FLUSH

To △ EDISON (NEWHALL H-3)
Pg 101

5"
29° 37' 33 1/3"
439.87

T 84°
ELEV. 439.87

13TH ST.
℄ 13TH ST

①	152	20	10
④	249	20	40
⑥	124	01	10
	152°	20'	11 2/3"

℄
152°
20

E-21
FD. 1" I.P. & CONC.
PLUG, L.A.CO. RD. DEPT.
TAC DN 20' PG 16
FB 799-8
FB 2383-28
RD DEPT. F x 173-2

ARCH ST.

ARCH ST.

12TH ST.
℄ 12TH ST.

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Rod Plotted Job No. 0095.34 Division No.
No. X-Sec. Date Date Survey of NEWHALL EAST BY-PASS ROAD
No. Notes Chkd. Checked Survey by C.L. WRIGHT Notes JGR Date 30-OCT-63
Date Date Map No. Indexed S. J. GALLI Date NOV 5 63

F.B. 2913 Pg. 103

Bench Levels on San Fernando Rd & S.P. R.R.

STATION	B.S.	H.I.	F.S.	ELEV.	
B.M. NE-2				1310.205	FD. C.E. BUTTON MON. 2" I.P. & BRASS CAP SET IN CONC. PG. 48, 49
	0.910	1311.115			
T.P.			3.755	1307.360	
	4.055	1311.415			
T.P.			2.910	1308.505	
	7.170	1315.675			
T.P. E-77			1.600	1314.075	E-77 FD. SQ. HD. SPK & WASHER. P.I. ON SAN FERNANDO RD. PG. 10 & 94.
	4.120	1318.195			
T.P.			2.750	1315.445	
	4.190	1319.635			
T.P. E-78			4.890	1314.745	FD. SQ. HD. SPK. & TIN. PG. 94
	3.980	1318.725			
E-79			5.040	1313.685	FD. SQ. HD. SPK. & WASHER PG. 94
	4.540	1318.225			
E-80			5.530	1312.695	FD. SQ. HD. SPK. & WASHER PG. 95
	0.605	1313.300			

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F. B. 2913 Pg. 104

Job No. 0095.34 Division No. Notes Red Date Plotted Profile No.
Survey of NEWHALL EAST BY PASS ROAD Date Date X-Sec. No.
Survey by C.L. WRIGHT Notes JGR Notes Chkd. Checked
Indexed C. J. CALI Date 30-OCT-63 Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		1313 300				
E-81			6 520	1306 780	FD. SQ HD SPK. & WASHER	PG. 95
⊼	4 130	1310 910				
E-82			6 080	1304 830	FD. B.S.W. & T. INT. S.P.R.R. & SAN FERNANDO RD.	PG. 96
T.B.M.			5 220	1305 690	T.B.M. ELEV. = WEST SIDE OF S.P.R.R. & SAN FERNANDO ROAD TOP OF MOST EAST'LY BOLT, IN SIGNAL TOWER.	
⊼	0 390	1306 080				
E-82 A			0 890	1305 190	1x2 STK. & N.	PG. 96
T.B.M.			4 025	1302 055	T.B.M. ELEV. = EAST SIDE OF S.P.R.R. MAIN LINE. TOP OF MOST SOUTH'LY BOLT IN FOUNDATION OF SIGNAL TOWER # 4533, 100 1 FT. NORTH'LY FROM INT. OF SAN FERNANDO ROAD.	
⊼	0 535	1302 590				
T.P.			8 980	1293 610		
⊼	3 710	1297 320				
E-83			7 480	1289 840	FD. SQ. HD. SPK. & TN. IN TIE, S.P.R.R. MAINLINE	PG. 97
R.P. E 83 T.P.			8 940	1288 380	FD. 1x2 STK. & N. WEST'LY R.P. E-83	PG. 97
⊼	3 345	12 91 725				
T.P.			9 180	1282 545		
⊼	2 860	12 85 405				
E-84			7 755	1277 650	FD. SQ. HD. SPK. & TIN, IN TIE, S.P.R.R. MAINLINE	PG. 97
R.P. E-84 T.P.			8 835	1276 570	FD. 1x2 STK. & N., WEST'LY R.P. E-84	PG. 97
⊼	3 940	1280 510				
T.P.			7 310	1273 200		
⊼	4285	1277 485				

76-L698 CE 807 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
409 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1277.485 ✓				
E-85			5725	1271.760 ✓	FD. SQ. HD. SPK. & TIN, IN TIE, S.P.R.R. MAINLINE	PG 98
R.P. E-85 T.P.			6420	1271.065 ✓	FD. 1x2 STK. & N, WEST'LY	R.P. E 85 PG. 98
⊼	5090	1276.155 ✓				
T.P.			6410	1269.745 ✓		
⊼	4420	1274.165 ✓				
E-86			6240	1267.925 ✓	FD. SQ. HD. SPK. & TIN, IN TIE,	S.P.R.R MAINLINE PG. 98
RP E-86 T.P.			7990	1266.175 ✓	FD. 1x2 STK. & N, WEST'LY	R.P. E-86 PG. 98
⊼	8740	1269.915 ✓				
E 87			5000	1264.915 ✓	FD. 1x2 STK. & N. BETWEEN TIES, S.P.R.R. MAINLINE. PG. 98	
E-88			5065	1264.850	FD. SQ. HD. SPK. & TIN IN TIE, S.P.R.R. MAIN LINE. INT OF SPLIT OF RAILS & P. LINE ON PLACERITA CANYON ROAD. PG. 98	
R.P. E-88			6820	1263.095 ✓	FD. 1x2 STK. & N, WEST'LY R.P. E 88	PG. 98
⊼	4730	1267.825 ✓				
T.B.M.			3780	1264.045 ✓	T.B.M. EAST'LY SIDE S.P.R.R. MAIN LINE, 150'± NORTH'LY FROM E-88. TOP OF MOST SOUTH'LY BOLT ON WEST'LY SIDE OF BASE OF SIGNAL TOWER.	
⊼	2205	1266.250 ✓				
B.M. 60-38			7575	1258.675 ✓	B.M. 60-38 ELEV. = 1268.673, ADJ 1961. NAVAHALL 0.3 MI. N.W'LY FROM THE S.P.R.R. CROSSING OF MARKET ST., AT SAN FERNANDO RD. AND 12TH ST., 32.0 FT. S.E. OF THE ℄ OF 12TH ST. PRODUCED EAST, 70.5 FT. S.E. OF P.R. NO. 492419 H, AND 7.0 FT. S.W. OF S.W. RAIL IN BALLAST DECK BRIDGE NO. 452.57. AN IRON BOLT AND WASHER, MARKED "49 C.H.C.", SET IN THE TOP OF THE S.W. END OF THE S.E. ABUTMENT. F.B. 2839-29, F.B. 2913-55, 61	

Profile Noted Rad. Plotted Job No. 10953 Division No.
No. Date Date Survey of NEWHALL EAST BY PASS ROAD
X-Sec. Noted Chkd. Checked Survey by C.L. WRIGHT Notes by GAP Date 3-25Y-63
No. Date Date Map No. Indexed J. GALL Date

F.B. 2913 PG. 105

F. B. 2913 PG. 106

Job No. Division No. Notes Red Plotted Profile

Survey of Date Date No.

Survey by Notes Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.	

76-L298 CE 307 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Newhall East By Pass F.B. 2913 Pg. off
JN 095134 Tape 127 Sta 0+ F
Surveyed by J. Gallu 1/1/69
Notes Vogel Date 3-7-64
Indexed J. GALLU APR 8 69

PROFILE CHECK FOR NEWHALL EAST BY-PASS

JN 095134

FB. 2913± 107 to 124

Note: After Acceptance of Improvement, Sheet, Mylar Base Sheet, Negative Shall Not be Altered and This Side to This Line.

LOS ANGELES COUNTY ENGINEER
ANGELES NATIONAL FOREST

References Used:

Topographic Map of Newhall East By-Pass Map No. 1082-B
Sheets 1 & 2
F.B. 2913

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F.B. 2913 Pg 108

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right

NEWHALL EAST BY-PASS RD.
PROFILE LINE AS INDICATED ON SHT. 1
SULT. DIV. F.M. 108-8
J.N. 0095.34

E-77
FD. SURV.
F.B. 2913-10, 74, 109

B-9?
FD. SURV.
DN. 2" I.P.
PVMT.
F.B. 2913-10, 51

33°

450'±

Add'n'l Inform.

Notes Rod. _____ Platted _____ Job No. 0095.34 Division No. _____ F.B. 2913 PG. 109
Date _____ Date _____ Survey of NEWHALL EAST BY-PASS RD.
Notes Chkd. _____ Checked _____ Survey by C.L.W. Date MARCH '64
Date _____ Date _____ Map No. _____ Indexed _____ Notes C.L.W.
Date _____ Date _____ Date _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′		1						
					° ′		° ′		2						
					° ′		° ′	1320 97	3				BM. NE 1 FD. CE MON		
					° ′		° ′		4				FB. 2913-10		
1+50					° ′		° ′		4 52		1325 49				
				9 09	° ′		° ′	1316 40	5				1 0+00 FD. SPIKE		
				8 95	° ′		° ′	16 54	6				FB. 2913-10 +43 9 E.P.		
				8 42	° ′		° ′	17 97	7				+75 1 TOP 8" CURB		
				7 69	° ′		° ′	17 80	8				+88 9 EDGE PK. LOT		
				7 07	° ′		° ′	18 42	9				1+00		
				5 37	° ′		° ′	20 12	10				+50		
				2 85	° ′		° ′	22 64	11				+72 6 TOP WALL 2' HIGH		
				4 0	° ′		° ′	21 5	12				+78		
				3 0	° ′	50 0	+ 5 27	27 3	13				2+00		
				2 0	° ′	100 0	+ 10 15	41 6	14				+50		
				1 0	° ′	125 3	+ 11 41	50 3	15				+75 2	BRK	
				2 0	° ′	155 8	+ 12 08	55 0	16				3+05 8	BRK	
				2 0	° ′	166 6	+ 12 42	61 0	17				+16 6		
				4 0	° ′	205 6	+ 12 57	68 8	18				+55 6		
				1 0	° ′	235 5	+ 13 40	81 7	19				+85 5		
				5 0	° ′	250 0	− 14 02	83 0	20				4+00		
				16 0	° ′	300 0	− 13 40	82 4	21				+50		

Add'n'l Inform

Topography Description Legend:
Side Hill...S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Side of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope...T.S.

Fence ...Fn. Pine-Pi. Cedar-Ce.
Int. Fences V.Fns. Sycamore ...Sy.
Ditch ...Di. Eucalyptus ...Eu.
Telephone Pole T.P. Plus combinations
Power Pole...P.P. of these and all
Culvert ...Cul. common standard
Edge of Road E.Rd. abbreviations.

Swale ...Sw.
Flat ...Fl.
Stream ...Str.
Trail ...Tr.
Pavement ...Pvt.
Edge of Road E.Rd.

Top of Bank...T.B.
Bottom of Bank B.B.
Top of Cut...T.C.
Bottom of Cut...B.C.
Top of Fill...T.F.
Bottom of Fill B.F.

Break in Slope...Bk.S.
Steep Slope...S.S.
Top of Cliff...T.Cl.
Bottom of Cliff...B.Cl.
Top of Spur...T.Sp.
Bottom Canyon...B.Cn.

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
					° ′		° ′								

NEWHALL EAST BY-PASS RD. — PROFILE LINE
AS INDICATED ON SURV. DIV. F.M. 108-E, SHT. 1.
J.N. 0095.34

E-82
Fd. S.W.T. FLUSH
F.B. 2913-96,104

E-80
Fd. SPK & T.
F.B.

80°

STA 1+

1302055

7.19

1309.24

B.M.
Fd. S'LY BOLT ON SIG. TOWER #4533
F.B. 2913-104

				441				1304.83					E82	Fd. S.W.T. F.B. 2913-96,104	
				439				0485					0+21.6	EDGE PVMT.	
				74				018					+50	F.L. DRAIN	
				46				046					+60±	TOP BERM	
				70				022					771		
				65				027					1+00		
				58				034					+50		

Add'l

Notes Red. ____ Platted ____ Job No. 0095.34 Division No. ____ F.B. 2913 PG. 111

Date ____ Date ____ Survey of NEWHALL EAST BY-PASS RD.

Notes Chkd. ____ Checked ____ Survey by C.W. WRIGHT Notes C.W., J.G.R. Date MARCH '64

Date ____ Date ____ Map No. ____ Indexed R. J. GALLI Date ____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
											1309 24				
				5 7				1303 5					2+00		
				3 7				05 5					+50		
				1 24				1308 00					TP		
									9 38		1317 38				
3+00				4 76				1312 58					3+00	1x2	
				5 0		50	+ 11 52	1322 8					+50		
				5 0		100	+ 18 19	45 4					4+		
				5 0		150	- 19 25	65 2					+50		
				5 0		200	- 19 00	81 2					5+		
				5 0		270	- 18 58	1405 1					+70		

Add'n'l

F.B. [illegible] PG. 112

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Fence.....Fn. Pine-Pi. Cedar-Ce.
Int. Fences.V.Fns. Sycamore.....Sy.
Ditch.....Dt. Eucalyptus.....Eu.
Telephone Pole T.P. Plus combinations
Power Pole...P.P. of these and all
Culvert.....Cul. common standard
abbreviations.

Swale.....Sw.
Flat.....Fl.
Stream.....Str.
Trail.....Tr.
Pavement.....Pvt.
Edge of Road E.Rd.

Top of Bank..T.B.
Bottom of Bank B.B.
Top of Cut...T.C.
Bottom of Cut..B.C.
Top of Fill...T.F.
Bottom of Fill.B.F.

Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff...T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Ca.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

NEWHALL EAST BY-PASS RD. - PROFILE LINE
AS INDICATED ON SURV. DIV. F.M. 108-8 - SHT. 1
J.N. 0095.34

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
E-5											1309.88				
				2.0		150	+ 6°28'						1+50		
				2.0		200	+ 11°35'						2+00		
				2.0		250	+ 13°38'						+50		
				2.0		300	+ 15°14'	1389.6					3+00 (1x2)		
3.00									9.26		1393.9				
	E-5			5.0		300	− 15°41'	1304.6					CHECK SHOT		
	E-5			0.0		300	− 16°34'	1304.7					" "		
				2.0		50	+ 10°35'						3+50		
				3.0		100	+ 10°46'						4+00		
				2.0		150	+ 13°01'						+50		
				2.0		200	+ 14°02'						5+00		
				3.0		250	+ 14°53'						+50		
				3.0		270	+ 14°52'						+70		
				2.0			+ 15°14'		5.18						

Add'n'l

F.B. PG.

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw. B.D.
Side of Draw. S.D. Bottom Wash B.W.
Side of Ridge. S.R. Top of Ridge. T.R.
Head of Draw H.D. Toe of Slope. T.S.

Intersection of Draws, Ridges, etc. Break in Slope. Bk.S. Steep Slope. S.S. Top of Cliff. T.Cl. Bottom of Cliff. B.Cl. Top of Spur. T.Sp. Bottom Canyon. B.Cn.

Side of Canyon, Draw, Wash, etc. Top of Bank. T.B. Bottom of Bank. B.B. Top of Cut. T.C. Bottom of Cut. B.C. Top of Fill. T.F. Bottom of Fill. B.F.

Ground Surface Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Improvements Fence ..... Fn. Int. Fences. V.Fns. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Trees Pine-Pi, Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
													NEWHALL EAST BY-PASS RD. = PROFILE LINE AS INDICATED ON SURV. DIV. F.M. 108-8 SHT. 1 J.N. 0095-34		
E-9				5 1				1291 53	5 15		1296 68		E-9 FD. 1 X 2 ℄ N. F.B. 2913-12,99		
				6 0				1290 7					0+50		
				5 4				1291 3					1+00		
				4 8				1291 9					+50		
													+81 TOE SLOPE		

NOTE: THIS LINE IN BLUE PENCIL ON SHEET 1

750'

71°-30'

E-9
FD. 1 X 2 ℄ N.
F.B. 2913-12,99

E-8
FD. 1 X 2 ℄ N.
F.B. 2913-12,99

Addn'l Inform

Notes Rod _____ Date _____ Notes Chad _____ Date _____ Checked _____ Date _____ Map No. _____ Indexed _____ Date _____

Platted _____ Date _____ Survey of NEWHALL EAST BY-PASS RD. Survey by C.L. WRIGHT Notes C.L.W. Date MARCH '64

Job No. _____ Division No. _____ F.B. 2913 PG. 115

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ — Vertical Angle	Elevation of Point	+ Back Sight	+ — Difference Elevation	Height of Instrument	+ — Vertical Distance	REMARKS Station	Left	Right
E-9											1296.68				
				1 0		200	+ 0.41	1298.1					2+00		
				1 0		226	+ 4.28	1313.3					+26		
				1 0		278	+ 10.20	1346.32					+78	1x2 Top Spur	
				2 0		278	+ 10.33	1346.05					+78	1x2 Top Spur	
2478								1346.4	5.06	1351.5					
	E-9			4 0		278	− 11.23	1291.5					E-9	Check Shot	
	E-9			3 0		278	− 11.35	1291.5					E-9	"	"
				6 0		22	− 15.05	1339.6					3+00		
				6 0		70	− 22.49	1316.1					3+48		
				6 0		102	− 20.43	1306.9					+80	F.L. DRAIN	
				6 0		155	− 5.52	1329.6					4+33		
				1 8		222	—	1350.3					5+00	1x2	
				1 0		265	+ 3.03	1364.6					+43	1x2	
5+43									4.8		1369.4				
				2 0		265	− 4.33	1346.3					Check Shot 2478		
				1 0		57	+ 7.31	1375.9					6+00		
				1 0		107	+ 11.56	1391.0					+50		
				1 0		157	+ 14.29	1409.0					7+00		
				1 0		207	+ 15.44	1426.7					+50		

Topography Description Legend:
Top of Hill...T.H. Bottom Draw...B.D.
Side of Hill...S.H. Bottom Wash...B.W.
Side of Draw...S.D. Top of Ridge...T.R.
Side of Ridge...S.R. Toe of Slope...T.S.
Head of Draw...H.D.

Break in Slope...Bk.S. Top of Bank...T.B. Fence...Fn. Pine-Pi. Cedar-Ce.
Steep Slope...S.S. Bottom of Bank...B.B. Int. Fences...V.Fns. Sycamore...Sy.
Top of Cliff...T.Cl. Top of Cut...T.C. Ditch...Dt. Eucalyptus...Eu.
Bottom of Cliff...B.Cl. Bottom of Cut...B.C. Telephone Pole...T.P. Plus combinations
Top of Spur...T.Sp. Top of Fill...T.F. Power Pole...P.P. of these and all
Bottom Canyon...B.Cn. Bottom of Fill...B.F. Culvert...Cul. common standard
Sandy...Sw. Edge of Road...E.Rd. abbreviations.
Flat...Fl.
Stream...Str.
Trail...Tr.
Pavement...Pvt.

Notes C'd by
Map No.
Office Work
Checked
Date

Surveyed of Newhall East By Pass F.B. 2913 Pg 47
J.N. 8095-54 Tape 127 Std. 194 LF
Surveyed by W. Voogt
Notes Voogt Date 3-25-64
Indexed R. I. GALL

PROFILE CHECK FOR NEWHALL E. BY PASS
SHEET 2.

Δ 22°35'00"
R 145°16'00"
72°35'00"

F-72
Pd 1+22 C/L
Elev 1936.00
Per F.B. 2913-44-57

1936.00

Δ 22°35'00"
R 145°16'00"
28°17'00"

E-15
Pd 16+?? Tangent
Plug C.E. 7.00
Pd 15+?? Per F.B. 2913-16

E-35
Pd 5+?? T.C.
Elev
Per F.B. 2913-9

Notes: (Any Additions or Changes to This Sheet Must Be Made on Circled in Red Ink With Date and Name of Person Making Change)

Do not overwrite this side of this line)

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
408 Los Angeles County Engineering Bldg.

7-63 5000 C.E. 832 1-64

Tie	Station		Horiz Dist	Vert Angle or Bearing	Horiz Dist	Vert Angle or Bearing	Diff in Elev	Elev	Remarks
E-15+0 ℄		S11						1330.288	Top of Ridge
	0+79.4		90.0	8°54'	424	S11 -8°39'40"	-7.7	1322.6	Side Hill
	0+99.8		101.0	8°58'	99.8	S11 -8°58'20"	-15.8	1314.5	" "
	1+30.4		131.5	7°01'	130.4	S11 -7°01'20"	-18.5	1311.8	" "
	2+00.3		202.0	7°26'	200.3	S11 -7°26'30"	-26.2	1304.1	" "
	2+50.6		252.5	7°02'	250.6	S11 -7°02'20"	-30.7	1299.4	" "
	2+95.58		297.96	7°15'	295.58	S11 -6°56'40"	-36.08	1294.3	" "
	3+32.6		335.0 (From 2+95.58)	LEVEL	332.0	S11 -6°46'30"	-39.5	1290.8	Brook
	3+40.7		343.1 (From 2+95.58)	LEVEL	75.1	S11 -5°49'20"	-48.6	1290.5	E-72 (ELA=1290.5)
18+44.6									
E-15+0 ℄		S11						1330.288	Top of Ridge
	0+22		22.9	LEVEL	22.0	S2 LEVEL	+0	1330.2	Break
	0+54.50		55.06	8°00'	54.50	S11 -8°26'20"	-8.4	1321.9	"
04+54.50		466						1321.9	
	1+15.5		65.0	24°09'	61.0	466 -20°09'20"	-22.4	1299.5	Break
	1+81.6		131.0	21°52'	127.1	466 -21°52'30"	-51.0	1270.9	Toe of Slope
	1+98.4		153.3	20°10'	143.9	466 -20°10'00"	-52.18	1269.1	Top of Bank
	2+04.1		160.0	20°46'	149.6	466 -20°41'20"	-56.7	1265.2	Edge of Creek
	2+52.4		207.0	16°05'	198.9	466 -16°05'30"	-57.4	1264.5	" "
	2+64.8		219.4	13°35'	219.3	466 -13°35'00"	-50.8	1271.1	Top of Bank
	3+29.64		283.50	11°13'	275.14	466 -16°59'30"	-53.4	1268.5	Edge of Old parking area
	4+68.6		139.0 (From 3+29.64)	LEVEL	139.0	466 -7°03'30"	-51.3	1270.6	Center " " "
	5+82.6		114.0 (From 4+68.6)	LEVEL	114.0	466 -5°31'40"	-51.1	1270.8	Edge " " "
	6+01.6		133.0 (From 4+68.6)	LEVEL	132.0	466 -4°48'40"	-50.3	1271.6	E-73 (ELA=1271.78)

E.B. 2912 Pg 118

Please Return To
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not attend this add at this time

Note: Any Additions or Changes on This Sheet Must Be Made & Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by: _____
Map No. _____
Office Work _____
Checked: _____
Date _____

Survey of Newhall E. By Pass
Dr. 1095-04 Page 127 Std. 64 °F
Surveyed by: J. Vogel
Notes: Vogel Date: 7-16-64
Indexed: C. J. GALLI

F.B. 2913 Pg. 1-9

PROFILE CHECK FOR NEWHALL E. BY PASS

SHEET 2

Note: Any Additions or Changes on this Sheet Must Be Made on Circled Print with White Paint and Noted on Revision Block.

DO NOT ERASE THIS SHEET

LOS ANGELES COUNTY ENGINEER
ENGINEERING BLDG.
900 S. FREMONT AVE.
ALHAMBRA, CALIFORNIA

PLEASE RETURN TO

D.O.F. 3095 C.E. 4510 6-62

62° 00' 00"
(2) 124° 00' 00"
62° 00' 00"

12° 00' 00"

E. 13A+ NE

E. 14A
Ed. 12 Ell
Pen. FB 2913-26

E. 14A
Ed. 12 Ell
Pen. FB 2913-26



Notes Cmd by
Map No.
Office Work
Checked
Date

Survey of Newhall By-Pass
JN 089534 Page 127 Sht 164
Surveyed by W. J. Voge
Notes Voge Date 3-26-64
Indexed C. J. GALL

F.G. 2+3 Fd. 1+1

PROFILE CHECK FOR NEWHALL E BYPASS

SHEET 2



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 SO. FREMONT AVE.
ALHAMBRA, CALIFORNIA

DO NOT ATTACH THIS SHEET TO BLUE PRINTS

Notice: Any Alterations or Changes on This Sheet Must be Made or Checked in Red Ink With Full Explanation of Reason Making Change

FORM 108 (REV. 10-5-62)

F.B. 2412 '65

E-Line

To	Sight on	Ht	Slope Dist	Vert ∠ for Dist	Horiz Dist	Rod	Vert ∠ for Elev	Diff in Elev	Elev.	Remarks
E-12=0+00		4.95							1330.552	Top of Spur
	0+49.1		52.0	19°16'	49.1	4.95	- 19°16'30"	- 17.2	1313.4	Side Hill
	1+00.5		106.0	18°35'	100.5	4.95	- 18°35'00"	- 33.8	1296.8	" "
	1+52.8		161.0	18°23'	152.8	4.95	- 18°23'30"	-50.8	1279.8	Toe Slope
	2+39.37		245.00	12°18'	239.38	4.95	- 11°54'30"	-50.5	1280.1	Top of Bank
	2+45.4		10 (From 2+39.38)	LEVEL	6.0	4.95	- 11°53'20"	-51.7	1278.9	Edge of Creek
	3+25.4		86.0 (From 2+39.38)	LEVEL	86.0	4.95	- 8°57'30"	-51.3	1279.3	" "
	3+43.1		103.7 (From 2+39.38)	LEVEL	103.7	4.95	- 7°42'40"	-46.5	1284.1	Top of Bank
	3+53.4		114.0 (From 2+39.38)	LEVEL	114.0	4.95	- 7°09'40"	-49.6	1281.0	Toe of Bank
	3+79.4		140.0 (From 2+39.38)	LEVEL	140.0	4.95	- 6°57'20"	-48.7	1281.9	
E-Line										
E-12=0+00		4.95							1330.552	Top of Spur
	0+79.5		80.0	6°13'	79.5	4.95	+ 6°13'00"	+ 8.7	1339.3	Side Hill
	1+53.0		153.5	4°42'	153.0	4.95	+ 4°42'00"	+ 12.6	1343.2	Draw
	1+91.4		192.5	6°04'	191.4	4.95	+ 6°04'00"	+ 20.3	1350.9	Top of Spur
	2+53.7		255.0	5°50'	253.7	4.95	+ 5°50'30"	+26.0	1356.6	Small Draw
	2+96.69		299.41	7°44	296.69	4.95	+ 7°58'40"	+41.6	1372.2	Side Hill
2+96.69		4.82							1372.2	
	3+40.40		44.68	11°56'	43.71	4.82	+ 14°48'20"	+ 11.5	1383.7	Top of Ridge
3+40.40		4.91	4.1						1383.7	
	3+93.3		54.0	11°43'	52.9	4.91	- 11°43'20"	- 11.0	1372.7	Side Hill
	4+48.0		110.0	12°05'	107.6	4.91	- 12°05'00"	- 23.0	1360.7	" "
	5+01.9		165.0	12°01'	161.4	4.91	- 12°01'20"	- 34.4	1349.3	" "
	5+38.91		202.59	11°31'	198.51	4.91	- 11°03'40"	- 38.8	1344.9	Break

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
ADS LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink. Write Date and Name of Person Making Change.

Do not extend this side of this line.

6FS095 CE #810 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
408 Los Angeles County Engineering Bldg.

Do not extend this side of this line

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Checked
Office Work
Map No.
Surveyed by A.L.T.A. Vol. 6
Notes Verified Date 3-24-64
Indexed

Survey of Alondra Park
IN 1/4 SEC. 32, T. 3 S., R. 13 W., S.B.B. & M.
F.B. 2413 pg. 1-3

5+24.12 (Cont'd)

P.C.	Sta. of	Δ	D	T	Ver. & Hor. Dis.	Tan. & Rad.	Rad.	Ver. & Chd.	Diff. in Elev.	Elev.	Remarks
5+34.91		4°43'								1342.9	
+	5+61.11		2°45'		12.46	27.2	493	1+96.20	-5.9	1339.0	Ridge Dist Rd.
	5+72.2		3°40'		11.03	33.3	493	11+93.20	-6.8	1338.1	
	6+32.6		4°30'		11°00'	20.7	493	11°00'20"	-23.5	1321.4	Side Hill
	7+20.9		12°30'		2°17'	18.1	493	6°16'40"	-26.3	1318.6	
	7+72.2		25°26'		7°34'	25.11	493	7°18'30"	-31.8	1313.1	
7+72.21		5°25'								1313.1	
	8+49.0		5°0'		4°58'	54.8	525	4°58'00"	-4.9	1308.2	Side Hill
	9+00.8		7°09.0		5°05'	108.6	525	5°05'20"	-9.7	1303.4	
	9+54.6		14°36'		5°03'	162.4	525	5°03'30"	-14.4	1298.7	
	10+27.3		23°20'		4°52'	235.1	525	4°52'30"	-20.1	1293.0	Top of Bank

Notes Entered by
Map No.
Office Work
Checked
Date

Survey of Newhall E By Pass
Job 2095-3 Parcel 2 Std 8" 0"F
Surveyed by Hall Vogt
Notes Vogt Date 3-26-64
Indexed E. J. Gallo

F. B. 297-3 pg. 125-1

PROFILE CHECK FOR NEWHALL E. BY PASS

SHEET 2

Note: Any Additions or Changes on this Sheet Must Be Made or Checked by Person Whose Name and Title Appears in Lower Right Corner of Sheet

LOS ANGELES COUNTY ENGINEER
COUNTY ENGINEERING BLDG.
LOS ANGELES COUNTY CIVIC CENTER
Domestic Mail Instructions

PLEASE RETURN TO

6 P 30 B (CE #3) 6-62

Notes Ckd. by Shot
Map No. R-3050
Office Work ANASO
Checked G. E. BARR
Date 11-22-66

Survey of Emberbrook Drive
JN 00 95 34 Tape 234 Sta 84 to
Surveyed by R. C. Dale
Notes R C D Date 2-16-67
Indexed C. J. GAUL Feb 21 '67

F. B. 2915 Pg. 127

EMBERBROOK DRIVE

(NEWHALL EAST BY PASS RD.)

JN 00 95 34

FEB 6 1967

CENTER LINE SURVEY OF EMBERBROOK DR. FROM SAN FERNANDO RD. SOUTH OF NEWHALL, NLY TO INTERSECTION WITH PLACERITA CYN RD. (PROPOSED)

REF

PARTY
R. C. DALE
C. W. ADAMS
B. R. JACKSON
W. BARNETT

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Please Return to County Engineer, 108 Los Angeles County Engineering Bldg. Do not extend this side of this line.

LOS ANGELES

75F3055: CE F 810 5-61

E.B. 2913 Pg. 128

INDEX



PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.
Dr. Mar. Original Title Sheet of This Ink.

Note: Any Additions or Changes on This Sheet Must Be Made in Ink Under-In Red Ink With Date and Name of Person Making Change.


Notes Ckd by Short
Map No. B-3050
Office Work No. HANASU
Checked G. E. BARR
Date 10.22.87
Surveyed at Easterbrook Drive
JN 00 95 24 Tape 2.24 Std. 68 °F
Surveyed by R.K. Dale
Notes R.C.T. Date 2.4.67
Indexed
F.B. 291-3 Pg. 122
C. L. GALLI
163.09 @ Lev Tr 70° = 163.08
763.06 @ Lev Tr 74° = 763.01
498.34 @ Lev Tr 72° 498.30
111.95 @ Lev Tr 70° = 111.94
53.75 @ Lev Tr 74° = 53.75
21.86 @ Lev Tr 74° 21.86
42.40 @ Lev Tr 74° 42.40
63.01 @ Lev Tr 74° 63.01
B-4
W.S. 62.1
Note: Any Additions or Changes on this Sheet Must be Marked in Red and Circled in Red with Name of Person Making Change.
Do not extend this side of this line.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
SEWELL ST.
EASTERBROOK DR.
1/4 OFFSET LINE
763.01'
14.00
90°
90°
39.0
2) 79-40-30
4) 59-21-00
6) 239-01-20
89-50-40
42.40'
91.86
163.0
(30)
(30)
Set Sq Spk & T
Flush
Dale Dist from
N-S Ctr Int
Fd Chis X
on curb por
FB 291-3-10
Set LA Co Cty
Tag glued on
Curb
Fd Sq Spk & T
Flush in Curb
Intersection Por
FB 291-3-10
Fd Spk & T
Dist Por
FB 291-3-10
Fd Sq Spk & T
Flush in Curb
Intersection Por
FB 291-3-10
Fd Sq Spk & T
Dist Por
FB 291-3-10
Fd Sq Spk & T
Flush
Dale Dist from
N-S Ctr Int
Fd Sq Spk & T
Flush in Curb
Intersection Por
FB 291-3-10
Fd Sq Spk & T
Flush
Dale Dist from
N-S Ctr Int


E.B. 2913 Pg 130
Font Bgt Pg #129
Fd N &
45 Deg #2496
30.40 @ Lee
Set Nail
Fd Spk W & T
Dbl
PK
EB 2913-10
Fd Spk E W
Flush
Set Nail
Fd Spk W & T
Dbl
PK
EB 2913-10
(30)
(30)
LOS ANGELES COUNTY ENGINEER
Please Return to
Los Angeles County Engineering Bldg.
Do not fold on this line
Note: Any Additions or Changes on This Sheet Must be Made or Cleared in Red Ink with Date and Name of Person Making Change

Notes Cld by Short
Map No. R-3050
Office-Work NL HAMASU
Checked G. E. BARR 10-22-67
Date

Survey of Lakebrook Drive
N 009634 Tape 234 Std 84 °F
Surveyed by R.C. Dale
Notes R.C.D. Date 2-6-67
Indexed R. L. GAITT
Cont BAT Pg 1-37

F.B. 2913 Pg. 131

Ed Brass Cap Mon Set in Conc 5-2" I.P. Marker

95°
50.48
Set 1/2" I.P.
90°
193.53
197.33
46.43
Set 1/2" I.P.
90°
Ed Brass Cap Mon Set in Conc 5-2" I.P. Marker

WATER DISTRIBUTION SYSTEM
LOS ANGELES COUNTY WATERWORKS DISTRICT NO. 37
LA 23237

WATER DISTRIBUTION SYSTEM
LOS ANGELES COUNTY WATERWORKS DISTRICT NO. 37
LA 23237

EMBASSY ROAD
48.80
Set 1" I.P. Cont. Dug. El. 5.0 Eng. Tag. Pls 5.6
Set 1" I.P. Cont. Dug. El. 5.0 Eng. Tag. Pls 5.6
273.68
(50)
(50)
496.30'
Lost Right

193.53' @ Lev T 70° = 193.53'
197.33' @ Lev T 72° = 197.33'
48.80' @ Lev T 72° = 48.80'
273.68' @ Lev T 72° = 273.68'

Notes: Any Additions or Changes on This Sheet Must be Made on Circuit in Ref. Ink. Will Not Be Accepted Making Changes Only.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
Los Angeles County Engineering Bldg.
Do not detach this file or this sheet.


W. 3, 62, 8.3
LOS ANGELES COUNTY ENGINEER
Do not remove this sheet
EMERALD BROOK DRIVE
F.B. 29/8 Pg. 132
Set 1" Iron Pipe & L.A.Co. Eng. Tag
Set 2" I.P. (one) Plug & L.A.Co. Eng. Tag
Set 1/2" I.P. & L.A.Co. Eng. Tag
Set Spike & L.A.Co. Eng. Tag
Set 1/2" I.P.
Set Angle
Set Nail & Tag
Set Spike & Tag
Set Chiseled X
Set Chiseled Square
Set Chiseled Square in Top of Curb
Set Chiseled Square in Top of Curb Prolonged
Set Chiseled Square in Top of Curb Produced
Set Chiseled Square in Top of Curb Extended
Set Chiseled Square in Top of Curb Continued
Set Chiseled Square in Top of Curb Carried
Set Chiseled Square in Top of Curb Brought
Set Chiseled Square in Top of Curb Taken
Set Chiseled Square in Top of Curb Measured
Set Chiseled Square in Top of Curb Recorded
Set Chiseled Square in Top of Curb Noted
Set Chiseled Square in Top of Curb Shown
Set Chiseled Square in Top of Curb Indicated
Set Chiseled Square in Top of Curb Described
Set Chiseled Square in Top of Curb Mentioned
Set Chiseled Square in Top of Curb Referred
Set Chiseled Square in Top of Curb Cited
Set Chiseled Square in Top of Curb Quoted
Set Chiseled Square in Top of Curb Stated
Set Chiseled Square in Top of Curb Said
Set Chiseled Square in Top of Curb Told
Set Chiseled Square in Top of Curb Heard
Set Chiseled Square in Top of Curb Seen
Set Chiseled Square in Top of Curb Found
Set Chiseled Square in Top of Curb Lost
Set Chiseled Square in Top of Curb Gained
Set Chiseled Square in Top of Curb Won
Set Chiseled Square in Top of Curb Played
Set Chiseled Square in Top of Curb Worked
Set Chiseled Square in Top of Curb Rested
Set Chiseled Square in Top of Curb Slept
Set Chiseled Square in Top of Curb Ate
Set Chiseled Square in Top of Curb Drank
Set Chiseled Square in Top of Curb Smoked
Set Chiseled Square in Top of Curb Chewed
Set Chiseled Square in Top of Curb Spit
Set Chiseled Square in Top of Curb Coughed
Set Chiseled Square in Top of Curb Sneezed
Set Chiseled Square in Top of Curb Yawned
Set Chiseled Square in Top of Curb Stretched
Set Chiseled Square in Top of Curb Scratched
Set Chiseled Square in Top of Curb Itched
Set Chiseled Square in Top of Curb Hurt
Set Chiseled Square in Top of Curb Bled
Set Chiseled Square in Top of Curb Died
Set Chiseled Square in Top of Curb Buried
Set Chiseled Square in Top of Curb Resurrected
Set Chiseled Square in Top of Curb Ascended
Set Chiseled Square in Top of Curb Descended
Set Chiseled Square in Top of Curb Returned
Set Chiseled Square in Top of Curb Left
Set Chiseled Square in Top of Curb Arrived
Set Chiseled Square in Top of Curb Departed
Set Chiseled Square in Top of Curb Entered
Set Chiseled Square in Top of Curb Exited
Set Chiseled Square in Top of Curb Passed
Set Chiseled Square in Top of Curb Failed
Set Chiseled Square in Top of Curb Succeeded
Set Chiseled Square in Top of Curb Tried
Set Chiseled Square in Top of Curb Attempted
Set Chiseled Square in Top of Curb Began
Set Chiseled Square in Top of Curb Ended
Set Chiseled Square in Top of Curb Finished
Set Chiseled Square in Top of Curb Completed
Set Chiseled Square in Top of Curb Started
Set Chiseled Square in Top of Curb Stopped
Set Chiseled Square in Top of Curb Paused
Set Chiseled Square in Top of Curb Waited
Set Chiseled Square in Top of Curb Hoped
Set Chiseled Square in Top of Curb Prayed
Set Chiseled Square in Top of Curb Believed
Set Chiseled Square in Top of Curb Doubted
Set Chiseled Square in Top of Curb Feared
Set Chiseled Square in Top of Curb Loved
Set Chiseled Square in Top of Curb Hated
Set Chiseled Square in Top of Curb Liked
Set Chiseled Square in Top of Curb Disliked
Set Chiseled Square in Top of Curb Wanted
Set Chiseled Square in Top of Curb Needed
Set Chiseled Square in Top of Curb Had
Set Chiseled Square in Top of Curb Lacked
Set Chiseled Square in Top of Curb Gave
Set Chiseled Square in Top of Curb Received
Set Chiseled Square in Top of Curb Took
Set Chiseled Square in Top of Curb Returned
Set Chiseled Square in Top of Curb Sent
Set Chiseled Square in Top of Curb Received
Set Chiseled Square in Top of Curb Opened
Set Chiseled Square in Top of Curb Closed
Set Chiseled Square in Top of Curb Locked
Set Chiseled Square in Top of Curb Unlocked
Set Chiseled Square in Top of Curb Broke
Set Chiseled Square in Top of Curb Fixed
Set Chiseled Square in Top of Curb Made
Set Chiseled Square in Top of Curb Destroyed
Set Chiseled Square in Top of Curb Created
Set Chiseled Square in Top of Curb Invented
Set Chiseled Square in Top of Curb Discovered
Set Chiseled Square in Top of Curb Found
Set Chiseled Square in Top of Curb Lost
Set Chiseled Square in Top of Curb Gained
Set Chiseled Square in Top of Curb Won
Set Chiseled Square in Top of Curb Played
Set Chiseled Square in Top of Curb Worked
Set Chiseled Square in Top of Curb Rested
Set Chiseled Square in Top of Curb Slept
Set Chiseled Square in Top of Curb Ate
Set Chiseled Square in Top of Curb Drank
Set Chiseled Square in Top of Curb Smoked
Set Chiseled Square in Top of Curb Chewed
Set Chiseled Square in Top of Curb Spit
Set Chiseled Square in Top of Curb Coughed
Set Chiseled Square in Top of Curb Sneezed
Set Chiseled Square in Top of Curb Yawned
Set Chiseled Square in Top of Curb Stretched
Set Chiseled Square in Top of Curb Scratched
Set Chiseled Square in Top of Curb Itched
Set Chiseled Square in Top of Curb Hurt
Set Chiseled Square in Top of Curb Bled
Set Chiseled Square in Top of Curb Died
Set Chiseled Square in Top of Curb Buried
Set Chiseled Square in Top of Curb Resurrected
Set Chiseled Square in Top of Curb Ascended
Set Chiseled Square in Top of Curb Descended
Set Chiseled Square in Top of Curb Returned
Set Chiseled Square in Top of Curb Left
Set Chiseled Square in Top of Curb Arrived
Set Chiseled Square in Top of Curb Departed
Set Chiseled Square in Top of Curb Entered
Set Chiseled Square in Top of Curb Exited
Set Chiseled Square in Top of Curb Passed
Set Chiseled Square in Top of Curb Failed
Set Chiseled Square in Top of Curb Succeeded
Set Chiseled Square in Top of Curb Tried
Set Chiseled Square in Top of Curb Attempted
Set Chiseled Square in Top of Curb Began
Set Chiseled Square in Top of Curb Ended
Set Chiseled Square in Top of Curb Finished
Set Chiseled Square in Top of Curb Completed
Set Chiseled Square in Top of Curb Started
Set Chiseled Square in Top of Curb Stopped
Set Chiseled Square in Top of Curb Paused
Set Chiseled Square in Top of Curb Waited
Set Chiseled Square in Top of Curb Hoped
Set Chiseled Square in Top of Curb Prayed
Set Chiseled Square in Top of Curb Believed
Set Chiseled Square in Top of Curb Doubted
Set Chiseled Square in Top of Curb Feared
Set Chiseled Square in Top of Curb Loved
Set Chiseled Square in Top of Curb Hated
Set Chiseled Square in Top of Curb Liked
Set Chiseled Square in Top of Curb Disliked
Set Chiseled Square in Top of Curb Wanted
Set Chiseled Square in Top of Curb Needed
Set Chiseled Square in Top of Curb Had
Set Chiseled Square in Top of Curb Lacked
Set Chiseled Square in Top of Curb Gave
Set Chiseled Square in Top of Curb Received
Set Chiseled Square in Top of Curb Took
Set Chiseled Square in Top of Curb Returned
Set Chiseled Square in Top of Curb Sent
Set Chiseled Square in Top of Curb Received
Set Chiseled Square in Top of Curb Opened
Set Chiseled Square in Top of Curb Closed
Set Chiseled Square in Top of Curb Locked
Set Chiseled Square in Top of Curb Unlocked
Set Chiseled Square in Top of Curb Broke
Set Chiseled Square in Top of Curb Fixed
Set Chiseled Square in Top of Curb Made
Set Chiseled Square in Top of Curb Destroyed
Set Chiseled Square in Top of Curb Created
Set Chiseled Square in Top of Curb Invented
Set Chiseled Square in Top of Curb Discovered

Notes Ck'd by Short
Map No. B-3050
Office Work M. NAMASU
Checked G. E. BARR
Date 2-2-67

Survey of Embercrest Dr. &c
JN 009-32 Tape 237 Std. Eng °F
Surveyed by R.C. Dale
Notes R.C.D Date 2-7-67
Indexed L. J. GALL

F.B. 2913 Pg. 133

Cont. to Pg. 134

(50)

(50)

137.28 @ Lev T= 72° 137.77 =
181.30 @ Lev T= 72° 181.29 =
319.06 =

297.88 @ 7°28' T=68° 298.05 =
297.59 @ 7°28' T=68° 297.94 =
AVG = 298.00 =

221.22 @ Lev T=68° 221.30 =
516.25 =

Set 1/2" I.P.
Flat

Set 1/2" I.P.
Low Spot

157.66 @ 4°15' T=68° 157.21 =
157.58 @ 3°53' T=68° 157.20 =
AVG = 157.20 =

Set 1/2" I.P.
Low Spot

229.40 @ 5°47' T=68° 228.21 =
229.50 @ 5°47' T=68° 228.22 =
228.22

78.96 @ 6°41' T=68° 77.72 =
78.12 @ 5°48' T=68° 77.71 =
77.71
306.93 =

(50)

(50)

306.93

Cont. to Pg.

EMBERCREST DRIVE

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Ink With Date and Name of Person Making Changes

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
402 Los Angeles County Engineering Bldg.
Do not remove this slip

7ef9098: ot ft 210 b.s.


Cont Bot
Pg #135
F.B. 2973 Pg 134
150.38 @ 14°25' T=72° = 150.48
150.23 @ 15°04' T=72° = 150.46
AVG = 150.47
Set 1" I.P. Cond.
Plug & L.S. Tag
#6869 Tag & Punch
Top Spin
246.82 @ 12°55' T=74° = 260.05
246.65 @ 12°45' T=74° = 260.06
AVG = 260.06
45.38 @ Lov. T=74° = 48.36
390.54
Set 1/2x22"
Lead Spike
EMBERWOOD DRIVE
189.60 @ 6°23' T=72° = 188.41
189.68 @ 6°34' T=72° = 188.47
AVG = 188.44
Set 1/2x22"
Lead Spike
root top
LOS ANGELES COUNTY ENGINEER
409 Los Angeles County Engineering Bldg.
Please Return to
Do not remove this print from file
Note: Any Additions or Changes on This Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

Notes Ck'd by Short
Map No. B-3050
Office Work M. HAMASU
Checked G. E. BARR
Date 11-6-67

Survey of Eaglenook Drive
JN 009537 Tape 232 Std. 92 °F
Surveyed by R. C. Dale
Notes R. C. D. Date 6-7-67
Indexed R. J. GALL

F. B. 2972 Pg. 736

W. 3. 62, A-3

NOTE: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Dated and Name of Person Making Change.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not detach this side of this Sheet

Set 1/2" I.P. Copper Plug
& L.S. 5179 Tag
5.17' Ft. Ahead

Set 1/2" I.P. Copper Plug
& L.S. 5179 Tag
5.17' Ft. Ahead

Set 1/2" I.P. Copper Plug
& L.S. 5179 Tag
Flush, Set in Monument Well

Set 1/2" I.P.

Found 1" I.P.

Found 3/4" I.P.

EMBERWOOD DRIVE

Found 1" I.P.

Set 1/2" I.P.

Found 1" I.P.

Found 1" I.P.

Found 1


Cont'd Left Pg 135
F.B. 2973 Pg 136
(50)
(50)
20.29'
25.84 @ Y=; T=72°=25.84'
Set 1/2" I.P. on E. Side of Line
297.54 @ 9°; T=72=29.65'
299.72 @ 6°; T=72=29.86'
359.8' @ 24°; T=72=35.77'
351.1 @ 22°40' T=72=34.91'
52.77'
S 28°05' E
Set 1" I.P. on Plug & Tag L.A.C.O. Eng. Tag w/ Spot on Punch
LOS ANGELES COUNTY ENGINEER
PLEASE RETURN TO
403 Los Angeles County Engineering Bldg.
Los Angeles 12, Calif.
Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.
ENCINITAS ROAD
320.92'
Set 1/2" I.P. at Sidehill Plug
97.78 @ 10°02' T=72°=96.27'
96.00 @ 10°43' T=72°=96.28'
AVG=96.28'
Set 1" I.P. on Plug & L.A.C.O. Eng. Tag Top Spotty Punch
144.36 @ 10°26' T=72°=141.95'
144.07 @ 9°58' T=72°=141.93'
219.65 @ 2°30' T=70°=219.42'
219.46 @ 2°30' T=70°=219.41'
96.36'
(Cont'd Top)
N

Notes Ck'd by Short
Map No. B-3450
Office Work M. HANASO
Checked G. E. BARR
Date 11 6 22 '67

Survey of Emberbrook Drive
UN 0795 Tape 234 Std 33 °F
Surveyed by R. C. Dale
Notes RCD Date 2-9-67
Indexed C. J. GALLI

F.B. 2973 Pg. 137
Cont'd Bef Pg 136

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in, Red Ink With Date and Name of Person Making Change.

W.S. 62, A-3

2) 266-10-30
4) 126-21-10
(a) 84-37-50
134°-05'-18"

2.12.93 @ 16°38' T=70' = 209.81
2.8.43 @ 16°04' T=70' = 209.86
209.87

08" N
20'
60'
EMBERBROOK DRIVE
361.56

Set 1" I.P. conc Plug & L.S. Eng Tag Flush Top Split

Set 2" I.P. conc Plug L.S. Eng Tag Flush

138.93

56.13 @ Len T=68' = 56.12'
62.68 @ Len T=68' = 62.61'

Set 2" I.P. conc Plug L.S. Eng Tag Flush Top Split

123.51 @ 19°00' T=72' = 116.30
123.59 @ 19°47' T=72' = 116.29
116.29
22.64
138.93

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
ROOM 5008
ANGELES COUNTY ENGINEERING BLDG.
Do not extend this sides of this line.

LOS ANGELES COUNTY ENGINEER

FORM 3098 CE 4 210 (3-61)


F.B. 2913 Pg 138
W.S. 12-14-3
LOS ANGELES COUNTY ENGINEER
COUNTY SURVEYOR
ROAD
PLEASANT PL
PAVED
Set 1/2" I.P. Rene plug & tag Engr Flush Top Bank

Notes Ck'd by
Map-No.
Office Work
Checked
Date

Survey of NEWHALL AREA
J.N. 0074.00 Tape Std °F
Surveyed by P.C. BOWERS
Notes E.B. Date 8/70
Indexed O.K. Ortell SEP 17 70

F.B. 2913 PG. 145

NEWHALL AREA

SOUTH OF MARKET STREET

PHOTOGRAMMETRIC CONTROL IN THE S.W. AREA OF NEWHALL

J.N. 0074.00

AUG. 1970

REF.
F.B. 947
F.B. 3205
F.B. 342
F.B. 2220

PARTY
BOWERS
ALMANZAN
MUNOZ
WENSEL

Notes: Any Additions or Changes on This Sheet Must Be Made on Original Ink Work, Dark and Reflex Making Change.

Do not extend this side of this line.

PLEASE RETURN TO:
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
4031 LOS ANGELES COUNTY ENGINEERING BLDG.


F.B. 2913 Pg. 146
INDEX
T3N. R.16W.
KEY
1. Hor. & Vert. Directions =
2. Vert. Directions only =
3. Geodetic △ Stations =
4. Existing Ph. Cor. Points =
5. Surf. Control Points =
6. Sec. Cor., ¼ Sec. Cor., Etc. =
7. B.M. = X
SEC. 13 N.E. Cor. Pg. 175
TOWER Pg. 193
BAR Pg. 165, 170
BM #1 Pg. 167
N-11 FB 947-238
N-8 FB 947-235
N-10 FB 947-237
N-9 FB 947-236
NH J-8 EAST
DOMP Pg. 195
N-7 ECORI FB 947-234
N-6 FB 947-233
OATS Pg. 149, 151
N-5 FB 947-232
N-4 FB 947-231
SEC. 15 N.E. Sec. Cor. Pg. 197
HOOKE
CORBSC Pg. 187
BULL Pg. 199
SEC. 9 E¼ Cor. Pg. 175
LOST Pg. 177
STERR SEC. 2 W.C.E
SEC. 15 S¼ Cor. Pg. 199
LOMAS Pg. 179
ANTS Pg. 183
N-E-3 FB 947-226
SE-3 FB 947-240 Pg. 91
NH-E5 FB 947-
RRBM #BL 3026 Pg. 191
HOOKE Pg. 189
LORANGE Pg. 187
NH-D-4 FB 947-63
BLACK Pg. 193
STANDARD Pg. 185
NH-D-7 FB 947-61
PINNACLE Pg. 183
PLEASE RETURN TO COUNTY OF LOS ANGELES DEPARTMENT OF COUNTY ENG. HEER. 903 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes to This Sheet Must be Made by Circled Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Miscellaneous Areas
Map No	J.N. 9274-00 Tape Std °F
Office Work	Surveyed by R.C. Bowers
Checked	Notes RCB Date 7/30/02
Date	Incases G.S. GALV #12

F.B. 2913 Pg. 147

T3N.
R.16W.
SEC. 23

LOW

P.P.

To Mon. JTB
F.B. 947-226

Sec. Cor. Fd. 3/4" G.S. Pipe Cap Mon. in a 6" Conc. post, Mon. as shown
F.B. 342-62, 74, 84

29° 38' 12" E
FBC 1283-7 to 9

COUNTY SURVEY
T.3N.
R.16W.
14 13
23 24
SEC. CORN. MONUMENT

POWER LINE

OAK TREES

36.4'

30.4'

135' E

23.

PP #89 052E

To N 19° E
F.B. 947-226

LOW
Set a 3/4" Capped pipe flush

FOR DIRECTIONS SEE
FB-G-1283-7 to 9

DIRT ROAD

Note: Any Additions or Changes on this Sheet Must be Made or Initialed in Red and With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
ATTN: SURVEY ENGINEERING SECTION
900 S. FREMONT AVE.
LOS ANGELES, CA 91803-1331

Do not extend this side of this line

Facsimile Reduced to 60%

F.B. 2913 PG. 148

Low

SET a 3/4" COPPER PIPE, up 3"

To reach "Low" from Calgrove Blvd & the Golden State Fwy, Go South on old U.S. Hwy 99 for 2.3 miles, cross over the Fwy, then go north. At 2.5 miles, go S.W. up the Weldon Mtg. At 3.0 miles, turn east on the Sunshine Mtg. At 3.1 miles park where the power lines lead downhill. Hike downhill 350' to the point.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
603 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this area of this line

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change

Notes C'k'd by
Map No.
Office Work
Checked
Date

Survey of Newhall Area, So. Fork St
JN 20-24-02 Tape Sta F
Surveyed by R.C. Bowers
Notes RTK Date 7/30/20
Indexed

F.B. 2913 Pg. 149

T3N
R16W.
Sec. 14

OATS

14

Sec. 14, So. 1/4 Cor.
Fd. a C.S. B.L. Cap mon.
in a 6" Conc. post 1 pt.
in a backed out area on
a Steep hillside Set a
2" marked pipe.
Tie mon. to basis as
shown. FB 342-61

STATE OF CALIFORNIA
T3N
R16W
SEC. 14
SEC. 23
1/4 SEC. COR.
1955
MONUMENT

150'±
N 10° W
28.10 A.10'±
40'±
341.2'±
OATS
Set a 3/4" tapped
pipe, 1/2 pt.
To
FB. 342-25
N 14° W
23
DIETZ ROAD
For ties see
F.B. E.1326 1-3
DPP
S83°40'E

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Notes: Any Additions or Changes on This Sheet Must be Made or Checked by Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F.B. 2912 Pg. 150

OMTS

Set a 3/4" capped pipe, up 1"

To reach "Omts" from Colgrave Blvd & the Golden State Fwy 10 miles go South on old U.S. Hwy 99 for 2.3 miles, cross over the Fwy. then go north. At 2.5 miles, go East up the Weldon Hwy. At 3.0 miles, turn west. At 3.4 miles, drive N.E. along the ridge approx 300 ft. to the point.

PLEASE FILL RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this data on this line

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Ink With Date and Name of Person Making Change

75J 286 05 307 2-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
OAT'S				200 000	OATS ELEV — 200.000' (ASSUMED ELEV)	
	0 247	200 247			Fd. 3/4" CAPPED PIPE, per Pg. 149	
TP			12 105	188 142	Elev: OATS 2311.5 by use A	
	0 948	189 090				
TP			11 504	177 586		
	0 584	178 170				
TP			11 923	166 247		
	0 970	167 217				
TP			11 732	155 485		
	0 182	155 667				
TP			11 620	143 936		
	0 916	144 912				
TP			11 665	133 247		
	0 158	133 405				
TP			11 075	122 330		
	0 954	123 284				
TP			11 513	111 751		
	2 082	113 833				
TP			11 497	102 336		
	4 391	106 727				
TP			11 863	94 864		

Profile Notes Red_____ Plotted_____ Job No. 5274.08 Division No._____ F.B. 2913 Pg. 151
No._____ Date_____ Date_____ Survey of Newhall 1224 - So. Market Street
X-Sec. Notes Chkd._____ Checked_____ Survey by R.C. Bowles Notes S.J.A. Date Aug. 1970
No._____ Date_____ Date_____ Map No._____ Indexed C.A. Date 10-17-70

78-1286 CE 807 3-81

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
409 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 152
Survey of NEWHALL AREA - So. MARKET ST. Job No. 2776.00 Division No. Notes Rel. Plotted Profile
Survey by BOWERS Notes R.T. ALMANZAN Date AUG. 1970 Date No. X-Sec.
Indexed R.L. GAINES Notes Chkd. Checked
Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.	
TP				94 864	
	2 014	96 878			
TP			11 347	85 531	
	1 233	86 764			
TP			11 228	75 532	
	0 849	76 385			
TP			11 176	65 209	
	0 362	65 571			
TP			11 627	53 944	
	0 596	54 540			
SEC. 14 So. 1/4 S.C.			6 782	47 758	ELEV. Fd. C.S. Brass Cap Mon. set in concr., Stamped "T3N R16W | Sec 14, Sec 23, 1/4 Sec. Cor." F.B. 2913 - 149
Sec 14 So. 1/4 S.C.				47 758	
	6 664	54 422			
TP			0 479	53 943	
	11 957	65 900			
TP			0 686	65 214	
	10 704	75 918			
TP			0 377	75 541	
	10 372	85 913			
TP			0 377	85 536	

761.280 CE 907 8-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 60794-00 Division No.
No. Date Date Survey of NEWHALL AREA - SAN MARCET STREET
X-Sec. Notes Chkd. Checked Survey by BOWERS Notes P.S.N. Date AUG. 1910
No. Date Date Map No. Indexed Date
P.S. 2913 Pg. 153

STATION	B.S.	H.I.	F.S.	ELEV.		
TP				85 536		
	10 818	96 354				
TP			1 477	94 877		
	11 426	106 303				
TP			3 963	102 340		
	11 292	113 632				
TP			1 883	111 749		
	11 873	123 622				
TP			1 308	122 314		
	11 856	134 170				
TP			0 931	133 239		
	11 573	144 812				
TP			0 828	143 984		
	12 085	156 069				
TP			0 593	155 476		
	11 556	167 032				
TP			0 792	166 240		
	12 073	179 313				
TP			0 737	177 576		
	11 581	189 103				
TP			0 972	188 131		

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Data _____

Survey of Newhall Area
dN 6079.40 Tape _____ Sta _____
Surveyed by R.C. Bowers
Notes ECB Date 7/24/20
Indexed 0.4 Gate 17

F.B. 2913 Pg. 155

T. 3 N.
R. 16 W.
Sec. 23

DUMP

To Dump

P.S. 1M

N 9° 23' E
94.0'

66'

1400' ±

N.C.
To 1/4 Sec.
Cor.
(Not Found)

1" Dump
Set a 3/4" Capped
pipe, 10" L.

For L.S. See
F.B.G. 12.83, 10-11

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
4031 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend the side of this line

Note: Any Additions or Changes on This Sheet Must be Noted or Circled in Red Ink With Dark Lead Angle of Pencil Writing Choice

ADHESIVE CELLULOID SHEET

F.B. 2913 PG. 156

"DUMP"

Set a ¾" Capped pipe, up 1"

To reach "Dump" from Calgrove Blvd. & the Golden State Fwy (0.0 miles), go South on old U.S. Hwy 99 for 2.3 miles. Cross over the Fwy, then go north. At 2.5 miles, go S.W. up the Weldon Wky. At 3.0 miles, turn west, following the Weldon Wky. At 4.2 miles, turn N.E'ly down a dirt Rd. At 4.3 miles, Park & hike N.E. on the spur ridge ft. to the point.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
MONUMENTATION SECTION
LOS ANGELES COUNTY ENGINEERING BLDG.
Do not detach this label

Note: Any modification or Changes to this Sheet must be approved by the NGS Project Manager before Making Changes

Name of Person

Notes Ckd. by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of Newhall Area
JN 003400 Tape _____ Stee _____ "F"
Surveyed by R.C. Bowers
Notes RCB Date 6/6/70
Entered C.J. GAGLI 8-17-70

F.B. 2913 Pg. 157

T. 3 N.
R. 16 W.
Sec. 15

HOUSE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
603 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not remove this slip from file.

SE 1/4 SW 1/4

Dirt Road

1/4 Sec Cor. Not Found Prob. Destroyed

30.1

3°

415.2

Dirt Rd.

Road Curves

House Set a 3/4" Capped Pipe, var.

For 4th Sec. T.B.G. 12-87-19

FORM 695 (REV. 11-64)

F.B. 2913 Pg. 158

House

Set a 3/4" capped pipe, up 1"

To reach "House" from Calgrove Blvd. & the Golden State Fwy., (6.0 miles), go south on old U.S. Hwy. 99 for 2.3 miles. Cross over the Fwy, the go north. At 2.9, leave public road, go through a locked gate. Continue N.W. At 3.0 miles, go N½ through a corral and gate (about 200ft. before the ranch house). Go N.W. down the road to 3.2 miles. Turn North along the stream bottom. At 3.3 miles, go west up a canyon bottom to 3.4 miles and the end of the road. Hike S.W. up the trail about 200 ft. to the top of ridge and the point.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
AUS LOS ANGELES COUNTY ENGINEERING BLDG.
DO NOT ERASE THIS SIDE

Note: Any Additions or Changes Must Be Made by Original Party Only With Date and Name of Making Change

Sheet Must Be Returned With This Card

Notes C'd by
Map No.
Office Work
Checked
Date

Survey of NEWHALL AREA
JN 0274-00 Tape Sta. "F"
Surveyed by R.C. BOWENS
Notes 12.00 Date 8/6/70
Indexed D.J. GALLI 8-2-71

F.B. 2913 Pg. 159

T. 3N.
R. 16W.
Sec. 15

BULL

SEC. 15, So. 1/4 COR.
A C.S. Br. Cap Mon. set in a 6" conc. post up 3" STAMPED AS SHOWN

COUNTY SURVEYOR'S
T3N
SEC. 15
SEC. 22
R16W
Scale 1/2
MONUMENT

360'±
200'±
EDGE of FORCE
BARB WIRE FENCE
SEC. 22
(SADDLE)
N 34° E 1,252.26
S 34° W 1,252.26
S 56° 15' W 1,159
N 56° 15' E 1,159
N 40° W
S 40° E
BULL
Set a 3/4" Capped pipe
UPI
22

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Notes: Any Additions or Changes on This Sheet Must be Made on Certificate Mat With Date and Name of Person Making Change.

Do not extend this side of this line.

For 4's, See
FB's 1326 - 10, 11, 28

Δ 37° 11' 00"
Δ 84° 22' 10"
M = 37° 11' 05"
T = 84"

189.40 @ 108.77 = 189.55
189.40 @ 351 = 540.189.53
189.54

170.19 @ 75.18 = 169.54
170.58 @ 186.99 = 169.85
169.84

189.54
113.84

(SADDLE)

F.B. 2913 Pg. 100

Bull

Set a 3/4" Capped pipe, up 1"

To reach "Bull" from Calgrove Blvd. & the Golden State Fwy (Co. 9 miles), go South on Old U.S. Hwy. 99 At 0.9 miles, turn S.W. onto the frontage Rd. go Sly to 1.0 miles (Just So. of the "Bit & Spur Motel") Turn W on East Lyn Rd. Enter locked gate at Standard Oil Co. at 1.1 miles. At 1.3 miles, enter another locked gate, cont. up the canyon. At 2.6 miles, park and hike N.W. up the trail to the top of ridge. Continue North on the ridge approx 300 ft. to the point. (The trail can be driven, directly to the point)

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
4031 ARCHIVES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Noted or Circled in Red Ink With Date and Name of Person Making Changes

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of NEWHALL AREA
JN 0074.00 Type Sht SF
Surveyed by E.C. Brownlee
Notes R.F.A. Date 6/7/70
Indexed B.J. GALLI

F.B. 2913 Pg. 141

T.3N
R.16W
Sec. 16

LEANING

LEANING
Set 2 3/4" Capped
pipe, up

Sec. 16
Sec. 15

1500 E

1/4 Cor

For ∠'s, see
FB-G-1326-10,14,15

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
603 LOS ANGELES COUNTY ENGINEERING BLDG.

Form No. 1-69 (8-69)

F.B. 2913 Pg. 162

LEANING

SET A 3/4" CAPPED PIPE, UP 1".

To reach "Leaning" from Colgrove Blvd. & the Golden State Fwy, (0.0 miles), go south on Old U.S. Hwy 99 for 2.3 miles. Cross over the Fwy., Then go north. At 2.5 miles, go S.W. up Weldon Mky. At 3.0 miles, Turn west, following the Weldon Mky. At 4.9 miles enter locked gate to Orcutt Ranch, Continue on dirt Rd. At 5.0 miles is the Jct with a dirt Rd (East Lyn.) Continue S.W. At 5.4 miles is a road Jct, Continue W. on the oiled road. At 5.9 miles is a road Jct, Continue west. At 6.1 miles is a road Jct. Continue West. At 6.2 miles, is a Jct with a dirt road leading N.W. Take the lower road. At 6.4 miles is a locked gate. Continue to a road Jct. at 7.0 miles. Turn north, down the Fyn. At 7.5 miles is a locked gate. Continue north. At 8.1 miles is a Road Jct, Continue East along the top of ridge. At 8.7 miles is the end of road. Hike about 300 ft. to the Top of a nob, then Hike North down the spur appox. 2500 ft. to the point.

NOTE: THE ROAD IS WASHED AT THE MILEAGE CALL FOR 7.5 MILES (LOCKED GATE). YOU WILL HAVE TO HIKE FROM THIS POINT. JGR, 21-MAR-72

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
903 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this line of this line.

Note: Any additions or changes to this Sheet must be made by Cancel Let Ref. Ist with Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of: OPERATIONAL AREA
dN 0074.00 tape Std. F
Surveyed by R. C. BROOKS
Notes RCB Date 8/7/70
Index to G.L. GALT 10-17-70

F. B. 2973 Pg. 163

T. 3 N.
R. 16 W.
SEC. 21

PINNACLE

SEC. 17 SEC. 16 PIRT RD.

SEC. 20 SEC. 21

Road

600'±

PINNACLE
Fd. a 2" Brass disc, stamped as shown, set in/on a 4" Iron Casing
Up 4" No Ref.

TRIANGULATION

PINNACLE STATION

For A. S. See
C.B. 4-1283-20

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

4870-05 (rev. 10 8-69)

F.B 2912 Pg. 164

PINNACLE

Fd. a 1" Br. disk, stamped "PINNACLE, TRIANGULATION STATION", set in Conc. in a 4" Iron Casing, up 4".

To reach "PINNACLE" from Valgrove Blvd. & the Golden State Fwy (0.0 miles), go south on Old U.S. Hwy 99 for 2.3 miles. Cross over the Fwy. Then go north. At 2.5 miles, go S.W. up Weldon Mdy. At 3.0 miles, turn west, following the Weldon Mdy. At 4.9 miles, enter locked gate to the Orcutt Ranch. Continue on the dirt Rd. At 5.0 miles is the Jct. with a dirt Rd. (East Cyn). Continue S.W. At 5.4 miles is a road Jct. Continue west on the oiled road. At 5.9 miles is a Rd. Jct. Continue West. At 6.1 miles is a Rd. Jct. Continue West. At 6.2 miles is a Jct. with a dirt Rd. leading N.W. Take the lower road. At 6.4 miles is a locked gate. Continue to a road Jct. at 7.0 miles. Turn north, down the Cyn. At 7.5 miles is a locked gate. Continue north. At 8.1 miles is a road Jct. Turn S.W. up the road to 8.3 miles and a fire break going S.W. Park, and hike up the fire break approx. 400 ft. to the top of the hob, and the point.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
1403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this area of this line.

Note: Any Additions or Changes on This Sheet Must Be Made by Authority of Owner or Agent Making Change.

Notes C'd by
Map No.
Office Work
Checked
Date

Survey of NEWHALL AREA
Tape [illegible] Sta. [illegible]
Surveyed by P. C. Bowers
Notes R.C.B. Date 8/4/60
Traced C. J. GAETJ

F.B. 2913 Pg. 116-5

T. 3 N.
R. 16 W.
SEC. 13

BAR of SEC. 13, S.E. SEC. COR.

T = 92°

42.32 @ 106° 12' = 40.63 = 40.62
42.818 @ 108° 24' = 40.62

39.89 @ 120° 23' 00" = 34.39 = 34.38
39.30 @ 118° 58' 50" = 34.38

75.00
.01
75.01

For L & S, See
F.B. G-1283-14, 22, 21



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Notice: Any Additions or Changes on This Sheet Must be Made on Circled Line Red Ink With Date and Name of Person Making Change.

RESURVEY CERTIFICATE

F.B. 2913 Pg. 106

BAR of Sec. 13, SE. Sec. Cor.

SET A 1½" I.P. FLUSH

To reach "Bar" of Sec. 13, S.E. Sec. Cor. from San Fernando Rd. & the railroad crossing in Newhall, (0.0 miles), travel S.E. on San Fernando Rd. 1.2 miles to Rt. 14. Turn South on Rt. 14. At 3.4 miles pass C.L.A. City Bdy.) Hike N.E. up the canyon Bat. approx. 300' to the Bat. of spur. Hike up the spur approx 200' to the Sec. Cor. Station "Bar" is 25.0' North, along the fence line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not detach this side of this line.

Note: Any Additional or Changes of Data Should Be Noted on This Sheet. When Making Changes Identify Initials of Person Making Change.

78L298 CE 807 8-81

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 69Z4 Division No.
No. X-Sec. Date Date Survey of NEWHALL AREA - SO. MAGNET ST
No. Date Notes Ckkd. Checked Survey by R.C.B. Notes R.T.A. Date Oct. 21, 1970
Date Map No. Indexed E.L.O.M.D. Date

F.B. 2913 Pg. 167

STATION	B. S.	H. I.	F. S.	ELEV.		
BM #60-BA				1445.67	ELEV 1445.670 - BM 60-BA FD. A CHISELED CROSS ON TOP AT NE. END OF BRONZE PLAQUE SET IN THE N.W. FACE OF SE. CONC. RAILING SIERRA HWY @ PALMDALE-NEWHALL TURN-OFF FROM SAN FERNANDO ROAD. AT THE NE. END OF SOUTHERN PACIFIC CO. R.R. TUNNEL 53-391 IS PAINTED AT EACH END OF BRIDGE PER F.B.	
"	3 08	1448 75				
"			1 05	1447 70		
"	5 01	1452 71				
"			4 46	1448 25		
"	6 15	1454 40				
"			3 13	1451 22		
"	7 80	1459 02				
"			0 66	1458 36		
"	9 70	1468 06				
"			0 10	1467 96		
"	9 28	1477 24				
"			0 79	1476 45		
"	10 69	1487 14				
"			0 60	1486 54		
"	9 31	1495 85				
"			1 30	1494 55		
"	7 98	1502 53				
BM #1			6 10	1496 43	BM #1 FD A C.S. BRASS CAP FERNANDO, COUNTY SURVEYOR,	MON. STANFIELD "RANCHO SAN SEC 24, S.F. 15" DN. 24"

78-L298 CE 307 8-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 168 | Job No 2074.02 Division No. | Profile No. | Notes Red | Plotted | X-Sec. No.
Survey of Newhall - So Market St. | Date Aug 20 Date | Date | Date
Survey by R.C. Bowles Notes R.T. Allanian | Notes Chkd | Checked | No.
Indexed G.L. Gaul | Date | Date | Data

STATION	B.S.	H.I.	F.S.	ELEV.	
BM #1				1496 43	DATUM SEE BOT PG 167 FOR DESCRIPTION
	6 13	1502 56			
TP			8 01	1494 55	
	1 28	1495 83			
TP			9 31	1486 52	
	0 08	1486 60			
TP			10 16	1476 44	
	0 66	1477 10			
TP			9 17	1467 93	
	0 08	1468 01			
TP			9 68	1458 33	
	0 61	1458 94			
TP			7 76	1451 18	
	3 23	1454 41			
TP			6 20	1448 21	
	4 48	1452 69			
TP			5 03	1447 66	
	1 47	1449 13			
BM 60-8A			3 47	1445 66	B.M. 60-8A EL = 1445.670 F.B. SEE TOP PG 167 FOR DESCRIPTION

76-L266 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
408 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted. Job No. 62734.00 Division No. 11
No. Date Date Survey of Alexandria Area, So. Unit 5th
X-Sec. Notes Chkd. Checked. Survey by EC Bowers Notes EC&B Date 8/6/30
No. Date Date Map No. Indexed G.L.G.&D. Date Date

F.B. 2913 Pg. 169

STATION	B. S.	H. I.	F. S.	ELEV.		
B.M.#1				1496.430	B.M.#1 El. = 1496.43 (Unadjusted) FB. 2913-167	
	8013	1504.443			Fd. a C.S. Br. Cap Mon, Stamped "Rancho San	
TP#1			2625	1501.818	Fernando, County Surveyor, Sec. 24, S.F. 15"	
	7291	1509.109			Dn. 24'	
TP#2			1589	1507.524		
	11530	1519.054				
TP#3			1036	1518.018		
	11521	1529.539				
TP#4			0561	1528.978		
	11173	1540.151				
TP#5			0524	1539.625		
	11169	1550.794				
TP#6			0160	1550.634		
	10166	1560.800				
TP#7			2351	1558.449		
	10975	1569.424				
TP#8			0172	1569.252		
	11512	1580.764				
TP#9			0468	1580.296		
	10042	1590.338				
TP#10			0154	1590.184		

75-L298 CE 307 3-81

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 170
Survey of Marshall Area, So. Mtn. Sys.
Survey by Bowers
Indexed Crandall
Job No. 22[illegible] Division No. 11
Profile No. X-Sec. No.
Notes Red Plotted
Date Date
Notes Chkd. Checked
Date Date
Notes Date

STATION	B.S.	H.I.	F.S.	ELEV.	
TP#10				1590 184	
	11 110	1601 294			
TP#11			0 476	1600 818	
	12 221	1613 039			
SEC 13, S.E. SEC. COR.			2 189	1610 850	Sec. 13; S.E. Sec. Cor.
	2 178	1613 028			Fd. a C.S. Br. Cap Mon, set in Conc., Stamped
TP#12			12 212	1600 816	"T. 3N., R. 15W.; R. 16W., Sec. Cor. 13, 18, 19, 24"
	0 145	1600 961			FB. 2913-165
TP#13			10 785	1590 176	
	0 120	1590 296			
TP#14			10 005	1580 291	
	0 775	1581 066			
TP#15			11 827	1569 239	
	0 241	1569 480			
TP#16			11 030	1558 450	
	0 660	1559 110			
TP#17			8 482	1550 628	
	0 652	1551 280			
TP#18			11 652	1539 628	
	0 270	1539 898			
TP#19			10 919	1528 979	

76-L288 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
405 Los Angeles County Engineering Bldg.

NOTE! ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
TP#19				1528 979		
	0 140	1529 119				
TP#20			11 098	1518 021		
	0 520	1518 541				
TP#21			11 003	1507 538		
	2.675	1510 213				
TP#22			8 390	1501 823		
	2 598	1504 921				
BM #1			7 900	1496 441	B.M.#1 El = 1496.43 (unadjusted) F.B. 2913-167 Fd. a C.S. Br. Cap Mon., Stamped "Rancho San Fernando, County Surveyor, Sec. 24, S.F. 15" Dn 24"	

Profile Noted Red ____ Plotted ____ Job No. 62220 Division No. 11 F.B. 2913 Pg. 171
No. ____ Date ____ Date ____ Survey of Aliso Mesa, So. Mesa St.
X-Sec. Notes Child ____ Checked ____ Survey by Bowers Notes ECB Date 8/1/62
No. ____ Date ____ Date ____ Map No. ____ Indexed C.A. GALT Date 8-9-62

Notes Ck'd. by
Maps No.
Office Work
Checked
Date

Survey of NEWHALL RANCH
Job 7401-02 Tape Sta
Surveyed by E.C. BOWERS
Notes F.B. Date 4/80
Indexed G.L. GALLI #17

F.B. 293 Pg. 173

T. 3N.
R. 16W
SEC. 13

TOWER

NOTE!
SEE Pg. 201
for Ties to E1/4 Cor,
Sec. 13

OUT
J.G.R. 21-Mar-'22

TOWER
Fd. 2 1/2 witham
1 1/4" Alum disk, stamped
"PACIFIC ASSOCIATES,
L.A. GALLI" LS 17

P.P. (no number)

Tower Line

N-10°-E 237'

N-9°-E 46'

N 93°-E

33'±

A metal sign marked
"Pacific Lighting Gas
Supply Co. Caution, Buried
High Pressure gas line" on
2" I.P. set in conc.

So. CALIF. Edison Tower #8

For ±'s, see
E.E.G. 1283-16, B, 42

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
103 HALL OF RECORDS
320 W. TEMPLE ST.
LOS ANGELES 12, CALIFORNIA

Do not extend this side of this line.

Note: Any Addition or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Reynolds Ledger D 3-63

F. B. 2913 Pg. 174

Tower

At a 1x2 ft. w., with a 1 1/4" Alum. disk stamped "Pafford & Associates, L.S. Calif. 4491"

To reach "Tower" from San Fernando Rd. and the railroad crossing in Newhall (2.0 miles) travel S.E. on San Fernando Rd. At 1.2 miles, which is the Jct. of Rt. 14, go S.E. on Rt. 14. At 2.9 miles, go S.E. on Remsen Rd. At 2.3 miles, turn east under the Fwy. At 2.5 miles, turn S. on the road paralleling the Fwy. At 2.7 miles park. Hike up the cut bank to the Edison Towers, and the point.

Note: This area is under const., A road may be found open directly to the point at a later date.

NOTE: STATION TOWER HAS BEEN DESTROYED BY CONSTRUCTION. JGR 21-MAR-72

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
433 LOS ANGELES COUNTY ENGINEERING BLDG.

DO NOT WRITE ON THIS SIDE OF THIS LINE

Note: Any Additions or Changes to This Sheet Must Be Made on Corner Print With Date and Name of Person Making Change

Notes Ck'd by:
Map Mark:
Office Work:
Checked:
Date:

Survey of: NEWHALL AREA
N0074-00 Type: Std.
Surveyed by: E. C. Reeves
Notes: R.E.A. Date: 5/5/70
Indexed: G.L.O. Plat T-17-N

F.B. 2913 Pg. 175

T. 3N.
R. 16W.

SECTION 13 NE CORNER

HIGH ROCK PINNACLE

SADDLE

SEC. 12

SEC.

12 Mkd. 2" I.P. 0.20 N & 0.20 W

Sec. 13, N.E. Sec. Cor.
FD. A.C.S. Brs. Cap Mon.
SET IN CTR. OF ROCK
OUT CROPPING WITH
MARKER, DRG. 5' NO. MARKED
AS SHOWN
F.B. 3205-14, 19

Sec 13

For 2's, see
FB-6-1283-17, 18

COUNTY SURVEYOR
T. 3N.
R. 17 | 16 W.
13 | 18

PLEASE RETURN TO:
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
1403 LOS ANGELES COUNTY ENGINEERING BLDG.

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not detach this side of this line.

EN 2005 CENTER 3-70

F.B. 2913 Pg. 176

Sec. 13, N.E. Sec. Cor.

A 2" C.S. Br. Cap Mon. set in 6" conc. post

To reach the Section Cor. from San Fernando Rd. and the Railroad Crossing in Newhall (0.0 miles) Travel S.E. on San Fernando Rd. At 1.2 miles, turn Sly on Rt. 14. At 1.9 miles, Turn S.E. on Remsen Rd. At 2.3 miles, Turn E. under the Fwy. At 2.5 miles part. Hike North about 100 ft. up an abandoned Rd, then hike E. up the draw to the saddle on the ridge and the Sec. Cor.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
4031 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made on Check Print With Date and Name of Person Making Change.

Notes Cr'd by:
Map No.
Office Work
Checked
Date

Survey of Newton Area
Unsurveyed Topo Sht
Surveyed by R.C. Bowers
Notes PC3 Date 10/16/70
Ordered by C.J. GATTI 99.1240

F.B. 2913 Pg. 177

T. 3 N.
R. 16 W.
SEC. 15

Lost

To Stones-Pile

To Stones-Pile

To Ceramic Pipe

To House
Ft 15?

1/2 Cole

Lost
Set + 3/4" Capped pipe
Up 1/2

Ear A 5, SCE
F.B. 4-1326-16 to 19 & 21, 22

Note: Any Additions or Changes on this Sheet must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not erase this side of this line

PLEASE RETURN TO:
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.
900 S. FREMONT AVE.
ALHAMBRA, CALIFORNIA

Agenda 8-69

F.B. 2913 PG. 178

LOST

Set a 3/4" Copper Pipe, up 1".

To reach "Lost" from the Golden State Fwy and Calgrove Blvd. (0.0 miles), travel So. on old Hwy 99. At 0.8 miles, turn W. on the Frontage Rd & Continue So. At 1.0 miles, Turn So. on the Dirt Rd. leading up East Cyn. (Just South of the "B.F.E. Spur Motel"). At 1.1 miles enter locked gate at the Standard Oil Property. At 1.3 miles, Locked gate. Continue S.W. At 1.4 miles, turn W. onto a large flat area. Drive to the end of the Rd (about 500 ft.) Park and hike up Rice Cyn. about 500 ft, then hike up the Spur about 2200 ft. to the point, on the top of a high rock

FILMABLE (RETURN TO COUNTY OF LOS ANGELES DEPARTMENT OF COUNTY ENGINEER 900 LOS ANGELES COUNTY ENGINEERING BLDG.)

Do not extend this side of this line.

Note: Any Additions or Changes to this Survey Must Be Made by Original Party and With Permission of Person Making Changes.

Notes Ck'd by:
Map No.:
Office Work:
Checked:
Date:

Survey of: MALIBU AREA
JN 6924-00 Tape: Sht:
Surveyed by: R.C. ROGERS
Notes: R.C.R. Date: 8/15/70
Indexed: G.L. GALLI #179

F. B. 2913 Pg. 179

T. 3 N.
R. 16 W.
SEC. 15

LOVERS

SEC. 9 | SEC. 10

SEC. 16 | SEC. 15

250'±

LOVERS
Set 3/4" Capped pipe
flush

TO LEASING
OFFICE

For ties, see
F.B.-G-1283-23

Notes! Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
COUNTY ENGINEERING BLDG.
900 S. LOS ANGELES
LOS ANGELES 90012

F.B. 2910 Pg. 126

LOVERS

Set a 3/4" capped pipe, up 1"

To reach "Lovers" from The Golden State Fwy. & Calgrove Blvd. (0.0 miles) travel So. on Old U.S. Hwy 99 0.5 miles. Park and hike up the spur approx 1000 ft. to a small nob and the point.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not detach this slip

Note: Any Additions or Changes on This Sheet Must be Made on Original Map Without Erasure and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Newhall-St. Marker St
JN 89146 Tape Std PP
Surveyed by R.S. Bauer-S.
Notes RAY HUMANN Date Aug '70
Indexed C. GAU

E B 293 Pg. 127

T. 3 N.
R. 16 W.
SEC. 21

STEEP

Note! Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.
Do not extend this data offthis line.

RELEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
ATTN: LOS ANGELES COUNTY ENGINEERING BLDG.

Sec. 21

Sec. 22

STEEP
SET A 1X1 FLUSH
WITH GROUND ON
NARROW RIDGE

T=102°
Lev. = 6.05

① 124° 50' 20"
② 299° 40' 40"
124° 50' 20"

SEC. 22, W1/4 W1/4 COR.
FD. A 2" BR. CAP MON.
SET IN CONC. FLUSH
WITH GROUND MON.
REFERS TO BAND NOW
DUE TO GR. MOVEMENT
SET MAGNET HUB
STAMPED AS SHOWN
Note: 1/20 Mon. N.
Leaning E. approx. 0.5'

COUNTY SURVEYOR
LOS ANGELES COUNTY
SURVEY MONUMENT

for 45,544
F.B. T-1326-23

JOE NOSE 3-68

F.B. 2913 Pg. 182

STEEP

SET a 1/2 $ NAIL, FLUSH

TO REACH "STEEP" FROM CALGROVE BLVD. + GOLDEN STATE HWY, (0.0 MILES), GO SOUTH ON OLD U.S. HWY #99 FOR 2.3 MILES, CROSS OVER THE FWY, THEN GO NORTH AT 2.5 MILES, GO S.W. ON WELDON WAY. AT 3.0 MILES, TURN WEST, FOLLOWING THE WELDON WAY. AT 4.9 MILES ENTER LOCKED GATE TO CIRCUIT RANCH, CONTINUE ON DIRT RD. AT 5.0 MILES IS A JCT. WITH A DIRT RD (EAST (YN) CONTINUE S.W. AT 5.4 MILES IS A RD JCT, CONTINUE WEST ON THE OLDER ROAD. AT 5.8 MILES IS A ROAD JCT, CONTINUE WEST AT 6.0 MILES IS A ROAD JCT. CONTINUE WEST AT 6.2 MILES, IS A JCT WITH A DIRT RD LEADING N.W., TAKE THE LOWER ROAD. AT 6.3 MILES ROAD FORKS, BEAR TO THE RIGHT. CONTINUE TO 6.8 MILES ALONG NON-GRADED ROAD. ROAD ENDS HERE. HIKE DOWN RIDGE TO STEEP" AND W.C. SEC 27, W 1/4.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do NOT detach this sheet from this file.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink - With Date and Name of Person Making Change.

Notes Ck'd. by
Map No.
Office Work
Checked
Date

Survey of Southern Section
in 2034 Quad Type Std.
Surveyed by Rod. Bowers
Notes ALTADENA Date Aug. '10
Indexed C. Beach 9-17

F.B. 1913 Pg. 183

T. 3 N.
R. 16 W.
Sec. 16

ANTS

Notice! Any Additions or Changes on this Sheet Must not Made or Circled in Red Inks. With Data Initial Name of Person Making Change.

Do not detach this side of this line.

PLEASE RETURN TO
COUNTY HOT. LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
434 LOS ANGELES COUNTY ENGINEERING BLDG.



For 4's, see
F.B.-6-1283-24,25

TRACOR CEARIO 4-68

F.B. 2913 PG. 18P

"ANTS"

SET A 3/4" CAPPED PIPE UP 1'

TO REACH ANTS: FROM CALABASAS BLVD & GOLDEN STATE FWY (0.0 MILES), GO SOUTH ON U.S. HWY #99 FOR 2.3 MILES. CROSS OVER THE FWY, THEN GO NORTH. AT 2.5 MILES, GO S.W. OF WELDON INTY. AT 3.2 MILES, TURN WEST, FOLLOWING WELDON INTY AT 4.0 MILES ENTER LOCKED GATE TO ORCUTT RANCH, CONTINUE ON DIRT ROAD. THEN AT 5.0 IS A JCT WITH A DIRT ROAD (EAST (YN) CONTINUE S.W. AT 5.4 MILES IS A ROAD JCT, CONTINUE WEST ON THE OILED ROAD. AT 5.8 MILES IS A ROAD JCT, CONTINUE WEST. AT 6.1 MILES IS A ROAD JCT CONTINUE WEST. AT 6.2 MILES, IS A JCT WITH A DIRT ROAD LEADING N.W., TAKE THE LOWER ROAD. AT 6.4 MILES IS A LOCKED GATED CONTINUE TO A ROAD JCT AT 7.0 MILES, TURN NORTH DOWN THE CYN. AT 7.5 MILES IS A LOCKED GATE, CONTINUE NORTH. AT 8.1 MILES IS A ROAD JCT, CONTINUE EAST ALONG TOP OF RIDGE. AT 8.7 IS THE END OF ROAD. HIKE ABOUT 500' EAST TO TOP OF KNOB.

NOTES: THE ROADWAY IS WASHED OUT AT MILEAGE CALL 7.3 miles (Locked Gate), YOU MAY REACH THE STATION BY BIKING FROM THIS POINT. JGR 21-MAR-78

PLEASE RETURN TO COUNTY OF LOS ANGELES DEPARTMENT OF COUNTY ENGINEER 403, LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Addition or Change on This Sheet Must be Made on Card and Noted with Date and Note of Change.

Notes Ck'd By
Map No.
Office Work
Checked
Date

Survey of Mecca Area
J.N. 6079 Paper Std.
Surveyed by R.E. Pg Works
Notes Alpha 12A Date 8/4/78
Indexed G.L. Card 8P17

F.B. 2913 Pg. 65

T. 3 N.
R. 16 W.
Sec. 16

"STANDARD"

Dirt Road

Sec. 8 Sec. 9

Sec. 17 Sec. 16

Sec. Cor.
Fd A Standard Oil
2" Iron Pipe W/
Stamped Near Top
S.C. 8, 9, 16, 17.

Steel Fence Post

Standard
Set in 3/4" Car Pipe
W/ Tag

(Plank Rd.)

For 4's, See
F.B.-G- 1283-34, 35

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
108 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not remove this slide or this info.

Note: Any Additions or Changes on This Sheet Must Be Made on Circled Unit With Date and Name of Person Making Change

F.B. 5113 Pg. 137

"STANDARD"

℄

SECTION 16, N.E. COR.

TO REACH "STANDARD" & SEC. 16, N.E. COR. FROM CALGROVE BLVD & GOLDEN STATE FWY (0.0 MILES) TRAVEL SOUTH ON OLD U.S. HWY 99 0.25 MILES. TO THE WEST IS A LOCKED GATE WITH CATTLE GUARD LEADING INTO TOWNSLEY CYN, ENTER. AT 0.4 MILES IS A "Y" JCT, TAKE THE ONE GOING WEST AND CROSS A SMALL CREEK 200' AHEAD. AT 0.6 CROSS ANOTHER DRY RIVER GULCH AT 1.1 MILES COME CATTLE GUARD CROSSING. PROCEED WEST UP CANYON. AT 1.2 MILES CROSS OLD WOODEN BRIDGE. DRIVE PAST BRIDGE APPROX 300' AND PARK. HIKE UP STEEP HILL TO WEST AND SOUTH OF ROAD.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
DO not extend the tape between

Note: Any Additions or Changes of This Sheet Must be Made by Circle Ink Making Change. Date and Name of

Notes, Ck'd. by
Map No.
Office Work
Checked
Date

Survey of NEWHALL AREA
J.N. 207800 Tape Std. "E"
Surveyed by R.F. Bowman
Notes Aug '70 Date Aug '70
Indexed G.J. GALLI SP #71

F.B. 2913 Pg. 187

T.3N.
R.16W.
Sec. 15

GORGE

16 14

W.C. to S.E. Cor. Sec. 15
FD U.S. Br. Cap Mon.
SET IN CONC. BLOCK
WITH 5' MARKER PIPE
STAMPED AS SHOWN

SURVEY
COUNTY OF LOS ANGELES
T3N
15 14
22 23
W.C. SEC. COR. MONUMENT

TO RR LOAD 197

TRAIL

25.9N

30

TO BULL PEN 159

GORGE
Set a 3/4" Capped pipe, WP #1

22 23

T=70
28.96 @ Lau = 2896

For 4's, see
FB 6-1326-24, 25

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
HOA LOS ANGELES COUNTY ENGINEERING BLDG.

Notes: Any Additions or Changes on this Sheet Must Be Made on Check Print
Start-Must Be Made on Check Print
Ink Work, Date and Name of Person
Making Change
Do not extend the field of this Sheet

2913 187 11-2-70

F.B. 3913 Pg. 188

'GORGE'

SECTION 15, S.E. COR.

Set a 3/4" Capped Pipe, up 1" @ Gorge

TO REACH 'GORGE' & SEC. 15, S.E. COR FROM CALABASAS BLVD & GOLDEN STATE HWY (0.0 MILES) GO SOUTH ALONG OLD U.S. HWY 99 FOR 0.8 MILES. TAKE FRONTAGE ROAD AND CONTINUE SOUTH AT 1.0 MILES TURN WEST ON DIRT ROAD, SOUTH OF "BIT & SPUR MOTEL" AND CONTINUE TO LOCKED GATE AT 1.1 MILES. AT 1.3 MILES IS ANOTHER LOCKED GATE, ENTER AND PROCEED UP EAST CYN. AT 1.9 MILES PARK WHERE ROAD MAKES HORSESHOE BEND. HIKE EAST TO POINT SEC. COR. SOUTH OF GORGE.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
903 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not detach this side of this tag.

Note: Any Additions or Changes of This Road Must Be Made on Original Tag With Date and Name of Person Making Change.

Notes Ck'd
Map No.
Office Work
Checked
Date

Survey of: NEWHALL AREA
IN DOMELAND Topo Std
Surveyed by R.E. Bowers
Notes ALHAMBRA Date AUG '70
Indexed G. L. BAIRD 09.17.70

F.B. 293 Pg. 789

T13 N.
R.16 W.
Sec. 9

HORSE

DIRT - GRADED ROAD

DRY RIVER (GULCH)

COTTONWOOD TREE 15" ø

TO STANDARD
PG. 185

HORSE
SET 3/4" GAS PIPE
UP 1"

Sec. 9

1000'±

300'±

1/4 Cor.

Sec. 16

For 4's, See
FD 6-1283-36, 37

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
COUNTY ENGINEERING BLDG.
4021 LOS ANGELES

Do not detach this side of this Note

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

LACSMS CEC 10 3-68

F-B 4213 PG. 990

HORSE

SET 3/4" CAPPED PIPE UP 1"

TO REACH "HORSE" FROM COLGROVE BLVD & GOLDEN STATE FWY (0.0 MILES) TRAVEL SOUTH ON OLD U.S. HWY 99 0.45 MILES. TO THE WEST IS A LOCKED GATE WITH CATTLE GUARD LEADING INTO TROUSDALE CYN. ENTER. AT 0.8 MILES IS A ROAD JCT, TAKE THE ONE GOING WEST AND CROSS A SMALL CREEK 100' AHEAD. AT 0.16 MILES CROSS ANOTHER DRY RIVER GULCH AT 0.35 MILES STOP AND PARK NEAR LARGE COTTONWOOD TREE. HIKE UP HILL TO THE SOUTH.

PLEASE RETURN TO
COUNTY OF LOS ANGELES COUNTY ENGINEER
DEPARTMENT OF LOS ANGELES COUNTY ENGINEERING BLDG.
403
Do not extend this side of this line.
Note: Any Additions or Changes or Erasures Must Be Made by Certified Ink With Date and Name of Person Making Change.
This Red

76-L298 CE 807 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
RDBM				1262.19	ELEV – 1262.193 BL 3026 1965 (NEWHALL) TO RDBM TAG ON LYONS AVE, 40'Sa. & 139' WEST C/L INT. LYONS AVE. & WILEY CYN RD. OFF No. PL # ILT 1986 E.	
	5.06	1267.25				
TP			4.14	1263.11		
SF#3 BM	5.64	1268.72				
			3.47	1265.27	SF#3 TO BRASS CAP MON 5½' E. OF WEST CURB WILEY CYN RD & 260' No LYONS. MARKED R.C.E. 8781 RD. S.F. #3	
SF#3 BM				1265.27		
TP	3.57	1268.84				
			5.73	1263.11		
	4.15	1267.26			R.D. B.M. BL 3026	
RDBM			5.08	1262.18	SEE ABOVE EXCEPT.	

Profile Notes Red. Plotted Job No. 007100 Division No. F.B. 4913 Pg. 19

No. X-Sec. Data Date Survey of NEWHALL – Sa. MARKET St.

Notes Chkd. Checked Survey by BROWERS Notes R.S.A. Date Aug. 20, 1970

No. Data Date Map No. Indexed C.A. GALLI Date 8-17-70

78-L280 OE 807 9-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2913 Pg. 192
Survey of Alameda Hwy, Sy. Mat. St.
Survey by Bowers Notes Kept
Indexed

Job No. 6027 Division No. Notes Red. Date Notes Chkd. Date
Profile Plotted Date Checked Date
No. X-Sec. No.

STATION	B.S.	H.I.	F.S.	ELEV.	
Steep				2351.9 1000 00	B.M. Steep Assumed Elev. = 1000.00
	2 09	1002 09		2350.1	Fd. a 1/2 ϕ N, fl. per Pg. 179
W.C.			3 39	~~998 70~~	Sec. 21, W.C. to E 1/4 Cor.
					Fd. a C.S. Br. Cap Mon, Stamped "T.3N., R.16W. Sec. 21, Sec. 22, W.C. 1/4 Sec. Cor., RE. 62", per Pg. 179
				1918.5	
Gorge				~~1000 00~~	B.M. Gorge Assumed Elev. = 1000.00
	6 72	1006 72			Fd. a Copped 3/4" I.P., per Pg 189
W.C.			4 52	1002 20	Sec. 15, W.C. to S.E. Sec. Cor.
					Fd. a C.S. Br. Cap Mon, Stamped "T.3N, R.16W, 14, 15, 22, 23, W.C., Sec. Cor." per Pg. 179

Notes Cc'd by
Map No.
Office Work
Checked
Date

Survey of NEWHALL AREA
JN 0074.00 Tape Sta
Surveyed by E C BOWERS
Notes R.T.A. Date 8/14/70
Indexed 9-2-80 BY T.B.

F. B. 2913 Pg. 193

"BLACK"



FOR ℄'S, SEE
F.B.-6-1326-26,27

Note: Any Additions or Changes on This Sheet Must be Made in Checklist in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

Form 696 Rev. 8-60

F.B. 1913 Pg. 104

BLACK

To reach "Black" from Pico Cyn. Rd. & Chiquella Ln (0.10 mi.) (The frontage Rd. on the west side of the Golden State Fwy.). Go south on Chiquella Ln. past Denny's Restaurant and the Calif. Hwy. Patrol Office to the Cul de Sac at 0.2 miles. Take the road at the So. end of the Cul de Sac and go S.W. past the barn. At 0.25 miles is a Rd. Jct to Samsons Ranch. Cont. S.W. or Left. At 1.15 miles is a locked gate. Continue S.W. At 1.5 miles is a locked gate. Continue to 1.7 miles & Park. Hike up the fire break on the So. Side of the road 400 ft to the station.

The N.W. Cor of Sec. 9 is 250 ft. S.W. down the road and at the base of the hill to the north.

SET A 3/4" CAPPED PIPE, UP 1"

RETURN TO COUNTY SURVEYOR
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
ENGINEERING BLDG.
603 LOS ANGELES COUNTY
PLEASE RETURN TO
Do not extend this title of this line.
Note: Any Additions or Changes for This Roll Sheet Must Be Made by Officially Authorized Person Working With Data and Name of

Notes C'k'd by
Map No.
Office Work
Checked
Date

Survey of Newhall Area
Job 2079-00 Tape Std.
Surveyed by R. C. Bowers
Notes R.I.A. Date 9/6/70
Indexed C. L. GALLT

F.B. 1293 Pg. 195

T.3N.
R.16W.

SEC. 9, E 1/4 SEC. COR.

CALGROVE BLVD

PARK DR.

GOLDEN STATE FWY.
(CONCORD)

9

10

34°

1/4 SEC. COR.
B.C.I.P. and PUNCH
TAG 1 inch IN 10"

For 3'5, see
F.B.-G-1283-27,28,29,30

Notes: Any Additions or Changes on this Sheet Must be Made on Checked in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not attach this side of this tag.

4-69 5M 1-69 3-69

F. B. 2913 Pg. 176

Sec. 9, E. ¼ Sec. Cor.

TO REACH SEC. 9 E. ¼ COR. FROM CALABASAS BLVD AND GOLDEN STATE FWY, GET ON SOUTH BOUND ON-RAMP G-S. FWY UNTIL YOU REACH THE END OF ISLAND ON LEFT AND FLAT AREA ON RIGHT SIDE. PARK IN FLAT AREA ON RIGHT.

Highway Permit Return To
County of Los Angeles
Department of County Engineer
Field Books
900 Los Angeles County Engineering Bldg.
Do not detach this side of this title.

Note: Any Additions or Changes on this Sheet Must Be Marked or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by: _____
Map No: _____
Office Work: _____
Checked: _____
Date: _____

Survey of: Newhall Area
JN 66-7-489 Type: _____ Sht: _____ of _____
Surveyed by: R.C. Bowers
Notes: RC 13 Date: 9/1/70
Indexed: [illegible]

F.B. 2913 Pg. 197

T. 3N.
R. 16W.

Sec. 15, N.E. Sec. Cor.

Sec 10

Sec 11

Sec 15

Sec 14

To Nth end of Br.

Newhall Ave

Sec. 15, N.E. Cor.
Fd. 2 C.S. Br. Cap Mon. in
2 G. Cks. each, up 2',
marked as shown

15

COUNTY SURVEYOR'S
T.3N.
R.16W.
11
14
SEC. COR.

For 4's, see
EB-G-1283-41

Note! Any Addition or Changes on This Sheet Must be Made in Circle in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Revised 6-69

F.B. 2913 Pg. 198

Sec. 15, N.E. Sec. Cor.

To reach the N.E. Cor. of Sec. 15, from Calgrove Blvd. & The Golden State Fwy (0.0 mile) go S'ly on old U.S. Hwy 99 1.4 miles to the Entrance to a Trailer Park on the East side of the Hwy. Enter and turn left, Drive to the top level, then turn Right and drive to the end of Rd. Park, and hike up the spur approx. 300 ft. to the Sec. Cor.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Signed or Initialed and Noted With Date and Name of Person Making Change.

Notes Clkd. by
Map No.
Office Work
Checked by
Date

Surveyed by Newmark Area
J.N. 007960 Tape Sta. to
Surveyed by E.C. Boggis
Notes F.B. Date 9/23/30
Tideland U.S.C.&G.S. 19 1-7

F.B. 2913 Pg. 199

T. 3 N.
R. 16 W.

SEC. 15, S.W. Sec Cor.



Sec. 15, S.W. Cor
Fd. 2" Br. Cap Mon. set
10.0 G.I. Conc. Post, up
3". Marked G. 3 holes
F.B. 342-65

Note the Mon. is leaning
E'ly approx 0.5'

For 4's, see
F.B. G-1283-26

SURVEYOR'S
T. 3 N.
R. 16 W.
1605
21/22
COUNTY OF LOS ANGELES
SEC. COR. MONUMENT

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of fold line.

drawing check add

F.B. 2913 Pg. 200

Sec 15, S.W. Sec. Cor.

To reach the S.W. Sec. Cor. of Sec. 15, from Calgrove Blvd. & the Golden State Fwy (0.0 miles), go south on old U.S. Hwy 99 for 2.3 miles. Cross over the Fwy, then go north. At 2.5 miles, go S.W. up the Weldon Mtn (A locked gate). At 3.0 miles, turn west, following Weldon Mtn. At 4.9 miles, enter a locked gate to Orcutt Ranch, continue on the dirt Rd. At 5.0 miles is a Jct. with a dirt Rd. (East Cyn.) Continue S.W. At 5.4 miles is a Rd. Jct, Continue West on the oiled Rd. At 5.9 miles is a Rd. Jct, Continue west. At 6.1 miles is a Rd. Jct, Continue west. At 6.2 miles is a Jct. with a dirt Rd. leading N.W. Take the lower road. At 6.4 miles is a locked gate. Continue, at 7.0 miles is a Rd. Jct. Turn north, down the Cyn. At 7.5 miles is a locked gate. Continue north. At 8.1 miles is a Road Jct. Continue east along the top of the ridge. At 8.7 miles is the end of the road. Park and hike east along the top of the Ridge. Approx 800 ft, then hike down the spur to the S.E. Hike down the spur 600 ft, then N.E. down a small spur. Approx 600 ft, then contour N.W. 200 ft. to the monuments.

NOTES: THE ROADWAY IS WASHED OUT AT MILEAGE CALL 7.2 MILES (LOCKED GATE). YOU MAY REACH THE STATION BY HIKING FROM THIS POINT. S.G.R. 21-MAR-77

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
903 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend mk past or this line.

Note: Any Additions or Changes to This Sheet Must be Made by Ruled Lines With Date and Name of Person Making Changes.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of NEWHALL AREA, So. Mt. St.
JN 0074-00 Tape 5 Std 84 °F
Surveyed by R.C. BOWERS
Notes RCB Date 8/4/70
Indexed C.J. GALU SEP 17 '70

F. B. 2913 PG. 201

T. 3 N.

TOWER
Fd. a 1x2 & a 1¼" Alum. disk, Stamped "PAEFORD & ASSOCIATES, L.A. CALIF", up 1" per Pg. 173

To N-9 F.B. 947-236

Per F.B. 6-1283-42

144° 18' 16.6"

168.34

Per F.B. 6-1283-42

82° 03' 36.7"

123.04 Per F.B. 3205-15

0.17

S-3
Fd. a 1" I.P. Conc. plug & C.E. Tag, up 1" per F.B. 3205-15

S-2
Fd. a 1" I.P. Conc. plug & C.E. Tag, up 2" per F.B. 3205-15

97.95 per F.B. 3205-15

0.14

S-1
Fd. a 1x2 & N, up 1" per F.B. 3205-15

257.96 Per F.B. 3205-15

T = 70°

169.91 @ 7°44' = 168.36 = 168.36
170.19 @ 8°23' = 168.37 .02
168.34

For 4' S, see
F.B. 6-1283-42, 43, 44, 45

R.14W. Sec. 13

R.15W. Sec. 18

1/4 Sec. Cor.
Fd. a C.S. Br. Cap Mon in a 6" Conc. post, marked as shown.
F.B. 3205-15
F.B. 439-88

COUNTY SURVEYOR'S
T.3N.
Sec. 13 Sec. 18
R.14W. R.15W.
¼ Sec. Cor.
MONUMENT

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line...

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#311 0 3-69