Notes Ck'd by _____ Survey of _____ F.B. 2950 Pg. _____

Map No. _____ JN _____ Tape _____ Std _____ °F

Office Work _____ Surveyed by _____

Checked _____ Notes _____ Date _____

Date _____ Indexed _____

Page	Job	Description
		SCHOLL CYN. REFUSE DISPOSAL SITE J.N. 0077.29
5-7	Index	
9-32	Bdry.	Property line survey along southern bdry. of Tr. 7183 and the eastern portion of the northern bdry. of Tr. 10395.
33-40	Traing.	Scholl Cyn. refuse Disposal Site triang. net.
41-86	C.L. & Bdry.	Rerun ℄ & prop. lines.
87-104	Elev.	Differential levels to establish vert. control for same job.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76P3095 CE #310 5-68

Microfilmed April '85.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Scholl Cyn. Ref. Disp. Site F. B. 2950 PG. 5
J.N. 77.29 Tape 6.5 Std. 84 °F
Surveyed by L.V. Smith
Notes R.C. Bowers Date 2-1-62
Indexed H. E. OTT FEB 15 62

SCHOLL CANYON REFUSE DISPOSAL SITE

J.N. 00 77.29

PROPERTY LINE SURVEY ALONG SOUTHERN BOUNDARY of TRACT 7183 & THE EASTERN PORTION of the NORTHERN BOUNDARY of TRACT 10395

FEB '62

REF.

T.R. 7183-4
T.R. 10395-2
R.S. 30-42
R.S. 31-18
T.R. 6920-2-5
L.A. CITY E.O. 9565 -160-161
P.W. PARKER TR.
F.B. 2606

PARTY

L.V. SMITH
R.C. BOWERS
M.E. WACKER
H.L. BIRLEW
K.J. RIGDON

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 S&E #247 11-58

F. B. 29507 PG. 6

INDEX

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Scholl Cyn. Ref. Disp. Site
JN 11.29 Tape 165 Std 84 °F
Surveyed by L.V. Smith
Notes P.C. Bowers Date 2-V-67
Indexed H.E. Ott

F. B. 2950 PG. 7

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S S&E #247 11-58



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2935 Dist. C.

Notes Ck'd by M. ASHLEY
Map No.
Office Work G. H. BOYER
Checked M. ASHLEY
Date

Survey of SCHOOL CONSTRUCTION SITE F. B. 2806 Pg. 9
JN 0077-29 Tape 165 Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. S. Date 1-62
Indexed H. E. OTT FEB 1 1962

DOT
PG. 10

13.48 @ LEW
T=74°-13.18

FD. 1X2 ON SLY EDGE
OF FIRE BREAK. SET
12" RUSS NAIL ON LINE
.03 WLY OF FD. NAIL IN
1X2

197.47 @ 31°00 = 169.27
197.31 @ 30 SW = 169.27
T=74° = 169.26

FD. 1" I.P. CONC. PLUG
& L.A.CO. ENGR. TAG
L.A. 2606 = 18
L.A. CITY FD. 9565-161

LOT 13
TRACT 2977

LOT 59
WATTS SUB.
M.R. 5-52B

FD. 1" I.P. CONC. PLUG
L.A. CO. ENGR. TAG
10W. 18W. F.B. 2606-18
L.A. CITY FD. 9565-161

U.S. 91 D-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 S&E #247 11-58

F. B. 295 @ Pg. 10

64.91 @ 18°42' = 61.62
64.69 @ 17°44' = 61.62
9.83 @ LEV. 9.83
71.45

T = 58° = 71.4

LOT B
TRACT 7183

2) 104° 07' 00"
4) 208 15 45
6) 312 22 30
52° 03' 25"

ANGLE POINT #4
SET 1X2 & NAIL
ON-0.1 IN DIRT
ROAD. SET RECORD
DISTANCE PER TR.
7183-2 FROM
ANGLE POINT #5
ON LINE PROD
FROM FD. 1" IPS
F.B. 2606-18

SET 1X2
& NAIL
ON RIDGE

LINE

52° 03' 25"

65.52

2) 180° 08' 00"
4) 00 16 00
6) 180 24 00
90° 04' 00"

PROPERTY

206 66

TOP
PG. 11

69.62 @ 19°44' = 65.53
69.89 @ 20°21' = 65.53
T = 66° = 65.52

90° 04' 00"

29.76

BOT.
PG. 18

COUNTY ENGINEER
S.C.R.O.S.
T.P.O.S.
R.E. 5869

ANGLE POINT #5
SET 1X2 & NAIL
ON RIDGE RECORD
DISTANCE OF
182.74 FROM FD.
1" I.P. F.B. 2606-
18 WHICH WAS
REPLACEMENT OF
1X2 L.A. CITY F.B.
9565-161

NOTE
REPLACED 1X2 & N.
WITH S.T.D. CO. ENGR.
R.C. MON. IN CONC.
W/ 5" MARKED
PS SHOWN.
6-1-62 L.V.S.
GUARD PIPE SET
2 FT. ELY.

LOT 59
WATTS SUB.
M.R. 5-328

TOP
PG. 9

U.S. 91 D-3

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red. Ink With Date and Name of Person Making Change.

Notes Ck'd by M. ASHLEY
Map No.
Office Work G. H. BOYER
Checked M. ASHLEY
Date

Survey of SMALL CAP REF. DIV. SIG.
JN 0677 29 Tape 165 Std 84 °F
Surveyed by K.V. SMITH
Notes K.V.S. Date V-62
Indexed H F OTT

F. B. 2910 PG. VI

LEFT
PG. 10

210.62 @ 11°04' = 206.70 ✓
210.53 @ 10°57' = 206.70 ✓
T = 58° = 206.66 ✓

2) 202° 51' 50"
3) 245 44 30 ✓
4) 188 37 00 ✓
151° 26' 10"

LOT 3
TRACT 7183

ANGLE POINT #3
FD. 2" I.P. W/ DOD
PLUG & NAIL
DM. 10" ON NW.
SLOPE OF RIDGE.
ANGLE POINT IN
NORTH LINE OF LOT
#3 3 WATTS SUB.
OF RANCHO SAN
RAFAEL M.R. 5
328.72 PER TR.
7183-2

NOTE:
REPLACED 2" I.P.
WITH STD. CO. ENGR.
B.C. MON. MARKED
AS SHOWN.
S-3/-22 L.V.S.
SET 6"x6" POST
2 FT. ELY

51.50 @ 33° 56' = 42.89 ✓
51.55 @ 34° 21 = 42.89 ✓
T = 51° = 42.88 ✓

42.88' ✓

0.26'

FD. 2" I.P. W/ DOD
PLUG & NAIL DM.
O.S. N.E. COR. LOT
3 PM. WARNER TR.
PER. TR. 7183-2

PROPERTY LINE

1.4-90' ✓

TOP
PG. 12

COUNTY ENGINEER
R.E. 5869
3" Brass Cap
No. 10 Wire

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

M.S. 4410-3

76F3095 SAE #247 11-58

F.B. 295 PG. 12

BOT.
PG. 11

115.42 @ 8°55' = 114.02
115.51 @ 9°12' = 114.02 = 114.02
T = 58° = 114.00

114.00

2-B
SET 1X2 & NAIL
FLUSH



263.22 @ 9°42' = 259.46
263.48 @ 9°01' = 259.46
T = 58° = 259.42

259.42

LOT B
TRACT 7183

2-A
SET 1X2 & NAIL
FLUSH

180.24 @ 1°55' = 180.14
180.20 @ 2°07' = 180.14
T = 50° = 180.10

180.08

RIGHT
PG. 13

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. ASHLEY
Map No.
Office Work G. H. BOYER
Checked M. ASHLEY
Date

Survey of RIDGE ON RESIDUAL SITE
J.N. 00 77 24 Tape 1.6 Std. 84 °F
Surveyed by L. V. SMITH
Notes L-VS-1 Date 1-62
Indexed H. E. OTT

F. B. 2950 PG. 13

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Reason Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309$ S&E #247 11-58

4-5-41 D-3

SET 1/2 ON RIDGE ON LINE PROD. FOR ANGLE

12.13 @ LEV.
T = 50° = 12.13'

26.20 @ LEV.
T = 50° = 26.19'

TOP PG. 14

44.99'

0.10'

18.85'

FD. 2" I.P. & WOOD PLUG & NAIL ON RIDGE ON N. ELY. COR. LOT 148 TR. 6920-2

TR. 6920

1 X 2 6 NAIL

12.13'

1 X 2 6 NAIL

26.19'

1 X 2 6 NAIL

55.33'

0.18

432.4'

FD. 1" I.P. PLUG & NAIL ON RIDGE

69.48 @ L = 0.0° = 69.48'
T = 62° = 69.47'

69.47'

LOT B TR. 7183

COUNTY ENGINEER PROP. COR. N.E. COR. R.S. 58 69

PROP. LINE

BOT. PG. 15

2)	120°	27'	20"
4)	240	53	40
6)	01	22	00
	60°	13'	40"

2)	164°	47'	20"
4)	329	34	20
6)	134	21	40
	82°	23'	37"

BOT. PG. 12

180.10'

ANGLE POINT #2 SET PUNCH MARK BY INTERSECTION OF LINE BETWEEN 2" I.P.'S ON ELY. LINE TRACT 7183 & LINE PROD. N.E.-O.-W. FROM 2" I.P.S ON ELY. LINE TRACT 6920. PUNCH MARK ON RIM OF 2" I.P. WOOD PLUG & NAIL IN CTR. OF PIPE.

NOTE: REPURGED 2" I.P. WITH STD. L.A. CO. B.C. MON. MARK (C) 1961 SHOWN. 5-31-62 L.V.S.

FD. 2 x 2 WITH TIN TOP

21.32 @ 27.5° = 18.85'
21.84 @ 30.21 = 18.85'
T = 50° = 18.85'

67.78 @ 35.16 = 55.34'
67.45 @ 34.30 = 55.34'
T = 52° = 55.33'

FD. 2" I.P. WOOD PLUG & NAIL ACCEPTED AS ANGLE POINT IN ELY. LINE LOT 12 TR. 6920-5

FD. 2" I.P. WOOD PLUG & NAIL ACCEPTED. PIPE 1.3' S.W. COR. LOT 41 TR. 7174 MER. TR. 6920-5 - PIPE UP 12"

F.B. 295 Pg. 14

LEFT
PG. 13

50.70' @ 27°26' = 45.00' ✓
50.34' @ 26°37' = 45.00' ✓
T = 50° = 44.99' ✓

44.99' ✓

SET 1X2 ε NAIL

201.92' ✓

204.73' @ 9°26' = 201.96' ✓
205.11' @ 10°03' = 201.96' ✓
T = 54° = 201.92' ✓

SET 1X2 ε NAIL

LOT B
TRACT 7183

263.44' @ 3°10' = 263.04' ✓
263.41' @ 3°00' = 263.05' ✓
T = 50° = 262.98' ✓

SLY R/W LINE #7183 M.B. 1109 S 4° C.U.

262.98' ✓

SET 1X2 ε NAIL

53.25' ✓

83.26' @ LEV. T = 52° = 53.25' ✓

ED. 2" I.P. WOOD PLUG
ε NAIL ⊗ POINT SLY LINE
LOT B TR. 7183

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. ASHLEY
Map No.
Office Work G. H. BOYER
Checked M. ASHLEY
Date

Survey of SCHOOL CR. REED DIKE SITE
JN 0077-29 Tape 165 Std 84 °F.
Surveyed by L.V. SMITH
Notes L.V.S. Date 1-12
Indexed H. E. OT

F. B. 7950 Pg. 15

BOT.
PG. 16

163.88 @ 35° 49' = 132.89' ✓
163.51 @ 35° 38' = 132.89' ✓
T = 58° = 132.86' ✓

132.86'

LOT B
TRACT 7183

1X2 & NAIL
CH. POINT

299.85' @ 4° 21' = 298.99' ✓
299.81' @ 4° 18' = 298.99' ✓
T = 60° = 298.94' ✓

298.94' ✓

LINE

CH. POINT
1 X 2

93.18' @ 32° 46' = 78.35' ✓
92.64' @ 32° 14' = 78.36' = 78.35' ✓
T = 64° = 78.34' ✓

78.34'
PROPERTY

CH. POINT
1 X 2

63.80' @ 28° 40' = 55.98' ✓
63.55' @ 28° 15' = 55.98' ✓
T = 58° = 55.97' ✓

55.97'

TOP
PG. 13

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

W.S. 91 D-3

76F3095 S&E #247 11-58


B.B. 2950 PG. 12
198.36 @ 1°03' = 197.86
198.28 @ 2°44' = 197.86
123.06 @ 13°26' = 119.69
122.85 @ 13°02' = 119.69
317.55
T = 56° = 317.49'
TRIANGULATION PT. "B" SET 1X2 ℄ NAIL ON RECORD ANGLE TURNED AT ANGLE POINT #1 PER DESCRIPTION OF PARCEL #6 EXHIBET "B" PORTION OF LOT "B" TR. 7183. (SEE PAGE 17 FOR INTERSECTION OF THIS LINE & S'LY. LINE OF GLENOAKS (BLVD.) NOTE:- REPLACED 1X2 ℄ N. WITH 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG. SEE PG. 40 5-31-62 L.V.S.
S 92.69'
2"
85° 42'
317.49'
S 52°
TRIANGULATION POINT - A 1X2 ℄ NAIL
2) 198° 00' 00"
4) 36 00 00
6) 234 59 50
98° 59' 58"
ANGLE POINT #1 SET 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG. 630.00 FROM ANGLE POINT #2 ON RECORD ANGLE PER PARCEL #6
CALC.
43"
58"
29° 05'
59'
80'
NOTE REPLACED 1" I.P. WITH STD. L.A. CO. ENGR. B.C. MON. IN CONC. SEE PG. 40 FOR R.P.S. ON THIS LINE 5-31-62 L.V.S.
2) 58° 11' 40"
4) 110 23 10
6) 174 34 20
29° 05' 43"
2) 171° 24' 40"
4) 342 49 30
6) 154 14 20
85° 42' 23"
65.78 @ 13°43' = 63.90'
65.91 @ 14°12' = 63.90'
T = 56° = 63.89'
2) 130° 23' 40"
4) 260 47 30
6) 31 11 10
65° 11' 52"
1-A SET 1x2 ℄ NAIL
LINE
PROPERTY
133.86'
TOP PG. #15
U.S. 71 D-3
PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
COUNTY ENGINEER L.C.R.D. SURV. NO. 1 PROP. R.E. 5869

Notes Ckd by M. ASHLEY
Map No.
Office Work
Checked M. ASHLEY
Date

Survey of SCHOOL CM. REC. DIST. SITE
JN 00722 Tape 165 Std. 84°F
Surveyed by L. V. SMITH
Notes L.V.S. Date 1-62
Indexed H. E. OTT

F. B. 2950 Pg. 17

2) 230° 17' 00"
4) 100 33 40 ✓
6) 350 50 00 ✓
115° 08' 20" ✓

25.03 @ LEV. T=64°-25.03'

TRIANGULATION POINT "B"
1/2 ∈ NAIL

ED. FLOOD CONTROL B.C. MON. IN CONC. MARKED F.C. 47 R.W. 441 DN. 0.2'

1) 318° 41' 20"
4) 277 23 00
6) 236 05 00
159° 20' 50" ✓

85.33 @ LEV.
T=56°-85.33'

34.75 @ LEV.
T=76°-34.75' ✓

SET 1/2 ∈ NAIL AT INTERSECTION OF LINE AHEAD FROM EC MON. 440 & BC MON 441

2) 319° 15' 30"
4) 278 31 20 ✓
6) 237 47 00 ✓
159° 37' 50"

ED. FLOOD CONTROL B.C. MON. IN CONC. MARKED B.C. 47 R.W. 445 DN. 0.5'

ED. FLOOD CONTROL BRASS CAP MON. IN CONC. MARK. ED. B.C. 47 R.W. 440 DN. 0.8'

GLENOAKS BLVD.

LOT B
TR. 7163

SET 1/2 ∈ CONC. PLUG & L.A.C.O. ENGR. TAG ON CALC. INTERSECTION PROPERTY LINE & S'LY LINE OF GLENOAKS BLVD.

NOTE
SEE PG. 40 FOR MONUMENTS ON THIS LINE
5-31-62 L.V.S.

33.48 @ LEV.
57.04 @ 4°04 = 56.90 ✓ 56.90 ✓
56.79 @ 3°09 = 56.90 ✓ 90.38 ✓
T=66°-90.37' ✓

24.98 @ LEV. T=66°-24.98'

45.66 @ LEV. T=56°-45.66' ✓

FD. FLOOD CONTROL B.C. MON. IN CONC. MARKED AS SHOWN DN. 1 FT.

FD. FLOOD CONTROL B.C. MON. IN CONC. MARKED AS SHOWN DN. 1 FT.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 700 Los Angeles County Engineering Bldg.

Do not extend this line.

M.S. 541 D-3

76F3095 S&E #247 11-58

F.B. 2980 Pg. 18

BOT. PG. 19

W.S. 41 D-3

7-A SET 1X2 & NAIL

93.23 @ LEV. T=54° = 93.21

ANGLE POINT #7
SET 1X2 & NAIL
RECORD ANGLE & DISTANCE FROM ANGLE PT. #8 = PT. "X" F.B. 2606-18

NOTE
REPLACED 1X2 & N. WITH STD. CO. ENGR. B.C. MON. IN CONC. DN. CO. MKD. AS SHOWN.
6-1-62 L.V.S.

127.31 @ 10°05' = 125.34
127.16 @ 9°43' = 125.34
161.33 @ LEV. = 161.33
286.67

T=76° = 286.65

PROPERTY LINE

LOT "B" TR. 7183

FD. 2X2 & SURV. NAIL FLUSH N'LY SIDE OF FIRE BREAK

21.22 @ LEV. T=76° = 21.22

ANGLE POINT #6
SET 1X2 & NAIL
RECORD ANGLE & DISTANCE FROM ANGLE POINT #5 PER TR. 7183-2

NOTE
REPLACED 1X2 & N. WITH STD. CO. ENGR. B.C. MON. IN CONC. QUARD PIPE SET 2 F.T. E.LY.
6-1-62 L.V.S.

94.62

29.76 @ LEV. T=74° = 29.76

RIGHT PG. 10

L.D. & TAG

2) 324° 27' 00"
4) 288 53 30
6) 253 21 30
162° 13' 33"

15° 48' 30" ✓

2) 31° 37' 00"
4) 63 14 00
6) 94 57 00
15° 48' 30"

COUNTY ENGINEER S.U.R.D.S. PROJECT NO. R.E. 6869

COUNTY ENGINEER S.U.R.D.S. PROJECT NO. R.E. 6869

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. ASHLEY
Map No.
Office Work G. H. BOYER
Checked M. ASHLEY
Date

Survey of SCHOOL CAR REF. DISC. SITE
JN 007-29 Tape 165 Std 84 °F
Surveyed by L.V. SMYTH
Notes L.V.S. Date 1-6-62
Indexed H. E. OTT

F. B. 2950 PG. 19

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

U.S. 4 11 D-3

76R309S S&E #247 11-58

B.O.T. PG. 20

281.01 @ 4°33' = 280.12
281.08 @ 4°13' = 280.13
T = 58' = 280.07

2+80.12

COUNTY ENGINEER R.E. 5868

NOTE
REPLACED 1" I.P. ENGR. TAG WITH STD. CO. ENGR. B.R. CAP MON. IN CONC. UP 4" IN K.W. AS SHOWN. GUARD PIPE 2 FT. N.W.LY. 6-1-62 L.V.S.

188.84 @ 5°25 = 188.00
188.78 @ 5°12 = 188.01
T = 58' = 187.97

LOT C TR. 7183

155°

ANGLE POINT "A"
FD. 1" I.P. ENG. PLUG L.A.CO. ENGR. TAG
P.T. "X"
P.B. 2606
PG. 16

2) 310° 46' 30"
4) 261 32 00
6) 212 19 30
155° 28' 13"

LOT B TR. 7183

2) 252° 44' 00"
4) 145 28 00
6) 38 12 00
126° 32' 00"

ANGLE POINT "B"
FD. 2" I.P. & NAIL
P.T. "X"
PER P.B. 2606 75
PIPE UP 4"
NOTE
REPLACED 2" I.P. ENGR. WITH STD. CO. ENGR. B.R. CAP MON. IN CONC. GUARD PIPE 2 FT. W.LY. 6-1-62 L.V.S.
T=B
SET 1X2 & NAIL FLUSH

COUNTY ENGINEER R.E. 5868

17.91 @ LEV.
T = 54' = 17.91

198.39 @ 32°03 = 168.15
198.74 @ 32°13 = 168.14
T = 54° = 168.10

TOP PG. 18

F. B. 295 OR PG. 10

BOT PG. #21

SET 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG IN BOX AT ANGLE POINT #11

NOTE REPLACED 1" I.P. WITH STD. BR. CAP MON. SET IN CONC. U.P. 3" MARKED AS SHOWN. SET GUARD PIPE 2FT. N. FLY. 6-4-62 L.V.S.

ANGLE POINT #11 SET BRASS NAIL IN FD. 2x2 RECORD & AND DISTANCE PER TR. 7183-4 - SURV. NAIL IN 2x2 .02 E. & .03 WLY. SET BY SANITATION DIST. SURVEY.

SC-95

COUNTY ENGINEER L.A. CO. R.E. 5809

2) 279° 53' 30"
4) 199 47 10
6) 119 10 10
139° 56' 17" ✓

2) 279° 52' 50"
4) 199 45 40
6) 119 38 30
139° 56' 25" ✓

300.30' ✓

332.87' ✓

139°

56'

120'

.05

.03

CLOSING LINE FOR ANGLES FROM & P.T. #10 TO #11 BOT PG. #32

273.94 @ 5°09' = 272.83 ✓
274.15 @ 5°37' = 272.83
T = 62° = 272.79 ✓

273.68 @ 4°22 = 272.89 = 272.88
273.72 @ 4°29 = 272.88 ✓
T = 60° = 272.84 ✓

272.79' ✓

272.84' ✓

154.

01' 00" ✓

40' ✓

ANGLE POINT #10
FD. 2" I.P. CONC.
PLUG & L.A. CO. ENGR. TAG IN BOX PER E.B. 2606-16

SC-44

PROPERTY LINE

N 80° 01' W ✓

2) 308° 01' 20"
4) 256 02 30
6) 204 04 00
154° 00' 40" ✓

2) 308 02 20
4) 256 04 30
6) 204 04 40
154° 01' 07" ✓

2) 153° 09' 00"
4) 306 18 00
6) 99 27 10
76° 34' 32" ✓

TOP LEFT PG. 19

LOT C TRACT 7183

NOTE: REPLACED 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG WITH STD. MON. BRASS CAP. GUARD L.V.S. 12-5-62 SET AS SHOWN. U.P. 3" ALUM. 2 FT.

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made on Circled in Red Ink With Date and Name of Person Making Change.

U.S. 91 D-3

Notes Ck'd by M. ASHLEY
Map No.
Office Work G. H. BOYER
Checked M. ASHLEY
Date

Survey of SCHOOL CN REC DISP SITE
JN 0077-29 Tape 165 Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 1-62
Indexed H. E.

F. B. 2950 PG. 21

COUNTY ENGINEER R.E. 5989

1) 170° 14' 50"
2) 340° 29' 40"
170° 14' 50"

BOT
PG. 22

166°

50'

1) 333° 45' 00"
4) 307 29 50
6) 281 14 50
166° 52' 28"

2) 333° 45' 00"
4) 307 30 00
6) 281 15 00
166° 52' 30"

289.04'

54.51'

30'

52'

166°

0.11'

0.08'

35.44'
28"

NOTE
REPLACED 1" I.P. CONC. PLUG & L.A.CO ENGR. TAG WITH STD. CO. ENGR. MON. IN CONC. MARKED AS SHOWN. U.P. 1" - SET GUARD PIPE 2'± N.ELY. 6-1-62 L.V.S.

ANGLE POINT #12
SET BRASS NAIL IN FD. 2 X 2 RECORD PT. AND DISTANCE PER TR. 7183-4 FROM ANGLE POINT #11 FD. SURVEY NAIL IN 2 X 2 .01 SLY & .05 WLY. SET BY SANITATION DIST. SURVEY.

LOT C TRACT 7183

#12
SET 1" I.P. CONC PLUG & L.A.CO. ENGR TAG BY PROPATION BETWEEN FD. PIPE AT & PT # 10 & X-PT. #18

32.45 @ LEV.

T = 64° = 32.45'

11-A
SET 1 X 2 & NAIL

300.38 @ 1°08 = 300.32 = 300.31
300.40 @ 1°26 = 300.34 = 32.56
32.56 @ LEV. 332.87

T = 58° = 332.81'

332.81'

300.30'

PROPERTY LINE

300.35 @ LEV = 300.35 = 300.34
300.41 @ 1°18 = 300.33
T = 64° = 300.30

TOP
PG 20

Please Return To
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled, in Red Ink, With Date and Name of Person Making Change.

D-3

M.S. 5/11

76F3095 S&E #247 11-58

F.B. 2950 PG. 22

NOTE:
REPLACED 1" I.P. CONC. PLUG # L.A.CO. ENGR. TAG WITH STD. CO. ENGR. BR. CAP. MON. MARKED AS SHOWN. GUARD RIPE 0.7' N.ELY. G-9-62 L.V.S.

SET MTR. CONC. PLUG & L.A. CO. ENGR. TAG BY RADIATION ON TANGENT CO. BNDRY. PIPE BAZ ± STA. 0 + 13 ± PT. #8

B.O.T. PG. 23

287.5'

129°

37.

0.2'

.03'

00"

157°

07'

20"

PROPERTY LINE

242.42'

541.57'

TANGENT

299.04'

COUNTY ENGINEER
R.E. 5869
STATE OF CALIFORNIA

ANGLE POINT #13
SET BR. TK. IN FD. 2X2
RECORD ANGLE & DISTANCE FROM ANGLE POINT #12 PER TR. 7183-4 FD. SURVEY NAIL 0.3 NLY. & 0.3 WLY. SET BY SANITATION DIST. SURVEY

1) 157° 07' 20"
2) 314 14 40
157° 07' 20"

2) 259° 14' 00"
4) 158 28 00
6) 57 42 00
129° 37' 00"

246.69 @ 10.37 = 242.47
246.88 @ 10.37 = 242.47
T = 50° = 242.42'

2) 259° 15' 00"
4) 158 29 40
6) 57 14 20
129° 37' 28"

12-A
SET 1X2 & NAIL

299.11 @ LEV.
I = 50° = 299.04'

299.00 @ LEV. I = 299.00
246.87 @ 10.37 = 242.64 I = 242.64
247.13 @ 10.56 = 242.64
541.64
T = 64° = 541.57'

TOP LEFT PG. 21

U.S. HWY. 101

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made on Circled Ink With Date and Name of Person Making Change.

Notes Ck'd by M. ACKLEY
Map No.
Office Work G. H. ROYER
Checked M. ASHLEY
Date

Survey of SCHOLL CN. REF. ASH. SITE
JN 2077.29 Tape 165 Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. S. Date 2-62
Indexed H. E. OTT

F. B. 2950 PG. 23

BOT. PG #24

202.94 @ 14°49' = 196.19'
202.74 @ 14°36' = 196.19'
T = 54° = 196.15'

212.13 @ 10°16' = 208.73 = 208.72
212.01 @ 10°06' = 208.72
T = 56° = 208.68'

14-19
1X2 F WALL
#14
SET 1" I.P. CONC. PLUG & L.S. CO. ENGR. TAG BY PROPORTION BETWEEN FOUND PIPE AT PT. #10 & PT. #18.

NOTE:
REPLACED 1" I.R. CONC. PLUG F.L.A. CO. ENGR. TAG WITH STD. CO. ENGR. BR. CAP MON. UN 2" GUARD PIPE SET 2' N.ELY. 6-4-62 L.V.S.
ANGLE POINT #14

SEARCHED FOR 2" I.P. FD NOTHING. SET 1X2 CM. RECORD ANGLE & DISTANCE PER TR. 7183-4 FROM ANGLE POINT #23

2) 279° 10' 30"
3) 198 20 30
4) 117 31 00
139° 35' 10"

289.68 @ 6°49 = 287.64 = 287.63'
289.60 @ 6°41 = 287.63
T = 70° = 287.60'

289.75 @ 6°56 = 287.63
289.63 @ 6°44 = 287.63
T = 52° = 287.57'

1) 106° 44' 20"
2) 213 28 40
106° 44' 20"

LOT C TRACT 7183

PROPERTY LINE

RANDOM LINE N 87° E 60'

COUNTY ENGINEER R.E. 5862 PROJ. COORD. U.S.

TOP PG. 22

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

U.S.G.L. 2-3

76F3095 SAE #247 11-58

F.B. 2950 Pg. 24

RIGHT
26.25

269.36 @ LEV. T=54° = 269.21

1) 147° 09' 40" //
2) 294° 19' 20"
147° 09' 40"

PROPERTY LINE

S 52° 07' E 352.41'

15 A
SET 1x2 & NAIL

75.24 @ LEV. T=54° = 75.23

15'
SET 1" I.P. CONC.
PLUG & L.A. CO. ENGR.
TAG BY PRORATION
BETWEEN ED. PIPES
AT ℄ POINT #10 & ℄
PT. #18

NOTE:
REPLACED 1" I.P. WITH STD.
CO. ENGR. B.C. MON. IN CONC.
MARKED AS SHOWN. L.V.S.

ANGLE POINT #15
SEARCHED FOR 2"
I.P. ED. NOTHING. SET
1x2 & NAIL RECORD
ANGLE AND DISTANCE
PER TR. 7183-4
FROM ANGLE POINT
#14

21.21 @ LEV.
T=54° = 21.21

14-B
SET 1x2 & NAIL

COUNTY ENGINEER
L.A. CO. CALIF.
R.E. 5660

152°

TRACT 7183

2) 318° 51' 30"
4) 277 43 00
6) 236 34 30
159° 26' 45"

2) 318° 52' 00"
4) 277 43 40
6) 236 35 30
159° 25' 55"

211.89 @ 10°16 = 208.50
211.29 @ 10°08 = 208.49
202.82 @ 14°28 = 196.17
202.72 @ 14°26 = 196.17
21.50 @ LEV. = 21.50
426.16

T=70° = 426.12

TOP
PG. #23

Ex. 5
2.3

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made of Circled in Red Ink With Date and Name of Person Making Change.

Notes Cpld by M. ASHLEY
Map No.
Office Work G. H. ROYER
Checked M. ASHLEY
Date

Survey of CANAL CR. REC. DIST. SITE
JN 2077-20 Tape 165 Std 84 °F
Surveyed by L. V. SMITH
Notes L.V.S. Date 1-12
Indexed H. E. OTT

F. B. 2950 Pg. 25

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Reason Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 S&E #247 11-58

1) 167° 44' 00"
2) 325 28 00
167° 44' 00" ✓

BDT
PG. 26

300.53 @ 6°05' = 298.84
300.44 @ 5°56' = 298.83 ✓ = 298.83' ✓
T = 56' = 298.78' ✓

SET 1" I.P. CONC. PLUG ELA. CO. ENGR. TAG BY PROPORTION BETWEEN FOUND PINE ST. & PT. #18

NOTE:
REPLACED 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG WITH STD. CO. ENGR. D.C. MON. IN CONC. MARKED AS SHOWN. GUARD PINE N. 71 W. 6-9-62 L.V.S.
ANGLE POINT #16

SEARCHED FOR 3" I.P. FOUND NOTHING. SET 1x2 & NAIL REC. ORD. ANGLE & DISTANCE PER TR. 7183-4 FROM ANGLE POINT #15

2) 308° 22' 50"
4) 256 45 30
6) 205 08 20 ✓
A54° 11' 23" ✓

1154.10'

1154.55'

1154.55' ✓

1154.55'

1154.55'

1154.55'

F. B. 2950 PG. 1 & 2

NOTE
REPLACED 1" I.P. CONC. PLUG W/ L.A. CO. ENGR. TAG WITH STD. CO. ENGR. BR. CHP MON. MARKED AS SHOWN. UP .3" 6-6-62 L.V.S.

SET 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG BY PRORATION BETWEEN FOUND PIPE AT ℄ PT. #10 & ℄ PT. #18

BOT. PG. 27.

RIGHT PG. 32

CLOSING LINE FOR ANGLES

2) 329° 11' 40"
1) 298 23 40
6) 267 35 40
164° 35' 57"

2) 329° 12' 00"
1) 298 23 40
6) 267 35 20
164° 35' 58"

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

COUNTY ENGINEER
L.A. CO. ENGR. DEPT.
S.C.I.R.D.S.
PROP. NO. 17
R.E. 5869

TRACT 7181

LOT C

1) 166° 27' 00"
2) 332 54 00
166° 27' 00"

ANGLE POINT #17
SEARCHED FOR 2" I.P. NO NOTHING. SET 1X2 & NAIL. RECORD ANGLE & DISTANCE FROM ANGLE POINT #16

16 ÷ 19
SET 1X2 & NAIL

39.69 @ LEV.
T = 56° 39.69

300.33 @ L° 36 = 298.34 = 298.83
300.18 @ 6°23 = 298.32
40.17 @ LEV.
338.50
T = 82° 338.50

LEFT PG. 25.

Notes Ck'd by M. ASHLEY
Map No.
Office Work G. H. BOYER
Checked M. ASHLEY
Date

Survey of SCHOOL CN-REE DIST SITE
JN 0077.29 Tape/65 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V.S. Date 1-62
Indexed

F. B. 2950 PG. 27

CONT. B.O.T. PG. 28

299.75 @ 11°38' = 293.59'
299.54 @ 11°25' = 293.61
16.71 @ LEV. = 16.71
310.31

T = 60° = 310.26'

PROPERTY LINE

ANGLE POINT - 18'
FD. 2" I.P. L.S. SO. CAL. EDISON CO. BRASS CAP - UP 3". PIPE APPEARS TO BE OLD TRACT PIPE WITH BRASS CAP SET IN CONCRETE. TRACT 7183-4 & RS. 30-41 BRASS CAP MARKED L.S. 2481

LOT 6
TR 7183

0.26
0.47
T = 90°
45'
40'
53°
ANGLE POINT #18
SET NAIL
46.99'
70.29'

47.61 @ 9°11' = 47.00
T = 58° = 46.99

1) 307° 21' 30"
2) 254 43 20
3) 202 04 30
153° 40' 40"

17-13
1X2 & NAIL

71.46 @ 7°52 = 70.79
71.60 @ 8°38 = 70.79
T = 78° = 70.79

101.21 @ LEV.
T = 58° = 101.19

SET 1X2 & NAIL
WIGGLE POINT

77.43 @ LEV.
T = 78° = 77.43

TOP
PG. 26

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 S&E #247 11-58

F. B. 2950 Pg. 128

CONT. BOT. PG. 29

Ru. S. 41 D-2

279.03 @ 4°59 = 277.97
279.13 @ 5°13 = 277.98
T = 60° = 277.94

NOTE:
REPLACED 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG WITH STD. CO. ENGR. BR. CAP MON. UP 2" GUARD PIPE SET 2 FT. ± NELY 6-6-22 L.V.S.
MON. MARKED AS SHOWN

COUNTY ENGINEER
CO. OF L.A.
R.E. 5869
R.S. 41 D-2
MON. PROP.

52"
22"
16.0'

25 318 45 40
91 277 31 20
60 236 17 10
159° 22' 52"

ANGLE POINT #19
SET 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON LINE PROD. FROM ℄ PT 18' & SO. CALIF. EDISON CO. MON. AT REC. DIST. OF 103.18' PER R.S. 30-41

SEARCHED FOR S.W. COR. LOT 1 TR. 10395 — NO MONUMENT FOUND

103.61 @ 0°05 = 103.20
103.68 @ 5°30 = 103.20
T = 60° = 103.18'

3.10'

F.D. 1" I.P. & SO. CAL. EDISON CO. BRASS CAP S.L.Y. COR. LOT 4 TR. 10395 PER R.S. 30-41

LOT C
TR. 7183

PROPERTY LINE

3.10'

TOP PG. 27

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made on Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. KOLLEY
Map No.
Office Work
Checked M. KOLLEY
Date

Survey of UNION CEMENT PIPE DRAIN SITE
JN 0677 Tape 165 Std 68.4 °F
Surveyed by L.V. SMITH
Notes L.V.S. Date 12-62
Indexed H. E. OTT

F. B. 2950 Pg. 29

ANGLE POINT #21
R.D. CO. CAL. EDISON CO.
BRASS CAP MON. ON 2"
I.P. OR 3" ELY. COR. LOT
#4 TRACT 10395 &
R.S. 30-41

ANGLE TURNED TO I.P. SET FOR N.LY. COR. LOT #1 TR 10395

2) 276° 09' 10"
4) 192 18 40
6) 108° 28 20
138° 01' 13"

41.40 @ 12° 16' = 40.53
42.00 @ 15° 10 = 40.54
T = 70° = 40.53' ✓

COUNTY ENGINEER
S.C.E. & F.C.D.
No. 10
R.E. 5869

ANGLE POINT #20
FD 2" I.P. CONC.
TAGGED & NAILED
PER R.S. 30-41 &
TRACT 10395-12

2) 337° 43' 40"
4) 31 27 40
6) 29 11 50
168° 51' 58"

NOTE:
REPLACED 2" I.P. CONC. PLUG & NAIL WITH STD CO. ENGR. BR. CAP MON. IN CONC. UR 2" MON. MARKED AS SHOWN. GUTRIE RING. SET 2 FT ± N.ELY. 6-62 L.V.S.

LOT 4
TRACT 10395

TOP PG. 28

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

L.V.S. 11 D-13

76F3095 S&E #247 11-58

F. B. 2950 Pg 30

M.S. 41-2-13

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red, Ink With Date and Name of Person Making Change.



TOP PG 31

Notes Ckd by
Map No.
Office Work
Checked
Date

Survey of SCHOLL CW. REF. DISP. SITE F.B. 2950 Pg. 21
JN 0077.29 Tape 165 Std 84 °F.
Surveyed by L.V. SMITH
Notes L.V.S. Date 2-6-2
Indexed H. E. OTT

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

CW. ST. 41 D-3

76F3095 SAE #247 (1-58)

BOT PG. 30

32.05 @ LEV.
T. = 78° = 32.05'

32.05'

SET 1x2 & NAIL FLUSH

54.40' @ 21° 42' = 50.54'
54.78 @ 22° 40' = 50.54'
T = 78° = 50.54'

50.54'

LOT B OF SICOMORA CANYON TRACT

LINE

SET 1x2 & NAIL IN DRIVE

LOT 89 WATTS SUBDIVISION

56.64' PROPERTY

56.64 @ LEV.
T = 80° = 56.64'

SET 1x2 & NAIL ELUSH ON SMALL SPUR

244.77'

244.92' @ 1° 57' = 244.78'
244.90' @ 1° 50' = 244.78'
T = 80° = 244.77'

TOP PG 32

F.B. 29 [illegible] Pg. 27

807


1X2 ε NAIL FLUSH ON FIRE BREAK
1X2 ε NAIL FLUSH ON FIRE BREAK
1X2 ε NAIL FLUSH ON FIRE BREAK
FOUND NOTHING
LOT 6
OF SICOMARO CANYON TRACT
N 71° 48' W
N 71° 48' W
N 71° 48' W

Notes Comp. by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of Scholl Cyn. Refuse Site
J.N. 00729 Tape Std °F
Surveyed by L.V. SMITH
Notes R.C. Bowers Date 20 Apr. 62
Indexed C. J. GALLI

F.B. 2950 Pg. 33

SCHOLL CANYON REFUSE SITE

J.N. 00729

TRIANGULATION NET FOR COORDINATE CONTROL OF THE PROPERTY LINES ALONG SOUTHERN BOUNDRY OF TRACT 7183 & THE EASTERN PORTION OF THE NORTHERN BOUNDRY OF TRACT 10395

APRIL 1962

REF.
F.B. 2950 - 5 thro 32
F.B. 504
F.B. 2606

PARTY
L.V. SMITH
R.C. BOWERS
M.E. WACKER
I.T. RANGEL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink. With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 S&E #247 11-58

F. B. 2950 Pg. 34

INDEX



PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ckd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey for ANGELUS REF. ONSITE
JN0077.27 Tape Std. °F
Surveyed by L.V. SMITH
Notes L.V.S. Date 7-25-62
Indexed C. J. GALLI

F. B. 2950 PG. 35

FLINT (ALTADENA A-5)
FD 1/2" "COOPERATIVE SURVEY CONTROL 4" BR. CAP MON. IN CONC EB. 504-190

LEFT PG. 36

TO NLY. COR. LOT #1 TR 10395

10° 40' 15"

23.75

200'

Adj. 10.11'

38.13'

57°

99°

40"

35"

47°

TO ANGLE POINT #20

LEFT PG. #37

ECO. #1
ECO 1" I.P. CONC. PLUG & CO ENGR TAG RS 504-190

2) 103° 16' 15"
4) 204 32 45
6) 309 49 00
57° 38' 10"

2) 95° 11' 30"
4) 190 22 30
6) 285 34 00
47° 35' 40"

2) 161° 32' 00"
4) 323 05 00
6) 121 37 30
260° 46' 15"

2) 188° 27' 30"
4) 36 55 00
6) 235 22 45
99° 13' 47"

TO ANGLE POINT #20

TOP PG. #38

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

78F3095 SAE #247 (1-58)

F.B. 2950 Pg. 30



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on Sheet Must Be Made on Ground in Ink With Date and Name of Person Making Change.

This Red

Notes Ckd by W. J. BRENNER
Map No.
Office Work
Checked
Date

Survey of SCHOOL CN. REF. DIV. STA. F. B. 2950 PG. 37
J No 0077.29 Tape Std °F
Surveyed by L. V. SMITH
Notes L. V. S. Date 4-25-62
Indexed C. J. GALLI

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
7000 LOS ANGELES COUNTY ENGINEERING BLDG.

BOT. PG. 36

TO N'LY. COR. LOT #1 10375

2) 81° 15' 00"
4) 162 30 15
6) 243 45 30
40° 37' 35"

ANGLE POINT #20
FD. 2" I.P. CONC.
PLUG & NAIL
F.B. 2950 - 29

10 ECC. #1

RIGHT PG. 35

2) 799° 29' 00"
4) 238 58 30
6) 178 27 15
149° 44' 33"

2) 142° 09' 30"
4) 284 19 30
6) 66 29 00
71° 04' 50"

2) 222° 25' 90"
4) 86 49 45
6) 310 14 30
141° 42' 25"

RIGHT PG. 38

ANGLE POINT

10

ANGLE PT. #19
FD. 1" I.P. CONC.
ELB. CO. ENGR. TAG
F.B. 2950 - 28

1) 248° 17' 30"
4) 27 3 10 30
6) 49 45 30
248° 17' 35"

75F3095 SHE. #247 11-58

F. B. 2950 Pg. 18



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ckd by
Map No.
Office Work
Checked
Date

Survey of SCHALL CN
JN 00 77 79 Tape Std °F
Surveyed by L. V. S. / M. T. H.
Notes L. V. S. Date 5-62
Indexed C. J. GALLI

F. B. 2950 PG. 39

2) 104° 48' 00"
4) 243 35 00
6) 820 22 30
53° 23' 45" ✓



2) 204° 43' 00" 1X2 & NAIL
4) 49 25 30 WIGGLE ON
6) 254 08 15 RIDGE
282° 21' 22" 1500' E FROM
A.P.T. "B"

2) 155° 17' 15"
4) 310 34 30
6) 105 52 00
77° 38' 40" ✓

2) 97° 55' 00"
4) 195 50 00
6) 293 44 45
48° 57' 28" ✓

2) 355° 12' 00"
4) 350 24 45
6) 345 37 15
177° 36' 13" ✓

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S SEE #247 (1-58)

F.B. 295 O Pg. 40

SET STD. CO. ENGR. B.C. MON. IN CONC. ON ELY SIDE OF SPUR ON LINE PROD. GUARD PIPE 3 FT. N. WLY.

COUNTY ENGINEER — GUARD PIPE S.C. R.D.S. — R.E. 5869

66.31 @ 27°09' = 59.00'
66.74 @ 27°52' = 59.00'
T = 70° = 58.99'

87.58' @ ELEV. T = 74° = 87.58'

SET L.A. CO. ENGR. TAG IN LEAD IN CONC. EDGE OF F.C. SPILLWAY ON LINE PROD.

87.58'

SET L.A. CO. ENGR. TAG IN LEAD IN CONC. EDGE OF F.C. SPILLWAY ON LINE PROD.

26.12'

26.12' @ ELEV. T = 74° = 26.12'

△ PT. "B"
FD. 1X2 ± NAIL PER PG. 16 E 17
REPLACED 1X2 WITH 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG.

NOTE
SEE PG. 16 E 17 FOR THIS LINE

SET STD. CO. ENGR. B.C. MON. IN CONC. ON PROPERTY LINE MARKED AS SHOWN

137.95 @ 31°53' = 117.14'
138.58 @ 32°16' = 117.19'
T = 80 = 117.14'

COUNTY ENGINEER — GUARD PIPE S.C. R.D.S. — R.E. 5869

SET STD. CO. ENGR. B.C. MON. IN CONC. ON PROPERTY LINE MARKED AS SHOWN. GUARD PIPE 3 FT. N. WLY.

124.09 @ 41°16' = 93.27'
123.50 @ 40°57'30" = 93.27'
T = 74° = 93.26'

COUNTY ENGINEER — GUARD PIPE S.C. R.D.S. — R.E. 5869

93.26'

ANGLE PT. # 1
FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG - RG. 16 - SET STD. B.C. MON. IN CONC. MARKED AS SHOWN. SET GUARD PIPE 3 FT. S.W.LY.

LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Notes: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'k'd by
Map No.
Officer Work
Checked
Date

Survey of SCHOLL CN. RD.
JN 0077.86 Page 285 Std 24 °F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 1-66
Indexed C. J. GALLI

F. B. 7950 PG. 41

SCHOLL CN. ACCESS RD.

J.N. 0077.86

SURVEY TO REESTABLISH CENTERLINE OF SCHOLL CN. ROAD AND HORIZONTAL & VERTICAL PHOTOGRAMMETRIC CONTROL.

◎ DENOTES POINT WITH ELEVATION

FEB 1966

REF.
F.B. 2606
F.B. 3504
W.P. F.B. 2434
W.P. F.B. 2913

PARTY
L.V. SMITH
R.L. STRADER
M.E. WACKER
I.T. RANGEL
E.M. GOSHORN

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F 3095 CE #3106 6-62

F. B. 2950 Pg. 12

INDEX

ROAD
ROAD
ROAD

Notes C'k'd by
Map No.
Office Work G. H. BOYER
Checked
Date

Survey of Sichel Cir Road F.B. 2950 Pg. 43
J.N. 20774 Tape 235 Sta 84 SE
Surveyed by W. V. Smith
Notes W. V. Smith Date 7-14-76
C. J. GALL
Indexed

INDEX

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309s CE #3 0 6 62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 2980 D.B. 241

Notes Cked by M. ASHLEY
Map No. B 3017
Office Work C. H. BOYER
Checked M. ASHLEY
Date NOV 15 '66

Survey of SCHOOL CAT. 1810
UNOBSTRUCTED Tape 235' Std @ 4° F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 1-10-66
Indexed C. J. GALLI

F. B. 2950 PG. 45

VGT. I.E. @ LEV.
T = 56° = 267.13'

(30') (30')
B.O.T.
PG. 46

EAGLE VISTA DRIVE

SET 1X2 2" NAIL W/L/Y SHOULDER OF ROAD

267.13'
267.13' TO BEGIN 25.64' CURVE
617.30' TO BEGIN 25.64' CURVE

68°54'37" @ 13.50' = 16.23'
68°54'37" @ 13.50' = 16.23'
T = 68° = 27.30'

FD. NAIL IN PVMT PER F.B. 2606 PG. 164 - 175

FD. NAIL ON 16.00' DASH LINE F.B. 2606 PG. 164 - 175

16.00'

68.01'

68.06' @ LEV.
T = 56° = 68.04'

P.I.

FD. SPK & TIN LW PVMT PER F.B. 2606 PG. 39 - 163 - 175

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

W.S. 41 D-14

70 F 309S C.E. #310 6-62


F.B. 2910 PG. 14
EQ. NAIL PER F.B. 2606 = 14.14'
177
38.65' @ 1 F.V.
T = 68° = 38.64'
EQ. SPK. & WSHR PER F.B. 2606 PG. 161 & 177
1505.00'
R.P.P.O.T.
FD. 1" I.P. CORR. PLUG & T.A.C. CO. ENGR. TAG "LS. 8" PER F.B. 2606 = 199
1 90° 00' 00"
2 180 00 30
2 180 00 30
90 00 05"
1499.85'
0.05'
BOT. PG. 17
84.81'
SCHOLL CT.
ACCESS ROAD
SET 1 X 2 & NAIL RECORD DISTANCE FROM R.R.P.O.T. ON CENTERLINE OF EAGLE VISTA DRIVE PER F.B. 2606 = 199 2606 W.E. 2-21-67
84.82' @ 1 F.V.
T = 68° = 84.81'
1514.92'
1514.92'
EAGLE VISTA DRIVE
TOP PG. 15
(30')
(30')
W.S. 41 D-4
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Please Return To
Po Not Extend This Line Or Print
Note: Any Additions or Changes on This Sheet Must Be Made or Graded in Red Ink With Date and Name of Person Making Change

Notes Chkd by M. ASHLEY
Map No. R 3017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 15 66

Survey of SCHOLL CANYON ROAD
J.N. 0077.86 Tape 235 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V.S. Date 12-66
Indexed C. J. GALLI

F.B. 2950 PG. 47
B.O.T.
PG. 48

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE # 810 3-61

E.C. "C"
SET SQ. SPK. & TIN IN PVMT. RECORD DISTANCE FROM P.I. "C" PER F.B. 2606 - 202

230.10' @ 3°07' = 229.76'
230.15' @ 3°21' = 229.76'
T = 66° = 229.73'
60.18 Lev. T = 66° = 60.17'

1) 171° 24' 30"
2) 325 37 15
3) 308 26 00
171° 24' 20"

P.I. "C"
SET SQ. SPK. & TIN. IN PVMT. RECORD DISTANCE AND AT 90° FROM FD. R.P.P.I. PER F.B. 2606 - 202

B.C. "C"
SET SQ. SPK. & TIN IN PVMT. RECORD DIST FROM P.I. "C" PER F.B. 2606 - 202

ANGLE POINT
SET SQ. SPK. & TIN IN PVMT. RECORD & DISTANCE FROM N.D.O. OFFSET LINE OF EAGLE WITH DRIVE PER F.B. 2606 - 199 - 200

1) 165° 28' 45"
2) 90 55 30
3) 272 55 30
165° 28' 55"

R.P.P.I. "C"
FD. 1" I.P. CONC. PLUG L.A. CO. ENGR. TRG. ON N. " PER F.B. 2606 - 202
HELD TO THIS POINT TO SET P.I. "C"

60.18 @ LEV.
T = 66° = 60.17'

23.53 @ 74° 41' = 21.58'
16.69' @ LEV. = 16.69'
38.07
T = 62° = 38.06'

LEFT
PG. 46

F.B. 2950 Pg. 48

R.P.C.I. "D"
FD 1" I.P. CONC. PLUG
L.A.CO. ENGR. TAG ON.
6" PER F.B. 2606-204
HELD TO THIS PIPE FOR
LINE & DISTANCE TO SET
P.I.

122.78 @ LEV.
T=66°=122.97'

P.I. "D"
SET SQ. SPK. & TIN IN
PVMT. RECORD DIST.
FROM RP R.P.C.I.
PER F.B. 2606-204



1) 157° 23' 00"
2) 269 32 45
3) 224 19 15
157° 23' 12"

M.S. 41 D-4

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Chkd by M. ASHLEY
Map No. B 3017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 1-5-'66

Survey of SCHOOL CR. RD.
JN 0077 BG Tape 235 Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 1-13-66
Indexed C. J. GALLI

F. B. 2950 PG. 49

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink. Will Defeat and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

W.S. 91 D 74

70 F 30 ps C.E. #310 6-62

(30')

RIGHT
PG. 50

(30')

ACCESS ROAD

1) 122° 09' 45"
2) 12 38 39 00
3) 12 58 45
122° 09' 47"

338.56'

R.P.I. "F"
FD. 1" I.P. CONC
PLUG & L.A. CO.
ENGR. TAG
PER F.B. 2606.
PG. 206 — HELD
TO THIS POINT
FOR LINE.

N 55° W

09'

12'

N 0° E

SCHOOL

(30')

153.62' @ L.E.I.
T = 68' = 153.60'

TOP
PG 48

P.C. "E"
SET SQ. SPK &
TIN IN PVMT.
RECORD DISTANCE
FROM P.C. "D"
PER F.B. 2606-205
ON LINE TO FD.
R.P.I. "E"

F.B. 2200 PG. 50

R.O.S.T. ED. V.T.P. CONG. PLUG E.L.A. CO. ENGR. TAG. PER F.B. 7006 = 50' HELD FOR LINE PIPE FINISH

ESC-9

223.33' @ 11°37' = 228.65'
223.33' @ 11°10' = 228.64' 228.64'
T = 68°: 228.62'

262.96' @ 5°05' = 261.93'
262.82' @ 4°59' = 261.91' 261.92'
76.66' @ 1E11 76.66'
338.58'

T = 74°: 338.56'

E.C.E. SET S.C.S.M.K. & TAG IN PVMT. RECORD DISTANCE FROM INTERSECTION OF FIGUEROA ST. & SCHOOL ON ACCESS RD. PER F.B. 7006 PG. 207-208 & ON LINE TO ED. P.O.T.

ACCESS ROAD

338.56'

TOP PG. 49

ESC-8

1) 122° 10' 15"
2) 12 40 20
3) 59 45
122° 09' 58"

182.95' @ 5°03' = 182.69'
183.05' @ 5°22' = 182.70' 182.69'
T = 78°: 182.68'

(50')

(50')

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Ordered in Red Ink With Date and Name of Person Making Change.


Notes C'd by M. ASHLEY
Map No. R-3017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 1-5-68
Survey of SCHOOL CAN. RD.
JN 0077-86 Tape 239 Sta 84 of
Surveyed by L. M. SMITH
Notes L. M. SMITH Date 1-17-67
Indexed C. J. GALLI
F.B. 2950 PG. 37
1) 91° 06' 45"
4) 44 25 15
6) 186 38 00
91° 06' 20"
B.C.
ED. 3/4 T.P. CONC.
PLUG & L.P.C.C.
ENGR. STA. 84.00
IN F.B. 2606-29
INTERSECTION
SAT. SPK. W. & TIN
RECORD DISTANCE
OF 77.61' FROM
ED. L.G. 77.61' SW.
ON & FIGUEROA
ST. & ON LINE TO BC
WAS PER F.B. 2606-
208-29
R.P.P.O.T.
ED. L.G. CT. SPK.
W. & TIN IN
PAVMT. F.B. 2606
PG. 208
139.34' @ LEV.
T: 82°: 139.34'
87.35' @ LEV.
T=82°: 87.35'
ROP
PG. 52
95.96'
SCHOOL CAN. RD.
FIGUEROA
ACCESS ROAD
BOL
PG. 50
182.66'
ED. SURVEYOR'S
NAIL F.B. 2606
PG. 29-146-208
158.08' @ LEV.
T: 82°: 158.08'
R.P.P.O.T. 102.35' @ LEV.
ED. L.G. CT. SPK.
W. & TIN IN PAVMT. T=72°=102.34'
F.B. 2606-208
84.76' @ LEV.
T: 72°: 84.75'
32.61' @ LEV.
T: 72°: 32.61'
Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.
Do not extend this title of this line
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
CE #3095 (10-62)
4 OF 4

F.B. 2600 Pg. 52

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink. With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by M. ASHLEY
Map No. B 3017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 15 '66

Survey of SCHOLL CN. ROAD
JNO077-80 Tape 235 Std 84 °F
Surveyed by L. V. SMALLEY
Notes L. V. S. Date 1-14-66
Indexed C. J. GALLI

F. B. 2950 Pg. 53

P.O.S.T. SET S.Q. SPK. & TIN ON PAVED BERM

B.O.T. RIGHT PG. 52

173.78 @ 11°02' = 170.57'
171.64 @ 10°49' = 170.55' = 170.56'
262.36 @ LEV. 262.36
432.92'

T = 78° : 432.90'

58.35' @ LEV.
T = 70° : 58.34'.

112.92 @ LEV.
T = 72° : 112.91'.

132.85' @ 11°19' = 130.27'
133.04' @ 11°44' = 130.26'
T = 62° : 130.24'

E.C. "F" SET S.Q. SPK. & TIN IN PVMT. RECORD DIST. 58.34' FROM P.O.T. PER F.B. 2606 PG. 210

SCHOLL CN.

ACCESS

1) 150° 35' 45"
2) 242 22 30
3) 183 33 15
150° 35' 88"

T = 44° : 74.18'
T = 62° : 104.19'
T = 42° : 163.64'

42.45' @ 25°33' = (28.32')
43.30' @ 24°30' = (28.32')
35.87' @ LEV. 35.87'

164.28 @ 54°00' = 163.65'
164.24 @ 54°47' = 163.64'

58.34'
150'
130.24'
74.18'
163.64'
(30')
(30')

FD. 1" I.P. CONC. PLUG & L.S. CO. ENGR. TAG PER F.B. 2606-210

R.P. P.O.T. FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH F.B. 2606 - 210

P.O.T. SET S.Q. SPK. & TIN IN PVMT. RECORD DIST. FROM ED. R.P. P.O.T. PER F.B. 2606-210

74.47 Lev T = 8.2 = 74.47'

TOP PG. 54

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F.B. 2760 Pg. 54

293.11 @ 6° 46' = 297.03'
292.01 @ 6° 36' = 297.03'
120.58 @ LEV. = 120.58'
+17.61'

T = 72' = 317.58'

1) 73° 01' 15"
2) 292 04 45
3) 78 07 15
73° 01' 12"

104.98' @ LEV.
T = 72° = 104.97'

B.C. "G"
SET 1/2" SQ. SPK & TIN
IN PUMT RECORD
DISTANCE OF 24.47'
FROM P.O.T. PER F.B.
2606 - 210 - 211

RIGHT
PG 53

317.58'

NOTE
FOR INTER-
SECTION OF
L.A.W.D. BDRY.
LINE & CHORD
SEE PG 52

SCHOLL CN. ACCESS ROAD

BOT.
PG. 53

(30')

(30')

24.47'

01' 12"

104.97'

SET 1/2" &
NAIL ON LINE
TO R.P.B.C. "G"

R.P.B.C. "G"
FD. 1" I.P. CONC.
PLUG & L.A. CO. ENGR.
TAG ON TANG.
PROD. PER FB 2606
PG. 211 - HELD TO
THIS POINT FOR LINE

M.S. 910-4

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'k'd by M. ASHLEY
Map No. B3017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 15 '86

Survey of SCHOOL CN. ROAD F.B. 2950 PG. 55
JN 0077.86 Tape 235 Sta. 84 °F
Surveyed by K. V. SMITH
Notes K. V. SMITH Date 1-10-86
Indexed C. J. GALLE

Notice: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

70F3095 CE # 310 3-61

A.S. 910-4

SCHOOL CN. ACCESS RD

P.O.T. SET SQ SPK. & TIN IN PVMT. FOR TILT CONTROL

P.O.T. PG. 56

F.S.C. 15'

177.94'

198.15'

1) 102° 07' 30"
4) AB 77 30
6) 252 44 00
102° 07' 20"

R.P.F.C. ED. 3/4" I.P. CONC. PLUG & L.A.CO. ENGR. TAG FB 2606-86-212

74.82'

107.45'

30.0'

47.58'

LEFT. PG 5-4

F.S.C. 19

E.C. T.G. SET SQ SPK. & TIN IN PVMT. RECORD DIST. FROM R.E.C. PER FB 2606 212

NOTE FOR INTERSECTION OF L.A.W.D. BOUNDARY LINE & CHORD SEE PG. B12

(30')

(30')

36-44'@12°40' = 54.91'
36-33'@12°40' = 54.91'
02 33 @ LEV. 107.45'

T=128° 107.45'

78.71'@12°04' 74.84'
74.32'@12°04' 74.83' 74.83'

T=128° 74.82'

188-49@3°21' 1881'
T: 64° 188.13'

F.B. 2955 Pg. 56

(30')

(30')

BOT-
PG. 57

15.99

P.O.S.T.
NO. 1" I.P. CONC.
PLUG & L.H.CO.
ENGR. TAG PER
F.B. 2606 - 213
FLUSH

230.22'

B.C. "H"
SET SQ. SPK. &
TIN IN PVMT.
RECORD DIST.
FROM P.O.S.T.
PER F.B. 2606
PG. 213

ESC-16

SCHOOL GAL ACCESS ROAD

TOP
PG. 55

233.33' @ 120.18' = 230.28'
233.33' @ 121.21' = 230.27'
T = 54°01'22"

T = 60°
777.81'
777.93'
1181.32'
296.81'
296.81'
299.80'
299.80'

N 17°-23'-13" W

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'k'd by M. ASHLEY
Map No. R-3017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 15 '66

Survey of SCHOLL CYN. RD.
JN 0077-86 Tape 235 Std 84 °F
Surveyed by L-V-S-SMITH
Notes L-V-S- Date 1-1966
Indexed C. J. GALLI

F.B. 2950 PG. 57

298.44' @ 6°41' = 296.41'
298.57' @ 6°53' = 296.39' 296.40'
T = 62° = 296.36'

TOP PG. 58

296.36'

P.T. "H"
FD. 1" I.R. CONC. PLUG & L.S.A.CO. ENGR. TAG PER F.B. 2606 - 213 FLUSH

FSC-17

1) 89° 12' 00"
2) 356 48 00
3) 175 12 00
89° 12' 00"

75.37' @ 10°59' = 73.99'
75.61' @ 11°54' = 73.99'
T = 76° = 73.99'

TOP PG. 56

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 2950 PG. 58

LEFT PG. 57

75.85 @ LEV.
299.79 @ 4°05' = 299.03
299.77 @ 3°58' = 299.05

75.85
299.04
374.89

T = 64° = 374.84

(30')

R.O.S.T. SET CONC. NAIL IN PVMT

7.85' @ LEV.
T = 1° = 7.85

(30')

7.85'

E.C. "H" FSC-18
SET SQ. SPK. & TIN IN PVMT. RECORD DISTANCE FROM P.I. 4" REC. FER 2606 PG. 223

SCHOOL CR. ACCESS ROAD

374.84'

TOP PG. 59

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Chkd by M. ASHLEY
Map No. B-3017
Office Work G. H. ROYER
Checked M. ASHLEY
Date NOV 15 '66

Survey of SCHOLL CN. ROAD
JN0077.86 Tape 235 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 1-18-66
Indexed C. I. GALLE

F.B. 2950 Pg. 59

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

193.17' @ 12°49' = 188.36'
192.69' @ 12°10' = 188.30'
T = 66° = 188.34'

(30')

374.84'

BOT. PG. 58

(30')

SCHOLL CN ROAD

30'

59'

159'

1) 159° 59' 30"
2) 279 58 00
3) 239 57 00
159° 59' 30"

FSC-19
B.C. "I"
SET 3/4" SPK & TIN
IN PVMT. RECORD
DISTANCE OF 374.84
FROM E.C. "H" PER
F.B. 2606-214-215

188.34'

136.97' @ LEV.
T = 64° = 136.95'

R.P.B.C. "J"
F.D. 1" I.P. CONC.
PLUG & L.A.CO.
ENGR. TAG ON
TANG. PROJ. PER
F.B. 2606-215

19.55'

RIGHT
PG. 62

TOP
PG. 60

F. B. 2950 PG. 60



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. ASHLEY
Map No. 5.3017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 15 '66

Survey of Schall Cañ. Road
JN 0077.86 Tape 235 Std. 84°F
Surveyed by L. V. SMITH
Notes L-V. SMITH Date 7-31-66
Indexed C. I. GALLI

F. B. 2950 Pg. 61

1) 83° 57' 30"
4) 355 49 30
6) 143 44 30
83° 57' 25"



Note: Any Additions or Changes on this Sheet Must be Made or Circled in red ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 2950 PG. 62

BOT.
PG. 68

40.12' @ 29°11' = 35.03'
40.55' @ 30°16' = 35.08'
T = 70° = 35.03'

95.56' @ 33°38' = 79.56'
95.37' @ 33°28' = 79.50'
T = 68° = 79.55'

LONG CHORD 35.08'

R.P. B.C. "I"
F.D. 1" I.P. CONC.
PLUG & L.A.CO.
ENGR. TAG. REIR
E.G. 26 OG - 2.5
FIELD TO THIS
POINT FOR LINE.

1) 43° 55' 45"
4) 1.75 43 30
6) 263 37 45
43° 55' 48"

SET 2" I.P. CONC.
PLUG & L.A.CO. ENGR.
TAG BY INTERSECTION

36.02'

BOT.
PG. 59

43.62' @ 34°19' = 36.03'
43.95' @ 34°55' = 36.02'
T = 70° = 36.02'

79.55'

C.L. Prod From E.

72.31'

84.14' @ 30°46' = 72.32'
83.90' @ 30°28' = 72.32'
T = 66° = 72.31'

SET 1X2 & NAIL
ON LONG CHORD

53.76'

65.72' @ 35°05' = 53.78' = 53.77'
66.20' @ 35°41' = 53.77'
T = 68° = 53.76'

LEFT
PG. 61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ckd by M. ASHLEY
Map No. B.3017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 15 '66

Survey of SCHOOL CR. ROAD
JN 0577-66 Tape 235 Std B4 °F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 12-1-66
Indexed G. J. GALLI

F.B. 2950 PG. 63

1) 58° 40' 30"
4) 234 42 00
6) 352 03 00
58° 40' 30"

BOT. PG. 64

55.67' @ 9° 25' = 54.92'
55.19' @ 8° 13' = 54.92'
T = 61° = 54.91'

P.T. ON LONG CHORD ED. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FB. 2606 - 217

1) 22° 03' 00"
4) 88 14 15
6) 132 20 00
22° 03' 20"

TOP PG. 79

AG. 77'

SET 1X2 & NAIL BY INTERSECTION

GLENDALE CITY BDRY.

70.58'

BOT. PG. 80

RIGHT PG. 74

CENTER LINE FOR X'S

8.67' @ LEV.
T = 70° = 8.67'

POINT ON LONG CHORD ED. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ON WAY SIDE OF RIDGE. HELD TO THIS POINT FOR LINE & DISTANCE TO E.C. 1" FB. 2606 - 216

RIGHT PG. 86

PT. ON LONG CHORD ED. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FB. 2606 - 216

Z1 R6 @ 15° 40' = 68.61'
Z0 B9 @ 14° 33' = 68.62' 68.61'

T = 66° = 68.60'

1) N 1° 03' 30"
4) 88 14 00
6) 352 20 30
112° 03' 25"

72.20' @ LEV.
T = 48° = 72.18'

SET 1X2 & NAIL BY INTERSECTION

FSC-49
ED. 1" I.P. & GALV. CAP IN CONC. BAR FB 501 PG. 186 & B.W.P. FB. 2919 - 46 MON. MARKED AS SHOWN. HELD TO THESE MONS. FOR LINE

PROD. LINE L.T.S.D. TO B.W.P.

BDRY.

CHORD

TOP PG. 62

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg. Do not extend this side of this line.

76F3085 CE # 310 (3-61)

F. B. 2950 PG. 64

FD 1" I.P. CONC PLUG & L.A.CO. ENGR. TAG 20'± BELOW TOP OF RIDGE. 500'± N.LY. OF E.C. #1. PER F.B. 2606 PG 217. HELD TO THIS POINT FOR LINE.

BOT. PG. 66

20' E.C. #1

45° 19' 48"

BOT. PG. 65

1) 83° 57' 15"
4) 33 8 49 15
6) 1 42 44 15
83° 57' 22"

83° 57' 22"

105'

16'±

1) 45° 20' 00"
4) 181 19 15
6) 271 58 45
45° 19' 48"

SET CONC. NAIL

16.75'

ROAD

FSC-22

E.C. "J"
SET SQ. SPK. & TIN IN PVMT.
RECORD DISTANCE FROM FD. R.P. ON LONG CHORD PER F.B. 2606 - 216-217

65.83'

LONG CHORD

16.75' @ LEV.
T = 52° = 16.75'

SET IX] & NAIL ON SLOPE

SCHOOL CH. ACCESS

83.75' @ 38°10' = 65.85'
83.39' @ 37°51' = 65.83'
T = 50° = 65.83'

54.54'

TOP PG-63

63.28' @ 30°27' = 54.55'
62.99' @ 30°01' = 54.55'
T = 56° = 54.54'

(30')

(30')

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Cl'd by M. ASHLEY
Map No. B 3017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 15 66

Survey of SCHOLL CN. ROAD
UNODTT. 96 Tape 235 Std. 84 °F
Surveyed by L. V. SMITH
Notes L. V. S. Date 1-20-66
Indexed C. J. GALLI

F. B. 2950 Pg. 65

100.51 @ LEV.
T = 52° = 100.49'

D 89° 24' 45"
A) 357° 39' 00"
B) 176 28 30
89° 24' 45"

R. P. P. I. K.
FD. 1" I. P. CONC. PLUG
& L. A. CO. ENGR. TAG
PER. F. B. 2606 - 218

52.55'

41.83'

P. T. "K"
FD. 1" I. P. CONC. PLUG
& L. A. CO. ENGR. TAG
F. B. 2606 - 218

41.84 @ LEV.
T = 52° = 41.83'

19.12'

54. 11 @ 16°06' = 52.56'
T = 46° = 52.55'
22.32 @ 31°04'19.12"
T = 56° = 19.12'

110.68'

89° 24' 45" THIS IS ANGLE TURNED SHORT SIGHTS

100.49'

BOT.
PG. 66

SCHOLL CN.

SET 1X2 & NAIL FLUSH

ACCESS

152.03'

B.C. "K"
SET SQ. SPK & TAG
IN DIVIT. RECORD
DISTANCE FROM
E.C. "J"

66.06' @ LEV
T = 50° = 66.05'

143.92 @ 11°58' = 140.79'
143.59 @ 11°20' = 140.79'
11.27 @ LEV. 11.27'
152.06'

T = 52° = 152.03'

ROAD

(30')

(30')

152.05'

U.S. HWY 101

RIGHT
PG. 64

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE # 310 3-61

F.B. 2950 PG. 66

US 101-22

298.76 @ 2°47' = 298.41' / 298.40'
298.80 @ 2°51' = 298.40' / 299.60'
300.29 @ 3°53' = 299.60' / 299.61'
205.95 @ LEV. 205.95' / 803.95'

T = 62° = 803.83'

8.60 @ LEV. 8.60
137.05' @ 13°30' = 133.26' / 133.26
136.84' @ 13°07' = 133.27' / 141.86'
T = 56° = 141.84'

114.79' @ 15°20' = 110.70' / 110.70'
114.64' @ 15°03' = 110.71' / 110.68'
T = 56° = 110.68'

(30')

130' RIGHT PG. 67

(30')

B.O.T. B.C.

SCHOOL CR ACCESS ROAD

128.02'

FSC-23
E.C. "K"
SET SQ. SPK & TIN IN PVMT. RECORD DISTANCE FROM P.T. "K"

1) 128° 02' 30"
2) 15 10 00
3) 48 15 00
128° 02' 30"

30"

11.41 B.A.

110.68'

POST
SET 1 X 2 & NAIL ON TOP CUT BANK

70.47' C.F.

TOP PG. 64

LEFT PG. 65

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. ASHLEY
Map No. B-2017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 15 66

Survey of SCHOLL CN. ROAD
JN 0097.86 Tape 235 Sta 84 °F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 1-20-66
Indexed C. J. GALLT

F. B. 2950 Pg. 67

1) 63° 35' 15"
4) 254 22 00
6) 21 33 15
63° 35' 32"

P.I. "L"

1) 66° 28' 30"
4) 265 54 30
6) 38 32 00
66° 28' 40"

TOP PG. 77

FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG PER F.B. 2606-220 FLUSH

278.17'

43.50 @ 34° 31' = 35.84'
43.70 @ 34° 56' = 35.83' 35.83'
66.71' @ 30° 27' = 57.41' = 57.41'
66.44 @ 30° 13' = 57.41' 93.24'

T = 68° = 93.23'

63° 35' 32"

P.O.S.T.
FD. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG PER F.B. 2606-220

TOP PG. 68

177.24'

P.O.S.T.
SET 1X2 & NAIL TOP CUT BANK

SCHOLL CN. ACCESS ROAD

132.84'

FSC-24
BC "L"
SET SQ. USRA & TIN IN PVMT. RECORD DISTANCE FROM P.O.S.T. PER F.B. 2606-220

135.94' @ 12° 10' = 132.86'
135.75' @ 11° 61' = 132.86'
T = 64° = 132.84'

184.88 @ 16° 30' = 177.27'
184.65 @ 16° 16' = 177.26' = 177.24'
T = 68° = 177.24'

803.83'

(20')

(3°)

TOP PG. 66

4 S. 41 D-3

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F.B. 2950 Pg. 68

60.68' @ 28°52' = 53.14'
60.29' @ 28°13' = 53.13' 53.13'
T = 62° = 53.12'

214.19 @ 11°49' = 209.65' 209.66'
214.37 @ 12°01' = 209.67'
T = 68° = 209.64'

143.86 @ 12°18' = 140.56'
T = 64° = 140.54'

138.93 @ 12°57' = 135.40'
5.16 @ LEV. 5.16'
140.56'
T = 64° = 140.54'

FSC-26
E.C. "L"
SET IQ SPK & TIN
IN PVMT. RECORD
FROM P.O.T. "L" PER
F.B. 2606-220
23'

SCHOOL CN. ACCESS RD.

(30')

(30')

TOP
PG. 69

LEFT
PG. 67

53.12'

P.O.S.T.
FD. 1" I.P. CONC.
PLUG & L.A.CO.
ENGR. TAG. PER
F.B. 2606-220

209.64'

P.O.S.T.
SET 1x2 6" NAIL

40.5'

104.41 @ LEV.
T = 60° = 104.39'

10 x 39'

U.S. HWY 101

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Ink With Date and Name of Person Making Change.

Notes Cl'd by M. ASHLEY
Map No. B3017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 15 '66

Survey of SCHOLL CN ROAD
J.N. 0077.0C Tape 235' Std B4 °F
Surveyed by L. V. SMITH
Notes L-V-S- Date 1-26-61
Indexed C. J. GALLI

F. B. 2950 Pg. 69

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 1-61

BOT PG. 68

(30')

(30')

135.97' @ 59° 01' = 145.31'
135.90' @ 4° 40' = 145.42'
T = 60° = 145.39'

1) 140° 59' 30"
2) 203 58 00
3) 125 57 00
140° 59' 30"

CN ACCESS ROAD

SCHOLL

30"

59°

30'

140'

FSC-27
B.C. "M"
SET SQ. SPK & TIN
IN PVMT. RECORD
DISTANCE FROM
P.I. "M" PER F.B.
2606 - 221 - 222

P.O.S.T.
SET 1X2 & NAIL
TOP OF CUT BANK

45.39'

132.43' @ 10° 34' = 130.18'
132.32' @ 10° 18' = 130.19'
T = 60° = 130.16'

TOP PG. 71

TOP PG. 70

F.B. 2950 PG. 70



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. ASHLEY
Map No. R-2017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 15 '66

Survey of SCHOOL CN. ROAD F.B. 2950 PG. 71
JN 0077.BG Tape 235 Std. 84 °F
Surveyed by L.V. SMITH
Notes L-V-S: Date 1-26-66
Indexed C. J. GALLI

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

B.S. 41 D-3

LEFT PG. 69

LEFT PG. 70

L.S. FOR LEFT PG-63

P.O.S.T. SET 1X2 E NAIL ON CUT BANK

145.39'

50.39'

CASING LINE

SCHOOL CN.

ACCESS

147.3'

160.58'

(30')

(30')

TOP PG. 72

1) 131° 36' 45"
2) 166 27 45
3) 69 41 45
131° 36' 57"

1) 166° 24 45"
2) 305 39 30
3) 278 29 30
166° 24' 55"

FSC-30

F.C."M" SET IRON PIN PVMT. RECORD DIST. FROM P.T."M" PER F.B. 2606 - 222 - 223

160.60 @ LEV.
T = 68° = 160.58

127.52 @ 8°57' = 125.97
21.38 @ LEV. = 21.38
147.35
T = 64° = 147.33



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. ASHLEY
Map No. B 3017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 15 '66

Survey of SCHOLL CN. ROAD
JN 0077.86 Tape 235 Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. S. Date 11-22-66
Indexed G. J. GATAS

F. B. 2950 Pg. 73

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

130 T.
PG. 72

(30')

SCHOLL CN.

309.85

309.81'

T = 22° = 309.81'

T = 66° = 133.07'

133.07' @ LEV.

FSC-34
G.C. "O"
SET SQ. SPK & TIN.
IN PVMT. RECORD
DISTANCE FROM
R.P.P.I. "O" PER
F.B. 2606 - 226 -
243

P.O.S.T.
SET SQ. SPK & TIN
IN PAVED BERM.

FSC-35
P.O.S.T.
SET 2" I.P. CONC
PLUG & L.A. CO.
ENGR. TAG.

P.I.
NOTHING
SET

R.P.P.I. "O"
ED. WLY. R.P.
1" I.P. CONC.
PLUG & L.A. CO.
ENGR. TAG.
PER F.B. 2606
PG. 226 HELD
FOR LINE &
DISTANCE ELY
R.P. LEANING
S. ELY.

1)	160°	54'	00"
	283	35	45
6)	245	23	45
	160°	53'	58"

235.77'
235.76'
235.76'
274.09'
274.09'

T = 3° 01' @ 3046' @ LEV.

15.07' @ LEV.
T = 66° = 15.07'

219.42' @ LEV.
T = 57° = 219.38'

136.55' @ LEV.
T = 66° = 136.55'

ACCESS ROAD

219.38' CHORD
LONG

TOP
PG. 74

F.B. 2950 Pg. 74

BOT. 126-73

SET N2 & NAIL FOR REC. Δ

219.38'

SET CONC. NAIL IN PVMT.

107.87' @ L.E.V.
Δ = 52° = 107.85'

1) 19° 06' 00"
2) 76 24 15
3) 114 36 00
19° 06' 00"

19° 06' 00"

107.85'

ACCESS ROAD

FSG-3
E.C. "O"
SET SQ. SPK & TIN IN PVMT. ON RECORD Δ & LONG CHORD DISTANCE OF 327.23' FROM B.C. "O" F.B. 2606 - 243-244

99.69'

SCHOOL CT.

(30')

TOP PG. 75'

(30')

X

M.S. 91 D-3

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'kd by M. ASHLEY
Map No. B3017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 1-5 '66

Survey of SCHOOL CUT ROAD
J.N. 0077.86 Tape 25' Std 184 °F
Surveyed by L.V.S. SMITH
Notes L.V.S. Date 12-7-66
Indexed C. J. GALLI

F.B. 2910 PG. 75
BOT. PG. 74

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3088 CE # 310 3-61

99.71' @ LEV.
T=52°=99.69'

1) 131° 36' 00"
4) 166 24 00
6) 69 36 00
131° 36' 00"

53.63 @ LEV.
T=62°=53.62'

52.09' @ LEV.
T=58°=52.08'

38.46 @ 24° 24' = 35.02'
43.48 @ 42° 50' = 31.89'
1.52 @ LEV. = 1.52'
68.43'
T=54°=68.41'

N6.09' @ 32° 16' = 98.16'
N15.75' @ 32° 00' = 98.14'
T=54°=98.14'

(30')

(30')

36'

13½°

CURVE "P"

CHORD 53.62'

CENTER LINE

SCHOOL ROAD

RIGHT PG. 76

N5.41.03.

99.69'

99.71'

68.41'

98.14'

P.C. 38

B.C. "P"
SET SQ. SPK. & TIN IN PVMT.
ON RECORD TANG. DISTANCE OF
99.69' PURECORD
X FROM P.C. "P"
PER F.B. 2606-244

SET 1x2 & NAIL
BY INTERSECTION

R.P.I.P.O.S.T.
ED. 3/4" I.P. CONC. PLUG
L.A.CO. ENGR. TAG
PER F.B. 2606 PG 246
PIPES FLUSH


F.B. 2950
76
FSC-91
TILT PT. "A"
SET 1X2" NAIL FLUSH
500.01'
FSC-40
142° 07'
26.58'
41.61'
4.46'
47"
WEST ROAD
FD. N. & TIN P.P. 17929 B FB 2950 - 18
FD. L.A. CO. ENGR. TAG IN LD. F.B. 2950 - 18
COUNTY ENGINEER R.D.S. 1 No. 6685 PROP. R.E. & B.B.
PT. #1
FD. CO. ENGR. BRASS CAP MON. IN CONC. DN. 6" PER FB. 2950 PG. 18. MON. MARKED AS SHOWN.
1) 96° 04' 30"
2) 24 19 45
3) 216 20 45
96° 04' 27"
1) 142° 07' 45"
2) 208 31 00
3) 132 41 15
142° 07' 47"
159.86 @ LEV.
T = 62° = 159.84'
152.84'
27"
SLY.
CHORD
53.62'
CURVE
LONG
SET SQ. SPK. & TIN BY INTER-SECTION
1X2 PROD. FOR
500.13 @ LEV.
T = 48° = 500.01'
126.92' @ 10° 01' = 124.97'
122.07' @ 10° 26' = 124.97'
23.10' @ LEV. 23.10'
148.07'
T = 64° = 148.05'
PROPERTY LINE
148.05'
PT. #6
FD. STD. CO. ENGR. BRASS CAP MON. IN CONC. PER F.B. 2950 - 18 MON. MARKED AS SHOWN
MON. UP 2"
FSC-39
COUNTY ENGINEER R.D.S. 1 No. 6685 PROP. R.E. & B.B.
5260 47 West
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. ASHLEY
Map No. B501
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 15 '68

Survey of SCHOOL CN. ROAD
JN 0077-86 Tape 235 Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 1-28-66
Indexed C. J. GALLI

F. B. 2950 PG. 77

ANGLE PT. No 13
ED. STD. CO. ENGR. BRASS CAP MON. IN CONC. MARKED AS SHOWN. PER F.B. 2950 - 22

COUNTY ENGINEER R.E. 5868

PROPERTY LINE

1	29°	59'	00"
4	119	56	00
6	178	54	15
	29°	59'	02"

59° 55' 01"
59° 02"
29°

278.77' TO P.I. LEFT, No. 67.

T=150.00' 278.77'
2 88°54'45" 235.73 = 278.83'
2 88°54'45" 235.73 = 278.83'

COUNTY ENGINEER R.E. 5868

ANGLE PT. No 12
ED. STD. CO. ENGR. BRASS CAP MON. IN CONC. W.P. 1/4 MARKED AS SHOWN F.B. 2950 - 21

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

7 of 3095 CE # 510 3-61

F.B. 2960 Pg. 78 BOT Pg. 79



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. ASHLEY
Map No. B 3017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 15 '66

Survey of SCHOOL CAÑADA ROAD
JN 0077.86 Tape 2 JJ Std 84 °F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 2-3-66
Indexed C. L. GATT

F. B. 2960 Pg. 79

LEFT
PG 63

166.56' @ 28°11' = 146.81'
166.18' @ 27°57' = 146.80' = 146.80'
T = 56° = 146.77'

146.77'

SET 1X2 E NAIL
FLUSH ON CUT BANK
ON WLY SIDE OF
ROAD

102.36' @ 27°36' = 90.71'
102.02' @ 27°15' = 90.70' = 90.70'
T = 52° = 90.68'

90.68'

CITY BDRY.

SET 1X2 E NAIL
FLUSH ON SIDE
HILL

CITY BOUNDARY
GLENDALE

298.68' @ 6°46' = 296.60'
298.72' @ 6°51' = 296.59' = 296.59'
T = 52° = 296.53'

296.53'

SET 1X2 E NAIL
FLUSH ON ELY SIDE
OF RIDGE

CITY B.

18.75'

T = 18.75' @ LEV!
T = 52° = 18.75'

TOP
PG 78

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

7 of 308s CE # 310 8-61

F.B. 2950 PG. 180

BOT. PG-81

672.199 Sec. 09

6275 25' @ 2°33' = 274.98
6275 20' @ 2°22' = 274.97 274.97'

T = 84° = 274.92'

0.05

139.86 @ 6°10' = 138.55'
139.42' @ 6°22' = 138.56 = 138.55'
3.05' @ LEV. 3.05'
141.60'

T = 48° = 141.57'

PROP LINE L.A.W.D. L.A.C.S.D.

FD. 2" I.P. & GALV. CAP ON ELY SIDE OF RIDGE IN 12" X 12" CONC. BLOCK PER E.B. 504-186 & B.W.P. E.B. 2919-46 MON. MARKED 175 SHOWN.

274.92

FD. 1½" I.P. CONC. PLUG & NAIL UP 7" IN LOOSE CRACKED CONCRETE ON STEEP SLOPE - RESET PIPE BY INTERSECTION

0.04'

0.15'

L.A.W.D. BDRY.

141.51'

RIGHT PG. 63

SET 1X2 & NAIL FLUSH

GLENDALE CITY BDRY.

S 79° W

25.13'

25.13' @ LEV.

T = 58° = 25.13'

61.26' @ 19°00' = 57.92'
61.17' @ 18°46' = 57.92'

T = 58° = 57.91'

L.A. CITY BOUNDRY

SET 1X2 & NAIL FLUSH ON TOP OF RIDGE

74.36' @ 18°18' = 70.60' 70.59'
74.58' @ 18°47' = 70.59'

70.58

RIGHT PG. 63

T = 58° = 70.58'

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ckd by M. ASHLEY
Map No. B 3017
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 15 '66

Survey of SCHOOL CN. ROAD
JN00077-EG Tape 235 Sta 84 °F
Surveyed by L. V. SMITH
Notes 2-V SMITH Date 2-5-66
Indexed C. J. GALLI

F. B. 2950 PG. 81

1) 83° 15' 45"
4) 179 04 00
6) 133 56 00
82° 16' 00"

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO

76F3095 CE # 310 3-61

FD. 2" I.P. & GALV. CAP IN CONC. PER F.B. 504-185 & R.W. & P. F.B. 2634-146 HELD TO THIS POINT FOR CITY BDRY. LINE WLY. & L.A.W.D. BDRY. LINE SLY. MON. MARKED AS SHOWN MON. FLUSH

TOP PG. 84

L.A.W.D. BDRY.

N.E. COR. SEC. 19

201.33' M

CITY BDRY.

GLENDALE

82°

100'

FD. 2" I.P. & GALV. CAP PER F.B. 504-186 & R.W. & P. F.B. 2634-46 MON. MARKED AS SHOWN

0.10'

NOTE
ALL DISTANCES ARE AS SHOWN IN F.B. 504 & R.W. & P. F.B. 2634 & 3919

L.A.W.D. PROP. LINE

742.23' M

CITY BDRY.

FD. 2" I. & GALV. CAP ON 6" PER F.B. 504-186 & R.W. & P. F.B. 3919 PG. 46 MON. MARKED AS SHOWN.

10.02

PROP. LINE L.A.W.D. R.E. 50

TOP PG. 80

S.E. COR. SEC. 19

67.19' M

L-1

F.B. 2950 Pg. 82

179.76' @ 1°43' = 179.68'
179.81' @ 2°15' = 179.67' = 179.67'

T = 70° = 179.65'

262.30' @ 1°35' = 260.47'
34.85' @ LEV. = 34.85'
295.32'

T = 68° = 295.29'

E.C. "G"
FD. SQ. SPK. &
TIN IN PVMT.
F.B. 2950 - 55

80 T.
PG. 83

1) 82° 25' 00"
4) 329 39 30
6) 134 29 30
82° 24' 55"

179.03'

SET 1X2 & NAIL

122.30' @ LEV
T = 70° = 122.29'

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

24° 55"

82°

179.65'

CHORD PG. 55
295.29'

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH. BY INTERSECTION

B.C. "G"
FD. SQ. SPK.
IN PVMT.
F.B. 2950 -
PG. 54

SCHOOL

13.54'

SET 1X2 & NAIL
1.00'

PG. 54
127.29'

PG. 54

ROAD

ACCESS

19.33'

FD. 1X2 & N.
F.B. 2950 154

19.54' @ T = 70 = 1354

149.35' @ LEV.
T = 66° = 149.33'

S.E. PROP. CORNER

L.A.W.D.

SET 1X2 & NAIL

79.73' @ 15°23' = 76.87'
79.85' @ 15°42' = 76.87'
T = 64° = 76.86'

L.A.W.D. ROAD

76.86'

FD. 2" I.P. & GALV. CAP MARKED 135 SHOWN PER F.B. 504 - 183 & B.W.P. F.B. 2634-45

88.06' @ 25°08' = 79.72'
87.75' @ 24°41' = 79.73'
T = 70° = 79.71'

1.00'

Notes Ck'd by M. ASHLEY
Map No. B 307
Office Work G. H. BOYER
Checked M. ASHLEY
Date NOV 1 5 '86

Survey of CHALK CN. RD. F.B. 2950 Pg. 83
J.N. 0077.86 Tape 235' Std. 84 °F
Surveyed by L-V-SMITH
Notes L-V. SMITH Date 2-6-
Indexed C. J. GALLI

1) 70° 29' 45"
2) 281 58 30
3) 62 58 00
70° 29' 40"

221.00' @ 26° 49' = 197.28'
221.34' @ 27° 00' = 197.22'
T = 66° = 197.19'

L.A.W.D. PROP. COR.
FD. 2" I.P. & GALV. CAP
MARKED AS SHOWN
PER F.B. 504 = 184 &
B.W.P. F.B. 2631 = 75

L.A.W.D. PROP. COR.

99.73' @ LEV.
T = 66° = 99.72'

SET 1x2 E NAIL TOP CUTBANK

L.A.W.D. PROPERTY LINE

70°

40'

LEFT PG. 84

L.A.W.D. PROP. LINE
FD. 2" I.P. & GALV. CAP
IN CONC. MARKED AS
SHOWN PER F.B. 504
PG. 184 & B.W.P. F.B. 2631
PG. 75

0.01'

L.A.W.D. PROP. LINE

141.82 @ 14° 01' = 137.60'
141.96 @ 14° 13' = 137.61' = 137.60'
T = 60° = 137.58'

40.34' @ 17° 19' = 38.51'
39.81' @ 14° 47' = 38.51'
T = 66° = 38.51'

48.15' @ 29° 23' = 41.96' = 41.95'
48.16' @ 30° 02' = 41.95'
T = 70° = 41.95'

300.19' @ 9° 31' = 296.06'
300.19' @ 9° 38' = 296.06'
T = 68° = 296.03'

SET 1x2 E NAIL ON STEEP SLOPE

TOP PG. 82

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 510 3-61

F.B. 2950 PG. 84

RIGHT PG. 81

180.10' @ 26°03' = 161.80'
179.26' @ 25°30' = 161.80'
T = 70° = 161.78'

129.76' @ 25°03' = 117.55'
129.03' @ 24°21' = 117.55'
T = 72° = 117.54'

25.47' @ 38°04' = 21.34'
25.98' @ 34°47' = 21.34'
T = 58° = 21.34'

17.60 @ LEV.
T = 70° = 17.60'

0.01'

FD. 1" I.P. & GALV. CAP IN CONC. PER F.B. 504-184 & R.W. & P. F.B. 2634-46 MON. MARKED AS SHOWN.

17.60'

N. 41° W.

PROP. LINE

SET 1X2 E.N. ON SLY. SIDE OF RIDGE

RIGHT PG 83

P.O.S.T. FD. 1X2 & NAIL TOP OF CUT BANK F.B. 2950-52

LAND

PROPERTY LINE

178.11'

PG. 52

196.51'

B.C. "F" FD. SQ. SPK. & TIN IN PVMT. F.B. 2950-52

17.58'

1) 121° 51' 15"
2) 127 26 15
3) 11 09 15
121° 51' 33"

17.54'

S 57° E

21.34'

1) 43° 46' 45"
2) 175 07 30
3) 162 41 15
43° 46' 52"

ANGLE POINT L.A.W.D. PROPERTY LINE FD. 1" I.P. & GALV. CAP IN CONC. ON STEEP SIDE HILL MON. MARKED AS SHOWN PER F.B. 504-184 & R.W. & P. F.B. 2634-45

146.02'

S 57° E

35.08'

1) 146° 02' 15"
2) 224 08 30
3) 156 12 45
146° 02' 08"

L.A.W.D. PROP. COR.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. ASHLEY
Map No. B3017
Office Work
Checked M. ASHLEY NOV 15 66
Date

Survey of SCHOOL CN. RD
UNDOTT. 06 Tape 25 J Std B4 °F
Surveyed by L. V. SMITH
Notes L-V-S- Date 2-66
Indexed C. J. GALLI

F. B. 2950 Pg. 85

P.O.S.T. CURVE "O"
FD. SQ. SPK. &
TAN IN PVMT.
PG 73

P.O.S.T. CURVE "O"
FD. 2" I.P. CONC
PLUG & L.A.CO.
ENGR. TAG PER
PG. 73

FSC-35

1) N 4° 19' 00" W
2) 325 54 00
114° 19' 00"

114°

156.53'
PG. 73

289.31'

FD. W.L.Y. R.P. 1" I.P.
CONC. PLUG & L.A.CO.
ENGR. TAG PER F.B.
2606-226-F.B. 2950
PG 73

R.P.P.T. "O"

TIE AT "B"
SET 1" GARRED PIPE
FLUSH IN RIDGE
PIPE STAMPED "B"

299.15' @ 14° 41' = 289.38'
299.38' @ 14° 51' = 289.38'
L = 50.0' = 289.31'

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3095 CE # 310 3-61

F.B. 2950 Pg. 87

Profile No. | X-Sec. No.

Notes Red ____ Date ____ Notes Chkd ____ Date ____

Plotted ____ Date ____ Checked ____ Date ____

Job No. 0077-86 Division No. ____

Survey of SCHOLL CN. ACCESS R.D.

Survey by L.V.SMITH Notes L.V.S. Date 2-8-66

Map No. ____ Indexed C. J. GALLI Date ____

SCHOLL CÑ. ROAD
PHOTO. CONTROL
J.N. 0077.86

LEVELS TO ESTABLISH ELEVATIONS ON BCS. P.I.S EC'S ETC. ALONG SCHOLL CÑ. ROAD. ALSO ELEVATIONS ON ANGLE POINTS ALONG SLY. BDRY. OF REFUSE SITE & "TILT POINTS" FOR PHOTO. CONTROL

FEB. 1966

STATION	B.S.	H.I.	F.S.	ELEV.
		REF. F.B. 2606		

PARTY
L.V. SMITH
R.L. STRADER
M.E. WACKER
E.M. GOSHORN

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76-L298 CE 307 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2950 Pg. 88
Survey of Bridge Div. EN Access Road
Survey by L.V. Smith Notes L.V. SMITH
Inferred [illegible] Date
Job No. 80Z786 Division No. Notes Red Plotted
Date Date
Notes Chkd M. ASHLEY Checked
Date Date
Profile No. X-Sec. No.

STATION	B. S.	H. I.	F. S.	ELEV.		
B.M."A"	029	823 69		823 40	B.M."A" ELEV. = 823.405 F.B. 2606 - 44E SPK. IN E. CURB FIGUEROA ST. 10' So. So. CURB RETURN S.E. COR. FIGUEROA ST. & EAGLE VISTA DR.	
T.P.	053	812 52	11 70	811 99		
T.P.	353	804 80	11 25	801 27		
B.M.S.C.-1	11 85	809 01	7 64	797 16	B.M.S.C.-1 ELEV.= 797.154 F.B. 2606 - 44 WEST SIDE FIGUEROA ST. @ APPROX. ℄ PROD OF FIGUEROA ST. OFF RAMP FROM COLORADO ST. FREEWAY. SPK. IN LEAD IN CURB CURB MARKED B.M.S.C.-1	
T.P.	9 55	812 75	5 81	803 20		
X PT.	11 54	823 27	1 02	811 73	X PT - SQ. SPK. & TIN F.B. 2950 - 47	
B.C. "C"	11 96	834 41	0 82	822 45	SQ. SPK. & TIN F.B. 2950 -	47
P.I. "C"			8 04	826 37	" "	47
E.C. "C"			4 63	829 78	" "	47
T.P.	12 01	845 79	0 63	833 78		
T.P.	11 65	856 94	0 50	845 29		
B.C. "D"	11 96	866 76	2 14	854 80	" "	48
P.I. "D"			8 50	858 26	" "	48

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No 20078 Division No. ____
X-Sec. No. ____ Date ____ Notes Checked ____ Date ____ Survey of J. CHOLL C.N. ACCESS ROAD
Date DEC 15 '66 Survey by L.V.J. MARTIN Notes L.V.J. Date 2-8-66
Map No. ____ Indexed C. J. GALL Date ____

F.B. 2950 Pg. 89

STATION	B. S.	H. I.	F. S.	ELEV.		
		866.76				
E.C. "D"			6.12	860.64	SQ. SPK. & TIN	F.B. 2950 - 48
T.P.	11.85	878.33	0.28	866.48		
B.C. "E"			8.94	869.39	" " " "	" 49
T.P.	11.47	889.24	0.56	877.77		
T.P.	12.02	900.93	0.33	888.91		
E.C. "E"			8.58	892.35	SQ. SPK. & TIN	" " - 50
T.P.	11.26	911.85	0.34	900.59		
T.P.	11.30	922.65	0.50	911.35		
T.P.	11.52	933.95	0.22	922.43		
T.P.	10.17	942.49	1.63	932.32		
O.S.T.	0.54	942.47	0.56	941.93	P.O.S.T. - 1" I.P. CONC. PLUG & L.A. CO.	
					ENGR. TAG 228.62	FLY. OF E.C. "E"
					PER F.B. 2950 - 50	
T.P.	1.52	933.83	10.16	932.31		
T.P.	0.41	922.83	11.41	922.42		
T.P.	0.35	911.69	11.49	911.34		
T.P.	11.14	911.72	11.11	900.58		
B.C. "F"			6.88	904.84	SQ. SPK. & TIN	F.B. 2950 - 52
13' R.			6.00	905.72	EDGE PVMT	
3'			7.94	903.98	" "	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. R2950 Pg. 90
Survey of SCHOOL & CO. ACCESS ROAD
Survey by L.V. SMITH Notes L.V. SMITH Checked M. ASHLEY
Indexed R. J. GATES
Job No. 20077 Division No. Notes Red Plotted
Date Notes Chkd Date
Date Date
Profile No.
X-Sec. No.

STATION	B.S.	H.I.	F.S.	ELEV.		
		911 72				
T.P.	1182	92281	073	91099		
T.P.	1164	93401	044	92237		
T.P.	1173	94549	025	93376		
P.O.S.T.			423	94126	SQ. SPK. & TIN ON BURM 11.29' N&Y. FRO	
					E.C. "F" PER F.B. 2950 - 53	
T.P.	1141	95663	027	94522		
E.C. "F"			939	94724	SQ. SPK. & TIN PER F.B. 2950 - 53	
13' R.			858	94805	EDGE PVMT.	
13' L.			1024	94639	" "	
P.O.T.			550	95113	SQ. SPK & TIN " " " 53	
T.P.	1028	96534	157	95506		
B.C. "G"			922	95612	SQ. SPK. & TIN " " " - 54	
13' R.			1013	95521		
13' L.			832	95702		
B.M.S.C.-4			198	96336	B.M.S.C.-4 ELEV. = 963.389 F.B. 2606-4	
					ON TOP OF RIDGE BETWEEN E.C.	
					& B.C. "G" 35' L. OF ℄ STA.	
					Co. ENGR. BRASS CAP MON IN	
					CONC. UN 2"	
B.M.S.C.-4	1018	97357		96339		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No 8227-86 Division No ____
No. ____ Date ____ Date ____ Survey of School Cr. Access Road
X-Sec. Notes Chk'd M. ASHLEY Checked ____ Survey by L.K.S. SMITH Notes L.K.S. Date 2-8-86
No. ____ Desig. ____ Date ____ Map No. ____ Indexed G.J. CRUZ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
		973 57				
INTERSECTION R.O.P. LINE			578		INTERSECTION L.A.N.D. PROPERTY LINE & CHORD ON CURVE "G" 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON LARGE FLAT FILL	
T.P.	1201	985 06	052	973 05	F.B. 2950 - 82	
T.P.	1177	996 56	027	984 79		
T.P.	1203	1008 41	018	996 38		
F.C.G			844	999 97	SQ. SPK. & TIN IN PVMT. F.B. 2950 - 55	
13' R.			958	998 83	EDGE PVMT.	
13' L.			753	1000 88	" "	
T.P.	1184	1019 88	037	1008 04		
P.O.T.			725	1012 63	SQ. SPK. & TIN IN PVMT. 188.15' N&Y. FROM F.C. "G" PER F.B. 2950 - 55	
T.P.	1189	1031 52	025	1019 63		
T.P.	1191	1043 10	033	1031 19		
T.P.	1174	1054 52	032	1042 78		
B.C. "H"			1073	1043 79	SQ. SPK. & TIN IN PVMT. F.B. 2950 - 56	
13' R			983	1044 69	EDGE PVMT.	
13' L			1179	1042 73	" "	
T.P.	1191	1066 08	035	1054 17		

F.B. 2950 Pg. 9

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2950 Pg. 92 Job No 00778 Division No. Profile
Survey of: SCHOOL & N. ACCESS ROAD Notes Red Plotted
Survey by: L.V. SMITH Notes Chkd. M. ASHLEY Checked
Indexed: G. I. GALL Date Date Date X-Sec. No. No.

STATION	B.S.	H.I.	F.S.	ELEV.		
		1066 08				
T.P.	11 51	107730	029	106579		
T.P.	994	108663	061	107669		
T.P.	1005	109530	138	108525		
B.M.S.C.-6			551	108979 74	B.M.S.C.-6 ELEV. = 1089.742 F.B. 2606-C ON A SMALL RIDGE ABOVE FLAT WHICH IS ABOUT 300' N.E. OF EAGLE ROCK RES. 70 FT. N. OF FENCE ACROSS RIDGE & AT EAST EDGE OF FIRE BREAK. A STD. CO. ENGR. B.M. MON. UP 2' MON. MARKED B.M. S.C.-6	
B.M.S.C.-6	1167	110141		1089.74		
T.P.	1048	110174	115	110026		
P.I. "H"	139	11 1068	145	110929	P.I. "H" 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG F.B. 295D-57	
T.P.	039	110065	1042	110026		
T.P.	0141	109015	1091	108974		
T.P.	155	108045	1125	107890		
E.C. "H"			771	107274	SQ. SPK. & TAN W/N	PVMT. F.B. 2954 5.0
13' R.			678	107367	EDGE PVMT.	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 22ZZ.86 Division No.
No. Date Date Survey of SCHOOL CN. ACCESS RD.
X-Sec. Notes Checked Survey by L.V.S. SMITH Notes L.V.S. Date 2-7-66
No. Date Date Map No. Indexed C. J. GALE Date

F.B. 2950 Pg. 5

STATION	B. S.	H. I.	F. S.	ELEV.	
		1080.45			
E.C. "H"					
13' L			8.74	107.71	EDGE PVMT.
T.P.	11.97	109.99	0.43	108.002	
T.P.	12.03	110.365	0.37	109.162	
B.C. "I"			7.52	109.613	SQ. SPK & TIN IN PVMT. F.B. 2950 - 59
13' R.			6.59	109.706	EDGE PVMT.
13' L.			8.59	109.506	" "
T.P.	11.56	111.455	0.66	110.299	
E.C. "I"			9.66	110.489	SQ. SPK & TIN IN PVMT. F.B. 2950 - 60
13' R.			9.10	110.545	EDGE PVMT.
" L			10.22	110.433	" "
B.C. "J"			5.66	110.889	SQ. SPK & TIN IN PVMT F.B. 2950 - 61
13' R.			6.34	110.821	EDGE PVMT.
13' L.			4.95	110.960	" "
T.P.	11.64	112.576	0.43	111.412	
T.P.	11.74	113.680	0.70	112.506	
T.P.	0.26	112.628	1.078	112.602	
T.P.	0.22	111.554	1.096	111.532	2" I.P. & GALV. CAP IN CONC. DN. 0.2'
T.P.	0.23	110.433	1.144	110.410	ON L.A.W.D. PROPERTY LINE ℄
L.A. W.D. ℄ MON.	1.49	109.496	1.086	109.347	55' +/- WLY. OF LONG CHORD CURVE "J" INTERSECTION. F.B. 2950 - 63

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2950 Pg. 94 — Job No. 8077.86 — Division No. — Profile — Notes Red — Plotted — No. — X-Sec. — No.
Survey of: SCHARA & ACCESS ROAD — Date — Date — Date
Survey by: L.V. SMITH — Notes Checked: M. ASHLEY
Notes: L.V. SMITH — Notes Ch'd — Date
Indexed: C.J. GAUL — Date

STATION	B.S.	H.I.	F.S.	ELEV.		
		109496				
T.P.	186	108537	1145	108351		
T.P.	019	107473	1083	107454		
POINT ON GLENDALE LINE	1088	107846	715	106758	1X2 & NAIL ON TOP OF RIDGE ON CITY OF GLENDALE BOUNDRY LINE 55.73' WLY. OF INTERSECTION OF LONG CHORD CURVE "J" & CITY OF GLENDALE BDRY. FB 2950 - 76	
T.P.	1126	108865	107	107739		
T.P.	1128	109963	030	108835		
T.P.	1166	111083	046	109917		
T.P.	1109	112166	026	111057		
T.P.	1159	113254	071	112095		
T.P.	1135	114333	056	113198		
T.P.	1199	115455	077	114256		
E.C. "J"			910	114545	SQ. SPK & TIN IN PVMT.	FB. 2950 - 64
13' R.			958	114497	EDGE OF PVMT.	
13' L			841	114614	" " "	
B.C. "K"			498	114957	SQ. SPK & TIN IN PVMT.	FB. 2950 - 65
13' R.			440	115015	EDGE OF PVMT.	
13' L.			555	114900	" " "	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No 6022 & 6 Division No.
No. Date Date Survey of SCHULZ CO. ACCESS RD.
X-Sec. Notes Ch. M. ASHLEY Checked Survey by L.V. SMITH Notes L.V.S. Date 2-9-66
No. Date NOV 15 '66 Date Map No. Indexed Date
F.B. 2950 Pg. 79

STATION	B. S.	H. I.	F. S.	ELEV.	
		1154 55			
POINT ON CITY BDRY			3 63	1150 92	1X2 & NAIL TOP OF 1.3 FT. CUT BANK - 25'
					WLY OF ℄ OF PAVED ROAD - ON CITY
T. P.	11 84	11 66 21	0 18	1154 37	OF GLENDALE BDRY. LINE 146.7' WLY OF
T. P.	11 70	1177 61	0 30	1165 91	INT. CITY BDRY & LONG CORD "J" F.B. 2950-79
E.C. "K"			3 38	1174 23	SQ. SPK. & TIN IN PVMT. F.B. 2950-66
13' R.			2 45	1175 16	EDGE PVMT.
13 L.			4 45	1173 16	" "
T. P.	12 02	1189 10	0 53	1177 08	
T. P.	11 48	1200 17	0 41	1188 69	
T. P.	11 55	1211 35	0 37	1199 80	
T. P.	10 93	1221 98	0 30	1211 05	
T. P.	11 30	1232 01	1 27	1220 71	
T. P.	11 73	1243 35	0 39	1231 62	
T. P.	10 77	1254 12	0 00	1243 35	
T. P.	5 23	1258 03	1 32	1252 80	
M.S.C. 7			1 16	1256 87 99	B.M.S.C. 7 ELEV. = 1256.990 F.B. 2606-55
					110' ± LEFT OF ℄ ON TOP OF HIGH
					RIDGE BETWEEN E.C. "K" & B.C. "J"
					A.S.T.D. CO. ENGR. BRASS CAP B.M. MON
M.S.C. 7	1 12	1258 11		1256 99	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

Profile No. ____ X-Sec. No. ____

Plotted ____ Notes Red ____

Date ____ Date ____

Checked M. ASHLEY Notes Chkd ____

Date ____ Date ____

Division No. ____

Job No. 80778

Survey of SCHOOL & ACCESS ROAD

Survey by L. V. SMITH Notes L. V. SMITH

Indexed C. J. GAY Date ____

F.B. 2950 Pg. 96

STATION	B.S.	H.I.	F.S.	ELEV.	
		125811			
T.P.	033	124779	1065	124746	
T.P.	054	123691	1142	123637	
T.P.	045	122606	1130	122561	
T.P.	1095	122604	1097	121509	
B.C. "L"			185	122419	SQ. SPK. & TIN IN PVMT. F.B. 2950 – 67
13' R.			095	122509	EDGE PVMT.
13' L.			292	122312	" "
T.P.	1197	123739	062	122542	
T.P.	1175	124872	042	123697	
T.P.	1162	125980	054	124818	
E.C. "L"			619	125361	SQ. SPK. & TIN IN PVMT. F.B. 2950 – 68
13' R.			548	125432	
13' L.			690	125290	
T.P.	1166	127107	039	125941	
T.P.	1163	128216	054	127053	
T.P.	1154	129370	000	128216	
T.P.	877	130207	040	129330	B.M.S.C.-8 ELEV. 129.045 F.B. 2606-57
B.M.S.C. 8	032	129837	402	129805	30'± RT. OF SEMI-TANG. OF CURVE "L"
T.P.	048	128733	1152	128685	ON TOP OF RIDGE 250'± WLY. OF
T.P.	025	127639	1119	127614	RT. "L" & STA. FD. ENGR. B.M. MON.

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 0077.86 Division No. ____
No. ____ Date ____ Date ____ Survey of Schools C.2. Access Rd.
X-Sec. ____ Notes Ch. M. ASHLEY Checked ____ Survey by A.V.S. Jr. Notes A.V.S. Date FEB. 1966
No. ____ Date OCT 15 '66 Date ____ Map No. ____ Indexed C. J. Gray Date ____

F.B. 2950 Pg. 97

STATION	B. S.	H. I.	F. S.	ELEV.		
		127.39				
T.P.	0.54	126.09	1.84	125.55		
B.C. "M"			6.27	125.82	SQ. SPK. & TIN. IN PVMT.	F.B. 2950-69
13' R.			7.13	125.96	EDGE OF PVMT.	
13' L.			5.44	06.5	" " "	
T.P.	3.51	126.203	7.57	125.852		
T.P.	0.24	125.1.18	11.09	125.094		
T.P.	0.37	124.1.00	10.55	124.063		
T.P.	0.41	122.9.80	11.61	122.939		
T.P.	0.72	121.962	10.90	121.890		
T.P.	0.26	120.9.24	10.64	120.898		
T.P.	1.59	119.9.70	11.13	119.811		
?.P. PI "M"	A.235	119.722	4.83	119.487	R.P. PI "M" Fd 1" I.P. Conc. Plug Nail &	
					C.E. Tag Flush 127.21 : So. Easterly of	
					P.I. "M" Per F.B. 2950-70 & F.B. 2606-222	
?.P. PI "M"	B.745	119.388	10.79	118.643	R.P. PI "M" Fd 1" I.P. Conc. Plug Nail & C.E.	
					Tag Flush 240.97 So. Easterly of P.I. "M"	
					Per F.B. 2950-70 & F.B. 2606-222	
T.P.	11.29	119.426	10.91	118.297		
T.P.	11.04	120.457	0.73	119.353		
T.P.	8.98	121.2.76	0.79	120.378		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2950 PG. 98

Survey of: Sunland Ky Access Road — Profile No. — X-Sec. No.
Survey by: L.S. #5 — Notes: M.E. Wagner — Plotted — Checked — Date
Indexed: G.I. Gallup — Job No. 027788 — Division No. — Notes Red — Date — Notes Chkd: M. Ashley — Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		121276				
T.P.	1105	122334	047	121229		
T.P.	1190	123421	103	122231		
T.P.	772	124007	186	123235		
TILT PT #'C'	1090	124622	475	123532	TILT PT #'C' Fd. 1" CAPPED PIPE H.O. on Ridge Stamped 'C' 309.15 North of Glendale - L.A. City Boundry line Per F.B. 2950-72	
T.P.	1161	125732	051	124571		
T.P.	1121	126828	025	125707		
T.P.	1009	127816	021	126807		
T.P.	1084	128879	021	127795		
E.C. "M"			760	128119	SQ. SPK. & TIN in PVMT.	F.B. 2950-71
13' R.			867	128012	Edge of PVMT.	
13' L.			667	128212	" " "	
T.P.	1142	129989	032	128847		
B.C. "N"			985	129004	SQ. SPK. & TIN in PVMT	F.B. 2950-72
13' R			889	129100	Edge of PVMT.	
13' L.			1079	128910	" " "	
P.I. "N"			531	129658	P.I. "N" Fd. 1" I.P. Conc. Plug Nail & O.E. Tag Flush Inverted Berm of drain Per F.B. 2950-72 & F.B. 2606-224	
T.P.	1075	131000	064	129925		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. Notes Red Plotted Job No. 2277-86 Division No.
No. Date Date Date Survey of SCHOOL CYN. ACCESS RD.
X-Sec. Notes Chkd. ASHLEY Checked Survey by L.V.S. Notes M.E.W. Date FEB-66
No. Date MAY 15 '66 Date Map No. Indexed C. J. GALLI Date

F.B. 2950 Pg. 99

STATION	B. S.	H. I.	F. S.	ELEV.		
		1310.00				
E.C. "N"			986	1300.14	SQ SPK & TIN in PVMT.	F.B. 2950-72
13' R.			888	1301.12	Edge of PVMT.	
13' L.			1098	1299.02	" " "	
T.P.	1054	1320.21	033	1309.67		
P.C. "O"			527	1314.94	SQ. SPK & TIN IN PVMT.	F.B. 2950-73
13' R.			582	1314.39	Edge of PVMT.	
13' L.			478	1315.47	" " "	
POST.	250	1316.91	580	1314.41	P.O.S.T. Fd 2" I.P. Conc. Plug N. & C.E. Tag Flush	
					1149.14' Southerly of BC "O" Per F.B. 2950-73	
T.P.	022	1305.46	1167	1305.24		
T.P.	026	1294.43	1129	1294.17		
T.P.	024	1283.43	1124	1283.19		
T.P.	075	1272.99	1119	1272.24		
T.P.	053	1262.28	1124	1261.75		
T.P.	062	1251.42	1148	1250.80		
T.P.	255	1242.37	1160	1239.82		
TILT PT. "B"	1126	1248.02	561	1236.76	TILT PT. "B" Fd. 1" Capped I.P. Fl. on ridge stamped "B" 289.31 Southerly of R.P. PT "O" Per F.B. 2950-85	
P.C.	1173	1259.39	036	1247.66		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2950 Pg. 100 Job No. 00277.00 Division No. Notes Red Plotted Profile
Survey of Sewer & Gyn. Access Rd. Date Date No. X-Sec.
Survey by L.K.S. Notes M.E. WACKER Notes Chk M. ASHLEY Checked
Indexed C.J. GALL Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		125939				
T.P.	11.96	127098	037	125902		
T.P.	11.88	128250	036	127062		
T.P.	1181	129382	049	128201		
T.P.	11.68	130530	020	129362		
T.P.	11.02	131616	019	130511		
E.C. "O"	4.33	131602	347	131269	SQ. SPK. & TIN in Pvmt.	F.B. 2950-74
B.C. "P"			5.24	131178	" " " " "	F.B. 2950-75
T.P.	11.07	132775	034	131668		
T.P.	11.29	133799	1.05	132670		
T.P.	3.48	133762 5	3.85	133414		
Prop. Cor. #6			2.88	133477	Prop. Cor. #6. Fd Std. C.A. Engr. Brass Cap. Mon in Conc. up 2" Per F.B. 2950-76-18	
B.M. S.C. #9			3.63	133399 1333902	B.M. S.C. #9 Elev. 1334.022 15'± E. of Glendale-Los Angeles City Bndry. Ln. on North Side of fire break on ridge where said City Bndry Line from South Intersects So line of Tr # 7183 A std C.E. B.M. Mon Marked B.M. S.C. #9 (up 2") Ref F.B. 2606-60	

COUNTY ENGINEER S.C.R.D.S. No. 6 PROP. COR. R.E. 5869

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. Notes Red Date Plotted Job No. 2950 Division No.
X-Sec. No. Notes Ch. M. ASHLEY Date Survey of Sawpit Cyn. Access Rd.
Date Checked Survey by L.V.S. Notes M.E.W Date FEB '66
Date Map No. Indexed G. J. GALLI Date

F.B. 2950 Pg. 101

STATION	B. S.	H. I.	F. S.	ELEV.		
M. S.C.#9	3.70	1337.72		133402	B.M. S.C.#9 El.=1334.22 Per F.B. 2406- 6D 15'± E. of Glendale - Los Angeles City Boundary line. On North side of fire break on ridge where said City Bdry. line from South Intersects So. bn of Tr.# 7183. A std. C.E. B.M. Mon. Marked B.M. S.C.-9 (UP 2")	
T.P.	3.66	1337.66	3.54	133418		
T.P.	0.74	1328.79	9.61	132805		
T.P.	0.66	1317.40	12.05	131674		
T.P.	3.00	1313.35	7.05	131035		
TILT PT.#"A"			11.34	130201	TILT PT.#"A" El. 1x2 & Nail El. 500.01 N.Wly. of	
T.P.	11.42	1324.53	02.24	131311	Prop. Cor. #7 Per F.B. 2950- 76	
T.P.	11.88	1336.21	02.20	132433		
T.P.	11.91	1347.67	04.55	133576		
T.P.	12.04	1359.30	04.41	134726		
T.P.	11.78	1370.44	06.44	135866		
T.P.	10.76	1380.87	03.33	137011		
T.P.	11.93	1391.55	1.25	137962		
T.P.	11.99	1403.11	04.43	139112		
T.P.	12.03	1414.90	02.24	130287		
T.P.	5.99	1420.45	04.44	141446		

COUNTY ENGINEER
B.M.
S.C.-9
R.E. 5869

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2950 PG. 12 Job No. 22 Division No. Notes Red Plotted Profile
Survey of SEMON, LYNN, ACCESS RD. Date Date No.
Survey by L. V. S. Notes M. E. VARNER Notes Chk M. ASHLEY Checked Date X-Sec.
Indexed G. S. GALL Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1420.45				
T.P.	11.24	1431.37	0.32	1420.13		
T.P.	9.64	1440.75	0.26	1431.11		
T.P.	2.68	1439.48	3.95	1436.80		
T.P.	1.40	1437.46	3.42	1436.06		
T.P.	1.26	1428.02	10.70	1426.76		
PROP. COR. #8	7.19	1427.89	7.32	1420.70	PROP. COR. - 8 Fd. Std. Co. ENGR. Brass Cap Mon in Conc. up 2" A Guard Pipe 2' Wly. Per F.B. 2950-19	
T.P.	11.17	1437.93	1.13	1426.76		
PROP. COR. #9	11.35	1447.41	1.87	1436.06	PROP. COR. 9 Fd. Std. Co ENGR. Brass Cap Mon. in Conc. up 3" A Guard Pipe 2' N. Wly. Per F.B. 2950-19	
T.P.	11.27	1457.40	1.28	1446.13		
T.P.	6.56	1463.33	0.63	1456.77		
PROP. COR. #10	1.54	1463.01	1.86	1461.47	PROP. COR. 10. Fd. Std. Co. Engr. Brass Cap Mon in Conc. up 2" Per. F.B. 2950-20	
T.P.	0.75	1452.58	11.18	1451.83		
T.P.	1.74	1442.93	11.39	1441.19		

COUNTY ENGINEER S.C.R.D.S. NO. 8 PROP. COR. R.E. 5869

COUNTY ENGINEER S.C.R.D.S. NO. 9 PROP. COR. R.E. 5869

COUNTY ENGINEER S.C.R.D.S. NO. 10 PROP. COR. R.E. 5869

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 2777-66 Division No. ____
No. ____ Date ____ Date ____ Survey of Sawpit Cyn. Access Rd.
X-Sec. ____ Notes Chkd. M. ASHLEY Checked ____ Survey by L.V.S. Notes M.E.W. Date FEB. 66
No. ____ Date NOV 15 66 Date ____ Map No. ____ Indexed C. J. GALLI Date ____

F.B. 2950 Pg. 103

STATION	B. S.	H. I.	F. S.	ELEV.	
		1442.93			
PROP. COR.# 11	0.77	1437.57	6.13	1436.80	PROP. COR.-11 Fd. std. Brass Cap Mon. in Conc. "Flush" & Guard Pipe 2' N.Ely. Per. F.B. 2950-20
PROP. COR.# 12	2.14	1436.69	3.02	1434.55	PROP. COR.-12 Fd. std. Brass Cap Mon. in Conc. "Flush" & Guard Pipe 2' N.Ely. Per. F.B. 2950-21
P.	0.55	1426.28	10.96	1425.73	
P.	0.54	1416.47	11.35	1414.93	
P.	0.49	1405.41	10.55	1404.92	
P.	0.38	1394.60	11.19	1394.22	
P.	2.61	1387.16	10.05	1384.55	
P.	0.71	1377.38	10.49	1376.67	
P.	0.48	1367.17	10.69	1366.69	
P.I. "L"	0.68	1358.25	9.60	1357.57	P.I. "L" Fd. 1" I.P. Conc. Plug Nail & C.E. Tag Flush. Per. F.B. 2950-67
P.	0.52	1347.99	10.78	1347.47	
P.	0.42	1337.25	11.16	1336.83	
P.	1.02	1327.53	10.74	1326.51	

COUNTY ENGINEER S.C.R.D.S. No. 11 PROP. COR. R.E. 5869

COUNTY ENGINEER S.C.R.D.S. No. 12 PROP. COR. R.E. 5869

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 2969 Pg. 104 Job No 62222 Division No. Notes Red Plotted Profile
Survey of Schabell Gen. Access Rd Date Date No.
Survey by M.E. Jackxer Notes C.M. ASHLEY Checked X-Sec.
Indexed C.J. Grill Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		1327.53				
T.P.	0.83	1317.52	10.84	1316.69		
T.P.	1.06	1307.03	11.55	1305.97		
B.M. S.C.#8			8.98	1298.05	B.M. S.C.-8 EL.=1298.045 F.B. 2606-57 30'± Rt. of semi. Hang. of curve "L" on top of ridge 250'± Wly. of P.I. "L" A Std. Co. Engr. B.M. Mon. VR 2".	

COUNTY ENGINEER B.M. S.C.-8 R.E. 5869