Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed

F.B. 2984 Pg.

Page	Job	Description
		SKYLINE DR. J.N. 0074.33
5-7	Index	
9-80	Cont	P-line survey of Skyline Dr. fr. Fullerton Rd. E'ly to Pathfinder Rd.
81-143	B.M.	Bench levels.
147-150	Cont.	Additional P-line.
151-2[illegible]4	Elev.	Traverse stations & photo control points Skyline
235-236	Cont.	Control point to check topog. map sheet 12 Pathfinder Rd.
		PATHFINDER ROAD 0074.45
237-239	Index	
240-249	Cont.	Photo Control for Pathfinder Rd.

Notes: Any additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Microfilmed April '85.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 2994 PG. 16

Notes Ck'd by	Survey of SKYLINE DRIVE
Map No.	JN 0074 33 Tape Std 84 °F
Office Work	Surveyed by C.H.B. Howin
Checked	Notes C.H.B Date
Date	Indexed C. J. GALLI

F. B. 2984 Pg. 7

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE #310 6-62



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR
JN 007433 Tape 121 Std 84 °F
Surveyed by J H BROWN
Notes J. H. B. Date 9-11-62
Indexed C. J. GALLI

F. B. 2984 PG. 9

CONT FB 2932 179 & 180

0.100 going South
Fd B& spk WASH.
& tin per FB
2932-180

SKYLINE DR

FULLERTON RD

45.68 Lev (T=68) = 45.68
88.12 Lev (T=68) = 88.11
30.54 Lev (T=78) = 30.54
118.65

Fd 2 3/8" - 20 R.R. NAIL

10.29

Fd new 2X2 & nail dn. 12" no rd guard stake labeled & Prod 46.68'

Set Nail & punch mark on line @ 90° to 2X2

Fd nothing BC per FB 254-78

118.65

38.66 Lev (T=78) = 38.66

Lot 9 DIVISION 108 Region 45 O.M. 2-3

Set 1X2 Spike on Line @ 90° opposite 1½ I.P

38.66

Fd old 1½" I.P & wood plug flush ref mk known Sec O.M 2-3 & O.M 1-13

(40) (40)

LA HABRA HEIGHTS TRACT LOT 79

56.89 Lev (T=78) = 56.89

81.15 (T=78) @ 6° 04' = 80.70
80.98 (T=78) @ 4° 42' = 80.71
Avg = 80.70

40.67 (T=78) @ 12° 01' = 39.78

C.S. 8842-4

Set 1X2 Spike on line @ 90° opposite 1½" I.P

Fd nothing

39.78

BC per FB 254-S

Fd 1½" I.P wood plug Spike flush REF MKS KNOWN SEE O.M. 2-3 & O.M. 1-13

2766.53
Fd R.D. DEPT MON
DN. 10" per FB
2932-180

228.34 (FB 2932-190)

CONT PAGE 10

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 1403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F.B. 2984 Pg. 10 CONT. PAGE 9

Δ = 91° 44' 00"
R = 300
T = 309.22
L = 480.31
C.S. 8842-4

1) 88 19 40
4) 353 18 40
6) 16 9 52 50
Avg = 88 19 38

Fd. cr. spk. & wash. flush. No Ref.

0.01

128.01 (T=84)
@ 70 54' = 106.98

Fd. nothing
1/2" pf. 18" Rad. 490 -6.7

Set 1X2 nail flush. 12.00 S
Fd. 3/4" I.P. Con. in L.line. Northly.

Fd. 3/4" I.P. Con. plug & nail flush per R.D. Perf. FT 38-20 & FB 2932 - 180

P-1 (set 2" guard pipe 4' 94.87 5' Wly)

Not in this survey see F.B. 2940-44 & 47 FT. 38-20

LA HABRA HEIGHTS TRACT

174 45 Lou (T=84) = 174 45
135 28 (T=84) @ 27 12 = 135 19
309 64

174 45 (T=84) Lou = 174 45
119 99 (T=84) @ 70 40 = 119 92
15 20 (T=84) Lou = 15 28
309 65

Avg = 309 64 5

309 64 5
+ 36 5
309 01

12 offset line
309.64

"P" LINE
309.01

C.S. 8842-4

Fd. 1" I.P. Con. Flush

Fd. 3/4" I.P. Con. Flush

Fd. 3/4" I.P. Con. Flush

Fd. 3/4

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR
JN 007433 Tape 121 Std 84 °F
Surveyed by J. H. Brown
Notes J. H. B Date 9-12-62
Indexed C. J. GALLI

F. B. 2984 Pg. 11

WS 38, C-5

DIV. 108 REGION 45 O.M. 2-3

LOT 10

27.50 (T=84) Lev = 27.50

10

Fd nothing (See O.M. 2-3)

"P" LINE see pg 29

Fd 1½" I.P. wood plug & nail. Dn 6". NO REF.

PAGE

RESERVED ROAD O.M. 2-3

LOT 11

Fd nothing

11

0.14

(40) 308.64 — 27.50 — 172.44 — T200°

12' offset

"P" LINE

120.88 pg 29

(40) 90° 309.01 SKYLINE DR (PROPOSED)

set 1x2 5 nail on 12' offset flush

C.S. 8842-4

CONT PAGE

Fd 1½" I.P. wood plug & cup tk. dn 6" NO REF. (APPROX. EC (6+78.33) pet. FB 254-5) (See O.M. 2-3)

CONT

P-2 see pg 29 8+55.44

Fd nothing (Approx BC 7+95.13 FB 254-6)

LOT 5

172.43 (T=84) Lev = 172.43 Avg = 172.44
172.44 (T=84) Lev = 172.44

54.85 (T=84) @ 18°21' = 52.06

DIV. 108 REGION 45 O.M. 2-10

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F.B. 2984 Pg. 12 O.M. 2-3 DIV. 108 REGION 45.

LOT 11

27.55 Lev. (T=84) = 27.55 V

30.05 Lev. (T=80) = 30.05 V

27.55 Lev. (T=84) = 27.55 V

C.S. 8842-4

Δ = 23° 35' 30"

R = 400

T = 83.53

L = 164.70

R.P.P.I.
Set 60d spk & tin
dn 2" by ln.s.
& rod & 12' offset
Line

CONT PAGE 29

103.22

172.44

12' offset

90°

12.00

℄ LINE
120.88 calc
pg 29

CONT PAGE 29

150

27

STR LINE (PROPOSED)

27.55

℄ line

30.05

℄ LINE prod

12.00

70.

℄ LINE

27.55

E.P.P.I.
Set 60d spk &
tin dn 2"
12.00 from
exz used
for offset
Line westerly

PAGE 31

27.55

83.51

55.96

℄ LINE

(m)

C.S. 8842-4

R.P.P.I. R.O.I.
Set 1" I.P. & L.A. Co.
ENGR tag Dn .22"
12.00 from spk &
tin & ln.s. 12' offset
& ℄ LINE prod

5.7' V

R.P.P.I. R.O.I.
Set 1" I.P. & L.A.
Co. ENGR tag
dn .15" on ℄ LINE
& 27.55 from back
exz used as P.I.

P.I. #2
Fd pen exz nail
flush tied out searched
dn 3.6' Fd nothing
Replaced exz flush

1) 156 27.50
2) 265 51.40
3) 218 42.40
Avg = 156 27.56 V

27.55 Lev. T=60 = 27.55 V
55.97 Lev. T=60 = 55.96 V

83.52 Lev. T=60 = 83.51 V Avg = 83.51 V

LOT 5 O.M. 2-10

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR.
JN 00743 Tape 121 Std 84 °F
Surveyed by J.H. Brown
Notes J.H.B. Date 9-14-62
Indexed C. J. GALLI

F. B. 2984 PG. 73

DIV. 86
REGION 45
O.M 2-3

LOT 11

40.30 (T=62) @ 5° 33' = 40.10

42.53 (T=68) @ 19° 30' = 40.09

Fd. 1/2" I.P. wood plug, no nail. Dn. 6" set nail in ctr.

Fd new 2x2 & nail flush on line. NO REF.

SKYLINE DR. (PROPOSED)

℄ LINE

146.67

C.S. 8842-4

Fd 1/2" I.P wood plug set small nail in ctr. Dn. 6" NO REF.

Fd 3/4" I.P cem plug & tag ± RCE 8244 flush Dn. 6" NO REF.

Fd 1/2" I.P wood plug no nail Dn. 6" set nail in ctr. NO REF.

set nail on line

Fd 1/2" I.P wood plug & cup tk. dn. 6" NO REF.

LOT 4

CONT. PAGE

41.69 (T=60) @ 16° 41' = 39.93

146.97 (T=64) @ 3° 27' = 146.68
146.99 (T=64) @ 3° 02' = 146.66

41.80 (T=64) @ 17° 17' = 39.90

41.72 (T=64) @ 16° 56' = 39.90

161.08 (T=72) Lcu = 161.07
0.89 (T=72) Lcu = 0.89
76.36 (T=72) @ 2° 30' = 76.28
238.24

161.97 (T=72) Lcu = 161.96
76.33 (T=72) @ 1° 52' = 76.28
238.24

Avg = 238.24

DIV. 108 REGION 45 O.M. 2-10

Note: Any Additions or Changes on This Sheet Must be Made & Circled in Red Ink With Date, and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 2984 Pg. 14

O.M. 23 DIVISION 86 REGION 45

LOT 11

C.S. 8842-4

Δ = 22° 27' 00"

R = 1200

T = 238.15

L = 470.19

1) 15.7	34	30
4) 27.0	18	40
6) 22.5	28	00
Avg 15.7	34	40

LOT 13



PI N° 3
Fd 2X2 & nail dn 15"
Replaced with 1" I.P.
& ENGR tag dn 15"
used for I.D.e
F.B. 254-7

POT
Fd. notted 2X2.
no nail Dn 15.
(POST N° 3-8 ER
254-7) Replaced
with 1" I.P. & L.S.
Co. ENGR tag
Dn 1.5" on Line

189.11 (T=7%) @ 9°13 = 186.66
189.23 (T=7%) @ 9°26 = 186.66 Avg = 186.66

LOT 4

DIVISION 108 REGION 45 O.M. 7-10

N 38 E

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this Title of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR
JN 00743 Tape 121 Std 84 °F
Surveyed by J.H. Brown
Notes F.B. 14-B Date Sept 62
Indexed C. J. GALLI

F. B. 2984 Pg. 15

LOT 13
OM 2-3

OFFICIAL MAPS OF COUNTY OF LOS ANGELES DIVISION 86
REGION 45

51.61 (T=78) Lev = 51.61 ✓
51.62 (T=78) Lev = 51.62 ✓ } 51.61 ✓

73.63 (T=78) Lev = 73.63 ✓
73.62 (T=78) Lev = 73.62 ✓ } 73.62 ✓

35.14 (T=78) Lev = 35.14 ✓
59.54 (T=78) Lev = 59.54 ✓
12.66 (T=78) Lev = 12.66 ✓
107.34 ✓
107.33 (T=78) Lev = 107.33 ✓ } 107.34 ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PAGE 14

Fd 1½ I.P. wood plug & cup tk. Dn 12" No Ref
40.87 (T=78) @ 12° 58' = 39.83

Set 1X2 & nail Push. on line

Fd nothing

Set spk & tin dn 3" on Line

39.83 ✓

SKYLINE DR
PROPOSED
73.62 ✓
PROP. ℄

35.14 ✓
59.54 ✓
90°
107.34 ✓

51.61 ✓
90°
39.94 ✓

C.S. 8872-4

40.15 ✓

45.34 ✓

(40)
(40)

CONT

CONT

Fd 1½" I.P. wood plug & nail, Dn 8" No Ref

Fd broken remains of 1X2, Dn 12" No Ref
(see Cor in lot 4 shown O.M. 2-10 as S 13°44' 33" W 40' from E'ly cor Lot 4)

42.08 (T=74) @ 18° 22' = 39.94 ✓

48.67 (T=86) @ 21° 19' = 45.34 ✓

42.92 (T=80) @ 20° 42' = 40.15 ✓

LOT 4

DIVISION 86 REGION 45
OM 2-10 / OM 2-9

LOT 3

76F3095 CE # 310 3-61

F.B. 2984 Pg. 16

LOT 13

DIVISION 6 REGION 45
OFFICIAL MAP OF LOS ANGELES COUNTY
O.M. 2-3

LOT 15

LS 38 57

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Fd 1½" I.P. w/ pod plug & cup tk in edge of ditch catch basin No. REF

PI #4
Fd notched 2x2 no nail. Dig 15" used cir. Replaced with 1" I.P. & L.A. Co. ENGR tag Dig 15" F.B. 259-8

1) 108 50 00
2) 75 20 00
3) 293 00 00
Avg = 108 50 00

16" RCP

17.60

12.00

59.54

107.34

PROP. ℄ C.S. 8842-4 Set nail & tin on line

PROPOSED SKETCH DEDICATION

10.00

50.00

C.S. 8842-4
Δ = 71° 16' 40"
R = 150
T = 107.35
L = 186.34

108.65 (T=80) @ 7° 29' = 107.72
108.40 (T=80) @ 6° 24' = 107.72

107.35' TANG.

CONT PAGE 17

LOT 3 DIVISION 108 REGION 45 O.M. 2-9

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR.
JN 007433 Tape 121 Std @ 70 °F
Surveyed by J. H. BROWN
Notes J. H. B Date 7-62
Indexed C. J. GALL

F. B. 2984 PG. 17

LOT 15

DIVISION 06
REGION 45
O.M. 2-3

CONT PAGE 16

42.71 (T=80) @ 22° 31' = 39.95

Fd 1½" I.P. wood plug & cap illegible flush. NO REF.

Fd 1½" I.P. wood plug & cap illegible dm. 4" NO REF.

39.95

P.O.T. set 1X2 C. nail in SIDE of cut bank o.m.

0.40

PROP. ℄ C.S. 8842-4

39.96

Fd nothing in cut bank

40.98 (T=80) @ 12° 49' = 39.96

120.60 Lev (T=82) = 120.60

50.93 (T=82) Lev = 50.93

Fd 1½" I.P. wood plug & nail flush (leaning S'ly) NO REF.

41.63 (T=90) @ 13° 23' = 40.50

40.50

43.54 (T=90) @ 22° 07' = 40.34

Fd 1½" I.P. wood plug dm. 6" set nail in otr. NO REF.

0.16

P.O.T. Set 1" I.P. & L.A. CO. ENGR. tag dm. 18" on line.

Set 1X2 C. nail flush on line

69.67 (T=82) Lev = 69.67

(40) (40)

LOT 3 DIVISION 108
REGION 45
O.M. 2-9

CONT PAGE 18

SKYLINE PROPOSED

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 2984 Pg. 18 LOT 13 DIVISION 86 REGION 45
OFFICIAL MAP O.M. 2-3

(Tape kept on same V.A with TRANSIT)
402.41 + 93.80 = 1962 ✓
103.17 + 93.04 = 196.21 ✓ Avg = 196.21 (T=7L) @ 6°18'
= 195.02 ✓

CONT PAGE 17

1)	74	02	40
4)	296	10	30
6)	84	16	00
Avg	74	02	40 ✓



C.S. 8842-4
Δ = 105° 57' 20"
R = 200
T = 265.20
L = 369.85

99.23 (T=7L) @ 12°24' = 96.91
99.48 (T=7L) @ 13°02' = 96.91 } 96.91 L

LOT 3 DIVISION 108 REGION 45 O.M. 2-9

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this file of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR.
JN0074.33 Tape 121 Std 84 °F
Surveyed by J. H. Brown
Notes J H B Date 9-62
Indexed C. J. GALLI

F.B. 2984 Pg. 19
LOT 16
DIVISION BG
REGION 45
O.M. 2-3

W.S. 38 C-5

Fd 1½" I.P. wood plug & cup tk. Dn 12" No REF.

162.44 (T=94) @ 4° 36' = 161.93
5.73 (T=94) Lev = 5.73
167.66

165.29 (T=94) @ 4°44' = 164.74
2.90 (T=94) Lev = 2.90
167.64

Avg = 167.65

CONT PAGE 20

39.62

39.93 (T=96) @ 7°11' = 39.62

Set 1½ nail on line

(40)

40.30

0.14

Fd 1½" I.P. dirt filled Dn 6" Set nail in drk No REF.

39.80 (T=94) @ Lev = 39.80

PROPOSED SKYLINE DR

Fd 1½" I.P. wood plug & cup flush No REF.

Set 1" I.P. L.A. Co ENGR tag Dn 24" on line.

Fd nothing (by pipeline)

S 0° 39' 13" W 53.25 per am. 2-9

Fd nothing near old fence cor.

Rec FB 254-9
T = 265.20
- 132.73
132.47
5

43.34 (T=96) @ 21° 36' = 40.30

POST 5 A FB 254-9 No SEARCH in ivy near driveway (owner states that 3 ft cut was made when drive was built.)

P.O.T. set 1" I.P. L.A. County ENGR tag Dn 12" on line.

CONT PAGE 18 DIVISION 45 (Sheet 2-9)

LOT 2 AM 2-9

165.20 (T=88) Lev = 165.20
165.22 (T=88) Lev = 165.22
165.21

186.66 (T=94) Lev = 186.67
186.68 (T=94) Lev = 186.69
186.68

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change!

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F.B. 2984 Pg. 20

LOT 15 DIVISION 8C REGION 45 O.M. 2-3

FB 254-9 & 10/06
132.73
486.81
619.54

Meas Pgs 18-19
96.91
3.09
165.21
186.68
167.65
619.54 ✓

PI #6
Set 1" I.P. L.A. Co ENGR tag DM 24" Dy. Rec. ANGLE (72°02'40") FB 254-9 ✓
& Rec. Dist. (619.54) ✓
from P.I. = S. pg 18



CONT PAGE

1)	106	30	00
4)	66	00	00
6)	379	00	20
Avg=	106	30	03 ✓

C.S. 8842-4
Δ = 73°30'30"
R = 225
T = 168.04
L = 288.67

CONT PAGE

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

LOT 2 DIVISION 10B REGION 45 O.M. 2-9

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR.
JN 007433 Tape 121 Std 84 °F
Surveyed by J. H. BROWN
Notes J. H. B. Date 9-62
Indexed C. J. GALLI

F.B. 2984 Pg. 21

W.S. 38 C-5



Lot 2 O.M. Region 45 Div. 106 sheet 9

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F.B. 2984 Pg. 22

104.62 (T=92) Lev = 104.62 } 104.62
104.62 (T=92) Lev = 104.62 }

C.S. 8842-4

Δ = 55° 13' 05"
R = 200
T = 104.60
L = 192.75

1) 124 44 10
4) 138 57 10
6) 28 25 50
Avg 124 44 18 ½

CONT PAGE 23

CONT PAGE 21



lot 2 sheet 9
O.M. 2-9

PI-7
Fd white top 2x2 dn. 12" per FB 254-11 Replaced with 1" I.P. cem plug & L.A. Co. ENGR tag dn 12" used for line.

Fd 1½" I.P. wood plug & nail flush see O.M. 2-9

Fd 1½" I.P. wood plug flush set nail in ctr. see O.M. 2-9

30.85 (T=72) @ 18° 50' = 29.20

33.23 + 39.06 (T=72) Lev = 72.28
Avg = 72.28
72.29 (T=72) Lev = 72.28

40.84 (T=72) @ 19° 52' = 38.41

24.34 (T=72) @ Lev = 24.34 } 24.34
24.34 (T=72) @ Lev = 24.34 }

NOT IN this survey

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR.
JN 0074.83 Tape 121 Std 84 °F
Surveyed by d. H. Brown
Notes d H B. Date 9-62
Indexed C. J. GALLI

F.B. 2984 Pg. 23

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

Fd. 1½" I.P wood plug flush set nail in cyn. No. REF.

Fd. nothing. East 1.2 sheet 2 Rep 45 a.m. 2.2

33.6 SKYLINE (PROPOSED)

8.41 (T=GG) Lev = 8.41
33.11 (T=GG) Lev = 33.11

40.39 (T=GG) @ 9° 54' = 39.74

Fd 1X2 sq nail FB 2984 page 37

Set 1X2 sq nail (40) on line flush

148.36

4.59

90°

Set 1X2 sq nail flush on line

33.11

32.30

0.13

23.82

Fd. 2X2 sq tk flush per FB 274-4A

Fd 1½" I.P wood plug & cup tk flush. No ref

8.41

9.22

2.34

90°

0.14

10.48

13.34

Meas FB 274-4A

13.75 (T=74)

10.48 (T=74)

37.09

0.7

66.07

14.9

37.0

Fd 1½" I.P wood plug & cup tk flush FB 274-4A

Fence Line

9.22 (T=GG) Lev = 9.22
32.30 (T=GG) Lev = 32.30

See page 39

Fd. no thing

Fd. 1X2 sq nail FB 2984-37

Lot 1 Sheet 9 on 2 Rep 45 Alhambra

See page 22

Meas 1) 129 04 00
4) 156 16 20
6) 54 24 40
Avg = 129 04 07
Suppl = 50 55 53

66.07 (T=74) Lev = 66.07

Fence Line

To sta on Alhambra

CONT

PAGE

CONT

PAGE



F. B. 2984 Pg. 24

Note: White top 2x2's labeled Const. #4" below are for ctr. of new Towers on EDISON CO. ETAWANDA-MESA-OLINDA TRANSMISSION LINES

198.78 (T=66') @ 3° 39' = 198.36 ✓
198.00 (T=66') @ 3° 01' = 198.36 ✓ } Avg = 198.36 ✓

237.75 (T=86) @ Lev = 237.75 ✓
237.68 (T=86) @ 1° 52' = 237.75 ✓ } 237.75 ✓

See ETAWANDA-MESA-OLINDA per EDISON CO.

68.31 (T=88) @ 1° 16' = 68.29 ✓
68.48 (T=88) @ 4° 17' = 68.29 ✓ } 68.29 ✓

58.78 (T=62) @ 2° 27' = 58.72 ✓
58.86 (T=62) @ 4° 00' = 58.71 ✓ } 58.71 ✓

8.31 (T=62) Lev = 8.31 ✓
8.31 (T=62) Lev = 8.31 ✓
Avg. = 8.31 ✓

P.O.T
Fd nothing
set 1" I.P. L.A. Co. ENGR tag DM. 12" on line

Fd 1X2 ✓ nail (new) flush. Guard lathe labeled "STA RE-17"

PAGE CONT

PUENTE

Fd new white top 2x2 up 3" GUARD stakes labeled "℄ CONST #4 West Line"

Set 1" I.P. L.A. Co. ENGR tag 0.16" on line

49.95 ✓

set 1X2 ✓ nail flush by ints

58.71 ✓

8.31 ✓

1.01 ✓

PAGE 23 L.A.

Set 1X2 ✓ nail by ints. flush

68.29 ✓

SKYLINE DR.

(PROPOSED)

237.75 ✓

℄ LINE

℄ LINE

Line for ties.

(40) 98.36 ✓

90°

0.37

47.9

Fence

OLD ℄

100'

18.2

41.9

Fd white top 2x2 nail new Flush. Guard lathe labeled "℄ CONST #4 EAST LINE"

1) 140 57 40
2) 281 55 20
Avg 140 57 40

Fd 1X2 ✓ nail new. flush. Labeled "STA. RE 18"

Fd white top 2x2 nail dn 12" per FB 323-49 Good CONDITION Removed

Fd 1X2 ✓ nail (new) flush guard stake labeled "STA. R.W.-20" (See ETAWANDA-MESA-OLINDA Line per ED. Co.)

CONT

101.83 (T=90) @ 8° 04' = 100.82 ✓
101.48 (T=90) @ 6° 32' = 100.82 ✓ } 100.82 ✓

49.95 (T=86) @ Lev = 49.95 ✓
49.95 (T=86) @ Lev = 49.95 ✓ } 49.95 ✓

48.79 (T=62) Lev = 48.78 ✓

34.97 (T=62) Lev = 34.96 ✓
83.74 ✓ } 83.75 ✓

83.77 (T=62) Lev = 83.76 ✓

(1) 39-00-00
(2) 78-00-00
39-00-00

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SKYLINE DR.
Map No.	JN007433 Tape 121 Std 84 °F
Office Work	Surveyed by R. H. Brown
Checked	Notes R. H. B Date 9-62
Date	Indexed C. J. GALLI

F. B. 2984 Pg. 25

W.S. 38, C-5

PAGE 24

163.66 (T=62) @ 10° 16' = 161.00
163.13 (T=62) @ 9° 12' = 161.01 — 161.01
43.28 (T=72) @ 8° 43' = 42.78
39.31 (T=72) @ 15° 25' = 37.90

C.S. 8B42-4
Δ = 100° 10' 05"
R = 300
T = 358.59
L = 524.48

Fd white top 2x2 Enail Lying on side Set 1" IP L.A. Co. ENGR tag dn. 18" 3.43 from 2x2 (old PI 8 per FB 323-49) on line prod from South to North

RANCHO LA PUENTE

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61



PAGE 26

F.B. 2984 Pg. 26

CONT

PAGE 25



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 38 C-5

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR.
JN 0074.33 Tape 121 Std 84 °F
Surveyed by J. H. Brown
Notes J. H. B. Date 10-10-62
Indexed L. J. GALLI

F.B. 2984 Pg 29

53.00 (T=60) @ 11°54'00" = 51.85 ✓
52.80 (T=66) @ 10°50'00" = 51.85 ✓ 51.85 ✓

52.31 (T=66) @ Lev = 52.30 ✓
52.31 (T=66) Lev = 52.30 ✓ 52.30 ✓

104.15 ✓

59.89 (T=70) Lev = 59.88 ✓
59.89 (T=70) Lev = 59.88 ✓ 59.88 ✓

128.23 (T=70) @ 4°22' = 128.35 ✓
128.98 (T=70) @ 5°35' = 128.36 ✓ 128.35 ✓

188.23 ✓

C.S. 8842-4

1) 128° 04' 30"
2) 152 19 20
3) 48 28 50
Avg = 128 04 48 ✓

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

RANCHO LA PUENTE CONT. PAGE 216

Set 1" I.P. L.S.A. CO. ENGR tag Dn. 15" on line.

104.15 ✓ L I N E

Ed 2x2 spike (rolled) dn. 12" Ref. FB 323-49-50

0.09

188.23 ✓

38.12 (T=70) Lev = 38.12 ✓
38.12 (T=70) Lev = 38.12 ✓ 38.12 ✓

23.52 Lev (T=54) = 23.52 ✓
23.52 Lev (T=58) = 23.52 ✓ 23.52 ✓

74.96 Lev (T=64) = 74.95 ✓
74.97 Lev (T=64) = 74.96 ✓ 74.96 ✓

98.48 ✓

71.81 (T=64) Lev = 71.80 ✓
244.12 (T=64) @ 0°53' = 244.06 ✓
315.86 ✓

72.52 (T=64) Lev = 72.51 ✓
243.40 (T=64) @ 0°53' = 243.34 ✓
315.85 ✓

98.48
23.52
74.96 ok

Ed white top 2x2 spike Dn 8" good condition

04 48 (R)
05 40 (R)
set nothing
98+8 ✓
38.12
74.96
set nothing
set 1x2 s.s. bail on ℄ line
23.52 prod
set nothing

Ed white top 2x2 spike good condition Dn 12" Replaced with 1" I.P. L.A. Co. ENG'R tag Dn. 24"

315.85 ✓

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

76F3095 CE # 310 3-61

F.B. 2984 Pg. 28



PAGE 26

COAST

313.96

R.M. NO. 1
Ed. Std. L.A. COUNTY
CONTROL SYSTEM
REFERENCE MARK
UP 4" STAMPED
AS SHOWN
GOOD CONDITION

R.M. NO. 2
Ed. Std. L.A. COUNTY
CONTROL SYSTEM
REFERENCE MARK
up 3" STAMPED
AS SHOWN
Good CONDITION

161.65 (T=58) @ 11° 28' = 158.39 } 158.39
161.25 (T=58) @ 10° 46' = 158.38 }

139.08 (T=58) @ 13° 15' = 135.36 } 135.35
139.64 (T=58) @ 14° 12' = 135.35 }

20.22 (T=58) Lev = 20.22 } 20.22
20.22 (T=58) Lev = 20.22 }

313.96

44.53 (T=58) Lev = 44.52

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKY LINE DR
JN0074B3 Tape 121 Std 84 °F
Surveyed by J. H. Brown
Notes J. H. B Date 10-16-62
Indexed C. J. GALLI

F. B. 2984 Pg. 29

Note: This page begins "P" Line as proposed by dotted line on quad sheet from office.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

21.35 X sin 55 48 35 = 17.66 calc.
103.22 Meas
120.88 calc

69.22
-17.66
51.56 calc

LOT LINE
N 36° 15' E 62.38'
per O.M. 2-3

145° 48' 35"

1) 145 48 40
2) 223 14 30
3) 154 51 30
Avg = 145 48 35

69.23 (T=52) = 69.22
103.24 (T=52) = 103.22

"P" LINE

set 1X2 & nail flush by ints

set nothing

Fd 1X2 nail

Pg 11

308.64

69.22

103.22

120.88 set per Pg 11

set nothing

90°

120.00 Meas Not Rad

Lev (T=80)

21.35

PAGE

"P" LINE

51.56 calc

309.01

120.88 calc TOP page

Fd nothing OM 2-3

TRANSIT LINE
APPROX ℄
SKYLINE DR
Per FB 254-5&6
See Pg 11.

CONT

P-2 (DIV #4)
Set 1" I.P. & L.A. COUNTY ENG. & tag dn. 24" by ints of "P" LINE prod from NE to SW & Transit LINE Pg 11. (Set 2" guard pipe 5' N'ly)

8455.44

21.33 (T=80) @ 17° 00' = 21.35
22.13 (T=80) @ 15° 16' = 21.35

39.88 (T=52) Lev = 39.87
39.88 (T=52) Lev = 39.87

REGION AS DIVISION 86. LOT 10

O.M. 2-3

76F3095 CE # 310 3-61

F.B. 2984 Pg. 30

(of end of curves)

Note: 1½" I.P. fd. below are reasonably close to position as shown on office Map 2-3 Region 45 Division 8C. No reference to anything set was found in pouch.

40' easement Reserved for road purposes per O.M. 2-3

95.60 (T=56) Lev = 95.58
95.60 (T=56) Lev = 95.58

95.58

Fd 1½" I.P. wood plug & nail flush NO REF.

39.54 (T=56) @ 3°22 = 39.46

4.52

39.46

95.58

set nothing

Fd 1½" I.P. wood plug, set nail in cr. NO REF.

30.58 (T=54) @ 8°28' = 30.24

(PRIVATE) (ROAD)

110.68

LOT 11
P-2A 10+73.34
Fd 1½ I.P. wood plug no nail flush set nail in cr & used for line. NO REF.

90°

set spk & tin flush on line

39.87

111.37 (T=54) 6° 14' = 110.69
111.62 (T=54) 7° 22' = 110.68
Avg. = 110.68

CONT. PAGE

SKYLINE DR.

O.M. 2-3

REGION 45 DIVISION 8C
LOT 10

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SKYLINE DR
Map No.	JN 0074.33 Tape 100' Std 68° F
Office Work	Surveyed by C.H. Brown
Checked	Notes C. H. B. Date 10-62
Date	Indexed C. J. GALLI

F.B. 2984 Pg. 31

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

NOTE 1½" I.P.s shown below are reasonably close to position of lot corners & curve ends as shown on OFFICE MAP 2-3 REGION 45 DIVISION BC No reference to anything being set was found in pouch.

Lot 8 per OM 2-3

Lot 7 per OM 2-3

202.30 (T=58) @ 2°39' = 202.05
202.43 (T=58) @ 3°18' = 202.06 — 202.06

58.80 C (T=58) @ Lev = 58.79
58.80 C (T=58) @ Lev = 58.79 — 58.79

Fd 1½" I.P. wood plug & nail flush no ref

Fd 1½" I P wood plug & nail. Dn. 12" no ref

40' STRIP Reserved for Road purposes per OM 2-3

(PRIVATE) (ROAD)

Set 1½" I.P. punch mark ch. pt.

CONT. PAGE 32

Lot 10 per OM 2-3

Fd 1½" I.P. disc plug no nail Dn 12" no ref

89.40 (T=58) Lev = 89.59 set nail & tag

27.66 (T=58) @ 17°22' = 26.40

set nail & tag

27.10 (T=58) Lev = 27.10

set spike & Tim. Flr. on line

61.41

Fd 1½" I.P. wood plug flush. Set nail in ctr. Dn. 12" No ref

CONT. PAGE 30

38.06 Lev (T=58) = 38.05
23.36 Lev (T=58) = 23.36
61.41
61.42 Lev (T=58) = 61.41 — AVG = 61.41

Lot 11 per OM 2-3

D.M. 2-3

F.B. 2984 Pg. 32

REGION 45 DIVISION 86
LOT 7

193.71 (T=68) @ 8° 01' = 191.80 } 191.79
193.94 (T=68) @ 8° 32' = 191.77 }

47.15 (T=70) @ 10° 08' = 46.41 } 46.41
46.80 (T=70) @ 7° 57' = 46.41 }

238.20

32.51 (T=64) Elev = 32.51

58.52 (T=64) Elev = 58.51



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SKYLINE DR.
Map. No.	JN 0074-33 Tape 186 Std 84 °F
Office Work	Surveyed by J. H. BROWN
Checked	Notes J. H. B Date 10-·62
Date	Indexed C. J. GALLI

F. B. 2984 Pg. 33

LOT 1 LOT 2

Fd old 2X2. E nail dn. 12" PARTLY rotted filled rotted portion with cement to hold nail No ref.

(PRIVATE)

40' easement reserved for road purposes per BM 2-3

LOT 12

Fd nothing.

108.69 ℄

114.51 (T=66) @ 18°20' E

108.69

℄ 238.20

7.53

set nail

837.18

"P" LINE

P-3A 16+83.38

Set 1" I.P. E.L.A. COUNTY ENGR tag Dia" 29 (wiggle pt.)

CONT PAGE 3

CONT PAGE 4

129.35 (T=70) Lev = 129.34
129.35 (T=70) Lev = 129.34 } 129.34

281.84 (T=64) @ 2° 16 = 281.58
281.73 (T=64) @ 10 °95 = 281.58 } 281.68

297.98 (T=62) @ 1° 18 = 297.86
298.03 (T=62) @ 1° 38 = 297.85 } 297.86

128.42 (T=62) Lev = 128.40
128.42 (T=62) Lev = 128.40 } 128.40

837.18

REGION 45 DIVISION 86
D.M. 2-3

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3096 CE # 310 3-61

F.B. 2984 Pg. 34

REGION 45 DIVISION 86

61.57 (T=60) 14° 38' 30" = 59.56
61.02 (T=60) 12° 45' 00" = 59.56 } 59.56

97.68 (T=62) 21° 07' 00" = 91.11
96.17 (T=62) 18° 39' 00" = 91.11 } 94.11

150.67

LOT 16

1) 165 56 30
4) 303 46 00
6) 275 39 20
Avg. 165 56 33



O.M. 2-3

REGION 45 DIVISION 86

CONT PAGE 35

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR
JN 0074.33 Tape 186 Std 94 °F
Surveyed by J. H. Brown
Notes: J. H. B Date 10- -62
Indexed

F. B. 2984 Pg. 35

REGION 45 DIVISION 86

139.68 (T= 64) @ 19° 24' 00" = 131.73 } 131.73
139.80 (T= 64) @ 18° 20' 00" = 131.74 }

139.87 (T= 70) @ 10° 07' = 137.69 } 137.69
139.46 (T= 70) @ 9° 08 = 137.68 }

55.45 (T=70) Lev = 55.44 } 55.44
55.95 (T=70) Lev = 55.44 }

324.86

LOT 16



Set 1x2 Chal
dn. 3" on
line 2.7 west
of wire & board
fence

324.86

150.67
P-LINE

CONT PAGE

40' easement
reserved for road
purposes per
M.R. 82-3

CONT PAGE

OM 2-3

REGION 45 DIVISION 86

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 2984 PG. 36

REGION 45 DIVISION 86

(T=72)
285.76 @ 2°46' = 285.41
285.86 @ 3°08' = 285.41 } 285.41

LOT 3
ON 2-2

set nail & tin up 5.1 in 5" walnut

set nail & tin up 2.1 in 8" walnut

set 2" guard pipe

29+96.09
P-5
set 1" I.P. & ENGR tag dimpled small low ridge

1)	138	49	30
4)	195	14	20
2)	112	51	20
AVG =	138	48	33

54.68

35

8.5

5

7

324.86

"P" LINE

5796

138° 48' 33"

285.41 "P" LINE

CONTINUED

set nail & tin up 1" in 12" walnut

CONT PAGE

REGION 45 DIVISION 86

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red, Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR.
JN 0074.83 Tape/EC Std 68 °F
Surveyed by J. H. Brown
Notes J. H. B. Date 10-62
Indexed C. J. GALLI

F.B. 2984 Pg. 37

Set nail & tin in 20" black walnut tree

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

76F309S CE # 310 3-61

PAGE 36

26.94 (T=74) Lev = 26.94 } 26.94
26.94 (T=74) Lev = 26.94 }

98.91 (T=78) @ 7°52' = 97.98 } 97.98
98.62 (T=78) @ 6°28' = 97.99 }

51.83 (T=76) Lev = 51.83 } 51.83
51.83 (T=76) Lev = 51.83 }

LOT 3 OF

CONT

285.41 P.U. LINE

3278 1.50 Set 1X2 ¢ nail on line

39.92 (T=72) @ 2° 15' = 39.89

Fd 2" I.P wood plug, nail flush (See am. 2-2)

Fd 1" I.P. tagged "LS 8042" flush

Lev. (T=74) 27.07

LOT 17

Fd capped 2" I.P up 0.11' pk. CS 8042-4 marked

26.98 Lev. (T=74)

BM Skyline page 42

28.18

28.30 Lev. (T=74)

SKYLINE DR. (PROPOSED)

28.60 Lev. (T=74)

29.12 Lev. (T=74)

Fd 1½" I.P wood plug, new nail top, page 23

Fd 1" I.P. 0.11' high

Fd 1" I.P. 0.71' high

Fd 1" I.P. 0.71' high

Fd 1" I.P. 0.71

F. B. 2984 Pg. 38

213.02 (T=80) @ 0° 54' = 212.98 } 212.98
213.00 (T=80) @ 0° 31' = 212.98 }

67.42 (T=80) @ 17° 54' 20" = 64.15 } 64.14
66.58 (T=80) @ 15° 33' 40" = 64.14 }

85.08 (T=80) @ 4° 38' = 84.80 }
85.35 (T=80) @ 6° 21' = 84.83 } 84.81
85.23 (T=80) @ 5° 41' = 84.81 }

361.93

290.30 (T=78) @ 4° 55' = 289.22 } 289.23
290.04 (T=78) @ 4° 13' = 289.24 }

157.70 (T=56) @ 8° 48' 40" = 157.82 } 155.81
157.69 (T=56) @ 8° 49' 10" = 155.81 }

217.76 (T=56) @ 1° 40' = 217.61 } 217.62
217.71 (T=56) @ 1° 05' = 217.63 }

662.66

662.66

PAGE 37

CONT'D PAGE 39

CONT'D LINE

131°

36'

25"

Set nail & tack in 2.5 ft. Birch between 2 stakes on ℄ alignment

S 29° E

36+70.37 P.C.

Set 1" I.P. L.A. COUNTY ENGR tag Dn 10'

5'

80.41 (T=80) ℄ LINE

48° 23' 35"

set 2" guard pipe up 3'

N 75° E ✱ compass set for deflection 16° 55' E

1) 131° 36' 25"
4) 166 25 40
6) 69 38 30
Avg = 131 36 25

1) 48 23 30
4) 193 34 20
6) 290 21 30
Avg = 48 23 35

Set 1X2" punch mark pg. 1 of ℄s

126° 34'

371'

Pg. 24

161.01 pg 24

PAGE 25

CONT'D

24

Pg. 24

58.71

5.78

℄ LINE DR.

Pg. 24

68.29

℄ LINE per pg 8A

Fd 1" I.P. tag pg. 24

Fd 1/2" nail pg. 24

1) 53° 25' 20"
4) 213 41 30
6) 320 32 50
Avg 53 25 23

Not Tangent

To Sight on 250 ± SO. ℄ LINE Prod. Use Brick set on ℄

CONT. PAGE 24

RANCHO LA PUENTE

80.41 (T=80) Lev = 80.41 } 80.41
80.41 (T=80) Lev = 80.41 }

5.78 (T=80) Lev = 5.78 } 5.78
5.78 (T=80) Lev = 5.78 }

Re Run 10-8-63

1) 126 34 00
4) 146 16 40
6) 39 26 40
Avg = 126 34 10

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR
JN 0074.33 Tape 186 Std 84 °F
Surveyed by: J. H. Brown
Notes J. H. B Date 10-62.
Indexed C. J. GALLI

F.B. 2984 Pg. 39

71.71 (T=56) Lev = 71.70 } 71.70
71.71 (T=56) Lev = 71.70 }

48.14 (T=56) @ 4° 13' = 48.00 } 48.00
48.38 (T=56) @ 7° 07' = 48.00 }

232.02 (T=58) @ 5° 39' = 230.85 } 230.85
231.79 (T=58) @ 5° 03' = 230.85 }

247.78 (T=78) @ Lev = 247.77 } 247.77
247.79 (T=78) @ 0° 33' = 247.77 }

248.47 (T=78) @ 14° 01' 20" = 241.06 } 241.04
247.74 (T=80) @ 13° 21' 20" = 241.03 }

839.36

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

RANCHO LA PUENTE

P-7 43+33.03
set 1" IPF
L.A. Co. ENGR
tag Dn 1.0"

set 2" guard pipe up 3'

660.66

"P" LINE

116 56 47

839.36' "P" LINE

1)	116	56	47	0
4)	107	47	00	0
6)	341	40	47	0
Avg	116	56	47	

CONT PAGE 40

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7AF3099 GE # 310 3-61

F. B. 2984 PG 40

CONT. 39

PAGE

30.00 S1M 72° 14' 45" = 31.50

31.50 X Sin 17° 45' 15" = 9.61

89.02
-64.98
24.04
-15.30
8.74

P.T. A 5+17.39
Set 1" I.P. & L.A. Co.
ENGR tag. Dn 12
on line & calc Dist
(31.50) from spk
& tin.

Fd square
2"x2" hole in
rocky ground,
filled with silt
(See R.P.P.)
FB 323-51

Fd nothing
FB 323-51

Fd old 2x2
Leaning north
in drainage
See P.I. # 10
FB 323-50 E51

Set nail on line
up 6ft in 26"
Eucalyptus

Set nail &
Tin in root
of 36" Eucalyptus

Fd nothing
set nothing

Calc 9.61

Set SPK & Tin. Dn I.P. In rock. By ints of ℄ Line & "P" Line

30.00 (T=70) Lev = 30.30
30.00 (T=70) Lev = 30.30
30.00

1) 72° 14' 40"
2) 288 58 50
3) 73 28 30
Avg = 72 14 45

Fd rolled remains of 2x2 & nail
FB 323-50

REPLACED WITH 1" I.P. & L.A.C. ENGR tag #18" used for ℄ Line

Set nail 30.00 from 1" I.P.

273.14 (T=82) @ 7° 22' = 270.89
241.37 (T=82) @ 7° 22' = 239.38
31.50 (T=62) Lev = 31.50
270.88

272.08 (T=68) @ 1° 49' = 271.91
272.21 (T=68) @ 2° 28' = 271.93
271.92

72.88 (T=74) @ 14° 45' 40" = 70.47
72.25 (T=74) @ 12° 43' 20" = 70.48
70.48

CONT. PAGE 41

C.S. 8842-4

RANCHO LA PUENTE

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

C-5

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR.
JN 0074.33 Tape 186 Std 84 °F
Surveyed by J. H. Brown
Notes J. H. B. Date 10-29-62
Indexed C. J. GALLI

F. B. 2984 Pg. 41

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

CONT FROM PAGE 40

2,700.88 R.P. TO P.I.

Δ 7° 24'

D 2°

1) 147° 24' 00"
4) 229° 36' 20"
4) 164 24 19
Avg = 147 24 02

42

"A" LINE

54+43.27 P.C.

35.8

Set 1" I.P. Cem. plug & L.A. Co ENGR tag dn 6" FOR ANGLE PT. in "A" LINE

488.34

Set 2" guard pipe up 3' Fence

60' SE of bend

Sence 97' SE of bend

90

16

55.52

CONT PAGE

156.48 (T= 90) @ 6° 46' = 155.40
156.27 (T= 90) @ 6° 01' = 155.42 } 155.41

291.92 (T= 90) @ 6° 45' = 289.91
292.31 (T= 90) @ 7° 22' = 289.91 } 289.91

44.53 (T= 90) @ 15° 02.20 = 43.00
43.96 (T= 90) @ 11° 48' 00" = 43.03
44.21 (T= 90) @ 13 19 00 = 43.02 } 43.02

488.34

Set 1" I.P. Cem. plug & L.A. Co ENGR tag dn 6" FOR ANGLE PT. in "A" LINE

ANGELA PUENTE

17.96

F. B. 2984 Pg. 42

300.2 @ 12°20' = 293.3
97.8 @ 7°00' = 97.1
390.4

1) 110° 13' 30"
2) 110 54 40
3) 301 22 20
Avg 110 13 43

CONT PAGE 43



300.9 @ 10°36 = 295.8

Re-pull JMB

Chino basin

135.73	(T=82)	@ 3° 17' =	~~135.51~~	153.48
135.86	(T=82)	@ 4° 03' =	~~135.52~~	~~135.52~~
			153.48	
212.13	(T=84)	@ 10° 05 20" =	208.85	208.85
212.49	(T=84)	@ 10 3 20 =	208.85	
285.19	(T=86)	@ 22° 59 20 =	262.54	262.54
~~289.35~~	~~(T=86)~~	~~@ 22 36 40 = 262.54~~		
289.77	(T=86)	@ 22 47 20 = 262.54		
66.50	(T=90)	@ 11° 41 20" =	65.12	65.12
67.02	(T=90)	@ 13°38 00" =	65.13	
30.72	(T=90)	Lev =	30.72	30.72
30.72	(T=90)	Lev =	30.72	
				~~702.75~~
				720.71

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR
JN 0074.33 Tape 186 Std 84 °F
Surveyed by C.H. BROWN
Notes C.H.B Date 10-30-62
C. J. GALLI
Indexed

F. B. 2984 Pg. 43

RANCHO LA PUENTE

244.57 (T=92) 6° 45' = 242.88
244.49 (T=92) 6° 28' = 242.89 } 242.88

298.26 (T=92) 7° 04 = 296.01
298.52 (T=92) 7° 32 = 295.96 } 295.98

88.23 (T=94) 10° 24' 40" = 86.79
87.89 (T=94) 9° 04' 00" = 86.80 } 86.80

625.66

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 510 3-61

Set 2" guard pipe up 8"

P-10 66+52.32
set 1" I.P. & L.A. Co.
ENGR tag Dn. 12"
for angle point in P.L. LINE

318.3

163°

1) 163 06 20
4) 292 25 10
6) 258 37 40
Avg. = 163 06 17

CONT PAGE 42

CONT PAGE 44

Notes Ck'd by	Survey of SKYLINE DR
Map No.	JN 0074.33 Tape 186 Std 84 °F
Office Work	Surveyed by J. H. BROWN
Checked	Notes J. H. B Date 11-5-62
Date	Indexed C. J. GALLI

F. B 2984 PG. 45

11 154 41 20
4) 258 45 00
C) 208 07 40
Avg = 154 41 17

P-12 807+74.02
Set 1" I.P & L.A Co.
ENGR tag DN. 8"
ANGLE POINT IN "P" LINE.



CONT PAGE

85.65 (T=56)	Lev	= 85.63	85.62
85.64 (T=56)	Lev	= 85.62	
111.94 (T=56)	4° 51'	= 111.52	111.52
112.09 (T=56)	5° 38'	= 111.53	
106.37 (T=56)	17° 51' 40"	= 101.22	101.23
105.67 (T=56)	16° 36' 20"	= 101.24	
367.21 (T=58)	Lev	= 367.15	367.15
367.21 (T=58)	Lev	= 367.15	
161.07 (T=62)	5° 16'	= 160.37	160.37
161.25 (T=62)	5° 56'	= 160.37	
299.53 (T=63)	3° 15'	= 299.01	299.00
279.91 (T=62)	2° 53'	= 298.99	
65.77 (T=68)	11° 59' 40"	= 64.32	64.32
65.98 (T=68)	10° 42' 20"	= 64.33	
125.56 (T=64)	Lev	= 125.54	125.54
125.57 (T=64)	Lev	= 125.55	
288.39 (T=64)	4° 51'	= 287.32	287.31
288.51 (T=64)	5° 10'	= 287.30	
56.65 (T=64)	Lev	= 56.64	56.64
56.66 (T=64)	Lev	= 56.65	
			1658.70

RANCHO LA PUENTE
CONT PAGE

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side off this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F.B. 2984 Pg. 46

L.S. 150
R.F. 568

(PUENTE OIL CO.)

(JOHN ROWLAND ET. AL)

299.49 below
89.10 "
146.60 "
530.19 "



45

old Fence LINE
6 strands
barbed wire

EDGE

97+32.72
P-12A
Set 1" I.P
EL. A. Co ENGR
tag on line
DH. 10"

"P" LINE

1658.70

411.6'

10° 33'

530.19

1137.39

CONT

PAGE 47

299.77 (T=94) @ 2° 34' = 299.49 } 299.49
299.27 (T=94) @ 2° 05' = 299.49 }

86.27 (T=94) @ 12° 54' 00" = 84.10 } 84.10
85.76 (T=94) @ 11° 20' 60" = 84.10 }

147.21 (T=92) @ 5° 17' = 146.59 } 146.60
147.92 (T=92) @ 6° 06' = 146.60 }

150.96 (T=92) @ 2° 38' = 150.81 } 150.82
151.06 (T=92) @ 3° 12' = 150.83 }

234.74 (T=92) @ 3° 02' = 234.42 } 234.42
234.79 (T=92) @ 3° 16' = 234.42 }

223.08 (T=90) @ 5° 44' = 221.97 } 221.96
222.92 (T=90) @ 5° 23' = 221.95 }

SUM = 1137.39

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by:
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR.
J No 2279.33 Tape 100 Std 68° F
Surveyed by L. H. BROWN
Notes L.H.B. Date 9-63
Indexed C. J. GALLI

F.B. 29884 Pg. 47

L.S. 150
R.E. 568
(JOHN ROWLAND ET. AL.)



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

Sect. on line

Page 46

Page 46

Page 46

F. B 2984 PG. 48

L.S. 1150 (JOHN ROWLAND ET AL.)

TR 3941 LOT 1
LOT 2 GRADIDE TRACT

299.20	(T=92)	@ 2° 26'	=	298.95	298.95
299.36	(T=92)	@ 3° 04'	=	298.95	
81.03	(T=92)	LCU	=	81.03	81.03
81.03	(T=92)	LCU	=	81.03	

379.98

Fd 4" Brass cap on 2" I.P. projecting 8" Stamped corn filled 5" casing (Flush) MARKED L.S. Shown. See PB 187/5-206

P-12-B

Set 1" I.P. & County Engineer tag on line on side hill Dn. .40'

N. LOT 2 GRADIDE TRACT

PARCEL 1

ANGLE PT. B.L.S. (LAT. 493)

21.8

OLD BARBED WIRE FENCE

FENCE LINE prod TO Brass cap @ TR. COR

See Pg 147

See Pg 147

1) 82° 30' 00"
4) 330 00 20
6) 135 00 40
Adj) 82 30 07

1) 123° 22' 10"
4) 133° 29' 10"
6) 20 13 40
Adj = 123 22 17

PAGE 37

PAGE 38

N37°30'E 379.98

123°

P-12-C

Set 1" I.P. & L.A. Co. Engineer tag On 10' On line On SE side of small nose

"D" LINE

379.45

SEE PG. 147

283.02	(T=90)	@ 5° 03'	=	281.93	281.93
283.19	(T=90)	@ 5° 23'	=	281.94	
299.18	(T=90)	@ 13° 20' 40"	=	290.95	290.96
299.20	(T=90)	@ 13° 48' 00"	=	290.96	
59.51	(T=58)	@ 18° 05' 00"	=	56.57	56.57
58.95	(T=58)	@ 16° 20' 00"	=	56.57	

629.46

77.67	(T=60)	@ 6° 41'	=	77.13	77.13
77.81	(T=60)	@ 7° 31'	=	77.12	
296.10	(T=60)	@ 11° 52' 30"	=	289.71	289.70
296.42	(T=60)	@ 12° 11' 20"	=	289.69	
105.16	(T=60)	@ 15° 10' 20"	=	101.48	101.47
104.75	(T=60)	@ 14° 21' 20"	=	101.46	

468.30

LOT 1 GRADIDE TRACT

M.B. 14-155-159

5-0 1955

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE OD
JN 0074 23 Tape 102 Std 99.4 °F
Surveyed by L.L. Brown
Notes L.L.B. Date 9-63
Indexed C. J. GALLI

F.B. 2994 Pg. 49

Note: change from Tape #182 to #102 @ P-12 C.

M.B. 14-158-159

49.94 (T=94) @ Lev = 49.94
49.95 (T=94) @ Lev = 49.95 } 49.94

218.21 (T=98) @ 1°03' = 218.19
218.17 (T=98) @ 0°31' = 218.18 } 218.18

AS 33 (T=98) @ 11°56.00" = 44.35
44.12 (T=98) @ 7°44.90" = 44.36 } 44.36

312.48

P-12 D
Set 1" I.P. & Co. ENGR Tag dtn 10" on small Edge going N'ly from NW Cor. SPK

P-12 E
Set 1" I.P. & Co. ENGR Tag dtn 1.2' Lft. on line with On line

Set nail & dtn on 6" in 18" walnut

Set nail underside of 10" Log at 18" walnut 10 3°W

97.01 (T=102) @ 15°02.20" = 93.70 } 93.70
96.48 (T=102) @ 13°50.20" = 93.69 }
269.60 (T=104) @ 6°02.8" = 267.91 } 267.90
269.35 (T=104) @ 6°0.1" = 267.90 }
182.55 (T=102) @ 9°40" = 179.98 } 179.98
182.68 (T=102) @ 9°55" = 179.97 }

54A/58

98.52 @ 9°27' (T=72) = 97.17 } 97.18
98.86 @ 10°32' (T=72) = 97.18 }
156.95 @ 16°40' (T=72) = 156.64 } 156.64
158.92 @ 16°40' (T=72) = 156.65 }
247.82

71.83 @ 12°09' 40 (T=72) = 69.82 } 69.82
72.00 @ 14°04' 00 (T=72) = 69.83 }

Set 2" I.P. Pup 3'

Ed brass cap in ch marked as shown above, at Catalina Tracks. Near over this mark split pine cork. Cam pipe, pipe still used as std.

M.B. 14-158-159

Notes: Any Additions or Changes on This Sheet Must Be Made in Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line to this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F 309S CE #3100 d.d.62

F.B. 2994 Pg. 50

Cont page 52

1) 98 05 50
4) 32 23 10
6) 228 34 50
Avg = 98 05 48



157.07 (T=102) @ 14° 14' 20" = 152.86 } 152.26
156.66 (T=102) @ 13° 38' 00" = 152.25 }

17.23 (T=102) @ 4 Lcv = 17.23 } 17.23
17.23 (T=102) @ 4 Lcv = 17.23 }

169.49

Direct (Reverse = 15° 17' 20")
177.86 (T=70) @ 15° 15' 00" = 171.58? 171.56
177.18 (T=70) @ 14° 28' 00" = 171.59?
Revised

21.65 (T=70) 4 Lcv = 21.65? 21.65
21.65 (T=70) 4 Lcv = 21.65

193.21

M.B. 14-158-159

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR
J.N. 2074.33 Tape 102 Std 64° F.
Surveyed by ICI + N. Dir. assist
Notes H.G. Date 9-63
Indexed C. J. GALLI

F.B. 293-1 PG. 57

CONT PAGE 50

R.P. P-13
Set 1" I.P.
L.A. CO. ENGR
trg. P.A.
22° "D" Alone
Pond @ 900
To Centerline Sta
BREA 1939"

53.59 (T=BB) Lev = 53.59
53.59 (T=BB) Lev = 53.59 } 53.59

72.79 (T=BB) @ 21°03'00" = 67.937
72.114 (T=BB) @ 19°42'20" = 67.992 } 67.92

112.51 (T=BC) @ 11°45'30" = 110.153
112.93 (T=BC) @ 12°42'20" = NO.164 } 110.16

47.85 (T=BC) @ 40°25' = 47.713
48.10 (T=BC) @ 7°11' = 47.772 } 47.71

Total: 279.38

RM No 1
Fd Std. U.S.C&GS
REF MARK STAMPED
"R.M. NO.1
BREA 1939"
UP 4"

RM NO 2
Fd STD U.S.C&GS REF
MARK STAMPED
"R.M. NO 2 BREA 1938"

92°13'25"
69.07

Set 2" I.P.
up 3"

GEODETIC CONTROL

Fd. Brass Cap
Monument 12' SE
conc. post up
4" marked
as shown

69.08 (T=CB) Lev = 69.07 } 69.07
69.08 (T=CB) Lev = 69.07 }
56.80 (T=CB) Lev = 56.79 } 56.79
56.80 (T=CB) Lev = 56.79 }
91.11 (T=CB) Lev = 91.10 } 91.11
91.12 (T=CB) Lev = 91.11 }

183.28 (T=BB) Lev = 183.28 } 183.28
183.28 (T=BB) Lev = 183.28 }

M.B. 14-158-159

D: 17° 2C 10"
R: 69 44 40
C) 104 36 50
Avg = 17 26 10

D: 92° 13' 20"
R) 368 55 40
C) 193 20 30
Avg = 92 13 25

Note: Any Additions or Changes on this Site Must be Made or Ginched in Red Ink With Date and Name of Person Making Change.

Do not extend this file of this like

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7dF309s CE #3 0 8-62



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office of Work
Checked
Date

Survey of SKYLINE DR
JN 00433 Tape 102 Std 84° F
Surveyed by H. H. BROWN
Notes H. H. B. Date 10-1-65
C. J. GALLI

F.B. 2984 PG. 53

TRACT 3941 LOT 1/2

Set nail & tin up 18" in 12" WALNUT TREE

Set nail & tin up 4 in 10" walnut

TAPE 0218 Std @ 68°

77.98 (T=68) @ 15°57' 10" = 74.98

57.62 (T=68) @ 9°34 = 56.82

SKYLINE DR.

COURT PAGE

P=14

Set 1" I.P. Cem. Plug & tag Dn. 12 in 3' x 3' sq. p.l.s.

1) 159 42 30
2) 278 50 30
3) 238 15 30
Avg=159 42 37

159°

TAPE 102 Std @ 84°

297.89 (T=64) @ 4° 46' = 296.82
299.04 (T=64) @ 5° 23' = 296.89
296.89

21.55 (T=64) @ Lev = 21.55
21.55 (T=64) @ Lev = 21.55
21.55

318.38

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made in Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE 4310 d 62

F. B. 2984 Pg. 54

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Set 1½" I.P. & L.A. Co. ENGR. Mag. Nail in Top of Curb

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DRIVE
JN 047933 Tape 102 Std 94 °F
Surveyed by L.H. Brown
Notes L.H.B Date for Map
Indexed C. J. GALLI

F.B. 298 A Pg. 55

LOT 2 TRACT 3941 LOT 3

97.25 (T= 76) @ 4°58' = 96.87
89.15 (T= 76) @ 2°29' = 89.07
74.9 (T=66) @ 17°42' = 72.9
below = 293.7
30.1
396.2

1) 129° 17' 50"
2) 157° 11' 30"
3) 55° 47' 30"
Avg = 129° 17' 55"

Note: Any Additions or Changes on This Sheet Must be Made in Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

P-B
Set 1" I.P. cem plug
& Co. ENGR tag DNC"
in 2" sq pile

PAGE 58

PAGE 59

"R" Line
6.81
Bearing
Tape
Offset
Set 1" I.P. cem plug & Co. ENGR tag DNC" in 2" sq pile

F. B. 2184 PG. 5C

TRACT 3941 LOT 3

62.72 (T=62) Lpt = 62.71 } 62.71
62.72 (T=62) Lpt = 62.71 }

152.34 (T=62) @ 9° 50' = 150.04 } 150.03
152.07 (T=62) @ 9° 22' = 150.02 }

190.31 (T=64) @ 15° 08' 20" = 96.82 } 96.82
99.85 (T=64) @ 14° 08' 40" = 96.81 }
309.56

691
-396
285
-220
65

Set 1" I.P. C.E. 2-52
Dist. 6.14 N

PSt

S5

89°

65' Calc

R/LINE

CB1 23

220'

89°35'

309.56

62.71

PAGE 55

CONT PAGE 55

12.44

Line of I.P.'s from South Produced. not Mkd

42.6 (T=62) Lpt = 42.6
59.5 (T=62) 20° 23' = 55.8
136.3 (T=62) @ 26° 48' = 121.7
220.1

RP P-15A
Fd. punch mark IP capped 1" I.R up 3" Approx c/l E.D.C. Tower # 27-2

72.82 (T=62) @ 18° 23' 20" = 69.09 } 69.10
73.47 (T=62) @ 20° 14' 00" = 69.11 }

81.98 (T=62) @ 19° 47' 20" = 80.51 } 80.51
82.28 (T=62) @ 18° 59' 40" = 80.52 }
149.61

81.14 (T=70) @ 7° 50' = 80.35
81.37 (T=70) @ 9° 02' = 80.35
Avg = 80.35

80.35

1) 89° 35' 40"
2) 358° 23' 10"
3) 177° 34' 50"
Avg 89° 35' 48"
50

RP P-15A
Fd. 3/4" I.P. S.C.O. E.I.G.E. Bag FB 1875-234 Approx. c/l E.D.C. Tower # 20-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of SKYLINE DRIVE
F.B. 2989 PG. 57
JN 00743 Tape 102 Std 99° F
Surveyed by J.H. BROWN
Notes J.H.B. Date 11-63
Indexed C. J. GALLI
PROP COR
Fd 3" brass cap on 2" I.P. preceding 6" from cen'line St. casing. which is flush. FB 1825-230
Marked AS shown.
N.W. COR. YORBA PARCEL
ANGLE PT.
B 39
2 A.T. 1931
COUNTY ENGINEER
R.E. 5809
Fd std. CO. ENGR. MON. MARKED shown. PER FB 1825-271
No search for P-37-A
Fd 1/2" pipe flush. FB 1825-233
SKYLINE DR. per FB 1825-233
PARTITION LINE BTWN PARCELS B & C per CS B 9042-5
Fd 1/2" pipe flush. FB 1825-233
No search for P-37-B
Fd 1/2" pipe flush on line
Fd 1/2" pipe flush
Fd. 3" guard pipe up 3'
"A" LINE
"D" LINE
C.F. 1.10
D.B. 13 40
Δ 24° 55' 20"
R 250 00
Arc 86 13.50
R=250
R=532
N 0° 35' 00" E 588.67
Note: Any Additions or Changes on This Sheet Must Be Made or Encled in Red Ink With Date and Name of Person Making Change
Do not extend this side of this line
PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 4031 LOS ANGELES COUNTY ENGINEERING BLDG.
76F309S C.E. #3 10 6-62

F.B. 2987 PG. 58

RE 529

LOT "1"

239.02 (T=42) @ 14°51'20" 231.00 S 23°31'00" W 231.91

239.37 (T=42) @ 15°47'40" 231.02 S

93.56 (T=48) @ 11°42'47" 93.37 S 93.37

93.60 (T=48) @ 11°43'33" 93.37 S

264.38 (T=60) @ 1°15'

264.38 (T=60) @ 1°15'39" 264.24 S 2°44'24" W 264.24

588.62

1) 154 37 20 1) 25 22 30

2) 258 39 40 2) 101 30 00

3) 297 44 00 3) 152 45 30

Avg 154 37 20 Avg 25 22 35

P-16
3/4" I.P. conc. plug
4.00 ENGR. RPB
N 2 X 2" sq. nut
ON LINE both ways

P-17 & P-15-A

NOT MEAS

LINE

26°42'35"

NOT MEAS

TO P-18 Page 44

TO P-17-B Page 62

TO P-16-A Pg 59

Page 57

Col 7

N 63°18'25" E 134.23

Set nail & tag "LS 5599" on top of curb

(134.23 CALC @ 2° B' = 134.23)

1) 128 06 30 Rad 1-14-64 11 128 25 20

2) 152 26 30 41 152 25 50

3) 98 32 00 N 38°36'55" E 98.57 50

Avg 128 06 30 N 38°36'55" E 128.26 18

(27.71 CALC @ 2° B' = 27.71)

Set nail & tag "LS 5599" on top of 18" oak

(CHINO-MEEA)

TRANS. WIRES

(ETIWANDA - WALNUT)

TRANS. WIRES

6" CONC. WALL

6" CONC. WALL

CHAIN LINK FENCE

CHAIN LINK FENCE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet—Must Be Made or Circled in Red Ink—With—Date—and—Name of Person Making Change.

76F3095 C.E. #3 0 8-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

Notes Ck'd by
M.D. No.
Office Work
Checked
Date

Survey of SKYLINE DRIVE
JN 097213 Tape 102 Std BK °E
Surveyed by H.H. Brown
Notes 12-4-62 Date 12-63
Indexed C. J. GALL

31.47	(T=74)	Lou		= 31.47		31.47	
31.47	(T=74)	Lou		= 31.47			
244.51	(T=74) @	10°	01	40"	= 240.76	240.76	
244.73	(T=74) @	10°	17	20	= 240.77		
298.22	(T=74) @	10	42'		= 297.20	297.20	
298.11	(T=74) @	10	24'		= 297.21		
190.12	(T=74) @	1°	12"		= 190.12	190.12	
190.21	(T=76) @	1°	58'		= 190.12		

75+91.55

RT 3-26 Lot #1

SKYLINE DRIVE

CONT. PAGE 40

CONT. PAGE 39

16.63 + 20.32 (T=74) Lou				= 280.95	280.96	
82.12 + 198.81 (T=74) Lou				= 280.97		
227.82 (T=76) @	1°	26		= 226.78	226.76	
227.60 (T=76) @	1°	26		= 226.75		
129.28 (T=76) @	10°	44'		= 129.21	129.22	
129.36 (T=76) @	10°	30		= 129.23		
56.14 (T=76) @	1	Lou		= 56.14	56.14	
56.14 (T=76) @	1	Lou		= 56.14		

680.98

F.B. 2984 PG. 59

PT 16-A
SKYLINE DRIVE
ENGR. FILE
ON LINE

F.B. 2994 PG. 60

CONT PAGE 59

1	67	21	00
2	CCP	24	00
3		06	00
AVG	67	21	00

RF 529
LOT #1

PASS

CONT PAGE 61

1221.88

S 80° 24' 00" E 1221.88

S 43° 20" E

30.5 Dirt Road

"P" LINE

1159.55

See pg 145

TREE TWIN L BARRA & MENCHEGO PARCELS ANGLE PT. B 27 DAT. 1931

C 7° 21' 00"

R = 1145.92

L = 1470.00

30°

17°

RP RP-17
Fd 3" brass cap o.n.
2" I.P. projecting 6"
Stamped S. Exp. filled
Casting which is up 4"
Marked as shown above
No ref. in field. (See RF 529)
(INDEX MAR)

SW 60° 05' 1221.23
SW 59° 55' 00" = 1235.92

RP RP-17
Set I.P.L.P. cap
plug & tag dvl.
by dead end angle
Dam E-21 SW¼
thence E-17 used
for Line NE¼

NOTE

BARBED WIRE FENCE 2 POSTS P.L.

W	30	48	50
S	123	15	10
W	184	53	30
NW	30	48	55

W	59°	00	00
S	236	00	00
W	359	00	00
NW	59°	00	00

LOT 1 GRAZING TRACT

Set 110 N Mang

Set 2" guard 1.1.1.c. 4" 3"

68°

"P" LINE NOT NICKS

N.Y. MENCHEGO

299	25	673	@ 8° 24' = 66.6
298	25	91.80	@ 0° 32' = 91.8
295	30		
295	30		
290	30		
290	30		
299	25		
299	25		

RP RP-17
Fd 3" brass cap o.n. 2" I.P.
projecting 6" from R.S.
Cem filled casing up 4"
MARKED AS SHOWN
No REF. IN FIELD (See R.F. 529)
(In small gully)

BARRA & MENCHEGO PARCELS ANGLE PT. B 26 DAT. 1931

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Charge.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S C.E. #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Check'd by
Map No.
Office Work
Checked
Date
Notes Indexed
Surveyed by
Date
Notes
Indexed

F.B. 2964 Pg. 64

50.32 (T=68) @ Lay = 50.312 50.31
50.32 (T=68) @ Lay = 50.312

128.14 (T=68) @ 70° 53' = 126.997 126.99
128.00 (T=68) @ 70° 40' = 126.993

295.69 (T=72) @ 4° 50' = 294.652 294.56
295.70 (T=72) @ 5° 00' = 294.561
461.81

R.F. 529
401 + 11

299.45 (T=76) @ 2° 32' = 299.17 } 299.18
299.55 (T=76) @ 2° 32' = 299.20 }

123.00 (T=68) @ 9° 05' = 122.68 } 122.69
123.12 (T=68) @ 9° 04' = 122.70 }

298.09 (T=68) @ 10° 34' 00" = 293.00 } 292.98
297.70 (T=68) @ 10° 17' 00" = 292.97 }

101.13 (T=64) @ 9° 21' = 99.78 } 99.78
101.35 (T=64) @ 10° 04' 40" = 99.78 }

29.07 (T=66) @ 10° = 29.07 } 29.07
29.07 (T=66) @ 10° = 29.07 }
843.70

F.B. 2984 Pg 62

CONT. PAGE 63

CONT'D PAGE 63
+32.97 (T-CB) 13°25'40" = 132.24
+36.31 (T-CB) 14°06'20" = 132.28
Avg = 132.26



D	40°	45'	20"	DONE 9-16-64
E	248°	91'	10"	
G	4°	31'	50"	
Avg	60°	45'	18"	

74.10 (T-CB) @ 1.35 = 76.06

CONT. PAGE 61

256.78 (T-CB)	@ 19° 52' 40"	= 241.45	241.50
257.52 (T-CB)	@ 20° 16' 00"	= 241.55	
118.54 (T-CB)	@ 19° 13' 00"	= 111.93	111.91
118.07 (T-CB)	@ 18° 35' 20"	= 111.90	
43.14 (T-CB)	@ 1° 42'	= 43.12	43.12
43.25 (T-CB)	@ 4° 16'	= 43.13	
			396.53

R.E. 529 LOT 1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this slide of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309S C.E. #3 0 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

16 53

Notes Ck'd by
M&D No.
Office Work
Checked
Date

Survey of SKYLINE DRIVE
J.N. 20074 33 Topo 1/32 Std. Dgn. F.B. 2984 Pg. 63
Surveyed by A.H. Brown 63
Notes J. Hall
Indexed C.J. GALLI Date 12-63

Cont. Page 64

Cont. Page 62

Set nail in rock outcrop

Set 4" D.S.M. in rock outcrop

R/S 529 10,141

Set nail in rock outcrop

295.27 (T=70) @ 4° 18' = 294.10 } 294.10
296.34 (T=70) @ 4° 33' = 294.20 }

156.79 (T=20) @ 6° 17' = 155.71 } 155.73
156.59 (T=20) @ 5° 59' = 155.75 }

450.13

Set nail in rock outcrop

139.84 (T=72) @ 16° 52' = 139.81

269.92 (T=72) @ 2° 36' = 269.62

81.11 (T=72) @ 10° 47' = 79.67

135.97 (T=70) @ 130° 25' 40" = 132.24 } 132.26
136.34 (T=70) @ 14° 00' 20" = 132.28 }

28.47 + 64.5 (T=20) Lou = 93.12 } 93.16
29.42 + 63.75 (T=20) Lou = 93.16 }

292.71 (T=70) @ 39° 25' = 292.47 } 292.47
292.71 (T=70) @ 2° 11' = 292.47 }

131.72 (T=70) @ 10° 35' 20" = 129.47 } 129.46
131.97 (T=) @ 10° 01' 20" = 129.45 }

35.80 (T=70) @ 1° 44' = 35.80 } 35.80
35.81 (T=70) @ 1° 44' = 35.81 }

693.15

F.B. 2984 Pg. 64

R.F. 529 LOT 1

123.30 (T=94) @ 14° 43' = 119.26
59.11 (T=94) @ 7° 23' = 59.62
88.17 (T=94) @ 9° 41' = EC 22
166.76 (T=94) @ 7° 30' = 165.34
92.54 (T=94) @ 16° 49' = 90.91

1) 144 37 00
2) 218 29 00
3) 147 91 50
Avg 144 36 50

P.I. #38 C.S.B. 8596 Fd 2x2 spike dn 0.4' replaced with 1" I.P. L.A.CO. ENGR. Beg Dn 1.0"

P-18 Set 1" I.P. & CO. ENGR. Beg dn 12" in 2"x2" stk. P.T. 59 in 48" oak

OLD SKYLINE DRIVE

P.O.B. C.S.B. 8596 Fd 2x2 spike dn 0.4' Replaced with 1" I.P. L.A.CO. ENGR. Beg Dn 1.0"

1) 74 25 20
2) 198 50 40
Avg = 74 25 20

Set nail & tin tag in 48" oak

41.78 (T=64) Lch = 41.77 } 41.77
41.78 (T=64) Lch = 41.77

37.74 (T=64) Lch = 37.73 } 37.74
37.74 (T=64) Lch = 37.74

2 35.02 (T=64) @ 4° 00' = 2 35.02 } 2 35.02
2 35.78 (T=64) @ 4° 19' = 2 35.03

50.42 (T=69) @ 22° 38' 40" = 46.577 46.56
49.60 (T=69) @ 20° 07' 50" = 46.56

1 34.92 (T=64) @ 6° 31' = 134.03 } 134.04
1 35.09 (T=64) @ 7° 01' = 134.06

2 75.38 (T=66) @ 0° 54' = 275.36 } 275.30
2 75.38 (T=66) @ 0° 33' = 275.29

710.43

178.30 (T=74) @ 9° 55' = 175.63

R=20 Pg 66

180.34 Calc NOT MEAS'D

P.T. LINE

770.43 P.T. LINE

165.34

198.25

NOT MEAS'D

P.T. LINE

Nail in root also shown by

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR
JN 0074.33 Tape 102 Std 64 °F
Surveyed by H.H. & B. Brown
Notes AC H.B. Date 1-7-74
Indexed C. J. GALLI

F.B. 2984 PG. 65

PAGE 66

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #3 0 0-62

PAGE 64

N 70° 30' W
(Supposed)

Set nail & tin bottom of 16" Wash at 20' oak

Set nail in top of 30"x18" boulder up 12"

T.B.M. 7 - pg. 131

P-19
Set T.I.P. L.C.A. Co.
ENGR. Eng ON 12
in 2x2, 5#

small saddle

R.F. 529 LOT 1

F.B. 2981 Pg. 66

R.F. 529 LOT # 1

299.84 (T=56) @ 6° 50' = 297.66
299.52 (T=56) @ 6° 28' = 297.60 } 297.62
299.85 (T=56) @ 6° 24' = 297.63
299.70 (T=56) @ 6° 44' = 297.58

49.46 (T=54) @ 1° 31' = 49.43 } 99.44
49.52 (T=54) @ 3° 05' = 49.44

49.10 (T=54) @ 18° 34' 40" = 46.53 } 46.52
48.81 (T=54) @ 17° 35' 00" = 46.52

393.58

1 120.60 (T=70) @ 8° 34' = 119.24
2 299.92 (T=72) @ 1° 26' = 299.31
2 216.10 (T=70) @ 3° 11' = 215.80
634.35

98.27 (T=78) @ PC = 98.27
205.03 (T=76) @ 19° 56' = 201.90
303.17

124.92 (T=80) @ 0° 09' = 125.58

1) 43 56 49 1) 161 01 00
2) 175 46 30 2) 284 03 20
3) 268 39 20 3) 296 05 20
Avg. 43 56 33 Avg. 161 01 53

P-20
Set 1" I.P. C.K.A. Co.
Enge. Reg. Dk. 6"
in 2" x 2" Sq. Pt.
on line between
P-19 & P-21

1) 38° 56' 20
2) 155 45 20
3) 283 38 00
Avg = 38 56 20

43° 56' 33"
161° 01' 53"
303.17
73.8
5' ack
OLD SKYLINE DR
Set nail in 30" x 16" boulder up 8"
Set nail & R.R. rock outcrop
set nail & rim up 3' in 6" oak
52.50 @ 4° 15' = 52.36
23.00 @ 4° 07' = 23.00
2) 251.22
N 43 25 41
125.41
Cont. Page 64
LOT # 1
R.F. 529
Cont. PAGE 64
To: Page 77 Lower Left
PAGE 67
R.F. 529 LOT # 1
Cont. Page 67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Los Angeles, California

"Do not extend this side of this line."

Note: "Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change."

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DR.
JN 22714 Tape 102 Std BK 9F
Surveyed by LAN + Brown
Notes LAN Date 1-16-64
Indexed G. J. GALLO

F.B. 2784 PG. 67

CONT PAGE 68

LEONARDO Y BARRA

300.91 (T=72) @ 7°10' = 298.54 } 298.55
300.97 (T=72) @ 7°13' = 298.57 }

3.05 (T=72) @ Lev = 3.05 } 3.05
3.05 (T=72) Lev = 3.06 }

301.60

P-20-B
Set L.S.C.
ENGR tag
flush on line
in rock outcrop

1) 50 06 20
4) 200 25 10
C) 300 37 50
Avg) 50 96 18

557.79

P-20-A
Set 1" I.P. & C.
ENGR tag on 4"
by ints.
(E 96 + 19.32 from
not to east)

98.1 (T=72) 1°22' = 96

(HI = ROD.)

Area in Acres Cut Amounts
Date

Set 1/2" I.P. & C.
Plug & tag L.S.
2" below
No Ref

barbed wire fence

Rd 12" I.P. corr.
plug & tag L.S.
2" below
No Ref

17.01 + 22.22 (T=70) Lev = 39.23 } 39.22
17.78 + 21.49 (T=70) Lev = 39.22 }

300.06 (T=68) Lev = 300.08 } 300.01
300.16 (T=68) @ 1°48' = 300.00 }

192.49 (T=68) @ 9°47' = 189.67 } 189.65
191.99 (T=68) @ 9°5.7' = 189.63 }

297.01 + 33.64 + 37.25 (T=70) Lev = 367.88 } 367.88
298.88 + 33.18 + 35.84 (T=70) Lev = 367.88 }

876.76

CONT. PAGE 67

34.29 (T=66) Lev = 34.29
95.99 (T=66) @ 1°0 22 20" = 44.74
79.03
80.28 (T=66) @ 1°0 08 20" = 79.02 } 79.02
R.F. 529 - 1a1)

Note: Any Additions or Changes on This Sheet Must Be Made or Erased in Red Ink With Date and Name of Person Making Change.

Do not extend this side to this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S C.E. #3 10 6-62

F.B. 3984 PG. 68

63.84 (T=40) @ 5° 40' 11" = 63.53 ~ 63.53
69.02 (T=20) @ 7° 25' 11" = 63.53

88.54 (T=28) @ 16° 32' 40" = 84.64 ~ 84.64
87.56 (T=28) @ 14° 51' 58" = 89.63

64.32 (T=30) @ 14° 31' 00" = 64.19 ~ 64.20
66.92 (T=30) @ 16° 20' 00" = 64.21

212.37

Set grd. 4 x 4 x 60 brass cap
Ent. 15 c/s 6.04 left

P-21
Set 1½" I.P. & Co
ANGLE Dag
Dr 6"
Set 3" guard pipe
LINE

212.37 P.I. LINE

1) 138 00 20
2) 192 02 00
3) 188 02 10
Avg = 138 00 27

138

12 25

1) 52° 12' 39"
2) 208 49 10
3) 318 14 30
Avg = 52° 12' 25"

44'

6" x 6" x 24" Conc. Post

Bar 0.55 N

Not in line with mon.

Conc.

PAGE 78

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Notice: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DRIVE
J.N. 0074.33 Tape 167 Std 84° F.
Surveyed by C.H.G. Brown
Notes N.B. Date 2-64
Indexed C. J. GALLI

F.B. 2994 PG. 69

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16 F 3095 C.E. #3 0 6-62

See F.B. 3132-47 C48
Fd 1½" I.P. stamped tag up 2'. F.B. 3132-42
F.B. 323-95

(Deeded Line)

D. 98° 40' 50"
4) 34 48 40
6) 232 05 40
Avg 98 40 57

Fd 1X2 S hall up .12 "USED" on line

RANDOM LINE
Pick F.B. 3132-47
Near Westerly line of TR 2986

D 98 41 20
4) 34 46 10
6) 232 09 10
Avg 98 41 32

Bearing N 83° 25' E

Set nail & tin in base of "Calif Hollly"

Fd nothing F.B. 323-95

Bearing N 81° 35' W.

773.11 CALC. per F.B. 323-21, 85.

Fd 1X2 S hall up .12 "USED" on line

Fd 1½" I.P. stamped tag up 2'. F.B. 3132-42
F.B. 323-95

Fd 1½" I.P. stamped tag up 2'. F.B. 3132-42

Set nothing

P-21-A
Set 1½" I.P. & L.A. Co. ENGR. tag down 2" in 2½" S.P.P. by Invs.

Fd 1½" I.P. stamped tag up 2'. F.B. 3132-42

Set nothing

Fd nothing

Fd rotted 2X2 down on 6". Ref. F.B. 323-30, 95

Replaced with 1½" I.P. & L.A. Co. ENGR tag down 6"

(Offset of Adopted TRACT LINE per F.B. 323-21, 85)

CONT PAGE 28

CONT PAGE 70

Set nothing

Fd 1½" I.P. stamped tag up 2'. F.B. 3132-42

F.B. 2994 PG. 70

TR 2989

D	137	23	46
D	139	36	40
Q	104	29	00
Avg	137	29	00

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

"Do not extend this side of this line."

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

CONC. PP & LT

54.55 Tie along = N 41° 25' E

54.55

50.51 = 50.51 (T=72) new

50.51 = 50.51 (T=72) new

160.08 = 160.08 (T=72) @ 21.37

160.03 = 160.03 (T=72) @ 21°04'00"

132.06

202.92

202.91

Δ = 110° 31' 00"

132.08 } (T=72) @ 12° 00' 00"

207.45 (T=72) @ 27°32'00"

207.44

133.31 (T=72) @ 27°32'00"

133.31

Set nail & tin tag "Case Holly up .22"

Set 1" I.P. Cross Valley CLA ENG'R TAG DN .6'

Set spike in P.I. fence up .18'

P.I. 18+81.19

P.I. 5+94.73

Bearing = S 84° 10' W

CONC.

TR 2989

242.96	(T=74)	@	12° 28' 00"	=	237.28	}	237.06		
242.96	(T=74)	@	11° 55' 00"	=	237.22				
99.03	(T=74)	@	0° 29'	=	99.03	}	99.02		
99.03	(T=74)	@	0° 29'	=	99.02				
119.51	(T=74)	@	8° 08'	=	119.28	}	119.26		
120.29	(T=74)	@	7° 18'	=	119.35				
139.65	(T=76)	@	5° 29'	=	139.38	}	139.39		
139.77	(T=76)	@	4° 08'	=	139.40				

5+94.73

N 41° 25' E 1116.40

S 48° 35' E

N 41° 25' W


Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of SKELANE DR
JN 4077.33 Tape 61 Sta 84 °F.
Surveyed by W. Brown
Notes K.K.G. Date 6-4
Indexed C. J. GALLI
F.B. 298 at PG. 77
Note: Any Additions or Changes on This Sheet Must Be Made or Ordered in Red Ink With Date and Name of Person Making Change!
Do not extend this side of this line
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
76F 309S C.E. #3 10 6-62
P = F.B. 3132-29
1) 95° 39' 20"
3) 22° 37' 30"
6) 219° 56' 00"
Avg 95° 39' 20"
PATH ENDEAVER RD.
F.B. 3132-29
1) 95 39 20
3) 22 37 30
5) 219 47 40
Avg 95 39 57
PI #3 (PATH ENDEAVER RD.)
Ext 1/17 PI (Proposed)
Bkwk from BG 3132-29
(L=29.00 R)
CAVT
PG 70
set nothing
BM PATH 3
Ex: Mid 1/4 Rd.
BM: Wood Hub at
Northerly PATH
BM 1-3" ABS Shown
FB 3132-29
PG 70
PG 70
Mons
29.3 (T=SC) Δ 22° 38' = 50.5 / 140.0 / 27.0 / 23 1/2-S
PATH ENDEAVER RD.
Set 1/17 PI (Proposed)
Set PATH 3
Set PATH 4
Set PATH 5
Set PATH 6
Set PATH 7
Set PATH 8
Set PATH 9
Set PATH 10
Set PATH 11
Set PATH 12
Set PATH 13
Set PATH 14
Set PATH 15
Set PATH

F.B. 2784 Pg. 12

Sec F.B. 1875-271

LOMA ALTA

LOT 3
TR 3941

Ed 3/4" IP S.C. & Mgr. Mg
On 19" USED FOR LINE
F.B. 1875-271

2442.67 ft
2442.67 ft
+.03 (sin 1°35' x 0.13)
2442.70 ft

1) 75° 37' 40"
2) 302 18 30
3) 93° 27 50
Avg 1) 75° 37' 39"

N. MAGNOLIA

RD 4 R
PUENTE

GRASS CRK MON
MARKED "N.M. CR"
W/BRASS DISC
ANGLE PT. B-35
Page 57

47.76 @ 1° 42' 00" = 46.18
47.06 @ 1° 06' 00" = 46.17
Avg = 46.18

PARTITION LINE RD 4 R PUENTE

46.18
.93
45.25

0.34 mag

0.38

0.73 mag

Set nail
& tag in
top of
curb

45.25

Set 1/2" IP Cem W/Cap
S.L.A. Co. Eng'r 1149
flush @ 90° to
& offset line

Set nail
on offset
line

Set nail & tag
in top of curb

46.18

21 offset Line

374.02

Set nail & tag
in top of curb

6490 Lcu = 49.98
RC 63 @ 7°20' = 86.12
120.48 @ 7°40' = 120.48
(= Cu) 271.50 = 271.96

Set nail
on 21 offset
LINE

Sta 1+35 x 0.13 = 0.03
F.B. 1875-271 = 273.44
Calc 273.47

1) 179 59 56
2) 360 00 00
3) 0 00 10
Avg 1) 180 00 02

F.B. 1977-271
1977.81
224.82 139.57
1402.99 Calc

COUNTY ENGINEER
R.E. 5369

O.T.
Ed Calc Mgr
Calc 1579
F.B. 1875-271
F.B. 2784-57

TO LINE & Mg Nails
DI LINE & RD LINE
Page 197 USED FOR LINE

LOMA ALTA

LOT 3
TR 3941

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SAHLINE DRIVE F.B. 2994 PG. 73
JN 2079 33 Tape 167 Sta 0+4 °F
Surveyed by J.H. Brown
Notes J.H.B. Date 3-64
Indexed C. J. GALLI

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

DO NOT ERASE AND THIS SIDE OF THIS LINE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #310 6-62

40.46 (T=60) Lev = 40.45 } 40.45
40.46 (T=60) Lev = 40.45 }

290.42 (T=60) @ 5°31' = 290.85 } 290.85
290.59 (T=60) @ 0°10' = 290.85 }

44.73 (T=60) Lev = 44.72 } 44.72
44.73 (T=60) Lev = 44.72 }

376.02

213.02 (T=60) Lev = 212.99
126.95 (T=60) @ 5°52' = 126.85
339.84

214.06 (T=60) Lev 214.03
125.90 (T=60) @ 5°54' 125.21
339.24 } 339.24

N 0°14' E 1265.68'

742.68
Fd old (weather worn) 1x2
set nail on line
(-)8.323=18 calc for 1x2
at 742.70
Face 2.0 North
at the curb

1460.92
Set 1x10 in. Line
in conc. path

PARTITION LINE
R° LA BREA

Joint

Face

801.39

2.00

S 89° E
376.02
set nail closed
for 2. offset line

3' offset line

Set nail on prod
of 2. offset.

Joint

94.74 (T=66) 4°01' = 94.50
94.64 (T=66) 2°59' = 94.50 } 94.50

293.79 (T=66) @ 0°23' = 293.51
293.92 (T=66) @ 2°49' = 293.53 } 293.52

199.24 (T=66) @ 120°11'20" = 193.98
199.26 (T=66) @ 13°34'00" = 193.96 } 193.97

90.45 (T=64) @ 7°09' = 89.74
90.63 (T=64) @ 8°11' = 89.75 } 89.74

69.35 + 70.33 (T=64) Lev = 139.66
68.15 + 71.53 (T=64) Lev = 139.66 } 139.66

801.39

F.B. 4994 PG. 14

LEONARDO Y BARRA

62.52 (T=66) @ 13°58'.99 = 60.39 } 60.39
62.06 (T=66) @ 13°17'.30" = 60.39 }

108.14 (T=60) @ 23°53'.20 = 99.13 } 99.12
107.69 (T=60) @ 22°58'.20 = 99.12 }

91.00 (T=64) @ 23°47'.00 = 83.22 } 83.26
91.38 (T=64) @ 24°58'.00 = 83.27 }

258.82 (T=64) @ 1°55' = 258.65 } 258.66
258.87 (T=64) @ 2°23' = 258.67 }

62.48 (T=68) @ 7°58' = 61.87 } 61.86
62.72 (T=63) @ 9°28' = 61.86 }

563.29

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Ordered in Ink With Date and Name of Person Making Change.

N 89°15'E 994.39

PARTITION LINE
RANCHO DE
LA BREA

Natural drainage

Natural drainage

Natural drainage

Notes C'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DRIVE
JN 6062 33 Tape CT Std 84° F
Surveyed by C.A.H. BROWN
Notes CT 4-13 Date 3-64
Indexed C. J. GALLI

F.B. 2984 Pg. 75

LEONARDO YBARRA

34.97 + 14.71 (T=20) Lev = 49.68 } 49.68
35.47 + 14.21 (T=20) Lev = 49.68 }

183.45 (T=70) @ 24°58'40" = 166.27 } 166.25
192.60 (T=70) @ 24°25'50" = 166.23 }

215.93

20.23 (T=69) Lev = 20.23 } 20.23
12.29 + 7.94 (T=69) Lev = 20.23 }

Note: Any Additions or Changes on This Sheet Must Be Made on Circled In Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

Set nail & tin tag 10' scribe on line

237.41 S.53

Set nail

20.23

Set nail & tin tag 10' scribe on line

(Tin tag stamped CE 2 3 proof mark)

Set nail & tin tag 10' scribe on line

563.29

215.93

S 89° 15' E

40.95

798

606.49

23+41.53
Set 1/2" pipe & nail flush on line

23+61.76
Set 1/2" pipe & nail flush on line

7.3

BARBED WIRE FENCE

CONC. PAVE

CONC. PAVE

MEDIAN LINE R° DUNCON DE LA BREA

206.97 (T=56) @ 3°27'
207.15 (T=56) @ 3°27'48" =
204.09
204.09 } 204.09

124.75 (T=56) @ 5°32'
125.15 (T=56) @ 5°32'19" =
124.35
124.37 } 124.36

158.35 (T=42) @ 3°35'
158.21 (T=42) @ 3°1'2" =
158.92
157.99 } 158.00

77.64 (T=58) @ 18°23'20"
4 dec =
73.67
73.78
89.45 } 89.46

92.48 (T=60) @ 16°59'40" = 88.47

35.10 (T=40) @ 25°49'20"
35.79 (T=40) 27°56'40" =
31.59
31.61 } 31.60

606.49

YBARRA RT 329

F.B. 2993 PG. 16

LEONARDO YBARRA


S 89°15' E (Tie bearing)
LINE
606.49
572.05
Barbed wire fence
CONT.
PAVED
ROAD
Hillside
Edge of Pavement
Edge of Pavement
Ditch
Ditch
Ditch

76F3095 CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by ____ Date ____
Map No. ____
Office Work Checked ____ Date ____

Surveyed by J.H.B. Date 8-64
Notes ____
Indexed ____ Date ____
C.J. GALLI

F.B. 294 Pg. 17

SKYLINE DRIVE
JN 00774 Bkgs. 67 Sht. 8 of ____

CONT FR 4 17

299.34 (T=66) @ 3°44' = 298.66 } 298.67
299.53 (T=66) @ 4°13' = 298.68 }

190.37 (T=62) @ 16°14'40" = 173.14 } 173.14
179.81 (T=62) @ 15°38'00" = 173.13 }

87.09 (T=64) @ 9°09' = 85.97 } 85.98
87.60 (T=64) @ 11°40'40" = 85.98 }

91+77.11 557.77
Set 1X2.5 no. 1 on line

84.16 (T=62) @ 8°45' = 83.42 (wrong $)
84.17 (T=62) @ 7°08' = 83.53 } 83.49
84.44 (T=62) @ 8°22' = 83.54 }

PARTITION LINE R° RINCON DE LA BREA
LEONARDO YBARRA

127.42 1.9
Set I.T.D. ENGR tag on E-W & LINE @ 18.15 from "X" on W. STONE per FB 323-83

Fd 2"X2" sq disturbed earth mound 12" Set I.T.D. ENGR tag on 12" in ave.

(P.O.S. 43-B, FB 323-83.)
Fd 2"x2" sq hole dn 6" Set I.T.D. LS 4278 ENGR tag dn 6" in ave. at hole

Fd "X" in top of sandstone 0.49 S. & 0.49 E. of corner. Set NAIL & disc stamped LS 4278 0.02 below surface.

Fd 1" I.P. 0.49 S. of corner. Set NAIL & disc stamped LS 4278 0.02 below surface.

Fd 1" I.P. 0.49 E. of corner. Set NAIL & disc stamped LS 4278 0.02 below surface.

Fd 1" I.P. 0.49 S. &

F.B. 2992 PG. 18

LEONARDO YBARRA

1) 12° 53' 20"
4) 51 33 10
6) 77 20 40
Avg 12 53 27

LA HABRA

Fd. 1/2" I.P. cem. plug
Tag S 41 E 24.29
up 2" See FB 3132-47

Fence LINE

8' offset Line
327.82
327.90 EB 323-19

ANGELS

Set Nail

240.53 (T=62) @ 4°55' = 239.61
240.29 (T=62) @ 4°14' = 239.59

239.60

JESUS YBARRA
LOT 2 RE 589

TO INTS. SKYLINE DR. P.G. 69

Tangent Line

Radial Line

Tangent Line

Radial Line

Tangent Line

Radial Line

TO INTS. PAGE 68 & TIE MON. LINE

Tangent Line

Radial Line

Tangent Line

Radial Line

Tangent Line

Radial Line

Notes Cl'd by
Map No.
Office Work
Checked
Date

Survey of SKYLINE DRIVE
JN 60743 Tape CT Sta 84 °F
Surveyed by W.H. Brown
Notes W.H.B. Date 3-64
Indexed C. J. GALLI

F.B. 2984 PG. 19

TR 2888

98.95 (T=L9) @ 16° 44' 30" = 95.06
98.16 (T=L8) @ 14° 21' 00" = 95.85

292.93 (T=L4) @ 16° 32' 40" = 271.19
293.59 (T=L6) @ 16° 58' 00" = 271.22

131.21 (T=L7) @ 11° 35' 00" = 128.52
130.64 (T=L5) @ 10° 14' 40" = 128.52

78.91 (T=L6) @ 14° 29' 20" = 76.41
79.44 (T=L5) @ 15° 41' 20" = 76.43

95.06
271.20
128.52
76.42
571.20

16° 55'
E NORTH
MAG. NORTH
EDGE OF LA BREA

EDGE 29

BARBED WIRE FENCE

CURB
DRAINAGE

EDGE 30

2389.60
L LINE
0.30
LINE OF SIGHT FOR ANGLE
R LINE

571.20

325.69

Set IX2 punch mark
end 3' off of Line
46+28.06
Set IX2 PK Nail
LINE RADIAL from
West to East
(used to RADIAL line
east)

Set IX2 PK Nail on Line
53+99.26

CURB

162.67 (T=L6) @ 18° 50' 00" = 153.00
161.94 (T=L6) @ 19° 06' 20" = 153.00

179.79 (T=L4) @ 14° 10' 00" = 172.64
180.54 (T=L4) @ 14° 54' 20" = 172.72

153.00
172.69
325.69

LOT P R.S. 529

EDGE OF ASPHALT

Please Return To
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line

76F3095 CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Ruled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



NOTES RED _____ JOB NO. 007433 SURVEY OF SKYLINE DRIVE F. B. 2984 PG. 81

DATE _____ SURVEY BY J. H. Brown

NOTES CHKD. _____ NOTES BY T. C. Peterson DATE 3-13-64

DATE _____ INDEXED C. J. GALLI DATE 3/71 64

J.N. 0074.33

SKYLINE DRIVE

BENCH LEVELS ON "P" LINE OF PROPOSED SKYLINE DRIVE from FULLERTON RD to P.I. #3 PATHFINDER RD AS SHOWN FB 2984 - 9&10 & 2960 71

MARCH 1964 to
JUNE 1964

Party.
J.H. BROWN
T.C. Peterson
A. CARO
R.C CLIFFORD
R. STICH

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

NOTE: ANY ADDITIONS, OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2074.33 SURVEY OF SKYLINE DRIVE NOTES RED.
SURVEY BY J. H. Brown DATE NOTES CHKD.
NOTES BY J. H. B. & J. GALLI DATE 3-13-64 DATE
INDEXED DATE

F.B. 2984 Pg. 82

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM N°1-A (COVINA RD)	891.229					B.M. N.° 1-A (Covina Rd) Elev = 891.229 1st run unadj. per FB 2932-259. SKYLINE DRIVE West SIDE 150.6' N'ly INTS EAST RD. & FULLERTON RD. 46.4' west of ℄ SKYLINE DR. 10' West of West edge of pvmt A.C.S. MON. Flush MARKED "BM N°1-A COVINA RD P.L." per FB 2932-179
+	0.324	−	0.541			
⊼	891.553	10.590	10.593			
−	10.914		11.134			
BM #4 FULLERTON RD	870.639					BM N°4 (FULLERTON RD) ELEV = 870.611 1st run unadj. FB 2932-260. SKYLINE DRIVE & FULLERTON RD. 64.22' N OF Int's OF EAST RD & FULLERTON. Rd. 33' SE OF TEL. Po. # W-207-Y & 70' W of Pow. Po. (no. number). A Rd. Dept MON dn. in Handhole. Note: see pg 83 for check to TBM #91
+	4.512		4.592			
⊼	875.151	6.211	6.210			
−	10.723		10.802			
T.P. #1	864.428					IX West side
+	3.046		2.988			
⊼	867.474	+ 0.053	0.054			
−	2.993		2.934			
T.P. #2	864.481					IX
+	11.654		11.507			
⊼	876.135	+ 9.840	9.840			
−	1.814		1.667			
PI #1	874.321					PI #1 Elev = FULLERTON RD SW SIDE 495' So of East Rd.
			J.G.			CONT PAGE 84 (SKIP 1 PAGE)

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J.H.B RP WW
NOTES CHKD _____ NOTES BY J.H.B DATE 3-13-64
DATE _____ INDEXED C.J. GALLI DATE _____

F.B. 2884 PG. 23

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM No 1-A Edwin M.D.	881.229					BM No. 1-A
+	9.497		9,632			Pg 82
=	890.726		,			
−	6.847		6.983			
T.P.	883.879					
+	10.483		10,621			
=	894 362		,			
−	0.563		0,701			
	893.799					
+	8.706		8.566			
	902.505		,			
−	4.171		4,032			
TB #91	898.334					TBM #91 Elev = 898.304 FB 2832 159
						SKYLINE DRIVE E SIDE
						1" I.P. Flag Ah 30" per FB 2932

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 02743.23 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J.H. BROWN DATE
NOTES BY J.H.B. DATE 3-13-64 NOTES CHKD.
INDEXED C. J. GALL DATE

F.B. 2984 PG. 84

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						CONT FROM PAGE 82.
P.I # 1	874.321					
+	6.225	−	6.485			
⊼	880.546	0.068	0.068			
−	6.293		6.553			
T.P. # 3	874.253					spk. W SIDE
+	7.214		7.123			
⊼	881.467	+ 6.131	6.135			
−	1.083		0.988			
T.P. # 4	880.384					spk SO SIDE
+	8.553		8.702			
⊼	888.937	+ 7.285	7.285			
−	1.268		1.417			
T.P. # 5	887.669					spk N6 SIDE
+	7.117		6.813			
⊼	894.786	− 1.858	1.859			
−	8.975		8.672			
P2	885.811					P-2 Elev = SKYLINE DR. @ about 1'E of FULLERTON RD. 11.0' so of sq edge pump SKYLINE DR. 72.'E of middle of drive to HO. # 2324. 110.5' W/ pow A # 66576 2E 1" I D & flag dn 24" per page 29.
+	11.905		11.667			
⊼	897.716	+ 10.846	10.845			
−	1.059		0.822			
T.P. # 6	896.657					spk E side Private Rd
+	10.845		10.966			
⊼	907.502	+ 10.298	10.298			
−	0.547		0.668			
T.P. # 7	906.955					spk " " " "

CONT. PG 85

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 2274.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J. H. BROWN
NOTES CHKD _____ NOTES BY J.H.B. DATE 3-13-64
DATE _____ INDEXED C. J. GALLI DATE _____

F.B. 2784 PG. 85

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.*7	906.955					CONT. FROM PG 84
+	11.698		11.452			
π	918.653	+10.171	10.169			
−	1.527		1.283			
T.P.*8	917.126					SPK E SIDE
+	10.783		10.520			
π	927.909	+9.385	9.387			
−	1.398		1.133			
T.P.*9	926.511					1X2 5' E fence E side RD
+	6.138		6.327			22' S Pow Po. #665766E
π	932.649	+2.009	2.009			
−	4.129		4.318			
P-3	928.520					P-3 Elev =
						PRIVATE Rd. from SKYLINE DR
						TO "Oaks Ranch." SE SIDE
						32.5 E'ly of Pow Po #665766E
						41.5 So of 24" Eucalyptus.
						58.5 SW of Pow Po #665767E
						a I.P. ECOENER tag Dn. 2'
						per page 82.
+	11.169		11.389			
π	939.689	+10.973	+10.973			
−	0.196		0.416			
T.P.*10	939.493					1X2
+	10.889		11.648			
π	950.382	+8.475	+8.479			
−	2.414		3.169			
T.P.*11	947.968					1X2
						CONT. PG 86

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. ____
SURVEY BY J.H. BROWN DATE ____
NOTES BY T.C. PETERSON DATE 3-18-69 NOTES CHK'D. ____
INDEXED C.J. Grant DATE ____

F.B. 2984 PG. 86

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	947.968					CONT. FROM PG. 85
+	11.314		11.760			
⊼	959.282	+ 10.410	+ 10.409			
−	0.904		1.351			
T.P.#12	958.378					1X2
+	9.316		9.878			
⊼	967.694	+ 4.120	+ 4.122			
−	5.196		5.756			
P-3A	962.498					P-3A ELEV. = 238' E'LY OF P-3, ON LINE TO P-4; 125' (SLOPE DISTANCE) W. OF P.U.W. POLE #565769E UP 6' & 89' (SLOPE DISTANCE) SOUTH OF P.U.W. POLE #665768E UP 6' FD 1" I.P. CEM. PLUG NAIL & L.A.CO. ENG'R TAG DN 24" PER R.B. 2984 — 53
+	10.234		10.683			
⊼	972.732	+ 9.411	+ 9.411			
−	0.823		1.272			
T.P.#13	971.909					1X2
+	4.523		5.248			
⊼	976.432	− 2.966	− 2.969			
−	7.489		8.217			
T.P.#14	968.943					1X2
+	11.287		10.792	11.814		
⊼	980.230	+ 9.560	+ 9.568	+ 9.566		
−	1.727		1.224	2.248		
T.P.#15	978.503					1X2
+	6.107		5.280			
⊼	984.610	+ 4.209	+ 4.208			
−	1.898		1.072			
#16 T.P.	982.712					1X2
						CONT. PG. 87

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J.H. BROWN
NOTES CHKD _____ NOTES BY T.G. PETERSON DATE 3-24-64
DATE _____ INDEXED _____ C. J. GALLI DATE _____

F.B. 2984 PG. 87

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.*16	982.712					CONT. FROM PG 86
+	9.388		9.159			
=	992.100	+4.206	+4.210			
−	5.182		4.949			
P-4	986.918					P-4 ELEV. =
+	2.402		1.590			18.5 So. OF 12" AVACADO TREE,
=	989.320	-6.150	-6.151			13.5 No. OF 12" AVACADO STUMP,
−	8.552		7.741			50' E'LY OF CREST OF SMALL RIDGE
T.P.*17	980.768					70.7 E'LY OF 1" RISER, A 1"
						I.P. CEM. PLUG NAIL & L.A. CO. ENGR
+	1.130		0.746			TAG DN 18" PER F.B. 2984-34
=	981.898	-4.958	-4.958			
−	6.088		5.704			
T.P.*18	975.810					1X2
+	1.269		0.775			
=	977.079	-10.055	-10.055			
−	11.324		10.830			
T.P.*19	965.755					1X2
+	0.410		0.649			
=	966.165	-10.806	-10.803			
−	11.216		11.452			
T.P.*20	954.949					1X2
+	6.158		5.992			
=	961.107	-0.639	-0.641			
−	6.797		6.633			
T.P.*21	954.310					1X2
+	0.425		0.283			
=	954.735	-8.852	-8.851			
−	9.277		9.134			
T.P.*22	945.458					1X2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J.H. BROWN NOTES CHKD. DATE
NOTES BY T.F. PETERSON DATE 3-29-64
INDEXED C.J. GALLI DATE

F.B. 2981 Pg. 88

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#22	945.458					CONT. FROM PG 87
+	0.536		0.236			
⊼	945.994	-9.897	-9.897			
−	10.433		10.133			
T.P.#23	935.561					
+	0.440		0.779			
⊼	936.001	-6.495	6.494			
−	6.935		7.273			
T.P.#24	929.066					
+	3.087		2.634			
⊼	932.103	5.054	5.055			
−	2.091		7.689			
P-5	924.012					P-5 ELEV. = 322' E'LY OF E. FENCE OF PRVT. RD. (KS10 P6) 8.165 S'LY OF SAME FENCE, 270'± 10' W'LY OF W'LY LINE OF RO. LA PUENTE. ON CREST OF SMALL SPUR A 1" I.P. & L.A. CO ENG'R TAG DN 12" PER PG 36
+	7.517		8.038			
⊼	931.529	+5.053	+5.053			
−	2.464		2.985			
T.P.#25	929.065					1X2
+	7.546		7.883			
⊼	936.611	+6.496	+6.495			
−	1.050		1.388			
T.P.#26	935.561					1X2
+	10.160		10.432			
⊼	945.721	+9.896	+9.898			
−	0.264		0.534			
T.P.#27	945.457			J.O.		1X2 CONT. PG. 89

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE
DATE SURVEY BY J. H. BROWN
NOTES CHKD. NOTES BY T.C. PETERSON DATE 3-25-58
DATE INDEXED G. J. GALLI DATE

F.B. 2984 PG. 89

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#27	945.457					CONT. FROM PG 88
+	10.876		10.496			
π	956.333	+10.075	+10.075			
−	0.801		0.421			
T.P.#28	955.532					1X2
+	10.603		11.286			
π	966.135	+7.397	+7.398			
−	3.206		3.888			
T.B.M.#1	962.929					T.B.M. #1 ELEV. = ON W'LY LINE OF RD. LA PUENTE 367' N'LY OF SKYLINE DRIVE. N'LY LINE OF 40' EASEMENT FOR PRIVATE RD. A 2" I.P. WOOD PLUG & NAIL FLUSH PER PG. 37 1X2
+	3.808		4.567			
π	966.737	-0.314	-0.313			
−	4.122		4.880			
T.P.#29	962.615					
+	11.975		11.064			
π	974.590	+4.639	+4.641			
−	7.336		6.423			
T.P.#30	967.254					
+	5.477		5.563			
π	972.731	+1.912	+1.912			
−	3.565		3.651			
P-6	969.166					P-6 ELEV. = 70' NO. OF DIRT RD, 350' E'LY OF BARBED WIRE FENCE & 5.7' S. OF 2 PRONGED BLACK WALNUT TREE, FD 1" I.P. CEM. PLUG NAIL & L.A. CO. ENG'R TAG DN 10" PER F.B. 2984 PG 38

See Page 142 for separate circuit through B.M.#1 to P-6.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.32 SURVEY OF SKYLINE DRIVE NOTES RED. ____ DATE ____
SURVEY BY J.H. BROWN NOTES CHKD. ____ DATE ____
NOTES BY T.C. PETERSON DATE 3-25-64
INDEXED C.J. GALLI DATE ____

F.B. 2984 Pg. 90

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P-6	969.166					SEE PG 89 FOR DESCRIPTION
+	10.865		11.276			
⊼	980.031	+ 7.359	+ 7.360			
−	3.506		3.916			
T.B.M. #2	976.525					T.B.M #2 ELEV. = SKYLINE DRIVE, ON N. BURM OF RD. ON CREST OF SMALL RISE. 73.2' SO. OF P-6. 1.8 LOWER THAN RD. PER PG 24
+	3.098		3.384			
⊼	979.623	- 5.266	-5.263			
−	8.364		8.647			
T.P. #31	971.259					1X2
+	7.492		8.163			
⊼	978.751	+ 3.008	+3.005			
−	4.484		5.158			
T.P. #32	974.267					1X2
+	10.082		9.463			
⊼	984.349	+ 2.627	+2.623			
−	7.455		6.840			
P-7	976.894					P-7 ELEV. = ON CREST OF SMALL SPUR. 52.3' (SLOPE) N. OF FENCE LINE. 14.3' (SLOPE) W. MIDDLE OF DIRT RD. 42.2' (SLOPE) S'LY OF 24" BLACK WALNUT A 1" I.P. CEM. PLUG NAIL & L.A. CO. ENG'R TAG DN 10" PER PG. 39
+	9.213		10.379			
⊼	986.107	+ 8.049	+8.050			
−	1.164		2.329			
T.P. #33	984.943					1X2
+	11.206		10.571			
⊼	996.149	+ 9.132	+ 9.128			
−	2.074		1.443			
T.P. #34	994.075			90.		1X2 CONT. PG. 91

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE
DATE SURVEY BY J. H. BROWN
NOTES CHKD NOTES BY T.C. PETERSON DATE 3-25-64
DATE INDEXED G. J. GALLI DATE

F.B. 2984 PG. 91

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#34	994.075					CONT. FROM PG 90
+	11.334		11.830			
=	1005.409	+0.032	+10.034			
−	1.302		1.796			
T.P.#35	1004.107					1X2
+	11.243		11.526			
=	1015.350	+7.711	+7.712			
−	3.532		3.814			
T.P.#36	1011.818					1X2
+	11.977		11.929			
=	1023.795	+11.619	+11.620			
−	0.358		0.309			
T.P.#37	1023.437					1X2
+	~~11.253~~		11.952	11.449		
=	~~1034.690~~	~~+8.731~~ +8.739	+8.730	+8.731		
−	~~2.514~~ 2.68		3.222	2.718		
T.P.#38	1032.176					1X2
+	11.918		11.630			
=	1044.086	+10.107	+10.104			
−	1.811		1.526			
T.P.#39	1042.275					1X2
+	11.764		11.466			
=	1054.039	+10.242	+10.244			
−	1.522		1.222			
B.M. K-5 LA HABRA	1052.517					B.M. LA HABRA K-5 ELEV. = 10'. On small knoll 1030' E'ly of W. line R/W LA PUENTE 120' S of fence line. A std L.A. Co Control Mon. Marked LA HABRA K-5 R E 2177 1938."

J.B.

CONT. PAGE 92

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0674.33 SURVEY OF SKYLINE DRIVE — NOTES RED. — DATE
SURVEY BY U.H. GROVUM — NOTES CHKD. — DATE
NOTES BY T.C. PETERSON DATE 3-25-64
INDEXED C.J. GALLI DATE

F.B. 2984 Pg. 92

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. LA HABRA K-5	1052.517					SEE PG 91 FOR DESCRIPTION FB 2984 -28
+	5.253		5,836			
⊼	1057.770	-5.000	-5.001			
−	10 253		10.837			
T.P.* 40	1047.517					1X2
+	0.938		0.702			
⊼	1048.455	-10.916	-10.910			
−	11.848		11.612			
T.P.* 41	1036.607					1X2
+	1.347		1.522			
⊼	1037.954	-10.196	-10.199			
−	11.543		11.721			
T.P.* 42	1026.411					1X2
+	0.243		0.780			
⊼	1026.654	-11.099	-11.099			
−	11.342		11.879			
T.P.* 43	1015.312					1X2
+	0.324		0.408			
⊼	1015.636	-11.439	-11.441			
−	11.763		11.849			
T.B.M.* 3	1003.873					T.B.M.* 3 ELEV. = In small saddle East of LA HABRA K-5. 55' S. of fence. a Lg Bt 3pk 1½ foot S side of 30" E.U.C. (w/ 4 or 2 two)
+	8.604		8.961			
⊼	1012.477	+4.202	+4.202			
−	4.402		4759			
P-7A	1008.075					P-7A ELEV. = 111' No. OF FENCE, ON WEST BREAK OF SMALL NOSE, A 1" I.P. CEM. PLUG NAIL & L.A. CO. ENG'R TAG DN 12" PER PG 40

CONT. PG 93

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE
DATE SURVEY BY V. H. BROWN F. B. 2984 PG. 93
NOTES CHKD. NOTES BY T.G. PETERSON DATE 3-25-64
DATE INDEXED C. J. GALLI DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P-7A	1008.075					SEE PG 92 FOR DESCRIPTION
+	11.885		11.529			
⊼	1019.960	+11.163	+11.162			
−	0.722		0.367			
T.P.#44	1019.238					1X2
+	10.795		11.468			
⊼	1030.033	+10.267	+10.265			
−	0.528		1.203			
T.P.#45	1029.505					1X2
+	11.543		10.937			
⊼	1041.048	+9.910	+9.911			
−	1.633		1.026			
T.P.#46	1039.415					1X2
+	5.446		6.295			
⊼	1044.861	+2.534	+2.532			
−	2.912		3.763			
P-8	1041.949					P-8 ELEV.= 15.7 NE'LY OF FENCE @ 90° & 97' SE OF BEND. 35.8 FROM FENCE AT A POINT 60' SE OF BEND. 55.6 N.W'LY OF 3 PRONG BLACK WALNUT TREE. A 1" I.P. CEM. PLUG NAIL & L.A. CO. ENG'R TAG ON 6" PER PG 41
+	11.442		10.838			
⊼	1053.391	+10.276	+10.276			
−	1.166		0.562			
T.P.#47	1052.225					1X2
+	11.327		11.721			
⊼	1063.552	+8.530	+8.531			
−	2.797		3.190			
T.P.#48	1060.755					1X2

Q 11

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J.H. BROWN
NOTES BY T.C. PETERSON DATE 3-26-64 NOTES CHKD. DATE
INDEXED C. J. GALLI DATE

F.B. 2984 PG. 94

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#48	1060.755					CONT. FROM PG-93
+	11.804		11.980			
⊼	1072,559	+11.216	+11.213			
−	0,588		0.767			
P-9	1071.971					P-9 ELEV. =
+	10.525		11.545			78.6' N E'LY OF FENCE AT 90° TO FENCE,
⊼	1082,496	+8.513	+8,510			FROM A POINT 296' N W'LY OF FENCE COR.
−	2.012		3.035			272' N W'LY OF FENCE AT 90° TO FENCE).
T.P.#49	1080,484					FROM A POINT 194' N E'LY OF FENCE COR.
+	11.893		11.480	11.932		A 1" I.P. CEM. PLUG NAIL & L.A. CO. ENG'R TAG
⊼	1092.377	+10.525	+10.532	+10.528		DN 6" PER PG 42
−	1.368		0.948	1.404		
T.P.#50	1091.009					1 X 2
+	11.864		11.450			
⊼	1102,873	+10.750	+10.750			
−	1,114		0.700			
T.P.#51	1101,759					1X2
+	11.300		11.763			
⊼	1113.059	+10.983	+10.981			
−	0.317		0.782			
T.P.#52	1112.742					1X2
+	11.075		11.508			
⊼	1123.817	+10.859	+10.857			
−	0.216		0.651			
T.P.#53	1123.601					1X2
+	11.449		11.798			
⊼	1135.050	+11.238	+11.238			
−	0.211		0.560			
T.P.#54	1134.839					1X2
				J.C.		CONT. PG. 95

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P. #54	1134.839					CONT. FROM PG. 94
+	11.478		11.977			
=	1146.317	+11.184	+11.183			
−	0.294		0.794			
T.P. #55	1146.023					1X2
+	8.332		8.793			
=	1154.355	+5.757	+5.757			
−	2.575		3.036			
BM SKY 17	1151.780					BM SKY-17 ELEV.= ON A SMALL RISE, S. SIDE MAIN RIDGE, 43± S.W. OF 30" PEPPER TREE, 27± W OF S.E. COR OF RIDGE AT TOP OF CONC. MEMORIAL MON, TO PIONEER OIL EXPLORATION. A BT SPK IN W. COR OF CONC. BASE OF ABANDONED OIL DERRICK
+	5.683		6.144			
=	1157.463	+1.582	+1.581			
−	4.101		4.563			
T.B.M. #4	1153.362					T.B.M. #4 ELEV.= 738' SE. OF ABOVE MEMORIAL MON 68' NE. OF 12" CASING PROJECTING 4'. USED △, A CAPPED 2" I.P. UP 1' MARKED AS SHOWN



90.

CONT. PG. 96

NOTES RED
DATE
NOTES CHKD.
DATE
INDEXED
DATE

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE
SURVEY BY J.H. BROWN
NOTES BY T.C. PETERSON DATE 3-26-64
C. J. GALLI DATE

F.B. 2984 PG. 95

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY U.H. BROWN NOTES CHKD. DATE
NOTES BY T.C. PETERSON DATE 3-26-64
INDEXED C. J. GALLI DATE
F.B. 2984 PG. 96

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M.#	1153.362					CONT. FROM PG 95
+	1.084		1.546			
∧	1154.446	- 9.260	- 9.261			
—	10.344		10.807			
T.P.#56	1144.102					1X2
+	11.005		11.449			
∧	1155.107	+10.409	+10.407			
—	0.596		1.042			
T.P.#57	1154.511					1X2
+	8.291		8.733			
∧	1162.802	+ 1.932	+ 1.931			
—	6.359		6.802			
T.P.#58	1156.443					1X2
+	5.770		6.129			
∧	1162.213	+2.215	+2.217			
—	3.555		3912			
T.P.#59	1158.658					1X2
+	1.683		1.854			
∧	1160.341	- 7.564	- 7.566			
—	9.247		9420			
P-10	1151.094					P-10 ELEV = FROM A POINT 432' S'WLY FROM ANGLE POINT IN FENCE 318³ N'WLY AT 90° TO FENCE. ON A POINT OF A SMALL NOSE. A 1" I.P. OF L.A.CO. ENG'R TAG DN 12' PER PG 43
+	9.015		9.375			
∧	1160.109	+ 6.146	+6.144			
—	2.869		3.231			
T.P.#60	1157.240					1X2 CONT. PG. 97

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J.H. BROWN
NOTES CHKD _____ NOTES BY T.C. PETERSON DATE 3-26-64
DATE _____ INDEXED C.J. GALLI DATE _____
F.B. 2984 PG. 97

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P. #60	1157.240					CONT. FROM PG. 96
+	6.926		7.158			
π	1164.166	-0.525	-0.522			
−	7.451		7.680			
T.P. #61	1156.715					1X2
+	11.303		11.700			
π	1168.018	+10.500	+10.500			
−	0.803		1.200			
T.P. #62	1167.215					1X2
+	11.027		10.677			
π	1178.242	+10.412	+10.413			
−	0.615		0.264			
T.P. #63	1177.627					1X2
+	7.550		7.835			
π	1185.177	+3.027	+3.029			
−	4.523		4.806			
P-11	1180.654					P-11 ELEV.= NEAR TOP OF SMALL RISE. 160± N.E'LY OF ANGLE POINT IN FENCE ON PROD. OF FENCE LINE FROM S.W. 87± N.W'LY @ 90°. A 1" I.P. L.A. CO. ENG'R TAG D.N.15" PER PG 44
+	2.001		1.641			
π	1182.655	-9.419	-9.418			
−	11.420		11.059			
T.P. #64	1171.235					1X2
+	0.519		0.776			
π	1171.754	-10.366	-10.366			
−	10.885		11.142			
T.P. #65	1160.869					1X2

CONT PG 98

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J. H. BROWN DATE 3-27-64 NOTES CHKD. DATE
NOTES BY T. C. PETERSON DATE
INDEXED G. J. GALLI DATE

F.B. 2984 PG. 98

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#65	1160.869					CONT FROM PG 97
+	2.602		2.664			
=	1163.471	+1.852	+1.852			
−	0.750		0.812			
T.P.#66	1162.721					1X2
+	11.297		11.923			
=	1174.018	+10.569	+10.569			
−	0.728		1.354			
T.P.#67	1173.290					1X2
+	11.433		11.792			
=	1184.723	+10.927	+10.928			
−	0.506		0.864			
T.P.#68	1184.217					1X2
+	11.407		11.868			
=	1195.624	+10.846	+10.846			
−	0.561		1.022			
T.P.#69	1195.063					1X2
+	11.325		11.127			
=	1206.388	+9.842	+9.843			
−	1.483		1.284			
T.P.#70	1204.905					1X2
+	10.464		10.723			
=	1215.369	+10.075	+10.075			
−	0.389		0.648			
T.P.#71	1214.980					1X2
+	10.947		10.553			
=	1225.927	+6.214	+6.213			
−	4.733		4.340			
P-12	1221.194			J.C.		P-12 ELEV. = TOP OF ROUND MISC ON MAIN RIDGE. 9' NW'LY OF FENCE @ 90°. A 1" I.P. & LA. CO. ENG'R TAG DN 8" PER PG 95
			CONT PG 99			

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J. A. BROWN
NOTES CHKD _____ NOTES BY T.C. PETERSON DATE 3-27-64
DATE _____ INDEXED _____ C. J. GALLI DATE _____

F. B. 2984 PG. 99

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P-12	1221.194					CONT. FROM PG 98
+	4.498		4.741			
∧	1225.692	-6.211	-6.212			
—	10.709		10.953			
T.P. #72	1214.983					REPEAT
+	0.363		0.733			
∧	1215.346	-6.981	-6.980			
—	7.344		7.713			
T.P. #73	1208.002					1X2
+	2.033		1.708			
∧	1210.035	-9.630	-9.628			
—	11.663		11.336			
T.P. #74	1198.372					1X2
+	11.344		10.950			
∧	1209.716	+7.566	+7.566			
—	3.778		3.384			
T.P. #75	1205.938					1X2
+	10.791		11.455			
∧	1216.729	+10.440	+10.439			
—	0.351		1.016			
T.P. #76	1216.378					1X2
+	10.398		10.838			
∧	1226.776	+8.660	+8.661			
—	1.738		2.177			
T.P. #77	1225.038					1X2
+	11.911		11.517			
∧	1236.949	+10.438	+10.437			
—	1.473		1.080			
T.P. #78	1235.476					1X2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J.H. BROWN NOTES CHKD. DATE
NOTES BY T.C. PETERSON DATE 3-27-64
INDEXED C.J. GALLI DATE
F.B. 2984 PG. 100

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#78	1235.476					CONT. FROM PG 99
+	11.713		11.516			
⏃	1247.189	+10.426	+10.427			
−	1.287		1.089			
T.P.#79	1245.902					1X2
+	11.447		11.832			
⏃	1257.349	+10.535	+10.533			
−	0.912		1.299			
T.P.#80	1256.437					1X2
+	11.008		11.427			
⏃	1267.445	+ 9.971	+ 9.971			
−	1.037		1.456			
T.P.#81	1266.408					1X2
+	9.313		8.882			
⏃	1275.721	+ 5.270	+5.271			
−	4.043		3.611			
BM SHELL SOLITARE	1271.678					BM. SHELL SOLITARE 425' ± 100' E'LY OF RANCHO LINE; 3300' +-100' N. 74°30' W FROM R.M.#4 LA HABRA K-6; 975' ± 25' N OF OLIVE RD TO NIKE STATION; 768' S 78° E OF P-10; 1453' S 59° E OF P-11; 918' S 29°30' E P-12; 1108' S 80°30' W P-12A; A 2" BRASS CAP MON UP 8". PROTRUDING 2" ABOVE 18" CONC. BASE MARKED AS SHOWN.
						CONT. PG 101

STATE OF CALIFORNIA
TRI STA
SOLITAREN
L.R.G. 1921
SHEET

J.C.

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J. H. & BROWN
NOTES CHKD _____ NOTES BY K.C. PETERSON DATE 3-30-64
DATE _____ INDEXED _____ C. I. CALL DATE _____

F. B. 2984 PG. 101

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. SHELL SOLITARE	1271.678					CONT. FROM PG 100
+	1.686		1.192			
∧	1273.364	-9.240	-9.240			
−	10.926		10.432			
T.P. #82	1262.438					1X2
+	0.363		0.923			
∧	1262.801	-10.741	-10.740			
−	11.104		11.663			
T.P. #83	1251.697					1X2
+	1.172		0.583			
∧	1252.869	-19.169	-10.170			
−	11.341		10.753			
T.P. #84	1241.528					1X2
+	1.000		1.699			
∧	1242.528	-9.596	-9.595			
−	10.596		11.294			
T.P. #85	1231.932					1X2
+	0.533		0.939			
∧	1232.465	-10.540	-10.539			
−	11.073		11.478			
T.P. #86	1221.392					1X2
+	1.178		0.628			
∧	1222.570	-10.331	-10.332			
−	11.509		10.960			
T.P. #87	1211.061					1X2
+	0.852		1.121			
∧	1211.913	-10.308	-10.307			
−	11.160		11.428			
T.P. #88	1200.753					1X2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 007433 SURVEY OF SKYLINE DRIVE NOTES RED.
SURVEY BY J.H. BROWN DATE NOTES CHKD.
NOTES BY T.C. PETERSON DATE 3-30-64 DATE
INDEXED C.J. GALLI DATE

F.B. 2984 PG. 102

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#88	1200.755					CONT. FROM PG 101
+	0.621		0.486			
=	1201.374	-10.676	-10.677			
-	11.297		11.163			
T.P.#89	1190.077					IX2
+	0.645		0.376			
=	1190.722	-10.859	-10.861			
-	11.504		11.237			
T.P.#90	1179.218					IX2
+	0.348		0.730			
=	1179.566	-10.705	-10.708			
-	11.053		11.438			
T.P.#91	1168.513					IX2
+	0.339		0.872			
=	1168.852	-10.946	-10.946			
-	11.285		11.818			
T.P.#92	1157.567					IX2
+	0.734		0.300			
=	1158.301	-10.625	-10.623			
-	11.359		10.923			
T.P.#93	1146.942					IX2
+	0.812		1.521			
=	1147.754	-6.913	-6.912			
-	7.725		8.433			
T.P.#94	1140.029					IX2
+	11.168		11.473			
=	1151.197	+0.559	+0.559			
-	10.609		10.914			
T.P.#95	1140.588					IX2
			RJP JO			CONT. PG 103

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J. H. BROWN
NOTES CHKD _____ NOTES BY T.C. PETERSON DATE 3-30-64
DATE _____ INDEXED _____ DATE _____ C. J. GALLI

F.B. 2984 PG. 103

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#95	1140.588					CONT. FROM PG 102
+	11.283		11.734			
=	1151.871	+10.841	+10.840			
−	0.442		0.894			
T.P.#96	1151.429					1X2
+	11.768		11.663			
=	1163.197	+10.947	+10.951			
−	0.821		0.712			
T.P.#97	1162.376					1X2
+	11.123		10.913			
=	1173.499	+10.474	+10.470			
−	0.649		0.443			
T.P.#98	1172.850					1X2
+	11.813		11.622			
=	1184.663	+10.797	+10.798			
−	1.016		0.824			
T.P.#99	1183.647					1X2
+	10.654		10.300			
=	1194.301	+8.302	+8.303			
−	2.352		1.997			
P-12A	1191.949		RJ			P-12A ELEV. = ℄ ALONG fence @ slope of ground 169'50 FENCE COR THEN S0°-10'33"E 410'; 289'50 FENCE COR THEN E'LY @ 90° TO FENCE 890'; (ON SLOPE OF GROUND) 322' SLY FROM E'LY GATE POST AT TRAVELED RD AT TOP OF MAIN RIDGE. A 1" I.P. & L.A. CO. ENG'R TAG DIV 10" IN 2'X2' SQUARE PIT. PER PG 46
						CONT. PG 104

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J.H. BROWN NOTES CHKD. DATE
NOTES BY T.C. PETERSON DATE 3-31-64 DATE
INDEXED C.J. GALLI DATE

F.B. 2984 PG. 104

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P-12A	1191.949					CONT from page 103
+	10.797		10.509			
∧	1202.746	+6.245	+6.243			
−	4.552		4.266			
T.P.# 100	1198.194					1X1
+	10.792		11.171			
∧	1208.986	+10.288	+10.287			
−	0.504		0.884			
T.P.# 101	1208.482					1X1
+	11.224		11.833			
∧	1219.706	+10.577	+10.580			
−	0.647		1.253			
T.P.# 102	1219.059					1X1
+	11.433		11.797			
∧	1230.492	+11.157	+11.155			
−	0.276		0.642			
T.P.# 103	1230.216					1X1
+	11.155		10.913			
∧	1241.371	+10.129	+10.129			
−	1.026		0.784			
T.P.# 104	1240.345					1X1
+	10.975		11.633			
∧	1251.320	+10.591	+10.589			
−	0.384		1.044			
T.P.# 105	1250.936					1X2
+	11.842		11.457			
∧	1262.778	+9.176	+9.176			
−	2.666		2.281			
T.P.# 106	1260.112					1X1
			R.A.	J.O.		CONT. PG. 105

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0074-33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J. H. BROWN F.B. 2984 PG. 105
NOTES CHKD _____ NOTES BY T.C. PETERSON DATE 3-31-64
DATE _____ INDEXED C.J. GALL DATE _____

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#106	1260.112					CONT from page 104
+	4.736		4.467			
=	1264.848	+2.359	+2.359			
−	2.377		2.108			
P-12 B	1262.471					P-12 B ELEV.=
						11371 S0.70°33'E FROM P-12A; 409.8'
						SW'LY FROM MON AT N.W. COR. GRAZIDE
						TRACT PARCEL #1; 20 E N'LY 18" BLACK
						WALNUT, 38 NW'LY 24" BLACK WALNUT,
						AT "L.A. CO. ENG'R. TAG DN 10" PG 48
+	1.245		1.701			
=	1263.716	−10.112	−10.112			
−	11.357		11.813			
T.P.#107	1252.359					1X2 (GROUNDING CORE) COR N 80°W of a NW corner
+	0.863		0.569			(N 13°W 25 MAG.) of chain link fence around
=	1253.222	−10.671	−10.671			NIKE SITE; S 68°E 460' ± MON DIST ±
−	11.534		11.240			OF NE edge fire break at point 950' ± (ground shot)
T.P.#108	1241.688					1X2 from above fence cor.
+	0.409		0.791			
=	1242.097	−10.738	−10.736			
−	11.147		11.527			
T.P.#109	1230.950					1X1
+	0.514		0.227			
=	1231.464	−11.169	−11.169			
−	11.683		11.396			
T.P.#110	1219.781					1X2
+	0.248		0.492			
=	1220.029	−8.590	−8.590			
−	8.838		9.082			
e.l.s. T.P.# 111	1211.191					1X2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J.H. BROWN DATE
NOTES BY T.C. PETERSON DATE 3-31-64 NOTES CHKD. DATE
INDEXED C. J. GALLI DATE

F.B. 2284 PG. 106

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.# 111	1211.191					CONT. FROM PG 105
+	0.715		0.373			
⊼	1211.906	-10.895	-10.896			
—	11.610		11.269			
T.P.# 112	1200.296					1X2
+	0.625		0.423			
⊼	1200.921	-10.927	-10.927			
—	11.552		11.350			
T.P.# 113	1189.369					1X1
+	0.374		0.673			
⊼	1189.743	- 9.919	- 9.916			
—	10.293		10.589			
BM SKY-18	1179.450					BM SKY-18 (N.W. COR GRAZIDE TRACT. PARCEL #1) EL.= 468.3' NW'LY P-12C, 409.8' NE'LY P-12B 218' W OF FENCE COR, 102.5' E'LY 15" BLACK WALNUT 22' N'WLY OF 18" BLACK WALNUT, A 4" BRASS CAP ON A 2" I.P. UP 8" FROM A CEM FILLED S.C. CASING (FLUSH) PER PG. 48
+	10.551		10.346			
⊼	1190.001	+ 9.916	+ 9.917			
—	0.635		0.429			
T.P.# 113	1189.366					
+	11.599		11.293			
⊼	1200.965	+10.929	+10.929			
—	0.670		0.364			
T.P.# 112	1200.295					
+	11.914		11.576			
⊼	1212.209	+10.895	+10.896			
—	1.019		0.680			
T.P.# 111	1211.190		P.T.B.			CONT. PG. 107

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J.H. BROWN F.B. 2284 PG. 107
NOTES CHKD. _____ NOTES BY J.C. PETERSON DATE 3-31-64
DATE _____ INDEXED G. J. GALLI DATE _____

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#114	1211.190					cont from page 106
+	9.307		9.140			
=	1220.497	+8.590	+8.589			
−	0.717		0.551			
T.P.#110	1219.780					IX
+	11.985		11.738			
=	1231.765	+11.167	+11.167			
−	0.818		0.571			
T.P.#109	1230.947					IX
+	11.543		11.350			
=	1242.490	+10.739	+10.738			
−	0.804		0.612			
T.P.#108	1241.686					IX
+	~~12.000~~	+11.403	11.790	11.681		
=	~~1254.686~~	+11.412	+11.403	+11.403		
−	~~0.588~~		0.387	0.278		
T.P.#114	1253.089					IX1
+	11.402		11.945			
=	1264.491	+11.169	+11.168			
−	0.233		0.777			
T.P.#115	1264.258					IX1
+	10.158		10.442			
=	1274.416	+9.780	+9.779			
−	0.378		0.663			
T.P.#116	1274.038					IX1
+	7.453		7.204			
=	1281.491	+5.576	+5.576			
−	1.877		1.628			
P-12 C	1279.614					P-12 C (SEE PG 108 FOR DESCRIPTION)

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED.
SURVEY BY J. H. BROWN DATE
NOTES BY T.C. PETERSON DATE 3-31-64 NOTES CHKD.
INDEXED C. L. GALL DATE DATE

F.B. 2284 PG. 108

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						CONT. FROM PG 107
P-12C	1279.614					P-12C ELEV. =
						ON EAST BREAK OF SPUR RUNNING
						NE'LY FROM MAIN RIDGE; 400N (GROUND
						SLOPE) OF N FENCE NIKE SITE.
						SE'LY OF 8" BLACK WALNUT.
+	11.870		11.244			A 1" I.P. & L.A.CO. ENG'R TAG DN 10"
✕	1291.484	+10.836	+10.837			IN 2'X2' SQUARE PIT, PER PG 48
−	1.034		0.407			
T.P. #117	1290.450					1X2
+	11.306		11.739			
✕	1301.756	+10.973	+10.972			
−	0.333		0.767			
T.P. #118	1301.423					1X1
+	10.900		11.290			
✕	1312.323	+10.524	+10.523			
−	0.376		0.767			
T.P. #119	1311.947					1X2
+	11.579		11.257			
✕	1323.526	+10.853	+10.854			
−	0.726		0.403			
T.P. #120	1322.800					1X1
+	11.184		11.463			
✕	1333.984	+10.928	+10.927			
−	0.256		0.536			
T.P. #121	1333.728					1X1
+	11.879		11.771			
✕	1345.607	+10.608	+10.607			
−	1.271		1.164			
T.P. #122	1344.336					1X1
			L.O.			

CONT. PG 109

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE
DATE SURVEY BY J. H. BROWN F.B. 2284 PG. 109
NOTES CHKD. NOTES BY T.C. PETERSON DATE 3-31-64
DATE INDEXED C. J. GALLI DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						cont from page 108
T.P.#122	1344.336					
+	10.935		11.434			
=	1355.271	+10.192	+10.192			
−	0.743		1.242			
T.P.#123	1354.528					1X1
+	11.506		11.137			
=	1366.034	+10.063	+10.063			
−	1.443		1.074			
T.P.#124	1364.591					SQ. HD. SPK. IN FORK OF BLACK WALNUT
+	8.447		8.187			
=	1373.038	+3.709	+3.708			
−	4.738		4.479			
T.P.#125	1368.300					1X1
+	11.016		11.566			
=	1379.316	+10.599	+10.600			
−	0.417		0.966			
T.P.#126	1378.899					1X2
+	11.785		11.674			
=	1390.684	+11.101	+11.105			
−	0.684		0.569			
T.P.#127	1390.000					1X2
+	11.812		11.645			
=	1401.812	+11.245	+11.243			
−	0.567		0.402			
T.P.#128	1401.245					1X2
+	11.354		11.135			
=	1412.599	+10.598	+10.599			
−	0.756		0.536			
T.P.#129	1411.843					1X1

CONT. PAGE 110

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J.H. BROWN DATE NOTES CHKD.
NOTES BY T.C. PETERSON DATE 4-2-64 DATE
INDEXED S.J. GALLI DATE

F.B. 2294 PG. 110

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#129	1411.843					CONT FROM PAGE 109
+	9.564		9.088			
⊼	1421.407	+ 8.381	+ 8.384			
−	1.183		0.704			
BM. SKY 19	1420.224					BM. SKY 19 (LA BREA A-6; RM. #4) ELEV. = 336' SE'LY OF P-12E (GROUND SLOPE) & DNA BEARING OF S 71° W; 380' W'LY OF NE'LY COR OF FENCE OF NIKE SITE (GROUND SLOPE); 52± E'LY OF ~~NWLY~~ FENCE COR. NIKE SITE #8 9' N'LY @ 90° TO FENCE; A STD LA.CO. ENG. REF. MON. IN CONC. UP 1" PER PG 49
+	1.005		1.179			
⊼	1421.229	− 8.382	− 8.381			
−	9.387		9.555			
T.P.#130	1411.842					
+	0.775		1.119			
⊼	1412.617	− 10.458	− 10.459			
−	11.233		11.578			
T.P.# 131	1401.384					1X1
+	0.708		0.496			
⊼	1402.092	− 10.409	− 10.408			
−	11.117		10.904			
T.P.* 132	1390.975					1X1
+	0.382		0.550			
⊼	1391.357	− 10.514	− 10.514			
−	10.896		11.064			
T.P.# 133	1380.461					1X1
				J.C.		CONT PAGE 111

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J.H. BROWN
NOTES CHKD _____ NOTES BY T.C. PETERSON DATE 4-3-64
DATE _____ INDEXED & J. GALLI DATE _____

F.B. 2984 PG. 111

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.*133	1380.461					CONT FROM PAGE 110
+	0.771		0.517			
^	1381.232	-10.892	-10.891			
-	11.663		11.408			
T.P.*134	1369.569					1X1
+	0.487		1.059			
^	1370.056	-10.904	-10.904			
-	11.391		11.963			
T.P.*135	1358.665					1X1
+	0.657		0.443			
^	1359.322	-10.951	-10.950			
-	11.608		11.393			
T.P.*136	1347.714					1X1
+	0.992		1.373			
^	1348.706	-9.921	-9.920			
-	10.913		11.293			
P-12 D	1337.793					P-12 D ELEV.= 69.8' N'LY OF 18" WALNUT; 16° E'LY SPK & TIN IN ROCK OUTCROPING, 58' W'LY 2" PRONGED BLACK WALNUT; A 1" I.P. & L.A. CO. ENG'R TAG DN 10" PER PG 49
+	5.387		5.746			
^	1343.180	-3.109	-3.111			
-	8.496		8.857			
T.P.*137	1334.684					1X1
+	5.698		5.342			
^	1340.382	-5.064	-5.062			
-	10.762		10.404			
P-12 E	1329.620					P-12 E ELEV.= 24.7' S'LY OF 15" BLACK WALNUT; 9' N'LY 12" BLACK WALNUT; 2 1/2° N 11° W 12" BLACK WALNUT; A 1" I.P. & L.A. CO. ENG'R TAG DN 12" ON SIDE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J.H. BROWN NOTES CHKD. DATE
NOTES BY T.C. PETERSON DATE 4-3-64
INDEXED S.J. GALLI DATE

F.B. 2984 Pg. 112

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P-12E	1329.626					CONT FROM PG 111
+	4.981		5.330			
π	1334.601	- 6.147	-6.148			
−	11.128		11.478			
T.P.#138	1323.473					1X1
+	1.846		2.444			
π	1325.319	- 6.257	-6.256			
−	8.103		8.700			
T.P.#139	1317.216					1X1
+	4.767		5.379			
π	1321.983	- 3.771	-3.769			
−	8.538		9.148			
P-13	1313.445					P-13 ELEV. =
						159' (GROUND SLOPE) NE'LY OF POW. POLE
						#1140259 E; 28' NW'LY 30" BLACK WALNUT
+	11.249		11.728			Λ 1" I.P. @ L.A.CO. ENGR TAG DN 8" IN
π	1324.694	+ 10.909	+10.908			2' SQUARE PIT PER PG. 50
−	0.340		0.820			
T.P.#140	1324.354					1X1
+	11.207		10.806			
π	1335.561	+ 10.141	+10.139			
−	1.066		0.667			
T.P.#141	1334.495					1X1
+	10.870		11.337			
π	1345.365	+10.212	+10.212			
−	0.658		1.125			
T.P.#142	1344.707					1X1
				J.C.		CONT. PG 113

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO 0074.33 SURVEY OF SKYLINE DRIVE F.B. 2984 Pg. 113
DATE SURVEY BY U.H. BROWN
NOTES CHKD NOTES BY T.C. PETERSON DATE 4-3-64
DATE INDEXED C.J. GALLI DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						CONT from page 112
T.P. 142	1344.707					
+	11.969		11.663			
=	1356.676	+11.302	+11.305			
−	0.667		0.358			
T.P.#143	1356.009					1X2
+	11.713		11.427			
=	1367.722	+10.956	+10.957			
−	0.757		0.470			
T.P.#144	1366.965					1X2
+	11.538		11.316			
=	1378.503	+10.490	+10.492			
−	1.048		0.824			
T.P.#145	1377.455					1X1
+	10.977		11.359			
=	1388.432	+10.588	+10.587			
−	0.389		0.772			
T.P.# 146	1388.043					1X1
+	~~11.032~~	+10.721	11.477	11.856		
=		~~+10.727~~	+10.721	+10.721		
−	~~0.305~~		0.756	1.135		
T.P.#147	1398.764					1X2
+	11.037		11.500			
=	1409.801	+10.845	+10.846			
−	0.192		0.654			
T.P.#148	1409.609					1X2
+	10.829		11.184			
=	1420.438	+ 9.744	+ 9.742			
−	1.085		1.442			
T.P.#149	1419.353					1X1

cont page 114

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. _____ DATE _____
NOTES CHKD. _____ DATE _____
INDEXED _____ DATE _____

JOB NO. 007433 SURVEY OF SKYLINE DRIVE
SURVEY BY J. H. BROWN
NOTES BY T. C. PETERSON DATE 4-3-64
C. J. GALLI

F.B. 2984 PG. 114

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.# 149	1419.353					CONT FROM PG 113
+	7.288		7.071			
=	1426.641	+ 3.739	+3.740			
−	3.549		3.331			
BM. BREA 1938	1423.092					BM. BREA 1938 ELEV. STATION IS ON A ROUND TOPPED, GRASS COVERED HILL ABOUT 0.3 MI. E. OF HIGHEST POINT IN BREA HILLS (NIKE SITE). BRASS CAP MON IN 12" SQUARE CONC. POST UP. 6' MARKED AS SHOWN ON PG 51
+	3.213		3.372			
=	1426.305	- 3.736	- 3.736			
−	6.949		7.108			
T.P.# 149	1419.356					
+	1.007		0.763			
=	1420.363	- 9.739	-9.740			
−	10.746		10.503			
T.P.# 148	1409.617					
+	0.194		0.531			
=	1409.811	-10.850	-10.850			
−	11.044		11.381			
T.P.# 147	1398.767					
+	0.936		0.641			
=	1399.703	-10.720	-10.720			
−	11.656		11.361			
T.P.# 146	1388.047					
+	0.448		0.856			
=	1388.495	-10.589	-10.589			
−	11.037		11.445			
T.P.# 145	1377.458					

J.C.
JHB

CONT PG 115

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.# 145	1377.456					CONT. FROM PG 114
+	0.676		1.063			
=	1378.134	-10.490	-10.489			
—	11.166		11.552			
T.P.# 144	1366.968					
+	0.854		0.611			
=	1367.822	-10.958	-10.958			
—	11.812		11.569			
T.P.# 143	1356.010					
+	0.545		0.303			
=	1356.555	-11.303	-11.303			
—	11.848		11.606			
T.P.# 142	1344.707					
+	0.257		0.598			
=	1344.964	-10.217	-10.216			
—	10.474		10.814			
T.P.# 141	1334.490					
+	0.743		0.943			
=	1335.233	-10.506	-10.506			
—	11.249		11.449			
T.P.# 150	1323.984					1 x 1
+	0.543		0.961			
=	1324.527	-10.594	-10.595			
—	11.137		11.556			
T.P.# 157	1313.390					1 x 1
+	0.888		1.358			
=	1314.278	-10.395	-10.396			
—	11.283		11.754			
T.P.# 152	1302.995					

CONT. ON PG 116

NOTES RED _____ JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J. H. BROWN
NOTES CHKD _____ NOTES BY T.C. PETERSON DATE 4-6-64
DATE _____ INDEXED _____ C. J. GALLI DATE _____

F.B. 2984 PG. 145

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. ____ DATE ____
SURVEY BY J. H. BROWN NOTES CHKD. ____ DATE ____
NOTES BY T.C. PETERSON DATE 4-6-64
INDEXED C. J. GALLI DATE ____

F.B. 3984 PG. 116

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#152	1302.995					CONT. FROM PG 115
+	0.414		0,688			
⏄	1303.409	-10,764	-10,762			
—	11.178		11.450			
T.P.#153	1292.231					1X2
+	0.404		0,602			
⏄	1292,635	-10,829	-10,827			
—	11 233		11,429			
T.P.#154	1281.402					1X2
+	0.853		0,791			
⏄	1282.255	-10905	-10,905			
—	11.758		11.696			
T.P.#155	1270.497					1X1
+	0.450		0,677			
⏄	1270.947	-10,932	-10,931			
—	11, 382		11.608			
T.P.#156	1259,565					1X2
+	0,840		0,613			
⏄	1260.405	-10,999	-10.996			
—	11.839		11.609		1	
T.P.#157	1248,566					1X1
+	0.556		0.931			
⏄	1249.122	-9.982	-9.982			
—	10.538		10.923			
T.P.#158	1238.584					1X1
+	0,965		0.507			
⏄	1239.549	-10,598	-10.597			
—	11.563		11.104			
T.P.#159	1227.986					1X2
						CONT. PG 117

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO 0074.33 SURVEY OF SKYLINE DRIVE
DATE SURVEY BY J.H.B. RONN F.B. 2984 PG. 117
NOTES CHKD NOTES BY T.C. PETERSON DATE 4-6-64
DATE INDEXED C.J. GALLI DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.* 159	1227.986					CONT. FROM PG 116
+	0.350		0.405			
∓	1228.336	- 11.076	-11.077			
—	11.426		11.482			
T.P.* 160	1216.910					1X1
+	0.697		0.368			
∓	1217.607	- 11.058	-11.059			
—	11.755		11.427			
T.P.* 161	1205.852					1X1
+	3.157		2.562			
∓	1209.009	- 4.231	-4.231			
—	7.388		6.793			
P-13A	1201.621					P-13A ELEV. =
						398' W'LY OF INTERSECTION OF FENCES
						THEN S'LY 265± @ 90° TO FENCE; 309'
						(GROUND SLOPE) W'LY DIRT RD; 68' E'LY
						(GROUND SLOPE) 3 PRONGED BLACK WALNUT;
+	7.864		8.961			A 1" I.P. & L.A.CO. ENGR TAG ON 6" IN
∓	1209.485	+ 3.431	+3.431			SQUARE PIT. PER PG 52
—	4.433		5.030			
T.P.* 162	1205.052					1X2
+	6.563		6.267			
∓	1211.615	+ 3.705	+3.704			
—	2.858		2.563			
T.B.M.* 5	1208.757					T.B.M.* 5
						775' (GROUND SLOPE) N.W'LY FROM
+	10.264		10.449			W'LY GATE POST. A 2½" BRASS CAP IN
∓	1219.021	+ 6.705	+ 6.704			1½" I.P. PROJECTING 4" FROM 4' CEM. FILLED
—	3.559		3.745			CASING UP 1' LEANING NORTH. PG 52
T.P.* 163	1215.462					1X2

135'

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

F.B. 2984 PG. 118

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J.H. BROWN NOTES CHKD. DATE
NOTES BY T.C. PETERSON DATE 4-6-64
INDEXED G.J. GALLI DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TP163	1215.462					CONT FROM PG 117
+	7.669		8.115			
∧	1223.131	-2.906	-2.906			P-14 ELEV =
—	10.575		11.021			ON A SMALL SPUR RUNNING W.W. FROM
P-14	1212.556					N.W. CORNER ARMY CAMP,
	—					75° SE'LY 12" BLACK WALNUT 56 &
+	2.293		2.130			SW'LY 10" BLACK WALNUT A 1" I.P.
∧	1214.849	-7.120	-7.121			& L.A. CO. ENG'R TAG DN 12' IN 3' X
—	9.413		9.251			3' SQUARE PIT PG. 53
T.P.#164	1205.436					1X2
+	1.439		1.360			
∧	1206.875	-8.089	-8.088			
—	9.528		9.448			
T.P.#165	1197.347					SPK IN BASE OF BLACK WALNUT.
+	1.654		1.120			
∧	1199.001	-6.398	-6.397			
—	8.052		7.517			
T.P.#166	1190.949					1X2
+	1.513		1.060			
∧	1192.462	-6.655	-6.656			
—	8.168		7.716			
P-14 A	1184.294			1184.30		P-14 A ELEV. =
						ON A SMALL RIDGE RUNNING NW'LY
						FROM NW'LY COR. ARMY CAMP; 3 1/8' —
						NE'LY OF P-14. ; 4½° SW'LY
						FROM W'LY EDGE OF DIRT ROAD TO POWER
						LINES; 9½° S'LY OF 16" BLACK WALNUT;
						8½' E'LY 3 PRONGED BLACK WALNUT;
						A 1" I.P. & L.A. CO. ENG'G TAG DN 6"
						IN 2' SQUARE PIT PER PG. 54

CONT PG 119

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J.H. BROWN F.B. 2984 Pg. 119
NOTES CHKD _____ NOTES BY T.C. PETERSON DATE 4-28-64
DATE _____ INDEXED _____ C. I. GALLI DATE _____

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P-14A	1184.294					SEE PG. 118 FOR DESCRIPTION
+	2.478		2.295			
∧	1186.772	-9.412	-9.413			
−	11.890		11.708			
T.P.# 167	1174.882					1X2
+	0.601		0.720			
∧	1175.483	-10.827	-10.825			
−	11.428		11.545			
T.P.# 168	1164.055					1X1
+	1.697		1.957			
∧	1165.752	-8.525	-8.525			
−	10.222		10.482			
T.P.# 169	1155.530					1X1
+	2.423		2.290			
∧	1157.953	-8.346	-8.346			
−	10.769		10.636			
T.P.# 170	1147.184					1X2
+	5.755		5.602			
∧	1152.939	-4.488	-4.488			
−	10.243		10.090			
B.M. SKY-20	1142.696					B.M. SKY #20 ELEV. ON TOP OF A RIDGE RUNNING N'LY FROM CTR. OF ARMY CAMP. A L.A. CO. ENG'R TAG & LEAD IN E'LY CONC BASE OF TOWER #27-3 UP 18"
+	2.304		2.532			
∧	1145.000	-7.132	-7.133			
−	9.436		9.665			
P-15	1135.564					P-15 ELEV. ON TOP OF RIDGE RUNNING N'LY FROM CTR. OF ARMY CAMP / 969' NLY FROM N'LY TOWER BASE: 84' N'LY

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. ____ DATE ____
SURVEY BY J.H. BROWN NOTES CHKD. ____ DATE ____
NOTES BY T.G. PETERSON DATE 5-7-64
INDEXED C. J. GALLI DATE •
F.B. 2984 PG. 120

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						CONT PG 119
P-15	1135.564					SEE PG 119 FOR DESCRIPTION
+	9.104		9.187			
π	1144.668	+8.035	+8.036			
−	1.069		1.151			
T.P.#171	1143.599					1X1
+	9.609		9.828			
π	1153.208	+7.004	+7.005			
−	2.605		2.823			
T.P.#172	1150.603					1X2
+	11.976		11.787			
π	1162.579	+7.986	+7.987			
−	3.990		3.800			
T.P.#173	1158.589					1X2
+	4.895		4.924			
π	1163.484	−3.203	−3.201			
−	8.098		8.125			
B.M. SKY 21	1155.386					B.M. SKY 21 ELEV. = ON E'LY OF 2 SPURS RUNNING NORTH FROM ARMY CAMP. BT. SPK IN CONC: BASE, N.W. LEG OF HIGH TENSION TOWER #27-2
+	0.731		0.333			
π	1156.117	−9.684	−9.684			
−	10.415		10.017			
T.P.#174	1145.702					1X2
+	1.943		2.043			
π	1147.645	−9.371	−9.371			
−	11.314		11.414			
T.P.#175	1136.331					1X2

76S420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J.H. BROWN F.B. 2984 PG. 121
NOTES CHKD _____ NOTES BY T.C. PETERSEN DATE 5-7-64
DATE _____ INDEXED _____ DATE _____

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.# 175	1136.331					CONT. PG 120
+	0.772		0.567			
∑	1137.103	-10.241	-10.242			
—	11.013		10.809			
T.P.# 176	1126.090					1X2
+	0.494		0.282			
∑	1126.584	-9.929	-9.929			
—	10.423		10.211			
T.P.# 177	1116.161					1X2
+	0.727		0.549			
∑	1116.888	-4.429	-4.429			
—	5.156		4.978			
P-15 A	1111.732					P-15 A ELEV.- ON E'LY OF TWO SPURS RUNNING N'LY FROM ARMY CAMP. 149± N'LY OF I.P. CENTER OF TOWER # 27-2; ON PROD. OF LINE FROM CENTER OF TOWER # 20-2; 80± N W'LY (ON LINE) OF FENCE LINE; A 1" I.P. & L.A. CO. ENG'R TAG DN 6" IN 2X2' SQUARE PIT PER PG. 56
+	5.340		5.107			
∑	1117.072	-3.682	-3,680			
—	9.022		8.787			
P-15 B	1108.050					P-15 B ELEV. 83' E'LY OF P-15 A; 3' E'LY OF FENCE LINE; A 1" I.P. & L.A. CO. ENG'R TAG FLUSH, PER PG 57
+	1.337		1.585			
∑	1109.387	-10.051	-10,050			
—	11.388		11,635			
T.P.# 178	1097.999					1X2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J.H. BROWN NOTES CHKD. DATE
NOTES BY T.C. PETERSON DATE 5-7-64
INDEXED E.J. CALL DATE

F.B. 298 PG. 122

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#178	1097.999					CONT. PG. 121
+	0.599		0.767			
=	1098.598	-10586	-10.586			
-	11.185		11.353			
T.P.#179	1087.413					1X1.
+	0.635		0.456			
=	1088.048	-11.021	-11.023			
-	11.656		11.479			
T.P.#180	1076.392					1X1
+	1.187		1.573			
=	1077.579	-8.117	-8.117			
-	9.304		9.690			
T.P.#181	1068.275					1X2
+	0.582		0.838			
=	1068.857	-10.331	-10.335			
-	10.913		11.173			
T.P.#182	1057.944					1X1
+	0.415		0.687			
=	1058.359	-10.501	-10.501			
-	10.916		11.188			
T.P.#183	1047.443					1X1
+	0.437		0.806			
=	1047.880	-10.737	-10.734			
-	11.174		11.540			
T.P.#184	1036.706					1X1
+	0.774		0.543			
=	1037.480	-9.614	-9.614			
-	10.388		10.157			
T.B.M.#6	1027.092					T.B.M.#6 ELEV.
						CONT. PG 123

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J. H. BROWN F.B. 2984 PG. 123
NOTES CHKD _____ NOTES BY T.G. PETERSON DATE 5-7-64
DATE _____ INDEXED C. J. GAUL DATE _____

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M.#6	1027.092					CONT. PG 122
+	0.286		0.454			
=	1027.378	-10.732	-10.732			
-	11.018		11.186			
T.P.#185	1016.360					1X1
+	0.477		0.218			
=	1016.837	-10.139	-10.140			
-	10.616		10.358			
T.P.#186	1006.221					1X2
+	1.883		1.743			
=	1008.104	-4.223	-4.223			
-	6.106		5.966			
P-16	1001.998					P-16 ELEV. = 76⅝ N'LY OF NORTHMOST HIGH TENSION WIRE, 134½ N.E'LY OF 18" OAK; 114⅝ N'LY 18" BLACK WALNUT. A 1"I.P. & L.A. CO. ENG'R TAG ON 8" IN 2'X2' SQUARE PIT PER PG. 58
+	11.018		11.234			
=	1013.016	+10.663	+10.665			
-	0.355		0.569			
T.P.#187	1012.661					1X1
+	11.213		11.430			
=	1023.874	+10.607	+10.606			
-	0.606		0.824			
T.P.#188	1023.268					1X1
+	11.072		11.346			
=	1034.340	+10.539	+10.537			
-	0.533		0.809			
T.P.#189	1033.807					1X1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J.H. BROWN NOTES CHKD. DATE
NOTES BY T.C. PETERSON DATE 5-7-64
INDEXED C. J. CALLI DATE
F.B. 2984 PG. 124

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#189	1033.807					CONT. PG 123
+	9.307		9.649			
⊼	1043.114	+1.532	+1.532			
−	7.775		8.117			
P-16 A	1035.339					P-16A ELEV. =
+	0.536		1.049			
⊼	1035.875	-10.457	-10.457			
−	10.993		11.506			
T.P.#190	1024.882					1X1
+	0.524		1.084			
⊼	1025.406	-10.597	-10.595			
−	11.121		11.679			
T.P.#191	1014.285					1X1
+	0.288		0.647			
⊼	1014.573	-10.653	-10.654			
−	10.941		11.301			
T.P.#192	1003.632					1X1
+	~~0.446~~	10.784	0.677	0.873		
⊼	1004.078	~~-10.793~~	-10.785	-10.784		
−	~~11.239~~		11.462	11.657		
T.P.#193	992.839 99					1X1
+	0.624		0.899			
⊼	993.472	-10.705	-10.708			
−	11.329		11.607			
T.P.#194	982.143 ✓					1X1
				20		CONT. PG 125

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.# 194	982.143					CONT. PG. 124
+	0.290		0.389			
⊼	982.433	- 11.460	- 11.460			
−	11.750		11.849			
T.P.# 195	970.683					1X1
+	0.446		0.338			
⊼	971.129	- 11.400	- 11.397			
−	11.846		11.735			
P-17	959.283					P-17 ELEV.
	|					SPT B-27 BETWEEN Y BARRA & MENCHESO
	|					PARCELS; 79.5' SE'LY P-16A; 17' SW'LY
	|					W'LY EDGE DIRT RD. A 3" BRASS CAP ON
+	10.954		11.107			A 2" I.P. UP 6" FROM A 5" CEM. FILLED
⊼	970.237	+ 10.374	+ 10.376			CASING WHICH IS UP 4" PER PG 60
−	0.580		0.731			
T.P.# 196	969.657					1X1
+	11.640		11.746			
⊼	981.297	+ 11.326	+ 11.326			
−	0.314		0.420			
T.P.# 197	980.983					1X1
+	11.616		11.843			
⊼	992.599	+ 11.387	+ 11.387			
−	0.229		0.456			
T.P.# 198	992.370					1X1
+	11.414		11.598			
⊼	1003.784	+ 11.019	+ 11.016			
−	0.395		0.582			
T.P.# 199	1003.389 ✓					1X1

NOTES RED _____ JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J. H. BROWN F.B. 2984 PG. 125
NOTES CHK'D _____ NOTES BY T. C. PETERSON DATE 5-7-64
DATE _____ INDEXED _____ C. J. GALLI DATE _____

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. ____ DATE ____
SURVEY BY J.H. BROWN NOTES CHKD. ____ DATE ____
NOTES BY T.C. PETERSON DATE 5-8-64
INDEXED C. J. GALLI DATE ____
F.B. 2984 PG. 126

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.# 199	1003.389					CONT. PG 125
+	11.441		11.647			
⊼	1014.830	+11.052	+11.050			
−	0.389		0.597			
T.P.# 200	1014.441					1X1
+	11.474		11.704			
⊼	1025.915	+11.280	+11.280			
−	0.194		0.424			
T.P.# 201	1025.721					1X1
+	11.427		11.613			
⊼	1037.148	+11.040	+11.039			
−	0.387		0.574			
T.P.# 202	1036.761					1X1
+	11.220		11.543			
⊼	1047.981	+10.972	+10.971			
−	0.248		0.572			
T.P.# 203	1047.733					
+	10.943		11.034			
⊼	1058.676	+8.927	+8.927			
−	2.016		2.107			
P-17 A	1056.660					P-17 A ELEV.

SIDE HILL East of main drainage. 843.7 NE'ly of P-17. ON west edge of dirt road (above U turn). 443' S'ly of a natural drainage measured on ground slope along west edge of road. a 1" I.P & CO. ENGR tag dn. 12" shown FB 2984.-61

CONT. PG 127

76S420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE
DATE SURVEY BY J.H. BROWN F.B. 2984 PG. 127
NOTES CHKD NOTES BY T.C. PETERSON DATE 5-8-64
DATE INDEXED C.J. GALLI DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P-17A	1056.660					CONT. PG. 126
+	11,269		11,483			
=	1067,929	+10.580	+10,580			
−	0,689		0.903			
T.P.#204	1067.240					1X1
+	11,765		11,944			
=	1079,005	+10.998	+10.997			
−	0,767		0.947			
T.P.#205	1078,238					1X1
+	10,903		11,186			
=	1089,141	+10.490	+10,487			
−	0.413		0,699			
T.P.#206	1088,728					1X1
+	11,842		11,967			
=	1100,570	+11.632	+11.630			
−	0,210		0337			
T.P.#207	1100,360					1X2
+	11,315		11,612			
=	1111,675	+10,999	+11,000			
−	0.316		0,612			
T.P.#208	1111,359					1X1
+	11,424		11,204			
=	1122,783	+10,798	+10,798			
−	0.626		0,406			
T.P.#209	1122,157					1X1
+	10,078		11,485			
=	1132,235	+6.870	+6,869			
−	3,208		4,616			
T.P.#210	1129,027					1X1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J. H. BROWN NOTES CHKD. DATE
NOTES BY T.C. PETERSON DATE 5-8-64
INDEXED E. J. GALLI DATE

F.B. 2984 PG. 128

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#210	1129.027					CONT. PG. 127
+	9.328		9.494			
⊼	1138.355	+7.142	+7.141			
−	2.186		2.353			
B.M. SKY-22	1136.169					B.M. SKY-22 ELEV. ON THE MAIN RIDGE WEST OF BREA CNYN RD. A BT 50K IN CONC BASE OF NMLEG TOWER # 27-1
+	0.483		0.507			
⊼	1136.652	−10.859	−10.857			
−	11.342		11.364			
T.P.#211	1125.310					1X1
+	0.607		0.862			
⊼	1125.917	−10.470	−10.466			
−	11.077		11.328			
T.P.#212	1114.840					1X1
+	0.505		0.347			
⊼	1115.345	−10.218	−10.218			
−	11.723		11.565			
T.P.#213	1103.622					1X1
+	~~0.334~~	~~−10.903~~	0.537	0.674		
⊼	~~1104.956~~	~~−10.911~~	−10.906	−10.903		
−	~~11.245~~		11.443	11.577		
T.P.#214	1092.~~711~~ 7.19					1X1
+	0.469		0.596			
⊼	1093.188	−10.858	−10.858			
−	11.327		11.454			
T.P.#215	1081.861					1X1
+	0.393		0.564			
⊼	1082.254	−10.671	−10.670			
−	11.064		11.234			
T.P.#216	1071.190					1X1
						CONT. PG 129

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET, MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J. H. BROWN
NOTES CHKD _____ NOTES BY T.C. PETERSON DATE 5-8-64
DATE _____ INDEXED _____ DATE _____

F.B. 2984 PG. 129

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P. #216	1071.190					CONT. PG 128
+	0.462		0.681			
=	1071.652	-11.071	-11.071			
-	11.533		11.752			
P-17C	1060.119					P-17C ELEV.=
+	1.647		1.883			ON W'LY SLOPE OF MAIN RIDGE;
=	1061.766	-9.850	-9.850			521' (GROUND SLOPE) N 14° W (MAG) FROM
-	11.497		11.733			I.P. CTR. TOWER #27-1; ON LINE OF
T.P. #217	1050.269					CTR. OF TOWERS; 302' (GROUND SLOPE)
+	0.480		0.583			N 35° W (MAG.) FROM MIDDLE OF
=	1050.749	-10.763	-10.760			TRACK RD. TO TOP OF RIDGE; 269.6'
-	11.243		11.343			S W'LY OF NAIL IN ROCK OUTCROP;
T.P. #218	1039.506					138.8' SE'LY NAIL IN ROCK OUTCROP;
+	0.574		0.657			79.7' NE'LY NAIL IN ROCK OUTCROP;
=	1040.080	-10.940	-10.940			A 1" I.P. CEM. PLUG & CO. ENG'R. TAG
-	11.514		11.597			DN 6" PER PG. 63
T.P. #219	1028.566					1X1
+	0.440		0.667			
=	1029.006	-9.599	-9.600			
-	10.039		10.267			
P-18	1018.967					P-18 ELEV.=
						ON SIDE HILL NW SIDE MAIN RIDGE;
						812' NW'LY CTR. TRACK RD; 450'
						NE'LY P-17C (SHOWN ABOVE) 175.6'
						NE'LY NAIL IN ROCK OUTCROP; 182.1'
						NW'LY NAIL & TIN IN 48" OAK; A 1"
						I.P. CEM. PLUG & CO. ENGR TAG DN 12"
+	11.661		11.777			IN 2'X2' SQUARE PIT PER PG 64
=	1030.628	+10.638	+10.634			
-	1.023		1.143			

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 00 74.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J.H. BROWN NOTES CHKD. DATE
NOTES BY T.C. PETERSON DATE 5-8-64 INDEXED DATE
C.J. GALLI

F.B. 1994 PG. 130

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#220	1029.605					CONT. PG. 129
+	~~11.240~~	+10.693	11.540	11.741		
⊼	~~1041.815~~	+10.687	+10.692	10.693		
−	~~0.523~~		0.848	1.048		
	1040.~~298~~ 292					
T.P.#221						1X1
+	11.473		11.104			
⊼	1051.771	+1.706	+1.708			
−	9.767		9.396			
T.P.#222	1042.004					1X1
+	0.723		0.907	1.098		
⊼	1042.727	−10.591	−10.596	−10.590		
−	11.314		11.503	11.688		
T.P.#223	1031.413					1X1
+	6.604		6.898			
⊼	1038.017	−4.208	−4.211			
−	10.812		11.109			
T.P.#224	1027.205					1X1
+	7.099		7.180			
⊼	1034.304	+4.206	+4.206			
−	2.893		2.974			
P-19	1031.411					P-19 ELEV. = ABOUT 1500' N.E. OF POWER LINES OVER MAIN RIDGE OF PUENTE HILLS. 105' ES' N.E. OF LOWEST POINT IN CREST OF RIDGE. 47.49' S.50°E (MAG.) 20" OAK; 56' (MAG) S. OF ROCK OUTCROP 18' N45°W (MAG.) CTR. TRACK RD. A 1" I.P. CEM. PLUG & CO. ENG'R TAG DN 12" IN 2'X2' SQUARE PIT PER PG 65
						CONT. PG 131

76S420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY V.H. BROWN F.B. 2984
NOTES CHKD _____ NOTES BY T.C. PETERSON DATE 6-12-64 PG. 131
DATE _____ INDEXED _____ DATE _____

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						CONT FR 130
P-19	1031.411					P-19
+	4.281		3.903			
π	1035.692	+0.476	0.477			
−	3.805		3.426			
T.B.M.#7	1031.887					T.B.M.#7 ELEV.=
						28.25' S 17°(MAG.) FROM P-19;
+	3.143		2.925			93' NELY OF A LOW POINT IN RIDGE;
π	1035.030	-3.084	3.084			7' S 45°E (MAG.) FROM CTR. TRACK RD;
−	6.227		6.209			A NAIL IN TOP OF ROCK; UP 12".
T.P.#225	1028.803					1X2
+	2.332		2.448			
π	1031.135	-6.916	6.918			
−	9.248		9.366			
T.P.#226	1021.887					1X2
+	10.127		10.309			
π	1032.014	+8.890	8.889			
−	1.237		1.420			
T.P.#227	1030.777					1X2
+	6.944		6.721			
π	1037.721	-3.380	3.381			
−	10.324		10.102			
T.P.#228	1027.397					1X2
+	6.914		6.615			
π	1034.311	-2.428	2.428			
−	9.342		9.043			
P-20	1024.969					P-20 ELEV.=

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J.H. BROWN NOTES CHKD. DATE
NOTES BY T.C. PETERSON DATE 6-12-64
INDEXED C.J. GALLI DATE
F.B. 2984 PG. 132

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						CONT. PG 131
P-20	1024.969					P-20 ELEV.= ON A SMALL SPUR RUNNING N.W'LY FROM MAIN RIDGE, 280'±10' FROM DIRT ROAD TOP MAIN RIDGE; 27' W. OF 8" SCRUB OAK (W'LY OF 3) 319'±5' S. OF FENCE LINE (GROUND SLOPE). A 1" I.P. CEM. PLUG, & CO. ENG'R TAG DN 6" IN 2'X2' SQUARE PIT PER PG 66
+	3.764		4.273			
π	1028.733	-5.492	5.495			
−	9.256		9.768			
T.P.#229	1019.477					1X2
+	0.537		0.946			
π	1020.014	-9.056	9.055			
−	9.593		10.001			
T.P.#230	1010.421					1X1
+	0.429		0.773			
π	1010.850	-9.074	9.073			
−	9.503		9.846			
T.P.#231	1001.347					1X1
+	0.567		0.348			
π	1001.914	-11.310	11.306			
−	11.877		11.654			
T.B.M.#8	990.037					T.B.M. #8 ELEV.= ON A SMALL BENCH N.W. SIDE MAIN RIDGE PUENTE HILLS; 73' W OF GATE POST ON TOP OF RIDGE; 3540' E OF INTS. RD. LINE; 21'±50. FENCE LINE (PARTITION Y BARRA TR) A 1½" I.P. CEM. PLUG & TAG (L.S. 2428) UD 2'±. PER PG 67
+	0.961		0.701			
π	990.998	-9.464	9.465			
−	10.425		10.166			
T.P.#232	980.573					1X1
+	1.858		1.596			
π	982.431	-6.485	6.485			
−	8.343		8.081			
T.B.M.#9	974.088					

JA

CONT. PG 133

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0014.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J. H. BROWN
NOTES CHKD _____ NOTES BY T.C. PETERSON DATE 6-12-64
DATE _____ INDEXED _____ DATE _____ F.B. _____ PG. 133

B.M. ✓	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						CONT. PG 132
T.B.M. #9	974.088					T.B.M. #9 ELEV. = 79,0 E'LY T.B.M. #8; 5' N OF FENCE LINE. A 1" I.P. CEM, PLUG & CO. ENGR TAG DN 4" PER PG
+	11,533		11.653			
⊼	985.621	+10.290	10.291			
—	1,243		1.362			
T.P. #233	984.378					
+	10,900		11.402			
⊼	995.278	+10,092	10,090			
—	0.808		1.312			
T.P. #234	994.470					
+	11.880	+	11.999			
⊼	1006.350	+11.573	11.575			
—	0.307		0.424			
T.P. #235	1006.043					
+	11.417		11.241			
⊼	1017.460	+10.245	10.244			
—	1.172		0.997			
T.B.M. #10	1016.288					T.B.M. #10 ELEV. = 301.6 NE'LY T.B.M. #9; 330.1' N.W OF STONE (T.B.M. #11)
+	10.707		10.337			
⊼	1026.995	+8.879	8.875			
—	1.828		1,462			
T.P. #236	1025.167					
+	11,696		11,795			
⊼	1036.863	+11.473	11,472			
—	0.223		0.323			
T.P. #237	1036.640					
+	11.582		11,254			
⊼	1048.222	+10.964	10.967			
—	0.618		0.287			
T.P. #238	1047.604					

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J.H. BROWN NOTES CHKD. DATE
NOTES BY T.G. PETERSON DATE 6-12-64
INDEXED C.J. GALLI DATE
F.B. 2984 PG. 134

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.# 238	1047.604					
+	11.642		11.966			
⊼	1059.246	+11.414	11.414			
−	0.228		0.552			
T.P.# 239	1059.018					1X1
+	10.044		10.307			
⊼	1069.062	+6.295	6.293			
−	3.749		4.014			
T.P. # 240	1065.313					1X1
+	8.565		8.305			
⊼	1073.878	+7.320	7.321			
−	1.245		0.984			
T.B.M. # 11	1072.633					T.B.M. # 11 ELEV. = TOP OF MAIN RIDGE WHERE PARTITION LINE FENCE (YBARRA TR) CROSSES RIDGE) 12.' WEST OF WEST GATE POST. HIGHEST POINT ON 4"X10" STONE, PROJECTING 18"; POINT USED IS 0.043 HIGHER THAN CHISELED CROSS SHOWN PG 77
+	0.372		0.198			
⊼	1073.005	−6.489	6.485			
−	6.861		6.683			
T.P.# 241	1066.144					1X1
+	3.147		2.863			
⊼	1069.291	−7.060	7.061			
−	10.207		9.924			
T.P.# 242	1059.084					1X1
+	0.195		0.332			
⊼	1059.279	−6.971	6.973			
−	7.166		7.305			
T.P.# 243	1052.113					1X1

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED_____ JOB NO 6017-55 SURVEY OF SKYLINE DRIVE
DATE_____ SURVEY BY J.H. BROWN
NOTES CHKD_____ NOTES BY T.C. PETERSON DATE 6-12-64
DATE_____ INDEXED C.J. GALLI DATE_____ F.B._____ PG. 127

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.# 243	1052.113					
+	1.929		1.703			
⊼	1054.042	-7.245	7.244			
−	9.174		8.947			
T.P.# 244	1044.868					1X1
+	10.845		10.301			
⊼	1055.713	+7.942	7.943			
−	2.903		2.358			
T.P.# 245	1052.810					1X1
+	8.845		8.518			
⊼	1061.655	+6.228	6.228			
−	2.617		2.290			
B.M. SKY 23	1059.038					BM. SKY 23 ELEV. ON TOP OF SMALL KNOLL 96.5' N W'LY OF P-21, 117.0 & 213.0 TO FENCE CORNERS. A STD. L.A.CO. BRASS CAP BM. FLUSH PER PG 68
+	2.719		2.507			
⊼	1061.757	-8.728	8.729			
−	11.447		11.236			
P-21	1050.310					P-21 ELEV. NEAR TOP OF SMALL KNOLL 54' N'LY OF FENCE LINE AT 90° TO FENCE, 69' N'ELY OF FENCE COR. A 1" I.P. CEM. PLUG & CO. ENG'R TAG DN 6" IN 2'X2' PIT. PER PG 68



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. ____ DATE ____
SURVEY BY J. H. & ROWN ____ NOTES CHKD. ____ DATE ____
NOTES BY T. C. PETERSON DATE 6-12-64
C. J. GALLI
INDEXED ____ DATE ____
F.B. 2984 Pg. 136

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P-21	1050.310					
+	1.453		1.171			
⊼	1051.763	- 7.844	7.842			
−	9.297		9.013			
T.P. #246	1042.466					1X1
+	0.416		0.257			
⊼	1042.882	-11.394	11.395			
−	11.810		11.652			
T.P. #247	1031.072					1X1
+	0.319		0.605			
⊼	1031.391	-10.502	10.501			
−	10.821		11.106			
T.P. #248	1020.570					1X1
+	0.203		0.471			
⊼	1020.773	-10.921	10.917			
−	11.124		11.388			
T.P. #249	1009.649					1X1
+	0.688		0.510			
⊼	1010.337	-10.850	10.848			
−	11.538		11.358			
T.B.M. #12	998.799					T.B.M. #12 ELEV. = ON E. SLOPE OF SPUR RUNNING N. FROM MAIN RIDGE; 270' (GROUND SLOPE) N.E. P-21; 50' WEST (GROUND SLOPE) OF FENCE LINE; 242' (GROUND SLOPE) N OF FENCE COR. TOP OF MAIN RIDGE; 1½" I.P. CEM. PLUG & CO. ENG'R TAG UP 8' PER PG 69
+	1.049		0.812			
⊼	999.848	- 0.754	0.754			
−	1.803		1.566			
T.B.M. #13	998.045					

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M. /	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						CONT. PG 136
T.B.M. #13	998.045					T.B.M. #13 (P-21A) ELEV.= 212'E'LY P-21; 49' WEST OF FENCE LINE; 110' (GROUND SLOPE) N. OF FENCE LINE ON TOP OF MAIN RIDGE; A 1" I.D. CEM. PLUG & CO. ENG'R TAG DN 8" IN 21x21 SQ UARE PIT PER PG 69
+	0.215		0.443			
=	998.260	-11.432	11.432			
-	11.647		11.875			
T.P. #250	986.613					1x1
+	0.675		0.408			
=	987.288	-10.458	10.459			
-	11.133		10.867			
T.P. #251	976.155					1x1
+	0.473		0.701			
=	976.628	-10.500	10.500			
-	10.973		11.201			
T.P. #252	965.655					1x1
+	0.236		0.614			
=	965.891	-10.771	10.771			
-	11.007		11.385			
T.P. #253	954.884					1x2
+	0.186		0.307			
=	955.070	-0.435	0.436			
-	0.621		0.743			
T.P. #254	954.449					1x1
+	10.178		9.820			
=	964.627	+8.801	8.797			
-	1.377		1.023			
T.P. #255	963.250					1x1
+	8.300		7.940			
=	971.550	-2.541	2.540			
-	10.841		10.480			
T.P. #256	960.709					1x1
				J.O.		

NOTES RED _____ JOB NO. 00744.22 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J.H. BROWN
NOTES CHKD _____ NOTES BY T.C. PETERSON DATE 6-15-64
DATE _____ INDEXED _____ C.J. GALLI DATE _____

F.B. 1 OF Pg. 137

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS, OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. DATE
SURVEY BY J. H. BROWN DATE NOTES CHKD.
NOTES BY T.C. PETERSON DATE 6-15-64 DATE
INDEXED G. J. GALLI DATE

F.B. 2914 Pg. 138

B.M. ✓	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P. #256	960.709					
+	2.977		3.161			
⊼	963.686	-5.028	5.026			
−	8.005		8.187			
P-22	955.681					P-22 ELEV. ± 175' S 69° W MAG of a low point in crest of saddle; bushy portion of main ridge; 105.' S.E'ly of 30" oak. 380'± N E'ly along RIDGE from fence COR near W. cnr TR 2988. 19.6' N of a 7" TREE A 1" I.P. & CO ENGR tag DN 6" in 2'x2' SQ pit.
+	0.505		0.716			
⊼	956.186	-9.582	9.580			
−	10.087		10.296			
T.P. #257	946.099					1x1
+	0.853		0.526			
⊼	946.952	-9.265	9.267			
−	10.118		9.793			
T.P. #258	936.834					1x1
+	0.233		0.462			
⊼	937.067	-5.240	5.241			
−	5.473		5.703			
T.P. #259	931.594					1x2
+	7.573		7.603			
⊼	939.167	+7.278	7.280			
−	0.295		0.323			
T.P. #260	938.872					1x1
+	9.132		8.842			
⊼	948.004	+5.416	5.417			
−	3.716		3.425			
T.P. #261	944.288					1x1
				J.O.		

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. _____ SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J.H. BROWN
NOTES CHKD _____ NOTES BY T.G. PETERSON DATE 6-15-64
DATE _____ INDEXED C.J. GALLI DATE _____

F.B. 1017 Pg. 139

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.#261	944.288					
+	9.609		9.817			
=	953.897	+ 9.404	9.404			
−	0.205		0.413			
T.P.#262	953.692					1X2
+	6.687		6.865			
=	960.379	+2.491	2.490			
−	4.196		4.375			
T.P.#263	956.183					1X1
+	10.727		10.474			
=	966.910	+6.744	6.741			
−	3.983		3.733			
T.P.#264	962.927					1X2
+	5.668		5.840			
=	968595	+0.834	0.836			
−	4.834		5.004			
PATHFINDER BM-3	963.761					B.M. PATHFINDER 3 ELEV. = ON TOP OF A SMALL NOSE, WEST SIDE OF HIGH POINT ON MAIN RIDGE; 380'± N30°E OF SADDLE; 536' NE'LY OF P-22; 67' SW'LY 18" OAK; 76' W'LY OF 24" PRONG OF 3 PRONGED OAK; 13.2 S'LY P.I. #3 PATHFINDER RD. A STD. L.A. CO. B.M. MON. UP 4" MARKED "PATH. B.M. -3" AS SHOWN FB 3132-29. SEE FB 2984-71
+	5.233					
=	968.994	−1.764				
−	6.997					
P.I. #3 (PATHFINDER)	961.997					P.I. #3 (PATHFINDER) CONT NEXT PAGE:

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE NOTES RED. ____ DATE ____
SURVEY BY J.H. BROWN NOTES CHKD. ____ DATE ____
NOTES BY T.C. PETERSON DATE 6-15-64
INDEXED C.J. GALL DATE ____

F.B. 2984 PG. 140

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
P.I. #3	961.997					P.I. #3 (PATHFINDER) Elev =
+	6.738					
=	968.735	+1.765				13.28 N. of BM PATH #3
−	4.973					26.99 S/g of n. stk in 5"
						61.10 W/g of n. stk in 14" oak
						A 1" I.P. Elev. Tag. DN 6"
B.M. PATH #3	963.762					BM PATH #3
						shown Last page

NOTES RED. JOB NO. 0074.33 SURVEY OF SKYLINE DRIVE | F.B. 2984 PG. 141

DATE SURVEY BY J.H. Brown

NOTES CHKD. NOTES BY J.H.B DATE 6-17-64

DATE INDEXED G. J. GALLI DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						J. N. 0074.33
						SKYLINE DRIVE
						BENCH LEVELS.
						from TBM #1 (Pg 89)
						To BM SKY 16
						to P-6 Pg 89
						June 17, 1964 CIRCUIT #2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 007433 SURVEY OF SKYLINE DR. NOTES RED.
SURVEY BY L. H. Brown DATE NOTES CHKD.
NOTES BY T. C. PETERSON DATE 6-17-64 DATE
INDEXED C. J. GALLI DATE

F.B. 2984 Pg. 142

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						CIRCUIT #2
TBM #1	962.929					TBM #1 ELEV = 962.929 1ST run unadj.
	11.206		11.408			FB 2934-89. ON MAIN RIDGE OF
	974.135	+10.792	10.794			PUENTE HILLS. 2.5' NELy of top
	0.414		0.614			ALONG FENCE LINE NEAR N. Bdry
						RD LA PUENTE 3.15 NELy along
						fence from N. gate post at end
						EXISTING SKYLINE DR. A 2" I.P.
						wood plug & nail MARKING X & cor
						of 40' easement for Amuck road.
T.P	973.721					1X1 see pgs 87 & 37.
+	11.338		11.397			
∧	985.059	+10.490	10.489			
—	0.848		0.908			
T.P	984.211					1X1
+	10.107		10.268			
∧	994.318	+8.464	8.464			
—	1.643		1.804			
T.P	992.675					1X1
+	7.059		7.178			
∧	999.734	+4.805	4.804			
—	2.254		2.374			
BM SKY 16	997.480					BM SKY 16 Elev - ON CREST OF MAIN RIDGE PUENTE HILLS UNDER FENCE LINE NEAR E LINE RD LA HABRA. 110 NE of MIDDLE GATE @ end EXISTING SKYLINE DR. 5' NE of 2" I.P up 2' A. STD L.A. CO. BM. MARKED AS SHOWN

COUNTY ENGINEER BM SKY 16 R.E. 5869

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0714.33 SURVEY OF SKYLINE DRIVE
DATE _____ SURVEY BY J. H. BROWN
NOTES CHKD _____ NOTES BY T. G. PETERSON DATE 6-17-64
DATE _____ INDEXED C. J. GALLI DATE _____

F.B. 2984 PG. 143

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						CONT. PG. 142 CIRCUT #2
BM. SKY 16	997.480					
+	0.775		0.597			
∧	998.255	-9.174	9.174			
—	9.949		9.771			
T.P.	988.306					1X1
+	0.380		0.684			
∧	988.686	-10.597	10.596			
—	10.977		11.280			
T.P.	977.709					1X1
+	0.505		0.778			
∧	978.214	-10.370	10.370			
—	10.875		11.148			
T.P.	967.339					1X1
+	1.809		2.001			
∧	969.148	-7.381	7.381			
—	9.190		9.382			
T.P.	959.958					1X1
+	10.303		10.359			
∧	970.261	+5.470	5.471			
—	4.833		4.888			
T.P.	965.428					1X1
+	8.999		8.866			
∧	974.427	+3.756	3.756			
—	5.243		5.110			
P-6	969.184					P-6 ELEV =
						70' N. @ DIRT RD; 330' ± E'LY BARBED WIRE FENCE (W'LY LINE RO. LA PUENTE #
						57' SO. OF 2 PRONGED BLACK WALNUT. TREE; A 1" I. P. CEM. PLUG & CO.
						ENG'R TAG DN 10" PER PG 38
				END		

W.S. 38 D-5

Notes Ck'd by:
Map No.
Office Work
Checked
Date

Survey of SKYLINE DRIVE
JN 0074.03 Tape 99 Sht 82 of
Surveyed by J.H. BROWN
Notes J.H.B. Date 6-64
Indexed G. J. GALLI

F.B. 2994 Pg. 147

Note: Any Additions or Changes on This Sheet Must be Made or Ordered in Red Ink With Date and Name of Person Making Change.

Please Return To
Los Angeles County Engineer
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line

70F309S (C.E. #310) 6-62



Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SHANE DRIVE
JN 0024 Tape 99 Sht 8A of F
Surveyed by J. A. Graham
Notes C.J.G.B Date 6-22-64
Indexed C. J. GALLI

F.B. 2984 PG. 149

36.65 (T=82) Lev = 36.65

82.28 (T=92) Lev = 82.28

63.79 (T=82) Lev = 63.79

300.20 (T=88) 33°41' = 299.55

FROM FB 2984-58,59

Eq. P&A FB 2984-59

CONT FB 2984-Last Sht

6.10 21' 02" 89.40

SET nail tag LAKE

POST 35.4 FB 323-76A

EQ 12"x12" S. nail ON 6" REDWOOD WITH 1" I.P. SET ENG 2 Leg

P-17 FB 2984-60

WILD T-16 D 27 59.11 R 207 59.8 ACC = 9.7" 59 45"

POST 35.8 FB 323-76A EQ 12"x12" S. nail ON 6" REDWOOD WITH 1" I.P. SET ENG 2 Leg

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this title over this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

795305 CE #310 6-62


F.B. 2904 Pg. 150
1) 172 30.00
2) 345 00 10
Avg = 172 30 05
P.L.S. 3144
P.L.S. 4494
P.L.S. 5151
P.L.S. 5152
P.L.S. 5153
P.L.S. 5154
P.L.S. 5155
P.L.S. 5156
P.L.S. 5157
P.L.S. 5158
P.L.S. 5159
P.L.S. 5160
P.L.S. 5161
P.L.S. 5162
P.L.S. 5163
P.L.S. 5164
P.L.S. 5165
P.L.S. 5166
P.L.S. 5167
P.L.S. 5168
P.L.S. 5169
P.L.S. 5170
P.L.S.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of P.H. PHOTO
J.N. Tape Std. °F.
Surveyed by REW
Notes RCW Date 1-66
Indexed C. J. GALLI FEB 2 4 66

F. B. 2984 PG. 151

Title as from Index Map
F.M.
P.M.
Sketch in Book, West Card

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE#310 1-65

PUENTE HILLS PHOTO CONTROL

JN 0075.03
JN 0074.45
JN 0074.33
JN 0301.00

DEC. '65 - JAN. '66

TRAVERSE STATIONS & PHOTO CONTROL POINTS

PARTY
WILSON
RANDALL
MARTINEZ
MANLEY
GOODWIN

PARTY
FULTON
JONES
DYLE
TULLIER

F.B. 2984 Pg 152

LA HABRA QUAD



G Denotes Geodimetered lines.
see FB 3608-7,9 for index to distances.

			PG		PG
D-4	FB 696-197	PH-1	195	PH-18	217
G-4	FB 696-127	PH-8	197	PH-19	219
I-4	PG 155-FB 2352-9	PH-9	199	PH-20	221
K-5	FB 696-200	PH-10	201	P-12	225
L-4	PG 157	PH-11	203		
L-5	PG 159	PH-12	205		
L-6	PG 161	PH-13	207		
L-6A	PG ~~163~~	PH-14	209		
		PH-15	211		
		PH-16	213		
		PH-17	215		

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG
PLEASE RETURN to
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ckd by
Map No.
Office Work
Checked
Date

Survey of P.H.-PHOTO
J.N. 0321.00 Tape Std. °F
Surveyed by R.C.-WILSON
Notes RCW Date 1-66
Indexed C. J. GALLY

F.B. 2981 Pg. 153

Sketch on Field Book Card

Indicate on Sketch: Line of Sight, Point of Intersection, Point of Tangency, Point of Curvature, Point of Reverse Curvature, Point of Compound Curvature, Point of Beginning, Point of Ending, Point of Commencement, Point of Termination, Point of Origin, Point of Destination, Point of Interest, Point of Reference, Point of Control, Point of Survey, Point of Monument, Point of Boundary, Point of Corner, Point of Angle, Point of Deflection, Point of Curvature, Point of Tangency, Point of Reverse Curvature, Point of Compound Curvature, Point of Beginning, Point of Ending, Point of Commencement, Point of Termination, Point of Origin, Point of Destination, Point of Interest, Point of Reference, Point of Control, Point of Survey, Point of Monument, Point of Boundary, Point of Corner, Point of Angle, Point of Deflection.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

LA BREA QUAD



G Denotes Geodimatered Lines See F.B. 3608-79 for index to distances.

A-GAMM. BL.	PG. 165	PH-1	PG 183
B-1	PG. 167	PH-2	185
C-3	PG 169	PH-3	187
C-5	PG 171	PH-4	189
C-6	PG 173	PH-5	191
E-2	PG 175	PH-6	193
E-5	PG 177	"D"-17	223
G1 AUX 5	PG 179		
T-4	PG 181		

26F309S C&#310 1-65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F.B. 2994 Pg 154

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of P.H. PHOTO
J.N. 0301.00 Tape Std °F
Surveyed by BERGLESON
Notes RCW Date 1-10-66
Indexed C. J. GALLI

F.B. 2984 Pg. 155

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LA HABRA T-4
(Shell Oil Co. 1 Ft. Sta. Windy)

NOTE: SEE FB 2352-99 FOR CONNECTION TO FULLERTON 3RD PHOTO CONTROL SURVEY.



26F3095 CE#310 1-65

F.B. 2984 Pg. 156

LA HABRA I-4

(Shell Oil Co. Sta. "Lindy")

THIS TRAVERSE STATION IS LOCATED in the Puente Hills area of L.A. County on the RINCON DE LA BREA RANCHO, and 4200 ± mi. from the intersection of EAST RD & FULLERTON RD.

TO REACH THIS STATION from the intersection of SKYLINE DR. & FULLERTON RD: Travel 200' ± nely on Fullerton Rd. to a locked (C-key) gate on the left; pass thru & commence mileage. @ 0.3 mile, a road to the right; follow straight; @ 0.5 mile, a rd. to the right; follow straight; @ 0.7 mile, a rd. on the right; turn right and follow up grade; @ 1.1 mile, reach trans. twrs.; pass under nly twr and thru wire gate; @ 1.3 mile, reach end of trav. tracks; turn lft and travel 400' ± to highest point and station.

STATION MARK: A 3" I.P. with brass cap stamped: "SHELL CO. OF CALIFORNIA L.G.R. TRI. STA. LINDY ELEV. 1927" set in conc. & projecting 4" abave ground.

* R.M. - 1: A 4" L.A. CO. SURVEY CONTROL REF. MARK set in top of 6" conc. post stamped: "RM 1 - 1966 ~~RE 5869~~" proj. 4" above ground.

* R.M. 2: Same as 1 stamped: "RM 2 1966 ~~RE 5869~~"

* THE FOLLOWING STAMPING WAS ADDED 5-14-69 "LA HABRA I-4 RE 5869" — M.L.D.B.

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG
PLEASE RETURN TO
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of NOGALES ST.
JN00 7503 Tape 01-34 Std 68 °F
Surveyed by FULTON
Notes J.F. Date 12-2065
Indexed C. J. GALLI

F:B 2884 PG. 157-1

L.A. CO. SURVEY CONTROL SYSTEM
TRAVERSE STATION
LA HABRA L-4



Note: Any Additions or Changes on This Sheet Must Be Made Or Circled In Red Ink With Date And Name Of Person Making Change.
Do not attend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.
Notes on Sta. Ck'd on Map
Sta. Ck'd on Ground
Stations Set
Monuments Set
Witness Mon.
Tie Notes
Traverse
Level Circuit
Field Book
Miscellaneous

WS 38 P5

7AE 2098 (E #310 4-84)

F.B. 2984 PG. 158 — LA HABRA 1-4

THIS STATION IS IN L.A. COUNTY, IN THE PUENTE HILLS AREA, AT THE INTERSECTION OF AGUIRO RD. AND TORTOSA AVE., 9700' ± NORTH OF THE Co. LINE AND 2600' EAST OF FULLERTON RD.

ROUTE: FROM THE INTERSECTION OF FULLERTON RD & AGUIRO RD. DRIVE EAST ON AGUIRO RD. 0.6 MILE TO THE INTERSECTION OF TORTOSA AVE. THE STATION IS 8' SOUTH OF THE INTERSECTION.

STATION MARK: SET A LARGE BOAT SPIKE, WASHER & TIN, FLUSH WITH PVMT ON THE ℄ OF TORTOSA AVE, PER Co. ℄ P.S.

R.M.S: Set 4 C.E. tags (Concrete) in conc. curbs as indicated.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line

Note: Any Additions or Changes on This Sheet Must Be Made or Traced in Red Ink With Date and Name of Person Making Change

Notes C'k'd by
Map No.
Office Work
Checked
Date

Survey of Grandpa Control
Jobs 100 Tape Std °F
Surveyed by R.G.W. 1-502
Notes R.G.W. Date 1-10-66
Indexed C. J. GALLI

F. B. 7984 Pg. 159

Noted
Index Card
U.S.G.S. Quad Shts.
Placed
Placed in Sur. Rw. W.S. No.
Sketch on Rec. Desc. Card

Note: Any Additions or Changes on This Sheet, Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

LA COUNTY SURVEY CONTROL SYS.
TRAVERSE STATION
LA HABRA L-5

5 strand wire fence

Dirt Rd.

RM #1

LA HABRA L-5

RM #2

300' # 100
50 U.T.P. # M-6

7E3095 (CE) #3110 6-62

F.B. 2984 PG 160

LA HABRA L-5

THIS STATION IS LOCATED in L.A. Co. in the Puente Hills Area on the Rincon De La Brea Rancho, 7700'± east of the intersection of East Rd. and Fullerton Rd.; 3900'± South of Azusa Rd. and 3200'± N.W. from Army Nike Site, on a small knoll.

TO REACH THIS STATION from the intersection of Fullerton Rd. and East Rd. follow pri. paved rd. 1½ S.E. mile to its end at locked gate; pass thru gate and follow traveled track ½ mile with rd. on left (historical mon. 400'± S.E. at this point) turn left and follow traveled track's 0.6 mile to small knoll and station on the right.

STATION MARK: A 4" brass SURVEY CONTROL SYSTEM traverse mark set in 12"x12" conc. pad stamped: "LA HABRA L-5 1966 L.A. CO. ENGR. R.E. 5869"

R.M.-1: A 4" brass SURVEY CONTROL SYSTEM reference mark set in 6" conc. Post on line to LA HABRA G-4 stamped: "LA HABRA L-5 R.M.-1 1966 CO. ENGR. RE 5869"

R.M.-2 Same as 1 except C 90° to S.W. from LA HABRA G-4 and stamped: "R.M.-2".

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made on Girdled in Red Ink With Date and Name of Person Making Change.

Notes C'k'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Control 1966 F. B. 2186 PG. 164
JN 0330.00 Tape Std °F
Surveyed by R.C.W.L.T.SON
Notes R.C.W.L. Date 1-6-66
Indexed R. L. GALLI

Noted on Geo. Index Card
Placed on U.S.C.&G.S. Quad Shts.
Placed on Surf. Div. U.S.G.S. Maps
Sketch on Geo. Desc. Card

LA COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION LA HABRA L-6



Note: Any Additions or Changes on This Sheet Must Be Made or Graded in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76 F 309 S CE #310 0-62

F. B. 2934 Pg. 162

LA HABRA L-6

THIS TRAVERSE STATION IS LOCATED in the Puente Hills area of L.A. County on the Rincon De La Brea Rancho in the Shell O.I. Co. fields.

TO REACH THIS STATION from the intersection of Central Ave & S. Fe Dr. travel north on S. Fe Dr. 1.0 mile to the entrance to the oil fields. Follow the main paved road (painted ℄) east to sharp curve west, travel west, follows base of ridge) thence 0.1 & 2.6 miles to high point in road. A road (dirt) heads straight ahead @ curve in paved rd. Follow dirt rd. 500± to O.I. well Puente A-10, swing left and travel around well and up ridge following fence line 600'± to high point and station.

STATION MARK: A 4" brass survey control system traverse mark set in rock projecting 6" stamped "LA HABRA L-6 1966 LA CO. ENGR. RE 5869"

RM-1: A 4" brass reference mark stamped "LA HABRA L-6 RM-1 1966 LA CO. ENGR. RE 5869" set in 6" conc. post projecting 3" on prod. from ~~BM K-5~~ LH

RM-2: A 4" brass disc stamped "SHELL CO. OF CALIFORNIA TRI. STA. PUENTE LGR 1927" set on top of a 3" I.P. projecting 5".

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this slip of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Cont.
JN 030100 Page Sta °F
Surveyed by P.C. Hutchison
Notes PCH Date 1-10-86
Indexed G. S. GALLI

F. B. 2984 Pg. 163

Noted on Eng. Index Card
Placard
Placed in
Sketch on Geo. Desc. Card

Quad. Shts.
Div. W. S. Maps

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

765309S CIE #310 6-82

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LA HABRA L-6A



F.B. 2984 PG. 164

LA HABRA L-6A
(TRAVERSE)

THIS STATION IS LOCATED in L.A. County in the Puente Hills on the Rincon De La Brea Rancho; 3400'± N. of the Orange Co. line; 7800'± E. of Fullerton Rd; 1800'± W. of Army Nike Site on a ridge bearing N. Wly.

TO REACH THIS STATION from the intersection of Central Ave and Site Drive travel N. on Site Dr. 1.0± mile to the entrance to the Shell Oil Fields; thence follow main rd (painted E) to east, then wly, thence Wly 3.5 mile± to saddle (rd continues up grade) turn rt and follow ridge 500'± up grade to station.

STATION MARK: 4" brass SURVEY CONTROL SYSTEM traverse mark set in 2'x5' rock projecting 10" stamped "LA HABRA L-6A 1965 L.A. CO. ENGR. RE 5869"

REFMARKS: Set three County Engineer tags in lead in rocks as shown.

LOS ANGELES COUNTY ENGINEER
409 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 03101.00 Tape Std °F
Surveyed by R. C. Wilson
Notes C. A. TYLE Date 9/28/72
Indexed G. D. BAILEY OCT 18 '72

F. B. 2984 PG. 165

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA BREA A6A
USC&GS BREA

TRIANGULATION STATION U.S. COAST & GEODETIC SURVEY
DO NOT DISTURB
FOR INFORMATION WRITE TO THE DIRECTOR, WASHINGTON, D.C.
$200 FINE OR IMPRISONMENT OR BOTH
BREA 1938

FLYING "V" SHAPED STEEL POST MARKER UP 3'

FD 9"X9" CONC. PAD & N. (SEE PG 166)

97.10'

278°24'46" 56.76'

FLYING "V" SHAPED STEEL POST MARKER UP 3'

186°09'05" 69.065'

N.85°45'E. SCALE 0°00'00"

TO TBR LS FB 696-131

TRAIL

FD RM 2 (SEE PG 166)

99.45'

FD LA BREA A6A
(STAMPED & ORIENTED AS SHOWN, SEE DG ALSO FB 2984-125 & USC&GS 331174-1027)

S.0°28'17"E. 55.711'

SET RM 3 (SEE PG 166)

● — 2" MARKER PIPE SET 2' OFF

DIRECTIONS: FB G 1330-45

MEASUREMENTS: SEE NEXT PG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

TAF3005 CEN 10 3/66

F.B. 2984 PG. 166

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA BREA AGA

50 MTR. ML MEASUREMENTS 300' TAPE 22°
LEVEL @ T 82°

21.930 M = 21.930 M = 71.95'	71.95' = 71.95'
17.302 M = 17.302 M = 56.765'	56.765' = 56.765'
21.050 M = 21.050 M = 69.06'	69.065 = 69.065
27.767 M = 27.767 M = 91.10'	91.10' = 91.10'
30.313 M = 30.313 = 99.45'	99.445' = 99.445'

AREA: THIS TRIANGULATION STA IS IN THE PUENTE HILLS AREA OF L.A.CO., IN THE VICINITY OF "ROWLAND HGTS." IT IS 3350' ± N & 1150' W OF THE INTER. OF THE RINCON DE LA BREA RANCHO BDRY AND THE L.A. / ORANGE CO. LINE. SEE USGS 15' SHEET "LA HARRA, CALIF." QUAD. 1964

ROUTE: FROM ITS INTER. WITH BREA BLVD. TRAVEL W ON CENTRAL AVE. 0.50 MILE TO SITE DR. TURN RT. (NLY) AND PROCEED 1.0 MILE TO AN OIL FIELD GATE (LOCK) THENCE 0.10 MILE TO A 5 WAY INTER. MAKE A HARD LEFT TURN (WLY) ONTO A LEVEL RD. AND PROCEED 0.60 MILE TO A CATTLEGUARD. CONTINUE ON, ROAD BEGINS TO ASCEND AND CURVE NLY., 1.6 MILES CROSS 2ND CATTLE GUARD THENCE 1.2 MILES TO ENTRANCE TO NIKE SITE. TURN RT. (SLY) AND SKIRT THE OUTSIDE OF THE FENCE 0.10 MILE TO A CABLE GATE (IF CLOSED INQUIRE AT NIKE SITE FOR ACCESS) THENCE 0.10 MILE TO A FORK. TURN RT. (ELY) AND ASCEND A RIDGE 0.10 MILE TO SUMMIT AND STATION SITE.

STATION MARK: A 4" USC&GS TRIANGULATION STA. BRASS DISC STAMPED "BREA 1938" SET IN AN UN EVEN CONC. BLOCK APPROX. 9" IN DIA. THIS APPEARS TO BE THE SUB-SURFACE MARK. SET A 4" METAL SLEEVE & CAST IRON COVER FLUSH WITH GRD. (THIS MARK IS THE SUB-SURFACE MARK). REW

REFERENCE MARKS

RM 2: A 4" USC&GS BRASS REFERENCE MARK DISC STAMPED "BREA NO 2 1938" SET IN A 9"x9" CONC. PAD FLUSH W/ TA GRD.

RM 3: A 4" L.A.CO SUR. CONT. SY BRASS REFERENCE MARK DISC STAMPED "LA BREA AGA RM 4 1972 RE 1018" SET IN AN 8" CONC. POST 3" ABOVE GRD.

OTHER MARK: A 9"x9" CONC. PAD WITH THE TOP BROKEN OFF AND A BRASS NAIL PROTRUDING ½" UP FROM THE MIDDLE. PAD IS 2" ABOVE GRD.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on Index Card
Placed on U.S.G.S. Quad. Shts.
Plan in Sur. Div. W.S. No.
Sketch on Geod. Desc. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Geod. Control
JN 230.00 Tape Std °F
Surveyed by RC Wilson
Notes RCW Date 1-13-66
Indexed C. J. Gallo

F. B. 7980 Pg. 167

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
LA BREA B-7



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76 ROADS (CE #310) 6-62

F. B. 2984 PG. 168

LA BREA B-7

THIS TRAVERSE STATION IS LOCATED IN LOS ANGELES COUNTY in the PUENTE HILLS area on the RANCHO LA BREA, 1200'± north of the Co. line; 3200'± S 45°± E from the Army NIKE site; and on the south side of a HI-LINE power transmission tower.

TO REACH THIS STATION FROM THE COUNTY LINE AND BREA CYN RD: travel S.W., thence west on Brea Cyn 1 mile ± to the entrance to Shell Oil Fields. Commence mileage here. @ 0.1 mile, rd. junct; turn r.t. (east): @ 0.15 mile, rd. junct; bear l.f.t. (only): @ 0.45 mile, pass well #13; @ 0.85 mile, reach top of grade; @ 0.95 mile, three point junct; bear r.t. up grade (N. Wly); @ 1.15 mile, cross cattle guard; @ 1.45 mile, rd. junct, follow straight (ely); @ 1.55 mile, turn l.f.t. on dirt rd up grade (N. ely); @ 1.75 mile, reach transmission twr and station.

STATION MARK: A 2" SURVEY CONTROL SYSTEM brass traverse mark set in 6" Conc. Post up 6" stamped "LA BREA B-7 1966 RE 5869" with 18" conc. mound @ ground level around mark.

REFERENCE MARKS: Set punch mark in S.W. tower leg and stamped leg "R.M. 1"
Set punch mark in S.E. tower leg and stamped leg "R.M. 2".
PUNCH MARKS ARE 1.3' ABOVE GROUND

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ckd by
Map No.
Office Work
Checked
Date

Survey of ALAMEDA ST.
UNDERPASS
Tape Std °F
Surveyed by R. WILSON
Notes RCVD Date 2-9-65
Indexed C. + C.W.U.

F.B. 2984 PG. 169

L.A. CO. SURVEY CONTROL SYSTEM
TRAVERSE STATION
LA BREA C-3



Noted on Map Index Card
Shown on Miscellaneous Map
Plotted on Sheet No. of Sheets
Sketch on Back of Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CIE #3 10-62

F.B. 2984 PG. 170

LA BREA C-3

THIS STATION IS LOCATED in L.A. County in the Puente Hills area 2 miles± north of the county line and 2¼ miles± west of Brea Cyn. Cutoff Rd. on the S'ly R/W line of proposed Pathfinder Road ℄ ℄ plus at 371+63.87 per FB 3132 page 9.

ROUTE: From the intersection of 5TH Avenue and Otterbine travel S'ly on Otterbine ½ mile to Aguiro St.; thence l.f.t. to Alexdale Lane; thence r.f.t. to end of improved street; thence follow paved access rd. up grade 500'± to the station on the right.

STATION MARK: Ed C.S. mon. dp. 18" per FB 3132-9 stamped "RP-R.O.T. RE. 63" with arrow pointing N'ly. This point also Bench Mark "B" per FB 3132-57

ELEV. 659.452'

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not attend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'd by
Map No.
Officer Work
Checked
Date

Survey of GEODETIC CONTROL
J.N. 0301.20 Tape 144 Sta 84 °E
Surveyed by FULTON
Notes V.F. Date 12-22-65
Indexed C. I. GALLI

F. B. 2184 Pg. 171

Noted by ____ Index Card
Plotted ____ F.S. Quad. Shts.
Traced ____ Sur. Inv. W.S. No.
Sketch on Base, Desk Card

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

L.A. Co. SURVEY CONTROL SYSTEM

TRAVERSE STATION LA BREA C-5

$\gamma = 52°$

29.67 @ LEV = 29.66 — 9.041 METERS = 29.66

32.83 @ LEV = 32.82 — 10.920 METERS = 32.83

52.80 @ LEV = 52.79 — 16.092 METERS = 52.80





7 OF 3095 CE #3 10-62

F. B. 2984 PG. 172

LA BREA C-5

THIS STATION IS IN L.A. COUNTY, IN RINCON DE LA BREA, ABOUT 1½ MILES NORTH OF THE L.A. CO-ORANGE CO. LINE.

TO REACH THIS STATION FROM BREA CYN RD & BREA CYN RD. CUTOFF DRIVE SOUTH ON BREA CYN. RD. 1.2 MILES TO A GATE ON THE RIGHT (WEST) (L-LOCK), DRIVE THRU AND TURN LEFT (SOUTH) ON DIRT ROAD PARALLEL TO BARB WIRE FENCE, 300' ± ROAD BEARS RIGHT AND UP GRADE 1.0 MILE TO SADDLE AND "T" JUNCTION, TURN RIGHT (N'LY.) AND FOLLOW ROAD DOWN W'LY SIDE OF HILL 0.5 MILE TO JUNCTION, TURN RIGHT (N'LY), AT 0.1 MILE PASS BY A WINDMILL, CONTINUE N'LY UP GRADE 0.3 MILE TO TRACKS ON LEFT, FOLLOW TRACKS UP SIDE HILL TO SUMMIT (400'±) AND STATION.

STATION MARK: SET A 4" BR. TRAVERSE DISC IN 10" x 10" CONC. PAD UP 6" STAMPED "LA BREA C-5, 1965, L.A.CO.ENGR. R.E. 5869"

R.M.#1 SET A 4" BR. DISC IN 10"x10" CONC. PAD STAMPED "R.M.1, 1965, L.A.CO.ENGR. R.E. 5869"

R.M.#2 SET A 4" BR. DISC IN 10"x10" CONC. PAD STAMPED "R.M. 2, 1965, L.A.CO.ENGR. R.E. 5869"

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

Notes C'k'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F.B. 2986 PG. 173
JN 02301 00 Tape 1 WH Std 64 °F
Surveyed by FULTON
Notes J. F. Date 2-21-65
Indexed C. J. GALLI

L.A. CO SURVEY CONTROL SYSTEM
TRAVERSE STATION
LA BREA C-6



T=60°

R.M. 1 FT. 46.47 @ LEV = 46.46
MTR 14.165 @ LEV = 46.46

R.M. 2 FT. 39.28 @ LEV = 39.27
MTR 11.969 @ LEV = 39.27

FT. 45.26 @ LEV. 45.25
MTR 13.796 @ LEV. 45.25

Return to Rm Under Card
Plotted S.C.S. Quad. Shts
Plotted on W.S. No.
Sketch on Geod. Desc. Card

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this line of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76H3095 ICE #3 10-62

F.B. 2984 PG 174

LA BREA C-6

THIS STATION IS IN L.A. COUNTY, IN RINCON DE LA BREA APPROX 1/2 MILE NORTH OF THE L.A. CO.-ORANGE CO. LINE.

TO REACH THIS STATION FROM THE INTERSECTION OF BREA CYN. RD. & BREA CYN. RD. CUTOFF, DRIVE SOUTH ON BREA CYN. RD. 1.2 MILE TO A GATE ON RIGHT (WEST), (L-LOCK). PROCEED THRU GATE AND TURN LEFT (SOUTH) ON DIRT ROAD PARALLEL TO BARB WIRE FENCE 300'±, THEN ROAD BEARS RIGHT AND UP GRADE 1.0 MILE TO "T" AT SADDLE, TURN LEFT (SOUTH) AND UP GRADE 600'± TO TOP OF KNOLL. TURN OFF TRAVELED TRACK TO LEFT, STATION IS 50' OFF ROAD.

STATION MARK: SET A 4" BR. TRAVERSE DISC IN CONC WITH 10" x 10" CONC. PAD UP 6" STAMPED "LA BREA C-6, 1965, L.A.CO. ENGR. R.E. 5869"

R.M.# 1: SET A 4" BR DISC IN 10"x10" CONC. PAD UP 6" STAMPED "LBR C-6 R.M.1 1965, L.A.CO. ENGR. R.E. 5869" ON LINE PROD. FROM A STA. "BREA"

R.M.# 2 SET A 4" BR. DISC IN 10"x 10" CONC. PAD UP 6" STAMPED "LBR C-6, R.M.2 1965 L.A. CO. ENGR. R.E. 5869" ON LINE TO LA BREA F-2

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'd by
Map No.
Office Work
Checked
Date

Survey of Geodetic Cont.
JN 100.00 Tape Std °F
Surveyed by RCW, ISOM
Notes RCW Date 7-28-65
Indexed C. J. GALLI

F. B. 2984 PG. 175

Noted Card Index Card
Plotted U.S.G.S. Quad. Shts.
Placed Sht. Div. W.S.No.
Placard Sketch on Geo. Desc. Card

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
~~"DIAMOND"~~
LA BREA F-2
(U.S.C. & G.S. "DIAMOND")

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

RM 1

6.2' 94°
19.186m

RM 2

FD. S-21-72
WITH TOP BROKEN
OFF AND BRASS
DISC GONE
Recovery

38.645'
11.779m

~~Station~~ ~~"Diamond"~~

LA BREA F-2
(See next page)

33.845' (10.316m)

4th AVE

BREA CANYON RD

Wire Gate

Cattle Gate

Traveled Track
TO LBR F5
F.B. 2984-177

Bar Ditch

CUTOFF

Gate & "L" Lock

2" MARKER PIPE SET 2' OFF

300' Tape #100
50 Mtr " #M-6
Meas. @ 130-110 corr.
Dirs: F.B. 1310-44 9-21-72

300' TAPE #139 50 MTR #M3
49.41 = 48.41' LESS RL @ 8'
33.845 = 33.845
1.575 ME 1.575 CM = 49.41' (SEE PG 176)
10.316 M = 10.316 M = 33.845'

F.B. 2984 PG. 176

LA BREA F-2

THIS STATION IS LOCATED in L.A. Co. 1000'± S. Ely from the west 1/4 corner of sec. 22, T.1S., R.10W. on the Diamond Bar Ranch.

TO REACH THIS STATION: From the intersection of 5TH Ave and Brea Cyn Cutoff Rd. proceed S.Ly. on Brea Cyn Cutoff 1.1 mile ± to the highest point (a saddle). Thence left thru a wood gate (L-key) and follow traveled track 0.2 mile to a cattle gate. pass thru and proceed 0.2 mile to a cross fence and wire gate. pass thru and continue upgrade 0.2 mile to the highest point and the station.

STATION MARK: Fd a 4" U.S.C.&G.S. Triangulation disc set in 10"x10" conc. pad stamped "DIAMOND 1938".

RM 1: Fd a 4" U.S.C.&G.S. ref. mark set in 10"x10" conc. pad stamped "RM No 1 1938 DIAMOND".

RM 2: Same as 1 except stamped "No 2". FD. 9-21-72 WITH TOP BROKEN OFF AND BRASS DISC GONE.

R.M.3: A 4" L.A.CO.SUR.CONT.S.Y. BRASS REFERENCE MARK DISC STAMPED "LA BREA F2 RM3 1972 RE 7078" SET IN A 8" CONC. POST WITH IS 1" ABOVE GRD.

Checked

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 030100 Tape 144 Sta 64 9F
Surveyed by FULLTON
Notes J. F Date 12-23-65
Indexed C. J. GALLI

B 1984 Pg. 197

Noted on Grd. Inter. Card
Placed on U.S.G.S. Quad Sht.
Placed on Str. Div. W.S.No.
Sketch on Rec. Desc. Card

L.A.Co SURVEY CONTROL SYSTEM

TRIANGULATION STATION

LA BREA F-5

"NOB"



1) 113-52-30
4) 55-29-50
6) 83-15-00
113-52-30

T=64°

19.875 @ LEV =	19.875	Ft.
6.058 @ LEV =	1988	METERS
49.14 @ LEV =	49.13	Ft.
14.978 @ LEV =	49.13	METERS
60.68 @ LEV =	60.67	Ft.
18.494 @ LEV =	60.675	METERS

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S C.E. #310 6-62

F. B. 2984 PG 178 LA BREA F-5 "NOB"

THIS STATION IS IN L.A. COUNTY, IN RINCON DE LA BREA, R.10W., T.2S., ON THE EAST END OF A PROMINENT RIDGE.

TO REACH THIS STATION FROM BREA CYN. RD. & BREA CYN. CUTOFF DRIVE N-W'LY. ON BREA CYN. CUTOFF MILES TO A GATE ON THE LEFT (S'LY), UNLOCK, DRIVE THRU GATE AND UP DIRT ROAD 0.4 MILE TO SADDLE, TURN LEFT (S'LY) ALONG RIDGE 0.2 MILE TO SMALL SADDLE AND INTERSECTION OF TRAVELED TRACKS, CONTINUE STRAIGHT AND FOLLOW ROAD AROUND EAST SIDE OF HILL, CONTINUE ALONG ROAD 0.7 MILE TO STATION ON A PROMINENT KNOB.

STATION MARK: FD A ½" I.P. WITH CAP RECORD ANGLE AND DIST FROM R.M.1 TRIANGULATION REPLACED WITH A 4" BR. DISC IN 10"x10" CONC. PAD STAMPED "LA BREA F-5 "NOB", REPLACED 1965, L.A. CO. ENGR. R.E. 5869"

R.M."1" FD 4" BR DISC IN 4" CAST IRON PIPE, UP 2", STAMPED "U.S. COAST & GEODETIC SURVEY NOB NO.1 1938" I SET A CONC. COLLAR AROUND THIS POINT.

R.M.#3 SET A 4" BR DISC IN 10"x10" CONC. PAD STAMPED "LA BREA F-5 R.M.3, 1965 L.A. CO. ENGR. R.E. 5869"

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by:
Map No.
Office Work
Checked
Date

Survey of: GEODETIC CONTROL
JN 30100 Tape M16 Sta 84 °F
Surveyed by: J.B. FULTON
Notes J.S.B. Date DEC. 65
Indexed C. I. GALLIHER 2-4-66

F.B. 2984 PG. 179

L.A. CO. SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA BREA G1 AUX 5

1)	66-19-30	1)	73-15-00	1)	92-38-00
4)	245-17-30	4)	292-59-15	4)	10-35-30
AV	66-19-23	6)	29-28-30	6)	195-52-45
		AV	73-14-45	AV	92-38-17½

1) 5-50-30
4) 23-21-00
AV 5-50-15

STATION MARK
AUX 5
SEE NEXT PG

FD. CONC. MON
AUX 1
SEE NEXT PAGE

140.58 (M)

TO LA BREA
P.2

TO FD EVIDENCE OF AUX 3 NOT RESET

1) 43-49-00
4) 175-15-30
6) 262-53-30
AV 43-48-53

FD. ¾" I.P. FLUSH W/ DRILL HOLE ON EDGE OF CURB ON 12" PEPPER 696-1263
1) 150-18-00
4) 241-10-30
6) 181-45-45
AV 150-17-38

SEE NEXT PG

131.34' (M)

T=56°

203.13 @ LEV = 203.09 FT
6.914 MI. @ LEV = 203.09 @ T=84°

211.11 @ LEV = 211.07 FT
64.347 MI. @ LEV = 211.07 @ T=84°

131.36 @ LEV = 131.34 FT
40.038 MI. @ LEV = 131.34 @ T=84°

135.48 @ LEV = 135.46 FT
41.277 MI. @ LEV = 135.46 @ T=84°

140.60 @ LEV = 140.58 FT
42.862 MI. @ LEV = 140.59 @ T=84°

T=56°

328.83 @ LEV = 328.77 FT
98.710 MI. @ LEV = 328.76 @ T=84°

68.25 @ LEV = 68.24 FT
20.802 MI. @ LEV = 68.24 @ T=84°

235.28 @ LEV = 235.23 FT
86.954 MI. @ LEV = 235.24 @ T=84°

Mailed to Eng. Index Card
Plotted
Placed in Survey Book
Sketching Desk Card

Do not extend this side for planimeter

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

F.B. 2984 PG 180 LA BREA G1 AUX 5

THIS STATION IS LOCATED IN LOS ANGELES COUNTY, IN THE S.W.¼ OF SECTION 17, T2S-R10W., ON TOP OF A LARGE GRADED FLAT, IN A GRADED, BUT UN-DEVELOPED SUBDIVISION, 1900'± W'LY FROM BREA CY'N. RD. & 2400'± SO'LY FROM 5TH AVENUE.

ROUTE:

FROM THE INTERSECTION OF 5TH AVENUE & OLD BREA CY'N. ROAD, TRAVEL S'LY ON OLD BREA CY'N. ROAD, 0.4 MI. TO BREA CY'N RD., THENCE RIGHT (S'LY), 0.2 MI. TO A GAS REDUCER (SOUTHERN COUNTIES), ENCLOSED BY FENCE, AND A GATE ON RIGHT (L-KEY), THENCE THROUGH GATE AND FOLLOW 40'± WIDE DIRT ROAD, UP-GRADE, AND THEN BACK DOWN 0.6 MI., TO A ROAD TO LEFT, PROCEED LEFT 0.1 MI. TO A "T" INTERSECTION, THENCE RIGHT 0.2 MI. TO A "+" INTERSECTION, THENCE LEFT 0.2 MI. TO A "Y" INTERSECTION, BEAR LEFT AND 0.2 MI. UP-GRADE TO A FLAT (GRADED) AND STATION. THE DESCRIBED DIRT ROAD IS FOLLOWING THROUGH A GRADED BUT UN-DEVELOPED SUBDIVISION. THIS IS A DRIVE STATION.

STATION MARK:

FD. A LOS ANGELES CO. SURVEY CONTROL 4" BRASS DISK IN A 10"X10" CONC. PAD, UP 2" & STAMPED AS FOLLOWS: "LA BREA G-1 AUX 5, 1960, L.A. CO. ENG'R. R.E. 5869", PER F.B. 696-263 & 264 (TRIANGULATION STATION MARK)

AUX 4:

FD. A LOS ANGELES CO. SURVEY CONTROL 4" BRASS DISK IN A 10"X10" CONC. PAD, FLUSH & STAMPED AS FOLLOWS: "LA BREA G-1 AUX 4, 1960, L.A. CO. ENG'R. R.E. 5869", PER F.B. 696-263 & 264 (TRIANGULATION STATION MARK)

REFERENCE MARKS:

FD. A LOS ANGELES CO. SURVEY CONTROL 4" BRASS DISK REFERENCE MARK, IN A 10"X10" CONC. PAD, FLUSH, & STAMPED AS FOLLOWS: "LA BREA G-1 AUX 2, R.M. 1, 1960, L.A. CO. ENG'R. R.E. 5869".

FD. A LOS ANGELES CO. SURVEY CONTROL 4" BRASS DISK REFERENCE MARK, IN A 10"X10" CONC. PAD, FLUSH & STAMPED AS FOLLOWS: "LA BREA G-1 AUX 2, R.M. 2, 1960, L.A. CO. ENG'R. R.E. 5869".

FD. A 3/4" I.P. & CAP W/ A DRILL HOLE, DOWN 12" AND ON THE EDGE OF A CUT BANK. PER F.B. 696-263.

NOTE:

A SEARCH WAS MADE AT RECORD DISTANCE, PER F.B. 696-263, FOR AUX-2 & AUX-3, NOTHING FOUND OR RESET.

THIS STATION IS ON A GRADED FLAT AREA, IN A GRADED & UN-DEVELOPED SUBDIVISION.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Puente Hills Photo F.B. 7284 PG. 181
J.N. Tape Sta. of
Surveyed by RC WILSON
Notes RCW Date 1-6-66
Indexed C. J. GALLI

Noted on Sup. Index Card
Plotted on U.S.C.&G.S. Quad Sht.
Plotted on Rec. Div. U.S.N.
Sketch on Geod. Desc. Card

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

L.A. CO. SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA BREA I-4

7 6 F 3095 C/E #3 0-6-62

F. B. 2984 PG. 182

LA BREA I-4

THIS STATION IS LOCATED in L.A. County on top of a hill between La Brea and Rodeo Cyns, 2600'± south and 1000'± east of the corner of sections 20, 21, 28 & 29, T2S, R9W. The slopes of the hill are covered with small walnut trees.

TO REACH THIS STATION from Brea Cyn Cutoff & Brea Cyn Rd drive S.Wly on Brea Cyn 0.7 mile to a locked gate on the left. Commence mileage here. @ 0.1 mile cross wood bridge and pass thru gate; @ 0.5 mile, pass trans twr on left; @ 0.8 mile, rd junct (from left); follow dirt rd along top of ridge. @ 1.6 mile, rd junct to right; turn rt and travel up-grade 850'± to high point. The sta is 20'± n-ely from the edge of dirt roadway.

STATION MARK: A 4" BRASS DISC set in 12"x12" conc. post up 1" stamped "TRIANGULATION STATION - COUNTY SURVEYOR RE 21'77 - LA BREA I-4 - 1939"

R.M. #1 & #2 not found.

R.M. #3 - Set 4" B.M. brass disc on line to LBR G-1, AUX 5 in 6" conc. post stamped "LA BREA I-4 RM 3 1966 LA CO ENGR. R.E. 5869"

R.M. #4 - Same as 3 except on line prod. from LBR F-5 and stamped "RM 4"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Nogales St
Job 0095.03 Type Sta °F
Surveyed by G. Wilson
Notes Rec'd Date 2-9-65
Indexed C. J. GALT

F. B. 7984 Pg. 185

Noted on Index Card
Plotted
Placed on Final Sht.
Placed on Sub. Div. M. & No.
Sketch on Base Assn. Card

Note: Any Additions or Changes on this sheet Must be Made or Covered in Red ink With Date and Name of Person Making Change.

Do not extend this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7 of 30 pcs CE #3 9-16-62

PUENTE HILLS PHOTO CONTROL

P.H. Nº 1

(NOGALES ROAD)



F. B. 2984 Pg. 184

PUENTE HILLS No 1

THIS PHOTO POINT IS LOCATED in the Puente Hills area at the intersection of Honore Street and Bolanos Avenue and may be reached as follows: From the intersection of 5TH Avenue and otterbine proceed south on otterbine 0.35 mile to Killion St on the right: thence rt (w'ly) on Killion 0.25 mile to the intersection of Bolanos ... (Killion changes to Honore at this point)

POINT PH No 1
Lge boat spk, washer and set ~~5/8" I~~ in on line between RCE 9645 tags as indicated 4'± w'ly from conc. block wall in pavement of Bolanos Ave.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ckd by
Map No.
Office Work
Checked
Date

Survey for PH Photo
JN 0301.00 Tape Std. °F
Surveyed by RSW
Notes RSW Date 1-66
Indexed J. GALLI

F.B. 3984 PG. 185

Noted on Index Card
Placed on U.S.G.S. Quad Shts.
Plotted on Thos. Tract Shts.
Sketch on Thos. Index Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PUENTE HILLS PHOTO CONTROL

P.H. NO 2



16F3095 C&R 10-65

Notes Ckd by
Map No.
Office Work
Checked
Date

Survey of Puente Hills photo F.B. 3984 PG. 187
J.N. Tape Std °F
Surveyed by R.C. Wilson
Notes RCW Date 7-14-66
Indexed G. J. GALLI

Noted on Map Index Card
Placed U.S.G.S. Quad. Shts.
Plotted Thru. W, S No.
Sketch on Rec. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

PUENTE HILLS PHOTO CONTROL
P.H. No 3



LA BREA G-6 G
0° 00' 00"

For meas. directions, see FBG 1160-21
and vertical angles
RCW

26f3095 CE#310 1-65

F.B. 2984 Pg. 188

P.H. No 3

THIS PHOTO CONTROL POINT IS LOCATED 1700' ± S.20°E ± From the N.W. Cor. of Section 32, T2S, R9W in the Puente Hills Area of L.A. County on the RINCON DE LA BREA RANCHO on a spur overlooking Brea Cyn Rd and maybe reached by traveling S.Wly from the intersection of Brea Cyn Cutoff and Brea Cyn Rd 0.7± mile to a locked gate on the left (Sly side of road) Commence mileage here: @ 0.1 mile, cross wood bridge and pass thru gate: @ 0.5 mile, pass tower on left: @ 0.7 mile, pass tower on left: @ 0.8 mile, pass rd. on left: @ 1.3 mile, reach base of ridge: travel up ridge 400'± and park. Hike 100' Nly to point.

POINT PH No 3

Set a 3/4" Capped and drilled pipe on top of small spur.

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'd by
Map No.
Officer Work
Checked
Date

Survey of SKYLINE DR. F.B. 7994 Pg. 189
JN Tape Sta °F
Surveyed by RG WILKSON
Notes RGW Date 2-9-65
Indexed C. J. GALLI

Index Card
U.S. Quad Shts.
Placed on our Hiv. W.S. No.
Sketch on Geo Desc. Card

Note: Any Additions or Changes on This Sheet, Write Words or Circle in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PUENTE HILLS PHOTO CONTROL

P.H. No. 4

(SKYLINE DRIVE)



* For Geod. distance see FB 3608-117
For direction @ LBR C-6 see FBG 1460-25

70F30PS ICE #210 6-62

F. B. 2984 PG 190

~~B.M. [illegible]~~

PUENTE HILLS No 4

THIS PHOTO POINT IS LOCATED in L.A. County in the Puente Hills Area 3700'± north of the co. line and may be reached from the intersection of Brea Cyn Cutoff Rd. and Brea Cyn Rd. by traveling Sely on Brea Cyn Rd 1.1 miles to a curve in the road. The point is 75'± SW from the edge of pavement in an open pasture. "BM B-348" painted at edge pave.

POINT P.H. No 4

Ed. 3" brass disc set in 12" x 12" Conc. pad up 6" and stamped "U.S.G.S. B.M. B-348 1949".

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'd'a by
Map No.
Office Work
Checked
Date

Survey of Puente Hills
JN Tape Std SF
Surveyed by RC Wilson
Notes R&W Date 7-10-46
Indexed C. J. GALLI

F. B. 7984 Pg. 19.1

Index Card
Mylar
Place
Placed on Sta. Hill U. S. No.
Sketch on Desc. Card

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PUENTE HILLS PHOTO CONTROL

P.H. NO 5

LOS ANGELES COUNTY
ORANGE COUNTY

No. 4 Brea Blk. Mon. 24 Set
For Geod. dist.
See FB 3608-87

600' ±

P.H. No 5
(See next pg)

TO PH #6
0°00'00"

For Mags. directions
See FB 9 1160-23

± 5 min. Hike

± oil well

Cattle Crossing

Fisher #25

0.4 mile

SHELL OIL FIELDS

Fisher #8

0.12 mile

Fisher #10

Fisher #11

± mile ± to

60'

BREA CYN RD.

Row of 50' Gum Trees

70F3095 CIE #3106-6-62

F. B. 2984 PG. 192

P.H. NO 5

THIS PHOTO CONTROL POINT IS LOCATED in the Puente Hills Area 600' ± South of the Co. Line, 1100' N.W. of Brea Cyn. Rd, on a small knob in the Shell Oil Co. Fields, in Orange County and may be reached by traveling S'ly on Brea Cyn. Rd. 1 mile ± from the L.A. Co. line to the entrance rd. to the Shell Oil Fields: thence N. W'ly 0.6 mile to junct: thence East 1.500 ± to rd on rt: thence 0.4 mile to end of rd. at oil well. Hike up ridge 500' ± to station.

POINT P.H. NO 5

A 2" brass disc stamped "5-6" set in a 2½" I.P. projecting 4" above ground.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by:
Map No.
Office Work
Checked
Date

Survey of: Puente Hills Photo Field Bk. 2334 Pg. 193
JN Tape Sta qF
Surveyed by: R.C. W. I.S.O.T.
Notes: R.C.W. Date: 1-7-66
Indexed: C. J. GALLE

PUENTE HILLS PHOTO CONTROL

P.H. N°6



Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Noted by Index Card
Plotted on Sur. Div. Maps
Placed on Sur. Div. W. S. No.
Sketch on Bot. Desc. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

765 30 PS CE #310 6-62

F. B. 2984 PG. 194

P.H. Nº 6

THIS PHOTO CONTROL POINT IS LOCATED in Orange County 800'± South of the L.A. Co. line and 2100'± Wly of an angle pt in the Rincon De La Brea Rancho line in the Shell Oil Co. Fields and may be reached from Brea Cyn. Rd. by traveling Sely 1 mile ± to the oil field entrance @ Fisher well #10. Thence follow oiled road 0.1 m to junct. thence rt to 0.15 m to junct. thence @ 0.45 mile pass well #13; thence @ 0.85 mile reach top of grade and start down; @ 0.95 mile reach junct of two side roads and take rd. to left; @ 1.15 mile pass side rd on left; @ 1.35 mile turn left @ well "Orange #2" and follow up grade to 0.1 mile to top. Point is located 52.6' NWly from N.W. Cor. of well "Orange #33" in flat area the same level as the well.

POINT P.H. Nº 6

Set 1" Capped and drilled L.P. flush in oiled flat.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

Notes C'd by
Map No.
Office Work
Checked
Date

Survey of Puente Hills Photo 1964 F.B. 1964 PG. 195
J.N. Tape Sta °F
Surveyed by RC Wilson
Notes RCW Date 1-3-66
Indexed C. J. GALLI

Index Card
U.S. Quad Shts.
Plotted on
Placed on Sht. No. W.O. No.
Sketch on Back Recd Card

Note: Any Additions or Changes on this Sheet Must Be Made or Caused by Red Ink With Date and Name of Person Making Change

Do not extend this side of this

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE #310 6-62

PUENTE HILLS PHOTO CONTROL

P.H. NO 7

For Geod. Adjst. see F.B. 3608-69

TO LA HABRA 1-6

TO LA BOEA 9-1

P.H. NO 7 (See next log)

Prog. Stakes Ahead

TO P.H. #9 330°56'44.8"

100°55'08.5"

See F.B. 1960-18 for meas. direct. horiz. and vertical angles.

TO PIPE YARD

@1.2 mile

TO P.H. #8

MAIN ROAD

RINCON DE LABREA

L.A. CO.
ORANGE CO.

MAIN ROAD

@1.0 mile
ENTRANCE TO SHELL OIL FIELDS

TO CENTRAL AVE (1.0 mile)

F. B. 2984 PG. 196

P.H. NO 7

THIS PHOTO CONTROL POINT IS LOCATED in the Shell oil fields in the Rincon De La Brea 400'± north of the Co. Ln. and 8400'± east of Fullerton Rd. at the west end of a large graded flat area used as a pipe storage yard and may be reached from the intersection of Hwy 101 (Whittier Blvd.) and Fullerton Rd. by traveling south on Fullerton Rd. 1/2 mile± to Central Ave. thence east on Central 1 3/4 mile± to Site Drive thence north 1/2± mile to the Shell Oil field entrance thence follow main rd (paved with painted ℄) ely 0.2± mile to a sharp curve wly, a road to the right and a rd. nly up grade. follow the rd. up grade (nly) 0.3± mile to storage yard. Swing to left (wly) to the s.w. corner of flat area and point.

POINT P.H. NO 7

Fd a 2" I.P. with conc. plug, CO. ENGR. tag, lrg. washer stamped "L.H.-7" and nail set flush. A 4' Yellow marker pipe is 3' South.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Survey of Puente Hills Photo F.B. 3384 PG. 197

JN Tape Std °F

Surveyed by R.C. Wilson

Notes R.C.W. Date 4-8-68

Indexed C. J. GALLE

Notes C'd by

Map No.

Office Work

Checked

Date

Noted on Geo. Index Card
Plotted on U.S.C. Quad Sht.
Placed on Map of Div. W.S. No.
Sketch on Geo Index Card

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 ICE #3 10-6-62

PUENTE HILLS PHOTO CONTROL

P.H. No 8 To LA HABRA 4-68
For Geod. Dist.
See FB 3608-71

60.0'

House

0°00'00"

On rd

400'±

To PH #7
183.11'
N 45°30' E

P.H. No 8
(See next pg)

For more directions and vertical angles see FB&T 1160-27

ALTA MESA DRIVE

PUENTE ST

±200'±

DESTROYED BY SUB-DIVISION 3-3-69 (DW Wilson)

F. B. 2980 PG. 198

P.H. No 8

THIS PHOTO CONTROL POINT IS LOCATED in Orange Co. 1200'± So. of the L.A. - Orange Co. line and 5700'± east of Fullerton Rd., 200'± north and 400'± ~~west~~ east of the intersection of Puente St. and Alta Mesa Dr. in an oiled road 4'± north of the south edge and may be reached from the intersection of Whittier Blvd. and ~~the~~ Fullerton Rd. by traveling east on Whittier Blvd 1.1 mile± to its end at Puente St.; thence north on Puente to its end 200'± north of Alta Mesa Dr.; thence east on oiled rd. 400'± to the point.

POINT P.H. No 8

Set a ~~tangent spike and washer in the oiled rd. 4'± north of the south edge~~ 3/4" Capped ± drilled I.P. flush in oiled road 2'± north of south edge

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 CE #3010-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Noted on Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Gen. Div. W.S. No.
Sketch on Geo. Desc. Card

Notes C'd by
Map No.
Office Work
Checked
Date

Survey of Puente Hills Mtr. Rte. Pg. 1.93
J.N.
Tape
Surveyed by Earl Sapp
Notes Earl
Date
Indexed

P.H. No 9

PUENTE HILLS LAND CO. TR.

RANCHO RINCON DE LA BREA

RANCHO

DIRT RD.

O.L. HOUSE

O.L. WALL

F. B. 2981 PG. 200

P.H. No 9

THIS PHOTO CONTROL POINT IS LOCATED near the S.W. cor. of the RINCON OF LA BREA RANCHO 1100' ± north of the Co. Line and 1600' ± east of Fullerton Rd. on top of a small knoll in the Shell Oil Co. Fields and may be reached from the intersection of Hwy 101 (Whittier Blvd.) and Fullerton rd. by traveling south on 101 1/2 mile ± to Central Ave.; thence east on Central Ave. 1¾ mile ± to Site Dr.; thence north to entrance to oil fields (¼ mile) thence follow main rd. (paved with painted ℄) east, then west ± 1.3 ± mile to dirt rd. on left; thence left 0.2 mile to oil well; thence left on traveled track 400' to base of ridge. Hike up ridge 200' to point.

POINT P.H. No 9

Fd. a 2" I.P. with conc. plug, CO. ENGR. tag, lrg. washer stamped "L.H. 6", and nail set flush. A 4" yellow marker pipe is 3' ± north.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ckd by
Map No.
Office Work
Checked
Date

Survey of P.H. PHOTO
Job 8006.33 Tape Std. °F
Surveyed by R.C. WILSON
Notes RON Date 1-66
Indexed C. J. GALLI

F.B. 2984 PG. 201

PUENTE HILLS PHOTO CONTROL

P.H. Nº 10

W.S. 3C, D3

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

Material from Indian Card Plat S.G.S. Quad Sht. Plat thr. Div. 4 C.S.M. Sketch on Back of Desc. Card

TO YAHABRA G-4

See F.B. 3608-21 for geod. measure and F.B.G. 1101-33 for horiz. & vert. #3 @ G-4

Set NGS 11" Pipe #SB2006

P.H. Nº 10

Set NGS 11" Pipe #SB2005

P.H. Nº 10
(See next pg.)

AIR 050

1000' Tape #0137 @ 120°/ @ 68°

26F3095 CE#310 1-65

F.B. 2984 Pg. 202

P.H. Nº 10

THIS PHOTO CONTROL POINT IS LOCATED in the Puente Hills Area of L.A. County, N 60°W ± 2500' ± from the inter-section of FULLERTON RD. & EAST RD and at the intersection of AIROSO & SKYLINE DR. To reach this point from Fullerton Rd. & Skyline Dr. follow Skyline N'ly 3/4 mile ± to the intersection of AIROSO. The point is located at the approx. ℄ intersection.

POINT P.H. NO 10: Ed. a nail and washer set flush in the pavement.

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Puente Hills
JN Tape 435 Sht 68 °F
Surveyed by R.C. W.I. Bar
Notes RCW Date 1-9-76
Indexed C # GA11

F.B. 2984 Pg. 203

PUENTE HILLS PHOTO CONTROL

P.H. NO 11

See F.B. 3608-29 for Geod. distance
See F.B. 1101-33 37 for Horiz. & Vert. ∠ from G.P.S.



Top of 12" Log
Top of 12" Log
Top of 12" Log

F.B. 2984 PG. 204

P.H. No 11

THIS PHOTO POINT IS LOCATED in the La Habra Hights area of L.A. Co. on the ℄ of East Rd. per C.E.F.B. 3132-111, 120 near the intersection of Valle Dr. as indicated and may be reached from the intersection of Hacienda & East Rd by traveling east on east rd. 2 miles± to the intersection of Valle Dr.

POINT P.H. No 11

Set Irn. spk. & washer on ℄ recovered per C.E.F.B. 3132-112 in center of paved road and painted "P.H No " on pavt. at point.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Street Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'd by: _____ Survey of P.H. PHOTO
Map No. _____ JN _____ Tape _____ Sta _____ F.
Office Work _____ Surveyed by RG Corkran
Checked _____ Notes RCW Date 1-3-63
Date _____ Indexed _____ C. I. GALLI

F.B. 2980 Pg. 205

Noted on Index Card
Placed on U.S. Quad. Shts.
Placed on Sur. Div. W. S. Ma.
Sketch on Bad. Desc. Card

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
409 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this tag

PUENTE HILLS PHOTO CONTROL

P. H. No 12

See FB 3609-31 for Geod. distance

See FBG 1101-33 → for horiz. & vert. #5 from CBHG 4

R.E. = 1137.16

1) 53 57 00
4) 215 56 15
53 59 04
6) 323 55 00
53 59 10

OILED ROAD

Con. Valve Box

Top of Nail

Set 1" C.E. Tag Ref. F.B. 3132-107

P.H. No 12
(See next page)

F. B. 2982 PG. 206

P.H. NO 12

THIS PHOTO POINT IS LOCATED in the La Habra Heights area of L.A. County 300' S'ly from Hacienda Golf Course and may be reached from the intersection of Hacienda and East Road by traveling east on East Road 0.1± mile to a paved road on the right. Thence ely on paved road 0.3± mile to a wide graded flat. The point is located in a large conc. valve box.

POINT P.H. NO 12

Fd. a L.A. Co. Engr. tag set in lead in a conc. valve box per F.B. 3132-107 --- This point is PT NO 4 on proposed Pathfinder "P" line, with a plus of 29+60.88. The elev. per F.B 3132-139 = 672.929' (unadj.)

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'd by
Map No.
Office Work
Checked
Date

Survey of Puente Hills F.B. 2984 Pg. 209
JN Tape Std °F
Surveyed by R.C. W.I. 1500
Notes R.C.W. Date 1-11-60
Indexed C. J. CALLS

Noted on Index Card
Plotted on U.S. Quad. Sht.
Placed on Sht. Div. W. S. No.
Sketch on Geo. Basis Card

PUENTE HILLS PHOTO CONTROL
P.H. No 13

See F.B. 3606-13 for Geod. Distance & F.B.G. 1101-29 for horiz. & vert. ∠s @ this sta.

To P.H. No 12 N 11° 30' W 1.60 mi.

See F.B.G. 1160-31 for horiz. & vertical ∠s @ P.H. No 13.

P.H. No 13 (See next pg.)

To P.H. 0°00'00" No 14

F.B.G. 1160-31,

EL EMPINO

HOUSE # 2259

SUBTROPIC

Note: Any Additions or Changes on This Sheet Must Be Made or Cycled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7 of 3095 CE 4310 6-62

F. B. 2984 PG. 208

PUENTE HILLS No 13

THIS PHOTO POINT IS LOCATED in the Puente Hills area of L.A. County 2900' N'ely from the S.E. Cor. of sect 25, T2S, R11W and may be reached from the intersection of Hacienda and Encanada Dr. by traveling n'ly on Encanada 0.9 miles to Subtropic, thence r.t. 0.2 miles to El Empino, thence r.t. 0.1 mile on El Empino to house # 2259 on the left. Park and hike up ridge to right 250'± to the point.

POINT P.H. No 13

Set a 3/4" I.P. with drilled cap up 2" on top of ridge 250'± from road.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ckd by
Map No.
Office Work
Checked
Date

Survey for Puente Hills
J.N.
Tape Sta +
Surveyed by R.B.G. W.H.S. & D.W.
Notes Date 1-17-66
C. L. GALLI

F.B. 2984 PG. 209

Noted on Indx Card
Plotted on U.S. Quad. Sht.
Planed in Mstr. Div. W.S. No.
Sketch on Geog. Descr. Card

PUENTE HILLS PHOTO CONTROL

PH No 14

12" Alberene D.H.

See FB 3608-15 For Geod. dist. & FBG 1101-29 for Horiz. & Vert. ∠s @ IAH D-4

Dirt Road

Saddle.

PH No 13 (See next pg.)

PH No 14

Fence

To PH #13

N 51° 11' 11" E
1290.16'

03.0"

See FBG 1101-31 for horiz. & vert. ∠s @ PH 14

LAS PALOMAS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.
403 LOS ANGELES, CALIFORNIA

26F3095 Cd#310 1-65

F.B. 2984 Pg 210

PH No 14

THIS PHOTO CONTROL POINT IS LOCATED IN L.A. County in the Puente Hills and 800' ± S. Wly from the east 1/4 cor. of section 25 T2S R11W and may be reached from Los Palomas Dr. as indicated.

POINT PH No 14

Set a 3/4" I.P with Drilled cap up 2" on top of small spur.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
409 Los Angeles County Engineering Bldg
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ckd. by
Map No.
Office Work
Checked
Date

Survey of Puente Hills F. B. 2984 Pg. 27 1
J.N. Tape Sta. of
Surveyed by C.C. W.T. Sorg
Notes C.C.W. Date 1-17-66
Indexed C. J. GALLI FEB 2 4 '66

Noted on Recovery Card
Plotted on Index Sht.
Placed on Aerial Sht.
Placed on Thiv. W. S. No.
Sketch on Geod. Rec. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this tide of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PUENTE HILLS PHOTO CONTROL

PH No 15

See FB 3609-17 for Geod. distance & FBG 1101-29 for horiz. & vert. ∠s @ YAH D-1

PH No 15 (See next pg) 0°00'00" To LA HABRA D-4

FBG 1160-32

0.9 mile

0.6 mile

See FBG 1160-32 for horiz. & vert. ∠s @ PH 15

0.4 mile

Dirt Rd.

Drain

0.1 Rd.

FBG 1160-32

DB

0.0 mi

To YAH D-1

To PALOMAS

26F309S CE#310 1-65

F.B. 2984 Pg. 212

PH No 15

THIS PHOTO CONTROL POINT IS LOCATED in the Puente Hills area of L.A. County, 600'± South of the north 1/4 Corner of sect 25, T2S, R11W and may be reached from Las Palomas Drive as indicated.

POINT PH No 15

Ed @ 3/4" I.P. with drilled cap on top of high knob, clear gulf per good sheet.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Puente Hills F.B. 2984 Pg. 213
J.N. Tape Std. °F
Surveyed by BC Watson
Notes BCW Date 7-1046
Indexed

Noted on Index Card
Plotted on U.S.G.S. Quad. Sht.
Placed in Sub. Div. W.S. No.
Sketch on Perm. Mess. Card

PUENTE HILLS PHOTO CONTROL
P.H. NO 16



See FB 3608-143 for Geod. distance & FB 1160-29 for horiz & vertical ties from PH 16.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
LOS ANGELES, CALIFORNIA

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line

765309S CE #310 6-62

F. B. 2984 PG 214

PH No 16

THIS PHOTO CONTROL POINT IS LOCATED in the Puente Hills area of L.A. County, 3900'± S 70°W. from Amherst Puente Rd and 5TH Ave, 1800'± east of the end of improved Colima Rd: on the most nly point of a finger ridge, and may be reached from Colima & Hacienda by traveling east on Colima 1.2 mile± to its end: thence follow dirt rd. 800'± to a traveled track on the right: thence s/t 200'± to a gate: (L-key) pass thru and turn left and follow along fence 1200'± to old windmill: park and hike up ridge on east side of drain 500'± to point.

POINT PH No 16

A 3/4" Capped and drilled I.P. set flush on top of ridge.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.
This

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Puente Hills Photo F.B. 2984 Pg. 215
JN Tape Std °F
Surveyed by RC W.I. 500
Notes RCW Date 1-27-66
Indexed G. J. GALLI

Noted on Index Card
Placed on U.S. Quad. Sht.
Placed on Sht. Hdr. W.S. No.
Sketch on Geod. Desc. Card

Note: Any Additions or Changes on This Sheet Must Be Made or Checked in Red Ink—With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PUENTE HILLS PHOTO CONTROL

P.H. NO 17



7 of 3095 CE #3100 8-62

F. B. 2984 PG 216

P.H. No 17

THIS PHOTO CONTROL POINT IS LOCATED in the Shell Oil Co. Fields in the Puente Hills area of L.A. County within the RINCON DE LA BREA RANCHO and may be reached from the intersection of Hwy 101 (Whittier Blvd) and Fullerton Rd. by traveling South on 101 3/4 mile ± to Central Ave. thence east on Central 1/2 mile ± to Site Drive: thence north 1.0 mile ± to the entrance to the Shell Oil fields. thence follow the main paved road (pointed E.) thru the oil fields 2.9 mile ± to a dirt rd. on the left. The point is set 0.4 this junction in the paved rd.

POINT P.H. No 17

Set a lrg spk and washer 4' south of the north edge of pavement, flush.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made on Girder in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of 24 Photo
Jn 1074 45 Tape Std °F
Surveyed by RCW
Notes RCW Date 1-66
Indexed E. J. GALLI

F.B. 3984 Pg. 217

Noted on Req. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Riv. W.S. No.
Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must Be Made or Ordered in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7 6 F 3 0 9 5 C E #3 1 0 6-62

PUENTE HILLS PHOTO CONTROL

P.H. NO 18

4' CONC. WALK

5' PARKWAY

C. CONC. CB. & GUTTER

P.H. NO 18
(See next pg)

ST ℄

VIDORA

Nothing Fd.

See FB 3608-53,55, for Geod. distance & FBG 1160-10 for horiz. & vert. to C.L.H.A. L-5

QUENAS & DR

TO LA PUENTE

F.B. 2984 PG. 218

P.H. No 18

THIS PHOTO CONTROL POINT IS LOCATED in the Puente Hills area of L.A. County, at the intersection of Vidora St. and Duenas Dr. and may be reached from 5th ave and Batson Ave by traveling South on Batson 0.35 mile to Vidora St; Thence 1st (East) on Vidora 400'± to Duenas The point is on the north end of Vidora on the E. prod. of Duenas Dr.

POINT P.H. No 18

Fd. L.S. 2631 set in lead in 6" high conc. curb on E. prod. of Duenas Drive

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'd by:
Map No.
Office Work
Checked
Date

Survey of: Puente Photo
J.N. Tape Sta C.F.
Surveyed by: RCW Boon
Notes: RCW Date: 1-1066
Indexed:

F.B. 2764 PG. 219

Mylar Card
U.S.C.&G.S. Quad Sht.
Planar
Placed on S.P.C.U.Y. W.S. No.
Sketch on Geo. Desc. Card

PUENTE HILLS PHOTO CONTROL
P.H. NO 19

Fd. L.A.Co.Rd.Dept. B.M. Tag in conc. cb.

Fd. 4"I in C.U.R.D.

39.70@48°=59.69

P.H. NO 19 (See next Pg.)

69.46@49°=69.85

354.79' Rec.

135.96' Rec.

1286' R
12.59' M

233.46'

See Pgs 1160-29 for Bdry. Evert. 75 & 104.1.9.

PUENTE

DEL ESTE DR.

COVINA

Fd. 4"I in C.U.R.D.

See FB 3608 pgs 139 to 145 for Geod. measurements on lines indicated

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink—With Date and Name of Person Making Change.

Do not extend this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
LOS ANGELES, CALIFORNIA

705309S C.E. #310 6-62

F. B. 2984 PG. 220

P.H. No 19

THIS PHOTO CONTROL POINT IS LOCATED in the Puente Hills Area of L.A. County at the intersection of Colima Rd. and Punta Del Este Drive and may be reached from the intersection of Colima Rd. and Hacienda by traveling east on Colima 1.2 mi. ± to Punta Del Este.

POINT PH No 19
Ed a Swet on the semi-tangent of Colima Rd at its intersection with the ℄ of Punta Del Este Dr. per L.A. Co. Rd. Dept. F.B. 405, page 1-A.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ckd by
Map No.
Office Work
Checked
Date

Survey of PH PHOTO
IN Tape Std °F
Surveyed by REVISED
Notes Date 1-66
Indexed

F. B. 2984 Pg. 22-1

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this filler

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PUENTE HILLS PHOTO CONTROL
P.H. NO 20



F.B. 2994 Pg. 222

P.H. No 20

This photo control pt. is located in the Puente Hills area of L.A. County. S 60° E ± 5000' ± from the intersection of Hacienda & Colima Rd and may be reached from Colima Rd and Alleyton as indicated.

POINT P.H. No 20: Fd 2" I.P. Conc. plug, L.A. Co. Eng. Tag & washer stamped: "1-H5" in conc. flush set by G.E. Dreier 5-19-65.

NO OR 16 NOTES

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

Noted on Geo. Index Card
Placed on U.S.G.S. Quad. Shts.
Placed in Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

Notes Ckd. by
Map No.
Office Work
Checked
Date

Survey of Diemer Hills Photo Control
"B-No 17"
Per F.B. 2984 (60)

Surveyed by P.C. Hilliard Std. 9F
Date 1-1-66
Notes: Base & Traverse
Indexed FB 2, 4, 68

F.B. 2982 PG. 223

Skyline Dr.
10" Thins per
FB 2982-59

Skyline Dr.
10" Thins per
FB 2984-61

Socorro Ln.

1.5 mile

1.0 mile

2.0 mile

Brea Cyn Rd.

Set 1" Iron Pipe
Per Geod. Mon.

Set 1" Iron Pipe
Per Geod. Mon.

Set 1" Iron Pipe
Per Geod. Mon

F.B. 2984 PG 224

"D" NO 17

THIS PHOTO CONTROL POINT IS LOCATED in the Puente Hills area of L.A. County on the Rincon De La Brea Rancho 4400'± north of the County line and N 45° W 4800'± FROM Brea Cyn Rd and may be reached from the intersection of Brea Cyn Cutoff and Brea Cyn Rd by traveling S.W. on Brea Cyn Rd 1.2 mile± to a gate on the right (L-key) pass thru and turn left and follow traveled track 1.0 mile to top and rd. junction: turn right and follow traveled track down grade 0.5 mile to rd. junction: turn left and travel 0.1 mile to point (A 5' 2" marker pipe is at the point 3' W'ly.)

POINT "D" NO 17
A 3" brass cap on a 2½" I.P. set in 6" C.I.P. filled with conc. (10" up) and stamped "ANGLE PT B-21 BETWEEN YBARRA & MENCHEGO JAT. 1931."

Unadj. elev = 959.283
FB 2984-125

PLEASE RETURN TO: LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this line of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on Gen. Index Card
Plotted on U.S.C. Quad Sht.
Plotted on Div. W.S.No.
Sketch on Geod. Desc. Card

Notes Ckd by
Map No.
Office Work
Checked
Date

Survey Puente Hill Photo
J.N. Tape Std
Surveyed by R.C. WILKINSON
Notes R.C.W. Date 1-13-66
C. J. GALL
Indexed

F. B. 2984 Pg. 225

PUENTE HILLS PHOTO CONTROL
"P-NO 12"
(PROPOSED SKYLINE DR. "P" LINE)
F.B. 2984-45

Connection to Skyline Dr. "P" Line From Traverse Station LA HABRA L-5



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

26F3099 CE#310 1-65

Profile No. | Notes Red | Plotted | Job No. | Division No. | F.B. 2984 Pg. 27
Date | Date | Survey of
X-Sec. No. | Notes Chkd. | Checked | Survey by | Notes | Date 12-28-65
Date | Date | Map No. | Indexed E. J. GALLE | Date FEB 2 4 '66

SKYLINE DRIVE

007433

BENCH LEVELS ALONG COLIMA RD. FROM HACIENDA BLVD TO PUNTA DEL ESTE DR.

STATION	B.S.	H.I.	F.S.	ELEV.

FULTON
RANDALL
~~MARTINEZ~~
TULLIER
MANLEY

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76-L-298 CE 307 2-63

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
P				565.192	SEE PG. 6
	8.555	573.747			
P			0.708	573.039	
	9.734	582.773			
P			0.102	582.671	
	10.717	593.388			
P			0.233	593.155	
	10.303	603.458			
P			1.207	602.251	
	9.662	611.913			
P. E.C.			0.178	611.735	E.C. = 146+15.29 FD. SPK. WASHER & TIN FLUSH IN CENTER DIVIDER OF CO. - LMA RD. 400'± WEST OF ALLENTON AVE PER R.D.F.B. 403-31A
	8.803	620.538			
P			1.731	618.807	
	8.538	627.345			
PAVEMENT OF WELL COVER			1.953	625.39	
P B.C.			2.568	624.777	B.C. = 150+09.53 FD. R.D. BRASS CAP MON. IN WELL, STAMPED "L.A. CO. ROAD DEPT 1964" PER R.D.F.B. 403-32A ℄ COLIMA RD 8.91 FEET WEST OF ALLENTON AVE.
	11.888	636.665			
P			0.303	636.362	
	10.428	646.790			
P			1.162	645.628	

Profile Notes Red Plotted Job No. 007433 Division No. 11
No. Date Date Survey of SKYLINE DRIVE
X-Sec. Notes Chkd Checked Survey by EULTON Notes JE Date 12-28-65
No. Date Date Map No. Indexed E. J. GALLI Date FEB 2 A '66

F.B. 2139 PG. 29

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

Job No. 0074.45 Division No. 11 Notes Red ___ Date ___ Plotted ___ Date ___ Profile No. ___ X-Sec. No. ___

Survey of SKYLINE DRIVE Notes T.F. Notes Chkd. ___ Checked ___ Date ___

Survey by FULTON Notes C. J. GALLI Indexed ___ Date ___

STATION	B. S.	H. I.	F. S.	ELEV.	
P				645.628	SEE PG. 1
	7.001	652.629			
P			5.038	647.591	
	4.473	652.064			
P			6.874	645.190	
	2.498	647.688			
TOP WELL COVER			7.98	639.71	
MON. @ 1/3 A (161+19.43)			8.666	639.022	FD L.A.CO. ROAD DEPT BR CAP MON. IN WELL STAMPED "L.A.Co. ROAD DEPT 1965" IN CENTER DIVIDER OF COLIMA RD. 1100 FEET WEST OF STIMSON AVE. R.D.E.B. 403 - 33A
	1.661	640.683			
P			9.871	630.812	
	0.081	630.893			
P			10.417	620.476	
	0.257	620.733			
P			9.339	611.394	
	1.395	612.789			
P			7.841	604.948	
	3.095	608.043			
L & TAG			7.256	600.787	FD. RD. DEPT. BRASS TAG & NAIL IN LEAD, SET FLUSH IN CONC. ROADWAY & INT. COLIMA DR. & STIMSON AVE.
A	4.437	605.224			
T.P.			6.377	598.847	
A	4.184	603.031			

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
BM		603 031			SEE PG. 0
T.P.			5 868	597 163	
BM	5 068	602 231			
T.P.			2 293	599 938	
BM	8 318	608 256			
T.P.			1 153	607 103	
BM	9 215	616 318			
T.P.			0 748	615 570	
BM	9 084	624 654			
T.P.			1 842	622 812	
BM	7 826	630 638			
T.P.			3 084	627 554	
BM	6 080	633 634			
T.P.			4 803	628 831	
BM	3 864	632 695			
TOP OF WELL COVER			5 02	627 67	NOT A T.P.
T.B.M.			5 612	627 083	FD. RD. DEPT. BRASS CAP MON. (IN WELL & COVER) @ INT. COLIMA DR. & PUNTA DEL ESTE DR. PER ROAD DEPT F.B. 403-7A
BM	6 218	633 301			
T.P.			4 734	628 567	
BM	4 075	632 642			
T.P.			6 518	626 124	

Profile Notes Red Plotted Job No. 0074.45 Division No.
No. Date Date Survey of SKYLINE DRIVE
X-Sec. Notes Chkd Checked Survey by FULTON Notes J.G.L.
No. Date Date Map No. Indexed C. J. GALL Date 30-DEC-65

F.B. 7892 Pg. 23

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

F.B. 4994 Pg. 32 | Job No. 007445 Division No. | Notes Red. | Plotted | Profile
Survey of SKYLINE DRIVE | Date | Date | No.
Survey by EATON Noted J.G.R. | Notes Chkd. | Checked | X-Sec.
Indexed C. J. GALLI | Date | Date | No.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
			-	626.124	SEE PG. c	
⊼	3.042	629.166				
T.B.M.			7.773	621.393	F.D. B.S.W.&T., L.A.CO. RD. DEPT. STAMPED ON WASHER B.C. 186+20.62 E. FEB. ROAD DEPT. F.B. 409-7 625.' ± WEST OF INT. OF COLIMA DR. & PUNTA DEL ESTE DR.	
⊼	1.903	623.296				
T.P.			8.861	614.435		
⊼	0.521	614.956				
T.P.			9.804	605.152		
⊼	1.085	606.237				
T.B.M.			5.445	600.792	FD. RD. DEPT. BRASS TAG & NAIL IN LEAD SET FLUSH IN CONC. ROADWAY @ INT COLIMA DRIVE & STIMSON AVE. SEE PG d	
⊼	12.165	612.957				
T.P.			1.570	611.387		
⊼	11.842	623.229				
T.P.			0.330	622.899		
⊼	12.301	635 200				
T.P.			0.056	635 144		
⊼	7.430	642 574				
TOP WELL COVER			2.918	639.656		
⊼	12.312	651.968				
T.P.			9.300	642.668		
⊼	0.215	642.883				
			10.760	632.123		

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 0074-45 Division No. F.B. 2992 2-33
X-Sec. Date Date Survey of SKYLINE DRIVE
Notes Chkd. Checked Survey by FULTON Notes J.G.R. Date 30-DEC-65
No. Date Date Map No. Indexed C. J. GALLI Date

STATION	B. S.	H. I.	F. S.	ELEV.		
				632 123	SEE PG. 5	
⊼	0 781	632 904				
T.P.			7612	625 292		
⊼	0 090	625 382				
T.P.			9885	615 497		
⊼	1 366	616 863				
T.P.			11 738	605 125		
⊼	0 199	605 324				
T.P.			12 265	593 059		
⊼	0 470	593 529				
T.P.			11 960	581 569		
⊼	0 500	582 069				
T.P.			12 148	569 921		
⊼	0 805	570 726				
T.P.			11 506	559 220		
⊼	1 896	561 116				
B.M. 38-8A			7317	553 799	SEE PG. 6 (THIS RUN)	1963 ADJ. ELEV. = 553.910

F. Bk. 2784 Pg. 234 Job No. Division No. Notes Red Plotted Profile

Survey of Date Date No.

Survey by Notes Notes Chkd. Checked X-Sec.

Indexed C. J. GALLI Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.	

Notes Ck'd by	Survey of PATHFINDER ROAD
Map No.	UN 0074.45 Tape 108 Std 84 of
Office Work	Surveyed by J.R. MANNE
Checked	Notes J.R.M Date 12-2-66
Date	Indexed C. J. GALLI DEC 21 '66

F. B. 2984 Pg. 235

CONTROL POINT

TO CHECK

TOPOGRAPHIC MAP

SHEET 12

PATHFINDER ROAD

J.H. 0074.45

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes.

Do not extend this side of this line

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

7 of 3098 CE # 810 3-61

F.B. 2984 PG. 236

BASE LINE

T-64° = -0.01 — 70.68 @ 8°-02' = 69.99; 70.53 @ 7°-04' = 69.99 = 69.98

T-68° = -0.03 — 299.24 @ 17°-01 = 286.14; 299.44 @ 17°-09' = 286.13 = 286.10

T-66° = -0.03 — 297.41 @ 4°-13' = 296.60; 297.50 @ 4°-28' = 296.60 = 296.57

T-66° = -0.03 — 216.51 @ 10°-12' = 213.09; 216.73 @ 10-30 = 213.10 = 213.06

T-66° = -0.01 62.36 LEV. = 62.35

928.06

T 4,104,421.53
E 4,305,272.22

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PT. "A"
SET 1½" I.
O SPUR

⊼ @ G-4
H.I. = 4.55
VERT. ∠ = - 8°-57' D
- 8°-56' I
ROD @ PT. "A" = 3.08

⊼ @ PT. "A"
H.I. = 4.71
VERT. ∠ = + 8°-52' D
+ 8°-54' I
ROD @ G-4 = 5.63

26°-55'-50"

1960.92 CALC.

1478.96 CALC.

106°-52'-10"

T 4,102,607.42
E 4,304,457.74

SET 1"x28" N.

46°-12'-00"

BASE LN. ↗
928.06

60°-42'-45"

G-4
FD. mon.
FB. 696-127
T 4,102,947.37
E 4,305,321.30

46°-12'-00" (1)	106°-52.00 (1)
184-48-00 (4)	67-28-30 (4)
277-12-00 (6)	281-13-00 (6)
46°-12'-00" (A)	106°-52-10 (A)

76°-42.45 (2)	26°-56'-00" (1)
306-51-00 (4)	107-43-30 (4)
100-16-30 (6)	161-35-00 (6)
76°-42'-45" (A)	26°-55-50 (A)

T 4,098,294.09
E 4,305,991.85

P.H.-11
FD. LG. BT.
SPK. W/ BT.

FB. 2984-203

8°-12'-00" (CALC.)

Notes Ck'd. by	Survey of Pathfinder Road + PHOTO
Map No.	J.N. 007445 Tape — Std — °F
Office Work	Surveyed by Wilson / Randall
Checked	Notes Date Feb Apr '69
Date	Indexed C. T. CALL MK 6-69

F. B. 2984 Pg. 237

PATHFINDER ROAD

PHOTO CONTROL

J.N. 007445

FEB. '69 & APR. '69

PARTY	PARTY
WILSON	RANDALL
ADAMS	PYLE
COCKERHAM	FISHER, D.
BARNETT	

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

F. B. 2984 PG 238



U.S.G.S. 7½ MIN. SHEET
"LA HABRA, CALIF."

CONTINUED ON PG. 239

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Path Finder Rd. & Hole
Map No.	JN0074-05 Tape — Std — 9F
Office Work	Surveyed by Wilson/Randall
Checked	Notes Date: Feb-Apr-69
Date	Indexed C. J. GALLET 6-69

F.B. 2984 Pg. 239



CONTINUED ON PG. 238

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403, LOS ANGELES COUNTY ENGINEERING BLDG.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this tie of this line.

16F-3095 CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2984 PG. 240

Notes C'k'd by
Map No.
Office Work
Checked
Date

Survey of PUENTE HILLS
JN 0274AS Tape 175 Std 84 °F
Surveyed by WILSON/RANDALL
Notes R. DOVER Date 26 FEB 69
Indexed C.J. GALLI MW 6 [illegible]

F. B. 2984 PG. 231

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

PH-21



FROM THE INTERSECTION OF; FULLERTON ROAD & MESCAL, TURN RT ONTO MESCAL AND PROCEE UPGRADE ON MESCAL TO DONOSA DR. TURN LEFT, THENCE ON DONOSA DR. TO MATADOR DR. TURN RT., THENCE UPGRADE ON MATADOR DR TO SUMIT AND "T" INTER WITH CONTADOR DR. TURN RT., THENCE TO END OF CONTADOR DR AND STA. (SEE ABO

76F3095 CE#310 3-68

F. B. 2984 PG 292

PH 22

FROM THE INTERSECTION OF ⊛CENTRAL & SITE DR. TURN LEFT (NORTH) UPGRADE ONTO SITE DR AND TRAVEL 0.5 MI TO A "Y" FORK, KEEP LEFT AND LEVEL TRAVELING ON OIL COMPANY ROAD 0.5 MI. TO LOCKED ~~OIL COMPANY~~ GATE. ON SUMMIT ("L" KEY) PASS THRU GATE AND TRAVEL DOWNGRADE (EASTLY) TO AN "H" SHAPED INTERSECTION TURN 180° TO THE LEFT AND TRAVEL 1.0 MI. DOWNGRADE (WEST) TO STATION (STATION IS BETWEEN OK WELL # 14, # 29)

TO L-6
F.B. 2984 - 161

SEE F.B.G. 1246-26
For Angles



SHELL OIL CO

OIL WELL PUENTE C-14

OIL WELL PUENTE C-29

⊛ NOTE "CENTRAL" IS NAMED "LA HABRA" IN FULLERTON

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this tide of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of DUENTE HILLS
JN 00745 Type Std °F
Surveyed by PAUL SON J. RANDALL
Notes ADAMS DOWD Date 2-27-69
Indexed C. T. GALLI MAY 6 '69

F. B. 2984 Pg. 24-3

PH 23

SIERRA VISTA DR

HOUSE #1610

SET L & CE TAG

CANC DR.

4.59

29.00

PH. 23

SET SWST IN MAC PAV

4.5

TO L.H. L G F.B. 2984-19 —0°-00'-00"

29.39

SET L & CE TAG

See F.B.G. 1291-49 For Angles

CURB

CANC.

CURB

CANC.

T = 68°
29.39 @ LEV = 29.39
29.00 @ // = 29.00
41.59 // = 41.59

Route: FROM THE INTERSECTION WHITTIER BLVD & CITRUS DR TRAVEL NORTH ON CITRUS 0.13 MI. TO RYAN AVE, TURN RT. E.LY ON RYAN 5 TRAVEL 0.1 MI. TO SIERRA VISTA DR, THENCE LAT & FOLLOW SIERRA VISTA N.LY 0.5 MI. TO STATION

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 2984 PG. 244

PH 24

FROM THE INTERSECTION OF WHITTER BLVD & MACY ST. , TURN (NORTH) ONTO MACY AND TRAVEL NORTHWARD ALONG MACY PASSING SCHOOL TO WHERE MACY ST. NAME CHANGES TO ~~CAPULET~~ SAUSALITO, TRAVEL NORTHWARD FOLLOWING SAUSALITO DRIVE TO HOUSE NUMBER 16857 & STATION (NOTE THIS STA. USES 5' STAND)



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of PUENTE HILLS F.B. 2988 Pg. 225
Map No.	Job 1074.05 Tape Std °F
Office Work	Surveyed by P. WILSON
Checked	Notes ADAMS Date 2-27-69
Date	Indexed by D. GALLI 6-69

PH. 25

ROUTE: FROM THE INTERSECTION OF WHITTIER BLVD & LA SERNA DR, TRAVEL N.LY ON LA SERNA 0.45 MI. TO CONDESA DR, TURN RT & GO 0.1 MI. TO LA ALBA DR. THENCE LFT. & 0.09 MI TO CARMENIA DR. THENCE LFT. & 0.2 MI. TO ARBELA DR, THENCE LFT & 0.05 MI TO STATION

(SAM MILLER HOME HERE)



NOT TO SCALE

FIELD, FSB

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made to Circled Print Red Ink With Date and Name of Person Making Change.

16F309S (CE#310) 3-68

F. B. 2984 PG. 246

PH 26

From Hacienda Blvd. & West Road: Proceed to entrance gate to Union Oil Co. field via West Road & Las Palomas Dr. as indicated: thence thru gate 0.1 mile to "Y" & dirt rd to left: follow dirt rd up grade & out spur 0.4 miles to station as shown.



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'k'd by	Survey of Polk Finder Road
Map No.	JNO074.45 Tape — Std — °F
Office Work	Surveyed by Wilson / Ramos
Checked	Notes COR / SGR Date March 69
Date	Indexed D.T. GALLI Map 6 60

F.B. 2980 PG. 247

PH 27

ROUTE: FROM THE INTERSECTION OF HACIENDA BLVD & COLIMA RD. TRAVEL W.LY 0.7 MI TO A CABLE GATE ON THE RH(N). FOLLOW A DIRT ROAD 0.6 MI NWLY & LEAVE THE RD AND TRAVEL 0.1 MI SW.LY DOWN A RIDGE TO THE STATION 1700'± E. & 600'± N. OF S.W. COR. SEC. 24 T.2S R.11W.



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

6F305 CE#310 3-68

F. B. 7990 PG. 248

P.H. 28

ROUTE: FROM THE INTERSECTION OF COLIMA RD & HACIENDA BLVD, FOLLOW HACIENDA 2.4 MI S'LY TO WEST RD. TURN RT "W'LY" & GO 1.5 MI TO LAS PALOMAS DR, TURN RT "N.W'LY" & GO 1.3 MI TO SHARP BEND IN RD, GO THRU IRON PIPE GATE ON RT (USE "L" KEY) & FOLLOW OILED RD, DN HILL, 0.3 MI TO "Y", KEEP LFT & FOLLOW RD 0.4 MI. TO STATION IN "Y" OF RD IN BOT. OF CYN.

T = 68°
16.40 @ Lev = 16.90
15.87 @ " = 15.87
24.97 " = 24.97



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'k'd by
Map No.
Office Work
Checked
Date

Survey of La Habra
Job 0011.15 Page Sht'd of
Surveyed by RWJ / JR
Notes RWJ Date 2-28-69
Indexed C.J. GALLI

F.B. 2954 Pg. 349

A

FROM THE INTER. OF IMPERIAL HWY & EUCLID AVE: (CITY OF LA HABRA - ORANGE COUNTY)
Travel Sly on Euclid, upgrade 0.6m to County Hills DR. - Turn rt. (E) 200'± to La Traviesa DR. - thence Lft. (S) 0.2m to Los Palmas DR. - thence Rt. (E) 0.3m. to the sta. on the Rt., 50'± W of Flintridge Drive. (Pass Hwy. with tank 0.1 mile E of La Traviesa)

Euclid Ave 101

4' Curb
6' Gutter
10'

4'

T-1
B.C.E. Tag in road in conc. C.L.

SEE DETAIL BELOW FOR DIRECTIONS OBSERVED

LAS PALMAS DR

Back Curb
@ B.C.R.

SEE F.B.G. 1219-91 FOR ANGLES

Flintridge Dr

T-1
SEE ABOVE

Note: Any Additions or Changes on This Sheet Must be Made to Circled Hit Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

4 of 3095 CE #310 3-68

6F309 | CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes C'd'd by
Map No.
Office TWork
Checked
Date

Survey of Road Control
Surveyed by C.A. PYLE Date NOV 1972
Notes C.A. PYLE Date NOV 1972
Indexed G. D. BAILEY Date NOV 1972

F. B. 7734 Pg. 251

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LABREA J7A

⊙ — 2" MARKER PIPE SET 2' OFF
DIRECTIONS: FBG 137 + 34
MEASUREMENTS: SEE NEXT PG.

TO LBRL5
FB 696-131

TO LBR F5
FB 298-177

SET R.M. 1
(SEE PG. 253)

120.385'

TO LBRJ7RM5
(SEE PG. 253 ALSO FB. CSC-136, 137)

TO LBRE7
FB 2984-255

N 79° 52' W
58.42'

86.12'
55.64'
ROCK + OIL

SCALE
0 10 20 30 40 50 60 70 80 90 100

SET LABREA J7A
(STAMPED & ORIENTED AS SHOWN, SEE PG. 253)

MICRO WAVE SITE
BLDG.
TOWER

PP* 1411450E

CH. LNK FENCE

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LABREA J7A
1972
RECEIVED
DEC 1972
PUBLIC WORKS
COUNTY ENGINEER

F. B. 2984 PG. 252 L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA BREA J7A

50 MTR. M3 MEASUREMENTS 300' TAPE * 139

LEVEL @ 94°

24.771 M =	24.774 M = 81.28'	81.26' = 81.27'
26.247 M =	26.250 M = 86.12'	86.105' = 86.115'
36.694 M =	36.697 M = 120.396'	120.365' = 120.375'

AREA

THIS TRIANGULATION STA. IS IN ORANGE CO., IN THE VICINITY OF "TONNER CYN.", AMONG THE "CHINO HILLS". IT IS 1200' ± S & 1500' ± W OF THE S.E. COR. OF SEC. 33 T. 2 S./T. 3 S. (LA.\ORANGE CO. BDRY LN.) R. 9 W. ATOP HILL 1445, 100' ± EAST OF A MICRO WAVE STA. SEE U.S.G.S. 7.5' SHEET "YORBA LINDA, CALIF." QUAD. 1964.

ROUTE

FROM ITS INTER WITH "BREA CYN RD." TRAVEL S. ELY. ON "TONNER CYN." 0.10 MILE TO THE "ORANGE FWY." (HWY. 57) PASS UNDER AND PROCEED THROUGH THE "MOBIL" OILFIELDS 1.3 MILES TO A CATTLE-GUARD, CROSS AND CONTINUE 0.4 MILE TO A SECOND CATTLE-GUARD, CROSS AND PASS THROUGH A GATE IN A CHAIN LINK FENCE (CLOSES AT 8:00 P.M., L-LOCK) ENTRANCE TO THE "FIRESTONE SCOUT RESERVATION", THENCE 1.0 MILE TO GATE-WAY ON THE RIGHT (EAST) ENTRANCE TO "L.A. TIMES TRAINING CENTER". PASS THROUGH AND ASCEND 1.8 MILES TO THE CENTER SITE AND A FIRE ROAD GATE AT THE ELY EDGE OF THE PARKING AREA. PASS THROUGH GATE (L-LOCK) AND ASCEND 0.60 MILE TO A JUNCTION WITH FIRE-ROAD AT TOP OF RIDGE. BEAR LEFT (NLY.) 0.30 MILE TO A ROAD ON THE RIGHT (SOUTH) FOLLOW THIS 200' ± TO A GATE IN THE FENCE LINE (L-LOCK) AT THE LA\ORANGE CO. BDRY. LINE. PASS THROUGH AND PROCEED 0.20 MILE TO A JUNCTION WITH AN OILED ROCK RD. TURN RT. (SWLY) ONTO THIS AND CONTINUE 500' ± TO A SMALL KNOB ON THE SOUTH SIDE OF THE RD. AND THE STATION SITE.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'k'd by	Survey of GEOD. CONTROL
Map No.	JN0301OP Tape Std °F
Office Work	Surveyed by R.C. WILSON
Checked	Notes C. A. PYLE Date 9/12/72
Date	Indexed G. D. BAILEY NOV 13 1972

F.B. 2984 PG. 253

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA BREA J7A

STATION MARK

A 4" L.A.CO. SUR CONTROL SYSTEM BRASS TRIANGULATION STATION DISC STAMPED "LA BREA J7A 1972 RE 7078" SET IN AN 8" CONC. POST WHICH IS 3" ABOVE GRD. SET BY TANGENT PROD. FROM LBR L5 THROUGH LBR J7 RM 5

SUB-SURFACE MARK

NO MARK WAS SET

REFERENCE MARKS

RM 1: A 4" L.A.CO. SUR. CONTROL SYSTEM BRASS REFERENCE MARK DISC STAMPED: LA BREA J7A RM 1 1972 RE 7078" SET IN AN 8" CONC. POST WHICH IS 3" ABOVE GRD. SET TANGENT TO LBR F5 & LBR J7A

J7 RM 5: A 4" L.A.CO. SUR CONTROL SYSTEM BRASS REFERENCE MARK DISC STAMPED "LA BREA J7 RM 5 1961" SET IN A 12"X12" CONC PAD WHICH IS 4" ABOVE GRD. SET TANGENT TO LBR J7A & LBR L5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING B'LDG.

6 F309 S (CE 310 3-69)

F. B. 2984 PG. 254 L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA BREA J7A

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
J.N. CR01-00 Tape Std °F.
Surveyed by R. C. Wilson
Notes C.A. PYLE Date 3/24/52
Indexed G.D. BAILEY NOV 13 1972

F.B. 2984 PG. 255 ✓

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA BREA E7
USC&GS CHINO

U.S. COAST & GEODETIC SURVEY
TRIANGULATION STATION
WITNESS MARK
CHINO
1938
THE DIRECTOR, WASHINGTON, D.C. ESQUIRE, CAUTIONS ALL PERSONS AGAINST DISTURBING THIS MARK. FOR INFORMATION TO THE GOVERNMENT



● — DENOTES 2" MARKER PIPE SET 5 OFF
MEASUREMENTS — SEE NEXT PG.
DIRECTIONS — F.B.G 131, - 41

Do not write in this space. Making Changes
403 LOS ANGELES COUNTY ENGINEER BLDG.
DEPARTMENT OF ENGINEERING
COUNTY OF LOS ANGELES
10F309 SIC#3 10-9-69

F. B. 2984 PG 25 L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LA BREA E7

50 METER M6 MEASUREMENTS 300' TAPE #221

LEVEL @ 94°

9.208 M = 9.208 M = 30.209'
9.661 M = 9.661 M = 31.695'
15.801 M = 15.801 M = 51.84'

30.21' = 30.21'
31.695' = 31.695'
51.84' = 51.84

AREA

THIS TRIANGULATION STA. IS IN L.A. CO. WITHIN THE "RINCON DE LA BREA" RANCHO ADJACENT TO "BREA CYN." IT IS 4000'± W. & 950'± N. OF THE INTER. OF "L.A./ORANGE CO. BDRY. LINE & RANCHO DE LA BREA" LINE. SEE USGS. 7.5' SHEET "YORBA LINDA, CALIF." QUAD. 1964.

ROUTE

FROM ITS INTER. WITH "BREA CYN. RD." TRAVEL S.ELY. ON "TONNER CYN. RD. 0.10 MILE TO "ORANGE FWY." (HWY 57) PASS UNDER AND PROCEED THROUGH "MOBIL OILFIELDS" 1.3 MILES TO A CATTLE GUARD, CROSS AND CONTINUE 0.4 MILE TO A SECOND CATTLE GUARD, CROSS AND PASS THROUGH A GATE IN A CHAIN LINK FENCE, (CLOSES AT 8:00 P.M., L-LOCK) ENTRANCE TO THE "FIRESTONE SCOUT RESERVATION". THENCE 0.60 MILE TO A CONCRETE BLOCK REST ROOM ON THE LEFT (WEST) TURN LEFT ONTO A FIREROAD 25' SOUTH OF BUILDING AND ASCEND 0.60 MILES TO TOP OF RIDGE AND A GATE IN BARBED WIRE FENCE (UNLOCKED) PASS THROUGH AND CONTINUE ALONG RIDGE TOP 0.20 MILE TO A JUNCTION WITH A FIRE ROAD, TURN LFT (SWLY) THENCE 0.10 MILE PASS WATER TANKS ON THE WEST, PROCEED SLY. 0.30 MILE TO A SADDLE, BEAR RT. (NLY) AROUND A LARGE HORSESHOE BEND, THENCE SLY (0.10) MILE ASCENDING TO THE TOP OF A RIDGE AND THE STATION SITE.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes C. A. PYLE Date 9/22/52
Date	Indexed G. D. BAILEY NOV 13 1972

F. B. 2981 PG. 257

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA BREA E 7

STATION MARK

A 4" USC&GS BRASS TRIANGULATION STA DISC STAMPED: "CHINO 1938" SET IN A 10"x10" CONC PAD WHICH IS 4" ABOVE GRD.

SUB-SURFACE MARK

NO RECORD OF ANY BEING SET.

REFERENCE MARKS

RM 1

NOT FOUND, APPARENTLY BLADED OUT DURING FIRE-BREAK MAINTENANCE.

RM 2

A 4" USC&GS BRASS REFERENCE MARK DISC STAMPED: "CHINO NO 2 1938" SET IN A 10"x10" CONC PAD WHICH IS 2" ABOVE GRD. MON. IS LEANING AS A RESULT OF HAVING BEEN STRUCK BY SCRAPER BLADE.

RM 3

A 4" L.A. CO. SUR. CONT. SY. BRASS REFERENCE MARK DISC STAMPED: "LA BREA E 7 RM 3 1972 RE 1078" SET IN A 8" CONC. POST WHICH IS 4" ABOVE GRD. SET TAN. TO L BR E 7 & L BR F 5.

DO NOT EXTEND THIS LINE
403 LOS ANGELES COUNTY ENGINEERING BLDG.
DEPARTMENT OF COUNTY ENGINEER
COUNTY OF LOS ANGELES
ALL MAPS AND RECORDS OF SURVEY ARE THE PROPERTY OF THE COUNTY OF LOS ANGELES AND SHALL NOT BE USED OR COPIED FOR PRIVATE PURPOSES WITHOUT THE WRITTEN CONSENT OF THE COUNTY ENGINEER. ANY ADDITIONS OR CHANGES MADE TO ANY MAP OR RECORD OF SURVEY BECOME A PART OF SAID MAP OR RECORD OF SURVEY AND SHALL BE SUBJECT TO THE SAME RESTRICTIONS AS THE ORIGINAL MAP OR RECORD OF SURVEY. ANY PERSON MAKING UNAUTHORIZED USE OF ANY MAP OR RECORD OF SURVEY OR ANY PART THEREOF SHALL BE LIABLE TO THE COUNTY FOR DAMAGES AND/OR PENALTIES AS PROVIDED BY LAW.

F. B. 2984 PG 258 L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LA BREA E7