Notes Ck'd by	Survey of
Map No.	JN Tape Std °F
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed

F.B. 3186 Pgs

Page	Job	Description
		+AVE G & H 0096.20 & 0095.53
9-26	Geo. Cont.	Sta. Description & references for triang stats @ W. end of Ave. G & H Traverse
		SAN FRANCISQUITO ROAD 0095.73
27-28	Triang.	Triangulation station
		GEODETIC CONTROL - NORTHWEST ANTELOPE VALLEY J.N. 0301.0(
29-30	Index	
31-174	Triang.	Loc. & descriptions of Existing /s U.S.C. & G.S. Triangulation Station in N.W. ANTELOPE VALLEY betw. Angeles National Forest & Kern Co. Line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Microfilmed Feb. 85

Jefspos 66#s10-18-65

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of AVE G & H.
JN Tape 202 Std 84 °F
Surveyed by G.E. DREIER
Notes Date 7-8-64
Indexed E. J. GALLI SEP 1 8 '64

F. Bk 3186 Pg. 9

TRIANGULATION CONTROL

AVENUE G & H

JOB NO 0095.53 & 0096.20

DREIER
BAZEN
MARTINEZ
McKNIGHT
VALDEZ

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date, and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3085 CE # 310 3-61

INDEX

F. B. 3186 PG. 10

◯ = PAGE NO.



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

(AVE G&H)

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 0185 Std 68 °F
Surveyed by G.E. DREIER
Notes G.E.D. Date 7-31-64
Indexed E. J. GALLI

F. B. 3186 PG. 11

L.A.CO. SURVEY CONTROL SYSTEM TRIANGULATION STATION

LAKE HUGHES L-1 (FAIRMONT U.S.G.S.)

SEE NEXT PAGE FOR DESCRIPTIONS



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 8-61

F. B 3186 Pg. 12

DESC.

THIS STATION IS IN LOS ANGELES CO., ABOUT 17 MILES W. N. W. OF LANCASTER

TO REACH STATION FROM LANCASTER ROAD (AVE. H) AND 150th ST. WEST PROCEED N. ON 150th ST. WEST ON A DIRT ROAD FOR 2 MILES, TURN RIGHT ON NORTH SIDE OF FENCE AND GO WEST AND WESTERLY 1 MILE UP BULDOZED PATH TO TOP OF FIRST HIGH HILL WITH CONC. STRUCTURE, PROCEED WLy ALONG VERY ROCKY RIDGE 0.3 MI. TO HIGHEST HILL AND STATION

STATION MARK FOUND A U.S.G.S. (IN COOPERATION WITH L.A. CO.) BRASS DISC CEMENTED IN A ROCK FLUSH (NO STAMPINGS)

R.M. NO. 1 FOUND A STD. U.S.C.&G.S. REF. DISC STAMPED "FAIRMONT U.S.G.S. L.A.CO. NO. 1 1941" SET IN A ROCK ABOUT 4 FT. LOWER THAN STATION

R.M. NO. 2 FOUND A STD. U.S.C.&G.S. REF DISC STAMPED "FAIRMONT U.S.G.S. L.A.CO. NO. 2 1941" SET IN A ROCK LEVEL WITH STATION

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

(AVE C. & H)

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. B. 3186 PG. 13
JN 0301-00 Tape 202 Std 84 °F
Surveyed by G. E. DREIER
Notes G.E.D. Date 7-29-64
Indexed C. J. GAIN

L.A. CO. SURVEY CONTROL SYSTEM TRIANGULATION STATION LAKE HUGHES K-9 ("LAKE" U.S.G.S)

SEE NEXT PAGE FOR DESC.



TEMP. = 88° NO CORR.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3095 CE # 310 8-61
Figured from Surv. Div. W.S. No.
Sketch on F.B. Note Card

F. B. 3186 PG. 14 DESC. LAKE HUGHES K-9

THIS STATION IS IN LOS ANGELES COUNTY WEST OF LANCASTER.
TO REACH STATION FROM ELIZABETH LAKE, PINE CN. ROAD AND MUNZ RANCH ROAD GO WESTERLY 0.45 MILE AND TURN RIGHT ON DIRT ROAD (PORTAL RIDGE FIRE TRK. RD.) AND PROCEED 1.7 MILES TO SUMMIT & STATION ON E. SIDE OF FENCE AROUND MICROWAVE STATION.

STATION MARK FOUND A STD U.S.G.S. IN COOPERATION WITH LOS ANGELES CO. BRASS DISC UP 12" IN TOP OF A 8" SQ. CONC. POST STAMPED "LAKE 1929"

R.M. NO 1.
FD. A STD. U.S.C.&G.S. REF MON DISC STAMPED "LAKE U.S.G.S NO. 1 1964" IN TOP OF A 12" SQ. CONC. POST UP 4"

R.M. NO. 2.
FOUND A STD. U.S.C.&G.S. REF MON. DISC STAMPED "LAKE U.S.G.S NO 2 1964" IN TOP OF A 12" X 12" CONC POST UP 2"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

(AVE. G & H.)

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F.B. 3186 PG. 15
JN 0301.00 Tape 202 Std 84 °F
Surveyed by G.E. DREIER
Notes G.E.D. Date 7-31-64
Indexed C. J. GALM

L.A. CO SURVEY CONTROL SYSTEM TRIANGULATION

STATION DEL SUR B-6 (U.S.C.&G.S. SPECHT 1932)

SEE NEXT PAGE FOR DESC.'S



DIR. PER F.B.G. 1040-42
R.M. No 1 26° 41' 55.9"
" " 2 26 01 46.2
" " 3 208 29 18.8

30.15 @ 102° = 30.15
73.64 " = 73.65
106.58 " = 106.59
180.23 " = 180.22

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

Index Card
U.S.G.S. Quad. Shts.
Fly. W.S. No.
Geodetic Index Card

10

F. B. 3186 PG. 16 DESC. DEL SUR B-2

THIS STATION IS IN LOS ANGELES COUNTY ABOUT 12.5 MILES WEST OF LANCASTER NEAR SEC. COR 9 + 10 / 16 15 T 7N. R 14 W.
FROM LANCASTER ROAD GO S.WLY ON MUNZ RANCH ROAD 0.6 MI., TURN LEFT (SOUTH) THRU GATE ON DIRT RANCH ROAD 0.2 MI. TO STATION

STATION MARK FOUND A U.S.C.&G.S. MON STAMPED "SPECHT 1932" FLUSH IN TOP OF A 12"X12" CONC. POST

5 X

R.M. NO. X FOUND STD COUNTY SURVEYOR PRECAST MON. STAMPED "T 7N 9+10 / 16 15 R.14W R.E. 2177" UP 5"

R.M. NO 2. FOUND A STD U.S.C.&G.S. REF. MON. STAMPED "SPECHT R.M. NO 2 1932" UP 2" IN TOP OF A 12"X12" CONC. POST

R.M. NO 3 FOUND A STD U.S.C.&G.S. REF. MON DISC. STAMPED "SPECHT R.M. NO. 3 1932" ON A 2" I.P. UP 5"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

(AVE. G & H)

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 0301.00 Tape 20Z Std 84 °F
Surveyed by G.E. DREIER
Notes G.E.D Date 7-31-64
Indexed C. J. GALLI

F. B. 3186 PG. 17

L.A.Co. SURVEY CONTROL SYSTEM TRIANGULATION STATION

DEL SUR A-11 (U.S.C.&G.S. PORTAL)

SEE NEXT PAGE FOR DESC.



NOTE:
See F.B. 3186-67
For new notes
JB Randall
22 Nov 68

29.07 @ 84° = 29.07
82.60 " = 82.60

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
103 Los Angeles County Engineering Bldg.

Plotted on Rec. Index Card
Plotted on U.S.G.S. Quad Sht.
Plotted on Sur. Div. W.S. No.
Sketch on Geo. Desc. Card

76F309S CE # 310 3-61

F. B. 3186 Pg. 18

DESC.
DEL SUR A-11

THIS STATION IS IN LOS ANGELES CO. ABOUT 14 MILES WEST OF PALMDALE NEAR THE CENTER OF SEC. 28 T. 7 N. R 14 W

TO REACH STATION FROM ELIZABETH LAKE PINE CN. ROAD AND JOHNSON ROAD GO EAST 0.4 MI. ON JOHNSON ROAD TO POWER TRANSMISSION LINE, TURN LEFT (NORTH) AND GO 0.5 MILE TO SADDLE ON RIDGE, TURN LEFT, WESTERLY UP TRACKS ON RIDGE TO SUMMIT AND STATION. 0.2 MI. P.A.

TO REACH FROM AVE J. & 130th ST. WEST GO SOUTH 0.8 MI. TO CURVE TO RIGHT, CONTINUE 0.4 MI TO RANCH & GATE ON LEFT, THRU GATE AND 1.4 MI. TO SADDLE ON MAIN RIDGE, TURN RIGHT UP RIDGE 0.2 MI. TO STATION

STATION MARK FOUND A STD U.S.C.& G.S. DISC STAMPED "PORTAL 1932" IN 12"X12" CONC. POST U.P. 5"

R.M. NO. 1 FD. STD. U.S.C.&G.S. REF. DISC STAMPED "PORTAL R.M. NO. 1 1932" IN TOP OF A 12"X12" CONC POST UP 4"

R.M. NO. 3 FD. STD. U.S.C.&G.S. REF. DISC STAMPED "PORTAL R.M. NO. 3 1932" IN TOP OF A 12"X12" CONC. POST UP 5"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

(AVE. G & H)

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F. B. 3186 PG. 19
JN 0301.00 Tape 202 Std. 84 °F
Surveyed by G.E. DREIER
Notes G.E.D. Date 7-31-64
Indexed E. J. GAIN

L.A.CO. SURVEY CONTROL SYSTEM TRIANGULATION STATION DEL SUR G-1 AND DEL SUR G-1 ECC.1

U.S.C.&G.S. "NUMBER"

SEE NEXT PAGE FOR DESC'S



NOTE:
See F.B. 3186-87 for new notes
S.B. Randall
6-NOV-'68

100.39 @ 92° = 100.39
44.75 " = 44.75
106.55 " = 106.56

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 405 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61
Ruled on Geo. Index Card
Placed on U.S.C.&G.S. Quad
Placed on Sur. Div. M.S.
Sketch on Geo. Desc Card

F. B. 3186 PG. 20 DESC.

DEL SUR G-1

THIS STATION IS IN LOS ANGELES COUNTY, 11 MI. WEST OF LANCASTER, 23 FT. WEST OF THE CENTER OF 110th ST. WEST, 0.10 MI. SOUTH OF AVE F.

STATION MARK: FD A STD U.S.C.&G.S. MON. STAMPED "NUMBER 1932" FLUSH. (NOTE TOP HAS BEEN BROKEN OFF BUT ORIG DISC WAS FOUND IN TOP OF MON.)

DEL SUR G-1 ECC.1 SET A STD. CO. TRIANGULATION MON. STAMPED "DEL SUR G-1 ECC.1 1964 L.A.CO. ENGR. RE 5869" U.P. 4 INCHES IN TOP OF A 12" x 12" CONC. POST

R.M. NO. 1 FOUND A STD U.S.C.&G.S. REF. MON. STAMPED "NUMBER NO.1 1932" 4" DEEP, 12" X 12" CONC. POST.

R.M. NO. 2 FOUND A STD. U.S.C.&G.S. REF. DISC STAMPED "NUMBER NO.2 1932" IN TOP OF A 12" ROUND CONC. POST UP 6"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 030100 Tape 202 Std 84 °F
Surveyed by G.E. DREIER
Notes G.E.D. Date 8-3-64
Indexed C. J. GALM

F. B. 3186 PG. 21

L.A Co. SURVEY CONTROL SYSTEM TRIANGULATION STATION

DEL SUR G-13 (U.S.C.&G.S. LEONA)

SEE NEXT PAGE FOR DESC



PER F.B.G 1040-32

DIR TO R.M. 2	203	16	18.8
R.M. 1	112	13	51.2
	91	02	27.6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date, and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
Los Angeles County Engineering Bldg.

Noted on Geo. Index Card
Plotted on U.S.C.&G.S. Quad
Placed on Sur. Div. M.S. Nos. 403
Sketch on Geo. Desc. Card

76F3095 CE # 310 3-61

F. B 3186 PG. 22

THIS STATION IS IN LOS ANGELES COUNTY ABOUT 11 MILES WEST OF PALMDALE TO REACH STATION FROM 110th ST. WEST AND AVE K GO SOUTH AND SOUTH WEST 1.5 MILE ON 110TH ST. W. & JOHNSON RD. TO GATE ON LEFT (ENTRANCE TO FOOTHILL RANCH) FOLLOW MAIN DIRT ROAD 1.7 MILE TO ROAD FORK IN SADDLE OF MAIN RIDGE. TAKE LEFT FORK 0.8 MI. TO END OF TRACK ROAD AND STATION, STATION CAN BE REACHED FROM ELIZABETH LAKE RD. ON POWER LINE ROAD, 0.7 MILE W'LY FROM ENTRANCE TO LEONA VALLEY RANCH, 1.2 MI. TO RIGHT FORK IN SADDLE, 0.8 MI. TO STAT.

STATION MARK: FOUND A STD U.S.C.&G.S. DISC STAMPED "LEONA 1932" CEMENTED IN A 12" X 14" ROCK FLUSH

R.M. NO. 1 FOUND A STD U.S.C.&G.S. REF. DISC, STAMPED "LEONA R.M. NO. 1 1932" CEMENTED IN TOP OF A 12" X 16" ROCK FLUSH

R.M. NO. 3 FOUND A STD. U.S.C.&G.S. REF. DISC STAMPED "LEONA R.M. NO. 3 1932" WELDED ON TOP OF A 2" I.P. UP 5"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of AVE. G & H
Map No.	JN 009620 Tape 202 Std 84 °F
Office Work	Surveyed by G.E. DREIER
Checked	Notes G.E.D. Date 8-19-64
Date	Indexed C. J. GALL

F.B. 3186 PG. 23

L.A.CO. SURVEY CONTROL SYSTEM GEODIMETER TRAVERSE

STATION DEL SUR G-4 (U.S.C. & G.S. △ STAT. "POLE")



NOTE:
See F.B 3186-83
For New notes &
D.S. G4 A
J.S. Randall
6-Nov-68

P.P.# 122553E

TEMP 80° NO CORR.

DIRECTIONS PER
F.B. G. 1043-35
R.M. NO. 3, 161 01' 52.5
NO. 1, 273 43 08.4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change
Do not extend this side of this line

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Attach on Geod. Index Card
Plotted on U.S.G.S. Quad
Filed in Surv. Div. Vault
Sketch on Geod. Descr. Card

76F3095 CE # 310 8-61

F. B. 3186 Pg. 24 DESC. DEL SUR G-4

THIS STATION IS IN LOS ANGELES COUNTY ABOUT 11 MILES WEST OF LANCASTER, FT WEST OF CENTER OF 110th ST. WEST, 0.4 MILES NORTH OF AVE H

STATION MARK FOUND A U.S.C.&G.S. TRIANG. DISC STAMPED "POLE 1932" IN TOP OF A 12"X12" CONC. POST 4" DEEP

R.M. NO. 1 FOUND STD U.S.C.&G.S. REF. DISC STAMPED "POLE R.M NO. 1 1932" IN TOP OF A 12"X12" CONC. POST FLUSH

R.M. NO 3 FOUND STD U.S.C.&G.S. REF. DISC WELDED TO TOP OF A 2" I.P. SET IN CONC AND DISC IS 6" ABOVE TOP OF CONC. DISC STAMPED "POLE R.M. NO 3 1932"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of AVE. G&H
JN 0096.20 Tape 202 Std 84 °F
Surveyed by DREIER
Notes G.E.D. Dated 8-17-64
Indexed C. J. GALM

F. B. 3186 PG. 25

L.A. CO SURVEY CONTROL SYSTEM GEODIMETER TRAV.

STATION DEL SUR G-8 (U.S.C.&G.S. "SUR")

SEE NEXT PAGE FOR DESC.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
Los Angeles County Engineering Bldg.

Index on Geo. Index Card
Plotted on U.S.C.&G.S. Quad.
Placed on Key Div. T.S. No.
Sketch on Geo. Desc. Card

76F3095 CE # 310 8-61



NOTE:
See F.B. 3186-71 for new notes and D.S.G8A
S.O. Randall Co. Nov-68

	DIR.	PER F.B.	C.1043-22-24
R.M. 1	264°	10'	00.3
R.M. 2	228	14	10.4
R.M. 3	187	58	50.6

67.99 @ 79° = 67.99
79.70 " = 79.70
58.84 " = 58.84

F. B. 3186 PG. 26

DESC. DEL SUR G-8

THIS STATION IS IN LOS ANGELES COUNTY, ABOUT 11 MILES WEST OF LANCASTER AT THE S.W. COR. OF THE INTERSECTION OF AVE. J AND 110TH ST. WEST, 59 FT S.W. OF ℄ INTER.

STATION MARK FOUND A U.S.C.&G.S. TRIANG. DISC STAMPED "SUR 1932" IN TOP OF A 12"X12" CONC. POST FLUSH

R.M. NO. 1 FOUND STD. U.S.C.&G.S. REF. DISC STAMPED "SUR R.M. NO. 1 1932" IN TOP OF A 12" CONC. POST FLUSH

4

R.M. NO. 2 FOUND STD. L.A. CO. SURVEYOR PRECAST MON STAMPED "T 7 N $\frac{14}{23}$ $\frac{13}{24}$ R 14 W" 15" DEEP UNDER CAST IRON COVER

R.M. NO. 3 FOUND STD. U.S.C.&G.S. REF. DISC STAMPED "SUR R.M. NO. 3 1932" IN TOP OF A 12"X12" CONC. POST UP 3"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 021.00 Tape Std °F
Office Work	Surveyed by A.C. GUIZADO
Checked	Notes A.C.G. Date 3/23/65
Date	Indexed C. J. GALLI 4 28 '65

F. B. 3186 PG. 27

LA COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

"BEND"

(LAKE HUGHES 0-13)

TO PT A FB 3246-14

NOTE!
See F.B. 3186-43
For new Nodes
J.E. Randall
6-NOV-68

PI #5
Fd 3/4" IP
w/LACOENGR
Tag dn 8"
FB 3246-15

TO PT 6
FB 3246-16

RM #3
SEE NEXT PG

RP to PI #5
Fd 1" IP w/
LACOENGR TAG
Flush

RM #1
SEE NEXT
PAGE

STA "BEND"
SEE NEXT PG

(ALL DIST CORR FOR TEMP)

55.81
N 46° 10' W
N 40° 51' E
31.17
25.98
33.21

SAN FRANCISQUITO CYN RD

5" BARBED WIRE FENCE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

F. B. 3186 PG. 28

STATION "BEND"

THIS TRIANGULATION STATION IS IN LOS ANGELES COUNTY, IN THE ELIZABETH - LAKE HUGHES AREA, 0.3 MILE S'LY FROM ELIZABETH LAKE RD & APPROX ±100 FT E'LY FROM SAN FRANCISQUITO CYN RD IN SECTION 5 T7N R14W & APPROX ±30 FT WEST OF A BARBED WIRE FENCE WHICH IS N-S, PROBABLY THE SECTION LINE BETWEEN SEC 5 & SEC 8 T7N R14W

STATION MARK: FOUND A 4" BRASS CAP TRIANGULATION DISK IN 12"X12" CONC PAD UP 4" & MK'd "U.S. COAST & GEODETIC SURVEY 'BEND' 1932" = BM SF 37 per FB 1675-257

RM NO 1: FOUND A 4" BRASS CAP REFERENCE MARK IN A 12X12" CONC PAD UP 4" (HAS BEEN CHIPPED OT) & MK'd "U.S. COAST & GEODETIC REFERENCE MARK 'BEND' 1932" = BM SF 38 per FB 1675-257

RM NO 2: THIS RM IS APPROX ±400' NNW & NEAR VICINITY OF PT #4 (SEE FB 3246 pg 14) & IS TIED INTO ℄ OF SAN FRANCISQUITO CYN RD SAME AS RM #1 ONLY MK'D "RM #2

RM #3: SAME AS RM NO 1 ONLY MK'D RM #2 & NO CONC PAD AROUND 2" PIPE (IRON)

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

West Antelope Valley

Notes Ck'd by	Survey of Geodetic Control
Map No.	JN 35100 Tape — Std — °F
Office Work	Surveyed by Randall
Checked	Notes SGL Date 2/-/61
Date	Indexed [illegible]

F.B. 3186 Pg. 29

RECOVERY OF EXISTING U.S.C.&G.S. TRIANGULATION STATIONS IN WEST ANTELOPE VALLEY BETWEEN ANGELES NATIONAL FOREST & KERN COUNTY LINE

REFERENCE
U.S.C.&G.S. Station Cards

PARTY
Randall J.G.
Dover B.E.
Martinez F.
Pyle C.A.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76ES098 CE# 310 9-67

F.B. 3186 PG 30

INDEX



Notes: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Property of Los Angeles County Engineer's Office
Photographic Section
Please Return to:

Notes Ck'd by _____ Surveyed by _____ GEODETIC CONTROL F.B. 3180 Pg. 31 ✓

Map No. _____ J.N. 930.bc Tape ~~—~~ Std ~~—~~ 'F

Office Work _____ Surveyed by Randall

Checked _____ Notes JGR Date 8 Oct 68

Date _____ Indexed R.L.GALL JAN 22 19

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SLEEPY VALLEY L 7 ✓
US C&GS 3411(8) - 1044
Pg 1 of 43 Pg's.

U.S. COAST & GEODETIC SURVEY TRIANGULATION STATION FOR INFORMATION OR ASSISTANCE IN USE OF THIS MARK, WRITE TO THE DIRECTOR, WASHINGTON, D.C. 1930 DESCRIBING THE MARK.

SECTION 32
T2N R13W
S.B.M.

TO:
RITTER RIDGE A2
F.B. 943-205

FOUND:
RM 1
(See Pg. 3 of 4 Pg's.)

N 11° 00' W 39.88'

VERY DENSE GROWTH OF SCRUB OAK 10' HIGH

TO:
SLEEPY VALLEY
M.S-8
(U.S.G.S. MODELL
0.2 mi.
(See AZIMUTH MARK
Pg. 33)

71° - 39' - 06.8"

23.62'

74° - 21' - 04.4"

FOUND:
SLEEPY VALLEY
L 7
(Stamped and oriented as shown
See next Pg.)

FOUND:
R.M 2
(See Pg. 3 of 4 Pg's.)

TRAVERSED

TREES

NOTE: See Next Page for measurements
See F.B. 1240 14 for directions
The direction to SVM 8 was turned
4 positions with a Wild T3 (33452)
Due to the loose rocks at the station
Sta. it was not advisable to use
it. FOLDING STAND. For any occupation

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

165C98 CE#310 9-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SLEEPY VALLEY L 7

F.B. 2186 Pg 32

Pg 2 of 43 Pg's

MEASUREMENTS:

300' TAPE N° 175 TEMP. = 64° 50 METER TAPE M-4

36.88 = 36.88 @ Level 11.358m + 11.195 = 22.553m = 36.89'
11.358m + 0.084m = 11.242m = 36.88'

23.62' = 23.62' @ Level 7.200m = 7.200' = 23.62'

3135
856' f = 39.90 @ Level 9556
2610 f = 12.163m = 39.90'
12166
3991

AREA: This TRIANGULATION station is located in Los Angeles Co., on property owned by "RITTER RANCH SPORTSMANS PARK", on Sierra Pelona ridge 2600'± E. & 2200'± S. of the N.W. cor. of Sec. 32 - T6N - R13W S.B.M. See U.S.G.S. 7½ min. sheet "SLEEPY VALLEY, CALIF.".

ROUTE: 4.4± mi. WEST of PALMDALE on Elizabeth Lake Rd. turn left (South'ly) on Ana Verde M/W, (Gate w/ L-Lock at E. Elizabeth Lake Rd. drive south'ly on Ana Verde M/W 0.8± mi. to a "T" intersection turn left, down-grade along a fence line and continue 0.3± mi. to a fork, br. right (west'ly) & drive 0.7 mi. to a cattle guard & intersection, turn right (west'ly) and continue along dirt road past a farm building on the right 0.1 mi. to a fence line (N-S.) no gate Continue west'ly along the south side of Ana Verde Cn. and then up-grade 2.6 mi. to a Summit & a "T" intersection, turn (N) right and pass a Co. Fire Dept. water storage tank on the left & a telephone line running E.-W., drive along main road, br. left a two tracks to the summit 1/2 mi., br. left (west'ly) and continue along top of Sierra Pelona ridge 1/2 mi., passing U.S.G.S. "MODELL" on the right at 1/4 mi., to dim traveled tracks on the right Follow traveled tracks 300'± to station at the highest part of the hill.

ALTERNATE ROUTE:

From the intersection of Bouquet Canyon Rd. & Valencia Blvd. (Saugus) drive north'ly on Bouquet Cyn. Rd. 1.6± mi. to Sierra Pelona L.O. & Artesian Springs Campground Rd. on the right, opposite Bouquet Reservoir, turn right (west'ly) & drive up-grade through Artesian Springs Campground to a summit in a saddle, & a "T" intersection, Turn left (Rd. to right goes to Sierra Pelona L.O.) and follow main ridge rd. ~~Westerly~~ EASTERLY to a fence line (N-S.) with a metal gate. Angeles National Forest Bdry.

Continued on Pg 3 of 43 Pg's

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

GEODETIC CONTROL F.B. 3186 PG. 33

Survey of
J.N. Taylor Tape ~ Std ~ 'F
Surveyed by Randall
Notes GR Date 18-Oct-68
Indexed C.L. CALL JM 22

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SLEEPY VALLEY L-7

Pg. 3 of 48 pg's.

ALTERNATE ROUTE: (Cont.)

L-Key to proceed through gate, and continue EASTLY Westly along main ridge, on Private Property, 0.6 mi. to dim traveled tracks on the left, turn here and follow Tracks Westly 300' ± to station on highest part of hill. Sleepy Valley L-8 N/ is 0.2 mi. further East along main Rd.

STATION MARK: A 4" U.S.C.&G.S. brass triangulation disc stamped "MINT 1938", cemented in a drill hole in a rock out cropping, flush with the ground, a mound of rocks around it.

SUB-SURFACE MARK: No reference to a Sub-Surface mark is made on the U.S.C.&G.S. Station Card.

REFERENCE MARKS:

No 1: A 4" ~~brass~~ U.S.C.&G.S. brass reference mark disc, stamped "MINT NO 1 1938", cemented in a drill hole in a rock out-cropping, 24" above the ground, and about 3' lower than the station.

No 2: A 4" U.S.C.&G.S. brass reference mark disc, stamped "MINT NO 2 1938", cemented in a drill hole in a rock out-cropping, ~~an~~ flush with the ground and about Level with Station

AZIMUTH MARK:

A 4" U.S.G.S. brass disc (IN COOPERATION WITH LOS ANGELES COUNTY), stamped "MODELL RS 1929", cemented in a drill hole in a rock out cropping, flush with the ground, with a mound of rocks around it. About 0.2 mi. Eastly of Sleepy Valley L-7.

Note: Original USGS description calls this station MC DILL. It is possible that due to weathering the original C and I were misread as O and E.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7853/98 FF#310 3-67

Notes Ck'd by
Map No.
Office Work
Checked
Date

GEODETIC CONTROL

F.B. 3186 PG. 351

Surveyed by WILSON / TRANDALL
Notes VSC Date 4-4-68
Indexed [illegible] 22 '70

U.S. COAST & GEODETIC SURVEY
THE DIRECTOR, WASHINGTON, D.C. 20230
TRAVERSE STATION
DO NOT DISTURB
MARK
OFFICIAL USE ONLY
1932

T. 1 A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SLEEPY VALLEY H-S 4

(U.S.C.&G.S. 341181 - 1042)

SECTION 24
T6N R14W
S.B.M.

Pg. 1 of 4 Pg's

TO: DEL SUR J S 14
F.B. 3186-59

FOUND
RM 1
(See next Pg.)
Pg. 3 of 4 Pgs.

324° 49' 35" dist.
[illegible]

FOUND
RM 3
(See next Pg.)
Pg. 3 of 4 Pgs.

10.48 ft.
269° 34' - 45.5"

NOTE: See next Pg. for Measurements & Directions

HILLSIDE

FOUND
SLEEPY VALLEY H S 4
(Stamped as Shown, See next page.)

TOWER No. 463

SOUTHERN CALIFORNIA EDISON
TRANSMISSION LINES (2)

PARK

TOWER No. 431

GRADED ROAD

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

16FORM CE#310 9.67

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

SLEEPY VALLEY H-84

F.B. 3786 Pg 36

Pg 2 of 4 Pg's.

MEASUREMENTS

300' TAPE No 175 TEMP = 70° 50 MTR TAPE No M-4

10.48E' = 10.48E' @ Lev 3.197m = 3.197m = 10.48'

23.35' = 23.35' @ Lev 7.118m = 7.118m = 23.352'

19.44' = 19.44' @ Lev 5.926m = 5.926m = 19.442'

AREA: This TRIANGULATION Station is Located in Los Angeles County, in the ANGELES NATIONAL FOREST South of Leona Valley; 11 miles airline West of Palmdale. 3 mi. E. & 1 mi. North of the most Easterly part of Bouquet Reservoir. & 2600'± E. & 1550'± So. of the N. W. Cor of Sec. 24- T6N-R14W S.B.M See U.S.G.S. 7½ min. Sheet "SLEEPY VALLEY" Calif.

ROUTE: 10 miles WEST of PALMDALE on ELIZABETH LAKE Road at the intersection of Elizabeth Lake Road & Bouquet Canyon Road, drive Southerly on Bouquet Canyon Road 3E°miles to Summitt (Lincoln Crest), and Leona Divide Road, turn right on Leona Divide Road and Continue Westerly up-grade 2.8 mi. to a wide parking & Smoking area, turn sharp right (Easterly) and drive up-grade, and parallel to SOUTHERN CALIF EDISON CO. POWER TRANSMISSION Lines (2), 1/4 mi. to Summitt and a level parking area between two towers. Park here and Hike north 200'± to highest point on hill & STATION.

STATION MARK: A 4" U.S.C.&G.S. brass TRIANGULATION Bolt stamped "GRANITE 1932", Cemented flush in a 8"x10" granite boulder.

SUB-SURFACE MARK: No reference to a sub surface mark is made on the U.S.C.&G.S. Station Card.

CONTINUED ON Pg. 3 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this title or this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Surveyed by _____ GEODETIC CONTROL F.B. 3186 Pg. 37
J. Nesslage Tape ~~—~~ Std ~~—~~ °F
Surveyed by Kendall
Notes JGR Date 10-Oct-68
Indexed L.A.GALL. #22 '68

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SLEEPY VALLEY H-84
PG. 3 of 34 Pg.'s

REFERENCE MARKS:

No 1: A 4" U.S.C.&G.S. brass reference mark disc, "GRANITE NO 1 1932", cemented flush in a granite boulder, & 18" above the ground

No 2: 15 on AZIMUTH MARK, and 0.15 m. from the station. Mark not searched for

No 3: A 4" U.S.C.&G.S. brass reference mark disc, stamped "GRANITE NO 3 1938". Note the date, cemented flush in a granite boulder, 15" above ground

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309A CE#310 9-67

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Surveyed by _____
JN 030100 Tape ____ Std ____ °F
Surveyed by Wilson/Randall
Notes SGN Date 11 Oct 68
Indexed G.L.GALLI

GEODETIC CONTROL F.B. 3184 Pg. 30 ✓

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SLEEPY VALLEY B 1 ✓

(USC&GS 341181 1036)

PG. 1 of 84 PG's.

U.S. COAST & GEODETIC SURVEY TRIANGULATION STATION
THE DIRECTOR WASHINGTON, D.C. DISTURBING THIS MARK.
BURN 1932

TO: DEL SUR A 11
F.B: 3186-67

SECTION 9
T6N R14W
SBM

DRIVE
FIRE BREAK

SET:
RM 4
(SEE NEXT PG)
See Pg. 3 of 4 pg's

SET YELLOW MARKER PIPE

FIRE BREAK

FOUND:
SLEEPY VALLEY
B-1
(Stamped as Shown
See next page)

ED:
Bit in a spud
2'-11" Rad

SET:
RM 5
SEE NEXT PG
Pg. 3 of 4 pg's.

FIRE BREAK

SET YELLOW MARKER PIPE

NOTE:
See next Pg. for measurements
See F.B.G. 1240-10 for directions

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

75F3GB SEE #310 9.67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SLEEPY VALLEY B 1
PG. 2 of 4 PG's

F.B. 3186 Pg 40

MEASUREMENTS:

300' TAPE N= 175	TEMP. = 60°	50 MTR. TAPE M-4
35.53' = 35.52'	@ Lev.	10.830m = 10.827m = 35.52'
26.88' = 26.88'	@ Lev.	8.192m = 8.192m = 26.877'
43.64' = 43.63'	@ Lev.	13.300m = 13.297m = 43.625'

AREA: This TRIANGULATION Station is located in Los Angeles Co., in the ANGELES NATIONAL FOREST South of Leona Valley, 14 miles Air line, west of Palmdale. 2 mi. N. & 1 mi. E. of the most northerly part of Bouquet Reservoir. 1700' ± W. & 1550' N. of the S. ¼ Cor. Sec. 9 - T6N - R14W - S.B.M. See U.S.G.S. 7½ min. Sheet "SLEEPY VALLEY" Calif.

ROUTE: 16 ½ mi. WEST of PALMDALE on Elizabeth Lake Road at the intersection of Elizabeth Lake Rd. & San Francisquito Canyon Rd., turn left (South'ly) on San Francisquito Canyon Rd. (Paved) and drive 0.8 mi. up-grade, pass Station LKH 0.13 on the left at 0.2 mi., to a side road on the left A Sign reading "SPUNKY CANYON EDISON ROAD 5 mi. BOUQUET CANYON 12 mi." turn left (EAST'LY) and drive up-grade 3.3 mi. to a side road on the left (NORTH'LY), turn left and continue 0.15 mi., road here is a Fire break, to a small saddle. Turn around in this Saddle and drive West'ly up Fire break 200' ± to Highest part of Hill & Station.

STATION MARK: A 4" U.S.C.&G.S. brass triangulation disc stamped "BURN 1932", up 8" ± cemented in rock outcrop ~~to a granite boulder~~. No sub-surface mark was set per U.S.C.&G.S. Station Card.

REFERENCE MARK:

No. 1: Destroyed, Ed remains of 6" round drain pipe but no brass disc.

No. 2: Not recovered per U.S.C.&G.S. Station Card.

CONTINUED ON PG. 3 of 4 PGS

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL F.B. 3186 Pg. 41
Map No.	JN 030166 Tape ~~ Std ~~ F
Office Work	Surveyed by WILSON / RANDALL
Checked	Notes IGE Date 11 OCT 68
Date	Indexed G.L.CALL JW 22 70

T. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

SLEEPY VALLEY B 1
~~PG. 3 OF 4 PGS.~~

REFERENCE MARKS (CONT.)

№ 3: DESTROYED: Found a 12" x 12" Conc. post with the disc intact, lying down hill about 65' from its original location. Disc stamped "BURN NO 3 1932".

№ 4: A 4" L.A. CO. SUR. CONT. SYSTEM brass reference mark disc stamped "SLEEPY VALLEY B 1 RM 4 1968 RE 5869", up 8" ± in a 12" x 12" Conc. pad

№ 5: Identical to R.M. 4, except stamped "RM 5".

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE#310 9.67

F.B. 3186 Pg. 42

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

SLEEPY VALLEY B-1

Pg 4 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

GEODETIC CONTROL F.B. 3186 Pg. 431

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey
JN 030100 Tape — Std — °F
Surveyed by J. G. RANDALL
Notes 1610 Date 12-20-48
Indexed G.B.G. Alt: JM 2-27-49

U.S. COAST & GEODETIC SURVEY
TRIANGULATION STATION
FOR INFORMATION OR PURPOSES OF SURVEYING THIS MARK, ADDRESS DIRECTOR, WASHINGTON, D.C.
U.S. GOVERNMENT MARK

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAKE HUGHES 0.13

(U.S.C.&G.S. 3411181 1033)
Pg. 1 of 34 Pg's.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

TO: DEL SUR
A.11
F.B. 3186-17 & 67

FD. BM 3
(See Next Pg)
Pg. 3 of 4 Pg's.

N 102.2°W 944.00'

S 88°-00'-00" E 1319.20'

West line Sec. 14-7N-14W as shown on Record Boundary Maps of Rancho Acton

18.2 — 70'± — 18.2

FOUND
LAKE HUGHES
0.13
F.B. 3186-27
(Stamped & Oriented as Shown Above, See next Pg.)

FD. BM 1
(See Next Pg.)

Note: See next Pg. for measurements
See F.B.G. 12.13-39 for directions

15F3028 CE#310 9-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 Pg 44

LAKE HUGHES 0-13

Pg. 2 of 3 pg's

MEASUREMENTS:

300' TAPE Nº 2211 TEMP = 66° .50 Mtr. TAPE M3

33.21' @ Lev = 33.31' 10.122m @ Lev = 10.122m = 33.208

46.40' @ Lev = 46.39' 14.143m " = 14.140m = 46.391

31.19' @ Lev = 31.19' 9.506m " = 9.506m = 31.19'

AREA: THIS TRIANGULATION STATION is located in Los Angeles County, in the Leona Valley Area, at a bend in San Francisquito Cyn. Rd., 1000'± So & 90'± West of the N.E. Cor. of Sec. 5 · T6N - R14W - S.B.M. See U.S.G.S. 7½ min. Sheet "LAKE HUGHES, CALIF."

ROUTE: 16.5 mi. West of Palmdale on Elizabeth Lake Road at its intersection with San Francisquito Cyn. Road, travel Southerly on San Francisquito Cyn. Rd. up-grade 0.5 mi. to where the road bends sharply to the right. The Station is on the left (East) 60'± You can drive right to the station

STATION MARK:

A 4" U.S.C.&G.S. brass triangulation disc, stamped "BEND 1932", up 2" and set in a 11" x 11" Conc. Pad.

SUB-SURFACE MARK:

A Sub-Surface mark was set, per the U.S.C.&G.S. Station card, dated 1963.

REFERENCE MARKS:

Nº 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "BEND NO 1 1932", up 2" in a 12" x 12" Conc. Pad.

Nº 2: Is an Azimuth mark & was not recovered at this time. See F.B. 3186 - 28, for last recovery.

CONTINUED

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes.

GEODETIC CONTROL F.B. 386 PG. 45

Notes Ck'd by	Surveyed
Map No.	JN ——— Tape ——— Std ——— °F
Office Work	Surveyed by J. G. RANDALL
Checked	Notes JGR Date 19-Dec-62
Date	Indexed [illegible] JAN 22 '63

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAKE HUGHES 0:13

Pg. 3 of 43 pgs.

REFERENCE MARKS (CONT.)

No 3: A 4" USC&GS brass reference mark disc stamped "BEND NO 3 1932", up 3" & attached to a 2" I.P. A conc collar 12" x 12" and flush with the top of the disc was placed at this time.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Data and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

765308 CE #310 9-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 Pg 46

LAKE HUGHES O-13

Pg 4 of 4 Pgs.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

GEODETIC CONTROL

F.B 3186 Pg. 42

Survey of JN 3360 Tape ~ Std ~ °F
Surveyed by Randall
Notes JGC Date 21-Oct-68
Indexed G.L.GALL JN 22 °F

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

RITTER RIDGE F3

Pg 1 of 43 Pgs

GEOLOGICAL SURVEY
GEOLOGICAL SURVEY BENCH MARK
DATUM OF 1929
ELEVATION 6950.8 FEET ABOVE MEAN SEA LEVEL
U.S.G.S.

SECTION 13
T6N R13W
S.B.M.



NOTE: See F.B.G. 1240-16 for directions
See next Pg for measurements

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78F3098 CE# 310 9-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RITTER RIDGE F3

F.B. 3186 Pg 48

PG 2 of 48 Pg's

MEASUREMENTS:

300' TAPE No: 175	T = 74°	50 Mtr. TAPE No: N4	
48.79' = 48.79'	@ Leu	14.871m = 14.871m =	48.788'
32.72' = 32.72'	@ Leu	9.973m = 9.973m =	32.719'
67.45' = 67.45'	@ Leu	20.557m = 20.557m =	67.444'

ROUTE:

AREA: THIS TRIANGULATION Station is Located in Los Angeles County, North West of Palmdale, on RITTER RIDGE, north of LEONA VALLEY, 100' W. & 1000'± W. of the S.E. Cor. of Sec. 13 - T4N - R13W S.B.M See U.S.G.S. 7½ min. sheet : "RITTER RIDGE, CALIF".

ROUTE: From the intersection of 30th St W & Ave P, drive South along the prod. of 30th St W 0.3 mi, on a dirt rd, to a fence corner and a jog in the road, turn right and drive on a dirt road accross a cultivated field 0.2 mi to an intersection with another dirt road, turn right and continue westerly 300'± to where the Calif Aqueduct cross this road Continue westerly up steep hill 0.2 mi. to the top, be left & follow road 0.3 mi to a fork, be left and drive 300'± to a "T" intersection, turn left and continue 0.3 mi to a "T" intersection Turn right & up-grade (Northly), 300'±, Cross broken down barbed wire fence and drive up side hill, be left to top of ridge & Station on the left, South of road.

STATION MARK: A 4" U.S.G.S. brass B.M. disc stamped "RITTER RS 1930", up 3" & in a 6" Conc. post. Post is very rough poured conc.

SUB-SURFACE MARK: No record of any being set

REFERENCE MARKS:

No 1: A 4" L.A. Co SUR CONT SYSTEM brass reference mark disc stamped "RITTER RIDGE F3 RM 1 1968 RE 5869", up 8" and in a 12" x 12" Conc. Pad.

CONTINUED ON Pg. 3 of 4 Pg's

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this title or this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

GEODETIC CONTROL

Survey of
JN 30.00 Tape ~ Std ~ °F
Surveyed by Randall
Notes IGR Date 2nd. 65
Indexed [redacted] JN 22 70

F.B. 3180 Pg. 49

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RITTER RIDGE F 3

Pg 3 of 43 pg's.

REFERENCE MARKS: (Con't.)

No 2: Identical to RM1 except stamped "RM2" & on line to RITTER RIDGE A 2.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

75F9098 CE#310 9-67

F.B. 3186 Pg 50

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

Rince Ridge E 3

Pg 4 of 4 pg's

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 039400 Tape Std °F
Office Work	Surveyed by Randall
Checked	Notes JGR Date 22 Jul 68
Date	Indexed [illegible] 22 '68

F. B. 3186 Pg. 51 ✓

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RITTER RIDGE E3 RESET
(U.S.C.&G.S. 34118) - 1048)

PG. 1 of 43 PG'S.

LOS ANGELES COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RITTER RIDGE
E 3
RESET
1968
SET BY
RESBC9
FOR INFORMATION SEE COUNTY ENGINEER

Note: Any Additions or Changes to This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.



NOTE:
See Next Pg. for measurements.
See F.B.G. 1220-13 for directions.
See next Pg. for explanation of Resetting Station Mark.

76F309S CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
RITTER RIDGE E3

F.B. 3186 PG. 52

PG. 2 of 4 Pg's.

MEASUREMENTS:
300' TAPE No. 175

TEMP. = 84° 50Mh. TAPE No. M-4

81.59' = 81.59'	@ Lev.	24.870m = 24.870m = 81.59'
40.38' = 40.38'	@ Lev.	12.307m = 12.307m = 40.37'
100.475' = 100.475'	@ Lev.	30.624m = 30.624m = 100.47'

AREA: This triangulation Station is Located in Los Angeles County West of Palmdale, South of Quartz Hills, on Ritter Ridge, North of Leona Valley, 1150'± E. & 1700'± N. of the S.W. Corner of Sec. 13 - T6N - R13W. S.B.M. See U.S.G.S. 7½' Sheet "RITTER RIDGE, CALIF.".

ROUTE: 3¾ mi. West of Palmdale on Elizabeth Lake Rd., at its intersection with Godde Hill Rd., turn right (Northerly), on Godde Hill Rd. and travel up-grade 1½ mi. to the summitt, Continue, down-grade, 0⅞ mi. to a private dirt road on the right (East), turn right and follow graded dirt road 0½ mi. down grade to a fork, br. right and continue 0¼ mi. Southerly along a canyon bottom, to a gate in an E.-W. Fence Line. Proceed through gate and follow main road, br. left 200'± to another gate, Continue on graded dirt road Eastly and up-grade 0¾ mi. to a fork, br. left and level. 0½ mi. to a fork br. left and continue 0⅜ mi. to a "T" intersection. Jog to the right 50'± and turn left on traveled tracks (East), 0⅝ mi. to a gate in a N.-S. Fence Line, through gate and up-grade ½ mi. to small saddle and fork, br. left (Westerly) and up-grade to top of a small hill and the station on the left (South).

STATION MARK: A 4" L.A.Co.SUR. Cont. System brass triangulation disc stamped "RITTER RIDGE E3 RESET 1968 RE 5869", up 6" and in a 12" x 12" Conc. Pad. THE original U.S.C.&G.S. brass disc has been destroyed. A drill hole was found in an outcropping of rock at the original location. The distance to RM No. 1 was measured and found to be record ± a few hundredths of a foot. RM No. 2 has also been destroyed (see below). The new station mark described above was set over the drill hole by use of a plumb bench.

SUB-SURFACE MARK: No sub-surface mark was set by the U.S.C.&G.S., as the mark was in a rock outcropping. None was set at this time either.

4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

GEODETIC CONTROL

F. B. 3186 Pg. 53

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN 050105 Tape ~ Std. °F
Surveyed by Rand Bill
Notes JGL Date 12-01-68
Indexed B.L. BALL JAN 22 '70

T. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

RITTER RIDGE E3

Pg. 3 of 43 Pg's

REFERENCE MARKS:

№ 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "MARGO NO 1 1938", Cemented flush in a drill hole, on a rock out cropping, about 6' lower than the station mark.

№ 2: Destroyed, a search was made at the record distance & Az. from the drill hole at the station mark location, No evidence found of the brass disc or the rock out cropping, per the U.S.C.&G.S. Station Card.

№ 3: A 4" L.A. Co. SUR Cont System brass reference mark disc stamped "RITTER RIDGE E3 RM 3 1968 RE 5869" up 8" in a 12" x 12" Conc. pad. About 3' lower than the station mark.

№ 2: Destroyed. A search was made at record distance and angle from the station mark, original position. A drill hole was found in a rock out cropping with Cement around it, the reference mark disc was gone. The record distance to the station mark drill hole was measured and found to be reasonably close. RM 3 was set as described above.

SOLD SEE BELOW

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F-3095 (CE #310) 1-65

E.B. 3181 PG. 54

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

RIDGE RIDGE E 3

Pg. 1 of 1 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made on Circled in Red Ink With Date and Name of Person Making Change.

GEODETIC CONTROL

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of GEODETIC CONTROL F.B. 3186 Pg. 551
J.N. 030106 Tape ——— Sta ——— F
Surveyed by WILSON / RANDALL
Notes JGR Date 8-04-68
Indexed D.B. GALL 22

DRIVE

U.S. COAST & GEODETIC SURVEY
CONTROL STATION
ALTA
1932

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DEL SUR G-13
(34181 - 1035)
PG. 1 of 43 Pgs.

SET Yellow MARKER PIPE
15'
FOUND R.M. No. 1
(SEE NEXT Pg.)
TRACKS
S 25° 15' W
S 0° 05' 48" W
SET: Yellow Marker Pipe
5'
TRAVELED
5609.96'
FOUND DEL SUR G-13
F.B. 3186 - 21
(STAMPED AS SHOWN SEE NEXT Pg.)
S 0° 05' 48" W
1109.96'
SET: YELLOW MARKER PIPE
5'
S 0° 00' 00" E.
FOUND R.M. No. 3
(See next Pg.)
Pg. 3 of 4 Pgs.)
MAG.
TO: SLEEPY VALLEY
H-4
F.B. 3186-352

NOTE! See next Pg. for Measurements
See F.B. G.L.A. 2240-1 for directions
SECTION 1
TAN 2 S
R 15 W

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

REVISED 12-67 #310

GEODETIC CONTROL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR G-13

FB. 3186 PG. 36

PG. 2 of 4 PGS.

MEASUREMENTS

TEMP. = 66°

300' TAPE Nº 175

57.78' = 57.77'

28.965' = 28.965'

65.10S' = 65.09S'

50 M. TAPE M-4

17.618m = 17.609m = 57.77'

8.829m = 8.829m = 28.96'

19.838m = 19.835m = 65.07'

AREA: This triangulation station is located ± in Los Angeles Co. in the LEONA VALLEY area, on PORTAL RIDGE, 300'± West & 300'± SOUTH of the N.E. Cor. of Sec. 2: T6N - R14W. S.B.M. Also marked "LEONA" & "3980", ±on U.S.G.S. 7½ min sheet DEL SUR, CALIF.

ROUTE: 17 miles west of Palmdale on ELIZABETH LAKE RD. From the intersection of ELIZABETH LAKE RD & JOHNSON RD, travel Easterly on Johnson Rd 0.7 mile up-grade to a rubble-Rock Archway on the right (South), turn right through Archway and proceed down grade, through private property, 0.8 mi. pass a large trailer house on the right & Corrals on the left. Continue on the main dirt road, S'ly & E'ly along the bottom of a small valley, 0.5 mi. Cross Fence line (N.&S.) Continue level, ~~0.8 mi.~~ 0.8 mi. Fork br. right, still in valley 0.2 mi Cross Fence line (N.&S.), Continue level, 0.8 mi. pass windmill on the right, 200' ahead to Fork br. left & up-grade pass under Power transmission Lines & 0.7 mi. pass through very narrow gate, (Ranch runs E.&W.), Continue up-grade 0.2 mi. to Fork, br. right and still up-grade, 0.9 mi. to station on a prominent Hill Top

STATION MARK: A 4" U.S.C.&G.S. brass (Triangulation) disc. stamped "LEONA 1932", up 2" and cemented ~~to a 12" Granite boulder~~ in ROCK outcrop. NOTE: Disc is oriented N.20°E.

SUB-SURFACE MARK:

REFERENCE MARKS:

Nº 1 A 4" U.S.C.&G.S. brass (reference mark) disc, stamped "LEONA NO 1 1932", flush with the ground & cemented ~~to a 9" x 9" Granite boulder~~ in rock outcrop.

Nº 2: Is an Azimuth mark, about 0.10 mi. from the Station, no search made for this mark.

CONTINUED

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Geodetic Control
Map No.	JNO30100 Tape — Std — °F
Office Work	Surveyed by WILSON / RANDALL
Checked	Notes LSR Date 9-Oct-68
Date	Indexed R.L.GALL JW 22

F.B. 3186 Pg. 57

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR G-13

Pg 3 of 43 Pg's

REFERENCE MARKS: (CON'T)

No 3: A 4" U.S.C.&G.S. brass reference mark disc, stamped "LEONA NO. 3 1932", 8" above the ground. Bounded A 12"x12"x8" Conc. pad to protect the disc, the top of the conc. is flush with the disc.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los ANGELES COUNTY ENGINEERING BLDG.

7/65 5008 GE #310 3-67

F.B. 5186 Pg 58

T. 2 N., R. 6 W. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DEL SUR G-13

Pg. 4 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

GEODETIC CONTROL

F.B. 3186 Pg 59 ✓

Notes Ck'd by	Survey of
Map No.	JN 03 Tape Std F
Office Work	Surveyed by R. RANDALL
Checked	Notes JGR Date 4-24-68
Date	Indexed B.B. Call 22

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DEL SUR J 141

PG. 1 of 43 Pgs.

U.S. GEOLOGICAL SURVEY COOPERATION LOS ANGELES COUNTY 1911 ELEVATION ABOVE SEA LEVEL IN FEET 1929 ADJUSTMENT FINE TWO HUNDRED DOLLARS FOR DISTURBING THIS MARK

SECTION 6
T6N R13W
S.B.M.

SEE NOTE ON R.M. STAMPING
Pg. 3 of 4 Pg's.

TO: DEL SUR
G. 13
F.B. 3186-55

MARKER PIPE

5°

S 82° 14' E 39.29'

5°

FOUND DEL SUR J14

(Stamped as shown See next Pg.)
See Mon. detail at Left)

TRAVELED

TRACKS

SET: RM 2
(See Pg 3 of 3 Pgs.)

MON. DETAIL

TOP VIEW

15"

DISC

CONC.

PLAN VIEW

6"

CONC.

9"

15"

6"

C.R.

Natural Ground

15"

VERY DENSE GROWTH OF JUNIPER, ALL AROUND STATION

MARKER PIPE

SET RM 1
(See Pg. 3 of 3 Pg's.)

TO: SLEEPY VALLEY W.S.
F.B. 3186-35

NOTE:
See next page for measurements
See ABG 1220-13 for directions
DIRECTIONS ARE FOR RM ORIENTATION ONLY

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

765098 CE#310 9.67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR J 14

F.B. 3186 Pg 60

Pg. 2 of 4 Pg's.

MEASUREMENTS:

300' TAPE No. 175 TEMP ÷ 70° 50 Mic. TAPE No. M-4

31.86' = 31.86' @ Lev. 9.711m = 9.711m = 31.85'

29.71' = 29.71' @ Lev. 9.057m = 9.057m = 29.71'

42.13' = 42.13' @ Lev. 12.840m = 12.840m = 42.13'

AREA: This TRIANGULATION station is located in Los Angeles County, West of Palmdale, North of Leona Valley, On Portal Ridge, along a "JEEP TRAIL". ~~Hub~~ ± 2000' ± W. & 1950' ± N of the S.E. Cor of Sec. 6 - T6N - R13W - S.B.M., See U.S.G.S. 7½ min. Sheet "DEL SUR, CALIF."

ROUTE: 10.2 mi. West of Palmdale on Elizabeth Lake Rd at its intersection with Bouquet Canyon Rd., Continue West'ly on Elizabeth Lake Rd. 0.2 mi. to a dirt rd. on the right (North'ly), pass through a gate and drive East'ly up-grade on a badly rutted road 0.1 mi. to a fork, br. left and Continue 100' to a gate in a E.-W. fence line. Pass through gate and Continue up-grade then level 0.6 mi. passing an old corral on the right, to a fork, br. left and up-grade (North'ly) toward Portal Ridge, 0.1 mi. to a fork, br. right, still North'ly 0.2 mi. to a E.-W. fence line, pass through gate and drive up-grade 0.2 mi. enter very narrow Canyon, Continue 0.1 mi. road turns sharp right and out of Canyon (East'ly), up-grade 0.7 mi. to Summit on Portal ridge & fork, br. left (West'ly) along top of ridge 0.4 mi. to a N.-S. fence line & gate, pass through gate and continue exactly 0.6 mi. to a fork, br. right (North'ly) staying on top of main ridge 0.2 mi. to a fork, br. left on dim tracks, the Station 100' ahead on the right.

STATION MARK: A 4" U.S.G.S. brass disc, IN COOPERATION WITH LOS ANGELES COUNTY, stamped "EL PORTAL 1929 "I&T", up 15", in a 6" x 6" Conc. post, with a 15" x 15" x 4" Conc. Collar at ground level, See detail on Pg. 1 of 3 Pg's., also See detail of Stamping.

SUB-SURFACE MARK: No mention of a mark on the U.S.G.S. Station Card

CONTINUED Pg. 3 of 4 Pgs.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this title or this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

GEODETIC CONTROL F.B. 3180 Pg. 61

Survey of
JN 33402 Tape — Std —°F
Surveyed by Kendall
Notes JGR Date 6-21-68
Indexed D.L.CALL 8-22-68

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DEL SUR J [redacted] 14

Pg. 3 of 43 pg's.

REFERENCE MARKS:

No 1: A 4" L.A Co. Sur. Cont. System brass reference mark disc stamped "DEL SUR J 13 RM 1 1968 RE 5863", at 8" in a 12"x12" Conc. post, on line to Sleepy Valley Rd.

No 2: Identical to RM 1 except stamped "RM 2" and on line to DEL SUR G-13.

NOTE: REFERENCE MARKS No 1 & No. 2 Described above are incorrectly stamped as J 13, they should be J-14.

RM 1#2 RESTAMPED J 14 10/29 DLB

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

765098 CE-F 310 9-67

F.B. 3186 Pg. 62

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DEL SUR. J-14

Pg. 4 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey GEODETIC CONTROL F.B. 3186 Pg. 63
JN 030100 Tape ~ Std ~ °F
Surveyed by RANDALL
Notes SGR Date Sept 68
Indexed G.E.BALL 22

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR D 13
(U.S.C.&G.S. 341181 - 1034)

Pg. 1 of 43 Pg's.

U.S. COAST & GEODETIC SURVEY
TRIANGULATION STATION
WASHINGTON, D.C.
STATION MARK
1932
D

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.



7553098 CE#310 8-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR D-13
PG 2 of 48 PG's.

F.B. 3186 PG 64

MEASUREMENTS:

300' TAPE Nº 175

89.37' = 89.35'
36.55' = 36.54'
79.00' = 78.99'

Temp. = 56° 50 Mtr. TAPE Nº M-4

@ Lev. 27.240m = 27.236m = 89.35'
@ Lev. 11.139m = 11.136m = 36.53'
@ Lev. 24.083m = 24.080m = 79.00'

AREA: This TRIANGULATION Station is located in Los Angeles Co., in the Leona Valley area. On a low ridge between Leona Valley & Portal Ridge. 650'± West & 1000'± South of the N.E. Cor. of Sec. 3 - T-6N - R. 14W. S.B.M. See U.S.G.S. 7½ min. Sheet:
DEL SUR CALIF.

ROUTE: miles WEST of PALMDALE on Elizabeth Lake road at the intersection of Elizabeth Lake Rd. & , @ the Leona Valley Store & Post Office, Continue Westᵗˡʸ on ELIZABETH LAKE Rd. 3⅝ mi., just past a Los Angeles Co. Fire Dep't Water Storage Tank on the right in a Curve in the road, turn right on a gridded road, pass through a gate (L-Key), and follow up-grade 0.2 mi. to R.M. 1 on the right, about 200' off the road. Continue up-grade 0.05 mi. to Summit & an E.W. fence line, drive down grade approx 200' and make a sharp left turn and drive S.W.ly along a side hill 0.1 mi. to the highest part of the Hill and the Station.

STATION MARK: A 4" U.S.C.&G.S. brass Triangulation disc, stamped "ANDREAS 1932", 2" above the ground & cemented ~~to 2-1/2" x 18" boulder~~ in rock outcrop

SUB-SURFACE MARK: No reference to a sub-surface mark, per the U.S.C.&G.S. Station Card.

REFERENCE MARKS:

Nº 1: IS an AZIMUTH MARK, approx. 0.1 mi. from the Station See Route description. MARK was recovered in good condition.

CONTINUED ON Pg. 3 of 48 Pgs.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Notice: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Surveyed GEODETIC CONTROL F.B. 3186 Pg. 65
JN 03/108 Tape ~ Std ~ °F
Surveyed by Randall
Notes JGR Date 5-4-68
Indexed B.L.GALLI #2270

L. A. COUNTY SURVEY CONTROL SYSTEM TRIANGULATION STATION

DEL SUR D-13

PG. 3 of 34 Pg's.

REFERENCE MARKS (CONT.)

Nº 2: A 4" U.S.C.&G.S. brass reference mark disc, stamped "ANDREAS NO 2 1932", 3" above the ground and cemented flush in the top of a 3'x5' boulder, about 5' lower than the station mark.

Nº 3: A 4" U.S.C.&G.S. brass reference mark disc, stamped "ANDREAS NO 3 1932", flush with the ground and cemented in the top of an 8"x10" ~~boulder~~ rock outcrop, and level with the station.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76E308A (E.F. 310 9-67)

F.B. 3786 PG. 66

T. & T. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DEL SUR 0-13

Pg. 4 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL F.B. 3180 Pg 67
JN 0300 Tape — Sta —+—
Surveyed by WILSON/RANDALL
Notes IGP Date 9-24-68
Indexed RANDALL JN 22

U.S. COAST & GEODETIC SURVEY
TRIANGULATION STATION
FOR PRECISE DETERMINATION OF GEOGRAPHIC POSITIONS
WASHINGTON, D.C.
1932
PORTAC

T. T. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DEL SUR A 11
(34118 1032)
Pg. 1 of 48 Pg's.

NOTE: ORIENTATION

TRAVELED

FOUND
RM 3
(SEE NEXT PG)
Pg. 3 of 4 Pg's

SET
MARKER PIPE

ROAD

5"

S 49° 48' 37" E
49.10'

HEDGE

SET
MARKER PIPE

5"

S 5.74'

0°00'00"
N. 87° E.

TO: DEL SUR G-13
F.B. 3186-21 & 55

SET
MARKER PIPE

82° 23' 6" 15"
11.28'

5"

FOUND
DEL SUR A 11
F.B. 3180-17
(Stamped & Oriented as Shown, See next Page.)

SEE MAP FILE 28 14 S. 2 E. M.

FOUND
RM 1
(SEE NEXT PG)
3 of 4 Pg's.

NOTE:
See next Page for measurements
See R.B.G. 1240-8 for directions.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7553DB CEC #310 9-67

F.B. 31816 PG 68

T. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR A 11
Pg 2 of 4 3 Pg's.

MEASUREMENTS:

300' TAPE N= 105 TEMP = 74° 50 MTR TAPE M-4

82.61' = 82.60'	@ Lev.	25.179m = 25.176m =	82.60'
29.10' = 29.10'	@ Lev	8.867m = 8.867m =	~~29.09'~~ 29.09'
93.75' = 93.74"	@ Lev	28.573m = 28.570m =	~~93.76'~~ 93.73'

AREA: This TRIANGULATION station is located in Los Angeles Co. in the Leona Valley area, on Portal Ridge. 2900'± W & 2900'S.± of the N.E. Cor of Sec 28 - T.7N. R.14W. S.B.M. AND 1100'± W. of a Department of Water & Power Transmission line (running N.&S.). See U.S.G.S. 7½' Sheet, DEL SUR, CALIF.

ROUTE: 17 miles WEST of Palmdale on Elizabeth Lake road, at the intersection of Elizabeth Lake Road & Johnson Road, turn right (East) on Johnson Road and travel up-grade 0.4 mi., Cross under Department of Water & Power transmission lines, and turn left (North) on dirt road. Drive up-grade parallel to transmission Lines up-grade 0.3 mi to summit, turn left & follow traveled tracks up-steep hill 0.2 mi. to highest part of the hill & Station on the left.

MAY also be reached from Lancaster, by following 'WEST' on Ave "J", to 110th St. W. turn left (South) & this becomes Johnson Rd. Continue to transmission line crossing as above

STATION MARK: A 4" U.S.C.&G.S. brass triangulation disc, stamped "PORTAL 1932", flush with the ground & in a 11" x 11" Conc. Pad. Disc is oriented South as shown on 1st page of this description.

SUB-SURFACE MARK: The U.S.C.&G.S. Station Card does refer to a sub-surface mark, "underground mark is standard Station disc in Concrete, notes 1a & 7a.

CONTINUED ON PG. 3 of 4 3 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

GEODETIC CONTROL F.B 3186 Pg. 69

Survey No.
JN 32166 Tape Std °F
Surveyed by WILSON / RANDALL
Notes VGR Date 4-4-68
Indexed B.R.GALLI 4-23-68

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DEL SUR A 11

PG. 3 of 43 pg's

REFERENCE MARKS:

Nº 1: A 4" U.S.C.&G.S. brass reference mark disc, stamped "PORTAL NO 1 1932", flush with the ground & in a 11"x11" Conc. pad.

Nº 2: Reference mark Nº 2 is an azimuth mark, 0.15 mile from the station, this mark was not recovered, No search was made.

Nº 3: A 4" U.S.C.&G.S. brass reference mark disc, stamped "PORTAL NO 3 1932", flush with the ground & in a 11"x11" Conc. pad.

Note: Any Addition or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

765308 LE #310 2-67

F.B. 3136 Pg. 70

T. & T. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR A 11
Pg. 4 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 08a16e Tape Std °F
Surveyed by J. G. RANDALL
Notes JGR Date 22 Oct 48
Indexed G.B.RALLI JB 22 48

F. B. 3186 Pg. 71

U.S. COAST & GEODETIC SURVEY
TRIANGULATION STATION
FOR INFORMATION WRITE TO THE DIRECTOR, WASHINGTON, D.C. 20230 OR REPRESENTATIVE FOR DISTURBING THIS MARK.
DEPT. OF COMMERCE

T. T. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DEL SUR G 8
(U.S.C.&G.S. 341181 1030)
DEL SUR G 8 A [redacted]
PG 1 of 4 Pg's.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

WEST AVE.
(ROCK & OIL PAVED)
FOUND SECTION CORNER (See Pg 3 of 3 Pg's.)
FD. BM 5 (See Pg 2 of 3 Pg's.) BRASS
FOUND DEL SUR G 8 (See Pg 2-3 of 3 Pg's. for Stamping.) F.B. 3186-25
65.28'
97° 30' 33.5"
52.91'
FOUND DEL SUR G 8 A [redacted] (Stamped & Oriented as Shown Above. See next Pg.)
80.75'
TO: Del Sur E 9 F.B. 3186-75
SEC. 23-T7N-R14W S.B.M.
NOTE: See next Pg. for measurements See F.B.G. 1240-17 for directions.
55° 44' 00"
55.51'
63.24'
+00.00.00
(Rock & Oil Paved)
SANTA FE ST.
TO: DEL SUR G 13 F.B. 3186-55
FOUND BM 4 (See Pg 2 of 3 Pgs.)
TO: DEL SUR G 13 F.B. 3186-55

76F309S CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 PG. 72

DEL SUR G 8

DEL SUR G 8 A[redacted]

PG. 2 of 4 Pg's

MEASUREMENTS:

300' TAPE Nº 175 — TEMP = 78° 50 Mls. TAPE Nº: M-4

15.46' = 15.46'	@ Lev.	4.712m = 4.712m =	15.46'
53.51' = 53.51'	"	16.311m = 16.311m =	53.54'
52.91' = 52.91'	"	16.126m = 16.126m =	52.90'
80.76' = 80.76'	"	24.614m = 24.614m =	80.76'
63.24' = 63.24'	"	19.274m = 19.274m =	63.23'
65.28' = 65.28'	"	19.896m = 19.896m =	65.27'
74.19' = 74.19'	"	22.613m = 22.613m =	74.20'

AREA: West of LANCASTER, north of Portal Ridge, 5½' South & 48½' West of the N[redacted] Cor. of Sec. [redacted] 23 - T7N - R14W S.B.M.

See U.S.G.S. 7½ min. Sheet "DEL SUR, CALIF."

ROUTE: From the Los Angeles Co. Eng'r. Regional office, near the Intersection of 10th St W. & Ave. J, Lancaster, Calif., drive Westerly on Ave. J 9.8 mi. to 110th St. W. The station is S.W. from this intersection 75'± on the edge of cultivated field

STATION MARKS:

DEL SUR G 8: A 4" U.S.C.&G.S. brass TRIANGULATION disc stamped "SUR 1932", flush with the ground in an 11" x 11" Conc. pad. This mark is in imminent danger of destruction due to normal street & gutter maintenance. See Pg 3 of 3 pgs. for stamping & orientation.

DEL SUR G 8 A[redacted]: A 4" U.S.C.&G.S. brass TRIANGULATION disc stamped "SUR 2 1968", flush with the ground and in a 14" dia. Conc. pad.

SUB-SURFACE MARK: A sub-surface mark was established at Del Sur G 8, per the U.S.C.&G.S. station card.

REFERENCE MARKS:

Nº 1, 2, & 3: A search was made at record dist. & Az., no evidence found, except the broken off marker post at RM 3.

Nº 4: A 4" U.S.C.&G.S. brass reference mark disc stamped "SUR 2 No 4 1968", up 2" in a 12" x 12" Conc. pad. This disc has obviously been restamped. See note on Pg 3 of 3 pg's.

Nº 5: A 4" U.S.C.&G.S. brass reference mark disc stamped "SUR 2 NO 5 1968", up 2" and in a 12" x 12" Conc. pad. This disc has obviously been restamped. See note on Pg 3 of 3 pg's.

CONTINUED ON Pg 3 of 4 Pg's

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL F. B. 3186 PG. 73
JN Tape Std °F
Surveyed by J. G. RANDALL
Notes JGR Date 2-24-65
Indexed J.G. RANDALL JN 22

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR G 8

DEL SUR G 8 A
PG. 3 of 43 Pg's.

REFERENCE MARKS: (CONT.)

NOTE: The two reference marks described on Pg 2, have apparently been removed from some location with the Conc. mass intact, and reset the same way. The disc's have been restamped, also the disc's & Conc. are much older than the disc & conc. as found at DEL SUR G 8 A.

ADDITIONAL MARK:

A 2½" County Engineer brass disc stamped " as shown below, dn. 6" and in a 6" Conc pad, Protected by a metal sleeve & Cast Iron Cover.

STAMPING & ORIENTATION OF MARKS:

DEL SUR G8

SECTION CORNER







PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM

F. B. 3186 Pg. 74

TRIANGULATION STATION

DEL SUR G-B & GBA

Pg 1 of 4 Pg's

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL
JN 0301.00 Tape ~~ Std ~~ °F
Surveyed by J. G. RANDALL
Notes JGR Date 24-Oct-68
Indexed E.L.BALL JM 22

F. B. 3186 PG. 75

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR E9

(U.S.C.&G.S. 341181 - 1031)

Pg. 1 of 4 pg's.

U.S. COAST & GEODETIC SURVEY TRIANGULATION STATION MARK WASHINGTON D.C. FOR INFORMATION WRITE TO THE DIRECTOR FOR DISTURBING THIS MARK GA 76 1961

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.



76F309S CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 PG. 76

DEL SUR 69

Pg. 2 of 4 Pg's.

MEASUREMENTS:

300' TAPE Nº 175		TEMP = 86°	50 Mtr. TAPE Nº M-4
44.10' =	44.10'	@ Lev.	13.442m = 13.442m = 44.103'
28.58' =	28.58'	@ Lev.	8.711m = 8.711m =
42.26' =	42.26'	@ Lev.	12.880m = 12.880m =
75.93' =	75.93'	@ Lev.	23.143m = 23.143m =
36.46' =	36.46'	@ Lev	11.114m = 11.114m =

AREA: This TRIANGULATION station is located in Los Angeles County, West of Lancaster, North of Portal Ridge, on Private property 1700'± N. of the S.W. Cor. of Sec. 23 - T7N - R14W S.B.M. See U.S.G.S. 7½ min Sheet "DEL SUR, CALIFORNIA"

ROUTE: From the Los Angeles County Engineer Regional office in Lancaster, very near the intersection of 10th St W. & Ave J, travel Westerly on Ave J, 9.8 mi. to 110'± St W. DEL SUR GBA is 75'± S.W. of this intersection, Continue West along Ave J 0.2 mi. pavement ends, ~~drive~~ drive ahead 0.7 mi. (1.9 mi. West of 110th St.) on graded dirt road, to a side Rd. on the left Turn left and drive Southerly, parallel to a Fence 0.2 mi. to a jog in the fence line. R.M. NO 1 is 1.2' West of the westerly gate post. Pass through gate, and drive 0.15 mi. Southerly, west of Fence, to station on the left, 39.2' North of a jog in the Fence.

STATION MARK: A 4" U.S.C.&G.S. brass TRIANGULATION disc stamped "GATE 1932", dn 5" and in a 11"x11" Conc. pad.

SUB-SURFACE MARK: A sub surface mark was established, per the U.S.C.&G.S. Station Card.

REFERENCE MARKS:

Nº 1: AZIMUTH MARK: A 4" U.S.C.&G.S. brass reference mark disc stamped "GATE NO 1 1932" up 1.2' in a 12"x12" conc. post. This mark was originally flush See Route desc. for location.

CONTINUED ON Pg 3 of 3 Pg's

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this Imp.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL
JN 0501.00 Tape ~ Std ~ °F
Surveyed by J. G. RANDALL
Notes JGR Date 24-04-48
Indexed E.L.BALL! #22

F. B. 3186 PG. 77

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR E9

Pg. 3 of 43 pg's.

REFERENCE MARKS (CONT.)

Nº 2: A 4" U.S.C.&G.S. brass reference mark disc stamped "GATE NO 2 1932", flush with the ground in a 11" X11" Conc. Pad. 16' North of a fence corner.

Nº 3: A 4" U.S.C.&G.S. brass reference mark disc stamped "GATE NO 3 1932", dn. 6" in a 11" X11" Conc. Pad. 11.3' North & 12' West of a "T" Fence.

Nº 4: A 4" L.A. Co. Sur. Cont. System brass reference mark disc stamped "DEL SUR E9 RM 4 1968 RE 5849", flush with the ground in a 12" X12" Conc. pad. 4.2' West of fence & A Yellow Marker Pipe.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F309S CE#310 1-65

F. B. 3/86 PG. 78

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

DEL SUR 49

Pg. 4 of 4 Pgs.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 03 01.00 Tape ~ Std ~ °F
Surveyed by J. G. RANDALL
Notes JGR Date 25 Oct 43
Indexed B.L.BALL JB 22 78

F. B. 3186 Pg. 79

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DEL SUR BG ✓

(U.S.C.&G.S 241181 1029)
Pg. 1 of 4 Pg's.

U.S. COAST & GEODETIC SURVEY TRIANGULATION STATION WASHINGTON, D.C. FOR INFORMATION WRITE TO THE DIRECTOR $250 FINE OR IMPRISONMENT FOR DISTURBING THIS MARK. SPECIAL 1932

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

T6F309S CE#310 1-65



NOTE: See F.B.G. 1240-20 for directions
See next Pg. for measurements

RCB 8/14/72

F.B. 3786 Pg. 80

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR BG

Pg 2 of 4 pg's.

MEASUREMENTS: 200'tape 175 Temp = 82° Scintr. tape M-4

30.14' =	30.14'	@ Elev.	9.187m = 9.187m = 30.14'
73.65' =	73.65	@ Elev.	22.447m = 22.447m = 73.65'
90.76' =	90.76'	91.695	
89.46' =	89.46	88.52	
	180.22 =	180.215	@ Elev. No measurement
52.81' =	52.81'		@ Elev. 16.097m = 16.097m = 52.81'
63.615' =	63.615'		@ Elev. 19.390m = 19.390m = 63.615'
87.69' =	87.69'		@ Elev. 26.727m = 26.727m = 87.68'

AREA: The TRIANGULATION Station is located in Los Angeles County on privately owned property, 13 miles (Airline) West of Lancaster, North of Portal Ridge & South of Munz Ranch. 180'± North of the S.W. Cor. of Sec. 10 T7N - R14W. - S.B.M. See U.S.G.S. 7½ min. sheet "DEL SUR, CALIFORNIA.

ROUTE: From the Los Angeles County Sheriff's Mira Loma Facility at 60th St W. & Ave. I, Lancaster, drive west on Ave. I 6⅝ miles, to 130th St. W., where paved road turns sharp right, follow paved road to the right (North) and Continue ____ mi. on paved road to intersection of on the left with Munz Ranch Rd., (paved) turn left (SW'ly) and drive 0⅝ mi. to a gate and side road on the left, pass through gate and drive on dirt road 0.2 mi. to top of 1st hill, the Station is 50'± to the left (East)

ALTERNATE ROUTE: Ave. J West'ly to 130th St. W., turn right (North) through gate and drive 1⅛ mi. North, the station is 180'± North of this point.

STATION MARK: A 4" U.S.C.&G.S. brass TRIANGULATION disc. Stamped "SPECHT 1932", flush with the ground in a 11"x11" Conc. pad.

SUB-SURFACE MARK: A mark was established per the U.S.C.&G.S. Station Card.

REFERENCE MARKS:

№ 1: AZIMUTH MARK: A 4" U.S.C.&G.S. brass reference mark disc stamped "SPECHT NO1 1932", flush with

Continued on Pg 3 of 4 pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 20166 Tape — Std — °F
Surveyed by J. G. RANDALL
Notes JGR Date 25-Jul-68
Indexed G.L.RALL JAN 22 '69

F. B. 3186 Pg. 81

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DEL SUR BG

Pg. 3 of 43 pg's.

REFERENCE MARKS: (Con't.)

the ground in a 11" x 11" Conc. pad. 0.2 mi. from Station No 2: Identical to No 1 except stamped "NO 2".
No 3: Identical to No 1 except stamped "NO 3", This disc is brazed to the top of a 2" I.P. and up 5". A 12" x 12" Conc. pad was poured flush with the disc at this time.
No: 4: A 4" L.A. Co. SUR. CONT. SYSTEM brass reference mark disc stamped " DEL SUR BG RM 4 1968 RE 8&9" flush in a 12" x 12" Conc. pad.

R.M. 5
ADDITIONAL MARK: SECTION CORNER: A 3½" County Surveyor brass disc stamped as shown below, Flush in a 6" Conc post.

COUNTY SURVEYOR
T7N
9 | 10
16 | 15
R14W
RE 21

NOTE: A CADASTRAL TIE WAS MADE, to the EAST line of Sec. 9 - T7N - R14W S.B.M. By intersection of the line produced from Del Sur G 13 through Del Sur B G, a B.S.W.&T. was set Flush with the ground see F.B 2943

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

16F309S CE#310 1-65

F. B. 3186 PG. 82

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DEL SUR. B4

Pg. 4 of 4 pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL
JN 030/00 Tape — Std — °F
Surveyed by J. G. RANDALL
Notes JGR Date 1-Nov-61
Indexed [illegible] 22 '62

F. B. 3186 Pg. 83 ✓

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR G4A
1968
SET BY
RE 5869
FOR INFORMATION
SEE COUNTY ENGINEER

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR G4 ✓

(U.S.C. & G.S. 341181 1028)

DEL SUR G4A ✓

Pg. 1 of 43 Pg's.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

FOUND:
B.M. 119-21
(See Pg. 3 of 4 Pg's.)

2'± Marker Pipe

P.P. 1209626E

To: U.S.C. & G.S. F.B. 3186 C.15

N 44° 02' 04.9" W 34.28'

N 30° 54' 55" E 15.90'

FOUND RM 3
(See Pg 3 of 4 Pg's.)

5'± Marker Pipe

Road Center

N 45° W

5'± 0+ — 40'±

41.01'

650.32' STREET (Back of Curb) WEST

To: 1/4 SECTION CORNER

NOTE: See F.B.G. 1240-30 for ties to roof cone
See next Pg. for measurements.

Pole #8
1209626E

SECTION 2, T1N, R14W, S.B.M.

SET
DEL SUR G4A
(Stamped & oriented as shown, See Pg 2 of 3 Pg's.)

78.62'

154° 27'

36.51'

18.9'

Marker Pipe

2'±

48.32'

5'±

FOUND
DEL SUR G4
F.B. 3186-23
(See Pg 2 of 4 Pg's.)

SECTION 2, T1N, R14W, S.B.M.

FOUND
RM 1A
(See Pg 3 of 3 Pg's.)

Marker Pipe

VOID
CADASTRAL TIE
See F.B. 2943-29

P.P. 1222563E

CADASTRAL TIE
F.B. 2943-28

To: SECTION CORNER

76F309S CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F. B. 3186 PG. 84

DEL SUR G 4
DEL SUR G 4A

MEASUREMENTS: Pg. 2 of 4 Pg's.

300' TAPE No. 175 TEMP. = 60° 50 M/m TAPE NO M-4

48.33' =	48.32'	@ Lev.	14.730m = 14.730m =	48.316'
41.02' =	41.01'	"	12.500m 12.497m = 12.497m =	41.00'
74.48' =	74.48 74.47	"	22.701m = 22.698m =	74.467'
		TEMP. = 62°		
36.52' =	36.51'	@ Lev.	11.132m = 11.129m =	36.515'
78.63' =	78.62'	"	23.965m = 23.962m =	78.615'
15.90' =	15.90'	"	4.849m = 4.849m =	15.908'
241.28.5'		Temp. = 64°	49.274m = 49.268m = 161.64'	
241.31.5' =	241.28.5'		24.276m = 24.273m = 79.64'	241.28'

THIS TRIANGULATION Station is Located in Los Angeles County.

AREA: 10 miles ± West of Lancaster, 2 miles West and 0.5 mi. North of the DEL SUR SCHOOL & an Edison Co. Substation. A △ Marked POLE 2501 on the QUAD. Sheet. 2000'± North & 50'± west of the S.E. Cor. of Section 2 - T7N - R14W. S.B.M. See U.S.G.S. 7½ min. sheet DEL SUR CALIFORNIA.

ROUTE: From the Los Angeles County Sheriff's Mira Loma facility @ 6th & 60th St. W. & Ave. I, Lancaster, California. Proceed 5.2 mi. west on Ave. I to 110th St. W., turn right (North) on 110th St. W. and drive 1.4 mi. to station on the left (West), 45' west of ℄ of Road.

STATION MARKS:

DEL SUR G4: A 4" U.S.C.&G.S. brass triangulation disc, stamped "POLE 1932", 12" below the surface, but flush with the gutter, in a 12" wide Conc. Pad. (See Pg. 3 of 3 Pg's.)

DEL SUR G4A: A 4" L.A. Co. SUR. CONT. System brass Triangulation disc stamped "DEL SUR G4A 1968 RE5869" up 8" in a 12" x 12" Conc. Pad.

SUB SURFACE MARKS:

DEL SUR G4: The U.S.C.&G.S. Station Card refers to a Sub surface mark being here.

DEL SUR G4A: A 4" L.A. Co. SUR. Cont. System brass triangulation disc stamped "DEL SUR G4A 1968 RE 5869 S", 30" below the surface of the ground with a 4" Cushion of earth between it and the bottom of the Surface mark. The S was stamped on this disc to distinguish it from the surface mark, it is located directly below the "T" in the word "TRIANGULATION".

Continued on Pg. 3 of 4 Pg's.

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN 030100 Tape ~ Std ~ °F
Surveyed by J. G. RANDALL
Notes JGR Date 1-Nov-67
Indexed B.L.BALL JR 22 70

F. B. 3186 Pg. 85

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

DEL SUR G 4

DEL SUR G 4 A

Pg. 3 of 43 Pg's.

REFERENCE MARKS:

№ 1: A 4" U.S.C.&G.S. brass reference mark disc, stamped "POLE NO 1 1932", flush in a 11" x 11" Conc. pad.

№ 2: Destroyed per U.S.C.&G.S. Station Card. (1963)

№ 3: A 4" U.S.C.&G.S. brass reference mark disc stamped "POLE NO 3 1932", flush with the ground. The disc is attached to a 2" I.P. and projects 4" above a 12" x 12" Conc. pad. A 12" x 12" Conc. pad was poured flush with the disc at this time.

№ 4: Destroyed per U.S.C.&G.S. Station Card (1963), found remains of Conc. post in which the disc was.

ADDITIONAL MARK:

B.M. 119-21: A 2½" COUNTY ENGINEER bo brass disc with a Spherical shaped bench mark button in the Center, stamped "B.M. 119-21 1961 5869", up 8" in a 12" x 12" Conc. Pad.

STAMPING & ORIENTATION OF MARKS:

DEL SUR G 4



ADDITIONAL MARK



See Sub-Surface mark stamping on Pg. 86

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR G 4 A

F.B. 3186 Pg. 86

SUB-SURFACE MARK: Pg. 4 of 4 Pgs.



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Surveyed by GEODETIC CONTROL
JNO 30/66 Tape Std. 'F'
Surveyed by J. G. RANDALL
Notes JGR Date 6 Nov. 68
Indexed G.E. SAILI

F.B. 3186 Pg. 87

COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR G 1
1964
SET BY L.A.CO. SURV. FOR INFORMATION CONTACT COUNTY ENGINEER

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DEL SUR G 1
(U.S.C. & G.S. 3411 81 1026)

DEL SUR G1 ECC 1

PG. 1 OF 4 PG'S.

DEL SUR G1 ECC. 1

TO: N.E. COR. SEC. 35-T7N R14W S.B.M.
P.P. No. 12225942

FOUND: RM 3 (See Pg. 3 of 4 Pg's.)

FOUND DEL SUR G1 ECC. 1
F.B. 3186-19
(Stamped 1 Oriented as Shown. See Pg. 2 of 3 Pg's.)

WEST
1308'
GUTTER
Pavement
S 89° 57' E F.B. 2048-30
10.0'
10.4'
10.6'
Gutter
Pavement
Gutter
S 89° 57' E 2634.75' M
SECTION 34 - T7N - R14W S.B.M.
marked pipe
marked pipe
marked pipe
FOUND RM 1 (See Pg. 3 of 4 Pg's.)
100.38'
ST
of
100.00' M
N 0° 00' 00" E M
161° 29' 06.76"
161° 40' 59"
165° 40' 20.6"
59.64'
59.29
44.25
TO: LIB C-15 F.B. 3186-91
FOUND: DEL SUR G1 F.B. 3186-19 (See next Pg.)
VOID CADASTRAL TIE F.B. 2993-30
CADASTRAL TIE F.B. 2993-30
70.14'
SECTION 35 T7N R14W S.B.M.
N.C.T.E. 5/8 x 10" P.P.
P.P. No. 12225936
TO: EAST ONE QUARTER CORNER SEC. 35 T7N R14W S.B.M.

NOTE: See next Pg. for measurements See F.B.G. 1220-02 for directions

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7/65 3108 DE #310 8.67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
DEL SUR G-1
DEL SUR G 1 ECC 1
PG. 2 OF 4 PGS.

F.B. 3186 Pg 88

MEASUREMENTS:
300' TAPE No. 175

44.76'	=	44.76'
100.395'	=	100.385'
89.585'	=	89.575'
59.30'	=	59.29'
106.57'	=	106.56'
14.595'	=	14.595'
70.15'	=	70.14'
39.64'	=	39.64'

TEMP. = 68° 50 Min. TAPE No. M4

@ Lev.	13.645m	= 13.645m	= 44.76'
@ Lev.	30.599m	= 30.594m	= 100.38'
@ Lev	27.305m	= 27.302m	= 89.57'
@ Lev	18.078m	= 18.073m	= 59.29'
@ Lev.	32.480m	= 32.477m	= 106.55'
@ Lev	4.447m	= 4.447m	= 14.59'
@ Lev	21.383m	= 21.380m	= 70.14'
@ Lev	12.083m	= 12.083m	= 39.64'

AREA: This TRIANGULATION Station is located in Los Angeles County, in Antelope Valley, near Del Sur, 14,500'± N.W. of the Del Sur School, 5 miles South of the KERN County line on 110°± St. W. 500'± So. & 40'± W. of the N.E. Cor. of Sec. 35, T8N, R14W, S.B.M. See U.S.C.&G.S. 7½ min. sheet "DEL SUR CALIF.".

ROUTE: From the Los Angeles County Sher. H.Q.'s, MIRA LOMA Facility, at 60°± St. W. & Ave. J Lancaster. Drive West'ly on Ave J 5 miles to 110°± St. W., turn right (North) on 110°± St West and drive 3± mi. on paved road to station on the left (West). Passing DEL SUR G-4 A at 1± mi.

STATION MARKS:
DEL SUR G-1: A 4" U.S.C.&G.S. brass Triangulation disc stamped "NUMBER 1932", flush with the ground, in a 10" diameter round Conc. pad See Pg. 3 of 3 pg's. for stamping

DEL SUR G 1 ECC 1: A 4" L.A.Co. Sur. Cont. System brass triangulation disc stamped "DEL SUR G-1 ECC No. 1 1964 L.A.CO.ENGR. R.E. 5869", up 4" in a 12"x12" Conc. Pad. This disc is completely flat with every thing indented in it rather than partialy raised as some of the disc's are.

SUB-SURFACE MARKS:
DEL SUR G-1: The U.S.C.&G.S. Station Card refers to a mark being here and described as follows "Underground Station mark is about 3 feet underground, stamped "NUMBER 1932", They call for a "Standard bronze disc" see refs 1a, 7a, & 11a.

DEL SUR G 1 ECC 1: There is no mention of any mark on the original Station notes F.B. 3186-19

CONTINUED on Pg 3 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL	F.B. 3186 Pg. 89
Map No.	JNG Dev. Co. Tape — Std. — °F	
Office Work	Surveyed by J. G. RANDALL	
Checked	Notes JGR Dated Nov-68	
Date	Indexed R.L.SALLI JN 22 '70	

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

DEL SUR G 1

DEL SUR G1 ECC 1 Page 3 of 4 pgs.

REFERENCE MARKS:

Nº 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "NUMBER NO 1 1932", 2" below surface in a 11" x 11" Conc. Pad.

Nº 2: Destroyed per U.S.C.&G.S. Station Card dated 1962.

Nº 3: A 4" U.S.C.&G.S. brass reference mark disc stamped "NUMBER NO 3 1932", up 6" in a 12" dia. Conc. post. The lettering on this disc has been almost completely obliterated with small square punch marks all over the entire disc. This R.M. was wrongly labeled in F.B. 3186-20, possibly due to this condition.

NOTE: DEL SUR G 1 ECC. 1, was set in such a position that B.M. 113-44, which the U.S.C.&G.S. used for an Azimuth mark, cannot not be seen due to a Power Pole on line.

DEL SUR G-1: Stamped & oriented as shown beleow.

DEL SUR G 1



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

7553098 CE#310 9.67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3180 PG 90

Dec SUR G-1 & Ec-1

Pg 4 of 4 pg's

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side or this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date And Name of Person Making Change.

Notes Ck'd by	Survey GEODETIC CONTROL
Map No.	JN 052/09 Tape — Std — °F
Office Work	Surveyed by J. G. RANDALL
Checked	Notes J.G.R. Date 13-Nov-68
Date	Indexed [redacted] BALL JM 22

F. B. 3186 Pg. 91

U.S. COAST & GEODETIC SURVEY
TRIANGULATION STATION
FOR INFORMATION WRITE TO THE DIRECTOR, WASHINGTON, D.C.
FOR PENALTY FOR DISTURBING THIS MARK, SEE R.S. 5598
TRANS ▽ 1935

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LITTLE BUTTES C 15'

(U.S.C.&G.S. 341181 1025)
Pg. 1 of 43 Pg's.



NOTE:
See F.B.G. 1240-39 for directions.
See next Pg. for measurements.

TO:
DEL SUR G-4A
F.B. 3186-83

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

FORM 3095 CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM

F.B. 3/86 Pg. 92

TRIANGULATION STATION

LITTLE BUTTES C 15

Pg. 2 of 43 pgs.

MEASUREMENTS:

300' TAPE No. 175	TEMP. = 58°	50 M/m. TAPE No. M-4
57.73' = 57.72'	@ Elev.	17.597m = 17.594m = 57.72'
86.02' = 86.01'	@ Elev.	26.218m = 26.215m = 86.00'
104.89' = 104.87'	@ Elev.	31.968m = 31.962m = 104.86'

AREA: This TRIANGULATION STATION is located in Los Angeles County, about 4.2 mi. So. of the Kern County line, in the Antelope Buttes. 85'± West of a double row of Power transmission towers running diagonaly across Antelope Buttes. 1050'±E. & 2650'± So. of the N.W. Cor. of Sec. 27 - T8N - R14W S.B.M. See U.S.G.S. 7½ min. sheet "LITTLE BUTTES, CALIF."

ROUTE: About 10.2 miles West of Lancaster on Ave. I, at its Intersection with 110th St. W., turn right (North) and drive 3.2 miles on 110th St. W., to Ave. F. Station Del Sur G-1 is on the left 500'± South of this intersection, turn left West on Ave. F and drive (dirt road) 1.2 miles to a cross road (120th St. W.) under double Power transmission towers, Continue West on Ave. F 0.45 mile to another double transmission tower line running N.W. & S.E. Turn right N.W'ly & drive on traveled tracks between transmission towers 0.2 mi. to a cross road. Continue straight 0.2 mile to another cross road. The Station is to the left 95'± on a small Knob

STATION MARK: A 4" U.S.C.&G.S. brass triangulation disc stamped "TRANS 1932", Flush with the ground in a 11"x11" Conc. pad. A 4.2' high U.S.C.&G.S. wooden observation stand is erected over the mark.

SUB-SURFACE MARK: A mark was set underground per the U.S.C.&G.S. Station Card, notes 1a & 7a

REFERENCE MARKS:

No. 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "TRANS NO 1 1932", up 2" in a 11"x11" Conc. Pad on line between the two most west'ly tower legs as shown.

Continued Pg. 3 of 43 pg's.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
DO not extend this side of this line.
Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL F. B. 3186 PG. 93
JN 030100 Tape — Std — °F
Surveyed by J. G. RANDALL
Notes JGR Date 13-Nov-61
Indexed L.L.BALLI JM 22 70

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LITTLE BUTTES C 15

Pg. 3 of 4½ Pg's.

REFERENCE MARKS: (CONT.)

No 2: Was searched for by the U.S.C.&G.S. in 1963 per their recovery form and not recovered. It was originally set for an azimuth mark about one-quarter mile from the station. No search was made at this time

No 3: Identical to RM 1 except stamped "No 3", and not on line between the tower legs, it is in a an open field.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

E.B. 3186 PG 94

LITTLE BUTTES C 15

PG. 4 of 4 PGS.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes or This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL
JN 030100 Tape — Std — °F
Surveyed by J. G. RANDALL
Notes J.G.R. Date 13-Nov-61
Indexed G.L. GALLI JAN 22 '62

F. B. 3186 Pg. 95 1

U.S. COAST & GEODETIC SURVEY TRIANGULATION STATION
DIRECTOR, WASHINGTON, D.C.
CAUTION TO THE GOVERNMENT FOR DISTURBING THIS MARK.
REQUEST FOR INFORMATION WHEN DESTROYED
MARK
1952

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LITTLE BUTTES B-12

(U.S.C.&G.S. 341181 1024)
Pg. 1 of 43 pg's.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

SECTION 16 T8N R14W S.B.M.

FOUND: SECTION CORNER See Pg. 3 of 43 Pgs. for Stamping, and F.B. 2943 pg 32 for CAD. TIE.

SECTION 15 T8N R14W S.B.M.

AVE. D (STATE RTE. 138)
(Rock & oil pave'd)

Edge of Pavement

FOUND R.M. NO. 3 (See Pg. 2 of 3 pgs.)

Bottom dirt

47.52' 11.0' 14' gutter

11.2' 15.1' 11.2'

22.13' LINE

TO: LITTLE BUTTES B-12 F.B. 2943-115 F.B. 3186-111

2.68'

33.44'

3.96'

26.58'

210° 26' - 21.15"

0°.00'-00"

Marker Post

FOUND LITTLE BUTTES B-12 (Stamped & Oriented as Shown above, also see next Pg.)

CADASTRAL TIE SET 4 1" I.P. See F.B. 2943-32

SECTION 21 T8N R14W S.B.M.

SECTION 22 T8N R14W S.B.M.

SECTION

TO U.S.G.S. 4 COR. Sec. 21

FOUND R.M. NO 1 (See Pg. 2 of 3 pg's.)

marker Post

Abandonded Fence line, no wire

NOTE: See next Pg. for measurements 1240.37 for directions
See F.B.G.

76F3095 CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

F.B. 3186 Pg. 96

LITTLE BUTTES B-12

Pg. 2 of 4 Pg's.

MEASUREMENTS:

300' TAPE No: 175 TEMP. = 56° 50' Mtr. TAPE No: M-4

26.01'	= 26.01'	@ Lev.	7.926m	= 7.926m	= 26.005'
26.585'	= 26.585'	"	8.103m	= 8.103m	= 26.585'
47.535'	= 47.525'	"	14.490m	= 14.487m	= 47.529'
39.82'	= 39.81'	"	12.138m	= 12.135m	= 39.813'
33.445'	= 33.445'	"	10.194m	= 10.193m	= 33.44'
~~49.465'~~	= 49.455' See F.B. 2943-23	"	15.076m	= 15.073m	= 49.45'
22.13'	= 22.13'	"	6.745m	= 6.745m	= 22.129'

AREA: This TRIANGULATION station is located in Los Angeles County, 13 miles West and 5 miles North of Lancaster. 1.3 mi. North of the Antelope Buttes, 0.3 mi. E. of a Power Transmission Line 40' West & 40' South of the N.E. Cor. of Sec. 21 - T.8N. - R.14 W. S.B.M. See U.S.G.S. 7½ min. Sheet "LITTLE BUTTES CALIF.".

ROUTE: From the Los Angeles County Sheriff's "MIRA LOMA FACILITY", at 60th St. W. & Ave. I, Lancaster. Drive Westerly on Ave. I, 5.2 miles to 110th St. W, turn right (North) and drive .5 mile to Ave D (State Rte 138), turn left (West) and continue 2.2 miles, passing "3 WELLS RANCH" entrance on the right at 1.3 mi., to Station on the right (South).

STATION MARK: A 4" U.S.C.&G.S. brass triangulation disc stamped "WIND 1952", up ~~8~~ 6" in 2 11"x11" Conc. Pad.

SUB-SURFACE MARK: No mention of any mark being set, per the U.S.C.&G.S. Station Card, dated 1963.

REFERENCE MARKS:

No 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "WIND NO 1 1952", up 8" in 2 11"x11" Conc. Pad.

No 2: Found lying on top of the ground by the U.S.C.&G.S. in 1962, they reset the mark in the ground and restamped it "NO 3". Per recovery form dated 1962 See description below.

No 3: A 4" U.S.C.&G.S. brass reference mark disc stamped "WIND NO 3 1952", up 8" in 2 11"x11" Conc. Pad. This mark has been restamped and is most likely the mark described in No 2 above.

CONTINUED ON PG. 3 of 4 PGS.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL
JN 0861.00 Tape — Std — °F
Surveyed by J. G. RANDALL
Notes JGR Date
Indexed G.L.BALL! JN 227

F. B. 3186 Pg. 97

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LITTLE BUTTES B-12

Pg. 3 of 34 Pgs.

ADDITIONAL MARK:

SECTION CORNER: A 2½" COUNTY SURVEYORS brass disc, stamped as shown below, down 16" in a 6" Conc. post & protected by a metal sleeve w/ a cast iron cover.

COUNTY SURVEYOR'S MONUMENT
T8N
R14W
16 | 15
21 | 22

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

26F309S CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

F.B. 3/86 Pg. 98

LITTLE BUTTES B 12

Pg. 2 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes or This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Surveyed by GEODETIC CONTROL
Map No.	JN 23/102 Tape — Std — °F
Office Work	Surveyed by J. G. RANDALL
Checked	Notes Date 1/66
Date	Indexed J.G.R. JN 22 '70

F.B. 3186 Pg. 99

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LITTLE BUTTES C-9

(U.S.C.&G.S. 3/4/81 1022)
Pg. 1 of 43 Pg's

U.S. COAST & GEODETIC SURVEY
TRIANGULATION STATION
PROPERTY OF THE U.S. GOVERNMENT
FOR OFFICIAL USE ONLY
UNAUTHORIZED USE FOR PRIVATE PURPOSES IS PUNISHABLE BY A FINE OF $250
TO THE DIRECTOR, WASHINGTON, D.C.
Serve
1952

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this time.

ABANDONED FIELD

marker Ref

FOUND RM 2 (See Pg 3 of 5 Pg's)

6.4'

x Wire

SECTION 3
T5N R14W
S.B.M.

252.09°-09'-15" 48.95'

x Posts

10.0'±

FOUND RM 1 (See Pg 3 of 5 Pg's)

FOUND LITTLE BUTTES C9 (Stamped C 9 as shown above See next page) (About 3' higher than the road)

Barbed Wire

Fence

6.5'

1.8'

4x4 Post

7.1'

2.2'±

346°-21'-45.5" 46.175'

S.I.

marker Pipe

S.I.

marker Pipe

0°-00'-00"

180°-00'-00"

TO: LIB. 7-10 A
F.B. 943-185
F.B. 3186-111

Bottom of Gutter (Dirt)

AVE. (Graded Dirt)

0.5 mi. to 180° S.W.

0.5 mi. to 120° S.W.

Bottom of Dirt Gutter

ALPHOLEA FIELD

NOTE:
See Next Page for measurements
See F.B.G. 1240-39 for Angles.

SECTION 10
T5N R14W
S.B.M.

163098 CE#310 9-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LITTLE BUTTES C-9

F.B. 3786 Pg 100

Pg 2 of 43 Pg's

MEASUREMENTS:

300' TAPE No 175 TEMP 70° 50 Mtr. TAPE No M-A

48.95'	= 48.95'	@ Lev	14.919m	= 14.919m	= 48.94'
46.175'	= 46.175'	@ Lev	14.072m	= 14.072m	= 46.16'
			21.418m		
70.28'	= 70.27'	@ Lev	21.42m	= 21.42	= 70.27'

AREA:

This TRIANGULATION Station is located in Los Angeles County, 1⅛ mile South of the Kern County line 14,700'± W.N.W. of LITTLE BUTTES, 12.3 mi. West & 7.2 mi. North of Lancaster. 25'± No. of the South 4¼ Cor. of Sec 3 T8N-R14W S.B.M. See U.S.G.S. 7½ min. Sheet "LITTLE BUTTES, CALIF".

ROUTE:

From the Los Angeles County Sheriff's "MIRA LOMA FARM" @ 60th St W & Ave I, Lancaster Travel 5.2 miles West on Ave I, to 110th St W, turn right (North) on 110th St W & drive 1.2 miles to Ave "B," Turn left (west) on Ave "B", a dirt road, and Continue 1.3 miles, passing under Power Transmission Lines (double row of Towers) at 1.2 miles (120th St W.) to the Station on the right (North) side of the road.

AREA: STATION MARK:

A 4" U.S.C.&G.S. brass Triangulation disc Stamped "SAND 1952", in a 2" x 11" x 11" Conc. post

SUB-SURFACE MARK:

There is no reference to an underground mark being here, per the U.S.C.&G.S. Station Card.

REFERENCE MARKS: See Pg. 3 of 4 Pg's.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this site or this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of GEODETIC CONTROL F.B. 3186 Pg. 101
JNeg. 2260 Tape ____ Std ____ °F
Surveyed by J. G. RANDALL
Notes JGR Date 12 Nov-68
Indexed G.L.BALL 1 22 70

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LITTLE BUTTES C-9
Pg. 3 of 4 Pg's.

REFERENCE MARKS:

№ 1. A 4" U.S.C.&G.S. brass reference mark disc stamped "SAND 1952", "SAND 1952 NO 1", up 6" in a 11"x11" Conc. Pad. NOTE: the stamping of the 1 in NO 1, is a letter "T" upside down.

№ 2: A 4" U.S.C.&G.S. brass reference mark disc stamped SAND 1952 NO 2", up 6" in a 11"x11" Conc. pad. on both of the above disc's the 1952 is above the №.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7553-08A (FF-310) 8-67

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

F.B. 3180 PG 102

Little Buttes C.9

Pg. 1 of 4 pgs

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Surveyed GEODETIC CONTROL F.B. 3/86 Pg. 103 ✓
JN 280/00 Tape Std °F
Surveyed by J. G. RANDALL
Notes JGR Date 4-4-68
Indexed B.H.SALL! #227

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LITTLE BUTTES B 9 ✓

(U.S.C.&G.S. 341 151 1020)
Pg. 1 of 4 Pg's.

GEODETIC SURVEY TRIANGULATION STATION FOR INFORMATION WRITE DIRECTOR U.S. COAST & GEODETIC SURVEY WASHINGTON, D.C. 20235 "THIS MARK" 1952 3407

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



NOTE:
See next page for measurement.
See F.B.G. 1240-40 for angles.

7675098 CE#310 8-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LITTLE BUTTES B-9

F.B. 3786 PG 104

Pg. 2 of 43 pg's

MEASUREMENTS:

300' TAPE No. 175 TEMP. = 60° SOMI. TAPE No. M-4

161.99'			49.374m	
113.38'			36.082m	
94.50'			28.805m	
374.87' =	347.81'	374.81' @ Lev.	114.261m = 114.243m =	374.81'
161.335'			49.176m	
133.345'			40.645m	
64.92'			19.786m	
359.600' =	359.54'	@ Lev.	109.607m = 109.589m =	359.543'
163.93'			49.965m	
162.37'			49.490m	
34.78'			10.582m	
361.02' =	360.96'	@ Lev.	110.037m = 110.019m =	360.954'

AREA: This TRIANGULATION Station is located in Los Angeles County, 3/4 mile South of the Kern County Line, 300'± East of 130th St. W., 13 miles West & 7 3/4 miles No. of Lancaster. 300'± East & 1250'± No. of the S.W. Cor. of Sec. 3: T8N-R14W-S.B.M. See U.S.G.S. 7 1/2 min. Sheet "LITTLE BUTTES, CALIF".

ROUTE: From the Los Angeles County Sheriff's "MIRA LOMA FACILITY" @ 60th St. W. & Ave. J, Lancaster. Drive West on Ave. J 5 mi. to 110th St. W., turn right (North) on 110th St. W (West) & Continue 7.2 mi. to Ave. B, turn left on Ave. B and drive 2 miles, passing Station Little Buttes C-9 on the right at 1.5 mi., to the intersection of 130th St. W.. Turn right (North) on 130th St. W. & Continue 0.29 mi., RM 2 is located on the left appx. 50' North of the intersection, to Ave. A-12, passing RM 3 on the right, RM 4 is in the N.E. Corner of this intersection. Turn right (East) on Ave A-12 and drive 300'±, turn right (South) and drive across a once cultivated but now abandoned field 100'± to the Station.

STATION MARK: A 4" U.S.C.&G.S. brass triangulation disc stamped "LOPE 1932", dn. 24" in an irregular shaped Conc. mass.

SUB-SURFACE MARK: In 1952 the U.S.C.&G.S. recovered only the Sub surface mark & reference marks. The surface mark had apparently been destroyed in cultivation of the field in which

Continued on Pg. 3 of 43 Pg's

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Surveyed by
JNO. Tape — Sta — °F
Surveyed by J. G. RANDALL
Notes JGR Date 4 Apr 62
Indexed G. L. GALLI JUN 22 '62

GEODETIC CONTROL F.B. 3/86 Pg. 105

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LITTLE BUTTES B9
Pg. 3 of 4 Pgs.

SUB-SURFACE MARK: (Continued)

it was located. This mark is apparently the only mark existing now at the Station Site. The U.S.C.&G.S. described this mark identically to what was found at this time. There is no mention of resetting the surface mark.

REFERENCE MARKS:

No 1: Found lying on top of the ground by the U.S.C.&G.S. in 1932, was not reset.

No 2: Azimuth MARK, approx. 0.25mi. from the Station (S.S.W.ly). This mark was recovered in good condition and described as follows: A 4" U.S.C.&G.S. brass reference mark disc stamped "LOPE NO 2 1932", up 12" on a 11" x 11" Conc. post on the west side of 130th St. W., 50'± North of Ave. B.

No 3: A 4" U.S.C.&G.S. brass reference mark disc stamped "LOPE 1932 - NO 3 1962", flush in a 10" round conc. post.

No 4: Identical to RM 3 except stamped "- NO 4".

NOTE: Measurements were made to the Cross on the Arrow as usual and not to the punch mark opposite the letter "N" in NO.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78ES308 (EE # 310) 8-67

L. A. COUNTY SURVEY CONTROL SYSTEM

F.B. 3186 PG 106

TRIANGULATION STATION

LITTLE BUTTES B9

PG. 4 of 4 PG'S.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this site or this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL F.B. 3/86 Pg. 107
JN0320/08 Tape Std. 'F'
Surveyed by J. G. RANDALL
Notes JGR Date 5 Nov. '68
Indexed G.R.BALL JAN 22 '70

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LITTLE BUTTES I-10

(U.S.C.&G.S. 34/81 1021)
PG. 1 of 3 Pg's.

GEODETIC SURVEY TRIANGULATION STATION
DIRECTION NO. DISTURBING THIS MARK. USC&GS WRITE TO SUPERINTENDENT FOR INFORMATION OR PAPER
LITTLE BUTTES 1968

TO: SADDLE

TO: LIB I-10A
F.B. 943-185
3/86-111

FOUND RM 1
(See Pg. 2 of 3 Pg's.)

SECTION 7
T8N R13W
S.B.M.

DIRECTION OBSERVED
52.9"
152° 39' 32.2"
5.611'
ABANDONED

252° 29' 16.1"
15.53'

FOUND RM 2
(See Pg. 3 of 3 Pg's.)

FOUND
LITTLE BUTTES
I-10
(Stamped & Oriented as shown above
also See next page)

TO: LIB C-9
F.B. 3/86-99
(N. 80° W. MAG.)

0° 00' 00"

NOTE: SEE NEXT PAGE FOR MEASUREMENTS
SEE F.B. 1240-42 for directions

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

JEFFCOR CE#310 9-67

F.B. 3780 Pg 108

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LITTLE BUTTES T-10

Pg. 2 of 34 pgs.

MEASUREMENTS:

300' TAPE Nº 175

54.96 S.F.	=	54.96 S.F.
15.53'	=	15.53'
59.61'	=	59.61'

TEMP = 76° 50 Mtr. TAPE Nº M-4

@ Lev	16.752m	= 16.752m	= 54.96'
@ Lev	4.733m	= 4.733m	= 15.52 S.F.
@ Lev	18.169m	= 18.169m	= 59.61'

AREA: This TRIANGULATION station is located in Los Angeles County, in the Antelope Valley, 1.5 mi. South of the Kern County Line. 9.5 mi. West (North) & 6.0 miles North of Lancaster. 1100'± West of the highest part of this butte. 275'± E & 2900'± So. of the N.W. Cor. of Sec. 7 - T8N - R13W S.B.M. See U.S.G.S. 7½ min. Sheet "LITTLE BUTTES, CALIF".

ROUTE: From the Los Angeles County Sheriff's "WIRR LOMA FACILITY" @ 60th St. W. & Ave. I, Lancaster. Drive west'ly on Ave. I, 3.2 miles to 90th St. West, turn right (North) on 90th St. E. Continue 5.0 mi. to State Rte 138 (Ave. D), Continue North on 90th St. 1.0 mi. to Ave. C. Turn left (west) on Ave. C and drive 0.85 mile to a traveled track on the right (North), turn right and travel 0.4 mile to the base of a small butte, west'ly of the highest part of the hill, Continue North up-grade 0.2 mi. to the Saddle, turn left (west) and drive up traveled track 500'± to the station.

STATION MARK: A 4" U.S.C.&G.S. brass TRIANGULATION disc stamped "LITTLE BUTTE 1932", up 1", cemented to rock outcropping.

SUB-SURFACE MARK: None

REFERENCE MARKS:

Nº 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "LITTLE BUTTE NO 1 1932", flush with the ground and cemented to a rock outcropping. It is located between the wheel tracks on the road to the station.

CONTINUED ON Pg 3 of 34 pgs.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Surv. GEODETIC CONTROL F.B. 3186 Pg. 109
JN0330/00 Tape — Std. "F"
Surveyed by J. G. RANDALL
Notes 1966 Date 8-NOV-68
Indexed L.L.S. JN 2270

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LITTLE BUTTES T 10

Pg 3 of 43 Pgs.

REFERENCE MARKS: (Cont.)

No 2: A 4" U.S.C.&G.S. brass reference mark disc stamped "LITTLE BUTTE NO 2 1932", up 3" & cemented to a rock outcropping, about level with the station.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

REORDER CE#310 9.67

T. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 Pg 110

LITTLE BUTTES T-10

Pg. 4 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey GEODETIC CONTROL F.B. 3184 Pg. 111
Map No.	JNO30/00 Tape — Std — 'F'
Office Work [TMW]	Surveyed by L. G. RANDALL
Checked	Notes LGR Date 6/4/64-6/8
Date	Indexed L.G.R. ALL 2270

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LITTLE BUTTES I-10A

(U.S.G.S. Pg. 1 of 43 Pgs.)

GEOLOGICAL SURVEY
U.S. DOLLARS FINE FOR DISTURBING THIS CALIFORNIA
ELEVATION ABOVE SEA LEVEL DATUM 2694 FEET
LITTLE BUTTES
1929
B. M.

SET BM 1
(See Pg 3 of 5 Pgs.)

SECTION 7
T8N R13W
S.B.M.

SET BM 2
(See Pg 3 of 5 Pgs.)

184° - 25' - 57.4"
38.50'
171° - 24' - 20.6"
38.50'
0° - 00' - 00"
N. 80° E W.

TO:
LIB C-9
F.B. 3184-99

TO: LIB I-10
F.B. 3184-107

TRAVELED

FOUND
LITTLE BUTTES
I-10A
F.B. 943-185

TRACKS

TO:
SADDLE

(Stamped & Oriented as shown above, see next Pg.)

NOTE:
See next page for measurements
See F.B.G. 1200-41 for directions

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7875098 CE#810 2-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 Pg 112

LITTLE BUTTES T-10A

Pg. 2 of 4 pg's.

MEASUREMENTS:

300' TAPE Nº 175 — TEMP. = 70° 50 m TAPE Nº M-4

22.43'	= 22.43'	@ Lev	6.837m = 6.837m	= 22.43'
32.50'	= 32.50'	@ Lev	9.906m = 9.906m	= 32.50'
38.50'	= 38.50'	@ Lev	11.733m = 11.733m	= 38.49' ±

Note 175

AREA: This TRIANGULATION station is located in Los Angeles County, in the Antelope Valley, 1.5 mi. South of the Kern County line, 9.5 miles West & 6 miles North of Lancaster, on a hill marked "LITTLE BUTTES". 2600'± South & 1250'± East of the N.W. Cor. of Sec. 7 - 7 8N - R 13W S.B.M. See U.S.G.S. Sheet "LITTLE BUTTES, CALIF.", 7½ min.

ROUTE: From the Los Angeles County Sheriff's "MIRA LOMA FACILITY" @ 60th St. W. & Ave. I, Lancaster. Drive West on Ave. I 3.2 miles to 90th St. W., turn right (North) on 90th St. and drive 5.2 miles to State Rte 138 (Ave. D), Continue North on 90th St. 1.2 mile to Ave. C, turn left (West) on Ave. C & drive 0.9 mi. to a graded dirt road on the right (North), turn right and continue 0.8 mi. to where a traveled track crosses in a N.W.ly direction, turn left (N.W) and drive 0.2 mi. to a traveled track leads up grade (North) to a Saddle. turn right and drive 300'± to the saddle, br left (West) and Continue 200'± to the station on the right.

STATION MARK: A 4" U.S.G.S. brass B.M. disc stamped "LITTLE BUTTE RS 1929 259±", flush in an irregular shaped conc. mass, about 30" in diameter.

SUB-SURFACE MARK: None

CONTINUED ON PAGE 3 of 4 pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Surv. GEODETIC CONTROL F.B. 2186 Pg. 113
JN 22000 Tape — Std —"F"
Surveyed by J. G. RANDALL
Notes JGR Date 6 Nov 68
Indexed C.L. BALL JAN 22 '70

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LITTLE BUTTES I-10A

Pg. 3 of 34 pg's.

REFERENCE MARKS:

No 1: A 4" L.A. Co. Sur. Cont. System brass reference mark disc stamped "LITTLE BUTTES I-10A RM 1 1968 RE 5869", up 8" and cemented in a drill hole in a rock outcropping, about level with the station.

No 2: Identical to RM 1 except stamped "RM 2", up 11" in a rock outcropping, and about 4' lower than the station.

NOTE: There is no dash in I 10A as shown above.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7653098 CE#310 2/67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 Pg 114

LITTLE BUTTES I-10A

Pg. 4 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

FAIRMONT - GORMAN

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F.B. 3186 Pg. 115
JN 0301.00 Tape — Std — °F
Surveyed by J.G. Randall
Notes JGR Date 1968-1969
Indexed [redacted] 22 70

RECOVERY OF:

EXISTING

TRIANGULATION

STATIONS

WEST ANTELOPE VALLEY

JN 0301 00

FL 5194

NOV 1968 ~

REFERENCE

U.S.C.&G.S. STATION CARDS

U.S.G.S. 7½ min. Sheets
LAKE HUGHES
NEENACH SCHOOL

PARTY

RANDALL J.G.
DOVER R.E.
PYLE C.A.
FISHER D.H.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN to
LOS ANGELES COUNTY ENGINEER
403 - LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend ink side of this line.

76F309S CE#310 1-65

F. B. 3186 - PG 116



Notes Ck'd by	Survey GEODETIC CONTROL F.B. 3186 PG. 117 ✓
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by J. G. RANDALL
Checked	Notes GR Date 2-Jan-68
Date	Indexed C.L.GALT JM 22

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAKE HUGHES K-9 ✓

(USC&GS ~ 34 1131 1117)
PG 1 of 3 PGS.

U.S. GEOLOGICAL SURVEY COOPERATION WITH LOS ANGELES COUNTY
ELEVATION ABOVE SEA LEVEL 4250 FEET
$250 DOLLARS FINE FOR DISTURBING THIS MARK

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78F309S CE#310 1-65

Co. line prod.
TO: LKH L-4
F.B. 3186-125

FOUND RM 1
(See Pg. 3 of 3 Pgs.)
43.2'

SECTION 20
T7N - R15W
S.B.M.

Marker Pipe
100'# 0225
T=78°
72.26 ℄ =
72.26
RLW
5-28-15

PORTAL RIDGE
MICRO WAVE STATION GATE

15.5' DIAMETER CONCRETE STRUCTURE

LINK FENCE 16E

8' CHAIN LINK FENCE

ROAD

DIRT

FOUND RM 2
(See Pg. 3 of 3 Pgs.)

Marker Pipe

Power Pole #149/225

FOUND LAKE HUGHES K-9
F.B. 3186-13
(Stamped ℄ Oriented as Shown, See next Page.)

GRADED

NOTE: See F.B.G. 1240-AB for directions
See Next Pg. for Measurements

BUILDING & TOWER (MICRO-WAVE) INSIDE of 8' Chain Link Fence

F.B. 3186 Pg. 118

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAKE HUGHES K-9
PG. 2 of 4 PG's.

MEASUREMENTS:

300' TAPE Nº 175 TEMP. = 42° 50 Mtr. TAPE M-6

72.28' @ Elev. = 72.26'
52.23' " = 52.22'
76.45' " = 76.43'

22.032m @ Elev. = 22.026m = 72.263'
15.921m " = 15.913m = 52.224'
23.301m " = 23.295m = 76.426'

AREA: This TRIANGULATION STATION is located in Los Angeles County, in the West Antelope Valley Lake Hughes Area on Portal Ridge, at the Los Angeles Co. Portal Ridge Micro Wave Station. In the Angeles National Forest 450'± No. & 50'± W. of the S.E. Cor. of Sec. 24-T7N-R15W S.B.M. See U.S.G.S. 7½' sheet "LAKE HUGHES, CALIF.".

ROUTE: 18.3 mi. West of Palmdale on ELIZEBETH LAKE Rd., at the intersection of Elizebeth Lake Rd. & Munz Ranch Rd. Continue Westerly on Elizebeth Lake Rd. 0.4 mi. to a Side road on the right (North), L.A. Co. 7N03, a graded dirt fire truck trail, turn right and drive up-grade 0.3 mi. to a fork, bc right and continue up-grade 0.1 mi. to a cable gate (L-Key), pass through gate and continue up-grade, passing the Azimuth mark on left (South) at 0.9 mi., Continue 0.4 mi. to a fork, turn sharp left (S.E.) and drive up slight grade to Portal Ridge Micro Wave Station. The station is located 8.3' East of the East fence around the Conc. Structure. There is also another Micro Wave Tower & building 50'± South of the L.A. Co. facility.

STATION MARK: A 4" U.S.G.S. brass disc stamped "LAKE RS 1929", 10" above the ground in a 9" x 9" Conc. Post, the disc is recessed 1" below the top. There is an irregular shaped conc. mass poured around the post about 4' diameter & flush with the ground.

SUB-SURFACE MARK: NONE MENTIONED.

CONTINUED Pg. 3 of 4 Pg's.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey GEODETIC CONTROL	F.B. 3186 Pg. 119
Map No.		J.N. Tape Std °F.	
Office Work		Surveyed by J. G. RANDALL	
Checked		Notes JGR Date	
Date		Indexed [redacted]	

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAKE HUGHES K-9

Pg. 3 of 42 Pg's.

REFERENCE MARKS:

No 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "LAKE USGS NO 1 1964", about 1" above the ground in a 12" x 12" conc. pad, at the northerly edge of a graded dirt road

No 2: A 4" U.S.C.&G.S brass reference mark disc stamped "LAKE USGS NO 2 1964", up 3" in a 12" 12" conc pad, at the east edge of a graded dirt road & 2± North of a power pole.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 Pg 170

La Liebre Ranch T-7

Pg. 2 of 4 pgs.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No:
Office Work
Checked
Date

Survey GEODETIC CONTROL F.B. 3186 Pg. 121
JN 0301.00 Tape — Std — °F
Surveyed by J. G. RANDALL
Notes J. G. RANDALL Date 6-Jun-69
Indexed J. G. RANDALL JUN 22

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LAKE HUGHES G-8

(U.S.C.&G.S. Pg. 1 341181 (1/16) of 45 Pg's.

TRIANGULATION STATION U.S. COAST & GEODETIC SURVEY WASHINGTON D.C. FOR INFORMATION WRITE TO THE DIRECTOR FOR IMPRISONMENT NOT MORE THAN $250 OR FINE OF NOT MORE THAN 6 MONTHS OR BOTH

HIGHEST POINT OF HILL 250'± NORTH OF STATION

TO: LKH B.6 (KING) U.S.G.S.

200'± to Mt. Pacific Gate N.W.

0°-00'-00" N.66° W.

marker 3 Sign

scrub oak

FOUND LAKE HUGHES G-8 (Stamped & Oriented as Shown above, See next Pg.)

5.3' 6" 1'± 1'±

marker Pipe

CUT OFF

52.6'

34.48

S 31°-04'-00" E

marker pipe

215'±

S 33°-12'-00" W 41.05

200'± to Water Tank

FOUND R.M. 2 (See Pg 3 of 3 Pg's.)

56.85

59' N 10°-00' W

marker Pipe

SECTION 23
T 1 N R 15 W
S.B.M.

FOUND R.M. 1 (See Pg. 3 of 3 Pg's.)

NOTE: See F.B.G. 1240-49 for directions
See next page for measurements

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7 OF 3 0 9 S CE# 310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAKE HUGHES G-8

F.B. 3186 Pg. 122

Pg. 2 of 43 Pg's.

MEASUREMENTS:

300' TAPE No. 175	TEMP = 62° 50m	TAPE No. M-6
34.49' = 34.48'	@ Lev. 10.512m = 10.509m =	34.47±
41.06' = 41.05'	@ Lev. 12.515m = 12.512m =	41.04±
56.86' = 56.85'	@ Lev. 17.329m = 17.326m =	56.84±

AREA: This TRIANGULATION STATION is located in Los Angeles County, in west Antelope Valley on Portal Ridge north of Lake Hughes, in the Angeles National Forest 400'± E. & 1300'± So. of the N.W. Cor. of Sec. 23-T7N-R15W. S.B.M. See U.S.G.S. Sheet (7½') "LAKE HUGHES, CALIF."

ROUTE: From the Post office in Lake Hughes travel Westerly on Elizabeth Lake Rd 0.1± mi. to Lake View Rd. on the right (North), turn left right on Lake View Rd. & travel up-grade on dirt road 0.1± mi. to a fork, bear left and continue on Lake View Rd., up-grade 0.6± mi. to a "T" intersection, turn left (westerly) and up-grade on MYRICK M/W CUTOFF", and drive 0.4± mi. to a conc. Water Storage tank on the right, Continue on main road 200'± to the station on the left (South). Not at the highest part of the hill.

STATION MARK:

A 4" U.S.C.& G.S. brass triangulation disc stamped "MYRICK 1964". Flush with the ground in a 8"x8" conc. pad.

SUB-SURFACE MARK:

No mention is made of any under ground mark, on the U.S.C.& G.S. Station Card.

CONTINUED Pg. 4 of 4 Pg's.

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F.B. 3180 PG. 123
JN 03a1.00 Tape — Std — °F
Surveyed by T. G. RANDALL
Notes T. G. RANDALL Date 6-Jun-69
Indexed R.E.BALL JUN 22

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAKE HUGHES G-8

Pg. 3 of 4 pg's.

REFERENCE MARKS:

№ 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "MYRICK NO 1 1964", up 3" in a 8"x8" Conc. pad.

№ 2: Identical to RM 1 except stamped "NO 2"

NOTE:

The U.S.C.&G.S. Station Card states that this station is on Private Property owned by Mr. H. TURNER. No attempt was made to confirm this.

Note Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F309-S CE#3101 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F. B. 3186 Pg. 124

LAKE HUGHES G-8

Pg. 4 of 4 pgs.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL F. B. 3186 PG. 125 ✓
J No 3201.00 Tape Std °F
Surveyed by J. G. RANDALL
Notes DDL Date 2-NOV-68
Indexed B.S.GALLI JW 22 70

U.S. COAST & GEODETIC SURVEY
TRIANGULATION STATION
FOR INFORMATION WRITE TO THE DIRECTOR, WASHINGTON, D.C.
DISTURBING THIS MARK IS PUNISHABLE BY FINE OR IMPRISONMENT
1974
USCGS

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAKE HUGHES L-4 ✓

(U.S.C.&G.S. 3411B) 1018)
Pg. 1 of 4 Pg's



SECTION 6
T 7 N. R. 14 W.
S.B.M.

NOTE: See next page for measurements
See F.B.G. 1240-45 for directions

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

7BFS09S CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM

F.B. 3786 Pg 126

TRIANGULATION STATION

LAKE HUGHES L 4

Pg 2 of 54 pg's

MEASUREMENTS:

300' TAPE No. 175	TEMP = 76°	50m TAPE No: M-4
24.57' = 24.57'	@ Leu	7.488m = 7.488m = 24.56'
18.88' = 18.88'	@ Leu	5.756m = 5.756m = 18.88'
30.15' = 30.15'	@ Leu	9.191m = 9.191m = 30.15'

AREA: This TRIANGULATION station is located in Los Angeles County, in West Antelope Valley, Fairmont Area. 15.5 miles West 1.8 miles North of Lancaster 150'± North & 50'± East of the South 1/4 cor. of Sec. 6 - T7N - R14W. S.B.M. Sec U.S.G.S. 7½ min. Sheet "LAKE HUGHES, CALIF.".

ROUTE: From the Los Angeles County Sheriff's "MIRA LOMA FACILITY" @ 60°± S.W. & Ave. I, Lancaster Drive 10.7 mi. Westerly on Ave. I, also known as Lancaster Road, to 160°± S.W. ~~a sharp turn to the right (North)~~ opposite the Fairmont Store & Cafe, turn left (South) on 160°± S.W. a graded dirt road, & travel 0.5 mi. to a "T" intersection, Ave. H & 160°± S.W., turn left (East) & drive on a graded dirt road (Ave. H) 0.3 mi. to a side road on the left, turn left (North'ly) and drive across an open field on traveled tracks, N.E.'ly 0.15 mi. to the top of a small hill. Bc right (East'ly) and drive 0.3 mi. along the top of the hill to the station on the right.

STATION MARK: A 4" U.S.C.&G.S. brass TRIANGULATION disc stamped "IVERS 1964", up 4" in a 12" X 12" Conc. Pad

SUB-SURFACE MARK: None mentioned on the U.S.C.&G.S. Station Card.

CONTINUED ON Pg. 3 of 54 pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL B. 3186 PG. 127
JN 03d00 Tape — Std — °F
Surveyed by J. G. RANDALL
Notes
Date 21-Oct-68
Indexed G.RANDALL 2273

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAKE HUGHES L.4
Pg. 3 of 4 Pg's.

REFERENCE MARKS:

№ 1: A 4" U.S.C.&G.S. brass reference mark disc, stamped "IVERS NO 1 1964", up 3" & Cemented to a rock outcropping.

№ 2: A 4" U.S.C.&G.S. brass reference mark disc stamped "IVERS NO 2 1964", up 4" in a 12"x12" Conc. pad. This monument has been disturbed and moved slightly N.E. (indicated by distances). There is a small piece of the conc. broken out of the South & West edges.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

78F-3095 CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

LAKE HUGHES L 4

Pg. 4 of 4 Pg's

F.B. 3186 Pg. 128

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

GEODETIC CONTROL

F. B. 3186 PG. 129 ✓

Notes Ck'd by

Map No.

Office Work FAW

Checked

Date

Survey of

JN 020100 Tape — Std. — °F

Surveyed by J. G. RANDALL

Notes

Date 25-Nov-68

Indexed G.L.BALL #22

U.S. COAST & GEODETIC SURVEY TRIANGULATION STATION THE DIRECTOR, WASHINGTON, D.C. 250 FEET FOR INFORMATION WRITE FOR DISTURBING THIS MARK

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAKE HUGHES G 4

(U.S.C. & G.S. 341181 1119)
Pg. 1 of 4 Pg's.

FOUND:
RM 1
(See Pg. 3 of 4 pg's.)

5.0'

marker Pipe

TRAVELED WAY

SECTION 12
T7N R15W
S.B.M.

marker Pipe

marker Post

marker pipe

5.0'

5.0'

5.0'

27.52'

166° - 20' - 15.3"

0°-00'-00"

S.87°E

TO:
LKH L 4
F.B. 3136:125

FOUND:
RM 2
(See Pg. 3 of 4 pg's.)

FOUND:
LAKE HUGHES G 4
(Stamped & Oriented as shown above. See next Pg.)

NOTE: See F.B.G. 1240-47 for directions
See next pg. for measurements

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

75F309S CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAKE HUGHES G 4

E.B. 3186 Pg. 130

Pg. 2 of 4 Pg's.

MEASUREMENTS:

300' TAPE Nº 175 TEMP. = 40°	50m TAPE Nº M-4
27.53' @ Leu = 27.52'	8.392m = 8.389m = 27.523'
23.59' @ Leu. = 23.58'	7.191m = 7.188m = 23.582'
45.46' @ Leu. = 45.453'	13.860m = 13.857m = 45.46'

AREA: This TRIANGULATION Station is located in Los Angeles County, in West Antelope Valley, in the Fairmont area, 18 miles west and 1⅝ miles North of Lancaster, 1½ mile N.W. of the Fairmont Reservoir. 700'± East & 1000'± North of the S.W. Cor. of Sec. 2 - T7N - R15W. S.B.M. See U.S.G.S. 7½ min. Sheet "LAKE HUGHES, CALIF".

ROUTE: From the Los Angeles County Sheriff's "MIRA LOMA FACILITY", @ 60th St. W. & Ave. I, Lancaster, drive West on Ave. I, also known as Lancaster Rd. 10.2 mi. to 160th St. West and Ave. G-8, opposite the Fairmont Store & Cafe, turn left (South) on 160th St. W. (graded dirt) and drive 0.5 mi. to a "T" intersection, 160th St. & Ave. H, turn right (west) on Ave. H and continue 1.25 mi., crossing a bridge over the California Aqueduct at 0.6 mi., to an intersection. Turn right (North) and pass through a barbed wire gate (East of a cattle guard & Pipe gate), follow the old Aqueduct Rd. 0.3 mi. to a side road on the left, turn left and drive up a small gully on traveled tracks 0.15 mi. to the top, br. right North then left West'ly & up-grade following top of main ridge on trausled tracks 0.8 mi. to the Azimath mark on the right. About 25' off the road. Continue down grade 200'± to a fork, br. right (North) cross the South line of Sec. 2 at about 0.1 mi., Corner is 500'± west of the road, and travel 0.2 mi. up-grade to the Station on the right about 40'± East of the road.

STATION MARK: A 4" U.S.C.F.G.S. brass triangulation disc stamped "WHITE 1964", up 2" in a 8" x 8" Conc. Pad.

SUB SURFACE MARK: None mentioned on U.S.C.F.G.S. Station Card.

CONTINUED ON Pg. 3 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL T. B. 3186 PG. 131
JN 30100 Tape Std °F
Surveyed by J. G. RANDALL
Notes
Date 25-NOV-68
Indexed [illegible]

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LAKE HUGHES G 4

Pg. 3 of 45 pg's.

REFERENCE MARKS:

№ 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "WHITE NO 1 1964", up 2" in a 8" x 8" Conc. pad.

№ 2: Identical to RM 1 except stamped "No 2".

Note: Any Additions or Changes on This Sheet Must be Made of Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

75F3095 CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 Pg. 132

LAKE HUGHES G-4

Pg. 4 of 4 pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work RSW
Checked
Date

GEODETIC CONTROL

Survey JN 0301.00 Tape — Std — °F
Surveyed by J. G. RANDALL
Notes J.G.R Date 20-NOV-68
Indexed O.K. GALT JAN 22 '70

F.B. 3186 PG. 133

U.S.C. & G.S. COOPERATION WITH LOS ANGELES COUNTY SURVEY
ELEVATION ABOVE SEA LEVEL 4205 FEET
ALSO FOR DISTURBING THIS MARK DOLLARS FINE

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAKE HUGHES L-11

(U.S.C.&G.S. 341181 1027)
Pg. 1 of 4 Pgs.

NOTE: NO STAMPIN



NOTE: See next page for Measurements
See F.B.G. 1240:45 for directions

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAKE HUGHES L 1

F.B. 3186 Pg. 134

Pg 2 of 43 Pg's.

MEASUREMENTS:

300' TAPE Nº 175	TEMP = 70°	50m TAPE Nº M-4
31.41' = 31.41'	@ Lev.	9.573m = 9.573m = 31.40±
40.26± = 40.26±	@ Lev.	12.273m = 12.273m = 40.26±
51.12' = 51.12'	@ Lev.	15.581m = 15.581m = 51.11±

AREA: This TRIANGULATION Station is Located in Los Angeles County, 15.± miles West & 3.± miles North of Lancaster on a hill marked "FAIRMONT BUTTE VABM 3163", 1850'± East & 1090'± North of the S.W. Cor. of Sec. 30 - T8N - R14W S.B.M. See U.S.G.S. 7½ min. sheet "LAKE HUGHES, CALIF.".

ROUTE: From the Los Angeles County Sheriff's "MIRA LOMA FACILITY" @ 60th St. W. & Ave. I, Lancaster. Travel 9.± mi. west'ly on Ave I (also called Lancaster Rd.) to 150th St. W., a dirt road on the right (North) turn right and drive 0.± mi. on 150th St. to a fence line, the N.E. Cor. of Sec. 6-T7N.-R14W. is East'ly 30'±, pass through the gate and br. left (west) 200'± to a fork, br. right (North) and Continue 0.55± mile to a fence corner. Continue North between two fences 0.± mi. to a jog and gate in the west'ly fence. Pass through this gate going S.W.'ly, then follow dirt road in a half circle to the right and pass through the fence again about 100' west of the gate. Drive west'ly along a very rough bulldozed trail and ascend a steep hill, 0.± mi. to a summitt, br. left (South'ly) and skill on rough trail 0.± mi. to the top of the highest hill and and a 3 sided conc. tower on the right. The station is 1500'± S.W.'ly on the next highest hill. A truck may be driven along a very rocky trail (dim wheel tracks) 0.3 mi. to the station.

STATION MARK: A 4" U.S.G.S. IN COOPERATION WITH LOS ANGELES COUNTY brass disc, the disc has no stamping on it. Up 3" and cemented to a rock out cropping.

CONTINUED ON Pg. 3 of 43 Pg's.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL F.B. 3186 Pg. 135
J.N. 0301.00 Tape — Std — °F
Surveyed by J. G. RANDALL
Notes JGR Date 20-NOV-65
Indexed B.E. GALLI JAN 22 '66

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LAKE HUGHES L 1

Pg. 3 of 43 pg's

SUB-SURFACE MARK: None mentioned on U.S.C.&G.S. Station card.

REFERENCE MARKS:

No 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "FAIRMONT USGS & LAC NO 1 1940", up 6" and cemented to a rock outcropping.

No 2: A 4" U.S.C.&G.S. brass reference mark disc stamped "FAIRMONT USGS & LAC NO 2 1940" up 4" and cemented to a rock outcropping.

NOTE: The dates on both RM disc's are double stamped as shown. The die's used to stamp the USGS & LAC are different from the other stamping. It appears like the same set of die's that stamped the USGS & LAC also stamped the 1 over the 0 in 1940.

The popular name for this Station is "FAIRMONT"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

75F309S CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 Pg. 136

LAKE HUGHES 2-1

Pg. 4 of 4 pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0332/02 Tape ____ Std ____ F
Office Work	Surveyed by J. G. RANDALL
Checked	Notes JGR Date 12-Nov-67
Date	Indexed D.S.C.A.L.L. JN 221

F.B. 318/6 Pg. 137 ✓

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
NEENACH SCHOOL B 14 ✓

(U.S.C.&G.S. 3011184 1035)
Pg. 1 of 8A Pg's.

Edge of Conc. Cannot read outside of this line

SEC 19
T8N R16W

FOUND RM 1
(See Pg 3 of 3 Pg's.)

FOUND RM 2
(See Pg 3 of 3 pg's.)

SET RM 3
(See Pg 3 of 3 Pg's.)

FOUND NEENACH SCHOOL B 14
Stamped & Oriented as shown above. See next Page. Pg. 3 of 3

N 35° 22' 43.75" W 1320.01'

N 79° 38' 17" E 3380.14'

90° 11'

WHEEL 244° - 54' 32.82'

TRACKS 28.05' 57.00'

marker Pipe

marker Post

NOTE: See next page for measurements
See F.B.G. 1200-43 for directions

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE#310 9-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
NEENACH SCHOOL B 14

F.B. 3186 Pg. 138

Pg. 2 of 43 Pg's.

MEASUREMENTS:

300' TAPE No. 175

44.02' = 44.02
57.99' = 57.98
86.13' = 86.14
32.83' = 32.82

TEMP. = 56° 50m TAPE No. M-4

@ Lev. 13.415m = 13.418m = 44.00'
@ Lev. 17.678m = 17.675m = 57.98'
@ Lev. 26.251m = 26.245m = 86.10'
@ Lev. 10.006m = 10.003m = 32.82'

AREA: This TRIANGULATION station is located in Los Angeles County, in West Antelope Valley 37 miles ± West & 5 miles ± N. of Lancaster, 1 mile South of old NEENACH School, 1500' ± West & 3000' ± South of the N.E. Cor. of Sec. 19 - T8N - R16W - S.B.M. See U.S.G.S. 7½ min. sheet "NEENACH School, Calif."

ROUTE: From the "LANCASTER - PALMDALE offramp on North bound Interstate 5, 3.5 mi. So. of Gorman Follow State Rte 138 Eastly (toward Lancaster) 11.8 mi. to a sharp turn to the right (SOUTH), opposite old Neenach School on the right, Continue on State 138 200' ± to a side road on the right (West), a private driveway leading to the School bldg., Follow driveway 100' ± to a fork, bear left and drive 200' ± to a Fence Corner, S.E. of School bldg. & a gate, pass through this gate and drive West (South of Fence line) 0.3 mi. to a field road on the left (South) turn left and follow this road 1½ mi., across a cultivated field & past a cattle watering trough, to an angle point in the fence, west of a corral, and a gate, pass through the gate and drive Southly 0.5 mi. to a Fence Corner on the left, turn left and follow fence to another Corner then bear N.E.ly across a field to a fence line & gate. The same fence you went through at the last gate Turn ~~left opposite~~ right (South) opposite the gate and drive up the bottom of a draw on traveled tracks 0.55 mi. to the summit, turn left (East) and drive up steep hill 0.2 mi. to the station.

CONTINUED ON Pg. 3 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes.

Notes Ck'd by	Surveyed by
Map No.	J.N. 230100 Tape Std °F
Office Work	Surveyed by J. G. RANDALL
Checked	Notes 1GR Date 13-Nov-67
Date	Indexed PLOTTED 22

GEODETIC CONTROL F.B. 386 Pg. 139

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

NEENACH SCHOOL B 14

Pg. 3 of 43 Pg's.

STATION MARK: A 4" U.S.G.S. COOPERATION WITH LOS ANGELES COUNTY brass disc stamped "PINE RS 1929" da 1" in an irregular shaped conc. pad. NOTE: The letters "PI in PINE have been obliterated and there is nothing but a depression there now.

SUB-SURFACE MARK: Not mentioned on USC&GS Station Card.

REFERENCE MARKS:

№ 1: A 4" U.S.C.&G.S. brass BENCH MARK disc stamped "PINE R.M. NO 1 1938", up 6" in a 6"x6" conc. post, about level with the station. Note that "R.M." is stamped

№ 2: A 4" U.S.C.&G.S. brass ~~disc~~ reference mark disc stamped "PINE NO 2 1938", up 3" & cemented to a rock out cropping. About 10 Ft lower than the station and between the wheel tracks on the road to the station.

№ 3: A 4" L.A. Co. SUR. CONT SYSTEM brass reference mark disc stamped "NEENACH SCHOOL B 14 RM 3 1968 RE 5869", up 1" in a 12"x12" conc. pad. on line to R M 2, and between the wheel tracks on the road to the station

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

765308 CE#310 9-67

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

F.B. 3186 Pg 140

NEENACH SCHOOL B-14

Pg. 4 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL F. B. 3186 Pg. 141
JN 0301.00 Tape Std °F
Surveyed by J. G. RANDALL
Notes Date 20-Nov-68
Indexed G. S. GALEI 1-22-69

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
NEENACH SCHOOL C 9

(U.S.C.&G.S. 341/84 1048)
Pg. 1 of 34 Pg's.

NOTE: NORTH ARROW

TRIANGULATION STATION U.S. COAST & GEODETIC SURVEY
1964
PANTE
FOR INFORMATION WRITE TO THE DIRECTOR, WASHINGTON, D.C.
PENALTY FOR WILLFUL DISTURBANCE OF THIS MARK: $10,000 FINE OR IMPRISONMENT

FOUND RM 1
(See Pg. 3 of 4 Pg's)
PP No. 7070806
CULTIVATED & PLANTED FIELD
SECTION 8
T8N R16W
S.B.M.
marker Post
FOUND NEENACH SCHOOL C.9 F.B. 943-179
(Stamped & Oriented as Shown Above. See next Pg.)
PP No. 1122693E
S. 70° 00' 00" W.
N. 70° E.
TO: NEE B 14
F.B. 3186-137
CULTIVATED & PLANTED FIELD
270TH (DIRT ROAD) ST. WEST
(DIRT ROAD)
FOUND RM 2
(See Pg. 3 of 4 Pg's)
PP No. 7070796
marker pipe
CULTIVATED & PLANTED FIELD
NOTE: See next pg. for measurements
See F.B.G. 1240-44 for directions
Record Dist. are per U.S.C.&G.S. Station Card.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
409 Los Angeles County Engineering Bldg.

7SF309S CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 Pg. 142

NEE NACH SCHOOL C 9

Pg. 2 of 4 Pgs.

MEASUREMENTS:

300' TAPE Nº 175 — TEMP = 66° — 50m TAPE Nº M 4

61.11' = 61.10' @ Lev. 18.626m = 18.623m = 61.09'

32.26'E = 32.26'E @ Lev. 9.833m = 9.833m = 32.26

AREA: This TRIANGULATION Station is located in Los Angeles County, in the Antelope Valley, 1.2 mi. South of the Kern County Line. 27 miles West & 7 miles North of Lancaster. 1.5 miles north of the Old Neenach School Very near the N.W. Corner of Sec. 8 - T8N - R16W. S.B.M. See U.S.G.S. 7½ min. sheet "Neenach School, Calif."

ROUTE: From the "Lancaster - Palmdale" off-ramp on North bound "Interstate 5", 3.2 miles South of Gorman, follow State Rte 138 Eastly, toward Lancaster, 10.3 mi. to 280th St. W. (1.2 mile west of old Neenach School), turn left (North) and drive, on 280th St., about 0.2 mi. to where this road crosses the California Aqueduct. From this point the route is subject to change. A bridge over the Aqueduct is under construction, when completed the route would continue as follows: drive North on 280th St. W. to Ave. B, (1.4 miles North of State Rte 138), a farm road, turn right (East) and travel, between cultivated fields 1.2 miles to a "+" intersection. 270th St. W. & Ave. B. The Station is in the S.E. Quadrant of this Intersection.

STATION MARK: A 4" U.S.C.&G.S. brass triangulation, disc stamped "PANTE 1964", flush with the ground in a 12" x 12" conc. pad.

SUB-SURFACE MARK: None mentioned on the U.S.C.&G.S. Station card.

CONTINUED ON Pg. 3 of 4 Pgs.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey GEODETIC CONTROL F.B. 3186 PG. 143
JN 03a1a0 Tape Std °F
Surveyed by T. G. RANDALL
Notes J-50 Date 20-Nov-68
Indexed [illegible]

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
NEENACH SCHOOL C.9

Pg. 3 of 48 pg's

REFERENCE MARKS:

No 1: A 4" U.S.C. & G.S. brass reference mark disc stamped "PANTE NO 1 1964", flush with the ground in a 12"X12" Conc. pad.

No 2: Identical to RM 1 except stamped "NO 2".

NOTE: The distances shown on the U.S.C. & G.S. Station card are reversed in regard to the RM's.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3095 CE#310 1-65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 Pg 144

NEEWACH SCHOOL C 9

Pg 4 of 4 Pages

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

GEODETIC CONTROL

Notes Ck'd by	Survey of Fairmont - Gorman
Map No.	JN 030100 Tape — Std — 'F
Office Work	Surveyed by T. G. RANDALL
Checked	Notes F.B. Date Jan-69
Date	Indexed G.R.BALL #22

F.B. 3186 Pg. 145

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

RECOVERY OF:

EXISTING TRIANGULATION STATIONS

IN WEST ANTELOPE VALLEY

JN 030100

FL 5194

JAN 1969

REFERENCE

U.S.C.&G.S. Station Cards

U.S.G.S. 7½ min. SHEETS:

LA LIEBRE RANCH

LEBEC

PARTY

RANDALL

DOVER

PYLE

FISHER, D.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
409 Los Angeles County Engineering Bldg.

76F3C98 CE #310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

T. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION



F.B. 338, Pg 140

GEODETIC CONTROL

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of FAIRMONT-GORMAN
JN 22/06 Tape — Std — °F
Surveyed by J. G. RANDALL
Notes IGR Date Nov-69
Indexed G.B. GALLI 22

F.B. 3186 PG. 167

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA LIEBRE RANCH M 12

(U.S.C.&G.S. 39 1184 1049)
PG. 1 of 4 3 PG's

U.S. COAST & GEODETIC SURVEY TRIANGULATION STATION LA LIEBRE RANCH M 12 1967 DO NOT DISTURB MARK FOR INFORMATION WRITE DIRECTOR WASHINGTON D.C. ASSESSMENT OR IMPRISONMENT FOR WILFUL DESTRUCTION OR REMOVAL

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76FSC28 FE#310 9-67



PRIVATE PROPERTY OWNED BY "THE TEJON RANCH CO.", See NOTE ON PG. 3 of 3 Pg's.

NOTE:

See F.B.G. 12a2, 40 for directions
See Book A Pg. for measurements

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA LIEBRE RANCH M-12

F.B. 3156 Pg 148

PG. 2 of 4 PG'S.

MEASUREMENTS:

300' TAPE Nº 180 TEMP = 55° 50m TAPE M-3

18.135' = 18.135'	@ Level	5.529m = 5.526m =	18.130'
33.52' = 33.51'	@ Level	10.216m = 10.212m =	33.504'
43.375' = 43.365'	@ Level	13.220m = 13.217m =	43.364'

AREA: This TRIANGULATION station is located in Los Angeles County, in the La Liebre Area of West Antelope Valley. 1500'± North & 50'± East of the S.W. Cor. of Sec. 13 T8N - R17W S.B.M. See Sheet U.S.G.S. 7½' Sheet "LA LIEBRE RANCH, CALIF." 1965

ROUTE: From the LANCASTER - PALMDALE offramp on North bound Interstate 5 (about 3½ mi. So. of Gorman) travel east'ly on State Rte 138, 9.2 mi. to Cow CANYON M/W on the right (South) opposite 290th St W. Turn right on Cow CANYON M/W and drive 0.2 mi. to a fork, br. left (East'ly) and continue 200'± to a gate (L-Key). Pass through the gate and drive along a graded dirt road 0.8 mi., to a road on the right, where main traveled road bends in a horse shoe turn to the left. Turn right and follow traveled tracks (west'ly) up a canyon bottom 0.3 mi. to a fork. The S.W. Cor. of Sec. 13 - T8N - R17W is ahead about 150'. Br. right and up grade 0.1 mi. to the top of a ridge, br. right and follow traveled tracks East'ly then North'ly 0.1 mi. to the bottom of a steep grade, drive up grade 0.1 mi. to the top. Br. right (North'ly) drive through a saddle 0.1 mi. to the station at the top of the next hill. Not the highest hill in the area.

STATION MARK: A 4" U.S.C.&G.S. brass triangulation disc stamped "LANA 1964", up 4" in a 9"x9" Conc. pad.

SUB-SURFACE MARK: No mention of a sub-surface mark per U.S.C.&G.S. Station Card 1964

CONTINUED ON PG. 3 of 4 PG'S.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink with Date and Name of Person Making Change.

GEODETIC CONTROL

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Fairmont German
JN 30166 Tape Std °F
Surveyed by I. G. RANDALL
Notes JGR Date 16-Apr-69
Indexed G.L.GALT

F.B. 3186 Pg. 149

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA LIEBRE RANCH M-12
PG. 3 OF 48 PG's

REFERENCE MARKS:

No 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "ZANA NO 1 1964", 4" above the ground in a rock outcropping.

CDWR MARK USED AS RM No 2: A 3½" STATE OF CALIFORNIA DEPARTMENT OF WATER RESOURCES brass disc stamped "291 W 1960", flush with the ground in a 8"x8" conc. pad.

NOTE: For permission to enter private property, Contact the TEJON RANCH CO., north of Lebec on Interstate Hwy 5

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

765308 CE#310 9-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 PG 150

LA LIEBRE RANCH M 12

Pg. 1 of 4 Pg's

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

GEODETIC CONTROL

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Fairmont German
JN 2201.00 Tape — Std — °F
Surveyed by J. G. RANDALL
Notes IGC Date 12-Jan-69
Indexed G.L.GALL #227

F.B. 3184 Pg. 151 J

COAST & GEODETIC SURVEY
TRIANGULATION STATION
IN CONNECTION WITH THIS STATION, WRITE TO THE DIRECTOR, U.S. COAST & GEODETIC SURVEY, WASHINGTON, D.C. 20235 FOR INFORMATION
PIPE
Y.C.
MARK

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA LIEBRE RANCH I-10

(U.S.C. & G.S. 34 N 3 4 1051)
PG. 1 of 4 PG's



NOTE:
See F.B.G. 1242-37 for directions
See next Pg. for measurements

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE# 310 9167

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 Pg 152 — LA LIEBRE RANCH I-10

MEASUREMENTS:

300' TAPE No 175

27.46E'	=	27.46E'
23.02S'	=	23.02E'
35.41'	=	35.40'

TEMP = 60° 50m TAPE No M-6

@ Level	8.372m	=	27.467'
@ Level	7.017m	=	23.03'
@ Level	10.790m	=	35.39'

AREA: This TRIANGULATION station is located in Los Angeles County, in the La Liebre area of West Antelope Valley. 1 1/4 mi. So. of the Los Angeles - Kern Co. Line. 400'± West & 1500'± South of the N.E. Cor. of Sec. 9 - T8N. R17W. S.B.M. See U.S.G.S. 7½ min. Sheet "LA LIEBRE RANCH, CALIF", 1965.

ROUTE: From the "LANCASTER - PALMDALE" offramp on North bound Interstate 5, about 3.5 mi. South of Gorman drive East'ly on State Rte. 138, toward Lancaster, 8.2 mi. to 300th St. West. Drive North on 300th St. W., a Paved road and the main entrance road to Carly V. Porter tunnel South Portal, 1.3 mi. to a fork in road (West'ly) and still on a paved road, Continue 0.4 mi. to a gate in a fence that is parallel to the paved road. Turn left (South'ly) through this gate, then on right and follow a field road West'ly 0.2 mi. to a fence corner Pass through the gate at the corner and drive South parallel to a fence 0.4 mi. to a point directly East of the station. Turn right (west) and drive 600'± to the top of the small hill and the station on the East'ly end of a low ridge.

STATION MARK: A 4" U.S.C.&G.S. brass triangulation disc stamped "PIPE 1964", UP 3" in a 10"x10" conc. pad

SUB-SURFACE MARK: No mention is made of a sub-surface mark per the U.S.C.&G.S. station card - 1964.

CONTINUED on Pg. 3 of 43 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

GEODETIC CONTROL

Notes Ck'd by	Survey of Fairmont - Gorman
Map No.	Tape — Std — °F
Office Work	Surveyed by J. G. RANDALL
Checked	Notes 160 Date 4-6-67
Date	Indexed G.C. CALL JAN 22 '70

F.B. 3186 PG. 153

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA LIEBRE RANCH T-10

PG. 3 OF 43 PG's.

REFERENCE MARKS:

№ 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "PIPE No 1 1964", up 3" in a 10"x10" conc. pad.

NO 2: Identical to R.M. 1 except stamped "NO 2"

NOTE: For permission to enter private property contact the TEJON RANCH Co. north of Lebec on Interstate Hwy. 5.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

765-868 CE #310 9-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 PG. 154

LA LIEBRE RANCH T-10

Pg. 4 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

GEODETIC CONTROL

F.B. 3186 Pg. 155

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Fairmont - Gorman
JN 03026 Tape Std. "F"
Surveyed by J. G. RANDALL
Notes Date 21-Jan-69
Indexed

L. A. COUNTY SURVEY CONTROL SYSTEM

TRIANGULATION STATION

LA LIEBRE RANCH B-10

(U.S.C.&G.S. 34 118 4 1036)
PG. 1 OF 43 PG'S

U.S. COAST & GEODETIC SURVEY
TRIANGULATION STATION
WASHINGTON, D.C.
FOR INFORMATION WRITE TO THE DIRECTOR, WASHINGTON, D.C.
DESCRIBING THIS MARK.
WIND
1938



NOTE: See F.B.G. 1242-41 for directions
See next page for measurements

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE#310 9-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA LIEBRE RANCH B-10
PG 2 OF 4 PGS

F.B. 3186 PG 156

MEASUREMENTS:

300' TAPE Nº 175 TEMP = 54° 50m TAPE Nº M-6

33.94' = 33.93'	@ Level	10.345m = 10.342m = 33.930'
31.96' = 31.95'	@ Level	9.743m = 9.740m = 31.955'
53.05' = 53.04	@ Level	16.173m = 16.169m = 53.048'

AREA: This TRIANGULATION Station is located in Los Angeles County 1.6 mi. So. of the Kern County line. In the La Liebre Area of West Antelope Valley. 2300'± West & 1750'± North of the S.E. Cor. of Sec. 12 - T8N - R 18 W. S.B.M. See U.S.G.S. 7½' Sheet "LA LIEBRE RANCH, CALIF.". 1965

ROUTE: From the "Lancaster - Palmdale" offramp on the North bound Inter-state 5 (about 3.5 mi. South of Gorman) drive East'ly on State Rte 138, toward Lancaster, 4.3 mi. passing the entrance to the old Ridge Route (N-2) on the right at 4.3 mi., to a paved road on the left (North). Turn left on paved private Road, entrance to Cement Plant, cross a cattle guard & pass through a gate then drive 2.3 mi. northly on paved road to a cattle guard. Cross this cattle guard and continue 0.3 mi., turn off the paved road to the left (west) and drive 300'± to traveled tracks (going North & South) br. right (North) on traveled tracks continue 150'± to bottom of steep hill. The East ¼ Cor. of Section 12 - T8N - R18W - S.B.M. is on the left (west) about 50'. Ascend steep hill, about 200' to a top, br. left (West) and follow traveled tracks across a wide flat ridge 0.3 mi. to the Station at the top of a small hill.

STATION MARK: A 4" U.S.C.&G.S. brass triangulation disc stamped "WIND 1938". Up 10" in a 12" x 12" Conc. post.

Continued on Pg 3 of 4 pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

GEODETIC CONTROL

Notes Ck'd by		Survey of Fairmont - Gorman	F.B. 3184 Pg. 157
Map No.		JN 43012 Tape	Std. °F
Office Work		Surveyed by J. G. RANDALL	
Checked		Notes Field	Date 2-Jan-63
Date		Indexed G.L. RANDALL #22	

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA LIEBRE RANCH B-10

Pg. 3 of 43 pg's.

SUB-SURFACE MARK: There is no mention of a sub-surface mark per the U.S.C.&G.S. station card 1938 & 1941.

REFERENCE MARKS:

№ 1: A 4" U.S.C.&G.S. brass BENCH MARK disc stamped "WIND RM NO 1 1938". NOTE: "RM" is stamped on this disc. Up 10" in a 6"x6" conc. post.

№ 2: A 4" U.S.C.&G.S. brass disc reference disc mark disc, stamped "WIND NO 2 1938", up 4" in a 10"x10" conc. pad.

NOTE: For permission to enter private property, Contact the TEJON RANCH Co., north of Lebec on Inter state 5.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

765308R CE#310 9-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 Pg 158

LA LIEBRE RANCH B-10
Pg 4 of 2 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

GEODETIC CONTROL

F.B. 3186 Pg. 159 ✓

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Fairmont-McCormon
JN 30106 Tape — Sta — "F
Surveyed by J. G. RANDALL
Notes JGR Date 15 Jan. 69
Indexed JAN 22 '70

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA LIEBRE RANCH F.B.

(U.S.C.&G.S. 34184. 1052)
Pg 1 of 4 Pg's.

U.S. COAST & GEODETIC SURVEY — TRIANGULATION STATION — DO NOT DISTURB — DIRECTOR, WASHINGTON, D.C. — FOR INFORMATION CONCERNING THIS MARK, ADDRESS THE NEAREST OFFICE OF THE COAST & GEODETIC SURVEY — 1969

SECTION 5
T8N R19W
S.B.M.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76FS098 CE#310 9-67



NOTE:
See F.B.G. 1242-39 for directions
See next Pg for measurements

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

FB 2186 PG 160

LA LIEBRE RANCH E-8

Pg 2 of 4 Pg's

MEASUREMENTS:

300' TAPE No. 175 TEMP. = 48° 50m TAPE No. M-6

23.43 =	23.42	@ Level	7.142m = 7.139m = 23.427'
28.53 =	28.52	@ Level	8.699m = 8.696m = 28.530'
36.90' =	36.89'	@ Level	11.248m = 11.245m = 36.893'

AREA: This TRIANGULATION Station is located in Los Angeles County in the La Liebre area of West Antelope Valley, ~~6800~~ 5100' ± South of the KERN-LOS ANGELES COUNTY LINE. ~~400~~ 1400' ± West & ~~2550~~ 1400' ± South of the N.E. Cor. of Sec. 2, T8N-R17W S.B.M. See U.S.G.S 7½ min. sheet "LA LIEBRE RANCH, CALIF.", 1965.

ROUTE: From the "LANCASTER-PALMDALE" offramp on North bound Interstate 5, (about 3.3 mi. South of Gorman) drive Eastly on State Rte. 138 toward Lancaster 2.4 mi. to 300th St W. Turn left (North) on 300th St W, a paved road and main entrance to the Carly V. Porter Tunnel, South Portal on the California Aqueduct, and drive 1.5 mi. to approx. Cor. S.W. Cor of Sec. 2-T8N-R17W. Follow paved road curving to the west through a gate and drive on paved road Westly 0.3 m. parallel to a fence on the left (South) past 2 gates in the Southly fence to the 3rd gate. Turn left and pass through this gate, (If this gate is locked, obtain key from the Tejon Ranch Co office, on Interstate 5 north of Lebec) Or right (westly) on the north side of a small reservoir and drive Westly 0.4 mi to a N-S fence line and gate. Pass through this gate and continue Westly through an equipment yard & parallel to a fence on the left (South) 0.3 mi. to where the road jags to the right and over a small dike, drive over the dike and continue 0.2 mi. to where the road makes a sharp turn to the right (North), turn left (South) off the road and pass through a very

Continued on Pg. 3 of 3 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by	Surveyed
Map No.	JNO30.00 Tape — Std — °F
Office Work	Surveyed by J. G. RANDALL
Checked	Notes JGR Date 15-Jan-69
Date	Indexed U.S.GAM W 22

GEODETIC CONTROL L.F.B. 3186 PG 161

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA LIEBRE RANCH F-8 PG 3 of 4 PG'S.

ROUTE: (Continued)

narrow gate. Drive Southerly accross a pasture about 500' to where a draw bears right (westerly) drive up draw about 200' to the top of a low ridge, continue westerly about 400' to the next bottom. From this point the station is west on the next low hill top, about 500'. Drive on westerly and intersect traveled tracks, then turn N.W.'ly Southerly to station.

STATION MARK: A 4" U.S.C.&G.S. brass TRIANGULATION disc stamped "WOOD 1964", in a 10" X 10" Conc. pad. Flush with the ground.

SUB-SURFACE MARK: No mention of a sub-surface mark per U.S.C.&G.S. station card - 1964.

REFERENCE MARKS:

No 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "WOOD NO 1 1964", flush with the ground in a 12" X 12" conc. pad.

No 2: Identical to No 1 except stamped "NO 2".

NOTE: For permission to enter Private Property Contact the Tejon Ranch Co., north of Lebec on Interstate Hwy 5

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE#310 9-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 Pg. 102

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

GEODETIC CONTROL F.B. 3186 PG. 163 ✓

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JNO 32x00 Tape Std °F
Surveyed by T. G. RANDALL
Notes G. RANDALL Date 9-Jan-69
Indexed by D.L. CALL

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA LIEBRE RANCH M 8 ✓

(U.S.C.&G.S. 34 118 4 1050)
PG. 1 OF 54 PG'S.

U.S. COAST & GEODETIC SURVEY
TRIANGULATION STATION
WHEAT
1964
FOR INFORMATION OR MINOR ADJUSTMENT OF MARK, ADDRESS THE DIRECTOR, WASHINGTON, D.C. 20235

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3098 CE#310 9-67



11 11 - 36

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

FB 3186 PG 164

LA LIEBRE RANCH M-8

PG 2 OF 4 PG'S.

MEASUREMENTS:

300' TAPE N= 175		TEMP = 60°	50m TAPE Nº M6	
35.87'	= 35.86'	@ Level	10.934m = 10.931m =	35.863'
74.87'	= 74.86'	"	22.819m = 22.816m =	74.855'
74.12'	= 74.11'	"	22.592m = 22.589m =	74.111'
35.88'	= 35.87'	"	10.937m = 10.934m =	35.872'
68.54'	= 68.53'	"	20.890m = 20.887m =	68.527'
63.34'	= 63.33'	"	19.307m = 19.304m =	63.333'
50.64'	= 50.63' (50.63)	"	15.434m = 15.431m =	50.627'

AREA: This TRIANGULATION Station is located in Los Angeles County, 0.5 mi. South of the Kern County line, in West Antelope Valley, in the La Liebre area. About 0.8 mi. North of the California Aqueduct East Branch. 50'± East & 30'± South of the West one Quarter Corner of Sec. 1-7SN-R17W S.B.M. See U.S.G.S. 7½ min. sheet "LA LIEBRE RANCH, CALIF.", 1965.

ROUTE: From the "Lancaster - Palmdale" off ramp on Northbound Interstate 5 (about 3.5 mi. South of Gorman), follow State Rte 138 Eastᵗˡʸ toward Lancaster 8.4 mi. to 300'± St. W. Turn left (North) on 300'± St. W., a paved road & main entrance to Carly V. Porter Tunnel South Portal, and travel 1.5 mi. to approx. S.W. Cor of Sec. 2-7SN-R17W. From this point on the route is subject to change after construction on the California Aqueduct is completed. The following route will be valid after construction is complete. Continue North about 500'± across a bridge over the Aqueduct to a field road in Sec. 2-7-17, turn right (S.E.ly) and drive along a road parallel to and North of the Aqueduct R/W 0.3 mi. to where this road intersects a Power Line, br. left (East) and drive on a dirt road parallel to the Power Line 0.3 mi. to the S.W. Cor. of Sec. 1-7SN-R17W, turn left (North) and follow a field road 0.5 mi. to the station on the right (East).

CONTINUED ON PG. 3 of 4 PG'S

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Surveyed by J. G. RANDALL
Notes by J. G. RANDALL Date 2-20-69
Indexed by J. G. RANDALL

GEODETIC CONTROL F.B. 3186 PG. 165

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA LIEBRE RANCH M.B
PG. 3 OF 4 PG'S

STATION MARK: A 4" U.S.C.&G.S. brass triangulation disc stamped "WHEAT 1964", flush with the ground in a 12"x12" Conc. pad.

SUB-SURFACE MARK: No mention of a sub-surface mark is made per the U.S.C.&G.S. station card 1964.

REFERENCE MARKS:

No 1: (DESTROYED), found a 12"x12" Conc. pad with the top broken off flush with the ground. A hollow metal tube was found set in the approx. center of the 12"x12" conc. pad, most likely the stem from the brass disc which was RM 1. This disc was not found. Set a L.A.Co. Engr. tag, in lead, in the hollow tube. NOTE: Not a replacement of R.M. 1.

No 2: A 4" U.S.C.&G.S. brass reference mark disc stamped "WHEAT NO 2 1964", flush with the ground in a 12"x12" conc. pad. In the S.W. Corner of a plowed & planted field.

No 3: A 4" L.A. Co. Surv. Cont. System brass reference mark disc stamped "LA LIEBRE RANCH MB RM 3 1969 RE 5869", flush with the ground in a 6" Conc. post, on the east side of a cultivated field. NOTE: RM 3 is also a P.O.T. on the West line of the S.W. one quarter of Section 1 - T8N - R17 W. S.B.M. FOR information on this CADASTRAL TIE See F.B. 2943.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los ANGELES COUNTY ENGINEERING BLDG.

7651098 CE#310 2-67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3786 PG 166

LA LIEBRE RANCH M.B.
Pg. 4 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL F.B. 3186 PG. 167
J.No 30100 Tape —— Std ——°F
Surveyed by J. G. RANDALL
Notes J.G.R. Date 13-Jan-69
Indexed [illegible] JAN 22 '69

U.S. COAST & GEODETIC SURVEY TRIANGULATION STATION DISTURBING THE MARK, OR DEFACE OR REMOVE THE DIRECTION, WASHINGTON, D.C. 1964

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LA LIEBRE RANCH I-71

U.S.C. & G.S. 34 118 4 1053
PG. 1 OF 45 PG'S

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

FOUND RM 1 (See Pg. 3 of 4 pg's)
1¢ 3¢
marker pipe
Plowed Field
KERN COUNTY
Barbed Wire Fence
Drive
marker pipe
FOUND LA LIEBRE RANCH I-71
(Stamped & Oriented as Shown above See next Page)
Fence
SECTION 32
T9N R17W S.B.M.
Fence down in this area
FOUND RM 2 See Pg. 3 of 4 pg's
1¢
marker pipe
PROD. from RM 1
Fence
TO: LLR I-10
F.B. 3186 - 151

NOTE:
See F.B.G. 12702-38 for directions
See Next page for measurements

76E3098 CE 310 9.67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 PG 168 — LA LIEBRE RANCH — 1:7

PG 2 of 4 Pg's.

MEASUREMENTS:

300' TAPE Nº 175 — TEMP = 56° — 50m TAPE Nº M-6

43.86' = 43.85' — @ Level — 13.369m = 13.366m = 43.85'

50.04' = 50.03' — " — 15.251m = 15.248m = 50.026'

AREA: This TRIANGULATION station is located in KERN COUNTY, in West Antelope Valley, 2000' North of the Los Angeles County line in the La Liebre Area. 2000'± North & 5'± East of the S.W. Cor. of Sec. 34 - T9N R17W S.B.M. See U.S.G.S. 7½' Sheet "LA LIEBRE RANCH CALIF." 1965.

ROUTE: From the "LANCASTER - PALMDALE" offramp on North bound Interstate 5 (about 3.5 mi. South of Gorman) follow State Rte. 138 East'ly toward Lancaster 8.3± mi. to 300th St. West. Turn left (North) on 300th St., a paved road, & the main entrance to Carly V. Porter Tunnel South Portal, and drive 1.5 mi. to approx. S.W. Cor. of Sec. 2 - T8N - R17W. From this point on the route is subject to change until the construction is completed on the CALIFORNIA AQUEDUCT. Continue Northerly on 300th St. W. across a bridge over the Aqueduct and drive 1½ mi. to the Kern - Los Angeles County line. The S.E. Cor. of Sec. 34 - T9N - R17W. S.B.M. is on the left. Continue 0.6 mi. to a field road on the left (west) and ~~drive~~ turn left and drive 1.2 mi. to a North - South fence line (West line of Sec. 34-9-17) turn left (South) and drive parallel to the fence 700'± to the station at the top of the small hill & edge of a plowed field.

STATION MARK: A 4" U.S.C.&G.S. brass triangulation disc stamped "BARK 1964", flush in a 10" x 10" Conc. Pad

Continued on Pg. 3 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey by GEODETIC CONTROL
Map No.	JN 03xxx Tape — Std — °F
Office Work	Surveyed by J. G. RANDALL
Checked	Notes JGR Date 3 Jan 69
Date	Indexed [redacted]

L.F.B. 3186 Pg. 169

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LA LIEBRE RANCH 2-7

Pg 3 of 4~~5~~ pgs

SUB: SURFACE MARK: None mentioned on the U.S.C.&G.S. station card 1964.

REFERENCE MARKS:

№ 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "[illegible] NO 1 1964". The area where BARK was stamped has been obliterated. Flush in a 10"x10" Conc. pad.

№ 2: A 4" U.S.C.&G.S. brass reference mark disc stamped "BARK NO 2 1964", up 2" in a 10"x10" Conc pad. The East side of the Conc. pad has been chipped off.

Note: Any Addition or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7673093 CE#310 9.67

F.B. 3186 Pg. 120

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LAKE HUGHES K-9

Pg. 4 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

GEODETIC CONTROL

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Fairmont Grande
JNO Solab Tape Std °F
Surveyed by J. G. RANDALL
Notes Date 2-Jan-62
Indexed

F.B. 3186 Pg. 171

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
LEBEC 0·9

(U.S.C.&G.S. 39 1184 1034)
Pg. 1 of 43 pg's.

TRIANGULATION STATION U.S. COAST & GEODETIC SURVEY
DO NOT DISTURB MARK OR MONUMENT
INFORMATION WILL BE REWARDED
FINE OR IMPRISONMENT FOR DISTURBING THIS MARK

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

FORM 08 CE #310 9-67



L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

F.B. 3186 Pg. 172

LEBEC O-9

Pg. 2 of 4 Pg's.

MEASUREMENTS:

300' TAPE Nº 175 TEMP = 56° 50m TAPE Nº M-6

26.61' = 26.61'	@ Level	8.109m = 8.109m =	26.605'
40.91' = 40.90'	@ Level	12.467m = 12.464m =	40.897'
61.86' = 61.85'	@ Level	18.854m = 18.851m =	61.850'

AREA: This TRIANGULATION station is located in Los Angeles County, in the La Liebre area of West Antelope Valley. In the foot hills of the Tehachapi Mtn's. 6400'± So. of the Kern County line & 9500'± East of where the East line of Sec. 9 - T8N - R18W S.B.M. intersects the South line of the La Liebre Rancho, also 500'± West of the East edge of the U.S.G.S. 7½' Sheet "LEBEC, CALIF", 1958.

ROUTE: From the "Lancaster - Palmdale" offramp on North bound Interstate 5 (about 3½ mi. So. of Gorman) drive East'ly on State Rte 138 toward Lancaster, 4.2 mi., passing the entrance to the old Ridge Route (N-2) on the right at 2.3 mi., to a paved road on the left (North) entrance to a Cement plant. Turn left cross over a cattle guard & pass through a gate, then drive 2.3 mi. north'ly, on paved road, to a cattle guard Cross over cattle guard and Continue 0.2 mi. then turn left (west) off paved road and drive 200'± to traveled tracks, going North & South) br. right (North) and Continue 150'± to the bottom of a steep hill. The East ¼ cor. of Sec. 12 - T8N - R18W. is on the left about 50'. Drive up steep hill, about 200' then br. left (west) at the top and Continue west'ly along traveled tracks on top of a wide low ridge 0.5 mi. to La Liebre Ranch B.10 on the left (South). Continue on the traveled tracks west'ly then North'ly along main ridge 1.1 mi. to the station on the right (East) of the road.

Continued on Pg. 3 of 4 Pg's.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink with Date and Name of Person Making Change.

GEODETIC CONTROL

F.B. 3186 Pg. 173

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Fairmont - Gorman
JN 30166 Tape — Std — 'F
Surveyed by T. G. RANDALL
Notes RRR Date 23 Jan 69
Indexed C.L.CALL 22 70

L. A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION

LEBEC 0·9

Pg. 3 of 45 pgs.

STATION MARK: A 4" U.S.C.&G.S. brass triangulation disc stamped "050 1938", up 2" in 2.10" x 10" Conc. pad.

SUB-SURFACE MARK: There was an under-ground mark set per the U.S.C.&G.S. Station Card, 1938 & 1949.

REFERENCE MARKS:

No 1: A 4" U.S.C.&G.S. brass reference mark disc stamped "050 No1 1938", up 6" and flush with the top of a 18" x 30" boulder.

No 2: A 4" U.S.C.&G.S. brass reference mark disc stamped "050 No2 1938", up 8" and flush with the top of a 13" x 30" boulder

NOTE: For permission to enter this private Property, Contact the TEJON RANCH Co. office north of Lebec on Interstate Hwy. 5.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los ANGELES COUNTY ENGINEERING BLDG.

765308 CE#310 8-67