Notes Ck'd by	Survey of	F.B. 3208	Pg.
Map No.	JN Tape Std °F		
Office Work	Surveyed by		
Checked	Notes Date		
Date	Indexed		

Page	Job	Description
		VASQUEZ ROCKS REGIONAL PARK 0055.84
5-10	Topo.	Control for topog. in 40 acre parcel at park entrance.
11-12	Zone 7	Showing angle at West ½ corner Sec. 26, Pick up for Zone 7.
13-80	Bdry.	Bdry. survey in Section 26, T5N, R14W.
81-132	Bdry.	Bdry. in Section 35.
133-148	B.M.=	Bench levels.
149-184	Levels	Trig. levels.
185-192	Topo	Loc. of Septic Tank, leach lines & T.B.M. set on job.
193-194	Levels	Pick up levels.
195-206	Prof.	Profile check of aerial map.
207-220		Antelope Valley Fwy. (N.Side) In Sec. 35 T5NR14W
221-224	Bdry.	Estab. N. Bdry. of Antelope Valley Fwy.
225-255	B.M.	Add'l. bench levels & Trig. levels on Photo Control.

Microfilmed May 85

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS
Map No. B2961	JN 0055.84 Tape Std °F
Office Work Boyer	Surveyed by
Checked Brenner	Notes Date
Date Oct. 1965	Indexed C. J. GALL 10-23-65

F. B. 3208 PG. 3

VASQUEZ ROCKS
REGIONAL PARK
J.N. 0055.84

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

78F3095 CE #3 0 8-62

F. B. 3208 PG. 4

VASQUEZ ROCKS REGIONAL PARK INDEX SHEET

J.N. 0055.84

TSN R14W



SEE PG. 208 FOR ADD'L. INDEX

NOTE SEE PG 148 FOR VERTICAL CONTROL INDEX. 1334

NOTE: ON THIS SURVEY SOME ANGLES ARE CALCULATED FROM ANGLES TURNED ON CUT-OFF LINES DUE TO THE TERRAIN & SHORT SIGHT DISTANCES ON THE TRUE OR OFFSET LINES.

C. J. W.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made on Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd-by M. OSHITA	Survey of Vasquez Rock Park	F.B. 3208 PG. 5	
Map No. C.S. B2961	JN 00584 Tape 197 Std 84 °F		
Office Work G. H. BOYER	Surveyed by J.S. COATES		
Checked Brenner	Notes J.S.C. Date 9-11-64		
Date OCT. 1965	Indexed J. GALL SEP 22 64		

J.N. 00584

VASQUEZ ROCKS REGIONAL PARK

TOPOGRAPHIC CONTROL

IN

THE N.E. 1/4 OF THE S.W. 1/4 OF SECTION 26

T5N R14W

COATES
PIERCE
HUBBARD
RITTER

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

(PLEASE RETURN TO)
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3098, CE #310 8-63

F.B. 3208 PG. 6



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. USHITA
Map No. B296
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS PARK
JN 0055.84 Tape 97 Std 8-4 °F
Surveyed by J S COATES
Notes JSC Date 9-1-64
Indexed E. J. GALLI

F. B. 3208 Pg. 7

To but pg 8

CANYON

FD NAIL TAG 596 OOM

44.21

Set 1"x2" BN opposite Pipe ON LINE. with 3 S&T Ties

Set S&T

Set S&T

TAG 94 LS 2429

2.18°48' 53.5 TO PT "E"

219°48' 59.25 TO PT "D"

233°17' 37.4 TO PT "C"

252°34'

Pt. "B"
FD 2" XR" in 2" I.P. 1.0' down per C.S. 8754 C.S.B. 185-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red. Init. With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Set N&T PP# 676448E

ESCONDIDO

FD N&T PP# 676448 Box 13

1 mi 4.20 L 360°00'00" 00°00'00"

Set N&T PP# 728069H

ROAD

1334.20

1334.16 BSL

AGUA

DULCE

(20)

(120)

ROAD

FD. C.S. MON 12" down MARKED W.I.T. 1/4 Cor. Per F.B. 1476-84

20.05

POINT "A"
1/4 COR SEC 26, 27
T 5 N R 14 W
FD. C.E. MON in H.H.
PER F.B. 1476-84
MARKED

93.10

FD N&T PP# 676332E

88.88

Set N&T PP# 676323G

N. 5.79 D.S.

COUNTY ENGINEER
T 5 N
R 14 W
1/4 COR
S.E. 586

76F3095 CE #310 '63

F.B. 3208 Pg. 8

N. 57° 40' 00" E.

Pt "E" Pg 9 F.B. 3208 Left 1.0' Radial

266° 42' 30.3' to Pt "E"
1169.94 calc

Pt "G" Fd 1/4" I.P.
CENTER SECTION
26, T5N, R14W
per C.S. 8754
HELD FOR LINE

228.0' to Pt "F" Left 1.0' Radial
900.53 Calc

313.0' to Pt "D" Left 1.0' Radial
1084.98 Calc

0.23
0.45
Fd 1" I.P. Set in Rock

SET LEAD & TAG ON LINE TOP OF ROCK

N 57° 40' 00" E 578.04 Calc

N 57° 40' 00" E 455.99 Meas
N 57° 40' 00" E 455.94 Rec

N 57° 40' 00" E 455.67 @ 7.94' Lev. + 455.95 Meas
N 57° 40' 00" E 455.94 Rec

N 57° 40' 00" E 455.94 @ 3.00' Lev. + 455.95 Meas
N 57° 40' 00" E 455.94 Rec

N 57° 40' 00" E 455.94 @ 2.50' Lev. + 455.95 Meas
N 57° 40' 00" E 455.94 Rec

N 57° 40' 00" E 455.94 @ 2.00' Lev. + 455.95 Meas
N 57° 40' 00" E 455.94 Rec

N 57° 40' 00" E 455.94 @ 1.50' Lev. + 455.95 Meas
N 57° 40' 00" E 455.94 Rec

N 57° 40' 00" E 455.94 @ 1.00' Lev. + 455.95 Meas
N 57° 40' 00" E 455.94 Rec

N 57° 40' 00" E 455.94 @ 0.50' Lev. + 455.95 Meas
N 57° 40' 00" E 455.94 Rec

N 57° 40' 00" E 455.94 @ 0.00' Lev. + 455.95 Meas
N 57° 40' 00" E 455.94 Rec

Pt "A" Fd 1/4" I.P.
CENTER SECTION
26, T5N, R14W
per C.S. 8754
HELD FOR LINE

1306.82' Calc to Pt "A"

From top pg 1

(2) 2" Dia. Pipe Monuments with 3" Dia. Brass Caps

Please Return To:
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of VASQUEZ ROCK	PART 3208	
Map No. B 2961	JN 005584 Tape 197 Std. 84 °F	F. B.	PG. 9
Office Work C. H. SAYLER	Surveyed by J S COATES		
Checked Bremner	Notes J S C Date 9-1-64		
Date Oct. 1965	Indexed C. J. GALLI		

Pt "E" Set 1"X2"EN

1,169.94

FROM Pt 9 TO Pt 6

46° 58' Calc. 46.8

43° 50' Calc 116.3

451.03 Calc

FROM RT SIDE Pt 6 TO Pt 6

900.53

Pt E Set 1"X2"EN

668.11

Calc 90° 00' 00"

Calc 90° 00' 00"

924.14

FROM RT SIDE Pt 8 TO Pt 8

1313.96

54 51 12

To Pt D

To TOC

To PG 10

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F 3OBS CE #310 6-65

F. B. 3208 PG. 10

FROM BOT. PG. 9

PT. "E"

545.12 Calc

Pt. "D" Set 1"x2" IN

Pt. "C" Set 1"x2" IN

Sit Calc

Calc

Calc

Notes Ck'd by M. OSHIMA	Survey of VASQUEZ ROCKS PARK	F. B. 3208	PG. 11
Map No. B2961	JN	Tape 175 Std 84 °F	
Office Work G. H. BOYER	Surveyed by C L WRIGHT		
Checked Brenner	Notes JGR	Date SEP 64	
Date Oct. 1965	Indexed C. J. GALLI	OCT 2 '84	

J.N. 0055.84

VASQUEZ ROCKS REGIONAL PARK

SHOWING ANGLE @ WEST 1/4 CORNER SEC. 26 - 5 - 14

J.G. RANDALL
H.C. HUBBARD
B.A. PEAVY
T.H. KENNEY

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F.B. 3208 PG. 12

22

23 T5N - R14W

DARLING

TO 1/4 COR

ROAD

F.B. 1260-

℄

SEC. COR
FD. STANDARD
C.E. MON. DN 2"
MARKED AS SHOWN
Per F.B. 1476-83

DN 2"

COUNTY ENGINEER
T.5N
R 14W 22 23
27 26
R.E. 5869

27

26

℄

AGUA

ROAD

(20)

(20)

DULCE

Pt-A

A 90-39-00
362-36-50
90-39-12½
G 183-55-00
AV 90-39-10

COUNTY ENGINEER
T.5N.
R14W 27 26
1/4 COR.
R.E. 5869

1/4 SEC. COR
FD. STANDARD
C.E. MON. 2 IN H.H.
PER F.B. 1476-84
F.B. 3208-7
MARKED AS SHOWN

90°-39'-10"

ESCONDIDO CYN.

TO C.T.K. SEC. 26

27

26

1334.20 PER F.B. 3208-7

COUNTY SURVEYOR
WIT. 1/4 COR
27 26

20.05 LINE PROD.

0.04

MONUMENT

FD. IWZ. STK. W/ 3' S.&T. TIES. F.B. 3208-7

ROAD

WITNESS. COR.
STANDARD
C.S. MON. DN 8"
MARKED AS
SHOWN.

BARBED WIRE FENCE

W.S. 78 D-5

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS	F. B. 3208 PG. 13
Map No. B2961	JN 0055.84 Tape 175 Std 84 °F	
Office Work G. H. BOYER	Surveyed by C. L. WRIGHT	
Checked Brenner	Notes C. L. W Date OCT. '64	
Date Oct. 1965	Indexed C. J. GALLI	

VASQUEZ ROCKS REGIONAL PARK

THE NORTH - SOUTH ℄, SEC. 26 - T5N, R14W

J.N. 0055.84

REFERENCES:

C.S.B-900-1

F.B. 599

F.B. 1476

PARTY:
C. L. WRIGHT
J. G. RANDALL
D. A. PEAVY
H. C. HUBBARD
T. H. KENNEY

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

70 F 3095 C.E. #310 8-62

CONT. FROM PG 15

F. B. 3208 PG. 14

U.S. 78 D-6

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

T 5 N
R 14 W

S 38° 11' E
90.64

0.23

CUT ⊕ ON RIM ROCK
CH. PT. ONLY

T-90

		LEN		1.15
164.01	@ 25-15	= 148.34	=	148.33
164.29	@ 25-28	= 148.33		
285.30	@ 16-34	= 273.41	=	273.41
285.56	@ 16-46	= 273.42		
90.66	@ 5-01	= 90.31	=	90.31
90.59	@ 4-30	= 90.31		
268.15	@ 11-53	= 262.72	=	262.70
268.26	@ 11-47	= 262.69		

⊙	88	36	10
⊕	354	25	00
⊙	171	37	49
	188°	36'	17"

130.49
906.39
906.43

SEC 26

SEC 35

SET NAIL IN SANDSTONE

SET NAIL IN SANDSTONE

18.67

18.80

44.63

SECTION LINE

SEE PG 50

SEE PG 50

SEE PG 50

1/4 COR FD. C.S. MON. 2" IPB BRASS CAP MARKED C.S.B. 900-1 F.B. 599-56

SET NAIL IN SANDSTONE

SET NAIL IN SANDSTONE

COUNTY SURVEYOR
T 5 N
R 14 W
26 & 35
1/4
RE: 2-77

Notes Ck'd by: Brenner	Survey of: VASQUEZ ROCKS	F. B. 3208 Pg. 15
Map No. B 2961	JN 00558 Tape 175 Std 84°F	
Office Work G. H. BOYER	Surveyed by: C. L. WRIGHT	
Checked: Brenner	Notes: C.L.W Date: OCT. '64	
Date: Oct. 1965	Indexed: C. J. GALLI	

T 5 N
R 14 W
SEC 26

CONT. BOT. PG. 16

0.21

SET NAIL - CH. PT. ONLY ON ROCKY OUTCROP

14+10 47

1.23

SET NAIL ON LINE ON ROCKY OUTCROP

14+09 24

T-40°
LEV 79.77
79.02
79.75

SET "PK" CONC NAIL IN SANDSTONE

79.75

SET "PK" CONC NAIL IN SAND STONE

FD #60d WIRE SPIKE IN SAND-STONE (NO REF.)

OLD SEE PG. X69

0.2

STRAND BARB WIRE FN.

SEE PG. 16

11.11

SET "PK" CONC. NAIL IN SANDSTONE

13+30 72 (VR-6)

TEMP. 1/4 1/4 COR

SET LEAD & NAIL & L.A. CO. ENGR. TAG ON SANDSTONE OUTCROP - 1/2 DIST. BETWEEN S. 1/4 COR & CEN. SEC. 26 & ON LINE.

31.5

SET "PK" CONC. NAIL IN SANDSTONE BOULDER

T-90°
169.41@11-50 = 165.81
169.61@12-08 = 165.82

165.81
.01
165.82

CUT ⊕ IN RIM ROCK

12+44 65

NORTH - SOUTH

T-90°
LEV

33.78

300.13@2-55 = 299.74
300.06@2-45 = 299.71

299.73

4.70
338.2
.0
338.22

SEC. 26

CONT. TOP PG 14

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

70F3095 C.E. #310 6-62

CONT. BOT PG. 17

F.B. 3208 PG. 16



Notes Ck'd by Brenner
Map No. B2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 0055.84 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date OCT. '64
Indexed C. J. GALLI

F. B. 3208 Pg. 17

T 5 N
R 14 W
SEC 26

CONT. BOT Pg. 18

FD. 1 3/4" I.P. WOOD PLUG & TAG #LS 2572 UP 2"

0.06

39+83.77

NORTH - SOUTH

T-92°
LEV
864.47
.04
864.51

864.51

32+96.26

C-7
SET 1"x2" N
TOE BRK.

T-92°
LEV 176.99
.01
177.00

177.00

ESCONDIDO CYN. RD.

31+19.26

C-6
SET 1"x2" N
TOE FILL S. SIDE
ESCONDIDO CYN. RD.

T-92°
277.52 @ 3-18 = 277.06
277.50 @ 3-08 = 277.09

277.07
.01
277.08

277.08

CONT. TOP Pg. 16

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

176F3095 C.E. #3410 6-62

END OF LINE

F.B. 3208 Pg. 18

W.S. 79 D-5

COUNTY ENGINEER T5N R14W 23 26 1/4 COR F. 5809

T5N R14W

F.B. 1476-82

SEE PG 40
1/4 COR. FD. C.E. MON 1" I.P. C. BRASS CAP SET 4" IN CONC. 4" UP MARKED
S31°05'42"E

179° 12' 08" PG. 40

SEC 23

SEE F.B. 1476-82

SEE PG. 40

S 60°48'38" E 1320.00

S 89°47'38" E 2640.00

SEC 26

SEC 23 T5N R14W

T=86°
LEV

150.55
300.66 @ 6-26 = 298.77
300.52 @ 6-10 = 298.78 = 298.78
208.58 @ 3-32 = 208.18
208.53 @ 3-15 = 208.19 = 208.19
657.52
0.01
657.53

0.02
46+47.89
FD. 1 3/4" I.P. WOOD PLUG TAG "L.S. 2572" UP 4"

T=92°
LEV.

664.09
0.03
664.12

SOUTH - 6604.52 - NORTH

CONT. TOP PG. 17

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS	F. B 3208 Pg. 19
Map No. B-2961	J.N. 0055.84 Tape 175 Std 84 °F	
Office Work G.H. Boyce	Surveyed by C.L. WRIGHT	
Checked Brenner	Notes C.L.W. Date OCT '64	
Date Oct. 1965	Indexed G. J. GALLI	

VASQUEZ ROCKS REGIONAL PARK

THE EAST-WEST &
SEC. 26 T5N R14W
J.N. 0055.84

REFERENCES:

C.S.B-900-1
C.S. 8754
F.B. 98
F.B. 1476

PARTY:

J.R. RANDALL
B.A. PEAVY
H.C. HUBBARD
T.H. KENNEY

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

70F3095 C.E. #310 6-62

CONT. BOT. PG. 21

F.B. 3208 PG. 20

T 5 N
R 14 W
SEC 26

W.O. 5.78

D-5

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

① 118° 00' 00"
② 060° 00' 00"
③ 360° 00' 00"
180° 00' 00"

SET 1"x2" LGN

SET 1"x2" LGN

89° 03' 00"
356° 12' 20"
174° 18' 40"
89° 03' 07"

SEC 26
SEE PG. 16

FD 1¾" I.P. CONC.
PLUG L.S. 2572
UP 3" & 8 & 16
(REMOVED SADDLE)

90° 56' 50"
093° 47' 30"
185° 41' 20"
90° 56' 53"

SET 1"x2" LGN

NORTH
SEE PG. 16
SOUTH

SET 1"x2" LGN
BY INT

0+00 E.
SET C.E. MON.
2" I.P. & BRASS CAP
IN CONC. UP 6"
MARKED
WITNESS BY INT.
N. & S. E-W. ℄ SEC 26

NOTE:
5 STRAND
BARB WIRE
ENL. ON
E-W. ℄
SEC 26
NEAR CTR SEC.

NOTE SEE PG 60
FOR THIS
LINE

SEE PG 137
FOR ELEV.
SURVEY
JULY '65

SEE PG 65

SET NAIL
IN PVMT.
1.00 NORTH OF
¼ COR

FB 1476-84
20.05 W

SEC LINE

0.12
FB 1476-84

FD. C.E. MON.
2" I.P. & BRASS
CAP SET IN
CONC. DN 8"
WELL COVER
MARKED
FB 1476-84

FD. W.I.T. COR
2" I.P. & BRASS CAP
SET IN CONC.
DN. 12" IN
ROAD F.L.
MARKED
FB 1471-84
C.S.B. 900-1
FB 1685-19
FB. AL-177

SEC 27

Notes Ck'd by Brenner | Survey of VASQUEZ ROCKS | F. B. 3208 Pg. 21
Map No. B2961 | JN 00558 Tape 175 Std 84 °F
Office Work G. H. ROYER | Surveyed by C. L. WRIGHT
Checked Brenner | Notes C. L. W. Date Oct '64
Date Oct 1965 | Indexed C. J. GALLI

T 5 N
R 14 W
SEC 26

CONT. BOT Pg 22

N.F.
VR 6
VR 3

238.97

THIS 1/4 COR SET 1/2 DIST BETWEEN CEN SEC 26 & E 1/4 COR SEC 26 ON LINE

SET IX 2 IN

Note
Mr. J. Coats (LS 2991) told me he found old 1 3/4" I.P. (most likely late) and accepted it as per CS 8754 for 1/16 Cor.
J. N. Dougherty 4-29-65

13+31.43
FD. 1 3/4" I.P.
TAG LS 2991

13+30 SET 1/4 1/4 COR SET 3/4" I.P. CONC PLUG L.A. CO. ENGR TAG UP 2"

SEE Pg 57, 58

10.38
SET N & T E. SIDE 6" JUNIPER

SET IX 2 IN

T 180°
243.27 @ 11-47 = 238.14
243.47 @ 11-59 = 238.16 = 238.15

LEVEL 100.82
298.96 @ 6-12 = 297.21
298.92 @ 6-05 = 297.24 = 297.22

LEVEL 165.12
734.50 @ 5-29 = 733.43

296.86 @ 1-14 = 296.79
296.91 @ 1-28 = 296.81 = 296.80

1331.54
03
1331.51

CONT. TOP Pg 20

Notes: Any Additions or Changes or This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3085 CE #310 0-63

F.B. 3208 Pg. 22



CONT. TOP Pg. 21

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd. by Brenner | Survey of VASQUEZ ROCKS | F: B: 3208 PG: 23
Map No. B2961 | JN 0055.04 Tape 175 Std 84 °F
Office Work G. H. BOYER | Surveyed by C.L. WRIGHT
Checked Brenner | Notes C.L.W. Date OCT '64
Date Oct. 1965 | Indexed G.J. GAU

END OF LINE

T5N R14W

SET IX CN E-W & SEC. 26 RROD. FROM WEST

REF. MON. SET 2" I.P. & BRASS CAP IN CONC. FLUSH MARKED

COUNTY ENGINEER R.E. 5869

Fg. 14 Jud. REF. MON. TO FACE OF

⊙	91	06	30
④	364	25	50
⑥	186	38	50
	91°	06'	28"

⊙	89	04	40
④	356	19	30
⑥	174	23	30
	89°	04'	55"

FD 2" I.P. & IRON CAP F.B. 98 - 93, 108, 125 C.S. B-900-1 S.S. 8754 F.B. 1651-66

21+66 82

SEE PG. 31

MARKED

24+25

SECTION LINE

SEE PG. 31

LINE

OFFSET

SET NAIL

⊙	179	48	40
④	359	14	50
⑥	358	52	10
	179°	48'	42"

26+11.04 179°48'42"

I-92°

122.84 @ 12-35 = 119.88 ≈ 119.89

122.85 @ 12-36 = 119.89 ≈ 119.90

T-50°

49.03 @ 9-25 = 48.36 ≈ 48.36

49.22 @ 10-40 = 48.37 ≈ 1.65

50.01

50.00

F-90°

LEVEL 80.79

25+41.14

D-24

SET IX2 CN

80.79

CONT. TOP PG. 22

Notes: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg. Do not extend this side of this line.

76F3098 CE:F310:663

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS		F. B 3208 Pg. 25
Map No. B 2961	JNPOSS. Tape 175 Std 84 °F		
Office Work G. H. ROYER	Surveyed by C. L. WRIGHT		
Checked Brenner	Notes C. L. W.	Date OCT '64	
Date Oct. 1965	Indexed C. J. GALLI		

VASQUEZ ROCKS REGIONAL PARK

THE EAST LINE

SECTION 26

T 5 N, R 14 W

T.N. 0055.84

REFERENCES:

C.S. B-909-1

C.S. 8154

E.S. 98

PARTY:

C. L. WRIGHT

J. G. RANDALL

B. A. PEAVY

T. H. KELLEY

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

Do not attach this side of this line.

76F3095 CE #310 6-63

CONT. FROM PG. 27

F.B. 3208 PG. 26



T. 5. 64

19-6

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO:

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner | Survey of VASQUEZ ROCKS | F. B. 3208 Pg. 27
Map No. B-2961 | JN 0055.84 Tape 175 Std 84 °F | T 5 N
Office Work G. H. BUYER | Surveyed by C. L. WRIGHT | R 14 W
Checked Brenner | Notes C. L. W Date OCT '64
Date Oct. 1965 | Indexed E. J. GALLI

CONT. FROM PG. 28

OLD OUTHOUSE ON LINE

4+12.4 Ahead

40°

37

42

A-60 SET 1&2 & N.

14+59 15'

T=80°

SET N&T IN 6" JUNIPER

125.29 @ 2-14 = 125.18
125.26 @ 2-03 = 125.18
125.18 (VR-5)

SET ON LINE 1/2 DIST BETWEEN S.W. COR. & E. 1/4 COR SEC 26
SET 3/4" I.P. CONC. PLUG L.A. CO. ENGR TAG FLUSH FOR TEMP 1/4 COR

SEE PG. 57

13+41.17

6.60

13+34.57

FD. 1 3/4 I.P. NO PLUG UP 12"
SET 1x2 PLUG & N. CTR.
C.S. 8754
(NOTE: C.S. 8754 CALLS FOR CAPPED 1 3/4" I.P.)

T=78°

⑤	91	08	20
⑥	364	33	30
	186	50	20
	91°	08'	23"

153.93 @ 8-22 = 152.29
153.82 @ 8-07 = 152.28
152.28
.01
152.27

SET N&T E. SIDE PP# 1560961

SEC. 26 | SEC 25

11+82.30

FD. OLD 2x2 1/2 NAIL UP 6" No ref.

0.20

T=78°

LEV. 139.52
.01
139.51

CONT. TOP PG 26

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 (6-63)

CONT. BOT Pg 29

F.B. 3208 Pg 28



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

CONT. TOP Pg 27

Notes Ck'd by Brenner
Map No. B-2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN00558A Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date OCT. '64
Indexed C. J. GALT

F. B. 3208 Pg. 29

T 5N
R 14W

CONT. BOT Pg. 30

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6/63

148' Lt.

FD. 2x2 LS. 2992 NAIL & TAG

21+69.84

T-76°
LEV 161.33
.01
161.32

161.32

OFFSET LINE

FD. 2" IP CON. PLUG S. NAIL - TAG IS GONE U.S.B. 900-1 F.B. 98-108

20+12.06

0.0'

3.4'

A-10
FD. 1½" IP CONC. PLUG, TAG LS 2572 UP 6"

20+08.52

T-88°
172.05 @ 2-19 = 171.91
172.08 @ 2-31 = 171.91
171.91

171.9'

TRANSFORMER POLE #710818E

2.2'

SEC 26

SEC. 25

OFFSET LINE

18+36.61

A-9 SET 1x2 ¢N.

T = 80°
87.30 @ 9-26 = 86.12
87.41 @ 9-52 = 86.12
86.12

OVERHEAD PRIMARY POWER LINE

86.1' Lt.

1" WATER LINE ON TOP OF GROUND

CONT. TOP Pg. 28

CONT. FROM PG. 31

F.B. 3208 PG. 30

T5N
R14W

10'
DIRT ROAD 18.6' WIDE
10'

EDISON

3' OFFSET

SEC 26

SEC 25
T-7S

SECTION

160.66@9-5A=158.27
160.48@9-31=158.25
=158.26

206.68@5-50=205.61
206.82@6-11=205.62
205.61
363.87
01
363.86

362.86

0A

P.P.# 7955061

28°

0.03

FD 2X2 N. & TAG
LS 2991

23+31.16

12.68

A-11 SET
1X2 E.N.

23+18.48

WASH

T.L.

LINE

T-9C

LEV.

148.65
.01
148.64

148.64

POWER

DRT

CONT. TOP PG. 29

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B 2961
Office Work C. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 00558 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date OCT '64
Indexed C. J. GALLI

F. B. 3208 PG. 31

T 5 N
R 14 W

CONT. BOT. PG. 32

10'

SECTION

DIRT

354.22'

3' OFFSET

T-78°

247.18 @ 4-06 = 246.55
247.16 @ 4-02 = 246.55
= 246.55

LEV. 107.68
354.23
.01
354.22

A-14
SET 1 X 2 ON L.

27+65.88

SEC 26

SEC 25

P.P. # 695505 E.
ON SEC. LINE

T-78°

83.72 @ 4-58 = 83.41
83.62 @ 4-06 = 83.41
= 83.41

SEE PG 23
FOR ANGLES

83.41'

SEC. LINE

SET 1 X 2 ON L.

26+82.47

ALSD F.B. 1657-66
SEE PG. 23
E-W & SEC 26

3.00

0.13

600'±

SET 1 X 2 ON L.
NAIL E-W. ℄
SEC. 26
PROD. FROM WEST.
SEE PG 23

26+87.34

¼ COR. FD
3¼" I.P. & IRON
CAP UP 14"
TOP OF CUT BANK
C.S. B-900-1
C.S. 8754
F.B. 320 B PG 23
MARKED

ROAD - 18' WIDE ±

26+25

OFFSET LINE

33.80'

10'

CONT. TOP PG 30

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

A-5
NR-4
U.S. 6A

76F3095 CE # 310 3-61

CONT. DOT, PG 32

F. B. 3208 Pg. 32



CONT. TOP PG 31

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B2961
Office Work G. H. BUYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 50 55 84 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date OCT '64
Indexed C. J. GALLI

F. B. 3208 PG. 33

T5N R14W

CONT. BOT PG. 34

10'

HIRT

SECTION

SEC 26

SEC 25

A-19 SET 1X2 E.N.

40+09 84'

11'

10'

3'

ANCHOR GUY

PP # 67L449E

EDISON POWER

EDISON POWER

ROAD

T-86°

348.65

3' OFFSET

EDISON POWER

288.16 @ 2-12 = 287.95

288.18 @ 2-13 = 287.96

287.95

LEV. 60.70

348.65

18

17

A-18 SET 1X2 E.N.

36+61 19'

PP # 69502E

T-86°

LEV. 175.47

25'

5'

POWER LINE

175.47

10'

EDISON

CONT. TOP PG. 32

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

CONT BOT. PG 35

F. B. 3208 PG. 34

T5N
R14W

209.48

A-20
SET 1X2 & NAIL
TOP BRK

42+43.03
T-84°

233.82@4-12=233.19
~~233.78@4-06=233.21~~
233.83@4-16=233.18

233.19

D.L.O.X.W.

STRAND BARB WIRE FN. ON LINE

3' OFFSET

SEC. 26

SEC 25

30" GAS LINE (UNDERGROUND)

PT± 30" GAS LINE

N 23.5 E

5' W.W. & BARB WIRE FN.

F.D. 1¾" I.P. WOOD PLUG & TAG
L.S. 2572

27.5

40+61.49

24.5

GUY POLE #695501E

EDGE PVMT.

ESCONDIDO

CYN. RD.

S 55.5 E
459.16

55.10±

EDGE PVMT.

24.0

30'

LINE

10'±

DIRT

EDGE RD.

FLARES

A-19
SET 1X2 & N

40+09.84

ROAD

CONT. TOP PG 33

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 0D 55 84 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date OCT '64
Indexed G. J. GALLI

F. B. 3208 PG. 35

T 5 N
R 14 W

CONT. BOT. PG. 36

293.84

OLD U.S.

STRAND BARB WIRE FN. ON LINE

47+23.24

A-27
SET 1X2 & N
ON S.H.

T 84°

275.18 @ 10-18 = 270.75
274.88 @ 9-59 = 270.72
270.73

3' OFFSET

270.73

SEC. 26

SEC. 25

44+52.51
A-26
SET 1X2 & N

5.87

44+36.64

2.88

FD 1¾" I.P. WOOD PLUG & TAG #LS 2572 UP 10'

T - 84°

209.54 @ 1-25 = 209.48
209.53 @ 1-08 = 209.49
209.48

209.48

LINE

LINE

CONT. TOP PG. 34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

CONT BOT. PG 37

F. B. 3208 PG. 36

T5N
R14W



45.92

A-30
SET 1X2 & N.
TOP BRK

W. 1/4 COR. SEC. 26 FD. 1" I.P. NO TAG

53+19.52

T-78°
171.86 @ 8-16 = 170.07
171.74 @ 7-59 = 170.08
170.08
.01
170.07

170.07

SEC 26

SEC. 25

289

51+87.03

FD. 1 3/4" I.P. WOOD PLUG & TAG # L.S. 2572 UP 1.2'

51+49.45

37.58

A-29
SET 1X2 & N.
ON S.H.

T-88°
133.73 @ 8-12 = 132.36
133.65 @ 7-54 = 132.38
132.37

132.37

3.01

50+58.48

FD 1X2 & N.

41.40

A-28
SET 1X2 & N
ON S.H.

50+17.08

T-86°
299.22 @ 10-52 = 293.85
299.06 @ 10-44 = 293.83
293.84

293.84

CONT TOP PG 35

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 00558 Tape 175 Std 84°F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date OCT 64
Indexed C. J. GALLI

F. B. 3208 Pg. 37

T-5N
R14W

END OF LINE

SET 1x2 C.N. 3' OFFSET SECTION LINE PROD. FROM SOUTH. (TOP OF SPUR)

COUNTY ENGINEER TSN 23 24 R14W R26 25 SEC COR R.E. 5869

REPLACED FD C.S. MON. WITH 2" I.P. & BRASS CAP SET IN CONC. MARKED

COUNTY SURVEYOR'S MONUMENT TSN 23 24 R14W R26 25

(REMOVED)

MARKED FD. C.S. MON 2" I.P. & BRASS CAP UP 16" C.S.B-900-1 F.B. 46-117 F.B. 98-125 F.B. 1651-66 C.S. 8754

SEC 23

SEC 24

400'±

SEE Pg 44 FOR THIS LINE

90°

15'

R 532

HNT. SET NAIL

53+65.51

500'±

SECTION LINE A-31 SET 1x2 C.N.

6.98 3.00 0.07

53+65.44

SET 1x2 C.N. SEC. LINE PROD. FROM WEST (TOP OF SPUR)

①	90	15	20
④	361	01	40
⑥	181	32	20
	90°	15'	23 1/3"

T-7S
R14W

SEC 26

SEC 25

45.92' OFFSET

SECTION LINE

W. STRAND RANCH WIRE FI.

T-7S°
LEV. 45.92

CONT TOP Pg 36

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

11, 5, 64 A-5

76F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



F. B. 3208 PG. 38

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS	F. B 3208 PG. 39	
Map No. B2961	J.No 0055.84 Tape 175 Std 84 °F		
Office Work Boyer	Surveyed by C. L. WRIGHT		
Checked Brenner	Notes C. L. W. Date OCT '64		
Date Oct. 1965	Indexed G. de GALLI		

VASQUEZ ROCKS REGIONAL PARK

THE EAST ½ OF NORTH LINE SEC. 26 T 5N R 14 W

J. N. 0055.84

REFERENCES:

F.B. 1476
C.S. B-900-1
C.S. 8154

C. L. WRIGHT
C. R. YASUI
R. A. PEANY
T. H. KENNEY
H. B. MITCHELL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

CONT. BOT PG. 41

F. B. 3208 PG. 40

W.S. 78 D-5

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SEC. 23

SEC. 26

T 5 N R 14 W

N-S-¢ SEC. 26

SEE P.B. 18

FD. N&T. W. SIDE TEL. P. #3950 UP 60' F.B. 1476-82

FD. N&T. S.W. SIDE TEL. P. #3951 UP 12"

FD. N&T. NE SIDE TEL. P. #3952 F.B. 1476-82

R-12 SET 1X2 P.N.

0+00

5.00

1/4 COR. T.D. C.E. Mon. 2" IP & BRASS CAP SET IN CONC. UP 4" PG. 18 F.B. 1476-82

MARKED

COUNTY ENGINEER R.E. 6866 23 2 1/4 COR R14W

TO N.W. COR SEC. 26 F.B. 1476-82 SEE PG. 76 FOR TIES F.B. 1476-82

FD. L.G.T. - L.A.C.O. ANGLE TAILINGS

ROCK OUTCROP F.B. 1476-82

43408

434.08

434.14

434.08

274.93

274.94

274.93

159.20

159.22

159.20

N 89° 55' E

S 89° 55' W

S 0° 05' W

N 0° 05' E

N 89° 55' E

S 89° 55' W

S 0° 05' W

N 0° 05' E

46.86

38.22

17.00

20.00

90°

110°

179° 55' 05"

179° 55' 23"

179° 55' 33"

179° 55' 53"

90° 00' 00"

90° 00' 20"

90° 00' 21"

90° 00' 34"

90° 00' 40"

90° 00' 53"

90° 00' 54"

90° 00' 37"

90° 00' 26"

90° 00' 54"

90° 00' 20"

90° 00' 20"

90° 00' 20"

90° 00' 20"

12' 48" 12'

12' 48" 12'

SEC. 23

SEC. 26

Notes Ck'd by Brenner
Map No. B2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 0055 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W Date OCT 64
Indexed C. J. GALLI

F. B. 3208 PG. 41

T 5 N
R 14 W

CONT. BOT. PG. 42

T-74°
299.20 @ 4-38 = 298.22
299.33 @ 4-54 = 298.24
LEV. = 298.23

21.36
319.59
.02
319.57

319.57

LINE

POWER LINE

5.6
29.5

P.P. # 1482724E

B-10
SET
1X2 N

36.2
4.7

6+98.23

6+62°
FD. 1½" I.P. NO PLUG
UP 24" LEANING WEST

T-64°
264.49 @ 2-50 = 264.17
264.46 @ 2-34 = 264.19
= 264.18
.03
264.15

264.15

SEC. 23

EDISON

SECTION

4+34.08

B-11
SET
1X2

24.8

6°

P.P. # 1482725E

434.08

19.5' OFF SET

6°

ANCHOR GUY

5'

SE 26

CONT. TOP PG 40

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

CONT. BOT. PG. 4B

F. B. 3208 PG. 42



T 5 N
R 14 W

329.18 LINE

T-62°
213.84 @ 3-51 = 213.36 = 213.35
213.73 @ 3-28 = 213.34
116.15 @ 3-56 = 115.88 = 115.88
116.29 @ 4-45 = 115.89
329.23
.05
329.18

13+94.6 S
5' OFFSET
B-8
SET 1X2" N

5.00

B-8 SET 1X2" N.

.38

T-66
LEV 71.21
.01
71.20

7.20

.17

ANCHOR GUY

EDISON POWER

P.P. # 1482722E

13+23.45

42

FD. 1¾" IP. NO PLUG UP .8'
No REF

T-68°
264.71 @ 1-47 = 269.58 = 264.60
264.70 @ 1-30 = 264.61

376.85

5' OFFSET LINE

113.09 @ 6-48 = 112.29 = 112.29
113.00 @ 6-24 = 112.30
376.89
.04
376.85

POWER

5.7

P.P. # 1482723E

3.01

B-9
SET 1X2" N

10+17.80

SECTION

EDISON

319.57

CONT. TOP PG. 4I

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B-2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 0055.84 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date DEC '64
Indexed R. L. GALLI

F. B. 3208 PG. 43

T 5 N
R 14 W

CONT. BOT PG. 44

59.76

T-88°
60.74 @ 10-18 = 59.76
60.61 @ 9-38 = 59.76 = 59.76

B-3
SET 1X2 8" N
TOP SPUR

24+89.36

T-86°
42.18 @ 24-27 = 38.40
41.82 @ 23-21 = 38.39 = 38.39

38.39

LINE

B-4
SET 1X2 8" N.
TOP BRK

24+50.97

T-84°
244.99 @ 22-44 = 225.96
244.88 @ 22-40 = 225.97 = 225.96

225.96

SEC. 23

B-5
SET 1X2 8" N
ON S.H.

22+25.01

T-58°
273.63 @ 12-37 = 267.02
273.58 @ 12-34 = 267.03 = 267.03
.05
266.98

266.98

0.18

T-60°
LEV. 28.30

19+86.33 FD. 1 3/4" IP WOOD PLUG & TAG # LS 2572 UP 3"

28.30

B-6
SET 1X2 8" N

19+58.03

234.20

T-58°
234.77 @ 3-49 = 234.25
234.70 @ 3-37 = 234.23 = 234.24
.04
234.20

SECTION LINE

B-7
SET 1X2 8" N
TOP BRK

17+23.83

329.18

CONT. TOP PG. 42

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 3208 PG. 44



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

4.5.64

19.5

CONT TOP PG 43

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS	F. B. 3208 PG. 45
Map No. B2961	JN0055.84 Tape 175 Std 84°F	
Office Work Boyer	Surveyed by C.L. WRIGHT	
Checked Brenner	Notes C.L.W. Date OCT '65	
Date Oct. 1965	Indexed G. L. GALLI	

VASQUEZ ROCKS REGIONAL PARK

THE SOUTH LINE SEC. 26, T5N, R14W

J.N. 0055.84

REFFRENCES:

F.B.	46	C.S.	8754
"	85	C.S.	B-900-1
"	98	C.S.	8259
"	1476	C.S.	8752
		C.S.	B-1312

PARTY:

C.L. WRIGHT
C.R. YASUI
D.A. PERRY
T.H. KENNEY
H.E. MITCHELL

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 C.E. #310 6-62

CONT. BDT. PG 47

F.B. 3208 PG. 46

W.S. 78 D-6

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

T 5 N
R 14 W

SEC 35

SEC 34

SEC 27

SEC 26

(VR-24)
BRASS CAP

FD. 2" I.P. L.S. 4900 MARKED L.S. 4900-1 L.S. 8075-1 L.S. 8089-1 L.S. 8752-1 L.S. 8752-2 L.S. 8752-3 L.S. 8752-4 L.S. 8752-5 L.S. 8752-6 L.S. 8752-7 L.S. 8752-8 L.S. 8752-9 L.S. 8752-10 L.S. 8752-11 L.S. 8752-12 L.S. 8752-13 L.S. 8752-14 L.S. 8752-15 L.S. 8752-16 L.S. 8752-17 L.S. 8752-18 L.S. 8752-19 L.S. 8752-20 L.S. 8752-21 L.S. 8752-22 L.S. 8752-23 L.S. 8752-24 L.S. 8752-25 L.S. 8752-26 L.S. 8752-27 L.S. 8752-28 L.S. 8752-29 L.S. 8752-30 L.S. 8752-31 L.S. 8752-32 L.S. 8752-33 L.S. 8752-34 L.S. 8752-35 L.S. 8752-36 L.S. 8752-37 L.S. 8752-38 L.S. 8752-39 L.S. 8752-40 L.S. 8752-41 L.S. 8752-42 L.S. 8752-43 L.S. 8752-44 L.S. 8752-45 L.S. 8752-46 L.S. 8752-47 L.S. 8752-48 L.S. 8752-49 L.S. 8752-50 L.S. 8752-51 L.S. 8752-52 L.S. 8752-53 L.S. 8752-54 L.S. 8752-55 L.S. 8752-56 L.S. 8752-57 L.S. 8752-58 L.S. 8752-59 L.S. 8752-60 L.S. 8752-61 L.S. 8752-62 L.S. 8752-63 L.S. 8752-64 L.S. 8752-65 L.S. 8752-66 L.S. 8752-67 L.S. 8752-68 L.S. 8752-69 L.S. 8752-70 L.S. 8752-71 L.S. 8752-72 L.S. 8752-73 L.S. 8752-74 L.S. 8752-75 L.S. 8752-76 L.S. 8752-77 L.S. 8752-78 L.S. 8752-79 L.S. 8752-80 L.S. 8752-81 L.S. 8752-82 L.S. 8752-83 L.S. 8752-84 L.S. 8752-85 L.S. 8752-86 L.S. 8752-87 L.S. 8752-88 L.S. 8752-89 L.S. 8752-90 L.S. 8752-91 L.S. 8752-92 L.S. 8752-93 L.S. 8752-94 L.S. 8752-95 L.S. 8752-96 L.S. 8752-97 L.S. 8752-98 L.S. 8752-99 L.S. 8752-100 L.S. 8752-101 L.S. 8752-102 L.S. 8752-103 L.S. 8752-104 L.S. 8752-105 L.S. 8752-106 L.S. 8752-107 L.S. 8752-108 L.S. 8752-109 L.S. 8752-110 L.S. 8752-111 L.S. 8752-112 L.S. 8752-113 L.S. 8752-114 L.S. 8752-115 L.S. 8752-116 L.S. 8752-117 L.S. 8752-118 L.S. 8752-119 L.S. 8752-120 L.S. 8752-121 L.S. 8752-122 L.S. 8752-123 L.S. 8752-124 L.S. 8752-125 L.S. 8752-126 L.S. 8752-127 L.S. 8752-128 L.S. 8752-129 L.S. 8752-130 L.S. 8752-131 L.S. 8752-132 L.S. 8752-133 L.S. 8752-134 L.S. 8752-135 L.S. 8752-136 L.S. 8752-137 L.S. 8752-138 L.S. 8752-139 L.S. 8752-140 L.S. 8752-141 L.S. 8752-142 L.S. 8752-143 L.S. 8752-144 L.S. 8752-145 L.S. 8752-146 L.S. 8752-147 L.S. 8752-148 L.S. 8752-149 L.S. 8752-150 L.S. 8752-151 L.S. 8752-152 L.S. 8752-153 L.S. 8752-154 L.S. 8752-155 L.S. 8752-156 L.S. 8752-157 L.S. 8752-158 L.S. 8752-159 L.S. 8752-160 L.S. 8752-161 L.S. 8752-162 L.S. 8752-163 L.S. 8752-164 L.S. 8752-165 L.S. 8752-166 L.S. 8752-167 L.S. 8752-168 L.S. 8752-169 L.S. 8752-170 L.S. 8752-171 L.S. 8752-172 L.S. 8752-173 L.S. 8752-174 L.S. 8752-175 L.S. 8752-176 L.S. 8752-177 L.S. 8752-178 L.S. 8752-179 L.S. 8752-180 L.S. 8752-181 L.S. 8752-182 L.S. 8752-183 L.S. 8752-184 L.S. 8752-185 L.S. 8752-186 L.S. 8752-187 L.S. 8752-188 L.S. 8752-189 L.S. 8752-190 L.S. 8752-191 L.S. 8752-192 L.S. 8752-193 L.S. 8752-194 L.S. 8752-195 L.S. 8752-196 L.S. 8752-197 L.S. 8752-198 L.S. 8752-199 L.S. 8752-200 L.S. 8752-201 L.S. 8752-202 L.S. 8752-203 L.S. 8752-204 L.S. 8752-205 L.S. 8752-206 L.S. 8752-207 L.S. 8752-208 L.S. 8752-209 L.S. 8752-210 L.S. 8752-211 L.S. 8752-212 L.S. 8752-213 L.S. 8752-214 L.S. 8752-215 L.S. 8752-216 L.S. 8752-217 L.S. 8752-218 L.S. 8752-219 L.S. 8752-220 L.S. 8752-221 L.S. 8752-222 L.S. 8752-223 L.S. 8752-224 L.S. 8752-225 L.S. 8752-226 L.S. 8752-227 L.S. 8752-228 L.S. 8752-229 L.S. 8752-230 L.S. 8752-231 L.S. 8752-232 L.S. 8752-233 L.S. 8752-234 L.S. 8752-235 L.S. 8752-236 L.S. 8752-237 L.S. 8752-238 L.S. 8752-239 L.S. 8752-240 L.S. 8752-241 L.S. 8752-242 L.S. 8752-243 L.S. 8752-244 L.S. 8752-245 L.S. 8752-246 L.S. 8752-247 L.S. 8752-248 L.S. 8752-249 L.S. 8752-250 L.S. 8752-251 L.S. 8752-252 L.S. 8752-253 L.S. 8752-254 L.S. 8752-255 L.S. 8752-256 L.S. 8752-257 L.S. 8752-258 L.S. 8752-259 L.S. 8752-260 L.S. 8752-261 L.S. 8752-262 L.S. 8752-263 L.S. 8752-264 L.S. 8752-265 L.S. 8752-266 L.S. 8752-267 L.S. 8752-268 L.S. 8752-269 L.S. 8752-270 L.S. 8752-271 L.S. 8752-272 L.S. 8752-273 L.S. 8752-274 L.S. 8752-275 L.S. 8752-276 L.S. 8752-277 L.S. 8752-278 L.S. 8752-279 L.S. 8752-280 L.S. 8752-281 L.S. 8752-282 L.S. 8752-283 L.S. 8752-284 L.S. 8752-285 L.S. 8752-286 L.S. 8752-287 L.S. 8752-288 L.S. 8752-289 L.S. 8752-290 L.S. 8752-291 L.S. 8752-292 L.S. 8752-293 L.S. 8752-294 L.S. 8752-295 L.S. 8752-296 L.S. 8752-297 L.S. 8752-298 L.S. 8752-299 L.S. 8752-300

COUNTY SURVEY MONUMENT
26 27 34 35

178.13'
1 1/4" I.P. STRAND BARB WIRE FN.

SECTION LINE

FP 2" I.P. CUT SIDE FN. FLUSH F.B. 1476-90

FD. NAIL & T. IN MANZANITA F.B. 1476-90

27-3.31
27-3.32

28.24 R
28.23

SECTION LINE

FD. NAIL & T. IN MANZANITA F.B. 1476-90

FD. NAIL & T. IN 4" MANZANITA F.B. 1476-90

SECTION LINE PROD. FROM WEST

SECTION LINE PROD. FROM EAST

SET 1 X 2 L.S.
TOP SPUR - SECTION LINE PROD. FROM EAST

N 89° 25' 00" E 2640.00'

N 89° 25' 00" E 2640.00'

N 89° 25' 00" E 2640.00'

Notes Ck'd by Brenner
Map No. B2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 00558 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W Date OCT. '64
C. J. GALLI
Indexed

F. B. 3208 Pg. 47

T 5 N
R 14 W

CONT. BOT. Pg. 48

207.28

LINE

T-46
LEV. 207.33
.05
207.28

10 + 01.98 E-5
SET 1 x 2" N
TOP BRK

T-46
123.49 @ 14-27 = 119.58
123.71 @ 14-50 = 119.59 = 119.59
289.27 @ 7-04 = 287.07
289.26 @ 7-03 = 287.07 = 287.07
LEV 108.88
209.00 @ 3.58 = 208.50
209.06 @ 4-14 = 208.49 = 208.49
72403
18
723.85

102° 29' 37" E
72.85

①	102	29	30
②	49	58	30
③	254	57	40
	102°	29'	37"

SEC. 24

SEC. 35

STRAND BARB WIRE FN.

2 + 78.13 E-4
SET 1 x 2" N.
TOP BRK ON S.H.

T-46
295.22 @ 19-33 = 278.20
295.32 @ 19-36 = 278.21 = 278.20
.07
278.13

278.13

SECTION

CONT. TOP PG. 46

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7.0 E 3.0 B5 C.E. #310 6-62

CONT. BOT. PG 49

F.B. 3208 PG. 48

T 5 N
R 14 W

TWICE CHAINED

T 46°
20.11 @ 10-38 = 19.76

11 H 03 ST

SET L 1x2 P.N.
T 449

273.61 @ 11-01 = 268.57 = 268.58
273.79 @ 11-11 = 268.59
227.22 @ 6-15 = 225.87 = 225.86
227.30 @ 6-18 = 225.85

494.44
.13
494.31

LINE

SET L.S.T. IN SANDSTONE OUTCROP

(WR-7)

1 1/4" KOR.

1BH-BOSS SET 3/4 I.P. CONC. PLUG IN A COENURITE 1/4 DIST. BETWEEN S.W. COR. & S 1/4 COR. SET 26" ON LINE. I.P. 0.4

SEE PG 48

SET L.S.T. IN SANDSTONE BOULDER

NOTE: THE ANGLE IN THE N.W. IS CALCULATED DUE TO TOO SHORT OF SIGHT DISTANCE TO E 1/4 COR

32.11

0.08 — 13 H 30 SD

FD. 1/4" I.P. NO PLUG IN MOUND OF ROCKS (NO REF.) (REMOVED SAME)

SEE PG 48

SET L.S.T. IN SANDSTONE BOULDER

T 44°
LEV 120.77
.03
120.74

3 STRAND BARB WIRE FN.

12 + 09.22

SET 1x2 P.N. ON SIDE HILL

CONT. TOP PG 47

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO ENGINEER
Do not extend this side of this line.
Note: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 00555.84 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date OCT '64
Indexed C. J. GALLI

F. B. 3208 Pg. 49

T5N R14W

CONT. BOT. Pg. 50

24+93 30' — E-11 SET 1x2 ℄ N — 166.80

T-72°
299.34 @ 23-08 = 275.27
298.94 @ 22-58 = 275.24
= 275.25
275.23

275.23 — LINE

22+18 07' — E-10 SET 1x2 ℄ N. NEAR TOP RIM ROCK

3 STRAND BARE WIRE FN.

159.41

T-72°
162.17 @ 10-34 = 159.42
162.03 @ 10-18 = 159.42
= 159.42
159.41

20+58 66' — E-9 SET 1x2 ℄ N, TOP BRK

T-64°
157.93 @ 11-16 = 154.89
157.76 @ 10-56 = 154.90
= 154.89
187.84 @ 16-05 = 180.49
188.10 @ 16-22 = 180.48
= 180.48
335.37
335.33

335.33 — LINE

NOTE: FENCE IS PARTIALLY DOWN IN AREA THIS

17+23 33' — E-8 SET CONC NAIL TOP RIM ROCK (HIGHEST POINT ON LINE)

19.76

CONT TOP Pg. 48

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76E3095 C.E. #310 6-62

CONT. BOT. PG 51

F. B. 3208 PG. 50



Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS
Map No. B2961	JNDO 55.84 Tape 175 Std 84 °F
Office Work G. H. BOYER	Surveyed by S. L. WRIGHT
Checked Brenner	Notes C. L. W. Date Nov '64
Date Oct. 1965	Indexed C. J. GALLI

F. B. 3208 PG. 51

T 5 N
R 14 W

CONT. BOT PG 52

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3098 CE#310 663

T-76°
LEV ✓ 58.87 ✓
299.52 @ 3-19 = 299.02 ✓ = 299.03 ✓
299.58 @ 3-25 = 299.05 ✓ 357.40 ✓
.07
357.38 ✓

357.38
E-16
CUT ⊕ ON KIM ROCK

T-76°
167.45 @ 8-57 = 165.41 ✓
167.55 @ 9-11 = 165.40 ✓ = 165.40 ✓
.01
165.39 ✓

165.39

347.84
E-15
SET 1 X 2 ⊕ N
TOP LOW SPUR

T-72°
250.51 @ 5-14 = 249.47 ✓
250.59 @ 5-25 = 249.47 ✓ = 249.47 ✓
.02
249.45 ✓

249.45

CONT. TOP PG 50

F. B. 3208 PG. 52

CONT. BOT. PG 53

T 5 N
R 14 W

W.S. 78
D-6

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

42+34.48

E-18 SET 1x2" N. TOP BRK

T 78

232.23 @ 3-05 = 231.89

232.32 @ 3-20 = 231.99 231.90

232.24 @ 3-07 = 231.90 231.89

40+02.39

E-17 SET 1x2 EN TOP BRK

SET N&I. TOP W'LY 4" LIMB @ MAIN FORK — 12" JUNIPER

SET 1x2 EN

SEE PG. 143 FOR ELEV. C.L.W. JULY '25

LINE PROD. FROM NORTH

39+89.96 (VR-23) pg 103

1/4 1/4 COR SET 3/4" I.P. CONC. PLUG — L.A.CO. ENGR. TA. FLUSH

SET 1/2 DIST. BETWEEN S. 1/4 COR & S.E. COR SEC 26

ED. 1/2" I.P. NO PLUG UP 14" CS. 81/84 OR RS 17-41

SEE PG 58

3 STRAND BARB WIRE FENCE

SET N&I. - S.E.LY SIDE MAIN TRUNK 14" JUNIPER

CONT. TOP PG 51

Notes Ck'd. by Bronner | Survey of VASQUEZ ROCKS | F. B. 3708 - Pg. 53
Map No. B296 | JN 0055.84 Tape 175 Std 84 °F
Office Work G. H. BOYER | Surveyed by C. L. WRIGHT
Checked Bronner | Notes C. L. W. Date NOV. '64
Date OCT. 1965 | Indexed G. J. CALLI

T 5 N
R 14 W

CONT. FROM BOOK PG. 54

5+53.34

E-21
CUT ⊕ ON ROCKY SPUR

1642.8 LINE

T-76°

242.70 @ 7-38 = 240.55
242.60 @ 7-28 = 240.54

240.55

120.41 @ 11-38 = 117.94
120.64 @ 12-10 = 117.93

117.93
358.48
03
358.45

358.45

47+95.09

E-20
SET 1x2 LN
TOP BRK

T-76°
LEV.

38.67

38.67

47+56.42

E-19
SET 1x2 LN TOP
EAST BRK OF SPUR

T-76°
LEV.

52.91

521.94 REJECTION

294.89 @ 5-24 = 293.58
299.95 @ 5-34 = 293.56

293.57

125.49
521.97
03
521.94

Notes Any Additions or Changes or This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG
403 Los Angeles

75F3086 CE #310 6/63

CONT. TOP PG. 52

F.B. 3208 Pg. 54

T 5 N
R 14 W

W.S. 6 & 42

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SEC 36

RP SET L&T IN SANDSTONE

S 37 19 E

0.51

SECTION LINE

SEE PG. 26

16.96

RP SET L&T IN SAND STONE

0.29

88° 38' 10"

(VR-22)

SEC. COR. (IN SAND STONE)

FD. 3/4" I.P. & IRON CAP UP 8"

MARKED

F.B. 98-108, 118

C.S. 8754

C.S.B-900-1

1-74"

LEV

13.21

153.08

166.29

01

166.28

0 88 38 00
@ 354 32 30
@ 171 49 00
88° 38' 10"

882.96'

CONT. TOP PG 53

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS	F. B. 3208 Pg. 55
Map No. B 2961	JN 0055.84 Tape 175 Std 84 °F	
Office Work Boyer	Surveyed by C.L. WRIGHT	
Checked Brenner	Notes C.L.W Date NOV '64	
Date Oct. 1965	Indexed C. J. GALLE	

VASQUEZ ROCKS REGIONAL PARK

THE WEST ½ OF THE E-W. ℄ & THE SOUTH ½ OF THE N.-S. ℄ OF THE S.E. ¼ OF SEC. 26 T.5N R.14W

J.N. 0055.84

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

C.L. WRIGHT
C.R. YASUI
B.A. PRAVY
T.H. KENNEY
H.D. MITCHELL

76F3095 C.E. #310 6-62

F. B. 3208 PG. 56

CONT. PG. 69

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS	F. B. 3208 Pg. 57
Map No. B 2961	JN 00558 Tape 175 Std. 84 °F	
Office Work G. H. BOYER	Surveyed by C. L. WRIGHT	
Checked Brenner	Notes C. L. W. Date DEC. '64	
Date Oct. 1965	Indexed C. J. GALLI	

T 5 N
R 14 W

SEC 25

SECTION LINE

1/4 1/4 COR FD. 3/4" I.P. CONC. PLUG LA CO ENGR TAG PG 27

SEC 26

NOTE: SEE PG 72 FOR THIS LINE

(VR-3)

SET 1X2 N

CEN. SEC. SEC 26 1/4 1/4 COR. SET 1" I.P. CONC. PLUG - L.A.CO. ENGR TAG FD INT.

13+29.98 E =
13+35.86 N

10.90

SET FLUSH JUNE '65 C.L.W.

TO 1/4 1/4 COR PG 21

Pg 58
104.10

CONT TOP Pg. 58

SET 1X2 & N

24.20

SEE PG 140 FOR ELEV. CLW JULY '65

①	91	09	20
②	364	37	50
⑥	186	56	40
	91	09	27

R.P. 1/4 1/4 COR. SET L & T. - L.A.CO. ENGR TAG IN SAND STONE OUT CROP

817.92

T - 76°

4EK

298.64 @ 1-28 = 298.54
298.65 @ 1-37 = 298.53

519.43
298.53
817.96
.04
817.92

Pg 56

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76E3095 C.E. #310 6-62

F.B. 3208 PG. 58

CONT. RIGHT SIDE PG 57

W.S. 78 D-6

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS
Map No. B2961	JN 0055.84 Tape 175 Std 84 °F
Office Work Boyer	Surveyed by C.L. WRIGHT
Checked Brenner	Notes C.L.W. Date DEC '64
Date Oct. 1965	Indexed G. J. GALLI

F. B. 3208 PG. 59

VASQUEZ ROCKS REGIONAL PARK

THE WEST ½ OF THE E.-W. ℄ SEC. 26, T5N, R14W

J.N. 0055.84

REFERENCES:

F.B. 1476

C.L. WRIGHT
C.R. YASUI
B.A. PEAVY
T.H. KENNEY
H.B. MITCHELL

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 8-62

F. B. 3208 PG. 60

CONT. BK PG 61

T5N R14W

4W, 5, 78 D.S.

VR-1

1/4 1/4 COR. SET 1 1/2" DIST. BETWEEN 1/4 COR & CEN SEC. ON 1/4 SEC LINE

779.37 — 3' OFF SEC LINE

13+44.99

SET BOAT SPK W.C.T. FD. TIN PUNCH

13+34.07

SET 1 1/2" I.P. CONC. PLUG W/ TAG ENGR. DN. 8"

10.92

SEE PG 70

FD. OLD 2" I.P. W/ WOOD PLUG DN. 10" REMOVED SAME (CS.B.-185-2)

①	88°	52'	10"
②	355	28	40
③	173	12	40
	88°	52'	07"

SEC. 24

①	90	59	46
②	362	59	10
③	1183	58	40
	90°	39'	47"

1344.99

T-46°

LEV. 1055.72

88° 289.76 @ L-56 = 289.60

289.74 @ L-48 = 289.60

289.60

1345.37

.38

1344.99

52

SECTION LINE

SEE PG. 65

P.O.B.

1/4 COR.

FD. C.E.M. ON WELL COVER PG. 20 FB. 1476-84

PLS 6869

LICENSED LAND SURVEYOR

STATE OF CALIFORNIA

COUNTY SURVEYOR

27+24

RIGHT

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 409 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS	F. B. 3208 Pg. 61
Map No. B-2961	JN0055R4 Tape 175 Std 84°F	
Office Work G. H. BOYER	Surveyed by C. L. WRIGHT	
Checked Brenner	Notes C.L.W Date DEC '64	
Date Oct. 1965	Indexed G. J. GALLI	

SEE PG 20

T-5N
R-14-W
SEC. 26

COUNTY ENGINEER
T5N
CENTER
MTN
SEC. 26
L.A.C.E. 5869

26

26+68.18
SET 1x2 ¢ N

0.05 — 3.00

PT-G
26+68.13
CEN. SEC. 26
F.D. C.E. MON.
PG. 16, 20

T = 46°
289.04 @ 1-03 = 288.99
289.02 @ 0-52 = 288.99
LEV = 288.99
259.96
543.95
.13
543.82

543.82

SEC. LINE

E.-W.

21+24.36
SET NAIL
TOP ROCK OUTCROP

1/64 COR
20+01.10
SEE PG 77

T = 46°
192.90 @ 3-17 = 192.58
192.87 @ 3-06 = 192.59
= 192.58

262.80 @ 4-28 = 262.00
262.84 @ 4-37 = 261.99
LEV 262.00

324.98
779.56
.19
779.37

779.37

3' OFF SET

CONT. TOP PG 60

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7-E-3025 C.E. #3-10 6-62

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS
Map No. B2961	JN 0055.84 Tape 175 Std 84 °F
Office Work Boyer	Surveyed by C. L. WRIGHT
Checked Brenner	Notes C. L. W. Date FEB '63
Date Oct. 1965	Indexed G. J. GALLI

F. B. 3208 PG. 63

VASQUEZ ROCKS REGIONAL PARK

PART OF THE WEST LINE - SEC 26 - T5N R14W

J.N. 0055.84

REFERENCES - F.B. 97
F.B. 1476
C.S.B-900-1

NOTE: OFFSET LINES WERE USED TO GET PAST POSTS & FENCE TREES.

C. L. WRIGHT
J. R. YASUI
R. A. PERRY
H. H. KENNEY
H. B. MITCHELL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE #310 6-62

F. B. 3208 PG 64

CONT. BOT PG 65

T-60°
130.14@5-40=130.10
130.16@5-13=130.11
130.11 + .02 = 130.09

T5N
R14W

11+83.39

130.09

SECTION

S. OFFSET 165.30

T-60°
165.49@2-24=165.34
165.53@2-47=165.33
165.33 + .03 = 165.30

SEC. 27

SEC 26

10+18.09
SET 1X2 GN

NOTE: A BARB W.W. FENCE LINE ON LINE

270.65

T-60°
277.85@13-02=270.69
278.22@13-21=270.70
270.69 + .04 = 270.65

TOP OF SAND-STONE RIM ROCK
SET NAIL
7+47.44

SET 1X2 GN.

36.24

T-58°
LEV 36.25
-01
36.24

7+11.29

FD. 1" IP. CONC. PLUG
L.A. CO. ENGR. TAG
UP 0.2'
F.B. 1476-133

11.29 TO 24 SEC. 26 TO S.W. COR
F.B. 1476-133

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner | Survey of VASQUEZ ROCKS | F. B. 3208 PG. 65
Map No. B2961 | JN 0055.84 Tape 175 Std 84 °F
Office Work G. H. BOYER | Surveyed by C. L. WRIGHT
Checked Brenner | Notes C. L. W Date FEB. '65
Date Oct. 1965 | Indexed G. J. GALLI

SEE F.B. 1476-133

T5N R14W

SEC. 27

SEC 26

FD. 1 x 2" N TOP BRK F.B. 1476-133

16+84.77

16+84.57 SET 1 x 2" N

0.20

5.00

9°

Δ 38 58 00
@ 155 52 30
© 233 48 40
38° - 58' - 07"

38° 58' 07"

SECTION LINE

FD. 1476-133 955.32

TO 1/4 COR

SW OFFSET 2-1/2" GALV. PO"

T = 58'

SEE PG. 68

175.06 @ 8-54 = 172.95

174.96 @ 8-41 = 172.95

199.68 @ 6-59 = 198.20

199.57 @ 6-41 = 198.21

198.20
371.15
.06
371.09

NOTE: BARB WIRE FENCE ON LINE

NOTE: THIS MON. IS 0.5 S. OF 10" X 12" WOOD FENCE COR POST & I ASSUME IT WAS DISTURBED

TEMP 1/4 COR SET 1 x 2" N. Y DIST. BETWEEN S.W. COR & W. 1/4 COR SEC 26

VR 25

13+20.05

5.00

13+19.78

4.94

FD. 2" IP & CONC PLUG - CUT 3PK CTR SET IN CONC FB. 97-32 CSB 900-1

SET 1 x 2" N

13+13.48

3.00

5.00

0.11

SET 1 x 2" N

13+20.05 SET 1 x 2" N

13+19.93 SET NAIL BY I.

TO 1/4 COR PG. 68

371.09

130.09

PG. 64

OFFSET LINE

NOTE: W.W. & BARB WIRE FENCE ON LINE

CONT. TOP PG. 64

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #310 6-62

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS
Map No. B2961	JN 0055.84 Tape 175 Std. 84 °F
Office Work Boyer	Surveyed by C.L. WRIGHT
Checked Brenner	Notes C.L.W Date FEB '65
Date Oct. 1965	Indexed G. J. GALLI

F. B. 3208 PG. 67

VASQUEZ ROCKS
REGIONAL PARK

THE EAST 1/2 OF THE EAST-WEST & & THE NORTH 1/2 OF THE NORTH-SOUTH & OF THE SOUTHWEST 1/4 OF SEC 26 - T5N - R14W
H. N. 0055.84

C. L. WRIGHT
C. R. YASUI
R. A. PEAVY
T. H. KENNEY
H. B. MITCHELL

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S S&E #247 11-58

F. B 3208 Pg. 68

T 5 N
R 14 W

CONT. B.O.T. Pg 70

OLD BOARD FN. MEANDERS ABOUT ON LINE

B STRAND WIRE FN.

T-72°
158.45 @ 5-45 = 157.65
158.35 @ 5-28 = 157.49
157.65 .01
157.47
63

3+90.37

H-3
SET 1x2" N

91 16 10
365 04 30
187 36 40
91° - 16 - 07

T 72°
239.67 @ 14-29 = 232.05
239.80 @ 14-37 = 232.04
136.59 @ 4-16 = 136.21
136.51 @ 3-49 = 136.21
136.21
368.25 .03
368.22

130 20 00
161 19 10
61 58 40
130° - 19' - 47"

368.22

SECTION

SEC. 27

16+84.77 SEC. LINE SEE Pg 65

0+22.15

H-2
SET 1x2" N

T-72
22.15

130° - 19' - 47"

SET BOAT SPK'S W.

SET BOAT SPK'S W. TOP OF SPUR

1/4 COR
VR-79
91.97

SET 1" I.P. CONC. PLUG L.A. CO. ENGR. TAG BY INT.

J-1

SET 1x2" N

STRAND BASE WIRE

70°

487.44
Pg. 69

91.97

T-72°
95.87 @ 16-23 = 91.98
95.48 @ 15-34 = 91.98
91.98 .01
91.97

1/4 COR SEE Pg 65

Pg. 47

Pg. 48

CALC 30.00

88°

13 59 00
55 50
03 54 00
13° 59 00

(VR-7)
1/4 COR
FD. 3/4 IP. CONC. PLUG L.A. CO. ENGR. TAG Pg 48

SECTION LINE

SECTION

T 5 N
R 14 W

SEC. 26

CONT.

BOT. Pg 69

35

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 00 5584 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date FEB '65
Indexed C. J. GALLI

F. B. 3208 PG. 69

SEC. 26
T 5 N
R 14 W

CONT. PG. 56

① 180 00 00
② 360 00 00
③ 360 00 00
180° 00' 00"

(VR-C)

1/4'1/4 COR
13+31.92 E
FD. L&T - LA. CO. ENGR. TAG. SET IN ROCK OUTCROP PG. 15 & 56

NORTH - SOUTH

& SEC. 26

T-68

229.37 @ 13 - 50 = 222.72
229.30 @ 13 - 45 = 222.73 = 222.72
256.33 @ 15 - 35 = 246.97
256.10 @ 15 - 20 = 246.98 = 246.97

752.51

166.89 @ 18 - 26 = 165.09
166.81 @ 8 - 16 = 165.08 = 165.08
117.86 @ 1 - 17 = 117.83
117.83 @ 0 - 49 = 117.82 = 117.82

752.59
.08
752.51

3 STRAND BARB WIRE FN.

J - 2-5+79.41 E
SET 1X2 ⊄ N
T-70

156.24 @ 6 - 11 = 155.33
156.19 @ 5 - 59 = 155.34 = 155.33
156.84 @ 6 - 00 = 155.98
156.94 @ 6 - 19 = 155.99 = 155.99
LEV. 176.16
487.48
.04
487.44

487.44

CONT. RIGHT SIDE - PG 68

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3095 CE #310 8-62

F. B. 3208 PG 70

SEC 26
T 5 N
R 14 W

W.5.78 D-5

COUNTY ENGINEER
T 5 N
R 14 W
27-26
1/4 Cor
R.E. 5869

Pg 60
FD. N&T S. SIDE
T.P. #L 6448 E
(SWITCH POLE)

Pg 60
FD. N&T E. SIDE
TEL.P. 596300H

13+25.37 N (L.F.W. 8-MAY.'67)

102.72

FB. 1476-84

1/4 COR.
FD. C.E. MON.
2" IP & BRASS CAP
IN 12" WELL & COVER

44.36

1/4 1/4 COR

13+25.21
FD. 1½" IP. CONC.
PLUG - L.A.Co.
ENGRAVED ON 8"
Pg. 60

EAST

1334.074
PG. 60

WEST

SEC Pg 60

& SEC 26

97.82

9° 02' 22"

0.62

STRAND BARB WIRE FN.

FD. N&T N. SIDE
TEL.P. #728069H
Pg 60
S STRAND BARB
WIRE FENCE

S 0°

1337.77

	91	02	20
@	364	09	20
@	186	14	10
	91°	02'	22"

T-72°

205.84 @ 3-21 = 205.49
= 205.48
205.81 @ 3-15 = 205.98

LEV

248.98 @ 4-25 = 248.74
193.23
= 248.23
248.99 @ 4-31 = 248.22
133.74 @ 12-39 = 130.49
133.60 @ 12-23 = 130.49
= 130.49
777.43
106
777.37

C.F.W. 8-MAY '69

5+48.00

SET CH. PT. TOP ROCK

5+41.84

CONT.

TOP Pg. 68

Pg. 68
157.49
CS

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner	Survey of NASQUEZ ROCKS
Map No. B2961	JN 0055.84 Tape 175 Std 84 °F
Office Work Boyer	Surveyed by C. L. WRIGHT
Checked Brenner	Notes C.L.W Date FEB '65
Date Oct 1965	Indexed C. J. GALLI

F. B. 3208 PG. 71

THE EAST 1/2 OF THE
EAST-WEST ℄ OF S.E. 1/4
SEC. 26 - T5N R14W
J.N. 0055.84

NOTE: THIS LINE WAS
RUN AT A LATER
DATE DUE TO A FD.
2X2 - PG. 72

C. L. WRIGHT
R. R. YASUI
D. A. PEAVY
T. H. KENNEY
H. B. MITCHELL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE #310 6-62

F. B. 3208 PG 72

CONT BOT. PG 73

SEC 26
T5N
R14W

22+33.37 — 4.00 — FD. 2x2 - (NO NAIL) UP 10" SET NAIL IN (NO REF.) CTR

3.50

5.32

F-5 SET 1x2 ℄ N

22+29.87

10.

31°

T-68°
LEV 216.54
.02
216.52

F-4 SET 1x2 ℄ N.

20+13.35

T-68°
156.15 @ 2-46 = 155.97
156.17 @ 2-36 = 155.96
155.96

LEV.
31.00
186.96
.02
186.94

24" PEPPER TREE
LINE HITS S. FACE TRUNK 8'

F-3 SET 1x2 ℄ N

18+26.41

T-64°
223.53 @ 2-19 = 223.35
223.49 @ 2-05 = 223.34
223.35
.03
223.32

SET NAIL TOP

16+03.09

T-66
273.99 @ 2-52 = 273.15
273.50 @ 2-57 = 273.14
273.14
.03
273.11

1/4 1/4 COR.
FD. 1" IP. CONC. PLUG L.A.CO. ENGR TAG.
~~SET~~ SET FLUSH 6-29-65, CLM.
CTR. - S.W. 1/4 SEC. 26

13+29.98

PAGE 57

SEE PG 57

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B 2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 0055.84 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date FEB '65
Indexed C. J. GALLI

F. B. 3208 PG. 73

T 5 N
R 14 W

T - 66°
152.76 @ 3-51 = 152.42
152.70 @ 3-26 = 152.44
152.43
.02
142.41

FD. ROCK & CONC. MON.
42" X 42" BASE
36" HIGH
10" X 12" BRONZE
PLAQUE IN W. FACE

MOTHER
MATTIE F. FOX
1874 - 1932

SEC. 25

1/4 1/4 COR - FD 3/4" IP
CONC. PLUG - LA CO
ENGR TAG PG 27
26+60 10

SECTION LINE

SEC. 26

T 66° REV.
62.81
.01
62.90

62.90

25+97 20

9° 08' 23"

142.41

F-6
1 1/2" I.P.
X 2' LONG

10'

@ 34 44 10
69 28 20
34° 44' 10"

34° 44'

T - 66
200.26 @ 7-SA = 198.36
200.30 @ 8-00 = 198.35
198.35
169.70 @ 5-07 = 169.02
169.60 @ 4-45 = 169.02
169.02
367.37
.04
367.33

367.33

CONT. TOP PG. 72

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE #310 6-62

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS
Map No. B2961	UN 0055.84 Tape 175 Std 84 °F
Office Work Boyer	Surveyed by C. L. WRIGHT
Checked Brenner	Notes C. L. W Date FEB '65
Date Oct 1965	Indexed G. J. GALLI

F. B. 3208 PG. 75

VASQUEZ ROCKS REGIONAL PARK

PROPERTY LINES —

THAT PORTION OF THE WEST ½ OF THE S.E ¼ OF THE N.W ¼ OF SEC 26 T 5 N R 14 W LYING S.E'LY OF ESCONDIDO CYN RD.

J. N. 0055.84

REFERENCES:

F.B. 1476

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 C.E. #310 8-62

C. L. WRIGHT
C. J. RAYASUL
J. A. PEAVY
T. H. KENNEY
H. B. MITCHELL

F. B. 3208 Pg. 76

T5N R14W

SEC 23

SEC. 26

4553.6 TO 1/4 COR PER F.B. 1476-82

FD 1x2" N F.B. 1476-82

185.76 LINE

T-62°

122.21 @ 8-05 = 121.00
122.32 @ 8-26 = 121.00 = 121.00
65.22 @ 6-33 = 64.79
65.35 @ 7-27 = 64.80 = 64.79
185.79
.03
185.76

SET 1x2" N

SET BOAT SPK IN ROCK

T-56°

LEV. 22.56

22.56

1/4 COR. SET 3/4" I.P. CONC. PLUG L.A.CO ENGR TAG FLUSH TO 1/4 COR PG. 77

SET BOAT SPK. IN ROCK

534.43 PER F.B. 1476-82
534.49 - PER THIS PACE

525.71

SET BY SINGLE PROPORTION 1/4 DIST. BETWEEN 1/4 COR SEC. COR. ON SEC LINE

18.6

NOTE: FD. ROTTED 1x2" N. REMOVED SAME (NO REF.)

348.73

T-62°

90° 104.17 @ 10-45 = 102.34
103.93 @ 10-04 = 102.33
LEV.
102.34
246.44
348.78
.05
348.73

SECTION LINE

SET 1" IRON PIN P.M. IN CIR.

FD 1x2" N F.B. 1476-82

⊕	90	49	20
⊕	363	17	50
⊕	184	56	30
	90°	49'	25"

1664.86 TO SEC COR. PER F.B. 1476-82

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B 296/
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 00 55 84 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date FEB '65
Indexed C. J. GALU

F. B. 3208 PG. 77

T 5 N
R 14 W
SEC 26

SEE PG 61

LINE A
S43.77 TO GEN SEC. PG. 61

3.00

21+24.36
T.O. NAIL TOP ROCK
P.O.C. CROP
PG. 61

T = 68°

77.74 @ 4-01 = 77.54
77.67 @ 3-28 = 77.53
38.50 @ 15-10 = 37.16
38.54 @ 15-22 = 37.16
114.67

77.53
37.16
114.69
.02
114.67

SEC 26

WEST

SET "PK" CONC. NAIL IN SANDSTONE

16.25

20+09.69
SET 1X2 N.

3.00

20+09.69
SET 1X2 N.

0.18

8.59

0.95

FD LEAD & TACK
NO TAG
(NO REF.)
SEE PG 78

20+01.10
1/4 COR
SET
VR-2

2.88

3' OFFSET

1/4 DIST. BETWEEN CENTER SECTION 26 & 1/4 COR SEC 26 & 27 ON E-W. & SEC 26

SET L&T. - L.A.Co. ENGR TAG S. FACE ROCK OUTCROP

SET "PK" CONC. NAIL IN SANDSTONE

EAST

SEE PG 60

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE #310 6-62

F. B. 3208 Pg. 78

TO 1/64 COR. Pg. 76

T5N
R14W
SEC 26

T-62°
LEV 26.33

Fd. 6" Boat Spke W. Pg 80

Pg 80
640.98 TO P.I 33A

E. ESCONDIDO CYN RD.
SEE Pg 80

26.33

SET 1X2 S.N.

6"

0.5

26.52

0.85

FDG 1½" I.P. WOOD PLUG UP .5"

5 STRAND BARB WIRE FN.

T-62°
234.51 @ 3-27 = 234.09
234.50 @ 3-24 = 234.09
234.09 - .03
234.06

224.5

280.92

0.65

N. FACE OF SANDSTONE OUTCROP

1/64 COR. SEE Pg. 77

Fd. L&T, LA CO. ENGR TAG IN SANDSTONE OUTCROP - S. FACE

37"

SET L&T, LA. CO. ENGR TAG TOP ROCK OUTCROP

NOTE: THIS 1/64 COR. CANNOT BE OCCUPIED BY TRANSIT - ANGLE W. CALCULATED IN N.W. QUADRANT FROM N & W

20.53

E-W ¢ SEC
Pg. 61, 77

26

T-68°
55.62 @ 23-00 = 51.20
55.23 @ 22-07 = 51.17
54.93 @ 21-20 = 51.17
51.17
.01
51.16

51.16

T-68°
LEV 30.63

30.63

SET 1X2 N. CHAINING PT. ONLY

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS
Map No. B2961	JN 0055.84 Tape 175 Std 84 °F
Office Work G. H. BOYER	Surveyed by C. L. WRIGHT
Checked Brenner	Notes C.L.W. Date FEB '65
Date OCT. 1965	Indexed C. J. GALLI

F. B. 3208 PG. 79

VASQUEZ ROCKS REGIONAL PARK

A PORTION OF

ESCONDIDO CYN. RD. BETWEEN P.I. 33A & 32A

J.N. 0055.84

REFERENCES:

RD. DEPT. F.E. 515

C.S.B-185-2

C. L. WRIGHT
S. R. YASUI
B. T. HEAVY
T. H. KENNEY
H. B. MITCHELL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

"PLEASE RETURN TO"
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 8-62

F. B. 3208 PG. 80

SEC 26

T5N R14W

FD. 2x2 CN PER RO DEPT F.B. 515-104 TANG. TIES

41.95 — 32.05 — 83.37 R — 83.36

PI # 32A SET FROM TIES
SET 3/4" I.P. CONC. PLUG
L.A. CO. ENGR TAG
DN 12" LT

182.24

182.43 @ 2-08 = 182.26
182.38 @ 2-09 = 182.25
182.25 / .01 / 182.24

FD BOAT SPK W/ PT. FLUSH IN PVMT. (RECENT POINT)

0.03

207.72 @ 1-90 = 207.63
207.74 @ 1-54 = 207.64
207.63 / .01 / 207.62

POST - 32-A
SET 6" BOAT SPK & T. BY INT. FLUSH

207.62

TO 1/4 COR. PG. 77

02'-02"

115° 07' 02" P.I. 1030.91 PER C.S.B-185-2
1030.84 MEAS.

ESCONDIDO CYN RD

T-76

204.37 @ 3-01 = 204.09
204.30 @ 2-39 = 204.08
204.08 / 436.93 / .01 / 640.98

640.98

TO 1/4 COR. PG. 77

115° 07' 02"

155° 44' 15"

P.I. - P.T.

EAST-WEST & SEC 26

FD. OLD 1" I.P. BENT OVER FB. 1657-71
RD DEPT F.B. 515-103

PI # 33 A
SET 3/4" I.P. CONC. PLUG
L.A. CO. ENGR TAG
DN 12" LT
TRAV. FILL
RECORD FROM 1/4 COR. PER C.S.B-185-2

154°-00'-30" R

154°-00' CALC.

75.60

P.C.S.T.
FD. 6" RDDEPT SPK 3" BELOW PG 60

86.52 REC. PER C.S.B-185-2

T 76

LCV 75.60

10.92

P.O.S.T. VRL

1/4 1/4 COR. PG. 60
FD. 1 1/2" I.P. CONC PLUG - L.A. CO ENGR TAG. DN 8"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS
Map No. B-2961	JN 00 55 84 Tape 175 Std. 84 °F
Office Work G. H. BOYER	Surveyed by C. L. WRIGHT
Checked Brenner	Notes C. L. W Date FEB '65
Date Oct. 1965	Indexed G. J. GALLI JAN 26 '65

F. B. 3208 PG. 81

VASQUEZ ROCKS REGIONAL PARK

THE NORTH-SOUTH ¼ SEC. 35 - T5N R14W FROM THE NORTH-WEST'LY R/W LINE - ANTELOPE VALLEY FREEWAY NORTH TO THE NORTH ¼ COR - SEC 35 T.5N. R.14W.

J.N. 00 55 84

REFERENCES:

F.E. 599 C.S. B-900-1
F.B. 98
CALIF. DIV. HIGHWAY MAP MM 432

PARTY:
C.L. WRIGHT
C.R. YASUI
D.A. PEAVY
T.H. KENNEY
H.B. MITCHELL

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE #310 6-62

F. B. 3208 PG 82

CONT. BOT PG 83

T 5 N
R 14 W
SEC. 35

W.S. 78 D-7

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

(VR-15)

STATE OF CALIFORNIA
R/W
DIVISION OF HIGHWAYS

1/4 SEC
S 35
S 35
LINE

NORTH - SOUTH ℄

75.05

0+00 NORTH

SEC 35

T = 58°

146.22 @ 1°03' = 146.20
146.26 @ 1°18' = 146.22 ± 146.21
02
146.19

146.19

FD. STATE HI-WAY BRASS CAP MON.
PER. MM-432
NO REF.

K-7
SET 1X2 ℄ N

T = 58°

85.14 @ 5°80' = 84.82
85.04 @ 4°10' = 84.82 ± 84.82
01
84.81

84.81

K-6
SET 1X2 ℄ N

SEE PG. 108-110
FOR THIS LINE

1/4 COR

FD. 2" IP. & BRASS CAP
SET IN CONC.
C.S.B. 900-1
F.B. 100-107

MARKED

COUNTY SURVEYOR'S
TSN
SEC. 35
SEC. 2
1/4 SEC. COR.
T4N
MONUMENT

Notes Ck'd by Brenner
Map No. B-2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 00558 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W Date FEB '65
Indexed C. J. GALLI

F. B. 3208 PG. 83

CONT. BOT PG 84

T 5N
R 14W
SEC 35

NORTH
173.61

4+49 43
K-11
SET 1X2 N
TOP NORTH BRK

T-74°
LEV 27.42
17.35
44.77

SOUTH
447.7

K-10
SET 1X2 N
4+04 66

T-74°
180.29 @ 2-15 = 180.15
180.32 @ 2-26 = 180.16
180.16
01
180.15

180.15

K-9
2+24 51

FD. L&T TOP ROCK - TOP BRK.
NO REF
001

T-76°
151.05 @ 8-16 = 149.48
151.18 @ 8-38 = 149.47
149.47
01
149.46

SEC.
149.46

0+75 05
K-8
SET NAIL
IN ROCK

T=58
78.65 @ 17°23' = 75.06
78.40 @ 16°47' = 75.06
75.06
01
75.05

75.05

CONT TOP PG 82

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S CE #310 6-62

CONT. FROM PG 85

F. B. 3208 PG. 84

T-5-N
R-14-W
SEC 35

W.S. 78 D-6

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

100.28

10+46.90
K-13
SET 1X2" N
TOP BRK

T-74°
220.28 @ 15-40 = 212.10
220.00 @ 15-25 = 212.08
213.77 @ 7-47 = 211.80
CHAINED TWICE

212.09
211.80
423.89
03
423.86

NORTH 212'

423.86

ROAD

20' DIRT

SOUTH

(VR-11)
6+36.87 NORTH
CTR. SEC. 35
SET "IP" BY
LT. PG. 93
(1/4 COR.)

E-W ℄

SEC 35
SEE PG 93

13.83

6+23.04
K-12
SET 1X2½ N

T-74°
146.02 @ 26-24-30" = 130.78
146.37 @ 26-42-20" = 130.764
LEV

30.77

42.85
173.62
01
173.614

SEC 35

173.6

CONT TOP PG 83

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS	F. B. 3208 PG. 85
Map No. B2961	JN 0055.84 Tape 175 Std 84 °F	
Office Work G. H. BOYER	Surveyed by C. L. WRIGHT	T 5 N
Checked Brenner	Notes C. L. W. Date FEB '65	R 14 W
Date Oct. 1965	Indexed C. J. GALLI	SEC. 35

CONT. BOT. PG. 86









CONT. TOP PG 84

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

CONT. FROM Pg 87

F. B 3208 PG 86

T 5 N
R 14 W
SEC 35

NORTH 113.45

T-72°

114.03 @ 5-44 = 113.46
113.97 @ 5-23 = 113.47

113.46
.01
113.45

22+08 49
K-18
SET 1X2 & N

SOUTH 80.23

T-72°

81.41 @ 9-44 = 80.24
81.24 @ 9-01 = 80.24

80.24
.01
80.23

21+28 26
K-17
SET 1X2 & N

T-74°

01 178.18 @ 14-29 = 172.52
178.43 @ 14-47 = 172.52

172.52
01
172.51

NOTE: SEE Pg 104 FOR ANGULAR TIES

2.10

FD. WIRE SPK. (10d) IN SANDSTONE NO REF.

172.51 N

TO Q-1 - Pg 103 LINE

TIE

20+70 11
K-17A
SET 1X2 & N

19+55 75
K-16
SET 1X2

6.90

6' OFF SET K-16 1X2 & N

T-88°

5G 121.15 @ 9-97 = 119.39
121.21 @ 10-02 = 119.38

119.38

NOTE: SEE Pg 123 FOR LINE GOING WEST FROM 1/4 & 1/4 COR

4.18

S 0.07 W

0.05 E

19+50 73
1/4 & 1/4 COR
SET 1" I.P. CONC. PLUG L.A.CO. ENGR TAG
1/2 DIST. BETWEEN N. 1/4 COR & CEN. SEC. ON N-S C. SEC 35
SET FLUSH

R-10

FD. 2X2 & TAG NO REF. LS. 2991 FD DISTURBED

SEE Pg 103, 132 FOR THIS LINE

2.06

2.30

FD ½" I.P. - NO PLUG, NO REF.

T-72°

WINDY

5 177.08 @ 5-38 = 176.22
177.18 @ 5-54 = 176.24
7 255.03 @ 7-09 = 253.05
255.13 @ 7-22 = 253.02

176.23

253.03
429.26
03
429.23

SEC 35

429.23' T

CONT. TOP Pg. 85

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B 2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 0055.84 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date FEB. 65
Indexed G. J. GALLI

F. B. 3208 PG. 87

T 5 N
R 14 W
SEC 35



CONT. BOT PG 88

T = 64°

9	119.03 @ 4°18	= 118.69
10	119.06 @ 4°30	= 118.69
11	287.74 @ 1°17	= 287.67
12	287.80 @ 1°33	= 287.69
13	278.59 @ 2°41	= 278.28
14	278.63 @ 2°58	= 278.26

118.69
287.68
278.27
684.64
684.55

684.55'

NORTH

25+80.03 — SET NAIL - TOP ROCK

T - 68°

CHAINED TWICE
111.59 @ 6-29 = 110.88
01
110.87

SOUTH

110.87

0.03

24+71.68 — FD. LARGE "PK" NAIL 2.52 TOP ROCK NO REF.

24+69.16 — SET NAIL TOP ROCK

T 70°
LEV. 39.43

39.43

24+29.73
K - 20
SET 1 X 2 N.

T - 70°

15	108.06 @ 3-56	= 107.80
16	108.15 @ 4-32	= 107.81

107.80
01
107.79

23+21.94
K - 19
SET 1 X 2 N

113.45

CONT. TOP PG 86

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 78 D-6

T5N
R14W

F.B. 3208 PG 88

SEE PG. 14 FOR THIS LINE

SURVEYOR'S MONUMENT

COUNTY SURVEYOR
T 5 N
R 14 W
26
35
R.E.

FD 2" I.P. & BRASS CAP SET IN CONC. PG 50

F.B. 599-56
C.S.B. 900-1
F.B. 98-117

SEC. 26

SEC. 35

LINE SEE PG 50

32+64.98 NORTH

N. & S. & SEC 35

684.55
PG 87

SECTION SEE PG 49

94° 28' 15"
94° 17 30
206 52 49
100

CONT. TOP PG 87

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS	F. B. 3208 PG. 89
Map No. B-2961	JN 005584 Tape 175 Std 84 °F	
Office Work G. H. BOYER	Surveyed by C. L. WRIGHT	
Checked Brenner	Notes C.L.W. Date MARCH 65	
Date Oct. 1965	Indexed G. A. GALLI	

VASQUEZ ROCKS REGIONAL PARK THE EAST-WEST ℄, SEC 35-T5N R14W J.N. 005584 ALSO THE NORTH ½ OF THE EAST LINE OF SEC 35, T5N, R14W

REFERENCES

F.B. 98

C.S. B-900-1
C.S. 8754
CALIF. DIV. HIGHWAY MAP (M.M. 432)

PARTY
C.L. WRIGHT
H.C. HUBBARD
R.D. ANDERSON
B.A. PEAVY
H.B. MITCHELL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE #310 8-62

F. B. 3208 PG 90

CONT. BOT PG 91

T 5 N
R 14 W

W.S. 78 D-6

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

110.46

T-54°
116.09 @ 17-54 = 110.47
115.75 @ 17-20 = 110.49
= 110.48
.02
110.46

9+08.93 L-4 SET 1X2 C.N. TOP BRK

T-54°
S 19 230.84 @ 19-12 = 218.00
~~230.60 @ 19-00 = 218.04~~ = 218.00
E 230.78 @ 19-10 = 217.99
~~225.41 @ 18-33 = 221.66~~

684.85

S 19 225.46 @ 10-34 = 221.64
20 225.38 @ 10-28 = 221.63 = 221.63
21 113.76 @ 1-15 = 113.73
22 113.77 @ 1-36 = 113.73 = 113.73
LEV 58.80

23 73.01 @ 4-04 = 72.83
24 73.03 @ 4-24 = 72.81
72.82 WINDY PLATE
684.98
.13
684.85

2+24.04 L-3 SET 1X2 C.N. ON S.H.

0.14

T-54°
25 87.16 @ 11-53 = 85.29
26 87.20 @ 12-00 = 85.29
85.29
.02
85.27

1+45.91 FD 1X2 C.N. NO REF.

85.27

6.20

1+38.81 L-2 SET 1X2 C.N.

T-54°
29 49.83 @ 21-27 = 41.72
41.72

28 44.46 @ 20-12 = 41.73
27 179.91 @ 18-10 = 166.19
30 175.03 @ 18-16 = 166.2
166.20
207.92
.04
207.88

VR-12)

FD. C.S. MON - 2" IP & BRASS CAP SET IN CONC. 1/4 COR
C.S.B. 900-1
F.B. 98-112, 120

0+00 E.

SEC 35

207.88

138.81

NOTE: SEE PG 112 FOR SEC LINE NORTH OF 1/4 COR LINE

SEC.

SURVEYOR'S MONUMENT
COUNTY
T 5 N
R 14 W
M 34 + 35
1/4 SEC. COR.

SEC 34

T 54°
LEV. 69.08
.01
69.07

69.07

SET 1X2 C.N. LINE PROD. FROM EAST

Notes Ck'd by Brenner	Survey of VASQUEZ ROCK	F. B. 3208	PG. 91
Map No. B2961	JN 0055.84 Tape 175 Std 84 °F		
Office Work G. H. BOYER	Surveyed by C. L. WRIGHT		
Checked Brenner	Notes H.C.H Date MAR 65		
Date Oct. 1965	Indexed G. J. GALLI		

T 5 N
R 14 W SEC 35

TO BOT PG 92

439.58'

12+70.89 L-8
SET 1X2 E.N

6.19'

SET ½ DISTANCE BETWEEN WEST ¼ COR & CEN. SEC. & ON E-W ℄ SEC. 35
(VR-14)
1/16 COR
SET ¾" I.P. CONC. PLUG & LA CO. ENGR. TAG 3" UP 12+64.70

12+64.70

0.09

FD 1" I.P. - MOUND OF ROCK UP 9" 12+64.61
DISTURBED - REMOVED
NO REF.

SEE PG 118

103.63'

109.25 @ 18°26' = 103.64'
108.98 @ 17°53' = 103.65'
~~108.94 @ 17°54' = 103.67~~
103.65 @ T 54° = 103.63'

11+67.26 L-7
SET 1X2 E.N
TOP BRK

58.47'

33 58.54 @ 2°33' = 58.48'
34 58.60 @ 3°39' = 58.48'
58.48 @ T 56° = 58.47'

FD 1X2 E.N. 11+15.04
TOP RIDGE
6.25'

11+08.78 L-6
SET 1X2 E.N
TOP RIDGE

89.40'

35 90.93 @ 10°30' = 89.41'
~~91.01 @ 10°40' = 89.44~~
36 90.90 @ 10°22' = 89.42'
89.42 @ T 56° = 89.40'

10+19.39 L-5
SET 1X2 E.N
TOP BRK

SEC 35 OF E-W ℄

110.46'

CONC TOP PG 90

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #310 6/63

F. B. 3208 Pg 98

To BOT PG 93

T5N R14W
SEC 35



24+33.38E L-11
NOTHING SET

0.02' Fd PK & T
No REF

T 70

37 176.48 @ 5°19 = 175.72 → 175.72
38 176.50 @ 5 24 = 175.72
39 251.19 @ 26°50 = 224.68 → 224.68
40 251.35 @ 26 38 = 224.68
400.40
-.04
400.36

20+33.02E L-10
Fd CROSS IN ROCK
No. REF.

T = 66°

LEVEL
41 286.27 @ 15°00 = 276.52 → 46.09
42 286.04 @ 14 51 = 276.49 → 276.50
322.59
-.04
322.55

17+10.47E L-9
SET IX2"N

T = 66°

LEVEL
LEVEL
43 228.16 @ 13°01 = 222.24 → 63.86
44 228.36 @ 13 17 = 222.05 → 53.53 → 222.24
439.63
-.05
439.58

To TOP PG 97

LOS ANGELES COUNTY ENGINEER
PLEASE RETURN TO
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B 2961
Office Work G. H. BOYER
Checked Brenner
Date Oct 1965

Survey of VASQUEZ ROCK
JN 2055.84 Tape 175 Std 84 °F
Surveyed by C.L. WRIGHT
Notes H.C.H Date MAR 65
Indexed C. J. GALLI

F. B. 3208 Pg. 93

TO BOT PG 94

D 93°47'40"
#15 10 40
93 47 40
#46 202 46 10
AVE 93 47 41⅓

93°47'40"

6.16.18'

P.O.L.

1.90'

(VR-11)
CENTER SEC 35
T.5N R.14W
SET 3/4" I.P. CONC PLG
& L.A. Co. ENGR. TAG, BY
INT. BETWEEN E-W
¼ CORNER & N-S ¼ CORS.
3" UP
25+29.40 E

LEVEL
13.83 @ T74° = 13.83'

W-S ¼ OF SEC 35

1383'

K-12 1X2E N
SEE PG 89

6.56' LEVEL @ T74° = 6.56'

6.56'

25+22.84 E L-12
SET 1X2E N

89.46' E-W ¼ OF SEC 35

#5 97.52 @ 23°26' = 89.48
#6 97.81 @ 23°56' = 89.47 @ T74° = 89.46'

TO TOP PG 92

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

W.S. 78 D-6

76F309S CE #310 6-62

F. B. 3208 Pg 94

TO BOT PG 95

NOTE: SEE PGS 102 & 127 FOR LINES GOING NORTH & SOUTH FROM THIS 1/4 COR.

SET 1/2 DIST. BETWEEN CEN SEC. & EAST 1/4 COR SEC 35 ON E-W &

456.39'

PQL SET 1X2 & N

VR-16

1/16 COR 38+53.98
SEC 35 T5N R14W
SET 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG. 4" UP. IN CENTER OF OLD ROCK MOUND. 2" I.P. WAS LYING BESIDE ROCK MOUND. (CS 8754)

1.76'

38+52.22 E L-16 SET 1X2 & N

207.11'

20.71 LEVEL @ T52° = 20.71'

38+31.51 E L-15 SET 1X2 & N

204.02 LEVEL @ T52° = 203.98
118.96 LEVEL @ T52° = 118.94
49 299.80 @ N29 = 293.80 = 293.80 @ T50° = 293.74
48 299.89 @ N34 = 293.80
616.66

616.66'

32+14.85 E L-14 SET 1X2 & N

49 69.84 @ 7°06' = 69.29 = 69.29 @ T50° = 69.27
50 69.82 @ 6°59 = 69.30

192.67'

31+45.58 E L-13 SET 1X2 & N

51 54.98 @ 19°02 = 51.97 = 51.97 @ T50° = 51.96
52 54.70 @ 18°08 = 51.98

53 54.43 @ 27°51' = 48.13 = 48.13 @ T50° = 48.12
54 54.32 @ 27°37 = 48.13

55 296.90 @ 12°32 = 289.82 = 289.82 @ T50° = 289.76
56 297.00 @ 12°37 = 289.83

616.18'

E-W & SEC

59 50.07 @ 17°40 = 47.71 = 47.71 @ T48° = 47.70
58 50.36 @ 18°41 = 47.71

178.68' LEVEL @ T48° = 178.64
616.18

TO TOP PG93

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B 2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 00554 Tape 175 Std 84 °F
Surveyed by C. J. WRIGHT
Notes H.C.H Date April 65
Indexed G. J. GALLI

F. B. 3208 PG. 95

TO BOT PG 96

SEC 35 T5N R14W

447.49

59 94.72 @ 9°16' = 93.48
60 94.52 @ 8°30' = 93.48 — 93.48

61 280.48 @ 8°26' = 277.68
280.48 @ 8°48' = 277.95 = 277.69
62 280.56 @ 8°10' = 277.71

63 77.20 @ 8°02' = 76.44
64 77.05 @ 7°20' = 76.42 = 76.43

447.60 @ T46° = 447.49

L-17
SET IX 24 N
43+08.61 E

PG. 102

65 257.55 @ 19°43' = 242.45 = 242.44
66 257.61 @ 19°46' = 242.43

104.19 LEVEL = 104.19
109.87 LEVEL = 109.87
456.50 @ T46° = 456.39

TO N-5

456.39

E-W E OF SEC 35

24° 59' 15"

TO TOP PG 94

24 59 10
99 55 88
149 55 30
24° 59' 15"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE #310 8-62

F. B. 3208 Pg. 96

T 5 N

R 14 W

SEC 36

(VR-19)

FD. B.C. MON.
CEM. IN BOULDER
FLUSH.
PER M.M. 432
STAMPED AS BELOW

(NO REF. TO MON.)

33.45@T69°=33.45'

SEE Pg. 222
FOR
CORRECT
STAMPING

STATE OF CALIFORNIA DIVISION OF HIGHWAYS
T 5 N
1/4 SEC
35 | 35
LINE
R 14 W

FD. LET IN CONC.
PAVEMENT OF A.V.
FREEWAY.
PER (NO REF.)

(VR-18)

.02'

1/4 COR
T5N R14W SEC 35 & 36
NOTHING SET
0100N
511+78.56 E

SET L & LA. CO.
ENGR TAG IN
BOULDER FLUSH

241.19'

32 5.54' CALC

33.45

E LINE SEC 35

TO BOT PG 97

① 128° 53' 10"
② 155 32 10
128 53 02½
③ 53 18 00
128 53 00

128°

53'

08"

13+25.54

SET
1X2"N

SEC 35

① 79° 24' 20"
② 317 37 10
79 24 17½
③ 116 25 30
79 24 15

79°24'15"

8.62

2.37

CALC.

375.23' CALC.

67 160.69@12°22 = 156.96 = 156.97@T50°=156.94'
68 160.57@12°08 = 156.98

60 216.98@14°13' = 210.33 = 210.33
70 217.15@14°23 = 210.34

113.87@T °= 113.87
324.20@T52°=324.13'

50°

130°

47.24 LEVEL @T46=47.23'

47.23'

SET
1X2"N
48+03.33E

(VR-17)

(No REF. TO MON.
FD. B.C. MON
IN CONC. FLUSH
PER M.M. 432
STAMPED AS SHOWN
47+56.10E

STATE OF CALIFORNIA DIVISION OF HIGHWAYS
T 5 N
1/4 SEC
35 | 35
LINE
R 14 W

E-W ℄ SEC. 35

447.99'

① 137° 30' 50"
② 190 03 30½
137 30 52½
③ 105 05 10
137 30 51½

TO TOP PG 95

U.S. 64
W.S. 78 D-6

LOS ANGELES COUNTY ENGINEER

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by: BRENNER	Survey of: VASQUEZ ROCK	F.B. 3208	PG. 97
Map No: B296-1	J.N. 0665AA Tape: 175 Std: 84 °F		
Office Work: G. H. BOYER	Surveyed by: C.L. WRIGHT		
Checked: BRENNER	Notes: H.C.H Date: APRIL 65		
Date: Oct. 1965	Indexed: R. J. GALL		

TO BOT PG 98

183.12'

M-2
SET IX2 ON

11+13.34

71 186.99 @ 6 22' = 185.84
72 186.95 @ 6 16 = 185.83 = 185.83 @ T 56° = 185.80

71 269.63 @ 3 1 06 = 230.88
74 269.51 @ 3 1 03 = 230.89 = 230.88 @ T 54° 230.83

75 156.45 @ 33 48 = 130.01
76 156.23 @ 33 58 = 129.99 = 130.00 @ T 56° = 129.98

546.61

546.61' E ALONG SEC 36

SEC 35

SEC 36

M-1
SET L&T

5+66.73

77 232.42 @ 11 59 = 227.36
78 232.65 @ 12 15 = 227.35 = 227.35

LEVEL

13.89
241.24 @ T 50 = 241.19'

241.19'

CONT TOP LEFT PG. 96

Note: Any Additions or Changes on This Sheet Must Be Made in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

70F3098 CE #3101 6/63

F: B 3208 PG 98

TO BOT PG 99

T 5 N
R 14 W

79 130.51 @ 2.32 = 130.38
80 130.46 @ 2.00 = 130.38 = 130.38

81 148.34 @ 4.59 = 147.78
82 148.38 @ 5.21 = 147.73
83 148.39 @ 5.07 = 147.80 = 147.79

84 274.42 @ 5.17 = 273.25
85 274.33 @ 5.01 = 273.28 = 273.26

86 65.15 @ 13.59 = 63.22
87 65.08 @ 13.98 = 63.20 = 63.21

LEVEL 23.41
638.05 @ T 60 = 637.95

NOTE: SEE PG 105 FOR LINE FROM M-4 INTO THE WEST.

637.95'

SEC 35

M-4
SET 1X2 & N

14+17.38

SEC. 35

SEC. 36

30.05

LEVEL
82 92.67 @ 21.28 = 92.89
83 92.75 @ 21.35 = 90.90 = 90.89

120.94 @ T 56 = 120.92

120.92'

13+00.06

POL
SET CROSS
IN ROCK

2.06'

17+98.00

(VR-20)
1/16 COR
ED LEAD NAIL & TAG REMOVED
REPLACED WITH L & LA.
CO. ENGR. TAG.
(THIS PT SET BY J. COATES)

1.54'

M-3
SET CROSS
IN ROCK

12+96.46

90 184.67 @ 7.22 = 183.15
91 184.81 @ 7.40 = 183.16 = 183.15 @ T 58 = 183.12

183.12'

TO TOP PG 97

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by: Brenner
Map No. B2961
Office Work: G. H. BOYER
Checked: Brenner
Date: Oct. 1965

Survey of: VASQUEZ ROCKS
JN 00554 Tape 175 Std 84 °F
Surveyed by: C. L. WRIGHT
Notes: H. C. H Date: APRIL 65
Indexed: E. J. GALLE

F. B. 3208 Pg. 99

T5N R14W SEC 25

SEC COR T5N R14W SEC 5,26,25,35,36 FD 3/4 IP & CAP CEM. IN ROCK. 8" UP STAMPED 26,25,35,36 PER C.S. 8754 FB 98-108, 118 C.S.B. 900-1 SEE PG 54 25+95.99

SEC 26

E-19 1X2 N SEE PG 53

Per Pg 53-54 563.40

SECTION LINE

145° 49' 35"

SEC 35

SEC 36

① 145 59 30
② 223 58 10
③ 155 57 30
145° 59' 35"

23+63.75

M-8 FD. N & T. NO REF

232.24

169.21

234.38 @ 743' = 232.26
234.53 @ 755' = 232.29
232.27 @ T64° = 232.24.

169.49 @ 3°05' = 169.24
169.54 @ 3°31' = 169.22
169.23 @ T62° = 169.21.

21+94.54

M-7 SET CONC. NAIL IN ROCK

128° 17' 17"

① 128 17 20
② 153 59 00
③ 49 43 40
128° 17' 17"

139.21

E. LINE SEC. 35

LEVEL 139.23 @ T62° = 139.21

20+55.33

M-6 SET L&T

LEVEL 9.82' @ T62° = 9.82'

9.82

20+45.51

637.95'

M-5 SET 1X2 N

TO TOP

PG 98

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

U.S. 64 A-6

76F309S CE #310 6-62

Notes Ck'd by Brenner — Survey of VASQUEZ ROCKS — F. B. 3208 PG. 101
Map No. B-2967 — J.N. 00 55.84 Tape 175 Std 84° F
Office Work G. H. BOYER — Surveyed by C. L. WRIGHT
Checked Brenner — Notes C.L.W. Date APRIL '65
Date OCT. 1965 — Indexed C. J. BALLI

Note: Any Additions or Changes on This Sheet Must ibe Made or Circled in Red Ink With Date and Name of Person Making Change.

LOS ANGELES COUNTY ENGINEER
PLEASE RETURN TO
403 Los Angeles County Engineering Bldg.
Do not extend this tab of this line.

VASQUEZ ROCKS REGIONAL PARK

THE SOUTH ½ OF THE NORTH-SOUTH ℄ & THE EAST ½ OF EAST-WEST ℄ N.E. ¼ SEC 35 T5NR14W

J.N. 00 55.84

NOTE: A TIE LINE WAS USED THRU THE EAST-WEST OF THE N.E. ¼ OF SEC 35 DUE TO INACCESSIBLE ROCK ON TRUE LINE.

PARTY
C. L. WRIGHT
R. D. ANDERSON
B. A. PEAVY
H. B. MITCHELL

1 of 2008 | CK #310 6-63

F.B. 3208 PG 102

Pg 103

T 5 N
R 14 W
SEC 35



7+83 74
N-6
SET CONC NAIL IN SANDSTONE OUTCROP

⌀ 118	41	40
@ 114	46	30
© 352	09	40
118°	41'	37."

#2

2+18 90
N-5
SET CONC. NAIL IN ROCK LEDGE

SEE PG
EAST - WEST

VR-16 SET 1" I.P. - PG 94
Y & V/A COR
38+53.98 E - 0+00.N.

94
SEC 35

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner — Survey of VASQUEZ ROCKS — F.B. 3208 PG. 103
Map No. B 2961 — JN 0055.84 Tape 175 Std 84 °F — T 5N
Office Work G. H. BOYER — Surveyed by E. L. WRIGHT — R 14W
Checked Brenner — Notes C. L. W Date APR 65
Date OCT. 1965 — Indexed C. J. GALLT

SEC 26

SECTION — SEC 35 — LINE

1/4 1/4 COR — FD 3/4" I.P. CONC. PLUG LAG & END TIE PK 62 (VR-23)
Q-1 SET 1x2 5 N. BY INT
TIE — LINE
85° 37' 13"
@ 85 37 10
@ 392 29 00
@ 153 43 20
85° 37' 13"

TO K-17A PG 86, 106
SEE PG 144 FOR ELEV.
4' WWFN.
13+19.83 SET NAIL IN SANDSTONE OUTCROP
TO 1/4 1/4 COR PG. 86, 106, 132
1/4 1/4 COR SET LEAD & TAG LA CO ENGR IN ROCK OUTCROP 13+06.10 (VR-21)
12+57.34 N-7 SET NAIL IN SANDSTONE OUTCROP

T 88°
6 108.85 @ 13-56 = 105.65
7 109.01 @ 14-16 = 105.65 = 105.65
14+25.48 N = 0+00 E
SEE PG 104

NOTE: SEE PG 132 FOR POINTS SET WEST OF THIS 1/4 1/4 COR.

1/4 1/4 SEC LINE
E. W. & NE 1/4 SEC 35
FD. 60d WIRE SPIKE — POINT UP NO REF.
T 88°
8 66.42 @ 19-98 = 62.49
9 66.82 @ 20-44 = 62.49 = 62.49

T 76°
10 281.29 @ 3-03 = 280.89
11 281.31 @ 3-11 = 280.88 = 280.88
12 52.30 @ 17-04 = 50.00
13 52.65 @ 18.15 = 50.00 = 50.00
14 142.76 @ 0-59 = 142.74
15 142.78 @ 1-20 = 142.74 = 142.74
473.62
02
473.60

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this tie line.
PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.
JOHNSON CE #310 6-65

CONT FROM PG 105

F.B. 3208 PG 104

T 82°

16 118.66 @ 8-13 = 11744
19 118.57 @ 7-50 = 11746

11745

① 88 43 00
④ 354 52 00
⑥ 172 17 50
188° 42' 58"

T 15N R14W

CONT TO RIGHT PG 105

88°

42'

58"

T-80°

18 46.23 @ 18-54 = 43.14
19 45.85 @ 17-29 = 43.73

43.73'

4+75.93
Q-4
SET NAIL IN ROCK

43.73

T-80°

LEV. 30.98

4+75.93
43.73' OFF Q-4
SET 1X2 P.N.
N. EDGE DIRT RD.

4+44.98
Q-3
SET NAIL IN SANDSTONE OUTCROP

72.08

119.12

T-88°

3+72.87
Q-2A
SET 1X2 P.N.

SET L&T, LA.Co. ENGR. TAG IN SANDSTONE

208.90 @ 22-08 = 193.51
208.51 @ 21-52 = 193.51

193.52'

T-84°

22 72.18 @ 2-57 = 72.08
23 72.25 @ 3-49 = 72.09

72.08'

2+51.43
Q-2
SET "PK" CONS. NAIL IN SANDSTONE

T-88°

24 187.30 @ 5-27 = 186.45
25 187.25 @ 5-19 = 186.44

186.44

26 65.21 @ 4-51 = 64.98
27 65.28 @ 5-28 = 64.98

64.98

251.43

85°

251.43'

T-80°

SET L&T, LA.Co ENGR TAG PG. 103

SEE PG 103 NE 1/4 SEC 35

0+00 E
Q-1
SET 1X2 P.N. BY INT PG. 103

SEE PG 144 FOR ELEV.

① 85 37 20
④ 343 49 10
⑥ 153 43 40
85° 57' 17"

SEE PG. 132

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by Brenner | Survey of VASQUEZ ROCKS | F. B. 3208 Pg. 105
Map No. B296 | JN 00553 Tape 175 Std 84 °F
Office Work G. H. BOYER | Surveyed by C. L. WRIGHT
Checked Brenner | Notes C. L. W. Date APRIL '65
Date Oct. 1965 | Indexed C. J. GALLI

T 5 N
R 14 W

(VR-20)
1/4 COR.
FD. L.S.T. LAND ENGR. PG 98

FD 1X2 SN
PG 98

M-4

SEC 25

119.38 PG. 98

SECTION LINE

37+27.38 E

SEC 26

193.32

T-80°
LEV 193.33
or
193.32

11+33.96
Q-1
SET 1X2 SN

T-80°
28 144.54 @ 7-12 = 143.40
29 144.65 @ 7-32 = 143.40

143.40

9+90.56
Q-6
SET 1X2 SN

T-80°
30 201.66 @ 17-37 = 192.20
31 201.54 @ 17-3 = 192.19
192.18

192.19

7+98.38
Q-5
SET 1X2 SN.

43.73

7+98.38
43.73 OFFSET - Q-5
SET 1X2 & N.
75.36
SET 1X2 SN

T-80°
LEV 43.73

T-76°
LEV. 84.46
3/4" I.P. CONC. PLUG
L.A.CO ENGR. TAG

84.46

49.83

SET
T-80°
LEV

32 272.98 @ 2-53 = 272.63
33 273.00 @ 2-58 = 272.63

272.63

322.46
.01
322.45

CONT TOP RIGHT Pg 104

CONT. TOP Pg. 104

NOTE: THE EAST-WEST 1/4 SEC. LINE PASSES OVER, IN ACCESSIBLE ACRES, THE NE 1/4 OF SEC 35 → THEREFORE OFFSET TIE LINES

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change. Do not erase this side of this title.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7 of 3089 | CE #310 6-63

F.B. 3208 PG 106

T 5 N
R 14 W
SEC 35

? SET NAIL ON LINE

K-17
FD 1 x 2 ℄ N
PG 86

TIE

Pg 103
TO
Q-1

LINE

N-S ℄

NORTH 1/4 SEC 35

SOUTH 1/4 SEC 35

K-14
FD 1 x 2 1/4 N PG 85

①	90	52	40
④	365	51	00
⑥	185	16	40
	90°	52'	47"
①	2	01	00
④	20	00	10
⑥	20	00	30
	5°	01'	03"

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brammer	Survey of VASQUEZ ROCKS	F.B. 3208	Pg. 107
Map No. B2961	J.N. 0055.84 Tape 175 Std 84 °F		
Office Work G. H. BOYER	Surveyed by C. L. WRIGHT		
Checked Brammer	Notes C. L. W. Date MAY '65		
Date Oct. 1965	Indexed G. J. GALLO		

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

VASQUEZ ROCKS REGIONAL PARK

THE EAST 1/2 OF THE SOUTH LINE OF SEC 35 T5N R14W

J.N. 0055.84

REFERENCES

C.S.B. 900-1 F.B. 98
F.B. 100

PARTY:
C.L. WRIGHT
B.A. PEAVY
H.B. MITCHELL

76F3095 | CE #310 6-63

F.B. 3208 PG 108



SEC 36

SEC 1

C.S.B. 900-1
F.B. 100-106, 107
F.B. 98-119
FD. C.S. MON - 2" IP & BRASS CAP
SET IN CONC.

R14W

0+00

T-56°

37 76.74 @ 15-37 = 73.91
38 76.43 @ 14-41 = 73.90 = 73.90
36 2548.6 @ 10-11 = 250.85
35 255.14 @ 10-31 = 250.55 = 250.85
34 2666.74 @ 17-25 = 254.51
39 2666.56 @ 17-17 = 254.52 = 254.52

S79.27
S79.16

T2N
R3W

R-3
TOP BRK
SET 1X2 EN

S 79 16

T-60

40 213.29 @ 19-10 = 201.47
41 213.01 @ 18-57 = 201.47 = 201.47
201.44

R-4
SET 1.X2 EN
TOP RIDGE
E BRK

7+80.60

T-60°
LEV

12.28

R-5
SET 1X2 EN
TOP RIDGE
W. BRK

7+92.88

T-60

42 59.12 @ 20-46 = 55.28
43 58.71 @ 19-41 = 55.28 = 55.28
44 206.63 @ 20-56 = 192.99
45 206.43 @ 20-48 = 192.98 = 192.98
248.26
248.23

T2N
R4W

109

M.S. 69 4-9

LOS ANGELES COUNTY ENGINEER
PLEASE RETURN TO
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner | Survey of VASQUEZ ROCKS | F. B. 3208 PG. 109
Map No. B-2967 | JN0055.84 Tape 175 Std 84 °E
Office Work G. H. BOYER | Surveyed by C. L. WRIGHT
Checked Brenner | Notes C. L. W. Date MAY 65
Date Oct 1965 | Indexed C. J. GALLI

T 4 N
R 14 W

CONT BOT PG 108

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg. Do not extend this slab of this line.

T 5 N SEC 25

SEC 2

T 4

LINE A 2482.28

R-6 SET 1x2 P/N TOP BRK ON S.H.

10+41.41

T-66°

46 217.81 @ 19-25 = 205.42
47 217.45 @ 19-08 = 205.44 = 205.43
48 296.50 @ 15 29 = 285.74
49 296.65 @ 15 35 = 285.75 = 285.75
491.18
.06
491.12

13+19.50 1/4 1/4 COR

SEE PG 1220 FOR THIS LINE

491.12

1/4 1/4 COR. Pg. 1226 SET 1x2, 1/2 CO. ENGR TAC & NAIL

PG 1226 212.73

R-7 SET 1x2 P/N TOP BRK

15+32.23

T-68°

50 186.64 @ 13-10 = 181.73
51 186.42 @ 12-52 = 181.79 = 181.73
52 214.01 @ 6-16 = 212.73
53 214.06 @ 6-25 = 212.72 = 212.72
394.45
.04
394.41

394.41

R-8 SET 1x2 P/N TOP LOW SEAT

19+26.67

T-68°

54 251.39 @ 2-01 = 251.23
55 251.36 @ 1-52 = 251.23 = 251.23
.03
251.20

251.20

R-9 SET 1x2 P/N TOP SEAT

21+77.87

T-68°

56 153.68 @ 7-20 = 152.42
57 153.53 @ 6-50 = 152.44 = 152.43

FD. OLD 1x2 P/N IN ROCK RING NO REF.

341.50 TO SUNSHINE

58 190.43 @ 6-36 = 189.21 = 189.20
59 190.47 @ 6-38 = 189.19
341.63
.04
341.59

CONT. TOP Pg 110

7 OF 3088 | CE #310 6-63

F. B. 3208 PG 110

COL. T BOT. PG 109

R14W

W.S. 79 PL 6

SEC 27 T4N

LOS ANGELES COUNTY ENGINEER
PLEASE RETURN TO
4031 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

LINE 1
341.56

R-10
SET 1/2" IP & TAG
TOP BRK

25+19.46

I = 68°

1/4 54.69 @ 19-01 = 51.71
3/4 55.19 @ 20-27 = 51.71

E 51.71
.01
51.70'

R-11
SET 1/2" IP & TAG
TOP BRK

25+71.16

I = 68°

1/2 78.66 @ 30-29 = 67.85
3/4 78.15 @ 29-45 = 67.85

E 67.85
.01
67.84'

TOWNSHIP
4784

2+6+39.00

1/4 COR

FD. 2" I.P. & BRASS CAP SET IN CONC. MARKED

C.S.B. 900-1
F.B. 100 - 107

COUNTY SURVEYOR'S MONUMENT

TSN
SEC 35
SEC 2
1/4 SEC COR
T4N

Notes Ck'd by Brenner
Map No. B 2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
J.N. 0055.84 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W Date MAY '65
Indexed E. J. GALLI

F. B. 3208 Pg. 111

VASQUEZ ROCKS REGIONAL PARK

THE NORTH ½ OF THE WEST LINE - SEC. 35 T5N R14W

J.N. 0055.84

REFERENCES:

C.S.B-900-1 F.B. 98

Party
C. L. WRIGHT
R. D. ANDERSON
B. A. PENY
H. B. MITCHELL

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3068 CE #310 663

CONT. BOT. PG. 113

F.B. 3208 PG. 112

W. S. 78 D-6

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS
Map No. B296	JN 0055.84 Tape 175 Std 84 °F
Office Work G. H. BOYER	Surveyed by C. L. WRIGHT
Checked Brenner	Notes C. L. W. Date MAY '65
Date Oct. 1965	Indexed G. J. GALLI

F. B. 3208 PG. 113

T5N R14W

CONT. BOT. PG 114

586.59

13+85.78
S-3
SET 1X2" N

13+72.26
(VR-13)

13+35.53
1/2 DIST. BET. 1/4 COR & SEC COR.
SET "P.K." NAIL IN ROCK - TEMP. 1/4 COR

SEC 34

NOTE: SEE PG 124 FOR TIES

10+12.96
S-2
SET 1X2" N
NEAR TOE MAIN RIDGE

10+02.89
FD. 1X2" N
NO REF

FD. 1/4" IP CENT. PLUG & TAG N. (NO REF.)

FD. RR. SPK & W/P.M. NO REF.

OLD 3 STRAND BARB. WIRE FN. (MEANDERS)

SEC 35

SEE PG 118

72	34.89 @ 2-56 =	31.89	LEV	4.84	
73	34.52 @ 22-32 =	31.88		= 31.89	
				36.73	
75	178.57 @ 4-28 =	178.03			
76	178.60 @ 4-37 =	178.02		= 178.02	
75	195.30 @ 3-58 =	194.84			
77	195.25 @ 3-46 =	194.83		= 194.83	
				372.85	
				372.82	

①	8	15	30
④	33	01	50
⑥	49	32	50
	8	15	28

T = 78° LEV

78	180.21 @ 7-56 =	178.49		0.18
79	180.10 @ 7-40 =	178.49	=	178.49
80	114.81 @ 9-12 =	113.33		
81	114.91 @ 9-28 =	113.35	=	113.34
82	221.46 @ 7-05 =	219.77		
83	221.32 @ 6-49 =	219.76	=	219.76
				511.77
				511.75

8' 15' 28"

CONT. TOP PG 112

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

76F3098 CE #310. 9/63

CONT. BOT. PG. 115

F.B. 3208 PG 114

CONT. TOP PG 113

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by Brenner | Survey of VASQUEZ ROCKS | F.B. 3208 PG. 115
Map No. B 296 1 | JN 00558 Tape 175 Std. 84 °F
Office Work G. H. BOYER | Surveyed by C. L. WRIGHT
Checked Brenner | Notes C. L. W. Date May '65
Date Oct. 1965 | Indexed G. J. GALLI

T5N R14W

SEC 27 | SEC 26
SEC 34 | SEC 35

26+71.05 SEC COR

① 167 37 30
④ 310 30 00
⑥ 285 45 00
167° 37' 30"

E-4 FD 1X2 ⊙N PG 47

T-78°

CALC 82° 40' 42" 67.38 @ 27.21 = 59.85' = 59.84'
82° 43' 67.11 @ 26.55 = 59.84'

167° 37' 30"

① 95 09 10
④ 20 34 50
⑥ 210 55 20
95° 09' 13"

26+14.59
FD 0.42 x 2
⊙N
NO REF.
0.17

3.38

26+11.21
SET ¾ I.P.
1x2 ⊙N
TOP SCUR

COUNTY SURVEYOR'S MONUMENT
T5N R14W
27 | 26
34 | 35

T-78°

OLD FENCE
STDS. IN BOTTOM OF DRAW

95° 24' 142.79 @ 25.27 = 128.93' = 128.93'
95° 45' 142.31 @ 25.07 = 128.94'
101.15 @ 20.50 = 94.54'
CHAINED TWICE
241.78'
465.25
.02
465.23

0.23

21+78.20
FD. OLD 1X1 - NO NAIL, NO REF.

32.22

21+45.98
SET NAIL IN E. SIDE - 10" SCRUB OAK
UP 24"

T-78°

96° 97.00 @ 22.06 = 89.87'
CHAINED TWICE

178.68

W.S. 78 D-6

CONT. TOP PG 114

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310, 663

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS
Map No. B 296 1	J.N. 0055.84 Tape 175 Std 84 °F
Office Work G. H. BOYER	Surveyed by C. L. WRIGHT
Checked Brenner	Notes C. L. W Date MAY '65
Date Oct. 1965	Indexed G. J. GALLI

F. B. 5208 Pg. 117

VASQUEZ ROCKS REGIONAL PARK

THE NORTH ½ OF THE NORTH-SOUTH ¢ OF THE N.W. ¼ SEC 35 T5N R14W

J.N. 0055.84

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PARTY:
C. L. WRIGHT
R. D. ANDERSON
B. A. PEAVY
H. B. MITCHELL

76F-2095 CE #310 6/63

CONT. FROM PG 119

F.B. 3208 PG 118



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes

Notes Ck'd by Brenner
Map No. B2961
Office Work G. H. BOYER
Checked Brenner
Date Oct 1965

Survey of VASQUEZ ROCKS
JN 0055.84 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date JUNE 65
Indexed C. J. GALLI

F. B. 3208 Pg. 119

T 5N
R 14W
SEC 35

CONT. BOT. PG 120

T-4
SET 1X2" N
TOP BRK

10+07 31

T-64°

#3	184.78 @ 4-21 =	179.01	
2	184.61 @ 4-09 =	179.01	= 179.01

3	111.15 @ 15-32 =	107.09	
4	110.93 @ 15-09 =	107.09	= 107.09
	111.16 @ 15-33 =	107.09	

286.10
.04
286.06

T-3
SET 1X2" N
TOP RIDGE

7+21 25

T-62°

5	38.63 @ 4-28 =	38.51	= 38.51
6	38.59 @ 3-35 =	38.51	

.01
38.50

T-2
SET 1X2" N
TOP RIDGE

6+82 75

T-74°

7	220.52 @ 1-08 =	220.48	= 220.48
8	220.55 @ 1-21 =	220.49	

9	153.71 @ 2-34 =	153.56	= 153.56
10	153.69 @ 2-20 =	153.56	
11	111.14 @ 2-56	110.99	= 110.99
12	111.09 @ 2-22 =	110.99	

522.54
.03
522.51

CONT. TOP PG 118

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

75F3095 CE #310, 063

F.B. 3208 Pg 120

T 5N
R 14W

LOS ANGELES COUNTY ENGINEER
PLEASE RETURN TO
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

13724 26
1/4 1/4 COR
F.D. 3/4" I.P. CONC.
PLUG L.A.CO.
ENGR. TAG
Pg. 48

SEC 26

SECTION LINE

SEC 35

95.51'

25"

NORTH 5280.00' (BASIS OF BEARINGS)

T=62°

①	95	51	20
④	23	25	30
⑥	215	08	30
	95°	51'	25"

L13 52.86 @ 10-01 = 52.09
L14 52.89 @ 10-21 = 52.03 52.04
L15 52.78 @ 9-32 = 52.05

R 1642 79.91 @ 18-49 = 264.95' = 264.96
Z 1772 79.68 @ 18-30 = 264.97
= 79.91 @ 18-52 = 264.98

317.00
.05
316.95

W 1/4 SEC 35

CONT. TOP Pg 119

Notes Ck'd by Brenner
Map No: B 2961
Office Work G. H. ROYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 0055.84 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date JUNE '65
Indexed C. J. GALLI

F. B. 3208 Pg. 121

VASQUEZ ROCKS REGIONAL PARK

THE EAST ½ OF THE EAST - WEST ℄ OF THE NORTH WEST ¼ SEC 35 T5N R14W.

J.N. 0055.84

ALSO ADD'L. TIES ℄'S @ ¼¼ COR. ON SEC. LINE BET. SEC 34 ℄ SEC 35, NORTH HALF OF LINE = PG 124

PARTY:
C. L. WRIGHT
R. D. ANDERSON
B. A. PEAVY
H. B. MITCHELL

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3095 CE #3101 8-63

F. B. 3208 Pg 122

TSN
R14W
SEC. 35

U-2
SET 1"x2' PIPE IN HOLE ABOVE RIM ROCK

10+46.49
T - 52°
18 31.72 @ 8-96 = 31.40
19 31.59 @ 6-28 = 31.39
20 240.75 @ 7-04 = 238.92
21 240.88 @ 7-19 = 238.92

31.39
238.92
270.31
.06
270.25

270.25

SET NAIL & CHISEL ON RIM ROCK

7+76.24
T - 74°
22 290.71 @ 16-06 = 279.31
23 290.39 @ 15-53 = 279.30
~~290.71 @ 16-08 = 279.26~~

279.30
.03
279.28

279.28

SEC.

U-1
CUT + TOP SANDSTONE RIM ROCK

4+96.96
T - 72°
24 289.44 @ 15-48 = 278.50
25 289.27 @ 15-41 = 278.50
26 196.51 @ 22-40 = 181.33
27 196.88 @ 22-55 = 181.34

37.17
278.50
181.33
497.00
.04
496.96

496.96

N. 44. 1/4

WEST

CV.# 9
SET 1" IP. CONC. PLUG L.S. CO. ENGR. TAG - FLUSH BLIND PG. 118

SEE PG. 118
SOUTH ℄ NW 1/4 SEC 35

NORTH

EAST

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B-2961
Office Work G. H. BOYER
Checked Brenner
Date Oct 1965

Survey of VASQUEZ ROCKS
JN 0055.84 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date JUNE '65
Indexed C. J. GALLI

F. B. 3208 PG. 123

T 5 N
R 14 W
@ SEC 35

83 34 00
334 16 10
141 34 10
83° 34' 02"

T = 56°

28 84.76 @ 22-28 = 78.32 = 78.32
29 85.27 @ 23-17 = 78.33 .01
78.31

TO CTR. NE¼ SEC 35
FD. 1" IP
PG. 182

13+75.61
U-3
SET 1X2 LM
TOP BRK.

SET CONC. NAIL
IN SANDSTONE BOULDER

K-15
FD. 1½ IP
PG. 85

SET 1X2 LM

28.16

78.31

36.93

0°2'

-10°33'-55"

NORTH

SOUTH

℄ SEC 35

24.19

83° 34'

10 34 00
47 23 00
6 3 30
10° 33' 55"

0°1'

SET CONC.
NAIL IN
SANDSTONE
LEDGE

CALC.
94°

SEC 35

12+97.36
¼¼ COR
FD. 1" IP
CONC PLUG
L.A. CO ENGR
TAG
PG 86

T = 56°

30 125.38 @ 2-50 = 125.23
31 125.35 @ 2-28 = 125.23
125.23

32 220.00 @ 21-59 = 204.00
33 220.42 @ 22-15 = 204.01
204.01

329.24
.06
329.18

329.18

NW ¼

WEST

10+46.49

SET 1X2
SW.

270.25

EAST

Pg 122

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

94F3095 CE #310 6-62

F. B. 3208 Pg. 124

T5N
R14W



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B2961
Office Work G. H. BOYER
Checked Brenner
Date Oct 1965

Survey of VASQUEZ ROCKS
JN 0055.84 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date JUNE 1965
Indexed C. J. GALLI

F. B. 3208 Pg. 125

VASQUEZ ROCKS REGIONAL PARK

THE NORTH - SOUTH ℄ OF S.E. ¼ OF SEC 35 T5N R14W, ALSO ANTELOPE VALLEY FREEWAY R/W FENCE & SURVEY POINTS AS FOUND, BETWEEN THE NORTH-SOUTH ℄ SEC 35 & THE NORTH-SOUTH ℄ OF THE S.E. ¼ OF SEC 35 T5N R14W

J.N. 0055.84

REFERENCES:

CALIF. DIV. HI-WAY MAPS MM 432 & 455

C.L. WRIGHT
R.D. ANDERSON
B.A. PEAVY
H.B. MITCHELL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE #310 6-62

F. B. 3708 PG 126



⊕ 86	S8	50	34 208.80 @	T 80° LEV 14 - 55 = 201.76	10.98
◉ 347	S6	00			201.76
◎ 161	S3	50	1/8 208.61 @	14 - 43 = 201.78	212.74 N
86°	58'	58"			212.73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner
Map No. B2961
Office Work G. H. BOYER
Checked Brenner
Date Oct. 1965

Survey of VASQUEZ ROCKS
JN 00 55 184 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date JUNE 65
Indexed G. J. GALLI

F. B. 3208 PG. 127

T 5 N
R 14 W
SEC 35

FD 2 X 2 ⊙ N
M.M. 432
NO REF.

T-68°

47 183.85 @ 21-28 = 171.10
45 183.48 @ 21-09 = 171.12
= 171.11
.02
171.09

171.09

5 STRAND BARB WIRE FN.

FD. NAIL IN SANDSTONE
NO REF.

T-70°

42° 22" CALC. PG. 102

(VR-16)

1/4 COR
FD. 1" I.P.
CONC. PLUG
L.A.CO. ENGR
TAG
PG. 94, 102, 126

CALC. 466.51 M. S.

CALC. 130° 44' 00"

6°

178.03

LINE

38 160.12 @ 11-50 = 156.72
39 159.79 @ 11-15 = 156.72

156.72
LEV 21.33
178.05
.02
178.03

(SET 1 3/4" I.P. CONC. PLUG L.A.CO. ENGR TAG FLUSH BY INT. (V-9)

S.P.

1/4 SEC 35

35.92

12.43

473.21
485.64

29'
28"

T-70°
LEV. 1243.

T-70°
LEV 35.92

SET NAIL IN SANDSTONE

EAST-WEST 1/2 SEC. LINE

SET NAIL IN SANDSTONE

112°-45'-28"

21.33

T-66°

SET NAIL IN SANDSTONE

V-8

①	6	29	30
④	25	57	40
⑥	38	56	50
	6°	29'	28"
①	112	45	20
④	91	01	50
⑥	316	32	50
	112°	45'	28"

38 202.08 @ 17-16 = 192.97
39 202.31 @ 17-28 = 192.98
= 192.97

40 282.30 @ 6-49 = 280.30
41 282.42 @ 7-01 = 280.30
= 280.30
473.21
.06
473.27

188.79

TRANSIT

5 STRAND BARB WIRE FN.

T-70°

42 189.09 @ 3-08 = 188.81
43 189.04 @ 2-48 = 188.81
= 188.81
.02
188.79

FD. 2 X 2 ⊙ N
M.M. 455
CALIF. DIV. HIGHWAYS
NO REF.

6.2

CONT. ON BOT. PG. 128

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

7 OF 3095 CE #3 10 8-62

F. B. 3208 PG. 128

CONT. TOP PG 129



CONT ON BOT. PG 127

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner | Survey of VASQUEZ ROCKS
Map No. B-296 | JN 00 55 54 Tape 175 Std 84 °F
Office Work G. H. ROVER | Surveyed by C. L. WRIGHT
Checked Brenner | Notes C-K-LL Date JUNE 65
Date Oct. 1965 | Indexed C. J. GALLI

F. B. 3208 PG. 129

CONT. MID. LEFT PG. 128

T-76°
52 40.69 @ 18-10 = 38.66
53 40.31 @ 16-32 = 38.64
38.65

38.65
V-3
SET 1 X 2 LCN

S STRAND BARB WIRE FENCE

T-76°
54 297.17 @ 27-04 = 264.62
55 296.90 @ 26-58 = 264.62
264.62
264.61

FENCE
R/W
210.46
264.61
LINE

T-78°
56 55.84 @ 14-08 = 54.15
57 55.97 @ 14-38 = 54.15
54.15

V-4
SET NAIL IN ROCK
NOTE OVERLAP IN CHAINING
54.15
FL.

CUT ⊕ N.E. COR. HORIZONTAL STEEL "I" BEAM
25.26
V-4A
SET 6" BOAT SPK
DEBRIS CATCH BASIN STRUCTURE
CYN. FL.
WASH

83.33
N 30° 09' 00" E
269.18
TRANSIT

17.40
LAST POST AGAINST VERTICAL ROCK FACE

CUT ⊕ N.W. COR HORIZONTAL STEEL "I" BEAM

CONT. TOP PG. 130

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F9065 CE #310 6-63

F. B. 3208 PG. 130

CONT. FROM PG. 129

5 STRAND BARB WIRE FN.

T 5 N
R 14 W
SEC 35

T-74°

58 266.25 @ 24-44 = 241.83

~~266.09 @ 24-37 = 241.70~~

241.84

59 266.42 @ 24-48 = 241.85

66 28.73 @ 17-43 = 27.37

61 28.54 @ 16-28 = 27.38

27.38
269.28
269.18

269.18 LINE

24.6

V-5
SET NAIL
IN SANDSTONE

T-68°

62 137.15 @ 3-18 = 136.92

63 137.22 @ 3-46 = 136.92

136.92

136.91

V-6
SET 1X2 8N

	46	54	50
	187	39	30
	281	29	20

46° - 54' - 53 1/3" - 26"

N. S. ℄ SEC. 35

FD. CALIF. DIV. HIGHWAYS BRASS CAP MON. PG. 82 MAP MM 432

60° 48' CALC.

13° 53' 33"

67.32

18"

26.15

T-78°

64 66.85 @ 14-57 = 64.58

65 67.23 @ 16-09 = 64.58

LEV.

64.58

2.74

67.32

V-7
SET 1X2 8N
BY INT.

20.485 CALC.

46° 54' 53"

K-6
FD. 1X2 8N
PG. 82

T-18°

LEV 26.15

	13	53	30
	55	34	10
	83	21	20
	13°	53'	33 1/3"

TRANSIT

5 STRAND BARB WIRE FENCE

FD. NAIL IN SANDSTONE NO REF.

0°

25.00

CUT + IN SANDSTONE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by Brenner	Survey of VASQUEZ ROCKS		F.B. 3208 PG. 131
Map No. B2961	J.N. 005584	Tape 175 Std. 84 °F	
Office Work G. H. ROYER	Surveyed by C. C. WRIGHT		
Checked Brenner	Notes C. C. W. & J. GALU	Date JUNE '65	
Date Oct-1965	Indexed		

Notes: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE #310 663

VASQUEZ ROCKS REGIONAL PARK

ADD'L POINTS ON EAST-WEST ℄ N.E. 1/4 SEC. 35 T5N R14W FOR TRIG LEVEL CONTROL.

T.N. 005584

PARTY.
C. C. WRIGHT
H. C. HUBBARD
S. A. PEAVY
H. B. MITCHELL

F. B. 3208 Pg 132

T 5N
R 14 W
SEC 35



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 5000 PG. 133

Profile No. | Notes Red | Plotted | Job No. 0055.84 | Division No.
Date | Date | Survey of VASQUEZ ROCKS REG. PARK
X-Sec. No. | Notes Chkd. | Checked | Survey by C.L. WRIGHT Notes C.L.W. Date 22-JUNE '65
Date | Date | Map No. | Indexed G. J. GALLI Date

VASQUEZ ROCKS REGIONAL PARK BENCH LEVELS

~~F.N. 0055.84~~



Note: SEE PG 4 FOR HORIZONTAL CONTROL INDEX. SEE PG 148 FOR TRIG LEVEL INDEX.

PARTY:
C. L. WRIGHT
H. C. HUBBARD
B. A. TEALY
H. B. MITCHELL

REFERENCES:
F.B. 1476

STATION | B.S. | H.I. | F.S. | ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

76-L296 CE 307 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

Profile Plotted ____ Date ____ No. ____ X-Sec. ____ Notes Red ____ Date ____ Notes Chkd. ____ Date ____ No. ____ Division No. 55.84 Job No. 55.584 Survey of VASQUEZ ROCKS REG. PARK Survey by C.L.W. & C.L.W. Notes C.L.W. Date 22 JUNE '65 Indexed C. J. GALLI Date ____ F.B. 3208 Pg. 134

STATION	B. S.	H. I.	F. S.	ELEV.		
B.M. FD. N.C. 1047				2499.281	℄ INT. SIERRA HIGHWAY INT. W/ AGUA DULCE CYN. RD 2.01 MI. S'LY ON AGUA DULCE CYN. RD. OR ℄ INT. AGUA DULCE CYN. RD & DARLING RD. 0.27 MI. S'LY ON AGUA DULCE CYN. RD. & 26 ± FT. W'LY, OF ℄ & 110 FT. S'LY FROM PP # 747915E	
	0.973	2500.254				
T.P.			0.257	2490.997	FD. 2" I.P. & BRASS CAP SET IN CONC. W/ 2" PIPE MARKER BUTTON MON.	
	1.568	2492.565			F.B. 1476-178 ADJ. ELEV. 2499.281 (UP 4")	
T.P.			5.723	2486.842		
	5.242	2492.084				
T.P.			7.107	2484.977		
	5.564	2490.541				
T.B.M. FD. N.C. 1047A			4.919	2485.622	PT. "A" T.B.M. N 1047 A ℄ INT. AGUA DULCE CYN. RD. & ESCONDIDO CYN. RD. FD. CO. ENGR. MON., 2" I.P. & BRASS CAP SET IN CONC., DN. 8" IN WELL & COVER 1/4 COR. SEC 26, SEC. 27 T5N R14W F.B. 1476-178 ADJ. ELEV. 2485.622	
	2.174	2487.796				
T.P.			7.403	2480.393		
	4.378	2484.771				
T.P.			6.351	2478.420		
	5.480	2483.900				
SET T.B.M. VR1			5.293	2478.607	INT. AGUA DULCE CYN. RD. & ESCONDIDO CYN. RD. - 0.10 MI. E'LY ALONG ESCONDIDO CYN. RD. 20 FT ± N OF ℄ TOP CONC & ROCK HEAD WALL, E. END, (CORR. IRON CULVERT) SET "P.K." CONC. NAIL (12 X 12	
	4.156	2482.763				
T.P.			5.614	2477.149		
	6.948	2484.097				
T.P.			2.890	2481.207		

76-L 298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 0055.8+ Division No.
No. Date Date Survey of VASQUEZ ROCKS REGIONAL PARK
X-Sec. Notes Chkd. Checked Survey by C.L.W. Notes C.L.W. Date 22 JUNE 65
No. Date Date Map No. Indexed Date

F.B. 5005 Pg 155

STATION	B. S.	H. I.	F. S.	ELEV.	
				2481 207	
	7952	2489 159			
T.P.			0777	2488382	
	6245	2494 627			
T.E.M. SET V.R.2			5909	2488 718	INT. AGUA DULCE CYN. RD. & ESCONDIDO CYN. RD. 0.28 MI. E'LY ALONG ESCONDIDO CYN RD. 25 FT. ± S. OF ℄, TOP E. END CONC. & ROCK HD. WALL 18", CORR. IRON CULVERT. SET "PK" CONC. NAIL IN CHISELED SQUARE
	6303	2495021			
T.P.			6637	2488384	FIELD ADJ. ELEV. 2488 715
	0848	2489 232			
T.P.			8023	2481209	
	2865	2484 074			
T.P.			6924	2477 150	INT. AGUA DULCE CYN. RD & ESCONDIDO CYN. RD. 0.10 MI. E'LY. ALONG ESCONDIDO CYN. RD. 20 FT. ± N. OF ℄ TOP CONC. & ROCK HD. WALL, E. END (12 x 12 CORR. IRON CULVERT) FD. "PK" CONC. NAIL PG 134
	5601	2482 751			
FD. T.E.M. VR1			4142	2478 609	
	5307	2483 916			
T.P.			5493	2478 423	
	6284	2484 707			T.E.M. N.C. 1047A
T.P.			4309	2480 398	℄ INT. AGUA DULCE CYN. RD & ESCONDIDO CYN. RD.
	7395	2487 793			FD. CO. ENGR. MON. 2" I.P. & BRASS CAP SET IN CONC. DN 8" IN WELL & COVER 1/4 SEC COR. SEC 26, SEC 27 T 5 N R 14 W
FD. T.E.M. N.C. 1047A			2164	2485 629	F.B. 1476-178 ADJ. ELEV. 2485 622

F.B. 3208 Pg. 136

Job No. 005582 Division No. Notes Red Plotted Profile

Survey of VASQUEZ ROCKS REG. PARK Date Date No.

Survey by C.L. WRIGHT Notes C.L.W. Notes Chkd. Checked X-Sec.

Indexed Date JULY '65 Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.

BLANK

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

76-I 298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 0055.84 Division No. ____
No. ____ Date ____ Date ____ Survey of VASQUEZ ROCKS REGIONAL PARK
X-Sec. ____ Notes Chkd. ____ Checked ____ Survey by C.L.WRIGHT Notes C.L.W. Date 22-JUNE '65
No. ____ Date ____ Date ____ Map No. ____ Indexed G. J. GALEN Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
	VASQUEZ ROCKS REGIONAL PARK — J.N. 0055.84					
	BENCH LEVELS FROM T.B.M. VR2 TO TBM VR3 (CTR. SEC 26) & RETURN					
T.B.M. VR2				2488 715	INT. AGUA DULCE CYN. RD & ESCONDIDO CYN. RD. 0.28 MI. E'LY ALONG ESCONDIDO CYN. RD. 25 FT. ± S. OF ℄ TOP E. END CONC. & ROCK HD. WALL, 18" CORR. IRON CULVERT FD. "PK" CONC. NAIL IN CHISELED SQUARE FIELD ADJ. ELEV 2488 715	PG. 135
	4185	2492900				
TP			5514	2487 386		
	5317	2492703				
TP			0522	2492 181		
	3482	2495663				
TP			2738	2492 925		
	11748	2504 673				
TP			2555	2502 118		
	10909	2513027				
TP			0432	2512 595		
	9840	2522435				
TP			1566	2520 869	PT. "G"	
"G"	8022	2528891				
T.B.M. VR3			1350	2527 541	FD. CO. ENGR. MON. — 2" I.P. & BRASS CAP SET IN CONC. UP 4" CTR. SEC. 26, T6N R14W PG. 16, 20 FIELD ADJ. ELEV.	2527 537
	0869	2528410				
TP			9701	2518 709		

P.B. 116 PG. 121

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

Profile No. ____ X-Sec. No. ____
Plotted ____ Date ____ Checked ____ Date ____
Notes Red ____ Date ____ Notes Chkd. ____ Date ____
Division No. 84 Job No 80058 Notes C.L.W. Date JUNE 65
Survey of VASQUEZ ROCKS REG. PARK
Survey by C.L. WRIGHT
Indexed [illegible]

F.B. 37408 Pg. 138

STATION	B.S.	H.I.	F.S.	ELEV.		
TP				2518709		
	2034	2520743				
TP			11528	2509215		
	4390	2513605				
TP			8792	2504813		
	3827	2508640				
TP			11556	2497084		
	2093	2499177				
TP			7154	2492023		
	3997	2496020				
TP			9344	2486676		
	5763	2492439				
FD. TEM VR2			3716	2488723	INT. AGUA DULCE CYN RD & ESCONDIDO CYN RD. 0.28 MI. E'LY ALONG ESCONDIDO CYN. RD. 25' ± SOUTH OF ℄ TOP - EAST END CONC. & ROCK HD. WALL 18" CORR. IRON CULVERT - A "PK" NAIL IN CHISELED SQUARE FIELD ADJ. ELEV. 2488.715	

76-L 298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 0055.84 Division No. ____
No. ____ Date ____ Date ____ Survey of VASQUEZ ROCKS REG. PARK
X-Sec. ____ Notes Chkd. ____ Checked ____ Survey by C. L. WRIGHT Notes C.L.W. Date MAY '65
No. ____ Date ____ Date ____ Map No. ____ Indexed C. L. CALL Date ____

F.B. 1133 PG. 139

VASQUEZ ROCKS REGIONAL PARK
BENCH LEVELS FROM T.B.M. VR3 S.E'LY TO T.B.M. VR5 (CTR. SE¼ SEC 26) & RETURN
J.N. 0055.84

CO. ENGR. MON. - 2" I.P. & BRASS CAP SET IN CONC. UP 4" - CTR. SEC 26, T5N R14W PG 16, 20, 137
FIELD ADJ ELEV 2527.537

STATION	B. S.	H. I.	F. S.	ELEV.
FD. "G" T.B.M. VR3				2527.537
	1443	2528.980		
TP			11673	2517.307
	9716	2527.023		
TP			4988	2522.035
	5173	2527.208		
T.P.			4722	2522.486
	8794	2531.280		
T.P.			0819	2530.461
	0493	2530.954		
TP			11530	2519.424
	2469	2521.893		
T.P.			11572	2510.321
	0465	2510.786		
TP			11038	2499.748
	1194	2500.942		
TP			9830	2491.112
	1484	2492.596		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3208 Pg. 140 | Job No. 005584 Division No. | Notes Red | Date | Plotted | Profile
Survey of VASQUEZ ROCKS REG. PARK | Date | No. | X-Sec.
Survey by C.L. WRIGHT Notes CLW, VGS | Notes Chkd. | Checked | No.
Indexed G. J. GALL Date FEB 65 | Date | Date

STATION	B.S.	H.I.	F.S.	ELEV.		
		2492.596				
TP			10.482	2482.114		
	6.172	2488.286				
TBM VR4			7.395	2480.891	R.P. 1/4 1/4 COR FD. L&T. 24.20 FT. W. OF 1/4 1/4 COR Pg. 57 SET IN SANDSTONE	
(3-A)	6.288	2487.179				
TBM VR5			5.345	2481.834	1/4 1/4 COR. FD. 1" I.P. CONC. PLUG - L.A.Co ENGR TAG. FLUSH. Pg. 57, 72 FIELD ADJ. ELEV. 2481.847 ALSO Pg. 159 FOR TRIG LEVELS	
	5.306	2487.140				
TBM VR4			6.253	2480.887	SEE 4 LINES ABOVE	
	7.585	2488.472				
TP			4.598	2483.874		
	7.806	2491.680				
TP			2.862	2488.818		
	8.590	2497.408				
TP			0.247	2497.161		
	9.012	2506.173				
TP			0.981	2505.192		
	10.967	2516.159				
TP			0.233	2515.926		
	9.894	2525.820				
TP			3.722	2522.098		
	10.503	2532.601				

76-L 298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		2532601				
TP			0428	2532173		
	0981	2533154				
TP			9790	2523364		
	9387	2532751				
TP			6022	2526729		
(YR-23)	4153	2530882				
TBM FD YR3			3371	2527511	Co. Engr. Mon, 2" IP. & Brass Cap set in Conc. up 4" Ctr. Sec 26, T5N R14W Pgs. 16,20,137,139 Starting Elev. 2527.537	

Profile Notes Red. Plotted Job No. 055-84 Division No.
No. X-Sec. Notes Chkd. Date Survey of VASQUEZ ROCKS REG. PARK
No. Date Date Checked Date Survey by Notes Date July '65
Map No. Indexed C. J. GALLI Date

F. B. 3600 Pg. 141

F.B. 3208 Pg. 142

Job No. 005582 Division No. Notes Red Plotted Profile

Survey of NASQUEZ ROCKS REG. PARK Date Date No.

Survey by Notes Notes Chkd. Checked X-Sec.

Indexed Date Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.

BLANK

76-L.298 CE 307 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 0055.84 Division No. ____
No. ____ Date ____ Date ____ Survey of VASQUEZ ROCKS REG. PARK
X-Sec. ____ Notes Chkd. ____ Checked ____ Survey by C.L.WRIGHT Notes C.L.W. Date 11-1-65
No. ____ Date ____ Date ____ Map No. ____ Indexed C. J. GALLI Date ____

F.B. 3208 PG. 143

VASQUEZ ROCKS REGIONAL PARK J.N. 0055.84
BENCH LEVELS FROM TBM VRS S.E. ¼ THRU TBM VR6 (¼¼ COR) TO U-4

STATION	B. S.	H. I.	F. S.	ELEV.		
FD. (3-A) & RETURN						
T.B.M. VRS				2481.847	¼¼ COR, 1" I.P., CONC. PLUG, L.A. CO. ENGR TAG FLUSH PG. 57, 72-140	2481.847, FIELD ADJ ELEV.
	3.400	2485.247				
TP			1.057	2474.680		
	8.108	2482.788				
TP			7.149	2475.639		
	3.629	2479.268				
TP			6.238	2473.030		
	2.693	2475.723				
TP			8.564	2467.159		
	3.572	2470.731				
TP			9.713	2461.018		
	0.466	2461.484				
TP			7.708	2453.776		
	2.251	2456.027				
TP			10.082	2445.945		
	0.344	2446.289				
TBM VR6			9.638	2436.651	¼¼ COR. ON SEC LINE SECS 26-35 FD. ¾" I.P. CONC. PLUG, L.A. CO. ENGR. TAG	FLUSH PG 52, 58, (169, 183 FOR TRIG LEVELS)
	9.240	2445.891				

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 32208 Pg. 144

Survey of VASQUEZ ROCKS REG. PARK Division No. Notes Red Plotted Profile
Survey by C.L.W.RIGHT Notes C.L.W. Date Date No. X-Sec.
Indexed C. J. GALT Date 11-5-68 Notes Chkd. Checked
Date Date No.
Job No. 005584

STATION	B. S.	H. I.	F. S.	ELEV.		
		2445 891				
TP			5503	2440388		
	10110	2450498				
TP			0848	2449650		
	8219	2457869				
TP			3527	2454342		
	10866	2465208				
SET TBM VR7			5774	2459434	N. SIDE PP # 695516E - A 4" BOAT SPK 3" ABOVE GROUND	
	2929	2462363				
TP			7003	2455360		
	0267	2455 627				
TP			11699	2443928		
	0281	2444 209				
TP			10402	2433807		
	4595	2438 402				
Q-1			9963	2428439	FD 1×2 & N. PG. 103, 104	(PG. 179 FOR TRIG LEVELS)
	10942	2439381				
TP			0921	2438460		
	9770	2448 230				
U-4			3886	2444 344	FD 1×2 & N PG. 132	UP 2" (PG. 166 FOR TRIG LEVEL)
	6965	2451 309				

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.
		2451309		
TP			3511	2447798
	9007	2456805		
TP			1447	2455358
	10082	2465440		
TP			0247	2465193
	10010	2475203		
TP			1376	2473827
	7737	2481564		
TP			5066	2476498
	1885	2478383		
TP			11676	2466707
	1750	2468457		
TP			7372	2461085
	8753	2469838		
TP			1609	2468229
	7421	2475650		
TP			0845	2474805
	6060	2480865		
TP			3913	2476952
	8293	2485245		

Profile Notes Red Plotted Job No. 0558-84 Division No.
No. Date Date Survey of VASQUEZ ROCKS REG. PARK
X-Sec. Notes Chkd. Checked Survey by C.L. WRIGHT Notes C.L.W. Date JULY '65
No. Date Date Map No. Indexed C. J. GALLI Date

F. B. 3208 Pg. 145

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 73208 Pg. 146 Job No. 2055.84 Division No. Notes Red Plotted Profile
Survey of VASQUEZ ROCKS REG PARK Date Date No. X-Sec.
Survey by C.L. WRIGHT Notes C.L. WR Notes Chkd. Checked
Indexed Date JULY '65 Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.		
TBM VRS FD. (3-A)		2485.245	3.410	2481.835	1/4 1/4 COR A 1" I.P., CONC. PLUG, LA. CO. ENGR. TAG FLUSH PGS. 57, 72, 140, 143 STARTING ELEV 2481.84	

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS
JN 00 55 84 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date JULY '65
Indexed C. J. GALLI

F. B. 3208 Pg. 147

VASQUEZ ROCKS REGIONAL PARK

VERTICAL CONTROL

J.N. 00 55.84

TRANSIT AT STATION ____ F.B. ____ PG ____ H.I. ____

Sight on	+ Vertical Angle -Rod	+ Vertical - Distance	Horizontal Distance	+ Curvature Correction	+Difference -Elevation	Adjusted Diff. Elev.

C.L. WRIGHT
H.C. HUBBARD
B.A. PEAVY
H.B. MITCHELL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309s CE #310 8-62

F. B. 3208 Pg 148

VASQUEZ ROCKS REGIONAL PARK TRIG. LEVEL INDEX SHEET

T5N
R14W

CTR. SEC. 26

SEC. 26

¼ COR.

¼ COR

SECTION LINE

SECTION LINE

SECTION LINE

SECTION LINE

SEC. 35

CTR. SEC. 35

NOTE: DIFFERENTIAL LEVELS THRU HERE PG 175

CIRCLED NUMBERS INDICATE PAGE NUMBER.

Sight - Rod
+ Vertical - Angle
Horizontal Distance
+ Vertical + Curvature - Distance
Difference Correction - Elevation
Adjusted Diff. Elev.
F.B.
Pg.
H.I.+

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS
JN 0055 84 Tape 175 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W. Date JUNE 65
Indexed C. J. GALLI

F. B. 3208 PG. 149

VASQUEZ ROCKS REGIONAL PARK

TRIG. LEVELS FOR PHOTO CONTROL

J.N. 0055.84

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

F.B. _____ PG _____ H.I. _____

TRANSIT AT STATION	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Diference - Elevation	Adjusted Diff. Elev.
Sight on -Rod						

NOTE: UNLESS OTHERWISE STATED ALL POINTS ARE SET, OR FD. FLUSH WITH THE GROUND.

PARTY:
C. L. WRIGHT
H. C. HUBBARD
B. A. PEAVY
H. B. MITCHELL

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION (TBM VR3) CTR. SEC 26 F.B. 3208 PG 20, 137 H.I. + 5.08 ELEV. 2527.11 ~~54~~ UP 4"

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
N.E. COR OF NW 1/4 OF SE 1/4 OF SEC. 26 UP 2"	6°	+ 5° - 20' - 10" + 5° - 19' - 50" + 5° - 20' - 00"	1330.52				
Pg 21	4°	+ 5° - 14' - 50" + 5° - 14' - 40" 5° - 14' - 45"	"				
D-16 Pg 22	6°	+ 6° - 12' - 30" + 6° - 12' - 20" + 6° - 12' - 25"	1620.40				
"	4°	+ 6° - 08' - 10" + 6° - 08' - 05" + 6° - 08' - 05"	"				
TBM VR3 CTR SEC 26			D - 16 FB 3208	Pg 22,		H.I. + 5.21	
Pg 20, # 137 " UP 4"	6°	- 6° - 09' - 50" - 6° - 09' - 50" - 6° - 09' - 50"	1620.40				
	4°	- 6° - 14' - 10" - 6° - 14' - 30" - 6° - 14' - 20"	"				
D-20 Pg-22	6°	- 2° 38' 50" - 2° 39' 10" - 2° 39' 00"	839.95				
	4°	- 2° - 47' - 00" - 2° - 47' - 30" - 2° - 47' - 15"					

F.B. 3208 PG 0 151

76F309S CE #310 6-62.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 1/4 1/4 COR F.B. 3208 PG 21 H.I. 5.23 UP 2"

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
CTR SEC 26 (TBM. VR3)	6.0	- 5° 16' 30" - 5° 16' 50" - 5° 16' 40"	1330.52				
Pg. 20 " 137 UP 4"	4.0	- 5° 21' 40" - 5° 21' 30" - 5° 21' 35"	"				
		D-20	F.B. 3208	Pg. 22	H.I. 4.98		
D-16 Pg. 22	6.0	+2° 45' 20" +2° 45' 00" +2° 45' 10"	839.95				
"	4.0	+2° 37' 40" +2° 37' 20" +2° 37' 30"	"				
D-21 Pg. 23	11.43	LEVEL					
		D-21	F.B. 3208	Pg. 23	H.I. 5.42		
D-20	0.47	+4° 58' 10" +4° 58' 00" +4° 58' 05"	80.79				
Pg. 22 "	4.0	+3° 33' 10" +3° 33' 10" +3° 33' 10"	"				

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of ASQUEZ ROCKS
JN 10553 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date JUNE 65
Indexed
C. J. GALLI

F.B. 3208 Pg. 151

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION D-21 F.B. 3208 PG 23 H.I. + 5 46

Sight on	+Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
C.E. MON R.P. ¼ COR. PG. 23	6°	-9°-19'-40"	69.90				
		-9°-19'-20"					
		-9°-19'-30"					
	4°	-10°-54'-20"	"				
		-10°-54'-30"					
		-10°-54'-25"					
¼ COR. SEC. 26	6°	-10°-48'-10"	119.90				
		-10°-48'-00"					
		-10°-48'-05"					
SEC. 25 UP 14" PG 23.	4°	-11°-43'-10"	"				
		-11°-43'-20"					
		-11°-43'-15"					
			¼ COR - SECS. 26, 25 UP 14"	F.B. 3208	PG. 23	HI 4 00	
D-21 PG 23	6°	+11°-59'-40"	119.90				
		+11°-59'-20"					
		11°-59'-30"					
	4°	+11°-03'-30"					
		+11°-03'-20"					
		11°-03'-25"					
F.B. 3208 PG 152 REF. MON. ¼ COR SEC 26 SEC 25 PG 23	6°	+15°-02'-40"	50.00				
		+15°-02'-40"					
		+15°-02'-40"					
	4°	+12°-53'-10"					
		+12°-52'-40"					
		+12°-52'-55"					

76F309S C.E #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 1/4 COR SEC 26 SEC 25 UP 14" F.B. 3208 PG 23 H.I. 4.00

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
A-10 PG 29 UP 6"	6.0	- 4° - 38' - 00" - 4° - 38' - 10" - 4° - 38' - 05"	673.82				
	4.0	- 4° - 48' - 00" - 4° - 48' - 00" - 4° - 48' - 00"	"				
			A-10 UP 6" F.B. 3208	PG 29		HI 4.83	
1/4 COR SEC 26 SEC 25 UP 14" PG 23	6.0	+ 4° 54' 20" + 4° 54' 00" + 4° 54' 10"	673.82				
	4.0	+ 4° 44' 30" + 4° 44' 10" + 4° 44' 20"	"				
A-7 PG 28	6.0	- 2° - 50' - 50" - 2° - 51' - 10" - 2° - 51' - 00"	507.53				
	4.0	- 3° - 04' - 40" - 3° - 04' - 50" - 3° - 04' - 45"	"				
			A-7	F.B. 3208	PG 28	H.I. 5.40	
A-10 PG 29 UP 6"	6.0	+ 3° - 03' - 00" + 3° - 02' - 40" + 3° - 02' - 50"	507.53				
	4.0	+ 2° - 49' - 20" + 2° - 49' - 20" + 2° - 49' - 20"	"				

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of NASQUEZ ROCKS
JNSOSSR4 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. J. Date JUNE 65
Indexed

F.B. 3208 Pg. 153

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION A-7 F.B. 3208 PG 28 H.I. +3 95

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
¼ ¼ COR Pg 27,57	11 01	LEVEL					
		¼ ¼ COR	F.B. 3208	Pg 27, 57		H.I. 11 16	
A-7	4 10	LEVEL					
		¼ ¼ COR	F.B. 3208	Pg. 27, 57		HI. 5 50	
A-3 Pg 26	6°	- 4° - 10' - 00" - 4° - 10' - 30" - 4° - 10' - 15"	298.38				
	4°	- 4° - 33' - 10" - 4° - 33' - 40" - 4° - 33' - 25"	"				
4+66 29 L.A.Co. Engr Tag Pg 26	6°	- 3° - 33' - 10" - 3° - 33' - 30" - 3° - 33' - 20"	874.88				
	4°	- 3° - 41' - 10" - 3° - 41' - 30" - 3° - 41' - 20"	"				
¼ ¼			4+66 29	F.B. 3208	Pg. 26	HI 5 37	
COR Pg 27, 57	6°	+ 3° - 37' - 00" + 3° - 36' - 40" + 3° - 36' - 50"	874.88				
	4°	+ 3° - 29' - 20" + 3° - 29' - 00" + 3° - 29' - 10"					

F.B. 3208 PG 154

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 4+66.29 F.B. 3208 PG 26 H.I. 5.37

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
A-3	6.0	+3° 17' 00" +3° 16' 50" +3° 16' 55"	576.50				
	4.0	+3° 04' 50" +3° 04' 40" +3° 04' 45"	"				
SEC COR SECS. 26,25 35,36 PGS. 26, 24 UP 8"	6.0	-8° 27' 00" -8° 27' 00" -8° 27' 00"	466.29				
	4.0	-8° 41' 30" -8° 41' 50" -8° 41' 40"	"				
			E -19	F.B. 3208	Pg. 53	H.I. 5.30	
SEC. COR. 26,25 35,36 Pg. 24, 54 UP 8"	12.0	-5° 43' 20" -5° 43' 00" -5° 43' 10"	563.40				
	6.0	-6° 19' 10" -6° 19' 20" -6° 19' 15"	"				

NOTE: SEE PGS 160, 183 FOR POINTS TO WEST

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS
JN 0855.84 Tape 175 Std. 84 °F
Surveyed by C.L.W. RIGHT Date JULY '65
Notes C.L.W.
Indexed C. J. GALLE

F.B. 3208 Pg. 155

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION TBM VR3 CTR SEC 26 F.B. 3208 PG 16,137 ELEV. 2527 54 H.I. + 5 10

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
14+09 24 Pg 15 (NAIL)	6°	+ 5° - 03' - 20"	1252.21				
		+ 5° - 03' - 30"					
		+ 5 - 03 - 25					
	4°	+ 4° - 58' - 20"	"				
		+ 4° - 58' - 00"					
		4° - 58' - 10"					
12+44 65 Pg 15 ⊕ TOP ROCK	6°	+ 5° - 50' - 00"	1416.80				
		+ 5° - 50' - 00"					
		5° - 50' - 00"					
	4°	+ 5° - 45' - 00"	"				
		+ 5° - 45' - 10"					
		+ 5° - 45' - 05"					
			14+09 24 Pg. 15	F.B. 3208	Pg 15	H.I. 0 32	
1/4 1/4 COR Pg 15	7 49	LEVEL					
F-1 1x2 Pg. 56	7 89	LEVEL					

F.B. 3208 PG 156

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION F-1 F.B. 3208 PG 56 H.I. 5.45

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
1/4 1/4 COR Pg 15	5.05	LEVEL	59.47				
F-2 Pg. 56	3.0	- 17° - 26' - 20" - 17° - 26' - 40" - 17° - 26' - 30"	452.59				
	1.5	- 17° - 37' - 00" - 17° - 36' - 40" - 17° - 36' - 50"	"				
TBM VRS Pg. 140							
1/4 1/4 COR (CTR S.E. 1/4 SEC 26) Pg 57	3.0	- 6° - 46' - 30" - 6° - 46' - 30" - 6° 46' 30"	1270.51				
	2.0	- 6° - 48' - 50" - 6° - 49' - 00" - 6° - 48' - 55"	"				
1/4 1/4 COR Pg 27, 57 (ON SEC. LINE) Also Pg 73	3.0	- 1° 58' 20" - 1° 58' 40" - 1° - 58' - 30"	2600.63				
	1.5	- 2° - 88' - 10" - 2° - 88' - 30" - 2 - 00 - 20"	"				

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS
JN 0558 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT Date JUN 65
Notes C. L. W.
Indexed C. J. GALL

F. B. 3208 PG. 157

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 12+44.65 **F.B.** 3208 **PG** 15 **H.I.+** 5.32

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
CTR SEC 26 UP 4"	2.5	- 5° 55' 20" - 5° 55' 30" 5° - 55' - 25"	1416.80				
Pg 20 " 137	1.5	- 5° 58' 00" - 5° 58' 10" - 5° - 58' - 05"	"				
14+09.24 Pg 15	6.0	- 11° 25' 30" - 11° 25' 40" - 11° 25' 35"	164.59				
	4.0	- 12° 06' 00" - 12° 06' 00" - 12° 06' 00"	"				
9+06.93 Pg. 14	6.0	- 3° - 57' - 20" - 3° - 57' - 30" 3° - 57' - 25"	338.22				
	4.0	- 4° - 17' - 20" - 4° - 17' - 40" - 4° - 17' - 30"	"				
			9+06.93 F.B. 3208	Pg 14		HI 4.80	
12+44.65 Pg 15	6.0	+ 4° - 17' - 00" + 4° - 16' - 40" + 4° - 16' - 50"	338.22				
	4.0	+ 3° - 56' - 50" + 3° - 56' - 10" + 3° - 56' - 30"	"				

F.B. 3208 PG 158

76F3095 C.E. #310 9-62

PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 9 + 06.43 F.B. 3208 PG. 14 H.I. 4.80

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
1/4 COR SECS. 26, 35 Pg 14, SD LUFA"	6°	- 13° - 37' - 50" - 13° - 38' - 00" - 13° - 37' - 55"	906.43				
	4°	- 13° - 45' - 10" - 13° - 45' - 00" - 13° - 45' - 05"	"				
			F-2 FB. 3208		Pg. 56	HI. 5.05	
F-1 Pg. 56	6°	+ 17° - 16' - 10" + 17° - 15' - 50" 17° - 16' - 00"	452.59				
	4°	+ 17° - 02' - 00" + 17° - 01' - 40" + 17° - 01' - 50"					
		TBM VRS SEE Pg. 140	1/4 1/4 COR CTR S.E. 1/4 SEC 26	FB. 3208	Pg. 57, 140	H.I. 5.53	ELEV. 2481.85
F-1 Pg. 56	6°	+ 6° - 40' - 00" + 6° - 39' - 40" + 6° - 39' - 50"	1270.51				
	4°	+ 6° - 35' - 00" + 6° - 34' - 40" + 6° - 34' - 52"	"				

Notes Ck'd by
Map No.
Office-Work
Checked
Date

Survey of VASQUEZ ROCKS
JN 0558.84 Tape 175 Std. 84 °F
Surveyed by C.L.W. WRIGHT
Notes C.L.W. Date JULY '65
Indexed G. J. GALLI

F.B. 3208 Pg. 159

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 1/4 1/4 COR ON SEC. LINE F.B. 3208 PG 27, 57, 72 H.I. + 5 35

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
F-1 Pg. 56	6°	+1° - 55' - 30" +1° - 54' - 50" +1 - 55 - 10	2600.63				
	4°	+1° - 52' - 50" +1° - 51' - 50" +1° - 52' - 20"	"				
			SEC COR 26 25 35 36	FB. 3208	Pg. 54, 99	HI 4 77	UP 8"
4+66.29 Pg. 24	6°	+ 8° 40' 30" + 8° 39' 50" + 8 40' 10"	466.29				
	4°	+ 8° - 26 - 00" + 8° - 25 - 30" + 8° - 25 - 45"					
M-8 NAIL - PG 99	6°	+ 8° - 15' - 30" + 8° - 15' - 00" + 8 - 15' - 15"	232.24				
	4°	+ 7° - 46' - 30" + 7° - 46' - 00" + 7° - 46' - 15"					
E 19 Pg. 53	5°	+6° - 25' - 10" +6° - 24' - 30" +6 - 24 - 50"	563.40				
	4°	+ 6° - 19' - 00" + 6 - 18 - 40" + 6 - 18 - 50"					

160

F.B. 3208 PG

SEE PG 155 & 183 FOR LINE TO WEST

76F3095 CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION M-8 F.B. 3208 PG 99 H.I. 5.05

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
UP 8" SEC COR 26 25	6.0	- 7° - 44' - 20" - 7° - 44' - 20" - 7° - 44' - 20"	232.24				
35 36 Pg 54, " 99	4.0	- 8° - 12' - 50" - 8° - 13' - 10" - 8° - 13' - 00"					
M-6 Pg 99	10.15	LEVEL					
			M-6 F.B. 3208	Pg. 99, 181	HI 5.98		
M-8 Pg 99	0.38	LEVEL					
M-4 Pg 98 " 105 " 181	6.0	- 2° 40' 30" - 2° 40' 30" - 2° 40' 25"	637.95				
	4.0	- 2° 51' 00" - 2° 51' 20" - 2° 51' 10"					

NOTE: SEE PG 181 FOR SET UP ON M-4 & POINTS TO SOUTH & WEST.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS
JN 00558 4 Tape 175 Std 84 °F
Surveyed by C.L. WRIGHT Date JULY 65
Notes C.L. WRIGHT
Indexed C. J. GILL

F.B. 3208 Pg. 161

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 1/4 1/4 COR ON SEC LINE F.B. 3208 PG 48, 120 H.I. + 5.00 UP 5"

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
T-4 Pg. 119	6°	+ 17° - 52' - 40"	316.95				
		+ 17° - 53' - 00"					
		+ 17° - 52' - 50"					
	4°	+ 17° - 33' - 20"					
		+ 17° - 33' - 00"					
		+ 17° - 33' - 10"					
			T-4	F.B. 3208	Pg 119	HI 5.25	
1/4 1/4 COR. Pg. 48, 120 UP 5"	6°	- 17° - 19' - 10"	316.95				
		- 17° - 19' - 40"					
		- 17° - 19' - 25"					
	4°	- 17° - 38' - 50"					
		- 17° - 39' - 00"					
		- 17° - 38' - 55"					
T-3 Pg. 119	6°	+ 14° - 47' - 30"	286.06				
		+ 14° - 47' - 10"					
		+ 14° - 47' - 20"					
	4°	+ 14° - 25' - 30"					
		+ 14° - 25' - 00"					
		+ 14° - 25' - 15"					
			T-3	F.B. 3208	Pg 119	H.I. 5.55	
T-2 Pg. 119	2.51	LEVEL					

F.B. 3208 PG 162

76F3095 CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION T-3 F.B. 3208 PG. 119 H.I. 5.55

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
T-4 Pg. 119	6.0	- 14° - 34' - 10" - 14° - 34' - 10" - 14° - 34' - 10"	286.06				
	4.0	- 14° - 56' - 50" - 14° - 57' - 10" - 14° - 57' - 00"					
T-1 Pg. 118	6.0	+ 1° - 35' - 20" + 1° - 34' - 40" + 1° - 35' - 05"	561.01				
	4.0	+ 1° - 22' - 50" + 1° - 22' - 30" + 1° - 22' - 40"					
		T-1	F.B. 3208	Pg. 118		H.I. 4.60	
T-3 Pg. 119	6.0	- 1° - 24' - 40" - 1° - 25' - 10" - 1° - 24' - 55"	561.01				
	5.0	- 1° - 30' - 50" - 1° - 31' - 20" - 1° - 31' - 05"					
1/4 1/4 COR Pg. 118	6.0	- 5° - 18' - 40" - 5° - 18' - 40" - 5° - 18' - 40"	160.24				
	4.0	- 6° - 00' - 30" - 6° - 01' - 10" - 6° - 00' - 50"					

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS
J.N. 005584 Tape 75 Std. 84 °F
Surveyed by C. L. WRIGHT Date JULY 65
Notes C. L. W.
Indexed C. J. GALLI

F.B. 3208 PG. 163

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION CTR. NW.1/4 SEC 35 1/4 1/4 COR F.B. 3208 PG 118 H.I. + 5 28

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
T-1 Pg 118	6°	+ 6° - 04' - 10"	160.24				
		+ 6° - 03' - 40"					
		+ 6° - 03' - 55"					
	4°	+ 5° - 21' - 30"					
		+ 5° - 21' - 10"					
		+ 5° - 21' - 20"					
U-4 Pg 132	3°	- 8° - 13' - 20"	220.455				
		- 8° - 13' - 00"					
		- 8° - 13' - 10"					
	2°	- 8° - 14' - 30"					
		- 8° - 15' - 00"					
		- 8° - 14' - 45"					
U-3 Pg 123	6°	- 14° - 48' - 00"	1375.67				
		- 14° - 48' - 00"					
		- 14° - 48' - 00"					
	10°	- 14° - 38' - 50"					
		- 14° - 38' - 40"					
		- 14° - 38' - 45"					
		U-3	F.B. 3208	PG 123		H.I. 5 45	
1/4 1/4 COR Pg 118 F.B. 3208 PG 164	6°	+ 14° - 51' - 40"					
		+ 14° - 51' - 00"					
		+ 14° 51' - 20"					
	4°	+ 14° 47' - 00"	1375.67				
		+ 14° 46' - 20"					
		+ 14° - 46' - 40"					

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION U-3 F.B. 3208 PG 123 H.I. 5.45

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
U-4 Pg 132	3.0	+ 2°-45'-00"					
		+ 2°-44'-30"	828.88				
		+ 2°-44'-45"					
Pg 144 FOR ELEV.	2.0	+ 2°-40'-50"	"				
		+ 2°-40'-30"					
		+ 2°-40'-40"					
1/4 1/4 COR	6.0	- 21°-50'-40"					
		- 21°-50'-50"	78.31				
		- 21°-50'-45"					
Pg 86 " 123	4.0	- 23°-05'-50"					
		- 23°-06'-10"					
		- 23°-06'-00"					
		1/4 1/4 COR	F.B. 3208	Pg 86, 123		H.I. 5.14	
K14A Pg 85	8.0	+ 6°-30'-00"					
		+ 6°-29'-30"	726.10				
		+ 6°-29'-45"					
	12.0	+ 6°-48'-10"					
		+ 6°-48'-20"					
		+ 6°-48'-15"					
K-17 Pg 86	6.0	+ 14°-28'-00"					
		+ 14°-27'-20"	177.53				
		+ 14°-27'-40"					
	4.0	+ 13°-51'-30"					
		+ 13°-50'-40"					
		+ 13°-51'-05"					

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS
JN 00558 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT Date JULY 65
Notes C. L. W.
Indexed C. J. GALLE

F.B. 3208 PG. 165

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 1/4 1/4 COR F.B. 3208 PG 86 H.I. + 5.14

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
U-3	6°	+22° 46' 20" +22° 46' 40" +22° 46' 30"	78.31				
	4°	+21° 30' 30" +21° 30' 40" +21° 30' 35"					
		SEE PG 144 FOR ELEV.	U-4 F.B. 3208		Pg 132, 44 HI. 5 98	ELEV. 2444 34	
U-3 Pg. 132	6°	- 2° 50' 30" - 2° 51' 00" - 2° 50' 45"	828.88				
	4°	- 2° 58' 40" - 2° 59' 00" - 2° 58' 50"					
	48	LEVEL	TOP ROCK 63 NORTH OF U-3		R.P. (ELEV. ONLY)		
		1/4 1/4 COR. ON SEC LINE	F.B. 3208	Pg 48	HI. 505	UP 5"	
F.B. 3208 PG 166 E-8 Pg. 99 NAIL	6°	+ 11° 57' 00" + 11° 56' 40" + 11° 56' 50"	393.28				
	4°	+ 11° 40' 10" + 11° 39' 50" + 11° 40' 00"					

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION E 8 F.B. 3208 PG 49 H.I. 5.10

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
1/4 1/4 COR Pg 48	6.0	-11° 41' 20" -11° 41' 50" -11° 41' 35"	393.28				
UP 5"	4.0	-11° 58' 00" -11° 58' 40" -11° 58' 20"					
E-10 Pg 49	6.0	-12° 50' 10" -12° 50' 30" -12° 50' 20"	494.74				
	4.0	-13° 03' 20" -13° 03' 50" -13° 03' 35"					
		E-10		3208	Pg 49	HI 5.20	
E-8	6.0	+13° 01' 40" +13° 01' 20" +13° 01' 30"	494.74				
Pg 49	4.0	+12° 48' 40" +12° 48' 10" +12° 48' 25"					
1/4 COR	6.0	-16° 45' 50" -16° 46' 20" -16° 46' 05"	442.03				
SECS. 26 35 Pg 50 UP 4"	4.0	-17° 00' 30" -17° 01' 00" -17° 00' 45"					

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS
JN 0055.84 Tape 115 Std. 84° F
Surveyed by C.L.W. WRIGHT '65
Notes C.L.W. Date July '65
Indexed

F.B. 3208 PG. 167

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 1/4 cor Secs. 26, 35 F.B. 3208 PG 50 H.I. + 4 55 UP 4"

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
E-10 Pg. 49	2°	+ 16° 33' 40"	142.03				
		+ 16° 33' 10"					
		+ 16° 33' 25"					
	3°	+ 16° 41' 10"					
		+ 16° 40' 50"					
		+ 16° 41' 00"					
K-20 Pg. 87	6°	+ 1° 19' 10"	834.85				
		+ 1° 18' 40"					
		+ 1° 18' 55"					
	4°	+ 1° 10' 50"					
		+ 1° 10' 30"					
		+ 1° 10' 40"					
9+06.43 Pg. 14	6°	+ 13° 47' 20"	906.43				
		+ 13° 46' 40"					
		+ 13° 47' 00"					
	4°	+ 13° 40' 10"					
		+ 13° 39' 50"					
		+ 13° 40' 00"					
E-13 Pg. 50	10°	+ 5° 06' 40"	301.46				
		+ 5° 06' 10"					
		+ 5° 06' 25"					
	12°	+ 5° 29' 10"					
		+ 5° 28' 40"					
		+ 5° 28' 55"					

F.B. 3208 PG 168

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION E-13 F.B. 3208 PG. 50 H.I. 5.30

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
1/4 COR SECS. 24 35 T4S R5W UP 4"	8.0	3°-32'-50"	301.46				
		3°-33'-10"					
		3°-33'-00"					
	10.0	3°-10'-00"					
		3°-10'-20"					
		3°-10'-10"					

DIFFERENTIAL LEVELS FROM E-13 TO 1/4 1/4 COR. (PGS. 50, 52) (143)

STATION	BS	H.I.	F.S.	ELEV	
E-13				2448.03	PG. 50.
T.P.	5.30	2458.33	1.46	2451.87	
E-13 T.P.	1.94	2453.81	5.77	2448.04	CHECK SHOT
			11.18	2442.63	
1/4 1/4 COR.	2.38	2445.01	8.36	2436.65	3/4" I.P. CONC. PLUG, LAC ENGR. TAG FLUSH PG 52 ALSO TBM VRL PG 143

NOTE: THESE ELEVATIONS WERE BACKED IN AT A LATER DATE FROM TBM VRL TO E-13.

Survey of NASQUEZ ROCKS
JN 055804 Tape 15 Std. 84 °F
Surveyed by C. L. WRIGHT Date JULY '65
Notes C. L. W
Indexed C. L. WW

Notes Ck'd by
Map No.
Office Work
Checked
Date

F.B. 3208 PG. 69

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION K -20 **F.B.** 3208 **PG** 87 **H.I.** + 5 35

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
¼ COR SECS. 26,35 UP 4' PG. 50, PG. 88	6°	- 1° - 10' - 10" - 1° - 10' - 20" - 1° - 10' - 15"	834.85				
	4°	- 1° - 18' - 10" - 1° - 18' - 40" - 1° - 18' - 25"					
K-17 PG. 86	10°	- 4° - 57' - 50" - 4° - 58' - 00" - 4° - 57' - 55"	301.47				
	12°	- 4° - 35' - 20" - 4° - 35' - 10" - 4° - 35' - 15"					

K - 17 F.B. 3208 PG 86 HI 5 15

K-20 PG 87	10°	+ 6° - 45' - 00" + 6° - 44' - 40" + 6° - 44' - 50"	301.47				
	12°	+ 7° - 07' - 30" + 7° - 07' - 00" + 7° - 07' - 15"					
170 ¼ ¼ COR PG 86	6°	- 13° - 55' - 30" - 13° - 56' - 10" - 13° - 55' - 50"	177.53				
	4°	- 14° - 32' - 00" - 14° - 32' - 30" - 14° - 32' - 15"					

F.B. 3208 PG

NOTE: SEE PGS. 165, 166 FOR SET UP @ ¼ ¼ COR

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION K-14A F.B. 3208 PG 85 H.I. 4.85

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
1/4 1/4 COR PG. 86	6.0	-6°-11'-20" -6°-11'-45" -6°-11'-30"	726.10				
	8.0	-6°-02'-00" -6°-02'-20" -6°-02'-10"					
K-13 PG 84	6.10	LEVEL	177.73				
			K-13	F.B. 3208	Pg 84	H.I. 5.33	
K14A PG 85	4.04	LEVEL					
CTR SEC 35 LP3 PG 84	6.0	-13°-04'-10" -13°-04'-10" -13°-04'-10"	410.03				
	4.0	-13°-20'-20" -13°-20'-10" -13°-20'-15"					
K-10 PG 83	6.0	-1°-54'-20" -1°-54'-30" -1°-54'-25"	642.24				
	4.0	-2°-04'-50" -2°-04'-50" -2°-04'-50"					

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of MASQUEZ ROCKS
JOB 5581 Tape 115 Std. 84 °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date JULY 65
Indexed C.J. GALL

F.B. 3208 PG. 171

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION GTR. SEC. 35 F.B. 3208 PG 84 H.I. + 4 57 UP 3"

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
K-13 Pg 84	6°	+ 13° 25' 30"	410.03				
		+ 13° 25' 00"					
		+ 13° 25' 15"					
	4°	+ 13° 05' 30"					
		+ 13° 05' 10"					
		+ 13° 05' 20"					
		K-10	F.B. 3208	Pg 83	H.I. 5 30		
K-13 Pg 84	6°	+ 2° 01' 50"	642.24				
		+ 2° 01' 30"					
		+ 2° 01' 40"					
	4°	+ 1° 51' 00"					
		+ 1° 50' 50"					
		+ 1° 50' 55"					
K-9 Pg 83	6°	- 2° 21' 10"	180.15				
		- 2° 21' 30"					
		- 2° 21' 20"					
	4°	- 2° 59' 00"					
		- 2° 59' 30"					
		- 2° 59' 15"					
		K-9	F.B. 3208	Pg 83	HI. 5 07		
K-10 Pg 83	6°	+ 2° 53' 00"	180.15				
		+ 2° 53' 30"					
		+ 2° 53' 45"					
	4°	+ 2° 14' 50"					
		+ 2° 14' 40"					
		+ 2° 14' 45"					

F.B. 3208 PG 172

76F3095 CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION K-9 F.B. 3208 PG 83 H.I. 5.07

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
K-8 Pg. 83	6°	7° - 22' - 30"	149.46				
		7 - 22 - 40					
		7° - 22 - 35					
	4°	8° - 07' - 30"					
		8 - 07 - 50					
		8° - 07 - 40					
		K-8 F.B. 3208 Pg 83 HI 5.45					
K-9	6°	+ 7° - 58' - 30"	149.46				
Pg 83		+ 7° - 58 - 00					
		+ 7° - 58 - 15					
	4°	+ 7° - 12' - 20"					
		+ 7° - 12 - 30					
		+ 7° - 12 - 25					
CALIF. DIV.	6°	- 16° - 04' - 20"	75.05				
HI-WAY.		- 16° - 04 - 10					
BRASS CAP		- 16° - 04 - 15					
Pg 82	4°	- 17° - 28' - 40"					
		- 17° - 28 - 30					
		- 17° - 28 - 35					
		CALIF DIV HIGHWAY BRASS CAP MON. F.B. 3208 Pg. 82 HI 5.32					
K-8 Pg 83	6°	+ 16° - 58' - 00"	75.05				
		+ 16° - 57 - 30					
		+ 16° - 57 - 45					
	4°	+ 15° - 32' - 20"					
		+ 15° - 33 - 00					
		+ 15° - 32 - 40					

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS
JN 00553, 84 Tape 175 Std. 84 °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date JULY '65
Indexed C. J. GALLI

F.B. 3208 PG. 173

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION _____ F.B. _____ PG _____ H.I.+ _____

Sight on -Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.

F.B. 3108 PG 114

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 00558.4 Division No.
No. X-Sec. Date Date Survey of VASQUEZ ROCKS REG. PARK
No. Notes Chkd. Checked Survey by C.L. WRIGHT Notes CLW, HCH Date JULY '65
Date Date Map No. Indexed C. J. CALL Date

STATION	B. S.	H. I.	F. S.	ELEV.		
	LEVELS FROM CALIF. DIV. HI-WAY BRASS CAP MON. ON N-S & SEC. 35 NE'LY TO 1 3/4" I.P. ON N-S & OF SW 1/4 OF SEC 35 & TO STA V-8 (NAIL IN SANDSTONE)					
Fo.				2374.41	CALIF DIV. HIGHWAY BRASS CAP MON.	Pg 82 Pg 130
	7.26					
TP			0.40	2381.27		
	9.42					
TP			0.36	2390.33		
	8.99					
TP			1.48	2397.84		
	7.73					
V1-A			8.40	2397.17	FD. 2x2 & NAIL	Pg 128
	11.50					
TP			0.76	2407.91		
	8.91					
N-9			11.08	2405.74	FD. 1 3/4" I.P. CONC. PLUG, LACO ENCK TAG FLUSH	Pg 126, 127
	11.01					
V-8			9.25	2407.16	FD. NAIL IN SANDSTONE.	Pg 126, 127,

SEE PGS 233-234 FOR NEW CIRCUIT

C.J.W.

15-MAY 69

F.B. 3208 Pg. 176

Job No. _____ Division No. _____ Notes Red _____ Plotted _____ Profile

Survey of VASQUEZ ROCKS REG PARK Date _____ Date _____ No. _____

Survey by C.L.W. Notes C.L.W. Notes Chkd. _____ Checked _____ X-Sec.

Indexed C. J. GALLI Date JULY '65 Date _____ Date _____ No. _____

STATION	B.S.	H.I.	F.S.	ELEV.

BLANK

76-L298 CE 307 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

76F309S C.E. #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION V – 8 F.B. 3208 PG 126, 127, 175 H.I. 5.55

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
1/4 1/4 COR Pgs 94, 102 126, 127	6°	- 2° - 35' - 30" - 2° - 35' - 50" - 2° - 35' - 40"	485.64				
UP 4"	4°	- 2° - 49' - 50" - 2° - 50' - 00" - 2° - 49' - 55"					
		1/4 1/4 COR. F.B. 3208		Pgs. 94, 102, 126, 127	H.I. 4.63	UP 4"	
V-8	6°	+ 2° - 49' - 10" + 2° - 48' - 40" + 2° - 48' - 55"	485.64				
Pg 126, Pg. 127 Pg.	8°	+ 3° - 03' - 10" + 3° - 03' - 00" + 3° - 03' - 05"					
N-5 Pg. 102	12°	+ 9° - 29' - 10" + 9° - 28' - 30" + 9° - 28' - 50"	218.90				
	10°	+ 8° - 58' - 20" + 8° - 57' - 40" + 8° - 58' - 00"					
		N-5 F.B. 3208		Pg 102	H.I. 5.10		
1/4 1/4 COR Pgs 94, 102, 126, 127	12°	- 5° 47' 50" - 5° 48' 20" - 5° 48' - 05"	218.90				
UP 4"	10°	- 6° - 18' - 40" - 6° - 18' - 50" - 6° - 18' - 45"					

Survey of VASQUEZ ROCKS
JN 0655 Tape Std °F
Surveyed by K.L. WRIGHT
Notes C.L.W. Date JULY 65
Indexed E. J. GALL

Notes Ck'd by
Map No.
Office Work
Checked
Date

F.B. 3208 PG. 177

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION N-5 F.B. 3208 PG 102 H.I. +5.10

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
N-6 Pg 102	6°	- 2° - 50' - 00" - 2° - 50' - 30" - 2° - 50' - 15"	564.84				
	4°	- 3° - 02' - 30" - 3° - 02' - 40" - 3° - 02' - 35"					
		N-6 F.B. 3208 Pg 102 H.I. 5.55					
N-5 Pg 102	6°	+2° 59' 10" +2° 59' 00" +2° 59' 05"	564.84				
	4°	+2° 47' 00" +2° 46' 40" +2° 46' 50"					
1/4 1/4 COR. Pg 103	6°	+ 1° - 29' - 20" + 1° - 29' - 10" + 1° - 29' - 15"	522.36				
	4°	+ 1° - 16' - 00" + 1° - 15' - 50" + 1° - 15' - 55"					
		1/4 1/4 COR F.B. 3208 Pg 103, H.I. 5.20					
N-6 Pg 102	6°	- 1° - 21' - 30" - 1° - 21' - 40" - 1° - 21' - 35"					
	4°	- 1° - 34' - 40" - 1° - 34' - 40" - 1° - 34' - 40"	522.36				

178

F.B. 3208 Pg

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 1/4 1/4 COR F.B. 3208 PG 103 H.I. S 5.20

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
Q-1 Pg. 103,	6.0	+ 15°-00'-10" + 15°-00'-08" + 15°-00'-08"	119.18				
Pg. 104 ALSO Pg 144	4.0	+ 14°-00'-20" + 14°-00'-50" + 14°-00'-05"					
1/4 1/4 COR Pg 103	6.0	Q-1 F.B. 3208 - 14°-20'-00" - 14°-20'-00" - 14°-20'-00"	119.18	Pg. 103, 104, 144	HI. S 3.5	ELEV. 2428.44	
	4.0	- 15°-14'-00" - 15°-14'-00" - 15°-14'-00"					
Q-2 Pg. 104	6.0	- 4°-41'-50" - 4°-41'-30" - 4°-41'-40"	251.43				
	3.0	- 5°-22'-30" - 5°-22'-40" - 5°-22'-35"					
		Q-2 F.B. 3208		Pg 104	HI 5.62		
Q-1	6.0	+ 4°-56'-40" + 4°-56'-00" + 4°-56'-20"	251.43				
Pg 103 " 104 " 144	4.0	+ 4°-29'-30" + 4°-28'-40" + 4°-29'-05"					

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Vasquez Rocks
JN 0055 Tape Std °F
Surveyed by C.L.W. RIGHT
Notes C.L.W. Date JULY '65
Indexed C. J. GALLI

F.B. 3208 PG. 179

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION Q 2 F.B. 3208 PG 104 H.I. + 5 62

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
Q-6 Pg 105	6°	− 1° − 21′ − 20″ − 1° − 21′ − 30″ − 1° − 21′ − 25″	739.13				
	4°	− 1° − 30′ − 30″ − 1° − 30′ − 30″ − 1° − 30′ − 30″					

Q-6 F.B. 3204 Pg. 105 H.I. 5 55

Q-2	6°	+ 1° − 25′ − 50″ + 1° − 25′ − 20″ + 1° − 25′ − 35″	739.13				
	4°	+ 1° − 16′ − 10″ + 1° − 16′ − 00″ + 1° − 16′ − 05″					
Q7 Pg 105	6°	+ 7° − 17′ − 10″ + 7° − 16′ − 50″ + 7° − 17′ − 00″	143.40				
	4°	+ 6° − 30′ − 00″ + 6° − 29′ − 30″ + 6° − 29′ − 45″					

Q-7 F.B. 3208 Pg 105 HI 5 52

Q-6	6°	− 6° − 53′ − 50″ − 6° − 54′ − 20″ − 6° − 54′ − 05″	143.40				
	4°	− 7° − 41′ − 00″ − 7° − 41′ − 30″ − 7° − 41′ − 15″					

F.B. 3208 Pg 180

76F3095 CE #3110 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION Q-7 F.B. 3208 PG. 105 H.I. 5.52

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
M-4 Pg 98, " 105	6°	+ 2°-43'-00" + 2°-43'-00" + 2°-43'-00"	193.32				
	4°	+ 2°-07'-30" + 2°-07'-30" + 2°-07'-30"					
Q-7		M-4	FE 3208	Pg 98, 105	HI 5.52		
Pg 105	6°	+ 2°-22'-40" + 2°-23'-00" + 2°-22'-50"	193.32				
	4°	- 2°-58'-10" - 2°-58'-40" - 2°-58'-30"					
M-6	6°	+ 2°-46'-40" + 2°-46'-40" + 2°-46'-40"	637.95				
Pg 99 Pg 161	4°	+ 2°-36'-00" + 2°-35'-40" + 2°-35'-50"					
1/4'1/4 COR. Pg 98	12°	- 15°-38'-50" - 15°-39'-20" - 15°-39'-05"	119.38				
	10°	- 16°-31'-20" - 16°-31'-40" - 16°-31'-30"					

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS
JN 00 55 84 Tape Std °F
Surveyed by C.L. WRIGHT
Notes C.L.W.
Date JULY 65
Indexed
GALU

F.B. 3208 PG. 181

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 1/4 COR F.B. 3208 PG 98 H.I. + 5.95

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
M-4 Pg. 98	8.0	+ 19° - 29' - 00" + 19° - 28' - 40" + 19° - 28' - 50"	119.38				
Pg. 105	10.0	+ 20° - 19' - 20" + 20° - 19' - 10" + 20° - 19' - 15"					

F.B. 3208 PG 182

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION E-19 F.B. 3208 PG. 53, 155 H.I. 5.25

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
1/4/4 COR Pg. 52 TBM	6.0	- 3° - 19' - 20" - 3° - 19' - 30" - 3° 19 23"	766.46				
VR6 Pg 143	4.0	- 3° - 28' - 20" - 3° - 28' - 30" - 3° - 28' - 25"					
E-18 Pg 52	6.0	- 3° - 17' - 20" - 3° - 17' - 20" - 3° - 17' - 20"	244.52				
	4.0	- 3° - 30' - 00" - 3° - 30' - 20" - 3° - 30' - 10"					
	TBM VR6 PG 143	1/4/4 COR	F.B. 3208	PG. 52	HI. 5.10	Elev. 2436.65	
E-19 Pg. 53	6.0	+ 3° - 25' - 50" + 3° - 26' - 20" + 3° - 26' - 05"	766.46				
	8.0	+ 3° - 34' - 30" + 3° - 34' - 10" + 3° - 34' - 20"					
E-18	6.0	+ 3° - 34' - 50" + 3° - 34' - 40" + 3° - 34' - 45"	244.52				
PG 52	4.0	+ 3° - 06' - 50" + 3° - 06' - 50" + 3° - 06' - 50"					

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS
JN 0555 84 Tape Std °F
Surveyed by C.L.W. RIGHT
Notes C.L.W. Date JULY '65
Indexed G. J. GALLI

F.B. 3208 PG. 183

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION_____ F.B._____ PG_____ H.I.+_____

Sight on -Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.

F.B. 3208 PG 184

Notes Ck'd by		Survey of VASQUEZ ROCKS PARK	F. B. 3208 PG. ~~84~~ 185
Map No.		JN 005584 Tape Std °F	
Office Work		Surveyed by J. Terranova	
Checked		Notes V. HUCKABY Date 12-9-64	
Date		Indexed C. J. GALLI	

VASQUEZ ROCKS PARK

J.N. 0055.84
DEC 1964

LOCATION OF SEPTIC TANK AND 4" V.C.P. FEEDING SAME TANK AT REST ROOM SHOWN ON P.T. SH. - H 83-2

PARTY
J. TERRANOVA
V. HUCKABY
G. MASUDA

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61

F. B 3208 PG. 186



From Information Received At Park
Leaching Field Is Approx. 70 ft. Long.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Vasquez Rocks Park
Map No.	JN 0055.84 Tape Std °F
Office Work	Surveyed by J. Terranova
Checked	Notes V. HUCKABY Date 12-8-64
Date	Indexed C. J. GALLI

F. B. 3208 PG. 187

VASQUEZ ROCKS PARK

J.N. 0055.84
DEC. 1964

LOCATION OF LEACH LINES AT RESIDENCE SHOWN ON R.T. SH.-H83-2

PARTY
J. TERRANOVA
V. HUCKABY
G. MASUDA

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3085 CE # 310 3-61

F. B. 3208 PG. 188



This Leach Field Under Construction At Time Of Location

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of VASQUEZ ROCKS PARK
Map No.	JN 0055.84 Tape Std °F
Office Work	Surveyed by J. TERRANOVA
Checked	Notes V. HUCKABY Date 1-8-65
Date	Indexed C. J. GALLI

F. B. 3208 PG. 189

VASQUEZ ROCKS PARK

J.N. 0055.84
JAN. 1965

LOCATION OF SEPTIC TANK AND
4" V.C.P. FEEDING SAME TANK.
AT RESIDENCE SHOWN ON P.T.SH. H-83-2

PARTY
J. TERRANOVA
V. HUCKABY
G. MASUDA

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F309S CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 3208 PG. 191



Profile No. | Notes Red. | Date | Plotted | Date | Job No. 0055.84 | Division No. | F. B. 3208 | Pg. 191.

X-Sec. No. | Notes Chkd. | Date | Checked | Date | Survey of VASQUEZ ROCKS PARK

Survey by J. TERRANOVA Notes G. MASUDA Date 12-10-64

Map No. | Indexed L. J. GALLI Date

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

VASQUEZ ROCKS PARK

J.N. 0055.84

DEC. 1964

Bench Levels For Topog. Control In Vasquez Rocks Park, Setting Two T.B.M's For Present & Future Work. Temp. B.M.'s Shown On P.T. Sh. - H83-2

REF:

F.B. 1476 - 178, 179

PARTY

J. TERRANOVA

V. HUCKABY

G. MASUDA

STATION	B. B.	H. I.	F. B.	ELEV.

761.298 S & E #307 9-54

76L298 S & E #307 9-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 3208 Pg. 192 Job No. 00-55-84 Division No. Notes Red Plotted No.
Survey of Vasquez Rocks Park Date Date Fri. X-Sec.
Survey by J. Terranova Notes G. Masuda Notes Chkd. W J B Checked
Indexed C. J. Gina Date 12-10-64 Date 1/12/65 No.
Profile

STATION	B. S.	H. I.	F. S.	ELEV.	
B.M.N.C. 1048	4 83	2514 40		2509 57	B.M.N.C. 1048 - ELEV. = 2509.567 - ℄ INT. SIERRA HWY ℄ AGUA DULCE CYN. RD. 2.50 MILES SLY. ON AGUA DULCE CYN. RD. OR ℄ INT. AGUA DULCE CYN. RD. ℄ ESCONDIDO CYN. RD. 0.25 MILE WEST ON AGUA DULCE CYN. RD. ℄ 30' FT. NLY, 102.5 FT. ELY, FROM P.P. 676326 E. FD, C.E. MON. WITH BRASS CAP PER F.B. 1476-179
T.P.	0 02	2503 84	10 58	2503 82	
T.P.	1 23	2494 02	11 05	2492 79	
T.P.	6 16	2499 76	0 42	2493 60	
T.P.	2 67	2492 94	9 49	2490 27	
T.B.N.C. 1047A	2 15	2487 81	7 28	2485 66	T.B.N.C. 1047A - ELEV. = 2485.622 - ℄ INT. AGUA DULCE CYN. RD. ℄ ESCONDIDO CYN. RD., FD. CONC. C.E. MON. W/ BRASS CAP - 1/4 COR. "DN 8" W/CAP ℄ WELL PER F.B. 1476-178
T.P.	3 55	2484 40	6 96	2480 85	
T.P.	4 18	2482 66	5 92	2478 48	
T.P.	5 92	2483 05	5 53	2477 13	
T.P.	7 59	2487 95	2 69	2480 36	
T.P.	9 47	2495 45	1 97	2485 98	
T.B.M.	6 40	2490 06	11 79	2483 66	TBM. SET 5M BT. SPK. IN LEAD ON NORTH WESTERLY COR. OF CONC. PAD OF WELL SITE
T.B.M.	3 09	2489 97	3 18	2486 88	TBM. SET 5M BT. SPK IN LEAD ON NORTH EASTERLY COR. OF COVERED PORCH OF RESIDENCE
T.P.	7 85	2495 29	2 53	2487 44	
T.P.	1 95	2487 92	9 32	2485 97	
T.P.	2 10	2482 47	7 55	2480 37	
T.P.	6 61	2484 22	4 86	2477 61	
T.P.	10 68	2490 06	4 84	2479 38	
T.P.	6 52	2493 60	2 98	2487 08	B.M.N.C. 1047 - ELEV. = 2499.281 - ℄ INT. SIERRA HWY. ℄ AGUA DULCE CYN. RD. 2.4 MILES SLY. ON AGUA DULCE CYN. RD. OR ℄ INT. AGUA DULCE CYN. RD. ℄ DARLING RD. 0.2 MILE S.LY. ON AGUA DULCE CYN. RD. ℄ 26 FT. WLY. 110 FT. SLY. FROM P.P. 747/SE. FD. C.E. MON. W/ BRASS CAP PER F.B. 1476-178
T.P.	9 76	2503 04	0 32	2493 28	
B.M.N.C. 1047			3 72	2499 32	

Notes Ck'd by	Survey of VASQUEZ ROCKS
Map No.	JN 00 55 84 Tape 1 Std °F
Office Work	Surveyed by C. L. WRIGHT
Checked	Notes C. L. W. Date 12-AUG '65
Date	Indexed C. J. GALLI AUG 16 '65

F. B. 3208 PG. 193

VASQUEZ ROCKS REGIONAL PARK

ADD'L. CHECK ON TRIG LEVELS

J. N. 00 55 84

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date, and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PARTY
C. L. WRIGHT
R. D. ANDERSON
B. A. BERRY
H. B. MITCHELL

76F3095 CE # 310 3.61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION CTR SEC 24 TBM VR3 F.B. 3208 Pg 20, 137, 150 H.I. 438

SIGHT ON	ROD	+ VERTICAL ANGLE	HORIZONTAL DISTANCE	+ VERTICAL - DISTANCE	+ CURVATURE CORR.	+ DIFF - ELEV.	ADJ. DIFF. ELEV.
1244 65 Pg 15,158	6.0	+ 5° 52' 30" + 5° 52' 20" + 5° 52' 25"	141680				
	4.0	+ 5° 47' 50" + 5° 47' 40" + 5° 47' 30"	"				
			1244 65	F.B. 3208	Pg 15,158	H.I. 472	
TBM VR3 CTR SEC 24 Pg 20,137 150	6.0	- 5° 45' 30" - 5° 45' 20" - 5° 45' 25"	141680				
	4.0	- 5° 49' 30" - 5° 49' 50" - 5° 49' 40"	"				

F. B 3208 Pg. 194

Notes Ck'd by		Survey of VASQUEZ ROCKS PARK	F. B. 3208 Pg. 195
Map No.		J.N. 00558 Tape 190 Std. 84 °F	
Office Work		Surveyed by J. C. PIERCE	
Checked		Notes J. C. P. Date 2-4-66	
Date		Indexed C. J. GALLI	

J.N. 00558

VASQUEZ ROCKS REGIONAL PARK

PROFILES TO CHECK PHOTO-SURVEY

LINE #1	VR 11 TO V-2	PG. 196
LINE #2	PT 'G' TO TOP KNOLL	PGS 197-198
LINE #3	VR-5 TO VR-22	PGS. 199-200
LINE #4	VR-23 TO VR-8	PGS. 201-202
LINE #5	VR-9 TO VR-10	PGS 203-204
LINE #6	VR-16 TO V-1 & V-9	PGS 205-206

PIERCE J.C.
VAN NES G.L.
TALBOT R.L.
ALBRIGHT W.S.
SOPER R.J.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3095 GE #310 - 65

F.B. 3208 PG. 196

STATION	MEAS DIST	VERT ANGLE	HORIZ DIST	ROD	VERT ANGLE	VERT DIFF	ELEVATION	DESCRIPTION
0+00.0 ℄	0.0	0°00'00"	0.0	+4.7	0°00'00"	0.0	2348.9	VR-11 11/11 R SIDE HILL
0+72.2	73.0	+8°38'00"	72.2	-4.7	+8°38'00"	+11.0	2359.9	
0+72.2	0.0	0°00'00"	0.0	+4.8	0°00'00"	0.0	2359.9	⊼ SIDE HILL
1+57.2	85.0	0°00'00"	85.0	-4.8	0°00'00"	+0.8	2360.7	
1+57.2	0.0	0°00'00"	0.0	+4.8	0°00'00"	0.0	2360.7	⊼ TOP BRK
2+18.2	61.0	-21°53'36"	56.8	-4.8	-21°53'36"	-24.6	2336.1	BOT BRK E. SIDE WASH
4+35.5	269.0	-17°32'00"	256.3	-4.8	-17°32'00"	-83.3	2272.4	
4+35.5	0.0	0°00'00"	0.0	+5.0	0°00'00"	0.0	2272.4	⊼ BOT DRAW
3+00.4	135.0	-13°34'00"	131.8	-5.0	-13°34'00"	-32.8	2239.6	BOT DRAW
3+21.0	61.0	-17°10'00"	58.5	-5.0	-17°10'00"	-18.4	2221.2	
5+69.4	174.0	+22°10'00"	161.8	-5.0	+22°10'00"	+62.9	2284.1	
5+69.4	156.0	+30°54'00"	133.9	-5.0	+30°54'00"	+80.1	2352.5	⊼ TOP BRK
5+69.4	0.0	0°00'00"	0.0	+5.2	0°00'00"	0.0	2352.5	
6+62.1	97.0	+17°11'00"	92.7	-5.2	+17°11'00"	+28.7	2381.2	⊼ TOP BRK
6+62.1	0.0	0°00'00"	0.0	+5.2	0°00'00"	0.0	2381.2	
6+78.9	16.8	0°00'00"	16.8	-5.2	0°00'00"	+3.2	2384.4	⊼ S1+9 FE
7+04.5	42.4	0°00'00"	42.4	-6.4	0°00'00"	+3.2	2387.6	V-1+2 STK

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of VASQUEZ ROCKS PARK
Map No.	J.N. 0055.84 Tape 196 Std. 84 °F
Office Work	Surveyed by J.C. PIERCE
Checked	Notes J.C.P. Date 1-31-66
Date	Indexed C. J. CALLI

F.B. 3208 PG. 197

END OF LINE NEAR TOP OF KNOLL NOTHING SET THIS POINT IS 2.5 FT BELOW TOP OF KNOLL

13+30.52
VR-3
FD. 3/4" I.P & C.E.
TAG PER F.B. 3208-21

169° 05' 00"
1338' 10' 00"

0+00.00
P.T. G.
FD. C.E. MON. UP 4"
MKD. AS SHOWN
F.B. 3208-20

T.4 S., R.14 W., S.B.B.&M.
ENGINEER
CENTER
SEC. 26
C.L. 58

Note: Any Additions or Changes of This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 (CE#310) -65

F.B. 3208 PG. 198

T @ PT 'G' SIGHT ON PT VR-3 H.I. = 4.75

STATION	MEAS. DIST	VERT. ANGLE	HORIZ. DIST.	ROD	VERT. ANGLE	VERT DIFF.	ELEVATION
0+00 'G'	000.0	0° 00'	00.00		0° 00'		2527.54
0+99.9	100.0	+ 2° 25'	99.9	4.75	- 2° 25'	- 4.2	23.3
2+01.0	201.10	+ 0° 23'	201.0	4.75	+ 0° 23'	- 1.3	26.2
2+97.9	298.0	+ 1° 47'	297.9	4.75	+ 1° 47'	+ 9.3	2536.8

T @ STA 2+97.9 SIGHT ON PT VR-3 H.I. = 5.05

3+99.5	102.0	+ 5° 42'	101.6	5.05	+ 5° 42'	+ 10.1	2546.9
4+99.9	203.0	+ 5° 34'	202.0	5.05	+ 5° 34'	+ 19.7	56.5
5+94.9	298.0	+ 4° 46'	297.0	5.05	+ 4° 46'	+ 24.8	2561.6

T @ STA 5+94.9 SIGHT ON PT VR-3 H.I. = 5.05

7+00.9	106.0	0° 00'	106.0	5.05	+ 0° 51'	- 1.6	2560.0
7+98.9	204.0	0° 00'	204.0	5.05	+ 0° 57'	+ 3.4	65.0
8+94.5	300.0	+ 3° 02'	299.6	5.05	+ 3° 02'	+ 16.9	2577.5

T @ STA 9+95.5 SIGHT ON PT VR-3 H.I. = 5.07

8+94.5 +	102.0	+ 7° 54'	101.0	5.07	+ 7° 54'	+ 14.0	2591.5
10+96.7 +	101.5	+ 4° 18'	101.2	5.07	+ 4° 18'	+ 7.6	2577.6
13+30.52	233.5	+ 11° 47'	234.3	5.07	+ 11° 47'	+ 48.9	2602.2

VR-3 — VR-3

T @ STA VR-3 SIGHT ON PT 'G' H.I. = 4.92

10+96.2 -	234.3	+ 11° 47'	234.3	4.92	- 11° 47'	- 48.9	2502.2
11+93.4 -	140.0	+ 13° 32'	136.1	4.92	- 13° 32'	- 32.8	2618.3
12+69.8	140.00	+ 14° 46'	138.8	4.92	- 14° 46'	- 10.2	2640.9
13+30.52	100.0		100.0				2651.1
14+33.53	105.0	+ 14° 06'	101.8	4.92	+ 14° 06'	+ 25.6	2676.7
15+25.53	206.0	+ 13° 14'	194.7	4.92	+ 13° 14'	+ 45.8	2694.9
15+97.9	277.0	+ 12° 38'	269.4	4.92	+ 12° 38'	+ 59.3	2710.4

VR-3 — VR-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by	Survey of VASQUEZ ROCKS PARK
Map No.	J.N. 0055.84 Tape 190 Std 84 °F
Office Work	Surveyed by J. C. PIERCE
Checked	Notes J.C.P. Date 2-1-66
Date	Indexed C. J. GALLI

F.B. 3208 PG. 199



0+00.0
V/R - 5
FD 3/4" I.P & C.E. TAG
F.B. 3208 - 27

2+98.4
FD 1X2 STK & N
F.B. 3208 - 26

8+74.9
FD. LEAD & C.E. TAG IN ROCK
F.B. 3208 - 26

V/R - 22
13+41.2
FD 3/4" I.P & CAP UP 8"
F.B. 3208 - 26, 54

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE#310 1-65

F. B. 3208 PG 200

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

STATION	MEAS. DISTANCE	VERT. ANGLE	HORIZ. DISTANCE	ROD	VERT. ANGLE	VERT. DIFF.	ELEVATION	DESCRIPTION
0+00.0	0.0	0°00'	0.0	+5.00			2343.53	
0++99.2	100.00	-7°00.28'	98.91	-5.00	-7°00.28'	-13.10	3000	VR-5 111/F & C.E. TAG
1++98.2	100.00	-9°00.05'	98.89	-5.00	-9°00.05'	-23.51	2200	SLOPE
2++98.4	200.01	-11°00.02'	196.99	-5.00	-11°00.02'	-38.12	2213	BOT. BRK
2++34.6	36.5	-11°00.00'	36.6	-5.00	-11°00.35'	-26.38	2211	SLOPE
3++34.9	0.0	0°00'	0.0	+4.99	0°00'	0.0	2516.7	TOP BRK
4++98.4	100.00	-17°00.53'	95.49	-4.99	-17°00.53'	-19.12	2497.5	SIDE HILL
5++98.4	100.00	-15°00.30'	96.61	-4.99	-15°00.30'	-33.37	2483.0	" "
6++98.4	100.00	-17°00.24'	95.49	-4.99	-17°00.24'	-38.10	2478.4	" "
7++98.4	100.00	-17°00.13'	95.49	-4.99	-17°00.13'	-33.33	2483.3	" "
8++74.8	78.0	-17°00.00'	74.58	-4.99	-17°00.57'	-31.74	2485.9	" "
					-13°00.58'	-32.11	2488.5	PROP. LEAD & C.E. TAG
					-2°00.89'	-28.82	2488.5	INTERLOCK TOP BRK
8++74.9	0.0	0°00'	0.0	+5.02	0°00'	0.0	2488.5	PROP. TOP BRK
9++76.1	100.00	-14°00.05'	97.03	-5.02	-14°00.05'	-30.14	2458.1	SLOPE HILL
10++84.7	210.00	-12°00.41'	205.48	-5.02	-12°00.41'	-47.74	2441.3	TOP BRK
10++84.7	0.0	0°00'	0.0	+5.02	0°00'	0.0	2441.3	SIDE HILL
11++76.6	176.00	-19°00.03'	166.28	-5.02	-19°00.03'	-54.93	2386.4	BOT. BRK
11++53.6	133.00	-21°00.54'	123.77	-5.02	-21°00.54'	-49.46	2391.9	SIDE HILL
12++57.1	157.15	-2°00.03'	156.93	-5.02	-2°00.03'	-30.71	2411.2	VR-22 ELEV = 2418.86
13++41.2						-22.17	2418.86	F.B. 3208 -

Notes Ck'd by	Survey of VASQUEZ ROCKS PARK
Map No.	JN 0055.84 Tape 196 Std. 84 °F
Office Work	Surveyed by J. C. PIERCE
Checked	Notes J. C. P. Date 1-31-66
Date	Indexed C. J. GALLI

F. B. 3208 PG. 201

0+00.00
V/R - 23
¼ COR. FD. 3/4" I.P. &
C.S. TAG FLUSH
F.B. 3208-52

5+09.7
FD. 1X2 STK
F.B. 3208-51

7+58.3
FD. 1X2 STK
F.B. 3208-50

10+28.3
FD. 1X2 STK
F.B. 3208-50

13+29.5
C.S. MON.
¼ COR. SECS. 26, 35, T.5N., R.14W.
F.B. 3208-50

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 1-65

F. B. 3208 Pg. 202

STATION	MEAS. DIST	VERT ∠	HORIZ. DIST	ROD	VERT. DIFF.	ELEVATION	DESCRIPTION
0+00.0	0.0	0° 00' 00"	0.0	+ 4.80	0.00	2433.65	VRA 23 T.H.B.
0++50.0	50.0	0° 00' 00"	50.0	- 1.86	- 1.86	2431.79	SLOPE
1++00.0	100.0	0° 00' 00"	100.0	- 3.26	- 3.26	2430.39	"
1++50.0	150.0	0° 00' 00"	150.0	- 4.74	- 4.74	2428.91	"
2++00.0	200.0	0° 00' 00"	200.0	- 6.17	- 6.17	2427.48	"
2++50.0	250.0	0° 00' 00"	250.0	- 4.80	+ 1.37	2434.02	BOT BRK.
3++00.0	300.0	0° 00' 00"	300.0	- 4.80	+ 0.32	2435.71	TOP "
3++44.8	344.8	0° 00' 00"	344.8	- 4.80	+ 1.53	2434.52	"
3++44.8	0.0	19° 52' 26"	0.0	+ 4.90	- 1.38	2432.27	BOT BRK
4++00.0	55.2	19° 52' 26"	55.2	+ 4.90	- 1.38	2432.27	TOP "
4++50.0	105.2	19° 52' 26"	105.2	+ 4.90	- 2.62	2431.03	"
5++00.0	155.2	19° 52' 26"	155.2	+ 4.90	- 4.01	2429.64	"
5++09.7	164.9	19° 52' 26"	164.9	+ 4.90	- 4.38	2429.27	BOT BRK
4++44.7	- 68.0	0° 00' 00"	- 68.0	- 4.87	+ 2° 00' 00"	2433.10	"
4++93.7	93.0	17° 40' 30"	72.4	- 4.88	- 17° 40' 30"	2428.17	SLOPE BRK
5++38.7	138.0	17° 40' 30"	120.1	- 4.89	- 17° 40' 30"	2426.16	TOP "
6++38.7	208.5	17° 40' 30"	209.6	- 4.89	+ 14° 40' 05"	2431.91	"
7++38.7	244.6	17° 40' 30"	246.6	- 4.89	+ 22° 45° 00"	2434.18	"
7++58.3	0.0	0° 00' 00"	0.0	+ 5.10	- 0° 00' 00"	2429.08	TOP BRK
6++03.1	44.8	0° 00' 02"	44.8	+ 5.10	- 0° 00' 02"	2429.08	BOT "
6++64.0	105.7	0° 00' 12"	105.7	+ 5.11	- 0° 00' 12"	2429.07	SLOPE HILL
10+28.3	0.0	0° 00' 00"	0.0	- 4.88	+ 0° 00' 00"	2432.12	TOP BRK
10++00.3	47.0	0° 00' 00"	47.0	- 10.67	+ 0° 00' 00"	2426.33	BOT "
11++00.3	112.0	0° 00' 00"	112.0	- 4.67	+ 0° 00' 00"	2432.33	"
11++00.3	0.0	1° 00' 00"	0.0	+ 5.20	- 1° 00' 00"	2428.33	TOP DRAIN
11++99.9	99.6	1° 54' 54"	99.6	+ 5.22	- 1° 54' 54"	2428.31	BOT "
12++99.2	199.2	1° 54' 54"	199.2	+ 5.22	- 1° 54' 54"	2426.31	1/4 COR. S. MON. VR-8
13++29.5	230.2	1° 54' 54"	229.2	+ 5.22	- 1° 54' 54"	2426.31	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS PARK
JN 0055.84 Tape 190 Std 84 °F
Surveyed by J.C. PIERCE
Notes J.C. PIERCE Date 2-2-66
Indexed E. J. GALLI

F.B. 3208 PG. 203

12+98.4
VR-10
FD. 1" I.P. & C.E. TAG FL.
F.B. 3208 - 86, 123

10+47.5
FD. 1X2 STK & N.
F.B. 3208 - 122

4+97.6
FD. CHIS. ⊕ IN TOP
SANDSTONE RIM ROCK
F.B. 3208 - 122

0+00.0
VR-9
FD. 1" I.P. & C.E. TAG FL.
F.B. 3208 - 118, 122

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE#310 1-65

F.B. 3208 Pg 204

LOS ANGELES COUNTY ENGINEER
PLEASE RETURN TO
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

STATION	MEAS DIST	VERT ANGLE	HORIZ DIST	ROD	VERT ANGLE	VERT DIST	ELEVATION	DESCRIPTION
0+00.0	0.0	0° 00'	0.0	+4.9	0° 00'	0.0	27 60.0	VR-19 11.P. 4CA. TAG SIDEHILL
0+96.8	96.8	+23° 39'	96.8	-4.9	-23° 32'	-43.1	27 23.9	SIDEHILL " "
1+98.8	198.8	+22° 22'	198.8	-4.9	-21° 43'	-81.8	26 82.2	
2+78.7	278.7	+21° 43'	278.7	-4.9	-21° 43'	-111.8	26 55.0	
2+78.7	0.0	0° 00'	0.0	+4.9	0° 00'	0.0	26 55.0	AT SIDEHILL - BOT BRK
3+79.6	100.9	-14° 13'	96.8	-4.9	-14° 13'	-24.6	26 30.4	SLOPE
3+98.7	119.9	-14° 34'	115.9	-4.9	-14° 34'	-29.0	26 26.0	"
4+78.0	199.2	-11° 17'	195.9	-4.9	-11° 17'	-39.0	26 16.3	TOP CLIFF @ IN ROCK
4+78.0	0.0	0° 00'	0.0	+4.9	0° 00'	0.0	26 07.3	AT BOT CLIFF
4+97.6	19.6	-35° 57'	16.0	+4.9	-29° 04'	-32.5	25 74.8	SIDE HILL
5+38.1	60.1	-20° 36'	56.5	-4.9	-23° 38'	-50.4	25 56.9	SLOPE
5+38.1	0.0	0° 00'	0.0	+4.9	0° 00'	0.0	25 56.9	"
6+14.6	76.5	-11° 25'	75.0	-4.9	-17° 38'	-71.8	25 35.1	"
6+26.8	88.7	-11° 37'	87.0	-4.9	-15° 37'	-78.9	25 28.4	"
7+79.8	0.0	0° 00'	0.0	+5.2	0° 00'	0.0	25 28.4	AT SLOPE
8+85.1	106.0	-15° 48'	102.7	-5.2	-15° 48'	-30.8	25 19.6	DRAW
8+85.1	0.0	0° 00'	0.0	+5.2	0° 00'	0.0	25 19.6	SMALL
9+47.5	62.4	-17° 19'	59.7	-5.2	-17° 19'	-18.6	25 17.3	BOT. SLOPE
10+47.5	124.4	-18° 19'	118.5	-5.2	-18° 19'	-39.1	24 89.3	1X2 STK
10+47.5	0.0	0° 00'	0.0	+5.2	0° 00'	0.0	24 89.3	AT BRK
10+57.5	10.0	-33° 02'	10.0	-5.2	-33° 02'	-5.4	24 86.7	TOP
10+64.5	17.0	-33° 02'	16.2	-5.2	-33° 02'	-9.2	24 84.7	BOT
11+57.0	127.0	-33° 02'	121.0	-5.2	-33° 02'	-66.4	24 24.9	SIDE HILL
12+56.5	226.5	-20° 59'	209.1	-5.2	-20° 59'	-80.1	24 09.2	TOP CLIFF
12+56.5	0.0	0° 00'	0.0	+5.2	0° 00'	0.0	24 09.2	AT
12+56.5	0.0	-43° 55'	0.0	+5.2	-43° 55'	-0.0	24 09.2	11.P. VR-10 BOT CLIFF.
12+56.4	58.2		41.9			-40.4	23 68.8	

Notes Ck'd by	Survey of VASQUEZ ROCKS PARK
Map No.	J.N. 0055.84 Tape 190 Std 84 °F
Office Work	Surveyed by J.C. PIERCE
Checked	Notes J.C.P. Date 2-4-66
Date	Indexed G. J. GALLI

F.B. 320B PG. 205



0+00.0
VR-16
FD. 1" I.P. & C.E. TAG
F.B. 320B-94, 102, 127

0+00.0 TOE
5+88.6 TOS
V-1
FD. 1X2 STK
& NAIL
F.B. 320B-128

V-1A
MM 455
FD. 2X2 STK
F.B. 320B-128, 175

2+51.9
V-9
FD 1 3/4" I.P. & C.E.
TAG
F.B. 320B-127, 175

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE#310 1-65

F.B. 3208 Pg 206

STATION	MEAS DIST.	VERTICAL ANGLE	HORIZ. DISTANCE	ROD	VERTICAL ANGLE	VERT DIFF.	ELEVATION	DESCRIPTION
0+00.0	0.0	0° 00'	0.0	H 4.4	0° 00'	0.0	2384.10	VR-16 1" I.P. & C.E. TAG
0+74.6	75.5	- 0° 57'	74.6	4.4	+ 0° 57'	- 11.8	72.3	BOT BRK
1+01.3	101.3	- 0° 06'	101.3	4.8	0° 00'	+ 0.4	83.7	TOP "
1+22.4	122.5	- 2° 41'	122.4	- 10.1	0° 00'	- 5.7	2378.4	SLOPE "
1+22.4	0.0	0° 00'	0.0	+ 5.2	0° 00'	0.0	2378.4	SLOPE
2+29.7	110.5	- 13° 51'	107.3	5.2	+ 13° 51'	- 26.5	51.9	"
2+66.1	147.8	- 13° 30'	143.7	5.2	+ 13° 30'	- 34.5	2343.9	TOP BRK
2+66.1	0.0	0° 00'	0.0	+ 4.9	0° 00'	0.0	2343.9	
3+02.1	38.0	- 21° 17'	36.0	4.9	+ 21° 17'	- 14.0	29.9	BOT DRAW
3+51.4	85.9	+ 6° 36'	85.3	4.9	+ 6° 36'	+ 9.9	34.0	BOT BRK
3+71.7	106.0	+ 4° 44'	105.6	4.9	+ 4° 44'	+ 8.8	2352.7	TOP BRK
3+71.7	0.0	0° 00'	0.0	+ 4.9	0° 00'	0.0	2352.7	TOP BRK
4+11.2	40.0	+ 9° 08'	39.5	4.9	- 9° 08'	- 6.4	46.3	BOT DRAW
4+27.1	56.1	+ 7° 57'	55.4	4.9	+ 7° 57'	+ 7.8	2360.5	TOP BRK
4+27.1	0.0	0° 00'	0.0	+ 5.0	0° 00'	0.0	2360.5	
4+59.9	34.8	- 19° 25'	33.8	5.0	- 19° 25'	- 11.6	2348.9	BOT BRK
5+28.8	103.7	+ 11° 16'	101.7	5.0	+ 11° 16'	+ 20.3	80.8	
5+82.6	165.8	+ 13° 05'	161.5	5.0	+ 13° 05'	+ 37.5	2398.0	PT V-1 1X2 STK
	162.0	+ 13° 15'		5.0	+ 13° 15'	+ 37.1	2397.6	PT= MM 455 ELEV = 2397.17 FB. 3208-128 175 2X2 STK.
STATION	5+82.6	FROM N.	= 0+00.0	TO	EAST	PT =	V-1	
0+00.0	0.0	0° 00'	0.0	+ 5.1	0° 00'	0.0	2397.6	PT V-1
0+67.6	69.4	- 13° 07'	67.6	5.1	+ 13° 07'	- 15.8	81.8	SIDE HILL
1+03.6	106.7	- 13° 54'	103.6	5.1	+ 13° 54'	- 27.5	70.1	BOT BRK
1+55.5	157.0	+ 14° 24'	152.5	5.1	+ 14° 24'	+ 21.1	76.5	" "
2+15.4	216.0	+ 40° 09'	165.4	5.1	+ 40° 09'	+ 115.6	2413.2	TOP " "
2+51.9	36.5	0° 00'	36.5	12.8	3° 38'	+ 8.2	2405.8	PT V-2 A 1 3/4" I.P. & C.E. TAG FLUSH ELEV. = 2405.75

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by		Survey of VASQUEZ ROCKS	F.B. 3208 Pg. 207
Map No.		JN 0055.84 Tape 793 Std 84 °F	
Office Work		Surveyed by C. L. WRIGHT	
Checked		Notes C.L.W Date NOV. '68	
Date		Indexed C. J. GALLI ~~OCT 2 6 86~~	

VASQUEZ ROCKS REGIONAL PARK

ADDITIONAL PROPERTY LINES NORTH OF THE ANTELOPE VALLEY FREEWAY IN SECTION 35 TOWNSHIP 5 NORTH RANGE 14 WEST.

SEE INDEX - PG. 208

E/N 0055.84

REFERENCES:
C.S. B-900-1

F.M. 20276
F.B. 1476

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

78P308 CE #310 5-86

Approved
C. L. WRIGHT
C. J. ALMANZAR
B. R. FRAUX
R. M. NEVAREZ
L. G. KEISLER

F.B. 3208 Pg. 208



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note:-Any-Additions-or-Changes-on-this-Sheet-Must-Be-Made-or-Circled-in-Red-Ink-With-Date-and-Name-of-Person-Making-Change

Notes Ck'd by: F. HILARIO		Survey of: VASQUEZ ROCKS	
Map No.: B-2961		JN 0053.84 Tape: 193 Std: 84° F	
Office Work: S. KURACHI		Surveyed by: C.L. WRIGHT	
Checked: R. HILARIO		Notes: C.C.W. C.J. GALLI	Date: AUG '68
Date: Jan. 1969		Indexed:	

F.B. 3208 Pg. 209

Notes: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

W.S. 64, A-6

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
1403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

7-63098 CE #310 5-66

SEE P.G. 222 FOR REMOVAL OF THIS POINT C.J.W. 3 DEC. 68

FD. CALIF. DIV. HIGHWAY BRASS CAP IN CONC. IN MONUMENT PG. 96 VR 19

S.E.L.

END FENCE

SET L.S.N. L.A.Co. FENCE TAC IN SAND. CUT TONE @ CALC. INTERSECTION PER DEED SEE F.M. 26276 A3, B3

SET AT RECORD DIST. AND ANGLE FROM THE SOUTH LINE OF THE HERD DEED Rec. F.M. 26276-A3 SET L.S.N. L.A.Co. FENCE TAC IN SANDSTONE

@	86	03	40
@	172	07	20
	86	03	40"

@ (1)	137	56	50
@ (2)	191	46	55
	107	46	30
	137°	56'	18"

S. STRAND BARBWIRE FENCE

DECLINATION P.G. 222 FOR PROPERTY LINE

S32 49 E 1322.96 Calc.

1/4 COR FALLS IN EASTBOUND TRAVELED LANE OF FREEWAY NOTHING SET SEE P.G. 96

SET L.S.N. AUX V.R. 35

FD CALIF. DIV. HIGHWAY BRASS CAP IN CONC. PG. 96 V.R. 17

T = 92°

	(ev)	28.79
172.17 @ 80-17 =		169.65 = 169.65
171.88 @ 279-14 =		169.65
41.41 @ 167-49 =		39.42 = 39.42
41.59 @ 251-25 =		39.42
298.776 @ 80-25 =		294.59 = 294.60
298.63 @ 279-24 =		294.62

532.46
532.49

V.R. 35 SET I.P. Lead Pipe Co. Fence N.E. Tac & Set at Record Dist. from S.E. Cor. Rec. Deed See F.M. 26276-A3

S.E.L.

E.L.

S. STRAND BARBWIRE F.W.

392.49

392.49

OFF 3.8'

FD. 1x2 C.N. P.G. 95

Cont. to Pg 210

CONT. FOR PG 209

F.B. 3208 PG. 210

T=84°

151.33 @ 109-27 = 142.69
= 142.69
151.11 @ 250-48 = 142.70

234.06 @ 283-27 = 227.64
= 227.64
234.20 @ 76-24 = 227.63
LEV

22.33
397.66

T=74°

22.74 @ LEV = 22.74

90.93 @ 81°46 = 89.99
= 89.99
90.99 @ 278°33 = 89.98
LEV

103
112.76
91
112.75

SET L.C.&R.G. ENGR TAK. ON IRON PIPE FM WEST THIS POINT SET RECORD DIST AND ANGLE FROM THE SOUTHWEST COR DEED SEE FM 208.76 - A-3
SEE PG 221 FOR REMOVAL OF THIS POINT

T=74°

136.80 @ 69°38' = 128.25
= 128.26
136.55 @ 190°03' = 128.27

81.47 @ 101°53' = 77.53
= 77.54
81.63 @ 251°47' = 77.54

205.80
-.01
205.79

T=84°

9.48 @ LEV = 9.48

SEE PG. 221 FOR PROPERTY LINE CHG IN DEC '68

SET 1" x 2" IP AUX V.R. 34

Δ 15° 15' 00"
Ⓓ 76° 59' 45"
Ⓡ 217.29' 40"
L 56.14' 57"

CONT. TOP PG. 211

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

R. HILARIO

Notes Ck'd by		Survey of VASQUEZ ROCKS	F.B. 3208 Pg. 211
Map No. D-2961		JN 2055.84 Tape 100 Std 54 °F	
Office Work S. KURACHI		Surveyed by C.J. WRIGHT	
Checked R. HILARIO		Notes C.J.W., R.H.A. Date AUG. '68	
Date Jan. 1969		Indexed C.J. GALLI	

Note: Any Additions or Changes on this Sheet Must be Made or Checked In Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
402 LOS ANGELES COUNTY ENGINEERING BLDG.

7683OSS CE #310 5-68

CONT. FROM PG. 210



T = 84'

93.48 @ 103 42 = 90.184 / = 90.82 /
93.61 @ 255 58 = 90.824 /
54.37 @ 111 04 = 50.774 / = 50.73 /
53.77 @ 250 28 = 50.73 /
34.16 @ 72 53 = 32.65 / = 32.65
34.43 @ 288 29 = 32.65 /
114.43 @ 6 A 05 = 102.954 / = 102.95 /
114.55 @ 354 01 = 102.954 /
15.90 @ LEN / = 15.90
703.034

CONT. RIGHT SIDE PG 212

F.B. 3208 Pg. 21/2

T5N
R14W

EAST - WEST ℄ SEC 35

1/4 1/2 COR
= 1" IP
CONC PLUG
L.A.CO.ENGR.TAG
S.N. PG 127

SET AT RECORD DISTANCE
SOUTH OF THE EAST-WEST
℄ SEC 35 AND ON THE
1/4 1/4 LINE PER DEED
SEE EM. 202.76 ; A-3
SET 1" IP CONC PLUG
L.A.Co. ENGR. TAG R.N.
UP 4"

V-8
FD NAIL
IN SANDSTONE
PG 127

FD. 1 1/4" IP CONC PLUG
L.A.Co.ENGR TAG
PG. 127 REMOVED SAME

CONT. FOR PG 211

PROPERTY

EASEMENT

WIRE FEN. LINE

APPROX CELL LINE

SET NAIL IN SANDSTONE

SET NAIL IN LIT. R/W

D	67	12	19
ⓓ	268	98	50
ⓒ	93	13	15
C	7°	12'	13"

T = 86°

32.44 @ 114-54 = 29.42
= 29.43
32.14 @ 246-20 = 29.44
28.28
57.71

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

14

Notes Ck'd by	R. HILARIO	Survey of	VASQUEZ ACRES
Map No.	13-2961	JN 2055 84	Tape 198 Std 84°F
Office Work	S. KURACHI	Surveyed by	C.L. WRIGHT
Checked	R. HILARIO	Notes	C.L.W. R.H.A. Date AUG '68
Date	JAN. 1969		C. J. GALLI
		Indexed	

F.B. 3708 Pg. 213

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
402 LOS ANGELES COUNTY ENGINEERING BLDG.

7285OS CE #310 5-68

T.5 N.
R.14 W.
SEC. 35

VR15
FD. CALVE DIV. OF HIGHWAYS BRASS CAP IN CONC. PK 82

VR29
SET 1" IP. CONC. PLUG LACO. ENG. IN CONC. AC & NAIL IN CONC. SET BY INT.

SET 1/2" GW BY INT.

NEAR SIDE OF CURB

SET L.S. NAIL IN S.S. AUTOMOBILE CURB

PROPERTY LINE

STERLING AVE.

CURB

CURB & GUTTER

993.74' To Pure Cor

T = 84°
42.30 @ 286-38 = 40.53
42.50 @ 72-26 = 40.52
133.04 @ 102-02 = 130.12
132.87 @ 258-18 = 130.11

①	73	32	50
②	294	11	35
③	81	17	30
	73°	32'	55"

T-6 (CO. LYNX) Pc. 82, 130

CONT. TOP Pg. 214

F.B. 3208 Pg. 214

Contn. Bk. Pg. 213


T=88°
239.55 @ 95-24 = 238.49 = 238.48
239.48 @ 264-45 = 238.48
299.53 @ 87-11 = 299.17 = 299.17
299.56 @ 272-55 = 299.17
234.67 @ 76-43 = 278.39 = 278.40
234.83 @ 283-26 = 278.41
29.91
795.98
795.98
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
Note:- Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change
Do not extend this side of this line
795.98
933.74 To Prop. Cor. @ N. & E. Sec. 35
E. PROPERTY
STAKE
BARE
LINE
EXIST. FENCE
LINE
EXIST. FENCE
OFF SET
S. & T. 1x2
W-2
5.5
14.1
16°
20.00
10 FEET
2.00
Set 1x1 0.5
0.6
0.32
10.05
STAKE
1.0
1.0
1.0

Notes Ck'd by R. HILARIO		Survey of WAGNER & KOHLS	F.B. 3208 Pg. 2/5
Map No. B-2361		JN 00555.84 Tape 193 Std 84 °F	
Office Work S. KURACHI		Surveyed by C. J. WRIGHT	
Checked R. HILARIO		Notes C.J.W. Date 10/8/68	
Date Jan. 1969		Indexed C. J. GALLI	

Cont. Bat Pg. 7/4

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Jepson CE #810 5-68



T = 100°

753.30 @ 261-56 = 250.79		8.51
258.46 @ 98-19 = 250.79	=	250.70
175.05 @ 82-42 = 173.63		173.63
174.99 @ 277-07 = 173.64		57.88
Lav		
259.00 @ 263-51 = 257.51		257.52
258.93 @ 95-58 = 252.52	=	
191.48 @ 272-18 = 191.33		191.33
191.44 @ 88-03 = 191.33	=	
269.48 @ 273-35 = 268.95		268.95
269.42 @ 86-38 = 268.95	=	
257.36 @ 99-21 = 253.94		253.93
257.97 @ 260-29 = 253.93	=	
		1462.54
		T.15
		1462.39

Pat. Sec. 1 x 2 = 1.

Cont. To Pg 2/6

F.B. 3208 Pg. 2/6

Cont. Bot. Pg 2/5

C/L R/W
C/L R.R.



T = 96°
L.C.V.

243.30 @ 76-30 = 236.58	= 236.58	9.67
243.16 @ 283-21 = 236.59		246.25
		246.25

① 137 45 40
② 191 33 50
③ 106 34 20
137° 45' 43"

T = 84°
L.C.V.

120.46 @ 262-12 = 119.35	= 119.36	3.85
120.58 @ 98-09 = 119.36		123.21

T = 86°

300.19 @ 279-19 = 296.23	= 296.22	
300.11 @ 80-46 = 296.22		
74.07 @ 260-06 = 72.97	= 72.97	
73.98 @ 99-28 = 72.97		369.19

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend lines west of this line.

Note: Any Additions or Changes on this Sheet Must be Made in Circle in Red Ink With Date and Name of Person Making Change

Cont. Right Sht. Pg. 2/7

Notes Ck'd by R. HILARIO
Map No. 13-2961
Office Work S. KURACHI
Checked R. HILARIO
Date Jan. 1969

Survey of VASQUEZ ROCKS
JN 00553-84 Tape 193 Std 84 °F
Surveyed by C. L. WRIGHT
Notes C.L.W.-R.H.A. Date AUG. 68
Indexed C. J. GALLI

F. B. 3208 Pg. 2/7

CONT. BOT. PG. 2198

R14W

T5N

T4N

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 78, D-6

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3098 CE #310 6-63

@ 88-42-40
@ 354-51-00
@ 172-16-20
M = 88° 42' 43"

FD CALIF DIV. HIGHWAYS BRASS CAP SET IN CONC.

STATE OF CALIFORNIA DIVISION OF HIGHWAYS

SEC 34-35 LINE

CAL 488.32

PROPERTY LINE

FN WIRE

STRAND BARB

0.6 W

2+68.25 N

3.78

42.23' DEED

42.27' R&M

0.22

2+62.03 N

SET 1X2 IN FLUSH

369.19

10 FT. OFFSET LINE

CONT. BOT. PG. 2196

THIS POINT SET AT RECORD DIST. FROM SEC. COR. PER DEED. SEE F.M. 20276-B1

T=74

88.55 @ 78-44 = 86.84
88.66 @ 281-37 = 86.84
21.56 @ LEV = 21.56
142.41 @ 107-46 = 135.61
142.23 @ 252-27 = 135.61
37.91 @ 140-12 = 24.27
37.67 @ 220-06 = 24.26

86.84
21.56
135.21
24.26
268.27
-.02
268.25

25 NOV 68 CHW 37.67

268.25 SECTION LINE

0.04

F.B. 1476-103
#1 1" IP CE TAG
& CONC PLUG FLUSH

T=74

20.60 @ 72-39 = 19.66
20.96 @ 290-14 = 19.67
19.66

34 35

SEC COR
FD. CALIF. DIV. HIGHWAYS
BRASS CAP SET IN CONC.

2426

0+00 N

3 2

STATE OF CALIFORNIA DIVISION OF HIGHWAYS

SEC. 34 | 35
3 | 2
COR.

19.66

#1 I.P. CE TAG & CONC PLUG FLUSH
F.B. 1476-103

0.03 PROD.

F.B. 3208 PG. 218

CONT. FROM PG. 220

T=70

237.20 @ 270-54 = 237.17

237.22 @ 88-56 = 237.18

146.68 @ LEV = 146.68

237.17
146.68
383.85
-.03
383.82

383.82

9+51.66N

SET 1X2 & N FLUSH

SEC 34

SEC 35

T=68

157.72 @ 95-59 = 156.86

157.65 @ 264-15 = 156.86

156.84

156.84

SECTION LINE

T=72

34.67 @ LEV = 34.67

7+94.82N

1/2 IXCETK FLUSH NO REF.

T=78

78.40 @ 101-53 = 76.72

78.26 @ 258-86 = 76.72

226.54 @ 283-02 = 220.70

226.25 @ 77-16 = 220.69

7+60.15N

SET 1" IP. CETAG ECONC PLUG. UP 2"

190.58 @ 101-54 = 186.48

190.44 @ 258-17 = 186.47

8.04 @ LEV = 8.04

76.72

220.69

186.47

8.04

491.92

-.02

491.90

491.90

34.67

491.90

CONT. TO PG. 222

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. HILARIO
Map No. B-2961
Office Work S. KURACHI
Checked R. HILARIO
Date Jan. 1969

Survey of VASQUEZ ROCKS PARK
JN 005584 Tape 193 Std 84 °F
Surveyed by C.L. WRIGHT
Notes C.L. W. & C.J.G. Date AUG '68
Indexed C.J. GALLI

F. B. 3208 Pg. 219

CONT. BOT. PG. 221

338.68

19+29.68 — SET 1"I.P. CE TAG & PLUG. UP 1"

STA. 34

STA. 35

I-84°

LEV.

154.22 @ 104-29 = 149.71 ✓ 29751 ✓
= 149.71 ✓

154.59 @ 255-34 = 149.71 ✓

61.99 @ 276-08 = 61.64 ✓
= 61.64 ✓

62.08 @ 83-07 = 61.63 ✓
508.86 ✓

508.86 ✓

LINE

SECTION

C.L.W.

14+15.82 N — V.R. 38

I- 72°

LEV 80.35
80.01
80.34 ✓

SET 1"I.P. CE TAG & PLUG. UP 1"

80.84 ✓

13135.48 N — SET 1X2 LEAD FLUSH

Set 1"I.P. WOOD PLUG & TAG MARKED LS 2572 UP 1"

10.23

I=72

10.23 @ LEV = 10.23 ✓

13+25.25 N

9.21

888.84 ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

7 OF 3095 CE #310 (8-53)

CONT. TOP PG. 218

F.B. 3208 Pg. 220

T 5 S
R 14 W

W.S. 78, D-6

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

S=1
FD 1x2" N.
Pg 112

Set 1x2" N. Sec. Line Prod. From South

5 24 35 — 55 20.05 / 31 40 / S 55 17"

S 55 17" E

Pg 112 — 501.71 M

96 Page 32 Daily

C.F.N.
V.R. 12

EAST-WEST SEC. SEE

35.90

TSN 34 35 1/4 SEC. COR. MONUMENT

FD. C.S. Mon. 2" I.P. & Brass Cap in Conc. Pk. 90-112 F.B. 98-112, 120 C.S. B900-1

26+50 62 N

56.36

17 adj

89° 22' CAL

SET 1" I.P. CONC. PLUG LA Co. ENGR. TAG & N.

25+94 26

58.80 @ 106-34 = 56.36 /

58.58 @ 254-11 = 56.36 /

56.36

I-76

SEC. 34

SEC. 35

I-84°

81.83 @ 97-10 = 81.76 /

81.71 @ 263-22 = 81.76 /

81.76

232.61 @ 261-00 = 229.75 /

232.69 @ 99-08 = 229.74 /

229.74

310.90

310.90

SET 1x2" N.

22+83 36 N

I-84°

LEV.

88.24

271.40 @ 94-41 = 270.45 /

271.31 @ 265-23 = 270.43 /

270.44

358.68

358.68

19

Notes Ck'd by R. HILARIO	Survey of VASQUEZ ROCKS
Map No. B-3261	J.N. 0055.84 Tape 193 Sta 84 'E
Office Work S. KURACHI	Surveyed by C.C. WRIGHT
Checked R. HILARIO	Notes C.A.W. Date DEC '48
Date Jan. 1969	Indexed R.L. GALLI JAN 10 '69

F.B. 3208 Pg. 221

SEC. 35 T5N R14W

Cont. Bot. Pg. 222

⑧	47	03	00
⑨	168	12	00
⑩	252	18	05
	42°	03'	01"

S 3 1/2 E

SEC. 35

Fd. 1/2" I.P. 0.20' High

A23-61 Pg. 20

VR 35

Fd. 1" I.P. 0.16' High

FD. 3208-'69

EAST - WEST

42°-03'-00"

397.19

397.11 R210

PROPERTY TRANSFER LINE

Fd. 1/2" I.P. No. L.A.Co. ENGR. TAC. Pg. 210 REMOVED SAME

V.R. 34

SET LEAD & NAIL, W/ L.A.Co. ENGR. TAG IN CONC. BASE ON PN. POST. THIS POINT SET AT INTERSECTION OF THE LINES FROM THE SOUTH WEST AND THE NORTH EAST PER DEED — F.M. 20276 - A3 + B3

PROPERTY LINE

Pg. 210 A 1.80

3/17.73

PROPERTY LINE

Cont. Top Pg. 211

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

ZESCOR CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by R. HILARIO	Survey of VASQUEZ ROCKS PARK
Map No. B-2961	JN 005584 Tape 193 Sta 84 F
Office Work S. KURACHI	Surveyed by C.L. WRIGHT
Checked R. HILARIO	Notes C.L.W. Date 6 DEC 68
Date JAN. 1969	Indexed G.J. GALLI

F.B. 3208 Pg. 223

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16FSC098 CE#310 9.67

PROPERTY LINE PROJ.

VR 30

SET 1" I.P. CONC. PLUG L.A.Co. ENGR. TAG ON RECORD DIST. FROM S.L.M. SET CALIF. DIV. HIGHWAYS MAP F.M. 2017.6-A3 OF B.S.

S 16.21

25.77

S 46° 18' 00" E

S 46° 18' 00" E 98.12

V-2
FD. CONC. NAIL IN SANDSTONE
PG. 128

5 STRAND BARB WIRE FENCE

①	110	42	40
④	102	50	50
⑥	334	10	05
	115°	42'	41"

N 43° 13' 50" E 142.04

60' PC.

NORTH SOUTH ℄

PROPERTY LINE

VR 15
FD. CALIF. DIV. HIGHWAY BRASS CHANNON. PG. 87, 130, 213

TRANSIT

722.53
PG. 128, 129, 130

ANTELOPE VALLEY FREEWAY

FD. 1" I.P. CONC. PLUG, L.A.Co. ENGR. TAG ON. PG 213
VR 29

14.23

29.16

S 46° 18' 00" E

PG. 130

FD. 1 X 2 - 3/4 PG 130

25.45

PG. 213
90.74

S 46° 18' 00" E 72.

Cont Top Pg 214

F.B. 3408 PG 224

CONT. BOT. PG. 211



128	42	00
154	48	30
52	15	30

128 - 42' - 03"

CONT. TOP RIGHT PG. 223

Please Return To
Los Angeles County Engineer
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes-Ck'd-by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS
JN 0055.84 Tape Std °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date MAY 69
Indexed L.J. GALLI MV 2700

F. B. 3208 Pg. 225

VASQUEZ ROCKS PARK

J.N 0055.84

ADDITION TRIG. & DIFFERENTIAL LEVELS ON CONTROL POINTS AS SHOWN ON INDEX - PAGE 226

MAY 8TH - 23RD. 1969

NOTE: NO ORIGINAL REFERENCE FOR CALIF. DIV. HIGHWAY ELEVATION ON V.R. 15, PG. 233 ALSO NO REFERENCE FOR RANCHO BM. #6421 PG. 251

PARTY
C.L. WRIGHT
R.L. ALMANZAN
T. DONLEVEY
L.G. KEESAHER

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-63

F. B. 3208 Pg. 226

INDEX

T5N
R14W



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 55.84 Division No. ____
No. ____ Date ____ Date ____ Survey of VASQUEZ ROCKS PARK
X-Sec. Notes Chk'd. ____ Checked ____ Survey by C. LUKIN Notes C. LUKIN Date 8-MAY 69
No. ____ Date ____ Date ____ Map No. ____ Indexed ____ Date MAY 27 1969

F. B. 2608 Pg. 227

STATION	B. S.	H. I.	F. S.	ELEV.	VASQUEZ ROCKS PARK
	ELEVATION ESTABLISHED ON Q-2 FROM TBM VR7				
TBMVR7				245943	FD. P.P.# 6955 16E, NORTH SIDE, UP 3" FD 6" BOAT SPK. PG 144
	2 54	246 197			
TP			990	245207	
	0 52	245 259			
TP			1225	244034	
	3 68	244 402			
TP			1200	243202	
	1 67	243 369			
TP			1212	242157	
	4 85	242 642			
TP			1088	241554	
	2 26	241 780			
Q-2			1070	240910	FD. PK NAIL SET IN SANDSTONE SEE PG. 104
	10 40	241 750			
TP			086	241664	
	10 94	242 758			
TP			074	242684	
	11 62	243 846			

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 3208 Pg. 228 | Job No. 0055.84 | Division No. | Profile
Survey of Vasquez Rocks Park | Notes Red. | Plotted | No.
Survey by C.L. Wright Notes C.L.W. | Date | Date | X-Sec.
Indexed D.L. GALLI Date | Notes Chk'd. | Checked | No.
| Date | Date |

STATION	B. S.	H. I.	F. S.	ELEV.	
		2438 46			
TP			1 74	243672	
	11 72	2448 44			
TP			1 36	2447 08	
	11 37	2458 45			
TP			3 39	245506	
	7 16	2462 22			
T.B.M. VR-7			2 77	245945	PK in 6955 16E, North Side up 3" Fd. 6" Boat Spk PG 144 2459.43

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red ____ Plotted ____ Job No. 55184 Division No. ____
X-Sec. No. ____ Date ____ Date ____ Survey of VASQUEZ ROCKS PARK
Notes Chk'd. ____ Checked ____ Survey by C.L.W. (Kirk Notes) C.L.W. Date 8-MAY 69
Date ____ Date ____ Map No. ____ Indexed ____ Date 8-21-69

F. B. 2[illegible] PG. [illegible]

STATION	B. S.	H. I.	F. S.	ELEV.	VASQUEZ ROCKS PARK
	ELEVATION ESTABLISHED ON V.R.-1 (¼-¼ COR)				
TBM VR-1				2488715	FD. "P.K." NAIL SET IN TOP - E. END CONC. HD. WALL
	3625	2492340			SEE PG. 135 FOR COMPLETE DESCRIPTION
VR-1 ¼-¼ COR			2010	2490330	¼-¼ COR FD. 1½" I.P. CONC. PLUG L.A.Co. ENGR.
	1990	2492320			TAG DN 8" IN PVMT. PG 60, 70.
TBM ○ VR1			3600	2488720	SEE 4 LINES ABOVE
	ELEVATION ESTABLISHED ON VR-2				
T.B.M.V.R-1				2488715	FD. SEE 8 LINES ABOVE
	6465	2495180			
T.P.			3172	2491146	
	979	2501125			
T.P.			079	2500046	
	490	2505536			
VR 2			192	2503444	FD. L&T L.A.Co. ENGR. TAG IN ROCK OUTCROP
	199	2505543			SEE PG. 77
○ TP			508	2500035	

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 3208 PG. 230 | Job No. 005584 Division No. | Profile
Survey of VASQUEZ ROCKS | Notes Red | Plotted
Survey by WRIGHT Notes C.L.W. | Notes Chk'd. | Checked
Indexed O.J. GALLI Date MAY '69 | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.	
TP				250035	
	188	250223			
TP			10777	249146	
	357	249503			
T.B.M.V.R.1.			631	248872	SEE PG. 229 FOR DESC.

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 6055.84 Division No.
No. Date Date Survey of VASQUEZ ROCKS PARK
X-Sec. Notes Chk'd. Checked Survey by LUKRICHT Notes CLW Date 15-MAY 69
No. Date Date Map No. Indexed D.J. GALLI Date MAY 27 '69

F.B. 3206 Pg. 31

STATION	B. S.	H. I.	F. S.	ELEV.	VASQUEZ ROCKS PARK
LEVELS FROM V-8 NE¼ THROUGH VR33 TO VR34 & RETURN					
V.-8				2406 11'	FD NAIL IN SANDSTONE PG 124, 127, 233
	1145	2417 56			
V.R.-32			1220	2405 36'	FD. 1" I.P. CONC PLUG L.A.Co. ENGR. TAG E.N. UP 4" PG. 212, 224
	1226	2417 62			
TP			357	2414 05	
	978	2423 83			
TP			492	2413 91	
	044	2414 35			
TP			1203	2402 32	
	005	2402 37			
TP			1106	2391 31	
	039	2391 70			
TP			1182	2351 88	
	795	2387 83			
VR33			991	2377 92'	FD. 1" I.P. CONC PLUG L.A.Co ENGR TAG E.N. PG. 211
	982	2387 74			
TP			786	2379 88	
	1157	2391 45			

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 3208 Pg. 232 | Job No. 6055.90 | Division No. | Notes Red | Date | Plotted | Date | Profile | No. | X-Sec. | No.

Survey of VASQUEZ ROCKS PARK | Notes C.L.W. | Notes Chk'd. | Checked | Date | Date

Survey by LUNCHY | Date 5-MAY 60

Indexed E.L. GALLI

STATION	B. S.	H. I.	F. S.	ELEV.	
		23915			
TP			0 14	23913	
	11 62	24029			
TP			0 60	24023	
	12 10	24143			
TP			0 52	24139	
	12 06	24259			
TP			2 83	24231	4
	10 58	24337			
TP			0 75	24329	7
	11 37	24434			
VR 34			8 22	24361	2 FD. L & T. LA CO. ENGR TAG, CONC. BASE FN. POST. PG. 221
	7 88	24400			
TP			12 27	24317	3
	0 06	24319			
TP			11 69	24201	0
	0 30	24204	0		
TP			11 18	24092	2
	3 02	24124			
V-8			6 15	24060	9 FD. NAIL IN SANDSTONE PG. 126, 127, 233

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 0055.8 Division No.
No. Date Date Survey of VASQUEZ ROCKS PARK
X-Sec. Notes Chk'd. Checked Survey by WRIGHT Notes C.L.W. Date 15-MAY '69
No. Date Date Map No. Indexed R.L. GALLI Date MAY 27 '69

STATION	B. S.	H. I.	F. S.	ELEV.	VASQUEZ ROCKS PARK
	LEVELS - VR-15 N'E'LY THROUGH VR-31 TO V-8 & RETURN				
VR 15				237441	FD. CALIF DIV. HIGHWAY BRASS CAP SET IN CONC. Pgs. 82, 213
	6 11	2380 52			
TP			437	237615	
	2 06	2378 21			
TP			302	237519	
	9 06	2384 25			
TP			181	238244	
	9 78	2392 22			
TP			070	239152	
	10 70	2402 22			
TP			024	240198	
	5 62	2407 60			
VR 31			1039	239721	FD. 1" IP Cor. & PLUG U.A.C. ENGR. TAG & N. Pg 224
	8 98	2406 19			
V-8			008	240611	FD. NAIL IN SANDSTONE Pgs. 126, 127 NOTE: ELEV. SHOWN ON PG 175 IS WRONG.
	6 24	2412 35			
TP			1038	240197	

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 3208 Pg. 234 | Job No. 6055 B-1 | Division No. | Profile
Survey of VASQUEZ ROCKS PARK | Notes Red | Plotted | No.
Survey by WRIGHT Notes C.L. LEE | Date | Date | X-Sec.
Indexed C.T. GALLI | Notes Chk'd. | Checked | No.
Date 15-MAY'69 | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.	
TP				240 197	
	0 68	240 265			
TP			11 13	239 152	
	0 20	239 172			
TP			9 28	238 244	
	1 80	238 424			
TP			9 05	237 519	
	2 88	237 807			
T.P.			1 91	237 616	
	4 34	238 050			
VR 15			6 08	237 442	Fd. Calif. Div. Hi.-Way Brass Cap Set in Conc. PC 82, 213, 232

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 55.84 Division No.____
No.____ Date____ Date____ Survey of VASQUEZ ROCKS PARK
X-Sec. Notes Chk'd.____ Checked____ Survey by WRIGHT Notes R.L.W. Date MAY '69
No.____ Date____ Date____ Map No.____ Indexed R.L. GALLI Date MAY 27 '69

F. B. 2200 Pg. 100

STATION	B. S.	H. I.	F. S.	ELEV.
	LEVELS FROM VR 15 WEST "LV" TO VR 28 AND RETURN			
VR 15				237441 FD. CALIF. DIV. HI-WAY BRASS CAP SET IN CONC. PG. 82, 213
	5 96	238037		
VR 29			4 49	237588
	4 50	238038		
TP			4 23	237615
	3 99	238014		
TP			10 62	236952
	2 87	237239		
TP			6 44	236595
	11 95	237790		
TP			1 47	237643
	12 35	238878		
TP			1 57	238721
	12 25	239946		
TP			1 18	239828
	11 76	241004		
TP			0 15	240989
	12 19	242208		

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 32208 Pg. 2340 Job No. 0055.84 Division No. Profile
Survey of VASQUEZ ROCKS PARK Notes Red Plotted
Date Date No. X-Sec.
Survey by C.L.W. Notes Chk'd. Checked
Date MAY '69 Date Date No.
Indexed E.T. GALLI

STATION	B. S.	H. I.	F. S.	ELEV.	
		242 08			
TP			0 38	242 70	
	11 55	243 25			
TP			1 34	243 91	
	4 26	243 6 17			
W-2			4 32	243 85	FD 1X2 & N.
	1 35	243 3 20			
VR-28			7 47	242 573	FD 1/2" I.P. CONC. PLUG L.A.Co. ENGR TAG
	9 44	243 5 17			
10' OFF VR-28			8 07	242 710	FD 1X2 & N 20' W. OF W-2
	8 07	243 5 17			
W-2			3 32	243 85	SEC 4 LINES ABOVE
	4 27	243 6 12			
TP			4 21	243 91	
	1 21	243 3 12			
TP			11 41	242 71	
	0 04	242 75			
TP			11 85	240 990	
	0 13	240 003			
			11 73	24 3 998 30	
	1 04	24 3 99 34			

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted. Job No. 005584 Division No.
No. Date. Date. Survey of VASQUEZ ROCKS PARK
X-Sec. Notes Chk'd. Checked. Survey by [illegible] Notes C.L.W. Date MAY 69
No. Date. Date. Map No. Indexed R.D. GALLI Date MAY 27 '69

F. B. 7403 PG. 57

STATION	B. S.	H. I.	F. S.	ELEV.	
		5 2499.34			
TP			12.11	2487.23	
	1.51	2488.74			
TP			12.29	2476.45	
	0.60	2477.05			
TP			11.08	2465.97	
	6.21	2472.18			
			2.64	2469.54	
	10.29	2479.83			
			3.67	2476.16	
	4.58	2480.74			
VR 15			6.32	2474.42	FD. CALIF. DIV. HI-WAY BRASS CAP SET IN CONC. 1.26, 82, 2.13, 2.35

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION V.R.1 F.B. 3208 PG 60, 70 H.I. 5.83

	Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
Pg 68	3+90.37	5.83	+ 86-42-00	935.00'				
	"	4.0	273-17-30					
	"	"	273-10-25					
	"	"	86-48-30					
				3+90.37	3208	68	4.94	
Pg 70	V.R.1	6.0	93-13-25	935.00'				
	"	"	266-45-45					
	"	4.0	266-38-25					
	"	"	93-20-50					
				390.37				
	V.R.7A	6.0	100-28-35					
Pg 68	"	"	259-30-45					
	"	4.0	259-13-20					
	"	"	100-45-45					
				V.R.7A	3208	68	5.04	
	3+90.37	6.0	79-13-10	390.37				
Pg 68	"	"	+ 280-46-10					
	"	4.0	280-28-50					
	"	"	79-30-00					
				Q-2	3208	104,227	5.02	
Pg 98 Pg 105	VR-20	6.0	91-35-55					
	"	"	268-23-25					
	"	4.0	268-16-55	1090.585				
	"	"	91-42-05					
Pg 98 Pg 105	M-4	6.0	270 30 10					
	"	"	+ 89 28 50					
	"	4.0	89 35 20	1015.85				
	"	"	270 23 50					

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of VASQUEZ ROCKS
JN 00 55.84 Tape _____ Std. _____ °F
Surveyed by C. L. WRIGHT
Notes C. L. W. Date 8-MAY-69
Indexed _____ GALLI MAY 2 7 69

F. B. 3208 PG. 239

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

[redacted] STATION M-4 F.B. 3208 PG 98, 105 E.I. + 502

Sights on	Rod	+ Vertical - Angle ° ' "	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	- Difference Elevation	Adjusted Diff. Elev.
Q — 2	6°	98 12 15					
Pg 104 Pg 221	=	178 34 40					
	4°	90 30 45	1075.85				
	=	269 28 20					
VR 19	6°	+ 78 17 10					
Pg 96 Pg 223 Pg 222	=	281 42 00					
	8°	281 48 15	1058.39				
	=	78 11 00					
			VR-20	3208	98,105		489
Q — 2	6°	271 42 10					
Pg 104 Pg 221	=	+ 88 16 45					
	4°	88 23 10	1090.58				
	=	271 35 55					
			VR-19	3208	96,209,222		501
98 M-4	8°	101 30 00					
Pg 105	=	— 258 29 30					
	10°	258 35 55	1058.39				
	=	101 23 30					
240 VR36 Pg 222	932	LEVEL	6.67				

F.B. 3208 PG

76F309S C.E. #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION V R 19 BK. 3208 PG. 96, 209, 222 H.I. 501

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
		° ' "					
Pg 209 AUX VR 35	6°	99 - 49 - 15					
"	=	260 - 09 - 40					
"	8°	260 - 22 - 25					
"	"	99 36 - 45					
			AUX. V.R. 35	3208	209	454	
Pg 96, 209, 222 VR 19	6°	79 - 54 - 50					
"	=	+ 280 - 04 - 15					
"	8°	280 - 16 - 45					
"	"	79 - 42 - 15					
Pg 209 VR 17	5 40	LEVEL	4.55				
VR 35	5 22	LEVEL	5.70				
Pg 210 AUX VR 34	6°	104 - 29 - 50					
	=	- 255 - 29 - 25					
	4°	255 - 14 - 00	392.66				
	"	104 - 46 - 35					
			AUX. V.R. 34	3208	210	457	
Pg 96, 209, 220 AUX VR 35	6°	75 05 15					
	=	+ 284 53 40	392.66				
	4°	284 37 20					
	"	75 21 35					
Pg 96, Pg 221 V.R. 34	5 96	LEVEL					

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of VASQUEZ ROCKS
JN 0055.184 Tape _____ Std _____ °F
Surveyed by C.L. WRIGHT
Notes C.L.W. Date MAY 69
Indexed R.J. GALLI MAY 27 '69

F. B. 3208 PG. 241

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION VR 31 F.B. 3208 PG 224, 233 H.I. + 4 50

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
V.R. 30	6ᴿ	91 - 15 - 40	576.21				
"	"	268 - 43 - 25					
"	4ᴿ	268 - 31 - 30					
"	"	91 - 27 - 45					
			VR 30	3208	223	S 13	
V.R. 31	6ᴿ	88 - 29 - 05					
"	"	271 - 30 - 00					
"	4ᴿ	271 - 17 - 50					
"	"	88 41 - 15					
			VR - 28	3208	214, 236	4 94	
T.O.T. 10' OFFSET LINE	6ᴿ	91 - 30 - 55					
"	"	268 - 28 - 10					
"	4ᴿ	268 - 23 - 25					
"	"	91 - 35 - 45					
			POT 10' OFFSET LINE	3208	215	4 99	
VR 28	6ᴿ	271 - 35 - 40					
PG 214	"	88 - 23 - 30					
PG 236	4ᴿ	88 - 28 - 10					
	"	271 31 00					
10' OFF	6ᴿ	103 - 27 - 50					
VR 27	"	256 - 31 - 50					
PG 216	4ᴿ	103 - 54 - 10					
PG 253	"	256 - 05 - 20					

F.B. 3208 PG 242

246.27

76F309S C.E. #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION _____ F.B. _____ PG. _____

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
			10' OFF VR 27	3208	216,253	5 08	
P.O.T.	6°	283 53 45					
		76 05 15					
10 OFF-SET LINE PG 215	4°	76 31 30					
	"	283 27 00					
VR 27 PG 274 PG 253	4 19	LEVEL					
			13+20 05 5' OFFSET LINE 1X2&N.	3208	65	5 04	
13+19 78 U.S.MON. Pg. 65	3 28	LEVEL					
13+20 05 1X2&N Pg. 65	3 04	LEVEL					
7+11 20	6°	85 36 10					
1" I.P.	"	274 23 00					
PG. 64	8°	274 31 30					
	"	85 27 40					
			1/4 COR. SEC. 27-26	3208	20	5 84	
7+11 20	8°	90 34 15					
1" I.P.	"	269 25 00					
Pg. 64	6°	269 22 20					
		90 36 50					

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of JN 0055 64 Tape _____ Std. _____ °F
Surveyed by W.W. WRIGHT Date MAY 69
Notes C.L.W.
Indexed R.D. GALLINA 2 78

VASQUEZ ROCKS PARK

F. B. 3208 PG. 243

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 7+11.20 F.B. 3208 PG 64 H.I. + 4.78

Sight on Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	± Difference = Elevation	Adjusted Diff. Elev.
13+20.05 Lp	94 10 35					
"	265 48 45					
5' OFFSET Rp	265 37 25					
LINE	94 22 00					
Pg. 65						
1/4 COR. 6°	89 20 15					
" +	270 39					
SEC. 27-26 4°	270 35 40					
Pg. 20 "	89 23 35					
		7+11.20	3208	64	4.88	
SEC	91 39 35					
COR VR.24 6°	268 19 25					
Pg. 46, 115 4°	91 49 25	711.20				
	268 09 40					
20+03.35						
= I.P. WOOD 6°	83 52 00					
PLUG "	276 07 05	1378.95				
Pg. 114 4°	276 02 10					
"	83 56 55					
		VR-24 SEC COR	3208	46,115	3.46	
7+11.20 6°	88 01 30					
1" I.P. +	271 57 30	711.20				
Pg. 64 4°	271 47 50					
"	88 11 10					

244

F.B. 3208 PG

76F309S C.E. #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 20+03.35 F.B. 3208 PG. 114 H.I. 5.04

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
7+11.20	6.0	96 02 20					
1" I.P.	"	263 57 10					
Pg. 64	4.0	263 52 15					
		96 07 05					
13+72.26	6.0	94 04 35	631.09				
1¼" I.P.	"	265 54 45					
Pg. 113	4.0	265 43 45					
		94 15 25					
			13+72.26	3208	113	4.49	
20+03.35	6.0	85 41 25					
Pg. 114	"	274 18 00					
	8.0	274 26 20					
	"	85 33 00					
VR 13	19.47	LEVEL					
13+35.53							
"PK NAIL"							
Pg. 113							
10+12.96	6.0	94 19 35	359.30				
1"x2" N.	"	265 39 50					
Pg. 113	4.0	265 28 35					
	"	94 38 50					

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS PARK
JN 00S584 Tape Std °F
Surveyed by WRIGHT Date MAY '69
Notes C.A.W.
Indexed C.J. GALLI NOV 27 '69

F.B. 3208 Pg. 245

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 10+12.96 1x2 P.N. F.B. 3208 PG 113 H.I.+ 4.84

Sight on	Rod	+ Vertical Angle -	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
13+72.26 1x2 PN Pg 113	6° =	85 14 00					
	4° =	274 45 00					
	=	274 25 50					
		85 33 10					
V.R.12 1/4 COR. C.S. MON. Pg. 112	6° =	96 32 35					
	4° =	263 26 30					
	=	263 19 50					
		96 39 30					
		V.R.-12 1/4 SEC COR.		3208	112	451	
10+12.96 1x2 PN Pg 113	6° =	83 17 35					
	4° =	276 41 25					
	=	276 34 25					
		83 24 25					
246 1.I.P. 25x9.26 Pg 220	4° =	77 09 08					
	2° =	282 49 45					
	=	280 52 30	56.36				
		79 06 25					

F.B. 3208 PG

76F3095 C.E. #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 25+94.26 F.B. 3208 PG. 220 H.I. 4.94

Sight on	- Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	- Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
VR-12 SEC. COR. Pg. 112	6.0 = 8.0 =	102 16 25 257 42 35 259 40 40 100 19 10					
14+15.82 VR 38 1" IP Pg. 219	6.0 = 8.0 =	274 25 05 + 85 34 10 85 34 10 274 30 00					
			V.R. 38 1" IP 14+15.82	3208	219	5.00	
25+94.26 Pg. 220	6.0 = 8.0 =	94 19 10 265 39 50 265 44 10 94 15 00					
9+51.66 1"x2" N. Pg. 218	11.0 = 12.0 =	271 - 41 - 25 88 - 17 - 40 88 - 10 - 00 271 - 49 - 00	464.16				

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS PARK
JN 0055.84 Tape Std °F
Surveyed by WRIGHT
Notes C.L. W. Date MAY 69
Indexed E. F. GALLI MAY 2-69

F.B. 3208 PG. 247

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 9+51.66 F.B. 3208 PG 218 H.I. + 5.00

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference Elevation	Adjusted Diff. Elev.
VR 38	10	90 24 20					
TP	"	269 34 35					
PG 219	8	269 45 35					
	"	90 09 20					
7+60.15	6	95 53 40					
1x2"N.	"	264 05 35					
PG 218	8	269 41 50					
	"	95 17 55					
			7+60.15	3208	218	4.53	
9+51.66							
1x2"N.	8	82 54 50					
PG 218	"	277 04 00					
	10	276 37 35					
	"	83 21 20					
2+62.03							
1x2"N	6	102 00 00					
PG 217	"	257 59 20					
	8	258 12 15					
	"	101 46 50					

496.14

F.B. 3208 PG 248

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION 2+62.03 F.B. 3208 PG 217 H.I. 5.04

Sight on	Rod	Vertical Angle	Horizontal Distance	Vertical Distance	Curvature Correction	Difference Elevation	Adjusted Diff. Elev.
7+60.5 1×24 N. Pg. 218	6.0	77 43 15					
	8.0	282 25 35					
	"	77 33 20					
2+68.25 State Mon. Pg 217	4.08	LEVEL					
2+72.03 VTP V.R. 26	3.11	LEVEL					
10' OFF V.R. 27 1×2 Pg 216 Pg 253	6.0	261 17 25					
	8.0	98 41 55	442.40				
	"	261 31 05					
		10' OFF VR 27	3208	216	5.07		
2+62.03 1×24 N Pg 217 Pg 253	6.0	81 04 20					
	8.0	278 54 00					
	"	279 05 05					
		80 54 05					

Notes C'k'd by
Map. No.
Office Work
Checked
Date

Survey of VASQUEZ ROCKS
JN 00 55.80 Tape Std. °F
Surveyed by WRIGHT
Notes C.J.W. Date MAY '69
Indexed F.B. GALLI NW 2 T3N

F. B. 3208 Pg. 249

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION VR 14 F.B. 3208 PG 91 H.I. + 4 50

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	Difference + Elevation	Adjusted Diff. Elev.
VR 17							
STATE HI-WAY	8 ft	91 40 00					
	11	268 19 10					
MON	10 ft	268 21 10					
Pg. 96		91 37 50					
Pg. 241							
VR 31							
I.P.	8 ft	95 41 25					
	11	264 17 50					
Pg. 224	10 ft	264 20 35					
Pg. 233		95 38 30					
			VR 17	3208	Pgs. 96, 209, 241	5 24	
VR 14	8 ft	271 46 00					
1" I.P.	11	88 13 30					
1/4 1/4 COR	10 ft	88 11 35					
Pg. 91	11	271 47 40					
			VR-31	3208	Pgs. 224, 233	4 50	
VR-14							
1" I.P.							
1/4 1/4 COR	10 ft	84 05 40					
Pg 91	11	275 53 35					
	8 ft	275 50 40					
	11	84 08 30					

F.B. 3208 PG 250

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 0055.84 Division No. ____
No. ____ Date ____ Date ____ Survey of VASQUEZ ROCKS PARK
X-Sec. Notes Chk'd. ____ Checked ____ Survey by WRIGHT Notes CLW Date MAY '69
No. ____ Date ____ Date ____ Map No. ____ Indexed R.H. GALL Date MAY 27 '69

F.B. 3208 PG. 57

STATION	B. S.	H. I.	F. S.	ELEV.	VASQUEZ ROCKS PARK.
LEVELS FROM RD. DEPT. B.M. #1642 N.E'LY TO VR. 27 AND RETURN.					
RD. DEPT. B.M. 1642				2135.43	@ ESCONDIDO CYN. WASH & OLD AGUA DULCE CYN. RD. L.A.Co. RD. DEPT. BRIDGE #827 - N. 1/4 END W'LY CURB - TOP OF CONC. BRIDGE CURB - A COUNTY SURVEYORS MONUMENT MARKED "ELEV. 2135.46" 2135.43 PER RD. DEPT.
	3.88	2139.31			
TP			0.23	2139.08	
	11.61	2150.69			
TP			1.75	2148.94	
	11.84	2160.78			
TP			0.26	2160.52	
	11.45	2171.97			
TP			0.49	2171.48	
	11.96	2183.44			
TP			0.36	2183.08	
	11.03	2194.11			
TP			0.50	2193.61	
	10.33	2203.94			
TP.			0.98	2202.96	
	8.60	2211.56			

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 3208 PG. 252 | Job No 2055 84 | Division No. | Notes Red | Plotted | Profile
Survey of VASQUEZ ROCKS PARK | Date | Date | No.
Survey by LA LIGHT | Notes C.L.W. | Notes Chk'd. | X-Sec.
Indexed C.J. GALLI | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.	
		2211 56			
			6 49	220507	TO R.R. SPIKE - N.E. SIDE AA # 1399127E
T.P.			8 60	220296	@ INT. N.V. AVE & AGUA DULCE CYN. RD. S.W. COR. @ EAST BOUND OFF RAMP STEEL LIGHT STANDARD #M124-82 TOP S.E. FLANGE BOLT, IN CONC. BASE.
	9 84	2212 80			
T.P.			0 26	221254	
	11 21	2223 75			
T.P.			0 40	222335	
	11 60	2234 95			
T.P.			0 21	223474	
	11 70	2246 44			
T.P.			0 23	224621	
	11 52	2257 73			
T.P.			0 49	225724	
	11 78	2269 02			
T.P.			0 40	226862	
	10 69	2279 31			
T.P.			0 40	227891	
	10 65	2289 56			
			4 96	228460	
	11 42	2296 02			
			0 59	229543	

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 005584 Division No.____
No.____ Date____ Date____ Survey of VASQUEZ ROCKS PARK
X-Sec. Notes Chk'd.____ Checked____ Survey by WRIGHT Notes C.L.W. Date MAY '69
No.____ Date____ Date____ Map No.____ Indexed C.L. GALLI Date MAY 27 '69

F. B. 3203 Pg. 153

STATION	B. S.	H. I.	F. S.	ELEV.	
TP				229543	
	11 73	2307 16			
TP			0 76	2306 40	
	11 58	2317 98			
TP			0 72	2317 26	
	11 53	2328 79			
10' OFF VR. 27			2 13	2326 66	✓ PT. 10' OFFSET LINE PG 216, 242, 243, 249 FD. 1 X 2, O.N.
	2 19	2328 85			
VR. 27			1 37	2327 48	✓ VR. 27 FD. 1" IP. CONC. PLUG L.A.CO. ENGR TAG PG 216, 242, 243, 249
	1 07	2328 55			
TP			11 28	2317 27	
	0 89	2318 16			
TP			11 75	2306 41	
	0 75	2307 16			
TP			11 73	2295 43	
	1 03	2296 46			
T.P.			11 24	2285 22	
	0 19	2285 41			
			11 36	2274 05	
	0 79	2274 84			
			9 72	2265 12	

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 32008 Pg. 254
Survey of VASQUEZ ROCKS PARK
Survey by WRIGHT Notes C.L.W.
Indexed C. L. GALLI
Job No. 005584 Division No.
Date MAY '69
Notes Red Date
Notes Chk'd. Date
Checked Date
Plotted
Profile No.
X-Sec. No.

STATION	B. S.	H. I.	F. S.	ELEV.
				226512
	045	226557		
TP			1120	225437
	124	225561		
TP			1127	224434
	026	224460		
TP			1168	223292
	034	223326		
TP			1184	222142
	031	222173		
TP			1134	221039
	329	221368		
TP			635	220733
	434	221167		
TP			868	220299
	044	220343		
T.P.			1159	219184
	039	219223		
TP			1169	218054
	075	218129		
TP			1177	216952

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 0055.84
No.____ Date____ Date____ Survey of VASQUEZ ROCKS PARK Division No.____
X-Sec. Notes Chk'd.____ Checked____ Survey by J. WRIGHT Notes C.L.W. Date MAY 69
No.____ Date____ Date____ Map No.____ Indexed D.H. GALLI Date NOV 2 '70

STATION	B. S.	H. I.	F. S.	ELEV.	
				2169 52	
	0 41	2169 93			
TP			1061	2159 32	
	1 37	2160 69			
TP			11 72	2148 97	
	1 37	2150 34			
TP			11 22	2139 12	ESCONDIDO CYN. WASH AND OLD AGUA DULCE CYN RD. L.A.CO. RD. DEPT. BRIDGE # 827
	0 29	2139 41			FD. C.S. BRASS CAP MON. TOP CONC CURB N. END W. SIDE
RD. DEPT. BM. 1642			3 94	2135 47	RD. DEPT ELEV 2135 43

F. B. 2103 PG. 5