Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed

F.B. 3216 Pg.

Page	Job	Description
		-NAME JOB NO.
		AVENUE T 0096.39
5-82	C.L.	Centerline survey from 57th St. E. to 165th St. E.
		OLD RIDGE ROUTE 0096.45
87-88	Index	
89-110	Ties	Survey to tie Old Ridge Route to N. & S. lines of Sec. 3; T.5N., R.17W.
111-112	Index	
113-158	C.L.	Centerline retracement of Old Ridge Route in Sec. 3: T.5N., R.17W.
		AVENUE U-8 0074.00
159-160	Index	
161-181	C.L.	Centerline prelm survey fr. 141st East to 155st St. East.
		AVENUE U-8 0098.11
183-184	Index	
185-201	C.L.	Centerline Survey Ave. U - Ave. V Transition between 116th St. E. & 131st St. E.
203	C.L.	Line change - New P.I. No. 5
204	C.L.	Line change - New P.I. No. 8

Microfilmed Feb. 85

OVER

3216

Get on this reloc. in Rod (e. of Person

LOS 403 L.O.

26F309B CE#310 9/

F.B. 3216 Pg.

Page	Job	Description
		OLD RIDGE ROUTE J.N. 0096.45
219-220	Index	
221-280	C.L.	Establishment of exist. C.L. in Sec. 3 T.5N., R.17W. & establishment of center of Sec. 3 T.5N., R.17W.
		AVENUE U-8 J.N. 0074.00
281-282		Angles in the N.W. 1/4 of Sec.13, T.5N.,R.10W.(Vic. of 136th St. E. & Ave. U-8)

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
OR Los Angeles County Engineers Bldg.

Do not extend this title or this line.

Note: Add additional or changes on this sheet. Write in ink. Draw thin line through wrong item and write correction above.

Notes Ck'd by MA KNOWLES	Survey of AVE T	F. B 3216 Pg. 5
Map No. B-2978	JN 00963 9 Tape 74 Std 85° F	
Office Work J.J. EDWARDS	Surveyed by MENDONCA	
Checked MA KNOWLES	Notes J.M. Date 5-4-65	
Date 2-15-66	Indexed C. J. GALLI	

J.N. 00963 9

AVE. T

CENTERLINE SURVEY

FROM: 57TH ST. E.

TO: 165TH ST. E.

MENDONCA
BEERS
HILL
MITCHELL

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

F. B. 3-216 PG 6



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red ink With Date and Name of Person Making Change.

Notes Ck'd. by M.A. KNOWLES	Survey of AVE. T
Map No. B-2978	JN 10961-39 Tape 174 Std. 84 °F
Office Work J.J. EDWARDS	Surveyed by MENDONCA
Checked M.A. Knowles	Notes J.M. Date 5-4-65
Date 2-15-66	Indexed

F. B. 3216 PG. 7



126TH ST. E.

121ST ST. E.

116TH ST. E.

111TH ST. E.

106TH ST. E.

101ST ST. E.

96TH ST. E.

92ND ST. E.

55 55 56 57 R. 10 W.

54

53 53 58

52 WILDFLOWER ROCK SANCTUARY T. 5 N.

44 47 48

46

43 S.P.R.R. 49

40 45 41 42

51

51

50 60

AVE. T AVE. AVE. AVE.

TRACT #9210

T-8 S-8 T. 5 N.

R. 10 W.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Y TRACT

765 3095 CE #310 6-63

F. B. 3216 Pg. 8

78 79 80 165TH ST. E.

77 81 160TH ST. E.

S.P.R.R.

T. 5N.

76 75 71 73 155TH ST. E.

72

70 74 150TH ST. E.

R. 9W. 66 67 68 146TH ST. E.

R. 10 W.

S.P.R.R.

65 69 141ST ST. E.

T. 5N.

62 63 136TH ST. E.

AVE. S-8

AVE. T

61 60

59

AVE. T-8

AVE. U

64 131ST ST. E.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by MA KNOWLES | Survey of AVE. T | F. B. 3216 Pg. 9
Map No. 8-2978 | JN 0096.39 Tape 174 Std B4 °F
Office Work J.J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes J.M. Date 5-4-65
Date 2-15-66 | Indexed C. J. GALLI

WIS 85,2-4

TO BOT. PG. 10

(50)

EAST

2638.80'

FD. 2" I.P. CORR. C.S. MON. 0.4' UP

No REF

FD. N. & T. IN. T.P. #589811A

FD. N. & T. IN. T.P. #468529H

89° PER

AVE.

30.80

49.97

3.52

8.93

40.

T

1332.70'

(50)

FD. 12

TO BOT.

FD. N. & T. IN. P.P. #778189E

32.63

R.P. FD. 2" I.P. CORR. PL. & N. 6" UP

89° PER

FD. N. & T. IN. 6" x 6" EN. POST

SECTION CORNER
SECS. 3, 9, 9 & 10
T. 5 N., R. 11 W.
FD. C.E. MON. IN H.H.
PER F.B. 2293-47
C.S. 8739
MARKED

COUNTY ENGINEER
T. 5 N.
R. 11 W.
3 | 4
9 | 10
R. E. 5869

57TH ST.

2640.14'

"CHESEBORO" ROAD

(50)

TO TOP

PG. 11

2640.14' @ 86° = 2640.14'
1558.77' @ 86° = 1558.80'
32.79' @ 74° = 1332.70'

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3098 CE #310 6-63

F.B. 3216 Pg. 10



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.,
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by MA KNOWLES | Survey of AVB.T | F.B. 3216 Pg. 11
Map No. 8-29-78 | JN 0096.39 Tape 174 Std 84 °F
Office Work J.J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes J.M. Date 5-4-65
Date 2-15-66 | Indexed C. J. GALLI

W. ST. 85.04

TO BOT. PG. 9

(42) (40) (40)

2640.14'

ROAD

SET N&T (No Number)

AVE. 22nd

(82)

FD. 4"X4" STK & NAIL, 4" UP No REF.

30.00

S 89° 59' 40" E 2641.52'

CHESEBORO

SET N&T IN PP #1219182E

T-8

(30)

1/4 SEC. LINE

87.63

2641.52' @ 84° = 2641.52'

1/4 SEC. CORNER
SET SECS. 9 & 10
T.5N. R.11W.
FD. C.S. NAIL IN H.H.
PER C.S. 8739
F.B. 768-164
F.B. 2293-47
MARKED

COUNTY SURVEYOR'S
T.5N.
R.11W. 9 & 10
R.E. 2111
1/4 COR.
MONUMENT

① 179-59-20
② 359-57-40
③ 359-56-20
④ 179-59-23 1/3

(50) (50)

TO TOP PG. 19

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change and Circled in Red. Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 OE #310 6-63

F. B. 3216 Pg. 12

To LEFT PG. 13

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

(50) (50)

1332.63'

90°

FD. SPK. TNI, FLUSH (NO REF)

75.18

81.00

30.35

29.76

80

55

74.90

R.S. 64-38

60 FT. ST. E.

659.88'

54.06

FD. 2"X2" STK. & NAIL FLUSH No Ref.

FD. 2"X2" STK. TAGGED R.E. 2000, FLUSH

FD. 1½" P.K. NAIL, FLUSH

FD. 2"X2" STK. TAGGED L.S. 2991, FL

(30) (30)

T-2

AVE.

AVE. T-2

1332.70'

NOTHING FOUND

89-45-08
358-59-30
1.78-29-00
89-44-50

90-15-10
01-00-40
1.81-31-00
90-15-10

R.S. 64-40

659.88
1332.63

659.90 @ 80°
1332.70 @ 76°

(50) (50)

TO RIGHT PG. 9

Notes Ck'd by MA KNOWLES | Survey of AVE. T
Map No. 8-2978 | JN 0096.89 Tape 174 Std 84 °F
Office Work J.J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes T.M. Date 5-7-65
Date 2-15-66 | Indexed C. J. GALL

F. B. 3216 Pg. 13

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

R.S. 64-38

AVE T-4

AVE T-8

1/4 SEC. LINE

2638.42 N

2638.52 @ 78°-24'-30" E

1332.63 V

2670.66 V

45.05

76.13

70.00

109.00

55.21

60.80

FD. N. & T. IN P.P. #9111.82E

SET N. & T. IN P.P. #12952.39E

FD. N. & T. IN P.P. #9556.68E

SET S.W. IN 12" JOSHUA

SET S.W. IN 6" JOSHUA

FD. N. & T. IN P.P. #11685.39E

NOTHING FOUND

62ND ST. EAST

@ 90-11-00
Ⓐ 00-44-00
Ⓒ 181-06-00
90-11-00 ✓

@ 90-00-20
Ⓐ 00-01-30
Ⓒ 180-02-20
90-00-23.75 ✓

1/4 SEC. CORNER
BET. SECS 3 & 10
T. 5N., R. 11W.
FD. SPK. & WASHER 1" DN.
PER C.S. 8739
F.B. 2293-48
REPLACED SPK. WITH
C.E. MON. 9" DN.
MARKED
SET CAP & WELL

COUNTY ENGINEER
T. 5N.
R. 11W.
3
10
1/4 COR.
R.E. 5869

CTR. SECTION
PER R.S. 64-38
FD. 2" I.P. & CONC.
PLUG FLUSH
TAGGED R.E. 2000.

To Page (50)
To Page (54)
To Page (54)
To Page (54)

7&F 3025 CE #310 6-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.E.D-4



Notes Ck'd by MA KNOWLES | Survey of AVE. T | F. B. 3216 PG. 15
Map No. B-2978 | JN 009439 Tape 174 Std 84°F
Office Work J.J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes H. MAC HELL Date 5-17-65
Date 2-15-66 | Indexed C. J. GALLI

W.O. 2552-4

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

EAST

AVE.

FD. BS. & W. 8" JOSHUA

RP. F.D. 2" I.P. 6" UP CONC. PL. & L.A. CO. ENG. TAC.

S-8

50° 28' R=40.17 TAN. 40.17

1/4 SEC. LINE

RP. F.D. 2" I.P. 6" UP CONC. PL. & L.A. CO. ENG. TAC.

TAN. 40.17

N 10° 51' W 101.51

FD. BS. & W. 10" JOSHUA

1/4 SEC. COR. SEC 2+3 T5N R11W FD C.E. MCN. 6" DOWN MARKED PER F.B. 2636 PG. 180 ES 8739

COUNTY ENGINEER R11W T5N 3+2 1/4 COR. R. E. 5869

67TH ST.

PER F.B. 2653 PG. 166 & F.B. 2636 PG. 184

(50) (50)

TO TOP PG. 14

76F309S CE #310 6-63

F.B. 3216 Pg. 16

TO B OF PG. 14

EAST

(50') (30')

2645.7' PER F.B. 2636 - 184

℄

(R.P. F.D. 2" I.P. 10" UP CONC. PL + L.A. CO. ENG. TAG)

AVE

60'

70.71' TAN.

90°

T-8

(F.D. 2" I.P. 6" UP WOOD H. + NAIL F.B. 1262-204)

30.00'

30.02'

.04

1/4 SEC. LINE

F.D. 2" I.P. EL. PL. + NAIL F.B. 1262-204

70.71' TAN.

45°

62.72'

F.D. CUT SPK. + TIN 10" JOSHUA

90°

(R.P. F.D. 2" I.P. 10" UP CONC. PL + L.A. CO. ENG. TAG)

℄

2645.4' PER F.B. 2636 - 185

ST.

67TH

TO 64TH AVE U

(50') (50')

TO TOP PG. 17

COUNTY SURVEYOR

T 5 N

R 11 W

10 11

1/4 COR.

R.E. 329

1/4 COR. SEC. 10 H T 5 N. R 11 W. F.D. C.S. M.C.M. 18" D.N. PER. F.B. 1262-204 & PER. F.B. 2636 - 185 MARKED

PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes-Ck'd-by M.R. KNOWLES | Survey of AVE T | F.B. 3216 Pg. 17
Map No. 8-2978 | JN 089634 Tape 174 Std 84° °F
Office Work J.J. EDWARDS | Surveyed-by MENDONCA
Checked M. KNOWLES | Notes H. MITCHELL Date 5-2066
Date 2-15-66 | Indexed C. J. GALLI

W.S. 15D-14

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg
Do not detach this side of this line.

76F3095 CE #310 6463

To BOT PG 16

(50') (50')

EAST

2645.40 TO AVE T & 170TH W PER F.B. 2636-190

AVE

89°

PER F.B. 2636-190

TO ½ COR. 2654.78 PER F.B. 2636-190

70.71 TH

89°

PER F.B. 2636-190

(RP. FD 2" IP 6" UP CONC. PL. & LA. CO. ENG. TAG.)

2630.89 TO ½ 72ND ST. E PER F.B. 2636-189

To PG 18 (50')

ITP RIGHT PG 18 (50')

RP. FD 2" IP 6" UP CONC. PL. & LA. CO. ENG. TAG.

170TH ST.

SEC. COR. SECS: 10, 11, 14, 15 FD. P.S. MON. DNG" RCE. MARKED PER F.B. 2636-190 PER CS 3739

COUNTY ENGINEER T 5 N R 11 W 10 11 15 14 R.E. 5869

F.B. 3216 PG. 18

2654.72 @ 1.72° = 2654.55
52

EAST LINE 1/4 SEC.

RP
FD 2"IP 6" UP
+ C.E. TAG

No Tangent

90°

180°

90°

AVE

2654.55
52

57TH ST.

56.57 TAN

56.57 TAN

2654.78
TO SEC. COR.
PER F.B. 2636-190

(S)

(S)

(S)

Notes Ck'd by MA ICN LWLES | Survey of AVE T | F.B. 3216 PG. 19
Map No. 5-2978 | JN 00796.39 Tape 174 Std 84 °F
Office Work J.J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes J.M. Date 5-19-65
Date 2-15-66 | Indexed C. J. GALLI

W.S. 25, D-14

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg
Do not extend this side of this line.

TO BOT. PG. 11

(50) (50)

SET N. 1" I.P. & P.A. #5497814

2641.52 N

AVE

90°

R.P. SET 2" I.P. & C.E. TAG, 6" UP

R.P. FD. 2" I.P. CONC. PK. & S.C., FL.

N 89°-59'-55" E 2654.55

427.33

FD. 1X2 STK. & NAIL FLUSH (F.B. 2209-265)

(60) PG. 18

(50) TO LEFT

R.P. SET 2" I.P. & C.E. TAG, 6" UP

SEC. CORNER
SECS. 9, 10, 15 & 16
T.5N. R.11W.
FD. C.E. MON. IN H.H.
PER C.S. 8799
F.B. 2209-256 & 265
MARKED

COUNTY ENGINEER
T. 5N.
R. 11W.
9 | 10
16 | 15
R. E. 5869

CHESEBORO

427.36 @ Tr = 427.38 ✓
2654.72 @ Ta = 2654.55 ✓

1 76F309S CE.#310 6463

F.B. 3216 PG. 20

W.S. 65-24

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this title or this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

EAST

FD 2" I.P. WOOD
PL. & N., 4" UP
TAGGED L.S. 2409

FD. N. & T. IN
O.R.P. #4646 72 H

T

AVE

(50') 26.22.60
PER F.B. 2636-183

(50') 26.23.15
PER F.B. 2636-183

FD. N. & T. IN
P.P. #9111665 E

FD. N. & T. IN
O.R.P. #9111665 E

O.R.P.
FD. 2" I.P. CONC.
PL. & N., 8" UP

FD. 2" X 2" STK.
TAGGED L.S. 2991
FLUSH

F.B. 2636-183

1/4 SECTION CORNER
BET. SECS. 2 & 11
T. 5 N., R. 11 W.
FD. SPK. & WASHER, 2" DN.
PER C.S. 8739
F.B. 2293-49
F.B. 2636-183
REPLACED SPK. WITH
C.E. MON., 9" DN.
MARKED
SET CAP
& WELL

COUNTY ENGINEER
R.E. 5869

1/4 SEC. 2 T.5N. R.11W. 1/4 COR.

72ND ST.

Notes Ck'd by MAKNA AMES | Survey of AVE T | F.B. 3216 Pg. 21
Map No. B-2978 | JN 009639 Tape 174 Std 60° °F
Office Work J.J. EDWARDS | Surveyed by MEN DONCE
Checked M. KNOWLES | Notes H. MITCHELL Date 5-20-65
Date 2-15-66 | Indexed J. GALLI

W.S. 26, 14-14

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

To Bot. Pg. 22

EAST

SEC. LINE AVE. T TO 7TH ST.

PER. F.B. 2636-182

① 90°-06'-20"
④ 00°-24'-40"
⑥ 180°-37'-00"
90°-06'-10" ✓

Ⓓ 89°-10'-00"
Ⓔ 356°-39'-40"
Ⓕ 174°-58'-20"
89°-09'-58"
53 1/3

400 ad.

26442 H

47.30

89°

90

89°

55.00

T

(50)

1333.84 ✓ To 1/16 Cor.

℄

To Bot. Pg. 27

FD. N+T IN PP # 611185 E

AVE.

(50)

To 1/4 Cor. 72 Rd St.

2622.60 PER. F.B. 2636-182

67.58

To Right Pg. 20

(50)

89°

PER F.B. 2636-182

75

47.30

400 ad.

125.93

10.69

90°

FD. N+T IN T.P. # 605984 H

1334.00 @ T = 66°E 1333.84 ✓

7TH ST.

To 1/4 Cor. AVE. T-8 PER F.B. 2636-182

26441.61

(50)

(50)

To Top Pg. 23

RP
FD. 2" I.P. 6" UP
CONC. PL + NAIL

FD. N+T IN
6" "X" POST

COR. SEC. 12, T1S, R11W
T5N R11W
FD. SPK + W 1" DN.
PER. C.S. 8739
F.B. 2295-50
F.B. 2636-182
REPLACED SPK WITH
C.E. MON. 9" DN.
SET. CAP + WELL
MARKED

COUNTY ENGINEER
T5N
R11W 12
RE 5808

76F3095 CE 7310 8-63

F.B. 3216 PG. 22

(50) (50)

N. 5,694,+3½

EAST

R.P. FD 2"IP 6" UP CONC. PLUG L.A. CO. ENG. TAG.

AVE

¼ SEC. LINE

S-8

R.P. FD 2"IP 6" UP CONC. PLUG L.A. CO. ENG. TAG.

R16W2,641 PER FB 2624-181

1/4 COR. SEC. 1,2 T5N R11W FD. C.S. MON. DN. 6 PER CS 8739 FB. 2736-181 MARKED RE-STAMPED R.10W. TO R.11W. 5-20-65 J.M.

COUNTY SURVEYOR'S 1/4 CORNER MONUMENT T.5N. R.11W. 2.1

77TH ST.

TO AVENT

(50) (50)

TO TOP PG. 2.1

PLEASE RETURN TO: LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by MA KNOWLES | Survey of AVE T | F.B. 3216 Pg. 23
Map No. 8-2978 | JN 007637 Tape 174 Std 68° °F
Office Work J.J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes H. MITCHELL Date 5-24-65
Date 2-15-66 | Indexed C. DEGALLI

WLS 26.1-14

TO BOT. PG. 21

① 90°-04'-50"
Ⓐ 00°-19'-20"
Ⓑ 180-29'-00"
90°-04'-50" ✓

① 89°-55'-00"
Ⓐ 359°-40'-40"
Ⓑ 179°-31'-00" ✓
89°-55'-10"

(50) (50)

1331.49 @ T=86° = 1331.51 ✓

EAST

26414.61 TO AVE T
PER F.B. 2636-182

FD. N&T P.P. #482.10 TE

FD. CHIS. X 30 IRRIG. CONC. STANDPIPE

AVE

T 8

TO ℄ 80TH ST. W (MD)

1331.51 ✓

40.89

TO 40TH ST. W (MD)

FD. CHIS. X" W. END WALL

FD. AT SPK. & T 4" ELM

89°

1/4 COR SEC. 11, 12 T5N R11W FD. C.S. MON. IN H.H. PER CSB 930 FB. 1838-166 FB. 2636-186 MARKED

77TH ST. W

PER 26414.76 FB. 2636-186

TO AVE M

(50) (50)

TO TOP PG. 24

LOS ANGELES COUNTY SURVEYOR T5N R11W 11 12 NW COR. SEC. MONUMENT

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.


F.B. 3216 Pg. 24
TO BOI PG. 23
(50)
(50)
TO ℄ OF AVE T-8
EAST
PER F.B. 2636-187
89°-55'-40"
359°-42'-10"
179°-33'-00"
89°-55'-30"
1329.23' M
1329.26' (M) 1329.23' ± 1329.23' M
FD CHIS "X" TOP 10" IRRG. VALUE
FD. N+T IN C.P. #515728H
AVE
(50)
TO 75TH STE. 1320.36
PER F.B. 2636-188
N 89°-55'-30" E
(50)
TO 80TH ST.
1329.23' M
TO ℄
TO RIGHT PGS
(50)
74.94'
(48.91')
45.45'
FD. N+T
P.P. # 9384 G73
FD CHIS "X" FIRE HYD.
FD. BT. STAMP + T
P.P. # 7598 87E
FD. N+T
T.P. # 640302H
SEC. COR. 11, 12, 13, 14
FD CS. MON. IN
PER F.B. 1262-203
F.B. 2636-187
MARKED
COUNTY SURVEYOR'S MONUMENT
TSN
PM 11 12
14 13
17TH ST
(50)
(50)
80TH ST
(50)
TO LEFT PGS
LOS ANGELES COUNTY ENGINEER
"PLEASE RETURN TO"
403 Los Angeles County Engineering Bldg.
Do not record this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M.A. KNOWLES | Survey of AVE T | F.B. 3216 PG. 25
Map No. 8-2978 | JN 007639 Tape 174 Std 64° °F
Office Work J. J. EDWARDS | Surveyed by MEMDONCA
Checked M. KNOWLES | Notes H.MITCHELL Date 5-24-65
Date 2-15-66 | Indexed G. J. GALLI

MISSED IT

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

EAST

W 1/16 SEC. LINE

(FD. CHIS "X" TOP 10" IRRIG. VALVE)

(FD. CHIS "X" TOP 10" IRRIG. VALVE)

AVE

(50)

TO ℄ 12 NO 2 ST.

1320.33
PER F.B. 2636-188

1320.38
PER F.B. 2636-188

TOE OF T CUT

TO PT AT AG 44

(50)

(50)

(50)

(50)

PI 1+59.69

49.16

PER F.B. 2636-188

FD. NAIL IN PP #674243E

FD. NAIL PP #674244E

1/16 COR.
FD. 1" IP. 12" DN.
PL. & NAIL
F.B. 1673 - 104 & F.B. 2636-188
REPLACED PIPE
WITH C.E. MON. 9" DN.
MARKED
SET CAP & WELL

COUNTY ENGINEER
T 5 N
1/16 COR.
R. E. 5869

75TH ST

(30)

(30)

76F309S: CE #310 6-63

F.B. 3216 PG. 26



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

This

Notes Ck'd by MA KNOWLES | Survey of AVE T | F. B. 3216 Pg. 27
Map No. 8-2978 | JN 009639 Tape 170 Std 84° °F
Office Work J. J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes H. MITCHELL Date 5-2-5-65
Date 2-15-66 | Indexed C. J. GALLI

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

COUNTY ENGINEER R.E. 6889

TO LEFT PG 31

TO RIGHT PG 21

AVE T

SEC. LINE

SET GHOST IN FIRE HYD.

FD. SW. I.P. 1/2" DN. REPLACED 5/8" W. BRASS PLUG MARKED L.S. 6889 SET CAP & WELL

FD. NAIL IN PP NO NUMBER

FD. NAIL IN PP

SET NAIL IN PP

1/4 SEC. CORNER 1/2 PIPE FD. SW. I.P. 1/2" DN. REPLACED 5/8" W. BRASS PLUG MARKED L.S. 6889

1/4 SEC. CORNER 1/2 PIPE FD. SW. I.P. 1/2" DN. REPLACED 5/8" W. BRASS PLUG MARKED L.S. 6889

(50) (50) (50) (50) (30) (30) (30)

1025.68' T & 82 NDST

308.24' T

308.25 @ T 78 = 308.24

1322.92' T

1133.84' T

1322.92' T

1322.92' T

1322.92

F.B. 3216 Pg. 28 TO RIGHT PG 27

(30) (30) (30) (30)

80TH ST. E.

1/4 SEC. LINE

(SET NAIL IN CAP & TAG 6111 BOE)

422.92'

90.96

523.29'

10'

@ 36°-02'-00"
@ 144°-02'-50"
@ 216°-11'-40"
36°-02'-00"

@ 143°-58'-10"
@ 215°-52'-40"
@ 143°-48'-00"
143°-58'-10"

58'

49°56'

SET NAIL IN 2" DIA. POLE 17.64

10.27'

143°

(SET 1" SPK + WASHER IN 10" ELM)

COUNTY ENGINEER
R.E. 5869

PT #1
FD 3/4" IP W/ CD PLUG + NAIL 1.5" DN. AND 2"x2" STK + NAIL FLUSH PER C.S.B. 19/19 F.B. 1112-125 REPLACED PIKE WITH C.E. MON. 9" DN. MARKED SET CAP + WELL

222.39'

80TH ST. E.

(30) (30)

TO TOP PG 30

524.100 @ 80°-523.99'
222.165 @ 66°-222.39'
422.97 @ 46°-422.99'

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. KNOWLES | Survey of AVE I | F. B. 3216 Pg. 29
Map No. B-2978 | JN 009639 Tape 170 Std 84° °F
Office Work J. J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes H. MITCHELL Date 6-2-65
Date 2-15-66 | Indexed C. J. GALLI

WEST 1329.23 — 1-14

TO BOT PG 30

(30) (30)

① 90° 07' 20"
② 00° 29' 30"
③ 180° 44' 20"
90° 07' 25"

① 89° 52' 40"
② 359° 30' 20"
③ 179° 15' 20"
89° 52' 35"

1" I.P. WASHER IN CONC. STR/D PLACE

EAST

89°

1" I.P. CHISELED "X" IN CONC. STR/D PLACE

AVE I & HWY T-38

(50) AVE J

1329.23' TO & 77TH ST.

TO RIGHT PG 29

90°

41.98

90°

1329.23' TO & 82ND ST.

TO LEFT PG 31

FD 1" I.P. WOOD PLUG + NAIL 10" DN NO REFERENCE REMOVED

SET N&T IN C&V POLE # 702.177 H

FD. SPK & TIN IN PP # 492.696 H

FD SPK + TIN IN PP # 1090 T+E

1/16 SEC. COR. BET. SEC. 12 & 13, T5N, R11W. SET C.E. MON. 9" DN. BY PROPORTION PER CSB 750 MARKED SET CAP & WELL

1329.22 @ BOP = 1329.22' W
26 45.28 @ 1/16 = 1329.44' W

COUNTY ENGINEER T5N R11W 1/16 COR. R.E. 5869

80TH ST.

(30) (30)

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #310 6-63


F.B. 3216 PG 30
1331.53 @ T86° = 1331.55 ✓
2222.65 @ T66° = 2222.39 ✓
2645.28 @ T66° = 2644.97 ✓
TO BOT PG 28
(30)
(30)
EAST
19 PI
FD NAIL IN TOP
FD 1/2" I.P.
N 89° 52' 10" E
222.139
89° 52' 50"
FD NAIL IN TOP
FD 1/2" I.P.
N 89° 52' 10" E
2644.97
89° 52' 50"
FD NAIL IN TOP
FD 1/2" I.P.
N 89° 52' 10" E
1331.55
89° 52' 50"
FD NAIL IN TOP
FD 1/2" I.P.
N 89° 52' 10" E
1331.51

Notes Ck'd by M. KNOWLES | Survey of AVE T | F.B. 3216 PG. 31
Map No. 8-2978 | JN 008639 Tape 174 Sta BM °F
Office Work J. J. EDWARDS | Surveyed by MENDOZA
Checked M. KNOWLES | Notes H. MITCHELL Date 5-26-65
Date 2-15-66 | Indexed C. J. GALLI

1025.90 @ T66° = 1025.68 ✓
1335.23 @ T66° = 1335.07 ✓
2645.76 @ T70° = 2645.52 ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

(50) (50)

STOP CENTER OF 4' HOPE HYD.

FD. NAIL & T. IN CONC. P.P. #0911.62 E

FD. NAIL & T. IN CONC. P.P. #1126.43 E

FD. NAIL & T. IN ST. BARR (DADE) CONC. P.P. #1330.13 W

FD. NAIL & T. IN CONC. P.P. #1336.50

FD. NAIL & T. IN CONC. P.P. #1342.42 W

FD. NAIL & T. IN CONC. P.P. #1347.50 W

FD. 3" I.P. IN CONC. P.P. #1352.32 W

AVE T — TO INT. 80TH ST. 1025.68 ✓

1335.07 ✓ TO ℄ BTWY

(50) (50)

TO TOP PG 31

FD. NAIL & T. IN T.P.P. #615785 H

89°-48'-00"
358°-12'-20"
178°-48'-30"
89°-48'-05" ✓

90°-10'-40"
00°-42'-00"
180°-02'-40"
90°-10'-25" ✓
27

FD. NAIL & T. IN STAMPED BRASS DISC

2645.52 ✓ TO ℄ AVE T-R

½ COR. BET. SEC. 1 & 12 T5N R14W FD SPK & WASHER 5" DN. PER CS 8737 EB 1838-152 REPLACED SPK. WITH C.E. MON. 9" DN SET CAP & WELL MARKED EB 2298-50

COUNTY ENGINEER T5N R14W 12 ½ COR. R.E. 5869

(50) (50)

TO TOP PG 32


F.B. 32/6 PG. 32
2645.76 @ T70° = 2645.52 ✓
2644.78 @ T84° = 2644.78 ✓
1332.19 @ T74° = 1332.10 ✓
TO BOT. PG. 31
(40)
(40)
A 90°-11'-00"
B 00°-44'-00"
C 181°-05'-50"
90°-11'-00" ✓
A 89°-49'-00"
B 359°-16'-00"
C 179°-54'-00"
89°-49'-00" ✓
A 90°-11'-00"
B 00°-44'-00"
C 181°-04'-00"
90°-11'-00" ✓
COUNTY SURVEYOR'S MONUMENT
W. C.
EAST
TO CAVE ST.
WITNESS COR. HORIZ. MON. 12" DN. 2' FT. MARKED
ED. NAIL IN LEAD PERC 581750
ED. NAIL IN L.P. = 494990 H.
ED. NAIL IN P.P. C.NO NUMBER
AVE. (40)
TO & 80TH ST.
1331.55
1332.10
TO & 85TH ST.
T-8
(40)
TO 81ST PG. 30
(40)
(40)
TO AVE. T PG. 32
ED. CHIS "X" IN 30" CONC. STAN. PIPE
SET CHIS "+" IN FIRE HYD.
CENTER SECTION SEC. 12 T5N R11W ED. S.W.J. FLUSH PER. C.S. 8750 REPLACED SPK. W/ 74 CE MON 9" DN. MARKED SET CAP + WELL
COUNTY ENGINEER T5N R11W CTR. SEC. 12 R.E. 5869
82 NW 5 FT
TO & AVE. U
2644.78
(40)
(40)
TO TOP PG. 33
W. 82ND ST.
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change. This

W.S. 634-4

Notes Ck'd by	M. KNOWLES	Survey of	AVE T
Map No.	8-2978	JN	009639
Office Work	J. J. EDWARDS	Surveyed by	MENDONCA
Checked	M. KNOWLES	Notes #	MITCHELL
Date	2-16-66	Indexed	G. J. GALLI

F. B. 3216 PG. 33

TO BOT PG. 32

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

COUNTY SURVEYOR'S W.C. MONUMENT

WITNESS CORNER
ED. C.S. MON. FLUSH
PER CSB 750
MARKED

(40) (40)

TO ℄ AVE T-8

℄ 35th ST

89°

N 89°44'18" W 2644.78' M

FD. NAIL & TAG PP 457519E

(50) AVE 90°

TO ℄ 80TH

1329.23

1329.10

TO ℄ 85TH ST.

(50)

TO RIGHTS 29

TO LEFT PG 36

FD. NAIL IN PP 457519E

W¼ SEC. COR. BET SEC. 12 & 13 T5N, R11W
FD. SPK & WASHER 1" DN AT SPLIT BET. WITNESS CORNER.
REPLACED SPK WITH C.E. MON. 9" DN. MARKED

SEE CSB 750
SET CAP & WELL

WITNESS CORNER
FD. C.S. MON. 6" DN.
PER CSB 750
MARKED

COUNTY ENGINEER T5N R11W 12 13 W. COR R. E. 5869

82ND ST

(40) (40)

COUNTY SURVEYOR'S W.C. MONUMENT

1327.09 @ T 80° = 1329.23 ?

1329.10 @ T 85° = 1329.10 ✓

① 90°-10'-40"
② 90°-08'-42"-40"
③ 181°-03'-30"
④ 90°-10'-35" ✓

① 89°-49'-30"
② 359°-17'-50"
③ 178°-56'-40"
④ 89°-49'-25" ✓

F.B. 3216 PG. 34


1335.17 @ 1147 = 1335.07 ✓
126.45' 43 @ TOW = 2645.43 ✓
① 90°-14'-20"
② 00°-58'-20"
③ 181°-27'-20"
90°-14'-35" ✓
④ 89°-45'-30"
⑤ 359°-02'-20"
⑥ 179°-34'-00"
89°-45'-40" ✓
EAST
1/16 S. LINE
R.P. FD. 1½" IP CONC. PL. + TK. 2" UP
FD. N+T IN PP# 656 124E
AVE (30)
TO ℄ 82ND 1335.07 ✓
180.00'
40.55' TH'N.
37.40'
100.00'
1335.01 ✓ TO ℄ 87TH ST.
(50)
(50)
(50)
TH'N.
30.00'
40.00'
90°
FD. N.+T. IN PP# 615 792 H
N. SEC. CORNER SEC. SECS. 7+12 T5N. R.11W. FD. 1½" IP. 12" DN. WOOD PL. + N. REPLACED PIPE WITH CE. MON. 9" D.N. MARKED SET CAP + WELL
2645.43 ✓
RP FD. 1½" IP CONC. PL. + TK. 1" UP
COUNTY ENGINEER T5N R11W 1/16 COR. R.E. 5869
85TH ST.
TO ℄ AVE. T-8
(30)
(30)
TO TOP PG 35
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes-Ck'd by MA KNOWLES | Survey of AVE T
Map No. 8-2978 | JN 00639 Tape 77U Std 80° °F
Office Work J.J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes H. MITCHELL Date 6-4-65
Date 2-15-66 | Indexed L. J. GALLI

F. B. 3216 PG. 35

TO BOI PG 34

① 88°-45'-10"
② 359°-01'-00"
⑥ 178°-31'-20"
89°-45'-10" ✓

① 90°-15'-00"
② 00°-59'-40"
⑥ 181°-29'-20"
90°-14'-50" ✓
33

① 89°-45'-10"
② 359°-00'-40"
⑥ 179°-31'-00"
89°-45'-10" ✓

① 90°-14'-50"
② 00°-59'-20"
⑥ 181°-29'-00"
90°-14'-50" ✓
33

2645.43 @ T 84° = 2645.49 ✓
1331.95 @ T 79° = 1331.86 ✓
2645.06 @ T 82° = 2645.03 ✓

(30) (30)

SET 1/2" REBAR & CAP STAMPED LS 6189 FLUSH

SET 1/2" REBAR & CAP STAMPED LS 6189 FLUSH

SET NAIL IN CONCRETE GUTTER

SET NAIL IN PP # 12 | 81 | 84 E

AVE T

TO ℄ AVE T

TO ℄ 82ND ST

1332.10 ✓

1331.86 ✓ TO ℄ 87TH ST.

T 8

(40)

SET NAIL IN TP # 5642 40 H

TO RIGHT PG 32

TO LEFT PG 38

1/16 SEC. CORNER
SEC. 12, T5N, R11W
FD. CHIS. "I" IN CONC. GUTTER (NO REFERENCE) CHECKS INTERSECTION OF NORTH-SOUTH & EAST-WEST LINES

85TH ST.

2645.03 ✓

TO ℄ AVE U

(30) (30)

TO TOP PG 36

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

F.B. 3216 Pg. 36

1328.86 @ 180° = 1328.86 ✓

TO BOT. PG. 35

(30) (30)

① 90°-14'-30"
② 00°-58'-00"
③ 181°-27'-00"
90°-14'-30" ✓

① 89°-45'-40"
② 359°-02'-00"
③ 179°-33'-00"
89°-45'-30" ✓

MISSION ST.

EAST

TO ℄ AVE

(FD. 4 HOLE IN TOP OF CONC. WALL 1.0' N & 0.2' W)

30.00' ✓

89°

45'

1345.03'

(38.81)

AVE (SP)

TO ℄ 82ND ST.

60°

1329.10 ✓

1328.86 ✓

TO ℄ 81ST ST.

30.00' ✓

1.1' N

0.3' W

(SP) 0.9' EAST (CALC)

PG. 33

TRACT 4

(SP)

39.19

80.88

147.90

FD. CHISELED "I" IN 30" CONC. STAND PIPE

SET NAIL IN CAP # 1218192E

FD. NAIL IN PP # 1218170E

1/16 SEC. CORNER

BEG. SEC. 12 & 13 T5N R17W FD. CS MON. 10" DM PER CSB 750 F.B. 1112-13 MARKED SET CAP & WELL

COUNTY SURVEYOR T5N R17W 12 13 1/4 COR RE 2177

81ST ST

(30) (30)

"PLEASE RETURN TO"
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date, and Name of Person Making Change.

Notes C'k'd by M. KNOWLES
Map No. 8-2978
Office Work J. J. EDWARDS
Checked M. KNOWLES
Date 2-15-66

Survey of AVE T
JN 08639 Tape 174 Std 84° °F
Surveyed by MENDONCA
Notes H. MITCHELL Date 5-27-65
Indexed C. J. GALLI

F. B. 3216 Pg. 37

W. 85TH ST

① 89°-44'-40"
② 358°-46'-20"
⑥ 178°-02'-10"
89°-41'-35"
31

EAST

FD NAIL IN PP #10390 LE W. SIDE UP 36"

FD CHISELLED "Y" IW FIRE HYDT SW SIDE UP 20"

FD NAIL IN NE SIDE PP #9115 BE UP 8"

AVE

(50) TO ℄ 85TH ST. 1335.01

84.00

60.46

T

(60) TO RIGHT PG 34

FOR SURVEY EASTERLY SEE C.S.B. 261S-1&2 AND F.B. 2202

FD NAIL IN PP #606741 H UP 12"

FD NAIL IN PP #615798 H W.E. SIDE UP 8"

SECTION CORNER FD 2" P.I.P. B.C. IN WELL SEE F.B. 2202-A, 187-235 MON. MARKED

COUNTY SURVEY T 5 N R 13 W 1 6 12 7 MONUMENT

2645.56 HEREON

T.P. AVE

87TH ST

(50) (50)

TO TOP PG 38

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 1403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

176F3095 CE #310 6-63

F.B. 5216 PG. 38

TO BOT. PG. 37

(50) (50)

D 89°-41'-20"
A 358°-45'-10"
B 178°-08'-00"
89°-41'-20" ✓

D 90°-18'-40"
A 01°-14'-20"
B 181°-52'-00"
90°-18'-40" ✓

WEST

EAST

56 TO NW'LY 2615-1 C.S.B.

126.45 PER R/S

40" ✓

FD NAT IN PP# 46520 TE

18'

FD NAT IN 24 LOCUST

90° AVE

TO ℄ BST ST. 1331.86 ✓

T-8

℄

60.26

63.10

90°

180.00

20.00

FD NAT IN PP# 52707 PH

(SET CHIS. "X" IN FIRE HYD.

¼ SEC. CORNER BET. SECS. 7+12 T5N R10+11W FD C.S. MON. IN H.H. PER C.S.B. 2615-1 MARKED

F.B. 2202-8, 32, 237

TO PG 35

TO NW'LY 2645.63 PER C.S.B. 2615-1

TO AVE U

87TH ST.

(50) (50)

TO TOP PG 39

COUNTY SURVEYOR'S MONUMENT T5N R10W 12 7 ¼ COR.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by MA KNOWLES | Survey of A.V.E.T. | F.B. 3216 Pg. 39
Map No. 8-2578 | JN 069839 Tape 174 Std 84° °F
Office Work J.J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes H. MITCHELL Date 5-28-65
Date 2-15-66 | Indexed W. GALLI

TO BOT PG 38

① 90°-18'-20"
② 01°-13'-20"
③ 181°-50'-10"
90°-18'-20" ✓

(50) (50)

EAST

SET N+T IN pp# 1450397E

20"

18"

AVE.

(50)

90°

To ℄ 85TH ST.

1328.86

56.63

TO RIGHT PG 36

(50)

45.81

SET N+T IN T.P.# 4872

2644.53 (M) PER CSB 26/15-1

63.72

82.45

TO AVE. PG 37B

SET N+T IN T.P.# 633978 H

SET CHIS"T" IN FIRE HYD.

SECTION CORNER
SECS. 7, 12, 13 & 18
T5N R.10 & 11 W
FD. C.S. MON. IN H.H.
PER CSB 26/15-1
MARKED
F.B. 2202-7, 9, 219

COUNTY SURVEYOR'S MONUMENT
T5N
R11W | 12 | 7
13 | 18
R10W

87TH ST.

(50) (50)

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

176F309S CE #310 6-63

F. B. 3216 PG. 40

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date, and Name of Person Making Change.

EAST

FD. MONUMENT

FD. CHIS. "X" IN CONC. WITH BOX

FD. LEAD & C.E. TAG IN CONC. WITER BOX

AVE

FOR SURVEY WESTERLY SEE C.S.B. 2615-1#2 AND F.B. 2202

R.P. FD. 2" I.P. # C.E. TAG, 3" UP

SECTION CORNER SECS. 4, 5, 8 & 9 T. 5 N., R. 10 W. FD. C.E. MON. IN H.H. PER F.B. 3226 MARKED

COUNTY ENGINEER T. 5 N. R. 10 W. 5 4 8 9 R.E. 5869

R.P. FD. 2" I.P. # C.E. TAG, 2" UP

R.P. FD. 2" I.P. # C.E. TAG, 3" UP

T

2650.41

(50)

EAST ST.

10TH

653.10'

(50)

TO TOP

(50)

PG. 45

N 89° 23' 00" E 2650.51' @ 78.92 = 1.0'

N 0° 36' 53" E 1653.13' @ 78.92 = 1.0'

① 89-23-00
② 357-30-50
③ 176-16-00
89-22-40 ✓

Notes Ck'd by MA KNOWLES	Survey of AVE. T	F. B. 321-6	Pg. 41
Map No. 8-2978	JN 009639 Tape 174 Std BK °F		
Office Work J. J. EDWARDS	Surveyed by MENDONCA		
Checked M. KNOWLES	Notes J.M. Date 6-14-65		
Date 2-15-66	Indexed C. J. GALLI		

W.S. 32-B-14

To BOT (50) PG. 43 (50)

FD. N&T IN PIPE 1.21 & 86.6 E

EAST

1986.50'

R.P. FD. 1½" I.P. CONC PL. & TK., 2" UP

45°

AVE

T 8

1/4 SEC. LINE

R.P. FD. 2" I.P. CONC PL. & NAIL, 0.6" UP

R.P. FD. 1½" I.P. CONC PL. & TK., 3" UP

106TH ST.

1/4 SEC. CORNER BET. SECS. 8 & 9 T. 5 N. R. 10 W. FD. C.S. MON. 12" DN PER F.B. 1838-180 F.B. 2687-18 MARKED

PER F.B. 2687-18

COUNTY SURVEYOR T. 5 N. R. 10 W. 8 9 1/4 COR. F.B. 211

(50) To TOP (50) PG. 42

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG

F. B. 3216 Pg. 42 — To BOI — PG. 41

(50) (50)

MISSION

EAST

PER F.B. 2640 84-18

PER F.B. 2687-18

90° PER R.B. 45-20

N 89° 59' 30" E 2655.92 PER F.B. 2687-42

(50) (50)

44.52

1287.10

R.P. FD. 2" I.P. E.C.E. TAG, FLUSH

49.96

90°

AVE

R.P. FD. 1/2" I.P. CONC. PI. & TK., FLUSH

10 TH ST.

SECTION CORNER
SEC'S 8, 9, 16 & 17
T.1S. R.10 W. S.B.M.
U.S.G.L.O. 1853
PER F.B. 1-19
MARKED
FD. 1" I.P.
PER F.B. 2687-18

COUNTY SURVEYOR'S MONUMENT
T.1S.
R.10W. 8 | 9
17 | 16

"PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line."

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink with Date and Name of Person Making Change.

Notes Ck'd by M. KNOWLES | Survey of A.V.E. T. | F. B. 3216 Pg. 43
Map No. B-2978 | JN 1096.39 Tape 174 Std. 84 °F
Office Work J. J. EDWARDS | Surveyed by AMENDONCA
Checked M. KNOWLES | Notes J.N. Date 6-11-65
Date 2-15-66 | Indexed C. J. GALLI

WASHB 14

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.



F.B. 3216 PG. 44

COUNTY ENGINEER
R.R. 10 W. T. 5 N.
R. E. 5869
43
9 10

M.S. 6548-4

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SECTION CORNER
SECS. 3, 4, 9 & 10
T. 5 N., R. 10 W.
FD. C.E.S. MON. 18" DN.
PER C.S. 6574
PER F.B. 2687-44
F.B. 2687-215
NOT MARKED

FD. N&T IN PAVT. 1.12' N. & 1.98' E.

R.P. FD. 1½" I.P. CONC. FLUSH W. TK. FLUSH

FD. N&T IN PAVT. PP# 1348126 E

EAST

R.P. FD. 2" I.P. CONC. PL. 4 N., 10" UP 0.52

AVE.

(50) PG. 52

T

939.57 V

2651.23 PER F.B. 2687-44

11.08 TAN.

15.05

10.46

10.91 TAN.

10.10 TAN.

45°

45°14"

R.P. FD. 2" I.P. CONC. PL. 4 N., 5" UP

89° PER F.B.

FD. C.E.B.M. 6" UP NKD. "R.E. 5869 B.M. R P C 4"

116TH ST.

1322.32 V

939.50 @ 96' = 939.57 V
1322.32 @ 84' = 1322.32 V

(50) TO TOP

(50) PG. 46

Notes Ck'd by MK KNOWLES | Survey of AVE T | F. B. 3-21-6 Pg. 45
Map No. B-2978 | JN 0096.39 Tape 174 Std 84 °F
Office Work J.J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes FM Date 6-16-65
Date 2-15-66 | Indexed C. J. GALLI

To B.O.T. (50) PG. 40 (50)

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg
Do not extend this side of this line.

B.O.L. Sq. 2"x2" STK. NAIL, 1" UP

EAST

653.10

POINT NOTHING FOUND SET 1"x2" STK. & NAIL 1" DN. IN INTERSECTION

B.O.L. STA. 56+21.00 (SPIKE) Sq. 2"x4" STK. & NAIL 1" UP

(50) (50)

S. P. R. R.

164.47

624.32

RIGHT OF WAY

40° 10' 10°

(60) (60)

① 78-48-10
④ 315-12-40
⑥ 112-49-00
78-48-10

106TH ST.

1986.50

1986.50 @ 78° = 1986.50
164.47 @ 68° = 164.47
624.39 @ 68° = 624.32

(50) (50)

To TOP PG. 41

F.B. 3246 PG. 46 TO BOT. PG. 44

(50)

(50)

WS 6B-4

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO
Do not extend this side of this line

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

1/16 SEC. CORNER
NOTHING FOUND
SET 1"X2" STK. &
NAIL, 1" DN. BY TIES
PER F.B. 2607-213
F.B. 2687-43

1/16 SEC. LINE

FD. 1/4" I.P. IN CONC.
FD. 3/4" I.P. IN CONC.
STA. 6+03.00 (S.P.R.R.)
NAIL & TAG "LIA"
FD. 1" I.P. IN CONC.
FD. 3/4" NAIL, FLUSH

FD. 1/4" I.P. IN CONC.
PK #10623 IN
A.B. 2607-213

64.13

132.00 N

TO 116TH ST. EAST

100.00 N

FD. U.S.G.S. BM "4UP" 1966
INKD. "R.E. 58"
BM PK #A4
F.B. 2607-213

T-4

322.80 N

322.80 @ 0°42'-322.80 N
999.56 @ 0°40'=999.56 N
679.53 @ 0°40'=679.53 N
320.17 @ 0°40'=320.17 N
100.00 @ 0°40'=100.00 N

P.O.T.
STA. 6+13.00 (S.P.R.R.)
FD. 2" X 2" STK. &
NAIL, LIP

S. P. R. R.

679.53 N

320.17 N

RIGHT OF WAY

999.56 N

INT. POINT
NOTHING FOUND
SET 1"X2" STK. &
NAIL, 1" DN. BY
INTERSECTION

① 101-18-00
② 45-11-40
③ 247-47-40
101-17-56.25

(50)

(50)

TO TOP PG. 47

Notes Ck'd by MA KNOWLES	Survey of AVE. T	F. B. 32-16 PG. 47	
Map No. B-2978	JN 0096.39 Tape 174 Std 84° F		
Office Work J. J. EDWARDS	Surveyed by MENDONCA		
Checked M. KNOWLES	Notes J.M. Date 6-15-65		
Date 2-15-66	Indexed C. J. GALLI		

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

To Bot. PG. 46

(50) (50)

AVE T

EAST 999.50'

0.04

R.P.
FD. 2" I.P. &
C.E. TAG, 6" UP

49.96 TAN.

TAN.

R.P.
FD. 1½" I.P. CONC.
PL. & TK., FLUSH

100.00

T 8

R.P.
FD. 2" I.P. &
C.E. TAG, 4" UP

180°

0.03

R.P.
FD. 1½" I.P. CONC.
PL. & TK., FLUSH

1/4 SEC. CORNER
BET. SECS. 9 & 10
T. 5 N. R. 10 W.
FD. C. S. MON. 30" DN.
PER F.B. 834-47
F.B. 2607-203
F.B. 2687-43
MARKED

COUNTY SURVEYOR
T. 5 N.
R. 10 W.
9 • 10
1/4 SEC. COR.
FE 21 77

ST.

1/4 SEC. 999.50'

(50) (50)

To Top PG. 48

F.B. 3216 Pg. 48

TO BOT. PG. 47

(50) (50)

MISSION RD.

EAST

2644.46'

FD. N. & T. IN P.P.# 1062302E

R.P. 1½" I.P. CONC. FD. & TK., FLUSH

90° PER F.B.

FD. N. & T. IN T.P. # 646886H

FD. N. & T. IN T.P. # 646887H

89° PER F.B. 2687-42

AVE.

2655.89 PER F.B. 2687-42

PG. 49 (50)

N.0°01'E. 1319.01'

N.89°41'W. 1319.01'

2635.67'

658.83'

FD. 2" I.P. WOOD PL. & N., 3" UP NO REF.

PG. 58 (50)

TO ALBERT

TO BRIGHT (50)

FD. N. & T. IN P.P.# 1070526E

R.P. FD. 1½" I.P. CONC. PL. & TK., FLUSH

SECTION CORNER
SECS. 9, 10, 15 & 16
T. 5 N., R. 10 W.
FD. C.S. N.0°W., 10" DN.
PER F.B. 824-47
F.B. 2607-211
F.B. 2687-42
MARKED

COUNTY SURVEYOR'S MONUMENT
T. 5 N.
R. 10 W.
9 | 10
16 | 15

11TH ST.

2635.67' @ 90° = 2635.67'
658.83' @ 90° = 658.83'

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes-Ck'd by M.E. KNOWLES | Survey of AVE. J | F. B. 3216 PG. 49
Map No. B-2978 | JN 0096.39 Tape 114 Std 84 °F
Office Work J.J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes J.M. Date 6-11-65
Date 2-15-66 | Indexed C. J. GALLI

W.S. 66, 68

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

AVE J

2655.82
PER F.B. 2687-42

2655.89
PER F.B. 2687-42

PG. 42 (50) 72 RIGHT

(50) PG. 48 170 LEFT

R.P. 1" I.P. & SET TAG, 6" UP

R.P. SET 2" I.P. & C.E. TAG, 6" UP

1/4 SEC. CORNER
BET. SECS. 9 & 16
T. 5 N. R. 10 W.
FD. C.S. MON. 12" DN.
PER F.B. 834-45
F.B. 2687-42
MARKED

COUNTY SURVEYOR
T. 5 N.
R. 14 W. 9 16
1/4 COR.
R.E. 2.7

1111 W. 1ST. ST.

1/4 SEC. LINE

76F3095, CE #310 6-63

F.B. 3216 Pg. 50



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. KNOWLES
Map No. B-2978
Office Work J. J. EDWARDS
Checked M. KNOWLES
Date 2-15-66

Survey of AVE T
JN 209639 Tape 774 Std. 84 °F
Surveyed by MENDONCA
Notes J.M. Date 6-17-65
Indexed C. J. GALLI

F. B. 3216 PG. 51

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG

FD. CHIS. "T" IN 30" CONC. STANDPIPE

R.P. FD. 1½" I.P. CONC. PL. & TK., FLUSH

FD. N. & T. IN T.P.# 72205TH

101 ST ST. EAST

FD. 2" I.P. & C.E. TAG 6" UP

FD. N. & T. IN P.P.# (NO NUMBER)

FD. CHIS. "T" IN FIRE HYD.

FD. N. & T. IN P.P.# 430391E

FD. 1½" I.P. CONC. PL. & TK., FLUSH

Ⓓ 10-48-00
Ⓐ 43-12-20
Ⓑ 44-48-30
10-48-05 ✓

INTERSECTION POINT NOTHING FOUND SET NAIL IN PAVE. BY INT.

U.S.P.R.R. RIGHT OF WAY

AVE T

FD. CHIS. "T" IN 48" CONC. STANDPIPE

98TH ST. EAST

P.O.L. (S.P.R.R.) FD. 1"X2" STK. & NAIL, 4" UP

FD. N. & T. IN P.P.# 68237 4E

R.P. FD. 1½" I.P. CONC. PL. & TK., FLUSH

FD. N. & T. IN P.P.# 430385E

FD. 3" I.P. & C.E. TAG FLUSH

760.15'

10°48'05"

184.73'

50.51

40.00

83.14

70.09'

915.63'

915.63' U.S.P.R.R. RIGHT OF WAY

760.19
559.73
915.63
184.74
@ 76°

R.P. FD. 1½" I.P. CONC. PL. & TK., FLUSH

℄ INTERSECTION FD. C.E. MON. 12" DN. PER F.B. 3202-24 MARKED SET CAP & WELL

FD. L. STA. 550+00 (S.P.R.R.) FD. 2"X2" STK. & NAIL, 6" UP

1/4 SEC. CORNER GET SEC. 5 & 8 T 5 S., R. 10 W., IN MON. IN HH FD. C.E. MON. IN MKD. 40, SEE FB 3226-53

1/4 SEC. LINE

COUNTY ENGINEER R.E. 5886

COUNTY ENGINEER R.E. 5886

F.B. 3216 PG. 52

TO LEFT PG. 53

(50) (50)

1324.83 FAR F.B. 2607-220

SET SPK. & WASHER IN 10" JOSHUA

SET SPK. & WASHER IN 12" JOSHUA

SET SPK. & WASHER IN 12" JOSHUA

118TH ST. EAST

1/16 SEC. LINE

1/16 SEC. CORNER
FD. 2" I.P. &
O.E. TAG, 3" UP
PER F.B. 2607-221

SET NAIL

SET SPK. & WASHER IN 16" JOSHUA

117TH ST.

EAST

FD. 1½" I.P. CONC. PLUG & TAGGED R.E. 7217 6" DN., PER R.S. 70-7

FD. 1½" I.P. & 1" DN. CONC PLUG & TAGGED R.E. 7217 PER R.S. 70-7

1- 89°35'40"

2-179° 11' 20"

89°35'40" V.

(50) (50)

TO RIGHT PG. 44

W.S. CHART 14

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M.K. KNOWLES | Survey of AVE. T
Map No. B-2978 | JN 0096.39 Tape 174 Std B.A. °F.
Office Work J.J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes J.M. Date 6-21-65
Date 2-15-66 | Indexed C. J. GALLI

F.B. 3246 Pg. 53

R.S. 11-9

R.S. 70-7

COUNTY SURVEYOR
T. 5 N.
R. 10 W.
3
10
1/4 COR.
R.E. 2177

1/4 SEC. CORNER
BET SECS. 3 & 10
T. 5 N., R. 10 W., S.B.B.&M.
FD. 2" I.P. & C.E. TAG, 12" DN.
PER F.B. 2607-220

R.P.
FD. 2" I.P. &
C.E. TAG, 5" UP

R.P.
FD. 2" I.P. &
C.E. TAG, 12" DN.

EAST AVE T

(40) (40)

10.68 N.

1322.83
PER F.B. 2607-220

1322.67
PER F.B. 2607-220

50' R/W

30.00

10.00

R.P.
FD. 2" I.P. CONC.
PL. & NAIL, 10" UP.

R.P.
FD. 2" I.P. &
C.E. TAG, 2" UP

89°

FD. 1 1/2" I.P. CONC.
PL. & NAIL, FLUSH

1/16 SEC. CORNER
FD. 2" I.P. &
C.E. TAG, 2" UP
PER F.B. 2607-223

1/4 SEC. LINE

1322.83 PER F.B. 2607-220

1ST ST.

AVE. T-4

1/16 SEC. LINE

FD. 2" WHITE
MARKER PIPE
2' SELY OF COR

(6D) P.G. 54

TO TOP (6D) P.G. 52

TO BOT. (6D)

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
405 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3095 CE #310 (843)

F.B. 3216 Pg. 54 TO LEFT PG. 55

R.S. 71-9

123RD ST. E.

(50) (50)

939.36' M

SET NAIL

SET SPK. & WASHER IN 8" JOSHUA

42.88

71.03

0.26

FD. 1/2" I.P. 12" DN. CONC. PLUG & TAGGED R.E. 7217 PER R.S. 71-9

88°57'30" M.

1/16

R.S. 71-9

384.05' M

939.36' M

FD 1½" I.P. CONC. PLUG & TAGGED R.E. 7217 8" DN. PER R.S. 71-9

ALLIE

384.05' M

SET SPK. & WASHER IN 12" JOSHUA

47.13

SET SPK. & WASHER IN 13" JOSHUA

64.80

100.00

FD. C.E. B.M. 6" U.P. MKD. "R.E. 5864 B.M." RPC 1" PER F.B. 2607-219

1/16 SEC. LINE

123RD ST. E.

1/16 SEC. CORNER FD. 3/4" I.P. & C.E. TAG 18" DN. PER F.B. 2607-219

1332.67' M PER F.B. 2607-220

(50) (50)

TO RIGHT PG. 53

I = 88° 57' 30" ✓

Δ = 177° 55' 00"

= 88° 57' 30" ✓

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by MA KNOWLES | Survey of AVE T | F. B. 321 6 PG. 55
Map No. B-2978 | JN 1096.39 Tape 174 Std 84 °F
Office Work J. J. EDWARDS | Surveyed by MENDONIGA
Checked M. KNOWLES | Notes J.M. Date 6-23-65
Date 2-15-66 | Indexed C. J. GALLI

W.O. 5E2 Sht C-14

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

(50) (50)

R.P. FD. 2" I.P. & C.E. TAG, 6" UP

AVE. 939.36

T. 4 EAST

R.P. FD. 2" I.P. & C.E. TAG, 12" DN.

T

2621.90 PER F.B. 1880-20

PG. 54 (50) TO TOP

(50) PG. 58 TO TOP

R.P. FD. 2" I.P. & C.E. TAG, 3" UP

R.P. FD. 3" I.P. CON & PL. & NAIL, 10" UP

SECTION CORNER
SECS 2, 3, 10 & 11
T. 5 N. - R. 10 W.
FD. C.S. MONM. 6" DN.
PER C.S. 8733
F.B. 1880-20
F.B. 2607-218
MARKED →

COUNTY SURVEYOR'S T 5 N R 10 W 3 2 10 11 MONUMENT

120.14 St.

AVE. T-4

1/16 SEC. LINE

1/16 SEC. CORNER
FD. 3/4" I.P. &
C.E. TAG, 18" DN.
PER F.B. 2607-217

PER F.B. 2607-218

PER F.B. 2607-217

(50) (50)

TO TOP PG. 56

7 OF 3085 CE #310 (6-63)

F. B. 3216 PG. 56

TO BOT.

PG. 55

M.S. 166-3.4

E.C. 659+19.61 (S.P.R.R.) F.D. 2"X2" STK. & NAIL, 2" UP

(50) S.P. (50) EAST (50) R.R. (50)

(FD. 2" IP, 2' S'LY & R'LY)

413.11 ✓

56.7.33 ✓

(50) RIGHT OF (50) WAY (50)

INTERSECTION PT. NOTHING FOUND. SET 1"X2" STK. & NAIL, FLUSH BY INTERSECTION.

120 ST.

R 13.11

89° 46'

FD. 1" I.P. CONC. 2.1' LT. & 0.16' UP

PER F.B. 2607-207

1824.75

276.10 ✓

① 89-46-20
② 359-05-40
③ 178-38-30 ✓
89-46-25

413.10 @ 86° = 413.11 ✓
561.32 @ 86° = 561.33 ✓
276.10 @ 86° = 276.10 ✓

1/4 SEC. CORNER BET. SECS. 10 & 11 T. 5 N., R. 10 W. F.D. 2" I.P. IN CONC. CONC. PL. & CUT SPK., 12" DN. PER F.B. 1880-20 F.B. 2607-207 C.S. 8734

F-8

AVE.

56.57 N 11° 12' W

90°

30.00

1/4 SEC. LINE

F.D. 4"X4" POST & NAIL, 4" UP

5' 1/2 PAVT. 40' 1/2 R/W 2607-207

N 11° 12' W 56.57

26449.84 PER F.B. 1880-19

(50) (50)

TO TOP PG. 57

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO:

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink (With Date and Name of Person Making Change).

Do not extend this side of this line.

Notes-Ck'd-by MR KNOWLES | Survey-of AVE. T | F. B. 3216 Pg. 57
Map No. B-2978 | JN 009639 Tape 174 Std. 64° F
Office Work J.J. ED. AP. | Surveyed by MENDONCA
Checked M. KNOWLES | Notes J.M. Date 6-24-65
Date 2-15-66 | Indexed C. J. GALLI

To P.O.T. Pg 5L

WEST

(50) (50)

EAST

2649.54 PER F.B. 1880-19

FD. SPK & TN IN 10" JOSHUA

90° PER F.B. 1880-19

R.P. FD. 2" I.P. CONC. PL. & S.C., 10" UP

89° PER F.B. 1880-19

59.15' 207-210

FD. SPK. & TN IN 8" JOSHUA

2635.54

2618.71 PER F.B. 1880-19

AVE. U

R.P. FD. 2" I.P. CONC. PL. & S.C., 10" UP

U. S. HWY. 6

To Right (50)

To Left (50)

Pg 5B (50)

Pg 64 (50)

SECTION CORNER
SEC'S. 10, 11, 14 & 15
T. 5 N. R. 10 W.
FD. C.S. MON. FLUSH
PER C.S. 8734
F.B. 1880-19
F.B. 2607-210
MARKED

No. Fwd. Spk. & Tn. 2.25' S.D. 1.5' C.E. Mon. 12" Pipe SET C.E. MON. 12" PIPE MARKED

See Pg 128

COUNTY SURVEYOR'S MONUMENT
R 10 W | 10 | 11
R 15 | 14
T 5 N.

COUNTY ENGINEER
T 5 N
R 10 W | 10 | 11
R 15 | 14
R. E. 5869

1267 ST.

2635.37 @ 90° ± 2635.54

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

761-3085 CE #310 8/63

F.B. 3216 PG 58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W. STREET

EAST ST.

12TH ST.

AVE. U

2635.67 ✓

2635.54 ✓

(50') TO RIGHT PG 48 (50')

(50')

1/4 SEC. LINE

R.P. SET 2" I.P. & C.E. TAG, 6" UP

R.P. ED. 2"x4" STK. & NAIL, 6" UP

30.00

45°

10.71

30.00

180°

10.71

1/4 SECTION CORNER
BET. SECS 10 & 15
T. 5 N., R. 10 W.
ED. C.S. MON. 12" UP
PER F.B. 334-48
F.B. 2607-209
MARKED

COUNTY SURVEYOR'S
T. 5 N.
10
15
R. 10 W.
R.E. 2177
1/4 COR.
MONUMENT

Notes Ck'd by M.A.N. OWLES
Map No. B 2978
Office Work J.J. EDWARDS
Checked M. KNOWLES
Date 2-15-66

Survey of AVE. T
JN 009639 Tape 174 Std 84 °F
Surveyed by MENDONCA
Notes J.N. Date 6-25-65
Indexed

F. B. 321-6 Pg. 59

W.S.66 G-14

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO: LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.



F.B. 3216 Pg 60

WASHOUT

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

(50) (50)

ROAD

R.P.
FD. 3/4" I.P. &
C.E. TAG, FLUSH

180°

70.71 TAN.

T

655.61
PER F.B. 1880-274

AVE.

1966.83
PER F.B. 1880-274

℄ ℄

70.71 TAN.

45°

R.P.
FD. 3/4" I.P. &
C.E. TAG, FLUSH

INT. POINT
FD. 3/4" I.P. &
C.E. TAG 10" DN.
PER C.S.B. 2568-2
F.B. 1880-274

LONGVIEW

FOR STREET LOCATION
LONGVIEW AVE.
SEE C.S.B. 2568-2

(50) (50)

PG 59 (50)

TO RIGHT (60)

(50)

(50)

W.S. 66, Gr. 4

Notes Ck'd by MA KNOWLES | Survey of A.V.E. T | F.B. 3216 Pg. 61
Map No. 8-2978 | JN 0096.37 Tape 174 Std 84 °F
Office Work J.J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes J.M. Date 6-25-65
Date 2-15-66 | Indexed C. J. GALLI

① 90-12-30
⑧ 00-50-20
⑥ 181-15-20
90-12-33 1/3 ✓

① 89-50-10
⑧ 359-20-00
⑥ 179-00-00
89-50-00 ✓

EAST

R.P. FD. 2" I.P. & C.E. TAG, 3" UP

R.P. FD. 2" I.P. & C.E. TAG, 3" UP

AVE. 655.61 PER F.B. 1880-274

T

2644.37 ✓

70.67 TAN.

10.66 TAN.

90° 00'

0.05

89°

R.P. FD. 2" I.P. & C.E. TAG, 3" UP

R.P. FD. 2" I.P. & C.E. TAG, 3" UP

SECTION CORNER
SECS. 1, 2, 11 & 12
T. 5 N., R. 10 W.
FD. C.S. MON. 3" DN.
PER C.S. 8734
F.B. 1880-22
MARKED

COUNTY SURVEYOR'S MONUMENT
T. 5 N.
R. 10 W. 2 1
11 12

130 H ST.

2357.82 ✓

2357.82 @ 84°-2357.82 ✓
2644.20 @ 94°-2644.37 ✓

(50) (50)

TO TOP PG 62

TO LEFT PG 61

(50) PG 60

TO R144

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
408 Los Angeles County Engineering Bldg.

76F3095, CE #310 6-83

F. B. 3216 Pg. 62

TO BOT.

(50)

PG. 61

(50)

① 90-02-00
② 00-08-20
③ 180-12-30
④ 90-02-05 ✓

P.O.L.
STA. 709+00 (S.P.R.R.)
FD. 2"X2" STK. & N.
8" UP

P.O.L.
STA. 729+00 (S.P.R.R.)
FD. 2"X2" STK. & N.
6" UP

90° 02'

EAST

2357.82 ✓

0.31

S.P.R.R.

(50)

671.14 ✓

1328.61 ✓

150' WAY

(50)

RIGHT OF WAY

2.06

INT. PT.
SET 1X2 STK.
& NAIL 1" UP
BY INT.

INT. POINT
STA. 715+69.26 (S.P.R.R.)
FD. 2"X2" STK. & NAIL
5" UP

① 179-56-30
② 359-46-30
③ 359-40-00
④ 179-56-40 ✓

136TH ST.

291.76 ✓

1.04

R.P.
SET 2" I.P. &
C.E. TAG, 6" UP

70.71
TAN.

45°

S.P.R.R. RIGHT OF T-8

1328.51 @ 90° = 1328.61 ✓
0.10 @ 90° = 0.10 ✓
671.14 ✓
291.76 ✓
0.48 @ 90° = 0.48 ✓
291.42 ✓

AVE.

1/4 SEC. LINE

30.05

R.P.
FD 4"X4" POST
& NAIL, 8" UP

70.71
TAN.

1/4 SEC. CORNER
BET. SECS. 11 & 12
T. 5 N., R. 10 W.
FD. C.S. MON., 12" DN.
PER C.S. 8734
MARKED

179°

2643.62 ✓

COUNTY SURVEYOR'S
T. 5 N.
R. 10 W.
11 | 12
1/4 COR.
MONUMENT

R.P.
SET 2" I.P. &
C.E. TAG, 6" UP

(50)

(50)

TO TOP

PG. 63

W.S.C.E. #4

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W, S, 64, G14

Notes Ck'd by MH KNOWLES
Map No. B-2978
Office Work J.J. EDWARDS
Checked M. KNOWLES
Date 2-15-66

Survey of AVE. T
JN 2096.39 Tape 174 Std 84 °F
Surveyed by MENDONCA
Notes JM Date 6-25-65
Indexed C. J. GALLI

F. B. 3216 PG. 63

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

TO BOT. PG 62

① 89-47-40
④ 359-11-00
⑥ 178-46-30
89-47-45 ✓

① 90-12-00
④ 00-47-50
⑥ 181-12-00
90-12-00 ✓

(50) 2643.62 ✓ EAST

R.P. SET 2" I.P. & C.E. TAG, 6" UP

R.P. FD. 4"X4" POST & NAIL, 6" UP

50.49
45°
90°
47'

89°

AVE

2618.64 ✓

1309.36 ✓

45°

45.07

45°

90°

50.40

SEE PAGE 282

2647.97
2645.66 ✓

(50) PG 69

TO LEFT

(50) PG 64

TO RIGHT

FD. 2"X2" STK. FL. TAGGED R.E. 2249

R.P. FD. 4"X4" POST & NAIL, 10" UP

90°

125.17

R.P. SET 2" L.P. & C.E. TAG, 6" UP

SECTION CORNER
SECS. 11, 12, 13 & 14
T. 5N., R. 10 W.
FD. C.S. MON. 3" DN.
PER C.S. 8734
F.B. 834-49
MARKED

FD. 2"X2" STK. FL. TAGGED R.E. 2000

136 TH ST.

COUNTY SURVEYOR'S MONUMENT
T. 5N.
R. 10 W.
11 12
14 13

2643.59 @ 86° = 2643.62 ✓
2618.44 @ 90° = 2618.64 ✓
1309.26 @ 90° = 1309.34 ✓
2645.54 @ 90° = 2645.66 ✓

76F3095 CE #310 6-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 66, C-4



Notes Ck'd by MARKNOWLES	Survey of AVE. T
Map No. 8-2978	JN 0096.39 Tape 174 Std. 84 °F
Office Work J. J. EDWARDS	Surveyed by MENDONCA
Checked M. KNOWLES	Notes J.M. Date 7-21-65
Date 2-15-66	Indexed C. J. GALLI

F. B. 3216 Pg. 65

W.S. 26, C-11

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

AVE. T

EAST

180°

45°

30.00 TAN.

10.71 TAN.

(50) 1946 1

(50) To R 2644

(50) To Left

(50) Pg. 166

2644.37 N

2644.11 N

P.L. & N. 3" I.P. Wood

Set 2" I.P. & C.E. Tag, 6" Up

R.P. Ed. 2" I.P. Wood Pl. & N., 6" Up

R.P. Set 2" I.P. & C.E. Tag, 6" Up

1/4 Sec. Line

14th St.

1/4 SEC. CORNER BET. SECS. 1 & 12 T. 5N. R. 10 W. ED. C.S. MON. 12" DN. PER F.B. 834-39 MARKED

COUNTY SURVEYOR T. 5N. 1 12 1/4 COR. R.E. 2111

P 2643.80 @ 102.0° = 2644.11 N

176F3095, CE#310 6-63

F. B. 3216 PG. 66

W.S. GRID 4

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line!

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

2465.74 ✓
2345.81 @ 926 = 2345.92 ✓

EAST

AVE.

2644.11 ✓

PG 68 (50)

70 RIGHT (50)

T

2465.74 ✓

PG 70 (50)

70 LEFT (50)

R.P.
SET 2" I.P. &
C.E. TAG, 6" UP

10.71 TAN

10.71 TAN

40'

35 adj.

89°

89° 45'

89° 45'

R.P.
SET 2" I.P. &
C.E. TAG, 6" UP

SECTION CORNER
SECS. 1, 6, 7 & 12
T. 5 N., R. 9 & 10 W.
F.D. C.S. NO. 4" UP
PER C.S. 8734
E.B. 1262-11
MARKED

COUNTY SURVEYOR'S MONUMENT
T. 5 N.
R. 10 W. 1 6
R. 9 W. 12 7

1446 ± ST.

2345.92 ✓

(50)
TO TOP

(50)
PG 67

① 89-45-50
④ 359-02-40
② 178-34-00
89-45-40

① 89-26-20
④ 357-45-00
② 176-38-00
89-26-20

Notes Ck'd by KNOWLES
Map No. B-2978
Office Work J.J. EDWARDS
Checked M. KNOWLES
Date 2-15-66

Survey of AVE. T
JN 2096:39 Tape 174 Std 84 °F
Surveyed by MENDONCA
Notes J.M. Date 7-22-65
Indexed C. J. GALLI

F. B. 321 Pg. 67

① 90-21-30
④ 01-26-20
⑥ 182-09-50
90-21-38.13 ✓

TO BOT. PG. 66

P.O.L. STA. 759+00 (S.P.R.R.) FD. 2"X2" STK. & NAIL, 3" UP

(50)

N 0° W

90°

943.75 ✓

2345.92 N

P.O.L. STA. 769+00 (S.P.R.R.) FD. 2"X2" STK. & NAIL, 6" UP

55.85 ✓

S.P.R.R. RIGHT OF WAY

943.70 @ 92°0" = 943.75 ✓
55.85 @ 92°0" = 55.85 ✓
297.47 @ 92°0" = 297.49 ✓

R.P. SET 2" I.P. & C.E. TAG, 6" UP

297.49 ✓

INT. P.T. SET 1"X2" STK. & NAIL, 2" UP BY I.N.T.

ST. EAST

S.P.R.R. RIGHT OF WAY

AVE.

1/4 SEC. LINE

45°

N 0°11' W

2647.92 ✓

146 TH

178°57' 50" 2647.92 ✓

N 0°11' W

T-8

1/4 SEC. CORNER BET. SECS. 7 & 12 T. 5 N., R. 9 & 10 W. FD. 1½" I.P. IN CONC. WITH CONC. PLUG & SPR, 6" UP PER C.S. 8734

R.P. SET 2" I.P. & C.E. TAG, 6" UP

① 178-58-00
④ 355-51-20
⑥ 353-47-00
178-57-50 ✓

(50)

TO TOP

PG. 68

W.S. 26, D-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F8085 CE #310 a&s

F.B. 3216 Pg 68

MASCOT 14

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

TO BOT.
(50)

PG. 67
(50)

EAST
2647.92

① 89-13-40
④ 356-54-50
⑤ 175-22-20
89-13-43½ ✓

① 91-50-20
④ 07-21-30
⑤ 191-02-30
91-50-25 ✓

40 adj

91°

50'

R.P.
SET 2" I.P. &
C.E. TAG, 6" UP

13'

89°

10.71
TAN

45°

10.71
TAN

PG. 69
(50)

AVE.

2648.82 ✓

PG. 74
(50)

U

2475.37 ✓

TO RIGHT
(50)

TO LEFT
(50)

R.P.
SET 2" I.P. &
C.E. TAG, 6" UP

SEC. CORNER
SECS. 7, 12, 13 & 18
T. 5N., R. 9 & 10 W.
ED. C.S. MON. 6" UP
PER C.S. 8134
F.B. 834-50
MARKED

COUNTY SURVEYOR'S MONUMENT
T. 5N.
R. 10 W. | 12 | 7
13 | 18 | R. 9 W.

146TH ST.

① 89° = 2647.92 ✓
④ 91° = 2648.82 ✓
⑤ 91° = 2648.82 ✓
2647.92 ✓
2648.82
2648.82

Notes Ck'd by KNOWLES
Map No. B-2998
Office Work J.J. EDWARDS
Checked M. KNOWLES
Date 2-15-66

Survey of AVE. T
JN 0096.39 Tape 174 Std 84 °F
Surveyed by MENDONCA
Notes J.M. Date 7-27-65
Indexed C. J. Galli

F. B. 3216 PG. 69

W.O. 5,669 C.T. 4

Note: Any Additions or Changes on This Sheet Must be Made or Plotted in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

(50) TO RIGHT PG. 63

SEE PAGE 2/82

AVE

2647.97
2645.66

54.93

39.95

FD. 2"x2" STK. TAGGED R.E. 8000 FLUSH

SET 3/4" I.P. PLUG & C.E. TAG

FD. 3/4" I.P. SET 3/4" I.P. PLUG & C.E. TAG

180°

70.71 TAN.

70.71 TAN.

1/4 SEC. LINE

14 1 ST

2648.82

(50) PG. 68

(50) TO LEFT

1/4 SEC. CORNER
BET SECS. 12 & 13
T. 5 N., R. 10 W.
ED. C.S. MON. FLUSH
PER C.S. B 734
F.B. 834-50
MARKED

COUNTY SURVEYOR
T. 5 N.
R. 10 W.
12
13
1/4 COR.
RE 2.7

76F309S CE #310 0-63

F.B. 3216 PG. 70

W.S. 4 & 5-H

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

EAST

180°

R.P. SET 2" I.P. & C.E. TAG, 6" UP

10.71 TAN.

AVE.

2465.74

45°

T

1323.68

10.71 TAN.

R.P. SET 2" I.P. & C.E. TAG, 6" UP

1/4 SEC. CORNER BET. SECS. 6 & 7 T. 5N., R. 9W. FD. C.S. MON. FLUSH PER F.B. 1262-11 MARKED

150 ST.

1/4 SEC. LINE

COUNTY SURVEYOR

T. 5N.
6 | 7
1/4 COR.
R.E. 2177

1/4 SEC. 6 & 7 T. 5N. R. 9W. S.B.B.M.

Notes Ck'd by KNOWLES
Map No. B-2598
Office Work J.J. EDWARDS
Checked M. KNOWLES
Date 2-15-66

Survey of AVE. T
JN 0096.39 Tape 174 Std 84 °F
Surveyed by MENDONCA
Notes J.M. Date 7-30-65
Indexed

F.B. 3216 Pg. 71

W.S. 16-B-14

TO LEFT PG. 71

(50)

① 91-02-10
④ 04-08-40
⑥ 186-13-20
91-02-13 1/3 V

① 88-01-00
④ 352-04-10
⑥ 168-06-20
88-01-03 1/3

(50)

T

2678.09 V
(2678.65)

10" V

89°

91° 02'

47'

25" V

ST. E.

(50) PG. 72

PG. 75 (50)

155TH

2651.33 V

2463.08 V

(50) TO LEFT

TO BOT (50)

88° 08'

70.71

45°

45°

70.71

10.71

89° 25"

R.P.
SET 2" L.P. &
C.E. TAG, 6" UP

R.P.
SET 2" I.P. &
C.E. TAG, 6" UR

91°

00'

1323.61 V

1323.57 @ 96 R=1323.61 V

AVE.

SECTION CORNER
SECS. 5, 6, 7 & 8
T. 5N., R. 9 W.
FD. C.S. MON. LAYING ON GRD. RESET SAME MON. FLUSH, BY INT. OF LINES, PROD. FROM N, S, E & W. INT. PT. FELL IN CENTER OF A HOLE IN SMALL MOUND OF ROCKS ON EDGE OF WEST BANK OF A WASH. NOTE PER F.B. 1262-9 "MON. IS ON W. BANK OF WASH." NOTE PER C.S. 8734 "MON. ON EDGE OF WASH" MON. FD. & RESET IS MARKED.

1/16 SEC. CORNER
FD. 1 1/2" I.P. FLUSH.
WOOD PLUG & TAG
MARKED

180°

PAFFORD
ASSOCIATES
1/16 COR.
L.A. CAL. F.

1323.68 V

(50) (50)

TO RIGHT PG. 70

SURVEYOR'S MONUMENT
COUNTY
T. 5 N.
R. 9 W.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

"PLEASE RETURN TO"
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #310 6/63

F. B. 3216 PG 72

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Los Angeles, California

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

T-8

E.C.
STA. 837+54.48 (S.P.R.R.)
FD. 2"X2" STK. &
NAIL, 3" UP

INT. POINT
FD. 2"X 2" STK. &
NAIL, 5" UP

155TH ST.

SPR. RIGHT OF WAY

AVE. & RIGHT OF WAY S.P.R.R.

EAST

2463.08

185.17

2648.32

11°47'45"

10°19'56"

180°

1/4 SEC. CORNER
SET SPIKE & TAB
T.S.N., R.9 W.
AD. ALUM. MONUMENT TYP
PER LAB 13651-8
UNMARKED

R.P. 2" I.P. &
SET TACK & WASH

1/4 SEC. LINE

T. 8 S.
R. 9 W.

COUNTY SURVEYOR

1/4 COR.

(S.P.R.R.)
FD. 2"X2" STK.
NAIL, 3" UP

(50)

(50)

(50)

Notes Ck'd by KNOWLES
Map No. 8-2978
Office Work J.J. EDWARDS
Checked M. KNOWLES
Date 2-15-66

Survey of AVE. T
JN 096139 Tape 174 Std 84 °F
Surveyed by MENDONCA
Notes J.M. Date 8-2-65
Indexed C. J. GALLI

F. B. 3216 PG. 73

TO RIGHT PG 72

(50) (50)

EAST 2648.33 ✓

88-57-10
355-48-40
173-43-00
88-57-10 ✓

90-17-00
01-08-30
181-43-00
90-17-10 ✓

70' 90° R.P SET 2" I.P & C.E. TAG, 6" UP

57' 8°

PG 77 (50) AVE. 8° 2645.71 ✓

10.77 TAN. 45° 10.77 TAN. 0.50 Q.C.

U (50) 2681.28 ✓ PG. 81

TO RIGHT (50)

10.77 TAN.

R.P SET 2" I.P & C.E. TAG, 6" UP

TO LEFT (50)

155TH ST.

1/4 SEC. LINE

SEC. CORNER
SECS. 7, 8, 17 & 18
T. 5 N., R. 9 W.
FD. C.S. MON. 6" UP
IN MOUND OF ROCKS
PER C.S. B 134
F.B. 1262-8
MARKED

COUNTY SURVEYOR'S MONUMENT
T. 5 N.
R. 9 W.
7 | 8
18 | 17

2681.28 @ 84°=2681.28 ✓
2448.22 @ 90°=2448.32 ✓
2645.71 @ 92°=2645.71 ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE #310 6-63

F.B. 3216 PG. 74

W.S. 69, P. 54

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

EAST

① 179-38-50
② 358-34-40
③ 357-51-50
179-38-38½ ✓

S.P.K. in Conc. Set 2½" Tack & L.P. ✓

S.P.K. in Conc. Set 2½" Tack & L.P. ✓

119° 38' 40" ✓

Pg 69 (60)

2475.37 ✓

℄ 58.32 ✓

℄ 125.70 ✓

2645.71 ✓

El Paso (60)

West (60)

To Alhambra (50)

AVE.

U

1/4 SEC. CORNER
BET. SECS. 7 & 18
T. 5N., R. 9W.
FD. 1½" I.P. IN CONC.
WITH CO. MC. PLUG &
SPK. 6" UP IN
MOUND OF ROCKS
PER C.S. 8734

150 FT. ST.

125.69 @ 92° = 126.70 ✓
58.32 @ 88° = 58.32 ✓
2476.31 @ 88° = 2475.37 ✓

Notes Ckd. by EDWARDS | Survey of AVE. T
Map No. 82578 | JN 1096.39 Tape 174 Std. 84 °F
Office Work J.J. EDWARDS | Surveyed by MENDONCA
Checked by M. KNOWLES | Notes J.A.M. Date 8-9-65
Date 2-15-66 | Indexed C. J. GALLI

F. B. 3216 Pg. 75

W.S. 66A-13

To BAT. PG. 76

(50) (50)

AVE T

155TH ST. EAST

1671.81'

180°

5.66

1/16 SEC. CORNER
FD. 1 1/2" I.P. FLUSH
WOOD PLUG & TAG MARKED

PAFFARD ASSOCIATES 1/16 COR. L.A. CALIF.

FD. 4"X4" POST
3/4 NAIL, 6" UP
NO REFERENCE
ON LINE

1325.27'

SET SPK. & WASHER IN 12" JOSHUA

122.68'

SET SPK. & WASHER IN 8" JOSHUA

SET 2" MARKER PIPE 2' N.E.

156.09'

S-8

AVE

1/4 SEC. LINE

180°

1/4 SEC. CORNER
BET SECS. 5 & 6
T. 5 N. R. 9 W.
FD. U.S. MON. 4" UP
PER F.B. 1262-9
MARKED

COUNTY SURVEYOR T.5W. R.9W. 5 6 1/4 COR. F.B. 329

122.68' @ 98° = 122.68
156.09 @ 98° = 156.41
156.40 @ 98° = 156.91
2651.12 @ 96° = 2651.33
1325.15 @ 98° = 1325.27
1671.61 @ 102° = 1671.81

2651.33'

SET SPK. & WASHER IN 10" JOSHUA

(50) (50)

To LEFT PG. 71

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN to LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE.#310 (6/63)

F.B. 3216 PG. 76



SECTION CORNER
SECS. 5 & 6
T. 5 & 6 N., R. 9 W.
FD. C.S. MON. 18" DN.
PER C.S. 8734
F.B. 2237-19 & 20
MARKED

COUNTY SURVEYOR
T. 6 N.
C.G.
9 6 5
R. 9 W.
T.M.
R.E. 3P

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
4031 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd. by M. KNOWLES
Map No. B-2978
Office Work J. J. EDWARDS
Checked M. KNOWLES
Date 2-15-66

Survey of AVE. T
JN 096639 Tape 174 Std 84 °F
Surveyed by MENDONCA
Notes F.M. Date 8-5-65
Indexed C. J. GALLI

F. B. 3216 Pg. 17

W.S.6,D.4

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

EAST

180°

R.P.
FD. 2" I.P. &
C.E. TAG, 6" UP

AVE.

PER 71 (50)

2678.09 V
(8-9-65)

70.71 TAN.

44.48'

℄ ℄

T

(50) PG. 48

2678.24
PER F.B. 2691-58
2678.13 MEAS. V
(8-9-65)

To Tap (50)

70.71 TAN.

R.P.
FD. 2" I.P. &
C.E. TAG, 8" UP

To Line (50)

S.T.

1/4 SECTION CORNER
BET. SECS. 5 & 8
T. 5N. R. 10 W.
FD. C.S. MON. 4" UP
PER F.B. 1262-12
F.B. 2691-58
MARKED —

1/4 SEC. LINE

1600 FT

C.S. MON. WAS PULLED OUT OF GRD. & DESTROYED DURING WEEK-END OF 8-7 & 8-65
SET NEW C.E.
MON. EL. ON 8-9-65 BY ABOVE TIES
MARKED →

COUNTY SURVEYOR

COUNTY ENGINEER
R.E. 5869

T. 5N.
R. 10W.
5
1/4 COR.

P.G. 14

P.G. 17 @ 996' = 2678.13 V
P.G. 17.85 @ 980' = 2678.09 V

76F3085 CE #310 6/63

F.B. 3216 Pg. 18

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.,
Los Angeles

Note: Any Additions or Changes on This Street Must be Made or Circled in Red Ink With Date, and Name of Person Making Change.

Do not extend this side of this line.

W.S. 66, P.M. 14 & W.S. 6, P.M. 14

ALL EAST

(50) (50)

(50) (50)

(50) (50)

AVE.

26 T8 24
PER F.B. 2691-58
26 T8 13 N.E.S. ✓
(8-9-65)

90° PER F.B. 2691-42

10.0' R.A.

10.0' R.A.

R.P. R.D. 2" I.P. ℄ C.E. TAG, 6" UP

R.P. R.D. 2" I.P. ℄ C.E. TAG, 6" UP

SECTION CORNER
SECS. 4, 5, 8 & 9
T. 5N., R. 9W.
FD. C.S. MON. IN H.H.
PER C.S. 8734
F.B. 1874-210
F.B. 2691-42
MARKED

COUNTY SURVEYOR'S MONUMENT
T 5N
R 9W
5 4
8 9

PER F.B. 2691-42

(50) (92)

TO TOP PG. 79


Notes Ck'd by KNOWLES
Map No. B-2478
Office Work J.J. EDWARDS
Checked M. KNOWLES
Date 2-15-66
Survey of AVE. T
JN 1096:39 Tape 174 Std. B4 °F
Surveyed by MENDONCA
Notes J.M. Date 8-5-65
Indexed C. I. GALU
F. B. 321 Pg. 79
M.S. 67-14
TO BOT. PG. 78
(50)
(92)
EAST
PER F.B. 2691-41
SET N. & T. 14 PP #14 36.12 E
R.P. FD. 2" I.P. & C.E. TAG, 6" UP
AVE. T
57.35'
PER F.B. 2691-40
10.18'
70.71' M/L
45°
FD. S.W.T. IN 8" JOSHUA
R.P. FD. 2" I.P. & C.E. TAG, 6" UP
T-8
1/4 SEC. LINE
1/4 SEC. CORNER BET. SECS. 8 & 9 T. 5 N., R. 9 W. FD. 1 1/2" I.P. IN H.H. SET IN CONC. WITH CONC. PLUG & CUT SPK. IN CTR. PER C.S. 8734 F.B. 2691-40
165TH ST.
PER F.B. 2691-40
(50)
(50)
TO TOP
PG. 80
Notes: Any Additions or Changes of This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
76F3095 CE #310 6/63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 66,D + ℄ = W.S. 67,A + 4


EAST
S. RIGHT
W. RIGHT
AVE. 60
66TH ST
WAY
(50)
(80)
112° 20' 50"
R. 319.81'
R. 480.24'
F.B. 32-16 Pg. 80
Pg. 79
To Bdy.
FD. N.&T. I.L. REFERENCES
0.08' N
0.35' E
SET NAIL & TAG
LINE POINT
SET NAIL & TAG
PER F.B. 2691-37
266.09'
650.53'
PER F.B. 2691-37
FD. 2" I.P. & "LS 7160" TAG
FD. 3" I.P. & "LS 7160" TAG
FD. 3" I.P. & "LS 7160" TAG
FD. 3

Notes Ck'd by KNOWLES | Survey of AVE. T | F.B. 3216 Pg. 81
Map No. B-2978 | JN 096139 Tape 174 Std. 84 °F
Office Work J.J. EDWARDS | Surveyed by MENDONCA
Checked M. KNOWLES | Notes J.M. Date 8-6-65
Date 2-15-66 | Indexed C. J. GALLI

M.S. Bd. 74

① 179-48-20
② 359-12-40
③ 358-49-00
179-48-10

EAST

R.P. FD. 2" I.P. & C.E. TAG, 6" UP

179° 48' 05 sec E

AVE. T

(BD) PG. 73

26.81.28 N

(BD) PG. 80

2679.19 PER F.B. 2691-45

(SD) TO RIGHT

(SD) TO LEFT

R.P. FD. 2" I.P. & C.E. TAG, 6" UP.

1/4 SEC. CORNER BET. SECS. 8 & 17 T. 5N. R. 9W. FD. 1½" I.P. IN CONC. WITH CONC. PLUG & CUT SPK. 6" UP PER C.S. 8734 F.B. 2691-45

1600 TH ST.

1/4 SEC. LINE

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE #310 6/63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F.B. 3616 Pg. 82

Notes Ck'd by	Survey of OLD RIDGE RT.
Map No.	JN 0096.45 Tape V.S. Std 84°F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 7-24-68
Date	Indexed C. J. GALLI MW.D. & CO.

F.B. 7216 Pg. 87

OLD RIDGE ROUTE

J.N. 0096.45

SURVEY TO TIE OLD RIDGE ROUTE PER EM. 18013 TO SECTION LINE ON NORTH LINE & SOUTH LINE OF SEC. 5 T. 5 N. R. 17 W

OCT. 1968

REF
EM. 18013
C.S.B. 1226
C.S.B. 1606

PARTY
L.V. SMITH
B.R. JACKSON
D. FISHER
R.G. BLANCHARD
V.L. HUCKABAY

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7623098 CE #310 R-68

F.B. 3216 Pg. 88

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line

Note:- Any Additions or Changes on this Sheet Must Be Made in Circled In Red Ink With Date and Name of Person Making Change

W.S.11, C3

Notes Ck'd by	Survey of C&O RIDGE ROUTE
Map No.	JNO 96-25 Tape 157 Std 64 °F
Office Work	Surveyed by A. V. SMITH
Checked	Notes A. V. SMITH Date 9-30-66
Date	Indexed C. J. GALLI 10/0 6 66

F.B. 5210 Pg. 89

1/4 SEC. COR.
FD. COUNTY
SURVEYOR BRASS
CAP MON. IN CONC
UP 4" PER F.B.
512 & C.S.B. 1606
MON. MARKED
AS SHOWN

SURVEYOR
COUNTY
T. 4 N.
R. 17 W.
SEC. 3
S.B.M.

SET 2" I.P. MARKER
PIPE 2'± MKLY.

1/4 SEC. COR.
FD. COUNTY
SURVEYOR BRASS
CAP MON. IN CONC.
UP 4" PER F.B.
512 & C.S.B. 1606
MON. MARKED
AS SHOWN

SURVEYOR
COUNTY
T. 4 N.
R. 17 W.
SEC. 3
S.B.M.

SET 2" I.P. MARKER
PIPE UP 3'± 2'±MLY.

SET 2" I.P. & L.P.
CO. ENGR. TYPE IN
CONC. UP 2" ON
TOP OF SMALL
SPUR

SEC. 3
T. 3 N.
R. 17 W.

72.83'

6.48'

77.76'

78.58'	78.58'	
144.06'	144.06'	
2800.91'	2800.91'	
1183.32'	1183.32'	
2433.35'	2433.35'	
447.73'	447.73'	
9777.76'		

9777.76'	180°01'25"	
2.63'	37.22'	@
3820.13'	37.08'	@
1700.13'	14.55'	@
2800.91'	14.55'	@
1183.32'	8.53'	@
2433.35'	55.9	LEV
447.73'	55.9	LEV

T = 90° = 9777.76'

77.53 @ 20°03" = 72.83'
77.50 @ 19°56" = 72.82'

T = 90° = 72.83'

TOP
PG. 90

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
1403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

76P308 CR #310 7-66

F.B. 3216 Pg. 90

BOT. PG. 89

SEC 35
T. 4 N.
R. 17 W.

9777.10'

SET 1X2 E
NAIL FLUSH
ON HIGH
RIDGE

5497' @ LEV.
T = 94° = 5497'

△ PT. "A"

SET 2" I.P.
CONC. PLUG
L.A. CO. ENGR.
TAG FLUSH
ON TOP OF
HIGH RIDGE

SET 2" I.P.
GUARD PIPE
UP SET 1.5'E
SAY-

5497.40'

SECTION LINE

TO △ PT. "B" PG 100

39.52' @ LEV.
T = 94° = 39.52'

SET 1X2 E
NAIL FLUSH
ON SIDE
HILL

2111.94'

SEC. 3
T. 3 N.
R. 17 W.

TOP PG. 91

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN0086-45 Tape 157 Std 84°F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 10-2-68
Date	Indexed C.J. GALLI

F.B. 5216 Pg. 91

LOT PG. 90

38.05 @ 18°41' = 36.04'
37.69 @ 17°03' = 36.03' 36.03
184.21 @ 17°20' = 175.84'
183.98 @ 17°06' = 175.85' 175.84
211.87

T = 62° = 211.84'

SET 1X2 E.N. FLUSH ON SIDE HILL

211.84'

LINE 2

287.05 @ 13°51' = 278.70'
286.62 @ 13°29' = 278.72' 278.71'

T = 64° = 278.67'

278.67'

SEC. 3 T. 5 N. R. 17 W.

SECTION

SET 1X2 E.N. FLUSH ON TOP CUT BANK

SEC. 35 T. 6 N. R. 17 W.

37.19 @ 7°55' = 36.84'
37.40 @ 10°00' = 36.83' 36.83

T = 64° = 36.83'

36.83'

RIGHT PG. 96

Note—Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

70R308 CE #210 5-68

F.B. 3216 Pg. 92

LEFT PG. 96

37.34' @ LEV.
T=64°=37.34'

37.34'

SET 1X2 E.N. W'LY. EDGE OF ROAD

285.53'	@	12°47'	= 278.45'	
285.42'	@	12°40'	= 278.47'	= 278.46
221.90'	@	12°32'	= 216.61'	
222.10'	@	12°45'	= 216.62'	= 216.61
				495.07

T=68°=495.02'

495.02'

SEC. 3
T. 3 S.N.
R. 1 W.

SET 1X2 E.N. FLUSH

SEC. 35
T. 6 N.
R. 1 W.

272.55	@	12°10'	= 266.43'	
273.07	@	12°39'	= 266.44'	= 266.43
166.00	@	7°28'	= 164.59'	
165.92	@	7°13'	= 164.61'	= 164.60
				431.03

T=10°=430.99'

430.99'

SECTION CORNER
H.O. STD. CO. SURVEY-
OR BRASS CAP MON.
IN CONC. UP 4"
PER F.B. 512 - 190 &
C.S.B. 160G - MON.
MARKED AS SHOWN
SET 2" MARKER INSIDE
UP 3FT. 1.5' ± N.L.Y.

35
34
4

L.S. SURVEYOR
T.6N.
R.E.
T.5N.
R.1W.
PROJECT COM.

403 Los Angeles County Engineering Bldg.
LOS ANGELES COUNTY ENGINEER
PLEASE RETURN TO

Do not extend this side of this line.

Note- Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN0096-85 Tape 15T Std 84°F
Office Work	Surveyed by L-V. SMITH
Checked	Notes L-V. SMITH Date 7-1968
Date	Indexed C. J. GALLI

F.B. 3216 Pg 76

LEFT PG. 96

SET 1 X 2 & NAIL FLUSH

156.80 @ 4°10' = 156.38'
156.62 @ 3°09' = 156.38'
T = 68° = 156.36'

27.64' @ LEV.
T = 68° = 27.64'

RECORD AT "B"
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON RECORD ANGLE & DISTANCE FROM RECORD P.I. "A" PER FM 18013-17

NOTE
REMOVED
2-6-70
SEE F.B.
3216 pg 263
L.V.S.

37.10' @ LEV.
T = 58° = 37.10'

SET 1X2 & NAIL

100.13' @ LEV.
T = 84° = 100.13'

1)	111°	05'	10"
4)	84	20	50
6)	306	31	40
	111°	05'	16"

OLD RIDGE ROUTE

156.80'
156.62'
27.64'
37.10'
100.13'
141.85'
100.13'
(50')
50'
TOP PG. 94

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76P3008 CE #310 5-68

F.B. 3-216 Pg. 94



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes C'k'd by	Survey of OLD RIDGE ROUTE
Map No.	IN 086-15 Tape 151 Std 84 °F
Office Work	Surveyed by L. V. SMITH
Checked	Notes L. V. SMITH Date 7-3-68
Date	Indexed C. J. GALLT

F.B. 3216 Pg. 93

SEARCHED FOR R/W MON. ON T.F. FOUND NOTHING

BOT PG. 94

RECORD B-C
SET L.A. CO. ENGR. TAG IN LEAD IN CONC. PVMT. RECORD DIST OF 50.00' AND AT 90° TO R/W MON

230.71' @ 4°14' = 229.58'
230.11' @ 5°56' = 229.51'
Δ = 86° = 229.51'

55.38' @ 25°27' = 50.00'
55.74' @ 26°13' = 50.00'
Δ = 86° = 50.00'

317+79.25
FD. 6"x6" CONC. R/W MON. PER E.M. 180013-14 HELD TO THIS MON. FOR STAKING RECORD & N.L.Y.

RECORD E-C
SET L.A. CO. ENGR. TAG IN LEAD IN CONC. PVMT. RECORD DIST 50.00' AND AT 90° TO R/W MON. PER 180013 13

SEARCHED FOR R/W MON. ON T.F. FOUND NOTHING

315+49.84
FD. 6"x6" CONC. R/W MON. UP 6" PER E.M. 180013-13 HELD TO THIS MON. FOR STAKING RECORD & N.L.Y.

53.86' @ 21°49' = 50.00'
54.44' @ 23°17' = 50.00'
Δ = 88° = 50.00'

OLD RIDGE ROUTE

91.72'
50.00'
229.51'
50.00'
(50')
(50')

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
603 LOS ANGELES COUNTY ENGINEERING BLDG.

76P8058 CE #310 5-66

F.B. 3216 Pg. 96

BOT. PG. 97

(50')

(50')

3241+08.76
P.O. STATE HWY.
RIM MON. COOPER
WIRE IN C. X 4"
CONC. POST - UP 7"
LEANING WLY.
PER FM. 18013-14

SET CHIS. "X" IN CONC. PVMT. ON RECORD ANGLE & DISTANCE FROM RECORD P.T. SLY. PER FM. 18013-14

SEC 35
T. 6 N.
R 17 W

RECORD P.T. "C"
SEE 2" I.P. CONC
PLUG & Y.A. CO.
ENGR. TAG FL.
ON RECORD
ANGLE EQUIT.
FROM P.T. "B"
PER FM
18013-14

SET 1X2
ENVIL
FOR X

1) N 7° 34' 10" E
2) 118 16 50
3) 35T 25 30
117° 34' 15" ✓

1) 41° 27' 00"
2) 154 98 00
3) 248 42 20
41° 27' 03" ✓

TOP PG. 92

SECTION LINE

BOT. LINE PG. 91

37.34'

36.83'

52.64 @ 20° 39' = 49.26'
52.09 @ 18° 59' = 49.26'
T = 72° = 49.26'

RIGHT PG. 95

NOTE
REMOVED
2-4-70
SEE F.B.
3210
L.V.S.

NO. 57 @ 1°16 = 110.51'
110.60 @ 2°18 = 110.51'
3.95 @ LEV. 5.95'
116.46'
T = 70° = 116.45'

INTERSECTION
SET L.A.C.O. ENGR
TAG IN LEAD IN
CONC. PVMT. ON
INTERSECTION OF
RECORD & E
SECTION LINE

SEC. 3
T. 5 N.
R. 17 W.

69.69 @ LEV.
T = 68° = 69.68'

WSL 1-53

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

DO not expand this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by:	Survey of: OLD RIDGE ROUTE
Map No.	JN 0026-73 Tape 157 Std 87°F
Office Work	Surveyed by: L-V-SMITH
Checked	Notes: L-V-SMITH Date: 10-76B
Date	Indexed: C.J. GALLI

F.B. 3216 Pg. 97

34.47' @ LEV.
T = 64° = 34.47'

3274 13.59
FD. STATE HWY.
R/W MON. COPPER
WIRE IN 6"x6"
CONC. POST UP
15" PER F.M.
180/3-14

51.30' @ 15°47' = 49.37'
51.05' @ 14°36' = 49.36' — 49.36'
T = 64° = 49.35'

RECORD P.T. "D"
SET CHIS "X" IN CONC
PVMT ON RECORD
ANGLE & DISTANCE
FROM RECORD P.T. "C"
PER F.M. 180/3-14

1807
PG. 98

102.89'

OLD

49

35'

RIDGE

ROUTE

37.47'

16"

RECORD E.C.
SET CHIS "X"
IN CONC. PVMT.
ON RECORD
ANGLE & DIST.
FROM RECORD
P.T. "D" PER
F.M. 180/3-14

3274 44.96'
FD. STATE HWY.
R/W MON. COPPER
WIRE IN 6"x6"
CONC. POST UP 9"
PER F.M. 180/3-14

34.48' @ LEV.
T = 62° = 34.47'

1) 166° 53' 30"
2) 307 34 20
3) 281 21 40
166° 53' 36"

RECORD B.C.
SET CHIS "X" IN
CONC. PVMT ON
RECORD DISTANCE
& ANGLE FROM
RECORD P.T. "C"
PER F.M. 180/3-14

49.50'

52.47' @ 19°21' = 49.51'
52.85' @ 20°30' = 49.50'
T = 72° = 49.50'

264.42'

223.17' @ 2°29' = 222.96'
41.48' @ LEV. = 41.48'
264.44'
264.70' @ 2°55' = 264.44'
T = 72° = 264.42'

(50')

(50')

TOP
PG. 96

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
P.O. BOX 1403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3098 CK #310 8-68

S.B. 32/6 Pg. 98

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

328+16.48
E.O. STATE HWY
R/W. MON. COPPER
WIRE IN 6" x 6"
CONC. POST D/M.
0.2' PER F.M.
180/3-14

SET CHIS. "X"
IN CONC.
PVMT. D/W.
RECORD ANGLE
& DISTANCE
FROM RECORD
P.I. "D" PER
F.M. 180/3-14

50.68'

0.31'

OLD

BRIDGE

102.84' RECORD

ROUTE

(50')

(50')

TOP PG. 97

39.15' @ 32°23' = 33.06'
40.55' @ 35°23' = 33.06'
17.62' @ LEV = 17.62'
50.68'

T = 78° = 50.68'

102.95' @ 1°50 = 102.90'
102.90' @ AEV = 102.90'
T = 66° = 102.89'

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of OLD RIDGE RD.
FN 096-45 Tape 157 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. 5/21/74 Date 10-10-68
Indexed C. J. GALLI

F.B. 5216 Pg. 99

W 5-17-74

265.03' @ LEV. = 265.03'
294.78' @ 1°43' = 294.43' = 294.43'
294.74' @ 2°37' = 294.43'
27.99' @ LEV. = 27.99'
587.45'

T = 84° = 587.45'

SET 1x2 & NAIL IN L.O.S.H.

SECTION CORNER
FD. STD. CO. SURVEYOR
BRASS CAP MON. MARKED AS SHOWN PER C.S.B. 1126. SET 2" I.P. W/ARMER, SLOPE UP 3 FT. 1½± ELY.

SURVEYOR
T. 5 N.
R. 17 W.
SEC. 10
COR.
1974
L.A. CO.

1)	111°	03	20"
4)	84	12	40
6)	306	19	30
	111°	03'	13"

1)	45°	14	00
4)	180	56	20
6)	271	24	10
	45°	14'	02"

SEC. 10
T. 5 N.
R. 17 W.

SECTION LINE

TOP
PG. 100

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76P3098 CE #310 8-66

F.B. 3216 Pg 100

1307.
PG. 99

1307
PG. 99

23° 43' 00"

1) 23° 42' 50"
4) 94 52 00
6) 142 18 00
23° 43' 00"

SEC 10
T. 3 N.
R. 11 W.

SEC 3
T. 3 N.
R. 11 W.

68.96 @ 7.43 = 68.34
69.12 @ 8.40 = 68.33
293.67 @ 10.00 = 289.31
293.78 @ 10.08 = 289.20
30.82 @ LEV. = 30.82
388.35

68.33
289.20

I = 70° = 388.31'

388.31' ℄ SECTION LINE

ED. 1x2 & CUP TACK ON SAUR. NO REF. REPLACED 1x2 WITH 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ALUSH "T" BAR GUARD POST UP ± 1 FT ± SLY.

△ PT "B"

ED. 1x2 & CUP TACK ON RIDGE NO REF REPLACED 1x2 WITH 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH SET 2" I.P. MARKER PIPE UP 3 FT. 1 ± E NLY.

1 Gmtk. FB 3216 - 154, 152

135.119 @ AEV.
T = 70° = 135.17'

TO △ PT "A"
PG 90

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ON TOP OF CUT SLOPE

TOP
PG 101

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Hall of Records, Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN 0096-35 Tape 152 Std 04.7
Office Work	Surveyed by: L.V. SMITH
Checked	Notes L.V. SMITH Date 10-20-68
Date	Indexed C.J. GALLI

F.B. 3216 Pg. 101

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink with Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76P2098 CE #310 8-68

EST.
PG-100

93.33 @ 16°56' = 89.28 ✓ 89.28 ✓
93.74 @ 17°45' = 89.28 ✓
51.83 @ 24°56' = 47.13 ✓ 47.13 ✓
51.04 @ 22°35' = 47.13 ✓
136.41 ✓

T = 60° = 136.39' ✓

136.39'

SET 1x2 6" NAIL TOE OF CUT

SEC. 3
T. 3 N.
R. 17 W.

69.20' @ LEV.
T = 60° = 69.19' ✓

SECTION LINE

69.19'

SEC. 10
T. 3 N.
R. 17 W.

SET 1x2 NAIL TOE OF SLOPE

27.47 @ 16°45' = 26.30' ✓
27.65 @ 17°58' = 26.30' ✓
T = 80° = 26.30' ✓

26.30'

RIGHT
PG-105

F.B. 5216 Pg. 102

LEFT PG. 105

267.00' @ 16°59' = 255.36'
102.58' @ LEV. = 102.58'
357.94'

T = 80° = 357.93'

SEC. 3
T-5 N.
R-17 W.

SET 1X2 F.N. FLUSH ON BURM OF W'LY. EDGE OF ROAD

SECTION LINE

S 0°15' E 1489.90'

294.12' @ 9°15' = 290.30'
294.28' @ 9°26' = 290.30'
108.70' @ LEV. = 108.70'
91.22' @ 4°50' = 90.90'
91.35' @ 5°41' = 90.90'
489.90'

T = 62° = 489.83'

1/4 SECTION COR.
ED. CO. SURVEYOR
BRASS CAP IN W.
IN CONC. CUR. 3"
PER C.S. 13226
MON. MARKED AS
SHOWN. SET 2" IP
MARKER NAIL TIE
N. ELY.

COUNTY SURVEYOR
T-5-N
R-17-W
SEC. 3
1/4 COR.

FD. 1X2 & CUP
NAIL ON BURM
E'LY SIDE OF
HWY. 99 ON
SEC. LINE PROD
NO REF

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note—Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of OLD RIDGE ROUTE F.B. 3216 Pg. 103
Map No.	JN 0096.15 Tape 157 Std 24 °F
Office Work	Surveyed by L. V. SMITH
Checked	Notes L. V. SMITH Date 10-10-68
Date	Indexed C. J. GALLI

B.O.T. P6:104

T.B.M. 1

B.C. 224+49.63
FD. STATE HWY. R/W. MON. COPPER WIRE IN 6" x 6" CONC. POST UP 6" PER F.M. 180/3-10 HELD TO THIS MON. FOR RUNNING RECORD ANGLE & DISTANCE & N'LY.

50.00' @ ΔEV. = 50.00'
52.46' @ 17°36' = 50.00'
T = 70° = 50.00'

E.C. 223+08.93
FD. STATE HWY. R/W. MON. COPPER WIRE IN 6" x 6" CONC. POST UP 6" PER F.M. 180/3-10 HELD TO THIS MON. FOR RUNNING RECORD ANGLE & DISTANCE & N'LY.

OLD RIDGE ROUTE

L.A.C. 30 Record L.A. 32 Mass. 4

B.C. SET L.A.CO. ENGR. TAG IN LEAD IN CONC. PVMT. AT 90° E 50.00 FT. FROM STATE HWY. R/W. MON.

51.72' @ 14°48' = 50.00'
51.90' @ 15°33' = 50.00'
T = 70° = 50.00'

141.42' @ 1°56' = 141.34'
141.48' @ 2°31' = 141.34'
T = 62° = 141.32'

E.C. SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG DN. 0.05' IN PVMT AT 90° E 50.00' FROM STATE HWY. R/W. MON.

50.00'

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76P2015 CE #310 5-66

F.B. 3216 Pg. 104

119.77 @ 2°15' = 119.88'
118.90 @ 2°11' = 118.81'
1.07 @ AEV. = 1.07'
119.88'
T = 76° = 119.87'

36.19' @ LEV.
T = 66° = 36.19'

SET 1/2" MAIL

RECORD AT "A"
SET 2" I.R. CONC.
PLUG & L.A.CO. ENGR.
TAG DW. O.A. ON
RECORD DISTANCE
FROM S.C. SLY PER
F.M. 180/3-10

36.19'

RIGHT PG. 105

119.84'

OLD RIVER ROUTE

RECORD

1) 29° 12' 00"
2) 116 48 00
3) 175 12 00
29° 12' 00"

SET 1/2" & NAIL ON RIDGE FOR ANGLE

78.14'

79.15' @ LEV.
T = 72° = 78.14'

TOP PG. 103

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Erased in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of	OLD RIDGE ROUTE
JN	0096.35 Tape VS 1 Std R4°T
Surveyed by	L.V. SMITH
Notes	L.V. SMITH Date 07-10-68
Indexed	C. J. GALLI

F.B. 7216 Pg. 105

VS. 17 C-4

SEC. 3
T. 5 N.
R. 17 W.

BOT PG. 106

INTERSECTION
SET 1X2 & NAIL ON INTERSECTION OF RECORD ℄ & SECTION LINE

93.45'

3567.93'

SECTION LINE

26.30'

BOT PG. 101

TOP PG. 102

113°

30'

22"

RECORD R.T. #2
SET 1X2 & NAIL FLUSH ON CUT SLOPE ON RECORD ANGLE & DISTANCE FROM RECORD P.T. #1 PER F.M. 18013 SHEET 10

OLD RIDGE ℄ ROUTE

2034.1'

600'

SET 1X2 & NAIL FOR ANGLE

SET 1X2 & NAIL

56.59'

SEC. 10
T. 5 N.
R. 17 W.

144°

45'

58"

56.12'

LEFT PG. 104

1) 144° 56' 00"
2) 2 19 43 10
3) 1 49 35 50
144° 55' 58" ✓

20.34 @ LEV.
Δ = 72° 20.34' ✓

1) 113° 30' 10"
2) 94° 01 20
3) 321 02 10
113° 30' 22" ✓

SET 1X2 & NAIL FOR ANGLE

58.77 @ 11° 22' = 58.60 ✓
59.30 @ 12° 15' = 58.15
0.45 @ LEV = 0.45
58.60 ✓

T = 70° = 58.57 ✓

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.
403

767309 CE #310 E-98

F.B. 3216 Pg 106

ABOT. PG-107

24.58'

0.02'

5° 18'

B.C. R.31 + 77.68'
FD STATE HWY R/W MON. COPPER WIRE IN 6" x 6" CONC. POST UR 6" PER. F.M. 18013-10

51.22' @ 13° 38' = 49.78'
51.50' @ 14° 52' = 49.78'
T = 80° = 49.78'

299.56' @ 3° 39' = 299.24'
299.61' @ 2° 50' = 299.24'
31.58' @ LEV. = 31.58'
330.82'
T = 80° = 330.81'

RECORD
R.C.
SET 1x2 & NAIL ON RECORD ANGLE & DIST. FROM RECORD P.T. "F2" PER F.M. 18013-10

OLD RIDGE ROUTE

RECORD 330.81'

SET 1x2 & NAIL TOP OF CUT BANK

94.55' @ 8° 43' = 93.46'
94.65' @ 9° 07' = 93.45'
T = 80° = 93.45'

93.45'

TOP PG. 105

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of OLD RIDGE
FN 076-35 Tape 100' Std 84°F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 10-68
Indexed C. I. GALLI

F.B. 3216 Pg. 107

1) 9° 22' 00"
2) 37 38 00
3) 56 12 00
09° 22' 00"

234+03.25
ED. STATE HWY.
R/W MON. COPPER
WIRE IN 6"x6"
CONC. POST UP
6" PER FM 18013-10

RECORD
B.C.
SET CHIS "X" IN
OLD CONC. PUMT.
ON RECORD ANGLE
& DISTANCE FROM
RECORD P.I. #3

232+26.72
ED. STATE HWY.
R/W MON. COPPER
WIRE IN 6"x6"
CONC. POST UP
6" PER FM 18013-10

SET 1x2
& NAIL
FOR ☩

9°22'06"

187.01'

49.67'

0.01'

0.03'

49.67'

RECORD
E.C.
SET CHIS "X"
IN OLD CONC.
PUMT. ON
RECORD ANGLE
& DISTANCE
FROM RECORD
P.I. #3 PER
FM 18013-10

RECORD
P.I. #3
SET L.D. & L.B.
CO. ENGR. TAG
IN OLD CONC
PUMT. ON
RECORD ANGLE
& DISTANCE
FROM RECORD
P.I. #2 PER
FM 18013-10

RECORD
24.58'

OLD RIDGE ROUTE

187.21' @ 2°31' = 187.03'
186.81' @ 2°28' = 186.61'
0.42' @ LEV. = 0.42'
187.03'

T = 68° = 187.01'

51.88' @ 16°34' = 49.68'
51.99' @ 17°07' = 49.69'
T = 68° = 49.67'

24.58' @ LEV.
T = 68° = 24.58'

51.72' @ 15°51' = 49.75'
52.03' @ 17°03' = 49.74'
T = 68° = 49.73'

24.58'

(50')

(50')

TOP
PG. 106

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7-68 2008 CE #310

F.B. 3316 Pg. 108

SECTION CORNER
ED. COUNTY SURVEYOR
BRASS CAP IN MON. IN
CONC. PLUG IN PER
C.S. 13, 132 G MON.
MARKED AS SHOWN.
SET 1" I.P. NAIL &
PIPE 1.5' ± ELY.

SEC. 11
T. 3 N.
R. 17 W.

SEC. 14
T. 3 N.
R. 17 W.

1) 12° 09' 30"
4) 48 38 00
6) 72 57 00
12° 09' 30"

1) 106° 17' 48"
4) 65 11 00
6) 277 46 50
106° 17' 48"

1) 61° 32' 48"
4) 246 10 30
6) 09 15 30
61° 32' 33"

1) 129° 46' 40"
4) 159 06 40
6) 58 40 00
129° 46' 40"

FD. STATE DIV. OF HWYS. BRASS CAP IN CONC. MON. MARKED AS SHOWN. NO REF.

SET 2" I.P. CONC. PLUG ELIA. CO. ENGR. TAG ON RIDGE SET 2" I.P. NAIL & WASHER WIRE UP 1.5' ± NAY.

TO PT "B" PG 100

TOP PG. 109

300.57 @ 9°05 = 296.74
300.37 @ 8°56 = 296.78
1.14 @ LEV. 1.14
297.87

T = 80° = 297.86

Note: Any Additions or Changes on this Shee Must Be Made on Ofiginal in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this file.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Notes Ck'd by	Survey of Old Ridge Route F.B. 7216 Pg. 109
Map No.	JN 2026.45 Tape 15' Std 84°F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 10-1968
Date	Indexed C.J. GALLI

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7of3205 CR #310 3-68

1807.
PG. 108

56.90 @ ELEV.
T = 88° = 56.90 ✓

56.90

SET 1x2 & NAIL TOP OF SPUR FLUSH

102.70	@ 18°47'	= 97.23	97.23
102.40	@ 18°17'	= 97.23	
107.95	@ 26°18'	= 96.78	96.78
107.70	@ 26°05'	= 96.78	
293.90	@ 5°06'	= 292.74	292.74
293.80	@ 4°52'	= 292.74	
47.52	@ 25°54'	= 42.76	42.76
47.85	@ 26°25'	= 42.76	
21.91	@ ELEV.		21.91
			551.42

T = 88° = 551.42

SEC. 14
T. 5 N.
R. 17 W.

SEC. 11
T. 5 N.
R. 17 W.

EQ. 2x2 & CUP TACK NO REF

SET 1x2 & NAIL FLUSH ELY. SIDE OF SPUR

78.60	@ 8°11'	= 77.80	77.80
78.46	@ 7°24'	= 77.81	

T = 82° = 77.80 ✓

2.55

377.49

SET 2" I.P. CONC. PLUG & L.A. CO. FENCE TAG FLUSH ON SPUR UNDER TRANS. TOWER # 202-3

TOP
PG. 110

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

WS 17, C-4 & WS. 299-07, C-1

Do not extend this side of this line.

Note: All old & monuments & tying
Copyrighted destroyed use north
of this line & 1 mile south of this
line.

SEC. 14
T. 5 N.
R. 17 W.

SEC. 11
T. 5 N.
R. 17 W.

SECTION LINE

T = 74° = 277.46'

T = 74° = 257.71'

T = 74° = 93.96'

377.46'

257.71'

93.96'

BOT. PG. 109

F.B. 322 Pg. 110

31.21'	@ 19° 28'	=	22.52'
334.85'	@ 22° 02'	=	39.52'
347.96'	@ 25°	=	347.96'
			377.48'

1126.20'	@ 28° 19'	=	111.10' + 44.10
1235.66'	@ 27° 52'	=	111.10' + 80.96'
1301.96'	@ 26° 46'	=	52.68' + 59.67'
1361.63'	@ 25° 23'	=	59.67' = 251.73'

97.08'	@ 14° 32'	=	97.97' + 93.97'
96.75'	@ 13° 42'	=	97.98' + 93.96'

SECTION CORNER
ED. STANDARD COUNTY
SURVEY BRASS CAP
MONUMENT IN CONCRETE
STAMPED AS SHOWN
SET 12" BELOW
SURFACE IN CASE
2" I.P. GUARD
UP 3 FT. SET

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN 0096-45 Tape 82 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date
Date	Indexed R.L. GALLI

F. B. 3216 PG. 111

OLD RIDGE ROUTE

J.N. 009645

& RETRACEMENT OF OLD RIDGE ROUTE PER F.M. 18013 IN SEC. 3 T.5N. R.17W.

FEB. 1969

REF.
F.M. 18013
C.S.B.

PARTY
L.V. SMITH
R.R. JACKSON
V.L. BUCKABY
R. BLANCHARD

Note! Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

F. B. 3216 PG. 112

INDEX



SEC. 10

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN 0096-75 Tape L57 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 12-12-68
Date	Indexed G.G. GALLI FB 2-58

F. B. 3216 PG. 113

RIGHT PG. 122 → BOT. RIGHT PG. 114

FD. NAIL & SURVEY RIBBON IN DIRT AT END OF OLD CONC. PVMT. ON APPROX. SPLIT OF WIDTH OF PVMT.

1) 11° 43' 00"
4) 46 51 20
6) 70 16 50
11° 42' 48"

1) 163° 37' 20"
4) 294 30 50
6) 261 46 10
163° 37' 42"

1) 81° 49' 00
2) 163 37 40
81° 48' 50"

256.45'

11° 42' 48"

6.48'

ANGLE POINT
SET L.A.CO. ENGR. TAG IN LEAD IN CONC. PVMT. ON LINE PROD FROM P.I. N° 3 & INTERSECTION LINE PROD S'LY FROM NAILS

38.12

15.64

R.P.
SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG FLUSH ON SPLIT OF ANGLE

37.99'

81° 48' 50"

37.98'

37.99' @ LEV.
T = 56° 37.98'

RECORD B.C.
FD. CHIS. "X" IN OLD CONC. PVMT. REPLACED "X" WITH L.A.CO. ENGR. TAG IN LEAD PG. 107

RECORD E.C.
FD. CHIS. "X" IN CONC. PVMT. PER PG. 107 REPLACED "X" WITH L.A.CO. ENGR. TAG IN LEAD.

RECORD P.I. 3
FD. LD. L.A.CO. ENGR. TAG IN LEAD IN OLD CONC. PVMT. PER PG. 107

24.58' PG. 107

Δ 26.69 @ 1/4°: 25.84' : 25.84'
½ 26.69 @ 1/2°: 12.85 : 25.84'
T = 56° : 25.84'

38.93' @ 1/4°: 38.13'
39.33' @ 1/4°: 38.13
T = 56° : 38.12'

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

F. B. 3216 Pg 114

B.O.T. PG. 115

33.21' @ 8°08' = 32.86' ✓
33.43' @ 10°35' = 32.86' ✓
T = 58° = 32.85' ✓

162.90'

R.P. SET 2" I.P. CONC. PLUG F.L.A.CO. ENGR. TAG UP 1" ON CUT SLOPE ON SPLIT OF ANGLE

166°

23'

32.85'

07"

33.33'

11'

83°

31.30'

R.P. SET 2" I.P. CONC. PLUG F.L.A.CO. ENGR. TAG ON CUT SLOPE ON SPLIT OF ANGLE

31.31' @ 2 EV.
T = 58° = 31.30' ✓

7)	166°	22'	40"	
4)	305	32	30	✓
6)	278	18	40	✓
	166°	23'	07"	✓

1)	83°	11'	30"
2)	166	23	10 ✓
	83°	11'	35" ✓

FD. NAIL & SURVEY RIBBON IN GRADED ROAD BED AT INTERSECTION OF TWO LINES OF NAILS & SURVEY RIBBON SET ON SOFT STATIONS

256.74' @ 7°31' = 256.49' ✓
256.82' @ 7°50' = 256.51' ✓ 256.50 ✓
T = 56° = 256.45' ✓

256.45' ± LINE

TOP PG. 113

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN0096-45 Tape Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 2-12-
Date	Indexed [redacted]

F.B. 3216 PG. 115

RIGHT
PG. 116

FD. NAIL & SURVEY RIBBON NO REF.

R.P.
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON TOP OF CUT BANK ON SPLIT OF ANGLE

199.91'

0.02'

86.90 @ LEV.
T=56°=86.94'

FD. NAIL & SURVEY RIBBON IN GRADED ROAD USED AT INTERSECTION OF TWO LINES OF NAILS & SURVEY RIBBON SET ON SOFT STATIONS.

LINE

86.94'

25.78'

1) 99° 35' 55"
2) 199 10 10
99° 35' 05"

30.15'

FD. NAIL & SURVEY RIBBON

13.08'

99°

25.78' @ LEV.
T=58°=25.78'

30.16' @ LEV.
T=58°=30.15'

R.P.
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON CUT SLOPE ON SPLIT OF ANGLE

1) 160° 49' 50"
4) 283 19 00
6) 244 58 50
160° 49' 48"

163.17' @ 3°01' = 162.94'
163.22' @ 3°24' = 162.93'
T=58°=162.90'

LINE

162.90'

TOP
PG. 114

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

F. B. 3216 PG. 116

200.08 @ 2°02' = 199.95' ✓ = 199.95' ✓
200.13 @ 2°23' = 199.96' ✓
T = 56° = 199.91' ✓

44.51' @ 7°34' = 44.12' ✓
44.60' @ 8°23' = 44.12' ✓
T = 58° = 44.11' ✓

FD. NAIL & RIBBON IN GRADED ROAD BED AT INTERSECTION OF TWO LINES OF NAILS & SURVEY RIBBON SET ON 50 FT. STATIONS

RIGHT PG. 117

℄ LINE

199.91' ✓

1) 161° 08' 00"
4) 284 31 40
6) 346 47 20 ✓
161° 07' 53" ✓

44.11

R.P. SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG ON COT SLOPE ON SPLIT OF ANGLE

24.38

161° 07' 53"

80° 33' 53"

199.91' ✓

℄ LINE

R.P. SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG ON TOP OF COT SLOPE ON SPLIT OF ANGLE

1) 80° 34' 00" ✓
2) 161 07 50 ✓
80° 33' 50" ✓

TOP LEFT PG. 115

200.45 @ 4°04' = 199.95' ✓
200.39 @ 3°49' = 199.95' ✓
T = 56° = 199.91' ✓

24.38' @ LEV.
T = 58° = 24.38' ✓

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE F.B. 3216 PG. 117
Map No.	JN 2096-45 Tape 82 Std 84 °F
Office Work	Surveyed by L-V- SMITH
Checked	Notes L-V- SMITH Date 12-13-68
Date	Indexed B.L. GALLI

46.34 @ 8°33' = 46.02 ✓ 46.02 ✓
46.74 @ 10°01' = 46.03 ✓
T = 60°: 46.01 ✓

1) 85° 13' 15"
2) 170 26 30 ✓
85° 13' 15" ✓

R.P.
SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG FLUSH ON SPLIT OF ANGLE

RIGHT PG. 118

1) 170° 26' 30"
4) 321 46 30
6) 302 39 20 ✓
170° 26' 33" ✓



47.27 @ 5°47' = 47.03 ✓
47.19 @ 4°46' = 47.03 ✓
T = 60° = 47.02' ✓

R.P.
SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG FLUSH ON SPLIT OF ANGLE

FD. NAIL & SURVEY RIBBON IN GRADED ROAD BED AT INTERSECTION OF TWO LINES OF NAILS & SURVEY RIBBON SET AT 50 FT. STATIONS

LEFT PG. 116

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 9-68

F. B. 3216 PG 118

1) 167° 23' 40"
4) 309 35 00
6) 284 22 40
167° 23' 47"

1) 83° 41' 50"
2) 167° 23' 55"
83° 41' 55"

41.07' @ 10°13' = 40.42'
41.30' @ 11°52' = 40.42'
T=60° = 40.41'

RIGHT 129.01
PG. 119

R.P.
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON SPLIT OF ANGLE

FD. NAIL & SURVEY RIBBON NO REF.

167°
23'
83° 41'
55"
40.41'
0.04'
40.12'
47.11'

40.13' @ LEV.
T=60° = 40.12'

16'
52.64'

R.P.
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON SPLIT OF ANGLE

LINE 159.84'

LEFT
PG. 117

SET LG. BT. SPK. & WASHER & TIN FLUSH ON INTERSECTION OF RECORD & PROD. FROM N. & LINE OF FOUND NAILS & SURVEY RIBBON

159.92' @ 1°31' = 159.86'
159.95' @ 1°55 = 159.80'
T= 60° = 159.84'

52.64' @ LEV.
T= 60° = 52.63'

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of OLD RIDGE ROUTE
JN 0076-45 Tape 82 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 12-7-68
Indexed W. GALL

F.B. 3216 PG. 119

1) 89° 58' 30"
4) 359 55 10
6) 179 53 00
89° 58' 50"

RECORD & B.C.
SET L.A. CO. ENGR. TAG IN LEAD IN CONC. PVMT. ON LINE BETWEEN STATE R/W MON. AT MIDPOINT

B.C.
248+37.70
FD. STATE HWY. R/W MON. = COPPER WIRE IN 6" x 6" CONC. POST UP 1" PER F.M. 18013

RIGHT
105.57'
PG. 120

50.04'
50.04'
89° 58' 50"
RECORD
178.53'
OLD RIDGE ROUTE

FD. 6"x6" CONC. MON TOP KNOCKED OFF USED CTR.

B.C.
248+37.70
FD. STATE HWY.
R/W. MON. = COPPER WIRE IN 6" x 6" CONC POST FLUSH PER F.M. 18013

SET L.A. CO. ENGR. TAG IN LEAD IN CONC. PVMT. IN RECORD LINE TO PVMT. ON LINE OF 50.00' 6"x6" CTR. PER F.M. 18013

57.23 @ 12°22 = 50.04'
T = 74° = 50.04'

246+59.20
FD. STATE HWY.
R/W. MON. = COPPER WIRE IN 6"x6" CONC. POST DN. 2" HELD TO THIS PT. TO SET RECORD & OLD RIDGE RT. PER F.M. 18013

178.72 @ 2°32' = 178.55'
178.78 @ 2°56' = 178.55'
T = 70° = 178.53'

129.03 @ LEV.
T = 60° = 129.01'

25.18' @ 25°18' = 22.75'
24.90' @ 23°59' = 22.75'
27.25' @ LEV. 27.25'
50.00'

1) 90° 01' 10"
4) 00 06 10
6) 180 09 10
90° 01' 32"

T = 74° = 50.00'

TOP LEFT PG. 118

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 3216 PG 120

105.58 @ LEV.
T = 70° = 105.57'

19.76' @ LEV.
T = 70° = 19.76'

R/W E.C.
250 + 40.73
FD. STATE HWY. R/W
MON = COPPER WIRE
IN 6" X 6" CONC. POST
UP 4" IN GOOD CONDITION PER F.M. 18013-11

RECORD P.I.
SET 2" I.R. CONC. PLUG
& L.A. CO. ENGR. TAG
FLUSH AT TOE OF
CUT BANK ON RECORD
DISTANCE FROM B.C.
248 + 37.70 PER F.M.
18013

NOTE
REMOVED
12-8-69
SEE F.B.
3216 - PG 123
L.V.S.

19.76'
TOP
PG. 121

49.77'

105.57'

SET 1X2
& NAIL
FOR
RECORD
ANGLE

OLD RIDGE ROUTE

RECORD F.C.
SET L.A. CO. ENGR.
TAG IN LEAD IN
CONC. PVMT ON
RECORD ANGLE &
DISTANCE FROM
P.I.S.-ELEV. PER
F.M. 18013-11

38°46'33"

105.57'

55.38 @ 25°38' = 49.79'
55.56 @ 26°23' = 49.78'
T = 64° = 49.77'

TOP
PG. 119

105.58 @ LEV.
T = 70° = 105.57'

1) 38° 46' 30"
A) 155 06 10
6) 232 39 20
38° 46' 33"

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note! Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN 0086-75 Tape 82 Std 84 °F
Office Work	Surveyed by L-V- SMITH
Checked	Notes L-V-SMITH Date 12-9-68
Date	Indexed [redacted] GALLI

F. B. 3216 PG. 121

LEFT
PG. 120

RECORD B.C.
SET L.A.CO. ENGR. TAG
IN LEAD IN OLD
CONC. PVMT. ON RECORD
ANGLE & DISTANCE FROM
RECORD P.I. ELY. PER
F.M. 18013

1) 164° 41' 30"
4) 298 46 00
6) 268 09 00
164° 41' 30" ✓

30"

40.32'

OLD RIDGE ROUTE

19.76' ✓

40.32' @
LEV. T = 70°
= 40.32 ✓

NOTE
REMOVED
12-3-69
SEE F.B. 3216
PG. ~~123~~ 123
L.V.S.

RECORD P.I.
SET L.A.CO. ENGR.
TAG IN LEAD IN
OLD CONC. PVMT.
ON RECORD ANGLE
& DISTANCE FROM
RECORD P.I. ELY.
PER F.M. 18013

NOTE
REMOVED
12-8-69
SEE F.B.
3216 - ~~164~~ 124
L.V.S.

164°

40.32' ✓

RECORD B.C.
SET L.A.CO. ENGR. TAG
IN LEAD IN OLD CONC.
PVMT. ON RECORD ANGLE
& DISTANCE FROM RECORD
P.I. ELY. PER F.M. 18013

40.32' @ LEV.
T = 70° = 40.32 ✓

49.86' ✓

0°01'

53'

31' ✓

251 + 40.64
B.C.
FD. STATE HWY. R/W.
MON. = COPPER WIRE
IN 6"x6" CONC. POST
UP 6" PER RM 18013
MON. IN GOOD CONDITION

NOTE
REMOVED
12-8-69
SEE F.B.
3216 - 165
L.V.S.

41.72' @ 29° 31' = 36.31 ✓
41.54' @ 29° 04' = 36.31 ✓
13.56' @ LEV. = 13.55 ✓
49.86 ✓

T = 70° = 49.86 ✓

TOP
PG. 122

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F3095 CE#310 3-68

F. B. 3216 PG. 122

1) 14° 00' 20"
2) 56 01 10 ✓
3) 84 02 00 ✓
14° 00' 20" ✓

RECORD & B.C.
SET L.A.CO. ENGR. TAG IN LEAD IN CONC. ON REC. ℄ & ℄ DIST. FROM RECORD P.I. S.ELY. PER FM 18013

LEFT PG. 121

OLD RIDGE ROUTE

231.53' RECORD ℄ & ℄

14° 00' 20"

TOP PG 113

1) 120° 04' 30"
2) 120 18 10
3) 0 27 30 ✓
120° 04' 33" ✓

NOTE
REMOVED 12-5-69
SEE F.B. 3216 PG 235
L.V.S.

33"

0.4'

49.88'

86.47' ✓

CLOSING LINE

RIGHT PG. 123

120°

86.47'

B.C.
253 + 72.17
FD. STATE HWY. R/W. MON. = COPPER WIRE IN 6" x 6" CONC. POST UR 6" PER RM. 18013 MON. IN GOOD CONDITION.

86.48' @ LEV.
T = 64° = 86.47' ✓

BOT. PG. 138

CLOSING LINE

03' 28' 30"

1) 05° 28' 30"
2) 21 54 00
3) 32 51 00 ✓
05° 28' 30" ✓

RECORD P.I.
SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG FLUSH ON RECORD ANGLE & DISTANCE FROM RECORD P.I. S'ELY. PER F.M. 18013

NOTE
REMOVED 12-5-69
SEE F.B. 3216 - PG 226
L.V.S.

231.72' @ 2°03' = 231.57' ✓
231.70 @ 2°00' = 231.56 ✓ 231.57' ✓
T = 60° = 231.53' ✓

86.48' @ LEV.
T = 60° = 86.47' ✓

39.72' @ 15°10' = 38.33' ✓
39.52' @ 14°03' = 38.33' ✓
11.56 @ LEV 11.56 ✓
49.89' ✓
T = 60° = 49.88' ✓

SU 17C-4

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE RT.
Map No.	JN 3096-45 Tape 82 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 12/7/68
Date	Indexed B.L. GALLI

F.B. 3216 PG. 123

52.84' @ 20°42' = 49.43' J
52.99' @ 21°08' = 49.48' J
T = 54° = 49.42' J

R/W. B.C.
256 + 62.06
FD. STATE HWY.
R/W. MON. = COPPER WIRE IN 6" X 6" CONC. POST UP 8". MON. IN POOR CONDITION - LEANING TOWARD ROAD.

R/W E.C.
255 + 29.05
FD. STATE HWY.
R/W MON. = COPPER WIRE IN 6" X 6" CONC. POST UP 12". MON. IN POOR CONDITION - LEANING TOWARD ROAD

RECORD E.C.
SET L.A. CO. ENGR. TAG IN LEAD IN OLD CONC. PVMT. ON RECORD ANGLE & DISTANCE FROM RECORD P.T. SLY. PER F.M. 18013-11

0.35'

OLD RIDGE ROUTE

49.42'

49.12'

71.56'

138.37'

86.47'

RECORD E.C.

NOTE
REMOVED 12-5-69
SEE F.B. 3216-
L.V.S. 229

307
PG. 124

LEFT
PG. 122

0.37'

0.07'

RECORD B.C.
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH WITH CONC. PVMT. ON RECORD ANGLE & DISTANCE FROM RECORD P.T. SLY. PER F.M. 18013-11

71.57' @ LEV.
T = 54° = 71.56' J

138.40' @ LEV.
T = 30° = 138.37' J

R/W E.C.
255 + 29.05
FD. STATE HWY.
R/W MON. = COPPER WIRE IN 6" X 6" CONC. POST UP 12". MON. IN POOR CONDITION LEANING WLY. AWAY FROM ROAD

50.85' @ 14°55' = 49.14' J = 49.13' J
51.00' @ 15°33' = 49.13' J
T = 30° = 49.12' J

33.83' @ 29°52' = 29.34' J
33.59' @ 29°09' = 29.34' J
21.26' @ LEV. = 21.26' J
50.60' J
T = 50° = 50.59' J

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F309S CE#310 9-68

F. B. 3216 Pg 124

BOT.
PG. 125

34.62' @ LEV.
T=54°=34.61'

R/W. E.C.
257+99.50
E.O. STATE HWY. R/W
MON. COPPER WIRE
IN 6"x6" CONC. POST
UP 6". MON. IN
GOOD CONDITION

34.61'

0.03'

53.31' @ 19°52' = 50.14'
53.62' @ 20°46' = 50.14'
T=54°=50.13'

50.13'

71.57' @ LEV.
T=56°=71.56'

RECORD P.I.
SET 2" I.P. CONC.
PLUG & L.A.CO. ENGR.
TAG FLUSH ON
RECORD ANGLE &
DISTANCE FROM
RECORD P.I. SLY
PER F.M. 18013-11

RECORD & E.C.
SET L.A.CO.
ENGR. TAG IN
LEAD IN OLD
CONC. PVMT.
ON RECORD
ANGLE & DIST.
FROM RECORD
P.I. S.ELV. PER
F.M. 18013-11

NOTE
REMOVED
12-5-69
SEE F.B.
3216-168
L.V.S.

71.56'

RECORD ℄

O.L.B.

RIDGE ROUTE

140°

37'

30"

NOTE
REMOVED
12-5-69
SEE F.B.
3216-~~168~~ 228
L.V.S.

1) 140° 37' 30"
4) 202 30 00
C) 123 45 00
140° 37' 30"

71.57 @ LEV.
T=54°=71.56'

95.11'

LEFT
PG. 123

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of OLD RIDGE ROUTE
J.N. 0096-45 Tape B2 Std. B4 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 12-17-68
Indexed G.L. GALLI

F. B. 3210 Pg. 125

1) 8° 33' 50"
4) 34 15 30
6) 51 23 00
8° 33' 50" N

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

BOT. PG-126

1x2 PROD FOR ℄

8°

532.99'

33'

50"

50.00

RECORD ℄ E.C.
SET LG. BT. SPK. W. ℄ TIN DN. 0.04' IN MISC. PVMT. SET 50.00' FROM ED. R/W. MON. 258 + 78.66 AT 90° TO R/W. LINE AHEAD

R/W. E.C.
258 + 78.66
FD. STATE HWY R/W. MON. = COPPER WIRE IN 6" X 6" CONC. POST UP 6" IN GOOD CONDITION: HELD TO THIS MON. TO SET RECORD ℄ NLY.
F.M. 18013-11

OLD RIDGE ROUTE

24.14'

24.15' @ LEV. T = 48° = 24.14'

R/W. B.C.
258 + 34.11
FD. STATE HWY. R/W MON.: COPPER WIRE IN CONC. POST UP 6" MON. IN GOOD CONDITION. F.M. 18013-11

20.63' @ LEV
T = 48° = 20.63'

INTERSECTION
SET LG. BT. SPK W. ℄ TIN BY INTERSECTION OF RECORD ℄ FROM S. PROD NLY. ℄ RECORD ℄ FROM NORTH PROD SLY.

REMOVED
12-8-69
SEE F.B. 3229
3216 — 164
L.V.S.

RECORD ℄ B.C.
SET BT. SPK. ℄ TIN IN OLD BLACK TOP PVMT. ON RECORD ANGLE ℄ DISTANCE FROM RECORD P.I. S.E.LY. PER F.M. 18013-11

50.23'
0.01'

53.58 @ 20°21' = 50.24'
53.87' @ 21°10' = 50.24'
T = 54° = 50.23'

52.52' @ 26°36' = 46.96'
52.21' @ 25°55' = 46.96'
3.05 @ LEV. 3.05
50.01'
T = 44° 50.00'

34.61'

TOP PG-124

16F3095 CE#310 3-68

F. B. 3216 PG 126

RIGHT PG. 127

50.01' @ LEV.
T = 46° = 50.00'↓

124.78'

R/W. B.C.
264 + 10.87
FD. STATE HWY. R/W.
MON = COPPER WIRE
IN 6" x 6" CONC. POST
UP 2" IN GOOD CONDITION. PER F.M.
18013. HELD TO
THIS POINT TO SET
RECORD ℄ NLY.

50.00'

50.23'

0.07'

R/W. B.C.
FD. STATE HWY
R/W MON. TOP
BROKEN OFF
PLUS 6 OFFSET
PULLED TO
CENTER OF
6" x 6" CONC.
POST

RECORD ℄ B.C.
SET L.A.CO. ENGR.
TAG IN LEAD IN
CONC. PVMT. 50.00'
FROM R/W. MON.
B.C. 264 + 10.87
AT 90° TO R/W.
LINE SLY. FOUND
LG. CHIS. "X" IN
PVMT. .02 WLY.
℄ 0.03' NLY.

OLD RIDGE ROUTE

RECORD ℄

532.00'

532.12' @ LEV.
T = 48° = 532.00'↓

50.71' @ T 51' = 50.24'↓
50.67' @ T 28' = 50.24'↓
T = 50° = 50.23'↓

X

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE F.B. 3216 PG. 127
Map No.	JN 4096.45 Tape 82 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 12-23-68
Date	Indexed [illegible]

87.28 @ LEV.
T= 50°= 87.26 ✓

124.85' @ 1°25' = 124.81' ✓
124.96' @ 2°05' = 124.82' ✓ 124.81 ✓
T= 50° = 124.78' ✓

RECORD P.I.
SET 2" I.P. CONC. PLUG
& L.A. CO. ENGR. TAG
FLUSH ON RECORD DIST-
ANCE FROM RECORD
P.C. 264+10.87' ON
LINE PROD. FROM
SOUTH PER F-M-
18013-11

✓ 124.78
TOP
PG. 126

87.26 ✓

SET 1X2 &
NAIL FLUSH

SET 1X2 &
NAIL ON
LINE PROD
FOR ANGLE

105°
55'
27" ✓

1)	105°	55'	30"
4)	63	41	40
6)	275	32	40 ✓
	105°	55'	27" ✓

2 1/2" I.P.
✓ 0.X.

TOP
PG. 128

211.79' @ 3°16 = 211.45 ✓
211.80' @ 3°20 = 211.44 ✓ 211.44'
0.64' @ LEV 0.64'
212.08 ✓

T= 54°= 212.04 ✓

Note: 'Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink' With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 3216 PG 128

NOTE
REMOVED
12-8-69
SEE F.B.
3216 - ~~174~~ 232
L.V.S.

29.18 @ 28°30' = 25.64 ✓
28.80 @ 27°06' = 25.69 ✓
24.47 @ LEV. = 24.47
50.11 ✓

T = 60° = 50.10 ✓

RIGHT
PG. 127

RIDGE AT

212.04

RECORD & E.C.
SET L.R. CO. ENGR. TAG IN LEAD
IN OLD CONC. PVMT. ON RECORD
ANGLE & DISTANCE FROM RECORD
P.I. N.ELY. PER F.M. 18013-12

R/W E.C.
267+06.67
FD. STATE HWY.
R/W MON. = COPPER
WIRE IN 6"x6"
CONC. POST FLUSH 2"
MON. IN GOOD CONDITION. PER F.M. 18013-

R/W B.C.
FD. STATE HWY.
R/W. MON. = COPPER
WIRE IN 6"x6" CONC.
POST FLUSH MON. IN
GOOD CONDITION
PER F.M. 18013-12
267+49.33

0.33'
50.10'
1.90'
49.91'
0.31'
0.38'
50.09'
49.91'
0.44'
55.94'

RECORD & E.C.
SET L.R. CO. ENGR. TAG
IN CONC. PVMT. ON RECORD
ANGLE & DISTANCE FROM
RECORD P.I. N.ELY.
PER F.M. 18013-12
NOTE REMOVED 12-8-69
SEE F.B. 3216 - ~~174~~ L.V.S.

R/W E.C.
267+06.67
FD 1" SQ. HEAD BOLT
IN SANDSTONE = NO
PUNCH MARK. PER
F.M. 18013-12

50.28' @ 6°56' = 49.91' ✓
50.43' @ 8°14' = 49.91 ✓
T = 60° = 49.90' ✓

42.67' @ LEV. T = 60° = 42.66 ✓

RECORD & B.C.
SET L.R. CO. ENGR. TAG
IN LEAD IN CONC.
PVMT. ON RECORD ANGLE
& DISTANCE FROM RECORD
P.I. N.ELY. PER F.M.
18013-12

51.35' @ 13°30' = 49.93' ✓ 49.92' ✓
51.61' @ 14°41' = 49.92 ✓
T = 60° = 49.91' ✓

18.96' @ 0°00' = 18.96 ✓
35.73' @ 29°21' = 31.14 ✓
50.10 ✓

T = 44° = 50.09' ✓

R/W B.C.
267+49.33
FD. STATE HWY. R/W
MON. = COPPER WIRE
IN 6"x6" CONC. POST
FLUSH. MON. IN GOOD
CONDITION. PER
F.M. 18013-12

TOP
PG. 129

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note! Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN0026-45 Tape 82 Std 84 °F
Office Work	Surveyed by L-V- SMITH
Checked	Notes L-V SMITH Date 2-27-68
Date	Indexed LEGALL

F. B. 3216 PG. 129



213.66' @ 3°13' = 213.32'
215.70' @ 3°26' = 213.32'
20.43' @ LEV. = 20.43'
233.75'
T=52°=233.70'

81.99' @ LEV.
T=64°=81.98'

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403, LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

16F309S CE#310 9-68

F. B. 3216 PG 130

RECORD ℄ B.C.
SET L.A. CO. ENGR.
TAG IN LEAD IN
OLD CONC. PVMT.
AT 90° TO W.L.Y.
R/W. MON. & 50.00
DIST. PER F.M.
18013 - 12

NOTE
REMOVED
12-9-69
SEE F.B.
3216 - ~~PG 27~~ 27A
L.V.S.

52.83 ✓

RIGHT
PG. 131

50.0

RECORD ℄ E.C.
SET L.A. CO. ENGR. TAG
IN LEAD IN OLD CONC.
PVMT. AT 90° TO W.L.Y.
R/W MON. & 50.00' OFF
PER F.M. 18013 - 12

50.12' @ 4°39' = 49.96' ✓
T = 62° = 49.95' ✓

R/W E.C.
271 + 21 - 69
FD. 6" x 6" CONC.
POST FLUSH TOP
KNOCKED OFF. PLUS
℄ OFFSET TO CTR.
OF POST

0.08'

225.16' ✓
RECORD ℄

OLD RIDGE ROUTE

49.96' ✓

LEFT
PG. 129

81.98' ✓

50.00 ✓

R/W R.C.
273 + 47.06
FD. STATE HWY. R/W.
MON. = COPPER WIRE
IN 6" x 6" CONC. POST
UP 6" IN GOOD CONDI-
TION. HELD TO THIS
POINT TO SET RECORD
℄ B.C.

52.70' @ 19°06' = 49.80 ✓
52.49' @ 18°26' = 49.80 ✓
0.21' @ LEV. = 0.21 ✓
50.01 ✓

T = 60° = 50.00 ✓

R/W E.C.
271 + 21.69
FD. STATE HWY. R/W.
MON. = COPPER WIRE
IN 6" x 6" CONC. POST
UP 6" IN GOOD CONDITION
HELD TO THIS POINT
TO SET RECORD ℄ E.C.

27.35' @ 4°29' = 27.27' ✓
27.30' @ 2°35' = 27.27 ✓
22.74' @ LEV. = 22.74 ✓
50.01 ✓

T = 60° = 50.00' ✓

225.99' @ 3°50' = 225.48' ✓
225.96' @ 3°42' = 225.49 ; 225.48 ✓

T = 68° = 225.46' ✓

52.84' @ LEV.

T = 68° = 52.83' ✓

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN0096-A1 Tape 82 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 12-30-68
Date	Indexed B.L.BALLI

F.B. 3216 PG. 131

52.87' @ LEV.
T=64°=52.83'✓

NOTE
REMOVED
12-9-69
SEE F.B. 235
3216-175
L.V.S.

RECORD P.I.
SET L.A.CO. ENGR. TAG
IN LEAD IN OLD CONC.
PVMT. RECORD DISTANCE
FROM RECORD 13-C S.WLY.
PER E.M. 18013-12

52.83'

RIGHT
PG-132
OLD

RECORD

RIDGE

52.83'

160°

ROUTE

LEFT
PG.130

01'

25"

1) 160° 01' 30"
4) 280 05 40 ✓
6) 240 08 30 ✓
160° 01' 25" ✓

52.84' @ LEV.
T=68°=52.83' ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

F. B. 3216 PG 132

NOTE
REMOVED
12-9-69
SEE F.B. 3216 - PG 236

L.V.S.

RECORD ℄ B.C.
SET L.A. CO. ENGR. TAG
IN LEAD IN MACADAM
PVMT. ON RECORD
ANGLE & DISTANCE
FROM RECORD P.I.
SLY. PER F.M. 18013-12

51.71 @ LEV.
T=68° = 51.70 ✓

NOTE
REMOVED L.A. CO.
ENGR TAG 12-9-69
SEE F.B. 3216 - PG 236

L.V.S.

RECORD ℄ E.C. ✓
SET L.A. CO. ENGR. TAG
IN LEAD IN OLD CONC.
PVMT. ON RECORD
ANGLE & DISTANCE
FROM RECORD P.I.
SLY. PER F.M. 18013

RIGHT
PG. 133

73.10' ✓

51.70 ✓
RECORD ℄

52.83'

LEFT
PG. 131

OLD RIDGE ROUTE

50.06 ✓

50.09 ✓

0.06'

0.05

R/W. B.C.
275 + 03.35
FD. STATE HWY. R/W
MON. = COPPER WIRE
IN 6" x 6" CONC.
POST. UP 8" PER
F.M. 18013-12. MON
IN GOOD CONDITION

R/W. E.C.
274 + 51.65
FD. STATE HWY. R/W
MON. = COPPER WIRE
IN 6" x 6" CONC. POST
UP 8" MON. IN GOOD
CONDITION - F.M. 18013-12

53.13 @ 19°27' = 50.10' ✓
53.30 @ 19°57' = 50.10' ✓
T = 68° = 50.09' ✓

54.67' @ 23°36' = 50.10' ✓
54.78' @ 23°53' = 50.10' ✓
T = 68° = 50.09' ✓

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN 0096-45 Tape 82 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L-V. SMITH Date 12-31-68
Date	Indexed [redacted]

F.B. 3216 PG. 133

RIGHT PG. 134

NOTE
REMOVED 12-10-69 SEE F.B. 3216 - PT 237 L.V.S.

RECORD ℄ E.C. SET L.A.CO. ENGR. TAG IN LEAD IN CONC. PVMT. ON RECORD ℄ ANGLE & DISTANCE FROM RECORD P.I. N'LY. PER F.M. 18013-12

148.00'

50.31'

0.27'

R/W E.C. 276+29.60 FD. 1" X 1" SQ. HEAD BOLT NO PUNCH MK. PER F.M. 18013-12 BOLT SOLID IN GOOD CONDITION

1) 107° 40' 00"
4) 70 40 00
6) 285 59 40
107° 39' 57"

OLD

73.10'

107°

39'

57"

RECORD ℄

RIDGE

LEFT PG. 132

73.11' @ LEV.
T = 70° = 73.10'

RECORD P.I. SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG FLUSH ON RECORD ANGLE & DISTANCE FROM RECORD P.I. S'LY. PER F.M. 18013-12

NOTE
REMOVED 2" I.P. 12-9-69 - SEE F.B. 3216 - PT 237 L.V.S.

71.82' @ 5°08' = 71.53' = 71.53'
71.93' @ 6°00' = 71.54'
1.58' @ LEV. 1.58'
73.11'

T = 60° = 73.10'

147.90' @ 1°55' = 147.82' = 147.81'
147.95' @ 2°27' = 147.81'
0.21' @ LEV. 0.21'
148.02'

T = 68° = 148.00'

55.33' @ 24°34' = 50.32'
55.64' @ 25°15' = 50.32'
T = 68° = 50.31'

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change. Do not extend this side of this line.

PLEASE RETURN TO COUNTY OF LOS ANGELES DEPARTMENT OF COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

F. B. 3216 PG 134

36.02' @ LEV.
T = 70° = 36.02'

RECORD P.I.
SET L.A.CO. ENGR. TAG IN LEAD IN OLD CONC. PVMT. ON RECORD ANGLE & DISTANCE FROM RECORD P.I. WLY. PER F.M. 18013

R/W B.C.
277 + 77.60
FD. STATE HWY. R/W. MON. = COPPER WIRE IN 6" x 6" CONC. POST UP 3" MON. IN GOOD CONDITION PER F.M. 18013-12

NOTE
REMOVED
12-10-69
SEE F.B.
3216 - ~~PG~~ 238
L.V.S.



RECORD & B.C.
SET L.A.CO. ENGR. TAG IN LEAD IN OLD CONC. PVMT. ON RECORD ANGLE & DISTANCE FROM RECORD P.I. WLY.

NOTE
REMOVED 12-10-69
SEE F.B. 3216 - ~~PG~~ 238
L.V.S.

36.02' @ LEV.
T = 70° = 36.02'

1) 27° 00' 30"
4) 108° 02' 00"
6) 162° 03' 00" ✓
27° 00' 30" ✓

51.48' @ 12° 13' = 50-31' ✓
51.68' @ 13° 14' = 50-31' ✓
T = 70° = 50-31' ✓



X

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN 0096.45 Tape 82 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 1-2-69
Date	Indexed B.L. BALL

F.B. 3216 Pg. 135

51.89' @ 15°45' = 49.94' = 49.94'
51.42' @ 13°45' = 49.95'
T = 70° = 49.94'

R/W EC
278+48.31
FD. STATE HWY. R/W. MON. = COPPER WIRE IN 6"x6" CONC. POST UP 4" IN GOOD CONDITION. PER F.M. 18013-12

R/W. B.C.
279+96.09'
FD STATE HWY. R/W MON. = COPPER WIRE IN 6"x6" CONC. POST UP 5" IN GOOD CONDITION. PER F.M. 18013-12

RECORD & B.C.
SET LD-E-L-A-CO. ENGR. TAG IN OLD CONC. PVMT. ON RECORD ANGLE & DISTANCE FROM RECORD P.T. WLY. PER F.M. 18013-12

NOTE
REMOVED 12-12-69
SEE F.B. 3239
3216-177
L.V.S.

0.39'
50.19'
36.02'
RIGHT PG 134
147.78'
RECORD ℄
OLD RIDGE ROUTE
0.05'
14.42'
LEFT PG 136
63.20'
49.71'
0.09'

RECORD ℄ E.C.
SET LG. BT. SPK. W. & TIN. FLUSH IN MACADAM PVMT. ON RECORD ANGLE & DISTANCE FROM RECORD P.T. WLY. PER F.M. 18013-12

NOTE
REMOVED 12-12-69
SEE F.B. 3216-177 3239
L.V.S.

147.16' @ 2°22' = 147.03'
147.21' @ 2°53' = 147.02' = 147.02'
0.77 @ LEV. 0.77'
147.79'

T = 70° = 147.78'

R/W. B.C.
279+96.09
FD. STATE HWY. R/W. MON. = COPPER WIRE IN 6"x6" CONC. POST FLUSH IN GOOD CONDITION. PER F.M. 18013-12

52.85' @ 18°13' = 50.20'
52.94' @ 18°30' = 50.20'

T = 66.° = 50.19'

43.62' @ 35°59' = 35.30'
43.25' @ 35°19' = 35.29'
14.42' @ LEV. 14.42'
49.71'

T = 70° = 49.71'

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 3216 PG 136



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN 2096-45 Tape 82 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 1-6-69
Date	Indexed G.G.GALLI

F. B. 3216 PG. 137

LEFT PG. 138

39.41' @ 31°26' = 33.63' ✓
39.29' @ 31°01' = 33.63' ✓
16.28' @ LEV = 16.28' ✓
49.91' ✓

T = 74° = 49.91' ✓

RECORD & B.C.
SET L.A.CO. ENGR. TAG IN LEAD IN OLD CONC. PVMT. ON RECORD ANGLE & DISTANCE FROM RECORD P.I. S.WLY. PER F.M. 18013-12

NOTE
REMOVED 12-11-69
SEE F.B. 3216-181
L.V.S.

50.48 @ 9°39' = 49.77' ✓
50.78 @ 11°25' = 49.78' 49.77' ✓

T = 74° = 49.77' ✓

R/W E.C.
281+08.81
FD. STATE HWY. R/W MON. = COPPER WIRE IN 6"x6" CONC. POST UP 6" & LEANING S.ELY. PER F.M. 18013-12

RECORD

73.5A ✓

49.9' ✓

0.20

R/W B.C.
281+78.03
FD. STATE HWY. R/W MON: COPPER WIRE IN 6"x6" CONC. POST UP 2" MON. IN GOOD CONDITION

69.22' ✓

OLD RIDGE ROUTE

0.07'

NOTE
REMOVED 12-11-69
SEE F.B. 3216-181
L.V.S.

49.77' ✓

58.27' @ 30°56' = 49.98' ✓
58.02' @ 30°31' = 49.98' ✓

T = 74° = 49.98' ✓

49.98' ✓

0.37

RIGHT PG. 136

20' ✓

R.W. E.C.
281+08.81
FD. STATE HWY. R/W MON. = COPPER WIRE IN 6"x6" CONC. POST DN. 8" MON. IN GOOD CONDITION PER F.M. 18013-12

69.22' @ LEV
T = 74° = 69.22' ✓

RECORD & E.C.
SET L.A. CO. ENGR. TAG IN LEAD IN CONC. PVMT. ON RECORD ANGLE & DISTANCE FROM RECORD P.I. S.WLY. PER F.M. 18013-12

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F309S CE#310 3-68

F. B. 3216 PG 138

RIGHT PG. 139

BOT- PG-158

73.54' @ LEV.
T: 74°: 73.54'

1) 52° 26' 50"
4) 209 47 50
6) 314 41 50
52° 26' 58"

73.54'

52° 26' 58"

CLOSING LINE

NOTE
REMOVED
12-11-69
SEE F.R.
3216-152
L.V.S.

OLD RIOSE ROUTE

1) 107° 20' 30"
4) 69 22 20
6) 284 03 20
107° 20' 33"

RECORD 107° 20'

RECORD P.I.
SET 2" I.P. CONC.
PLUG & L.A.CO. ENGR.
TAG FLUSH ON RECORD
ANGLE & DISTANCE
FROM RECORD P.I.
S.WLY. PER F.M.
180 13-12

41° 32' 13"

CLOSING LINE

73.54'

5A

73.54' @ LEV.
T: 74°: 73.54'

1) 41° 32' 00"
4) 166 09 00
6) 249 13 20
41° 32' 13"

TOP RIGHT PG. 137

LEFT PG. 122

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403, LOS ANGELES COUNTY ENGINEERING BLDG.

'Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN 0096 Tape 82 Std 84 °F
Office Work	Surveyed by L. V. SMITH
Checked	Notes L. V. SMITH Date 1-6-69
Date	Indexed B.J. GALL

F. B. 3216 PG. 139

62.28' @ LEV.
T = 52° = 62.27' ✓

RECORD & E.C.
SET 1X2 & NAIL
FLUSH ON RECORD
ANGLE & DISTANCE
FROM RECORD P.I.
S.ELY. PER F.M.
18013-12

RECORD & B.C.
SET LG. B.T. SPK. W. &
TIN FLUSH IN MACADAM
PVMT ON RECORD ANGLE
& DISTANCE FROM RECORD
P.I. S.ELY. PER FM 18013-12

NOTE
REMOVED
12-12-69
SEE F.B.
3216 - ~~183~~ 243
L.V.S.

13-54'

TOP
PG. 1-38

OLD RIDGE ROUTE

RECORD

62.27' ✓

49.93'

15-34'

R/W B.C.
283+67.11
FD. STATE HWY. R/W.
MON. = COPPER WIRE
IN 6" X 6" CONC. POST
UP 6" MON IN GOOD
CONDITION. PER F.M.
18013-12

0-38'

53.46' @ 20°56' = 49.93' ✓
53.71' @ 21°37' = 49.93' ✓
T = 74° = 49.93' ✓

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F309S CE#310 3-68

F. B. 3216 PG. 140



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN0086-95 Tape 82 Std 84 °F
Office Work	Surveyed by L-V. SMITH
Checked	Notes L-V. SMITH Date 1-6-69
Date	Indexed [redacted]

F. B. 3216 PG. 141

51.70' @ LEV.
T = 84° = 51.70'

RECORD P.I.
SET 2" I.P. CONC. PLUG
L.A.CO. ENGR. TAC FLUSH
ON RECORD ANGLE &
DISTANCE FROM RECORD
P.I. S.ELY. PER F.M. 18013-12

RIGHT
PG-142

51.70'

NOTE
REMOVED
12-12-69
SEE F.B.
3216 - ~~185~~ 245
L.V.S.

51.70' @ LEV.
T = 72° = 51.70'

1) 125° 19' 30"
2) 141 18 00
3) 31 57 10 ✓
125° 19' 31" ✓

RECORD & P.C.
SET 1X2 6 NAIL UP
1" ON RECORD ANGLE
& DISTANCE FROM
RECORD P.I. S.ELY.
PER F.M. 18013-12

73.15' @ LEV.
T = 50° = 73.13' ✓

OLD RIDGE ROUTE

RECORD & P.C.
SET L.G. BT. SPK. W/ ε
TIN IN MACADAM
PVMT. ON RECORD
ANGLE & DISTANCE
FROM RECORD P.I.
S.ELY. PER F.M.
18013-12

NOTE
REMOVED
12-12-69
SEE F.B.
3216 - ~~185~~ 245
L.V.S.

15.34' @ LEV.
T = 70° = 15.34' ✓

LEFT
PG. 140

Note: Any Additions or Changes on This Sheet, Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

F3095 CE#310 3-68

F. B. 3216 PG. 142



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN2096.45 Tape 82 Std 84 °F
Office Work	Surveyed by L-V-SMITH
Checked	Notes L.V.SMITH Date 1-6-69
Date	Indexed [redacted]

F. B. 3216 PG. 143



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

F. B. 3216 PG 144

NOTE
REMOVED 12-12-69
SEE F.B. 3216-188
L.V.S.

RECORD P.O.S.T.
SET L.A.CO. ENGR. TAG
IN LEAD IN OLD CONC.
PVMT. ON RECORD &
PROD.

35.96' @ LEV.
T=50°=35.95'

63.35'@ LEV.
T=78°=63.35'

1) 57° 53' 30"
4) 231 53 30
6) 347 20 30
57° 53' 25"

HRS

RIGHT
PG. 145

169.41'

NOTE
REMOVED
12-12-69
SEE F.B.
3216-~~188~~ 248
L.V.S.

RECORD & B.C.
SET 2" I.P. CONC. PLUG
& L.A.CO.ENGR. TAG IN
8" ON RECORD ANGLE
& DISTANCE FROM RECORD
P.I. S.ELY. PER F.M.
18013-12

OLD RIDGE ROUTE

R/W E.C.
286+67.64
FD. STATE HWY. R/W.
MON. = COPPER WIRE
IN 6"x6" CONC. POST
UP 8" IN GOOD CONDI-
TION PER F.M. 18013-12

50.19'

0.33'

TOP
LEFT
PG. 143

40.50'

RECORD & E.C.
SET L.A.CO.ENGR. TAG IN AD.
IN MACADAM PVMT. ON
RECORD ANGLE & DISTANCE
FROM RECORD P.I. S.ELY
PER F.M. 18013-12

58.27' @ 30°31' = 50.19'
58.65 @ 31°09' = 50.19'
T=78°=50.19'

NOTE
REMOVED
12-12-69
SEE F.B.
3212-~~188~~ 248
L.V.S.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of OLD RIDGE ROUTE
JN 0096.45 Tape R2 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 1-7-69
Indexed R.R. GALLI

F. B. 3216 PG. 145

NOTE
REMOVED
12-15-69
SEE F.B. 3216
PG. ~~147~~ 249
L.V.S.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

RECORD & E.C.
SET 2" I.P. CONC. PLUG
& L.A. CO. ENGR. TAG FLUSH
ON RECORD ANGLE & DIST.
FROM RECORD & B.C. ELY.
PER F.M. 18013-12

1) 122° 06' 30"
4) 128 25 20
6) 12 38 30
122° 06' 25"

SET 1X2 & NAIL
FOR RECORD
ANGLE

RECORD & B.C.
SET L.A. CO. ENGR.
TAG IN LEAD IN
CONC. PVMT. ON
RECORD ANGLE
& DISTANCE FROM
RECORD & E.L.Y.
PER F.M. 18013-12

NOTE
REMOVED
12-15-69
SEE F.B.
3216-~~147~~ 249
L.V.S.

RIGHT
PG 146

OLD RIDGE ROUTE

RECORD LONG CH.
169.41'

LEFT
PG. 144

38.19

38.19 @ L.E.V.
T = 48" = 38.18

SD. 93 @ 12°52' = 49.65
SD. 78 @ 12°06' = 49.65
T = 48° = 49.64

49.64

0.26'

289 + 69.74

R/W B.C.
FD. STATE HWY. B.C.
MON. = COPPER WIRE IN
6" x 6" CONC. POST UP
4" IN GOOD CONDITION
PER F.M. 18013-12

168.05 @ 2°19' = 167.91 = 167.91
168.10 @ 2°37' = 167.92
1.54 @ L.E.V. 1.54
169.45

T = 46° = 169.41'

76F3095 CE#310 3-68

F. B. 3216 PG 146

48.30' @ LEV.
T = 56° = 48.29' ✓

53.69' @ LEV
T = 56° = 53.68' ✓

RIGHT
PG. 147

1) 89° 01' 20
A) 356 05 40
6) 174 08 10 ✓
89° 01' 22" ✓

SET 1X2 & NAIL FLUSH

53.68' ✓

LEFT
PG. 145

89° 01' 22" ✓

102.13' ✓

48.29' ✓

NOTE
REMOVED
12-15-69
SEE F.B. 3216
PG ~~250~~
L.V.S.

INTERSECTION
SET 2" I.P. CONC. PLUG &
L.A. CO. ENGR. TAG FLUSH
AT INTERSECTION OF
RECORD & PROD. SLY. FROM
& E.C. N.WLY. & RECORD & PROD.
S.WLY. FROM RECORD & B.C.
N.ELY.

102.25' @ 2°29' = 102.15' ✓
102.28' @ 2°48' = 102.16' ✓ = 102.15' ✓
T = 56° = 102.13' ✓

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN0096-45 Tape 82 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 1-10-69
Date	Indexed E.L.GALLI

F.B. 3216 Pg. 147

1) 92° 08' 00"
4) 08 32 10
6) 192 48 00 ✓
92° 08' 00" ✓



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

F. B. 3216 PG 148

BOT. PG. 149

166.55' @ LEV.
T = 54° = 166.52'

50.01' @ LEV. T = 56° = 50.00'

R/W 298 + 14.80 B.C.

FD. STATE HWY. R/W MON = COPPER WIRE IN 6" X 6" CONC. POST UP 6" IN GOOD CONDITION. HELD TO THIS POINT TO SET RECORD ℄ PER F.M. 18013-13

166.52'

CHORD

154° 39' 00"

50.00'

50.00'

50.00'

OLD RIDGE ROUTE

401.37'

P.O.S.T. SET L.A. CO. ENGR. TAG IN LEAD IN OLD CONC. PVMT. ON RECORD SEMI-TANGENT

1)	154°	39'	00"
4)	258	36	00
6)	207	54	00
	154°	39'	00"

RECORD ℄ B.C. SET L.A. CO. ENGR. TAG IN LEAD IN OLD CONC. PVMT. AT 90° & 50.00' FROM R/W MON. PER F.M. 18013-13

401.43' @ LEV.
T = 60° = 401.37'

50.01' @ LEV.
T = 56° = 50.00'

TOP PG. 147

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of OLD RIDGE ROUTE
JN 0076-45 Tape 82 Std. 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 1-1069
Indexed R.L. BALL

F. B. 3210 PG. 149

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

BOT. PG. 150

RIDGE ROUTE

146.61'

RECORD & E.C. SET L.A.CO. ENGR. TAG IN OLD CONC. PVMT. ON CALC. RECORD DISTANCE FROM P.O.S.T. S'LY. ON RECORD ANGLE PER F.M. 18013

NOTE REMOVED 12-17-69 SEE F.B. 3216 - ~~PAGE~~ 253 L.V.S.

R/W E.C. 297 + 80.26' E.O. STATE HWY. R/W MON. = COPPER WIRE IN 6"x6" CONC. POST UP 8" IN GOOD CONDITION PER FM 18013-13

0.20'

49.92'

OLD

54.45' @ 23° 30' = 49.93'
54.73' @ 24° 09' = 49.91'
49.93'

T = 56° = 49.92'

50.01' @ LEV.
T = 58° = 50.00'

50.00'

1) 154° 39' 00"
A) 25 B 35 40
6) 207 53 40
154° 38' 57"

NOTE REMOVED 12-17-69 SEE F.B. 3216 - ~~PAGE~~ 253 L.V.S.

RECORD P.O.S.T. SET L.A. CO. ENGR. TAG IN OLD CONC. PVMT. ON RECORD ANGLE & DISTANCE FROM P.O.S.T. S.ELY. PER F.M. 18013-13

38'

146.92'

TOP PG-148

7 OF 3095 CE#310 3-68

F. B. 3216 PG 150

146.70' @ 1°43' = 146.63' ↓
146.76' @ 2°20' = 146.64' ↓ 146.63' V
T = 60° = 146.61' V

41.01' @ LEV.
T = 64° = 41.00' V

RIGHT
PG 151

41.00' ↓

RECORD P.I.
SET 2" I.P. CONC. PLUG
& L.A.CO. ENGR. TAG
UP 1" ON RECORD ANGLE
& DISTANCE FROM P.O.S.T.
SLY. PER F.M. 18013-13

NOTE
REMOVED
12-17-69
SEE F.B. 254
3216 - ~~194~~
L.V.S.

OLD RIDGE ROUTE 35

RECORD 41.03' ↓

135.

41.01' @ LEV.
T = 60° = 41.00' V

41.00' ↓

1) 135° 25' 00"
2) 181 30 20
3) 92 30 30" V
135° 25' 03" V

2997+33.15
R/W B.C.
FD. STATE HWY. R/W
MON. = COPPER WIRE
IN 6"x6" CONC.
POST UP 6". MON.
IN GOOD CONDITION
PER F.M. 18013-13

RECORD
B.C.
SET SMALL BOAT
S.P.K. W. & TIN
FLUSH IN MAC.
PVMT. ON REC.
ANGLE & DIST.
FROM P.O.S.T.
SLY. PER F.M.
18013-13

49.96' ↓

NOTE
REMOVED
12-17-69
SEE F.B.
3216-194
L.V.S.

54.68' @ 23°56' = 49.97' V
55.18' @ 25°06' = 49.97' ↓
T = 60° = 49.96' V

146.61' ↓

TOP
PG. 149

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of OLD RIDGE ROUTE
JN 0096-45 Tape 82 Std. 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 1-10-69
Indexed B.J. BALLI

F. B. 3216 PG. 151

R.I.W.P.R.C.
300 + 10.96
F.O. STATE HWY. R/W. MON.
= COPPER WIRE IN 6"x6"
CONC. POST. MON. UP 6",
IN GOOD CONDITION.
PER F.M. 18013-13

S1.91' @ 15°42' = 49.97' ✓
S1.41 @ 17°39' = 49.97 ✓
T = 58° = 49.96' ✓

NOTE
REMOVED
12-18-69
SEE F.B.
3216-~~170~~ 255
L.V.S.

1) 146° 55' 30"
2) 227 41 40
3) 161 32 30 ✓
146° 55' 25" ✓

RIGHT
PG. 152

167.11'

CHORD

OLD RIDGE ROUTE

RECORD
P.I.
NOTHING
SET

RECORD
P.O.S.T.
SET 2" I.P. CONC.
PLUG & L.A.CO. ENGR
TAG ON RECORD ∠
AT RECORD P.I. S.ELY.
PER F.M. 18013-13

NOTE
REMOVED
12-17-69
SEE F.B. 255
3216-~~170~~
L.V.S.

RECORD ∠
P.R.C.
SET 2" I.P. CONC
PLUG & L.A.CO.
ENGR TAG ON
1" ON RECORD
ANGLE & DISTANCE
FROM RECORD
P.I. S.ELY. PER
F.M. 18013-13

41.00' ✓
29.96' ✓
95.16' ✓
LEFT
PG. 150

95.79' @ 2°35' = 95.69' ✓
95.87' @ 3°33' = 95.69' ✓
T = 58° = 95.67' ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

F3095 CE#310 3-68

F. B. 3216 PG 152

166.11' @ 3°04' = 165.87' ✓
166.04 @ 2.35' = 165.87' ✓
1.27 @ LEV. 1.27 ✓
167.14' ✓

T = 54° = 167.11' ✓

R/W P.R.C.
303 + 57.32
FD. STATE HWY. R/W. MON.
= COPPER WIRE IN 6"x6"
CONC. POST UP 3" MON.
IN GOOD CONDITION
PER F.M. 18013-13

95.69 @ LEV.
T = 52° = 95.67' ✓

1) 146° 55' 30"
4) 227 41 50
6) 161 32 30 ✓
146° 55' 25" ✓

0.03'

80.40'

49.84' ✓

146°

55' ✓

25" ✓

RIGHT
PG. 153

OLD

RECORD ℄

95.67'

CHORD
167.11 ✓

LEFT
PG. 151

RIDGE ROUTE

NOTE
REMOVED
12-18-69
SEE F.B. 256
3216 - PP
L.V.S.

RECORD ℄
P.R.C.
SET L.A. CO. ENGR.
TAG IN LEAD IN
CONC. PVMT. DN.
0.04' ON CALC.
RECORD DISTANCE
& ANGLE FROM
RECORD P.O.S.T.
S.WLY. PER F.M.
18013-13

80.42 @ LEV.
T = 54° = 80.40' ✓

P.O.S.T.
SET 2" I.P. CONC. PLUG
& L.A. CO. ENGR. TAG.
ON RECORD ℄ SEMI-
TANGENT ON CALC.
ANGLE & DISTANCE FROM
RECORD P.O.S.T. S.ELY.
PER F.M. 18013-13

53.43' @ 21°05' = 49.85' ✓
53.65' @ 21°42' = 49.85' ✓
T = 58° = 49.84' ✓

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of OLD RIDGE ROUTE
JN 0096-45 Tape 82 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 1-16-69
Indexed R.J. CALLI

F. B. 3216 PG. 153

80.42 @ LEV.
T=54° = 80.40'✓

R/W E.C.
30.5 + 10.23
FD. STATE HWY. R/W.
MON. = COPPER WIRE
IN 6" x 6" CONC.
POST UP 2'. MON
IN GOOD CONDITION
PER F.M. 18013-13

RECORD P.I.
SET 2" I.P. CONC. PLUG
& L.A.CO. ENGR. TAG
FLUSH ON CALC. RECORD
ANGLE & DISTANCE
FROM 1ST RECORD P.O.S.T.
S.WLY. PER F.M. 18013-13

NOTE
REMOVED
12-19-69
SEE F.B. 3216
PG. 197-L.V.S.



1) 136° 12' 00"
4) 184 48 00
6) 97 12 20 ✓
136° 12' 03" ✓

NOTE
REMOVED
12-19-69 SEE
F.B. 3216-~~197~~ 257 L.V.S.

RECORD & E.C.
SET L.A.CO. ENGR. TAG
IN LEAD IN CONC.
PVMT. ON RECORD
ANGLE & DISTANCE
FROM RECORD P.I.
S.ELY. PER F.M. 18013-13

64.51' @ LEV.
T=56° = 64.50' ✓

54.41' @ 23°17' = 49.98' ✓
54.86 @ 24°20' = 49.99' ✓ = 49.98 ✓
T=56° = 49.97 ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 3216 Pg 154

50.93' @ 11°35' = 49.89' ✓
50.99' @ 11°56' = 49.89' ✓
T = 56° = 49.88' ✓

27.83' @ LEV.
T = 58° = 27.83' ✓

R/W. B.C.
305 + 74.73
F.D. STATE HWY. R/W. MON.
= COPPER WIRE IN 6" x 6"
CONC. POST UP 2" MON
IN GOOD CONDITION
PER F.M. 18013-13

1) 169° 24' 00"
4) 31 36 10
6) 296 24 00 ✓
169° 24' 00" ✓

LEFT
PG 153

24' 00" ✓
169° ✓
49.88' ✓
64.50 ✓
℄
ROUTE
27.83' ✓
RIGHT
PG. 155
RECORD ℄
27.83' ✓
OLD RIDGE

NOTE
REMOVED
12-19-69
SEE F.B.
3216 - ~~PG~~ 258
L.V.S.

RECORD ℄ B.C.
SET L.A. CO. ENGR.
TAG IN LEAD IN
CONC. PVMT. ON
RECORD ANGLE &
DISTANCE FROM
RECORD P.I. S.ELV.
PER F.M. 18013-13

RECORD P.I.
SET L.A.CO. ENGR. TAG
IN LEAD IN CONC.
PVMT. ON RECORD
ANGLE & DISTANCE
FROM RECORD P.I. S.ELV.
PER F.M. 18013-13

NOTE
REMOVED
12-19-69
SEE F.B.
3216 - ~~PG~~ 258
L.V.S.

27.84' @ LEV.
T = 56° = 27.83' ✓

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes of This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN0096-45 Tape 82 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 1-17-69
Date	Indexed E.L.BALL

F.B. 3216 PG. 155

282.73' @ 2°54' = 282.37' ✓
282.78' @ 3°08' = 282.36' ✓
4.54' @ LEV. ✓ = 4.54' ✓
286.90' ✓

T = 50° = 286.84' ✓

~~49.89~~
51.60' @ 14°48' = ~~50.00~~
51.93' @ 16°11' = ~~50.39~~
T = 50° = ~~49.99~~
49.67 ~~HRA~~

RIW E.C.
3.09 + 17.07
FD. STATE HWY. R/W MON. = COPPER WIRE IN 6"x6" CONC. POST UP 6" IN GOOD CONDITION - PER FM 18013-13

0-15'

1) 137° 16' 00"
2) 189 03 30
3) 103 35 40 ✓
137° 15' 57"

RIGHT PG 156

LEFT PG 154

49.99'

135.72' ✓ LONG CHORD

137° 15' 57"

RECORD CHORD

2783' ✓

RECORD ℄ ✓
286.84' ✓

OLD RIDGE ROUTE

NOTE REMOVED 12-31-69 SEE F.B. 3216-177 259 L.V.S.

NOTE REMOVED 12-19-69 259 SEE F.B. 3216-149 L.V.S.

RECORD & R.C.
SET L.A.CO. ENGR. TAG IN LEAD IN CONC. PVMT. ON RECORD ANGLE & DISTANCE FROM RECORD P.I. S.ELY. PER FM 18013

RECORD & E.C.
SET L.A.CO. ENGR. TAG IN CONC. IN CONC. PVMT. ON RECORD ANGLE & DISTANCE FROM RECORD P.I. S.ELY. PER FM 18013-13

134.45' @ 2°09' = 134.36' ✓
134.49' @ 2°36' = 134.35' ✓ = 134.35' ✓
1.40' @ LEV. 1.40' ✓
135.75' ✓

T = 52° = 135.72' ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 3216 PG 156

29.68' @ 36°01' = 24.01 ✓
29.90' @ 36°35' = 24.01 ✓
26.52' @ LEV = 26.52 ✓
50.53 ✓

T = 56° = 50.52 ✓

RECORD & E.C.
SET L.A.CO. ENGR. TAG IN LEAD IN CONC. PVMT. ON RECORD ANGLE & DISTANCE FROM RECORD & E.C. S.WLY. PER F.M. 18013-13

RECORD & E.C.
SET L.A.CO ENGR. TAG IN LEAD IN OLD CONC. PVMT. DN. 2" ON CALC. RECORD ANGLE & DIST. FROM RECORD & E.C. S.WLY. PER FM 18013-13

NOTE
REMOVED
12-29-69
SEE F.B.
3216 - ~~200~~ 260
L.V.S.

R/W B.C.
312 + 37.16
FD. STATE HWY. R/W MON. = COPPER WIRE IN 6" x 6" CONC. POST FLUSH. MON. IN GOOD CONDITION - PER FM. 18013-13

NOTE
REMOVED
12-29-69
SEE F.B.
3216 - ~~200~~ 260
L.V.S.

ROUTE

0.25'
50.52'
171.76'
LEFT PG 157
49.30'
0.33'

OLD RIDGE ROUTE

170.92' ℄
RECORD

CHORD ↓

℄

137° 16'

R/W B.C.
312 + 37.16
FD. STATE HWY. R/W MON. = COPPER WIRE IN 6" x 6" CONC. POST UP. 12". MON. LEANING N.WLY. PER FM. 18013-13

1) 137° 16' 00"
4) 189 03 50
6) 103 36 00 ✓
137° 16' 00" ✓

135.72' ✓
RECORD

LONG

52.95' @ 21°22' = 49.31 ✓
53.26' @ 22°10' = 49.32 ✓
49.31 ✓

T = 58° = 49.30 ✓

169.27' @ 2°08' = 169.16' ✓
169.37' @ 2°29' = 169.16 ✓
1.79' @ LEV. = 1.79 ✓
170.95 ✓

T = 58° = 170.92 ✓

LEFT PG. 155

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of OLD RIDGE ROUTE
JN 0096-A Tape 82 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 8-1769
Indexed

F. B. 3216 PG. 157

172.75 @ 3°37' = 172.41' ✓
172.70 @ 3°14' = 172.43' ✓ = 172.42' ✓
T = 60° = 172.39' ✓

RECORD
& E.C.
ED. L.A.CO. ENGR.
TAG IN LEAD
IN CONC. PVMT.
PG. 93

PG 93

C/L RECORD

1) 120° 18' 30"
4) 121 13 10
6) 01 50 40 ✓
120° 18' 27" ✓

OLD RIDGE ROUTE

27"

18'

120°

172.59 ✓

RECORD
& E.C.
ED. L.A. CO.
ENGR. TAG
IN LEAD IN
CONC. PVMT
PG. 93

INTERSECTION
SET 2" I.D. CONC.
PLUG & L.A. CO. ENGR.
TAG FLUSH ON INT-
ERSECTION OF
RECORD & PROD.
FROM S.W. & RECORD
& PROD. S.LY. FROM
RECORD E.C. N.LY.

RIGHT
PG. 156

171.76 ✓

NOTE
REMOVED 12-29-69
SEE F.B. 3216 - ~~247~~
L.V.S. 26

174.27 @ 9°41 = 171.79 ✓
174.09 @ 9°20 = 171.79 ✓
T = 60° = 171.76' ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

F. B. 3216 PG 158

SET 1X2 & NAIL FOR CLOSING ANGLES

CLOSING LINE A

CLOSING LINE

RIGHT PG. 147

1)	21°	44'	00"
2)	86	55	20
3)	130	23	30
	21°	43'	55"

TOP PG. 138

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of AVE U-8
Map No. P-5772 J. McCRILL	JN 0074.00 Tape 186 Sta 84 "E
Office Work	Surveyed by J.C. PIERCE
Checked	Notes J.C.P. Date 10-16-69
Date	Indexed [illegible]

F.B. 3216 PG. 159

J.N. 0074.00

AVENUE U-8

CENTERLINE SURVEY

FROM: 141ST ST. EAST

TO: 155TH ST. EAST

PIERCE
KING
TALBOT
MITCHELL

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7-67 5038 CE #310

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F.B. 3216 PG 160

Notes Ck'd by R. MANOR
Map No. B-51/70
Office Work J. MERRILL
Checked
Date

Survey of AVE U-8
JN 0674.00 Tape 186 Sta 84 °F
Surveyed by J.C. PIERCE
Notes J.C.P Date 10-10-69
Indexed C.L.GALLI DEC 12 69

F.B. 3216 Pg. 161

To BOT Pg. 201

Note: Any Additions or Changes on this Sheet Must be Made or Ckd'd in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

SIDE Pg 198

To RT

(50)

FD. 2X24

To 2X2

4.11.64

(50)

(50)

(50)

To AVE U-4

1323.92

(50)

EAST

(R.P. SET A 2" IP & C.E. TAG UP 10")

89° 38' 30"

30 Rd.

30' HWY

50'

AVE U-8

2637.22 @ LEV (T=64) = 2636.88

901.58 @ 64° = 901.46

411.69 @ 68° = 411.64

2636.88

Pg. 163

1/4 SECTION LINE

901.46

50'

HWY

(40)

(40)

To BOT

(R.P. SET A 2" IP & C.E. TAG CEM. PLUG UP 6")

1/4 SECTION CORNER
SEC'S. 13, 14 T. 5 N. R. 10 W.
FD. A STD. COUNTY SURVEYORS B.C. MON DN. 10" MKD. AS SHOWN PER C.S. 8734

COUNTY SURVEY
T 5 N R 10 W
13 | 14
1/4 COR.
MONUMENT

136TH ST.

① 89° 38' 30"
④ 358° 33' 35"
② 89° 38' 23 3/4"
177° 50' 20"
89° 38' 23 3/4"

⑧ 90° 17' 35"
⑤ 361° 10' 20"
90° 17' 35"
⑥ 181° 45' 30"
90° 17' 35"

W.S. Cty C.S.

16F5098 CE#310 9/67

TO RIGHT PG. 163

F.B. 3216 PG 162

141ST ST EAST

2646.42
2668.42
1/4 SECTION LINE

90° 01'

(RP
FD. 2" I.P. CEM.
PL. & NAIL UP 6"
F.B. 2632-99

10.71
1/4 Pat

2634.70 Y (F.B. 2632-99)
SECTION LINE

AVE.

10.71
1/4 Pat

TO LEFT PG. 161

R.P.
FD. 2" I.P. CEM.
PL. & NAIL UP 6"
#F. 2632-99

1) 90-01-40
4) 90-01-00
90-01-45
6) 180-10-40 ✓
AVE) 90+01-46 1/2 ✓

2646.42 @ COV. (T = 72) = 2646.42 ✓
2668.83 @ LEV. (T = 72) = 2668.42
1/19/00 J.C.P.

1/4 SECTION CORNER
SECTIONS 13, 24
T. 5N., R. 10 W.
FD. "A" STD. CO. ENGR.
B.C. MON. FLUSH
MKD AS SHOWN
PER F.B. 2632-99

COUNTY ENGINEER
T. 5N.
13
24
R. 10 W.
L.S. 5809

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side or this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

76F9098 CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 66, 4-4

Notes Grid by R. MANOR
Map No. B-3720
Office Work J. MERRILL
Checked
Date

Survey of A.F.E. U-8
JN 04744 Tape 1866 Sta 84+71
Surveyed by J.C. PIERCE
Notes J.C.P. Dated 10-16-67
Indexed P.B. CARD Dated 12-18

F.B. 3216 PG. 143

TO BOT. PG. 164

CENTERLINE OF SECTION
T.5N. R.10W.
SET BY INTERSECTION
OF A 2" I.P. CEM.
PER BLM TAG R.E. 2000
PER RP PLACED WITH A
STD. COUNTY B.C.
(MON. 12" BELOW
SURFACE MKD. AS
SHOWN)

COUNTY ENGINEER
T. 5 N.
CEN
SEC. 13
R. 10 W.
R.E. 5864

2645.56

1) 90-03-00
4) 00-12-40
90-03-10
6) 180-19-10
AVE) 90-03-11 2/3

R.P.
SET A 2" I.P.
CEM. FLUG &
TAG UP 8"

41ST

90° 02' 50"
45° 00' 00"
45° 02' 50"
TAN 1.00145

U-8

AVE.

2636.88

1/4 SECTION LINE

759.00

(40)

TO BOT PG. 165

TO BOT. PG. 165

(40)

(40)

TO RIGHT PG. 161

B.C. 25-78
NOTHING SET

90° 02' 50"
TAN 1.00145

89° 56' 50"

R.P.
SET A 2" I.P.
CEM. PLUG &
C.E. TAG UP 8"

759.06 @ LEV. (T = 72) = 759.00

2645.77 @ LEV (T = 72) = 2645.56

1) 89-57-00
4) 359-47-20
89-56-50
6) 179-41-10
AVE) 89-56-51 1/3

1) 90 02 50
4) 00 12 40
90-03-10
6) 180-18-50
AVE) 90-03-08 1/3

EAST

2636.88

1/4 SECTION LINE

1) 89-57-00
4) 359-47-20
89-56-50
6) 179-41-00
AVE) 89-56-50

TO TOP PG. 162

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 66, C-4



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 17, C-4

Notes Ck'd by R. MANOR
Map No. B-5770
Office Work J. MERRILL
Checked
Date

Survey of AVE U-8
JN 0074.00 Tape 186 Std. 84 °F
Surveyed by J.C. PIERCE
Notes J.C.P. Date 10-14-69
Indexed C.J. GALLI DEC 12 '69

F.B. 3216 PG. 165

R.P.P.I.
SET 1" I.P. & C.E.
TAG UP 1'

57.85 @ LEV. (T=56) = 57.84

57.84 TAN.

R.P.P.I.
SET 1" I.P. & C.E. TAG
UP 1'

118.44 @ LEV (T=56) = 118.42

1879.68 @ LEV. (T=72) = 1879.53

PROPOSED P.I. #1
SET A 2" I.P. CEM. PL
& C.E. TAG DN. 9"

1.842 PROD.

TO LEFT PG. 170

759.00

1879.53

1/4 SEC. LINE

TO TOP PG. 163

(40)

(40)

PROPOSED AVE. U-8

1	44 - 27 - 30.00	
4	177 - 50 - 00.00	
3	44 - 27 - 32.00	
2	266 - 45 - 00.00	
AVE 5	44 - 27 - 30.00	

44° 27' 20" Adj. Data
R = 2000.00
Δ = 1551.88
T = 817.37
EX. = 160.58

Δ = 44°27'20"
R = 2000.00
L = 1551.79
T = 817.32

805.86

(40)

805.99 @ LEVEL (T= 60) = 805.86

TO LOWER LEFT PG. 167

TO BOT. PG. 169

F.B. 3216 PG. 166

146TH ST. EAST

SEC. LINE 1323.64

1) 90-03-50
4) 00-14-10
6) 90-03-32½
AVE) 90-03-33⅓

1) 90-53-10
4) 03-33-20
6) 90-53-20
AVE) 90-53-23⅓

FD. 2" I.P. (CEM.) PL. & C.E. TAG UP 10". F.B. 2292-88

45" adj 35"

90°

90.03'

53.25'

N 42.43' W

AVE.

2634.70 (F.B. 2632-99)
SEC. LINE

2509.40
SEC. LINE

N 42.43' W

110.55'

FD. 2" I.P. CEM. PL. C.E. TAG UP 10" F.B. 2292-88

SECTION CORNER
13, 24, 18, 19, T.5N.
R.9W, R.10W.
FD. L.A. CO. ENG'R. B.C.
MON. DN. 6" MKD.
AS SHOWN
PER F.B. 2292-88

1323.74 @ LEVEL (T=72) = 1323.64
2509.47 @ LEVEL (T=80) = 2509.40

FD. BT, SPK & W. IN 4" JOSHUA TREE F.B. 2292-88

COUNTY ENGINEER
T.5N.
R.10W.
13 18
24 19
R.9W.
R.E. 5869

TO RIGHT PG. 162

TO BOT. PG. 172

W. 5,162 D.S.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. MANOR	Survey of AVE U-8
Map No. B-5170	JN 0674.00 Tape 186 Sta 64 "E"
Office Work J. MERRILL	Surveyed by J.C. PIERCE
Checked	Notes J.C. PIERCE Date
Date	Indexed C.T. GALLI DEC 12 '80

F.B. 3216 PG. 167

TO LOWER LEFT PG. 168



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

75F9084 CE#310 9-67



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F9098 CE#910 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

US 66, D-4

TO TOP. PG. 168

1323.74 @ LEV. (T=72) = 1323.64

1) 89-05-50
4) 356-23-00
89-05-45 ✓
6) 174-34-50 ✓
AVE) 89-05-48⅓ ✓

(40) (40)

1/4 SEC. LINE ROAD 539.00'

89° 05' 50" E

146TH ST.

1323.64'

EAST

1323.64'

TO EOT. PG. 170

TO TOP PG. 166

371.50' E.C. 50+30.84 NOTHING SET

P.O.T. 60+30.96 SET 1"x2" STK. & NAIL FL

1/16 SECTION COR. SET AT INTERSECTION OF CENT. LINE OF E.C.B. FLUSH BY APPROPRIATE DEVICE BETWEEN ADJACENT 1/4 CORNERS

1/4 1/4 SEC. LINE 2140.04'

(40) (40)

371.54 @ LEV. (T=66) = 371.50 ✓

2140.29 @ LEV. (T=66) = 2140.04 ✓

TO LEFT PG. 173

Notes Ckd by R. MANOR
Map No. E-5172
Office Work J. MERRILL
Checked
Date

Survey of Ave U-8
JN 647-40 Tape 184 Std. 84'S
Surveyed by J. C. PIERCE Date 10-15-69
Notes U.C.P.
Indexed R. MANOR Date 12-80

FB 3216 PG. 169

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 66 / D-4



Notes Ck'd by R. MANOR
Map No. D-5170
Office Work J. MERRILL
Checked
Date

Survey of AVE. U-8
JN 0074.00 Tape 106 Std 84 °F
Surveyed by J.C. PIERCE
Notes J.C.P. Date 11-69
Indexed [illegible] GALLI DEC 12 '69

F.B. 3216 Pg. 171

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

MS. 16 D-4

TO RIGHT PG. 164

AVE.

2648.82
(F.B. 3216-68)

R.P.
FD. 2" I.P. CEM. PL.
& C.E. TAG UP 6"
F.B. 3216-68

U.

2475.37
(F.B. 3216-74)

70.71 TAN

89° 52' 30" (Calc)

89° 03' 15"

TO LEFT PG. 175

R.P.
FD. 2" I.P. CEM.
PL. & C.E. TAG
UP 6"
F.B. 3216-68

SECTION CORNER
SECS 7, 12, 13, 18,
T.5N., R.9 & 10W.
FD. A CO. SURVEYOR'S
B.C. MON UP 6"
PER C.S. 8734
SEE F.B. 834-50
SEE F.B. 3216-168
MARKED AS SHOWN

1)	89-52-40
4)	359-30-00
	89-52-30
6)	179-15-00
AVE)	89-52-30

1)	89-03-00
4)	356-12-50
	89-03-12½
6)	174-19-20
AVE)	89-03-13⅓

146TH ST. EAST

2643.33
SEC. LINE

COUNTY SURVEY MONUMENT
T.5N.
R.10W. R.9W.
12 7
13 18

TO TOP PG. 170

ZAFSOSA CE#310 9-67

F.B. 3216 PG. 1172

TO LEFT PG. 1178

S-9, 99 SM

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this shee of this line.

SEC. 18
T.5N. R.9W.

FD. BT. SPK. & W.
IN 9" JOSHUA TREE
E.B. 2292-88

12 91-19-00
4 05-16-00
8 91-54-00
AVE 91-17-03 1/3

1770.85

NOTE: UPON RECEIPT OF F.B. 2292
I RET. DRIVEN TO THIS POINT
AND CHECKED LOCATION OF THIS
1/4 COR. AS PER F.B. 2292-88

12-1-69 JCP

19432 @ (T=54) = 194228
24131 @ (T=54) = 241126

12205 @ LEVEL (T=80) = 11205
11709.0 @ LEVEL (T=80) = 1170.85
1322.39 @ LEVEL (T=80) = 1323.39

150TH ST EAST

TO BOT. PG. 1173

1/4 SEC. LINE
1322.39
1323.39

FD. BT. SPK. & W.
IN 8" JOSHUA TREE
PER F.B. 2292-88

1/4 SECTION CORNER
THE MONUMENT AT THIS POINT WAS EVIDENTLY WASHED OUT DURING THE WINTER RAINS OF 1968-1969 AS NO EVIDENCE OF MON. WAS FOUND PER F.B. 1242-10 GUY WIRES TO SET A SIGHT WERE FOUND TIED TO BUSHES APPROX 1 FT TO SW. & NW OF POINT ON TOP OF A FRESH CUT APPROX 3 FT. DEEP. I SET A CO. ENG'R B.C. MON. UR 4" MKD. AS SHOWN BY SINGLE PROPORTION BETWEEN ADJACENT SECTION CORNERS PER C.S. 9022-12.
11-19-69
J.C.F.

COUNTY ENGINEER
T.5N.
18
19
1/4 COR.
M&R

P.O.L.
SET 1X2 STK & NAIL
(WIGGLE RT.)

1/4 FD. JOSHUA TREE WITH SPK. & TIN TAG UNDER 2 FT. (SEE F.B. 2292-88)

12 88-40-40
4 43-30-30
8 40-52 1/2
2 17-05-30
AVE 88-40-55

2509.40

TO RIGHT PG. 1166

76F3098 CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.66, D-4

TO RIGHT PG. 169

1323.43 @ LEV (T=68) = 1323.29 ✓

450.05 @ LEV (T=68) = 450.00 ✓

1)	88	40	00
4)	354	40	00
5)	88	40	00 ✓
6)	172	00	20 ✓
AVE)	88	40	03 1/3 ✓

B.C. 78+02.15
NOTHING SET

(40) PROP. 1/4 SEC. LINE

T.5N R.9W.

SEC. 18

2140.04 ✓

90°

AD. 0.5' ✓

150TH ST.

EAST.

TO BOT. PG. 174

1323.29 ✓

1323.29

1/4 SEC. LINE ✓

1323.34
(Rec. #-23-73)

0.05'

1/16 SECTION COR.
SET A 1" I.P. & C.E.
TAG FLUSH BY PROPORTION
BETWEEN SO. 1/4 COR. & CTR.
OF SECTION

1/4 SEC. LINE

450.00' ✓

AVE

(40)

(40)

TO LEFT PG. 172

TO BOT PG. 174

Notes Ck'd by R. MANOR
Map No. 23-3172
Office Work J. MERRILL
Checked
Date

Survey of AVE U-8
JN 001400 Tape 486 Sta 0+47
Surveyed by J.C. PIERCE
Notes C.P.B. Date 11-49
Indexed 01 CAH 02 12 00

F.B. 3216 PG. 1173

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 66, D-4



76F3098 CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W5.66, D-4

TO RIGHT PG. 171

Notes Cked by R. MANOR
Map No. ____ Surveyed by J. MERRILL
Office Work J. MERRILL
Checked ____
Date ____

Survey of AVE. U-8
JN 00746 Tape 184 Std 84 #3
Surveyed by J. C. A. PIERCE
Notes J. C. A.
Date 11-69
Indexed C. L. GALLI Date 12-69

F.B. 3216 PG. 175

D)	91 - 30 - 30	R. P.
4)	06 - 03 - 00	FD. 2" I.P. &
	91 - 30 - 45	C.E. TAG UP 6"
6)	189 - 04 - 30	F.B. 3216 - 74
AVE)	91 - 30 - 45	

2475.37' (F.B. 3216-74)

AVE. U

LINE (S.B. 32)

75' SEC.

90° 00' 00" (AVE)

150TH ST. EAST

2636.54'

1/4 SECTION LINE

89° 50' 50" (AVE)

50'

1257.01' SEC.

2645.71' (F.B. 3216-74)

LINE

U

1/4 SECTION COR. BETWEEN SECS. 7 & 18, T. 5 N., R. 9 W. FD. A 1½" I.P. IN CONC. WITH CONC. PLUG & CUT SPK. UP 6" IN ROCK MOUND PER C.S. 8734 SEE F.B. 3216-74

R. P. FD. 2" I.P. & C.E. TAG UP 6" F.B. 3216 - 74

D)	88 - 50 - 50	
4)	355 - 23 - 00	
	88 - 50 - 45	
6)	173 - 05 - 00	
AVE)	88 - 50 - 50	

TO TOP PG. 1774

TO LEFT PG. 181

F.B. 3216 PG. 176

1006.02 @ LEVEL (T = 60) = 1005.86 ✓

35.83 @ LEV. (T = 66) = 35.83 ✓
62.46 @ LEV. (T = 66) = 62.45 ✓

PROPOSED PI # 3
SET A 1" I.P. C&M. PL.
& L.E. TAG FLUSH IN
BOTTOM WASH THIS PT. SET AT
CALC. DIST. 450.00 E. OF 150TH
ST. EAST

450.00 ✓

35.83 ✓
TAN.

62.45 ✓
PROP.

135°

10" Adj
85"
22'

PROPOSED

AVE.

U.G.

R.P.I. 1" I.P. SET FLUSH ON TOP OF C.E. TAG BANK

R.P.I. 1" I.P. SET FLUSH C.E. TAG

1005.86 ✓

(40')

(40')

(10')

(10')

TO RIGHT PG. 177.3

TO LOWER LEFT PG. 177

Adj Data
Δ = 44°37'30"
R = 1800.00
L = 1402.11
T = 738.79

Δ	=	44	37 55
R	=	1800	
L	=	1402.20	
T	=	738.85	
Ex	=	145.74	

1) 135-22-10
4) 181-28-50
135-22-07 1/2
3) 92-12-20 ✓
AVE: 135-22-03 1/3 ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes.

Notes Ck'd by R. MANOR
Map No. 8-5170
Office Work J. MERRILL
Checked
Date

Survey of AVE. U-8
JN 0674.00 Tape 186 Sta 84 'F
Surveyed by J.C. PIERCE
Notes J.C.P. Date 11-69
Indexed G.H.GALL DEC 12 69

F.B. 3216 PG. 177

TO EOT LEFT PG. 178

(40)

(40)

B.C. NORTHING 2x4 STK. 3 EK.

876.95 @ LEVEL (T=60) = 876.71

PROPOSED AVE. U-8

876.71

P.O.T. 95+51.36
SET 1 X 2 STK. &
NAIL FLUSH

1005.86

(40)

(40)

E.C. NORTHING 2x4 STK. 3 EK.

TO TOP RIGHT PG. 176

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

25F3088 CE#310 9/67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W 566, D-5



Notes Ck'd by R. MANOR
Map No. 19-5170
Office Work J. MERRILL
Checked
Date

Survey of AVE. U-8
JN 0974.00 Tape 186 Sta 84+F
Surveyed by J.C. PIERCE
Notes J.C.P. Date 11-49
Indexed ILLEGIBLE DEC 12 '49

F.B. 3216 Pg. 1779

TO BOT. PG. 180

W.S. 5170-5

EAST

2645.22
SEC. LINE

2645.70 @ LEVEL (CT=36') = 2645.22

(R.P. FD. 2" I.P. CEM. PLUG & NAIL UP 6" PER F.B. 2292 -)

AVE. V.

88° 49' 55" 05.1

887.00
SEC. LINE

56 PNTS

(R.P. FD. 2" I.P. CEM. PL. & NAIL PER F.B. 2292 -)

112 + 39.51
SECTION CORNER
NO EVIDENCE FOUND OF CO. ENG'R MON. PER F.B. 2992-91 SET A CO. ENG'R B.C. MON. DN. 10" MK'D. AS SHOWN BY TIES PER F.B. 2992 -

155TH ST.

To Top Pg. 178

2)	88 - 41 - 00	
4)	334 - 44 - 10	
	88 - 41 - 02½	
6)	172 - 06 - 30	
AVE)	88 - 41 - 05	

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los ANGELES COUNTY ENGINEERING BLDG.

COUNTY ENGINEER
T. 5 N.
R. 9 W.
18 17
19 20
R.S. 5867

rb 5008 dt# 310 9-67

F.B. 3216 PG 180

TO BOT PG. 181

1) 88-39-20
4) 354-37-10
88-39-17½
6) 171-56-10
AVE) 88-39-21/3 ∠

2645.92'
1/4 SEC. LINE

20'
39'
88°
91°
20'
40"

1) 91-20-40
4) 05-23-00
91-20-45
6) 188-04-40
AVE) 91-20-46⅔ ∠

155TH ST.

2645.22'
SEC. LINE

TO TOP PG 179

EAST

2645.63'
SEC. LINE

2646.11' @ 2EV. (T.E 56) = 2645.63'

W 5.96, U-4

AVE. U-8

1/4 SECTION COR.
SECS. 18, 19, T. 5N.
R. 9 W.
FD. A CO. SURVEYOR
B.C. MON. BN. 6"
MKD. AS SHOWN
PER F.B. 1262 - 7

COUNTY SURVEYOR
T. 5N.
R. 9W.
18 - 17
1/4 COR.
RE 2177

TO HIGH PG. 174

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

75F3098 CE# 310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W 566 D 4

TO RIGHT PG. 175

Notes Ckd by R. MANOR
Map No. ____
Office Work J. MERCILL
Checked ____
Date ____

Survey of AVE. U-8
J.N. 62746 Tape 186 Std. 8½" F
Surveyed by J.C.P. J.C. PIERCE
Notes J.C.P. Date 11-26-68
Indexed C.L. GALLI Date DEC 12 68

F.B. 3216 PG. 181

AVE. U.

2645.77 (F.B. 3216-73)
SEC. LINE

R.P. 2" I.P. & C.E. F.D. CO. SURVEYORS B.C. F.B. 3216-73

16° 10' 14" Rt.

155TH ST. EAST

2645.63
SEC. LINE

R.P. 2" I.P. & C.E. F.D. CO. SURVEYORS B.C. F.B. 3216-73

10° 14" Rt.

SEC. CORNER
SECS. 7, 8, 17, 18,
T. 5 N., R. 9 W.
F.D. CO. SURVEYOR'S B.C.
MON. 6" UP IN ROCK MOUND
PER C.S. 8734
F.B. 1202-8
F.B. 3216-73

R. 9 W. (COUNTY SURVEY) T. 5 N.
7 8 18 17
MONUMENT

9) 91-09-00
4) 91-36-11
3) 91-09-02½
6) 186-54-30
91-09-05

AVE. U

TO TOP PG. 180

Notes Ck'd by R. HILARIO	Survey of AVE U-AVE. V TRAN. FB 3216 Pg 183
Map No. B-5217-1-4	JN 0098.11 Tape 136 Std 84 °F
Office Work S. SUNABE	Surveyed by J.S. COATES
Checked G. KURACHI	Notes J.S.C. Date 2/24/70
Date 4-24-70	Indexed D.T. GALLI

J.N 0098.11

AVE U-AVE. V TRANSITION

CENTER-LINE SURVEY
116TH ST. E TO 131ST ST. E.

COATES
VANNESS
ADAMS
BITTEL

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE#310 9/67


F.B. 3216 PG 184
136 TH ST E
131 ST
126 TH ST E
121 ST ST E
116 TH ST E.
TRANSITION
U-8
AVE
AVE
AVE
AVE
AVE
AVE
200
201
161
199
198
197
198
196
193
195
192
194
189
189
191
188
187
186
185
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. HILARIO
Map No. 6-5217-1/4
Office Work G. GUNARE
Checked G. KURACHI
Date 4-24-70

Survey of AVE U-AVE V TRAN
JN 4098.11 Tape 136 Sta 84-F
Surveyed by USC&GS
Notes USC Date 2/24/70
Indexed G.A. CAULI MAR 18 70

F.B. 3216 Pg. 185

TO BOT PG 186

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

N 89° 35' W

1160 M ST E

NEW CENTER LINE

Level 267.72

300.42 @ 88°24'20" = 300.30
300.40 @ 88°41'20" = 300.32
301.13 @ 91°49'20" = 300.98
301.14 @ 91°39'00" = 300.96
300.34 @ 88°26'35" = 300.25
300.34 @ 88°36'50" = 300.25
300.46 @ 92°04'15" = 300.26
300.45 @ 91°57'40" = 300.27
300.41 @ 88°27'30" = 300.30
300.37 @ 88°39'30" = 300.29
1769.80
T=58 30
1769.50

1769.50 SECTION LINE

TO E AVE U 18 (new)

AVE V

59.98

FD. L.A.C. RD BRASS CAP IN WELL 1969 per R.D.F.B. 3031 Pg. 22

COUNTY ENGINEER T 5N R 10W 16 15 21 22 R.E. 5869

Cor. Sect. 15, 16, 21, 22 T 5N R 10W FD. 2" I.P. 18" dn DIRT PLACED WITH RUBBLE. MON. IN WELL 26-62 SEE F.B. 2687-40

EDWARDS AFB 1945 62E

FD. L.A.C. RD 4" Fn Post

40.47

40.86

FD. L.A.C. RD 4" Fn Post

GATE

PUMPING PLANT

AVE U

16F3088 CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 66, B-4


TO SLOPE PG 189
FD NAIL
FD 4"x4" CONC. MON. BOX
FD 4"x4"CONC MON BOX
FD NAIL
FD NAIL
FD NAIL

76F3098 CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

4

Notes Card by R. HILARIO
Map No. 2-52-17-1/64
Office Work S. SUNAGA
G. KURACHI
Checked
Date 4-20-64

Survey of AVE U AVE W-TRANS
JN 2022-1 Tape 1136 Sta 0+00
Surveyed by J.S.C. COATES
Notes
Indexed C.E. DAU 4-18-64

F.B. 3216 PG. 187
To BDY. PG. 188

300.89 @ 88° 57' 35" = 300.84
300.92 @ 88° 47' 40" = 300.85

300.618 91° 15' 00" = 300.54
300.60 @ 91° 09' 30" = 300.54

300.72 @ 270° 34' 20" = 300.71
300.72 @ 270° 45' 20" = 300.69

300.82 @ 90° 58' 35" = 300.78
300.84 @ 90° 49' 20" = 300.81

1414.90 @ 64° = 1414.72

24.93' Level
1229.80 @ 64° = 1229.64

BC. F.D. RD BRASS CAP IN CONC. FOR RD FB 3031-

FD NAIL & DISC #1805394E

FD NAIL & DISC #1624462E

TO NEW LINE

TO TOP PG. 186

SECTION LINE

1229.64

1414.72

64.80

116

TH

64

W

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS66, B-4


AVE.
116TH ST. E.
FD NAIL
TIP #1468.84H
FD NAIL
TIP #1468.94H
FD NAIL
TIP #1468.52E
FD NAIL
TIP #1462.30E
PC 191
203
(05)
(05)
(05)
(05)
TO TOP
PC 187
930.00
RP
CONC. PLUG
Δ 90° 30' 15"
Δ 90° 30' 13"
Δ 89° 01' 20"
Δ 90° 30' 13"
Δ 89° 00' 55"
Δ 90° 30' 15"
T 30.00
T 30.00
T 30.00

W 566, B-4, B-5

Notes Ck'd by R. HILARIO
Map No. B-5217-1/4
Office Work S. SUNABE
Checked G. KURACHI
Date 4-24-74

Survey of AVE M-AVE V TRANS
JN 9284 Tape 436 Sta 84 'F
Surveyed by JS COATES
Notes JSC Date 2/21/70
Indexed C.L.GALLI 4-18-70

F.B. 3216 Pg. 189

TO BOT. PG. 135

(40) (40)

RP SET 2" I.P. 6"UP CONC. PL & C.E. TAG

AVE

TO RT SIDE PG. 186

FD. 2" I.P. 10"dn CONC. PLS TAG L.S. 2424 per RS 73-4

CENTER SECT 15 T5N R10W SET C.E. MON. 12" down BY INT. MARKED

COUNTY ENGINEER T5N CTR R10W SECT 15 R.E. 5869

AVE

C.L. Chain Link Fence

RP FD 2" I.P. 6"UP CONC. PL & NAIL

FD 4"x4" RWD POST

1323.18 @ 50° = 1322.89

89° 39' 20"
358° 37' 20"
89° 39' 20"
177° 55' 55"
89° 39' 19½"

2641.66

TO E¼ COR

RP SET 2" I.P. 6"UP CONC. PL & C.E. TAG

COUNTY SURVEYOR'S T5N R10W 15 22 ¼ COR MONUMENT

¼ COR SEC. 15, 22 T5N R10W FD C.S. MON. 10'dn per C.S. 9734 F.B. 2632-67 MARKED

RP FD 2" I.P. 6"UP CONC. PL & NAIL

121 ST.

U-8

V

TO E¼ COR

SIDE PG. 180

TO LEFT

Note: Any Additions or Changes on this Sheet Must be Made or Ctcked in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F9098 CE#310 9/67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 66, C-4


PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
W.S. 66, C-4
N
To Pt. 8
(50)
To Pt. 197
(50)
To Pt. 196
(50)
To Pt. 189
(50)
To Pt. 126
(50)
To Pt. 130
(50)
To Pt. 129
(50)
To Pt. 128
(50)
To Pt. 127
(50)
To Pt. 125
(50)
To Pt. 124
(50)
To Pt. 123
(50)
To Pt. 122
(50)
To Pt. 121
(50)
To Pt. 120
(50)
To Pt. 119
(50)
To Pt. 118
(50)
To Pt. 117
(50)
To Pt. 116
(50)
To Pt. 115
(50)
To Pt. 114
(50)
To Pt. 113
(50)
To Pt. 112
(50)
To Pt. 111
(50)
To Pt. 110
(50)
To Pt. 109
(50)
To Pt. 108
(50)
To Pt. 107
(50)
To Pt. 106
(50)
To Pt. 105
(50)
To Pt. 104
(50)
To Pt. 103
(50)
To Pt. 102
(50)
To Pt. 101
(50)
To Pt. 100
(50)
To Pt. 99
(50)
To Pt. 98
(50)
To Pt. 97
(50)
To Pt. 96
(50)
To Pt. 95
(50)
To Pt. 94
(50)
To Pt. 93
(50)
To Pt. 92
(50)
To Pt. 91
(50)
To Pt. 90
(50)
To Pt. 89
(50)
To Pt. 88
(50)
To Pt. 87
(50)
To Pt. 86
(50)
To Pt. 85
(50)
To Pt. 84
(50)
To Pt. 83
(50)
To Pt. 82
(50)
To Pt. 81
(50)
To Pt. 80
(50)
To Pt. 79
(50)
To Pt. 78
(50)
To Pt. 77
(50)
To Pt. 76
(50)
To Pt. 75
(50)
To Pt. 74
(50)
To Pt. 73
(50)
To Pt. 72
(50)
To Pt. 71
(50)
To Pt. 70
(50)
To Pt. 69
(50)
To Pt. 68
(50)
To Pt. 67
(50)
To Pt. 66
(50)
To Pt. 65
(50)
To Pt. 64
(50)
To Pt. 63
(50)
To Pt. 62
(50)
To Pt. 61
(50)
To Pt. 60
(50)
To Pt. 59
(50)
To Pt. 58
(50)
To Pt. 57
(50)
To Pt. 56
(50)
To Pt. 55
(50)
To Pt. 54
(50)
To Pt. 53
(50)
To Pt. 52
(50)
To Pt. 51
(50)
To Pt. 50
(50)
To Pt. 49
(50)
To Pt. 48
(50)
To Pt. 47
(50)
To Pt. 46
(50)
To Pt. 45
(50)
To Pt. 44
(50)
To Pt. 43
(50)
To Pt. 42
(50)
To Pt. 41
(50)
To Pt. 40
(50)
To Pt. 39
(50)
To Pt. 38
(50)
To Pt. 37
(50)
To Pt. 36
(50)
To Pt. 35
(50)
To Pt. 34
(50)
To Pt. 33
(50)
To Pt. 32
(50)
To Pt. 31
(50)
To Pt. 30
(50)
To Pt. 29
(50)
To Pt. 28
(50)
To Pt. 27
(50)
To Pt. 26
(50)
To Pt. 25
(50)
To Pt. 24
(50)
To Pt. 23
(50)
To Pt. 22
(50)
To Pt. 21
(50)
To Pt. 20
(50)
To Pt. 19
(50)
To Pt. 18
(50)
To Pt. 17
(50)
To Pt. 16
(50)
To Pt. 15
(50)
To Pt. 14
(50)
To Pt. 13
(50)
To Pt. 12
(50)
To Pt. 11
(50)
To Pt. 10
(50)
To Pt. 9
(50)
To Pt. 8
(50)
To Pt. 7
(50)
To Pt. 6
(50)
To Pt. 5
(50)
To Pt. 4
(50)
To Pt. 3
(50)
To Pt. 2
(50)
To Pt. 1
(50)
To Pt. 0
(50)
To Pt. -1
(50)
To Pt. -2
(50)
To Pt. -3
(50)
To Pt. -4
(50)
To Pt. -5
(50)
To Pt. -6
(50)
To Pt. -7
(50)
To Pt. -8
(50)
To Pt. -9
(50)
To Pt. -10
(50)
To Pt.


Notes Ck'd by HILARIO
Map No. A-3217 ~144
Office Work S. SUNABE
G. KURACHI
Checked
Date 4-24-74
Survey of AVE U-AVE V TRANS.
JN 0095.11 Tape 136 Sheet "F"
Surveyed by J.S.C. OATES
Notes J.S.C. Date
Indexed D.S.GALE MAR 13 '70
F.B. 321 - Pg. 191
TO BOT.
PG. 194 N
W.556 B-4
Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change:
Do not extend this side of this line.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
TO BOT PG. 192
AVE U
AVE V
FD DWR BRASS CAP MON. FLUSH No Ref
NEW LOCATION P.I.#5 SEE PG. 203
P.I.#5 SET 2" I.P. 12" Lg. CONC. P.I. & C.E. TAG
SET 1 I.P. 12" Lg. CONC. P.I. & C.E. TAGS & TAN PROD REMOVED 4/14/70 J.S.C.
B.C. NOTHING SET
SET 1"x 24" N BY INT.
FD D.W.R. BRASS CAP MON. FLUSH
6" CMP in Line
930.00
1647.46
4547
58.55
62.49
328.78
329.81@72°=329.78
930.13@62°=930.00
58.566@62°=58.55
1647.70@62°=1647.46
12.04@90°=72.02
62.506@90°=62.49
85.23@90°=85.29
TO RT SIDE PG. 188
(50)
(50)

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS66, B-4


SURVEYOR'S
COUNTY
MONUMENT
REC'D
1177
FEB 11 '52
ST.
AVE.
N 89° 37' 40" E 1312.89
N 89° 37' 40" E 1312.89
N 89° 37' 40" E 1312.89
N 89° 30' 37" E 1312.89
N 89° 37' 40" E 1312.89
N 89° 37' 40" E 1312.89
N 89° 37' 40


Notes Ck'd by R. HILARIO
Map No. B-5217-1/4
Office Work S. SUNABE
G. KURACHI
Checked
Date 1-24-74
Survey of AVE U-AVE V TRANS
JN 0098.11 Tape 136 Std 34 °F
Surveyed by JS COATES
Notes JSC Date 2/26/70
Indexed C.J. GALEB
FB 3216 Pg 193
W.S.66 E-4
TO BOT. PG. 193
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
(50)
R.P. 2" I.P. 12 dn Conc. Pl. & S.C.
2618.71 per A.B. 32-6-57
1323.82 @ 70° = 1323.70
1323.70 To 1/4 Cor
SIDE PG 196
TO LEFT
(30)
(50)
R.P. 2" I.P. 12 up Conc. Pl. & S.C.
2635.54 Rad. FB 3216-57
Fd. Cut Spike & 12" Joshua
No EVIDENCE C.S. Mon 36" dn per FB 3216-57 CS 8734
SET C.E. Mon 12" dn BY TIES per FB 1880-19 FB 3216-57 MARKED
Δ 89° 45' 20"
R 59° 01' 15"
89° 45' 18"
Δ 178° 31' 50"
89° 45' 18"
COUNTY ENGINEER
T 5 S
R 11 W
15 14
R.E. 5866
TO TOP PG. 194
12.6 LH
AVE.
(50)
(50)
(50)

F.B. 3216 PG. 194

TO LEFT SIDE PG 195



① 132° 54' 15"
② 171° 35' 45"
③ 132° 53' 55 1/4"
④ 17° 23' 25"
⑤ 132° 53' 54 1/2"

⑪ 131° 59' 40"
⑫ 167° 17' 30"
⑬ 131° 49' 22 1/2"
⑭ 70° 56' 30"
⑮ 131° 49' 25"

469.00@56° = 469.00
514.07@50° = 513.96
1206.20@52° = 1205.95

① 91° 25' 20"
② 338° 41' 40"
③ 58° 25' 25"
④ 230° 32' 15"
⑤ 98° 25' 22 1/2"

288.17@72° = 288.15
37.19@72° = 37.19

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side or this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. HILARIO
Map No. B-52.17 - 1/4
Office Work S. SUNABE
Checked G. KURACHI
Date 1-24-74

Survey of AVE U-AVE V TRANS
JN 2092.11 Tape 136 Std 84-F
Surveyed by ISC & ATES
Notes J.S.C. Date 2/24/70
Indexed C.T. GALT MAR 18 '70

F.B. 3216 PG. 195

W 5316 B-4

TO RT. SIDE PG. 192

1323.18 @ 50° = 1322.89

℄ 89° 38' 40"
℄ 358° 33' 45"
89° 38' 25¼"
℄ 177° 56' 45"
89° 38' 27½"

2639.41 @ 50° = 2638.83
988.86 @ 50° = 988.64

(40) (40)

℄ TO 1430.2

R.P. SET 2" I.P. & ¼" P.I. & C.E. TAG

1322.89

ST.

AVE U

TO TO P.I. PG. 194

(50) (STD)

TAN 210.71

R = 1600 Δ 48-10-35 L = 1345.34

93° 38' 25" 988.64

FD. 2x2 L.S. 2640 NO REF.

AVE V TRANSITION (50)

TO P.I. (50)

469.00

246.32

45° 210.71

2638.83

0.54 2100.58

TO ℄ 126 AHEAD

FD 2x2 L.S. 2640

R.P. SET 2" I.P. & ¼" CONC. P.I. & C.E. TAG (52)

TO P.O.T. PG. 196

¼ ¼ COR SET ¾" I.P. FL CONC. P.I. & C.E. TAG IN BY PROP.

E.C. NOTHING SET

1322.89

121 ST

TO CH. Sec 15

(40) (40)

TO TO P.T. PG. 193

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16FS098 CE#310 9-67


FB 3216 PG 196
250.04 @ 58° = 250.00
SET 1" I.P 2" UP CONC. PL. & C.E. TAG TAN PROB
P.I. # 7 SET 2" I.P. P.L. CONC. PL. & C.E. TAG PROB. FROM WEST 250' FROM Sect. line
Removed
SET 1" I.P 2" UP CONC. PL. & C.E. TAG TAN PROB
SET 2" I.P 6" UP CONC. PL. & C.E. TAG
TO BAT. PG. 197 - 204
1105.64
N.S. 165.5 C-4
NEW ℄
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
250.00
1323.70
To 1/4 Cor
To Bat. PG. 193
To PT. SIDE
To RT. SIDE PG. 195
SET 2" I.P 6" UP CONC. PL. & C.E. TAG
1/4 1/4 COR SET 1" I.P 12" in CONC. PL. & C.E. TAG BY PROP. ℄ MID-POINT BET. 1/4 COR & SECT. COR
BC NOTHING SET
FD 2" I.P NO TAG
FD 2" I.P NO TAG
2638.87
2100.58
1323.70
126 FT
ST E
AVE
(50')
(60')
(80')
R=1620
Δ=37°-23'-23"
Δ=1°-35'-23"
Δ=89°-46'-20"
Δ=359°-05'-20"
Δ=89°-46'-20"
Δ=179°-38'-20"
Δ=89°-46'-23½"
Δ=142°-34'-40"
Δ=216°-18'-40"
Δ=142°-34'-40"
Δ=135°-28'-40"
Δ=142°-34'-43⅓"
Δ=143°-57'-10"
Δ=215°-48'-10"
Δ=143°-57'-02½"
Δ=143°-42'-30"
Δ=143°-57'-05"
45°
89°
16.71
16.71
16.71

Notes Ck'd by R. HILARIO
Map No. B 5217 - 1/4
Office Work S. SUNABE
G. KURACHI
Checked
Date 4-26-71

Survey of AVE U-AVE V Transition
JN 0098 11 Tape L36 Sub 84 "F"
Surveyed by JSC GATES
Notes JSC Date 3/11/70
Indexed C.L. CARL 4/8/70

F.B. 3216 PG 197

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

TO LEFT SIDE PG 138

TO TOP PG. 196

TO RT SIDE PG. 190

SEE PAGE 204

NEW P.I. #8 SEE PG 204

AVE U-AVE V

AVE U-8

P.I. #8 SET 2" I.P. IN CONC. P.I. & C.E. TAG ON 1/4 Sec. Line

SET 5/8" I.P. IN CONC. P.I. & C.E. TAG ON 1/4 Sec. Line

SET 5/8" I.P. 12" LONG FLUSH

SET 5/8" I.P. 12" LONG FLUSH

CH. SET 2" I.P. 12" LONG

550.00

550.11' @ S2°-54'-E

2082.62

2082.43' @ S2°-54'-E

2259.23' @ S8°-22'-58"-E

2258.85

R=5729.58'

Δ=2°-15'-20.40"

Δ=35°-53'-40"

Δ=35°-53'-27"

Δ=35°-53'-26.73"

Δ=1°-43'-33.55"

Δ=35°-53'-28.34"

T=1774.70

T=1774.70

T=1774.70

T=1774.70

L=1124.40

L=1124.40

L=1124.40

L=1124.40

R=1800'

R=1800'

R=1800'

F.B. 3216 Pg 198

① 89° 48' 30"
② 359° 15' 25"
89° 48' 21½"
③ 119° 50' 20"
89° 48' 23½"

To RT. SIDE PG 199

(40)

(40)

R.P. SET 2" I.P. 8" UP CONC. PL. & C.E. TAG

AVE L - AVE K

(120)

To P.I. #3

550.00

1323.39

1313.39

411.64

FD 4 X 2 RE 2244

TRANSITION

(50)

(50)

SIDE PG 197

PG 197

PG 198

R.P. SET 2" I.P. 8" UP CONC. PL. & C.E. TAG

CENTER SECT. 14 T5N R10W SET S.E. MON. 12" dn BY INTERSECTION MARKED

SET B.S.&W. 5/8" JOSHUA

FD. 2" I.P. 12" UP CONC. PL. & TAG RE 2244 NO REF REMOVED

1313.54 S 89° 48' 21" E 1313.39

1ST ST. E

COUNTY ENGINEER T5N R10W SEC. 14 E. 5869

R.R.P. FD. 2" I.P. 8" UP CONC. PL. & NAIL

AVE L

COUNTY SURVEYOR T5N R10W SEC. 14 23 1/4 SEC. COR 1928 MONUMENT

70.71

45°

R.R.P. FD. 2" I.P. 10" UP CONC. PL. & Nail

1/4 COR SEC. 14, 23 T5N R10W FD. C.S. MON 10" dn PER 8734 F.B. 1880-11 F.B. 2632-68 MARKED

W.S. 16-4-5

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. HILARIO	Survey of AVE U-AVE V TRANSITION
Map No. B-5219-1/4	JN 10984 Tape L36 Sta 84+F
Office Work S. SU...	Surveyed by J S COATES
Checked G. KURACHI	Notes JSC Date 3/9/70
Date 4-24-74	Indexed [illegible] 1970

F.B. 3216 Pg 199

To LEFT SIDE PG. 200

W. 1/4 Cor. Sec. 14, T5N R10W

(50) (50)

To Sec. Cor.

Per F.B. 3216-63
2618.64

R.P. FD 2" I.P. 10"D CONC. FL. & NAIL

LONGVIEW ST. (131ST ST. E.)

89°

R=600.00'

45°

1324.00

1328.39 To E/4 Cor. Sec. 14

FD 2 X 2 R.E. 2244 F.B. 1880-12

R=25.00'

90°

R.P. FD 2" I.P. 6"D CONC. FL. & NAIL

AVE. U

Per F.B. 3216-54
2618.71

(50) (50)

To Sec. Cor.

To TOP PG 198

1323.60 @ 60° = 1323.39

1324.21 @ 60° = 1324.00

① 90° 11' 15"
② 360° 45' 00"
90° 11' 15"
③ 181° 07' 15"
90° 11' 12½"

1/4 Cor. Sec. 11, 14 T5N R10W FD. C.S. MON FI. per C.S. 8734 F.B. 1880-12 F.B. 3216-64 MARKED

SURVEYOR T5N R10W 11 14 1/4 COR. 14 2177 MONUMENT

① 89° 49' 05"
② 359° 15' 30"
89° 48' 32½"
③ 178° 53' 33"
89° 48' 33½"

To TOP PG 198

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F5098 CE#3161 9/67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 66, C-4



F.B. 3216 PG 200


Notes Ck'd by D. HILARIO
Map No. B-5217-1/4
Office Work S. SUNABE
Checked G. KURACHI
Date 4-26-74
Survey of AVE U-AVE V Trans
JN 4098.11 Tape 136 Std 24'F
Surveyed by JS COATES
Notes 1SC Date 3/12/70
Indexed C.T. GALLI
B 32 16 PG 201
TO BOT. PG. 200
(50)
(50)
10' E
AVE U
ST.
1323.76
RP
ED. 2"X2"
& NAIL
Flush
66.19
72° 48'
AVE U-4
(30)
SAT NGT
2"x 4"
MARKER POST
49.88
32°01'
69°
(30)
RP
ED. 2"X2" ON
Flush
FD. 2" I.P. 12"dn
CONC. PLG TAG
RE 6067
Per RS
1324.14 @ 58°
1323.92 @ 62°
1323.76
1333.92
136TH
TO E
AVE U-8
(50)
(50)
TO TOP PG 161
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
125-5028 6E#31b 9-67

Notes Ck'd by R. HILARIO	Survey of AVE U - AVE V Transition F.B. 3216 Pg. 203
Map No. B-5217 - 1/24	JN 0098.11 Tape 136 Sta 99+F
Office Work S. SUNABE	Surveyed by JS COATES
Checked G. KURACHI	Notes JSC Date 4/14/70
Date 4-20-70	Indexed G.L. GALLI APR 20 '70

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

TO BOT. PG. 192

TO RT. SIDE PG. 188

TO BOT. PG. 194



ZEF6098 GE#810 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


SET 2"I.P. FLUSH
CONC. PIECE OF ROCK
STAKING SKETCH
NEW P.I. #8
SET 2"I.P. FLUSH
CONC. PIECE OF ROCK
STAKING SKETCH
I.P. FOUND
ED. I.P. FLUSH
CONC. PIECE OF ROCK
14.74@60°=14.74
1992.18 Calc.
1992.18
2081.42
-89.24
1992.18
1/4 Cor
TO
SET BS &M
B.I. JOSHUA
115.42
R=1600.00
Δ=10°00'00"
L=279.25
R=1600.00
Δ=10°00'00"
L=279.25
115.42
TANGENT
TANGENT
N.T.S.
NOTHING
(50)
(50)
(50)
(50)
(50)
SIDE PG 198
SIDE PG 197
SIDE PG 198
SIDE PG 197
FOUND 3/4" I.P.
NO TAG
FOUND 3/4" I.P.
NO TAG
FOUND 3/4" I.P.
NO TAG

Notes Ck'd by	Survey of RIDGE ROUTE
Map No.	JN 0096.45 Tape 101 Std 64-F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 12-2-69
Date	Indexed R.R. BALDWIN 2370

F.B. 3216 Pg. 219

OLD RIDGE ROUTE

J.N. 0096.45

ESTABLISHMENT OF EXISTING ℄ IN SECTION 3 T. 5 N. R. 17 W. & ESTABLISHMENT OF CENTER OF SEC. 3 T. 5 N. R. 17 W.

PARTY
L. V. SMITH
B. R. JACKSON

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

765008 CE #310 9-67

F.B. 321/6 PG. 220

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note—Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this title of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of PACE ROUTE
JN0076-K Tape 101 Sta 84F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 12-8-69
Indexed

F.B. 3216 Pg 221

RIGHT
PG 222.

105.57' PER PG. F.B. 3216 119

F.D. L.A. CO. ENGR. TAG IN LEAD IN CONC 12"MT. PER F.B. 3216 - 119

EXISTING R/W PER R/S F.B. 3210 - 119

RIGHT PG 267

CROSSING ANGLE FOR ANGLES

E.C. FD. L.A. CO. ENGR. TAG IN LEAD IN CONC. MT. ON 21" PER F.B. 3216 - 119

1)	34°	12'	45"
4)	136	51	00
6)	205	16	30
	37°	12'	45"

LEFT
PG 219

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7645-08 CE #310 9-67

F.B. 3216 PG. 222

105.58' @ LEV.
T = 72° = 105.57'

RIGHT
PG. 223

EXISTING

105.57'

O.I.
FD. 2" I.P. CONC. PKUG
& I.P. CO. ANCR. TAGG
DIR. 17° W PER F.B. 3311
PG. 120

PER

F.B. 3216 PG. 220

105.72'

TOP
PG. 221

1)	141'	16'	40"
2)	105	40	40
3)	127	40	30
	141'	16'	42"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of OLD RIDGE RT.
JN 076-45 Tape 100' Std 84°F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 12-3-69
Indexed [redacted] 225

F.B. 321 Pg. 223

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F8098 CE #310 9-67

B.C.
SET L.A.CO. ENGR
TAG IN LEAD IN
CONC. PVMT. ON
REC. SEMI-TANG.
DISTANCE (40.32')
FROM P.I. N.WLY.

RIGHT
PG. 224

EQ. STATE HWY
R/W MON. =
COPPER WIRE IN
6"x6" CONC. POST
OUT 1/2"
FM 180+13.71
F.B. 3216-120

AD. 32'± FT. SWING RIGHT ROUTE

19.74 @ LEV.
T= 14°= 19.74'

0.5'

5.5'

LEFT
PG. 222

5°55'67 @ 26°53'= 49.65'
T= 14°= 49.65'

10.5'

E.C.
SET L.A.CO. ENGR
TAG IN LEAD IN
CONC. PVMT. ON
REC. SEMI-TANG.
DISTANCE (10.57')
FROM P.T. SELY.

FB. 3216 Pg 224



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of RIDGE ROUTE
JN 0076-16 Tape 101 Std 84°F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 2-8-69
Indexed [illegible]

F.B. 3216 Pg. 225

B.C.
SET L.A.CO. ENGR. TAG IN LEAD IN CONC. PVMT. ON RECORD DISTANCE (50.00') @ RT 90° TO R/W. MON. FM 18013-11

231.64' @ 1°40' = 231.54' ✓
231.66' @ 1°52' = 231.54' ✓
T = 10° = 231.52' ✓

86 ✓
RIGHT
PG. 226

EXISTING
RIDGE ROUTE
231.52' ✓
50.00'
50.00'
40.32' ✓
LEFT
PG. 224

E.C.
SET L.A.CO. ENGR. TAG IN LEAD. RECORD DISTANCE (50.00') @ RT 90° TO R/W. MON. FM 18013-11

FD. STATE HWY. R/W MON. = COPPER WIRE IN 6" x 6" CONC. POST UP 6" FM. 18013-11 F.B. 3216 - 122

36.76 @ 17°55' = 34.98' ✓
15.02 @ LEV. 15.02' ✓
50.00' ✓
T = 72° = 50.00' ✓

FD. STATE HWY. R/W MON. = COPPER WIRE IN 6" x 6" CONC. POST UP 6" FM. 18013-11 F.B. 3216 - 122

41.22 @ 28°13' = 36.32' ✓
13.68 @ LEV. 13.68' ✓
50.00' ✓
T = 72° = 50.00' ✓

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

765d98 CE#310 9.67

F.B. 3216 PG 226



1/5/72-A

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of RIDGE ROUTE
Map No.	JN 0026-75 Tape 101 Std DEG F
Office Work	Surveyed by I. V. SMITH
Checked	Notes I. V. SMITH Date 12-5-69
Date	Indexed [redacted]

F.B. 3216 PG. 227

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

JEFFCOR CE#310 8-67

BOT. PG. 228

71.57 @ LEV.
T=64° = 71.56'

71.56'

B.C.

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ON O.O.S. ON RECORD DISTANCE (71.56') FROM P.I. N.ELY. PER F.M. 1B013-11

138.41 @ LEV.
T=62° = 138.39'

138.39'

RIDGE ROUTE

E.C.

SET L.A. CO. ENGR. TAG IN LEAD IN CONC. PVMT. AT RECORD TANG. DISTANCE FROM P.I. S.WLY. PER F.M. 1B013-11

EXISTING

82.47'

TOP PG. 226

F.B. 3216 PG 228



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of RIDGE ROUTE
J.N. 00586-15 Tape 101 Sta 84-F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 12-8-69
Indexed

F.B. 3216 Pg. 229

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



JESCO CE#310 9-67

F.B. 3216 PG 230

RIGHT PG. 231

PER F.B. 3216-127

24.76'

EXISTING 4" B.C. ED. L.A. CO. ENGR. TAG IN LEAD IN CONC. PUMT. PER F.B. 3216-126

F.B. 3216-213

EXISTING 6" B.C.

N.W. 1/4 SEC. 3 T. 5 N. R. 17 W.

1/4 SEC. LINE

439.58

F.B. 3216-213

118.02

F.B. 3216-213

INTERSECTION ED. L.A. CO. ENGR. TAG IN LEAD IN CONC. PUMT. PER F.B. 3216-213

ROUTE

1633.05

F.B. 3216-213

S.W. 1/4 SEC. 3 T. 5 N. R. 17 W.

TOP PG 229

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of RIDGE ROUTE
Map No.	J.N. 0216-15 Tape 101 Std. 24' F
Office Work	Surveyed by L. V. SMITH
Checked	Notes L.V. SMITH Date 12-8-49
Date	Indexed [redacted]

F.B. 3216 Pg. 231

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

EXISTING 4" P.I.
FD. 2" I.P. CONC. PLUG
L.A.CO. ENGR. TAG
FLUSH ON RECORD
DISTANCE (212.04')
FROM EXISTING 4" B.C.
SURV. PER F.B. 3216
PG. 127 & F.B.
180 N3 - 11

1) 105° 56' 50"
2) 63 48 00 ✓
3) 275 41 30 ✓
105 56' 55" ✓

14" 15/45 RAD

N 51° 57' W

F.B. 3216 - 127

N 81° 26' W

212.04' ✓

FD. 1/2" I.P. NAIL
F.B. 3216 - 127

F.B. 3216 - 127

124.78

TOP
PG. 230

LEFT
PG. 232

212.53' @ 3°45' = 212.08' ✓
212.59' @ 4°00' = 212.08' ✓
∴ 5°8" = 212.04' ✓

765C98 CE #310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 3216 PG. 232

43.27 @ LEV.
T = 60° = 43.26 ✓

212.07 ✓

LEFT 231

0.37'

FD. STATE HWY. R/W MON. = COPPER WIRE IN 6" x 6" CONC. POST UP 2" IN GOOD CONDITION E.M. 1801J-12 F.B. 3216-128

5.0'

℄

1-1/2"

4.91'

EXISTING A.C. DIKE

FD. STATE HWY. R/W MON. = COPPER WIRE IN 6" x 6" CONC. POST UA 2" IN GOOD CONDITION E.M. 1801J-12 F.B. 3216-128

0.17'

0.31'

FD. STATE HWY. R/W MON. = 1" SQ. HEAD BOLT IN SANDSTONE NO PUNCH PER E.M. 1801J-12 & F.B. 3216-128

FD. REC. E.R.C. CO. ENGR TAG IN LEAD PE 128

0.60'

5.0'

1.0'

5.0'

0.09'

S 14° 32' W ✓

FD. STATE HWY. R/W MON. = COPPER WIRE IN 6" x 6" CONC. POST FLUSH PER E.M. 1801J-12 F.B. 3216-128

0.17'

R.C.

SET L.A.CO. ENGR TAG FLUSH IN CONC. R/W MT. DIST. 30' FROM P.I. NELY PER E.M. 1801J-12

TOP PG. 233

51.47 @ 15°41' = 50.01' ✓
T = 60° = 50.00' ✓

37.26 @ 24°44' = 33.84 ✓
16.18' @ LEV. = 16.18 ✓
50.02 ✓

T = 54° = 50.01' ✓

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of RIDGE ROUTE
JN 76-41 Tape 101 Sta 84+F
Surveyed by L-V. SMITH
Notes L-V. SMITH Date 12-8-69
Indexed G.E.GAIL MR 23'D

F.B. 3216 PG. 233

SET 1X2 & NAIL FOR ANGLE

RIGHT PG 232

INTERSECTION SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG INTERSECTION OF EXISTING & E CHORD PER F.B. 3216-129

54.38 @ LEV.
T = 56° = 54.37

SET 1X2 & NAIL

27.74 @ LEV. = 27.74
T = 60° = 27.74

FD. 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG PER F.B. 3216-129 REMOVED POINT 12-8-69

RIGHT PG 234

SET 1X2 & NAIL

SET L.O. & L.A.CO. ENGR. TAG ON CHORD IN CONC. POINT.

PER F.B. 3216-129

105° 56' 52"

INTERSECTION FD. 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG PER F.B. 3216-129

21.32 @ 18°35' = 20.21'
21.61 @ 20°45' = 20.21'
T = 57° = 20.21'

CLOSING LINE FOR ANGLES

213.95 @ 3°35' = 213.53'
213.92 @ 3°25' = 213.54' = 213.53'
T = 56° = 213.49'

1)	105°	56'	50"
2)	63	47	30
3)	275	41	10
	105°	56'	52"

RIGHT PG 267

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE#810 9-67

F.B. 3216 PG 234

52.84 @ 4E.V.
T = 54° = 52.83' ✓

RECORD & B.C.
FD. L.A.CO. ENGR
TAG IN LEAD
F.B. 3216 - 130
REMOVED POINT
12 - 9 - 69

EXISTING & B.C.
SET L.A. CO. ENGR.
TAG IN LEAD IN
PUNCH ON RECORD
SEMI - TANG DIST.
52.83 FROM P.T.
M. ELY. FM. 18013 - 12

52.83'
RIGHT ✓
PG. 235

EXISTING & E.C.
FD. L.A.CO. ENGR. TAG
IN LEAD IN DKD
CONC. PUNCH AT 90°
TO WLY R/W MON.
50.00' DIST. PER
F.B. 3216 - 130

225.20' ✓
EXISTING
REIDY ST.
POINT

LEFT
PG. 233

0.26'
0.22'
0.00'
50'

FD. STATE HWY R/W
MON. = COPPER WIRE
IN 6" x 6" CONC. POST
UP 6" PER FM 18013 - 12
F.B. 3216 - 130

51° 32' @ 15°11' = 50.01' ✓
T = 54° = 50.00' ✓

FD. STATE HWY R/W.
MON. = COPPER WIRE
IN 6" x 6" CONC. POST
UP 6" PER FM.
18013 - 12 & F.B. 3216-130

225.83' @ 4°09' = 225.74' ✓
225.78' @ 3°53' = 225.23' ✓ 225.24 ✓
T = 58° = 225.20' ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this site of this line.

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of RIDGE ROUTE
Map No.	JN 00726 Tape 101 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 12-9-69
Date	Indexed D.B. GALLI

F.B. 3210 PG. 235

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

RECORD P.T.
FD. LA CO. ENGR. TAG
IN LEAD IN CONC.
PUNCH PER FB 3210-131
REMOVED POINT
12-9-69

EXISTING P.T.
SET L.A. CO. ENGR.
TAG IN LEAD IN
PUNCH BY TANGENT -
SECTION



1)	160°	01'	30"
2)	280	05	40
3)	240	08	30
	160°	01'	25"

52.84' @ LEV.
T. 60° = 52.83' V

7/65 30M 12-67

F.B. 3216 PG. 236

73.46' @ 3°30' = 73.12' = 73.11'✓
73.38' @ 6°27' = 73.11'✓
T = 60° = 73.10'✓

52.26' @ LEV.
T = 60° = 52.25'✓

EXISTING ℄ B.C.
SET L.A. CO. ENGR. TAG
IN LEAD IN PVMT.
50.00' OFFSET OF R/W.
MON. & RECORD DIST.
(73.10')✓ FROM P.T. SKY.
PER F.M. 18013-12

EXISTING ℄ E.C.
SET L.A.CO. ENGR. TAG
IN LEAD IN PVMT.
50.00' OFFSET OF R/W.
MON. & RECORD DISTANCE
(52.8/5') FROM P.T. SKY.
PER F.M. 18013-12

73.10'✓
RIGHT
PG. 237

52.25'✓

EXISTING ℄
RIDGE ROUTE

52.83'✓
LEFT
PG. 235

50.00'✓

50.00'✓

0.25'

0.27'

FD. STATE HWY. R/W.
MON. = COPPER WIRE
IN 6" x 6" CONC. POST
UP 8" PER F.M. 18013-12
& F.B. 3216-132

FD. STATE HWY. R/W.
MON. = COPPER WIRE
IN 6" x 6" CONC. POST
UP 8" PER F.M. 18013-12
& F.B. 3216-132

55.42' @ 25°31' = 50.01'✓
T = 51° = 50.00'✓

53.66' @ 21°16' =
50.01'✓ T = 51° = 50.00'✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of RIDGE ROUTE
Map No.	JN 1206.46 Tape 101 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 2-10-69
Date	Indexed

F.B. 3216 PG. 237

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

LEFT
PG. 235

55.69 @ 26°07' = 50.01'
T = 62° = 50.00'

EXISTING ℄ E.C.
SET L.A.CO. ENGR. TAG
IN LEAD IN PVMT. 50.00'
OFFSET FROM R/W MON.
& RECORD DISTANCE (73.10')
FROM P.T. W/L.V. PER
F.M. 1801.3 - 12

RIDGE ROUTE

EXISTING ℄

47.82'

50.00'

0.26'

RECORD P.T.
FD. 2" I.P. CONC. PLUG
& L.A.CO. ENGR. TAG PER
F.B. 3216 - 133 - REMOVED
POINT 12-9-69

FD. STATE HWY.
R/W. MON. 1" I.P.
S/C. HEAD. 180.7'
F.B. 3216 - 133
F.M. 1801.3 - 12

73.11'

10°

1) 107° 40' 00"
2) 70 40 30
3) 286 00 30
107° 40' 06"

40.0'

0.31'

0.51'

℄ LINE

0.09'

73.10'

LEFT
PG. 236

EXISTING P.T.
SET 2" I.P. CONC.
PLUG & L.A. CO.
ENGR. TAG FLUSH
BY INTERSECTION

73.11 @ LEV.
T = 62° = 73.10'

7/64 08 CE #310 8.67

F.B. 3216 PG. 238

57.51' @ 13°52' = 50.01' ↓
T = 64° = 50.00' ↓

FD. STATE HWY. R/W MON. = COPPER WIRE IN 6" x 6" CONC. POST UP 3" PER F.B. 3216 - 1.34 & E.M. 18013 - 12

36.03 @ LEV.
T = 62° = 36.02' ↓

EXISTING ℄ P.T. SET L.A. CO. ENGR. TAG IN LEAD BY INTERSECTION

0.06'

50.00' ↓

ROUTE

36.02' ↓

℄ 0.32'

36.02' ↓

RIDGE

147.82'

EXISTING

TOP P.G. 237

LINE

LEFT P.G. 239

0.23'

5° P.C.

01'

20"

EXISTING ℄ P.C. SET L.A.CO. ENGR. TAG IN LEAD IN PVMT. 50.00' OFFSET OF R/W MON. & RECORD DISTANCE (36.02') FROM P.I. NELY PER E.M. 18013 - 12

RECORD P.I. FD. L.A.CO. ENGR. TAG IN LEAD IN CONC. PVMT. F.B. 3216 - 134 REMOVED POINT 12-10-69

148.30' @ 4°31' = 147.84' ↓
148.24' @ 7°14' = 147.84' ↓
T = 61° = 147.82' ↓

D	153°	01'	20"
∆	25	05	10
63	178	08	00 ↓
	153°	01'	20" ↓

36.03' @ LEV.
T = 62° = 36.02' ↓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side or this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of RIDGE Route	F.B. 3216 Pg. 239
Map No.		JN 00976-15 Tape 101 Std B4-F	
Office Work		Surveyed by L-V. SMITH	
Checked		Notes L-V. SMITH Date 12-12-69	
Date		Indexed [redacted] CALL [redacted] 23	

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

148.48' @ 2°22' = 148.35'
148.52' @ 2°46' = 148.35'
T = 58° = 148.32'

EQ. STATE HWY. R/W.
MON. = COPPER WIRE
IN 6"x6" CONC. POST
UP 4" PER E.B. 3216
PG 135 & F.M. 18013-12

EQ. STATE HWY. R/W
MON. = COPPER WIRE
IN 6"x6" CONC. POST
UP 5" PER E.B. 3216
PG 135 & F.M. 18013-12

EXISTING ℄ R.C.
SET L.A. CO. ENGR.
TAG IN L.&T.
IN CONC. PVMT.
ON SEMI-TANG.
DISTANCE (63.72)
FROM R.T.
S.ELY.

36.02'
RIGHT
PG. 238

50.00'

148.32'

EXISTING ℄
RIDGE ROUTE

49.54'

0.14'

E.T. 22+1

LEFT
PG. 240

EXISTING ℄ R.C.
SET L.A. CO. ENGR.
TAG IN CONC. IN
PVMT. 50.00' OFFSET
℄ AT 90° TO R/W MON

0.30'

EQ. STATE HWY. R/W.
MON. = COPPER WIRE
IN 6"x6" CONC. POST
FLUSH PER FM 18013-12
& F.B. 3216-135

57.53' @ 15°55' = 49.65'
51.02' @ 18°48' = 49.55'
T = 58° = 49.61'

52.80 @ 18°43' = 50.01'
T = 58° = 50.00'

43.58' @ 32°48' = 36.63'
13.38' @ 1℄ = 13.38'
50.01'
T = 58° = 50.00'

rev 8-67

F.B. 3216 PG. 240



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by	Survey of RIDGE ROUTE
Map No.	JK 9K-45 Tape 101 Sta 84+F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 12-11-69
Date	Indexed R.B. BALL MAR 23 '70

F.B. 3216 Pg. 241

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Please Return To
Los Angeles County Engineer
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

73.35' @ LEV.
T = 68° = 73.54'V

BOT. PG. 242

EXISTING ℄ E.C.
SET L.A.CO.ENGR. TAG
IN LEAD IN CONC.
PVMT. ON 50.00' OFFSET
℄ AT 90° TO R/W. MON.
PER F.M. 18013-12

68.75' @ LEV.
T = 68° = 68.94'V

EXISTING ℄ E.C.
SET L.A. CO. ENGR. TAG
IN LEAD IN CONC.
PVMT. SEMI TANG.
DISTANCE 63.32'
FROM P.T. SWLY. ℄ 50.00'
OFFSET OF R/W MON.

50.00'

FD. STATE HWY. R/W
MON. = COPPER WIRE
IN 6" X 6" CONC. POST
DN 2" PER F.B. 3216-137
F.M. 18013-12

39.84' @ 28°42' = 34.94'V
15.07' @ LEV. 15.07'V
50.01'V
T = 66° = 50.00'V

EXISTING ℄ E.C.

50.00'

FD. STATE HWY R/W
MON. = COPPER WIRE IN
6"X6" CONC. POST DN 6"
PER F.B. 3216-137
F.M. 18013-12

RIGHT
PG 240

52.29' @ 33°36' = 43.55'V
6.46' @ LEV. 6.46'V
50.01'V
T = 66° = 50.00'V

7EF5d9h CE #310 9/67

F.B. 3216 PG 242

RIGHT
PG. 243

73.55' @ LEV.
T = 62° = 73.54'

EXISTING ℄ P.I.
SET 2" I.P. CONC. PLUG
& L.A. CO. ENGR. TAG
FLUSH AT RECORD
SEMI-TANG. DISTANCE
(73.54') FROM EXISTING
℄ R.C. S.W.L.Y. PER
FM 19013-12

1)	107°	23'	20"
2)	69	37	20
3)	284	20	20
	107°	25'	23"

73.54'

0.99'

0.20'

RECORD P.I.
FD. 2" I.P. CONC. PLUG
& L.A. CO. ENGR. TAG
FLUSH PER F.B. 3216-138
REMOVED POINT
12-11-69

RIGHT
PG. 241

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of RIDGE ROUTE
Job 2145 Tape 101 Sta 89+F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 12-11-69
Indexed

F.B. 3216 Pg. 243

EXISTING ℄ E.C.
SET NAIL ON RECORD
DISTANCE (73.54') FROM
P.T. S. ELY

62.47' @ LEV.
T=68°=62.46'

EXISTING ℄ R/C
SET L.A. CO. ENGR
TAG IN CONC IN
MACADAM PVMT
FLUSH 50.00' @
90° FROM STATE
HWY R/W MON
EM. 180/3-12

13.3' TOP PG 242

10.19'

62.46' ℄ EXISTING ROUTE

SET L.A. BT. SON.
W. & TIN TIES
IN MAC. PVMT

EXISTING RIDGE ROUTE

50.00'

15.3' RIGHT PG. 244

FD. STATE HWY R/W
MON. = COPPER WIRE
IN 4"x4" CONC. POST
UP 6" PER FB 3216-179
EM. 180/3-12

53.49' @ 20.47' = 50.01'
T=60°=50.00'

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7673098 CE #310 9-67

F.B. 3216 PG. 244

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

1)	162°	35'	20"
2)	290	21	40
3)	255	22	30
	162°	35'	25"



EXISTING ℄ P.I.
SET L.A.CO. ENGR.
TAG IN CONC. IN
MACADAM PVMT. ON
RECORD DISTANCE
(15.34') FROM B.C.
SELV. PER E.M.
1801.3-12

RECORD P.I.
FD. L.A. CO. ENGR. TAG
IN CONC. IN MAC-
ADAM PVMT. PER
F.B. 3216-140-POINT
REMOVED 12-11-69

15.34 ℄ ELEV.
T = 10° = 15.34'

Notes Ck'd by	Survey of RIDGE ROUTE
Map No.	JN 0016-16 Tape 101 Sta 84+T
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 12-12-69
Date	Indexed R.L. GALLIHER 2576

F.B. 3216 Pg. 245

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7265098 CE #310 9-67

EXISTING E.R.I.
SET 2" I.P. CONC. PLUG
BY PROPORTIONAL BETWEEN
P.I. S.ELY. & P.I. N.WLY.
PER EM. 19613-12

RIGHT
PG. 246

EXISTING
R/W
LINE

116.82'

0.34'

0.21'

R = 120'

RECORD P.I.
FD. 2" I.P. CONC.
PLUG & L.A.C.O. TAG
FLUSH PER
FB. 3216-141
REMOVED POINT
12-12-69

1) 123° 20' 40"
2) 17 22 30
3) 32 04 00
123° 20' 40"

B.C.
NOTHING SET

140.15'

RIDGE

140.35' @ 3°56' = 140.17'
140.42' @ 3°29' = 140.16'
140.16'
I = 70° = 140.15'

E.C.
NOTHING SET

ROUTE

LEFT
PG. 244

F.B. 3216 PG. 246

116.83 @ LEV.
T = 74° = 116.82'

EXISTING ℄ B.C.
NOTHING SET

RIGHT
PG. 247

EXISTING ℄ E.C.
NOTHING SET

116.82'
EXISTING ROUTE
RIDGE

LEFT
PG. 245

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of RIDGE ROUTE
JN 2086-45 Tape 101 Std 24 °F
Surveyed by L-V. SMITH
Notes L-V. SMITH Date 12-12-69
Indexed C.S. HAAS 4R 23 '70

F.B. 3216 Pg. 247

RIGHT
PG 248

EXISTING 60' R/W RIDGE ROUTE

LINE A

135° 56' 00"
183° 44' 20"
95° 32' 40"
135° 56' 01"

135° 56' 01"

0.16'

0.31'

EXISTING & P.T. SET L.A.CO. ENGR. TAG IN CONC. IN MACHOAM PVMT. ON RECORD SEMI-TANG. DISTANCE FROM E.C. NO. 4 PER EM. 1B013-12

RECORD P.T. FD. 1/2" GAL. W/ L.S. TAG FLUSH IN MACHOAM PVMT. PER M.R. 3216-147 REMOVED P.T. 12-12-69

LEFT PG. 246

40.50' @ LEV.
T = 10° = 40.50'

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3099 CEF 310 9167

F.B. 3216 PG 248

63.42' @ L.E.I.
T = 70° = 63.41'

B.C.
SET BY PROPORTION
BETWEEN STATE
HWY. MON. S.E.Y. &
P.T. W.L.Y. 2" I.P. CONC.
PLUG & L.A. CO. ENGR. TAG
DN. 8'

RIGHT
PG. 249

LONG CHORD
62.41'
X
LINE

RECORD & B.C.
FD. 2" I.P. CONC.
PLUG & L.A. CO.
ENGR. TAG DN.
8" E.R. 3216
PG. 144 -
REMOVED POINT
12 - 15 - 69

0.24

0.43'

63.41'

EXISTING & E.C.
SET L.A.CO. ENGR.
TAG IN LEAD
IN CALC. POSITION
FROM X LINE
TO BE AT 90°
& 50.00 OFFSET
OF R/W MON.
NOTE
R/W MON APPEARS
TO HAVE
MOVED

1) 122° 07' 30"
2) 12 29 30
63 12 44 00
122° 07' 20"

0.06'
0.09'
49'

EXISTING RIDGE ROUTE

FD. STATE HWY. R/W.
MON. = COPPER WIRE
IN 6" X 6" CONC. POST
UP 8" PER E.B. 3216
PG. 144 - NOTE - MON
APPEARS TO HAVE
MOVED - A CHECK OF
PLUS & OFFSET FROM X
LINE & FROM EXISTING
& LOCATION INDICATES
MOVEMENT.

58.39' @ 81°14' = 49.93'
58.16' @ 30°51' = 49.93'
T = 70° = 49.92'

TOP
PG. 247

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by _____ | Survey of RIGG ROUTE | F.B. 3216 Pg. 249
Map No. _____ | JN 2086-45 Tape 101 Std. 84 °F
Office Work _____ | Surveyed by L. V. SMITH
Checked _____ | Notes L. V. SMITH Date 12-15-69
Date _____ | Indexed CTCAM #23

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

169.76' @ 3°33' = 169.43' ✓
169.76' @ 3°36' = 169.43' ✓
T = 64° = 169.41 ✓

EXISTING ℄ E.C.
SET 2" I.P. CONC.
PLUG ℄ L.A.CO. ENGR.
TAG ELUSH BY PROP.
ORTION BETWEEN P.I.
TO THE SW ℄ STATE
HWY. R/W MON. SELY.

38.23 @ LEV.
T = 68° = 38.23' ✓

1) 122° 07' 28"
2) 12 29 20
3) 12 43 30 ✓
122° 07 15" ✓

169.41'
0.12 LONG CHORD
LINE
0.42'
LEFT
PG 248
122° 07'

EXISTING ℄ B.C.
SET 2" ℄ L.A.CO.
ENGR. TAG IN
PUNT. RECORD
DIST. FROM P.I.
WLY. E.M. 18.01'

RECORD ℄ E.C.
FD. 2" I.P. CONC. PLUG
℄ L.A. CO. ENGR. TAG
ELUSH PER. FB 3216
PG 145 - REMOVED
POINT 12-16-69

50.26 @ 12° 41' = 50.01' ✓
T = 10° = 50.01' ✓

FD. STATE HWY R/W
MON. = COPPER WIRE
IN 6" X 6" CONC. POST
UP 4" PER FB 3216
PG. 145

50.01'
0.10'
RIGHT
PG. 250

TARGOSH LEW 310 9-67

F.B. 7216 Pg. 250

101.95' @ 3° 09' = 101.80' ✓
T = 68° = 101.79' ✓

1) 91° 00' 00"
2) 04 00 00
3) 186 00 00 ✓
91° 00' 00" ✓



T = 20' @ 2°03' = 71.16' ✓ = 71.16' ✓
71.25' @ 2°53' = 71.16' ✓
30.77' @ 4°21" = 30.64' ✓ = 30.64' ✓
30.80' @ 5°47" = 30.64' ✓
101.80' ✓

T = 70° = 101.79' ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by	Survey of RIDGE ROUTE
Map No.	JN2076-A Tape 101 Std 64°F
Office Work	Surveyed by K.V. SMITH
Checked	Notes K.V. SMITH Date 12-8-69
Date	Indexed C.S. CARLL #25

F.B. 3216 Pg. 251

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los ANGELES COUNTY ENGINEERING BLDG.

EXISTING ℄
P.O.T.
FD. L.A.CO. ENGR.
TAG IN LEAD
DWL 1" IN PVMT.
PER F.B. 3216-147

EXISTING ℄ F.C.
FD. L.A.CO. ENGR. TAG
IN LEAD IN CONC.
PVMT. PER F.B. 3216-147

RIDGE ROUTE

N.01°37'E.
PER F.B. 3216-147

RIGHT
PG. 252

N.22°14'E.
PER F.B. 3216-147

50.05

R/W. MON.
FD. STATE HWY R/W
MON. = COPPER WIRE
IN C.I. x ℄ CONC. POST
PER F.B. 3216-147
& F.M. 18013-12-13

101.79'

LEFT
PG. 250

765098 CE# 310 9167

F.B. 3216 PG. 252

1307-
PG. 253



1)	120°	03'	50"
4)	120°	13'	30"
6)	00	23	00"
	120°	03'	60"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of RIDGE ROUTE
Map No.	JN 0026-R Tape 101 Sta 89+F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 12-17-69
Date	Indexed O.K. GATS

F.B. 3216 Pg. 253

ROT. PG 254

EXISTING ℄ E.C. SET L.A. CO. ENGR TAG IN LEAD IN CONC. PVMT.

RIDGE ROUTE

EXISTING ℄

L=14.38'

FD. STATE HWY. R/W MON. = COPPER WIRE IN 6" x 6" CONC. POST UP 8" PER F.B. 3316-149 & F.M. 18013-13

50.00'

0.05'

50.06' @ LEV.
T=66°=50.05'

50.05'

EXISTING ℄ D.O.S.T. SET L.A.CO. ENGR. TAG IN CONC. IN CONC. PVMT. ON LINE 50.00' OFFSET FROM R/W. MON'S NLY.

0.21'

54.62' @ 23°44' = 50.00'
T=72°=50.00'

R=100.00'

1) 154° 37' 50"
2) 25 B 31 20
3) 20 47 00
154° 37' 50"

RECORD R.O.S.T FD. L.A.CO. ENGR. TAG IN CONC. PVMT. PER F.B. 3216-149 REMOVED 12-17-69

166.73' @ LEV.
T=66°=166.73'

TOP PG. 252

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

Ferguson Ltr #310 9-67

F.B. 3216 PG. 254



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of RIDGE ROUTE
JN ~~4245~~ 45 Tape 101 Std 84' F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 12-1769
Indexed G.B. BAIN #2370

F.B. 3216 PG. 255

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

FD STATE HWY. R/W MON.
= COPPER WIRE IN 6" x 6"
CONC. POST CLIP 6" DEEP
F.B. 3216-151 & FM.
180 13-13

95.70 @ LAV
T = 72° = 95.69 ✓

52.26 @ 16° 55' = 50.00 ✓
T = 54° = 49.99 ✓

1) 146° 56' 50"
2) 327 46 30
3) 161 40 00
146° 56' 40" ✓

LEFT
PG. 254

EXISTING 1" I.P.
9.94'
R 40.00'

EXISTING & P.R.C.
SET 2" I.P. CONC.
PLUG & L.A. CO. ENGR.
TAG ON. O.I. ON
RECORD TANGENT
DISTANCE (40.99')
FROM P.T. S.ELY.

RIGHT
PG. 256
167.01'
CHORD

EXISTING & P.O.S.T.
SET 2" I.P. CONC. PLUG
& L.A. CO. ENGR. TAG ON.
1"
167.52 @ 4°01' = 167.09 ✓
167.65 @ 4°40 = 167.09 ✓
T = 60° = 167.07'

RECORD P.O.S.T.
FD 2" I.P. CONC. PLUG
& L.A. CO. ENGR. TAG
PER F.B. 3216-151
REMOVED POINT
12-18-69

X

LACE #3th 9-67

F.B. 3216 PG 256

53.81' @ 22°11' = 49.83' ✓
T = 66° = 49.82 ✓



FD. STATE HWY. R/W MON.
= COPPER WIRE IN 6"x6"
CONC. POST UP 3" PER
F.B. 3216 - 152 & FM. 1BOW-13

1)	146°	55'	20"
2)	227	42	10
3)	161	33	20 ✓
	146°	55'	33"



EXISTING ℄ E.C.
SET L.A.CO.ENGR. TAG
IN LEAD AN. O.O.S. IN
MACADAM PVMT. ON
RECORD DISTANCE
80.42' FROM R.T. N ELY

RECORD P.O.S.T.
FD. 3/4" I.P. CON.
PLUG & L.A.CO.ENGR.
TAG PER F.B. 3216
PG. 152 -

95.77' @ LEV.
T = 66° = 95.76 ✓

80.98 @ 6°42' = 80.43' ✓
80.95' @ 6°31' = 80.43 ✓
T = 66° = 80.42' ✓

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of RIDGE ROUTE
JN 00926 Tape 101 Std 8.4°F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 12-19-69
Indexed

F.B. 3216 Pg. 257

54.94' @ 24°27' = 50.01'
T = 54° = 50.00'

EQ. STATE HWY. R/W. MON = COPPER WIRE IN 6" X 6" CONC. POST UP 2" PER F.B. 3216-153 & E.M. 18013-13

EXISTING E.P.T. SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG FLUSH AT REC. SEMI-TANG. DISTANCE (80.42') FROM E.C. NKY. E.M. 18013-13

RECORD P.T. EQ. 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG FLUSH PER F.B. 3216 PG. 153 - REMOVED 12-19-69

50.00'

80.42'

0.08'

ROUTE

80.42'

0.08'

LEFT PG. 256

A.H. 106

94.56'

RIGHT PG. 258

136°

07'

53"

EXISTING E.C. SET L.A.CO. ENGR. TAG IN LEAD IN CONC. 3' LIMIT AT RECORD DISTANCE (59.00') E 80.42' TO EQ. STATE HWY. R/W. MON. PER E.M. 18013-13

11	136°	07'	40"
43	134	31	38
6	96	47	20"
	136°	07'	53"+

80.44' @ LEV.
T = 34° = 80.42'

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

26FSD98 CE #310 9-67

F.B. 3216 PG. 258

51.15' @ 12°06' = 50.01'
T = 54° = 50.00'

27.84' @ LEV.
T = 52° = 27.83'

FD. STATE HWY R/W. MON. = COPPER WIRE IN 6"x6" CONC. POST W/P 21' PER E.B. 3216 - 15 & E.M. 18013-13

EXISTING ℄ B.C.
SET L.A. CO. ENGR. TAG IN LEAD IN CONC. PVMT. (AT RECORD DISTANCE (50.00') FD. 90° TO STATE HWY R/W MON. PER E.M. 18013-13

1) 169° 22' 40"
2) 3 17 31 00
3) 296 16 20
169° 22' 43"

50.00'

53.1'

0°

0.11'

0.16'

27.83'

EXISTING ℄ CASE

℄ LINE

LEFT PG. 257

RIGHT PG. 259

ROUTE

RIDGE

RECORD AT FD. L.A. CO. ENGR. TAG IN LEAD IN CONC. PVMT. PER E.B. 3216 PG. 154 - REMOVED 12-19-69

EXISTING ℄ R.I. SET L.A. CO. ENGR. TAG IN LEAD IN CONC. PVMT. ON RECORD SEMI-TANG. DISTANCE (27.83') FROM R.C. S. ELY.

67.56' @ LEV.
T = 54° = 67.55'

27.84' @ LEV.
T = 52° = 27.83'

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of RIDGE ROUTE
JN 00764 Tape 101 Std 84'F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 12-21-69
Indexed R.E. GALT #2390

F.B. 5216 Pg. 259

52.02' @ 15°41' = 50.08' ✓
T = 54° = 50.07' ✓

1)	137°	15'	30"
4)	189	02	20
6)	103	33	20 ✓
	137°	15'	33" ✓

F.D. STATE HWY. R/W MON. = COPPER WIRE IN 6"x6" CONC. POST SUR 6" PER F.B. 3216-155 & F.M. 1801.3-13



RECORD ℄ R.C. FOL. L.A. CO. ENGR. TAG IN LEAD F.B. 3216-155 NOTE REMOVED 12-31-69

EXISTING ℄ R.C. SET L.A. CO. ENGR. TAG IN LEAD IN CONC. PVMT. BY PROPORTION BETWEEN P.I. TO N.E. ℄ P.I. SLY.

EXISTING ℄ E.C. SET L.A. CO. ENGR. TAG IN CONC. IN CONC. PVMT. RECORD SEMI-TANG DIST. (2,783') PER F.M. 1801.3-13 FROM P.I. S. ELY.

286.95' @ 2°48' = 286.61' ✓
287.01' @ 2°59' = 286.61' ✓ = 286.61' ✓
T = 54° = 286.55' ✓

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

765-3098 CE #310 9-67

F.B. 3216 PG 260

29.13' @ 35°14' = 23.79' ✓
26.72' @ EXT. = 26.72
50.51 ✓

T = 64° = 50.50 ✓

ED. STATE HWY. R/W MON. = COPPER WIRE IN 6" X 6" CONC. POST FLUSH PER F.B. 3216-156

RECORD & EC. CO. L.A. CO. ENGR. TAG IN LEAD IN CONC. PVMT. ON 2" AER. EB 3216-156 REMOVED 12-29-69

EXISTING & E.C. SET L.A. CO. ENGR. TAG IN CONC. IN MACADAM PVMT. BY PRODUCTION BETWEEN P.I. N. ELY. & P.I. S.LY.

0.19

50.50'

172.72'

0.58'

171.07'

0.10

EXISTING & RC. SET L.A. CO. ENGR TAG IN LEAD ON SEMI-TANG DISTANCE (172.72 - 32.) FROM P.I. ELY. PER E.M. 18013-13

137° 15' 40"
1 188 02 30
2 103 33 40 ✓
137° 15' 37" ✓

137°

136.33 @ 4°51' = 135.74 ✓
136.14 @ 4°20' = 135.73 ✓ = 135.74 ✓

T = 60° = 135.72 ✓

171.20 @ 2°01' = 171.09 ✓
171.26 @ 2°38' = 171.08 ✓ 171.09 ✓

T = 64° = 171.07 ✓

LEFT PG-259

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of RIDGE ROUTE
JN 0096-A Tape 101 Std. 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 2-7-70
Indexed

F.B. 3216 PG. 261

130-7 PG. 262

EXISTING ℄ E.C.
FD. L.A.CO. ENGR. TAC IN LEAD IN CONC. PVMT. AT RECORD DISTANCE (50.00') AT 90° TO STATE HWY. R/W MON. PER F.B. 3216 - 93 - 13-7 F.M. 18013 - 13

FD. STATE HWY. R/W. MON. = COPPER WIRE IN 6" x 6" CONC. POST ON ℄ PER F.B. 3216 PG. 93 - 6 F.M. 18013 - 13

172-59 @ 3°31' = 172.23'
T = 56° = 172.22'

1) 120° 21' 00"
2) 121 24 10
3) 02 06 20
120° 21' 03"

EXISTING ℄ P.T.
SET 2" I.P. CONC. PLUG F.L.A.CO. ENGR. TAC FLUSH ON RECORD SEMI-TANGENT DIST. (172.22') FROM E.C. N.L.Y. PER F.M. 18013 - 13

EXISTING ℄

0.03'
5.3'
24'
20'
ADV.
1.0'
17'
172.22'
ROUT
0.17'
RIDGE
172.22'
LINE

INTERSECTION
FD. 2" I.P. CONC. PLUG F.L.A.CO. ENGR. TAC FLUSH PER F.B. 3216 - 157 - REMOVED - 12-29-69

177.44 @ 9°05' = 172.25'
171.78 @ 9°16' = 169.54'
2.71 @ LEV. = 2.71'
172.25

T = 56° = 172.22'

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7685008 CE#310 8-67

F.B. 3216 PG. 262

BOT. PG. 263

102.17' @ LEV.
T = 68° = 102.16'

EXISTING ℄ P.R.C.
SET L.A.CO. ENGR. TAG IN LEAD IN CONC. PVMT. ON RECORD SEMI-TANGET DISTANCE (91.72') FROM EXISTING ℄ P.I. S.L.Y. PER F.M. 18013 - 14

102.16'

R = 105.00'

50.00'

0.02'

ROUTE

91.73' @ LEV.
T = 68° = 91.72'

ED. STATE HWY. R/W MON. = COPPER WIRE IN 6" x 6" CONC. POST PER E.B. 3216 - 94 & F.M. 18013 - 14

91.72'

EXISTING ℄ P.T. ED. 2" I.P. CONC. PLUG 91-A CO. ENGR. TAG IN 12" ON RECORD DISTANCE (91.72') B.C. S.L.Y. FOR E.B. 3216 - 93 & 94 & F.M. - 18013-14

1) 145° 57' 30"
2) 223 50 10
3) 155 45 00
145° 57' 30"

EXISTING ℄ B.C. ED. L-A CO. ENGR. TAG IN L.E. IN CONC. PVMT. PER E.B. 3216 - 93

50.00'
R = 105.00'

ED. STATE HWY. R/W MON. = COPPER WIRE IN 6" x 6" CONC. POST PER E.B. 3216 - 93 & F.M. - 18013 - 14

EXISTING

TOP PG. 261

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by	Survey of RIDGE ROUTE
Map No.	JN2096-87 Tape 101 Sta 84+F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 2-4-70
Date	Indexed [redacted]

F.B. 3216 Pg. 263

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

158.02 @ 3°23' = 157.74 ✓
158.08 @ 3°44' = 157.74 ✓ 157.74 ✓
26.47 @ 6°57' = 26.28 = 26.28 ✓
26.69 @ 10°05' = 26.28 ✓
184.02 ✓

T = 46° = 184.00 ✓

RECORD P.I. "B"
F.D. 2" I.P. CONC.
PLUG & L.A. CO. ENGR.
TAG FLUSH PER
F.B. 3216-95
REMOVED 2-5-70

EXISTING P.I.
SET 2" I.P. CONC
PLUG & L.A.CO.
ENGR. TAG FLUSH
AT BACKARTION
BETWEEN P.I.
TO THE SOUTH
& THE 2ND P.I.
TO THE NORTH
EN-1801.3-14

SET 1x2 ⊄ NAIL

35.08 @ 0°59' = 35.07 ✓
35.13 @ 5°22' = 35.07 ✓
T = 70° = 35.07 ✓

1) 111° 04' 00"
4) 84° 16' 00"
6) 306° 23' 10" ✓
111° 03' 50" ✓

84.00' RIDGE ROUTE

111°

20.00'

18.35.07"

EXISTING ℄ LINE

102.16' ✓

TOP PG 262

NEXT PG-264

76E8G8 LE#3a10 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

FB 3216 PG 264

SEC. 35

T. 6 N.

R. 17 W.

EXISTING 4" I.P. SET 2 1/2" I.D. CONC. PLUG & L.A.CO. ENGR. TAG ALUSH AT PROPORTION BETWEEN P.I. TO THE NORTH & 2ND. P.I. TO THE SOUTH PER F.M. 18013-14

1) 60° 27' 20"
2) 241 50 30
3) 02 46 00 ✓
60° 27' 10" ✓

37.12' @ LEV.
T = 66° = 37.12' ✓

69.57' @ LEV.
T = 66° = 69.56' ✓

EQ. 1X2 & NAIL WILY EDGE OF ROAD F.B. 3216 - 92.

37.12'

37.05'

SECTION LINE

EQ. 1X2 & NAIL TAP CUT PUNK F.B. 3216 - 91

INTERSECTION SET L.A.CO. ENGR. TAG IN LEAD IN CONC. PUNT BY INTERSECTION.

37.72' @ 10° 47' = 37.05' ✓
37.60' @ 9° 51' = 37.05' ✓
T = 67° = 37.05' ✓

SEC. 3
T. 5 N.
R. 17 W.

BOT. PG. 265

1) 41° 28' 00"
2) 165 57 00
3) 248 48 00 ✓
41° 28' 00" ✓

380.95'

RECORD P.I. C. EQ. 3" I.D. CONC. PLUG & L.A.CO. ENGR. TAG ALUSH PER F.B. 3216 - 96 REMOVED 2-4-70

60° 27' 10"

1" = 30'

1X2 EQR

0.28

9.57

0.11

RIDGE

ROAD

RIGHT PG. 263

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of RIDGE ROUTE
JN 20RG 45 Tape 101 Std 64'F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 2-
Indexed [illegible] 23 '70

F.B. 3216 Pg. 265

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

BOT
PG 266

EXISTING
℄ E.C.
SET L.A.CO.
ENGR. TAG IN
CONC. PVMT
AT RECORD
DISTANCE (50.00)
℄ AT 90° TO
STATE HWY R/W.
MON. PER F.M.
18013-14

1) 166° 56 10"
2) 307 41 50
3) 281 57 20

166° 36 13"

EXISTING
℄ P.I.
SET L.A.CO.
ENGR. TAG
IN LEAD IN
CONC. PVMT.
AT RECORD
TANGENT
DISTANCE (34.47')
FROM E.C. N.W.LY.
PER F.M.
18013-14

EXISTING ℄ P.C.
SET L.A.CO. ENGR. TAG IN
LEAD IN CONC. PVMT ON
RECORD DIST. 34.47' FROM
P.I. N.W.LY.

219.79 @ 2°54' = 219.51'
219.85 @ 3°04' = 219.52' ± 219.51'
161.94 @ 4°21' = 161.49'
162.00 @ 4°33' = 161.49' = 161.49'
381.00'

T = 64° = 380.95'

50.71' @ 21°00' = 50.14'
T = 64° = 50.13'

52.36' @ 17°14' = 50.01'
T = 66° = 50.00'

FD. STATE HWY.
R/W MON = COPPER
WIRE IN 6" x 6" CONC.
POST UP 15" PER
F.M. 18013-14 &
F.B. 3216-97

34.48' @ LEV.
T = 56° = 34.47'

RECORD P.I. "D"
V-D CHIS. "X" IN
CONC. PVMT.
PER F.B. 3216
PG. 97

34.47' @ LEV.
T = 64° = 34.47'

FD. STATE HWY.
R/W MON.
COPPER WIRE IN
6" x 6" CONC. POST
UP 4" PER
F.B. 3216-97 &
F.M. 18013-14

76 E3088 REV 3-10-67

F.B. 3216 PG 266

37.24' @ 34°19' = 30.76'
19.25' @ LEN. = 19.25'
50.01'
T = 66° = 50.00'

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

EXISTING ℄ B.C.
SET L.A. CO. ENGR. TAG IN LEAD IN CONC. PVMT AT RECORD DISTANCE (50.00') & AT 90° TO STATE HWY. R/W. MON. PER F.M. 18013-14

50.00'

F.D. STATE HWY. R/W. MON. = COPPER WIRE IN 6" x 6" CONC. POST ON 0.2' PER F.B. 3216-98 & F.M. 18013-14

61° 50' 20"

EXISTING RIDGE ROUTE 103.04' ℄

CLOSURE FOR LINES & ANGLES

1)	61°	50'	20"
4)	247	21	20
6)	11	02	00
	61°	50'	20"

103.14' @ 2°14" = 103.06'
103.16' @ 2°30" = 103.06'
T = 60° = 103.04'

TOP PG. 267

TOP PG. 265

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of RIDGE ROUTE
JK096-45 Tape 101 Std 84°F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 2-5-70
Indexed [redacted] 4-23-70

F.B. 3216 PG. 267

R07
PG 266

1) 32° 01' 00"
4) 128 04 10
6) 193 06 00
32° 01' 08"

32° 01' 00"

SET 1X2 & NAIL ON RIDGE FOR CLOSING ANGLES

LEFT PG. 252

29° 49' 00"

40.

AHD.

S2°

RGT PG 233

1) 29° 49' 00"
4) 117 16 00
6) 173 54 10
29° 49' 02"

LEFT PG. 221

1) 13° 58' 50"
5) 55 33 20
6) 88 33 20
13° 58' 53"

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76FS098 CE#310 9-67

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of OLD RIDGE ROUTE
JN 009645 Tape 101 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 5-1-69
Indexed BLEGALL; R 2370

F.B. 3216 Pg. 269

W.S.M. C-3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG,

SECTION CORNER
SD. STO. CO. SUR.
BRASS CAP MON. IN
CONC. PER PG. 92
MON. MARKED AS
SHOWN; MARKER PIPE
1½' N&W.

COUNTY SURVEYOR
T.6N.
R.17W.
34 | 35
4 | 3
SEC. COR
T.5N.
R.E.

34 35
4 3

BOT.
PG. 277

S 0° 22' 00" E

(1) 89° 22' 00"
(2) 357 28 30
(3) 176 12 30
89° 22 00

SET 2" I.P. CONC.
PLUG & L.A. CO.
ENGR. TAG FLUSH
ON SPUR; SET
YELLOW MARKER
PIPE 2' E WAY.

SEC. 3
T. 5 N.
R. 17 W.

TOP
PG. 270

76F3095 CE#310 3-68

F. B. 3216 Pg 270

BOT PG. 269

FD. STATE H.W.Y. BRASS CAP MON. IN CONC. FLUSH PER ALA 005N PG. 246

153.96' @ 13°40' = 149.60' ✓ 149.59' ✓
153.77' @ 13°24' = 149.59' ✓
T = 149.57' ✓

149.57' ✓

SET 1X2 & NAIL FLUSH

SECTION LINE

166.77' @ LEV.
T = 66° = 166.75' ✓

166.75' ✓

N.W. 1/4
SEC. 3
T. 5 N.
R. 17 W.

SET 1X2 & NAIL FLUSH

47.07' @ 23°04' = 43.31' ✓ 43.30' ✓
47.31' @ 23°46' = 43.30' ✓
3.62' @ LEV. 3.62' ✓
46.92'

T = 72° = 46.92' ✓

46.92' ✓

FD. 2X2 & CUT TACK ON SEC. LINE PROD PER STATE HWY. PARTY CHIEF M. POLON

1000' ±

1/4 SEC. LINE

69.01' ✓

BOT. PG. 272

1/4 SEC. CORNER SET 1X2 & NAIL ON FILL SLOPE OF STATE HWY. UNDER CONSTRUCTION BY INTERSECTION

S.W. 1/4
SEC. 3
T. 5 N.
R. 17 W.

TOP PG. 271

90°

26"

02"

160.87' ✓

1) 90° 26' 00"
4) 01 44 20
6) 182 36 10 ✓
90° 26' 02" ✓

M 17 3-4

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN Tape Std °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 4-14-69
Date	Indexed [redacted] GALLI MB 23 70

F. B. 3216 PG. 271

W.S. 17 C-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
409 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

17.35' @ 20°07' = 160.90' ✓
17.11' @ 19°54' = 160.89' ✓
T = 40° = 160.87' ✓

160.87' ✓

BOT. PG. 270

FD. STATE HWY. BRASS CAP MON. IN CONC. FLUSH PER BLA 005N PG 240

S.W. 1/4 SEC. 3 T. 5 N. R. 17 W.

SET 2" I.P. & L.A. CO. ENGR. TAG FLUSH ON SIDE HILL

205.35' @ 3°15' = 205.02' ✓ - 205.01'
205.30' @ 3°04' = 205.01' ✓
T = 74° = 205.00' ✓

205.00'

45.73' @ 26°20' = 40.98' ✓
45.45' @ 25°38' = 40.98' ✓
T = 74° = 40.98' ✓

SET 2" I.P. CONC. PLUG & L.A.CO.-ENGR. TAG FLUSH ON SPUR

40.98'

BOT. PG. 278

SET 1x2 & NAIL ON LINE PROD

1) 90°16'30"
4) 01°06'20
6) 181 39 40 ✓
90°16'37"

90°16'

47.00 abs

SET 1x2 & NAIL ON LINE PROD

COUNTY SURVEYOR
T. 5 N.
R. 17 W.
S. 3
10
R. SEC. COR.
R.E.Z.

Added 3-31-70

Fd Standard Co Surv. MKR Brass Cap mon on Sidehill Set 2" I.P. Marker Pipe 2' ± SLY

16F3095 CE#310 3-68

F.B. 3216 PG. 272

BOT. PG. 273

276.72' @ 3°37' = 276.17' ✓
276.61' @ 3°13' = 276.17' ✓ = 276.17' ✓
163.94' @ 4°33' = 163.72' ✓
163.89' @ 4°15' = 163.71' ✓ 163.43' ✓
439.60' ✓

T = 76° = 439.58' ✓ 439.58' ✓

LINE

SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG FLUSH ON SPUR

159.44' @ 5°49' = 158.62' ✓ = 158.61' ✓
159.32' @ 6°08' = 158.61' ✓
225.43' @ 2°52' = 225.13' ✓ = 225.15' ✓
225.47' @ 3°05' = 225.14' ✓
145.09' @ 4°48' = 144.58' ✓ = 144.59' ✓
145.04' @ 4°29' = 144.60' ✓
199.66' @ 11°25' = 195.71' ✓ = 195.70 ✓
199.51' @ 11°12' = 195.70' ✓
177.23' @ 3°28' = 176.91' ✓ = 176.91' ✓
177.15' @ 3°03' = 176.90' ✓
900.96' ✓ 900.91' ✓

T = 76° = 900.91' ✓

SECTION

1/4

S.W. 1/4 SEC. 3 T. 5 N. R. 17 W.

NW 1/4 SEC. 3 T. 5 N. R. 17 W.

FD. STATE HWY. BRASS CAP MON. IN CONC. FLUSH PER BLA 005 N PG. 246

132.00' @ LEV. = 132.00' ✓
276.94' @ 1°48' = 276.80' ✓ = 276.80' ✓
276.88' @ 1°23' = 276.80' ✓
408.80' ✓ 408.74' ✓

T = 66° = 408.74' ✓

SET 1 X 2 & NAIL FLUSH

70.79' @ 12°50' = 69.02' ✓
70.73' @ 12°37' = 69.02' ✓
69.01' ✓

T = 66° = 69.01' ✓

RIGHT PG. 270

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of OLD RIDGE RT.
JN 0096.25 Tape 101 Std. 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 3-1-69
Indexed MAR 25

F.B. 3216 Pg. 273

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink! With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
1403 LOS ANGELES COUNTY ENGINEERING BLDG.

BOT.
PG. 274

1/4 N.W. SEC. 3 T. 5 N. R. 17 W.

E.C.
FD. B.T. SPK. W. & TIN IN PVMT. RECORD & E.C. PG. 125

292.11 @ 1°51' = 291.96'
292.17 @ 2°11' = 291.96'
77.03 @ LEV. = 77.03'
368.99

T = 74° = 368.96'

118.02'

B.C.
FD. L.A.CO. ENGR. TAG IN LEAD IN PVMT PER RECORD PG. 126 & B.C.

163.05'

RIDGE RT. PG. 126

OLD 3216

368.96'

& F.B.

62° 43' 14"

RECORD PE

INTERSECTION SET L.A.CO. ENGR. TAG IN LEAD IN CONC. PVMT. BY INTERSECTION

163.40 @ 3°31' = 163.07'
163.30 @ 3°07' = 163.06'
T = 72° = 163.05'

1) 62° 43' 20"
2) 250 53 00
3) 16 19 20
62° 43' 14"

432.38' SECTION LINE

1/4

S.W. 1/4 SEC. 3 T. 5 N. R. 17 W.

TOP
PG. 272

76F-309S CE#310 3-68

F.B. 3216 PG. 274

BOT.
PG. 275

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON SPUR. SET 3FT. MARKER PIPE 1' ± SLY

S.W. 1/4 SEC. 3 T. 5 S. R. 17 W.

N.W. 1/4 SEC. 3 T. 5 S. R. 17 W.

LINE

1/4 SECTION

39.64'

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR TAG FLUSH ON TOP OF SMALL HILL. SET 3FT. MARKER PIPE 2' ± NLY.

39.64' @ LEV.
T = 72° = 39.64'

SET 1X2 & NAIL W'LY SIDE OF MAIN RIDGE

116.77' @ 17°55' = 112.83' ↓ = 112.83'
116.96' @ 15°15' = 112.84' ↓ = 5.20' ↓
5.20' @ LEV. 118.03' ↓

T = 72° = 118.02' ↓

118.02'

TOP
PG. 273

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN 0096-45 Tape 101 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 5-1-69
Date	Indexed G.L. GALLI

F.B. 3216 PG. 275

S.E. 1/4 SEC. 3 T. 5 N. R. 17 W.

W.S. 17, C-4

N.E. 1/4 SEC. 3 T. 5 N. R. 17 W.

BOT. PG 296

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON SLOPE

38.40' @ 28° 45' = 33.67' ✓
38.53' @ 29° 06' = 33.67' ✓
T = 78° = 33.67' ✓

38.93' @ 24° 26' = 35.44' ✓
38.59' @ 23° 18' = 35.44' ✓
T = 78° = 35.44' ✓

89° 35' 10"
358 20 30
6 177 31 00
89° 35' 10" ✓

35.44'

80°

35.44'

10"

RIGHT PG. 277

33.67'

T.O.P. PG. 280

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON SLY. SIDE OF SPUR

CTR. SECTION SET STD. CO. ENGR. BRASS CAP MON. IN CONC. UP 0.1' BY INTERSECTION SET 3 FT. MARKER DIRE 2' E.S.-WLY.

80' ℄

COUNTY ENGINEER T.5 N. R.17 W. CTR. SEC 3

N.W. 1/4 SEC. 3 T. 5 N. R. 17 W.

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON SLOPE

TOP PG. 226

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

F. B. 3216 PG. 276





1/4 SECTION CORNER
P.D. CO. SURVEYOR
BRASS CAP MON. IN
CONC. PER C.S.B. 1226

RIGHT
PG. 277

LEFT
PG. 278



1) 89° 36' 00"
2) 358 24 10
3) 177 37 10
89° 36' 12"

N.E. 1/4 SEC. 3 T. 5 N. R. 17 W.

1/4 SECTION LINE

S.E. 1/4 SEC. 3 T. 5 N. R. 17 W.

SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG ON ELY SIDE OF RIDGE SET 3FT. GUARD PIPE 2' N. W'LY.

TOP
PG. 275

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of OLD RIDGE ROUTE
Map No.	JN 0096-45 Tape 101 Std. 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 5-1-69
Date	Indexed G.L. GALLI

F.B. 3216 PG. 277

WS 17 C-3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

COUNTY SURVEYOR
T.6N. R.17W.
SEC. COR.
SEC. 3
T.5N. R.17W.
C.C.

SECTION CORNER
FD STD. CO. SURVEYOR
BRASS CAP MON. IN CONC.
PER C.S.B. 1226 MON.
MARKED AS SHOWN

LEFT
PG 276

SECTION LINE

90°

1) 90° 35' 40"
4) 02 22 20
6) 183 33 40 ✓
90° 35' 37"]

V/A SECTION CORNER
FD STD. CO. SURVEYOR
BRASS CAP MON. IN
CONC. PER C.S.B.
1226 & E.B. 3216-
MON. MARKED AS
SHOWN.

89°

1) 89° 23' 10"
4) 357 33 20
6) 176 19 40]
89° 23' 17"]

COUNTY SURVEYOR
T.6N. R.17W.
C.C.
SEC. 3
1/4 COR
T.5N. R.17W.

V/A SECTION LINE?

800'±

300'±

LEFT
PG 275

SET 2" I.P. F.L.A. CO. ENGR.
TAG FLUSH & MARKER
PIPE 2'± WLY.

SECTION LINE

RIGHT
PG 269

16F309S CE#310 3-68

F. B. 3216 PG 278

MISC 52

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on Sheet Must be Made and Initialed in Ink With Date and Name of Person Making Change. This Red

COUNTY SURVEYOR L.A.CO. T.1S. R.11W. SEC. 12

RIGHT PG. 276

SECTION CORNER
ED. COUNTY SURVEYOR
BRASS CAP MON. IN
CONCRETE FLUSH
PER C.S.B. 1226.
MON. MARKED AS
SHOWN

1 90°14'30"
4 00 58 20
6 181 27 20
90 14 33 ✓
Added 3-31-70 HRS

W
33"
A
90

1) 90° 35' 40"
4) 02 20
6) 183 35 40 ✓
90° 35' 37"
3/25/70 HR Steel

SET 2" I.P. CONC.
PLUG L.A. CO.
ENGR. TAG FLUSH
ON TOP OF CUT
BANK W'LY. SIDE
OF FREEWAY
SET YELLOW MKR.
PIPE 2.5' W.

COUNTY SURVEYOR L.A.CO. T.1S. R.11W. SEC. 13

¼ SECTION CORNER
ED. COUNTY
SURVEYOR BRASS
CAP MON. IN
CONC. UP 3" PER
C.S.B. 1226. MON.
MARKED AS
SHOWN.

BOT.
PG. 279

89°
A
N 0°
25'
ADJ
DMC

1) 89° 44' 10"
4) 358 57 10 ✓
6) 178 26 00 ✓
89° 44' 20" ✓

RIGHT
PG. 271

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Old Ridge Route
JN 0296-25 Tape 101 Std 84.°F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 5-1-69
Indexed [redacted] CALL # 23°

F.B. 3616 Pg. 279

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

166.05'

FD. STATE HWY. BRASS CAP MON. IN CONC. NO REF.

1307.
PG. 280

1) 32° 29' 40"
4) 130 00 00
6) 195 00 00
32° 30 00

BOT.
PG. 221

EAST LINE

97.77 @ 10° 00' = 96.28'
97.70 @ 9° 46' = 96.23'
T = 66° = 96.27'

1' 30" 1' 00"

32°

146.18'

96.27'

1/4 SECTION LINE

S.E. 1/4
SEC. 3
T. 5 N.
R. 17 W.

SW. 1/4
SEC. 3
T. 5 N.
R. 17 W.

146.20' @ LEV.
T = 66° = 146.18'

SET 1" x 2" NAIL BY INTERSECTION OF TANGENT TO ROD & 1/4 SECTION LINE

LEFT
PG. 278

166-3 (9M-CEM-310-9-67)

F.B. 3216 PG. 280

RIGHT
PG. 275

LINE

1/4 SECTION

SET 1"x2" G.I.P.A.
FLUSH IN
SADDLE

S.W. 1/4
SEC. 3
T. 5 N.
R. 17 W.

S.E. 1/4
SEC. 3
T. 5 N.
R. 17 W.

SET 3" T.R. & L.A. CO.
ENGR. TAG FLUSH ON
SIDE HILL - SET 2"
MARKER PIPE 2.2'
ELY.

1600.05 M.

TOP
PG. 279

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must Be Made or Sealed in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of NW 1/4 SEC 13
Map No.	JN 0074.00 Tape 231 Std 8 ¢ °F
Office Work	Surveyed by W.T. Voge
Checked	Notes Voge Date 8/25/72
Date	Indexed AUG 28 '72

F. B. 3216 PG. 291

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

ANGLES IN THE NW 1/4 OF SEC 13, T5N, R10W

VICINITY OF 136TH ST. E & AVE U-8

JN 0074.00

References Used: FB 3216

PARTY: Voge
Van Ness
Riechoff
Crowe

F. B. 3216 Pg. 182



3216

403 L

This Red erson