Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed

F.B. 3220 Pg.

Page	Job	Description
		STUNT ROAD 0096.35
5-87	Photo	Aerial control fr. Old Top. Canyon Rd. west to Mulholland Hwy.
89-124	Prof.	Stadia profile checks for aerial maps.
		BAYVIEW HIGHWAY (STUNT RD) 0096.35
127-128	Index	
129-153	C.L.	Prop. C.L. of Bayview Hwy. (Stunt Rd) S.E'ly. from Mulholland Hwy. in Sec's. 9 & 10, T.1S., R.17W.
171-177	Sec. Cors.	Replacement of W.1/4 Cor. & setting center of Sec. 10, T.1S., R.17W.
179-206	Triang	Triangulation for zone 7 tie of Sec. 10, T.1S., R.17W.
		Microfilmed Feb. 85.
		BAYVIEW HIGHWAY (STUNT RD.) 0096.35
215-216	Index	

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76-2003 ck #310 4-84

F.B. 3220 Pg.

Page	Job	BAYVIEW HIGHWAY (STUNT RD.)
217-238	C.L.	Centerline retracement of Stunt Rd. S.E'ly. of Mulholland Hwy. in Sec. 10. T.1S., R.17W.
239-240	Index	
241-250	C.L.	Proposed alignment SE'ly. from Mulholland Hwy. to Old P.I. #44

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Ordered in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of Stunt Rd
Map No.	JN 0096.35 Tape Std °F
Office Work	Surveyed by R.C. Bowers & R.C. Dale
Checked	Notes RCD Date 7-24
Date	Indexed C. J. GALLI 11-4-65

F. B. 3220 PG. 5

STUNT ROAD

(RED ROCK CYN. ROAD)

JN 0096.35

NOV 1964

PHOTOGRAMMETRIC CONTROL FROM HENRY RIDGE THROUGH RED ROCK CYN. TO MULHOLLAND HWY

REF

=B.3167-195

PARTYS

BOWERS
MORRISON
VUERBECK
BARNETT
ALMANZAN

DALE
ADAMS
JACKSON
SWANN
DIETZ

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this title beyond this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

16F3095 CE #3 10-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on Sheet Must be Made or Circled in Ink With Date and Name of Pe Making Change.

Do not extend this side of this line.

INDEX

F. B. 3220 PG. 6



PLEASE RETURN TO
NGELES COUNTY ENGINEER
NGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



INDEX

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of STUNT RANCH
JN 20434 Tape _____ Std _____ °F
Surveyed by R.C. Burns & R.C. Dale
Notes R.C.D. Date 11-64
Indexed _____ G.J. GALLI

F. B. 3220 PG. 1

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Stunt Rd.
JN 00162 Tape Std °F
Surveyed by R.C. BOWERS
Notes C.H.M. Date 12-1-64
Indexed C. J. GALLI

F. B. 3220 PG. 9

RR-3

1) 184-31-20	1) 92-17-10	1) 22-16-30
4) 1-8-06-10	4) 09-08-40	4) 89-05-50
6) 27-08-50	6) 193-43-10	6) 133-38-40
184°-31-28"	92°-17-12"	22°-16-27"

RR-3
Set 3/4" IP with cap flush
F.B.

To DC 6-11
F.B. 3167-195

To RR-5

To RR-2

GEODIMETER DIST.
F.B. 3607-12

1)	60-55-00
4)	243-40-10
6)	05-30-10
	60°-55'-02"

G12
F.B. 3167-195

For Vert 4's, See Pg. 46

Note: Any Additions or Changes on This Sheet, Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

7673095 CE #247 3-57

F.B. 3220 Pg. 10

RR-2



G.L.
F.B. - 3167-195

For Vert. 4's, see Pg. 45

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Stunt Rd.
Map No.	JN 009.55 Tape Std °F
Office Work	Surveyed by RC BOWERS
Checked	Notes C H M. Date 12-1-64
Date	Indexed C. J. GALLI JAN 1 4 '65

F. B. 3320 Pg. 11

Δ GIL

1) 40-43-50
4) 162-55-10
6) 244-22-40
40°-43'-47"

1) 15-26-00
4) 61-43-50
6) 92-35-40
15°-25'-57"

1) 123-05-50
4) 132-23-20
6) 18-34-50
123°-05'-48"

1) 50°-58'-20"
4) 203-53-30
6) 305-50-20
50°-58'-23"

1) 129-46-00
4) 159-04-30
6) 58-36-20
129°-46'-03"

To RR-2
To RR-3
To RR-4
To RR-1
To RR-1
GEOL. DIST FB 3607-12
40°-43'-47"
50°-58'-23"
123°-05'-48"
129°-46'-03"

Δ GIL
fd 2x2 ¢ Nail, flush
FB-3167-185

For Vert. 4's, see Pg. 47

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247 3-57

F.B. 3220 Pg. 12

RR-1



①	28°	02'	10"	①	30°	57'	30"	①	301°	00'	00"
④	112°	09'	20"	④	123°	50'	00"	④	129°	00'	00"
⑥	168°	14'	00"	⑥	185°	45'	20"	⑥	06°	00'	10"
	28°	02'	20"		30°	57'	33"		301°	00'	02"

For Vert. ∠'s, See Pg. 5

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Stunt Rd.
Map No.	JN 2096.35 Tape Std °F
Office Work	Surveyed by R.C. Bowers
Checked	Notes RCB Date 2/64
Date	Indexed C. J. GALLI

F. B. 3220 Pg. 13

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

R.R-4



① 33° 42' 30"	① 37° 50' 30"	① 60° 42' 00"	① 127° 09' 10"
④ 134° 49' 30"	④ 151° 22' 00"	④ 242° 47' 50"	④ 148° 36' 50"
⑤ 202° 14' 10"	⑥ 227° 03' 10"	⑥ 09° 12' 00"	⑥ 42° 55' 40"
33° 42' 22"	37° 50' 32"	60° 42' 00"	127° 09' 17"

① 81° 19' 20"	① 19° 16' 30"	① 32° 19' 00"	① 28° 22' 40"
④ 325° 17' 10"	④ 77° 05' 40"	④ 129° 16' 10"	④ 113° 31' 10"
⑥ 127° 55' 50"	⑥ 115° 38' 40"	⑥ 193° 54' 10"	⑥ 170° 16' 50"
81° 19' 18"	19° 16' 27"	32° 19' 02"	28° 22' 48"

For Vert. 4's, see Pg. 48, 49

F.B. 3220 Pg. 14

RR-7



① 57° 32' 30"	① 37° 31' 50"	① 32° 57' 30"	① 53° 09' 00"
④ 230° 10' 10"	④ 150° 07' 10"	④ 131° 50' 10"	④ 212° 36' 00"
⑥ 395° 15' 20"	⑥ 225° 10' 50"	⑥ 197° 45' 30"	⑥ 318° 54' 20"
57° 32' 33"	37° 31' 48"	32° 57' 35"	53° 09' 03"

① 67° 19' 20"	① 60° 01' 20"	① 51° 27' 50"
④ 269° 17' 40"	④ 240° 06' 20"	④ 205° 51' 40"
⑥ 43° 57' 00"	⑥ 360° 09' 40"	⑥ 308° 47' 10"
67° 19' 30"	60° 01' 37"	51° 27' 52"

For Vert. ∠'s, see Pg. 52

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Notes Ck'd by	Survey of Stunt Rd.
Map No.	JN 0096-35 Tape Std °F
Office Work	Surveyed by R.C. Bowers
Checked	Notes C.C.B Date 12/64
Date	Indexed C. J. GALLI

F.B 3220 PG. 15

RR-9



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

① 17° 28' 30"	① 61° 16' 00"	① 98° 42' 20"
④ 69° 54' 30"	④ 245° 03' 40"	④ 34° 49' 10"
⑥ 104° 51' 50"	⑥ 07° 35' 40"	⑥ 232° 13' 50"
17° 28' 38"	61° 15' 57"	98° 42' 18"

①	182° 33' 10"
④	10° 13' 10"
⑥	15° 19' 30"
	182° 33' 15"

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

For Vert ∠'s, see Pg. 50

76F3095 CE # 310 3-61

F. B. 3220 PG. 16

DRY CANYON L-11



D.C. L-11
Fd. 7½" dia. Iron Well Casing with 2" I.P. & Spk. in Ctr., all encased in Conc. Conc. is marked "Dry Cn. L-11". 4P 1" Fd. 2" Market pipe S. 5' N'ly. This is Not the original point per F.B. 3167-195

①	46°	58'	40"	⑦	373°	01'	10"
④	187°	55'	20"	⑨	172°	04'	30"
⑥	281°	53'	10"	⑧	78°	06'	40"
	46°	58'	52"		313°	01'	07"

For Vert ∠'s, see Pg. 53

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of STUNT RD.
Map No.	JN 2096.35 Tape Std °F
Office Work	Surveyed by R.C. BOWERS
Checked	Notes RCB Date 12/64
Date	Indexed C. J. GALLI

F. B. 3220 Pg. 17

RR-8



Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

① 38° 07' 00"	① 83° 04' 20"	① 52° 42' 40"
④ 152° 27' 20"	④ 332° 17' 50"	④ 210° 50' 50"
⑥ 228° 41' 20"	⑥ 138° 27' 00"	⑥ 316° 16' 10"
38° 06' 53"	83° 04' 30"	52° 42' 42"

① 63° 58' 00"	① 65° 30' 30"	① 56° 37' 00"
④ 255° 52' 00"	④ 262° 01' 40"	④ 226° 29' 20"
⑥ 23° 47' 40"	⑥ 33° 02' 20"	⑥ 339° 44' 00"
63° 57' 57"	65° 30' 23"	56° 37' 20"

For Vert. ∠'s, See Pg. 53, 54

(DF 3029 CE F 319 2-61)

F. B. 3220 Pg. 18

RR-11



① 47° 41' 50"	① 150° 35' 40"	① 35° 39' 40"
④ 190° 47' 50"	④ 242° 22' 50"	④ 142° 39' 00"
⑥ 286° 12' 00"	⑥ 183° 34' 20"	⑥ 213° 58' 30"
47° 42' 00"	150° 35' 43"	35° 39' 45"

① 52° 26' 00"	① 33° 13' 30"	① 40° 23' 10"
④ 209° 44' 00"	④ 132° 53' 10"	④ 161° 32' 50"
⑥ 314° 36' 00"	⑥ 199° 19' 50"	⑥ 242° 19' 20"
52° 26' 00"	33° 13' 18"	40° 23' 13"

For Vert. ∠'s, See Pg. 55, 56

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Stunt Rd.
JN 0096.35 Tape Std °F
Surveyed by R.C. Bowers
Notes RCB Date 12/14
Indexed C. J. GALLI

F. B. 3220 Pg. 19

R.R-5



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

① 28° 35' 00"	① 150° 00' 40"	① 58° 12' 40"
④ 114° 19' 40"	④ 242° 02' 50"	④ 232° 50' 00"
⑥ 171° 29' 40"	⑥ 183° 04' 10"	⑥ 349° 15' 00"
28° 34' 57"	150° 30' 42"	58° 12' 30"

① 24° 54' 40"	① 60° 37' 10"	① 37° 10' 00"
④ 99° 38' 40"	④ 242° 28' 40"	④ 148° 40' 10"
⑥ 149° 28' 00"	⑥ 363° 43' 20"	⑥ 223° 00' 20"
24° 54' 40"	60° 37' 13"	37° 10' 03"

For Vert. ∠'s, See Pg. 56, 57

FORM 3025 CE T 310 2-01

F. B. 3220 Pg. 20

RR-6



① 72° 43' 10"	① 80° 21' 20"	① 24° 48' 20"
④ 290° 53' 20"	④ 321° 25' 50"	④ 99° 13' 00"
⑥ 76° 20' 20"	⑥ 122° 08' 50"	⑥ 148° 49' 30"
72° 43' 23"	80° 21' 28"	24° 48' 15"

① 182° 06' 50"	
④ 08° 27' 30"	
⑥ 12° 41' 00"	
182° 06' 50"	

For Vert. ∠'s, see Pg. 58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of STUNT ROAD
JN0096 35 Tape Std °F
Surveyed by R.C. BOWERS
Notes R.R.J. Date 12/64
Indexed C. J. GALLI

F. B. 3220 Pg. 21

RR-14



9-11	11-10	10-13
1.) 11-55-40	1.) 49-31-50	1.) 36-15-40
4) 47-52-50	4) 198-07-30	4) 145-02-30
6) 71-34-20	6) 297-11-20	6) 217-34-00
11-55-43	49-31-53	36-15-40
13-16	16-9	
1.) 42-26-40	1.) 219-49-40	
4) 164-47-00	4) 159-18-50	
6) 254-40-50	6) 238-38-20	
42-26-48	219-49-43	

FOR VERT △S SEE Pg. 62

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

FOR 3095 CE # 310 2-61

F.B. 3220 PG. 22

RR-12



RR-12
Set spike & T. on top of Lg. boulder flush

① 6° 20' 00"	① 38-32-10	① 81° 21' 00"
④ 25° 19' 40"	④ 259-08-50	④ 325° 24' 20"
⑥ 37° 59' 10"	⑥ 231-13-20	⑥ 128° 06' 30"
6° 19' 52"	38°-32'-13"	81° 21' 00"

⑥ 53° 21' 30"	① 78° 50' 40"	① 76° 44' 00"
④ 213° 26' 20"	④ 315° 22' 58"	④ 306° 55' 20"
⑥ 320° 09' 20"	⑥ 113° 09' 30"	⑥ 100° 23' 20"
53° 21' 33"	78° 50' 45"	76° 43' 53"

① 24-50-50
④ 99-23-20
⑥ 149-05-00
24° 50' 50"

For Vert. ∠'s, See Pg. 59, 60

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Stunt Rd.
JN 0096.35 Tape Std °F
Surveyed by R.C. Bowers
Notes RCB Date 12/64
Indexed C. J. GALLI

F. B. 3220 Pg. 23

RR-10



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

① 15° 31' 00"	① 35° 28' 40"	① 28° 08' 50"
④ 62° 04' 20"	④ 141° 54' 40"	④ 112° 35' 30"
⑥ 93° 06' 30"	⑥ 212° 52' 00"	⑥ 168° 53' 10"
15° 31' 05"	35° 28' 40"	28° 08' 52"

① 30° 20' 00"	① 37° 46' 10"	① 47° 14' 50"
④ 121° 19' 20"	④ 151° 05' 00"	④ 189° 00' 00"
⑥ 181° 59' 00"	⑥ 226° 37' 40"	⑥ 283° 30' 10"
30° 19' 50"	37° 46' 17"	47° 15' 02"

① 165° 30' 00"	
④ 302° 00' 10"	
⑥ 273° 00' 10"	
165° 30' 02"	For Vert. ∠'s, see Pg 60,61

For 3095 CE T 319 3-61

F. B. 3220 Pg. 24

RR-13



① 30° 55' 50"	① 76° 20' 00"	① 46° 30' 10"	① 15° 50' 20"
④ 23° 43' 10"	④ 305° 19' 40"	④ 186° 00' 50"	④ 63° 21' 40"
⑥ 185° 34' 50"	⑥ 97° 59' 20"	⑥ 279° 01' 30"	⑥ 95° 02' 50"
30° 55' 48"	76° 19' 53"	46° 30' 15"	15° 50' 28"
① 6° 20' 40"	① 56° 49' 30"	① 32° 17' 00"	① 20° 57' 20"
④ 25° 22' 40"	④ 227° 18' 00"	④ 129° 08' 40"	④ 83° 49' 30"
⑥ 38° 04' 00"	⑥ 340° 57' 00"	⑥ 193° 42' 40"	⑥ 25° 44' 10"
6° 20' 40"	56° 49' 30"	32° 17' 07"	20° 57' 22"

① 34° 19' 20"	① 39° 39' 40"
④ 137° 16' 40"	④ 158° 38' 20"
⑥ 205° 55' 20"	⑥ 237° 57' 40"
34° 19' 13"	39° 39' 37"

For Vert 4's, see Pg. 63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Red Rock Cyn Rd
JN 009635 Tape 2/6 Std 84 °F
Surveyed by R.C. Dale
Notes R.C.D. Date 12/14/64
Indexed C. J. GALLI

F. B. 3220 PG. 25

RR-12A



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

RR17 - RR12

2) 164 - 45 - 50
4) 329 - 31 - 40
6) 134 - 17 - 30
82° - 22 - 55"

RR10 - RR-17

2) 19 - 43 - 30
4) 39 - 26 - 50
6) 59 - 10 - 00
189° - 51 - 40"

RR12 - RR13

2) 31 - 09 - 20
4) 62 - 18 - 30
6) 93 - 27 - 50
15° - 34 - 38"

For Vert. ∠ see F.B. #05

RR13 - RR10

2) 144 - 21 - 50
4) 288 - 43 - 20
6) 73 - 05 - 00
12° - 10 - 50"

76F3095 CE #310 6-62

F. B. 3220 PG. 26

RR-15





RR17 - RR20	RR20 - RR18	RR18 - RR16
2) 102-33-20	2) 57-52-40	2) 100-50-20
4) 205-07-00	4) 115-45-20	4) 201-40-40
6) 307-40-20	6) 173-38-10	6) 302-30-50
51°-16'-43"	28°-56'-22"	50°-25'-08"
RR16 - RR13	**RR13 - RR12**	**RR12 - RR17**
2) 126-25-00	2) 153-54-50	2) 178-24-20
4) 252-49-40	4) 307-49-20	4) 356-48-10
6) 19-14-10	6) 101-44-00	6) 175-12-20
63°-12'-22"	76°-57'-20"	89-12'-03"

For Vert & Sec Pg # 66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Red Rock Cyn Rd
Map No.	JN 20 96.35 Tape 2/6 Std 84 °F
Office Work	Surveyed by R. C. Dale
Checked	Notes R.C.D. Date 12-15-64
Date	Indexed C. J. GALLI

F. B. 3225 PG. 27



For Vert & see F3"67

RR 22 - BV-12	BV-12 - RR 20	RR 20 - RR 21	RR 21 - RR 18
2) 66-37-00	2) 29-44-00	2) 40-39-30	2) 60-59-50
4) 133-14-00	4) 59-28-30	4) 81-19-20	4) 121-59-20
6) 199-50-50	6) 89-12-20	6) 121-58-55	6) 182-59-10
33°-18'-28"	14°-52'-03"	20°-19'-49"	30°-29'-52"

RR 18 - RR 15	RR 15 - RR 12	RR 12 - RR 12A	RR 12A - RR 22
2) 91-55-10	2) 62-13-00	2) 37-32-50	2) 330-19-10
4) 183-50-10	4) 124-26-00	4) 75-05-20	4) 300-38-20
6) 275-45-10	6) 186-38-55	6) 112-37-50	6) 270-57-30
45°-57'-32"	31°-06'-29"	18°-46'-18"	165°-09'-35"

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

F. B. 3220 PG. 28

RR-18



RR13 - RR15	RR15 - RR12	RR12 - RR17	RR17 - BV-12
2) 64-07-00	2) 08-30-10	2) 99-09-20	2) 92-22-50
4) 128-13-50	4) 17-00-10	4) 198-18-30	4) 184-45-40
6) 192-21-00	6) 25-30-10	6) 297-27-30	6) 277-08-10
32° 03' 30"	04° 15' 02"	49° 34' 35"	46° 11' 22"
BV-12 - RR20	RR20 - RR21	RR21 - RR19	RR19 - RR16
2) 59-14-10	2) 78-18-50	2) 153-48-00	2) 88-23-40
4) 118-28-20	4) 156-37-40	4) 307-36-10	4) 176-47-00
6) 177-42-10	6) 234-56-20	6) 101-24-20	6) 265-10-30
29° 37' 02"	39° 09' 23"	76° 54' 03"	44° 11' 45"
RR16 - RR13			
2) 76-07-00			
4) 152-13-50			
6) 228-20-20			
38° 03' 27"			

For Vert & Sec Pg 68

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Red Rock Cyn Rd
Map No.	JN 009635 Tape 216 Std 84 °F.
Office Work	Surveyed by R.C. Dale
Checked	Notes R.C.D. Date 12-8-64
Date	Indexed C. J. GALLI

F. B. 3220 PG. 29

RR - 16



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

16F3095 C.E. #310 6-62

RR14 - RR-13	RR13 - RR-12	RR12 - RR15
2) 122-26-40	2) 73-06-00	2) 29-59-00
4) 244-53-40	4) 146-12-20	4) 59-57-50
6) 7-20-50	6) 219-18-30	6) 89-57-00
61°-13'-28"	36°-33'-05"	14°-59'-30"

RR15 - RR-18	RR18 - RR-19	RR19 - RR-14
2) 118-56-10	2) 144-27-50	2) 231-04-00
4) 237-52-30	4) 288-55-30	4) 102-08-00
6) 356-48-40	6) 73-23-20	4) 333-11-40
59°-28'-07"	72°-13'-53"	115°-31'-57"

For Vert. & See Pg. 69

F. B. 3220 Pg 30

RR-19



Please Return To
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made on Circled in Red Ink With Date and Name of Person Making Change.

RR16 - RR18

2) 127-08-40
4) 254-17-20
6) 21-26-00
63°-34-20"

RR18 - BV-12

2) 40-24-00
4) 80-48-00
6) 121-12-00
20°-12-00"

BV-12 - RR-20

2) 35-13-20
4) 70-26-40
6) 105-40-00
110°-36-40

RR20 - RR21

2) 45-35-40
4) 91-11-20
6) 136-47-00
22°-47-50"

RR21 - RR16

2) 111-38-50
4) 223-17-20
6) 334-56-00
235°-49-20

For Vert ↓ See Pg 40

Notes Ck'd by	Survey of Red Rock Canyon Rd
Map No.	JN 00936 Tape 216 Std 84 °F
Office Work	Surveyed by R C Dale
Checked	Notes R C D Date 12-7-64
Date	Indexed C. J. GALLI

F. B. 3220 PG. 31



RR21 – RR19	RR19 – RR18	RR18 – RR15	RR15 – RR17
2) 96-21-40	2) 52-15-40	2) 42-51-20	2) 63-52-00
4) 152-43-00	4) 104-31-20	4) 85-42-40	4) 127-44-00
6) 229-04-10	6) 156-46-50	6) 128-34-00	6) 191-36-00
38°-10'-42"	26°-07'-48"	21°-25'-40"	31°-56'-00"
RR17 – BV-12	BV-12 – RR22	RR22 – RR23	RR23 – SEC COR
2) 47-13-20	2) 144-12-20	2) 61-44-40	2) 45-31-00
4) 94-26-40	4) 288-24-50	4) 123-29-00	4) 91-01-40
6) 141-40-00	6) 72-37-00	6) 185-13-20	6) 136-32-20
23°-36'-40"	72°-06'-10"	30°-52'-13"	22°-45'-23"
SEC COR – RR25	RR25 – RR24	RR24 – RR21	SEC COR – 1/4 COR
2) 31-45-30	2) 57-18-50	2) 96-54-50	2) 179-02-10
4) 63-31-00	4) 114-38-00	4) 193-49-20	4) 358-04-30
6) 95-16-10	6) 171-57-00	6) 290-44-00	6) 177-07-00
15°-52'-42"	28°-39'-30"	48°-27'-20"	89°-31'-10"

265.41 @ 1°40' T = 63° = 265.27
265.38 @ 1°20' T = 64° = 265.28 = 265.27

VERT. Ks Pg 71

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

6F309S CE #310 6-62

F. B. 3220 Pg. 32

RR-21



RR19 - RR18	RR18 - RR17	RR17 - BV-12	BV12 - RR-20
2) 84-59-10	2) 69-04-20	2) 49-53-20	2) 34-06-00
4) 169-58-20	4) 138-08-40	4) 99-46-50	4) 68-12-00
6) 254-57-30	6) 207-13-00	6) 149-40-20	6) 102-18-00
42°-29-35	34°-32-10	24°-56-43	17°-03-00

RR20 - RR23	RR23 - RR22	RR22 - RR25	RR25 - RR24	RR24 - RP-9
2) 79-31-30	2) 62-21-40	2) 46-55-30	2) 293-08-20	
4) 159-03-00	4) 124-43-30	4) 93-51-00	4) 226-17-00	
6) 238-34-30	6) 187-05-20	6) 140-46-30	6) 159-25-30	
39°-45'-45"	31°-10'-53"	23°-29'-45"	146°-34'-15"	

For Vert. & See Pg. 72

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Red Rock Canyon Rd
Map. No.	JN 0096.3 Tape 216 Std 84 °F
Office Work	Surveyed by R.C. Dale
Checked	Notes R.C.D. Date 12-7-64
Date	Indexed C. J. GALLI

F. B. 3220 PG. 33

SEC. COR.

Sec. cor.
Fd Std. C.S. Brass
cap in conc
Mkd as shown

COUNTY SURVEYORS MONUMENT
T 1 S.
R 9 W
4 3
10

RR 20

310° 54' - 33"

TR 20 — R.R. 23

2) 98-19-50.
4) 196-21-40
6) 294-32-30
49° 05' 25"

RR 23 - R R 23

2) 261-49-00.
4) 163-38-20
6) 65-27-20
310° 54' 33"

For Vert ∠ See Fy # 73

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

16F309S CE #3 10 6-62

F. B. 3220 Pg. 34

BV-12



RR-22 - RR-23

2) 72-06-20
4) 144-12-20
6) 216-18-10
36°-03'-02"

RR-23 - RR-25

2) 51-59-50
4) 103-59-40
6) 155-59-30
25-59'-55"

RR-25 - RR-20

2) 53-38-20
4) 107-16-30
6) 160-54-50
26°-49'-08"

RR-20 - RR-21

2) 43-20-10
4) 86-40-20
6) 130-00-40
21°-40'-07"

RR-21 - RR-19

2) 75-14-20
4) 150-29-00
6) 225-43-10
37°-37'-12"

RR-19 - RR-18

2) 28-14-50
4) 56-29-50
6) 84-44-55
14°-07'-29"

RR-18 - RR-17

2) 136-13-20
4) 272-26-30
6) 48-39-50
68°-06'-38"

RR-17 - RR-22

2) 259-13-20
4) 158-26-30
6) 51-39-50
129°-36'-38"

For Vert & Sec. Dg '74

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made on Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Red Rock Cyn Rd
JN 009635 Tape 2.16 Std 84 °F
Surveyed by R.C. Dale
Notes R.C.D Date 12-3-64
Indexed C. J. GALLI

F. B. 3220 Pg. 35

RR — 22



RR 27 – RR 29	RR 29 – RR – 23	RR 23 – RR – 20
2) 60-47-40	2) 88-17-50	2) 70-57-40
4) 121-35-10	4) 176-35-35	4) 141-55-25
6) 182-23-35	6) 264-53-00	6) 212-53-15
30° 23' - 46"	44° 08' 50"	35° 28' - 52"
RR 20 – BV-12	**BV-12 – RR 17**	**RR 17 – RR 27**
2) 38-03-50	2) 34-09-50	2) 67-43-10
4) 76-07-35	4) 68-19-50	4) 135-36-30
6) 114-11-25	6) 102-29-35	6) 203-09-55
19° 01' 54"	17° 04' 56"	213° 57' 39"

For Vert ∠ see Pg # 75

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095, CE #310 6-62

F.B. 3220 Pg. 36

RR-23



RR22 - RR27	RR27 - RR28	RR28 - RR29	RR29 - RR30	RR30 - Sec Cor.
2) 96-35-30	2) 45-46-00	2) 76-29-10	2) 26-56-00	2) 30-36-40
4) 193-11-00	4) 91-32-00	4) 52-58-30	4) 53-52-10	4) 61-13-10
6) 289-46-30	6) 137-17-50	6) 229-27-40	6) 80-48-20	6) 91-49-50
48°-17'-45"	22°-52'-58"	38°-14'-37"	13°-28'-03"	15°-18'-18"

Sec Cor - RR25	RR25 - RR24	RR24 - RR21	RR21 - RR20	RR20 - BV-12
2) 51-21-50	2) 46-23-30	2) 69-34-30	2) 48-58-50	2) 48-25-30
4) 102-43-30	4) 92-46-50	4) 139-68-40	4) 97-58-00	4) 96-51-00
6) 154-05-20	6) 139-10-00	6) 208-42-50	6) 146-57-10	6) 145-16-10
25°-40'-53"	23°-11'-40"	34°-47'-08"	24°-29'-32"	24°-12'-42"

BV-12 - RR 20
2) 178-52-30
4) 357-45-20
6) 176-38-10
89°-26'-22"

For Vert ∠ See Pg 176

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Red Rock Cyn Rd
JN 0046 35 Tape 216 Std 84 °F
Surveyed by R.C. Dole
Notes R C D Date 12-3-64
Indexed C. J. GALLI

F. B. 3220 Pg. 37

RR-24



RR21 - RR20

3) 74-17-10
4) 148-34-20
6) 222-51-20
37° - 08' - 33"

RR20 - RR23

2) 106-52-00
4) 213-44-00
6) 320-35-50
53° - 25' - 58"

RR23 - RR25

2) 61-58-00
4) 123-56-00
6) 185-53-50
30° - 58' 58"

RR25 - RR26

2) 90-36-00
4) 181-12-00
6) 271-48-00
45° - 18' - 00"

RR26 To RR21

2) 26-17-20
4) 52-34-40
6) 78-52-00
193° - 08' - 40"

For Vert ∡ See Pg 77

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change. Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #3 10 6-62

F. B. 3220 Pg 38

RR-25



RR27 – RR-28	RR-28 – RR29	RR-29 – RR30	RR-30 – RR26	RR26 – RR24
2) 51-14-00	2) 60-13-30	2) 42-18-20	3) 127-15-00	2) 111-10-00
4) 102-28-05	4) 120-26-50	4) 84-36-50	4) 254-29-55	4) 222-19-50
6) 153-42-05	6) 180-40-00	6) 126-55-05	6) 21-45-15	6) 333-29-30
25°-37'-01"	30°-06'-40"	21°-09'-11"	63°-37'-32"	55°-34'-55"

RR-24 – RR21	RR-21 – RR20	RR20 – BV-12	BV12 – RR23	RR23 – RR-27
2) 69-57-55	2) 63-53-30	2) 23-08-40	2) 94-38-50	2) 76-10-15
4) 139-36-05	4) 127-47-10	4) 46-17-10	4) 189-17-25	4) 152-20-45
6) 209-54-10	6) 191-40-40	6) 69-25-55	6) 283-56-05	6) 228-31-20
34°-59'-01"	31°-56'-46"	11°-39'-19"	47°-19'-20"	38°-05'-13"
		11 34 19		

For Vert & see Pg #78

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Red Rock Cyn Rd
Map No.	JN 0096.35 Tape 2K Std 84 °F
Office Work	Surveyed by R.C. De Ic
Checked	Notes R.C.D. Date 12-2-64
Date	Indexed C. J. GALLI

F. B. 3220 Pg. 39



RR24 - RR25

2) 158 - 14 - 00
4) 316 - 28 - 00
6) 114 - 41 - 40
79° 06' - 57"

RR25 to RR29

2) 149 - 58 - 40
4) 299 - 57 - 20
6) 89 - 56 - 00
74° - 59 - 30"

RR29 - RR30

2) 42 - 47 - 10
4) 85 - 34 - 20
6) 128 - 21 - 00
21° - 23' - 30"

RR30 - RR24

2) 369 - 00 - 30
4) 18 - 00 - 00
6) 27 - 01 - 00
184° - 30' - 10"

For Vert & see pg 79

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

16F3095 CE #310 6-62

F.B. 3220 PG. 40

R.R. - 27



RR 28 TO RR 29	RR 29 TO RR 25	RR 25 TO RR 23
2) 107-15-30	3) 95-27-20	2) 52-39-35
4) 214-30-55	4) 190-54-30	4) 105-19-10
6) 321-46-15	6) 286-20-25	6) 157-58-25
53°-37'-43"	47°-43'-34"	26°-19'-44"

RR 23 TO RR 22	RR 22 TO RR 28
2) 114-19-10	2) 350-18-35
4) 228-38-30	4) 340-37-10
6) 342-57-35	6) 330-55-40
57°-09'-36"	175-09-18

For Vert. ∡ see Pg. 80

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Red Rock Cyn Rd
JN 00% 35 Tape 216 Std 84 °F
Surveyed by R.C. Dale
Notes R C D Date 12-14
Indexed C. J. GALLI

F. B. 3220 PG. 41

R.R-28



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change. Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

RR 28 To RR 29
2) 186-14-10
4) 12-28-10
6) 18-42-20
273°-07'-03"

RR 28 To RR 27
2) 67-42-20
4) 135-24-20
6) 203-06-40
33°-51'-07"

RR 28 To RR 25
2) 47-11-20
4) 94-23-00
6) 141-34-10
23°-35'-42"

RR 28 To RR 23
2) 58-52-30
4) 117-45-00
6) 176-37-10
29°-26'-12"

F-11 - RR 23
2) 46-12-10
4) 132-34-20
6) 178-57-10
33°-08'-32"

RR 23 - H-2
3) 71-57-20
4) 143-42-30
6) 215-33-40
35°-55'-37"

For Dev. & See Pg 81

TOF3095, CE #3 10 8-62

F.B. 3220 Pg. 42

RR-29



RR30 TO RR26
2) 130-32-10
4) 261-04-15
6) 31-36-25
65°-16'-04"

RR 26 TO RR25
2) 40-27-20
4) 80-54-40
6) 121-22-00
20°-13'-40"

RR 25 TO RR 23
2) 63-27-20
4) 126-54-40
6) 190-22-00
31°-43'-40"

RR 23 TO RR22
2) 52-51-35
4) 105-43-10
6) 158-34-35
26°-25'-40"

RR22 TO RR27
2) 36-46-30
4) 73-33-10
6) 110-19-50
18°-23'-18"

RR27 TO RR28
2) 78-58-40
4) 157-57-15
6) 236-55-50
39°-29'-18"

RR28 TO RR30
2) 316-56-25
4) 273-53-05
6) 230-49-40
158°-28'-17"

For Vert ∠ see Pg 82

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Red Rock Can Rd
JN 0096.35 Tape 216 Std 84 °F
Surveyed by R. C. De Ic.
Notes R.C.D. Date 12-1-64
Indexed C. J. GALLI

F. B. 3220 PG. 43



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

RR 26 TO RR 25

2) 39-59-00
4) 79-58-00
6) 119-57-00
19°-59'-30"

RR 25 TO RR 23

2) 48-05-10
4) 96-10-20
6) 144-15-30
24°-02'-35"

RR 23 TO RR 29

2) 98-37-00
4) 197-13-50
6) 295-50-30
49°-18'-25"

RR 29 TO RR 26

2) 173-19-00
4) 346-38-00
6) 159-57-00
256°-39'-30"

For Ver't & see Pg #53

76F309S CE #310 6-62

F. B. 3220 PG 44



F-11
DRY CANYON
Fd Standard Brass cap
monument inscribed "1" First
Order Survey Control
L.A. City Department
of Public Works Dry
Canyon F-11 1950
Per FB 1067-114 CS
Index Map #60

2) 144-49-00
4) 289-38-00
6) 74-27-00
72-24-30"

2) 215-11-00
4) 20-21-30
6) 285-32-30
287°-35'-25"

For Vert ∠ see Pg 84

H-2
Las Flores
1 Fd Standard Brass
4" Tablet inscribed
First order survey
control, L.A. City
Dept Public Works
Las Flores H-2 1950
Per FB 1652-211
FB 1067-116
CS Index # 59



2) 77-03-00
4) 154-06-00
6) 231-09-00
38°-31-30

2) 282-57-00
4) 205-53-50
6) 128-50-50
321°-28'-28"

For Vert ∠ see Pg 84

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-2 F.B. 3220 PG 10 H.I. + 4.67

Sight on	Rod	+ Vertical ± Angle	Horizontal Distance	+ Vertical ± Distance	+ Curvature Correction	±Difference ± Elevation	Adjusted Diff. Elev.
RR-4	1 00	1) - 10 - 35 - 20 2) - 10 - 35 - 00 Avg = - 10° - 35' - 10"					
	5.00	1) - 10 - 26 - 10 2) - 10 - 26 - 00 Avg = - 10° - 26' - 05"					
	2 00	1) - 2 - 44 - 20 2) - 2 - 44 - 40 Avg = - 2° - 44' - 30"					
RR-5	6 00	1) - 2 - 35 - 20 2) - 2 - 35 - 40 Avg = - 2 - 35 - 30					
△ GIL	1 00	1) - 4 - 46 - 40 2) - 4 - 46 - 40 Avg = - 4° - 46' - 40"					
	5.00	1) - 4 - 39 - 40 2) - 4 - 39 - 40 Avg = - 4° - 39' - 40"					
	1.00	1) - 4 - 43 - 50 2) - 4 - 44 - 00 Avg = - 4° - 43' - 55"					
RR-3	5.00	1) - 4 - 56 - 10 2) - 4 - 56 - 00 Avg = - 4° - 56' - 05"					

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Stunt Rd.
W. O. Type No. Srd. of
Surveyed by R.C. ROWERS
Notes C.A.M.S. Date 12-1-64
Indexed C. J. GALLI

F.B. 3220 PG 45

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-3 F.B. 3220 PG 9 H.I. + 4.68

Sight on	+ Rod -	Vertical Angle	Horizontal Distance	+ Vertical Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
DCL-11	1.00	1) C) 1-11-00 2) C) 1-11-00 AVG = - 1°11'00					
	2.00	1) C) 1-09-10 2) C) 1-09-20 AVG = - 1-09-15					
GL	1.00	1) - 5-06-00 2) - 5-05-40 AVG = - 5°05'50					
	5.00	1) - 5-01-00 2) - 5-00-50 AVG = - 5°00'55"					
RR-2	1.00	1) - 5-02-40 2 - 5-02-20 AVG = - 5°02'30"					
	5.00	1) 4-52-30 2) 4-52-40 AVG = 4°52'35"					
RR 5	2.00	1) - 7-29-00 2) - 7-28-40 AVG = - 7°28'50"					
		1) - 7-21-10 2) - 7-21-20 AVG = - 7°21'30"					

F.B. 3220 PG. 46

76F3098 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION A G14 F.B. 3220 PG. 11 H.I. + 4.64

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
RR1	1.00	1) - 5-34-20 2) - 5-34-00 AVG = - 5-34-10					
RR1	5.00	1) - 5-19-40 2) - 5-19-20 AVG = - 5° 19' 30"					
RR4	5.00	1) - 4-48-40 2) - 4-48-20 AVG = - 4° 48' 30"					
RR4	10.00	1) - 4-37-30 2) - 4-37-40 AVG = - 4-37-35					
RR2	1.00	① + 4° 33' 40" ② + 4° 33' 40" + 4° 33' 40"					
RR2	5.00	① + 4° 40' 40" ② + 4° 41' 00" + 4° 40' 50"					
RR3	1.00	① + 4°57'00" ② + 4°57'00" + 4°57'00"					
RR3	5.00	① + 5°00'20" ② + 5°00'40" + 5°00'30"					

Cont. on Next Pg.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Stunt Rd.
W. O. 02.35 Tape No. Str'd.
Surveyed by E.C. Bogert oF
Notes CWP & CB Date 11/64
Indexed O. J. GALL

F. B. 3220 PG. 47

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION △ G1C F.B. 3220 PG 11 H.I. + 4.64

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
DC. C-11	2.00	① + 2° 54' 40" ② + 2° 55' 00" + 2° 54' 50"					
DC C-11	5.00	① + 2° 58' 20" ② + 2° 58' 00" + 2° 58' 10"					
	TO Sta. RR-4		FB 3220, Pg. 13			HI = + 5.00	
△G1C	1.00	① + 4° 40' 40" ② + 4° 40' 20" + 4° 40' 30"					
△ G1	5.00	① + 4° 49' 20" ② + 4° 49' 40" + 4° 49' 30"					
RR-1	Unable to get Vert. angle To this point.						
RR-7	3.00	① + 3° 02' 30" ② + 3° 02' 30" + 3° 02' 30"					
	7.00	① + 3° 07' 40" ② + 3° 08' 00" + 3° 07' 50"					

F.B. 3220 Pg. 48

Cont. on Next Pg.

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

(Cont. from last Page)

TRANSIT AT STATION R.R.-4 F.B. 3220 PG. 13 H.I. +5.00

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
R.R.-6	4.00	① + 3° 06' 40" ② + 3° 07' 00" + 3° 06' 50"					
RR 6	7.00	① + 3° 11' 00" ② + 3° 11' 40" + 3° 11' 20"					
RR-8	3.00	① + 0° 29' 40" ② + 0° 30' 00" + 0° 29' 50"					
RR8	6.00	① + 0° 32' 40" ② + 0° 32' 40" + 0° 32' 40"					
RR-5	2.00	① + 5° 06' 00" ② + 5° 06' 20" + 5° 06' 10"					
RR-5	5.00	① + 5° 10' 00" ② + 5° 10' 20" + 5° 10' 10"					
RR-2	2.00	① + 10° 19' 30" ② + 10° 19' 40" + 10° 19' 35"					
RR-2	6.00	① + 10° 28' 00" ② + 10° 28' 00" + 10° 28' 00"					

Notes Ck'd by
Map No. Sht.
Office Work
Checked
Date

Survey of Stunt Rd.
W.O. 9635 Tape No. Sht. of
Surveyed by E.C. Bauer
Notes ECB Date 4/64
Indexed C. J. GALLI

F.B. 3220 PG. 49

5

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-9 F.B. 3220 PG 15 H.I. + 4.94

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical Distance	+ Curvature Correction	+ Difference Elevation	Adjusted Diff. Elev.
RR 5	3.00	+ 5° 51' 20"					
		+ 5° 51' 20"					
		+ 5° 51' 20"					
"	8.00	+ 6° 03' 40"					
		+ 6° 03' 00"					
		+ 6° 03' 20"					
R.R-8	2.00	(-) 3° 08' 40"					
		(-) 3° 08' 50"					
		(-) 3° 08' 45"					
"	8.00	(-) 2° 44' 00"					
		(-) 2° 44' 20"					
		(-) 2° 44' 10"					
RR-11	1.00	(-) 7° 22' 20"					
		(-) 7° 22' 40"					
		(-) 7° 22' 30"					
"	10.00	(-) 7° 03' 20"					
		(-) 7° 03' 20"					
		(-) 7° 03' 20"					
RR-14	1.00	(-) 2° 11' 40"					
		(-) 2° 12' 00"					
		(-) 2° 11' 50"					
"	10.00	(-) 2° 03' 40"					
		(-) 2° 04' 00"					
		(-) 2° 03' 50"					

F.B. 3220 PG. 50

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-1 F.B. 3220 PG 12 H.I. 4.80

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
RR-6	2.00	+ 1° 18' 50" + 1° 19' 00" + 1° 18' 55"					
"	5.00	+ 1° 21' 00" + 1° 21' 20" + 1° 21' 10"					
△G11	1.00	+ 5° 06' 40" + 5° 07' 00" + 5° 06' 50"					
"	5.00	+ 5° 21' 00 + 5° 21' 20" + 5° 21' 10"					
RR-4	Unable to get Vert ∠ to this Pt.						

TRANSIT @ STA RR-7 F.B. 3220 PG. 14 HI = 4.93

RR-6	4.00	(-) 00° 19' 00" (-) 00° 19' 20" (-) 00° 19' 10"					
"	10.00	(-) 00° 05' 10" (-) 00° 05' 20" (-) 00° 05' 15"					
RR-10	1.00	(-) 4° 01' 20" (-) 4° 01' 00" (-) 4° 01' 10"					
"	7.00	(-) 3° 50' 50" (-) 3° 50' 40" (-) 3° 50' 45"					

Cont. on Next Pg.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Stunt Rd.
W. O. 76-35 Tape No. Std.
Surveyed by RCB & RC Bowers
Notes RCB Date 12/64
Indexed C. J. GALLI

F.B. 3220 PG. 37

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-7 (Cont. from 2334 BK) F.B. 3220 PG 14 H.I. + 4.93

Sight On	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
RR-10	1.0	(-) 1° 40' 00"					
		(-) 1° 39' 40"					
		(-) 1° 39' 50"					
"	5.0	(-) 1° 35' 10"					
		(-) 1° 35' 30"					
		(-) 1° 35' 20"					
RR-11	1.0	(-) 7° 09' 20"					
		(-) 7° 09' 00"					
		(-) 7° 09' 10"					
"	5.0	(-) 7° 02' 50"					
		(-) 7° 03' 00"					
		(-) 7° 02' 55"					
RR-8	4.0	(-) 4° 49' 20"					
		(-) 4° 49' 40"					
		(-) 4° 49' 30"					
"	7.0	(-) 4° 42' 00"					
		(-) 4° 41' 40"					
		(-) 4° 41' 50"					
RR-4	3.0	(-) 3° 08' 20"					
		(-) 3° 08' 00"					
		(-) 3° 08' 10"					
"	7.0	(-) 3° 03' 40"					
		(-) 3° 03' 20"					
		(-) 3° 03' 30"					
RR-5	3.0	+ 1° 33' 20"					
		+ 1° 33' 40"					
		+ 1° 33' 30"					
	8.0	+ 1° 39' 20"					
		+ 1° 39' 00"					
		+ 1° 39' 10"					

F.B. 3220 PG. 52

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION DC.L-11 F.B. 3220 PG. 16 H.I. +4.85

Sight on	+Rod	+ Vertical Angle	Horizontal Distance	+ Vertical Distance	+ Curvature Correction	+Difference Elevation	Adjusted Diff. Elev.
△G.11	1.00	(-) 3° 01' 20"					
		(-) 3° 01' 00"					
		(-) 3° 01' 10"					
"	7.00	(-) 2° 56' 40"					
		(-) 2° 56' 20"					
		(-) 2° 56' 30"					
RR-3	1.00	+ 1° 00' 20"					
		+ 1° 00' 40"					
		+ 1° 00' 30"					
"	5.00	+ 1° 05' 20"					
		+ 1° 05' 40"					
		+ 1° 05' 30"					
TRANSIT @ STA. RR-8 F.B. 3220 PG. 17 HI = +4.87							
RR-9	3.00	+ 2° 49' 40"					
		+ 2° 49' 20"					
		+ 2° 49' 30"					
"	6.00	+ 3° 00' 20"					
		+ 3° 00' 40"					
		+ 3° 00' 30"					
RR-5	1.00	+ 6° 02' 40"					
		+ 6° 02' 20"					
		+ 6° 02' 30"					
"	5.00	+ 6° 11' 00"					
		+ 6° 10' 40"					
		+ 6° 10' 50"					

Cont. on Next Pg.

Notes Ck'd. by
Map No. Std.
Office Work
Checked
Date

Survey of Stuart Rd.
W. O. 35 Tape No. Std.
Surveyed by ECB Rowers
Notes ECB Date 12/66
Indexed C. J. GALLI

F.B. 3220 PG. 53

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-8 (Cont. from 1st Pg.) F.B. 3220 PG 17 H.I. + 4.87

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
RR-4	5.00	(+) 0° 32' 20" (+) 0° 32' 20" (-) 0° 32' 20"					
"	9.00	(-) 0° 28' 00" (-) 0° 28' 20" (-) 0° 28' 10"					
RR-7	3.00	+ 4° 43' 00" + 4° 42' 40" + 4° 42' 50"					
"	10.00	+ 5° 00' 00" + 5° 00' 00" + 5° 00' 00"					
RR-13	10.00	+ 0° 22' 40" + 0° 22' 20" + 0° 22' 30"					
"	unable to distinguish foot markings due to distance & haze conditions						
RR-11	2.00	(-) 6° 22' 00" (-) 6° 21' 40" (-) 6° 21' 50"					
"	6.00	(-) 6° 12' 00" (-) 6° 12' 20" (-) 6° 12' 10"					

F.B. 3220 PG. 54

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

TRANSIT AT STATION RR-11 F.B. 3220 PG. 18 H.I. + 4.71

Sight	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
RR-9	1	+ 7° 03' 40"					
		+ 7° 04' 00"					
		+ 7° 03' 50"					
"	5	+ 7° 13' 00"					
		+ 7° 13' 20"					
		+ 7° 13' 10"					
RR-8	3	+ 6° 08' 40"					
		+ 6° 09' 00"					
		+ 6° 08' 50"					
"	10	+ 6° 28' 00"					
		+ 6° 28' 20"					
		+ 6° 28' 10"					
RR-7	5	+ 7° 02' 20"					
		+ 7° 02' 40"					
		+ 7° 02' 30"					
"	10	+ 7° 11' 20"					
		+ 7° 11' 20"					
		+ 7° 11' 20"					
RR-10	1	+ 2° 15' 00"					
		+ 2° 15' 20"					
		+					
"	5	+ 2° 19' 20"					
		+ 2° 19' 40"					
		+ 2° 19' 30"					
RR-13	3	+ 3° 06' 40"					
		+ 3° 06' 20"					
		+ 3° 06' 30"					
"	7	+ 3° 11' 20"					
		+ 3° 11' 00"					
		+ 3° 11' 10"					

Cont. Top Next Pg.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Sunset Rd.
W. O. 35 Tape No. Str'd
Surveyed by R.C.B. & Beavers
Notes
Indexed C. J. GALLI Date 12/64

F. B. 3220 PG. 55

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-11 (cont from Last Pg) F.B. 3220 PG 18 H.I. + 4.71

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
RR-14	1ᵖ	+ 1° 25' 20" + 1° 25' 00" + 1° 25' 10"					
"	6ᵖ	+ 1° 33' 20" + 1° 33' 00" + 1° 33' 10"					

TRANSIT @ STA. RR-5 F.B. 3220-19 H.I. = 4.66

RR-8	1ᵖ	(-) 6° 18' 10" (-) 6° 18' 20" (-) 6° 18' 15"					
"	6ᵖ	(-) 6° 08' 40" (-) 6° 08' 40" (-) 6° 08' 40"					
RR-9	1ᵖ	(-) 6° 04' 20" (-) 6° 04' 10" (-) 6° 04' 15"					
"	7ᵖ	(-) 5° 49' 50" (-) 5° 50' 00" (-) 5° 49' 55"					

Cont. on Next Pg.

F.B. 3220 PG 56

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-5 Cont. From Last Pg. F.B. 3220 PG 19 H.I. +4.66

TRANSIT AT STATION ____ F.B. ____ PG ____ H.I. ____

Sight on	Rod	Vertical Angle	Horizontal Distance	+ Vertical Distance = Distance	+ Curvature Correction	+ Difference = Elevation	Adjusted Diff. Elev.
RR-3	2°	+ 7° 14' 30"					
		+ 7° 14' 20"					
		+ 7° 14' 25"					
"	6°	+ 7° 23' 40"					
		+ 7° 23' 20"					
		+ 7° 23' 30"					
RR-2	3°	+ 2° 34' 00"					
		+ 2° 33' 40"					
		+ 2° 33' 50"					
"	10°	+ 2° 50' 20"					
		+ 2° 50' 20"					
		+ 2° 50' 20"					
RR-4	6°	⊖ 5° 12' 20"					
		⊖ 5° 12' 20"					
		⊖ 5° 12' 20"					
"	10°	⊖ 5° 04' 10"					
		⊖ 5° 04' 20"					
		⊖ 5° 04' 15"					
RR-7	2°	⊖ 1° 39' 40"					
		⊖ 1° 39' 50"					
		⊖ 1° 39' 45"					
"	7°	⊖ 1° 33' 20"					
		⊖ 1° 33' 40"					
		⊖ 1° 33' 30"					

Notes Ck'd by: ____
Mapped: ____
Office Work: ____
Checked: ____
Date: ____

Survey of Stunt Rd.
W. O. 08.35 Tape No. ____ St'd. ____ oF
Surveyed by: EC Bowers
Notes: EC B = Date: 12/64
Indexed: G. J. GALLI

F.B. 3220 PG. 57

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRAN. @ STA RR-6 - FB 3220, Pg. 20 . HI = 4.82

Sight on	Rod	Vert. ∠
RR-10	1'	(-) 4° 11' 40" (-) 4° 11' 40" (-) 4° 11' 30"
"	6'	(-) 4° 01' 40" (-) 4° 02' 00" (-) 4° 01' 50"
RR-7	4'	+ 0° 15' 00" + 0° 14' 40" + 0° 14' 50"
"	8'	+ 0° 24' 00" + 0° 23' 50" + 0° 23' 55"
RR-4	1'	(-) 3° 13' 40" (-) 3° 14' 00" (-) 3° 13' 50"
"	7'	(-) 3° 05' 40" (-) 3° 06' 00" (-) 3° 05' 50"
RR-1	2'	(-) 1° 24' 20" (-) 1° 24' 00" (-) 1° 24' 10"
"	8'	(-) 1° 19' 20" (-) 1° 19' 40" (-) 1° 19' 30"

F.B. 3220 PG. 58

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-12 F.B. 3220 PG 22 H.I. + 4.32

Sight on	Rod	+ Vertical - Angle	Horizonal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
RR-18	1º	(-) 3° 30' 40" (-) 3° 30' 40" (-) 3° 30' 40"					
"	6º	(-) 3° 23' 20" (-) 3° 23' 40" (-) 3° 23' 30"					
RR-15	1º	(-) 6° 52' 00" (-) 6° 53' 40" (-) 6° 53' 50"					
"	6º	(-) 6° 40' 00" (-) 6° 39' 40" (-) 6° 39' 50"					
RR-13	1º	(-) 6° 12' 00" (-) 6° 12' 00" (-) 6° 12' 00"					
"	6º	(-) 6° 01' 40" (-) 6° 02' 00" (-) 6° 01' 50"					
RR-10	2º	(-) 4° 48' 20" (-) 4° 48' 00" (-)					
"	6º	(-) 4° 38' 40" (-) 4° 39' 00" (-) 4° 38' 50"					
RR-12A	5º	+ 9° 32' 20" + 9° 32' 10" + 9° 32' 15"					
"	10º	+10° 07' 10" +10° 06' 50" +10° 06' 00"					

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Stunt Rd.
W. O. 0096-35 Type No. Str'd.
Surveyed by RCB Rowers
Notes R.C.B. Date 12/64
Indexed G. J. GALI

°F

F.B. 3220 PG. 59

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-12 F.B. 3220 PG 22 H.I. + 4.32

Sight on	Rod	+ Vertical Angle -	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+ Difference - Elevation	Adjusted Diff. Elev.
RR-11	12	+ 13° 31' 30"					
		+ 13° 31' 40"					
		+ 13° 31' 30"					
"	10	+ 13° 45' 00"					
		+ 13° 44' 40"					
		+ 13° 44' 50"					
TRANSIT @ RR-10			FB 3220 - PG. 23		HI = + 4.80		
RR-12A	2	+ 7° 25' 00"					
		+ 7° 24' 40"					
		+ 7° 24' 50"					
"	6	+ 7° 29' 40"					
		+ 7° 29' 20"					
		+ 7° 29' 30"					
RR-12	1	+ 4° 37' 20"					
		+ 4° 37' 00"					
		+ 4° 37' 10"					
"	6	+ 4° 43' 40"					
		+ 4° 44' 00"					
		+ 4° 43' 50"					
RR-13	1	+ 0° 34' 00"					
		+ 0° 34' 00"					
		+ 0° 34' 00"					
"	8	+ 0° 42' 50"					
		+ 0° 42' 30"					
		+ 0° 42' 40"					

Cont. on Next Pg.

FB 3220 PG 22

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

Cont. from Last Pg.

TRANSIT AT STATION RR-10 F.B. 3220 PG 23 H.I. +4.80

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical = Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
RR-14	2ft	(-) 1° 03' 20"					
		(-) 1° 03' 10"					
		(-) 1° 03' 15"					
"	7ft	(-) 0° 58' 50"					
		(-) 0° 58' 40"					
		(-) 0° 58' 30"					
RR-11	2ft	(-) 2° 21' 50"					
		(-) 2° 21' 40"					
		(-) 2° 21' 45"					
"	7ft	(-) 2° 16' 20"					
		(-) 2° 16' 40"					
		(-) 2° 16' 30"					
RR-8	3ft	+ 0° 11' 00"					
		+ 0° 10' 40"					
		+ 0° 10' 50"					
"	7ft	+ 0° 15' 00"					
		+ 0° 15' 20"					
		+ 0° 15' 10"					
RR-7	4ft	+ 3° 52' 20"					
		+ 3° 52' 00"					
		+ 3° 52' 10"					
"	8ft	+ 3° 59' 20"					
		+ 3° 59' 00"					
		+ 3° 59' 10"					
RR-6	2ft	+ 3° 57' 00"					
		+ 3° 57' 00"					
		+ 3° 57' 00"					
"	8ft	+ 4° 09' 40"					
		+ 4° 09' 20"					
		+ 4° 09' 30"					

Notes Ck'd by
Map No. Str'd.
Office Work
Checked
Date

Survey of Stuart Rd.
W. O. 2835 Tape No. oF
Surveyed by: EC Bowers
Notes RCB Date 12/64
Indexed C. J. GALLI

F. B. 3220 PG. 61

17

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-14 F.B. 3220 PG 21 H.I. + 4.80

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical Curvature Correction	+ Difference Elevation	Adjusted Diff. Ele
RR-9	1º	+ 2° 03'	70'			
		+ 2° 03'	20"			
		+ 2° 03'	15"			
"	5º	+ 2° 07'	20"			
		+ 2° 07'	00"			
		+ 2° 07'	10"			
RR-10	3º	+ 0° 58'	30"			
		+ 0° 58'	20"			
		+ 0° 58'	25"			
"	10º	+ 1° 05'	00"			
		+ 1° 04'	40"			
		+ 1° 04'	50"			
RR-16	3º	+ 3° 13'	50"			
		+ 3° 13'	30"			
		+ 3° 13'	40"			
"	8º	+ 3° 20'	20"			
		+ 3° 20'	10"			
		+ 3° 20'	15"			
RR-11	1º	(-) 1° 37'	40"			
		(-) 1° 37'	20"			
		(-) 1° 37'	30"			
"	6º	(-) 1° 29'	40"			
		(-) 1° 30'	00"			
		(-) 1° 29'	50"			
RR-13	6º	+ 2° 47'	00"			
		+ 2° 46'	40"			
		+				
"	10º	+ 2° 53'	00"			
		+ 2° 52'	40"			
		+ 2° 52'	50"			

F.B. 3220 PG. 62

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-13 F.B. 3220 PG 24 H.I. +4.64

Sight on	Rod	Vertical Angle	Horizontal Distance	Vertical Distance	Curvature Correction	Difference in Elevation	Elevation
RR-15	1º	+ 1° 42' 40" + 1° 42' 40" + 1° 42' 40"					
RR-14	1º	(-) 2° 51' 30" (-) 2° 51' 40" (-) 2° 51' 35"					
RR-11	1º	(-) 3° 13' 20" (-) 3° 13' 20" (-) 3° 13' 20"					
RR-8	3º	(-) 0° 19' 20" (-) 0° 19' 30" (-) 0° 19' 25"					
RR-7	4º	+ 1° 34' 10" + 1° 34' 00" + 1° 34' 05"					
RR-10	1º	(-) 0° 42' 50" (-) 0° 43' 00" (-) 0° 42' 55"					
RR-12A	3º	+ 7° 14' 00" + 7° 13' 40" + 7° 13' 50"					
RR-12	1º	+ 6° 00' 20" + 6° 00' 00" + 6° 00' 10"					
RR-18	3º	+ 0° 19' 50" + 0° 19' 40" + 0° 19' 45"					
RR-16	2º	+ 1° 04' 20" + 1° 04' 00" + 1° 04' 10"					

Notes or day
Map No.
Office Work
Checked
Date

Survey of Stuart Rd.
W.O. 8835 Tape No. Sr'd.
Surveyed by EC Beers of
Notes EC Beers Date 2/14
Indexed C. J. GALLI

F.B. 3220 Pg. 63

19

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR12-A1 T.B. 3220 PG 25 H.I. + 5.20

RR17	5.00	+10-42-00 +10-42-00 +10-42-00
RR12	5.00	-9-40-00 -9-40-20 -9-40-10
RR13	5.00	-7-16-40 -7-16-40 -7-16-40
RR10	5.00	-7-30-00 -7-30-00 -7-30-00

Survey of 268 Pac'k Cyn Rd
W. 0635 Tape No 216 Std 64 OF
Surveyed by R.C. De 12
Notes R.C.D Date 12-18-64
Indexed C. L. GALLI

Notes Ck'd
Map Rec
Drft'd/work
Checked
Party

F.B. 3220 PG 65

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-15 F.B. 3220 PG. 26 H.I. +5.22

Sight	Angle	Distance	Vertical Angle	Corrected Vertical Angle	Difference in Elevation	Adjusted Elevation
RR-17	5:00	+20-38-40 +20-37-40 +20-38-10				
RR20	5:00	+3-24-00 +3-25-00 +3-24-30				
RR-18	5:00	+1-10-00 +1-09-40 +1-09-50				
RR 16	5:00	+0-29-20 +0-28-40 +0-29-00				
RR13	5:00	-1-52-00 -1-51-20 -1-51-40				
RR-12	5:00	+6-42-00 +6-42-40 +6-42-20				

F.B. 3220 PG. 66

76F3095 C.E. #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION RR-17 F.B. 3220 PG. 27 H.I. 5.00

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
RR 22	5.00	-11-08-50 -11-08-30 -11-08-40					
BV-12	5.00	-08-20-00 -08-20-00 -08-20-00					
RR 21	5.00	-02-00-00 -02-00-20 -02-00-10					
RR 18	5.00	-16-50-00 -16-50-30 -16-50-15					
RR-15	5.00	-19-23-00 -19-22-40 -19-22-50					
RR 12	5.00	-13-38-20 -13-38-20 -13-38-20					
RR12A	5.00	-10-42-40 -10-43-00 -10-42-50					
RR 20	5.00	-9-13-00 -9-12-40 -9-12-50					

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Red Rock Cyn Rd
JN 00963S Tape 216 Std 84 °F
Surveyed by R.C.D. Date 12-14-67
Notes R.C.D.
Indexed C. J. GALLI

F.B. 3220 PG. 67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

TRANSIT AT STATION RR-18 F.B. 9220 PG 28 H.I. + 5.05

Sight on	-Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
RR13	4.64	-0-23-20 -0-23-20 -0-23-20					
RR15	5.00	+1-08-20 +1-08-20 +1-08-20					
RR12	5.00	+3-24-00 +3-24-00 +3-24-00					
RR17	5.00	+16-49-00 +16-50-00 +16-49-30					
BV-12	5.00	+10-51-00 +10-52-00 +10-51-30					
RR20	5.00	+6-18-00 +6-18-40 +6-18-20					
RR21	5.00	+15-24-00 +15-24-40 +15-24-20					
RR19	5.00	+7-52-00 +7-52-20 +7-52-10					
RR16	5.00	+0-40-20 +0-41-20 +0-40-50					

68

F.B. 3220 PG

76F3098 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION L.R. 16 F.B. 3220 PG. 29 H.I. + 5.00

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical Distance	+ Curvature Correction	Difference in Elevation	Elevation
RR-14	5.00	-3-16-00					
		-3-16-40					
		-3-16-20					
RR 13	5.00	-1-08-20					
		-1-08-00					
		-1-08-10					
RR 12	5.00	+3-02-00					
		+3-02-40					
		+3-02-50					
RR 15	5.00	+0-32-00					
		+0-32-00					
		+0-32-00					
RR 18	5.00	-0-42-40					
		-0-42-20					
		-0-42-30					
RR 19	5.00	+9-49-00					
		+9-48-40					
		+9-48-50					

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of Bad Back Can Rd
W. 0035 Tape No. 2-16 Std. 34 of
Surveyed by R.C. D.P.C. Date 12-8-64
Notes _____
Indexed C. J. GALLI

F. B. 3220 PG. 69

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-19 F.B. 3220 PG 30 H.I.+ 5.12

To Point	Vert. Angle	Horizontal Angle	Vertical Correction	Distance Correction	Distance Elevation	Adjusted Elevation
RR16	5.00	-9-50-00 -9-50-00 -9-50-00				
RR18	5.00	-7-52-40 -7-52-30 -7-52-35				
BM-12	5.00	+3-17-00 +3-17-10 +3-17-05				
RR20	5.00	+0-24-40 +0-25-00 +0-24-50				
RR21	5.00	+8-33-00 +8-32-40 +8-32-50				

F.B. 3220 PG 70

X

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION R 2-20 F.B. 3220 PG 31 H.I. + 5.26

Station	Vertical Angle	Horizontal Distance	Vertical Distance	Curvature Correction	Difference Elevation	Elevation
RR19	5.00	-6-26-00				
		-6-27-00				
		-6-27-30				
RR18	5.00	-6-20-00				
		-6-20-00				
RR15	5.00	-3-26-40				
		-3-26-30				
		-3-26-35				
RR17	10.00	+9-18-40				
		+9-18-00				
		+9-18-20				
BV-12	10.00	+9-34-40				
		+9-35-00				
		+9-34-50				
RR22	0.00	-7-45-00				
		-7-46-00				
		-7-45-30				
RR23	0.00	-14-07-20				
		-14-08-00				
		-14-07-40				
SECCOR	5.00	-7-31-00				
		-7-31-00				
		-7-31-00				
RR25	5.00	-3-19-20				
		-3-20-00				
		-3-19-40				
RR24	5.00	+6-13-50				
		+6-14-00				
		+6-13-55				
RR21	5.00	+12-34-00				
		+12-33-00				
		+12-33-30				

Notes: Ck'd Map No. Date Work Checked Party

Survey of Bald Eagle Cyn Rd
W. 09 3c Tape No. 216 Std. 84 of
Surveyed by R.E.D. 12-7-64
Notes
Indexed C. J. GALLI

F.B. 3220 PG. 71

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-21 F.B. 3220 PG. 32 H.I.± 486

Point	Rod	Angle	Distance	Correction	Elevation	Adjusted Elev.
RR19	5.00	-8-35-20 -8-35-00 -8-35-10				
RR18	5.00	-15-25-20 -15-24-40 -15-25-00				
RR17	5.00	+2-00-00 +2-00-00 +2-00-00				
BV12	5.00	-3-07-20 -3-07-30 -3-07-25				
RR20	5.00	-12-35-30 -12-35-00 -12-35-15				
RR23	5.00	-15-38-00 -15-38-00 -15-38-00				
RR25	5.00	-10-04-40 -10-04-00 -10-04-20				
RR24	5.00	-2-00-00 -1-59-00 -1-59-30				

F.B. 3220 PG. 32

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION SEC. COR. F.B. 3220 PG 33 H.I. + 4.80

Sight	Vertical Angle	Horizontal Angle	Vertical Distance	Curvature Correction	Difference in Elevation	Adjusted Elevation
RR20	5.00	+ 7-31-00 + 7-30-20 +7-30-40				
RR23	5.00	-9-10-40 -9-15-40 -9-10-10				

Survey of Red Rock Cyn Rd
W. O. 0295-XT Type No. 24 Std. 84 of
Surveyed by R. C. Dodge
Notes R. J. GALLI Date 12-7-64
Indexed

F. B. 3220 PG. 23

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION BV-12 F.B. 3220 PG. 134 H.I. 4.88

Station	Rod	Vertical Angle	Horizontal Distance	Correction	Elevation	Adjusted Elev.
RR22	5.00	-11-12-00 -11-12-00 -11-12-00				
RR23	5.00	-15-16-00 -15-16-40 -15-16-20				
RR25	5.00	-5-27-00 -5-27-00 -5-27-00				
RR20	5.00	-9-20-00 -9-20-20 -9-20-10				
RR21	5.00	+3-08-20 +3-08-00 +3-08-10				
RR19	5.00	-3-18-00 -3-18-20 -3-18-10				
RR18	5.00	-10-52-20 -10-52-30 -10-52-25				
RR17	5.00	+8-19-00 +8-18-40 +8-18-50				

F.B. 3220 PG. 74

4

76F3095 S&E #247, 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR 22 F.B. 3220 PG 35 H.I. + 5.34

Sight On	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical Distance	+ Curvature Correction	+ Difference Elevation	Adjusted Diff. Elev.
RR 27	5.00	-0-47-40 -0-47-20 -0-47-30					
RR 29	5.00	+4-52-20 +4-53-00 +4-52-40					
RR 23	5.00	-2-25-00 -2-24-40 -2-24-50					
RR 20	5.00	+7-38-20 +7-38-40 +7-38-30					
BV-12	5.00	+11-09-00 +11-10-00 +11-09-30					
RR 17	5.00	+11-06-30 +11-07-20 +11-06-55					

Notes CK'd by: _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of Red Rock Cyn Rd
W.O. 9635 Type No. 216 Std. 84 of
Surveyed by R.C. Dale
Notes R.C.D. Date 12-3-64
Indexed G. J. GALLI

F.B. 3220 PG 73

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Do not extend notes this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

TRANSIT AT STATION RR-23 F.B. 3220 PG 36 H.I. + 5.23

Station	Rod	Vertical Angle	Horizontal Angle	Slope Distance	Curvature Correction	Difference in Elevation	Adjusted Diff. in Elev.
			+2-21-40				
			+2-22-40				
			+2-22-10				
RR27	5.00	+1-27-40					
		+1-28-20					
		+1-28-00					
RR28	5.00	-0-01-20					
		-0-00-20					
		-0-00-50					
RR29	5.00	+8-07-00					
		+8-07-20					
		+8-07-10					
RR30	5.00	+6-49-40					
		+6-50-20					
		+6-50-00					
SCOR.	5.00	+9-16-00					
		+9-16-00					
		+9-16-00					
RR25	5.00	+14-00-40					
		+14-01-20					
		+14-01-00					
RR24	5.00	+17-41-00					
		+17-42-00					
		+17-41-30					
RR21	5.00	+15-38-00					
		+15-38-00					
		+15-38-00					
RR20	5.00	+13-59-40					
		+14-00-20					
		+14-00-00					
BV-12		+15-15-40					
		+15-16-20					
		+15-16-00					

F.B. 3220 PG. 15

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION R 2 24 T E 3225 PG 37 H.I. 4.90

Station	Vertical Angle	Horizontal Distance	Elevation	Difference of Elevation	Elevation
FROM TO					
RR21	5.00	+1-58-00 +1-58-00 +1-58-00			
RR20	5.00	-06-15-00 -06-14-00 -06-14-30			
RR23	10.00	-17-36-00 -17-36-00 -17-36-00			
RR25	5.00	-18-10-00 -18-10-00 -18-10-00			
RR26	5.00	-16-08-00 -16-08-20 -16-08-10			

Notes Cked by
Mon No.
Office Work
Checked by
Book

Survey of Red Rock Canyon Rd
W. 8936 Tape No. 216 Std. 84 SF
Surveyed by R.C. D2 1C
Notes
Indexed C. J. Gall Date 12-4-64

F.B. 3220 Pg. 54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR 25 F.B. 3220 PG. 38 H.I. + 5.21

RR27	Rod=5.00	-6-00-00 -6-00-20 -6-00-10
RR28	5.00	-5-43-00 -5-43-40 -5-43-20
RR29	5.00	+0-46-20 +0-46-00 +0-46-10
RR30	5.00	+0-35-00 +0-35-20 +0-35-10
RR26	5.00	+6-51-20 +6-51-20 +6-51-20
RR24	5.00	+18-15-00 +18-15-20 +18-15-10
RR21	5.00	+10-02-20 +10-02-30 +10-02-25
RR20	5.00	+3-19-20 +3-19-40 +3-19-30
BV-12	5.00	+5-27-00 +5-27-00 +5-27-00
RR23	5.00	-14-02-00 -14-02-00 -14-02-00

F.B. 3220 PG. 73

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION R.P.-26 F.B. 3220 PG 39 H.I. + 5.18

Sta.	Rod	+ Vertical Angle	Horizontal Distance	Vertical Distance	+ Curvature Correction	Difference Elevation	Adjusted Elev.
RR24	5.00	+16-05-20 +16-05-40 +16-05-30					
RR25	5.00	-6-55-40 -6-55-20 -6-55-30					
RR29	5.00	-1-38-20 -1-37-40 -1-38-00					
RR30	5.00	-1-57-00 -1-57-00 -1-57-00					

Notes Ck. by
Map No.
Office Work
Checked
Date

Survey of Road Packtype 24
W. O. 96.35 Tape No. 216 Std. 84 OF
Surveyed by R.C. D.J.C.
Notes R.C. D. J.S. CAL Date 12-2-64
Indexed

F. B. 3220 PG. 179

RETURN TO
LOS ANGELES COUNTY SURVEYOR
720 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-27 F.B. 3220 PG 40 H.I. + 5.16

Sight	Rod	Vertical Angle	Vertical Distance	Corrective Correction	Elevation	Diff. Elev.
RR28	3.80	-1-53-00 -1-52-50 -1°-52-55"				
RR29	5.00	+7-43-40 +7-43-40 +7-43-40				
RR25	5.00	-1-30-40 -1-30-20 -1-30-30				
RR23	5.00	-1-30-40 -1-30-20 -1-30-30				
RR22	5.00	+0-45-00 +0-45-20 +0-45-10				

F.B. 3220 PG. 80

76F3095 S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-28 F.B. 3220 PG 41 H.I. + 5.30

Sight on	Rod	+ Vertical - Horizontal Angle	Distance	+ Vertical Distance	+ Curvature Correction	+ Difference Elevation	Adjusted Dist. Elev.
RR29	5.00	+10-59-00 +11-00-00 +10-59-30					
RR25	5.00	+5-42-00 +5-42-30 +5-42-15					
RR23	5.00	-0-00-40 -0-01-00 -0-00-50					
RR27	5.00	+1-52-00 +1-52-00 +1-52-00					
TRANSIT AT RR28 FB 3220 PG 41 HI = 5.25							
Dry Gyn F-11	10.00	+9-24-00 +9-24-00 +9-24-00					
os Flores H.2	10.00	+8-24-00 +8-25-00 +8-24-30					

Notes: Ck'd by
Map No.
Office Work
Checked
Date

Survey of Rd. Rock Cyn Rd.
80% W. of .35 Tape No. 2-16 Std. 64 of
Surveyed by R & D 2/C
Notes
Indexed C. J. GALLI Date 12-1-64

F.B. 3220 PG. 81

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR 29 F.B. 3220 PG 42 H.I. 5.21

Station on Road	Rod	Vertical Angle	Horizontal Distance	+ Vertical Distance	+ Curvature Correction	Difference Elevation	Adjusted Diff. Elev.
RR30	5.00	-0-29-00 -0-29-00 -0-29-00					
RR26	5.00	+1-38-10 +1-38-30 +1-38-20					
RR25	5.00	-0-47-50 -0-47-10 -0-47-30					
RR23	5.00	-8-09-20 -8-08-40 -8-09-00					
RR22	5.00	-4-55-30 -4-55-30 -4-55-30					
RR27	5.00	-7-46-20 -7-46-40 -7-46-30					
RR28	5.00	-11-02-40 -11-02-10 -11-02-25					

F.B. 3220 PG. 82

76F309S S&E #247. 8-54

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION RR-30 F.B. 3220 PG 43 H.I. + 5.33

Sight on	Rod	+ Vertical - Angle	Horizontal Distance	+ Vertical - Distance	+ Curvature Correction	+Difference - Elevation	Adjusted Diff. Elev.
RR-26	5.00	+1-56-50 +1-57-20 +1-57-05					
RR25	5.00	-0-37-20 -0-36-40 -0-37-00					
RR23	5.00	-6-50-10 -6-50-50 -6-50-30					
RR29	5.00	+0-22-20 +0-22-20 +0-22-20					

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Red Rock Canyon Rd
W.O. 0926-351 Page No. 216 3rd 84 of
Surveyed by R.C. Dale
Notes R.C.D. Date 12-1-64
Indexed C. J. GALLI

F.B. 3220 PG. 43

RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY
ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

TRANSIT AT STATION F-11 F.B. 3220 PG 44 H.I. + 5.00

Sight on	Rod	+ Vertical Angle	Horizontal Distance	+ Vertical Distance	+ Curvature Correction	+ Difference Elevation	Adjusted Diff. Elev.
RR 28	5.00	-9-23-20 -9-23-20 -9-23-20					
Las Flores H-2	10.00	+2-20-10 +2-20-20 +2-20-15					

TRANSIT AT H-2 FB 3220 PG 44 HI = 5.18

RR-28	0.00	-8-26-00 -8-27-00 -8-26-30					
Dry Cyn F-11	5.00	-2-20-00 -2-20-20 -2-20-10					

F.B. 3220 PG. 84

4

Profile No. | Notes Red | Date | Plotted | Date | Job No. 00635 | Division No. | F.B. 3220 | PG. 85
X-Sec. No. | Notes Chkd. | Date | Checked | Date | Survey of Red Rock Cyn Rd | Survey by R.C.D. | Notes R.C.D. | Date 12-15-64 | Map No. | Indexed C. J. GALLI | Date JAN 14 '65

NOTE! ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

LEVEL CIRCUIT

Level Circuit run from Road Dept BM,s to establish elevations on RR 23, RR 28

STATION	B.S.	H.I.	F.S.	ELEV.
REF				
RD BM # SY 6387				
RD BM SY 6388				
RD. BM SY 6389				
~~RD BM SY 6354~~				
RD BM SY 5353				
RD BM SY 5355				

PARTY
R.C. DALE
C.W. ADAMS
B.R. JACKSON
~~R. SWANN~~
W.S. DIETZ

76-L298 CE 307 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Plotted ____ Date ____ Checked ____ Date ____

X-Sec. No. ____ Notes Red ____ Date ____ Notes Chkd. ____ Date ____

Division No. ____ Job No 20286.3 Bk ____ Pg ____

Survey of Red Rock Cyn. Rd. Notes C.W. Adams

Survey by R.C. Dake

Indexed C. J. GALLI Date ____

3220

STATION	B. S.	H. I.	F. S.	ELEV.		
B.M. SY 5354	8542	1032788		1024246	Fd. RD.B.M. tag in ctr. of hd. wl. of Conc. S. Rk. Culv. ± 30' S'ly & ± 70' W'ly C/L int. Mulholland. Hwy. & Cold Cyn. Rd. to the S.E'ly across from hwy. mkr. 19801. ± .15 mi. S.W'ly Stunt Rd. Elev 1024.246	
B.M. S.Y. 5353	2749	1030870	4667	1028121	Fd. R.D. B.M. tag in E. wing wall. ± 20' N. & ± 65' W. & int Mulholland Hwy & Cold Cyn Rd. to the S.E'ly near hwy. Mkr. 19801 ± .15 mi S.W'ly int Stunt Rd. Elev 1028.131	
T.P.	2389	1026710	7049	1023821		
"	3390	1022733	7367	1019343		
"	5920	1022973	6180	1016553		
"	8250	1027837	2886	1019587		
"	10320	1035999	2158	1025679		
"	10750	1045039	1710	1034289		
"	5830	1049178	1691	1043348		
"	10826	1056714	3290	1045888		
"	11157	1067561	0310	1056409		
"	8673	1073303	2936	1064625		
R.R. 28	3218	1075264	1257	1072046	RR-28 Fd 34" L.P. & Cap PK FB 3220.41	
T.P.	1012	1064968	11808	1063456		
"	2260	1057185	9543	1054925		
"	1922	1048599	10508	1046677		
	1400	1042684	7315	1041284		
	0570	1033616	9638	1033046		
	1297	1029684	10229	1023387		

4

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B.S.	H.I. 10229.689	F.S.	ELEV.	
T.P.	0782	1014481	10985	1013699	
"	0979	1003985	11475	1003006	
"	0974	993739	11220	992765	
"	1912	984164	10987	982752	
B.M. S.Y. 5355			9060	975109	Fd. R.D.B.M. Tag in N.E. wing Wall N. of Conc. & rock Culv. ± 20' S.E.ly & Mulholland Hwy. ± 300' N'ly & int Cold Cyn Rd. & Mulholland Hwy. ± 70' S'ly T.P. #713675 ± 1 mi. S. W'ly int Stunt Rd Elev. 975.124
B.M. S.Y. 6387	9590	1049152		1039562	Fd R.D. BM tag in Conc Floor of 21 Ft. ± W. & Mulholland Hwy + 20' ± S & Stunt Rd. Elev 1039.562
T.P.	1684	1039056	11780	1037372	
"	3455	1032366	10145	1028911	
B.M. S.Y. 6388	9039	1031707	9698	1027668	Fd L & T. Ctr Rock Hdwl 15' ± S & Stunt RD + 185 ± E. & Mulholland Hwy Mked BM Elev 1027.662
T.P.	11290	1040827	2120	1029587	
"	11092	1051554	0315	1040512	
"	11779	1061197	2136	1049918	
	11015	1070079	2133	1059064	
	7256	1079857	2478	1067601	
R.R. 23	3678	1075707	2828	1072029	RR23 Fd 3/4" I.P. & Cap Pe. FB 82 20-36
	2270	1066777	11200	1069507	
B.M. S.Y. 6389	6055	1061752	11080	1055697	Fd R.D.B.M. tag S. Rock wall Drain 18' ± W & Stunt Rd. 0.3 mi. ± S Mulholland Hwy Nr. B.C. Elev 1056.368
			5390	1056362	

Profile Notes Red. Plotted Job No. 32.35 Division No.
No. X-Sec. Date Date Date Survey of Red Rock Cyn Rd
No. Notes Chkd. Checked Survey by R.C.D. Notes Chkd. Date 12-15-64
Date Date Map No. Indexed C. J. CALL Date

F.B. 3220 PG. 37

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Stunt Rd.
JN 00 96.35 Tape Std °F
Surveyed by RC Bowers
Notes RCB Date 1/66
Indexed C. J. GALLI

F. B. 3220 PG. 89

STUNT RD.

Profile check of Aerial Maps on Stunt Rd. Area.

JN. 0096.35

JAN 1966

Ref.

FB. 3220
Photo Sheets # 1, 2, 6, 8, 10

Parties

Dale	Bowers
Adams	Mc Call
Jackson	Huckaby
Cherry	Read

Note: Any Additions or Changes on This Sheet Must Be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

70F3095 CE #310 6-62

F. B. 3220 PG. 90

INDEX

Sheet #1

A-5	Pg. 92, 97
AG.1 to RR-4	Pg 95 & 96
RR-4 to North	Pg 98

Sheet # 2

RR-5 to RR-9	Pg. 99 & 100
RR-2 to 3A	Pg 101 & 91
RR-3 to 3A	Pg 103 & 104 & 91

Sheet # 6

RR-16 to R-A to RR-13	Pg. 93, 105 to 108
RR-19 to N.W.	Pg. 94 & 109
RR-19 to RR-18	Pg 109 to 111

Sheet # 8

RR-24, Line A	Pg 113
RR-24 Line B	Pg 113 to 114
RR-24 Line C	Pg 115 to 117

Sheet # 10

AM-9, Line A	Pg. 119
S-8, Line B	Pg. 118 & 120
RR-25, Line D	Pg 124
RR-26 Line E	Pg 122
RR-25 Line C	Pg. 123

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Stunt Rd
JN 09635 Tape Std °F
Surveyed by RC Bowers
Notes RCB Date 7/66
Indexed C. J. GAILIS

F. B. 3220 PG. 91

SHEET #2

RR-3
Fd 3/4" Capped pipe flush per Pg 9

① 21° 17' 50"
② 42° 35' 40"
21° 17' 50"

21° 17' 50"

① 127° 29' 40"
② 254° 59' 20"
127° 29' 40"

29' 40"

3-A
Set 1½" CW Flush

31° 12' 40"

① 31° 12' 40"
② 62° 25' 20"
31° 12' 40"

RR-2
Fd 3/4" Capped pipe flush
pg 10

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7 OF 3095, CE #3 10 6-62

F. B. 3220 PG 92

SHEET # 1



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Stunt Rd.
JN 0096.35 Tape Std °F.
Surveyed by EC Bowers
Notes RKB Date 1/4c
Indexed C. J. GALLI

F. B. 3220 PG. 93

SHEET # 6

RR-13
Fd. 3/4" Capped pipe
flush
Pg. 29

① 16° 48' 40"
② 33° 37' 30"
16° 48' 45"

16° 48' 45"

Property Line

③ 22° 43' 10"
④ 45° 26' 10"
22° 43' 05"

140° 28' 10"

Pt. A
Set 1x2, flush

22° 43' 05"

Property Line

① 140° 28' 10"
② 280° 56' 20"
140° 28' 10"

RR-14
Fd. 3/4" Capped Pipe
Flush
Pg. 29

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 8-82

F. B. 3220 PG 94

Sheet #6



① 130° 23' 00"
② 230° 46' 00"
130° 23' 00"

RE-19
Fd 3/4" Capped pipe
LS 2"
PG. 30

RE-18
Fd 3/4" I.P., Capped
FLUSH
PG 28

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
409 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line ← Reversed →

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
			SHEET #1				∠ G1	to	RR-4						
G1	RR-4							1422.6	4.7		1427.3		Pg 11		
"	"		25± Meas.			25±	Lev	1417.6		—		9.7	0+25±	Gr	Brk
+25±	RR-4							1417.6	4.3		1421.9				
"	"	4.78 3.85	93	4 3		68.7	30° 43'	1376.7		40.9		45.2	0+93.7		Brk
"	"	12.02 10.50	152	11 3		115.2	29° 28'	1345.5		65.1		76.4	1+40.2		"
"	"	9.50 7.11	239	8 3		187.6	27° 37'	1315.4		98.2		106.5	2+12.6		Top Spur
"	"	11.65 8.97	268	10 3		210.3	27° 39'	1301.4		110.2		120.5	2+35.3		Bot Draw
"	"	5.70 2.88	282	4 3		23.16	29° 59'	1309.7		107.9		112.2	2+56.6		Brk
"	"		+16° Calc @ Lev			247.6	—	1309.7		—		112.2	2+72.6		"
"	"	12.90 9.70	320	11 3		289.5	17° 59'	1316.6		94.8		105.3	3+14.5		Brk
"	"	13.13 9.47	366	11 3		340.1	15° 25'	1316.8		93.8		105.1	3+65.1		Side Hill
"	"	18.35 14.25	410	16 3		376.8	16° 32'	1293.8		111.8		128.1	4+01.8		Draw
"	"	12.73 7.94	479	10 3		446.8	15° 02'	1291.6		120.0		130.3	4+71.8		Brk
"	"	12.05 6.55	550	9 3		517.8	14° 01'	1283.3	4.9	129.3	1288.2	138.6	5+42.8		Top Spur
+42.8	0+25±	7.65 2.13	552	4 9		517.3	+14° 31'	1417.3		+134.0		+129.1	0+25 (Check back)		
+42.6	(Mean)						Mean =	1283.5	4.9		1288.4		5+42.6 (Mean)		
"	RR-4	15.75 15.30	45	15 5		45±	Lev	1272.9				15.5	5+87.6		

Add'n'l Info on

cont. Next Pg.

Notes Red. Platted Job No. 2896335 Division No. F.B. 3220 Pg. 95
Date Date Survey of Stunt Rd.
Notes Chkd. Checked Survey by EC Bowers Notes ECB Date 1/66
Date Map No. Indexed C. J. Curtis Date

76S614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line ← Reversed →

Transit at	Sight on	Stadia intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+	Vertical Angle	Elevation of Point	Back Sight	+	Difference Elevation	Height of Instrument	+	Vertical Distance	REMARKS Station	Left	Right
5187.6	RR-4								1272.9	4.9			1272.8			5+87.6 (Cont)		
"	"	12.15																
"	"	11.63	52	11.9		45.5		20.47	1248.6			17.3			29.2	6+33.1	Gt. Brk	
"	"	12.38																
		11.40	98	11.9		85.5		20.53	1233.3	4.7		32.4	1238.0		44.5	6+73.1	Side Hill	
6+72.5	5+87.6	12.25																
		11.17	108	11.7		84.2	+	28.41	1272.6		+	46.3		+	34.6	5+87.6	Check back	
6+72.2	(Mean)							Mean=	1233.5	4.7			1238.2			6+72.2 (Mean)		
"	RR-4	13.79																
		13.29	41	13.5		39.8		9.54	1217.7	4.3		7.0	1222.0		20.5	7+12.5	(7+12.7 Mean	
(Mean)		5.24																
7+12.2	6.72.7	4.77	47	5.0		40.1	+	22.31	1233.6		+	16.6		+	11.6	6+72.2	(check back	
		7.97																
"	RR-4	6.09	197	7.0		154.5		27.40	1134.2			81.0			88.0	8+67.2	Side hill	
"	"		-25.0 @ 11.0 @		11.5 Elev	129.5		—	1122.7			—			99.5	8+42.2	Bot Draw	
"	"	13.41																
		11.17	224	12.3		211.9		13.24	1159.4			50.5			62.8	9+24.6	Top Spur	
"	"		+30.0 @ 11.0 @		15.0 Elev	241.9		—	1144.6			—			77.8	9+54.6	Brk.	
"	"	9.97															Top	
"	"	6.67	330	8.3		326.1		6.13	1178.9			35.5			43.8	10+38.8	Spur	
"	"	6.19																
		2.42	377	4.3		373.2		5.19	1183.1			34.8			39.1	10+86.1	Brk	
"	"		+60.0 @ 11.0 @		12.0 Elev	433.7		—	1171.1			—			51.1	11+46.4	Bot Draw	
		6.89																
"	"	1.72	517	4.3		517.0		Low	1217.7			—			4.3	12+29.7	Side Hill	
"	"	13.90																
		6.10	780	10.0		770.5	+	6.21	1297.7			85.7		+	75.7	14+83.0	Top Spur	
																RR-4 Pg. 13		

Add'n'l Inform.

Topography Description Legend:
Side of Hill....S.H. Bottom of Draw..B.D.
Side of Draw..S.D. Bottom Wash..B.W.
Side of Ridge..S.R. Top of Ridge..T.R.
Head of Draw..H.D. Toe of Slope..T.S.

Draw..Dr. Fir-Fr.
Break in Slope..Bk.S. Pine-Pi. Cedar-Ce.
Steep Slope.....S.S. Sycamore.....Sy.
Top of Cliff...T.Cl. Eucalyptus.....Eu.
Bottom of Cliff..B.Cl. Plus combinations
Top of Spur.....T.Sp. of these and all
Bottom Canyon..B.Cn. common standard abbreviations.

Oak-O. Fir-Fr.
Pine-Pi. Cedar-Ce.
Sycamore.....Sy.
Eucalyptus.....Eu.
Plus combinations of these and all common standard abbreviations.

Elevation Rd. Sr. Rd.
Fence.....Fn. Int. Fences.V.Fns.
Ditch.....Di. Telephone Pole T.P.
Power Pole....P.P.
Culvert.....Cul.

Saddle.....Sa.
Swale.....Sw.
Flat.....Fl.
Stream.....Str.
Trail.....Tr.
Pavement....Pvt.
Edge of Road E.Rd.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank..B.B.
Top of Cut.....T.C.
Bottom of Cut...B.C.
Top of Fill.....T.F.
Bottom of Fill..B.F.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line ← Reversed →

Notes Red. Platted Job No. 009635 Division No. F.B. 3220 Pg. 97
Date Date Survey of Stunt Rd.
Notes Chkd. Checked Survey by RC Bowers Notes KCB Date 11/24/66
Date Date Map No. Indexed C. J. GALU Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	Vertical Angle	Elevation of Point	Back Sight	Difference Elevation	Height of Instrument	Vertical Distance	REMARKS Station	Left	Right
		SHEET #1				PROFILE NEAR		A-5							
A-5								884.2	5.0		889.2		A-5		
A-5	Pt A	5.88 / 4.12	176	5.0		169.4	- 11° 10'	850.8	5.4	- 33.4	856.2	- 38.4	Pt A		
A-A	A-5	6.79 / 4.53	176	5.4		169.4	+ 11° 13'	884.4		+ 33.6		+ 28.2	A-5 = Check back		
Pt A							Mean =	850.7	5.4		856.1		A-5		
"	Pt B	6.80 / 4.21	259	5.4		258.9	- 1.51'	842.3	5.5	- 8.4	847.8	- 13.8	Pt B		
Pt B	Pt A	6.59 / 4.10	259	5.5		258.9	+ 1.52'	850.7		+ 8.4		+ 2.9	0+00 Pt A = Check back	Bot Brk	
"	Pt C	5.64 / 5.36	0.28	5.5		20.6	+ 30.58'	854.1		+ 12.4		+ 6.9	0+20.6	Top Cut	
"	"	6.20 / 4.80	140	5.5		114.8	+ 25.51'	897.2		+ 54.9		+ 49.4	1+14.8	side Hill	
"	"	12.78 / 10.20	258	11.5		208.5	+ 25.58'	937.8	5.2	+ 101.5	943.0	+ 90.0	2+08.5	Brk	
Pt 2+08.5	Pt B	13.44 / 10.98	246	12.2		208.8	- 22.53'	842.7		- 88.1		- 100.3	0+00 = Pt B Check back		
2+08.7	Pt C					208.2	= Mean =	938.0	5.2		943.2		2+08.7 (Mean)		
"	"	13.91 / 12.49	142	13.2		118.9	+ 23.48'	982.4		+ 52.4		+ 39.2	3+27.6	Bot Brk.	
"	"	8.08 / 4.34	374	6.2		286.4	+ 28.56'	1095.4		+ 158.4		+ 152.2	4+95.1	Top Brk	
"	"	6.32 / 1.68	476	4.0	✓	357.1	+ 29.59'	1145.3	4.8	+ 206.1	1150.1	+ 202.1	Pt C = 5+65.8	Brk	
Pt C	Pt B	13.45 / 8.76	469	11.1	✓	356.4	- 29.20'	938.7		- 200.3		- 211.4	2+08.5	check back	
Pt C							Mean =	1145.7	4.8		1150.5		5+65.5 (Mean)		
Pt C	Pt D	12.49 / 11.52	97	12.1		87.5	+ 18.15'	1167.3		+ 28.8		+ 16.8	Pt D 6+53.0	Top Bridge	

Add'n

76S614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line ← Reversed →

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traverse no. Tr.No. Fence ....Fn. Int. Fences V.Fns. Ditch ....Di. Telephone Pole T.P. Power Pole....P.P. Culvert ....Cul.

Saddle ....Sa. Swale ....Sw. Flat ....Fl. Stream ....Str. Trail ....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank...T.B. Bottom of Bank B.B. Top of Cut...T.C. Bottom of Cut...B.C. Top of Fill....T.F. Bottom of Fill..B.F.

Inters. of Draws V.D's Break in Slope...Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

Topography Description Legend:
Side Hill.....S.H.
Bottom Draw.B.D.
Bottom Wash B.W.
Top of Ridge.T.R.
Toe of Slope..T.S.
Side of Draw.S.D.
Side of Ridge.S.R.
Head of Draw H.D.

F.B. PG.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
		SHEET #1			° '	RR-4		° '	to North									
RR-4					° '			° '	1297 4	5 3			1302 7			RR-4 = 0+00 North Pg. 13 ℄		
"	Pt. A.	6.68 5.92	76	6 3	° '	73	−	11 14	1289 9			14 5			20 8	0+73 ±	Brk.	
"	"	5.86 4.74	112	5 3	° '	110	−	6 50	1284 2			13 2			18 5	1+10 ±	Top	Spur
"	"	6.14 4.47	167	5 3	° '	164	−	4 16	1285 0			12 4			17 2	1+66 ±	Brk.	
		6.27 4.32	195	5 3	° '	194	−	1 51	1291 1			6 3			11 6	1+94 ±	Bot.	Brk.
		9.71 6.95	276	8 3	° '	274	+	4 19	1315 1		+	20 7		+	12 4	2+74 ±	Top	Brk.
		6.82 3.77	305	5 3	° '	302	+	4 47	1322 7		+	25 3		+	20 0	3+02 ±	Bot	Brk.
		7.01 3.60	341	5 3	° '	337	+	6 16	1334 4	5 3	+	37 0	1339 7	+	31 7	Pt. A 3+37 ±	Top	Knoll
Pt. A	RR-4	7.09 3.60	340	5 3	° '	336	−	6 15	1297 6		−	36 8		−	42 1	RR-4 = 0+00	Check back	

Add'l Inform.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line ← Reversed →

Notes Red. Platted Job No. 0096.35 Division No. F.B. 22620 Pg. 99
Date Date Survey of Stunt Rd.
Notes Chkd. Checked Survey by R.C. Bowers Notes ECB Date 11/24/66
Date Date Map No. Indexed C. J. GALLI Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
			SHEET # 2		° '	RR-5, to RR-9									
RR-5					° '		° '	1518 6	4 8		1523 4		Pg. 19		
"		11.74			° '				3						
"	RR-9	11.47	27	11 6	° '	27	Lev.	1511 8	4			11 6	0+27 0	Brk.	
"	"	13.44			° '				5						
"	"	12.20	124	12 8	° '	113 1	17.15	1475 5		35 1		47 9	1+13 1	Bot Draw	
"	"	5.60			° '				6					Top Spur	
"	"	3.97	163	4 8	° '	147 4	18.00	1470 1	4 9	47 9	1475 6	52 7	1+47 4	W. Edge	
147 4	RR 5	7.73							7					RR-5	
		6.08	165	6 9	° '	148 0	+18.44	1518 9		+50 2		+43 3	Check back		
147 2					° '	147 1 = Mean =		1470 9	4 9		1475 8		1+47 1 = Mean		
"		12.53							9						
"	RR-9	11.24	129	11 9	° '	97 6	29.37	1408 5		55 4		67 3	2+45 3	Bot Brk.	
"	"	5.90							10					Bot	
"	"	3.89	201	4 9	° '	157 0	27.53	1387 9		83 0		87 9	3+04 1	Draw	
"	"	10.47							11					Top	
"	"	7.30	317	8 9	° '	263 9	24.09	1348 6		118 3		127 2	4+11 6	Spur	
"	"		+20 = Call (←) 1/2° Et.		° '	283 9	—	1337 6	12	—		138 2	4+31 6	Top Brk.	
"	"	10.05							13						
"	"	5.90	415	7 8	° '	344 2	24.24	1311 9		156 1		163 9	4+91 9	Side Hill	
"	"								14						
"	"		←15° Call ← 1/4° Et. (10)		° '	359 2	—	1297 9		—		177 9	4+76 9	Bot. Canyon	
"	"	14.00							15						
"	"	9.90	410	11 9	° '	361 2	20.04	1332 8		132 1		143 0	5+09 4	Brk	
		8.23							16						
		3.70	453	5 9	° '	421 6	15.15	1354 9		115 0		120 9	5+69 3	Side Hill	
		7.64							17						
		2.17	547	4 9	° '	532 4	9.23	1382 9		88 0		92 9	6+80 1	Brk	
		11.99							18					Top	
		6.00	599	8 9	° '	589 2	7.22	1390 7		76 2		85 1	7+36 9	Spur	
		13.37							19					Bot	
		6.70	667	10 0	° '	656 2	7.07	1383 8		82 0		92 0	8+04 4	Draw	
		13.65							20					Top	
		6.50	715	10 0	° '	708 1	5.39	1395 7		70 1		80 1	8+55 8	Bank	
									21						

Add'n'l Informa

Cont. Next Pg.

76S614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line ← Reversed →

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
1+47	RR9							1470.9			1475.8		1+47 (Cont.)		
"	" *	13.27 / 4.70	857	9.0		851.3	− 4.41	1396.9	2	− 69.9		− 78.9	9+99.0	Top Bank	
9+99.0	"							1396.9	5.0		1401.9		9+98.1	Mean	
9+99.1	1+47	10.28 / 1.70 / 5.43	858	6.0		851.4	+ 5.02	1471.0	4	+ 75.1		+ 69.1	1+47	Check back	
"	RR-9	4.57	84	5.0		78.2	− 15.16	1375.6	6	− 21.3		− 26.3	10+77.3	Top Bnk.	
"	"		+20.0	11.5	10° Elev.	98.2	—	1365.6	7	—		− 36.3	10+97.3	Bot Bnk.	
"	"	6.27 / 3.70 / 11.90	257	5.10		241.5	− 14.13	1335.7	8	− 61.2		− 66.2	12+40.8	Bot Draw	
"	"	8.30 / 7.28	360	10.0		350.3	− 9.27	1333.6	9	− 58.3		− 68.3	13+49.4	Sm. Draw	
"	RR-9	2.80	443	5.0		441.2	− 3.31	1369.8	10	− 27.4		− 32.1	RR-9 14+40.4 Pg. 15	Top Knob	
									11						
RR9								1369.8	12	5.0	1374.8		14+40.4		
"	9+99.1	7.28 / 2.80	443	5.0		441.3	+ 3.32	1397.0	13	+ 27.2		+ 22.2	9+99.1	Check back	
							RR-9 =	1369.8	14				Mean		
							RR-9 =	1369.2	Rec						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

Add'n'l Inform.

Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore-Sy. Eucalyptus-Eu. Plus combinations of these and all common standard abbreviations.

Oak-O. Fence-Fn. Int. Fence-V.Fn. Ditch-Di. Telephone Pole-T.P. Power Pole-P.P. Culvert-Cul. Traveled Rd.-Tr.Rd.

Sa. Sw. Fl. Str. Tr. Pvt. E.Rd. Saddle Swale Flat Stream Trail Pavement Edge of Road

B.B. T.C. B.C. T.F. B.F. Side of Canyon S.Cn. Top of Bank Bottom of Bank Top of Cut Bottom of Cut Top of Fill Bottom of Fill

Bk.S. S.S. T.Ci. B.Ci. T.Sp. B.Cn. Inters. of Draw. V.Dr. Break in Slope Steep Slope Top of Cliff Bottom of Cliff Top of Spur Bottom Canyon

Topography Description Legend:

Side Hill	S.H.	Bottom Draw	B.D.
Side of Draw	S.D.	Bottom Wash	B.W.
Side of Ridge	S.R.	Top of Ridge	T.R.
Head of Draw	H.D.	Toe of Slope	T.S.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line ← Reversed →

Notes Red. Platted
Date Date
Notes Chkd. Checked
Date Date
Map No. Indexed

Job No. 007635 Division No.
Survey of Stunt Rd.
Survey by R.C. Bowers Notes RCB Date 11/25/66

F.B. 3220 Pg. 101

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+	Vertical Distance	REMARKS Station	Left	Right
			SHEET #2		° '	RR-2 to		° '	3-A	1							
RR-2					° '			° '	1584 4	5 1		1589 5			Pg. 10 & 91		
"	3A	5.74 4.26 9.29	128	5 1	° '	1258		7 34	1567 7		16 7			21 8	1+258	TOP BRK	
"	"	6.92 18.90	237	8 1	° '	2312		8 38	1546 2		35 2			43 3	2+312	" "	
"	"	16.38 16.74	252	17 6	° '	2456		9 08	1532 4		39 5			57 1	2+456		
"	"	13.38 16.09	336	15 1	° '	3272		9 06	1521 9		52 5			67 6	3+272	SIDE HILL	
"	"	11.94 13.42	415	14 0	° '	4103		6 09	1531 2		44 3			58 3	4+103	CTR. TR L	
"	"	8.80 9.73	462	11 1	° '	4587		4 52	1539 4		39 0			50 1	4+587	TOP BRK	
"	"	4.50 13.70	523	7 1	° '	5194		4 46	1539 1		43 3			50 4	5+194	BOT "	
"	"	8.20 8.09	550	11 0	° '	5482		3 15	1547 4		31 1			42 1	5+482	TOP BANK	
"	"	2.13 8.27	596	5 1	° '	5941		3 13	1551 0		33 4			38 5	5+941	BOT "	
"	"	1.90 8.00	637	5 1	° '	6368		1 53	1563 4	4 8	21 0	1568 2		26 1	3A = 6+363	Pg. 91 & 104	
3A	RR-2	1.64	636	4 8	° '	6353	+	1 53	1584 4		+ 21 0		+	16 2	RR-2	Check back	
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									
					° '			° '									

Add'n

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line ← Reversed →

SHEET #2, PROFILE FROM RR-3 to 3-A

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	± Vertical Angle	Elevation of Point	Back Sight	± Difference Elevation	Height of Instrument	± Vertical Distance	REMARKS Station	REMARKS Left	REMARKS Right
					° '		° '		1						
					° '		° '		2						
					° '		° '		3						
0+00					° '		° '		4						
RR-3	3-A				° '		° '	1703.4	5.2		1708.6		0+00	Pg 9 #91	
"	0+84.7	5.62 / 4.76	86	5.2	° '	84.7	6.57,	1693.1	6	-10.3		-15.5	0+84.7		Top Brk
0+84.7					° '		° '	1693.1	5.0		1698.0		"		
"	RR-3	5.43 / 4.56	87	5.0	° '	85.7	+ 6.57,	1703.5	8	+ 10.4		+ 15.4	0+00		Check back
0+85.2	3-A	(Mean dist)			° '		Mean,	1693.0	5.0		1698.0		0+85.2 (Mean)		
"	"	5.42 / 4.57	85	5.0	° '	77.2	16.48,	1669.5	10	-23.5		-28.5	1+63.1		
"	"	5.61 / 4.40	121	5.0	° '	112.4	15.26,	1662.0	11	-31.0		-36.0	1+97.2		Bot Draw
"	"	5.73 / 4.25	148	5.0	° '	141.3	12.16,	1662.3	12	-30.7		-35.7	2+26.5		Top Spur
2+26.5					° '		° '	1662.3	5.1		1667.4				
"	0+85.2	5.84 / 4.36	148	5.1	° '	141.3	+ 12.16,	1693.0	13	+ 30.7		+ 25.6	0+84.7		Check back
"	3-A	5.36 / 4.82	54	5.1	° '	43.6	26.02,	1641.0	14	-21.3		-26.4	2+70.1		Brk
"	"	10.81 / 9.37	144	10.1	° '	112.9	27.41,	1598.1	15	-59.2		-69.3	3+39.4		"
"	"	13.42 / 11.00	242	12.2	° '	187.3	28.24,	1554.0	16	-101.2		-113.4	4+13.8		Side Hill
"	"	10.91 / 7.30	361	9.1	° '	283.6	27.35,	1510.1	17	-148.2		-157.3	5+10.1		"
"	"	7.16 / 3.02	414	5.1	° '	326.6	27.21,	1493.3	18	-169.0		-174.1	5+53.1		Bot Brk
"	"		+15.0	Cell	0 Lev.	341.6	———	1493.3	19	———	———	-174.1	5+68.1		Brk
"	"	17.40 / 12.65	475	15.1	° '	389.2	25.11,	14694	20	-182.9		-198.0	6+15.7		"
"	"		(+)9.0	Cell (-)9.0	Elev.	398.2	———	14604	21	———		-207.0	6+24.7		Bot DRAW

Add'n'l

Cont. Next Pg.

Notes Red. ____ Platted ____ Job No. 29635 Division No. ____
Date ____ Date ____ Survey of Stunt Rd.
Notes Chkd. ____ Checked ____ Survey by R.C. Bowers Notes R.C.B. Date 11/19/66
Date ____ Date ____ Map No. ____ Indexed C. J. GALLI Date ____
F.B. 5440 Pg. 103

765614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line ← Reversed →

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
2+26.5	3-A							1662.2	5.1		1667.4		2+26.5 (Cont)		
"	"	10.65							2						
		5.56	509	8.1		430.9	−23°09'	1475.8	3	−183.5		191.6	6+57.4	Side Hill	
"	"	8.83													
		3.41	542	6.1		489.0	−18°13'	1500.2	4	−161.1		167.2	7+15.5	"	
"	"														
			+20°	G11 @	+1° Elev.	509.0	—	1501.2	5	—	—	166.2	7+35.5	Brk	
"	"														
			+10°	G11 @	+4.5 Elev.	519.2	—	1505.7		—		161.7	7+45.5	"	
"	"	8.18							6						
		2.06	612	5.1		586.4	−11°49'	1539.6		−122.7		127.8	8+12.9	Side Hill	
"	"	8.32							7						
		1.90	642	5.1		626.2	−9°09'	1562.4		−99.9		105.0	8+52.7	Top Brk	
"	"								8						
			+30°	G11 @	−4° Elev.	656.2	—	1558.4		—		109.0	8+82.7	Bot Brk	
"	"	8.58							9						
	3-A	1.43	695	5.1		680.2	−8°13'	1564.0 ✓		−98.3		103.4	3-A = 99+4.10	Top	
													9+07.4	Brk	
3-A								1564.0	4.8		1568.8		9+07.4		
		8.28							11						
	2+26.5	1.32	696	4.8		681.8	+8°13'	1662.3		+98.3		+93.5	2+26.6	Check Back	
									12						
									13						
									14						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

Add'n'l Inform.

Fir-Fr. Pine-Pl. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Oak-U.

Traverse No. T.P.No.
Fence .....Fn.
Int. Fences.V.Fn.
Ditch .....Di.
Telephone Pole T.P.
Power Pole....P.P.
Culvert .....Cul.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement ....Pvt.
Edge of Road E.Rd.

Side of Canyon S.Cn.
Top of Bank...T.B.
Bottom of Bank..B.B.
Top of Cut.....T.C.
Bottom of Cut..B.C.
Top of Fill.....T.F.
Bottom of Fill..B.F.

Limits of Draws, V.D's
Break in Slope..Bk.S.
Steep Slope.....S.S.
Top of Cliff.....T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur.....T.Sp.
Bottom Canyon..B.Cn.

P.B. Pg.

Topography Description Legend:
Side Hill.....S.H.
Bottom Draw.B.D.
Bottom Wash B.W.
Side of Draw.S.D.
Top of Ridge.T.R.
Side of Ridge.S.R.
Toe of Slope..T.S.
Head of Draw H.D.

766614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line ← Reversed →

SHEET #6 RR-16 to PT. A to RR-13

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° '		° '								
R.16	PT A							1378 3	5 2		1383 5		RR-16 Pg 29 #93		
"	"				Lev =	12°	0 0	1378 4		—		5 1	0+00 1" I.P. TOP RIDGE		
"	"	12.68 / 12.00	68	12 3		65 8	10 28	1359 1		12 1		24 4	0+12° TOP RIDGE		
+65 8	RR 16	12.76 / 12.00	76	12 3	(CHECK BACK)	65°	+ 22 24	1378 2	4 6	+ 26 8	1363 7	+ 14 5	0+65 8 SIDE HILL		
+65 4					(MEAN)	65 4		1359 1			1363 7		0+00 (check back)		
"	PT "A"			13 0	Meas +	17°	0 0	1350 7		—		13 0	0+65 4 (MEAN)		
"	"	11.26 / 11.00	26	11 1		23 8	17 01	1345 3		7 3		18 4	0+82 4 GR BRK.		
"	"	10.00 / 9.00	100	9 5		81 7	25 22	1315 5		38 7		48 2	0+89 2 " "		
"	"	13.11 / 12.00	117	12 6		92 3	27 21	1303 4		47 7		60 3	1+47 1 " "		
"	"	12.50 / 11.00	150	11 7		116 3	28 16	1289 4		62 6		74 3	1+57 7 " "		
"	"	9.70 / 8.00	170	8 9		146 1	22 00	1295 8		59°		67 9	1+81 7 BOT. DRAW		
"	"	12.40 / 10.00	240	11 2		202 7	23 13	1265 5		87°		98 2	2+11 5 TOP SPUR		
"	"	12.05 / 9.00	305	10 5		259 2	22 48	1244 3		108 9		119 4	2+68 1 BOT BRK.		
"	"	10.00 / 6.00	400	8 0		347 4	21 16	1220 5		135 2		143 2	3+24 6 SIDE HILL		
"	"	7.40 / 3.00	440	5 2		388°	20 06	1216 5		142°		147 2	4+12 8 GR. BRK.		
"	"	10.72 / 8.00	472	8 4		416 5	20 03	1203 3 ✓	5°	152°	1208 3	160 4	4+53 4 " "		
+82 2	0+65 4	7.72 / 3.00	472	5 4	(CHECK BACK)	413 8	+ 20 34	1358 1		+ 155 2		+ 149 8	4+81 9 SIDE HILL		
+80 6					(MEAN)	415 2	= Mean =	1203 8	5°		1208 8		0+65 4 (check back)		
													4+80 6 (MEAN)		

Add'n Info on

Cont. Next Pg.

Notes Red. ____ Platted ____ Job No. 009635 Division No. ____ F.B. 3220 Pg. 105
Date ____ Date ____ Survey of Stuart Rd.
Notes Chkd. ____ Checked ____ Survey by R.C. BOWERS Notes J.P. McCALL Date 1-26-66
Date ____ Date ____ Map No. ____ Indexed ____ Date ____

76S614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Reversed

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
4+80.6	PT. "A"				° '		MEAN =	1203.8	1 5.0		1208.8		4+80.6 (Cont)		
"	"	6.40							2						
"	"	6.00	40	6 2		33.4	24.02	1187.7	3	14.9		21.1	5+14.0	GR. BRK	
"	"	8.32							4						
"	"	7.00	132	7 7		115.9	20.27	1157.9		43.2		56.9	5+96.5	"	"
"	"	7.80							5						
"	"	6.00	180	6 9		156.9	21.01	1141.6		60.3		67.2	6+37.5	"	"
"	"	9.28							6						
"	"	7.00	2.28	8 1		201.3	20.00	1127.9		73.3		81.4	6+81.9	"	"
"	"	13.60							7						
"	"	11.00	260	12 3		229.5	20.02	1112.8		83.7		96.0	7+10.1	BOT. DRAW	
"	"	10.77							8						
"	"	8.00	277	9 4		247.6	19.00	1114.1		85.3		94.7	7+28.2	"	"
"	PT. "A"	5.03							9						
"	"	2.00	303	3 5		279.0	16.20	1123.5	5.2	81.8	1128.7	85.3	7+59.6	PT. "A" TOP BRK	
PT. "A"	4+80.6	5.04							10						
PT. "A" 7+60.5		2.00	304	3 5	(CHECK BACK)	281.9	+ 15.44	1204.3		+ 79.3		+ 75.6	4+80.6 (checkback)		
					(MEAN)	279.9		1123.3	5.2		1128.5		PT. "A" 7+60.5 (MEAN)		
		6.44							11						
"	R.R.13	6.19	25	6 3		25.0	0.0	1119.9		—		6.3	7+85.5	TOP BRK.	
		13.50							12						
"	"	13.00	50	13 2		49.8	3.30	1112.3		30		16.2	8+10.3	TOE SLOPE	
		11.88							13						
"	8+47.3	11.08	88	11 4		86.8	6.46	1106.8	5.2	10.3	1111.7	21.7	8+47.3		
		7.90							14						
8+47.3	7+46.5	7.00	90	7 4	(CHECK BACK)	86.2	+ 12.15	1123.0		+ 18.7		+ 11.3	7+60.5 (checkback)		
8+46.2					(MEAN)	86.4		1106.7	5.2		1111.9		8+46.2 (MEAN)		
									15						
"	PR13	13.44							16						
		12.92	52	13 2		52.0	0.0	1098.7		—		13.2	8+98.9	GR. BRK	
		13.62							17						
		13.00	62	13 3		61.0	7.19	1090.8		7.8		21.1	9+07.2	EDGE STRM	
									18						
			CALL	+ 11	ST@LEV	72.0	—	1090.8		—		21.1	9+18.2	"	"
		2.98							19						
"	"	2.00	98	2 5		96.3	7.31	1096.7		12.7		15.2	9+43.2	TOP BRK	
		4.28							20						
"	"	13.00	128	3 6		127.0	5.07	1096.7		11.4		15.0	9+73.2	BOT "	
		5.50							21						
		4.00	150	4 7		150.0	+ 0.03	1107.3		+ 0.1		9.6	9+96.2	GR. "	

Add'n'l Inform.

Cont Next Pg.

Oak..O. Fir..Fr.
Pine..Pi. Cedar..Ce.
Sycamore .....Sy.
Eucalyptus .....Eu.
Plus combinations of these 2nd all common standard abbreviations.

Traveled Rd. Tr.Rd.
Fence ..... Fn.
Int. Fences..V.Fns.
Ditch ..... Dt.
Telephone Pole T.P.
Power Pole.....P.P.
Culvert .....Cul.

Saddle .....Sa.
Swale .....Sw.
Flat .....Fl.
Stream .....Str.
Trail .....Tr.
Pavement .....Pvt.
Edge of Road E.Rd.

Canyon S.Cn.
Top of Bank..T.B.
Bottom of Bank..B.B.
Top of Cut..T.C.
Bottom of Cut..B.C.
Top of Fill..T.F.
Bottom of Fill..B.F.

Side of Drawn..V.D's
Top of Slope..Bk..S.S.
Bottom of Slope..S.S.
Top of Cliff..T.Cl.
Bottom of Cliff..B.Cl.
Top of Spur..T.Sp.
Bottom Canyon..B.Cn.

Inters. of Drawn
Break in Slope
Steep Slope
Top of Cliff
Bottom of Cliff
Top of Spur
Bottom Canyon

Topography Description Legend:
Side Hill .....S.H.
Side of Draw..S.D.
Side of Ridge..S.R.
Head of Draw H.D.
Bottom Draw..B.D.
Bottom Wash B.W.
Top of Ridge..T.R.
Toe of Slope..T.S.

P.B. PG. 20

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line (Reversed)

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	Back Sight	+ Difference − Elevation	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
46+9	RR13							1106 7			1111 9		(Cont) 8+46 9		
"	"	2.76													
		1.00	176	1 9		176	+ 0 19	1111 8	5 1	+ 1 0	1116 1	09	10+22 9 TOP KNOB		
8+46 9	8+47 5	10.22													
		8.48	174	9 3	(CHECK BACK)	174	− 0 0	1106 8				93	8+46 9 (Checkback)		
10+21 9							(MEAN)	1111 0	5 1		1116 1		10+21 9 (MEAN)		
"	RR13	6.57													
		6.38	14	6 4		14	− 0 0	1109 7				64	BR. BRK		
		13.19													
"	"	12.91	28	13 0		28	− 0 0	1103 1				130	" "		
		16.00													
"	"	15.62	38	15 8		38	− 0 0	1100 3				158	EDGE DRAIN		
			CALL	+12°-0 la.		50		1100 3				158	" "		
		9.30													
"	"	8.70	60	9 0		60	− 0 0	1107 1				90	TOP BRK		
		8.00													
"	"	7.20	80	7 6		80	− 0 0	1108 5				76	TOE SLOPE		
		8.80													
"	"	7.20	160	8 0		154 1	+ 11 06	1138 3		+ 30 2		+ 22 2	SIDE HILL		
		11.39													
"	"	8.62	277	10 0		251 0	+ 17 49	1186 8	5 3	+ 80 7	1192 1	+ 70 7	12+72 9 " "		
173 8	10+21 9	6.68													
		3.93	275	5	(CHECK BACK)	252 1	− 16 47	1110 8		− 76 0		81 3	10+21 9		
12+73 0							(MEAN)	1186 9	5 3		1192 8		12+73 0 (MEAN)		
		6.28													
12+73 0	17+28 4	5.73	55	6 0		54 11	+ 7 25	1193 2	5 1	+ 7 0	1198 3	+ 1 0	13+27 1 (Mean)		
12+28 2	12+73 0	11.67													
		11.03	54	11 3	(CHECK BACK)	54 0	− 0 0	1187 0				11 3	12+73 0 (Checkback)		
		9.22											13+72 1 Side hill		
13+72 3	RR-13	8.77	45	9 0		45	− 0 0	1189 3	4 5	−	1193 8	90	13+72 3 (Mean)		
"	12+73 0	6.22													
		5.76	46	6 0	(CHECK BACK)	45 3	+ 6 51	1193 2		− 54		06	13+27 1 (Checkback)		
"	RR13	13.18													
		12.82	36	13 0		35 8	− 4 32	1178 0		− 28		158	14+08 1 BOT. BRK.		
		13.29													
"	"	12.71	58	13 0		57 9	+ 2 15	1204 5		+ 23		+ 107	14+30 2 TOP. "		
		13.95													
"	"	12.84	111	13 4		110 9	− 1 31	1177 5		− 29		163	14+83 2 BOT DRAIN		

Add'n'l

Cont. Next Pg.

Notes Rod. Platted
Date Date
Notes Chkd. Checked
Date Date
Map No. Indexed
Job No. 22635 Division No.
Survey of Stuart Rd.
Survey by Bowers Notes Nuckaby Date 1/66
C. J. GALLI
F.B. 2220 PG. 107

76S614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line ← Reversed

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
13+72	RR13							1189.3	4.5		1193.8		13+72 (Cont)		
"	"	13.84													
"	"	12.16	168	13 0		167.4	+ 3.15	1190.4		+ 9.6		- 3.4	15+39	BOT. DRAIN	
"	"	11.10													
"	"	8.94	216	10 0		214.6	+ 4.35	1201.0		+ 17.2		+ 7.2	15+86	TOP BRK.	
"	"	12.15													
"	"	9.88	227	11 0		225.2	+ 4.24	1200.2		+ 17.4		+ 6.4	15+98	TOE SLOP	
"	"	4.39													
"	"	1.60	279	3 0		272.9	+ 8.33	1231.8		+ 41.0		+ 38.0	16+45	SIDE HIL	
"	"	4.19													
"	"	0.82	337	2 5		314.8	+ 14.53	1275.0		+ 83.7		+ 81.2	16+87	" "	
"	"	4.83													
"	"	1.15	3.68	3 0		336.0	+ 17.08	1294.4		+ 103.6		+ 100.6	17+08	BOT. BRI	
"	"	4.94													
"	"	1.08	386	3 0		341.2	+ 19.55	1314.4		+ 123.6		+ 120.6	17+13	TOP "	
"	"	5.18													
"	"	0.83	435	3 0		377.5	+ 21.20	1338.2		+ 147.4		+ 144.4	17+49	TOP "	
"	RR13	9.84												RR13-P2	4493
"	"	5.18	466	7 5		403.4	+ 21.30	1345.2	4.8	+ 158.9	1350.0	+ 151.4	17+75	TOP RIDGE	
R.R.13	13+72	7.80													
"	"	2.68	462	5 0	(CHECK BACK)	402.0	- 21.07	1189.7	~~4.8~~	- 155.8	~~1349.9~~	- 160.3	13+72	(Check back	
RR13					(MEAN)			1345.4					17+75	(MEAN)	

Add'n'l Inform.

Topography Description Legend:
Side Hill....S.H. | Side of Draw..S.D. | Head of Draw H.D. | Bottom Draw B.D. | Bottom Wash B.W. | Top of Ridge..T.R. | Toe of Slope..T.S.

Break in Slope..Bk.S. | Steep Slope.....S.S. | Top of Cliff.....T.Cl. | Bottom of Cliff..B.Cl. | Top of Spur.....T.Sp. | Bottom Canyon..B.Cn.

Top of Bank...T.B. | Bottom of Bank..B.B. | Top of Cut.....T.C. | Bottom of Cut...B.C. | Top of Fill.....T.F. | Bottom of Fill..B.F.

Swale .....Sw. | Flat .....Fl. | Stream .....Str. | Trail .....Tr. | Pavement ...Pvt. | Edge of Road E.Rd.

Fence .....Fn. | Int. Fences.V.Fns. | Ditch .....Di. | Telephone.Pole T.P. | Power Pole...P.P. | Culvert .....Cul.

Pine-Pi. Cedar-Ce. | Sycamore .....Sy. | Eucalyptus .....Eu. | Plus combinations of these and all common standard abbreviations.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line ← Reversed →

Notes Red. Platted Job No. 6046.35 Division No. F.B. 3220 Pg. 107
Date Date Survey of Stunt Rd.
Notes Chkd. Checked Survey by R.C. Bowers Notes K.C.G. Date 1/28/66
Date Date Map No. Index A.J. Gall Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
	Sheet #6	RR 19			to	N.W.									
RR-19								1567.8	5.0		1572.8		RR-19 = Pg. 30 0+00 N.W. #94		
"	Pt A			7.2	Meas =	25.5	Lev	1565.6		—		7.2	0+25.5	Bot	Swail
"	"	4.03 / 3.37	66	3.7		66.0	"	1569.1		—		3.7	0+66.0	Brk	
"	"	5.79 / 4.20	159	5.0		156.3	+ 7.26	1588.2		+ 20.4		+ 15.4	1+56.3	Side	Hill
"	"	10.46 / 7.55	291	9.0		283.8	+ 9.04	1609.1	5.4	+ 45.3	1614.5	+ 36.3	Pt. A 2+83.8	Top	Knob
Pt A	RR-19	13.45 / 10.58	287	12.0		282.8	+ 6.56	1568.1		— 34.4		— 46.4	RR-19 (Check back)		
					SHEET #6		RR-19	to	RR-18						
RR-19	RR-18							1567.8	5.0		1572.8		RR-19 = Pg. 30 0+00 South		
"	"	11.76 / 11.44	32	11.6		32	Lev	1561.2		—		11.6	0+32.0	Brk	
"	"	10.36 / 9.67	69	10.0		69.5	14.46	1545.8		— 17.0		— 27.0	0+69.5	Top Brk	
"	"			+25.5	Calc (−) 26.0 Ft.	89.5	—	1529.8		—		— 43.0	0+89.5	Bot Brk	
"	"	13.97 / 12.08	183	13.0		165.5	18.00	1506.0		— 53.8		— 66.8	1+65.5	"	
"	"			40.0	Calc (+) 1.0 Elev.	125.5	—	1507.0		—		— 65.8	1+25.5	Swail	
"	"	6.09 / 3.96	208	5.0		199.2	11.25	1527.4		— 40.4		— 45.4	1+99.2	Top	Boulder
"	"	6.37 / 3.61	276	5.0		264.8	11.38	1513.3	5.2	— 54.5	1518.5	— 59.5	2+64.8	"	
"	"			(−)25.0	Calc (+) 11.0 Elev.	249.8	—	1502.3		—		— 78.5	2+49.8	Bot	Boulder
1+64.8	RR-19	6.37 / 3.62	275	5.0		263.2	+ 11.37	1567.8		+ 54.3		+ 49.3	0+00 RR-19 (check back)		
2+64.8	Mean							1513.3	5.2		1518.5		2+64.8 Mean		

Add'n'l Info

Cont. Next Pg.

76S614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Topography Description Legend: Side Hill....S.H. Side of Draw.S.D. Side of Ridge.S.R. Head of Draw H.D. Bottom Draw.B.D. Bottom Wash B.W. Top of Ridge.T.R. Toe of Slope..T.S.

Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Top of Bank...T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement ....Pvt. Edge of Road E.Rd.

Traveled Rd. Tr.Rd. Fence .....Fn. Int. Fence. V.Fns. Ditch .....Di. Telephone.Pole T.P. Power Pole....P.P. Culvert .....Cul.

Transit at	Sight on	Stadia Interoepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	− Difference Elevation	Height of Instrument (Reversed)	+ Vertical Distance	REMARKS Station	Left	Right
2+64.1	BP-18							1513.3			1518.5		2+64.1 (Const.		
"	"	13.59											Bot Draw		
"	"	12.40	119	13.0			36.39								
"	"	10.72											Top Spur		
"	"	9.28	144	10.0		122.2	22.53	1456.9		51.6		61.6	3+86.6		
		8.21											Side Hill		
"	"	5.79	242	7.0		209.8	21.24	1429.3		82.2		89.2	4+74.2		
		6.98											6+40.5		
"	"	3.61	397	5.0		376.4	13.16	1424.8	4.6	88.7	1429.4	93.7	Top Spur 6+40.7 (Mean)		
		5.00													
6+40.8	2+64.1	1.09	396	3.0		375.8	+ 13.02	1513.4		+ 87.0		+ 84.0	2+64.1 (Check Back)		
		12.98													
"	"	11.51	97	12.0		091.4	14.20	1394.1		23.3		35.3	5+49.3		Bot Draw
		8.42													
"	RR-18	3.58	482	6.0		421	21.54	1256.6	4.4	166.8	1261.0	172.8	10+61.5		Brk.
10+61.5	6+40.4		486	7.4		424	+ 22.24	1424.8		+ 171.2		+ 163.8	6+40.5 (Check back)		
10+63.9	RR-19						Mean =	1256.6	4.9		1261.9		10+63.9 (Mean)		
			400	17.0		352.8	+ 20.05	1373.0		+ 129.0		+ 112.0	7+10.2		Bot Cliff
			332	3.7		292.7	+ 20.07	1367.5		+ 107.2		+ 108.5	7+70.3		Brk.
			+ 18.0 (C)	11 (-)	7° E/eV =	310.7		1360.5				+ 99.5	7+52.3		Bot Draw
			215	6.1		197.2	+ 16.44	1314.2		+ 59.3		+ 53.2	8+65.8		side Hill
			145	12.7		140.8	+ 9.48	1272.6		+ 24.3		+ 11.6	9+22.2		Bot Draw
			106	3.5		102.5	+ 10.28	1276.4		+ 18.9		+ 15.4	9+60.5		Brk. Side Hill
			56	10.3		55.6	+ 4.53	1255.4		+ 4.7		− 5.6	10+07.4		"
"	RR-18		73	8.4		60.8	− 24.11	1225.3		− 27.3		+ 35.7	11+23.8		"
			157	11.8		139.8	− 19.20	1200.2		− 49.0		+ 60.8	12+02.8		Side Hill E. Edge Rd.
			241	7.2		224.0	− 15.25	1192.0		− 61.8		+ 69.0	12+87.0		
			(-)29.0 (C)		(-)19.5 E/eV =	19.5		1172.5				+ 88.5	12+58.0		Bot Gully

Add'n'l Inform.

Cont Next Pg.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line ← Reversed →

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
0+63°	RR-18				° '		° '	1256.6	4.4		1261 °		10+63° (Cont)		
"	"		257	5.3	° '	239.3	15° 12'	1190.7		65.0		70.3	13+02.3	E. Edge Rd. Bot. Cliff	
"	"		312	5.6	° '	309.5	+ 5° 10'	1283.4		+ 28.9		+ 22.4	13+72.5	Top Cliff	
"	"		383	5.9	° '	375.5	+ 8° 04'	1308.3		+ 53.2		+ 47.3	14+38.5	Bot Cliff	
"	"		462	10.3	° '	434	+ 14° 13'	1360.7	5.0	+ 110.0	1365.7	+ 99.7	RR-18 Pg. 28 14+97.0 Top Knob		
R-18	10+63.2		459	5.3	° '	434	13° 27'	1256.6		103.8		109.1	10+63° (Check back)		
"	"		57	5.3	° '	(-)54.4	12° 19'	1348.5		11.9		17.2	14+42.6 Top Cliff		

Add'n'l Inform.

Notes Red. _____ Platted _____ Job No. 2098.3 Division No. _____ F.B. 2210 PG. 111
Date _____ Date _____ Survey of Stunt Rd.
Notes Chkd. _____ Checked _____ Survey by Powers Notes 2013 Date 11/28/66
Date _____ Map No. _____ Indexed C. J. GALLI Date _____

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
			PROFILE LINE "A"					SHEET 8							
R24	RR21							1833.9	4.9		1838.8		RR-24	FB3220-37	
			75	5.4	278° 00'	73	+ 8° 33'	1844.4		+ 5.6		+ 11.0	T. Sp.		
			108	12.5	278 00	105	+ 8 44	1842.5		+ 3.7		+ 16.2	BK. S		
			170	16.0	278 00	167	+ 7 57	1846.1		+ 7.3		+ 23.3	BK. S.		
			220	15.0	278 00	217	+ 6 58	1850.3		+ 11.5		+ 26.5	B. D.		
			293	9.4	278 00	288	+ 7 16	1866.2		+ 27.4		+ 36.8	BK. S.		
			367	3.9	278 00	358	+ 8 48	1890.4		+ 51.6		+ 55.5	1X2 END LINE "A"		
X2 END NEW	RR24							1890.4	4.9		1895.3				
			365	9.8	0 00	358	− 8.12	1834.0		− 61.3		− 51.5	RR24"	FB3220-37	
			PROFILE LINE "B"					SHEET B							
R24	RR21							1833.9	4.9		1838.8				
			28	11.4	80 00	28	0 00	1827.4		− 11.4		—	Point "A"	BK. S set 1X1	
Point "A"	RR24							1827.4	4.6		1832.0			FB3220-37	
			28	1.0	0 00	28	+ 6 01	1833.9		+ 1.9		+ 2.9	RR24 3/4" I.P.		
			98	8.5	180 00	77	− 27 36	1783.3		− 48.7		− 40.2	BK. S.		
			195	5.0	180 00	159	− 25 29	1754.3		− 80.7		− 75.7	Point "B"	BK. S set 1X1	
Point "B"	Point "A"							1751.3	5.1		1756.4				
			194	4.0	0 00	159	+ 25 16	1827.2		+ 70.8		+ 74.8	Point "A"		
			978	89.1	180 00	818	− 23 53	1385.5		− 370.9		− 362.0	Point "C"		

Add'n'l

Notes Red. Platted
Date Job No. 0996.35 Division No.
Date Survey of STUNT ROAD
Notes Chkd. Checked Survey by R.C. DALE Notes R.C.D. Date 1-20-66
Date Map No. Indexed C. J. GALLE Date

F.B. 3220 PG. 113

76S614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	± Vertical Angle	Elevation of Point	Back Sight	± Difference Elevation	Height of Instrument	± Vertical Distance	REMARKS Station	Left	Right
Point C	BR 24							1385.5	5.0		1390.5				
			985	89	0° 00'	818	+ 24 19	1751.3		+ 3.60.8		+ 369.7	Point "B"		
			865	84		729	+ 23 20	1696.7		+ 3.06.2		+ 314.6	S.H.		
			716	76		626	+ 20 42	1619.7		+ 2.29.2		+ 236.8	BK. S		
			605	70		544	+ 18 33	1565.9		+ 175.4		+ 182.4	S. H.		
			533	77		488	+ 16 52	1530.8		+ 140.3		+ 148.0	BK. S		
			418	61		397	+ 13 04	1476.4		+ 85.9		+ 92.0	BK. S		
			388	70		374	+ 10 51	1455.2		+ 64.7		+ 71.7	BK. S.		
			303	85		297	+ 7 56	1423.4		+ 32.9		+ 41.4	S. D		
			220	121		218	+ 5 23	1398.9		+ 8.4		+	BK. S		
						190	—	1380.9					-28 dn 18° B.D.		
						165	—	1388.3					-53 dn 10° BK. S		
			97	125		95	+ 7 21	1390.2		- 0.3		+ 12.3	BK. S.		

F.D.:

Topography Description Legend:
Side Hill.....S.H. Bottom Draw.B.D.
Side of Draw.S.D. Bottom Wash B.W.
Side of Ridge.S.R. Top of Ridge.T.R.
Head of Draw H.D. Toe of Slope..T.S.

Add'n'l Inform.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Platted Job No. 009635 Division No. F.B. 2220 PG. 113
Date Date Survey of STUNT RD
Notes Chkd. Checked Survey by R.C.D.R.C. Notes R.C.D. Date 1-19-66
Date Date Map No. Indexed C.J. GALA Date

PROFILE LINE "C" SHEET 2 RR24 TO RR21

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	± Vertical Angle	Elevation of Point		+ Back Sight	± Difference Elevation	Height of Instrument		+ Vertical Distance		REMARKS Station	Left	Right
					° '		° '											
CR24	RR24				0 00			1838	9	4 9		1838	8					
			606	3 9		582	11 23	1717	6	3	121	2		117	3	Point "A" BK. 3 1x2		
Point "A"	RR24							1717	6	5 3		1722	9					
			409	9 0		584	+ 11 37	1834	0		+ 111	1		+ 120	1	RR-24 3/4" I.P. (-6 up 2° BKS 1838.0)		
			575	6 0		557	+ 10 10	1816	8		+ 93	9		+ 99	9	BK. S		
			517	8 0		507	+ 7 56	1775	6		+ 62	7		+ 70	7	S.H.		
			440	6 0		438	+ 3 25	1737	7		+ 14	8		+ 20	8	S.H.		
			392	6 8		392	0 00	1716	1		6	8		—		S.H.		
			350	9 0		349	3 12	1694	4		28	5		19	5	B.D.		
			330	6 0		328	4 13	1692	7		30	2		24	2	T. BK		
			275	23 0		270	7 25	1664	7		58	2		35	2	B.D.		
			220	7 0		217	6 35	1690	8		32	1		25	1	T.S		
			200	5 0		195	8 54	1687	3		35	6		30	6	BK. S.		
			160	6 0		141	20 25	1664	6		58	3		52	3	BK. 6		
			150	9 0		131	25 52	1655	0		67	9		58	9	S.D. (-8° - 8° 1647.0 BD)		
			125	15 0		100	26 29	1658	0		64	9		49	9	BK. S		
			80	16 0		64	26 33	1664	9		58	0		32	0	BK. S.		
			75	11 0		62	24 52	1683	3		39	6		28	6	BK. S		
			55	5 0		46	24 07	1697	4		25	5		20	5	BK. S		
Point "A"	RR21		37	2 6		37	0 00	1720	8		2	6		—		Point "B" BK. S		

Add'n'l

765614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	± Vertical Angle	Elevation of Point	+ Back Sight	± Difference Elevation	Height of Instrument	± Vertical Distance	REMARKS Station	Left	Right
Point "B"	RR-24				° '		° '	1720.3	4.8		1725.1				
			37	7.5	° '	37	0° 00'	1717.6		7.5		—	Point "A" 1x2	BK. S	
	RR21		50	10.0	° '	38	29° 06'	1693.9		31.2		21.2	BK. S		
		118	5.0	° '	92	28° 10'	1671.0		54.1		49.1	S.H.		
		156	6.8	° '	128	25° 14'	1658.1		67.0		60.2	BK. S		
		183	11.0	° '	150	25° 14'	1643.5		81.6		70.6	BK. S		
		200	13.0	° '	162	25° 49'	1633.7		91.4		78.4	BK. S (+18-14° B.D.		
		255	7.3	° '	216	23° 04'	1625.9		99.2		91.9	BK. S		
		310	10.7	° '	269	21° 19'	1613.5		111.6		100.9	B.D		
		328	6.6	° '	296	18° 05'	1621.7		103.4		96.8	BK. S		
		335	6.7	° '	310	15° 47'	1630.7		94.4		87.7	BK. S		
		340	5.7	° '	328	11° 03'	1655.4		69.7		64.0	BK. S		
		358	5.7	° '	349	8° 58'	1664.3		60.8		55.1	T. Sp. Point "C"		
Point "C"	RR24				° '		° '	1664.3	4.6		1668.9				
		358	2.8	° '	350	+ 8° 49'	1720.3		+ 51.4		+ 54.2	Point "B"		
	RR21		30	8.2	° '	26	21° 05'	1650.8		18.1		10.1	BK. S.		
			52	8.3	° '	41	26° 43'	1639.2		29.7		21.4	BK. S.		
		118	7.0	° '	97	24° 54'	1616.3		52.6		45.1	B. D.		
		144	1.7	° '	136	13° 19'	1634.9		34.0		32.3	E. Rd		
		160	0.8	° '	152	12° 40'	1638.9		35.0		34.2	E Rd. B C		
		162	1.8	° '	160	6° 05'	1650.0		18.9		17.1	T.C.		

Add'n'l Inform.

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Inters. of Draw, V.P.'s: Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Side or Canyon S.Cn.: Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E.Rd.

Traverse no. ..... Tr.No. Fence ..... Fn. Int. Fence ..... V.Fn. Ditch ..... Dt. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul.

Oak-U. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

P.G. 10

F.B. —

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Platted Job No. 0096.35 Division No. F.B. 3220 Pg. 111
Date Survey of STUNTRD
Date Notes Chkd. Checked Survey by R.C. DALE Notes R.G.D. Date 1-18-66
Date Map No. Indexed C. J. GALL Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	Back Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
Point "C"	RR21				° '			° '		1			16689					
			195	8 0	° '	195	+	1 ° 20'	16454	2		3 5		+	4 5	BK. S		
			218	2 0	° '	216	+	5 ° 02'	16860	3	+	17 1		+	19 1	BK. S		
			270	7 4	° '	263	+	9 ° 02'	17084	4	+	34 5		+	41 9	BK. S		
			305	7 5	° '	294	+	11 ° 03'	17189	5	+	50 0		+	57 4	BK. S 17339		
			348	5 7	° '	325	+	14 ° 51'	17494	6	+	80 5		+	86 2	+10 - 49.2 BK. S. T.Sp. Point "D"		
Point "D"	RR24				° '			° '	17494	7			17538					
			348	2 8	° '	325	−	14 ° 57'	16643	8		89 5			86 7	Point "C"		
	RR-21		57	7 5	° '	49		21 ° 20'	17270	9		26 8			19 3	BK. S		
			113	10 5	° '	97		21 ° 47'	17044	10		49 4			38 9	B. D		
			180	5 9	° '	176		2 ° 47'	17423	11		11 5			5 6	BK. S		
			238	3 2	° '	236	+	5 ° 28'	17732	12	+	19 4		+	22 6	BK. S		
			290	4 5	° '	271	+	14 ° 40'	18283	13	+	66 5		+	71 0	S.S.		
			338	9 6	° '	302	+	19 ° 10'	18490	14	+	95 2		+	104 8	S.S		
			380	2 00	° '	325	+	22 ° 06'	18835	15	+	129 7		+	132 5	BK. S (+6 - 10 18735 BK.S.)		
			438	16 0	° '	373	+	22 ° 16'	18914	16	+	137 6		+	153 6	RR-21 FB 3220 - 37		
					° '			° '		17								
					° '			° '		18								
					° '			° '		19								
					° '			° '		20								
					° '			° '		21								

Add'n'l

765614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. ..Tr.Rd. Fence ..... Fn. Int. Fences..V.Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole.....P.P. Culvert .....Cul.

Sag ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Bank..S.B. Top of Bank..T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut..B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff..B.Cl. Top of Spur.....T.Sp. Bottom Canyon..B.Cn.

Topography Description Legend:
Side of Hill.....S.H.
Bottom Draw.B.D.
Bottom Wash B.W.
Side of Ridge.S.R.
Top of Ridge.T.R.
Head of Draw H.D.
Toe of Slope..T.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ / −	Vertical Angle	Elevation of Point	+ Back Sight	+ / −	Difference Elevation	Height of Instrument	+ / −	Vertical Distance	REMARKS Station	Left, Right
					PROFILE LINE "D" SHEET 8												
RR21	RR2A						−		1891.7	5.0	−	1	1896.7				
			222	6.1	169° 27'	176	−	26° 56'	1801.0			95.7			896	PT "A" 1x2 Top Cl. Ft	
PT "A"	RR21						−		1801.0	5.0			1806.0				
			226	7.2	0° 00'	177	+	27° 45'	1892.0			86.0		+	93.2	RR 21 3/4" I.P.	
					0° 00'	171	−		1893.0							−6 4p 1° T.Cl.	
			120	12.6	0° 00'	95	+	26° 56'	1841.9		+	35.9		+	48.5	B.K.S.	
			95	10.5	0° 00'	82	+	22° 08'	1828.7		+	22.7		+	33.2	B.K.S.	
			29	9.1	0° 00'	27	+	16° 29'	1804.8		−	1.2		+	7.9	S.H.	
					168° 40'	10	−		1776.0							+10 −25° B.Cl.	
			165	10.9	168° 40'	125	−	29° 21'	1724.6		−	81.4		−	70.5	PT "B" Top Rock	
PT "B"	PT A						−		1724.6	5.2			1729.8				
			165	1.0	0° 00'	124	+	29° 58'	1800.2		+	70.4		+	71.4	PT. "A"	
			33	6.2	0° 00'	31	+	15° 39'	1732.2		+	2.4		+	86	B.K.S.	
			8	12.5	0° 00'	8	−	0° 00'	1717.3		−	12.5				B.K.S.	
					180° 00'	2	−		1725.6							+2 +1° Top Rock	
					180° 00'	5	−		1704.0							+5 −20° Bot. Rock S.H.	
							−	NOTE									
					THIS LINE VERY POOR FOR PROFILE												
					GROUND TOO CHOPPED UP												

Add'n'l Inform.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	Vertical Angle	Elevation of Point	Back Sight	Difference Elevation	Height of Instrument	Vertical Distance	REMARKS Station	Left	Right
					° '		° '								
			PROFILE,			LINE "A"		SHEET 10							
M-9	S-8							1463 6	5 4		1469 0		AM-9 3/4" I.P.		
			21	4 3	0 00	21	0 09	1464 1		4 3		—	T.R		
			116	13 4		116	0 09	1455 6		13 4		—	S.H.		
			221	15 1		220	4 13	1437 7		31 3		16 2	S.H		
			275	15 7		274	4 10	1433 4		35 6		19 9	S.H.		
			380	4 9		379	2 53	1445 0		24 0		19 1	S.H.		
			480	5 4		480	+ 0 16	1465 9		3 1		+ 2 3	S.H.		
			572	3 9		571	+ 2 43	1492 2		+ 23 2		+ 27 1	S.H		
			618	8 1		616	+ 3 32	1498 9		+ 29 9		+ 38 0	S-8 3/4" I.P. T2		
-8	AM-9							1498 9	5 0		1503 9				
			618	5 1		616	3 18	1463 3		40 6		35 5	AM-9 3/4" I.P.		
			PROFILE,			LINE "B"		SHEET 10							
-8	RR30							1498 6	5 0		1503 6		S-8 3/4" I.P.		
			12	3 7		12	0 00	1499 9		3 7		—	E. Rd.		
			29	3 9		29	0 00	1499 7		3 9		—	E Rd		
			73	12 4		73	2 36	1487 9		15 7		3 3	B.K. S		
			175	12 9		173	5 35	1468 4		35 2		22 3	S.H.		
			230	12 1		228	5 30	1469 6		34 0		21 9	B.K. S		
			873	5 0		872	1 29	1476 0		27 6		22 6	RR30 3/4" I.P.		
RR30	S-8							1476 0	5 3		1481 3		RR30 3/4" LP		

Add'n

Notes Rod. Platted
Date Date
Notes Chkd. Checked
Date Date
Map No. Indexed
Job No. 00 96 35 Division No.
Survey of STUART RD.
Survey by R.E. DALE Notes R.C.D. Date 1-25-66
C. J. GALLI Date
F.B. 3220 PG. 119
I-B32 20-43

765614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fences ..... V.Fns. Ditch ..... Di. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E.Rd.

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Inters. of Draws. V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

F.B. FG.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	Back Sight	+ Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
											1481.3				
RR30	S-8		874	9.3		873	+ 1° 44'	1498.4		+ 17.1		+ 26.4	B-8 3/4 I.P.		
			546	4.7		546	0° 48'	1469.0		12.3		7.6	BK. S		
			480	6.4		479	2° 41'	1452.4		28.9		22.5	BK. S		
			410	12.0		406	5° 33'	1429.9		51.4		39.4	S.H.		
			375	9.9		369	7° 25'	1423.4		57.9		48.0	BK. S		
			325	5.6		310	12° 18'	1408.1		73.2		67.6	BK S		
			303	8.5		283	14° 54'	1397.5		83.8		75.3	B.D		
			281	9.4		263	14° 40'	1403.1		78.2		68.8	BK. S		
			244	14.2		226	15° 54'	1402.8		78.5		64.3	BK. S.		
						208		1400.8					−18 −2° B. D.		
			140	16.6		130	15° 40'	1428.3		53.0		36.4	S.H.		
			88	13.5		84	14° 12'	1446.9		34.4		20.9	S. H		
			11	7.3		11	0° 00'	1474.0		7.3		—	BK.S.		

Add'n'l Inform.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. Platted Job No. 00996 35 Division No. F.B. 3220 PG. 121
Date Date Survey of STUNT ISL
Notes Chkd. Checked Survey by R.C. Hale Notes R.C.D. Date 1-27-66
Date Date Map No. Indexed C. J. GALLI Date

Transit at	Sight on	Stadia Interceptc	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	±	Vertical Angle	Elevation of Point		+ Back Sight	±	Difference Elevation	Height of Instrument	±	Vertical Distance	REMARKS Station	Left	Right
				PROFILE LINE "D" SHEET 10						2									
RR25	RR26				° ' "			° ' "	1450 5		5 2			1455 7					
			359	38	0 00 00	350		9 03	1396 1	3			59 6			55 8	T.Sp. Point "A" 1X1		
Point "A"	RR25								1396 1	4	5 0			1401 1					
			359	48	0 00	351	+	8 47	1450 5	5		+	49 4		+	54 2	RR25 3/4" I.P.		
			275	74		272	+	6 03	1422 5	6		+	21 4		+	28 8	BK. S		
			227	91		227	+	0 35	1394 3	7			6 8		+	2 3	S.H.		
			195	40		194		3 40	1384 7	8			16 4			12 4	S.H.		
			151	68		150		5 42	1379 4	9			21 7			14 9	Sw.		
			17	55		17		0 00	1395 6	10			5 5			—	BK. S.		
	RR26		33	108		33		0 00	1390 3	11			10 8			—	BK. S		
			95	135		93		8 13	1374 2	12			26 9			13 4	S.H.		
			162	128		159		8 00	1366 0	13			35 1			22 3	B. D		
			195	50		195		2 23	1388 0	14			13 1			8 1	S.H.		
			260	63		257	+	6 06	1422 3	15		+	21 2		+	27 5	BK. S		
			326	36		315	+	10 31	1456 0	16		+	54 9		+	58 5	BK. S		
			405	40		380	+	14 25	1494 7	17		+	93 6		+	97 6	S.H.		
			470	63		432	+	16 32	1523 0	18		+	121 9		+	128 2	S.H.		
			538	57		488	+	17 45	1551 6	19		+	150 5		+	156 2	RR-26 3/4" I.P.		
RR26	RR25								1551 6	20	5 2			1556 8					
			538	47		488		17 44	1396 0	21			160 8			156 1	Point "A"		

Add'n'l

765614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. Fence ..... Fn. Int. Fence ..... V. Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Sa. ..... Sw. Fl. Saddle ..... Str. Swale ..... Tr. Flat ..... Pvt. Stream ..... E. Rd. Trail ..... Pavement ..... Edge of Road

Side of Canyon S.Cn. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Draws, Gullies, V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left Right
			PROFILE LINE E. SHEET 10											
RR26	RR25							1552.0	5.2		1557.2			
			63	7.42	7.3	0.00	1550.9		6.3				Point A. (1) T.Cl.	
Point A	RR26							1550.9	5.4		1556.3			
			43		7.3	0.00	1552.0		4.3				RR-26 3/4" I.P.	FB322C 3
		38	18.6	180.00	29	29.53	1521.3		35.0		16.4		B.Cl	
		92	19.5	180.00	69	29.44	1497.2		59.1		39.6		S.H.	
		195	15.0	180.00	147	29.56	1457.0		99.3		84.3		S.H.	
		233	12.2	180.00	180	28.29	1446.4		109.9		97.7		S.H.	
		320	11.6	180.00	247	28.36	1410.2		146.1		134.5		S.H.	
		392	12.0	180.00	305	28.12	1381.0		175.3		163.3		S.H.	
		513	8.6	180.00	398	28.18	1333.6		222.7		214.1		S.H	
		618	8.0	180.00	487	27.25	1295.7		260.6		252.6		S.H	
		720	9.6	180.00	570	27.10	1254.2		302.1		292.5		S.H.	
		960	9.2	180.00	774	26.07	1167.6		388.7		379.5		Point B S.H. (1)	
Point B	Point A						1167.6		4.6		1172.2			
		970	8.8	0.00	776	+26.33	1551.2		+379.0		+387.8		Point A	
		137	7.7	0.00	116	+23.16	1214.2		+42.0		+49.7		BK S.	
		72	9.4	0.00	66	+17.04	1183.0		+10.8		+20.2		B.D.	
		60	8.3	0.00	54	+19.11	1182.5		+10.3		+18.6		B.S.	

Add'n'l Inform.

766614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PROFILE LINE "C" SHEET 10

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	Vertical Angle	Elevation of Point	Back Sight	Difference Elevation	Height of Instrument	Vertical Distance	REMARKS Station	Left	Right
								1450 5	5 2		1455 7				
R-25	RR26														
			80	9 4	178 25,	74	12 24,	1429 5		26 2		16 8	Point "A" 1x1 BK.S		
Point A	RR25							1429 5	5 3		1434 8				
			81	7 4	0 00,	73	+ 18 05,	1450 4		+ 15 6		+ 23 9	RR-25 3/4 I.P. FB 3220 - 38		
			61	5 3	180 00,	51	24 17,	1406 6		28 2		22 9	Point "B" BKS. 1x1		
Point B	Point A							1406 6	5 3		1411 9				
			61	5 3	0 00,	51	+ 24 16,	1429 5		+ 17 6		+ 22 9	Point "A"		
			33	6 1	180 00,	25	28 58,	1391 8		20 1		14 0	BK. S		
			103	10 5	180 00,	79	29 07,	1357 6		54 3		43 8	S H		
			224	7 1	180 00,	171	29 06,	1309 6		102 3		95 2	BK.S.		
			320	14 0	180 00,	244	29 21,	1261 2		150 1		136 1	BK. S		
			570	11 0	180 00,	434	29 15,	1157 9		254 0		243 0	BK.S		
			708	5 6	180 00,	554	27 50,	1114 0		297 9		292 3	Point "C" 1x1		
Point C	RR25							1114 0	5 0		1119 0				
			710	6 5	0 00,	554	+ 27 58,	1406 6		+ 287 6		+ 294 1	Point "B"		

Add'n'l

Notes Red. _____ Platted _____ Job No. 9096.35 Division No. _____ F.B. 3220 PG. 165
Date _____ Date _____ Survey of STRAIT RD.
Notes Chkd. _____ Checked _____ Survey by R.C. DeLe Notes R.C.D. Date 1-27-66
Date _____ Date _____ Map No. _____ Indexed C. J. GALLI Date _____

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Bayview Hwy (Stunt Rd) F. B. 3226 PG. 127
JN 0096.35 Tape 168 Std 54 °F
Surveyed by W J Voge
Notes Voge Date 2-20-69
Indexed [illegible]

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

BAYVIEW HWY. (STUNT RD.)

JN. 0096.35

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

REFERENCES USED: F.B. 1557
R.D.F.B. 1408
R.D.F.B. 1409
C.S.B. 498
C.S.B. 2336-2

PARTY: Voge
Strader
Swann
Derby

16F309S CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by H. HOLMAN
Map No. 8-5207
Office Work E. GUILLERMO
Checked D. SAPPELL
Date MY 5 '73

Survey of Bayview HWY
JN 0096.35 Tape 153 Std 84°F
Surveyed by W.J. Vogle
Notes Vogle Date 12-3-68
Indexed [illegible]

F.B. 3220 Pg 129

To Bdt. Pg 180

T=66°
41.36 @ 17°23' = 39.47'
41.23 @ 16°56' = 39.44' > 39.46'
41.44 @ 17°26' = 39.46'

SEC. 4
T. 1 S.
R 17 W

SEC. 9

Set 1" I.P. conc plug & Tk Tagged L.A. Co Engr- (flush) brook

T=64°
117.07 @ 36°52' = 93.66'
117.16 @ 36°56' = 93.65' 93.64'
6.52 @ LEV.
7.21 @ LEV.

Set 1" I.P. conc plug & Tk Tagged L.A. Co Engr (flush) brook

(CHECKED MK. 0
SON. 8-20-70 TO
MKD. DS shown
BELOW
R.C. DALE)

SEC. 4
T. 1 S.
R 17 W
SEC. 9
T. 1 S.
R 17 W
1/4 Cor
Fd C.S. mon. (up 6") marked as shown per C.S.B. 2336-2

C.S.B. 2336-2 shows the words 1/4 COR. above SEC. 4

Set NAIL in Sandstone Outcropping

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

165C98 CE#310 9-67

F.B. 3220 Pg 130

To Bot. Pg 131

T = 70°

95.56 @ 21°33' = 84.47
95.29 @ 27°34' = 84.47
84.46

T = 72°

205.28 @ 35°02' = 168.09
205.18 @ 34°59' = 169.11
168.08
2.00 @ ELEV = 2.00

168.08
2.00
170.08

Set 1x2 & Nail (Flush)
Hill

170.08

Fd. Pt. SPK WET (Flush) Probably Rd. Dept. Point (No Ref)

MULHOLLAND HWY.

Pg 132

455.45

(40)

(40)

T = 66°

455.50 @ ELEV = 455.45

① 78° 04' 40"
② 31.2° 18' 50"
③ 108° 28' 20"
78° 04' 43"

Fd. PT SPK & W (Flush)
Rd. Dept Point (No Ref)
Ref. RDFB 490-52

Set 1" I.P. conc
Plug & Tk, Tagged
L.A. Co.
(Flush) Top of Spur

To Top Pg 129

EVS 86-4-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN	Survey of Bayview Hwy.
Map No. R-5201	JN 00635 Tape 150 Std 59 °F
Office Work E. GUILLERMO	Surveyed by W.J. Voge
Checked D. SAPPELL	Notes Voge Date 12-3-69
Date 12-5-73	Indexed R.C. DALY 1-69

F.B. 3220 Pg. 131

WR 2-4-2

SEC. COR.
Fd Co Surv brass Cap
Mon (up 3") per
Marked as shown
per CSB 4985 CSB 2336-2

SURVEYOR'S MONUMENT
T 1 S
R 1 W
SUNOL

CHECKED MK. ON
MON. 8-20-70 FD
MKD AS SHOWN HERE
R.C. DALY

4.61

Set Sq Spk Stn (flush)
in Sandstone outcropping.

T = 76"
4.61
18.48
14.95
1 EV.

18.48

Set conc. Nail
ET (flush) in
Sandstone

SEC. LINE

74.95

Set 1" I.P. conc plug
stk. Tagged L.S.
Co Engr (up 2")
(Tap of Spun)

T = 76°
84.57 @ 23°03' = 77.82
84.30 @ 22°35' = 77.84
77.83

77.83

Set 1x2 F Nail

84.46

TO TOP PG 130

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3088 CE#310 9-67

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

US 99 A-2

F.B. 3420 Pg. 132

To Right PP 130°

(40')

(40')

455.45

NILHOLT AVE

HWY

I = 68°

139.36 @ EV = 139.35'

145.67 @ " = 145.65'

33.77 @ " = 33.77'

37.61 @ " = 37.61'

Fd. LE PK RDFB 1408-23 & 24

Fd. bt. SPK & W (Cdg 2") Pet RDFB 1408-23 & 24. Set 2-2" SPK TIES

Fd. bt. SPK WE (Flush) Pet RDFB 1408-23 & 24

Fd. bt. SPK WE (Cdg 2") Pet RDFB 1408-23, 24, & 25

20° 30'

85°

139.35

37.61

33.77

145.65

STUWT RD

To PP PP 133

Notes Ck'd by H. HOLMAN		Survey of Bayview Hwy	
Map No.		JN 09635 Tape 158 Std 34'F	
Office Work E. GUILLERMO		Surveyed by W.J. Voge	
Checked		Notes Voge Date 12-6-68	
Date OCT 5 '73		Indexed [redacted] 1-80	

F.B. 3220 Pg. 133

To Bat Pg. 32

Tan's Bulmer Ward Hwy

125.65

Set 1" I.P. Conc. Plug & Tk. Tagged L.A. Co. Engr. (Ch 6")

See page 142 Proposed BAYVIEW HWY Per FB 3220 - 145 - 147

To Bat Pg. 134

T = 70°

249.27 @ 266°08'(3°52") = 248.70

249.21 @ 93°43'(3°23") = 248.67

4.64 ELEV = 4.04

248.68

248.68
4.64
253.32

T = 76°

65.72
44.33
38.39
43.23
} LEV.

POST F.P.I. #10. Fd 1" I.P. Conc. Plug FTK (Ch 3") Per FB 1557-157 & 206 FCS 8 2336-2 (Good Condition)

44.33

38.39

43.23

CH (4) in fence Posts Per FB 1557-157

P.I. 10 A Fd 1" I.P. Conc. Plug & Tk. Per FB 1557-206 Pipe Leaning E

0.20

Note: Any Additions or Changes on this Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7873093 CE#310 9-67

F.B. 3220 Pg 134



T = 58°
299.83 @ 266°30' (3°35') = 299.27'
299.85 @ 93°30' (3°32') = 299.94'
299.21'

T = 54°
76.42 @ LEV = 76.40'

299.21
76.40
375.61

T = 64°
17.91 @ LEV = 17.91'
136.24 @ LEV = 136.24'
48.04 @ LEV = 48.03'
35.28 @ LEV = 35.28'
3.76 @ LEV = 3.76'

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: - Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by H. HOLMAN
Map No. 5-5201
Office Work E. GUILLERMO
Checked D. SAPPELL
Date 8/7 5 73

Survey of BALDWIN HWY
JN 10961.35 Tape 158 Std 84 °F
Surveyed by W.J. Voie
Notes Voie Date 12-13-68
Indexed [redacted] GALLI 1-69

F.B. 3220 Pg 135

To Bet Pg 136

214.75
212.63 calc.

See pg 136 For curve data

EC (Rd Dept 217+16.04)
Set 1" I.P. Spec. plug & tag 7999 (dia 1") by Files
Set 2-2' Spk ET Files.

36.73

Fd. sq. bolt (dia 8") Per R.D.F.B. 1408-45 & 46.

62.38

90°

Fd. Sq. bolt (dia 8") Per RD FB 1408-45 & 46

Δ = 56°

482.28 @ LEV = 482.19'
62.39 @ " = 62.38'
36.24 @ " = 36.23'

(30)

482.19 ± ET

Existing Prop. Rd. Per FB 3220-147 & 148
SEE SH 2211-250

STUNT RD (SADDLE PEAK RD.)

(30)

375.61

P.O.T. Set bt Spk. Wet (Flush)

To Top Pg 134

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

765098 CE #310 9-67

F.B. 3220 Pg 136



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made on Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN
Map No. 6-5201
Office Work E. GUILLERMO
Checked D. SAPPELL
Date OCT 5 '73

Survey of BAYVIEW HWY
JN 009635 Tape 158 Sta 24 °F
Surveyed by WS Vogle
Notes Vogle Date 12-13-68
Indexed [illegible] APR 1 '69

F.B. 3220 PG 137

To Top Pg 136

To Top Pg 136

Proposed Per FB 3220 - 148 & 149

BAYVIEW HWY

212.03

212.73 Calc.

2' OFFSET LINE

EXISTING R/W

Set Conc Nail for 2' offset Line

Rd sq bolt (dn 6") per RDFB 1408-45&46

Sec Pg 136 For Curve data

2.00

30.20

1.06

BC (Rd) 120+ 213+46.06

Set 1" IP conc. Plastic Tagged L.A.C. Engr. (illegible) @ Feet dist E @ 90° from bolt Per RDFB 1408-45&46

I=68°

WV 2+14.69

~~212+60.66~~ 212.03

2.00 Calc = 2.00

I=58°

31.72 @ 72°14'(1796') = 30°21'

31.98 @ 28°06'(1906') = 30°22'

30°20'

SADDLE

STUNT PEAK

R/W

361.85

To Top Pg 138

To Top Pg 138

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

165-3023 CE#310 9-67

F.B. 3200 Pg 138

to Bdy. Pg 137

to Bdy. Pg 137

(30')

(30')

2' Offset Lines

(SADDLE)

SITUATE PEAK RD.

EXISTING R.D.

361.85

Set Conc. Nail

PROPOSED 12" BRUSHED HWY

Per F.B. 3220-1 & F 149

Rd Sp bolt (dn 4") per RDFB 1408-43 & 44

0.17

2.00

90°

23.08

30.68

Rd Sp bolt (dn 6") per RDFB 1408-43 & 44

EC (Rd Dept 2094 85.99)

Rd Large SPK

EW (dn. 3") per RDFB 1408-43 & 44

I = 60°

361.91 @ EY = 361.85

30.63 @ 11 = 30.63

(8°37')

23.34 @ 81°23' = 23.08

(9°58')

23.42 @ 279°55' = 23.07

23.08

to Bdy. Pg 139

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	H. HOLMAN	Survey of	Bayview Hwy.
Map No.		JN 0961.35	Tape 159 Std 84°F
Office Work	E. GUILLERMO	Surveyed by	W J Voge
Checked		Notes	Voge Date 12-26-68
Date		Indexed	B.L. GALLI

F.B. 3220 PG. 139

U.S. 99, A-2

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

To Bk Pg. 133

(30')

(30')

STUNT (SADDLE) RD. PEAK (R.D.)

T=56'

130.07 @ EY = 130.05'

66.95 @ EY = 66.92'

18.81 @ EY = 18.81'

130.05'

Existing C.L.

665.04' to P.I.

Set 1" I.P. & conc. plug ETK 1400 ed L.A.C.E. Engr. (Dia. 3") & record dist. from E.C. Sta 2-2'5PAC E.T. 7+65.

Prod. Rd 34 bp +(dn. 24" per RDFB 1408-43 E 44

Prod. Rd Ctr in Wing-Wall Rear RD FB 1408-43 E 44

PROPOSED 8" BANYAN HWY. PER FB 3220-148 & 149

322 20 N 22

To Top Pg 140

F.B. 3220 Pg. 140

To Bot. Pg. 139

T=58°

187.93 @ 197°42' = 186.23'
(7942')

187.62 @ 267°59' = 186.21'
(7°01')

186.19'

781 @ ELEV = 781'

186.19
7.81
194.00

(30)

(30)

Existing P.C.

T=62°

11.75 @ ELEV = 11.75

Proposed P.I. #3
Set Nail (Flush) @
(194.00) from P.I. #2A
See Pg 239-250

194.00

Proposed P.I. #2
Set Nail (Flush) @
(194.00) from P.I. #1
See Pg 239-250

BAYVIEW HWY

11.75

STUNT
(SADDLE)

PEAK RD.

RD.

P.C. #2A
Fd 3/4" IP with
brass cap marked
LA Co RD 1952
(on 4") per RD 18
1409-55

Proposed
Fd 5/8 bolt
(on 3") per RD 18
1409-55

To Top Pg 141

M.S. 89 A-2

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made on Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN	Survey of Pacific Hwy
Map No.	JN 00196.35 Type 156 Std 84 °F
Office Work E. GUILLERMO	Surveyed by W.J. TOPE
Checked	Notes 09E Date 6-69
Date	Indexed

FB 3223 Pg 141

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

WS 89.4-2

To 84 PS 149

(30)

Ex. 57.19 ℄

(PROPOSED ℄ BALDWIN HWY)

see FB 3221-250

(30)

I=56°

18.00
6.95 } LEW
19.20

STUNT (SADDLE) PEAK RD.

RD.

per FB 3220 - 149.154

PI #474 (Not Set)

Fd sq bolt (on B") per RDFB 1409-53 & 54.

POST "B" Fd 3/4" I.P. w/H. Spk & Washer per RDFB 1409-53 & 54

6.96

18.00

90°

19.27

Proposed PI #9 Set 1" I.P. Conc Plug & Tag Stamped LAC (Illegible) @ Calc. Dist (1800 from PI held to P.O.S. (Illegible) for distance.

See Pgs 239-250

To Top Pg. 142

46F3098 CE#310 9.67

F.B. 3220 Pg. 142

I = 84°

402.42 @ E.V. = 402.42'

(30)

TO BAT.

P.I. 141

(30)

RD

R.D.

STUNT

PEAK

402.42'

EXISTING G.

(SADDLE

BM IS A

Tk. Sta.

Batt (dia")

PST

RDFB

1409-52

TO BAT.

P.I. 143

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made on Circled In Red Ink With Date and Name of Person Making Change

MS 39.4-3

Notes Ck'd by H. HOLMAN
Map No.
Office Work E. GUILLERMO
Checked
Date

Survey of BAYVIEW Hwy
JN 0081.35 Tape 169 Std 82 °F
Surveyed by WJ Yoge
Notes Yoge Date 1-7-69
Indexed

F.B. 3220 Pg 43

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

242.91
180.00
11 1.47
S 31 T. 38' W

T=84°
242.91 @ LEV = 242.91'

T=82°
187.35 @ 102°22' = 183.00'
(12°22')
187.01 @ 191°32' = 183.01'
(11°52')
} 183.00

T=70°
111.91 @ 95°03' = 111.48'
(5°03')
111.99 @ 264°31' = 111.48'
(15°29')
} 111.47'

PROPOSED ℄ BAYVIEW HWY.
PER FB 3220 - 151-153

Set 1x2 F Nail & Cplc dist. (103.00) found old BC (1954 60.69) RD DEPT

SADDLE PEAK

EX. 51" C.M.P. (OLD) HIGHWAY

SADDLE PEAK RD.

(30)

(30)

P.O.B.

P.O.C.

1615093 CE#310 9-67

F.B. 3220 Pg. 144

43

Fd 3/4" I.P. Wood plug & Tack (flush) per RDFB 1409-48 & 49.

Fd 3/4" I.P. Wood plug & Tack (flush) per RDFB 1409-50 & 51

Fd Sq bolt (flush) per RDFB 1409-50 & 51

Set O.D. Pt #44 1" I.P. Cage plug & Tack Tagged L.S. (flush) Engr. by int

Fd 3/4" I.P. Wood plug & Tack (flush) per RDFB 1409-50 & 51

T = 86°

22.86 ELEV 20.99

38.71 @ 285°42' = 37.27 (15°42')

38.13 @ 72°21' = 37.29 (17°39')

37.28

(SADDLE PEAK RD.)

STUNT RD.

(OLD ALIGNMENT)

Ex. Pt.

Fd 3/4" I.P. 0.2' Rec. 45° (Rad.)

R=10.82'

Ex. Pt.

Fd 3/4" I.P. 0.2' Rec. 45° (Rad.)

R=10.82'

(90°)

(90°)

0.1'

0.0'

22.86

20.99

37.28

Sta 7+38

To Top pg. 143

E.S. 8948-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note:- Any Additions or Changes on this Sheet Must be Made on Clycled in Red Ink With Date and Name of Person Making Change.

W.S. 89, A-2

Notes Ck'd by H. HOLMAN	Survey of BAYVIEW HWY
Map No.	JN 009635 Tape 168 Std 84 °F
Office Work F. GUILLERMO	Surveyed by W. J. Voge
Checked	Notes Voge Date 2-13-69
Date	Indexed D. L. GALLI APR 1

F. B. 3220 PG. 145

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

P.I. Fd Sq Spk & N. (flush) (Rd. Dept.) per FB 3220-130

(40)

(40)

℄ MULHOLLAND HWY.

T=64°
60.31 @ 81°00' = 59.57'
(9°00')
60.50 @ 280°05' = 59.57'
(10°05')
} 59.56'

T=64°
46.88 @ Lev. = 46.87'

Prod. Set 1" I.P. Conc. plug & tk. tagged L.A. Co. Engr. (dn. 4")

Int. Fd 1" I.P. conc. plug & tk. tagged L.A. Co. Engr. per FB 3220-133.

109° Per FB 9 1251-5

16' 59"

Prod. Set 1" I.P. conc. plug & tk. tagged L.A. Co. Engr. (Top of Cut)

(50)

59.56' 46.87' 280.46

~~Proposed ℄~~
See page 242

BAYVIEW HWY.

(50)

(P.I. #10) Fd. 1" I.P., conc. plug & Tk. per FB 3220-133

TO P.I. #11

76F309S CE#310 3-68

F. B. 3220 PG. 146

To Bot Pg 147

WS 89, A-2

T = 58°
239.15 @ ℄ = 239.11

(50)

(50)

24' 16"
97° Per 1251-5 P.O.E.

239.11

SEC 10 T1S R11W

SEC LINE

1/4 COR. Fd. Co. Engr. brass cap mon. per FB 3220-177

SEC COR. Fd. Co. Sur. brass cap mon. per FB 3220-131 & 177

SEC 9

201.33'
79.13'
280.46'

250.46'

INT set 1" I.P. Conc. plug & Tk., Tagged R/R Co. Engr. (dn 1/2") by int.

T = 62°
201.36 @ ℄ = 201.33

Proposed ℄ See Pk 237-250

BAYVIEW HWY.

T = 64°
80.67 @ 101°10' = 79.14
(11°10')
79.13
80.57 @ 259°10' = 79.13
(10°50')

To Right Pg. 145

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN
Map No.
Office Work F. GUILLERMO
Checked
Date

Survey of Bayview Hwy.
JN 00 96.35 Tape 168 Std B4 o.F
Surveyed by W. J. Voge
Notes Voge Date 2-13-69
Indexed L.L.GALLI

F. B 3220 PG. 147



Note! Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

F. B. 3220 PG 148



SS 89-A-2

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


M.S. 82.A-2
Notes Ck'd by H. HOLMAN
Map No.
Office Work F. GUILLERMO
Checked
Date
Survey of Bayview Hwy
JN 0096.35 Tape 168 Std 84 °F
Surveyed by D. J. Voge
Notes Voge Date 1-7-69
Indexed
F.B 3220 Pg 149
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Set PK Nail & Shr. (Flush)
Proposed P.I. #3
Set PK Nail & Shr. (Flush)
per F.B. 3220-140
Set 1" I.P. Conc. plug & tag stamped L.A.C. Engr. (dia 12") on angle bisector
Set "H.P. Conc. plug & tag stamped L.A. Co. Engr. (Flush) on angle bisector
BAYVIEW HWY
Proposed 42.68
Set Proposed
T=60°
T=56°
T=56°
262.70 @ 94°32' = 261.88'
(4°32')
262.68 @ 265°35' = 261.90'
(4°25')
261.85
189.19
451.04'
189.84 @ 94°35' = 189.23'
(4°35')
189.64 @ 265°57' = 189.22'
(4°03')
189.19
17.36
14.60
LEV.
166°
Per F.B.
451.04'
125.32'
14.60
17.36
193.92 @ 79°39' (10°21') = 192.73'
196.01 @ 280°32' (10°32') = 192.71'
192.68'
(60')
(60')
(60')
10
10
10

F.B. 3220 Pg 150

T = 78°

256.44 @ 266°11'(349') = 255.87'
256.45 @ 266°09'(351') = 255.87'

255.85'

(50')

(50')

P.O.T. Set 1.75" conc plug & tack Tagged RCE Engr. (Flush) 70.0 ft of spur

Proposed Property Line (Parallel 24.25')

255.85'

Set Conc Nail (Flush)

15.00'

90°

(R = 15.00')

314.53'

Set Lead Plug & Tack

P.O.T. Set Lead Plug & Tack (Flush) in existing pvmt.

T = 76°

314.55 @ ELEV = 314.55'

BALLINGER WAY

TOP OF SLOPE

Please Return To
Los Angeles County Engineer
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made on Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN
Map No.
Office Work E. GUILLERMO
Checked
Date

Survey of BALBOA BLVD
JN 20216 Tape 100 Std 81 °F
Surveyed by W J Vogt
Notes Vogt Date 1-7-69
Indexed R.E. GALLIER 1-10

F.B. 3220 Pg. 15

W.S. 89 A-2



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Jefferson CE#310 9-67

F.B. 3220 Pg. 152



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN
Map No.
Office Work F. GUILLERMO
Checked
Date

Survey of BAYVIEW HWY
JN 00935 Tape 168 Std 84 °F
Surveyed by WJ Voge
Notes Voge Date 1-9-89
Indexed GAI

F.B. 3220 Pg. 153

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F9098 CE#310 9-67



Notes Ck'd by H. HOLMAN	Survey of Sec. 10 T. 1 S R 17 W	F.B. 3220 Pg. 171
Map No.	JN 0302.01 Tape 168 Sta 84+
Office Work	Surveyed by W J Voge
Checked	Notes Voge Date 1-16-69
Date	Indexed [redacted]

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

REPLACEMENT OF W. 1/4 COR. AND SETTING THE CENTER OF SEC 10, T. 1 S., R. 17 W.

JN 0302.01

REFERENCES USED:

FB 3330
FB 413
C S B 498-1
C S B 1429

PARTY:

VOGE
STRAVER
MANLEY
SWANN
DERBY

765393 CE#310 9-67

F.B. 3220 Pg. 172

INDEX

(173)

SEC. 10

T. 1 S.

R. 17 W.

(175) (175) (175)

(177) (177) (177)

Note: Any Additions or Changes on this Sheet Must be Made on Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Notes C'k'd by H. HOLMAN
Map No.
Office Work
Checked
Date

Survey of Sec 10 T1S R17W
JN 2302.01 Tape 168 Std 84 °F
Surveyed by W J Voge
Notes Voge Date 1-16-69
Indexed [redacted]

F.B. 3220 Pg. 173

T = 52°

211.66 @ 29°00' = 185.12
211.00 @ 28°40' = 185.17
185.09

① 41°54'40"
④ 167°38'20"
⑥ 251°27'30"
41°54'35"

↳ ℄ Sec. Prod.
Fd. Shiv Spk (LT Spk W/E T in Sandstone on Ridge, Per FB 550-104
SEE FB 3220-205

① 25° 41' 50"
④ 102° 47' 20"
⑥ 154° 11' 00"
25° 41' 50"

185.09

SEC. LINE

41°54'35"
25° 41' 50"

1/4 Cor.
Fd. Co Surv. brass Cap Mon. (up 3") Per FB 550-104 Marked 95 SMWM

SURVEYOR
COUNTY
R.17.W.
1/4 Cor. Sec. 10
Sec. 11
T.1.S.
R.17.W.
S.E.

P.N. 1/4 Cor (SEC. 10)

N.W. SEC. COR (SEC. 10)

SEC. 10

TO TO ℄ PG 174

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7653098 CE#310 9-67

F.B. 3220 Pg 174

To Sht Pg 173

Fd 1" IP
conc plug &
wire (typ 2)
per FB 550 - 104
(Top of SPUR)

42° 29' 50" (Rec'd)
per FB 12 51 (G 14)

N 47° 30' E (Rec'd)

92.52
218.54
311.06

S 47° 30' W

T = 52°
96.93 @ 17°20' = 92.53
96.18 @ 17°01' = 92.54
92.52

T = 56°
227.62 @ 16°12' = 218.58
227.50 @ 16°06' = 218.53
218.54

S 42° 30' E 10.00

To Right Pg. 175

Note: Any Additions or Changes on this Sheet Must be Made on Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

403 Los Angeles County Engineering Bldg.

LOS ANGELES COUNTY ENGINEER

PLEASE RETURN TO

W589 A-2, A-3

Notes Ck'd by H. HOLMAN
Map No.
Office Work
Checked
Date

Survey of SEC 10 T1S R17W
JN 030201 Tape 168 Std 84 °F
Surveyed by WJ Yoge
Notes Yo92 Date 2-6-69
Indexed [redacted] GAL APR 1 '69

F. B. 3220 PG. 175

1/4 COR
Fd. Co Sur. brass cap mon. (up 1/4") per C.S.B. 1429, Marked as shown.
For ties to cor. See FB 3220-187

COUNTY ENGINEER
1/4 COR
SEC 3
R17W
SEC 10
T1S
R.E. 5869

COUNTY SURVEYOR
T1S
R17W
S.3
S.10
1/4 COR
RE 2177

Reset New Brass Cap mon Mkd as shown From Ties Per FB 3220-187
R.C. DALE
1/11/71

CENTER OF SEC. 10
Set Co. Engr. Brass Cap Mon. (up 3") by I.T. marked as shown.

COUNTY ENGINEER
CTR.
R17W
SEC 10
T1S
R.E. 5869

311.06

To Bot. Pg. 174

Pg 175

TPP E&W & SEC 10

& SEC 10

1/4 COR
Fd. Co. Sur. brass cap mon. (flush) per C.S.B. 4988 C.S.B. 1429, Marked as shown.

COUNTY SURVEYOR'S MONUMENT
T1S
SEC 10
&
SEC 15
R 1/4 COR

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 3220 PG. 176

To Left pg. 175

STATION WEST ℄
Set 2" I.P. conc. plug
& Nail, Tagged each L.A.
Co. Engr. (Flush)
SEE F.B. 3220-201

T = 60°
165.34 @ 10°29' = 162.58
165.00 @ 9°49' = 162.58 } 162.55

162.55

Set 1" I.P. conc. plug
& Tk. Tagged L.A.
Co. Engr. (Flush)

T = 60°
180.69 @ 12°09' = 176.64
180.40 @ 11°41' = 176.66 } 176.62

176.62

℄ Sec. 10

E & W

Set 1" I.P. conc. plug
& Tk. Tagged L.A.
Co. Engr. (Flush)

T = 52°
49.95 @ 23°15' = 45.89
49.45 @ 21°49' = 45.91 } 45.89

45.89

To Right pg 177

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLLMAN	Survey of SEC. 10, T.1.S. R.17W.
Map No.	JN 0302.01 Tape 168 Std 84 °F
Office Work	Surveyed by K.J. Voge
Checked	Notes Voge Date 2-6-69
Date	Indexed [illegible]

F. B. 3220 PG. 177

MS. 89, 4-28, A-3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

SEC. COR. 4|3
9|10

SEE FB 3224-131 for Picture & Ties.

1/4 COR.
Set Co. Engr. brass cap mon. (flush) @ calc. dist from int. on E/ of sec., Per C.S.B 498, marked as shown.

COUNTY ENGINEER
R.17W. T.1.S.
Sec 9
Sec 10
1/4 COR
R.E. 5869

SEC. LINE

45.89

E&W/S sec. 10

2.67
Calc Mgas.

Set Nail by int.

SEC. LINE

SEC. COR.
Fd. Co. Sur. brass cap mon. (flush) per C.S.B. 1498, C.S.B. 1429, as Marked Shown.

COUNTY SURVEYORS
R.17W. T.1.S.
9|10
16|15
SEC. COR. MONUMENT

PB 176

76F3095 CE#310 3-68

Notes Ck'd by H. HOLMAN	Survey of SEC 10 T5 R17W
Map No.	JN 0302.01 Tape 168 Std 84 °F
Office Work	Surveyed by W J Voge
Checked	Notes Voge Date 2-26-69
Date	Indexed [illegible]

F. B. 3220 PG. 179

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

ROUTES AND DESCRIPTIONS OF TRIANGULATION STATIONS FOR SEC. 10, T. 5 S., R. 17 W., AND TIES TO CORNERS

16F3095 CE#310 3-68

F. B. 3220 Pg. 180

INDEX FOR TRIANGULATION

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes o
Sheet Must be Made or Circled i
Ink With Date and Name of P
Making Change.

Notes Ck'd by H. HOLMAN	Survey of SEC. 10, T.1.S. R.11W. F.B. 3220 PG. 181
Map No.	JN 03201 Tape 169 Std 84 °F
Office Work	Surveyed by W.J. Voge
Checked	Notes Voge Date 2-20-69
Date	Indexed J.T. GALLI

WS 89, A-3

STATION. STAND

DIRECTIONS PER FB&G. 1251-7-9, 32



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

TIE DISTANCE

T = 54°

203.18 @ 99°31' (9°31') = 200.38 ✓
203.08 @ 260°40' (9°20') = 200.39 ✓ 200.34 ✓
26.51 @ LEV = 26.50 ✓

200.34
26.50
226.84 ✓

10F309S CE#310 3-68

F. B. 3220 PG. 182

DESCRIPTION

STATION STAND

This station is in L.A. County, Malibu Area. From Mulholland Hwy. and Stunt Rd, proceed Easterly along Stunt Rd two miles ± to a dirt road on the East side of Stunt Rd, thence Easterly 400 feet ± to a two story house. Hike across small draw and on top of nob to North East 300' ± to point.

STATION MARK:

Set a 2" I.P. Conc plug & nail, tagged L.A. Co. Engr. (flush)

NOTE:

A 5 foot stand is needed to see the N.W. Cor of Sec 10.

PLEASE RETURN TO COUNTY OF LOS ANGELES DEPARTMENT OF COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN	Survey of Sec. 10 T1S R17W	F. B 3220	PG. 183
Map No.	JN 0302.01 Tape 168 Std 84 °F		
Office Work	Surveyed by W. J. Voge		
Checked	Notes Voge Date 2-26-69		
Date	Indexed [redacted]		

STATION TANK

DIRECTIONS PER
FBG 1251-10 & 11.
22 & 23



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

F. B. 3220 PG. 184

DESCRIPTION

STATION TANK

This station is in L.A. County, Malibu Area. From Saddle Peak Rd. & Stunt Rd @ Schueren Rd. Proceed Northeasterly along Fire road (dirt road) four tenths of a mile to a fork in road. Thence along Easterly fork 200 feet ± to point on North side of road.

STATION MARK

Set a 2" IP, conc. plug & Nail, tagged L.A. Co. Engr. (flush) top of berm.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN
Map No.
Office Work
Checked
Date

Survey of Sec. 10, T.1S. R.1W.
JN 038201 Tape 168 Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 2-26-69
Indexed [redacted] GALLI AR 1-69

F. B. 3220 Pg. 185

STATION P.O.T. (BAYVIEW HWY)

DIRECTIONS PER
FB & 1251-12 & 13 & 34



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

F. B. 3220 PG. 186

DESCRIPTION

STATION P.O.T. (BAYVIEW HWY)

This station is in L.A. County, Malibu Area. From Mulholland Hwy. and Stunt Rd. proceed Easterly along Stunt Rd. one mile ± to Fire Road (dirt road) on North side of Stunt Rd, thence Northerly on Fire Road 800 feet ± to first big bend in road, top of spur. Thence 200 feet ± Westerly along spur to point.

STATION MARK

Fd. a 2" I.P. conc plug & Nail tagged L.A. Co Engr (flush) per FB 3220-152.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN
Map No.
Office Work
Checked
Date

Survey of Sec. 10 R. 17W T1S
JN 03201 Tape 168 Std 84 °F
Surveyed by N J Voge
Notes Voge Date 2-24-69
Indexed L. GALI Apr 1 '69

F. B. 3220 Pg. 187

DIRECTIONS PER FBG 1251-14 + 16

W.S. 89 A-2

STATION ROAD & TIES TO NORTH 1/4 COR. SEC 10

set sm. bt. spk & T in sandstone boulder

Reset New Bress Cap Mon From ties See FB 3220-175 ED DALE 1/11/71

Deeds 1 E 1/4

1/4 COR. Fd C5 Mon (UP 14") Per FB 3220-175.

NOTE: Ground has eroded around monument & it may have moved S.E. Ties per FB 559-70 were not found. The cap of the mon has been damaged. Monument is not leaning. Used monument as found. For Picture See FB 3220-175.

11.42

8.71

14.34

27.53

set sm. bt. spk & T in sandstone

set C.E. tag & tk in lead in sandstone

set C.E. tag & tk in lead in sandstone - out Cropping.

T=64°

11.42
8.71
14.34
} LEV. ✓

Station Road see Pg 188

206.57

To W P R D

19° 41' 44.8"

46.05

To BV-12

To CTR. SEC 10

321° 39' 12.9"

13.51

39

14.1

89° 04' 00.1"

T=48°

20.22 @ 265° 31' = 206.59 (4.29)
20.20 @ 94° 20' = 206.61 (4.20)
} 206.57 ✓

T=48°

29.10 @ 71° 09' = 27.54 (18° 51')
29.24 @ 289° 39' = 27.54 (19° 39')
} 27.53 ✓

To N.W. COR. SEC. LINE

To West &

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink. With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO COUNTY OF LOS ANGELES DEPARTMENT OF COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

F. B. 3220 PG. 188

DESCRIPTION

STATION ROAD

This station is in L.A. County, Malibu Area. From Mulholland Hwy & Stunt Rd. proceed Easterly along Stunt Rd. one mile ±, to Fire Road (dirt road) on North side of Stunt Rd, thence Northerly on Fire Road eight tenths of a mile to first curve to the North, Westerly of the North 1/4 Cor. of Sec. 10, T1S R15W., to point.

STATION MARK

set a 2" I.P. conc plug & tk tagged L.A. Co Engr. (dn. 12") West edge of road.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS. 89, A-2

Notes Ck'd by H. HOLMAN
Map No.
Office Work
Checked
Date

Survey of Sec 10, T 1S R 17W
JN 030201 Tape 163 Std 84 °F
Surveyed by W J Voge
Notes Voge Date 2-2-69
Indexed D. L. GALLI 2-69

F. B. 3220 Pg. 189

DIRECTIONS PER FBG 1251 - 17 & 34

STATION CENTER OF SEC 10 T1S R17W



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

6F309S CE#310 3-68

F. B. 3220 PG. 190

DESCRIPTION

STATION CENTER OF SEC 10

This station is in L.A. County, Malibu Area. From Mulholland Hwy. & Stunt Rd. proceed Easterly along Stunt Rd. one mile ±, to Fire Road (dirt road) on North side of Stunt Rd, thence Northerly along Fire Road fifteen one hundredths of a mile ± 40 feet ± East of road to point.

STATION MARK

Fd. a L.A. County Engineer brass cap mon. (up 3")
per FB 3220-175

WS 89, A-2

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN	Survey of SEC. 10, T 1S R 17W
Map No.	JN 0302.01 Tape 168 Std. 84 °F
Office Work	Surveyed by W. J. Voge
Checked	Notes Voge Date 3-11-69
Date	Indexed L.L.GALLI AP 1-69

F. B. 3220 PG. 191

DIRECTIONS PER FBG 1251-18-21

STATION LAS FLORES H-2 ECC.

TIE DISTANCES

T=52°

105.885 @ ELEV = 105.865 ✓

18.24 @ ELEV = 18.24 ✓

17.50 @ ELEV = 17.50 ✓



Note: L.F.H-2 has been Moved check Pg 208 to Calculate position of H-2 ECC.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

F.B. 3220 PG. 192

DESCRIPTION

STATION LAS FLORES H-2 ECC.

This station is in L.A County Malibu Area. From Saddle Peak Road & Stunt Rd. @ Schueren Rd. proceed Northeasterly along Fire Road (dirt road) Seven tenths ± of a mile, thence 50 feet ± Southeasterly to the top of the ridge to the point.

STATION MARK

Set a 2" I.P., Cork plug & Nail, tagged L.A. © Engr. (flush) Top of ridge.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN	Survey of Sec. 10 T1S R17W
Map No.	JN 030201 Tape 168 Std 84 °F
Office Work	Surveyed by W. J. Voge
Checked	Notes Voge Date 3-12-69
Date	Indexed L. L. GALLI

F. B 3220 Pg. 193

DIRECTIONS PER FBS 1251-24-28

STATION BY #12



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 3220 PG. 194

DESCRIPTION

STATION BV-12

This Station is in L.A. County, Malibu Area. From Mulholland Hwy. and Stunt Rd proceed Easterly along Stunt Rd one mile ± to Fire Road (dirt road) on North side of Stunt Rd, thence Northerly on Fire Road six and one half tenths of a mile ±, to intersection with Fire Road, to Red Rock Cyn. Thence proceed Southerly along ridge 900 feet ±, to highest nob to the point.

STATION MARK

Fd. a 1½" I.P, wood plug & Nail, tagged L.A. Co Rd DEPT BV. 12, up 4"

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403, LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN	Survey of Sec 10 T1S R17W
Map No.	JN 0302.01 Tape 168 Std 84 °F
Office Work	Surveyed by W.J. Voge
Checked	Notes Voge Date 3-12-69
Date	Indexed [illegible]

F.B. 3220 PG. 195

DIRECTIONS PER FBG 1251-29-31, 35

W.S. 89, A-2

STATION N.W. COR. SEC 10, T.1S, R17W



Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

WS 89, A-2

F. B. 3220 PG 196

DESCRIPTION

STATION N.W. COR SEC. 10, T.1.S, R.17.W.

This station is in L.A. County Malibu Area. From Mulholland Hwy and Stunt Rd. proceed Northerly along Mulholland Hwy 250 feet ± and Easterly 150 feet ± to beginning of trail along Spur, thence Northerly 500 feet ± to the point.

STATION MARK

Rd L.A. Co Sur. brass cap mon (up 3"). See AB 3220-1315' 177

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note! Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN
Map No.
Office Work
Checked
Date

Survey of SEC 10 T.1S R.7W
J.N. 03201 Tape 168 Std. 84 °F
Surveyed by WJ Voge
Notes Voge Date 3-1969
Indexed D.L. GALLI APR 1969

F.B. 3220 PG. 197

DIRECTIONS PER FBG 1251-36-38

STATION DRY CANYON F-11



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F309S CE#310 3-68

F. B. 3220 PG. 198

DESCRIPTION ON SURVEY CONTROL STATION CARD IS O.K.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note! Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN
Map No.
Office Work
Checked
Date

Survey of SEC 10 T1S R17W
JN 0202 01 Tape 168 Std 84 °F
Surveyed by W J Voge
Notes Voge Date 3-19-69
Indexed D.L.GALLI

F. B. 3220 PG. 199

DIRECTIONS PER FBG 1251-39 & 40

WS 8-18-9

STATION S.E. COR SEC 10 T1S R17W

S.E. Cor Sec 10
Fd C.S. Mon (up 2")
per C.S.B. 1429 F C.S.B. 498
marked as shown.
See Pg 200 for route.

COUNTY SURVEYORS
T.1.S
R.17W
R.16W
T.1.4
SEC. COR
MONUMENT

To L.F. H-2 ECC.

62° 30' 57.6"

TO TANK

Note: Any Additions or Changes on This Sheet Must be Made, or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

F. B. 3220 Pg. 200

W.289, B-3

DESCRIPTION

STATION S.E. COR SEC 10 T 1S R 17 W

This station is in L.A. Co, Malibu Area. From Stunt Rd & Mulholland Hwy. proceed Easterly along Stunt Rd three and one half miles± to chain link gate on North side of road, thence along dirt road one mile ± to end of road. Then proceed Easterly 800 feet to the point.

STATION MARK

Fd Co Sur brass cap mon (up 2") marked as shown on page 199.

PLEASE! RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN
Map No.
Office Work
Checked
Date

Survey of SEC 10 T1S R11W
JN 0302.01 Tape 163 Std 84 °F
Surveyed by W J Voge
Notes Voge Date 3-19-69
Indexed GALLI

F. B 3220 PG. 201

DIRECTIONS PER FBG 1251-41 & 42

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



F. B. 3220 PG. 202

DESCRIPTION

STATION WEST ℄

THIS STATION IS IN L.A. COUNTY, - MALIBU AREA, FROM MULHOLLAND HWY & STUNT RD. PROCEED 200 FEET± EASTERLY ON STUNT RD., THENCE 100 FEET ± SOUTHERLY ON OLD MULHOLLAND HWY TO DIRT ROAD, THENCE FOUR TENTHS OF A MILE SOUTHERLY ON DIRT ROAD TO DIRT DRIVE WAY, THENCE 200 FEET EASTERLY TO HOUSE THEN PROCEED 1000 FEET EASTERLY TO THE POINT.

STATION MARK

FD. A 2" I.P. CONC. PLUG & NAIL, TAGGED L.A. CO. ENGR (FLUSH) PER FB 3220-176.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note! Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN
Map No.
Office Work
Checked
Date

Survey of SEC 10 T13 R17W
JN 23020 / Tape 168 Std 84 °F
Surveyed by W.J. Voge
Notes Voge Date 3-26-69
Indexed B.L. GALLI APR 1 '69

F. B. 3220 PG. 203

DIRECTIONS PER FB G 1251-43-44

STATION CLOSE

TIE TO 1/4 COR.

T = 64°

96.34 @ 285° 38' = 92.78 ✓ (15° 38')
96.51 @ 74° 01' = 92.78 ✓ (15° 59') } 92.77 ✓

T = 64°

22.54 @ 125° 40' = 18.31 ✓ (35° 40')
22.29 @ 235° 18' = 18.32 ✓ (34° 42') } 18.32 ✓

92.77
18.32
111.09



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 3220 PG 2-4

DESCRIPTION

STATION CLOSE

This Station is in L.A County, Malibu Area From Stunt Rd & Mulholland Hwy proceed Easterly along Stunt Rd three and one half miles ± to chain link gate on North side of road thence along dirt road one quarter of a mile ±. Thence Northerly on trail 1400 feet ± to the point.

STATION MARK

set a 2" IP. conc. plug & tk, tagged L.A. Co Engrs (up 2")

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN
Map No.
Office Work
Checked
Date

Survey of SEC 10 T1S R1W
JN 030201 Tape 168 Std 84 °F
Surveyed by WJ Voge
Notes Voge Date 3-26-69
Indexed [redacted] BALL!

F.B. 3220 PG. 205

DIRECTIONS PER FB 6 125-45

STATION & PROD



1/4 COR Fd Cut Sur brass Cap Illegible Per FB 3220-173

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76F309S CE#310 3-68

F. B 3220 PG 206

DESCRIPTION

STATION & PROD

This station is in L.A. County, Malibu Area. From Saddle Peak Rd. & Stunt Rd. @ Schueren Rd. proceed Northeasterly along Fire Road (dirt road) one and seven tenths miles ± to the end of the road. Then proceed 700 feet ± Northerly down the ridge to the Point.

STATION MARK:

Fd. Ship spk (bt. spk.) WET (flush) in Sandstone on Ridge, per FB 3220 – 173.

1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN
Map No.
Office Work
Checked
Date

Survey of Sec 10 T1S R17W
JN 03020 Tape 168 Std 84 °F
Surveyed by W S Voge
Notes Voge Date 4-1-69
Indexed

F. B. 3220 Pg. 207

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink, With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

TIE FROM SECTION LINE TO
LAS FLORES H-2 & H-2 ECC.

JN 03020.01

PARTY
Wm. Voge
R. Strader
R. Swann
F. Derby

76F308S CE#310 3-68

F. B. 3220 PG 208



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN	Survey of BAYVIEW HWY.	F. B. 322	Pg. 215
Map No.	JN 009635 Tape 163 Sta 84 °F		
Office Work	Surveyed by W J VOGE		
Checked	Notes VOGE Date 6-10-69		
Date	Indexed C. I. GALLI OCT 7 '69		

℄ OF STUNT RD (SADDLE PEAK RD)

PER FM 11669, IN SEC. 10, T1S R17W.

JN 009635

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

16F309S CE#310 3-68

F. B. 3220 Pg. 216



INDEX MAP

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN	Survey of BAYVIEW Hwy	F. B. 3220 PG. 217
Map No. B-5201	JN 009675 Tape 168 Std 84 °F	
Office Work F. GUILLERMO	Surveyed by W J Voge	
Checked D. SAPPELL	Notes Voge Date 6-10-69	
Date OCT 5 '73	Indexed C. J. GALLI OCT 7 '73	

WS 89, A-2

Set Nail @ rec. angle from P.T. 51A

Sec. Cor. 4 | 3
Rd. Co. Surv. 9 | 10
brass cap mon. per FB 3220-131.

Set 1/2" spk. WET (flush) by I.T.

(30)
55°05'11.0"
Per FBG 1251-47

STUNT RD
(SADDLE PEAK RD)
see pg 218 for curve data
& Per FM 11669

(30)

119.07

25.09

Int. of Proposed & ℄ Bayview Hwy. & ℄ Sec. Rd. 1" I.P. Cone, plug & Engr. Tk. tagged LA Co (dn. 12") per FB 3220-146.

T = 64°
119.09 @ LEV. = 119.07 ✓
25.09 @ LEV. = 25.09 ✓

1/4 COR 9 | 10
Rd. Co. Engr. brass cap mon. per FB 3220-177

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by H. HOLMAN	Survey of BAYVIEW HWY
Map No. B-5201	JN 00963 5 Tape 168 Std 84 °F
Office Work F. GUILLERMO	Surveyed by W J Voge
Checked D. SAPPELL	Notes Voge Date 6-10-69
Date OCT 5 '73	Indexed C. J. GALLI OCT 7 '69

F. B. 3220 PG. 219

To bot. pg 220



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

F. B 3220 PG. 220



Prod. Fd 1" IP Conc plug & tk. Tagged L.A. Co Engr. Per FB 3220-148.

95.34 Per FB 3220-148

Prod. Fd. bt. spk. W&T (flush) per FB 3220-148

44.56 Per FB 3220-148

Prod. (pp #2) Fd 1" IP, Conc Plug & tk. Tagged L.A. Co. Engr. (dn. 12") per FB 3220-136 & 148.

70.88 Per FB 3220-136

Fd 1x2 & Nail per FB 3220-136.

2.17 Per FB 3220-136

PI #50A Fd 1" IP Conc plug & tk. Tagged L.A. Co Engr. (dn. 12") per FB 3220-136.

212.03 Per FB 3220-136 & 137

2' OFFSET LINE

Per FB 3220-136 & 137

212.73

109° 20' 03" Per FB 3220-136

212.63 Per FB 3220-136

To Top PG 219

To Top Pg. 221

N 89° 47' 24" W

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN	Survey of BAYVIEW WAY	F. B. 3220 Pg. 221
Map No. 2-5201	JN 0096.35 Tape 163 Std 84 °F	
Office Work E. GUILLERMO	Surveyed by W J Voge	
Checked D. SAPPELL	Notes Voge Date 6-11-69	
Date MAY 5 '73	Indexed C.J. GALLI OCT 7	



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

F. B. 3220 PG. 222



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 89, A-2

Notes Ck'd by H. HOLMAN		Survey of BAYVIEW Hwy	F. B. 3220 PG. 223
Map No. B-5201		JN 009635 Tape 168 Std 84 °F	
Office Work F. GUILLERMO		Surveyed by W.J. Voge	
Checked D. SAPPELT		Notes Voge Date 6-11-69	
Date OCT 5 '73		Indexed C. J. GALLI OCT 7 '69	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



16F309S CE#310 3-68

F. B 3220 PG. 224



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN	Survey of BAYVIEW HWY
Map No. 8-3201	JN 0096.35 Tape 168 Std. 84 °F
Office Work F. GUILLERMO	Surveyed by W. J. VOGE
Checked D. SAPPELL	Notes Voge Date 6-11-69
Date OCT 5 '73	Indexed D. GALLI OCT 7 '69

F. B. 3220 PG. 225

To bolt pg. 224

W.S. 89A-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



T = 66°

165.11 @ 98°25' (8°25') = 163.33

165.05 @ 261°46' (8°14') = 163.35

163.32

4.35 @ LEV.

T = 66°

162.51 @ 92°39' (2°39') = 162.34

162.32

162.50 @ 217°29' (2°31') = 162.34

1.00 @ LEV. = 1.00

162.32
1.00
163.32

Pg. 226 to pt.

16F309S CE#310 3-68

F. B. 3220 PG 226



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN	Survey of BAYVIEW HWY	F. B. 3220 PG. 227
Map No. 8-5201	JN 096.35 Tape 168 Std. 64 °F	
Office Work F. GUILLERMO	Surveyed by W J Voge	
Checked D. SAPPELL	Notes Voge Date 6-12-69	
Date OCT 5 '73	Indexed T. GALLI OCT 7 '69	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

I = 74°

157.88 @ 93°52' (3°52') = 157.527
157.82 @ 266°34' (3°26') = 157.54
} 157.52

J 15.51 @ LEV.
J 23.10 @ LEV.

Lot PB 226

Prod. Fd. Sq. bolt (dn. 24") per RD FB 1409-53 & 54

23.10

(30)

(30)

POST "A" Fd. 3/4" IP with tack & SPK in W (dn. 15") per RD FB 1409-53 & 54

16.5'

1251-49

Rad curve Rt

15.51

394.42

Prod. Fd. Sq. bolt (dn. 6") Per RD FB 1409-53 & 54

STUNT RD (SADDLE PEAK RD)

60' FBG

& Per FM 116697

See PG 226

I = 74°

299.54 @ 2°12 = 299.36 (92° 18')

299.67 @ 272°40 (2°40') = 299.35
299.62 @ 272°24' (2°24') = 299.36
} 299.34

I = 74°

J 95.09 @ LEV. = 95.08

299.34
95.08
394.42

To Top PG. 228

76F309S CE#310 3-68

F. B. 3220 PG 228

WS89A-2

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Notes: Any Additions or Changes on Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by R. HOLMAN		Survey of Bayview Hwy.	F. B. 3220 Pg. 229
Map No. B-5201		JN 009635 Tape 198 Std 84 °F	cont'd. bot. 228
Office Work E. GUILLERMO		Surveyed by D. Faulger	
Checked D. SAPPETT		Notes Faulger Date 6-69	
Date OCT 573		Indexed C. J. GALLI OCT 7'69	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

F.C. Set Bt. S.W. & T. flush on line at 90° To fd. ties R.D.F.B. 1409-53 & 54

T66 5°09' 176.77 @ 5°09' = 176.66
4°50' 176.69 @ 4°50' = 176.66
265°10' 176.64

See PG 224 For curve data

See PG 249

B.C. Set Bt. S.W. & T. flush on line sec. dist. by (PROP) F.M. 11669 Scratched dn. 12" fd. nothing R.D.F.B. 1409-52

R.P. Set 1" I.P. & C. Engr. flush on of ridge

Cm't. Plug Tag Top

151.21 calc.

51° 03' 00"

STUNT RD. (SADDLE PEAK RD.)

(30)

(30)

90°

25.19

Fd. Lg. Sq. Hd. bolt 5" deep disturbed by road cut. R.D.F.B. 1409-53

17.78 calc.

P.O.S.T. Fd. Lg. Sq. hd. bolt 6" deep bent for line N'ly R.D.F.B. 1409-52

Set 1" I.P. cm't plug & Co. Engr. Tag dn. 6"

24.83

43.29

24.49

Fd. Lg. Sq. hd. bolt 12" deep No R.M.

SET SQ. SPK. R.D.F.B. 1409-53 in R.P. # 1526562E

15.44

14"

60.07

748.5'

CALC.

162° 09' 17.5" 2.21

Set 1" I.P. cm't. plug & Co. Engr. Tag dn. 10"

184.17

184.02

R=300.21'

Δ = 142° 51' 45"

T=893.17'

Cord

N Line

66.59

T = 74°
25.19 { 27.34 @ 22°57' = 25.18
27.50 @ 23°40' = 25.19 ✓

T = 74°
42.97 { 48.49 @ 27°37' = 42.97 ✓
48.54 @ 27°41' = 42.98

T = 74°
43.29 level = 43.29

T = 74°
60.07 level = 60.07

Scratched dn. 12" fd. nothing Set #21 R.D.F.B. 1409-52

T = 74°
66.59 level = 66.59

Scratched dn. 14" fd. nothing R.D.F.B. 1409-52

22.10

cont'd. Top Pg. 230

16F309S CE#310 3-68

F. B 3220 PG 230

cont'd. from pg. 229



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. HOLMAN
Map No.
Office Work E. GUILLERMO
Checked
Date

Survey of CTR. SEC. 10
JN 0302.01 Tape 198 Std 84° F
Surveyed by R. STRADER
Notes RLS Date 7-8-69
Indexed CLT CALL: OCT 7 '69

F.B. 3220 Pg. 237

PORTIONS OF THIS AREA HAVE MOVED IN LAST 5 MONTHS

W.S. 88.47

COUNTY ENGINEER
R.L.T.W. CTR.
SEC. 10
T. 1 S.
R. E. 58 W

CENTER OF SEC 10
FD. CHANGE. BRASS
CAP NOM. UP 3"
PER FB 3220-175

T 94
60.25 @ LEV = 60.25

60.25

SECTION LINE

SET 1x2 EN
SIDE HILL

T 100
226.12 @ 16° 44' = 216.54
253 16
226.34 @ 16° 54' = 216.56
106° 54'

216.57

CENTER OF

216.57

TOP

PG. 238

Note: Any Addition or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7875098 GE #310 3-67

F. B. 3220 PG. 232

Cont'd. bot. Pg. 233



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Notes: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by H. HOLMAN
Map No.
Office Work
Checked
Date

Survey of Gay View Hwy.
JN 0096.35 Tape 198 Std 84°F
Surveyed by D. Fougler
Notes Fougler Date 6-69
Indexed U.S. GAtt. OCT 7 '69

F.B. 3220 PG. 235

W.S. 89, A-3

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

FD 3/4" IP WOOD PL & TK FL. PER RDFB 1409 - 50 & 51 I-B 3220 - 144'

0.08

FD Sq. BOLT 0.04 FL. PER RDFB 1409-50 & 51 FB 3220-144

T.B.M. 5x12" Fir. red. 2nd tree @ 61st. Sta. 2nd West (reminded)

T80 7°55' 21.20 @ 82°05' = 21.00 ✓

T80 22.86 @ LEV = 22.86 ✓

FD 3/4" IP WOOD PL & TK FL. PER RDFB 1409-50 & 51 FB 3220-144

T86 293.22 @ 8-19 = 290.14 ✓ 293.04 @ 8-05 = 290.13 290.14 ✓

T86 63.53 @ LEV = 63.53 ✓

290.14 + 63.53 = 353.67 ✓

Cont'd Top Pg. 232

Cont'd. bot. Pg. 234

PI 44-A FD SPK & W. PER RDFB 1409-50 & 51

(30) 174.33 (30)

PI (old PI 44) removed

1" I.P. conc. plug flush FB 3220-144

0.08 179.45 5.04

T80 8°06' 98°06' = 179.45 ✓

181.26 @ 8°10' 261°50' = 179.45 ✓

181.29 @ 8°10' 261°50' = 179.45 ✓

0.90 ft. 37° 141° PER 1.70 ft. 3.20 ft. 1.44 ft. 0.90 ft. 0.52 ft. 3.12 ft. 0.55 ft. 3.53 ft. 3.44 ft. C.A.C. TANGENT

See page 238 for key diagram of Sec. line

F.B. 3220 PG 234



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note:- Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ckld by H. HOLMAN
Map No.
Office Work E. GUTIERREZ
Checked
Date

Survey of BAYVIEW HWY.
Job 004.35 Tape 198 Std 30 °F
Surveyed by R. STRADER
Notes RLS Date 7-7-69
Indexed C.L. GALLI OCT 7 '69

F.B. 3220 PG 235

W.S. 89 4.7

BOT PG 236

EC
FD BT SPK WET
PER FB 3220: 231

T 72
90.81 @ LEV = 90.81

T 72
34°00'
86.30 @ 124°00' = 71.49
85.51 @ 33°17'
123°17' = 71.48
71.47

T 76
3.88 @ LEV = 3.88

T 72
25.68 @ LEV = 25.68

T 80
28.07 @ 39°06'
129°06' = 21.88
27.55 @ 37°42'
232°18' = 21.70
21.81

SET 1x2 ℄ N

STUNT RD

(30)

(30)

OFFSET

20.00

20.00

51.0

51.25

8.00

LINE

FD BT SPK WET EL PER FB 3220-231

HWY.

BAYVIEW

77°

PER

242.77 PER FB 3220: 152

75.35

25.68

21.69

20.00

PROPOSED PI #5
FD 1" IP CONC
PL ℄ LA CO ENG
TAG, EL. PER
FB 3220: 153

BOT
FD 1" IP CONC
PL ℄ LA CO ENG
TAG. EL. PER
FB 3220: 152

231

FB 3220

SET SQ. SPK ET

183.94 PER

INT.
SET 1" IP
CONC PL ℄ LA
CO ENG TAG "T"
BY INT OF
PROPOSED BAYVIEW
℄ & PROPORTION BS
STUNT RD. E
PROD
UNSTABLE
AREA

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Jacobs Cat #310 9-67

F.B. 3220 Pg 236



M3220 10-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this title or this line.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 3220 Pg. 238

PORTIONS OF THIS AREA HAVE MOVED WITHIN LAST 5 MONTHS

BOT. PB. 237

219.57

CENTER

SET 1×2 3/4 N SIDE HILL

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

T 16

83.56 @ 20°45' = 78.13 ✓
249°15'

78.14 J

83.29 @ 20°16' = 78.14 J
110°16'

78.14

OF

SECTION

SET 1×2 3/4 N TOP CUT

T 82

59.66 @ 28°08' = 52.60 ✓
118°08'

52.61 ✓

59.28 @ 27°25' = 52.62 J
242°35'

52.61

LINE

LT. PB. 236

X

Notes Ck'd by
Map No.
Office Work F. GUILLERMO
Checked
Date

Survey of BAYVIEW HWY
JN 0096.35 Tape 181 Std 84 °F
Surveyed by R. C. DALE
Notes R. C. DALE Date 8-11-70
Indexed C. L. GADEL SEP 28 '70

F. B. 3220 Pg. 239

BAYVIEW HWY
(STUNT RD.)

JN 0096.35

AUG 11 1970

PROPOSED CENTERLINE OF BAYVIEW HWY. FROM MULHOLLAND HWY E'LY TO OLD PI #44

REF
FB 3220
RDFB 1408.

PARTY
R.C. DALE
C.W. ADAMS
J.D. MAHER
R.D. PULSIFER

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

F.B. 3220 PG. 240

INDEX



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by T. ABE
Map No. 6 5201
Office Work E. GUILLERMO
Checked MT 5-73
Date DD. SAPPELT

Survey of BAYVIEW HWY
JN 0096 35 Tape 181 Std 84 °F
Surveyed by R. C. DALE
Notes R. C. DALE Date 8-11-70
Indexed C. L. GALLI SEP 28 '70

F. B. 3220 Pg. 241

W.S. 8A-2

N

S

E.C.
FD BT spk & W
Dn 2" Ref RD FB 1408-23,24
FB 3220-132

FULL HOLLAND

139.34 @ Lev T=90 = 139.35

132.60 @ Lev T=90 = 132.65

139.35

STUNT RD

FD BOK W & T
Ref FB 3220-132
RD FB 1408-23-25

132.65

Note: Any Additions or Changes on This Sheet, Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

FOOT TOP

PG 242

F. B. 3220 Pg. 242

10ft T Bot Pg 241

2) 221-14-40

4) 82-29-15

6) 303-43-55 / 110-37-19

110-37-32" Tan. Adj.

Set N&T RP. 1772944E

132.65

N.T. set 2" I.P. conc Plug & LA Co Eng Tag Dn. 4"

80.68

RP. set 1" I.P. conc Plug & LA Co ENG Tag Top Cut Bnk.

BAYVIEW

HWY

PROPOSED

89.67

101.24

212.29

set 1x2 & T

13.00

& PBB FB 3220-145-147

106.43 PBB FB 3220-145

Fd 1" I.P. Conc Plug & LA Co Eng Tag Dn 4" Per FB 3220-133/145

Prod. Fd 1" I.P. Conc Plug & LA Co Eng Tag Top Cut Bnk Per FB 3220-145

104.1

Set N&T RP. 1772945E

FEB 1-133-135 & 1587-157 & 206

CSB 2336-1

POST @ PI 10 Fd 1" I.P. Conc Plug & T Dn 6" Per FB 3220-133, 135 FB 1587-157, 206 CSB 2336-1

101.65 @ 5°18' T=100° = 101.24 ✓
101.57 @ 4°37' T=100 = 101.25 ✓
AVG = 101.24 ✓

89.66 @ Len T=100° = 89.67 ✓

212.93 @ 4°32' T=102° = 212.28 ✓
212.91 @ 4°27' T=102° = 212.29 ✓
212.29 ✓

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by T. ABE
Map No. 8-13-201
Office Work
Checked D. SAPPETT
Date OCT 5 73

Survey of BAYVIEW HWY
JN 09635 Tape 181 Std 84 °F
Surveyed by R. C. DALE
Notes R. C. DALE Date 8-12-70
Indexed C. J. GALT SP 287

F. B 3220 Pg. 243

cont Bot Pg 244

Fd SpkwSt Pr-FB 3220-136

Set 1/2" IP Pr FB 3220-136

14" Alg

Fd 1/2" IP Pr FB 3220-136

PROP PI #1
Fd SpkwSt
Pr-FB 3220-134, 147

2) 332-27-50
4) 304-55-45
6) 277-23-45
166-13-58

3.76

(BC)
Fd 1" I.P. conc
Plug ELA Co Eng
Dn 3" Pr
FB 3220-134, 147

curve data
Δ = 13°45'46"
R = 2000
T = 241.37
L = 480.41

222.04 elev T = 84 = 222.04

136.24 to PI #1

PI #1 A
Fd 1/2" I.P. conc Plug
ELA Co Eng Tag Dnhl
Pr-FB 3220-134, 147

222.04

Set SpkwSt
S. Edge EXIST RD

℄ Per FB 3220-145-147

212.29

BAYVIEW

cont Right Pg 242

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

6F3095 CE#310 3-68

F.B. 3220 PG 244



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. ABE
Map No. 8-5201
Office Work F. GUILLERMO
Checked D. SAPPETO
Date 10-5-70

Survey of BAYVIEW HWY
JN 096635 Tape 181 Std. 84 °F
Surveyed by R. C. DALE
Notes R. C. DALE Date 9-13-70
Indexed C. J. GALE 10-28-70

F. B. 3220 Pg. 245

cont Top Right Pg #244

L=241.11

See Pg 244 for Curve Data

Set 1" I.P. conc Plug & L.A.Co Eng Tag, Flush Top Low Spur

235.60 @ 0°55' T=90° = 235.58
235.61 @ 1°19' T=90° = 235.56
AVG = 235.57

Set 1" I.P. conc Plug & L.A. Co Eng Tag Flush Sidehill

257.56 @ 2°20' T=90° = 257.36
257.54 @ 2°04' T=90° = 257.38
AVG = 257.37

Set Spk W & T Flush West Side Road

277.10 @ 3°30' T=88° = 276.59
277.19 @ 3°48' T=88° = 276.59
AVG = 276.59

L=241.11

Set 1" I.P. conc Plug & L.A. Co Eng Tag Flush Top Low Spur

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

F.B. 3220 Pg 246



2) 304-46-00
4) 249-32-05
6) 194-18-20 ✓
152°-23'-03"

30.65 @ LEV T=86° = 30.65 ✓
21.34 @ LEV T=86° = 21.34 ✓
142.00 @ LEV T=86° = 142.00 ✓

159.46 @ 12°10' T=86° = 155.88 ✓
159.70 @ 12°33' T=86° = 155.88 ✓
AVG = 155.88 ✓

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by T. ABE
Map No. B-5201
Office Work F. GUILLERMO
Checked D. SAPPETT
Date OCT 5 '70

Survey of BAYVIEW HWY
JN 0096.35 Tape 181 Std 84 °F
Surveyed by R. C. DALE
Notes R. C. DALE Date 8-17-70
Indexed C. J. GAM SEP 28 '70

F. B. 3220 PG 247

W 5 84 A-2

(cont. from pg 246)

See pg 246 for curve data

Fd 1" I.P. conc Plug & LACO Eng Tag Top Low Spur (POT.) Per FB 3220-150

1.36

8.99

6.69

BAYVIEW HWY

94.602

POST Set 1" I.P. conc Plug & LACO Eng Tag Top Low Spur

209.81 @ 1°31' T=86° = 209.75 ✓
209.80 @ 1°21' T=86° = 209.75 ✓
AVG = 209.75 ✓

Set 1x2 B.T. Top Spur

PI 48A
Fd 3/4" I.P. & Brass Cap
Mkd LACO P.E. 1952 Dn 4"
Per FB 3220-225, 296

122.29

45°42'25" Rt

Per FB 3220

123.27 @ 7°13' T=94° = 122.30 ✓
123.04 @ 6°22' T=94° = 122.29
AVG = 122.29 ✓

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

16F309S CE#310 3-68

F. B. 3220 Pg. 248

201.39 @ 6°53' T=94° = 199.95 ✓
201.53 @ 7°10' T=94° = 199.97 ✓
AVG = 199.96 ✓

108.80 @ 12°38' T=98° = 106.18 ✓
108.49 @ 11°54' T=98° = 106.17 ✓
AVG = 106.17 ✓
1.64 @ Lg. T=98° = 1.64 ✓
107.81 ✓

Cont. Right Pg 247

Set 1" I.P. conc Plug & LACO Eng Tag DN12" Set 2-Spk & T 6.00 Ties To The West

46.57 @ 19°04 T=92° = 44.02 ✓
46.92 @ 20°11 T=91° = 44.04 ✓
AVG = 44.03 ✓

51.91 @ 14°20 T=92° = 50.29 ✓
52.22 @ 15°39 T=92° = 50.28 ✓
AVG = 50.28 ✓

62.22

Fd Sq Bolt DN6" Pr FB3220-227

2) 205-21-40
102°-40-50

102°

40'

50'

15'

35.44

18.201

Set 1x26 ET

50.28

POST "A" FD 3/4" I.P WITH B+Spkw ND 15" Dr RD FB 1409:53:54 FB 3220-227

2) 309-16-40
4) 258-33-15
4) 207-49-55
159-38-A"

10" Adj

T=1190.02

300 T

44.03

R.P.P.T. Set 1" I.P. conc Plug & LACO Eng Tags

38.

PROP PI 4A Set 1" I.P. conc Plug & LACO Eng Tag Side by //

E R=800

BA 1-50

A=25°24'

60.67

66.67 @ Lg. T=90° = 66.67 ✓

10' FTOP Dn #249

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by T. ABI
Map No. 8-5201
Office Work F. GUILLERMO
Checked D. SADDEY
Date 11 5 73

Survey of BAYVIEW HWY
JN 0096.36 Tape 181 Std 84 °F.
Surveyed by R. C. DALE
Notes R. C. DALE Date 8-18-70
Indexed C. L. GALLI SEP 28 70

F.B. 3220 PG. 249

W.S.49 A-2

cont BOT
Pg ± 248

Set 1/2 ø IP

For Curve Data see Pg ± 248

66.67

4.43

PROP PI #4
Fd 1" I.P. conc Plug
ELACO Eng Tag
Pe-FB 3220-151

290.15 @ 3°21 T=90° = 289.66 ✓
290.10 @ 3°12 T=90° = 289.66 ✓
AVG = 289.66 ✓

289.66

69.01

Set 1" I.P. conc Plug
ELACO Eng Tag
Top Loc. Spike

295.01 @ 17°38 T=80° = 281.14 ✓
294.64 @ 17°24 T=80° = 281.15 ✓
AVG = 281.15 ✓

57.37 @ 17°00 T=80° = 56.78 ✓
59.05 @ 15°59 T=88° = 56.77 ✓
AVG = 56.77 ✓

BAYVIEW HWY

281.15

2229

PG

sec

Set 1/2 ø IP
Sidewalk

56.77

(POT)
Fd 2" I.P. conc
Plug ELACO
Tag
Pe FB 3220-

0.46

9.01

Set 1" I.P. conc
Plug ELACO Eng
Tag Top 2.2 Ge.

56.46

Set 1/2 ø IP

237.96 @ 6°19' T=96° = 236.54 ✓
237.84 @ 6°09' T=96° = 236.53 ✓
AVG = 236.53 ✓

236.53

cont LEFT
Pg # 250

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

F.B. 3220 Pg. 250



89.37 @ 27°07 T=86° = 79.55
89.70 @ 27°32 T=86° = 79.54
AVG = 79.55

103.90 @ Lev T=86° = 103.90

80.66 @ Lev T=78° = 80.66

292.88 @ 7°31 T=94° = 290.38
292.74 @ 7°17 T=94° = 290.40
AVG = 290.39
63.05 @ Lev T=94° = 63.05
353.44

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

M.S. 68-43

Notes Ck'd by G. KURACHI
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 12 Std 84 °F
Surveyed by R. C. DALE
Notes R. C. DALE Date 8-10-72
Indexed

F. B. 3220 Pg. 251

SECTION LINES

JN 0302.01

AUG 10, 1972

RETRACEMENT OF THE WEST LINE
SECTION 10, T.1S R.17W

REF

FB 3220-13, 17
CSB 498
CSB 2336-2
FB 1557-59

PARTY

R.C. DALE
C.W. ADAMS
W.J. DIETZ
F.M. DERBY

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

F. B. 3820 Pg. 252

INDEX

SECTION 4
T.1S
R.17W.

SECTION 3
T.1S
R.17W.

1/4 COR
PG. 255

SEC COR
PG 255

SECTION 10
T.1S
R.17W.

SECTION 9
T.1S.
R.17W.

1/4 COR
PG 254

SEC COR
PG 253

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by G. KURACHI
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 12 Std 84 °F
Surveyed by R. C. DALE
Notes R. C. DALE Date 8-10-72
Indexed

F. B 3220 PG. 253

(CONT'D FR 254)

90.79 @ 19°42' T=70° = 85.47
90.40 @ 18°59' T=70° = 85.47
AVG = 85.47

85.47

6+32.52
SET 2" I.P. CONC.
PLUG ELA CO ENG
TAG TOP CUT BNK.
S. SIDE STUNT RD.

5.5

.03

FD 3/4" I.P. WITH
2" BRASS DISK
MKD AS SHOWN

SECTION 9
T1S
R1TW

146.57

ELECTRONIC MEASUREMENT
146.574 PER FB 1332-11

SECTION 10
T1S
R1TW

4+85.95
SET 2" I.P. CONC
PLUG ELA CO ENG
TAG ON BIGHILL

ELECTRONIC MEASUREMENT
485.947 PER FB G 1332-11

485.95

0+00 NORTH
SEC. COR.
ED CO. SUR. BRASS
CAP MON PER
CSB 498
CSB 429
FB 3220: 177

COUNTY SURVEYORS
T.1.S
R.1.W.
9 10
16 15
SEC. COR
MONUMENT

W.S. 89 A-3

1441-077 B-3

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

16F3095 CE#310 3-68

F.B. 3220 PG 254

COUNTY ENGINEER
SEC 9 T1S R14W SEC 10
R. TAYLOR
R.E. 5869

26 FSS 36
1/4 COR
FD STD CE BRASS
CAP MON PER
FB 3220-177

ELECTRONIC MEASURMENT
1249.518 PER FBG 1332-9

ELECTRONIC MEASURMENT
1165.515 PER FBG 1332-9

14+89 74
SET 2" I.P. CONC
PLUG & L.A. CO ENG
TAG. TOP BREAK

134.10 @ 17°08' T-70° = 128.14
133.82 @ 16°46' T-70° = 128.12
AVG = 128.13

13+61 61
SET 2" I.P. CONC
PLUG & L.A. CO ENG
TAG TOP BREAK

ELECTRONIC MEASURMENT
643.617 PER FBG 1332-10

7+17 99
SET 2" I.P. CONC
PLUG & L.A. CO ENG
TAG N. SIDE STUMP RD

SECTION 9
T1S
R14W

36
31°-55'-30"
N 89°-10'-57" W
2649.52
1249.52
179°
1165.52
128.13
643.62
85.47

2) 359-45-20
4) 359-30-45
6) 359-16-10
179-52-42

2) 63-51-00
4) 127-42-00
6) 191-33-00
31°-55'-30"

SECTION 10
T1S
R14W

144-077, B-2, 1

W.S. 89, A-2

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

CONT TO PR # 253

Notes Ck'd by G. KURACHI
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 03020 Tape 12 Std 84 °F
Surveyed by R. C. DALE
Notes R. C. DALE Date 8-10-72
Indexed

F. B. 3220 Pg. 255

2) 116-03-20
4) 232-07-05
6) 348-10-40
58°-01'-47"

2) 180-05-10
4) 360-10-25
6) 180-15-40
90°-02'-37"

COUNTY SURVEYOR'S MONUMENT
T.1S.
R.9 + 10
R.13 + 14

SURVEYOR'S MONUMENT
R.11W.
R.12W.
R.13W.
R.14W.
T.1S.
1/4 COR.

SEC. COR
FD STDCS. BRASS
CAP MON. PER
CSB 499
CSB 2336-2
FB 3220-131, 171

1651.66 CALC
~~1655.49 CALC~~

1/4 COR
FD STDCS BRASS
CAP MON. PER
CSB 2336-2
FB 3220-129
MKD AS SHOWN

58°-01'-47" 1700.00 90°-02'-37" 34.40'

SET 2" I.P. CONC
PLUG & LA COENE TAG
ON SPUR.
SEARCHED FOR 30" SPK
AT 1654.76 PER FB 1557-59
NOTHING FOUND

2649.52

SECTION 9
T1S
R11W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 89, A-2

144-017, B-2

RELEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

(Continued from p. 254)