12-91

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of	Alameda St.
JN	009672
Tape	Std. °F
Surveyed by	J. H. Brown
Notes	E.S. Date 4-1-66
Indexed	J GA111

F. B. 3248 PG. 5

ALAMEDA ST.

J.N. 009672

CENTERLINE SURVEY

J. Brown
E. Shoemaker
R. Rodriguez
L. Alvarez

Note! Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 1-65

F. B. 3249 PG. 6

INDEX SKETCH

(SEE PAGE 42 FOR ADDITIONAL TRAV)



LEGEND

- LOS ANGELES COUNTY TRIANGULATION STATION
- LOS ANGELES COUNTY TRAVERSE STATION
- STATE LANDS COMMISSION STATION
- TRIANGULATED LINE
- GEODIMETERED LINE
- INVAR TAPED LINE

Plat Prepared by U.S.C. & G.S. Quad Sheets
Plat Prepared by U.S.C. & G.S. Quad Sheets
Sketch on Geod. Traverse
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
603 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Notes Ck'd by	Survey of ALAMITOS BAY
Map No.	JN 0882.40 Tape Std °F
Office Work	Surveyed by G.E. DREIER
Checked	Notes G.E. DREIER Date 5-65
Date	Indexed

F. B. 3249 PG. 7

G. I. GALLI

RECOVERY & REFERENCE NEW & OLD STATIONS

STATION			PAGE NO.
S.L.C. #1	℄ INT.	7th ST. & ULTIMO AVE.	9
S.L.C. #2	℄ INT.	7th ST. & SANTIAGO AVE	10
S.L.C. #3	℄ INT.	SANTIAGO AVE & COLORADO ST.	11
S.L.C. #4	℄ INT.	APPIAN WAY & MONROVIA AVE	12
S.L.C. #5	℄ INT.	APPIAN WAY & CLAREMONT AVE.	13
S.L.C. #6		2ND ST. & APPIAN WAY	14
S.L.C. #7	℄ ANGLE PT.	2ND ST. & RAVENNA DR.	15
S.L.C. #8	℄ INT.	2ND ST. & BAYSHORE AVE	16
S.L.C. #9	℄ PROD.	2ND ST. & LIVINGSTON DR.	17
L.B.H-3A	℄ INT.	XIMENO AVE & 7th ST.	20
L.B. J-3A		TOP LONG BEACH VETERANS HOSPITAL	19
L.B. J-3B		7th ST. & BELLFLOWER	18
L.B. H-5B		BENNETT AVE & XIMENO AVE.	21
L.B. K-7 "KNIGHT"		TOP DEPT. W.&P. SEAL BEACH PLANT	22
L.B. G-5B		1ST ST. & XIMENO AVE.	23
L.B. G-6 (CITY L.B)		OCEAN BLVD. & XIMENO AVE	24
L.B. I-6B		OCEAN BLVD. & BAYSHORE AVE	26
L.B. I-6~~B~~C		1ST ST. & BAYSHORE AVE.	25
L.B. I-6A		OCEAN BLVD.	39
L.B. I-7A		OCEAN BLVD & 64th PL.	40
L.B. I-7		64th PL. N. OF OCEAN BLVD.	40

ANGLES & DIRECTIONS MEASURED IN F.B.G. 1109-1 TO 47

F.B.G 1094-19

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #310 6-63

F. B. 3249 Pg. 8

ELEVATIONS BY DIFFERENTIAL LEVEL TIES

BENCH MARK	TO STATION	PAGE
L.B.B.M #915	TO S.L.C. #1	28
" 113	TO S.L.C. #2	28
121	3	29
505	4	30
119	5	30
120A	6	31
222	7	32
40	8	32
35	9	33
915	TO L.B.J-3B	28
114	H-3A	29

CONT.

L.B.B.M. #747	TO L.B.I-6C	34
U.S.C.&G.S. T-280	L.B.K-7	35
L.B.B.M #35	L.B.H-5B	33
" #39	L.B.I-6B	35
" #966	L.B.G-6	36
" #966	L.B.G-5B	36

GEODIMETER LENGTHS

STATION	TO STATION	F.B.	PAGE
L.B. J-3A	TO L.B.J-3B	3607	15
L.B. J-3A	TO L.B.K-7 (KNIGHT)		16
L.B.J-3A	S.L.C. #1		17
S.L.C #2	S.L.C. #1		18
#2	#3		19
#2	L.B.H-3A		20
#4	S.L.C. #3		21
4	5		22
6	5		23
6	7		24
6	L.B.K-7 (KNIGHT)		25
6	L.B.J-3A		26
8	L.B.I-6C		27
8	S.L.C. 7		28
8	9		29
L.B.H-5B	9		30
L.B.G-5B	L.B.H-5B		31
L.B.G-5B	CITY L.B.G-6		32
L.B.I-6B	" G-6		33
"	L.B.I-6C		34
"	L.B.I-6A		35
L.B.J-7A	" I-6A		36
L.B.J-7A	TO L.B.K-7 (KNIGHT)		37

Noted on Rec. Index Card
Sketch on Rec. Card
Mail U.S.C.&G.S. Sketch to U.S.C.&G.S.
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of ALAMEDA ST
Map No. B-3036 G. H. BOYER	JN 00967.2 Tape 025T Std. 68 °F
Office Work	Surveyed by J. W. Brown
Checked J. A. CHURCH	Notes J. W. B Date 4-66
Date 7-31	Indexed C. J. GALLI

F. B. 3218 PG. 9

CONT PAGE 10

Fd L.A. City TRAV. STATION DN 10" IN H.H. No Disc See L.A.City FB 10635-29

1954 COMPTON CITY SURVEY

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F309S CE#310 1-65



F. B. 3249 Pg. 10



ANGLES IN F.B.G. 1109-2, 3
TEMP. = 67°

TO TOP PG 11

Noted on Gen. Index Card
Plotted on U.S.G.S. Quad. Sheet
Skeleton Gen. Desc. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. A. CHURCH
Map No. B-3036 G. H. BOYER
Office Work
Checked J. A. CHURCH
Date

Survey of ALAMEDA ST
JN 0096-72 Tape 0957 Std 61 59 °F
Surveyed by J. H. Brown
Notes J. H. B. Date 4-1-66
Indexed C. J. GALLI

F. B. 3248 Pg. 11

1) 179° 59' 30"
4) 359° 58' 00"
6) 359° 57' 10"
Avg = 179° 59' 32" ✓

Fd L.E. Co. ENGR tag in sig. lt. base. FB 3144-47

Fd L.E. COENGR tag in sig. lt. base. FB 3144-47

Fd L&TK FB 965-30

CONT BOT PAGE 12

22.5

Fd L.E. Co. ENGR tag in sig. lt. base. FB 3144-47

F. B. 3249 Pg. 12

Noted on Geo. Index Card
Plotted on U.S.G.S. Quadrangle Sheet
Noted on W.M. Diagram
Sketch on Geo. Index Card

APPIAN

S.L.C. #4
FD. CITY L.B. MON. & E.C., DN 6",
PER CITY L.B. F.B. C 203-141 & 142

TO LEFT PAGE 11

FD. LEAD 34.63

FD. CHISEL MARK

TO S.L.C. #3

MONROVIA AVE.

5.24

56.85

18.08

46.13

34.48

FD. CHISLED X

47.97

58° 19' 19"

TO S.L.C. #5

FD. CHISEL MARK

CURB

CURB

ANGLES IN F.B.G. 1109-4

TO TOP PG 13

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. B-3036
Office Work G. H. BOYER
Checked I. A. CHURCH
Date

Survey of ALAMEDA ST
JN 0096.22 Tape 167 Std 84 °F
Surveyed by J. H. Brown
Notes J.H.B. Date 6-1-66
Indexed C. J. GALLI

F. B. 3248 Pg. 13

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

76F309S CE #247 3-57



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Noted on Geo. Index Card
Plotted on U.S.G.S. Quad. Shts.
Noted on Sur. Div. W.S. Ho.
Sketch on Geo. Desc. Card



F.B. 3249 PG. 14

Notes Ck'd by _____
Map No. B-3036
Office Work G. H. BOYER
Checked _____
Date MAR 7 67

Survey of ALAMEDA ST
JN 0096-72 Tape 0257 Std 68 °F
Surveyed by J. H. Brown
Notes 1, 2, 3 Date 6-66
Indexed C. J. GALLI

F. B. 3248 Pg. 15

CONT bot PAGE 16.

W, S, 28, D-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

DOMINGUEZ CHANNEL

Note: ALL ties meas. with tape #0257 std. @ 68°

CONC. BRIDGE

Fd. L & bench nail. No ref

Fd. a standard L.A. CO. FLOOD CONTROL brass tablet MARKED "B.M. 111.93 1960"

Fd L & Co. ENGR tag No ref

CONT on page 14

56+72.7

56+56.63

56+53.15 set L & tk by mjss 8-16-66

56+48.15 set L & tk by mjss 8-16-66

56+36.22 set L & tk @ 90° 8/16/66 Conc. Pvmt.

56+14.5

Fd L & tag # LS 2037

Fd L.A. Co. E.C. tag No ref FC. 3076-8

Fd L.A. Co. ENGR tag No ref FB 2546-110

Fd L.A. Co. F.C. tag LABELED "E.C. & W" USED FOR ℄ LINE FC. 3076-19

Fd ½ I.P. & L.A. Co. F.C. tag FC. 3076-19

set L & tk @ 90° nothing else 8-16-66

Conc. dk.

Fd. L & tk No ref

STRAIGHT LINE BETWEEN ESTABLISHED POINTS ON CENTERLINE OF ALAMEDA

ALAMEDA

(90.)

61.38

(1)	90	00	00
(2)	36	00	10
(3)	180	00	10
Avg	90	00	02

56+17.18 Fd ½ "I.P. & brass brad. dn 6" No ref

Fd. L.A. CO. ENGR tag No Ref FB 2546-110

Tape #167 std @ 84°
11.93 Lev. (CT=70) = 11.93
11.93 Lev. (CT=70) = 11.93 ∑ 11.93

76F309S CE#310 1-65


F. B. 3249 Pg. 16
THE TOLEDO
CURB
AVE.
F.B.G. 1109-5,6
165° 48' 33.6"
165° 48' 29.7"
F.B.G. 1109-40,41
TO S.L.C. #9
SECOND
SQ. SPK. W.S.
20.74
TO S.L.C. #7
BRIDGE
CURB
ST.
55.38
12.98
FD. C. SPK.
FD. CHISEL MARK
87.11
FD. SQ. SPK. & L.T.
19.47
F.B.G. 1109-5
105° 00' 54.8"
105° 01' 04.1"
F.B.G. 1109-40
CURB
S.L.C. #8
FD. C. SPK. & W. DN. 1"
NO REFERENCE
CITY L.B. C 218-84
C 156-18
FD. CHISEL MARK
TO L.B. I-6
BAYSHORE
TEMP = 66°
ANGLES IN F.B.G. 1109-5,6
TO TOP PG. 25
TO RIGHT PAGE 17
CURB
TO LEFT PG. 15
Notice of Geo. Index Card Placed on S.S.S. Placed on S. Div. W.S. No. Sketch on Geo. Index Card
PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. A. CHURCH
Map No. B-3036
Office Work G. H. BOYER
Checked J. A. CHURCH
Date

Survey of Alameda St
JN 6096.72 Tape #257 Std 68 °F
Surveyed by C. H. Brown
Notes C. H. B Date 6 66
Indexed C. J. GALLI

F. B. 3248 PG. 17 ✓

1) 89 59 45
4) 359 59 00
6) 179 58 20
Avg) 89 59 43

Fd. Bench Mark. A Brass cap mon. Marked "County Engr. BM 5-AD14 1960 RE 5869 Dn. 12" in ⊕ H.H. & Cover. Fd L & T.C. tag in conc. apron.

CONT. B.O.T. PAGE 18

Tape #167 S 89° 59' E 642.28 (T-84) Lev. 642.24
Lev. 642.28
Avg = 642.26

150.00 (T-84) Tape #167 S 89° 59' E 642.28

58198.17 tk Set L & T.C. tag Fl. Dg. INTS. 9-16-66 tk

Set Pencil Mark

Fd. L & T.C. (IMPRINT OF tag in Lead) FC 3026-49 USED FOR LINE WEST.

CONT. RT. PAGE 35

℄ LINE

℄ LINE (6' off Def)

86.66

1.15

89.2253

59.08

61.36

56.11

35.30

0.0

22.78

90°

Fd. bench nail No ref

Set nothing

62.50

56.40

1547

Set ch. "X" 5.00 off ℄

Set ℄ T.C. tag INTS. 8-16-66 tk

TK. USED FOR LINE WEST

Fd. bench nail No. REF

DOMINGUEZ CHANNEL

ALAMEDA

Fd. bj. spike w. C.T. Fl. with black tape 2" Lower than drive to. South Label "a" on fence "a" to F.C. M. & N. did not dig

DOMINGUEZ CHANNEL

(90)

TO LEGEND tag Dg 15

CONT. PAGE 16 (TOP)

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 1-65

F. B. 3249 Pg. 18



ANGLE IN F.B.G. 1109-1
TEMP = 47° NO CORR.

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Note: Geo. Index Card Plotted this Point.
Plotted on U.S.G.S. Quad Sheet.
U.S.G.S. Quad Sheet No.
Sketch on Geo. Index Card.

Notes Ck'd by [illegible]
Map No. B-3036
Office Work G. H. POYER
Checked J. A. CHRISTEN
Date MAR 7 '67

Survey of ALAMEDA ST
JN 0096.72 Tape 0257 Std 68 °F
Surveyed by J. H. Brown
Notes 1 H. B Date 6- -66
Indexed C. J. GALLI

F. B. 3248 Pg. 19

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

76F3095 CE #247 3-57

CONT PAGE 20

COMPTON I-10 1954

76+43.6
55.5
ALLEY

70+06.55
Fd Standard Traverse Station D.H. 12" in well cover marked "L.A. City" (rim broken off.) MON. MARKED AS shown above
Ginis 4-ton 44 lks out 240 RD FB 2526-29

1) 90 00 00
2) 180 00 00
AVG 90 00 00

Fd L&TK No Ref
71+87.25
35.16
22.60

71+52.09
Fd Sq Spk (Shank in Head)
No Ref

CENTER LINE from Easterly ST 1027.70

ACCL AUTO wrecking

76+2
74+34.9

U & U SALVAGE

45.0

72+40.7
VACANT

Tape to 167.310 @ 84°
466.10 (T=84) Elev = 466.10
466.10 (T=84) Elev = 466.10
Avg = 466.10

(90)

160.30

33.22

Fd L&TK EMCE tag FB 2526-24

90°

24.40

18.77

0.21

33.14

(Set pencil mark on brass)

70+06.5C
Fd L&TK EMCE tag
FB 2526-24

69+82.43

22.36

0.95

64.97

Fd 2x2 C tag No L.S. 1389 in conc. base of fence post No ref

2'7 P fence post (new)

Fd old 1½ I.P. fence post

466.10

ALAMEDA

CONT PAGE 18

F. B. 3249 Pg. 20



℄ INTER.
LONG BEACH H-3A
FD. STD. L.A.CO. TRAV. STA.
MON. DN. 16" UNDER CITY
L.B. COVER
PER F.B. 923-145, 146
CITY F.B. C 76-144

AVE.

FD. L&T IN CURB

0.02

45.19

SEVENTH

56.40

STREET

FD L&T. IN CURB

TO S.L.O. #2 Pg 10 LEFT

FD. MON.

℄ PROSPECT AVE.

56.40

FD. L&T

0.02

45.19

89° 59' 37.4"

FD. L&T. IN CURB

XIMENO

TO 4.B.H-4

ANGLE IN F.B. G 1109-15
TEMP = 66° NO CORR.

Please Return to
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Detail on Geo. Index Card
Sketch on Geo. Index Card

Notes Ck'd by:
Map No. B-3036
Office Work G. H. BOYER
Checked
Date MAR 7 '57

Survey of ALAMEDA ST
JN 2096.72 Tape 167 Std 82 °F
Surveyed by: J. H. Brown
Notes J.H.B. Date 2-66
Indexed C. J. GALLI

F. B. 3218 Pg. 21

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

CONT PAGE 22

334.97 (TE CE) Lay = 334.94
Tgt @ 110.51 @ 64°

SOUTH BOUND LANE

90+50 ℄

90

1145'

LEFT TURN LANE

60.0

R.O

334.94 ℄ LINE

CONC. EDGE GUTTER

CONC. EDGE

TRAFFIC SEPARATOR

89+12.68
Ft. Lg Spk
in cb.
No REP

Pvmt.
Rock E 0.1

NORTH BOUND LANE

88+51.39
Set X in
Gut on
℄ LINE

88+45.25
Set CE 739
in cb.

22.39

6.14

88+45.25
set Eg Spk
El. @ 90° to Sd. nail

Ed. nail
Labeled
"218 ℄"

0.28

22.15

34.7

ALAMEDA

CONT PAGE 20

76F309S CE #247 3-57

F.B. 3247 Pg. 22



ANGLES IN F.B.G. 1109 - 29, 30
1094 - 35, 36, 37

Ruled on Geo. Index Card
Shown on U.S.G.S. Quad. Shts.
Shown on U.S. Hwy. Maps
Sketch on Geol. Desig. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by: A. CHURCH
Map No. B-3036
Office Work: G. H. BOYER
Checked
Date: MAR 7 '67

Survey of: ALAMEDA ST
JN 096.72 Tape 0257 Std. 68 °F
Surveyed by: J. H. BROWN
Notes: J. H. B. Date: 6-66
Indexed: C. J. GALLI

F. B. 3248 Pg. 23

CONT PAGE 24

Fd 6" spk "BM 24" 24.48
No ref

22.27
98+33.54
22.52

R/W

TRAFFIC SEPARATOR

S.T.

FREEWAY OVERHEAD

Pump Rock & Oil (90)
over Conc.

Fd. ch. "X"
No ref
Approx. ℄
of FREEWAY
No RC

96+45.39
22.52
22.36

℄ LINE

Fd USC&GS
BM "L 970
1949" up 3'
IN. conc
pier No Ref

126
15.32
85°17'41"
99.81

CONC. PIERS & ABUTMENTS
Caltrans No. [illegible]
33.85

95+72.48
27.55

Fd. Lg. SPK
"BM 23"
24.16"
No ref

94+51.95
22.57

EALE
bench
nail
No ref

22.60
22.5

CONT PAGE 23
93+41.10

ALAMEDA

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE #247—3-57

F. B. 3249 PG. 24

TO EOT. PG. 23



ANGLE IN F.B. G. 1109-34

Noted on Geo. Index Card
Plotted on U.S.G.S. Quad. Shts.
Plotted on Sur. Rlty. W. S. No.
Sketch on Geo. Desc. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by: A. CHURCH
Map No. B-3036
Office Work G. H. BOYER
Checked
Date MAR 7 '67

Survey of ALAMEDA ST.
JN 0096.22 Tape 225.7 Std 68 °F
Surveyed by: J.H. Brown
Notes N.B. Date 6-66
Indexed C. J. GALLI

F.B. 3248 PG. 25

CONT PAGE 26

Fd L & TK
BM SD 2310
FD 2526 (2)

Fd LECO
ENGR tag.
Per 2526-26

CONT PAGE 24

Set L.E.C.E Tag

Set

Set masonry nail

Set masonry nail ON ℄ LINE RAND. DIST. flush.

Set nothing

Set nothing

SEPARATOR

(width not known)

(90)

(90)

1) 90 00 00
A) 360 00 00
6) 180 00 00
Avg 90 00 00

Tape #160 STA @ 84°
459.20 Lev T=76 = 459.18
459.21 Lev T=76 = 459.19
Avg = 459.18

P.M.T. Rock & Oil

OFF SAN DIEGO FREEWAY

ON SAN DIEGO FREEWAY TO

ALAMEDA

Note: Any Additions or Changes on This Sheet Must be Made or Circled In Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57

F. B. 3249 Pg. 26

TO BOT. PAGE 25



ANGLES IN F.B.G. 1109-23, 24
TEMP = 68°

Noted on Geo. Index Card
Plotted on U.S.G.S. Quad. Shts.
Plotted on St. Div. Maps
Sketch on Geo. Index Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by B-3036
Map No.
Office Work G. H. BOYER
Checked
Date

Survey of ALAMEDA ST
JN 0096.72 Tape 0257 Std CE °F
Surveyed by H. Brown
Notes C.H.B Date 6-66
Indexed C. J. GALLI

F.B. 3248 PG. 27

W.O. 5301-A-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO LOS ANGELES COUNTY ENGINEER 900 Los Angeles County Engineering Bldg.

76F3095 CE #247—3-57

Type #160 std @ 04° CONT PAGE 29

239.98 Lev (T-82) = 239.98
239.98 Lev (T-82) = 239.98
Avg = 239.98

Note: Chaining shown on cb. done on 22.50 offset from T line

Fd L & Branch nail FB 2526-27

Fd L & Co. Ended 149 FB 2526-27

Fd. Cr.

239.98

T LINE

1) 90-00-00
4) 360-00-00
2) 180-00-10
Au 90-00-02

Pole #0257 Sta 99.96 (T-72) = 99.96

SY EDGE CONC. CLK

Pam Spulwash to Caldwell

GRAVEL PARKING AREA

55.2

Fd. nail ft. on line searched for spike E. wash. Fd nothing. Replaced nail

11+48 1.56

22.06

32.25

22.30

.06

24.99

25.43

Fd "X" IN cb

90°-00'-02" = 74

Fd Cy "X" No ref.

R=24 conc cb

66'

100.00 FD 2526-27 99 FE Meas

218 M

33 (30)

135.0

Fd LA City Hex Bar DN 12" in H.H.

R=26

CONT PAGE

PL (30)

ALAMEDA

53.12

CONT PAGE 26

Scaled on Map Index Card
Plotted on Quad Sht.
Plotted on Sht. Index
Scaled on Base Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
2408 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3249 Pg. 28 — Job No. 0882.40 — Division No. 11 — Notes Red — Plotted — Profile
Survey of ALAMITOS BAY — Date — Date — No. — X-Sec.
Survey by DREER — Notes G.E.D. — Notes Chkd. — Checked
Indexed G. J. CALL — Date — Date — No.

STATION	B.S.	H.I.	F.S.	ELEV.	
					LFT. IN W. CURB, 1FT N. E.C.R. N.E. COR. 7th & BELLFLOWER BLVD.
FD. L.B.B.M. #915	512	8160		76482	FD. CITY L.B.B.M. #915 ELEV. 76.482 (1961)
SET △ L.B. J-3B	505	8135	530	7630	SET L.B. J-35 STD. L.A.Co. △ STA. 2" BELOW PAV.
FD. L.B.B.M. #915			487	7648	FD. L.B.B.M. #915
FD. L.B.B.M. #915	448	8096		7648	FD. CITY L.B.B.M. #915 ELEV. 76.482 (1961)
SET T.P.	142	7875	363	7733	
SET S.L.C. #1	1160	7848	1187	6688	SET S.L.C. #1
T.P.	339	8071	116	7732	℄ INTER. MON. 7th ST. & ULTIMO AVE
FD. B.M. #915			424	7647	FD. B.M. 915
FD. L.B.B.M. 113	607	3769		3162	FD. CITY L.B. B.M. #113 ELEV. 31.616 (1961) N.E. COR. SANTIAGO AVE. & 7th ST.
					L.B. B.M. IN H.H. 2.4E. & 11.9FT N. OF CURB 25" DEEP
SET S.L.C. #2	679	3748	700	3069	SET S.L.C. #2, MON. ℄ INTER. SANTIAGO AVE & 7th ST.
FD. L.B.B.M. #113			586	3162	FD. L.B.B.M. #113

Notes Ck'd by	Survey of ALAMEDA ST.
Map No. B-3036	JN 09672 Tape 0257 Std. 68 °F
Office Work G. H. BOYER	Surveyed by J. Brown
Checked	Notes E. Shoemaker Date 7--66
Date MAR 7 '67	Indexed C. J. GALLI

F. B. 3248 Pg. 29

CONT PAGE 30

Tape 0257 Std. @ 68°
78.50 (T=68) Lev = 78.50
78.49 (T=68) Lev = 78.49
Avg = 78.491

62.84 (T=72) Lev = 62.84
62.83 (T=72) Lev = 62.83
Avg = 62.831

(90)

Fd. L.E.T.
F.B. 2526-29

Fd L&Tk
PB 3174-77

120 ± 21.23
L pt. E INT.
Fd. Bt. Spk. E.W.
Dn 2" per F.B.
2526-29 Used
for line.

Added 12/21/66 JG/KB

R=25

F.B. 3174-71 72

12.25
0.02
0.07
0.16
9.9

Fd small nail
on Split of rule

Fd. sq. spk.
No ret.

45.59
49.18

22.11

78.49

72° 46' 00"

ALAMEDA ST.
1) 172° 20
4) 291 01 20
6) 76 32 10
Avg 72 45 22

Fd. L&T
Spk. W.S.T.
DIV 11

R=15

Fd L&Tk
F.B. 3174-72

CARSON ST.

75.35

62.83

LINE

CONT PAGE 31

29.99

77.12

Pt. in Rock & D.I.
Over Conc.

Fd. L&T
No ret.

12/21/66 JG/KB
1) 72 46 00
4) 291 02 00
6) 76 33 00
Avg 72 45 30

107° 14'

36.11

47.17

29.09

74.30

73.05

Fd. L.E.T.
F.B. 2526-29

4' conc. fence

Fd. L.E.T.

Fd. L.E. Co Engr.
Tag no ret.

1) 107 14 20
4) 68 57 30
6) 283 26 30
Avg 107 14 25

Cont.

Cont Pg 28

W,S,30,A-Z

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink, Circled and With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

76F3035 GE #247—3-57

Mailed on ... Index Card
Placed on ... U.S., Quad. Sht.
Sketch on Geo. Desc. Card

3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3249 PG. 30 Job No. 0882.40 Division No. 11 Notes Red ____ Plotted ____
Survey of ALAMITOS BAY Date ____ Date ____
Survey by Dreyer Notes H.R.S. & G.E.D. Notes Chkd. ____ Checked ____
Indexed C. J. Smith Date ____ Date ____ Profile ____
Sec. ____ No. ____ No. ____

STATION	B.S.	H.I.	F.S.	ELEV.		
Fd L.B.B.M. #505	4 34	12 37		7 53	Fd City L.B.B.M. #505 ELEV. 7.533 (1961) W'ly Cor APPIAN WAY & LAKEVIEW AVE	
Set S.L.C. # 4	5 84	12 12	6 09	6 28	Set P.C.C. CYLINDER BRASS KNOB, 6 FT. W. & 2 FT. S. OF CURB S.L.C. #4 Elev. = 6.28 L.B. City Brass Mon. # on E.C. APPIAN WAY 45'	
Fd L.B.B.M. 505			4 59	7 53	Fd FT. S.E. OF & MONROVIA AVE. L.B.B.M. #505	
Fd L.B.B.M. #119	4 41	10,39		5 98	Fd L.B.B.M. #119 Elev. 5.975 (1961) Appian Way S.W. cor. Bayshore Ave. a ____ L&T in center of Curb return.	
set T.P.	4 99	10,17	5 21	5,18	T.P. Spk in pvmt.	
S.L.C. # 5	5 11	9 89	5 39	4.78	Set S.L.C. #5 Elev. = 4.78 L.B. City Brass Cap Mon in Conc in a H.H. dn 7" @ & int. of APPIAN WAY & CLAREMONT AVE.	
Fd T.P. L.B.B.M. #119	5 18	10.36	4 71	5.18	T.P. Spk in pvmt.	
			4 37	5,99	Fd L.B.B.M. #119 ELEV. 5.975 (1961)	

Notes Ck'd by L.A. CHURCH
Map No. B-3036
Office Work G. H. BOYER
Checked
Date 7-'57

Survey of ALAMEDA ST
JN 0096-72 Tape 0257 Std 68 °F
Surveyed by J.H.B. Brown
Notes J.H.B. Date 7-66
Indexed C. J. GALLI

F.B. 3248 Pg. 31

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
900 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #247—3-57

W.S. 30 A-2

END
END
(1.5)
ALLEY
ALLEY SOUTHERLY
Fd. Lg. Spk with punch hole on west side DN 1'
R.D. EB 523-124
FB 2526-180
R=2'
CARSON
ST
29
32
0.06
℄ LINE
96.32
℄ LINE
598.16 EB 2526-180-181
Set pencil mark on line @ 90° to spk
A
B
C
D
CONT PAGE 1
CONT PAGE
Fd L.A. CO ENGR tag
EB 2526-180
RD EB 523-124
tape #0257 STD @ 68°
96.32 (T= 70) = 96.32
96.32 (T= 70) = 96.32
96.32

76-1 308 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

Plotted on Geo. Index Card
Placed on U.S.G.S. Quad Sht.
Sketch on Geo. Desc. Card

Profile No. X-Sec. No.

F.B. 3249 PG. 32 | Job No. 0862.40 Division No. 11 Notes Red Plotted
Survey of ALAMITOS BAY Date Date
Survey by Dreier Notes H.R.S. Notes Chkd. Checked
Indexed C. A. GALLI Date Date Date

STATION	B.S.	H.I.	F.S.	ELEV.		
Fd L.B.B.M. #222	6.78	11.68		4.90	L.B.B.M. #222 Elev. 4.895 (1961) 2nd St. & RAVENNA DR, S.E. COR, 25.6'E of E. curb & 5.0 S. of S. curb a Mon in H.H.	
Set S.L.C. #7	6.77	11.78	6.67	5.01	Set S.L.C. #7 Elev. 501 City of L.B. Mon in H.H. @ 4P in End St @ RAVENNA DR Per	
Fd L.B.B.M. #222			6.88	4.90	Fd L.B.B.M. #222 Elev. 4.895 (1961)	
Fd L.B.B.M. 40	6.65	10.53		3.88	Fd L.B.B.M. #40 Elev. 3.879 (1962) 2nd St. & BAYSHORE AVE, S.W. COR. a Mon in H.H. Inside walk 6.7 W of Curb & 6.8 S of curb.	
Set S.L.C. #8	5.01	10.29	5.25	5.28	Set S.L.C. #8 Elev. 5.28 & intersection of 2nd St. & BAYSHORE AVE a wire Spk dn 2" in pvmt Per	
Fd L.B.B.M. #40			6.41	3.88	Fd L.B.B.M. #40 Elev. 3.879 (1962)	

Notes Ck'd by J. M.		Survey of Alameda St.	F.B. 3248 PG. 33
Map No. B 3036		JN 0096.72 Tape 0257 Std 68 °F	
Office Work G. H. BOYER		Surveyed by D. Brown	
Checked J. F. CHURCH		Notes C.I.Q. Date 4-18-66	
Date		Indexed C. J. GALLI	

135.01 (T=60) Lev = 135.00 ℄ 135.00
135.01 (T=60) Lev = 135.00 S

INTS.
Fd 4-Tan L & Tk's
IN CONC TOP OF
M.H. SET PENCIL MARK
ON LIP. E USED
FOR LINE F.B. 1050-18

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 30, A-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line

Fd L & Tk
F.B. 1050-18

Fd L & Tk
F.B. 1050-18
@ 90° to ℄
West

Fd L & Tk
F.B. 1050-18

PLACE

COURT

Pvmt
Rock & Oil

℄ TR. 11163-2
NOT CHECKED

Fd L & Tk
F.B. 1050-18

0.02

Fd
Bt spk

Fd L & Tk
F.B. 1050-18

SALMON AVE

PL

END

76F305 ICE#3 10 1-65

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
Job LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

Plotted on Geo. Index Card
Plotted on U.S.G.S. Quad. Sht. No. ___ Div. W.S. No. ___
Sketch all Geo. Desc. Card

Profile No. ___ X-Sec. No. ___

Plotted ___ Date ___
Notes Red ___ Date ___
Notes Chkd. ___ Date ___
Checked ___ Date ___

Division No. 11
Job No. 08240
Survey of ALAMITOS BAY
Survey by DREIER Notes H.R.S.
Indexed G. L. GALE Date ___

F.B. 3249 PG. 34

STATION	B.S.	H.I.	F.S.	ELEV.	
Fd L.B.B.M.#747	5 13	9 73		4.60	Fd L.B.B.M.#747 Elev. 4.600 (1961) 1ST ST. & BAYSHORE AVE. S.W. COR. P.C.C. Cylinder & brass button in H.H., 8.0'W. of W. curb & 49' S. of S. curb.
Set L.B. I-GC	5 16	9,23	5 66	4.07	Set L.B. I-GC Elev. ℄ of BAYSHORE AVE. 4' S. of ℄ 1ST St. Standard 4" brass tablet in conc. in H.H. dn below Pavement Surface
Fd L.B.B.M.#747			4 63	4 60	Fd L.B.B.M.#747 Elev. 4.600 (1961)

76F309S CE#310 1-65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 28, D-2

Notes Ck'd by J. A. CHURCH
Map No. B-3036
Office Work G. H. BOYER
Checked J. A. CHURCH
Date 7-67

Survey of ALAMEDA ST.
JN0096.72 Tape Std. °F
Surveyed by C. H. BOYER
Notes C. J. GALLI Date 6-8-67
Indexed

F. B. 3266 PG. 35

CONT PAGE 34

Tape @ 167 std @ 84.0°
163.59 Lev (T=72) = 163.58 ✓ 163.58
163.59 Lev (T=72) = 163.68 ✓

86.68 Lev (T=70) = 86.67 ✓ 86.68
86.69 Lev (T=70) = 86.68 ✓

(170)

DOMINGUEZ CHANNEL

(See page 34)

℄ of tracks 4.71 ✓

P.E. R.R. 12/lw

BRIDGE

℄ of tracks 4.71 ✓

Conc. Abut.

9.39 — 42 — 9c 1x2 small fl. @ 90° S.P.R.R.

BRIDGE

℄ of tracks 4.71 ✓

S.P. R.R. 12/42

Fd. F.C. BM.
R 111-126 LS 1964
IN CONC BRIDGE
ABUTMENT

(100)

86.68

COMM POINT 17

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3249 PG. 36 | Job No. 0882.40 | Division No. 11 | Notes Red | Plotted | Profile
Survey of ALAMITOS BAY | Date | No
Survey by DREIER | Notes Chkd. | Checked | X.Sec.
Notes JJ. BAZEN | Date | Date | No
Indexed C.J. CALL | Date | Date

STATION	B.S.	H.I.	F.S.	ELEV.	
B.M. #966	424	1092		6.68	BM #966 ELEV. = 6.682 (1962) So. of Ocean on Prospect ave. Lft in N end of third concrete step from the bottom seawall.
CITY L.B. G-6	640	1057	675	417	city L.B. G-6 (std. city mon in well)
			389	668	BM. #966 (see above)
CITY L.B. G-6	621	1038		417	city trav. sta. L.B. G-6 (see above)
T.P.	555	1048	545	493	T.P.
△ L.B. G-5B	528	1035	541	507	L.B. G-5B ELEV = Sq. hd. spk. & Tin. Per F.B. 3249-23
T.P.	532	9,84	583	452	T.P.
T.P.	660	1486	1,58	826	T.P.
△ L.B. H-5B			382	1104	L.B. H-5B ELEV. = 11.03 Per F.B. 3249-33. std. △ MON IN WELL.
CITY L.B.M. #217	461	1040		5.79	FD. CITY L.B.B.M. 217 ELEV. 5.794 1961 GIRALDA WALK & IONIA WALK S.Ly. COR BRASS DISC IN CONC. IN WELL 2E BACK OF THD.C.
L.B. J-6A	594	1020	614	4.26	L.B.J-6A L.B.Bm.#935, ELEV 4.282 1961 STD TR STA. N'ly SLy END IONIA WALK
L.B.B.M. 217			4,41	579	L.B.B.M.

Notes Ck'd by
Map No. B-3036
Office Work G. H. ROYER
Checked J. A. CHURCH
Date MAR 7 '67

Survey of ALAMEDA ST
JN 0096 72 Tape 160 Std 84 °F
Surveyed by C. H. Brown
Notes J. N. B Date 7-66
Indexed C. I. GALLI

F. B. 3218 Pg. 37

ALAMEDA ST

Cont. Pg. 22

BUREAU OF ENGINEERING CITY OF L.A. FIRST DIVISION SURVEY CONTROL

19.58

7886

0.15

20.48

SPRR (100)

Fd geod. cont. ref mark in L.A. City N.H., BM 12" Marked as shown No ref. FB 3174-87

0.39

78.86 Lev @ T 76° = 78.86
137.50 Lev @ T 76° = 137.49

137.49

Ed nail on split of rails

set nothing

709' (Rag tape)

PERR

0.10

0.08

208+58.3 Ed pk stin Dn

Fd pk w stin fl. No line check

Pum t. Pack & Oil

135.39 ℄ LINE

207+20.8 Fd bl spk w stin flush. at ints "Y" in white paint. FB 3174-86

NOTE: PLUSSES SHOWN TAKEN FROM STATIONING LABELED ON PUMT.

0.02

NOTE: 223rd ST. IS being WIDENED. IT has been accepted SUBJECT TO EASEMENTS & RESERVATIONS OF RECORD. INFORMATION NOT AVAILABLE TO ENGINEER AT THIS TIME BELIEVED SUFFICIENT TO ESTABLISH EXISTING TIES TO EXISTING POINTS & ESTABLISH DATUM

ST

19

17.5

EDGE of pvmt

194+00

Fd n. no line check made.

193+90.3 Fd bl spk w ST. ℄ USED FOR LINE.

DRIVEWAY TO CORMIER CHEVERLET

EDGE

(160)

W.S. 301 A-72

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend notes this side of this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F305 CE #247—3-57

F.B. PG. Profile
Survey of L. B. SUBSIDENCE Job No. 03106 Division No. 11 Notes Red Plotted
Survey by G.E. REIER Notes BAZELL & G.E.D. Notes Chkd. Date Checked
Indexed C. J. GALLI Date Date Date

X-Sec. No.

Placed on Sht. W. S. No.
Placed on U.S. Quad. Shts.
Marked on Engr. Bar Card
Skeletal on Base Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.		
(ELEV. for L.B. K-5 AUX-1.)						
B.M. 30-30A	11 87	18 39		652	B.M. 30-30A, 1962 Adj. elev. = 6.515 A State of Calif. br. disk set in conc. W. side Pac. Coast Hwy, 180' So. of bridge #53-64 & 86' W. & Coast Hwy.	
L.B. K-5 AUX1	137	1804	172	1667	L.B. K-5 AUX 1, elev. = 16.67.	
BM 30-30A.			1153	651	B.M. 30-30A. elev. = 6.515	
L.B.B.M. # 221	450	943		493	FD CITY L.B.B.M. #221 ELEV. 4.927 1961 CORSA DI NAPOLI & GENEVA WALK, S.W. COR. SPK IN INSTALLED AT W. CURB LINE PROD SLY.	
S.L.C. # 10	478	925	496	447	SET S.L.C. #10 CORSA DI NAPOLI & GENEVA WALK L&T IN WALK ON APPROX & GENEVA WALK 1FT N. OF N. EDGE OF CORSA DI NAPOLI	
L.B.B.M. # 221			432	493	CITY L.B.B.M. # 221	
L.B.B.M. # 218	450	934		484	FD CITY L.B.B.M. # 218 ELEV. 4.836 1961	
S.L.C. #11	549	913	570	364	3/4" I.P. S.L.C. #11	F.B. 3249-54.
			429	484	CITY L.B.B.M. # 218	

Notes Ck'd by J. A. CHURCH
Map No. B-3036
Office Work G. H. BOYER
Checked J. A. CHURCH
Date

Survey of ALAMEDA ST
JN 0303 00 Tape 167 Std B 1 °F
Surveyed by H. H. Brown
Notes IBES Date 6-66
Indexed C. J. GALLY

F. B. 3248 PG. 39 ✓

(See PAGE 35)

DOMINGUEZ CHANNEL

BRIDGE

250.37 (To P.O.) Lt = 250.26
250.38 (T. to) Lt = 250.26
Ang = 250.26

Fd. A std L A G.F.C brass tablet MARKED B.M. III-12620 1960" NO REF

8.60 8.79 8.75 8.60

1.5 1.5

31.78 1003

44.99 5.00 offset 250.26 Line

5.0 13.04 15.00 49.60 LEFT

P/L

Set 1X2EN Set 1X2EN

Fd. 2" I.P. Dn. 5" F.C. 3076-51

chain LK. fence

CONT RIGHT 14 x 7

CONT LEFT 15

℄ OF RAILS

P.E.T.C. R. R/W

SP R.R. R/W

(170) (170) (100)

RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink or Circled With Date and Name of Person Making Change.

Do not extend notes this side of this line.

76F3095 CE #247—3-57


F. B. 3249 Pg. 40
BAYSHORE WALK
L.B. J-7
FD. STD. TRI. MON
PER F.B. 696-97,98
19.22
CURB
FD. L&T.
TO L.B. K-7, ECC 2
64th PLACE
340.65
L&T.
FD. L&T.
CURB
OCEAN
BLVD.
F.B.G. 1094-42
F.B.G. 1109-27
55.43
TO L.B. K-7
TO L.B. I-6A
TO L.B. K-7 ECC 2
TO RIGHT PAGE 39
TO LEFT PAGE 27
38.28
45.60
FD. L&T. CURB
FD. L&T IN CURB
L.B. J-7A
FD. STD. TRAV. MON. IN WELL
PER F.B. 923-165, 166
F.B.G. 1094-42
ANGLES F.B.G. 1109-27,28
TEMP = 67° No CORR.
300.17
340.65
Marked on Rec. Index Card
Placed on U.S.C.&G.S. Pts. ----
Placed on Surv. Div. Pts. ----
Sketch on Rec. Desc. Card ----
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. B-3036
Office Work G. H. BOYER
Checked J. A. CHURCH
Date 7-27

Survey of Alameda St.
JN 096172 Tape 0257 Std 68° E
Surveyed by J. Brown
Notes V.B Date 4-66
Indexed C. T. CALLI

F.B. 324B PG. 41

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg. Do not extend this side of this line.

523.30 (T=70) Leu = 523.31
222.32 (T=70) Leu = 222.32

S.P. R.R.

S.P. R/W

764

LOMITA BLVD

END

No Pvmt.

LA City

LA County Boundry

Fd. 1X2 cn. F.L.

229.3

Line

523.31

222.32

75.28

9.20

24.14

804

PAGE 2 CONT

Fd. CO. ENG. PRE-CAST MAN MARKED AS FB 3174-115

UP 2" SHOWN

Fd. NOTHING IN HOLE bet. 1X2's

Fd. SQ. SPK & TIN IN TIE. No BCF online FB 3174-115

Note: MADE SEARCH FOR POINTS SHOWN C.S. B-680-1 Fd. NOTHING.

COUNTY ENGINEER O L.A. CO. L.A. CITY R.E. 5869

76F309S CE#310 1-65

F. B. 3249 PG. 42

INDEX

CONT. FROM PAGE 6

GEODIMETER NOTES IN F.B. 3607 - 37 TO 50

ANGLES IN F.B.G 1094

F.B.G. 1109



Noted on Geo. Index
Placed on U.S.G.S. Mis. 403
Placed on Sur. Rly. Prints
Sketch on Geod. Desc. Card

LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of ALAMEDA ST
Map No. B-3036	JN 0096-22 Tape 025 Std. CE °F
Office Work G. H. BOYER	Surveyed by J. H. Brown
Checked J. A. C[illegible]	Notes J. H. B Date 4-1-66
Date MAR 7 67	Indexed C. T. CAIN

F. B. 3248 Pg. 43

W, S, 28, D-3

Note! Any Additions or Changes on This Sheet Must be Made of Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 1-65

110 39 02 Pg 7
142 33 30
253 12 32
106 47 28 Expl
73 12 32

Ed. Co. ENGR MON. Pg 7

CONT PAGE 7

Cont'd Pg 7

FD Fd 399 60 LKS 73° 12' 35" 73 12 35 Prom. Meas. calc. 0.0'

(25)

FD L.A. CITY MON Page 7
L 180-00-30
4 00-02-20
L 00-03-30
Av 180-00-35
@ 399
DS 55-4

Fd bf. spk USED CTR-DN 2" FB 965-13

Fd L & Tk. DN 2" FB 965-13

Added cement 4 lots Fd 2" I.P.E RUSTY

NAIL R.S. 55-4 Rd. Dept. FD 399.80

Fd. Lg spk in cb. No. Ref.

City Bdy Line

Fd 2½" brass tablet in 2½" I.P. UP 3" above conc base at fence post

(26)

Fd L & Tk DN 2" FB 965-13

Fd 2x2 & nail pole No ref DN 2"

Fd L & Tk DN 2" FB 965-13

ALAMEDA

Edge Pvmt

Edge Pvmt

Ang. 76 (Thence 4 1/2 Lt to L.A. FB 106-35)

Line

Point on Curve

Point on Curve

Point on Curve

DESC

F. B. 3249 PG. 44

TRAVERSE STATION L.B. J-4

THIS STATION IS IN LOS ANGELES COUNTY IN EAST LONG BEACH AREA ON PACIFIC COAST HWY NEAR SLY END OF CURVE BETWEEN BELLFLOWER BLVD. & COLORADO ST.

STATION MARK: FOUND A STD. 4" BRASS TRAVERSE STATION DISC STAMPED "LONG BEACH J-4 1940 COUNTY SURVEYOR RE2177" 10 INCHES BELOW SURFACE UNDER CAST IRON COVER, PER F.B. 923-163, 164

R.M. NO. 1 NOT RECOVERED

R.M. NO 2 FOUND STD R.M. MON. STAMPED LONG BEACH J-4 R.M. NO 2 1940 COUNTY SURVEYOR R.E 2177" NEAR FLUSH PER F.B. 923-163, 164

Marked on Geo. Index Board
Placed on U.S.G.S. Shts.
Placed on Sur. Div. T.S. No. 403 Los Angeles
Sketch on Geo. Desc. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No. B-3036
Office Work G. H. BOYER
Checked
Date

Survey of ALAMEDA ST
JN 2096-72 Tape 0199 Std 68 °F
Surveyed by J A B Rowin
Notes J A B Date 12-21-66
Indexed C. J. GALLI

F. B. 3248 Pg. 45

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 30, A-12

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
409 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Fd. L & Tk
FB 3174-71

PUBLIC
SCALES

Fd. Ch. BELL TELEPHONE M.H. BLDG. FB 3174-71

Fd. Spk & T. P.P. L 7.58 S 44 E FB 3174-71

72 Not Meas Rec

N 20° 22' 20" W 1223.91

Rec N 11.57

Rec 10.00

Rec FB 3174

1223.91 FB 3174-71 P. 72

CARSON

Land Cont. FB (3rd)

Fd. Bf. spk. W. & T. @ INTS. 4 ton sq. spk. C.L. per FB 3174-71

Fd. Bf. spk W. & T. (sq. spk. out 3.00 N E E S E) FB 3174-71 USED FOR LINE (F.A.L.S. ON LINE between Bf. spk 11.57 West & Bf. Spk 10.00 E)

Fd. nail & T. T.P. S 90° 05' 06" W FB 3174-71

Fd. Bf. spk W. & T. (Set punch MARK at INTS 3.00 sq hd spk Ties. N E & S E)

ALAMEDA ST

CONT. 44' R/W

76F30BS DE #310 6-63

DESC.

F. B. 3249 PG. 46 TRAV. STA. LONG BEACH K-5 AUX.1

THIS STATION IS IN LOS ANGELES COUNTY, CITY OF LONG BEACH, E'LY SIDE, AT S.W. COR. OF PACIFIC COAST HWY. AND LOS CERRITOS CHANNEL, 1.5 FT. W. OF W'LY EDGE OF PAVEMENT, 72 FT. SLY FROM SLY END OF CONC. WALK ON W'LY SIDE OF CONC. BRIDGE

STATION MARK: SET A STANDARD TRAVERSE STATION BRAS DISC STAMPED "L.B. K-5 AUX.1 1965 L.A.CO.ENGR. R.E. 5869" IN CONC., 3 INCHES DEEP

R.M. No. 1 FD. RAMSET IN S.E. COR OF A LARGE CONC. SQUARE MANHOLE

R.M. NO. 2 FD L.&T. AT N.W. COR. OF BRIDGE IN CONC. WALK

R.M. NO. 3 SET L.&TAG IN CENTER OF WALK AT SOUTH BRIDGE ABUTEMENT ON LINE TO R.M. NO. 2

Plotted on Geo. Index
Plotted on U.S.C.&G.S.
Placed on Sur. Div. W. S. R.D.
Sketch on Geo. Desc. Card

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes-Ck'd by
Map No. B-3036
Office Work G. H. ROYER
Checked
Date

Survey of ALAMEDA ST
JN 0096-72 Tape TCO Std 84 °F
Surveyed by J. H. BROWN
Notes J.H.B. Date 1-23-67
Indexed G. J. GALLI

F. B. 3240 PG. 47

CONT. BOT PAGE 48

D 90 00 00
2) 180 00 00
Avg = 90 00 00

(90)
pvmt
conc

50+44.01
Fd L & Tk.
RD EO 399-79

50+44.01
Set L & CO ENGR.
tag ON LINE
at Ed L & Tks.

33.34 (T=60) = 33.33
33.34 (T=60) = 33.33
Avg = 33.33

50+43.67
Fd L & Sq Spk
No Ref

50+44.01
Fd L & Tk
RD DEPT.
EO 399-79

49+23.64
Fd L & Tk
No Ref

52.77 (T=60) = 52.76

50+44.01
Set L & CO ENGR tag
FL @ 90° ON LINE

48+71.88
Set L & CO.
ENGR. tag
IN. cb

Fd L & Tk
IN CONC CUT
No Ref

172.16 (T=60) = 172.13
172.16 (T=60) = 172.13
Avg = 172.13

49+71.88 PG 17
Set L & CO ENGR tag
FL ON LINE @ 90°
to Tk

94.98

D 90 00 00
2) 180 00 00
Avg 90 00 00

CONT TOP PG 13

ALAMEDA

conc

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red. Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN to
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7dF308S1 CE #310 6-63

DESC.

F. B. 3249 PG. 48 TRAV. STA. L.B. K-6A

THIS STATION IS IN LOS ANGELES COUNTY, EAST LONG BEACH AREA, ON CENTERLINE OF SECOND ST., 330.64 FT. EAST OF PACIFIC COAST HWY. IN CENTER DIVIDER ISLAND FLUSH WITH SURFACE.

STATION MARK: SET A STANDARD TRAVERSE STATION BRASS DISC STAMPED "LONG BEACH K-6A 1965 L.A.CO.ENGR. R.E.5869" IN CONC. FLUSH WITH BLACKTOP SURFACE OF TRAFFIC ISLAND

R.M. NO. 1, SET L.& TAG IN N. CURB AT 90° TO ℄ OF 2ND ST.

R.M. NO 2, SET L.&TAG IN S. CURB AT 90° TO ℄ OF 2ND ST.

Record of Survey Filed
Placed on U.S.G.S. Quads
Placed on Sur. Mon. Map
Sketch on Geol. Dept. Card

LOS ANGELES COUNTY ENGINEER
Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of L.B. SUB STUDIES
JN 0301.C.0 Tape 0185 Std 68 °F
Surveyed by G.E. DREIER
Notes G.E.D. Date 7-9-65
Indexed C. J. GALLI

F. B. 3249 Pg. 49

Note: Geo. Index Card Placed on U.S.G.S. Quad. Shts. Placed on Sur. Div. W.S. No. Sketch on Geo. Desc. Card

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

L.A.Co. SURVEY CONTROL SYSTEM TRIANGULATION

STATION LONG BEACH L-6

TO BOT. PG. 47

(1) 168 44' 00"
(4) 314 56 20
168 44 05
(C) 292 24 30
168 44 05



7 OF 309S C.E. #310 8-62

DESC.

F. B. 3249 PG. 50 TRI. STATION L.B. L-6

THIS STATION IS IN LOS ANGELES COUNTY, E. LONG BEACH AREA AND IS ON CONC. PEDESTRIAN WALK NEAR N.W. COR. OF BRIDGE ON PACIFIC COAST HWY OVER SAN GABRIEL RIVER

NOTE:- THIS BRIDGE WAS RAISED IN ELEV., PRECISE LINE #30 ELEV = 15.285 (1962) & ELEV. PER F.B. 3249-37 = 20.77 NOW.

STATION MARK FOUND A STD TRIANGULATION DISC STAMPED LONG BEACH L-6 1937 R.E. 2177 COUNTY SURVEYOR.

R.M.# Set Lead & L.A.CO.ENGR.TAG IN MOST WLY COR. TOP OF CONC. VAULT WITH M.H.

Plotted on Geo. Index #
Placed on U.S.G.S. Mo.
Placed on Sur. Div. Mo. 403
Sketch on Geo. Desc. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted on Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Co. Dist. Div. W.S. No.
Sketch on Geol. Desc. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of ALAMITOS BAY
JN 08840 Tape 0185 Std 68° °F
Surveyed by G.E. DREIER
Notes G.E.D. Date 6-29-65
Indexed C. J. GALLI

F. B. 3249 Pg. 51



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

Noted on Geo. Index Card
Plotted on U.S.G.S. Quad Sheets
Placed on Sur. Div. W.S. No. 403
Sketch on Geo. Desc. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



CONT. BOTTOM Pg. 51

CAD. TIE, APPROX. ℄ TO S.L.C. #10

F. B. 3249 PG. 52

76F309S CE #310 6-62

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Mailed ... Index Card
Plotted ... U.G.S. Quad. Shts.
Placed in Bk. ... Div. W.S. No.
Sketch on Geo. Desc. Card

CONT ON RIGHT PAGE 51

TREASURE

TRANSIT LINE

APPROX ℄

FD. C.F.

7.51

7.34

CONC WALK

CURB

PALERMO

20.01

FD. C.F.

C.F.

WALK

0.38

CURB

WALK

20.02

FD. N.℄ TAG, L.S. 2387, NO REF.

APPROX ℄

8.10

20.11

CURB

CONC. WALK

CURB

CONC. WALK

7.54

7.29

FD. C.F.

L.S. 2387

FD. C.F.

0.13

FD. C.F.

ISLAND DR.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of ALAMITOS BAY
JN 0882. HD Tape 0185 Std 68 °F
Surveyed by G.E. DREIER
Notes G.E.D. Date 6-29-65
Indexed C. J. GALL

F.B. 32449 PG. 53

S.L.C. #11 & TIE TO APPROX ℄

F. B. 3249 PG. 54

THE TOLEDO

TEMP = 66° NO CORR

FD. N. & TAG L.S. 2387 NO REF

ALLEY

FD. L. & T. APPROX ℄

ALLEY

FD. CHISLED "X" (C.F.)

WALK

TRANSIT LINE APPROX ℄

TEMP = 66° NO CORR.
ANGLES IN S.S.G. 1094

23.34

LIDO

8.13

FD. L. & T. NO REF.

LANE

15.09
20.14

12.00

FD. L. & T.
0.03

14.96
19.94

SAVONA
75.93

TO S.L.C. #10

CONC. WALLS

CORSA DI NAPOLI

84° 40' 25.4"
F.B. S.S.G. 1094-33

19.98
15.00

19.98
14.96

FD. 2X2 & TAG
L.S. 1339

SET L. & T.

S.L.C. #11

SEA WALL

12.19

VISTA DEL GOLFO

SET 1" I.P. CONC. PLUG & N.
DN. 5"

8.21

FD. C.F.

SET L. & T.

0.04

TO L.B. J-7

S.S.G. 1094-43
104° 53'

Noted on Geo. Index Sht.
Placed on U.S.C.&G.
Placed on S.W. Div. Mon. No. 403-Los Angeles County
Sketch on Geo. Desc. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of ALAMITOS BAY
JN 0882.40 Tape 0185 Std 68 °F
Surveyed by G.E. DREIER
Notes G.E.D. Date 6-29-65
Indexed C. J. GALLI

F. B 3249 Pg. 55

Noted on Index Card ✓
Placed on U.S. Quad. Shts.
Placed on Grid. Div. W.S. No.
Sketch on Geod. Desc. Card

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76 F 3095 C.E. #3 0 8-82

78 PP 40

ANGELO WALK

FD. L.&T. NO REF.

CURB

CAD. TIE APPROX. ℄ IONA WALK TO L.B.J-6A

GIRALDA WALK

TRANSIT LINE APPROX ℄

WALK

19.80 → 20.10
14.73 → 15.03
14.84 → 15.12
19.84 → 20.15

CURB WALK

LIDO LANE

FD. NAIL NO REF

TEMP=65°

(1) 161° 24' 00"
(2) 285 36 40
161 24 10
(3) 248 25 10
161 24 11⅔

14.90 → 14.92
19.95 → 19.98

SET L.&T. ON PROD

IONA

79.21

7-66

22.30

FD R.M. #1 L.B. J-6A

24.95

CONC. WALK CURB

CONC. WALK CURB

161° 24' 10"

SET SQ. SPK. & T. BY INTERSECTION

19.96 → 20.05
15.01 → 14.93

R.M. #2 NOT REC. UNDER CONC. SLAB

20.20

VISTA DEL GOLFO

TO B.J-7

S 58° 51' 29" E
FBG 1094.34

SEA WALL

FD. C.F. 403 NO REF.

LONG BEACH J-6A
SEE NEXT PAGE

TO L.B.K-7

TO PG. 22

F. B. 3249 PG. 56

LONG BEACH J-6A, (NEW TIES)



NOTE - CRACKS IN WALKS AND SEPARATIONS IN JOINTS INDICATE S'Ly MOVEMENT TOWARD BAY - PROBABLE SETTLEMENT

TEMP = 67°

Mailed on Rec. Index Card
Plotted on U.S.G.S. Map
Placed on Sur. Div. Map
Sketch on Geod. Data Card

203 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Noted ☐ Index Card
Placed ☐ U.S.G.S. Quad. Shts.
Placed on Sur. Div. W.S. No.
Sketch on Geod. Desc. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of ALAMITOS BAY
JN 088240 Tape 0185 Std 68 °F
Surveyed by DREIER
Notes J. BAZEN Date 6/30/65
Indexed
C.E. GALE

F. B. 3249 Pg. 57

CADASTRAL TIE "1ST & XIMENO TO L.B. G-58"

TO PAGE 21

(1) 91 06 00
(4) 04 24 45
91 06 11 1/4
(6) 186 37 00
91 06 10

FD Triang. Stn. L.B. H-58 (std. 4" mon) PER F.B. 923-153

Temp. = 46°
229.61 =
229.61'

XIMENO AVE

fd L&T
fd C.F.
conc. walk
curb
fd C.F.
conc walk
35.58'
32.24'
36.50'
fd L&T
fd C.F.
91.
06'
0.04'
fd L&T
10'
2.41
3.75'
34.26'
fd spk & WS flush, No REF.
Set 50 Hd. Spk. by Y int.
3.34'
229.61'
1ST ST
33.98'
30.53'
19.17'
33.75'
curb
fd. L&T.
conc. walk
fd C.F.
fd L&T
0.02'
fd L&T
conc walk
0.02'
fd C.F.
curb
FD Triang. L.B. G-58 Std. (30K F.)
PER F.B. 923-140
0.55'
19.40'

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

6F3095 C.E. #310 8-62

Noted on Geo. Index Card
Placed on U. S. C. & S. Charts
Placed on Sur. Div. U. S. No.
Sketch on Geo. Desc. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



F. B. 3249 PG. 58

Noted on Index Card
Placed on U.S.G.S. Quad. Shts.
Placed on Sur. Rlv. W.S. No.
Sketch on Geo. Desc. Card

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEOD. CONTROL
JN 0301.00 Tape 0185 Std 68 °F
Surveyed by G.E. DREIER
Notes G.E.D. Date 6-25-65
Indexed G. J. GALLI

F. B. 3249 PG. 59

L.A.Co SURVEY CONTROL SYSTEM TRIANGULATION STATION LONG BEACH L-7 AUX. 1



TEMP = 67° NO CORR.

97.40
32.27
65.13

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 C.E. #3 0 6-82

F. B. 3249 Pg. 60

DESC.

TRI. STA. L.B. L-7 AUX. 1

THIS STATION IS IN ORANGE COUNTY, CITY OF SEAL BEACH, IN ABANDONED P.E.R.R. R/W, SOUTH OF THE TRACKS BETWEEN 6TH ST. AND ALLEY EAST OF 6TH ST., ON LINE PROD. FROM L.B. K-7 THROUGH L.B. L-7

STATION MARK: SET A STD. TRIANGULATION STATION MON. STAMPED "LONG BEACH L-7 AUX 1 1965 L.A. CO. ENGR. RE 5869" 12" DEEP

R.M. NO. 1, USED R.M. NO 1 TO L.B. L-6 PER F.B. 942-83, 84

R.M. NO. 2 USED R.M. NO 2 TO L.B. L-6 PER F.B. 942-83, 84

Plotted on Geo. Index Card
Plotted on U.S.G.S. Shts.
Plotted on Sur. Div. T.S. No.
Sketch on Geo. Desc. Card

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
JN Tape Std °F
Surveyed by R. C. Wilson
Notes R. C. Wilson Date 3-74
Indexed G. D. BAILEY MAR 29 1974

F. B. 3249 PG. 61

Note: Any Additions or Changes on This Sheet Must be Made in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

GEODETIC CONTROL

AZUSA AREA

JN 0301.00

ZONE 7 TIE TO
VAN TASSEL MOTORWAYE

3-19 TO 3-27
1974

Wilson
Pyle
Barnett
Fisher
Florek
Martinez
McCoy

76F309S CE#310 3-69


F. B 3249 PG. 62
INDEX
AZ. F3 PG 63
MOTORWAY
TASSEL
VAN
PG 69
AZ G5
AZ
PG 67
H5
FISH
CYN
RD
AZ.
I6
PG 67
ENCANTO PKW
HUNTINGTON DR
FOOTHILL BLVD
AZUSA
GLENDORA
FB696-171
GLD. C5
GLD.
B6
RM 1
FB696-159
SANTA FE
FLOOD CONTROL
BASIN
AZ.
D11
FB940-193
Measurement of lines -
FB 3628-75 to 83
PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

GEODETIC CONTROL
Survey of
JN 32100 Tape Std °F
Surveyed by R. C. Wilson
Notes R. C. Wilson Date 1-24-74
Indexed B. D. BAILEY MAR 29 1974

F. B. 3249 PG. 63

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
AZUSA E3

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
AZUSA E3
1974
SET BY RE 7018
FOR INFORMATION SEE COUNTY ENGINEER



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

16F309S CE#310 3-69

F. B. 3249 PG. 64

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
AZUSA F3

300'± 174 48°T Measurements 50MTR*113

38.95' = 38.94' 11.873 = 11.870 = 38.94'
35.25' = 35.24' 10.745 = 10.742 = 35.24'
SLANT MEASURE dc = 6.97' RM1 TO RM2
61.28' = 60.88' = 60.865'
18.677 = 18.556 = 60.88' = 60.865'

AREA
This trav. stn. is located in the city of Monrovia, on the w'ly side of Van Tassel Cyn, 2500'± E ≠ 1500'± S of the N.W. Cor. of sec 17 T1N R10W, on the w'ly side of a power trans. line service road.

ROUTE From its intersection with Fish Cyn road, travel n'w'ly on Van Tassel Motorway 0.2 mile to gate ≠ fire lck; continue 0.5 mile ≠ cross stream; continue up grade 1.3 mile ≠ pass under trans. lines; continue up grade 2.7 mile to a trans. service rd on the rt; turn rt ≠ pass towers (down grade) 0.3 mile and pass to the E around tower; continue down grade 0.2 mile to a "Y" bear rt. up steep rd, then down grade 500'± to the station @ a wide spot in the road.

STATION MARK: A 4" L.A. Co. Sur. Cont. Sys. brass trav. disc stamped "AZUSA F3 1974 RE7078" set in an 8" conc. post, 2" above ground. No sub-surface mark set.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of GEODETIC CONTROL
Jk 3200 Tape Std °F
Surveyed by R. C. Wilson
Notes R. C. Wilson Date 3-7-74
Indexed S. D. BAILEY MAR 29 1974

F. B. 3249 PG. 65

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
AZUSA F 3

REFERANCE MARKS:

RM 1: A 4" L.A. Co. Sur. Cont. Sys. brass ret. mark disc stamped "AZUSA F3 RM 1 1974 RE 7078" up 2" and set in an 8" conc. post.

RM 2 Same as RM 1, except stamped "RM 2".

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F309S CE#310 3-69

F. B. 3249 PG. 66

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
AZUSA F3

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN0301.05 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes C.A. PYLE Date 3/28/74
Date	Indexed by G.D. BAILEY MAR 29 1974

F. B. 3249 PG. 67

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
AZUSA I6



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309s CE#310 3-69

F. B. 3249 PG. 68

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
AZUSA IG

300' TAPE #174 MEASUREMENTS 50 MTR. M3

39.185' LEV @ 60° = 39.175' 11.943M LEV. @ 58° = 39.173'

18.59' LEV @ 60° = 18.59' 5.667M LEV @ 58° = 18.59'

AREA & ROUTE

THIS TRAVERSE STA. IS IN L.A. CO. IN THE VICINITY OF THE SAN GABRIEL VALLEY GUN CLUB, ADJACENT TO THE SAN GABRIEL RIVER. IT IS ON APPROX. ℄ OF ENCANTO PKWY. (WHICH BECOMES FISH CYN RD.) 1.23 MILES NORTH OF ITS JUNCTION WITH FOOTHILL BLVD. (HUNTINGTON DRIVE). ENCANTO PKWY ℄ IS THE CORPORATE BDRY. LINE BETWEEN DUARTE & AZUSA. THE STATION IS ON A HIGH SPOT ON THE ROAD AT THE FLOOD CONTROL DIKE CROSSING. IT IS 500' N & 1300' W OF THE S.E. COR. OF SEC. 21, T.1N., R.10W. SEE USGS 7½' SHEET "AZUSA CALIF." QUAD. 1966

STATION MARK

FD. A SPIKE & TIN, RESET A LARGE BOAT SPIKE WASHER & TIN. SPIKE & TIN APPEARED TO BE SET ON ℄ OF ENCANTO PKWY. (FISH CYN RD) L.L. BROWN TO VERIFY.

REFERANCE MARKS

RM 1 – A 4" BRASS REFERANCE MARK DISC STAMPED: "AZUSA IG RM 1 1974 RE 7078" SET IN AN 8" CONC. POST WHICH IS 3" ABOVE GRD. SET ON TAN. TO AZUSA H5 FROM AZUSA IG ALSO TAN TO AZUSA IL RM 2.

RM 2 – IDENTICAL TO "RM 1" EXCEPT STAMPED: "RM 2" SET ON TAN. PROD. FROM RM 1 THROUGH AZUSA IG. ALSO TAN. PROD. FROM AZUSA H5

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN ____ Tape ____ Std ____ °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes R. C. Wilson Date 3-27-74
Date	Indexed G. D. BAILEY MAR 29 1974

F. B. 3249 Pgs. 69

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
AZUSA G5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.



16F309s CE#310 3-69

F. B. 3249 PG. 70

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION

AZUSA G5

300' #174 55°T Measurements 5 Mtr #M3

16.34' =	16.34'	4.980^m =	4.980^m = 16.34'
27.83' =	27.82'	8.484^m =	8.481^m = 27.82'
26.73' =	26.72'	8.147^m =	8.144^m = 26.72'

AREA
This trav. sta. is located in the city of Duarte, on the wly side of Van Tassel Cyn, 600'± N & 750'± S of the N.E. Cor of SEC 20, T 1 N, R10W, 80'± east of Van Tassel Motorway, at a transmission tower site.

ROUTE: From its intersection with Fish Cyn Rd, travel n'wly on Van Tassel Motorway 0.2 mile to gate & fire lock; continue 0.5 mile & cross stream; continue upgrade 1.3 mile & pass under trans. lines; continue up grade 0.5 mile to a sharp curve to the left, the trans. tower on the rt, & the sta. 80'± east of road.

STATION MARK:
A 4" L.A. Co. Sur. Cont. Sta. brass trav. disc stamped "AZUSA G5 1974 RE 7018" up 2" & set in an 8" conc. post. No sub-surface mark set.

REFERENCE MARKS:
None set except as shown.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of GEODETIC CONTROL
Map No.	JN 0301.00 Tape Std °F
Office Work	Surveyed by R. C. Wilson
Checked	Notes C. A PYLE Date 3/28/74
Date	Indexed G. D. BAILEY MAR 29 1974

F. B 3249 Pg. 71

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
AZUSA H5

L.A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
AZUSA H5
1974
SET BY
RE 7078
FOR INFORMATION SEE COUNTY ENGINEER

SEC. 21
T. 1 N.
R. 10 W.



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 8-69

F. B. 3249 Pg. 72

L. A. COUNTY SURVEY CONTROL SYSTEM
TRAVERSE STATION
AZUSA H5

AREA & ROUTE

THIS TRAVERSE STA. IS IN L.A. CO. IN THE VICINITY OF VAN TASSEL CYN., ON TOP OF A 1C DIA. CONC. FIRE CISTERN 70'± EAST OF THE VAN TASSEL HWY. IT IS 2280'± S. & 200'± E. OF THE N.W. COR. OF SEC. 21, T1N, R10W. SEE USGS 7½ SHEET "AZUSA CALIF." QUAD. 1966. FROM ITS JUNCTION WITH FISH CYN. RD. TRAVEL N.WLY. ON VAN TASSEL HWY. 0.20 MILE TO A GATE (L.LOCK), PASS THROUGH AND CONTINUE THROUGH THE HIXON RANCH 0.50 MILE TO A SMALL STREAM BEGIN TO ASCEND AND PROCEED 1.10 MILES TO A WIDE SPOT IN THE ROAD AT A FIRE CISTERN SITE AND THE LOCATION OF THE STATION.

STATION MARK

A 4" BRASS TRAVERSE STA. DISC STAMPED "AZUSA H5 1974 RE 7078" BONDED FLUSH ON THE TOP OF A 1C CONC. FIRE CISTERN.

REFERANCE MARKS

THREE C.E. TAGS SET IN LEAD WITH BRASS TACKS, SHOWN ON PG. 71

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not Remove this Slip
Note: Any Additions or Changes on This Sheet Must Be Made on Circled in Red With Date and Name of Person Making Change.