Survey of
JN Tape Std °F
Surveyed by:
Notes Date
Indexed

F.B. 3261 Pg.

Job	Description
	CITY TERRACE AREA 0959.38
Trans. Line	Street ℄ & aerial control.
Cont.	Photo control & profile checks.
Cont.	℄ for aerial control.
Prof.	Aerial photo profile checks.
Prof.	Rd. Dept. photo control profile check lines.
Prof.	Aerial mapping check profile lines.

Microfilmed Feb. 85

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of City Terrace
JN 095938 Tape 0242 Std 68 °F
Surveyed by Burkholder
Notes D.L.B. Date 8-18-65
Indexed C. J. GALLI SEP 29 65

F. Bk. 3261 Pg. 5

J.N. 095938

CITY TERRACE

AERIAL CONTROL

PARTY

Burkholder
LeBault
McCall
Bankson
Rangel

8-1965

X

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this map of this line.

76F3095 SAE #24 11-64

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

CONT'T FR PG #7



F. B. 3226 Pg. 6

Notes Ck'd by OSHITA	Survey of City Terrace
Map No.	JN 065938 Map 0242 Std 08 °F
Office Work	Surveyed by Bulkholder
Checked	Notes DLB Date 8-55
Date	Indexed C. J. GALLI

F. B. 3261 Pg. 7



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SAE #242 11-55

F. B. 3261 Pg. 8

I = 76°
886.73 Lev. = 886.78.

ST

Fd. L & T. Per C.E. F.B. 25608-16

Fd. L & T. Per C.E. F.B. 25608-16

0.06

FOLSOM

37.99

45.23

ST

(30)

886.78 ✓

℄ Line 2

38.19

38.75

(30)

To Bot. Pg # 9

Fd. L & T Per C.E. F.B. 25608-16

0.03

91° 47' 20"

Fd. Spk in Ld. Per C.E. F.B. 25608-16

0400 CT-12A

INT Fd. Spk W & T Flush Per C.E. F.B. 25608-16 W/4 Tan Sqnd. Ties Per Rd. F.B. 386-72

INDIANA

℄ Line 3

D 91°-47'-20"
A 367-09-20
Δ 190-44-00
91-47-20 ✓

(30) (30)

To Top Pg # 10

1-0 L SM

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of City Terrace
JN 059.38 Tape 0242 Std 68 °F
Surveyed by Burkholder
Notes D.L.B. Date 8-65
Indexed C. J. GALM

F. B. 326 Pg. 9

WS 2, E-1

T=78°
813.02 Elev. = 813.07

To Lt. Pg # 11

(30) (30)

ST

813.07

Set Ld. & C.E. Tag (back walk)

Set Ld. & C.E. Tag (back walk)

8+86.78

± Pt. Fd. Bt spk & W Flush, W/4 Tan Sq. hd. Tie, Per R.D. F.B. 386-71

C.T. 12

D 164-49-08"
D 299-16-00
D 268-54-00
164-49-00

164°-49'-00"

41.72

32.

34.92

40.32

Set Ld. & C.E. Tag (back walk)

Set Ld. & C.E. Tag (back walk)

EOLSOM

886.78

℄ Line

To Rt. Pg # 8

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 SAE #247 11-68

F. B. 3261 Pg. 10

To Bot. Pg# 8

WS 7.0-1

Fd. L&T & Prod

Fd. L&T

32.29

42.96

20.03

Fd. L&T

C.T. 7
Set P.M. on M.H. Cover @ Int of 4 P.M.'s on M.H. Rim Pt. fell 0.02 East of ℄ Line

T= 78°
248.55 @ Len. = 248.57

LORENA ST.

℄ Line

248.57

ST.

Fd 1/2 Spk. Pt. in Line of Fence 0.15 S & 0.46 E of Pt.

Fd L&T

Fd L&T

48.81

AVE

26.82

BROOKLYN

11.44

48.12

0°33'

61°07

Fd L&T

Fd L&T

Fd Spk. No Ret.

INDIANA

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of City Terrace
Map No.	JN 09538 Tape 0242 Std 68° °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 8-65
Date	Indexed G. J. GALLI

F. B. 326 PG. 11

W 57, E-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this data of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

16+99.85
Int.
Fd. Bt. Spk w&T
Flush, Per
R.D.F.B. 386-70

16+99.85
Int.
Set P.M. on M.H.
Cover @ Int. of
4 Sq. hd. spk & W
Per R.D.F.B.
386-70

(30) (30)

℄ Prod. ↗

AVE

T = 74°
7.79 Lev. = 7.79
26.77 Lev. = 26.77
358.15 Lev. = 358.16

Fd. L&T
F.B. 1804-37

45.63

358.16

To Bot Pg# 13

Fd. L&T
F.B. 1804-37

29.32

℄ Line ↗

73.37

31.89

ST.

7.79

813.07

℄ Line ↗

88.12

26.77

30.96

Fd. L&T
F.B. 1804-37

104°-08'-50"

(30)

To Top Pg# 9

EOLSOM

27.76

Fd. L&T
F.B. 1804-37

72°-33'-40"

ROWAN

P.O.T.
Fd. Bt. Spk w&T
Fl. Per F.B. 1804-37

D 72°-33'-40"
Δ 290-14-40
ℓ 75-22-00
72-33-40

D 104°-08-50"
Δ 56-35-20
ℓ 264-53-00
104-08-50

To Top Pg# 12

76F309S SSE #247 11-68

F. B. 3261 Pg. 12

SHEET

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



To Bot Pg# 11

(30) (30)

AVE

℄ Prod.

Fd. L & T in cb.

Fd. L & T in cb.

43.14

55.38

DR.

30.77

22.71

Fd. L & T in cb.

FLORAL

Fd. L & T in cb.

ROWAN

P.O.T.
Fd. B & Spk
W & T Ft. Per
F.B. 1804-36

76F3098 S&E #247 11-68

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 7, E-1

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of CITY TERMINUS
JN 03738 Tape 2202 Std 60° °F
Surveyed by BELKNAP & GAULT Date 8-65
Notes L.C. J. GAULT
Indexed

F. B. 2261 Pg. 13

Set Ld & CE Tag
+0 Bot Pg 420
20.01
20.52
90°
Set Spk w/ ft
Set Ld & CE Tag
284.51 @ 84° = 284.54 ✓
583.61 @ 84° = 583.67 ✓
(30)
(30)
Set Ld & CE Tag
Set Ld & CE Tag
+0 Rt
(30)
358.16 ✓
13.06
371.09
(30)
15702
(30)
Folsom St
Pg 11
Pg 27
39
CHISTOU M.H. RIM
Set Ld & CE Tag (Camelback)
204.71 OTE 6M
IN
SCRIBED SPK
REC DIST. FROM MONUMENT
PCH TANGENT
Set Ld & CE Tag
RD EXT W RIM
ELEV 22.3
RD EB 386-69

15701 @ 78° = 15702
371.06 @ 80° = 371.09

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 7, D-1



76F309S S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W5.7, D-1

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of CITY TERRACE
JN 09732 Map 2242 Std. 60 °F
Surveyed by C.L. GALLI
Notes C. L.
Date 8-65
Indexed C. L. GALLI

F. B. 226 PG. 45

From top Pg #14

180.13 @ 72° = 180.13

(25)

(25)

1+80.13
Set by ⅛ Points on N. 12th Ave.

ALMA AVE

(30)

(30)

(30)

2+04.96
Set Spk w/ Lt

24.83

28.44

30.25

Fd Lft

24.78

29.67

44.37

Set L & CE Tag in Wall

Set L & CE Tag in Wall

to Lt

Pg #16

F. B 3261 PG. 16

MSL 04

LOS ANGELES COUNTY ENGINEER
708 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

AVE

(30) (30)

352.73 N 82° E 352.73

54.25 SQ FT

FD LEAD & TACK IN CURB

FD LEAD & TACK IN CURB

BLANCHARD

20.65

66.54

SET PK NAIL & SHINER

(25) (25) (25)

299.20

25.13

℄ LINE

℄ LINE

352.73

S 84 E

54.05

24.90

21.12

FD LEAD & TACK IN CURB

FD LEAD & TACK IN CURB

FD 2" IP PLUG & TACK L.S. L.A.P. #B-1425 T.L. #9580

HICKS

299.27 N 78° E 299.27

(30) (30)

RE DOT FB RE 70.5-2 FOL 146.5

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of City Tenance
JN 095988 Tape 0242 Std 68 °F
Surveyed by LeCault
Notes P.L. Date 8-65
Indexed C. J. GALLI

F. B. 3261 Pg. 17

W.S.Z.B-1

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S S&E #247 11-68

4 Ave

(30) (30)

Set CE Tag IN Curb

19.13

Pg # 16

BLANCHARD

59 15

(25)

Pg # 18

℄ Line

33273

33716

19.62

Flow Rt

60 45

to ℄

Set CE Tag IN Curb

CT 11A
8"SS 98
SAN SPG MH

PITMAN

(30) (30)

33713 82° = 33716

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

WS 7, E-1



76F3095 S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W57 E-1

16+30.45

Set P on M.H. Record dis from section line from N. used for line to East. Also set ⊕ tan P on M.H. Rim.

From Rt Pg # 18

359.97@80:36.00

Fd L&T PCL FB 1804-39

BLANCHARD

℄ LINE

R26 B/J

90° 00' 07"

Fd Ld & Cr Tag in Curb

to Lt

ROWAN

(30)

℄

AVE

(30)

34.15

20.

35.58

46.89

(30)

(30)

33.02

30.29

36.26

Pg # 22

Fd Bt Spike PCL FB 1804-39

Fd L&T in Sidewalk

℄ LINE

360.00

(25)

(25)

to Lt

Pg # 20

Set Ld & Cr Tag in Curb

90-00-10
00-00-20
180-00-40
90-00-06 1/3

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of CITY FULL ACRE
JN 83788 Tape 02442 Std °F
Surveyed by LEGAULT
Notes P.L. Date 8-55
Indexed G. J. GALLI

F. B. 326 / Pg. 19

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.T.E-1




Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date
Survey of City Terrace
JN 19598 Map 2242 Std 60 °F
Surveyed by Lic Surv
Notes D.L. Date 8-65
Indexed C. J. GALLI
F. B. 3261 PG. 21
WS 7, E-1
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this line of this line.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.
76F309S SEE #247 11-66
to LF
(25)
(25)
Sc+Ld&CE Tag Plug IN CONC WALK.
174.91 @ 90° = 174.94
157 - 17 - 32
268 - 10 - 30
223 - 45 - 33
151 - 11 - 33
174.94
53
53
22+11.02
INT. SCE SPKG W. REC DIST. FROM EAST MALL ST. PEL-JANSS LL.
Sc+Ld&CE Tag 1/2 IN CONC WALK.
Sc+Ld&CE Tag 1/2 IN CONC WALK
Sc+Ld&CE Tag Plug IN. CONC WALK
BLANCHARD
℄ LINE
200.57
56.00
200.57
(25)
From LF
(25)
Pg #26

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

467 E-1



F.B. 3261 Pg. 22

76F3095 CE #310 6-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 7E-1

to R+ Pg # 31

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of
Surveyed by
Notes Date
Indexed G. J. GALLI

F. B. 3261 Pg. 23

Fd 4 Tacks Lgt IN CURB Fd E/B 1804-31 For C. South

Fd Lgt IN Curb

BROOKLYN

(40)

332.07 @ 88° = 332.11

90-02-60
00-16-00
180-34-00
180-02-00

to Bot Pg # 24

Fd Lgt IN CURB

FAGE

AVE

90° 04' 00"

40.21

40.21

(80)

(80)

(80)

℄ LINE

332.11

40.21

40.21

Fd 2 Lgt 2' +ies. to LINE South

Fd Lgt IN CURB

Fd Lgt IN CURB

0+00 Lnt Fm ℄ AGE AVE N. Fd E/B 1804-31 Ties From LINE to the North.

AVE

(40)

(40)

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.7, E-1



76F309S CE #310 6-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 7 E-1



Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of [illegible]
JN [illegible] Sid. 68 °F
Surveyed by [illegible] Date 8-65
Notes
Indexed G. J. GALLI

F. B. 226 PG. 25

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 7, E-1



76F3095 S&E #247 11-58

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line of this line.

W.S.7 E-1

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of CITY TERRACE
JN 23288 Tape 2242 Std. 68 °F
Surveyed by L.C. FAULT
Notes
Indexed C. J. GALLI
Date 8-65

F. B. 2261 PG. 27

FROM top

Tg #13

(30)

(30)

(30)

(30)

(30)

(30)

(30)

(30)

Tg #28

Tg #24

FROM top

TO bot

+ 789

100.44 @ 11-31 = 98.43
100.23 @ 10-54 = 98.42

98.43
272.66
371.09 total

27264 @ 78° = 27266

365.99 @ 88° = 366.04

75-57-10
303-24-20
95-06-10
75-51-02

371.09

20-47.25

21.14

21.88

37.84

EAST

EAST

EAST

EAST

SET L&T CR IN CURB

SET L&T CR IN CURB

EAST

EAST

+ LINE

366.04

+ LINE

415.51

1ST 20" S.T.M.N.
24+42 CURB E
SET SQ H.C. PIN
by Int.

415.46 @ 88° = 415.51

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



Notes Ck'd by M. OSHITA	Survey of CITY TERRACE
Map No.	JN 085938 Tape 0242 Std 68 °F
Office Work	Surveyed by L C GAULT
Checked	Notes P.J. GALLI Date 8-65
Date	Indexed

F. B. 326 / PG. 29

WS 7 E-1

to tot

Pg # 30

(30)

(30)

AVE

598-54

PCL FB 356-200

Fd LEAD IN CURB

Fd LEAD IN CURB

BLANCHARD

44 44' to

(30)

50 11

13.69

17.00

14'-

ST

(30)

53.42'

66 05

175.00'

Fd CR TAG IN WALK.

Fd CR TAG IN WALK

70 | 45.08

Fd PT IN CONC "DONUT" TIES Fd PCL FB 356-202 - USCS FOR LINE SOUTH

10899

T LINE

FACE

(30)

(30)

① 175-14-50

② 340-59-40

③ 331-28-00

175-14-50

From Top

Pg # 28

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S SAE #247 11-66

F. B. 326/ PG. 30



LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this date of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3098 CE #310 6-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 7, E-1



Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of [illegible] Map 0202 Sid. 69 °F
Surveyed by [illegible]
Notes P&T
Indexed R. J. GALLI Date 8-65

F. B. 772 Pg. 37

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W57, E-1



F. B. 3261 Pg. 32

Notes Ck'd by M. OSHITA	Survey of KITTRIDGE AVE #2
Map No.	JN 095938 Tape 8242 Std. 68 °F
Office Work	Surveyed by LeCAULT
Checked	Notes D L. Date 8-65
Date	Indexed C. J. GALL

F. B. 326 I PG. 33

CITY TERRACE

AREA #2

J.N. 095938

PARTY

~~Buchanan~~

LeCAULT

McCALL

TRAUGER

Date - 8 - 1965

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3099 CE #310 6-63

Index

F. B 326-1 Pg. 34



EASTERN AVE



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


0.56
0.21
30°
AVE
Ref Dept Line Corr
Ref Dept Line Corr
Ref Dept Line Corr

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of City Terrace A-82
JN 095938 Tape 68 Std °F
Surveyed by LeGAULT
Notes D. L. Date 8-65
Indexed G. J. GALLI

F. B. 3261 PG. 37

W.S. 56, A-1

to R+ Pg # 38

① 124-35-30
④ 138-22-10
⑥ 27-33-40
124-33-36 3/3

① 124-37-00
④ 138-27-00
⑥ 27-40-40
124-36-46 3/3

26+86.54
Fd BT Spk & Tag
TCL FB 3156-104
Rd Dept FB 340-6

AVE

T LINE FB 3156-104

Rd Dept LINE

ST

Pg # 39

HALLECK

EASTERN

0.03

54.29 S 67 E

Fd Ld & T No REC

Fd C.R.T. & T FB 3156-104

to BT Pg #

BISZANTZ

ACCESS

Rd

5670 R+ Rd Dept 340-6 5669 FB 3156-104

0.11

36-41 1/2

3 1/2

0.015

Fd Ld & T FB 3156-104

124°

26+26 S2

Fd BT Spk & T & Tack & Shiner 4' N & 4' W Spk TCL FB 3156-104 Rd Dept FB 340-6

From to Pg # 36

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3099 CE #310 6-63

F. B. 3261 PG. 38



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of City Terrace
JN 0959-38 Tape 0242 Std 60° F
Surveyed by Le Gault
Notes D. L. Date 8-65
Indexed C. J. GALLI SEP 29 '65

F. B. 3261 PG. 37

WS 35-A-1

HELEN DR

Rd FB 306-100
Fd Spk & W.
& TAN Spk. TIE

Rd Dept FB 306-100
Fd Spk & W
& TAN Spk. TIE
USED FOR
LINE TANGENT

60.41 R.
60.40 M.

Fd L&T
IN Curve on
Rel Rd Dept
FB 306-100

AVE

Rel Rd Dept
FB 306-100
Helen DR

HANCK

From Rt Pg 37

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-62

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey City Terrace Alley
JN 09-5738 Tape 60 Std °F
Surveyed by LaFault
Notes PC Date 8-65
Indexed C. J. GALLI

F. B. 3261 PG. 41

WS 36 A-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

74F309S CE #3101 6-62

Fd Ld & t IN Concrete Walk PCL FB 2956-22 Rd Dept FB 340-11

Fd Spk W & T PCL FB 3156-113 36.87-64

City Terrace Dr

FB 3156-113

Alley

FB 2956-22 Rd Dept FB 340-15

124.83

31°-12'11"

Fd Spk W & T PCL FB 2956-22 Rd Dept FB 340-11

Fd Ld & t IN Cone Dr PCL FB 2956-22 Rd Dept FB 340-14

Fd Bf Spk W & T PCL FB 3156-175 82.46.91

Fd Bf Spk W & T PCL FB 3156-175 & 176

Eastern

Fd Cone R PCL FB 3156-115 & 176

Fd Spk W & T PCL FB 2956-22 Rd Dept FB 340-14

Set Spk and Lath

1340

① 75-13-10
② 302-04-40
③ 93-07-10
75-31-11
L3

F. B. 3261 - PG 42



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of CITY TERRACE ZONE 7
Map No.	JN 0959.38 Tape 9147 Std 68 °F
Office Work	Surveyed by G.E. DREIER
Checked	Notes G.E.D Date 8-24-65
Date	Indexed C. J. GALLI

F. B. 3261 PG. 43

CITY TERRACE ZONE 7
COORDINATE CONTROL

JOB NO. 0959.38

DREIER
WILKS
MATHER
BUSTRUM

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 3261 PG. 44

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of CITY TERRACE
JN 075938 Tape 0147 Std 68 °F
Surveyed by G.E. DREIER
Notes G.E.D. Date 8-23-68
Indexed C. J. GALLI

F. B 3261 Pg. 45

27.600
35
27.565

41.208
41.192

W.S. 7.0-Y

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

SET SQ. SPK & T. BY INTER.

135.13 FT.
41.190 M.

PROD

117° 08' 19.5"
PER F.B.C. 1044-39 #0

PROD.

ST.

BROOKLYN AVE.

CONT ON LEFT OF NEXT PAGE #6

SET L. & TAG IN CURB

55.98

BROOKLYN AVE

90.42 FT
27.562 M.

WALK

SET L & TAG.

84.14

TRAV. LINE
(℄?)

ALHAMBRA ABC
FD. HEX BAR IN CONC.
10 INCHES DEEP
UNDER COVER
PER CITY 10673-120

59.35

58.75

SET L.& TAG. IN CB.

LORENA

CITY INVAR LINE (℄?)

TO ALH. A-8B

SET L & TAG IN CURB

TEMP 76° NO CORR
TAPE 200 STD @ 68°
135.14 = 135.13

76F3095 CE # 310 3-61

F. B 3261 Pg. 46

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this slide of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

CONT. ON RIGHT OF PREVIOUS PAGE 45

STREET

FD. L&T.

FD. SQ SPK & T. PER CITY L.A #604-15

48.82

26.82

135.13 PROD

39.52

FD. SQ. SPK. 0.03

11.44

BROOKLYN AVE.

NOT TAN

FD. SQ. SPK. PER CITY 19604-15

49.05

48.72

TO & PER

69.56

FD. L&T.

FD. L.&T.'s IN CURB

N. INDIANA

TEMP = 70°, NO CORR

Notes Ck'd by M. OSHITA	Survey of CITY TERRACE	F. B. 326 / Pg. 47
Map No.	JN 0959.38 Tape 0147 Std 68 °F	
Office Work	Surveyed by S.E. DREIER	
Checked	Notes S.E. DREIER Date 8-24-64	
Date	Indexed C. J. GALLI	

WS 3 6A-2

TAPE # 0123 STD. @ 68°
T = 82°
1309.43 = 1309.55
1309.47 = 1309.59
MEAN = 1309.57
F.E.B. by W.D.B.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3005 CE # 310 3-61

AVE.

FD. L&T. IN CURB

℄ INTER. TOW. FD. L&T. DN 1" PER ROAD F.B. 277-2 & 2A

64.72

69.13

FD. L&T.

1804 BROOKLYN AVE

TO ℄ PER, F.B.

℄

1309.57 P.O.T. SET SQ. SPK & T

PROD.

2.52

1.70

℄

FD. B. SPK. W. & T.

℄ INTER. TO E. FD 4 TAN Δ ON M.H. RIM PER RD. F.B. 277-2A.

71.21

51.13

FD. L&T. IN CB.

FD. L&T. IN CB.

EASTERN

TEMP = 74°
No COR.

CONT. NEXT PAGE 48

F. B 3261 Pg. 48



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

TEMP = 83°
327.08 = 327.11
327.085 = 327.11

Notes Ck'd by		Survey of	
Map No.		JN	Tape Std °F
Office Work		Surveyed by	
Checked		Notes	Date
Date		Indexed	R. J. GALLI

F. B. Pg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 3261

PGS. 49-70

BLANK

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this title of this line.

79F309S CE #310 6-62

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of CITY TERRACE
JN 095238 Tape Std °F
Surveyed by BURKHALTER
Notes Date 2-65
Indexed C. J. GALLI

F. B. 3261 PG. 71

CITY TERRACE

AREA

JN 095238

AERIAL PHOTO CONTROL

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #3 10 6-62

F. B. 3261 Pg. 72

INDEX TO PHOTO CONTROL POINTS



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of CITY TERRACE
JN 085736 Type Std °F
Surveyed by BURKE.
Notes Date
Indexed G. J. GALLI

F. B 3261 PG. 73

INDEX NO.	POINT NAME	FIELD BOOK HORIZ	REFER. VERT.
1	C.T. 1	3261 - 147	3261 - 84
2	C.T. 2	3261 - 147	3261 - 147
3	3	3261 - 141	3261 - 141
4	4	3156 - 72	3261 - 77
5	5	3156 - 123	3261 - 76, 77
6	6	3261 - 152	3261 - 152
7	7	3261 - 10	3261 - 11
8	8	3261 - 146	3261 - 86
9	9	3158 - 88	3261 - 79
10	10	3158 - 57	3261 - 79
11	11	3261 - 18	3261 - 129
12	12	3261 - 9	3261 - 125
13	13	3261 - 148	3261 - 148
14	14	3261 - 145	3261 - 145, 86
15	15	3261 - 144	3261 - 144
16	16	3261 - 145	3261 - 145
17	17	3157 - 165	3261 - 80
18	18	3156 - 152	3261 - 88
19	19	3158 - 16	3261 - 102
20	20	[redacted]3157 - 152	3261 - 100
21	21	3261 - 151	3261 - 116
22	22	1804 - 21	3261 - 115

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78E3095 C.E. #310 6-62

F. B. 3261 Pg. 74

INDEX NO.	POINT NAME	FIELD HORIZ		BOOK REF. VERT.		
23	C.T. 23	3261 -	146	?		
24	C.T. 24	3261 -	146	3261 -	146	BT
25	25	3156 -	160	3261 -	89	
26	26	2956 ?	102	3261 -	99	
27	27	3261 -	150	3261 -	94	
28	28	1804 -	9	3261 -	94	
29	29	3261 -	149	3261 -	149	
30	30	3261 -	155	3261 -	155	
31	31	3156 -	176	3261 -	90	
32	32	3156 -	104	3261 -	106	
33	33	3261 -	153	3261 -	111	
34	34	2863-10 +	3166-10	3261 -	107	
35	35	2700 -	134	3261 -	117	
36	36	3156 -	243	3261 -	96	
37	37	3261 -	150	3261 -	114	

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

#68420 S & E-383 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
ROOM 2 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
						CITY TERRACE AREA
						TBM's for Aerial Control
						Elev. 299.59
						Bushnell Network Aerial Surveys

OSHITA Loop 8-8-55 Survey of City Terrace
Chief of Party R. E. Rhodes
Rodman R. A. B. Date 9-7-55
Inspected C. J. Gall Date SEP 29 55

708420 B & E-388 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0353.38 SURVEY OF City Terrace Area NOTES RED M. OSHITA
SURVEY BY Burkholder DATE
NOTES BY D.L.B. DATE 5-7-65 NOTES CHKD.
INDEXED G. J. GALLI DATE DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. EL.EV.	DESCRIPTION
B.M. Sy 878	415.68					B.M. Sy 878 El. 415.678 Per Rd Dept. L&N E.Cb. of N. Ditman Ave. 20ft. S. B.C.R.C. S.E. Cor. Ditman Ave & City Terrace Dr.
+	7.85					
=	423.53					
-	3.96					
T.P.	419.57					T.P.
+	3.59					
=	423.16					
-	10.58					
T.P.	412.58					T.P.
+	4.04					
=	416.62					
-	7.14					
B.M. Sy 880A Fd.	409.48					B.M. Sy 880-A El. 409.483, Per Rd. Dept. R.D. Mon. in Well P.O.S.T. @ Dobinson St. & City Terrace Dr. (C410.0' = El. Top Center Cap) F.B. 3156-123 = C.J. 5
+	9.13					
=	418.61					
-	0.41					
T.P.	418.20					T.P.
+	11.70					
=	429.90					
-	0.18					
T.P.	429.72					T.P.
+	11.82					
=	441.54					
-	0.53					
T.P.	441.01					T.P.
+	11.47					
=	452.48					
-	3.15					
T.P.	449.33					

765480 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN.	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	449.33					T.P.
+	0.70					
∡	450.03					
-	10.08					
T.P.	439.95					T.P
+	3.83					
∡	443.78					
-	4.93					
C.T. & B.M.(Set)	438.85					C.T. & B.M. N. Alma Ave & Atwood St. a Rd. C.E. Tag El. in Conc. Pvmt 7'E. of M.O.C. of S.W. Curb On 4' offset Line (18+976)
+	5.62					F.B. 3156-72 = C.T. &
∡	444.47					
-	1.25					
T.P.	443.22					T.P.
+	8.95					
∡	452.17					
-	0.57					
T.P.	451.60					T.P.
+	1.29					
∡	452.89					
-	11.89					
T.P.	441.00					T.P.
+	0.45					
∡	441.45					
-	10.36					
T.P.	431.09					T.P.
+	0.35					
∡	431.44					
-	10.46					
T.P.	420.98					T.P.

RECORD NO. M. OSHITA Jobs No. 09-5 M.E. SURVEY BY City Terrace Area
DATE SURVEY BY Buckholder
NOTED CHKD. NOTES BY D.L.B. DATE 9-7-65
DATE INSPECTED E.J. GALLI DATE
DATE

NOTES RED. M. OSHIT
DATE
NOTES CHKD.
DATE

JOB NO. 0059.38 SURVEY OF City Terrace Area
SURVEY BY Burkholder DATE 9-2-65
NOTES BY D.L.B. DATE
INDEXED C.J. GALLI DATE

766450 S & E-358 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	420.98					T.P.
+	0.30					
=	421.28					
-	8.00					
T.P.	413.28					T.P.
+	3.80					
=	417.08	+3.39				
-	7.61					
B.M. SY880-A	409.47				409.48	B.M. SY880-A El. 409.483, Per Rd. Dept. R.D. Mon. in Well, P.O.S.T. @ Dobson St. & City Terrace Drive. = C.T. 5
B.M. SY878 (F&)	415.68				415.67	B.M. SY878, El. = 415.678 Per Rd. Dept. L & N. E. Cb. of N. Ditman Ave. 20 H. So. T.C.R. @ S.E. Cor. Ditman Ave & City Terrace Dr.
+	11.85					
=	427.53	+3.39			427.56	
-	0.97					
B.M. SY877 (F&)	426.56				426.540	B.M. SY877, El. = 426.540 Per Rd. Dept. L & N. N. Cb. Townsend. Ave. 70 E. & City Terrace Dr.
+	4.60					
=	431.16				431.19	
-	0.65					
T.P.	430.51				430.49	T.P.
+	10.49					
=	441.00				440.98	
-	2.19					
T.P.	438.81				438.79	T.P.

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED M. OSHITA JOB NO. 0359.32 SURVEY OF City Terrace Area
DATE SURVEY BY Buckholder
NOTES CHK'D NOTES BY R.L.B. DATE 9-7-65
DATE INDEXED C. J. GALU DATE

F.B. 3261 Pg. 72

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	439.81					T.P.
+	5.55					
=	445.36					
- (set)	5.97					
Bm CT 10	439.39					Bm CT 10 City Terrace Dr. & E. Pomeroy St. a fd. C.E. Mon. in well, & Int. from East. F.B. 3158-57, El. Top Cap = 440.14
+	1.90					
=	441.29					
-	10.06					
T.P.	431.23					T.P.
+	0.34					
=	431.57					
-	10.20					
T.P.	421.37					T.P.
+	2.11					
=	423.48					
-	3.53					
(Fd) B.M. SY 875	419.95					B.M. SY 875 El. = 419.928 Per Rd. Dept. L & N. 20' E. B.C.R. N. Cb. Ramboz Dr. & City Terrace Dr.
(Fd) B.M. SY 874A	403.38					B.M. SY 874A, El. = 403.377 Per Rd. Dept. L & T. E. Cb. City Terrace Dr. @ & Prod. Marengo St.
+	3.02					
=	406.40					
-	6.71					
(Fd) B.M. SY 873A	399.69					B.M. SY 873A El. = 399.689 Per Rd Dept. R.D. Mon. in well & Int. Rowan Ave & City Terrace Dr. (El. Top Lid = 400.28) F.B. 3158-98 = C.T. 9
+	4.25					
=	403.94					
-	3.27					
T.P.	400.67					T.P.

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0959.38 SURVEY OF City Terrace Area NOTES RED. M. Osuna DATE
SURVEY BY Burkholder NOTES CHKD. DATE
NOTES BY D.L.B. DATE 9-7-65
INDEXED G. J. GALLI DATE

F.B. 3261 Pg. 80

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	400.67 ✓					T.P.
+	10.82					
⅄	411.49 ✓					
-	0.69					
T.P.	410.80 ✓					T.P.
+	8.34					
⅄	419.14 ✓					
-	2.03					
T.P.	417.11 ✓					T.P.
+	8.41					
⅄	425.52 ✓					
- (Ed)	1.30					
BM. S.Y. 872	424.22					B.M. S.Y. 872, El. = 424.21', Per Rd. Dept. L & N. in Conc Walk 21' S. B.C.R. @ S.W. Cor. Herbert Ave & E. City Terrace Dr.
+	0.74					
⅄	424.96					
-	4.67					
Bm CT17	420.29					BM CT17 E. City Terrace Dr. & N. Herbert Ave, a fd. Bt. Spk. W & T Fl. ~~(E Int')~~ 3.7' N. of fd. Bt. Spk W & T. Fl. (Int. of ⅄ Lines F.B. 3157-165)
+	10.11					
⅄	430.40					
-	2.53					
T.P.	427.87					T.P.
+	3.18					
⅄	431.05		53			
TBm (Ed)	6.83					TBm
~~CT~~	424.22				424.22	~~CT~~ N. Herbert Ave, & E. Whiteside st. S.W. Cor. a fd. Ld. & T in M.O.C. Cb. See pg 144 for El. @ Int. = CT15
+	9.45					
⅄	433.67	+8.94				
-	0.51					
T.P.	433.16					T.P.

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.1	433.16					T.P.1
+	11.50					
∧	444.66	+11.32				
-	0.18					
T.P.	444.48					T.P.
+	2.29					
∧	446.77	-9.27				
-	11.56					
T.P.	435.21					T.P.
+	0.54					
∧	435.75	-11.04				
-	11.58					
T.P.	424.17					T.P.
+	0.96					
∧	425.13	+.42				
-	0.54					
T.P.	424.59					T.P.
+	11.31					
∧	435.90	+8.49				
-	2.82					
T.P.	433.08					T.P.
+	0.49					
∧	433.57	-11.29				
-	11.78					
T.P.	421.79					T.P.
+	0.36					
∧	422.15	-10.76				
-	11.12					
T.P.	411.03					T.P.1

NOTES RED M. OSHITA JOB NO 0959 38 SURVEY OF City Terrace Area
DATE SURVEY BY Buckbolder
NOTES CHKD. NOTES BY D.L.B. DATE 9-7-65
DATE INDEXED C. J. GALLI DATE

F.B. 3261 Pg. 81

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0959.38 SURVEY OF City Terrace Area NOTES RED. M. OSHITA
SURVEY BY Burkholder DATE NOTES CHKD.
NOTES BY D.L.B. DATE 9-8-55 DATE
INDEXED G. J. GALLI DATE

F.B. 3261 Pg. 82

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	411.03 ✓					T.P.
+	1.40					
∧	412.43 ✓	-6.78				
-	8.18					
T.P.	404.25 ✓					T.P.
+	0.45					
∧	404.70 ✓	-7.61				
-	8.06					
T.P.	396.64 ✓					T.P.
+	11.35 ✓					
∧	407.99 ✓	+10.69				
-	0.72					
T.P.	407.27 ✓					T.P.
+	11.47 ✓					
∧	418.74 ✓	+10.21				
-	1.26					
T.P.	417.48 ✓					T.P.
+	0.28					
∧	417.76 ✓	-9.53				
-	9.81					
T.P.	407.95 ✓					T.P.
+	1.27					
∧	409.22 ✓	+.82				
-	0.45					
T.P.	408.77 ✓					T.P.
+	10.85					
∧	419.62 ✓	-1.10				
-	11.95					
T.P.	407.67					T.P.

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED M. OSHITA JOB NO 09538 SURVEY OF City Terrace Area
DATE SURVEY BY Buckholder
NOTES CHKD. NOTES BY R.B. DATE 9-8-65
DATE INDEXED J. GALLI DATE

F.B. 3261 Pg. 83

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	407.67					T.P.
+	0.26					
=	407.93	-11.64				
-	11.90					
T.P.	396.03					T.P.
+	0.40					
=	396.43	-11.53				
-	11.93					
T.P.	384.50					T.P.
+	0.39					
=	384.89	-11.58				
-	11.97					
T.P.	372.92					T.P.
+	0.73					
=	373.65	-7.07				
-	7.80					
T.B.M. (set)	365.85					T.B.M. Fowler st. & Whiteside st. (Ent ?) L.A. Co. Rd. Dept. Mon. in Well (Stamped 1963) (CT-2 Painted on Pvmt) El. Cap = 366.72
+	3.70					
=	369.55	-4.60				
-	8.30					
T.B.M. (set)	361.25					T.B.M. Fowler st. & Indiana ave. Ld. & T. in So. Cb. 11" East & Prod. of Indiana Ave. (Painted B.M.) See pg* 144 for El. 1x2 @ Int. = C.T. 3
+	3.76					
=	365.01	-2.30				
-	6.06					
T.P.	358.95					T.P.
+	4.60					
=	363.55	-.16				
-	4.76					

See pg* 147 for El. @ int.
T.B.M. Indiana St. & 1st st. No. of Fowler st. (Lancaster Ave?) S.W. Cor. a Sq Hd. Spk in Ld. @

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 09538 SURVEY OF City Terrace Area NOTES RED. M. OSH
SURVEY BY Buckholder DATE
NOTES BY D.L.B. DATE 9-8-65 NOTES CHKD.
INDEXED C. J. LASLLI DATE

F.B. 3261 Pg. 84

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M. (Set)	358.79 ✓					T.B.M. Bot. Pg # 83
+	4.39					
^	363.18 ✓	+1.00				
-	3.39					
T.P.	359.79 ✓					T.P.
+	8.67					
^	368.46 ✓	+4.08				
-	4.59					
T.P.	363.87 ✓					T.P.
+	4.61					
^	368.48 ✓	-.32				
Bm	4.93					Bm
CT 1 (Set)	363.55 ✓					CT 1 Indiana St. & Alcazar St. (℄ int?)
+	4.10					Set Sq. hd. Spk @ Int. of 4 sq. hd spk & W Ties.
^	367.65 ✓	-1.35				F.B. 3261-147
-	5.45					
T.P.	362.20 ✓					T.P.
+	5.05					
^	367.25 ✓	+.79				
-	4.26					
T.P.	362.99 ✓					T.P.
+	7.96					
^	370.95 ✓	+6.17				
-	1.79					
T.P.	369.16 ✓					T.P.
+	9.02 ✓					
^	378.18	+1.84				
-	7.18 ✓					
T.P.	371.00 ✓					T.P.

769420 B & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	371.00					T.P.
+	2.04					
∧	373.04	-3.44				
-	5.48					
T.P.	367.56					T.P.
+	6.18					
∧	373.74	+2.79				
-	3.39					
T.P.	370.35					T.P.
+	11.95					
∧	382.30	+8.98				
-	2.97					
Bm C.T.B (set)	379.33					Bm C.T.B ~~Fowler~~ Fowler st & Adkisson st. (Cent.) A Rd. Dept. Mon in well, (El. Top Cap = 380.18) F.B. 3261-146.
+	6.04					
∧	385.37	-.69				
-	6.73					
T.P.	378.64					T.P.
+	5.43					
∧	384.07	-.64				
-	6.07					
T.P.	378.00					T.P.
+	9.08					
∧	387.08	+.96				
-	8.12					
T.P.	378.96					T.P.
+	4.82					
∧	383.78	-.82				
-	5.64					
						T.P.

NOTES RED M. OSHITA JOB NO. 0959.38 SURVEY OF City Terrace Area
DATE SURVEY BY Burkholder
NOTES CHKD NOTES BY R.A.B. DATE 9-8-65
DATE INDEXED C. J. GALLI DATE

F.B. 3261 Pg. 85

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0959.38 SURVEY OF City Terrace Area NOTES RED. M. OST
SURVEY BY Burkholder DATE
NOTES BY D.L.B. DATE 9-8-65 NOTES CHKD.
INDEXED S. J. GALLI DATE

F.B. 3261 PG. 86

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	378.14 ✓					T.P.
+	7.44					
∧	385.58 ✓	+3.43				
−	4.01					
T.P.	381.57 ✓					T.P.
+	6.43					
∧	388.00 ✓	+1.88				
−	4.55					
T.B.M. (Set)	383.45 ✓					T.B.M. Bonnie Beach Pl. & So. Pacific R.R.
+	2.80					West side, 12' So. of No. end Cb. @ Fire Hyd.
∧	386.25 ✓	-4.63				Bt. spk in Ld. See PS #14B for El. of
−	7.43					Bt spk on ℄ = C.T. 13
T.P.	378.82 ✓					T.P.
+	6.69					
∧	385.51 ✓	+2.66				
−	4.03					
Bm C.T. 14 (Set)	381.48 ✓					C.T. 14
+	8.93					T.B.M. Medford st. & Knowles Ave. (℄ int?)
∧	390.41 ✓	+5.69				A Rd. Dept. Mon. in Well, El. Top Cap = 382.12
−	3.24					F.B. 3261-145
T.P.	387.17 ✓					T.P.
+	6.53					
∧	393.70 ✓	+3.83				
−	2.70					
T.P.	391.00 ✓					T.P.
+	6.16					
∧	397.16 ✓	+3.39				
−	2.77					
T.P.	394.39 ✓					T.P.

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	394.39 ✓					T.P.
+	7.89					
∧	402.28 ✓	+6.01				
−	1.88					
T.B.M. (Set)	400.40 ✓					T.B.M. Whiteside St. & Miller Ave. S.W.
+	4.00					Cor, Age Bt. spk in P.P.# 556736 E.
∧	404.40 ✓	-.15				
−	4.15					
BM CT 24 (Set)	400.25 ✓					C.T. 24
+	1.28					~~T.B.M.~~ Whiteside St. & Miller Ave (E Int ?)
∧	401.53 ✓	-6.57				Int. of 4 ch't" on M.H. Rim F.B. 3261-146
−	7.85					
T.P.	393.68 ✓					T.P.
+	3.52					
∧	397.20 ✓	-1.23				
−	4.75					
T.P.	392.45 ✓					T.P.
+	9.85					
∧	402.30 ✓	+8.86				
−	0.99					
T.P.	401.31 ✓					T.P.
+	8.73					
∧	410.04 ✓	+4.70				
−	4.03					
T.B.M. (Set)	406.01 ✓					T.B.M. Whiteside st & Bonnie Beach PL.
+	10.43					A Rd. Dept. Mon in Well, 30'± West of &
∧	416.44 ✓	+9.53				Int on & of Whiteside, El. Top Cap = 406.93
−	0.90 ✓					See Pg # 145 for El. @ Int.
T.P.	415.54 ✓					

NOTES RED M. OSHITA JOB NO. 0959.32 SURVEY OF City Terrace Area
DATE SURVEY BY Burkholder DATE 2-8-65
NOTES CHKD NOTES BY R.L.B. DATE 2-8-65
DATE INDEXED C. J. GALLI DATE

F.B. 3261 Pg. 87

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0959.38 SURVEY OF City Terrace Area NOTES RED. M. OSH...
SURVEY BY Burkholder DATE NOTES CHKD.
NOTES BY D.L.B. DATE 9-8-65 DATE
INDEXED G. J. GALLI DATE

F.B. 3261 Pg. 88

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	415.54 ✓					T.P.
+	10.56					
∧	426.10 ✓	+8.82				
-	1.74					
T.P.	424.36 ✓					T.P.
+	9.45					
∧	433.81 ✓	-1.24				
-	10.69					
T.P.	423.12 ✓					T.P.
+	1.68					
∧	424.80 ✓	+1.23				
-	0.45 ✓					
B.M. SY 872	424.35					B.M. SY 872 El. 424.21 ✓, F.B. 3261-80, L & N. in Conc. Walk, 21' S. B.C.R. @ S.W. Cor. Herbert Ave & City Terrace Dr.
B.M. SY 872	424.22 ✓					B.M. SY 872 El. 424.21 ✓ See Above
+	2.15					
∧	426.37 ✓					
-	4.80					
T.P.	421.57 ✓					T.P.
+	6.31					
∧	427.88 ✓					
-	4.97					
T.P.	422.91 ✓					T.P.
+	5.21					
∧	428.12 ✓					
-	8.34					
~~T.B.M.~~ (Set)	419.18 ✓					C.T. 18 ~~T.B.M.~~ Bonnie Beach Pl. & City Terrace Dr. R.D. Mon. Int. ∧ in ...
B.M. CT 18						

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED M. OSHITA JOB NO. 0959.38 SURVEY OF City Terrace
DATE SURVEY BY Burkholder
NOTES CHKD NOTES BY D.L.B. DATE 3-8-65
DATE INDEXED C. J. GALLI DATE

F. B. 3261 Pg. 89

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M.	419.78					T.B.M. Bot. Pg # 88
+	5.04					
=	424.82					
-	8.55					
T.P.	416.27					T.P.
+	5.20					
=	421.47					
-	2.79					
T.P.	418.68					T.P.
+	8.86					
=	427.54					
-	0.99					
T.P.	426.55					T.P.
+	7.19					
=	433.74					
-	5.62					C.T. 25
Bm C.T. 25 Set	428.12					T.B.M. City Terrace Dr. & Miller st.
+	8.98					Bt. Spk W & T. (65+35.07) F.B. 3156-160
=	437.10					
-	3.92					
T.P.	433.18					T.P.
+	8.65					
=	441.83					
-	0.97					
T.P.	440.86					T.P.
+	11.16					
=	452.02					
-	1.67					
T.P.	450.35					T.P.

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

9.45

Do not extend notes this side of this line

JOB NO. 0959.38 SURVEY OF City Terrace Area NOTES RED. M. OSHITA
SURVEY BY Burkholder DATE NOTES CHKD.
NOTES BY D.L.B. DATE 9-8-65
INDEXED C. J. GALLI DATE

F.B. 3261 PG. 90

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	450.35					T.P.
+	6.15					
⊼	456.50					
-	5.43					
T.P.	451.07					T.P.
+	3.87					
⊼	454.94					
-	3.59					
T.P.	451.35					T.P.
+	7.49					
⊼	458.84					
-	3.33					
Bm CT 31 (set)	455.51					C.T. 31 ~~T.B.M.~~ Eastern Ave & City Terrace Dr. Bt. Spk W & T Int. ⊼ Lines (84+46.9) F.B. 3156-176
+	5.00					
⊼	460.51					
-	5.02					
T.B.M. #5 (FD)	455.49					T.B.M. #5 1962 Adj. Elev. 455.497 F.B. 2863-26 Eastern Ave & City Terrace Dr. In N.E. Cor. in cb. on Line Prod. of No. Side Hse # 1454, Bt. Spk in cb.
+	3.68					
⊼	459.17					
-	6.12					
T.P.	453.05					T.P.
+	0.70					
⊼	453.75					
-	10.07					
B.M. 61-4 (FD)	443.68					B.M. 61-4, 1962 Adj. Elev. = 443.688, F.B. 2863-11 Eastern Ave & Rogers st. & Int. L.A. Co. Rd. Dept. Mon. in Well, Mkd "L.A Co. Road Dept 1960".
+	5.94					
⊼	449.62					
-	4.81					
T.P.	444.81					T.P.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED IN INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED'D. M. OSHITA JOB NO. 09538 SURVEY OF City Terrace Area
DATE SURVEY BY Burkholder
NOTES CHK'D. NOTES BY M. Guerrero DATE 2-18-60
DATE INDEXED E. J. Gallo DATE

F.B. 3261 PG. 91

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	444.81					T.P.
+	5.82					
⊼	450.63					
−	4.80					
B.M. 53-A (CFA)	445.83					B.M. (Fd) 53-A El. Pointed 440.09
+	4.94					Eastern end of State College BM.
⊼	450.77					A Brass cap and Calif. Dept. of Public
−	10.29					N.E. Cor of overpass See pg 149 for El. Int.
T.P.	440.48					T.P. = CT 29
+	6.23					
⊼	446.71					
−	10.80					
T.P.	435.91					T.P.
+	0.25					
⊼	436.16					
−	11.34					
T.P.	424.83					T.P.
+	0.47					
⊼	425.30					
−	11.82					
T.P.	413.48					T.P.
+	0.49					
⊼	413.97					
−	11.25					
T.P.	402.72					T.P.
+	0.24					
⊼	402.96					
−	11.20					
T.P.	391.76					T.P.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0959.38 SURVEY OF City Terrace Area NOTES RED. M. OSHITA
SURVEY BY Burkholder DATE
NOTES BY Kaufman DATE 7-13-65 NOTES CHKD.
INDEXED C. J. GALLI DATE DATE

F.B. 3261 PG. 92

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	391.76					T.P.
+	2.20					
=	393.96					
−	7.90					
T.B.M. (Set)	386.06					T.B.M.
+	0.29					So. side Romona Blvd., 800' E. of Long Beach Fwy., 10' E. of Sec. Line
=	386.35					29,30, A.P.K. nail in cb, (near hse # 4466) See Pg 155 for El. of Sq. hd. spk in Street. = C.T. 30
−	10.14					
T.P.	376.21					
+	1.79					
=	378.00					
−	11.49					
T.P.	366.51					T.P.
+	0.28					
=	366.79					
−	11.73					
T.P.	355.06					T.P.
+	0.34					
=	355.40					
−	10.51					
T.P.	344.89					T.P.
+	2.44					
=	347.33					
−	4.01					
(Fd) B.M. 61-5	343.32					(Fd) B.M. 61-5 Elev. 343.313 F.B. 2863-12 Romona Blvd. Undercrossing E.A.B. Fwy. in S'ly side Romona Blvd, 22.5' E. of ch. lk. fence cor. 1.0'S of #6. in the S'ly cor. of conc. Culvert. A. Co. Eng. B.M. bi-ass cap mon. Mkd "B.M. 61-5 R.E. 5869, 1961. set in conc.

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED IN, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED M. OSHITA JOB NO. 2252.38 SURVEY OF City Terrace Area
DATE SURVEY BY Burbidge
NOTES CHKD. NOTES BY DATE 9-13-63
DATE INDEXED DATE SEP 29 '63

F.B. 3261 PG. 93

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
Fd SY 5693	269.18					Fd SY 5693 Elev. 269.135 Per Rd. Dept. R.D. Mon. in N'ly 3' Below Surface 1.5' E'ly Int. Brooklyn Ave. & Brannick Ave. Fnd (L.A.Co. RD Dept. 1957)
+	5.11					
π	274.29					
−	3.90					
Fd SY 5699	270.39					Fd SY 5699 Elev. 270.39 [illegible]
+	10.25					
π	280.64					
−	1.16					
T.P.	279.48					T.P.
+	10.56					
π	290.04					
−	0.59					
T.P.	289.45					T.P.
+	11.36					
π	300.81					
−	0.25					
T.P.	300.56					T.P.
+	8.19					
π	308.75					
−	2.19					
T.P.	306.56					T.P.
+	8.27					
π	314.83					
−	2.00					
(Fd) SY 5706	312.83					Fd SY 5706 Elev. 312.83 Per Rd. Dept. L.S. B.M. E. Cb. 2' S. B.C.R. @ S.E. Cor. Brannick Ave. & Humphreys St. 38' S. 20' E. & Int. in Sw. B.M.
+	5.16					
π	317.99					
−	5.74					
T.P.	312.25					T.P.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0959.35 SURVEY OF City Terrace Area NOTES RED M. OSHITA
SURVEY BY Burkhalter DATE
NOTES BY Newman DATE 5-13-55 NOTES CHKD
INDEXED C. J. GALT DATE DATE

F.B. 3261 Pg. 94

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	312.25					T.P.
+	4.00					
=	316.25					
−	4.60					
(B.M.) T.B.M.	311.65					(B.M.) T.B.M. Elev. 311.65 Brannick Ave. & Fisher St. N. W. Cor. A Cut Spk. in N. C.R. (Elev. of Top M.H. & Fisher St to W. 311.62) (F.B. 1804-9) ECT 2.8
+	4.46					
=	316.11					
−	5.47					
(Fd) SY 4592	310.64					(Fd) S.Y. 4592 Elev. 310.627 Per Rd. Dept. W.E.T. W. Cb & prod Floral Dr. 45' S. B.C.R. 18' W. & Brannick Ave.
(Fd) S.Y. 4593	340.76					(Fd) S.Y. 4593 Elev. 340.763 Per Rd. Dept. Sq. Hd. spk. S. Cb 5' W. B.C.R. 33' W. & Brannick Ave. 25' S. & Folsom St. (Elev. 341.35 Br. Spk. & Intrs. Brannick Ave & Folsom St. West)
+	6.96					
=	347.72					
−	7.88					
T.P.	339.84					T.P.
+	1.35					
=	341.19					
−	9.49					
(Fd) S.Y. 4594	331.70					(Fd) S.Y. 4594 Elev. 331.708 Per Rd. Dept W.E.T. N. Cb. 6' E. Future B.C.R. 15' N. Blanchard St., 50' E. & Brannick Ave. MKd B.M. (Br. Spk. & Intr. Brannick Ave & Blanchard St. Elev. 332.86) F.B. 3261-150
+	3.43					
=	335.13					
−	1.69					
T.P.	333.44					T.P. CT-27
+	0.71					
=	334.15					
−	11.16					
(Fd) SY 4595	322.99					(Fd) S.Y. 4595 Elev. 322.999 Per Rd. Dept. Sq. Hd. Spk. E. Cb 2' So. B.C.R. 33' S. Blanchard St. & 20' E. & Marianna Ave.

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED M. OSHITA JOB NO. 9459.38 SURVEY OF City Terrace Area
DATE SURVEY BY Beardsley DATE 9-13-65
NOTES CHKD NOTES BY DATE
DATE INDEXED C. J. GALLI DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
SX. L595	323.99					see p. 97
+	1.51					
≠	324.50					
−	11.28					
T.P.	313.22					T.P.
+	2.39					
≠	315.61					
−	7.13					
T.P.	308.48					T.P.
+	10.64					
≠	319.12					
−	1.06					
T.P.	318.06					
+	10.56					
≠	329.62					
−	1.83					
(Ed) B.M. 61-2	326.79					(Ed) B.M. 61-2 Elev 326.734 F.B. 2863-9 Eastern Ave. E. E. Blanchard & Sta. V.E. Cor. 59.5' N'ly of L.A. & Blanchard St. 26.5' S'ly of C.P. & 127.090' E. 28' S. W'ly of Sta. 1+72.2 on S'ly side of 5 1/8 NE'ly of the SE Cor. of A. Co. End. 3½" Brass Cap Mon. in B.M. 61-2, R.E. 5826, Sht. 3 set in Conc. 12" below the surface with H.H.C. tap.
+	1.42					
≠	328.21					
−	11.98					
T.P.	316.23					
+	0.60					
≠	316.83					
−	11.01					
T.P.	305.82					T.P.
+	1.29					
≠	307.11					
−	10.14					
T.P.	296.97					T.P.

F.B. 326 PG. 95

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO 0967.38 SURVEY OF City Terrace Area NOTES RED M. OSHITA
SURVEY BY Burkholder DATE
NOTES BY Newmark DATE 9-13-65 NOTES CHKD
INDEXED G. J. GALLI DATE DATE

F.B. 3261 Pg. 56

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	296.97					T.P.
+	1.39					
⊼	298.36					
−	7.60					
Set ~~B.M.~~ C T 36	290.76					Set C T 36 ~~B.M.~~ Elev. Eastern Ave & Fetzer Ave to West
+	3.47					BT. Sph. on E.T. at Tline Int's 12+43.28
⊼	294.23					Rec. in B. 3136-343
−	8.24					
Fd. B.M. 61-1	285.99					(Fd) B.M. 61-1 Elev. 285.882 ✓ F.B. 2863-9
+	5.80					Eastern Ave & Floral Dr. N.E. Cor. 42.5' N.
⊼	291.76					of N. end of cb. Ret. A BT. Spk. in head in
−	1.64					cb.
T.P.	290.12					T.P.
+	9.26					
⊼	299.38					
−	2.16					
T.P.	297.22					T.P.
+	7.87					
⊼	305.09					
−	3.35					
T.P.	301.74					T.P.
+	8.16					
⊼	309.90					
−	2.02					
T.P.	307.88					T.P.
+	6.65					
⊼	314.53					
−	3.90					
(Fd) S.Y. 4592	310.63					(Fd) S.Y. 4592 Elev. 310.627 Per Rd. Dept. h.c.t. w. cb & prod Floral Dr. 45° & B.C.R. 18' W & Brainard Ave.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. M. OSHITA JOB NO. 695.38 SURVEY OF City Terrace Area
DATE SURVEY BY. Burk Parker
NOTES CHKD. NOTES BY. Parker DATE
DATE INDEXED. C. J. GALLI DATE

F.B. 3261 Pg. 97

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
(Fd) BM SY 4595	323.00					(Fd) B.M. S.Y. 4595 Elev. 322.999 Set Pol. in pt. Sq. Hd. Spk. in Cb. 2.5' S. & 3.0' E. of Sidewalk Jct. S.E. 20' E. of Manhole in Ave.
+	11.72					
T	334.72					
−	0.60					
T.P.	334.12					T.P.
+	11.25					
T	345.37					
−	0.44					
T.P.	344.93					T.P.
+	10.64					
T	355.57					
−	0.46					
T.P.	355.11					T.P.
+	10.40					
T	365.51					
−	0.21					
T.P.	365.30					
+	10.64					
T	375.94					
−	0.89					
T.P.	375.05					T.P.
+	8.52					
T	383.57					
−	0.47					
T.P.	383.10					
+	11.82					
T	394.92					
−	2.06					
T.P.	392.86					

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 09538 SURVEY OF City Terrace Area NOTES RED M. OSHITA
SURVEY BY Burkhalter DATE
NOTES BY Nowland DATE 3-18-55 NOTES CHKD.
INDEXED G. J. Gallo DATE DATE

F. B. 3261 Pg. 98

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	392.82					T.P.
+	11.79					
≠	404.61					
−	0.61					
T.P.	403.95					T.P.
+	11.72					
≠	415.67					
−	0.94					
T.P.	414.73					T.P.
+	10.30					
≠	425.03					
−	1.01					
T.P.	424.02					T.P.
+	7.92					
≠	431.94					
−	1.81					
(Set) T.B.M.	430.13					Set T.B.M. Elev. 430.13 Van Pelt AVE 125' ± No. & Purcell ST. & Bt. Spk. W. of T. & Van Pelt Ave.
+	11.83					
≠	441.96					
−	3.52					
T.P.	438.44					T.P.
+	9.54					
≠	447.98					
−	0.53					
T.P.	449.45					T.P.
+	11.87					
≠	459.32					
−	0.75					
T.P.	458.57					T.P.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	458.57					T.P.
+	8.26					
=	466.83					
-	5.59					
(Set) B.M. CT 26	461.24					(Set) CT 26
+	1.52					~~B.M.~~ Elev.
=	462.76					Van Pelt Ave. No end Park. A 1/2" Sq. Mon. 6" deep in N.H. with Cap. Mk. in P.I. R.E. 5869. 6' E. of N. end cb. FB 2956-102
-	11.94					(Elev. Top Cap 461.79)
T.P.	450.82					
+	0.42					
=	451.24					
-	7.35					
T.P.	443.89					T.P.
+	7.75					
=	451.64					
-	7.40					
T.P.	444.24					T.P.
+	3.70					
=	447.94					
-	2.71					
T.P.	445.23					T.P.
+	11.48					
=	456.71					
-	0.50					
T.P.	456.21					T.P.
+	11.14					
=	467.35					
-	0.35					
T.P.	467.00					T.P.

NOTES RED M. OSHITA JOB NO. 0934.1 SURVEY OF City Terrace Area
DATE SURVEY BY Burkhalter
NOTES CHKD. NOTES BY Newman DATE 9-18-69
DATE INDEXED C. J. GALLI DATE

F.B. 2841 PG. 99

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0959.32 SURVEY OF City Terrace NOTES RED M. OSH
SURVEY BY Burkholder DATE
NOTES BY D.L.B. DATE 2-14-65 NOTES CHKD
INDEXED C. J. GALLI DATE

F.B. 3261 PG. 100

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	467.00					T.P.
+	11.59					
✕	478.59					
-	0.42					
T.P.	478.17					T.P.
+	11.94					
✕	490.11					
-	1.07					
T.P.	489.04					T.P.
+	10.05					
✕	499.09					
-	8.58					
T.P.	490.51					T.P.
+	0.87					
✕	491.38					
-	9.73					
T.P.	481.65					T.P.
+	0.46					
✕	482.11					
- (set)	5.56					CT 20
~~T.B.M.~~ CT20	476.55					~~T.B.M.~~ Dobinson St. & Geraghty Ave.
+	11.84					Near & int. afd. Bt. Spk w & T.Fl.
✕	488.39					5+46.43 F.B. 3157-152
-	0.55					
T.P.	487.84					T.P.
+	10.86					
✕	498.70					
-	0.63					
T.P.	498.07					T.P.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED M. OSHITA JOB NO. 0959.38 SURVEY OF City Terrace
DATE SURVEY BY Burkholder
NOTES CHKD NOTES BY R.L.B. DATE 9-14-65
DATE INDEXED G. J. GALLI DATE

F.B. 3261 Pg. 101

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	498.07					T.P.
+	11.42					
=	509.49					
-	1.11					
T.P.	508.38					T.P.
+	10.19					
=	518.57					
-	1.16					
T.P.	517.41					T.P.
+	11.69					
=	529.10					
-	0.46					
T.P.	528.64					T.P.
+	11.51					
=	540.15					
-	0.40					
T.P.	539.75					T.P.
+	11.72					
=	551.47					
-	0.27					
T.P.	551.20					T.P.
+	11.89					
=	563.09					
-	0.29					
T.P.	562.80					T.P.
+	11.53					
=	574.33					
-	0.23					
T.P.	574.10					T.P.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 09-59.38 SURVEY OF City Terrace NOTES RED. M. OSHITA DATE
SURVEY BY Burkholder NOTES CHKD. DATE
NOTES BY D.L.B. DATE 9-14-65
INDEXED C.J. GALLI DATE

F.B. 3241 Pg. 102

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	574.10					T.P.
+	11.66					
∧	585.76					
-	0.43					
T.P.	585.33					T.P.
+	11.34					
∧	596.67					
-	0.41					
T.P.	596.26					T.P.
+	11.30					
∧	607.56					
-	3.67					
T.P.	603.89					T.P.
+	0.75					
∧	604.64					
-	0.26					
T.P.	604.38					T.P.
+	9.47					
∧	613.85					
- Set	4.03					C.T. 19
Bm CT 19	609.82					~~T.B.M.~~ Stringer Ave & Bostwick st.
+	1.07					& Int. C.E. Mon. "R.E. 5869" in well
∧	610.89					Per F.B. 3158-16 (El. Top Cap = 610.74)
-	11.71					
T.P.	599.18					T.P.
+	0.29					
∧	599.47					
-	11.27					
T.P.	588.20					T.P.

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	588.20					T.P.
+	0.25					
⌅	588.45					
-	11.31					
T.P.	577.14					T.P.
+	0.63					
⌅	577.77					
-	11.90					
T.P.	565.87					T.P.
+	0.31					
⌅	566.18					
-	11.82					
T.P.	554.36					T.P.
+	0.32					
⌅	554.68					
-	11.59					
T.P.	543.09					T.P.
+	0.25					
⌅	543.34					
-	11.40					
T.P.	531.94					T.P.
+	0.39					
⌅	532.33					
-	11.86					
T.P.	520.47					T.P.
+	0.33					
⌅	520.80					
-	11.46					
T.P.	509.34					T.P.

NOTES RED M. OSHITA JOB NO. 0959.38 SURVEY OF City Terrace
DATE SURVEY BY Burkholder
NOTES CHKD. NOTES BY R.L.B. DATE 9-14-65
DATE INDEXED C. J. GALLI DATE

F.B. 3261 PG. 103

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0959.38 SURVEY OF City Terrace NOTES RED. M. Osh...
SURVEY BY Burkholder DATE
NOTES BY D.L.B. DATE 9-14-65 NOTES CHKD.
INDEXED C. J. GALLA DATE

F.B. 3241 Pg. 104

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	509.34					T.P.
+	0.77					
⊼	510.11					
-	11.22					
T.P.	498.89					T.P.
+	0.23					
⊼	499.12					
-	11.42					
T.P.	487.70					T.P.
+	0.28					
⊼	487.98					
-	11.62					
T.P.	476.36					T.P.
+	0.30					
⊼	476.66					
-	11.07					
T.P.	465.59					T.P.
+	0.32					
⊼	465.91					
-	11.18					
T.P.	454.73					T.P.
+	0.76					
⊼	455.49					
-	10.33					
T.P.	445.16					T.P.
+	2.67					
⊼ (Fd)	447.83					El. = 441.76 Per Rd. Dept.
BM SY 876	- 5.93					BM SY 876 L & N. N.E. Cb. Triangular Island
	441.90					20' E. B.C.R. Pomeroy St. & City Terrace Drive

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. M. OSHITA JOB NO. 0959.38 SURVEY OF City Terrace
DATE SURVEY BY Burkhalter
NOTES CHKD. NOTES BY D.L.J. DATE 9-14-65
DATE INDEXED G. J. GALLI DATE

F.B. 3261 Pg. 105

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M. #5 (Fd)	455.50					T.B.M. #5, 1962 Adj. El. = 455.497, F.B. 2863-26 & F.B. 3261-30, Eastern Ave & City Terrace Dr. N.E. Cor. in cb. on Line Prod. of No. Side Hse # 1454, Bt. Spkin cb.
+	7.24					
∧	462.74					
-	1.92					
T.P.	460.82					T.P.
+	9.81					
∧	470.63					
-	2.65					
T.B.M. (Set)	467.98					T.B.M. Eastern Ave & Comly st. @ or Near E Int. a/d. Bt. Spk W & T Pl. Per F.B. 3156-112
+	11.38					
∧	479.36					
-	1.68					
T.P.	477.68					T.P.
+	11.47					
∧	489.15					
-	2.11					
T.P.	487.04					T.P.
+	10.71					
∧	497.75					
-	0.40					
T.P.	497.35					T.P.
+	8.00					
∧	505.35					
-	2.91					
T.B.M. #4 (Fd)	502.44					T.B.M. #4, 1962 Adj. El. = 502.441, F.B. 2863-25 Eastern Ave & Roslyn Drive, E. Side, In Cb, on Projected Line of N Side of Hse # 1362, A Bt. spk in cb
+	7.19					
∧	509.63					
-	8.29					
T.P.	501.34					T.P.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 0253.38 SURVEY OF City Terrace NOTES RED M. OSHITA
SURVEY BY Burkhalder DATE NOTES CHKD.
NOTES BY D.L.B. DATE 9-14-65 DATE
INDEXED C. J. GALLI DATE

F.B. 3261 Pg. 106

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	501.34					T.P.
+	0.83					
⅄	502.17					
−	10.17					
T.P.	492.00					T.P.
+	2.01					
⅄	494.01					
−	7.85					
B.M. (Set) C 32	486.16					C T 32
+	7.71					~~T.B.M.~~, Eastern Ave & Houck st. @ or Near ℄ int. Bt. Spk W & T. Fl. w/4 Spk. Strad. (26+26.52 Per F.B. 3156-104)
⅄	493.87					
−	8.07					
T.B.M. #3 (Fd)	485.80					T.B.M. #3 1962 Adj. El. = 485.802, F.B. 2863-25
+	0.39					Eastern Ave & Houck st. in Cb. @ S.E. Cor.
⅄	486.19					1.5' So. of S. C.R. A bt. spk in Ld.
−	11.99					
T.P.	474.20					T.P.
+	0.34					
⅄	474.54					
−	11.82					
T.P.	462.72					T.P.
+	0.49					
⅄	463.21					
−	10.89					
T.P.	452.32					T.P.
+	2.62					
⅄	454.94					
−	7.99					
B.M. 61-3 (Fd)	446.95					B.M. 61-3 desc. Pg. 107

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
BM. 61-3 (F8)	446.97					BM. 61-3, 1962. Adj. El. 446.97, F.B. 2863-10 & F.B. 3156-[illegible], Eastern Ave. 0.1 Mi. S'ly of Lotta Dr. @ E. P.I. 37.2 N. of L&T in E. cb. of Eastern Ave. 16.5 NW'ly of P.P. # 1163612E. & 8.3' W. of E. Cb. A. Mon. 8" dn. Mkd "L.A.Co. Road Dept. 1960" in a well
+	0.51					El. Top Cap = 447.45 = CT 34
⊼	447.48					
−	2.08					
T.P.	445.40					
+	5.37					
⊼	450.77					
−	10.63					
T.P.	440.14					T.P.
+	2.80					
⊼	442.94					
−	11.40					
T.P.	431.54					T.P.
+	4.95					
⊼	436.49					
−	11.52					
T.P.	424.97					T.P.
+	6.28					
⊼	431.25					
−	1.79					
T.P.	429.46					T.P.
+	8.71					
⊼	438.17					
−	1.25					
T.P.	436.92					T.P.
+	10.39					
⊼	447.31					
−	1.24					
T.P.	446.07					T.P.

NOTES RED: M. OSHITA NOS NO. 09539.38 SURVEY OF City Terrace
DATE SURVEY BY Burkhalter
NOTES CHKD NOTES BY P.K.B. DATE 9-14-65
DATE INDEXED C. J. GALLI DATE

F.B. 3261 Pg. 107

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0253.38 SURVEY OF City Terrace NOTES RED. M. OSHITA
SURVEY BY Burkholder DATE
NOTES BY D.L.B. NOTES CHKD. DATE 9-14-65
INDEXED C. J. GALLI DATE

F.B. 3261 Pg. 108

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	446.07					T.P.
+	8.68					
∧	454.75					
−	6.46					See Pg # 117 for El. on Spk & 2 CT 35 Sherriff Rd.
T.B.M. set	448.29					T.B.M. Sherrif Rd, 0.3± Mi E. of Eastern
+	5.06					Ave. So. Side 20± W. of Edison Tower
∧	453.35					a C.E. Mon. "R.E. 5849" "Sta. 9A" 3± S. of 2"
−	11.45					Marker Pipe (Ground El. = 448.53)
T.P.	441.90					T.P.
+	0.83					
∧	442.73					
−	8.94					
T.P.	433.79					T.P.
+	1.84					
∧	435.63					
−	8.62					
T.P.	427.01					T.P.
+	2.92					
∧	429.93					
−	7.93					
T.P.	422.00					T.P.
+	2.93					
∧	424.93					
−	3.81					
T.P.	421.12					T.P.
+	7.30					
∧	428.42					
−	0.58					
T.P.	427.84					T.P.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. M. OSHITA JOB NO. 2959.38 SURVEY OF City Terrace
DATE SURVEY BY. Burkholder DATE 9-14-65
NOTES CHKD. NOTES BY. R.L.B.
DATE INDEXED. C. J. GALLI DATE

F.B. 326 PG. 109

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	427.84					T.P.
+	11.30					
=	439.14					
-	0.35					
T.P.	438.79					T.P.
+	10.84					
=	449.63					
-	2.67					
B.M. 61-3 (F.D.)	446.96					B.M. 61-3 1962 Adj. El. = 446.971 F.B. 2863-10 Eastern Ave. 0.1± S'ly of Lotta Dr. @ ℄ P.I. 37.2 N. of L&T in E. Cb. 16.5' NW'ly of P.P. # 116812 E. & 8.3 W. of E. Cb. A Mon 8" dn. Mkd. "L.A. Co. Rd. Dept. 1960" in a Well.
T.B.M. A 3 (F.D.)	485.80					T.B.M. # 3 1962 Adj. El. = 485.802 F.B. 2863-25 Eastern Ave & Houck St. in Cb @ S.E. Cor. 1.5' So of So. C.R. A & H. Spk in Cb.
+	11.99					
=	497.79					
-	0.49					
T.P.	497.30					T.P.
+	11.63					
=	508.93					
-	1.07					
T.P.	507.86					T.P.
+	11.77					
=	519.63					
-	0.72					
T.P.	518.91					T.P.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0959.38 SURVEY OF City Terrace NOTES RED. M. OSHITA
SURVEY BY Buckholder DATE
NOTES BY D.L.B. DATE 9-15-65 NOTES CHKD.
INDEXED G. J. GALLI DATE

F.B. 3261 Pg. 110

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	518.91					T.P.
+	11.04					
∧	529.95					
-	0.96					
T.P.	528.99					T.P.
+	11.70					
∧	540.69					
-	0.44					
T.P.	540.25					T.P.
+	11.96					
∧	552.21					
-	0.50					
T.P.	551.71					T.P.
+	11.75					
∧	563.46					
-	0.77					
T.P.	562.69					T.P.
+	11.51					
∧	574.20					
-	0.78					
T.P.	573.42					T.P.
+	11.48					
∧	584.90					
-	0.19					
T.P.	584.71					T.P.
+	11.87					
∧	596.58					
-	0.27					
T.P.	596.31					T.P.

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. M. OSHITA JOB NO. 0359.31 SURVEY OF City Terrace
DATE SURVEY BY Burkholder DATE 9-15-65
NOTES CHKD NOTES BY D. B. DATE
DATE INDEXED C. J. GALLI DATE

F.B. 3261 PG. 111

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	596.31 ✓					T.P.
+	11.57					
=	607.88 ✓					
−	0.59					
T.P.	607.29 ✓					T.P.
+	10.86					
=	618.15 ✓					
−	0.21					
T.P.	617.94 ✓					T.P.
+	11.13					
=	629.07 ✓					
−	8.21					
T.P.	620.86 ✓					T.P.
+	3.55					
=	624.41 ✓					
−	11.80					
T.B.M. (Set)	612.61 ✓					T.B.M. Rollins Ave @ S.W. Cor. Womens Jail, A Large Spk W & T. Fl. 18.03 W of C.S. Mon @ ¼ Cor. Sec 32 / Sec 29, Approx. ℄ Pvmt. of Rollins Ave.
+	3.96					
=	616.57 ✓					
−	6.58					
~~B.M.~~ (Set) CT33	609.99 ✓					CT 33 ~~B.M.~~ Rollins Ave @ S.W. Cor. of Womens Jail, A C.S. Mon. 8" dn. w/ Sq. ¼ Cor. Sec 30 / Sec 29 T1S, R12W R.E. 32.9 F.S. 1254-229
+	6.17					
=	616.16 ✓					
−	11.51 ✓					
T.P.	604.65					T.P.
+	0.35 ✓					
=	605.00 ✓					
−	11.84 ✓					
T.P.	593.16 ✓					T.P.

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 09532 SURVEY OF City Terrace NOTES RED. M. OSHITA
SURVEY BY Burkholder DATE
NOTES BY D.L.B DATE 9-15-65 NOTES CHKD.
INDEXED G. J. GALLI DATE DATE

F. B. 3261 PG. 112

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	593.16					T.P.
+	0.22					
∧	593.38					
-	11.57					
T.P.	581.81					T.P.
+	3.90					
∧	585.71					
-	9.28					
T.P.	576.43					T.P.
+	0.28					
∧	576.71					
-	11.50					
T.P.	565.21					T.P.
+	0.47					
∧	565.68					
-	11.10					
T.P.	554.58					T.P.
+	0.19					
∧	554.77					
-	11.86					
T.P.	542.91					T.P.
+	0.25					
∧	543.16					
-	11.89					
T.P.	531.27					T.P.
+	0.55					
∧	531.82					
-	11.46					
T.P.	520.36					T.P.

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. M. OSHITA JOB NO. 0959.38 SURVEY OF City Terrace
DATE SURVEY BY Burkholder
NOTES CHKD. NOTES BY. D. B. DATE 9-15-65
DATE INDEXED. E. J. Gall DATE

F.B. 3261 PG. 113

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	520.36					T.P.
+	0.72					
=	521.08					
−	11.99					
T.P.	509.09					T.P.
+	0.22					
=	509.31					
−	11.93					
T.P.	497.38					T.P.
+	0.36					
=	497.74					
−	11.95					
T.B.M. 3 (F.B.)	485.79					T.B.M. # 3, 1962 Adj. El. = 485.802, F.B. 2863-10 Eastern Ave & Hauck St. in cb @ S.E. Cor. 1.5' So of So. C.R., A bt Spk. in Ld.
(F.B.) C.S. 6696	268.06					(F.B.) C.S. 5296 Elev. 268.064 Set 8" Dia. T 1.53' E. cb. 19' So. B.C.R. @ S.E. Cor. Broadway & Marianna Ave. 55.60 & 211.5' E. & Intr. No. 8 M.
+	2.91					
=	273.77					
−	5.67					
(F.B.) C.S. 5297	268.10					C.S. 5297 Elev. 268.093 Set 8" Dia. Post in Conc. Sidewalk 5.5' So. of Co. 1' W. B.C.R. 1' N. of Cor. Broadway & Marianna Ave. 25' W. & 33.5' N. of E. Intr.
+	6.10					
=	274.20					
−	3.29					
T.P.	270.91					T.P.

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0959.38 SURVEY OF City Terrace NOTES RED M. OSH
SURVEY BY Butterholder DATE
NOTES BY Newman DATE 9-15-65 NOTES CHKD
INDEXED C. J. Gould DATE

F.B. 3261 Pg. 114

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	270.91					T.P.
+	5.59					
≠	276.50					
-	1.71					
T.P.	274.79					T.P
+	10.98					
≠	285.77					
-	0.22					
T.P.	285.55					T.P
+	10.76					
≠	296.31					
-	1.27					
T.P.	295.04					T.P.
+	9.43					
≠	304.47					
-	4.42					
(Set) B.M. CT 37	300.05					(Set) B.M. CT 37 Elev. Eastern Ave. & Dozier St. BT. spk. W. ET. Intsc. of Dozier to the W. F.B. 3261-150
+	5.45					
≠	305.50					
-	5.12					
T.P.	300.38					T.P.
+	5.36					
≠	305.74					
-	4.61					
(Fd) S.S. 5694	301.13					(Fd) S.S. 5694 Elev. 301.14 on pol Rd. Dept. h.c. B.M. Ph. cb 4' E. B.C.R. @ N.E. Cor. Brooklyn Ave. & Eastern Ave. 18' N. & 66' E. of ℄ Intsc.

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED M. OSHITA JOB NO. 0959.38 SURVEY OF City Terrace
DATE SURVEY BY Burkholder
NOTES CHKD. NOTES BY Neumann DATE 9-15-65
DATE INDEXED C. J. GALL DATE

F.B. 3261 Pg. 185

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
(Fd) S.Y. 5703	314.61 ✓					(Fd) S.Y. 5703 Elev. 314.105 ✓ per Rd. Dept. L.&T. in cb. 2' E. B.C.R. @ S.E. Cor. Brooklyn Ave. & Record Ave 28°56'30" E 247.7'
+	5.57					
=	318.18 ✓					
−	5.71					
(Fd) S.Y. 5702	312.47 ✓					(Fd) S.Y. 5702 Elev. 312.473 ✓ per Rd. Dept. L.&T. in cb. 2'E. B.C.R. @ N.E. Cor. Brooklyn Ave & Record Ave 28°N & 37'E 5 Intos.
+	4.10					
=	316.57 ✓					
−	11.33					
T.P.	305.29 ✓					
+	0.21					
=	305.50 ✓					
−	5.82					
(Set) ~~ET~~ B.M. ~~2~~	299.68 ✓					(Set) ~~ET~~ B.M. Elev. Record Ave & Dozier St. & Intos. 4 Lots E. Rim of S.S.M.H. F.B. 1804-21
+	4.96					
=	304.64 ✓					
−	4.69					
(Set) T.B.M.	299.95 ✓					(Set) T.B.M. Elev. Record Ave & Dozier St. N.W. Cor. 4 Lot In cb. 1.5' W. of So. Cb. Ret.
+	5.66					
=	305.61 ✓					
−	0.31					
T.P.	305.30 ✓					
+	11.81					
=	317.11 ✓					
−	4.64					
(Fd) S.Y. 5702	312.47 ✓					See above.

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0959.38 SURVEY OF City Terrace — NOTES RED. M. OSHITA
SURVEY BY Burkholder — DATE
NOTES BY Newman — DATE 9-15-65 — NOTES CHKD.
INDEXED C. J. GALLI — DATE

F.B. 3261 PG. 116

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
(Ed) S.Y. 4590	357.43					(Ed) S.Y. 4590 Elev. 357.429 Per Rd. Dept. L.S.T. E. ⌀b. 5' N. ℄ C.R. 20' E. ℄ Bonnie Brae Pl. 35' W. ℄ Floral Dr. Mkd B.M.
+	5.98					
T	363.41					
−	11.74					
T.P.	351.67					T.P.
+	0.65					
T	352.32					
−	7.28					
Ed. S.Y. 4589	345.04					Ed. S.Y. 4589 Elev. 345.043 per Rd. Dept. L.S.T. E. ⌀b. S. end of ⌀B. 20' E. ℄ Record Ave. ℄ 36' N. ℄ Floral Dr. Mkd B.M.
+	11.01					
T	356.05					
−	0.26					
T.P.	355.79					T.P.
+	9.24					
T	365.03					
−	1.40					
Set T.B.M.	363.63					Set T.B.M. Elev. Record Ave. W. side 400'± N. ℄ Floral Dr. A. BT. stk in P.P. N 11.38 E 47 E.
+	5.05					
T	368.68					
−	3.04					
Set T.B.M.	365.64					T.B.M. Elev. CT-21 Record Ave ℄ 411'± N. ℄ Floral Dr A. 2x2 stk. in pavm't with ℄ spk. E.T. strads. F.B. 3261-151
+	1.98					
T	367.62					
−	11.94					
T.P.	355.68					T.P.
+	0.27					
T	355.95					
−	10.91					
Fd. S.Y. 4589	345.04					See above

766420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED M. OSHITA JOB NO 09939.38 SURVEY OF City Terrace
DATE SURVEY BY Burkholder
NOTES CHKD NOTES BY Newman DATE 9-15-65
DATE INDEXED G. J. Gatti DATE

F.B. 3261 Pg. 117

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
(Ref) S.V. 4605	289.25 ✓					(Ref) S.V. 4605 Elev. 289.49 ✓ per Rd. Dept. L.A. City Eng. Mon. & Int. Indiana St. & 1st Brooklyn Pk.
+	5.76					
℄	295.41 ✓					
−	5.26					
S.V. 4604	290.15 ✓					S.V. 4604 Elev. 290.41 ✓ per Rd. Dept. Cut Spk E. Co. Indiana St. 20'S & Prod Brooklyn Pkwy.
+	5.36					
℄	296.51 ✓					
−	1.82					
T.P.	294.69 ✓					
+	5.23					
℄	299.92 ✓					
−	2.93					
(Set) T.B.M. CT 7	292.14 ✓					T.B.M. CT 7 Elev. Florence St. & Indiana St. pt. on M.H. Lid @ int. of 4 P.M.'s on M.H. Rim. Per F.B. 3261-10
+	4.48					
℄	296.62 ✓					
−	4.93					
T.P.	291.69 ✓					
+	4.88					
℄	296.57 ✓					
−	6.42 ✓					
S.V. 4604	290.15					See above
T.B.M. (Fd)	448.29 ✓					T.B.M. Sheriff Rd. 0.3± Mi. E. of Eastern Ave. 80 S. of 26' W. of Edison Tower A C.B. Mon. R.E. 5829 Sta 9A" 3± S. of 2" Metal Pipe. See Pg. 108
+	5.66 ✓					
℄	453.95					
−	3.86 ✓					
(Set) C.T. 35 T.B.M. 35	450.09 ✓					C.T. 35 T.B.M. Sheriff Rd. 0.4± Mi. E. of Eastern Ave. E. of Rel. 354.1± N. of N.W. Cor. of Edison Tower A 6± Spk W&T Fl. See F.B. 2700-134
+	4.13 ✓					
℄	454.22 ✓					
−	5.93 ✓					
T.B.M. (Fd)	448.29 ✓					T.B.M. See Above.

Profile No. | Notes Red M. OSHITA Date | Plotted Date | Job No. 0959.38 | Division No. 11 | F. B. 3261 Pg. 119

X-Sec. No. | Notes Chkd. Date | Checked Date | Survey of City Terrace Area | Survey by Burkholder Notes Date 9-15-65 | Map No. Indexed C. J. GALL Date

J.N. 0959.38

CITY TERRACE AREA

Profile Check

&

Additional T.B.M.'S

STATION	B. S.	H. I.	F. S.	ELEV.

Burkholder
Newman
Moore
Sandoval

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76-L-298 CE 307 2-63

76-L-298 CE 307.2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3261 Pg. 120 Job No. 0953.38 Division No. 11 Notes Red Plotted Profile
Survey of City Terrace Area Date 9-15-65 Date No. X-Sec.
Survey by Burkholder Notes Newman Notes Chkd. Checked
Indexed G. J. GALL Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
	Profile of Gage Ave from Brooklyn N. to Sec. Line.					
B.M. SY 5704 (Fd)				306.86	B.M. SY 5704 El. 306.856	Per Rd. Dept. L & B.N.E.Cb. 12' N. B.C.R. @ N.E. Cor. Brooklyn Ave & Gage Ave 57' N. & 20' E. & Int. MKD. B.M.
BM SY 5705 (Fd)				306.28	B.M. SY 5705 El. 306.292	Per Rd. Dept. L & B.N. W. cb. 1' So. B.C.R. @ N.W. Cor. Brooklyn Ave & Gage Ave. 45' No. & 20 W. & Int. MKD. B.M.
0+00 No.				306.07	Brooklyn Ave & Gage Ave, a point on M.H.	1.07 E. of & Int. to So. = ℄ Line Int. to N. F.B. 3261-23
0+26 2/				305.84	Flow line.	
0+43 ½				306.30	B.C.	
1+00				307.38		
2+00				309.45		
T.P.				310.22	T.P.	
3+00				311.58		
3+32 11				312.30	pt. on S.S.M.H. Intr Dozier St. & Gage Ave	F.B. 3261-24
3+54				313.05	Gr. B.C.	
4+00				314.71		
T.P.				316.83	T.P. Sq. edge conc. drg. to Hse. 447.	

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 0959.38 Division No. 11 F.B. 3261 Pg. 121
No.____ X-Sec. Date____ Date____ Survey of City Terrace Area
No.____ Notes Chkd.____ Checked____ Survey by Burkhalter Notes Neumann Date 9-15-65
Date____ Date____ Map No.____ Indexed C. J. GALLI Date____

STATION	B. S.	H. I.	F. S.	ELEV.		
5+00				318.60		
6+00				322.46		
6+45				324.43	end conc. pvmt.	
6+62.5 ⊙				325.34	& Int'n Gage Ave & Hammel st. FB. 3261-25	
7+00				326.87		
8+00				331.25		
T.P.				333.22	T.P.	
9+00				336.47		
10+00				341.32		
T.P.				341.74	T.P.	
11+00				345.36		
11+51.2	T.B.M.			348.33	T.B.M. Elev. 348.35 GAGE AVE. & FIDRAL DR. to the East A, 58.44' Spk. & Int'n FB 3261-24	
11+75.2				347.13	Gr. B-A.	
T.P.				349.57	T.P.	
12+00				350.14		
13+00				354.53		
T.P.				358.11	T.P.	
14+00				359.11		
15+00				364.10		

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3261 Pg. 122 | Job No. 0959.38 | Division No. 11 | Notes Red | Plotted | Profile
Survey of City Terrace Area | Date | Date | No. | X-Sec.
Survey by Burkholder Notes Newman | Notes Chkd. | Checked | No.
Indexed C. I. CALL Date | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.	
T.B.M. 15+20.58				365.63	T.B.M. GAGE Ave. & FOLSOM ST. A SQ. H.L. SUNK 6" IN ℄ INTS. F.B. 3261-21
16+00				364.58	
17+00				378.48	
T.P.				394.02	T.P.
18+00				384.17	
T.P.				381.21	T.P.
19+00				384.43	
19+36.29				364.82	℄ INTS. GAGE Ave. & BLANCHARD ST. TO W. F.B. 3261-28
T.P.				328.15	
20+00				391.48	
20+42.22				341.45	℄ INTS. GAGE Ave. & BLANCHARD ST. TO E. F.B. 3261-29
T.P.				387.21	T.P.
21+00				379.11	
T.P.				405.36	T.P.
22+00				406.68	
23+00				414.25	
T.P.				415.13	T.P.
24+00				421.21	
T.P.				424.09	T.P.

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
20+00				416.[illegible]		
21-00				421.[illegible]		
T.P.				[illegible] T.P.		
[illegible]				425.20 Intk. Gage Ave & Sep. Line		F.B. 3321-30
[illegible]				[illegible] T.P.		
[illegible]				416.92 [illegible]		
[illegible]				409.90 T.P.		
T.P.				399.[illegible] T.P.		
[illegible]				391.32 T.P.		
(cl) Sy. 4+08				388.12 Sy. 4+08 F.B. 3321-30 pg. 2 Col. Gage Ave. 18'.2 & 18'.1 & Prod. Blumberd St.		

Profile Notes Red. Plotted Job No. 3321-30 Division No. 4
No. X-Sec. Date Date Survey of City Terrace
No. Notes Chkd. Checked Survey by Rutherford Notes Kenney Date 9-10-65
Date Date Map No. Indexed C. J. GALLI Date

F. B. 3321 Pg. 1-3

76-L-296 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3261 Pg. 124 | Job No. 2939.36 | Division No. 11 | Notes Red | Plotted | Profile No.
Survey of City Terrace | Date | No. X-Sec.
Survey by Burkholder Notes Newman | Notes Chkd Miller | Checked | No.
Indexed C. J. GALLI | Date Sept. '63 | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.	
					Profile of Folsom St. from Indiana St. to Gage Ave.
Fd. B.M. Sy. 4596				414.33 ✓	S.Y. 4596 Elev. 414.332 per Rd. Dept.
	2.29	416.58 ✓			L.S.B. conc. wk. & Hse. 3647 Winston St.
					30' N. & E. 30' W. & Rowan Ave.
T.P.			7.72	408.86 ✓	T.P.
	4.36	413.22 ✓			B.M. Sy. 4597 Elev. 406.225 per Rd. Dept.
(Fd.) B.M. Sy. 4597			7.00	406.22 ✓	L.S.B.M. S. Cb. 3' W. B.C.R. 35' W. & Rowan Ave.
	5.48	411.00 ✓			18' S. & Folsom St. N'kd (B.M.)
T.P.			7.23	404.11 ✓	T.P.
	1.49	405.24 ✓			
(Set) T.B.M.			8.50	337.70 ✓	T.B.M. Elev.
	0.85	398.59 ✓			Folsom Ave. & Angle Pt. at Alley way To Sa. between Asse # 3426 & Asse # 3434. A BT. Spk. W. & T. station 8+80.28 per C.B. 3261-9
(Set) T.B.M.			5.40	393.19 ✓	T.B.M.
					Folsom Ave. No. side. A. L. & T. in cb. at Asse # 3401, Approx station 6+00
	3.09	396.24 ✓			
T.P.			7.10	389.14 ✓	T.P.

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				389.14 ✓		
	3.08	392.22 ✓			T.B.M.	
T.B.M. 0+00			5.31	386.91 ✓	Folsom Ave. & Indiana St. ± Into's A	
					TBT. S.P.R.W. & T. F.B. 3261-8	
		(changed to Center Road)				
0+00				386.91		
0+35				387.08	Gr. B.M.	
1+00				388.52		
2+00				389.14		
3+00				390.12		
4+00				391.18		
5+00				392.32		
6+00				393.21		
7+00				394.13		
8+00				395.20		
8+86.58 ⊙				397.70	⊙ pt. = CT 12	
9+00				397.95		
10+00				399.26		
11+00				401.43		
12+00				403.02		

Profile Notes Red____ Plotted____ Job No. 3612 Division No. 11 F.B. 3261 Pg. 125
No. X-Sec. Date____ Date____ Survey of City Terrace
No.____ Notes Chkd. Miller Checked____ Survey by Burkholder Notes Wagner Date 9-16-63
Date Sept 1963 Map No.____ Index C. J. GALL Date

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3241 Pg. 124 Job No. 693938 Division No. 11 Notes Red Plotted Profile
Survey of City Terrace Date Date No. X-Sec.
Survey by Burkholder Notes Newman Notes Chkd. Checked
Indexed G. J. GALLI Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.	
13+00				404 78	
14+00 ⊙				406 44	
15+00				404 53	
16+00				402 43	
16+99.85				401 44	℄ Intrs Folsom Ave W.& Rowan Ave F.B. 3261-11
SR 3597				401 33	SJ. 40997 Elev. 466.245 per Rd. Dept. see Pg. 124.
16+99.85				401 80	℄ Intrs Folsom Ave E. & Rowan Ave. F.B. 3261-11
18+00				406 09	
19+00				402 27	
T.P.				399 37	T.P.
20+00				399 78	
20+91.85				395 90	℄ Intrs Folsom Ave & Eastman Ave. F.B. 3261-13
21+00				395 37	
22+00				393 46	
22+28 ⊙				392 45	B.M. in Conc.
22+50				391 11	"
23+00				394 86	"
T.P.				393 47	T.P.
23+50				394 23	
T.P.				394 34	T.P.

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted Job No. 2937.38 Division No. 11
No. X-Sec. Date Survey of City Terrace
Notes Chkd. Date Survey by Buchheister Notes Arenas Date 8-10-65
No. Date Checked Date Map No. Indexed G. J. GALLI Date

F.B. 3261 Pg. 127

STATION	B. S.	H. I.	F. S.	ELEV.		
1+00				366.39		
2+18				364.80	W. edge [illegible]	
2+35				364.55	[illegible]	
T.P.				365.44		
3+18.5				364.99	℄ Intr. Folsom Ave. & Gage Ave.	F.B. 3261-1
					also T.B.M. per page 122. Elev. 367.33	
		(T.B.M. Run from Folsom & Blanchard)				
T.B.M.				393.15	T.B.M. Elev. 393.15 Folsom Ave. N. side, 1 ft. W. of ℄ Hdt. Pole, Appx. Sta. 2+00	F.B. 3261-124
	T.P.	398.29				
T.P.			9.36	388.93	T.P.	
	0.71	389.64				
T.P.			11.52	378.12	T.P.	
	0.51	388.23				
T.P.			11.28	377.75	T.P.	
	11.48	378.23				
T.P.			1.10	377.13	T.P.	
	9.92	387.05				
T.P.			2.37	384.68	T.P.	
	3.76	388.44				
T.B.M.			5.66	382.78	T.B.M.	For Alignment see next page

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F. B. 3261 Pg. 128 | Job No. 2959.38 | Division No. 11 | Notes Red ____ Plotted ____ Profile
Survey of City Terrace | Date ____ Date ____ No. ____ X-Sec.
Survey by Burkholder | Notes Newman | Notes Chkd. ____ Checked ____ No.
Indexed C. J. GALLI | Date: ____ Date ____ Date ____

STATION	B. S.	H. I.	F. S.	ELEV.		
T.B.M.				382.79 ✓	T.B.M.	ALMA AVE. & WINTER ST. A 2X2 stake at Apparent ℄ Intrs.
	4.32	387.10 ✓				
T.B.M.			4.90	382.20 ✓	T.B.M.	ALMA AVE & Winter st. So. Side. A LET. in conc. sidewalk & prod of Alma st. See Pg 152 for El @ int. of Alley to west.
	5.95	388.15 ✓				
T.P.			5.95	382.20 ✓		
	0.28	382.48 ✓				
T.B.M.			10.99	371.49 ✓	T.B.M.	Blanchard st. & Dundas st. A cut 50K ℄ W at Intrs. Blanchard st. & ℄ A city line. F.B. 3261-14.

Profile of BLANCHARD ST. From city line E. to GAGE AVE.

T.B.M. 0+00			371.49	T.B.M. Elev. 371.49	see above,
1+00			374.98		
1+80.13	⊙		380.13	Top S.S.M.H. & Intrs Blanchard St. & Alma Ave.	F.B. 3261-15
2+00			382.12		
3+00	⊙		388.97		
4+00			393.19		
T.P.			397.03	T.P.	
5+00			401.09		
5+31.4			403.45	Top S.S.M.H. & Intrs Blanchard St. & Hicks Ave.	F.B. 3261-14

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
T.P.				405 [illegible]	T.P.	
6+00				406 [illegible]		
7+00				411 [illegible]		
[illegible]				412 [illegible]	T.P.	
8+00				412 [illegible]		
8+[illegible]				[illegible]		17
9+00				414 [illegible]		
10+00				413 [illegible]		
[illegible]				411 [illegible]	T.P.	
11+00				410 [illegible]		
12+00				404 [illegible]		
12+83				403 10	[illegible]	
on ⊕ B.M. CT 11				403 40	Set ⊕ B.M. C.T. 11 Elev. 403.40	
12+[illegible]					Blanchard Ave. & Town[illegible] Ave. Int. [illegible] & on E.C.M.A. [illegible]	
13-00				405 21		
14+00				409 [illegible]		
15+00				409 98		
T.P.				410.98	T.P.	
16+00				414 99		
16+[illegible]				416 23	Top S.S.M.H. & I.S. Blanchard Ave & Rowan Ave	

Profile Notes Red _____ Plotted _____ Job No. [illegible] Division No. 11
No. _____ Date _____ Date _____ Survey of City Terrace
X-Sec. Notes Chkd. _____ Checked _____ Survey by Burkhalter Notes Norman Date 9-17-63
No. _____ Date _____ Date _____ Map No. _____ Indexed G. J. GALLI Date _____

F.B. 3241 Pg. 129

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3261 Pg. 130 | Job No. 05738 | Division No. 11 | Notes Red | Plotted | Profile
Survey of City Terrace | Date | No. | X-Sec.
Survey by Burkholder-Notes Newman | Notes Chkd. | Checked | No.
Indexed | Date | Date | Date

STATION	B.S.	H.I.	F.S.	ELEV.		
Fd. B.M. SY 4582				418.03	B.M. SY 4582 Elev. 418.016 per Rd. Dept. L & T. Conc. Ret. Wall @ Hse #901 Rowan Ave. 30' W. & 5' N. & Blanchard St. Mkd. B.M.	
Fd. B.M. SY 4583				418.09	B.M. SY 4583 Elev. 418.074 per Rd. Dept. L & T. Conc. Ret. Wall 29' S. & Blanchard St. & 30' E. & Rowan Ave. Mk'd. B.M.	
17+00				417.62		
18+00				419.89		
18+50				419.42		
19+00				419.12		
19+50				412.89		
T.P.				411.46	T.P.	
20+00				409.41		
20+10.45				409.33	& Intrs. Eastman Ave. & Blanchard Ave. from West. F.B. 3261-20	
Fd. B.M. SY 4584				408.67	B.M. SY 4584 Elev. 408.669 per Rd. Dept. L & T. conc. step Hse. 827 Eastman Ave. 30' W. & & 45' S. & Blanchard Ave.	
20+10.45				407.03	& Intrs. Eastman Ave. & Blanchard Ave. from East. F.B. 3261-20	
21+00				400.12		
T.P.				399.67	T.P.	

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
220+00				392 29		
220+11 CL				391 65	⊥ pt + Line Pl. Hard Eng. Rec. F.B. 3261-21	
T.P.				390 53	T.P.	
228+00				388 53		
228+51				386 54	Edge [illegible] & C.L.	
231+12				382 42	"	
233+80 T.B.M.				386 90	T.B.M. Elev. 386.93	F.B. 3261-122
					⊥ Curb Grade Arch. Blanchard St. & Hoot	

Profile Notes Red Plotted Job No. 0316-28 Division No. 11 F.B. 3261 Pg. 131

No. X-Sec. Date Survey of City Terrace

No. Notes Chkd. Date Checked Survey by Burkhalter Notes Newman Date 2-17-65

No. Date Map No. Indexed G. J. GALL Date

Notes Ck'd by M. OSHIRO	Survey of City Terrace ℄	F. B. 3261	Pg. 143
Map No.	JN 0303.04 Tape 0243 Std 68 °F		
Office Work	Surveyed by Burkholder		
Checked	Notes D.L.B. Date 9-17-65		
Date	Indexed J. GALLI		

J.N. 0303.04

CITY TERRACE AREA

℄

for

AERIAL CONTROL

Burkholder
Newman
Moore
Sandoval

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3098 S&E #242 11-58

F.B. 3261 Pg. 144



WST 7-LA 98C-6

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA
Map No.
Office Work
Checked
Date

Survey of City Terrace &
JN 0303 04 Tape 0212 Std 68 °F
Surveyed by Burkholder
Notes V.L.B. Date 9-20-65
Indexed C. J. GALLI

F. B. 326 | Pg. 14.5

9-218 SM

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

T.B.M. Pg #87 = 406.01
Rd Dept. Mon. + K = 410.31
4.30
4.08
Lvl. Top M.H. Elev. = 406.23
+ K = 410.53
4.30
4.52
T.B.M. = 406.01

Fd. L & T. in Conc. Walk Fx 345-23

Fd. L & T.

Fd. L & T. Per Fx 345-23

ST

55.29
31.11
34.76

BONNIE BEACH — PL.

C.T. 16

Int. Fd. 4"-I"-in M.H. Rim, Per Fx-345-23

33.23
30.06
36.63

Fd. L & T.

To Int. Herbert 429.56 M. WHITESIDE

Fd. L.A. Co. R. Dept. Mon. in H.H. w/Lid. Per Fx 345-23 T.B.M. Pg #87

Fd. L & T.

C.T. 14

Fd. L.A. Co. Rd. Dept. Brass Cap Mon. in H.H. dn 8" with Cast Iron cover. per Fx 345-55 For Elev. of cover See Pg. 86.
El = 382.12 Top cover

Fd. L. & T. Apparent & prod.

32.43

MEDFORD — ST.

47.44
50.63

Fd. L & T.

Fd. L & T.

KNOWLES AVE.

Int of 4 Δ on M.H. Rim Gone Fx 345-55

76F3098 S&E #247 11-58

F. B. 1261 Pg. 146

T = 80°
620.33@Lev. = 620.38'

Set N&T
P.P.# 806295E

AVE

43.02

MILLER
620.38 M'

30.06

AVE.

Fd. R.D. Mon. 6" dn.
Per F.x. 345-71

48.04

Fd N&T
P.P.# 554737E

WHITESIDE

43

C.T. 24

Int.
Fd. 4 ch-1" on M.H. Rim
Not on ℄, See F.x. 345-71

Fd R.D. Mon. in H.H.
@ Int. Medford St.
Per F.x. 345-71
CT 23

Set ch-1-
Fire Plug Arm

El. Top M.H. Cover @ Int.
= 400.25 Per Pg# 87



Fd. L&T, R.D.F.B. 462-6
See F.x. 345-40

Fd L&T
R.D. F.B. 462-6A

12.50'
T.P. on Line

Fd L&T
R.D. F.B. 462-6A

39.94

39.94

30.37

℄ P.I.
R.D. Mon. in H.H.
Per R.D. F.B. 462-6A
See F.x. 345-40

FOWLER

ST.
111.51 M.

T = 74°
111.51 @ Lev. = 111.51

39.73

39.73

Fd. L&T
R.D.F.B. 462-6A

Fd. L&T
R.D.F.B. 462-6A

ADKISSON AVE

New & int.
Fd. R.D. Mon. in H.H
w/cap. Per R.D.F.B.
462-6A, Mon. is
replacement of
Spk W&T Per Fx-
345-40, See R.D.F.B.
462-6.
El. Top Cap = 380.18
Per Pg# 85

C.T. 8

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S.B. C-6, B-4

Notes Ck'd by M. OSHITA	Survey of City Terrace &
Map No.	JN 0303.09 Tape 0242 Std 68 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B Date 9-20-65
Date	Indexed G. L. GALLI

F. B. 3261 Pg. 147

WS 8, B-6

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.



El. T.B.M. in cb. = 358.79
Pg# 83 + 4.74
↑ 363.53
- 4.85
Sq. hd spk int. El. = 358.68
+ 5.00
↑ 363.68
- 4.89
T.B.M. in cb = 358.79

76F309S SAE #247 11-58

F.B. 3261 Pg. 148

W.S. 8, B-6, C-6

WORTH

Fd. Rd. Dept. Brass Cap Mon. dn. 4" per FX 345-55 Used For Line

ST.

E.A. City Bndy.

PLACE

T.B.M. Pg. 86 = 383.45
+ 5.60
π 389.05
− 4.01
Bt. Spk. Elev. = 385.04
+ 4.20
π 389.24
− 5.75
T.B.M. 383.49

Set N.E.T. in P.P.# 1244294E

40.60

RR

R.R.

P.M. in Bt. Spk. T.B.M. pg. 86

12"

45.42

39.28

SPUR

Set. Bt. Spk. W.E.T. Ft. on line.

C.T. 13

394.89 Level T 70° = 394.90

Set N.E.T. in P.P.# 6134 N.E.

BONNIE BEACH

394.90 M.S.L.

Fd. L.E.T.

TAN.

CC. 36

Fd. 3 L.E.T.

MEDFORD

52.84 TAN.

ST.

52.83

10.01

S.S. M.H.

66.25

Fd. L.E.T.

Fd. L.E.T.

Fd. CT-13A
Rd. Dept. Brass Cap Mon. No H.H. 8" dp. with Cast Iron cover per FX 345-55.

Intrs. chg. Δ See FX 345-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of City Terrace &
Map No.	JN 0307.04 Tape 0242 Std 68 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B Date 9-21-65
Date	Indexed C. J. GALLI

F. B. 3261 PG. 149

W.S. 39A-1

B.M. 53-A, Calif. Hwy = 445.83'
Brass Cap pg #91 + 5.89
= 451.72'
- 5.81
T.B.M. Sq. Stk @ Int = 445.91'
+ 5.58
= 451.49'
- 5.66
B.M. 53-A = 445.83'

Int. Fd. Nail, replaced w/ sq hd Spk. Fl. checks 2 tiles per Fz 345-80
CT 29

Fd. ch. in Driveway

65.16

Fd. L&T

46.24

E. STATE COLLEGE DR. (Murphy st)

62.98

64.25

108.50 R/M

Fd. Ld. & Nail in ch. Per Fz 345-80

EASTERN AVE

Fd. L&T on bridge Per. Fz 345-14,80

Fd. Ld. & Nail in ch.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F309S S&E #247 11-68

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 7, E-1, W.S. 36, A-2



Notes Ck'd by M. OSHIRA	Survey of City Terrace &	F. B. 3261	PG. 151
Map No.	JN 0303.04 Tape 0242 Std. 68 °F		
Office Work	Surveyed by Burkholder		
Checked	Notes D.L.B. Date 9-21-65		
Date	Indexed G. L. GALLI		

W.S.7 E-1

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 SEE #247 11-58

Set N. & T in P.P. # 1168746E

FOLSOM ST

℄ Per R.D. F.B. 386-4

℄ Per C.S. 8874

Set N & T in P.P. # 1168747E

411.66 M.

℄ ST

92.93

81.97

2.63

Set ch'd Step (conc) to House # 806

C.T. 21
El = 365.64 P.P. # 116

Int
Fd. 2 x 2 & Nail
Fl. w/4 P.S.W.&T
Straddlers. Per
R.D. F.B. 386-4

Fd. Int of ℄ & △ in S.S.M.H. Per R.D. F.B. 386-4

Δ = 90°
411.66 Rer. = 411.66

Fd. Nail No Tin F.B. 1804-22

Fd. Nail No Tin F.B. 1804-22

2.61

ELORAL

DR.

RECORD

3.04

CT-21A
Int.
Set P.M. on M.H. Lid @ int of 3 Nail & Cut Spk. Per F.B. 1804-22

Fd. Cut Spk. 2" dn. Per F.B. 1804-22 No punch. Used ctn

F. B 3261 Pg. 152



W.S. 7, D-1

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this date of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of City Terrace
Map No.	JN 303.04 Tape 76 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 9-22-65
Date	Indexed C. J. GALLI

F. B. 3261 PG. 153

To Bot. Pg# 154

T=88°
298.82 @ 1°-44' = 298.69
298.79 @ 1°-37' = 298.69

Fd. 3/4" I.P. conc. Plug & C.L. Tag 1/4" dn. Per F.B. 2956-24

298.69

Fd. C.S. Mon. 18" dn. Per F.B. 2956-25 F.B. 1254-67, 229

90°

43.00 M

Set Nail in Pre-Mix walk W. Side Rd. to Womens Jail

COUNTY SURVEYOR

0.02

0.02

Identical

R.E. 63

370.54 Per F.B. 1254-229

Sec. Line

43' off Set Line

Fd. 1" I.P. Fl. Per F.B. 1254-229

Set 1x24 N.

10.00

90°

Set Nail

F.B. 1254-229

53.00 M

43.00 Calc.

Set 1x2 & Nail Fl.

Tape 0.242 Std. 68°
T = 92°
117.478 Lev. = 117.49
52.99 @ Lev. = 53.00
T = 90°
42.99 @ Lev. = 43.00

10' off Set Line

117.49

53.22 Per

COUNTY SURVEYOR

1/4 Cor.

R12W | Sec. 30 | Sec. 29

T1S

R.E. 329

Set Nail

90°

10.00

1/4 Sec Cor. Fd. C.S. Mon. 8" dn. Per F.B. 1254-229 F.B. 2956-25

CT = 33

EL. PG. 111

W.S. 36 A-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S S&E #247 11-58

F. B. 3261 Pg. 154

W.S. 36, A-1

To Bot Pg # 155

141.77

Set 1x2 ⊄ N. Flush

42.77

Fd. 2" I.P. No Plug Used Ctr. Per F.B. 1254.-66

90°

5.27

Set 1x2 ⊄ N. Flush

T=66°

157.51

157.53 @ Ler. = 157.51
5.27 @ Ler. = 5.27
42.78 @ Ler. = 42.77
141.73 @ Ler. = 141.71

CT-30A
Set 1x2 ⊄ N. Flush

226.87

T=66°
227.23 @ 3°-02' = 226.88
227.15 @ 2°-43 = 226.87

43.00

Set 1x2 ⊄ N. Flush

T=66°
287.00 @ Ler = 284.97

286.97

43.04 Set Line

Sec. Line

Sec. 30
Sec. 29

Set 1x2 ⊄ N. Flush

298.69

To Top Pg # 153

LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by M. OSHITA	Survey of City Terrace
Map No.	JN 0303.04 Tape 76 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 9-23-65
Date	Indexed C. L. GALLI

F. B. 3261 Pg. 155

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this fine.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

76F3095 S&E #247 11-58



To Top Pg # 154

Notes Ck'd by	Survey of City Terrace Area
Map No.	JN 09538 Tape Std °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 11-16-65
Date	Indexed C. J. GALLI "

F. B. 3261 PG. 157

J.N. 09538

CITY TERRACE AREA

AERIAL PHOTO

Profile Checks.

Burkholder
Newman
Sandoval
Alvarez

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 1-65

F. B. 3261 Pg 158

INDEX
TO
PRDELD CHECK LINES

○ = Photo Control Point

○ = Pg # for Profile Line



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

769614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle ° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P	P				0° 0'		° '						El. P-CT13 = 385.04		
CT-13	CT-13A							385 04	511		390 15		F.B. 3261-148		
		1095											P-CT 13A, F.B. 3261-148		
		700	395	11 75	0 0	395	0 0	378 40					El, Top Cap = 379.0		
P	P														
CT-13A	CT-13				0 0			378 40	572		384 12		P-CT 13A		
		595													
		200	395	40	0 0	395	+ 0 44	385 1		+ 10		+ 50	P-CT 13		
	P	624											(Fd S.W.T @ Alley		
	CT-13B	412	212	52	274 55	212	0 0	378 9					P-CT 13B & Medford		
P	P				0° 0'										
CT-13B	CT-13A							378 2	52		384 1				
		612													
		400	212	57	0 0	212	0 0	378 4					P-CT 13A		
				58	89 15	31	0 0	378 3					Conc. Gut.		
				52	89 15	39	0 0	378 9					back conc. Dr.		
				37	89 15	50	0 0	380 4					Top brk		
		344													
		200	144	27	89 15	144	+ 1 06	384 2		+ 01		+ 28	Bot. brk		
	P	369													
	CT13C	200	169	30	89 15	169	+ 1 45	386 2		+ 21		+ 51	P-CT-13C		
P	P				0° 0'										
CT13C	CT13B							386 2	50		391 2				
		1169													
		1000	169	12 3	0 0		0 0	378 2					P-CT 13B,		
		380													
		300	80	28	158 47	80	0 0	388 4					brk S.H.		
		100													
		000	100	00	158 47	100	0 0	391 2					brk S.H.		
		248													
		100	118	20	158 47	118	+ 1 23	392 0		+ 08		+ 28	brk S.H.		
		248													
		100	148	20	158 47	147	+ 5 28	403 2		+ 120		+ 140	brk S.H.		

Add'l Inform. PROFILE LINE #1

Noted by M. SAPPELL Plotted Dec 1968 Job No. 6959.38 Division No. 11 F.B. 3261 Pg. 159
Checked Date Survey of City Terrace Area
Noted Chkd. Date Survey by Burkholder Notes P.B. GALLI Date 11-18-65
Date Map No. Indexed Date

76S614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 3261 Pg. 160

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Oak-O. Fir-Fr. | Fino-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Various combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. | Fence ..... Fe. | Inf. Fence ..... V.Fe. | Ditch ..... Dt. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Cul.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Tr. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.

Side of Canyon S.Cn. | Top of Bank ..... T.B. | Bottom of Bank ..... B.B. | Top of Cut ..... T.Ct. | Bottom of Cut ..... B.Ct. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Inters. of Draw V.Cn. | Break ..... Brk. | Slope ..... Slp. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left Right
P-CT13C	P-CT13B			PROFILE LINE #1 '							391 2			
		357												
		200	157	30	158° 47'	156	+ 5 11'	4023		+ 11 1		+ 14 1	S.H.	
		284												
		100	184	20	158° 47'	182	+ 6 22'	4095		+ 18 3		+ 20 3	S.H.	
		408												
		200	208	30	158° 47'	204	+ 7 32'	4152		+ 24 0		+ 27 0	S.H.	
		350												
		100	250	20	158° 47'	242	+ 10 10'	4326		+ 41 4		+ 43 4	Top brk	
		1100												
		800	300	90	158° 47'	290	+ 10 14'	4346		+ 43 4		+ 52 4	Cor. Ch.Link Fence	
P-CT15	P-CT16				0° 0'			4224	515		4275		P-CT16 F.B. 3261-145 El. P-CT15 = 422.4	
	P-CT15A	1048											F.B. 3261-144	
		700	348	90	296° 02'	348	— 0 37'	4148		+ 12 7		+ 3 7	P-CT 15A (1x2 E Side Herbert Hse #1530)	
P-CT15A	P-CT15							4148	50		4198			
		448												
		100	348	30	0° 0'	348	+ 0 56'	4225		+ 27		+ 57	P-CT15	
				59	82° 39'	5	0 0'	4139					Edge Pvmt.	
				53	82° 39'	35	0 0'	4145					White Line	
				66	82° 39'	66	0 0'	4132					Edge Pvmt.	
				16	82° 39'	85	0 0'	4182					S.H.	
				00	82° 39'	97	0 0'	4198					Edge Conc. Dr.	
		223												
		100	123	20	82° 39'	123	+ 3 17'	4248		+ 5 0		+ 7 0	Edge Conc. Dr.	
		239												
		100	139	20	82° 39'	139	+ 3 06'	4253		+ 5 5		+ 7 5	Flat (+2°, up 1 3/4)	
		270												
		100	170	20	82° 39'	169	+ 3 25'	4279		+ 8 1		+ 10 1	Flat.	

Add'l Inform. PROFILE LINE #2

768614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P-	P-				° '		° '		1						
CT15A	CT15										4.98				
		789	18.9	7.0	82 39	187	+ 5 37		2				S.H		
		600													
		503	20.3	4.0	82 39	201	+ 5 44		3				S.H		
		300													
		330	23.0	2.0	82 39	228	+ 5 44		4				S.H.		
		100													
		355	25.5	3.0	82 39	251	+ 7 01		5				S.H.		
		100													
		633	33.3	5.0	82 39	327	+ 7 49		6						
		305											Ch Link Fence S.H.		
		571	37.1	4.0	82 39	364	+ 8 11		7						
		200											Top Conc. Step		
	P-	690	39.0	5.0	82 39	382	+ 8 12	4692	8	+ 5.01		+ 5.51	SATTRIDGE Ave Conc. Wall Hse # 1512		
	CT15B	300											P-CT 15B		
P-	P-				0° 0'		° '		10						
CT15B	CT15A							4699	5.2		4.75				
		689	38.9	5.0	0 0	381	8 12	4152	11	5.99		5.49	P-CT 15A.		
	P-								12						
	CT15C			2.1	231 25	50	0 0	4730	13				P-CT 15C		
P-	P-				0° 0'		° '		14						
CT15C	CT15B							4730	5.2		4.78				
				8.3	0 0	50	0 0	4699	15						
									16				P-CT 15B.		
				3.7	92 09	19	0 0	4745					Top 1.5 High Conc. Wall		
									17						
				2.1	92 09	34	0 0	4761					End & Top 0.5 " "		
									18						
				2.1	92 09	56	0 0	4761					Conc. Dr.		
									19						
				2.7	92 09	76	0 0	4755					" "		
									20						
				4.5	92 09	97	0 0	4737					End Conc. Dr.		
	P-	1042							21						
	CT15D	906	14.2	10.0	92 09	142	0 0	4682					P-CT 15 D		

Add'l Inform. PROFILE LINE # 2

Notes Rad. DEC 1965 Plotted SAPPELLI 1 Date

Notes Chkd. Date Checked Date

Survey of City Terrace Area Survey by Burkholder Notes D.K.B. Date 11-18-65

Map No. Indexed C. J. GALLE Date

Job No. e9538 Division No. 11 F.B. 3261 Pg. 161

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore Sy. Eucalyptus Eu. Pine combinations of those and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence Fe. Int. Fence V. Fe. Ditch Di. Telephone Pole T.P. Power Pole P.P. Culvert Cul.

Bldg. Bg. Fl. Sta. Sh. Tr. Pvt. E.Rd.

Saddle Sa. Sonle So. Flat Fl. Stream Str. Trail Tr. Pavement Pvt. Edge of Road E.Rd.

Side of Canyon S.Ca. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F.

Intern. of Drav. w. Pt. Break in Slope B.S. Stream Slope S.S. Top of Cliff T.Cl. Bottom of Cliff B.Cl. Top of Spur T.Sp. Bottom Canyon B.Ca.

Topography Description Legend:
Bottom Drav. B.D. Bottom Wash B.W. Top of Ridge T.R. Toe of Slope T.S.
Side of Drav. S.D. Side of Ridge S.R. Head of Draw H.D.

F.B. 3261 Pg. 162

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
				PROFILE LINE # 2											
P-CT15D	P-CT15C			—	° '		° '	468.2	5.3		473.5				
		642 / 500	142	6.0	0.0	142	+ 2.16	473.1		0.4		+ 5.6	P-CT 15C		
				9.5	221.55	45	0.0	464.0					S.H. @ 3.5 Wood Fence.		
				12.7	221.55	48	0.0	460.8					Bot. Brk @ 5' ch Lnk Fence		
		806 / 700	106	8.0	221.55	105	4.27	457.3		16.2		8.2	Top Brk (Same + down 1')		
		348 / 200	148	3.0	221.55	147	5.34	456.2		17.3		14.3	Edge Conc. Walk		
				—											
P-CT-8	P-CT-3			—	0.0			379.3	6.1		385.4		El. P-CT 8 = 379.33 F.B. 3261-85, 146 P-CT 3 F.B. 3261-144		
				4.2	269.59	30	0.0	381.2					Brk. Pvmt		
		365 / 200	165	3.0	269.59	164	+ 3.34	392.6		+ 7.2		+ 10.2	" "		
	P-CT8A	711 / 400	311	6.0	269.59	310	+ 3.01	395.7		+ 10.3		+ 16.3	P-CT8A Int Adkisson Ave & Ellison St. (Fd Int 4 Δ on M.H. Rim)		
				—											
P-CT8A	P-CT8			—				395.7	5.2		400.2				
		811 / 500	311	7.0	0.0	310	2.40	379.4		21.5		14.5	P-CT8 Adkisson Ave Split of cbs @ Hse # 1475		
	P-CT8B	368 / 100	268	1.8	202.23	268	0.0	399.1							
				—											
P-CT8B	P-CT8A			—				399.1	5.3		404.4				
		368 / 700	268	8.6	0.0	268		395.8					P-CT 8A		
				5.1	100.06	15	0.0	399.3					Top cb. (Cut 0.7 dn).		
		299 / 200	99	2.5	100.06	99	0.0	401.9					S.W. Cor Garage		

Add'l Interm. PROFILE LINE # 3

768614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes from D. SAPPELL Plotted Date DEC 1965 Job No. 09557.28 Division No. 11 F.B. 3261 Pg. 163
Date Checked Survey of City Terrace Area
Notes Chkd. Survey by Burkholder Notes D.L.B. Date 11-19-65
Date Map No. Indexed C. J. GALLI Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P-	P-	862							1				back Lot Line		
CT8B	CT8A	700	162	80	100 06	161	+ 4 21	4086		+ 42	4044	+ 122	@ 5' Wood Fence		
		442							2						
		200	242	30	100 06	240	+ 4 58	4223		+ 179		+ 209	S.H.		
		347							3						
		100	247	20	100 06	245	+ 5 06	4242		+ 198		+ 218	S.H.		
		468							4						
		200	268	30	100 06	266	+ 5 30	4270		+ 226		+ 256	S.H.		
		394							5						
		100	294	20	100 06	290	+ 6 36	4360		+ 316		+ 336	S.H. (Top berm)		
		498							6						
		200	298	30	100 06	294	+ 6 37	4355		+ 311		+ 341	Edge Prmt. Kurtz Ave.		
	P-	610							7				P-CT8C Kurtz Ave		
	CT8C	300	310	50	100 06	306	+ 6 52	✓4362		+ ✓318		+ ✓368	Prmt split @ Hse #1470		
									8						
P-	P-								9						
CT8C	CT8B				0 0			✓4362	53		✓4415				
		708							10						
		400	308	60	0 0	304	− 6 47	✓3994		✓421		✓361	P-CT 8B.		
		1080							11						
		1000	80	100	79 37	80	− 0 0	4315				'	E± Prmt		
		586							12						
		400	86	50	79 37	86	− 4 01	4305		− 110		− 60	" "		
	P-	1141							13				P-CT 8D Kurtz Ave		
	CT8D	800	341	100	79 37	341	− 2 02	✓4194		✓221		✓121	E Prmt± @ Hse # 1522		
									14						
P-	P-								15						
CT8D	CT8C				0 0			✓4194	53		✓4247				
		441							16						
		100	341	30	0 0	341	+ 2 26	✓4362		+ 115		✓145	P-CT 8C		
									17						
				53	269 23	12	− 0 0	4194					Edge Prmt.		
									18						
				38	269 23	20	− 0 0	4209					brk @ Fence Line		
		705							19				W. side block Wall		
		600	105	60	269 23	104	+ 4 43	4273		+ 26		+ 86	(+1° up 2.8 E. side block Wall		
		458							20				W. side 5' block Wall		
		300	158	40	269 23	156	+ 6 25	4382		+ 135		+ 175	(+1° up 2° E. side block Wall)		
		887							21						
		700	187	80	269 23	183	+ 8 00	4425		+ 178		+ 258	S.H.		

Add'n'l Inform. PROFILE LINE #3

765614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P- CT8D	P- CT8C				PROFILE LINE #3 0 0						4247				
		763 500	263	60	269 23	258	+ 8 10	4557		+ 31 0		+ 370	+7° up 0.7, 6 ot. block wall		
													+7.5 up 2.8, Top Planter		
													+12° up 2.8 " "		
													+13° up 4.8 Conc. Walk		
		1003 700	303	80	269 23	296	+ 8 43	4621		+ 37 4		+ 454	7 & Prmt. @ Dunne St.		
P- CT18	P- CT25				0 0			4198	58		4256		P-CT 25, F.B. 3156-160 P-CT 18, El. = 419.78		
	P- CT18A	799 700	99	77	0 0	99	0 0	4172					F.B. 3261-88 & F.B. 3156-152 P-CT 18A		
P- CT18A	P- CT25				0 0			4179	52		4231				
	P CT18	399 300	99	33	180 00	99	0 0	4198					P-CT 18		
		345 300	45	36	88 46	45	0 0	4195					Top Cb. (Gut. dn. 0.5)		
		352 300	52	34	88 46	52	0 0	4197					back Walk (+5° up 1.8)		
		455 300	155	40	88 46	154	+ 3 44	4292		+ 61		+ 101	N. Edge Prmt @ Alley		
		472 300	172	40	88 46	171	+ 3 35	4298		+ 67		+ 107	S. Edge Prmt @ Alley		
		536 370	226	50	88 46	225	+ 4 13	4347		+ 116		+ 166	N. end conc. Walk		
	P- CT16B	884 600	284	70	88 46	281	+ 5 51	4449		+ 218		+ 288	P-CT 18B, (-3.5 Ler, -9.5 dn 5° Ret wall)		
P- CT18B	P- CT18A				0 0			4449	53		4502				
	P CT18A	385 100	285	20	0 0	282	+ 6 08	4179		+ 323		+ 303	P-CT 18A,		

Add'n'l Inform. PROFILE LINE # 4

F.B. 3261 Pg. 164

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D.
Side of Draw .. S.D. | Bottom Wash B.W.
Side of Ridge .. S.R. | Top of Ridge .. T.R.
Head of Draw .. H.D. | Toe of Slope .. T.S.

Inters. of Draws, V. Fs. | Break in Slope .. Bk. S. | Steep Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon .. B.Cn.

Side of Canyon, S.C. | Saddle ..... Sd. | Pine ..... Pn. | Bank ..... B.B. | Bottom of Bank .. B.B. | Flat ..... Fl. | Cut ..... Cut | Top of Cut ..... T.C. | Bottom of Cut .. B.C. | Fill ..... Fill | Top of Fill ..... T.F. | Bottom of Fill .. B.F.

Traveled Rd. Tr.Rd. | Fence ..... Fe. | Int. Fences .. V.Fe. | Ditch ..... Di. | Telephone Pole T.P. | Power Pole .... P.P. | Culvert ..... Cul. | Bridge ..... Br. | Trail ..... Trl. | Pavement ..... Pvt. | Edge of Road .. E.Rd.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

768614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod. D. SAPPELT Plotted Job No. 19335 Division No. 11 F.B. 3261 Pg. 165
Date DEC 1965 Date Survey of City Terrace Area
Notes Chkd. Checked Survey by Burkholder Notes D.L.B. Date 11-19-65
Date Date Map No. Indexed G. L. GAULT Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P-	P-				° '		° '		1						
CT 18B	CT 18A				0 0						4502				
				55	180 00	21	0 0	4447					Top cb. (Gut. dn. 0.5)		
	P- CT 18C	536 500	36	46	180 00	36	0 0	4456					P-CT 18C Woolwine Ave curb split @ Hse # 3911		
P-	P-														
CT 18C	CT 18B				0 0			4456	51		4507				
	P- CT 18D	1107 800	307	102	91 13	307	0 0	4405					P-CT 18D Woolwine Ave cb split @ Hse # 3940		
P-	P-														
CT 18D	CT 18E				0 0			4405	53		4458				
	P- CT 18C	408 100	308	02	0 0	308	0 0	4456					P-CT 18C		
				47	269 39	15	0 0	4411					Top cb. (Gut. 0.7 dn.)		
				44	269 39	25	0 0	4414					Back Walk (+0.5 up 2')		
		388 300	88	30	269 39	87	+ 6 27	4526		+ 68		+ 98	Bot. of step		
		305 200	105	20	269 39	103	+ 7 57	4582		+ 124		+ 144	Top Wall (Bot. wall -0.5 dn. 1.2)		
		338 200	138	30	269 39	135	+ 9 13	4646		+ 188		+ 218	Bot. Wood Fence (Plus 0.5 up 1.8)		
		365 200	165	30	269 39	160	+ 10 30	4724		+ 266		+ 296	S.H.		
		278 100	178	20	269 39	172	+ 11 03	4773		+ 315		+ 335	S.H.		
		285 100	185	20	269 39	178	+ 11 03	4786		+ 328		+ 348	S.H.		
		300 095	205	20	269 39	196	+ 12 12	4861		+ 403		+ 423	S.H.		
	P- CT 18E	300 086	214	20	269 39	205	+ 12 08	4878		+ 420		+ 440	S.H. P-CT 18E		
									20						
									21						

Add'n'l Inform. PROFILE LINE #4

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 3261 Pg. 166

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D. | Bottom Wash B.W. | Side of Draw. S.D. | Top of Ridge. S.R. | Toe of Slope. T.S. | Head of Draw H.D.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Fence ..... Fe. Int. Fence. V. Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul. Eucalyptus ..... Eu. Plus combination of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. ..... Sa. Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... St. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E. Rd.

Side of Canyon S.Ca. Bank ..... T.B. Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Inters. of Draw. V.D's Break in Slope ..... B.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P-	P-				° '		° '								
CT18E	CT18D			—	0 0			4878	50		4928	—			
	P-	430													
	CT18D	214	216	30	0 0	204	13 30	4408		52 0		49 0	P-CT18D		
P-	P-			—											
CT18E	CT18D			—	0 0			4878	51		4929	—			
				+1 0	216 52	11	0 0	4939				—	S.H.		
				+2 0	216 52	20	0 0	4949				—	S.H.		
		157													
		100	57	1 0	216 52	50	+ 13 48	5101		+ 172		+ 182	NELy edge Ramboz		
		1186											Bot. bank		
		1100	86	11 0	216 52	76	+ 13 14	5086		+ 157		+ 267	S'WLy Edge Ramboz		
		596	96	5 0	216 52	86	+ 13 13	5177		+ 248		+ 298	Top bank, Toe Slope		
		500													
		279													
		100	179	2 0	216 52	158	+ 13 50	5480		+ 551		+ 571	S.H.		
		755											Top slope &		
		500	255	6 0	216 52	224	+ 20 31	5706		+ 777		+ 837	Bot. conc. Ret Wall		
		357											Top Ret Wall		
		100	257	2 0	216 52	226	+ 20 23	5748		+ 819		+ 839	Toe slope		
		375													
		100	275	2 0	216 52	240	+ 20 44	5819		+ 890		+ 910	Top Slope		
	P-	586													
	CT18F	300	286	4 0	216 52	250	+ 20 41	5834		+ 905		+ 945	P-CT18F (P.O.T. 1x2)		
P-	P-			—											
CT18F	CT18E			—	0 0			5834	51		5885	—			
	P-	685													
	CT18E	409	285	5 0	0 0	248	21 05	4879		1006		956	P-CT18E		
		567											Bot Ret Wall		
		500	67	5 0	180 00	67	+ 4 37	5889		+ 04		+ 54	(+0.8 up 5° rop)		
	P-	174											P-CT18G		
	CT18G	100	74	1 0	180 00	73	+ 5 14	5942		+ 57		+ 67	(on "E Hse # 3970)		
P-	P-														
CT18G	CT18F			—	0 0			5942	53		5995	—			
	P-	575													
	CT18F	500	75	5 0	0 0	73	— 8 32	5835		160		110	P-CT18F		

Add'n'l Inform. PROFILE LINE #4

768614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes by R. SAPPELT Plotted _____ Job No. 03538 Division No. 11 F.B. 3261 Pg. 167
Date DEC 1965 Date _____ Survey of City Terrace Area
Notes Chkd. _____ Checked _____ Survey by Buckholder Notes DLB Date 11-22-65
Date _____ Map No. _____ Index J. GALLE Date _____

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P-CT18G	P-CT18F				0 0						5995				
				5 0	127 53	11	0 0	5945					Top Ret. Wall (+1° dn 3.4)		
				7 1	127 53	22	0 0	5924					Prmt. (Dwiggins St)		
		838													
		800	38	8 3	127 53	38	0 0	5912					℄ Prmt. (Dwiggins St)		
		594													
		500	94	5 0	127 53	93	6 53	5833		162		112	Edge Prmt. (Dwiggins St)		
		641													
		500	141	6 0	127 53	140	4 30	5825		170		110	P-CT18H, Cen. MH @ Hse # 3959 Dwiggins		
P-CT18H	P-CT18G				0 0			5825	52		5877				
		291													
		100	191	1 0	0 0	141	+ 3 05	5943		+ 66		+ 76	P-CT 18G Toe slope ℄		
				5 4	243 10	17	0 0	5823					W. Edge Prmt (Dwiggins)		
				4 5	243 10	22	0 0	5832					Top slope		
				3 6	243 10	33	0 0	5841					Bot. Bank (+5° up 4.9 Toe slope)		
		157													
		100	57	1 0	243 10	55	+ 10 03	5965		+ 88		+ 98	Edge D.W.		
		167													
		100	67	1 0	243 10	65	+ 9 33	5977		+ 100		+ 110	Edge D.W. Bot Bank		
		174													
		100	74	1 0	243 10	71	+ 11 43	6014		+ 137		+ 147	Top bank (+1° up 4°)		
		489													
		400	89	4 0	243 10	84	+ 13 04	6033		+ 156		+ 196	Bot. 4' Ret. Wall Toe slope		
		303													
		200	103	2 0	243 10	97	+ 14 04	6100		+ 223		+ 243	Brk		
		728													
		600	128	7 0	243 10	126	+ 14 31	6117		+ 240		+ 310	Bot. Wall (Toe slope +1° up 2.5)		
		535													
		400	135	5 0	243 10	127	+ 14 29	6154		+ 277		+ 327	Toe Slope (+5° up 0.0 +7° up 2.0)		
		508													
		350	158	5 0	243 10	149	+ 14 00	6198		+ 321		+ 371	P-CT 18J (S.H)		

Add'n'l Inform. PROFILE LINE #4

765614 CE301 7-87

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 3261 Pg. 168

Topography Description Legend: Top of Hill...T.H. Bottom Draw...B.D. Side of Hill...S.H. Bottom Wash...B.W. Side of Draw...S.D. Top of Ridge...T.R. Side of Ridge...S.R. Toe of Slope...T.S. Head of Draw...H.D.

Oak-O. Pine-Pi. Sycamore...Sy. Eucalyptus...Eu. Plus combinations of these and all common abbreviations. Fir-Fr. Cedar-Ce.

Traveled Rd...Tr.Rd. Fence...Fe. Int. Fence...V.Fe. Ditch...Di. Telephone Pole...T.P. Power Pole...P.P. Culvert...Cul.

Sa. Swale...Sw. Flat...Fl. Stream...Str. Trail...Tr. Pavement...Pvt. Edge of Road...E.Rd.

Saddle Swale...S. Flat...F. Stream...Str. Trail...Tr. Pavement...Pvt. Edge of Road...E.Rd.

Side of Canyon...S.Ca. Bank...B. Top of Bank...T.B. Bottom of Bank...B.B. Toe of Cut...T.C. Bottom of Cut...B.C. Top of Fill...T.F. Bottom of Fill...B.F.

Side of Draw...S.D. Top of Cliff...T.Cl. Bottom of Cliff...B.Cl. Top of Spur...T.Sp. Bottom of Spur...B.Sp. Bottom Canyon...B.Ca.

Intersection of Draw...Int. Draw Break in Slope...Br.S. Top of Slope...T.S. Bottom of Slope...B.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P-CT18J	P-CT18H				0 0			6198	5 0		6248				
		758													
		600	158	7 0	0 0	150	13 22	5823		425		355	P-CT 18 H.		
				1 8	203 25	46	0 0	6230					Top slope		
		591													
		500	91	5 4	203 25	91	0 0	6194					Top slope (Edge Pvmt, 17° dn 3°)		
		818													
		700	118	7 2	203 25	118	0 0	6171					Edge Pvmt. (Dwiggins)		
	P.O.T.#1	825													
		700	125	7 1	203 25	125	0 0	6172					P.O.T.#1 (Top Slope)		
P.O.T.#1	P-CT18J				0 0			6172	5 3		6230				
		1133													
		1109	33	11 0	180 00	33	5 32	6088		142		32	Toe slope (Top slope +18° dn 1°)		
		1202													
		1100	102	12 0	180 00	98	12 22	5897		333		213	S.H.		
		1154													
		1000	154	11 0	180 00	147	12 34	5793		437		327	Toe slope		
		1108													
		900	208	10 0	180 00	204	7 28	5862		368		268	S.H.		
		1144													
		900	244	10 0	180 00	243	3 52	5966		264		164	S.H.		
		1175													
		900	275	12 4	180 00	275	0 0	6106					Top slope		
		1187													
		900	287	10 0	180 00	287	0 39	6098		132		32	Edge Pvmt (Bostwick)		
		1206													
		900	306	11 0	180 00	306	0 26	6097		133		23	P-CT 18K		
P-CT18K	P-CT18J				0 0			6097	5 2		6149				
		507													
		200	307	4 0	0 0		+ 1 16	6177		+ 28		+ 68	P.O.T.#1		
				4 4	236 35	14	0 0	6105					Edge Pvmt.		
				1 2	236 35	19	0 0	6136					Top slope		

Add'l Inform. PROFILE LINE #4

768614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Plotted SAPPELT Date DEC 1965 Notes Chkd. Date Map No. Indexed

Job No. 0959.38 Division No. 11 F.B. 3261 Pg. 169

Survey of City Terrace Area

Survey by Burkholder Notes D.L.B. Date 11-22-65

Checked Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight −	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P-	P-				° '		° '								
CT18K	CT18J										614.9				
	P-	345	111	32	336 35	108	+ 8 55	628.7		+ 1.38		+ 1.70	P-CT 18L		
	CT18L	234													
P-	P-														
CT18L	CT18K				0 0			628.7	5.52		633.9				
	P-	861													
	CT18K	750	111	80	0 0	108	8 33	609.6		24.3		16.3	P-CT 18K		
													Toe slope		
				36	118 35	45	0 0	630.3					(+5° up 3° Top slope)		
		123	73	16	118 35	73	0 0	632.3					Top slope		
		100											+3° dn. 1° Conc. slab @ Water Tower		
		304	104	30	118 35	104	0 0	630.9					Edge Conc slab @ Water Tower		
		200											(+4° up 1° Top slope)		
		644	144	62	118 35	144	0 0	627.7							
		500											S.H.		
	T.P	1171	171	108	118 35	171	0 0	623.1							
		1000											Ch. Link Fence		
	T.P.							623.1							
	+							+0.9							
	℄							624.0							
	-							-8.70							
	T.P							615.30							
	+							+2.05							
	℄							617.35							
	-							-8.20							
B.M. CT-19								609.15					B.M. CT19 El. = 609.82		
													F.B. 3261-102		

Add'n'l Inform. PROFILE LINE # 4

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes by R.A. SAPPELL Plotted Date DEC 1965 Checked Date Map No. Indexed Date

Job No. 0959.38 Division No. 11 F.B. 3261 Pg. 171

Survey of City Terrace Area

Survey by Burkholder Notes D.L.B. Date 11-29-65

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P-CT-30	P.O.T. #1				° ′		° ′	385.0	5.3		3.90.3		P-CT 30 El. = 385.0 F.B. 3261-155 P.O.T #1, F.B. 3261-155		
		16	5.3		0 00	16	0 00	385.0					Top Of Ch.		
		22	5.7		0 00	22	0 00	384.6					Top Sl.		
		33	7.6		0 00	33	0 00	382.7					Toe Sl.		
		47	7.3		0 00	47	0 00	383.0					Toe Sl.		
		61	5.3		0 00	61	0 00	385.0					S.H.		
		90	4.3		0 00	90	0 00	386.0					Bot. Ditch		
		92	3.1		0 00	92	0 00	386.8					W/s. Edge " (Sept 2, 1965)		
		101	1.5		0 00	101	0 00	388.8					Bot. Bank		
		102	0.0		0 00	102	0 00	390.5					Top Bank		
		3.10 / 1.00	1.10	2.0	0 00	110	+ 3 01	394.1		+ 3.8		+ 5.8	Top Spur		
		4.16 / 3.00	1.16	3.0	0 00	116	+ 3 03	393.5		+ 3.2		+ 6.2	Bot Ditch		
		6.36 / 5.00	1.36	6.0	0 00	135	+ 4 24	394.7		+ 4.4		+ 10.4	Bot Bank		
		2.15 / 1.00	1.15	2.0	0 00	143	+ 7 20	406.7		+ 16.4		+ 18.4	Side "		
		3.78 / 1.00	1.78	2.0	0 00	172	+ 11 30	423.1		+ 32.8		+ 34.8	Top "		
		4.39 / 1.00	3.39	3.0	0 00	316	+ 15 14	473.2		+ 83.9		+ 85.9	S.H.		
	P.O.T #1	4.60 / 1.00	3.60	3.0	0 00	334	+ 15 28	479.8		+ 89.5		+ 92.5	81.3 IN 2 S.H. P.O.T #1	F.B. 3261-155	
								479.8	4.8		4.84.6				
P.O.T #1	P-CT30	7.60 / 4.00	3.60	6.0	0 0	334	− 15 38	385.2		− 99.4		− 93.4			
		1.32 / 1.00	3.2	1.6	180 00	32	+ 2 09	484.8		+ 0.2		+ 1.2	Top Sl.		

Add'n'l Inform. PROFILE LINE #5

765614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 8261 Pg. 172

Topography Description Legend:
Side Hill ..... S.H.
Side of Draw ..... S.D.
Side of Ridge ..... S.R.
Head of Draw ..... H.D.
Bottom Draw ..... B.D.
Bottom Wash ..... B.W.
Top of Ridge ..... T.R.
Toe of Slope ..... T.S.

Inters. of Draw V.P's: Break in Slope ..... Bk.S. Stream Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

Side of Canyon S.Ca.: Top of Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Top of Fill ..... B.F.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E.Rd.

Traveled Rd. ..... Tr.Rd. Fence ..... Fn. Int. Fence ..... V.Fn. Ditch ..... Di. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Cul.

Oak-O. ..... Fir-Fr. Pine-Pi. ..... Cedar-Co. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Red—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
POT 1											4846				
		5.85	82	80	180 0	82	+ 3 50	4881		+ 35		+ 55	Toe Bank		
		3.00													
		1.90	90	10	"	90	+ 3 43	4895		+ 49		+ 59	Top "		
		1.00													
	POT 2	8.47	172	80	"	171	+ 3 48	4880		+ 34		+ 114			
		9.00													
								4932	51		4931				
POT 2	POT 1	9.73	172	90	0 00	172	+ 1 26	4798		133		43			
		8.00													
			62	68	180 00	62	0 0	4863					Bot. Bk.		
			83	52	"	83	"	4879					Top Bank		
		15.12	112	150	"	112	+ 1 56	4743		+ 188		+ 38	Bot. Gully		
		14.00													
		9.31	131	86	"	131	0 00	4845					S.H.		
		8.09													
		6.48	148	55	"	148	"	4876					Top Slope		
		5.00													
		4.31	331	30		331	+ 0 45	4942		+ 11		+ 41	Bot. "		
		1.00													
		5.00	400	30		400	+ 1 17	4991		+ 60		+ 90	Top Spur		
		1.00													
		7.67	467	50		467	+ 1 11	4977		+ 46		+ 96			
		3.00													
	POT 3	10.53	652	73		652	+ 1 12	4997		+ 66		+ 136			
		4.09													
								4991	51		5048				
POT 3	POT 2	11.53	653	80	0 0	653	0 47	4879		169		89			
		5.00													
											4997		P.O.T. 3		
											20				
										+					
										45	5017				
										−	105				
											4912				

Add'l Inform. PROFILE LINE #5

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rod D. SAPPELL Platted Job No. 0437.38 Division No. 11 F.B. 3261 Pg. 173
Date Survey of Cliff Terrace Area
Notes Chkd. Date Survey by Burkhalter Notes Newman Date 11-29-65
Checked Date Map No. Indexed G. J. GALLI Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight −	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
POT 3									1		✓4912		T.P.		
									2	+	14				
									3		✓4926		H.I.		
									4		122				
									5		✓4804		T.P.		
									6						
									7	+	15				
									8		✓4819		H.I		
									9		105				
									10		✓4714		T.P.		
									11	+	15				
									12		✓4729		H.I		
									13		108				
									14		✓4621		T.P.		
									15	+	19				
									16		✓4640		H.I		
									17		87				
									18		✓4553		T.B.M. -5 Elev. 4555.49 ✓ See F.B. 3241-90		
									19						
									20						
									21						

Add'n'l Inform. PROFILE LINE #5

768614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. D. SAPPELL Plotted Job No. 0239.38 Division No. 11 F.B. 3241 Pg. 175
Date D.S.C. 1965 Date Survey of City Terrace Area
Notes Chkd. Checked Survey by Burkholder Notes Newman Date 11-29-65
Date Map No. Indexed G. J. GALLI Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight −	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P-CT 31	P-CT 31-A				0 00			4555	5 L		4606		P-CT 31 B.S. 4555.51 F.B. 3241 - 41 & F.B. 3156-176, 115		
	P-CT 31A			5 6	0 00	73	0 0	4550					P-CT 31A, F.B. 3156-115		
P-CT 31-A	P-CT 31				0 00			4550	5 1		4601				
	P-CT 31B			6 2	157 07	168	0 00	4532					P-CT 31B, F.B. 3156-116		
P-CT 31B.	P-CT 31A				0 00			4532	5 L		4590				
				4 3	269 43	32	0 00	4547					Top cb. (Gut. dn. ea.)		
				4 2	269 43	39	0 00	4548					Back walk, Toe slope		
				2 2	269 43	46	0 00	4568					Top slope		
		330													
		100	230	2 0	269 43	228	+ 4 44	4759		+ 16 9		+ 18 9	S.H.		
		372													
		100	272	2 0	269 43	269	+ 6 24	4871		+ 28 1		+ 30 1	Edge Prmt.		
	P.O.T. #1	484											POT #1		
		200	284	3 0	269 43		+ 6 20	4871		+ 28 L		+ 31 L	Center of M.H. (Sewer)		
POT #1	P-CT 31B				0 00			4871	5 2		4923				
		1082													
		800	282	9 0	0 00		- 5 56	4543		- 38 0		- 29 0	P-CT 31B.		
				6 0	180 00	12	0 00	4863					Edge Prmt. Toe Slope		
				0 0	180 00	30	+ 0 42	4927		+ 0 4		+ 0 4	S.H.		
		220													
		100	120	1 0	180 00	116	+ 11 14	5142		+ 21 9		+ 22 9	S.H.		
		304													
		100	204	2 0	180 00	194	+ 12 04	5320		+ 39 7		+ 41 7	S.H.		
		630													
		400	230	5 0	180 00	218	+ 13 24	5391		+ 46 8		+ 51 8	W. edge Prmt (end)		

Add'n'l Inform. PROFILE LINE # 6

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P-CT10	P-CT10A							✓ 439.39					P-CT10 El. = 439.39 ✓ F.B. 3261-79 & F.B. 3158-57		
								+ 2.37					P-CT10A, F.B. 3158-59		
								℄ 441.76	✓						
								- 9.96					Note: Ran Levels from P-CT10 to P.O.T. #1 which is on Line with P-CT10A, & 581.77' N'ly from P-CT10		
								P 431.80	✓						
								+ 0.48							
								℄ 432.28	✓						
								- 9.74							
								P.P. 422.54	✓						
								+ 2.61							
								℄ 425.15	✓						
								- 8.09							
								P.P. 417.06	✓						
								+ 6.20							
								℄ 423.26	✓						
								- 5.51							
	P.O.T. #1							417.75	✓				P.O.T. #1		
P.O.T. #1	P-CT10				0.00			✓ 417.17	5.52		✓ 422.69				
				5.71	83.00	30	0.00	417.25					Gut. @ Drive way		
				4.9	83.00	39	0.00	418.0					Back Walk, Toe slope		

Add'n'l Inform. PROFILE LINE #6

F.B. 3261 Pg. 176

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw. B.D. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.
Side of Draw ..... S.D. | Bottom Wash B.W. | Top of Ridge ..... T.R. | Toe of Slope ..... T.S.
Side of Ridge ..... S.R. | Head of Draw H.D.

Brk.-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr. Rd. | Fence ..... Fe. | Wire Fence ..... W. Fe. | Telephone Pole T.P. | Power Pole ..... P.P. | Culvert ..... Cul. | Dit. ..... Dit. | Gr. ..... Gr. | Prt. ..... Prt. | Edge of Road E. Rd.

Saddle Swale Flat Stream Trail Pavement Edge of Road | T.C. Top of Cut | B.C. Bottom of Cut | T.F. Top of Fill | B.F. Bottom of Fill | T.B. Top of Bank | B.B. Bottom of Bank

Side of Draw, V.D's Break in Slope ..... B.S. | Slope ..... S.S.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red D. SAPPELL Platted 1 Job No. 0959.35 Division No. 11 F.B. 3261 Pg. 177
Date DEC 1965 Date Survey of City Terrace Area
Notes Chkd. Checked Survey by Burkholder Notes D.L.B. Date 11-29-65
Date Date Sta. Rec. Indexed C. J. GALLI Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P.O.T. #1	P-CT-10								1		4229				
		203/186	103	2.0	83 00	103	+ 3.22	428.9	2	+ 4.0		+ 6.0	Top Driveway		
		332/200	132	3.0	83 00	132	+ 3.33	428.1	3	+ 5.2		+ 8.2	Bot. of 2.3 ret wall (+0.8 up 2.3, Toe slope)		
		241/100	141	2.0	83 00	140	+ 4.54	432.9	4	+ 10.0		+ 12.0	S.H.		
		507/300	207	4.0	83 00	204	+ 7.28	445.5	5	+ 22.6		+ 26.6	S.H. (+12.5 up 4.5, +15 up 2.5)		
		352/100	252	2.0	83 00	246	+ 8.36	458.1	6	+ 35.2		+ 37.2	S.H.		
		370/100	270	2.0	83 00	262	+ 9.54	466.7	7	+ 43.8		+ 45.8	S.H. (+6° Lev)		
		695/400	295	5.0	83 00	282	+ 11.34	475.9	8	+ 53.0		+ 58.0	Top slope		
	P-CT10B	799/500	299	7.0	83 00	287	+ 11.39	475.0	9	+ 52.1		+ 59.1	P-CT10B.		
									10						
P-CT10B.	P.O.T. #1				0 00			475.0	11	53	4803				
	P.O.T. #1	598/300	298	5.0	0 00	286	− 11.21	417.8	12	− 62.5		− 57.5	P.O.T. #1		
				5.5	157 47	08	0 0	474.8	13				E. Edge Pvmt. (Ditman)		
				5.9	157 47	22	0 0	474.4	14				W. Edge Pvmt. = Toe slope		
		139/100	139	1.0	157 47	38	+ 7.30	484.3	15	+ 4.0		+ 5.0	Top bank - Toe slope		
		614/500	114	5.0	157 47	1.01	+ 19.30	510.7	16	+ 30.4		+ 35.4	S.H. (+9° up 3.5, +11° up 4.5)		
		449/300	149	4.0	157 47	132	+ 19.57	524.0	17	+ 43.7		+ 47.7	Edge walk (+4° Lev.)		
		593/400	193	5.0	157 47	168	+ 21.15	540.5	18	+ 60.2		+ 65.2	Top slope		
	P-CT10C	899/700	199	8.0	157 47	172	+ 21.45	~~547.1~~ 540.8	19	+ 60.8		+ 68.8	P-CT10C		
									20						
									21						

Add'n'l Inform. PROFILE LINE # 6

76S614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station Left Right
P-CT10C	CT10B			—	0 0 ,		,	540.8 / 541	5 4	—	546 2/8	—	
	P-CT10B	1194 / 1000	194	11 0	0 0 ,	173	− 19 21 ,	474 6/8		7 16		606	P-CT10B
	P-CT10D			23	118 04 ,	64	− 0 0 ,	543 9/10 / 544 2/10					P-CT10D
P-CT10D	CT10C			—	0 0 ,		− 0 0 ,	543 9/10 / 544 2/10	5 2	—	549 1/4	—	
	P-CT10C			83	0 0 ,	64	− 0 0 ,	549.8 / 541					P-CT10C Toe Bank
				56	275 00 ,	10	− 0 0 ,	543 5/10					Edge Pvmt. (Dickson)
				+2 0	275 00 ,	20	− 0 0 ,	551 1/4					Top bank : Toe slope
		338											
		300	38	3 0	275 00 ,	35	+ 16 24 ,	556 4/10		+ 7 3/10		+ 103	Top slope (+5° Lev, Toe slope)
		360											
		300	60	3 0	275 00 ,	55	+ 16 10 ,	562 1/10		+ 13 0		+ 160	Top slope
		782											
		700	82	7 0	275 00 ,	75	+ 16 17 ,	563 3/10		+ 14 2/10		+ 212	brk (+5° up 10 / +6 up 30 bot wall / +6 up 50 top wall : Toe slope)
		601											
		500	101	5 0	275 00 ,	93	+ 15 50 ,	570 7/10		+ 21 6/10		+ 266	Toe slope
		616											
		500	116	5 0	275 00 ,	107	+ 16 06 ,	575 1/10		+ 26 0		+ 310	Top slope
	P-CT10E	822						575 9/10 / 576 2/10		+ 26 8		+ 338	Edge pvmt P-CT10E @ Dodds
P-CT10E	CT10D			—	0 0 ,		,	575.9 / 576.2	4 9	—	580.8 / 581	—	
	P-CT10D	1116 / 1000	116	11 0	0 0 ,	110	12 58 ,	544 5/10		36 6/10		256	P-CT10D Toe bank
				61	180 00 ,	15	0 0 ,	574 7/10					Edge Pvmt @ Dodds
				18	180 00 ,	23	0 0 ,	579 0					Top bank : Toe slope
				04	180 00 ,	35	0 0 ,	580 4/10					Toe slope

Add'n'l Inform. PROFILE LINE # 6

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fence ..... V.Fn. Ditch ..... Di. Telephone Pole ..... T.P. Power Pole ..... P.P. Culvert ..... Culv.

Saddle ..... Sd. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road ..... E.Rd.

Side of Canyon S.Ca. Bank ..... T.B. Bottom of Bank ..... B.B. Top of Cat. ..... T.C. Bottom of Cat. ..... B.C. Top of Fill ..... T.F. Bottom of Fill ..... B.F.

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Inters. of Drain. V.Ch. Break in Slope ..... Bk.S. Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom of Canyon ..... B.Cn.

Topography Description Legend: Hill ..... S.H. Bottom Draw ..... B.D. Bottom Wash ..... B.W. Side of Ridge ..... S.R. Top of Ridge ..... T.R. Top of Slope ..... T.S. Head of Draw ..... H.D.

F.B. 3261 Pg. 178

768614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.	P.				° '		° '		1		580.8				
CT10E	CT10D				° '		° '				5.8				
		147	147	10	180 00	47	+ 5 15	584.1	2	+ 3.3		+ 4.3	Toe Slope		
		100			° '		° '								
		195	095	10	180 00	94	+ 5 08	589.3	3	+ 7.5		+ 8.5	S.H.		
		100			° '		° '								
		543	143	50	180 00	141	+ 6 00	590.7	4	+ 9.9		+ 14.9	Top Slope		
		400			° '		° '								
		974	174	90	180 00	172	+ 6 18	590.8	5	+ 10.0		+ 19.0	S.H.		
		800			° '		° '								
					° '		° '		6						
					° '		° '		7						
					° '		° '		8						
					° '		° '		9						
					° '		° '		10						
					° '		° '		11						
					° '		° '		12						
					° '		° '		13						
					° '		° '		14						
					° '		° '		15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Add'n'l Inform. PROFILE LINE #6

Notes Rod. P. SAPPELL Plotted Date Dec 1965 Job No. 03-59.38 Division No. 11 F.B. 3261 Pg. 179
Notes Chkd. Checked Survey of City Terrace Area
Date Date Survey by Burkholder Notes D.L.B. Date 11-30-65
Map No. Indexed G. J. GALLI Date DEC 1

768614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red D. SAPPELL Plotted Job No. 0359.38 Division No. 11 F.B. 3261 Pg. 181
Date DEC 1965 Date Survey of City Terrace Area
Notes Chkd. Checked Survey by Burkholder Note P.L.S. Date 12-1-65
Date Date Map No. Indexed C. J. GALL Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	Vertical Angle	Elevation of Point	Back Sight	Difference Elevation	Height of Instrument	Vertical Distance	REMARKS Station	Left	Right
P-CT10	P-CT10F			—	0 00			4394	56		4450		El. P-CT 10 = 439.39 F.B. 3158-57 & F.B. 3261-79		
	P-CT10G	975 700	275	7 7	0 00	275	0 00	4373					P-CT 10F F.B. 3166-127		
P-CT10G	CT10F			—	0 00			4373	52		4425		P-CT 10G (at City Terrace Dr.)		
	P-CT10	475 200	275	3 1	180 00	275	0 00	4394					P-CT 10		
				5 2	88 58	30	0 00	4373					Top cb. (Gut. dn. 0.7)		
				4 9	88 58	38	0 00	4376					back walk = Toe Slope		
				2 2	88 58	52	0 00	4403					Top Slope		
		238 100	138 ~~238~~	1 0	88 58	138	+ 1 03	4440		+ 15		+ 25	Toe Slope		
		275 100	175	1 0	88 58	175	+ 3 09	4521		+ 86		+ 96	S.H.		
		341 100	241	2 0	88 58	239	+ 6 34	4679		+ 254		+ 274	S.H.		
		395 100	295	2 0	88 58	286	+ 9 49	4901		+ 476		+ 496	Top Slope		
	P-CT10H	610 300	310	4 0	88 58	300	+ 9 43	4900		+ 475		+ 515	P-CT 10 H 2' E. of E. Edge pvmt @ Ditman		
P-CT10H	P-CT10G			—	0 00			4900	51		4951				
	P-CT10G	1108 800	308	10 0	0 00	300	9 01	4374		577		477	P-CT 10G		
	P-CT10J			8 9	253 15	92	0 00	4862					P-CT 10J		
P-CT10J	P-CT10H			—	0 00			4862	51		4913				
	P-CT10H			1 3	0 00	92	0 00	4900					P-CT 10H Edge pvmt = Toe Slope @ Ditman		
				6 1	95 00	19	0 00	4852							

Addn'l Inform. PROFILE LINE #7

765614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
P-CT10J	P-CT10H										4913		
				38	95 00	43	0 00	4875					Toe slope
		162 / 106	62	10	95 00	62	+ 3 04	4936		+ 23		+ 33	S.H.
		169 / 100	69	10	95 00	68	+ 5 46	4972		+ 59		+ 69	Top Slope
		197 / 100	97	10	95 00	96	+ 5 21	4994		+ 81		+ 91	bot. bank (+6° up 4° Top bank)
		221 / 100	121	10	95 00	119	+ 7 10	5053		+ 140		+ 150	Top Slope
		553 / 400	153	40	95 00	151	+ 7 01	5058		+ 145		+ 185	Flat (+2° up 29 @ Wood Fence)
P-CT10G	P-CT10F				0 00			4374	5L		4424		P-CT10G Per Pg # 181
	P-CT10K			68	0 00	68	0 00	4357					P-CT10K (# 1 City Terrace Dr)
P-CT10K	P-CT10F				0 00			4357	5L		4407		
	P-CT10G			34	180 00	48	0 00	4374					P-CT10G.
				51	270 18	30	0 0	4357					Top cb. (Gut. dn. 8° (+0.5 up 1))
				48	270 18	38	0 00	4360					back walk, bot. wall
		337 / 200	137	30	270 18	137	+ 3 09	4453		+ 45		+ 75	brk
		351 / 200	151	30	270 18	151	+ 3 01	4457		+ 49		+ 79	bot wall (+0.5 up 2.5 +9.0 up 25 +14 up 6.5 +18 up 5.2)
		754 / 500	254	60	270 18	249	+ 8 28	4718		+ 310		+ 370	S.H.
		376 / 100	276	20	270 18	269	+ 9 17	4828		+ 420		+ 440	Top Slope
	P-CT10L	379 / 100	279	20	270 18	270	+ 9 16	4831		+ 423		+ 443	P-CT10L 15 E. of W. edge Pvmt. @ Rowan

Add'n'l Inform. PROFILE LINE # 7

F.B. 3241 Pg. 182

Topography Description Legend: Hill ... S.H. | Side of Draw ... S.D. | Side of Ridge ... S.R. | Head of Draw ... H.D. | Bottom Draw ... B.D. | Bottom Wash ... B.W. | Top of Ridge ... T.R. | Toe of Slope ... T.S.

Side of Canyon ... S.Ca. | Top of Bank ... T.B. | Bottom of Bank ... B.B. | Top of Cut ... T.C. | Bottom of Cut ... B.C. | Top of Fill ... T.F. | Bottom of Fill ... B.F.

Saddle ... Sa. | Swale ... Sw. | Flat ... Fl. | Stream ... Str. | Trail ... Tr. | Pavement ... Pvt. | Edge of Road ... E.Rd.

Traveled Rd. ... Tr.Rd. | Fence ... Fe. | Int. Fence ... V.Fe. | Ditch ... Di. | Telephone Pole ... T.P. | Power Pole ... P.P. | Culvert ... Cul.

Inters. of Draw, V.Ch. | Break in Slope ... Bk.S. | Steep Slope ... S.S. | Top of Cliff ... T.Cl. | Bottom of Cliff ... B.Cl. | Top of Spur ... T.Sp. | Bottom Canyon ... B.Ca.

Oak ... O. | Pine ... Pi. | Cedar ... Ce. | Sycamore ... Sy. | Eucalyptus ... Eu. | Plus combinations of these and all common standard abbreviations.

Fir ... Fr.

768614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red D. SAPPELL Platted Job No. 0359.36 Division No. 11 F.B. 3261 Pg. 183
Date DEC 1965 Date Survey of City Terrace Area
Notes Chkd. Checked Survey by Buckholder Notes D.L.B. Date 12-1-65
Date Map No. Indexed Co. to Grid Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
P- CT10L	CT10K			—	0 00			483 1/6	5.0	—	488 1/6	—	
	P- CT10K	1179 / 900	279	10.0	0 00	272	8 51	435 7/6		5.24		4.24	P-CT10K
	P- CT10M			5.4	258 58	53	0 00	482 7/6					P-CT10M 1.5E of W. edge Prmt @ Rowan
P- CT10M	P- CT10L			—	0 00			482 7/6	5.0	—	487 7/6	—	
				5.3	87 21	18	0 00	482 4/6					W. edge Prmt - Toe Slope
				3.3	87 21	22	0 00	484 4/6					Toe Slope
		139 / 100	39	1.0	87 21	38	+ 6 56	491 4/6		+ 3.7		+ 4.7	S.H.
		165 / 100	65	1.0	87 21	60	+ 16 08	504 0/6		+ 16.3		+ 17.3	Top Slope
	P.O.T. #1	243 / 100	143	1.0	87 21	128	+ 18 44	530 2/6		+ 4.25		+ 4.35	S.H. P.O.T #1
P.O.T #1	P- CT10M			—	0 00			530 2/6	5.0	—	535 2/6	—	
	P-CT 10M	1139 / 1000	139	11.0	0 00	126	17 52	483 5/6		5.16		4.06	P-CT 10M
P.O.T #1	P- CT10M			—	0 00			529 6/6	5.0	—	534 6/6	—	Mean Elev P.O.T #1
				0.5	180 00	13	0 00	534 1/6					S.H. (+8° up 2°) (+8° up 15)
		161 / 100	61	1.0	180 00	57	+ 15 38	549 4/6		+ 14.8		+ 15.8	S.H.
		189 / 100	89	1.0	180 00	84	+ 16 51	558 4/6		+ 23.8		+ 24.8	S.H.
		506 / 400	106	4.0	180 00	97	+ 16 40	573 7/6		+ 25.1		+ 29.1	S.H. (+10° up 3°) (+16° up 8°)
	P- CT10N	433 / 300	133	3.0	180 00	122	+ 17 02	568 9/6		+ 34.3		+ 37.3	P-CT10N 2°E of W. edge Prmt @ DeGarmo

Add'n Inform. PROFILE LINE #3

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P-	POT			—	0 00			5682	50	—	5732	—			
CTION.	#1														
	P.O.T.	435	135	4 0	0 00	122	18 20	5296		443		403	P.O.T. #1		
	#1	300											-toe Prmt = Toe slope		
				4 9	202 00	17	0 00	5690					(+7° up 13)		
				1 0	202 00	26	0 00	5729					Top bank = Toe slope		
		146	46	1 0	202 00	45	+ 8 12	5791		+ 55		+ 65	(+9° up 10		
		100											+6° up 2° @ C.L. Fence)		
		470	70	4 0	202 00	68	+ 9 53	5817		+ 78		+ 118	Top bank		
		400													
		277	77	9 0	202 00	75	+ 9 46	5778		+ 39		+ 129	Bot. bank (+3° Lev		
		500											@ Bot. Tank.)		

Add'n'l Inform. PROFILE LINE #7

F.B. 3261 Pg. 184

Topography Description Legend:
Side Hill ..... S.H. | Bottom Draw ..... B.D.
Side of Draw ..... S.D. | Bottom Wash ..... B.W.
Side of Ridge ..... S.R. | Top of Ridge ..... T.R.
Head of Draw ..... H.D. | Toe of Slope ..... T.S.

Inters. of Draw V.O's: Break in Slope ..... Bk.S. | Stress Slope ..... S.S. | Top of Cliff ..... T.Cl. | Bottom of Cliff ..... B.Cl. | Top of Spur ..... T.Sp. | Bottom Canyon ..... B.Cn.

Side of Canyon S.Cn.: Bank ..... T.B. | Top of Bank ..... B.B. | Top of Cut ..... T.C. | Bottom of Cut ..... B.C. | Top of Fill ..... T.F. | Bottom of Fill ..... B.F.

Saddle ..... Sa. | Swale ..... Sw. | Flat ..... Fl. | Stream ..... Str. | Trail ..... Trl. | Pavement ..... Pvt. | Edge of Road ..... E.Rd.

Traveled Rd. ..... Tr.Rd. | Fence ..... Fe. | Int. Fence ..... I.Fe. | Ditch ..... Di. | Telephone Pole ..... T.P. | Power Pole ..... P.P. | Culvert ..... Culv.

Oak ..... O. | Pine ..... Pi. | Cedar ..... Ce. | Sycamore ..... Sy. | Eucalyptus ..... Eu. | Plus combinations of these and all common standard abbreviations.

Fir ..... Fr.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P-	P-								1				P-CT20 El. = 476.55 Perv		
CT-20	CT20A			—	0 00	221.31		476 6	5 1		481 7		F.B. 3261-100 & F.B. 3157-152		
									2				This Point 0.05 of ~~New~~		
				—			—			—		—	& Per F.B. 3158-24.		
				—			—		3	—		—	P-CT 20A F.B. 3158-24		
									4						
				5 4	85 48	12	0 00	476 3					Edge Pvmt. Toe Slope		
				3 0	85 48	20	0 00	478 7	5				Bot. wood ret. wall		
				2 4	85 48	36	0 00	479 3	6				Bot. bank		
		753	✓ 53	7 0	85 48	48	+ 18 31	490 7	7	+ 9 0		+ 16 0	Top bank (+10° Lev. Bot. bank)		
		778	✓ 78	7 0	85 48	73	+ 18 08	498 1	8	+ 16 4		+ 23 4	S.H.		
		691	✓ 91	6 0	85 48	83	+ 18 03	502 5	9	+ 20 8		+ 26 8	S.H.		
		304	✓ 104	2 0	85 48	97	+ 18 22	510 8	10	+ 29 1		+ 31 1	S.H. (+7° up 3°)		
		221	✓ 121	1 0	85 48	108	+ 19 03	518 1	11	+ 36 4		+ 37 4	S.H.		
		239	✓ 139	1 0	85 48	123	+ 20 04	525 5	12	+ 43 8		+ 44 8	Top slope		
		661	✓ 161	5 0	85 48	142	+ 20 21	529 2	13	+ 47 5		+ 52 5	(+10° up 1° @ Wood Fence)		
	P-			0 4	180 00	60	0 00	✓ 481 3	14				P-CT20B		
	CT20B								15				& Geraghty		
P-	P-							✓ 481 3	16		✓ 486 5				
CT20B	CT-20			—	0 00				5 2						
				4 2	246 52	11	0 00	481 6	17				Edge Pvmt. Bot. bank		
				+ 1 3	246 52	20	0 00	✓ 487 8	18				Top bank		
		547	✓ 47	5 0	246 52	46	+ 8 57	488 7	19	+ 22		+ 7 2	Toe slope (+8° up 2.5)		
		157	✓ 57	1 0	246 52	56	+ 8 56	494 2	20	+ 7 7		+ 8 7	S.H.		
		109													
		487	✓ 87	4 0	246 52	81	+ 15 49	505 3	21	+ 18 8		+ 22 8	S.H.		
		400													

Add'n'l Inform. PROFILE LINE #8

Notes Ref. D. SAPPELL Plotted DEC 1985 Date
Notes Chkd. Checked
Survey of City Terrace Area
Survey by Burkhalter Notes D.L.B. Date 12-1-65
Map No. Indexed C. J. GALLI Date
Job No. 05338 Division No. 11
F.B. 3261 Pg. 185

765614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 3261 Pg. 186

Topography Description Legend: S.H. Side of Hill, S.D. Side of Draw, S.R. Side of Ridge, H.D. Head of Draw, B.D. Bottom Draw, B.W. Bottom Wash, T.R. Top of Ridge, T.S. Toe of Slope

Inters. of Draw V.D's: Break in Slope...Bk.S.S. Stream Slope.....S.Sl. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

Side of Canyon S.Cn.: Top of Bank.....T.B. Bottom of Bank..B.B. Top of Cut.....T.C. Bottom of Cut...B.C. Top of Fill.....T.F. Bottom of Fill..B.F.

Saddle.....Sa. Swale.....Sw. Flat.....Fl. Stream.....Str. Trail.....Tr. Pavement.....Pvt. Edge of Road..E.Rd.

Traveled Rd..Tr.Rd. Fence.....Fn. Int. Fence..Y.Fn. Ditch.....Di. Telephone Pole T.P. Power Pole...P.P. Culvert.....Cul.

Oak-O. Pine-Pi. Sycamore.....Sy. Eucalyptus.....Eu. Plus combinations of these and all common standard abbreviations.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P-	P-				° '		° '		1						
CT20B	CT20										✓4865				
		225 ✓							2						
		100	125	10	246 52	112	+ 18 34	5232		+ 367		+ 377	S.H.		
		246 ✓							3						
		100	146	10	246 52	129	+ 19 48	5320		+ 455		+ 465	S.H.		
		287 ✓							4						
		100	187	20	246 52	163	+ 20 52	5468		+		+	S.H. (+10° up 2°)		
		414 ✓							5						
		200	214	30	246 52	186	+ 20 52	5551		+		+	S.H.		
		529 ✓							6						
		300	229	40	246 52	199	+ 20 46	5588		+		+	S.H.		
		545 ✓							7						
		300	245	40	246 52	214	+ 20 43	5638		+		+	Top Slope		
		652 ✓							8						
		400	252	50	246 52	220	+ 20 47	5651		+		+	Edge Prmt. @ Buelah		
		1227 ✓							9						
		960	267	11 0	246 52	233	+ 20 39	5637		+		+	Edge Prmt - Bot. bank		
		1182 ✓							10						
		900	282	10 0	246 52	246	+ 20 49	5697		+		+	Top bank		
									11						
									12						
									13						
									14						
									15						
									16						
									17						
									18						
									19						
									20						
									21						

Add'n'l Inform. PROFILE LINE #8

768614 CE301 7-87

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes by R. SAPPELL Plotted DEC 1965
Notes Chkd. Date Checked Date
Survey of City Terrace Area
Survey by Burkholder Notes D.L.B. Date 12-2-65
Map No. Indexed GALLI Date
Job No. 0952.38 Division No. 11 F.B. 3261 Pg. 187

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station Left Right
P-	P-				° '		° '						
CT 21	CT 21 A			—	0.09		° '	365.6	5.2		370.8		P-CT 21, El.=365.64 Ber F.B. 3261-116 & 151
					° '		° '						P-CT 21 A, F.B. 3261-151
				5.4	86.17.	15	0.00	365.4					Gut
				4.2	86.17.	20	0.00	366.6					Edge Pvmt: Toe Slope
		157	57	1.0	86.17.	49	+ 21.34	389.0					Top bank: Toe Slope
		175											
		100	75	1.0	86.17.	63	+ 23.22	397.7					SH.
		198											
		100	98	1.0	86.17.	82	+ 23.07	408.7					S.H.
	P.O.T. #1	619											
		500	119	5.0	86.17.	100	+ 23.39	409.5		+ 3.87		+ 43.7	P.O.T. #1
P.O.T. #1	P-			—	° '		° '						
	CT-21			—	0.00.		° '	409.5	5.2		414.7		
	P-	1018											
	CT-21	900	118	10.0	0.00.	102	21.28.	364.5		50.2		40.2	P-CT 21
					° '		° '	410.0	5.2		415.2		Mean El. P.O.T. #1 (CT 0.5 up 1.5 = flat)
				1.8	180.00	32	0.00	413.4					Bot. 2° Ret wall
		176	76	1.0	180.00	76	+ 1.03	415.6		+ 0.4		+ 1.4	Flat (+0.5 dn. 3° bot. 3° Ret wall & back W)
P-	P-				° '		° '						
CT 21	CT 21 A			—	0.00.		° '	365.6	5.2		370.8		
	P-												P-CT 21 B
	CT 21 B			8.8	0.00.	75	0.00	362.0					@ Record. st. & t
					° '		° '						
P-CT	P-CT			—	0.00.		° '	362.0	5.2		367.2		
21 B	21 A												
				5.5	267.00	15	0.00	361.7					Gut
				4.8	267.00	20	0.00	362.4					Edge Pvmt

Addn'l Inform. PROFILE LINE # 9

F.B. 3261 Pg. 187

765614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P-	P-				° '		° '								
CT 21B	CT 21A			—				—			3672	—			
				35	267 00	27	0 00	3637					Toe slope (+3° up 15')		
		130													
		100	39	10	267 00	39	+ 2 01	3676					S.H.		
		162													
		100	62	10	267 00	58	+ 14 32	3811					S.H. (+6° up 2°)		
		185											(+6° up 5')		
		100	85	10	267 00	76	+ 18 37	3918					S.H. (+7° up 3°)		
		200											Bot. 5' ret. wall		
		100	100	10	267 00	88	+ 20 00	3983					(+0.5 up 5')		
	P.O.T. #2	865													
		740	125	79	267 00	105	+ 23 16	4047		+ 375		+ 454	P.O.T. # 2		
P.O.T. #2	P- CT 21B				0 00			4047	52		4099				
	P- CT 21B	1220													
		100	120	110	0 00	107	19 18	3615		484		374	P-CT 21B		
								4049	52		4101		Mean El. P.O.T. # 2		
				47	180 00	05	0 00	4054					Bot. 2.1' ret wall (+0.5 up 2.1')		
				00	180 00	30	+ 6 40	4136					Toe slope		
		146											S.H.		
		100	46	10	180 00	45	+ 7 07	4148					Top slope		
		475											P-CT 21C		
		400	75	40	180 00	74	+ 6 53	4150		+ 49		+ 89	Split of Prmt @ Record Dr.		
P-	P.O.T. #2				0 00			4150	52		4202				
CT 21C	P.O.T. #2	1074													
	P- CT 21D	1000	74	100	0 00	74	4 09	4049		153		53	P.O.T. # 2		
				15	93 01	100	0 00	4187					P-CT 21D		

Add'n'l Inform. PROFILE LINE # 9

F.B. 3261 Pg. 188

Topography Description Legend: Side Hill ... S.H. | Side of Draw ... S.D. | Side of Ridge ... S.R. | Head of Draw ... H.D. | Bottom Draw ... B.D. | Bottom Wash ... B.W. | Top of Ridge ... T.R. | Toe of Slope ... T.S. | Intern. of Draw, Break in Slope ... B.S. | Sharp Slope ... S.S. | Top of Cliff ... T.Cl. | Bottom of Cliff ... B.Cl. | Top of Spur ... T.Sp. | Bottom Canyon ... B.Cn. | Side of Canyon ... S.Cn. | Bank ... B.B. | Top of Bank ... T.B. | Bottom of Bank ... B.B. | Top of Cut ... T.C. | Bottom of Cut ... B.C. | Top of Fill ... T.F. | Bottom of Fill ... B.F. | Stadia Shots ... Sta. | Field Notes ... F.N. | Traverse ... Trav. | Traverse Sta. ... T.S. | Trail ... Tr. | Trail Sta. ... T.S. | Telephone Pole ... T.P. | Power Pole ... P.P. | Culvert ... Cul. | Ditch ... Dit. | Inf. Fence ... I.F. | Fence ... Fen. | Tr. Rd. ... Tr. Rd. | Edge of Road ... E. Rd. | Pine-Pi. Cedar-Ce. Eucalyptus ... Eu. Plus combination of these and all common standard abbreviations.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes R.P. SAPPELL Platted DEC 1965 Division No. 11 Job No. 0393.38 F.B. 3261 Pg. 89
Notes Chkd. Checked Survey of City Terrace Area
Survey by Buckholder Notes D.L.B. Date 12-2-1965
Date Date Map No. Indexed Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P- CT21D	P- CT21C			—	0 00	100		4187	5 0		4237				
				5 0	270 45	07	0 00	4187					Edge Pvmt.		
				5 1	270 45	14	0 00	4186					Top slope		
				6 3	270 45	29	0 00	4174					S.H.		
		1166		11 1	270 45	66	0 00	4126					Top bank (+3° dn. 2° bot. bank)		
		1100													
		252													
		100	152	2 0	270 45	150	6 01	4059		178		158	bot. 0.7 ret. wall (+0.5 dn. 0.6)		

Add'n'l Inform. PROFILE LINE #9

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P-	P-				0 00			397.7	5.0		4.02.7		P-CT12 El: 397.70 per FB 3261-9 & 125		
CT12	CT12A												P-CT12A, F.B. 3261-8		
				5.4	85 40	20	0.00	397.3					Cut @ Driveway		
				4.7	85 40	28	0.00	398.0					back walk		
				4.6	85 40	95	0.00	398.1					Asphalt Drive		
				6.0	85 40	138	0.00	396.7					End Drive		
				7.2	85 40	160	0.00	394.8					S.H. (Same plus conc. slab up 2')		
				9.6	85 40	170	0.00	393.1					Terraced S.H. (+2° dn 2.8)		
	P.O.T #1	11.85		12.0	85 40	185	0.00	390.7					P.O.T. #1 (+1.5 @ Ley) S.H. (+4.5 dn 3.5)		
P.O.T #1	P-														
	CT12				0 00			390.7	5.0		3.95.7				
	P-	5.86													
	CT12	4.00	186	5.0	0 00	186	+ 2.08	397.6		+ 1.2		+ 6.2	P-CT12		
				9.2	180 00	18	0.00	386.5					Terraced S.H.		
				11.8	180 00	20	0.00	383.9					Terraced S.H.		
				12.2	180 00	32	0.00	383.5					Terraced S.H. (+0.5 dn 3.5) (+10° dn 3.4) (+12° dn 5.8) (+21° dn 5.8) (+22° dn. 8.3)		
		11.65													
		11.00	165	11.0	180 00	64	8.08	375.8					Terrace S.H.		
		6.68													
		6.00	168	6.0	180 00	64	13.46	374.1					Terraced S.H.		
		9.75											Terraced S.H.		
		9.00	175	9.0	180 00	72	10.46	373.2					(4.4° dn 1.5) (+10° dn. 1.5)		
		7.98													
		7.00	198	7.0	180 00	94	11.46	369.5					Top cb. (Cut, dn. 0.7) @ Alley (South Side)		

Add'n'l Inform. PROFILE LINE # 10

Notes Ck'd. DEC 1965 Date
Checked Date
Map No. Indexed
Platted Date
Computed Date
Drawn Date
Traced Date
Notes Ck'd. Date
Checked Date
Survey of City Terrace Area
Survey by Burkhalder Notes D.L.B. Date 12-3-65
Computed by C. J. GALLI Date
Job No. 25538 Division No. 11 F.B. 3261 Pg. 191

76S614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 3261 Pg. 12

Topography Description Legend:
Top of Hill...T.H. | Bottom Draw...B.D. | Bottom Wash...B.W. | Top of Ridge...T.R. | Top of Slope...T.S.
Side of Draw...S.D. | Side of Ridge...S.R. | Head of Draw...H.D.

Oak-O. Pine-Pi. Sycamore...Sy. Eucalyptus...Eu. Plus combinations of these and all common standard abbreviations.
Fir-Fr. Cedar-Ce.

Traveled Rd. Tr.Rd. Fence...Fe. Tel. Fence...V.Fe. Ditch...Di. Telephone Pole T.P. Power Pole...P.P. Culvert...Cul.

Saddle...Sa. Sump...Sm. Flat...Fl. Stream...Str. Trail...Tr. Pavement...Pvt. Edge of Road E.Rd.

Canyon S.Ca. Bank...T.B. Bottom of Bank...B.B. Cut...T.C. Bottom of Cut...B.C. Fill...T.F. Bottom of Fill...B.F.

Side of Draw...S.D. Top of Cliff...T.Cl. Bottom of Cliff...B.Cl. Top of Spur...T.Sp. Bottom Canyon...B.Cn.

Intersection of Draw...V.D's Break in Slope...Br.S. Steep Slope...S.S. Top of Cliff...T.Cl. Bottom of Cliff...B.Cl. Top of Spur...T.Sp. Bottom Canyon...B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° '		° '								
									1						
											3957				
P.O.T. #1	P-CT12	219							2				@ Alley		
		100	119	20	180 00	113	12 16	3691			3957		N. Top cb. (Cut dn 0.7)		
		1133							3						
		1000	133	10.0	180 00	131	6 46	3702					Toe slope		
		856							4				Top slope = bot. wood		
		700	158	8.0	180 00	157	3 50	3773					ret. Wall ~~(+16° up 2°)~~		
		1167							5						
		1000	167	11.0	180 00	167	0 51	3822		13.5		2.5	Dirt @ Top conc. Ret wall		
									6				(-0.5 dn. 2.5)		
													(+12° @ Ler.) bot. conc. ret. wall		
									7				(+12.5 up 3.5) @ conc. ret. wall		
													(+16° up 4.5) @ conc. ret. wall		
									8				(+27° up 7.5) @ Top conc. ret wall		
		701											bot. Conc. ret. wall		
		500	201	5.2	180 00		0 00	3898					(-0.5 up 3.3)		
		902							9				Edge conc. Drive		
		650	252	8.0	180 00	252	+ 1 24	3938					(+1° up 1.0)		
		1069							10				Toe slope = Top wall		
		800	269	9.0	180 00	269	+ 0 56	3911					(+0.5 dn. 3° @ back walk (Winter		
									11						
									12						
									13						
P-CT12	P-CT12A				0 00			3977	5.0		4027				
	P-CT12B	752							14				P-CT 12B.		
		600		7.5	0 00	152	0 00	3952					@ Folsom st.		
									15						
P-CT 12B.	P-CT 12				0 00			3957	5.2		4002				
									17				Top cb. (Cut. dn. 0.5)		
				5.9	88 34	20	0 00	3950							
									18						
				5.7	88 34	27	0 00	3952					back walk		
									19				Top ret. wall		
				5.6	88 34	51	0 00	3953					(+0.5 dn. 3°)		
									20						
		1171								12.5		1.5	Toe slope		
		1100	71	11.0	88 34	71	1 12	3884	21						
	P.O.T. #1	800								15.9		8.9	P.O.T. # 1		
		700	100	7.0	88 34	99	5 06	3850							

Add'n'l Inform. PROFILE LINE # 10

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P.O.T #1	P.-CT 12B				0 00			385.0	5.0		390		P.O.T. #1		
	P-CT 12B	301 / 800	101	9.0	0 00	99	+ 8 25	395.6		+ .56		+ 1.46			
		631 / 600	31	6.0	180 00	30	8 34	379.6					Dirt @ Top ret wall (+0.5 dn. 0° to bot of 1° wall) (+2.8 @ Lev.) Top wall (+3.3 dn. 1°) bot. wall (+11.5 dn. 0°) Top wall (+12° dn. 22') bot wall		
		965 / 900	65	9.0	180 00	64	6 16	374.1					Dirt @ Top 0.8 Ret wall (+0.5 dn 1° bot Ret wall		
	P-CT 12C	1071 / 1000	71	10.0	180 00	70	6 11	372.4		+ 1.76		+ .76	P-CT 12C & ± Alley		
P-CT 12C	P.O.T #1				0 00			372.4	5.1		377.5				
	P.O.T. #1	573 / 500	73	5.0	0 00	71	+ 10 05	385.0		+ .75		+ 1.25	P.O.T. #1		
				5.2	181 40	04	0 00	372.3					S. Edge Alley = Top Slope		
		852 / 800	52	8.0	181 40	50	9 50	360.8					S. H. = Top bank		
		861 / 800	61	8.0	181 40	59	11 30	357.7					bot. bank		
		211 / 100	111	2.0	181 40	104	14 34	348.6					Top Slope		
		550 / 400	150	5.0	181 40	141	14 20	336.5					Toe slope = Top wall (+0.5 dn. 4°) Bot. wall		
		758 / 600	158	7.0	181 40	148	14 21	332.4					Top cb. (Gut. dn. 0.7)		
	P-CT 12D	386 / 200	186	3.0	181 40	175	14 00	330.8		+ .46.7		+ 4.37	P-CT 12D & ± @ Floral		
P-CT 12D	P-CT 12C				0 00			330.8	5.3		336.1				
	P-CT 12C	283 / 100	183	2.0	0 00	175	+ 12 19	372.2		+ .36.1		+ 3.81	P-CT 12C & ± @ Floral		

Add'n'l Inform. PROFILE LINE # 10

Notes by R. SAFFELL Plotted Date DEC 1965 Job No. 095938 Division No. 11 F.B. 3261 PG. 193
Survey of City Terrace Area
Survey by Buckholder Notes D.L.R. Date 12-3-65
Notes Chkd. Checked C. J. GALLI Date
Date Map No. Indexed Date

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station — Left Right
P- CT12D	P- CT12C				00 00						336		
	P- CT12E	414 / 300	114	39	88 50	114	0 00	332					P-CT12E & Floral
P- CT12E	P- CT12D				0 00			332	51		337		
				77	270 21	24	0 00	329 6					Top Cb. (Gut. dn. 0.3)
				75	270 21	29	0 00	329 8					back Walk
		961 / 900	61	95	270 21	61	0 00	327 8					Top Slab. (+0.0 dn. 3°)
		1104 / 1000	104	110	270 21	104	2 23	322 1					Top ret. wall (+0.5 dn. 3° bot. wall)
		1141 / 3000	141	110	270 21	140	4 16	316 0					Top ret. wall (+0.5 dn. 1° bot. wall)
		1156 / 1000	156	110	270 21	155	4 45	313 7					S.H.
		1175 / 1000	175	110	270 21	174	4 40	312 4					Top Wall (+0.5 dn. 2.3 bot. wall)
		955 / 750	205	90	270 21	203	5 26	309 2					Conc. Drive, Top wall (+0.5 dn. 1° bot wall (+30° Lev. Top wall (+30° dn. 3° bot. wall (+48° Lev.

Add'l Inform. PROFILE LINE #10

F.B. 3261 Pg. 194

Topography Description Legend:
Hill ... S.H. | Bottom Draw B.D.
Side of Draw S.D. | Bottom Wash B.W.
Side of Ridge S.R. | Top of Ridge T.R.
Head of Draw H.D. | Toe of Slope ... T.S.

Intersection of Draw V.P.'s
Break in Slope ... Bl.S.
Steep Slope ... S.S.
Top of Cliff ... T.Cl.
Bottom of Cliff ... B.Cl.
Top of Spur ... T.Sp.
Bottom Canyon ... B.Cn.

Side of Canyon S.Cn.
Top of Bank ... T.B.
Bottom of Bank B.B.
Top of Cut ... T.C.
Bottom of Cut ... B.C.
Top of Fill ... T.F.
Bottom of Fill B.F.

Saddle
Swale
Flat
Stream
Trail
Pavement ... Pvt.
Edge of Road ... E.Rd.

Traveled Rd. T. Rd.
Fence ... Fe.
Prt. Fence ... V. Fns.
Ditch ... Di.
Telephone Pole T.P.
Power Pole ... P.P.
Culvert ... Cul.

Oak ... O.
Pine ... Pi.
Sycamore ... Sy.
Eucalyptus ... Eu.
Plus combinations of these and all common standard abbreviations.

Fir ... Fr.
Cedar ... Ce.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

5185

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P-CT11	P-CT11A				0 00			403 40	1				P-CT11 El = 403.40 Per F.B. 3261-129 & 18 P-CT11A, F.B. 3261-17		
								+ 11 50	2						
								TP 414 90	3				Note:		
								− 079	4				Ran Levels from P-CT11 to P-CT11B. & Taped the dist.		
								TP 411 11	5						
								+ 12 23	6						
								TP 426 34	7						
								− 032	8						
								TP 426 02	9						
								+ 11 59	10						
								TP 437 61	11						
								− 045	12						
								TP 437 16	13						
								+ 10 59	14						
								TP 447 75	15						
								− 121	16						
								TP 446 54	17						
								+ 7 00	18						
								TP 453 54	19						
								− 413	20						
	P-CT11B				90 00	518.5		449 41	21				P-CT11B @ Hse # 951 Curb split @ Townsend		

Add'n'l Inform. PROFILE LINE #11

Notes Dr. SAPPELL Platted Date DEC 1965 Job No. 03 59 38 Division No. 11 F.B. 3261 Pg. 195

Notes Chkd. Checked Survey of City Terrace Area

Date Date Survey by Buckbalder Notes D.L.B. Date 12-3-65

Date Map No. Indexed G. J. GALLI Date DEC 17 '65

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 321 Pg. 126

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P-CT11B	P-CT11				0 00			449.4	5.1		454.5				
				62	87 14	20	0 00	448.3					Gut. @ Driveway		
				56	87 14	28	0 00	448.9					Back walk		
		10.03													
		9.00	103	10	87 14	103	2 50	439.4		15.1		5.1	S.H.		
	P.O.T. #1	4.77													
		3.00	177	4 0	87 14	175	6 04	431.9		22.6		18.6	P.O.T. #1		
					0 00			431.9	5.1		437.0				
		4.72													
		3.00	177	4 10	0 00	175	+ 5 18	449.3		+ 12.3		+ 16.3			
				73	180 00	08	0 00	429.7					@ wood ret. wall (+1° dn 32') Flat		
				100	180 00	34	4 30	424.8					Flat @ back of Garage		
		10.57													
		10.00	57	10 0	180 00	57	4 33	422.7					Flat @ Front of "		
		7.58													
		6.00	158	7 0	180 00	157	4 09	418.8					Back Walk		
		7.66													
		6.00	166	7 0	180 00	165	4 09	418.3					Gut @ Driveway		
		5.86													
		4.00	186	5 0	180 00	185	4 14	418.6					@ Ditman		
P-CT11B	P-CT11				0 00			449.4	5.1		454.5				
				61	269 06	20	0 00	448.4					Gut @ Driveway		
				50	269 06	28	0 00	449.5					Back walk		
		1.60													
		1.00	60	1 0	269 06	60	+ 4 00	457.8					Top slope		
		1.80													
		1.00	80	1 0	269 06	80	+ 4 04	459.1					Flat		

Add'n'l inform. PROFILE LINE # 11

Topography Description Legend: Hill D.....S.H. Bottom Draw B.D. Side of Draw S.D. Bottom Wash B.W. Side of Ridge S.R. Top of Ridge T.R. Head of Draw H.D. Toe of Slope T.S.

Intervs. of Draw. V.P's Break in Slope Slope Top of Cliff Bottom of Cliff Top of Spur Bottom Canyon Side of Canyon S.Ca. Top of Bank T.B. Bottom of Bank B.B. Top of Cut T.C. Bottom of Cut B.C. Top of Fill T.F. Bottom of Fill B.F. Saddle Swale Flat Stream Trail Pavement Edge of Road E.Rd. Ditch Telephone Pole T.P. Power Pole P.P. Culvert Fence Int. Fence Eucalyptus Sycamore Plus combinations of these and all common standard abbreviations. Oak-O. Pine-Pi. Cedar-Ce. Fir-Fr.

768614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rd. SAPPELL Platted
Date DEC 1965 Date
Notes Chkd. Checked
Survey of City Terrace Area
Survey by Buckholder Notes D.K.R. Date 11-3-65
Date Date
Map No. Indexed G. J. GALLI Date
Job No. 055938 Division No. 11 F.B. 3261 Pg. 197

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P-CT11B	P-CT11				° '		° '				4545				
		585 / 400	185	50	269 06	184	+ 4 08	563 0					Toe slope		
		406 / 200	206	30	269 06	205	+ 4 06	566 1					Top slope		
	P-CT11C	418 / 200	218	30	269 06	217	+ 3 57	466 5		+ 120		+ 150	P-CT11C		
P-CT11C	P-CT11B				0 00			466 5	50		4715				
	P-CT11B	717 / 500	217	60	0 00	216	4 13	449 6		219		152	P-CT11B Bot. bank		
				26	90 00	03	0 00	468 9					Top bank		
		652 / 600	52	60	90 00	50	+ 12 08	476 1					Bot. bank (+6° up 3° Top bank)		
		602 / 500	102	50	90 00	98	+ 11 55	487 1					Bot. of 12³ Ret. Wall		
		346 / 300	46	30	262 20	45	9 45	460 9					Top bank (+4° dn. 3° bot. bank)		
		600 / 500	100	50	262 20	98	8 48	451 4					Top bank (+6 dn 3° bot. bank)		
		752 / 600	152	70	262 20	148	8 37	441 9					S.H. (+0.5 dn. 1')		
		903 / 700	203	80	262 20	199	7 46	436 2					Top wall.		
		949 / 700	249	80	262 20	245	7 27	431 5							

Add'n'l Inform. PROFILE LINE #11

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P-CT27	P-CT 28				° '		° '	3329	5L		338.0		P-CT 27 El.= 332.86, Per. F.B. 3261-94 & 150 P-CT 28 Per F.B. 1804-9		
				48	64 59	20	0 00	3332					Gut.		
				37	64 59	31	0 00	3343					Edge Pvmt.: Toe Slope		
		145													
		100	45	10	64 59	45	+ 2 36	4390					Bot. bank (+0.5 up 1°)		
		153													
		100	53	10	64 59	52	+ 7 14	4437					Top bank		
		394													
		300	94	20	64 59	92	+ 7 12	4478					bot. cut		
		219													
		100	119	10	64 59	111	+ 15 00	4669					Top Cut (+4° @ Lev. +8° up 4°		
		440													
		300	140	40	64 59	128	+ 16 44	4727					Bot. cut (+8° up 5½ Top +14° @ Lev. Bot. +18° up 2½ Top		
		586													
		400	186	50	64 59	169	+ 17 33	4823					S.H.		
		423													
		200	223	30	64 59	202	+ 17 41	4997					S.H.		
	P.O.T. #1	749													
		500	249	60	64 59	226	+ 17 35	4037		+ 657		+ 717	P.O.T. #1 S.H.		
P.O.T. #1	P-CT27				0 00			4037	50		4087				
	P-CT27	1042													
		800	242	90	0 00	223	− 16 24	3341		746		656	P-CT27		
								4031	50		4081		Mean El. P.O.T. #1		
		280													
		200	80	20	180 00		+ 4 00						S.H. @ 5° Wood Fence		
	P-CT27A	1040													
		900	140	90	180 00	138	+ 6 26	4147		+ 66		+ 156	P-CT 27A, (Edge Pvmt)		

Add'l Inform. PROFILE LINE # 12

Noted by R. SAPPELL Plotted DEC 1965 Job No. 65-59-38 Division No. 11
Date Checked Date Survey of City Terrace Area
Notes Chkd. Survey by Burkholder Notes D.L.B. Date 12-6-65
Date Map No. Indexed Date
F.B. 3261 Pg. 109

7656614 CE301 7-57

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P-CT27A	P.O.T. #1			—	0 00 00			414.7	5.2		419.9				
	P.O.T. #1	1039 / 900	139	10.0	0 00 00	139	2 50	403.0		16.9		6.9	P.O.T. #1		
				5.7	115 36	13	0 00	414.2					Top bank		
				11.2	115 36	21	0 00	408.7					Bot. bank		
				12.4	115 36	32	0 00	407.5					S.H.		
		1051 / 1000	51 ~~151~~	10.0	115 36	50	6 15	404.6					S.H.	(+9° dn 2°, +18° dn 3°, +26° dn 5.5)	
		1095 / 1000	95	10.0	115 36	93	7 47	397.2					Top Ret. wall	(+5 dn 1.5, +7° dn 1.5, +8° dn 4°)	
		1117 / 1000	117	11.0	115 36	114	8 40	391.5					S.H.		
		1165 / 1000	165	11.0	115 36	161	8 39	384.4					Top slope	(+2° dn 1°, Top 6° wall @ Blanchard)	
		1075 / 900	175	10.0	115 36	169	10 52	377.7					Top cb. Gut. 0.6 dn		
		601 / 400	201	5.0	115 36	194	10 51	377.8					Top Ret. wall	(Gut 0.6 dn, +0.5 dn 9°, bot. wall = T.C., +1° dn 9.4 Gut)	
P-CT27	P-CT28			—	0 00 00			332.9	5.1		338.0				
	P-CT27B			3.0	180 00 00	71	0 00	335.0					P-CT27B.		
P-CT27B	P-CT27			—	0 00 00	71		335.0	5.2		340.2				
				4.1	226 01	11	0 00	336.1					Edge Pvmt = Toe slope		
				1.2	226 01	18	0 00	339.0					Top slope		
				0.3	226 01	22	0 00	340.0					Toe slope		

Add'l Inform.

PROFILE LINE #12

F.B. 3764 PG. 200

Topography Description Legend: Side Hill ... S.H. | Side of Draw ... S.D. | Side of Ridge ... S.R. | Head of Draw ... H.D. | Traveled Rd. ... Tr.Rd. | Fence ... Fe. | Ditch ... Dt. | Fences ... V.Fen. | Telephone Pole ... T.P. | Power Pole ... P.P. | Culvert ... Culv. | Saddle ... Sa. | Swale ... Sw. | Flat ... Fl. | Stream ... Str. | Trail ... Tr. | Pavement ... Pvt. | Edge of Road ... E.Rd. | Canyon ... S.Cn. | Bank ... T.B. | Bottom of Bank ... B.B. | Top of Cut ... T.C. | Bottom of Cut ... B.C. | Top of Fill ... T.F. | Bottom of Fill ... B.F. | Side of Draw ... S.D. | Top of Cliff ... T.Cl. | Bottom of Cliff ... B.Cl. | Top of Spur ... T.Sp. | Bottom Canyon ... B.Cn. | Break in Slope ... B.S. | Top Slope ... T.S. | Bottom Draw ... B.D. | Bottom Wash ... B.W. | Top of Ridge ... T.R. | Toe of Slope ... T.S. | Oak-O. ... Fir-Fr. | Pine-Pi. ... Cedar-Ce. | Sycamore ... Sy. | Eucalyptus ... Eu. | Plus combinations of these and all common standard abbreviations.

765614 CE301 7-57

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rdd. D. SAPPELL Plotted
Date DEC 1965 Date
Notes Chkd. Checked
Date Date
Survey of City Terrace Area
Survey by Burkhalter Notes D.J.B. Date 12-6-65
Map No. Indexed D. T. DAVIS Date
Job No. 09593.38 Division No. 11 F.B. 32661 PG. 20

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P-CT27B	P-CT27				° '		° '				3402				
		135	35	10	226 01	33	+ 12 00	3464					Top Slope (+3° up 2° +23 up 2°)		
		786	86	70	226 01	76	+ 19 42	3605					S.H. (+22° up 3° bot bank)		
		923	127	90	226 01	107	+ 20 40	3722					Top bank - Toe Slope		
		846	146	80	226 01	127	+ 20 54	3816					S.H.		
		386	186	30	226 01	159	+ 22 08	4023					Top Slope		
		401	201	30	226 01	171	+ 22 25	4082					brk @ Wood Fence		
	P.O.T. #1	812	212	70	226 01	179	+ 22 53	4091		+ 689		+ 752	P.O.T. #1		
P.O.T. #1	P-CT27B				0 00			4091	51		4142				
	P-CT27B	1103	203	100	0 00	177	21 02	3362		780		680			
								4085	51		4136		Mean Elev of P.O.T. #1		
				48	180 00	09	0 00	4088					Top ch @ Van Pelt (Gut. dn 0.6)		
				41	180 00	37	0 00	4095					Top ch. (Gut dn. 0.6)		
				25	180 00	45	0 00	4111							
		151	51	10	180 00	51	+ 4 34	4163		+ 30		+ 40	bot. bank		
	P-CT27C	161	61	10	180 00	61	+ 4 00	4168		+ 32		+ 42	Top bank		
P-CT27C	P.O.T. #1				0 00			4168	51		4219		P-CT27C		
	P.O.T. #1	1061	61	100	0 00	61	3 08	4086		133		33	P.O.T. #1		

Add'n'l Inform. PROFILE LINE #12

765614 CE301 7-57

PLEASE RETURN TO:
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 3261 PG. 201

Topography Description Legend: Hill...H. Side of Draw...S.D. Side of Ridge...S.R. Head of Draw...H.D. Bottom Draw...B.D. Bottom Wash...B.W. Top of Ridge...T.R. Toe of Slope...T.S.

Traveled Rd...Tr.Rd. Fence...Fn. Int. Fence...V.Fn. Ditch...Dt. Telephone Pole...T.P. Power Pole...P.P. Culvert...Culv. Oak-O. Pine-Pi. Sycamore...Sy. Eucalyptus...Eu. Fir-Fr. Cedar-Ce. Plus combinations of these and all common standard abbreviations

Saddle...Sd. Spring...Spg. Flat...Fl. Stream...Str. Trail...Tr. Pavement...Pvt. Edge of Road...E.Rd. Bank...B. Toe of Cut...T.C. Top of Cut...B.C. Toe of Fill...T.F. Top of Fill...B.F. Side of Canyon...S.C. Bank...B. Bottom of Bank...B.B. Top of Cut...T.Cu. Bottom of Cut...B.Cu. Top of Cliff...T.Cl. Bottom of Cliff...B.Cl. Top of Spur...T.Sp. Bottom of Canyon...B.Cn. Break in Slope...Brk.S. Bottom of Slope...B.S. Intern. of Draw with Slope...Int.D.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P-CT 27C	P.O.T. #1			—	0.00			—		~~4213~~	4219				
				85	218 30	88	0 00	4184					(+15 dn 20) Flat @ Wood Fence		
	P.O.T. #2			115	218 30	114	0 00	4104					P.O.T. #2 (+3° @ Level Top bank +13 dn 4° Top 3° wall +13 dn 7° +24° dn. 7° +27° dn. 95		
P.O.T. #2	P- CT 27C			—	000			4104	51		4155				
	P- CT 27C	1116 / 1000	116	10	000	115	+ 538	4168		+ 13		+ 113			
		745 / 700	45	7	180 00	41	17 14	3957					S.H. @ Top wall (+05 dn 2° Bot wall)		
		1056 / 1000	56	10	180 00	51	18 31	3889					S.H.		
		1077 / 1000	77	10	180 00	67	22 09	3783					S.H.		
		1082 / 1000	82	10	180 00	70	22 48	3762					Top cb. (Gut 0,2 dn)		
	P- CT 27D	622 / 500	122	60	180 00	112	16 36	3761		394		334	P-CT 27D Gifford & van Pelt		
P- CT 27D	P.O.T. #2			—	0.00			3761	52		3813				
	P.O.T. #2	422 / 300	122	40	0.00	112	+ 16 31	4105		+ 292		+ 332	P.O.T. #2		
				46	88 43	35	0 00	3767					Gut @ Driveway		
				43	88 43	39	0 00	3770					Toe Slope		
				26	88 43	54	0 00	3787					brk		
				00	88 43	62	000	3813					bot bank (+05 up 2° Top +6° up 4P 5° +8 5 up 7 5 +9° up 8°)		

Add'n'l Inform. PROFILE LINE #12

765614 CE301 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Rdd. D. SAPPELL Platted Date DEC 1965 Date Survey of City Terrace Park Job No. 0359.38 Division No. 11 F.B. 3261 Pg. 203
Notes Chkd. Checked Survey by Burkholder Notes D.L.B. Date 12-6-65
Date Date Map No. Indexed G. I. GAULT Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	− Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
P-	P.O.T.				° '		° '		1						
CT27D	#2										3813		T		
		176							2						
		100	76	10	88 43	75	+ 7 15	3899					Top slope		
		386							3						
		300	86	30	88 47	85	+ 7 04	3889					Flat		
		402							4						
		300	102	30	88 47	101	+ 6 45	3903					Bot. 2:1 Wall (+0.5 up 25 @ Top wall +3° @ Lev)		
									5						
		311							6						
		200	111	20	88 47	108	+ 9 19	3973					Top bank		
		941							7						
		800	141	90	88 47	136	+ 10 40	3981					Bot. bank (+2° up 85 Top bank)		
		858							8						
		700	158	80	88 47	151	+ 12 20	4064					bot. Ret. wall, 8° high		
	P.O.T.	875							9						
	#3	700	175	80	88 47	164	+ 14 12	4192		+ 336		+ 416	P.O.T. #3 @ Purcell		
									10						
P.O.T.	P-				° '		° '		11						
#3	CT27D				0 00			4192	52		4201				
		1021							12						
		900	171	00	0 00	164	− 11 37	3764		437		337	P-CT27D		
									13		− 095				
									14						
											TP 41915				
									15		+ 1170				
									16						
											43085				
									17		− 060				
									18				T.B.M. El. 430.13 Per F.B. 3261-99.		
											43025				
									19						
									20						
									21						

Add'n'l Inform. PROFILE LINE #12

765614 CE301 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes By D. SAPPELL Platted Date DEC 1965 Job No. 0959.38 Division No. 11 F.B. 3261 Pg. 205
Survey of City Terrace Area
Notes Chkd. Checked Survey by Burkholder Notes 12-13 Date 12-6-65
Date Date Map No. Indexed C. J. Gross Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle ° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° '		° '						P-CT 26 El. = 461.24		
					° '		° '	461 24	1				Per F.B. 3261-29 &		
					° '		° '	+ 3 01	2				F.B. 2956-102		
					° '		° '	= 464 25	3				Note:		
					° '		° '		4				Ran levels from		
					° '		° '	- 8 05					P-CT 26 to P-CT 26A.		
P-	P-				° '		° '		5						
CT 26A	CT 26				° '		° '	456 20	5 1		461 3		P-CT 26A		
	P-				° '		° '		6				Per F.B. 2956-102		
	26B			3 8	159 31	50	0 00	457 5	7				& Van Pelt		
					° '		° '						P-CT 26B.		
P-CT	P-				° '		° '		8						
26B.	CT 26A				0 00		° '	457 5	5 1		462 6				
	P-				° '		° '		9				P.I. Van		
	CT 26A			6 4	0 00	50	0 00	456 2	10				P-CT 26A Pelt.		
				5 1	95 40	10	0 00	457 5	11				Edge Pvmt.		
				5 2	95 40	21	0 00	456 7	12				Top Slope		
				11 7	95 40	81	0 00	450 9	13				S.H.		
		853 / 700	153	8 0	95 40	152	- 3 40	448 8	14	17 8		9 8	Top Slope (+3° dn 2°)		
	P.O.T #1	1063 / 900	163	10 0	95 40	162	- 3 55	441 5	15	21 1		11 1	P.O.T #1		
					° '		° '		16						
P.O.T	P-				° '		° '								
#1	26B				0 00		° '	441 5	5 1		446 6				
	P-	1100 / 937	163	10 0	0 00	160	+ 7 28	457 6	17 5 1	+ 11 0		+ 21 0	P-26B.		
	26B			5 8	180 00	08	0 0	440 8	18				Top Slope		
				10 2	180 00	20	0 0	436 4	19				Bot. Slope		
				13 0	180 00	37	0 0	433 6	20				Top Slope		
		1076 / 1000	76	10 0	180 00	71	- 14 15	418 5	21	28 1		18 1	brk.		

Add'n'l Inform. PROFILE LINE #13

765614 CE301 S-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence Fn. Int. Fence..V.Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole....P.P. Culvert .....Cul.

Saddle .....Sa. Swale .....Sw. Flat .....Fl. Stream .....Str. Trail .....Tr. Pavement .....Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Bank...T.B. Top of Bank..B.B. Top of Cut...T.C. Bottom of Cut...B.C. Top of Fill..T.F. Bottom of Fill..B.F.

Inters. of Drwn. V.D's Break in Slope..Bk.S. Steep Slope.....S.S. Top of Cliff.....T.Cl. Bottom of Cliff...B.Cl. Top of Spur.....T.Sp. Bottom Canyon...B.Cn.

Topography Description Legend:
Bottom Draw B.D.
Bottom Wash B.W.
Top of Ridge T.R.
Toe of Slope..T.S.
Side Hill Draw..S.H.D.
Side of Ridge S.R.
Head of Draw H.D.

F.B. 326 Pg. 20

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point		+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
P.O.T #1	P-CT26B				0 00 00							4466				
		1302 / 1200	102	130	180 00 00	93	− 17 09	4049			417		287	Cut - Toe Slope @ Miller (+12° up 0.3)		
		1151 / 1000	151	110	180 00 00	145	− 11 37	4058			408		298	Top cb (Cut 0.8 dp) (+123° up 5.8 Top wall +175 up 4.8 Toe slope)		
		1005 / 800	205	90	180 00 00	204	− 4 06	4230			236		146	Top slope @ Conc. Slab. (+90 up 1.5) Conc. Slab.		

Add'n'l Inform. PROFILE LINE #13

765614 CE301 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
P-CT25	P-CT25A				0 00			428 12					P-CT25 El. = 428.12 per F.B. 3261-89 & F.B. 3156-160		
								+ 8 84					P-CT25A Per F.B. 3156-170		
								℄ 436 96					Note:		
								− 3 74					Ran Levels from		
								T.P. 433 22					P-CT25 to P-CT25B;		
								+ 11 36					Meas. W'ly from		
								℄ 444 58					P-CT25A, 307.53		
								− 1 09					℄ Set P-CT25B on		
								T.P. 443 49					Line with P-CT25		
								+ 8 38							
								℄ 451 87							
								− 3 78							
	P-CT25B				0 00	1010		448 09					P-CT25B ℄ City Terrace @ Hse # 4224		
													P-CT25 to P-CT25B = 1010.22 Calc Per F.B. 3156-160 to 170		
P-CT25B	P-CT25				0 00			448 1	51		4532				
				42	280 31	32	− 0 00	449 0					Top Cb (Gut. 0.7 dn)		
				40	280 31	40	− 0 00	449 2					back walk = bot Ret wall (+0.5 up 3°) = Toe slope		
		153 / 100	53	10	280 31	53	+ 4 16	456 1					Top slope		
		795 / 700	95	70	280 31	92	+ 9 21	461 5					S.H. Top 3° Ret. wall		
		810 / 700	110	70	280 31	106	+ 10 08	465 2					(+0.5 dn. 0.5 Toe slope)		
		833 / 700	133	80	280 31	128	+ 10 50	469 8					S.H		

Add'n'l Inform. PROFILE LINE #19

Notes Rdd. D. SAPPELLI Platted
Date DEC 1965 Date Survey of City Terrace Area Job No. 0959.38 Division No. 11 F.B. 3261 PG. 267
Notes Chkd. Checked Survey by Burkhalter Notes D.L.B. Date 12-7-65
Date Map No. Indexed C. J. Galli Date

765614 CE301 9-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

F.B. 3261 PG. 208

Topography Description Legend:
Side Hill: S.H. | Bottom Draw: B.D. | Side of Draw: S.D. | Bottom Wash: B.W. | Side of Ridge: S.R. | Top of Ridge: T.R. | Head of Draw: H.D. | Toe of Slope: T.S.

Oak-O. Fir-Fr. | Pine-Pi. Cedar-Ce. | Fence Sy. | Int. Fence Fn. | Sycamore Eu. | Ditch Di. | Telephone Pole T.P. | Power Pole P.P. | Culvert Cul. | Edge of Road E.Rd.

Saddle Sa. | Swale Sw. | Flat Fl. | Stream Str. | Trail Tr. | Pavement Pvt.

Side of Canyon S.Cn. | Top of Bank T.B. | Bottom of Bank B.B. | Top of Cut T.C. | Bottom of Cut B.C. | Top of Fill T.F. | Bottom of Fill B.F.

Intern. of Draw V.D's | Break in Slope Bk.S. | Steep Slope S.S. | Top of Cliff T.Cl. | Bottom of Cliff B.Cl. | Top of Spur T.Sp. | Bottom Canyon B.Cn.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference — Elevation	Height of Instrument	+ Vertical — Distance	REMARKS Station	Left	Right
P.	P.				° '		° '								
CT25B	CT25			—	° '		° '	—							
		552													
		400	152	50	280 31	146	+ 11 02	476 9					Top bank = edge Pvmt. @ Service Alley		
	P.	800													
	CT25C	638	162	70	280 31	156	+ 10 58	476 5		+ 233		+ 303	P-CT25C		
P.	P.														
CT25C	CT25B			—	000			476 5	52		4817				
	P.	462													
	CT25B	300	162	40	000	156	− 10 42	4482		335		295	P-CT25B		
				44	166 16	06	+ 000	4773					Top. Cb. (Cut, dn. 0.7)		
				43	166 16	09	− 000	4774					back walk = Bot. 2° Ret Wall (+0.5 up 2° Toe Slope).		
		149											Edge walk = Top slope		
		100	49	10	166 16	47	+ 10 51	4897					45° @ Lev. Bot. wall (+5 up 2° Toe slope)		
		478													
		400	78	40	166 16	73	+ 13 53	4959					Bot. 2° Ret. wall (+0.5 up 2° = Toe slope)		
		410													
		300	110	40	166 16	103	+ 14 40	5048					S.H.		
		333													
		200	133	30	166 16	124	+ 15 02	5121					Top Slope		
		439													
		300	139	40	166 16	130	+ 15 00	5127					Edge Pvmt.		
	P.	847													
	CT25D	700	147	80	166 16	136	+ 15 57	5125		+ 308		+ 388	P-CT25D		
P.	P.				° '		° '								
CT25D	CT25C			—	0 00			5125	51		5176				
	P.	600													
	CT23C	454	146	50	0 00	136	− 14 51	4764		412		362	P-CT25C		
				43	212 02	34	− 000	5133					Gut		
				27	212 02	42	− 000	5149					Edge Pvmt: Toe slope		
		158													
		140	058	10	212 02	58	+ 400	5204					S.H.		

Add'n'l Inform. PROFILE LINE # 14

765614 CE301 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P-	P-				° '		° '		1		✓5176				
CT25D	CT25C			—	° '		° '	—	2						
		229													
		100	129	2 0	212 02	126	+ 8 49	5351	3				S.H.		
		560													
		300	260	4 0	212 02	250	+ 10 56	5620	4				S.H.		
		487													
		200	287	4 0	212 02	280	+ 10 57	5669	5				Top Slope		
		395													
		100	295	3 0	212 02	284	+ 11 01	5699	6				Edge Prmt & Milburn		
					° '		° '		7						
					° '		° '		8						
					° '		° '		9						
					° '		° '		10						
					° '		° '		11						
					° '		° '		12						
					° '		° '		13						
					° '		° '		14						
					° '		° '		15						
					° '		° '		16						
					° '		° '		17						
					° '		° '		18						
					° '		° '		19						
					° '		° '		20						
					° '		° '		21						

Add'n'l Inform. PROFILE LINE #14

Notes Red. D. SAPPELL Plotted
Date DEC 1965 Date
Notes Chkd. Checked
Date Date
Map No. Indexed Date

Job No. 09538 Division No. 11 F.B. 3261 PG. 209
Survey of City Terrace Area
Survey by Burkhalter Notes D.L.B. Date 12-7-65

765614 CE301 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station	Left	Right
					° '		° '	✓ 365.64	1				P-CT 21 El. = 365.64 per		
								+ 1.29	2				F.B. 3261-116 & 151		
								✓ 366.88	3 ✓				P-CT 21A Per F.B. 3261-151		
								- 10.24	4				Note:		
								T.P. 356.64	5 ✓				Ran Levels from		
								+ 0.94	6				P-CT 21 to P-CT 21A		
								✓ 357.58	7 ✓						
								- 11.60	8						
								TP 345.98	9 ✓						
								+ 2.65	10						
								✓ 348.63	11 ✓						
								- 5.14	12						
								343.49	13 ✓				P-CT 21A		
									14						
P-CT21A	P-CT21				0.00			✓ 343.51	15		✓ 348.6				
	P-CT21Z	381 / 200	✓ 181	3.0	89 40	180 ✓	+ 4.39	✓ 360.2	16	+ 1.16		+ 1.46	P-CT 21Z	ctr, M.H. @ 1st Floral	
									17						
P-CT21Z	P-CT21A				0.00	✓		✓ 360.2	18		✓ 365.4				
	P-CT21A	1181 / 1000	✓ 181	11.0	0.00	180 ✓	- 3.31	✓ 343.3	19	✓ 22.1		- 11.1	P-CT 21A		
				6.8	269 41	19	- 0.00	✓ 358.6	20				Edge Pvmt: Top slope		
		1147 / 1100	✓ 4.7	11.0	269 41		- 2.18	352.5	21	12.9		- 1.9	Toe slope		

Add'l Inform. PROFILE LINE #15

Notes Rod. D. SAPPELL Platted
Date DEC 1965 Date Survey of City Terrace Area
Notes Chkd. Checked Survey by Burkholder Notes D.L.B. Date 12-7-65
Date Map No. Indexed C. J. Date
Job No. 09538 Division No. 11 F.B. 3261 Pg. 21

768614 CE301 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P-CT212	P-CT214			—	0 00			—			3654	—			
		1132	132	11 0	269 41	131	4 39	3433							Slope
		1000 / 985													
		800	185	9 0	269 41	183	5 53	3375							Slope
		1085 / 800	285	9 0	269 41	282	5 20	3301							Slope
		1183 / 800	383	10 0	269 41	380	4 37	3246							Slope
		1095 / 600	495	9 0	269 41	492	4 22	3190							Slope @ So. Edge of Alley

Add'n'l Inform. PROFILE LINE #15

F.B. 3261 PG. 212

Topography Description Legend:
Side Hill...S.H. Bottom Draw..B.D.
Side of Draw..S.D. Bottom Wash..B.W.
Sides of Ridge..S.R. Top of Ridge..T.R.
Head of Draw..H.D. Toe of Slope...T.S.

Inters. of Draws, V.D's
Break in Slope...B.S.
Steep Slope...T.S.S.
Top of Cliff...T.Cl.
Bottom of Cliff...B.Cl.
Top of Sawtooth...T.Sp.
Bottom Canyon...B.Cn.

Side of Canyon...S.Cn.
Bank...T.B.
Bottom of Bank...B.B.
Cut...T.C.
Bottom of Cut...B.C.
Top of Fill...T.F.
Bottom of Fill...B.F.

Saddle
Swale
Flat
Stream
Trail
Pavement
Edge of Road...E.Rd.

Trees
Fence
Int. Fence...V. Fn.
Brush
Telephone Pole...T.P.
Power Pole...P.P.
Culvert...Cul.

Rd. To Rd.
Rte.-Pl.
Sycamore...Sy.
Eucalyptus...Eu.
Plus combinations of these and common abbreviations

Pfr.-Ff.
Ceder-Ce.
Oak-O.
Pine-Pi.
Sycamore...Sy.
Eucalyptus...Eu.
Plus combinations of these and common abbreviations

765614 CE301 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Ref. D. SAPPELLI Platted
Date DEC 1965 Date Survey of City Terrace Area Job No. 095938 Division No. 11 F.B. 3261 PG. 243
Notes Chkd. Checked Survey by Burkholder Notes D.L.B. Date 12-8-65
Date Date Map No. Indexed G. J. GALLI Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station Left Right
P-CT35	P-CT36				0 00			450 1	5 1		455 2		P-CT 35 El. = 450.09 Per F.B. 3261-117¢ F.B. 2300-134
													P-CT 36 Per F.B. 3156-243
				5 0	0 00	31	0 00	450 2					Top ob (6 at. dn. o.t.)
	P.O.T. #1			5 3	0 00	45	0 00	449 2					P.O.T. #1, Top Slope
P.O.T #1	P-CT36				0 00			449 2	4 9		454 8		
		1136	136	11 0	0 00	35	- 7 17	439 3					Bot. Slope
		1100											
		1144	144	11 0	0 00	139	- 10 04	419 1					Bot Small Drain
		1205	205	11 0	0 00	203	- 5 26	424 5					S.H.
		1000											
		1137	237	10 0	0 00	236	- 4 10	427 8					S.H.
		900											
		1181	281	10 0	0 00	280	- 3 30	427 8					bot. bank (+2° to P.O.T. #2)
		900											
	P.O.T. #2	1200	300	10 0	0 00	299	- 3 02	429 0		2 58		158	P.O.T. #2 Flat (+1.5 @ Lev. Top cliff)
		900											
P.O.T. #2	P-CT36				0 00			429 0	5 0		434 0		
	P.O.T. #1	400											
		700	300	2 0	180 00	299	+ 3 26	450 0		+ 16 0		+ 180	P.O.T. #1
		1044	144	10 0	0 00	32	- 31 11	404 1		29 9		199	Ark
		1000											
	P.O.T. #3	Slope	170.56	4.0		141.70	33° 49'	335 1		98 9		94.92	P.O.T. #3 Trig. Levels from P.O.T. #2 to P.O.T. #3
		Dist.	170.01	5 0	0 00	141.69	33 33	335 2		99 0		93.96	170.56 @ 33.49 = 141.70 ✓
													170.01 @ 33.33 = 141.69 ✓
					To Pg # 214								

Add'n'l Inform. PROFILE LINE # 16

765614 CE301 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ....Sy. Eucalyptus ....Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fn. Int. Fence ..... V.Fn. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Cn. Top of Bank ..T.B. Bottom of Bank..B.B. Top of Cut ..... T.C. Bottom of Cut..B.C. Top of Fill ..... T.F. Bottom of Fill..B.F.

Inters. of Draws V.D's Break in Slope..Bk.S. Steep Slope..... S.S. Top of Cliff..... T.Cl. Bottom of Cliff..B.Cl. Top of Spur..... T.Sp. Bottom Canyon..B.Cn.

Topography Description Legend:
Side Hill ..... S.H.
Bottom Draw B.D.
Bottom Wash B.W.
Side of Draw S.D.
Side of Ridge S.R.
Head of Draw H.D.
Top of Ridge T.R.
Toe of Slope..T.S.

F.B. 3261 PG. 24

Transit at	Sight on	Stadia Intercepts + —	Stadia Distance	Stadia Rod —	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.O.T. #3	P-CT35			—	0 00			3351	51		3402				
				20		36	000	3382							Toe slope
				00	0 00	54	000	3402							Bot cliff
				H40	0 00	64	000	3542							brk.
				53	180 00	48	000	3499							Toe slope
				+07	180 00	58	000	3409							Bot. cliff
	P.O.T. #4	Slope	75.57	30	180 00	64.88	+ 30 51	3760		+ 358		+ 38.8	P.O.T. #4, Trig. Levels		
		Dist.	76.07	40		64.86	31 30	3755		3558		39.4	from P.O.T. #3 to P.O.T. #4		
													75.57 @ 30.51 = 64.88		
													76.07 @ 31.30 = 64.86		
								3735					(-7° dn, 2.5 Top cliff)		
								3760					P.O.T. #4		
								+ 3 78							
								37978							
								- 1179							
								T.P. 36799							
								+ 140							
								36939							
								- 1204							
								T.P. 35735							
								+ 1008							
								35843							
								- 1115							
								T.P. 34728							
								+ 119							
								34847							
								- 1208							
								T.P. 33639							
								+ 088							
								33727							
								- 1065							
								32662					B.M. 61-Z, El. = 326.73		
													Per. F.B. 3261-95		

Add'n'l Inform. PROFILE LINE #16

765614 CE301 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. D. SAPPELLI Platted
Date DEC 1965 Date Survey of City Terrace Area Job No. 0957.38 Division No. 11 F.B. 3261 Pg. 215
Notes Chkd. Checked Survey by Burkhalter Notes D.L.B. Date 12-8-65
Date Map No. Indexed Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle ° to 360° Right	Horiz. Distance	+ − Vertical Angle	Elevation of Point	Back Sight	+ − Difference Elevation	Height of Instrument	+ − Vertical Distance	REMARKS Station Left Right
P-CT 35	P-CT 36			—	0 00			450 1					P-CT 35 El. = 450.09 Per F.B. 3261-117 & F.B. 2700-134 P-CT 36, Per F.B. 3156-243
P-CT-35	P-CT-35A		14 2	5 3	123 30	14	− 0 00	450 0	52		455 3		Top CI Conc. Sb.
			111 2	2 2	123 30	111	− 0 00	453 1					Toe Sl.
		2.75 1.00	195	2 0	123 30	169	+ 10 26	484 4					Top Sl. (+2' Lev. to E. of Sb Conc. Gtr. +2' do. 12 ℄ Conc. Gut. +0' Lev. to W. of Sb Conc. Gut. & Toe Sl.)
		3.70 1.00	270 2	3 0	123 30	154	+ 14 05	517 2					Toe Sl. (+8' to 3' To Gut. Back)
		3.95 1.00	245 0	2 0	123 30	272	+ 15 57	533 4					Top Bank & Toe Sl.
		5.58 2.00	358 3	4 0	123 30	324	+ 17 42	556 3					S.H.
		7.98 4.00	398 2	6 0	123 30	356	+ 13 44	570 8					S.H.
		5.23 1.00	422 2	3 0	123 30	375	+ 19 18	584 3					Top Sl.
	P-CT-35A	6.27 2.00	427 0	4 0	123 30	380 3	+ 19 19	584 6		+ 129 3		+ 133 3	143
P-CT-35A	P-CT-35			—	0 00			584 6	4 9		589 5		
	P-CT 35	5.37 1.00	427 0	3 0	0 00	378 3	− 19 44	450 8		138 7		135 7	

Add'n'l Inform. PROFILE LINE #17

769614 CE301 9-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
103 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Red. D. SAPPELL Platted Job No. 0559.38 Division No. 11 F.B. 3261 PG. 217
Date DEC 1965 Date Survey of City Terrace Area
Notes Chkd. Checked Survey by Buckholder Notes D.L.R. Date 12-8-65
Date Date Map No. Indexed Date

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P-	P-				° '		° '		1						
CT34	CT32			—	0 00		—	447 0	56	—	4526	—	P-CT34, El.=446.97 Per		
									2				F.B. 3261-107 & F.B. 2863-10		
									3				& F.B. 3156-101		
													P-CT32, Per F.B. 3156-104		
				4 5	93 24	09	— 0 00	448 1	4				Top cb. (Gut. dn. o.e.)		
		124											(+5° up 10) Toe Slope)		
		100	✓24	1 0	93 24	24	+ 4 53	453 7	5				S.H.		
		36													
		800	161	9 0	93 24	135	+ 23 39	502 8					S.H		
		1069							6						
		900	169	10 0	93 24	141	+ 23 43	504 9					S.H. bank (bot. Fill)		
		347							7						
		100	247	2 0	93 24	201	+ 25 16	546 0					Top Fill: edge rd.		
	P.O.T.	554							8				(Gut. dn. o.e.) P.O.T #1		
	#1	300	254	4 0	93 24	207	+ 25 22	546 2	9	+ 943		+ 983	Top Macadam berm		
									10						
P.O.T.	P-														
#1	CT34			0	0 00		—	546 2	46	—	5515	—			
	P-	1049							11						
	CT34	800	249	9 0	0 00	206	— 24 43	447 2		1036		946	P-		
								546 5	12						
									46		5511		Mean El, P.O.T. #1		
				4 2	180 00	32	— 0 00	546 9	13						
		142											Top MacAdam berm		
		100	49	1 0	180 00	47	+ 11 42	559 9	14				(Gut dn o.e.) (+5° elev. Toe)		
		183											S.H.		
		100	83	1 0	180 00	75	+ 18 22	575 1	15				(+7° up 2.5 edge rd)		
													Top Slope		
	P.O.T.	603							16						
	#2	500	103	5 0	180 00	93	+ 17 52	576 2		+ 251		+ 301	P.O.T #2		
									17						
P.O.T.	P.O.T.														
#2	#1				0 00		—	576 2	18		5813				
	P.O.T.	1200							19						
	#1	1100	100	12 0	0 00	94	— 13 39	546 4		349		229	P.O.T #1		
								576 4	20						
									51		5815		Mean El, P.O.T. # 2		
									21						

Add'n'l Inform. PROFILE LINE #18

765614 CE301 3-61

PLEASE RETURN TO

LOS ANGELES COUNTY ENGINEER

403 LOS ANGELES COUNTY ENGINEERING BLDG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Oak-O. Fir-Fr. Pine-Pi. Cedar-Ce. Sycamore ..... Sy. Eucalyptus ..... Eu. Plus combinations of these and all common standard abbreviations.

Traveled Rd. Tr.Rd. Fence ..... Fe. Int. Fence ..... V.Fe. Ditch ..... Di. Telephone Pole T.P. Power Pole ..... P.P. Culvert ..... Cul.

Saddle ..... Sa. Swale ..... Sw. Flat ..... Fl. Stream ..... Str. Trail ..... Tr. Pavement ..... Pvt. Edge of Road E.Rd.

Side of Canyon S.Ca. Top of Bank ..... T.B. Bottom of Bank B.B. Top of Cut ..... T.C. Bottom of Cut ..... B.C. Top of Fill ..... T.F. Bottom of Fill B.F.

Interi. of Draw V.D's Break in Slope ..... Bk.S. Steep Slope ..... S.S. Top of Cliff ..... T.Cl. Bottom of Cliff ..... B.Cl. Top of Spur ..... T.Sp. Bottom Canyon ..... B.Cn.

F.B. 3261 PG. 218

Topography Description Legend:
Side Hill ..... S.H. Bottom Draw B.D.
Side of Draw S.D. Bottom Wash B.W.
Sit's of Ridge S.R. Top of Ridge T.R.
Head of Draw H.D. Toe of Slope T.S.

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance —	REMARKS Station	Left	Right
P.O.T. #2	P.O.T. #1			—	0 00			—	1	—	5.81 5	—			
				5 1	180 00	10	0 00	5761	2	—	—	—	(+5° 40 10) Edge Rd - Toe Slope		
		146 100	46	1 0	180 00	43	+ 15 19	5922	3	+ 10 7	—	+ 11 7	Top Slope (+5 1/2 dn 35 Top Slope)		
				—				—	4	—	—	—			
				—				—	5	—	—	—			
				—				—	6	—	—	—			
				—				—	7	—	—	—			
				—				—	8	—	—	—			
				—				—	9	—	—	—			
				—				—	10	—	—	—			
				—				—	11	—	—	—			
				—				—	12	—	—	—			
				—				—	13	—	—	—			
				—				—	14	—	—	—			
				—				—	15	—	—	—			
				—				—	16	—	—	—			
				—				—	17	—	—	—			
				—				—	18	—	—	—			
				—				—	19	—	—	—			
				—				—	20	—	—	—			
				—				—	21	—	—	—			

Add'n'l Inform. PROFILE LINE #18