Notes Ck'd by	Survey of
Map No.	JN Tape Std °F
Office Work	Surveyed by
Checked	Notes Date
Date	Indexed

F.B. 3271 Pg.

Page	Job	Description
		CORNELL RD. 0075.28
5-20	C.L.	Rev. align. C.L. of Cornell Rd. fr. Kanan Rd. to Mulholland Hwy.
21-62	Prof. & X-Sec.	
63-71	C.L.	Realign, staking of prop. C.L. fr. PI 6 So. to intersection with Mulholland Hwy.
73-91	C.L.	Profiles of proposed C.L. Cornell Rd.
93-94	Index	
95-100	C.L.	Of new intersections on Cornell Rd. at Kanan Rd. & Cornell Rd. at Silver Creek Rd.
101-102	Index	
103-112	C.L.	Proposed alignment of Cornell Rd. between Mulholland Hwy. & Sta.160+00 per S.D. File Map H-201-3

Note: any Additions or Changes on This Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3ds C6#310-8.65

Microfilmed Jan 85

Notes Ck'd by G. D. BAILEY	Survey of Cornell Road	F. B. 3271 PG. 5	
Map No. 2-1094-1	JN 007528 Tape 115 Std 84 °F		
Office Work L. W. DYER	Surveyed by R. C. Dale		
Checked G. D. BAILEY	Notes RCD Date 12-26-65		
Date MAR 27 '68	Indexed [illegible] '66		

CORNELL ROAD

JN 007528

DEC. 1965

PROPOSED WIDENING AND LINE CHANGE ON CORNELL ROAD FROM KANAN RD. SLY. TO MULHOLLAND HWY.

REF

AR 2242-11-85
FB 631-50-145

PARTY

R.C. DALE
C.W. ADAMS
B.R. JACKSON
W.H. READ
N.A. CHERRY

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3098 CE #310 6-63

F. B. 3271 PG 6

INDEX



LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by G. D. BAILEY	Survey of Cornell Rd
Map No. B-1099-1	JN 0075.28 Tape 115 Std 84 °F
Office Work G. H. BOYER	Surveyed by R.C. Dole
Checked G. D. BAILEY	Notes (C.D.) Date 12-2-65
Date MAR 27 '68	Indexed G. J. GALLI

F. B. 3271 PG. 7

W.S. 98, A-2

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this fine.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

180.56 @ Lev T=78° = 180.55

300.61 @ Lev T=64° = 300.57

55.33 @ 12°25' T=66° = 54.03

Fd 1½" I.P Conc Plug & T. Top Bank For R/W JN 4530-46172 Pg 3

54.03

.02

P.I. #1 Fd Hex Rod, ½ conc This point has been hit (conc broken), Top of Rod broken off. D=.8" Ref R.D. JN 4530-46172 Pg 3

E.C. Fd 2x2 & T D=.10" For R.D. JN 4580-46172 Pg 3

300.57

set iron & T

.01

56.94

56.94 @ Lev T=76° = 56.94

57.20 @ Lev T=76° = 57.20

57.20

P.P.I. #1 Fd 2" I.P. Conc Plug & T. For R.D. JN 4580-46172 Pg 3 Flush

Transit Line (See page 95) KAMAN RD.

R/W

180.65

Cont. Left

78F3095 CE #310 8-63


F. B. 3271 PG 8
cont Bot Pg #9
W.S. 20,4-2
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
E.C. FD SPK Dn 1"
PROPOSED R/W
RIDGEBROOK RD
289.00
62.06
FD 2X2 & T
Set 1X2 & T by Intersection
Set 1X2 & T
6.52 @ Lev T=64° = 6.52
19.10 @ Lev T=64° = 19.10
2807
62.01
FD L&T conc wall
50.79
25.14
90° - 00' - 08"
FD L&T
30.16
29.25
FD SPK Dn 8"
.02
41.98
.01
47.33
FD 2X2 & T
2) 52-42-10
4) 105-24-10
6) 158-06-10
26°-21-02"
4345
46°
21°-02"
FD 2X2 & T
FD L&T conc wall
FD 2X2 & T
FD 1/2" I.P. conc Plug & T
.01
156.24
209.93
490.19
T4 13
G.D.B. 10-16-67
KANAN RD
Transit Line see page 96
R.O.T. FD 2X2 & T Dn 10" Per RD. JN 4530-46172 Pg #4
47.33 @ Lev T=76° = 47.33
62.01 @ Lev T=76° = 62.01
62.06 @ Lev T=78 = 62.06
289.38 @ 2°48' T=74° = 289.01
289.31 @ 2°33' T=74° = 289.00
AVG = 289.00
3853
.06
180.55
Intersection set punch in top by Intersection
28.07 @ Lev T=64° = 28.07
43.46 @ Lev T=64° = 43.45
156.24 @ Lev T=80° = 156.24
490.19 @ Lev T=64° = 490.13
209.96 @ Lev T=64° = 209.93
41.99 @ Lev T=64 = 41.98
R.O.T. FD SPK W & T Dn 10" Per RD. JN 4530-46172 Pg #4
2) 232-41-50
4) 105-24-00
6) 338-05-50
116-20-58
2) 180-00-10
4) 360-00-20
6) 180-00-50
90°-00'-08"
R 1410
A 1410

W.S. 90,4-2

Notes Ck'd by G. D. BAILEY	Survey of Cornell Road
Map No. B-1099-1	JN 0075,28 Tape 115' Std. 84 °F
Office Work G. H. BOYER	Surveyed by R. C. Dale
Checked G. D. BAILEY	Notes R.C.D. Date 12-2-65
Date MAR 27 '68	Indexed C. A. GALLI

F. B. 327 PG. 9

Cont'd Bot Pg #10

40°

LV. M.W.D. Sewer MH.

217.19 @ Lev T=64°=217.16'

Fd 3/4" I.P. wood Plug & T. FB 631-50 FB 2242-88

29.90

68.00

217.16

30.72 @ 13°16' T=64=29.90

Fd Spk w/ Washer Dent Pob FB 631-50 FB 2242-88

41.64

41.65 @ Lev T=64°=41.64

Fd BT Spk w/ Washer Flush No Ref

ROW 120.00 feet

239.13

Set Nail

CORNELL ROAD

55.00

289.00

44.4

LV. M.W.D. Sewer M.H.

239.16 @ Lev. T=64°=239.13

Cont Top Pg #8

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-63


F.B. 3271 PG 10
BC 6.0
Fd Spk W&T
Dn 3"
FB631-50
FB2242-87
178.88 @ 4°27 T=64° = 178.32
178.94 @ 4°42 T=64° = 178.32
178.32
Fd 3/4" I.P.
Wood plug & T
Per FB631-50
FB2242-87
102
29.96
297.77
CORD
178.32
2) 325-20-20
4) 290-40-40
6) 256-00-50
162° 40'-08"
40'-08"
104.89 @ Lev T=62° = 104.87
206.69
104.87
162°
New PI #
Set 1" I.P. Conc Plug
E.C.E. Tag Dn 2"
3' Spk W&T Sur Ties.
Set 1x2 & T
Edge Board
Fd 3/4" I.P.
Wood plug & T
FB631-50
FB2242-87
38.00
44.54
G.O.B.
36" RCP
30.00
L.V.M.W.D.
Sewer M.H.
38.
165°
2) 331-16-30
4) 302-33-10
6) 273-49-50
165° 38'-18"
Fd Spk W&T
Dn 3" FB631-50
FB 2242-87
Fd Spk W&T
Flush
FB2242-87
182.36
297.81 @ Lev T=64° = 297.77
206.72 @ Lev T=64° = 206.69
38.00 @ Lev T=64° = 38.00
182.36 @ Lev T=64° = 182.34
217.16
CORNELL ROAD
PROPOSED R/W
cont Top Pg #9
cont Pg #11
W.S. 98, 99-2
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 98.4-2

Notes Ck'd by G. D. BAILEY	Survey of Cornell Road
Map No. B-1099-1	JN 00 75 28 Tape 115 Std 84 °F
Office Work G. H. DOYER	Surveyed by P. C. Dale
Checked G. D. BAILEY	Notes P. C. D. Date 12-3-65
Date MAR 27 '68	Indexed C. J. GALLI

F. B. 3271 PG. 11

CONT Top Pg #10

FCGA
Fd Spk w/ T
Flush Pnt
FB 631-50

106.48 @ Lev T = 66° = 106.47
84.12 @ Lev T = 66° = 84.11

Fd 3/4" I.P.
w/ wood plug & T
Per FB 631-50

264.07 @ 2° 40' T = 64° = 263.75
264.14 @ 2° 59' T = 64° = 263.75
AVG = 263.75

147.58 @ Lev T = 70° 147.52

95.34 @ Lev T = 72° = 95.33
213.36 @ Lev T = 72° = 213.34
88.36 @ Lev T = 72° = 88.37
397.04

297.77

N 28° 32' W

130.00

CORNELL

106.47

263.75

43"

4V.M.W.D Sewer M.H.

Set 1x2 PT

Set 1x2 PT Side Road

2) 325-23-20
4) 290-47-00
6) 256-10-20
162°-41'-43"

BC 7A
Fd Spk w/ T
Dn 2" Pt
FB 631-49

2) 321-49-20
4) 283-38-40
6) 245-28-00
160°-54'-40"

PROPOSED R/W

CORNELL RD

R/W

Set 1x2 PT Edge Road

147.52

84.1

160°

54.

40.

397.04

84.14

84.15 @ Lev T = 66° = 84.14

PI 7A
Fd 3/4" I.P. conc
Plug & copper Wire
Dn .18' Per FB 631-49

cont Top Pg #12

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE #310 6-63

F.B. 3271 PG. 12

Cont'd from Bk 3207 Pg # 11

W.S. 29-A-2

84.14

397.04

187.78

EC-7P
Fd Spk W&T
Dn 2" Per
FB 631-

R/W

187.80 @ Lev T=64° = 187.78 ✓
100.10 @ Lev T=64° = 100.09 ✓

BC-17
Fd Spk W&T
Dn 2" Per
FB 631-

29.97

Fd 3/4" I.P. wood plug & T
Dn 18" Per
FB 631-

100.09

171°

2) 343-13-20
4) 326-26-50
6) 309-40-10 ✓
171-36-42" ✓

36.42

Set 1x2 ET

99.99

CORNELL ROAD

PI-17
Fd 3/4" I.P. Wood Plug & T. Per
FB 631-124 FB 2242-86
Reject 1" I.P. conc plug
& CE Tag Dn 12"
3' Spk W&T Ties

2) 322-10-00
4) 284-20-10
6) 246-30-00 ✓
161-05-00 ✓

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

69.95 @ Lev T=62° 69.94 ✓

70.06 @ Lev T=58° = 70.05 ✓

EC-17
Fd Spk W&T
Dn 2" Per
FB 631-125
FB 2242-86

100.00 @ Lev T=62° = 99.99 ✓

81.53 @ Lev T=62° = 81.52 ✓

81.52

270.56

Fd 3/4" I.P. wood plug & T
Dn 2"

BC 18A
Fd Spk W&T
Dn 2" Per
FB 631-125
FB 2242-86

30.02

271.16 @ 3°46' T=74° = 270.55 ✓
271.24 @ 3°55' T=74° = 270.56 ✓
AVG = 270.56

69.94

Set 1x2 ET

136.42 @ 8°46' T=80° = 134.83 ✓
136.49 @ 8°56' T=80° = 134.83 ✓
AVG = 134.83 ✓

85.50 @ Lev T=80 = 85.50 ✓
220.33 ✓

70.05

220.33

PI 18A
Fd 3/4" I.P. Wood Plug & T Dn "B" Per FB 631-125
FB 2242-86

Cont Top Pg # 13

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.


Notes Ck'd by G. D. BAILEY
Map No. B-10997
Office Work G. H. BOYER
Checked G. D. BAILEY
Date MAR 27 '68
Survey of Cornell Road
JN 007528 Tape 115 Std. °F
Surveyed by E. C. DALE
Notes E C D Date 12-8-65
Indexed G. J. GALLI
F. B. 3271 Pg. 13
W.S. 90-4-2
Cont'd Box Pg #12
EC 18A
Fd Spk W&T
Dn 5" Rad
FB 2242-86
FB 631-125
2) 330-07-46
4) 260-15-30
6) 210-23-10
155°-03-52"
40.05
220.33
188.09
RPPI #2
Set 1" I.P. conc
Plug & C.E. Tag
Flush
188.07 @ Lev T = 80° = 188.09
81.49 @ Lev T = 80° = 81.49
POT
Fd Spk W&T
Dn 6" Rad
FB 631-126
FB 2242-86
.07
140.20
87.66 @ Lev T = 80° = 87.66
134.72 @ Lev T = 80° = 134.72
81.49
CORNELL ROAD
PI #2
Set 1" I.P. conc
Plug & C.E. Tag
Flush
74.04
87.66
POT
Fd Spk W&T
Ref FB 631-126
FB 2242-86
.09
2.07
280.00
134.72
Fd Spk
Flush No Rec
140.23 @ Lev T = 56° = 140.20
74.05 @ Lev T = 56° = 74.04
RPPI #2
Set 1" I.P. conc
Plug & C.E. Tag
Flush
163.72
99.86
2) 333-33-00
4) 307-06-10
6) 280-38-50
166-46'-28"
BC 19A
Fd Spk W&T
Ref FB 631-126
FB 2242-85
163.75 @ Lev T = 58° = 163.72
99.88 @ Lev T = 58° = 99.86
278.13 @ Lev T = 64° = 278.10
1.90 @ Lev T = 64° = 1.90
280.00
100.00 @ Lev T = 70° = 99.99
PI 19A
Fd 3/4" I.P. w/ Dot
Punch, Dn 6"
Ref FB 631-126
FB 2242-85
Cont'd Top Pg #14
Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this fine.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
78F3093 CE #310 6/63


W.S. 90, 4-3
F.B. 3271 PG 14
cont Pg #13
COUNTY SURVEYOR
RE 2177
EC 19A
Fd Spk W&T Dn 4" Per FB 631-126 FB 2242-85
260.50 @ 3°30' T=72° = 259.99
260.48 @ 3°22' T=72° = 260.01
AVG = 260.00
38.20 @ Lev T=72 = 38.20
298.20.
Fd LCS mon set in conc on fence Line Per FB 2242-85 FB 545-160 FB 631-126
99.99
90°
2998
.07
298.20
CORNELL ROAD
PROPOSED R/W
11.31 @ Lev T=72° = 11.31
494.35 @ Lev T=64° = 494.29
282.66 @ Lev T=70° = 282.63
776.66 @ Lev T=74 = 765.61
R.C.D. 4-30-66
11.31
Fd BT Sp K W&T Dn 11" Per FB 2242-84
RPPI #3
Set 1" I.P conc Plug & CE Tag Flush
105.73
105.75 @ Lev T=56° = 105.73
765.61
Fd Sq Hd S&T Per FB 2242-84
2) 307-28-20
4) 254-57-00
6) 202-25-20
153°-44'-13"
152°
RPPI #3
Set 1" I.P conc Plug & CE Tag
68.53
68.54 @ Lev T=56° = 68.53
44
G.O.B. 1-11-68
23" dbl.
RPI #3
Set 1" I.P. conc Plug & CE Tag
Dn 12"
8' Sur. Ties
110.13 @ Lev T=68° = 110.12
26.99
110.12
.09
Fd 60d Spike Dn 1" No Tag
349.53
157.98 @ 4°29' T=68° = 157.48
157.91 @ 4°03' T=68° = 157.50
AVG = 157.49
RPPI #3
Set 1" I.P conc Plug & CE Tag Flush
157.49
349.57 @ Lev T=68° = 349.53
RPPI #3
Set 1" I.P conc plug & CE Tag Flush
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by G. D. BAILEY		Survey of Cornell Road	F. B. 3271 PG. 15
Map No. B-1092-1		JN 00775.28 Tape 115 Std. 84 °F	
Office Work G. H. BOYER		Surveyed by RCD & Co	
Checked G. D. BAILEY		Notes R.C.D. Date 12-10-65	
Date MAR 27 '68		Indexed C. J. GALLI	

W.S. 90.4-3

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

300.58 @ 5°33' T=66°=299.13 ✓
300.68 @ 5°46' T=66°=299.12 ✓
89.46 @ Lev T=66°= 89.46 ✓
388.57 ✓

87.45 @ Lev T=56°=87.44

349.53 ✓

Set 1" I.P. conc Plug & CE Tag Edge Road

388.57 ✓

RPPI #4 Set 1" I.P. Conc. Plug & CE Tag Flush

87.44

RPPI #4 Set 1" I.P. Conc Plug & CE Tag

102.22 @ Lev T=56°=102.20 ✓

Set 1" I.P. Conc Plug & CE Tag Top Low Spur

190.34 ✓

102.20 ✓

PI 29 Fd Spk w & T Dn 3" Pav FB 631-130

191.22 @ 5°24' T=62°=190.34 ✓
191.31 @ 5°40' T=62°=190.35 ✓
AVG= 190.34 ✓

1355

PI #4 Set 1" I.P. conc Plug & CE Tag Dn 12" 3' Surface Tie

2) 280-04-00
4) 200-08-00
6) 120-11-50 ✓
140°-01'-58" ✓

140.0

2448

3511.0

1190

Fd 3/4" I.P. Wood Plug & T Flush FB 631-130 Has been Hit

NET P.P. 844 on E

2009

.01

.01

NET T.P. 62 on TH

EC 27 Fd Spk w & T Dn 4" FB 631-130

7191 @ Lev T=56°=71.90 ✓
112.02 @ Lev T=56°=112.00 ✓

253.66 @ Lev T=58°=253.62 ✓

2536.2

PROPOSED R/W

CORNELL ROAD R/W

112.00 ✓

RPPI #4 Set 1" I.P. Conc Plug & CE Tag Flush

cont Top Pg # 16

70F3099 CE #310 8/63


cont Bot Pg #15
F. B. 3271. PG 16
W.S. 2944-3
Set Spk w&T Flush
Fd SPK w&T Dn 3" Per FB631-130
Fd 3/4" I.P. wood Plug & T Per FB631-130
Fd 3/4" I.P. wood Plug & T FB631-130
P.O.T. Fd Spk w&T Dn 4" Per FB631-131
BC-28 Fd Sq Hd & T Flush
PI #28 Fd 3/4" I.P. wood Plug & T Dn 12" Per FB631-191
PI #5 Set 1" I.P. conc Plug & Tag Dn 16"
RPPI 5 Set 1" I.P. conc Plug & Tag Flush
CORNELL ROAD
PROPOSED R/W
R/W
.06
20.00
20.02
213.75'
.01
151.03
52.00
85.00
99.90
101.72
293.12
147.10 @ Lev T=60°=147.08
213.78 @ Lev T=60°=213.75
151.05 @ Lev T=60°=151.03
50.01 @ Lev T=60°=50.00
85.01 @ Lev T=60°=85.00
99.98 @ 4°18' T=66°=99.69
99.88 @ 3°19' T=66°=99.70
AVG = 99.70
101.73 @ Lev T=66°=101.72
154.61 @ 11°13' T=66°=151.64
154.66 @ 11°20' T=66°=151.62
144.87 @ 11°49' T=62°=141.49
144.82 @ 12°16' T=62°=141.49
141.49
82°-51'-05"
165°-42'-10"
G.D.B. 11°(adj) to 10"
2) 331-24-20
4) 302-48-50
6) 274-13-00
165°-42'-10"
2) 165-42-10
4) 331-24-20
6) 137-06-30
82°-51'-05"
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
cont Top Pg #17

W.S. 90,4-3

Notes Ck'd by G. D. BAILEY	Survey of Cornell Road
Map No. B-1099-1	JN 007528 Tape 115 Std 84 °F
Office Work G. H. BOYER	Surveyed by R.C.D.& C.
Checked G. D. BAILEY	Notes R.C.D. Date 12-10-65
Date MAR 27 '68	Indexed G. J. Gal.

F. B. 327 PG. 17

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-63

cont. from 130 F Pg #16

293.12

235.89 @ 17°31' T=60° = 224.91
236.42 @ 17°55' T=60° = 224.91
AVG = 224.91

224.91

Set Spk & W Top Ea. Ivy Spur

204.11 @ 5°55' T=56° = 202.98
204.09 @ 5°53' T=56° = 202.97 = 202.97
325.54 @ 3°32' T=56° = 264.98
325.47 @ 3°18' T=56° = 264.98 = 264.98
467.95

147.04 @ 14°14' T=70° = 142.50
146.82 @ 13°52' T=70° = 142.51
AVG = 142.51

Set Spk W & T S. Edge Road

RPPI #6 set 1" I.P. conc Plug & CE Tag

2) 316-24-40
4) 272-49-40
6) 229-14-20
158°-12'-23"

167.49 @ 7°25' T=42° = 166.04
167.37 @ 7°06' T=42° = 166.04
AVG = 166.04

NOTE

For relocation of PI #6 & Spk to Mulholland Hwy see RB 327-64-71

PI #6 set 1" I.P. conc Plug & CE Tag Flush

93.86 @ 17°02' T=46° = 80.16
83.39 @ 16°25' T=46° = 80.16
AVG = 80.16

185.00 @ 7°23' T=60° = 183.44
185.18 @ 7°50' T=60° = 183.42
AVG = 183.43
1.41 @ Lev T=60° = 1.41
184.84

RPPI #6 set Spk W & T W Edge Pavement

76.59 @ 17°17' T=40° = 72.16
75.82 @ 17°50' T=40° = 72.16
AVG = 72.16

RPPI #6 set 1" I.P. conc Plug & CE Tag Top Cut Bnk.

cont. Top Pg #18


cont Bot. Pg #17
F. B. 3271 PG 18
W.S. 90.A-3
184.84
85.17 @ Lev T=60°=85.16
85.16
Set 1/2" ET Flush Edge Road
50.01 @ Lev T=52°=50.00
50.00
PI #37 Fd Spkw/ ST Dn 3 Per FB 631-140 FB 2242-82
EC 37 Fd 1/2" ET Dn 3" Per FB 2242-82
257.11 @ 5°06' T=52°=250.07
250.99 @ 4°46' T=52°=250.07
AVG = 250.07
250.07
CORNELL ROAD
NOTE
For Line Change
See FB 3271
R/W
Proposed R/W
.01
POT Fd Spkw/ ST Dn 2" Per FB 2242-82 FB 631-140
87.56 @ Lev T=56°=87.54
63.36 @ Lev T=56°=63.35
150.89
150.89
.015
P.O.T. Fd Spkw/ ST Dn 3" Per FB 2242-82 FB 631-141
154.64 @ 3°05' T=52°=154.39
154.70 @ 3°02' T=52°=154.39
AVG=154.39
154.39
Cont TO Pg #19
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 90.A-3

Notes Ck'd by G. D. BAILEY
Map No. B-1099-1
Office Work G. H. BOYER
Checked G. D. BAILEY
Date MAR 27 '68

Survey of Gracell Road
JN 007528 Tape 115 Std 84 °F
Surveyed by R C Dale
Notes R.C.D. Date 12-15-65
Indexed C. J. GILLS

F. B. 3271 PG. 19

Cont Bot. Pg 18

154.39
0.1

Bot. Tr
Ed Spkwt
Dn 3" Por
FB 2242-81
FB 3631-141

PROPOSED R/W

162.11

162.89 @ 5°29' T=52° = 162.11
162.75 @ 4°55' T=52° = 162.12
162.11

21.01 @ 25°58' T=52° = 18.89

90°-05'-45"

RANCHO LAS VIRGENES
STA. NO 12

PI #38
Ed Spkwt
Dn 3" Por
FB 2242-1681
FB 3631-141

1889

2) 180-11-30
90°-05-45"

STA. #12
Fd 2" I.P. & Brass
Cap up 24"
Top of Bank

299.24

299.47 @ 1°50' T=50° = 299.25
299.50 @ 2°07' T=50° = 299.23
AVG = 299.24

Set Spkwt
Flush. Line
Rod. From North

NOTE
For Line Change
See FB 3271-

150.94 @ Lev T=46° = 150.90
136.64 @ Lev T=46° = 136.61
287.51

287.51

Cont Top Pg 20

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-63

cont Bot Pg #19

F. B. 3271 PG 20

W.S. 70,A-3

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

287.51

CORNELL ROAD

271.69

13.56

272.83 @ 5°05' T=46'=271.69
272.78 @ 4°56' T=46'=271.70
271.69

13.56 @ Lev T=46'=13.56

Set Spkw/Sh Flush

Set 1x2 ST Top Cut Bank

PI #7 Set 1" I.P. (or Plug & CE Tag) Flush Top Cut Bank

NOTE
For Relocation of PI 7 See FB3271-67

Notes Ck'd by	Survey of Cornell Road
Map No.	JN 007528 Tape 115 Std 84 °F
Office Work	Surveyed by R.S. Dale
Checked	Notes R C D Date 12-1665
Date	Indexed C. J. GALLI

F. B. 3271 PG. 21

CORNELL ROAD

JN 007528

DEC. 1965

CROSS SECTIONS & PROFILES
ON CORNELL ROAD.
STATIONING FOR PROFILE ONLY

REF

FB 3271 - 10-11, 16-18
FI

PARTY

R.C. DALE
C.W. ADAMS
B.R. JACKSON
W.H. READ

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN to
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE #310 6-63

F. B. 3271 PG 22

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Profile No. | Notes Red | Plotted | Job No. 0075.28 | Division No. | F.B. 3271 | Pg. 23

Profile No. | Date | Date | Survey of Cornell Road

X-Sec. No. | Notes Chkd. | Checked | Survey by R.C.D. | Notes R.C.D. J. GALLI | Date 12-20-65

X-Sec. No. | Date | Date | Map No. | Indexed | Date

CORNELL ROAD

JN 0075.28

PROFILE & CROSS SECTIONS

FROM R.I. SLY FOR 600 ft. STATION: LINE USED FOR PROFILE ONLY

STATION	B.S.	H.I.	F.S.	ELEV.
REF			FB 3271-10-11 FB 2896 91, 92	

PARTY
R.C. DALE
C.W. ADAMS
R.R. JACKSON
W.H. READ

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76-1286 CE 307 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 24 Job No. 0025.23 Division No. Notes Red Plotted Profile
Survey of Cornell Road Date No. X-Sec.
Survey by R.C. Dale Notes R.C.D. Notes Chkd. Checked
Indexed [illegible] Date Date No.

STATION	B.S.	H.I.	F.S.	ELEV.	Left	℄	Right
Bm 66-4	5.76	816.15		810.39	Bm 66-4 Elev = 810.389 Per FB 2896-92 Cornell Rd. on the East Side about 1.9 M. North of Mulholland Hwy or 0.7 Mi. South of Ventura Blvd 185 ± N'ly of RP 844027 E 16.0 E'ly of E. edge pavement ± 11.0 S.E'ly of RP 543228 H. A. Co. Brass cap Mon. Set in conc. stamped Bm 66-4, RE 5869, 1963.		
0+94.6			3.69	812.46			44± Top L.V.M.W.D. M.H. (Sewer)
1+00			2.63	813.52		℄	Top pavement (PI 1 FB 3271-10)
			3.18	812.97	9± L Edge Pav't		
			2.9	813.25	19° Bot cut Bnk		
			+3.6	819.75	22.6 Top Bnk		
			+8.3	824.45	50° Slope		
			+9.2	825.35	74.6 Bot Bnk		
			2.70	813.45			14.8 Edge Pave.
			2.3	813.85			29° Bot. B. L.
			0.4	815.75			35° Top Bnk
			4.5	811.65			43.8 Bot Bnk
			7.3	808.85			87° Top Bnk
			15.1	801.05			126° Bot E Edge Creek
			15.5	800.65			153° Bot W Edg Creek
1+50			3.31	812.84		℄	Pavement
			3.93	812.22	22.8 Edge Pav't		
			3.9	812.25	31.6 30+ cut Bnk		
			0.0	816.15	36° Top cut Bnk		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No.____ Notes Red ✓ Plotted ✓ Job No. 007528 Division No.
X-Sec. No.____ Date____ Date____ Survey of Cornell Road
Notes Chkd.____ Checked____ Survey by R.C. Dale Notes R.C.D. Date 12-20-65
Date____ Date____ Map No.____ Indexed C. J. GALL Date____

F.B. 3271 Pg. 25

STATION	B. S.	H. I.	F. S.	ELEV.	Left ℄	Right
		816 15				
1+50			+ 1.5	817 .65	50° Bot Brk	
			+9 9	826.05	72° Sidehill	
			+25.0	841 15	100° Sidehill	
			3 6 1	812 .54		5° Edge Pavement
			3.3	812.83		13° Bot Brk
			1.3	814.85		18° Top Brk
			6.3	809.85		27½ Bot Brk
			8.3	807.85		70½ Top Brk
			14.9	801.25		99° E Edge Creek
			15.7	800.45		129½ W " "
			12.4	803.75		141° Bot Brk "
2+00			4.16	811.99		℄ 1x1
			4 35	811.80	8½ W Edge Pavement	
			5.02	811.13	37° E " "	
			5.4	810.75	46° Botcut Brk	
			1.3	814 85	52° Top " "	
			+8.2	824.35	89° Sidehill	
			+13.2	829.35	100° "	
			4.0	8 12.15		2° Bot Brk
X			2.2	8 13.95		5° Top Brk

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 26 | Job No. 20752B | Division No. | Notes Red | Plotted | Profile
Survey of Cornell Rd. | Date | Date | No.
Survey by R.C.D. | Notes R.S. Dale | Notes Chkd. | Checked | X-Sec.
Indexed C. J. GALLI | Date | Date | Date | No.

STATION	B.S.	H.I.	F.S.	ELEV.	Left	℄	Right
		816.15					
2+00			8.1	808.05			19 S Bot Bk
			9.3	806.85			52 S Top Bk
			15.3	800.85			84 S Bot Edge Creek
			15.7	800.45			110 S Bot W. Edge Creek
			14.6	801.55			124 S Bot Steep Bank
2+12 S			4.2	811.95		℄	Bot Bk
2+26 S			2.8	813.35		℄	Top Bk
2+50			6.0	810.15		℄	side Slope 1:1
			3.5	812.65	5 S Top Bk		
			5.3	810.85	12 S Bot Bk		
			5.28	810.87	23 S Edge Pavement		
			5.64	810.51	50 S W. Edge Pavement		
			6.0	810.15	61 S Bot Bank		
			4.3	811.95	65 S Top Bank		
			0.1	816.05	85 S Sidehill		
			+5.4	821.55	100 S Sidehill		
			9.0	807.15			4 S Bot Bk
			12.4	803.75			44 S Top Bk
			15.9	800.25			69 S E. Edge Creek
			16.1	800.05			90 S W Edge Creek

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red ____ Plotted ____ Job No. 007528 Division No. ____
X-Sec. No. ____ Date ____ Date ____ Survey of Cornell Road
Notes Chkd. ____ Date ____ Checked ____ Date ____ Survey by L.S. Yale Notes RSD Date 12-20-65
Map No. ____ Indexed J. GALLI Date ____
F.B. 3271 Pg. 27

STATION	B. S.	H. I.	F. S.	ELEV.	Left	Right
		816.15				
2+50			11.7	804.45		104' Top Brk Toe Slope
			+4.6	820.75		127' Top Brk.
2+66.8			9.5	806.65		℄ Bot Brk
3+00			11.3	804.85		℄ Sidehill 1x1
			9.5	806.65	10' Bot Brk	
			4.1	812.05	16' Top Brk	
			5.3	810.85	20' Bot Brk	
			6.28	809.87	35' W Edge Pavement	
			6.13	810.02	53' E Edge Pavement	
			6.6	809.55	77' Bot Brk	
			4.4	811.75	97' Bot. Toe Slope	
			+23.2	839.35	150' Sidehill	
			13.4	802.75		26' Top Brk
			15.9	800.25		36' E. Edge Creek
			16.2	799.95		72' W " "
			13.1	803.05		86' Bot Brk Toe Slope
			6.2	809.95		98' Top Brk
			4.3	811.85		112' Bot Brk
			+4.6	820.75		127' Top Brk.
			+4.6	820.75		160' Flat

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 28 | Job No. 0075.28 | Division No. | Notes Red | Date | Plotted | Date | Profile | No. | X-Sec. | No.
Survey of Lorena II Road | Date | Notes Chkd. | Date | Checked | Date
Survey by BCP Notes RCSD 2/61
Indexed G. J. Hall

STATION	B.S.	H.I.	F.S.	ELEV.	Left	℄	Right
		816.15					
T.P.	6.11	812 83	9.43	806 72			
3+50			9.9	802.93		℄	Top Brk.
			7.7	805.13	21 1/2 Bot Brk		
			1.8	811.03	30 8/10 Top "		
			3.3	809.53	35 6/10 Bot "		
			3.87	808.96	46 5/10 W Edge Pavement		
			2.83	810.00	73 E " "		
			2.8	810.03	91 Bot Brk		
			0.0	812.83	96 Top Brk		
			+5.8	818.63	130 Toe Slope		
			+16.5	829.33	150 Sidehill		
			13.8	799.03			12 E Edge Creek
			13.8	799.03			29 W " "
			12.1	800.73			37 Top Bank
			11.3	801.53			68 Bot Brk
			5.0	807.83			73 7/10 Top Brk
			0 9/10	811.93			126 7/10 Toe Slope
			+7 3/10	820.13			150 Top Bank
4+00			14.9	798.83		℄	E Edge Creek
			9.0	803.83	15 5/10 Top Brk		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 07528 Division No. ____
No. ____ Date ____ Date ____ Survey of Cornell Road
X-Sec. Notes Chkd. ____ Checked ____ Survey by RCDSE Notes R.C.D. Date 12-20-65
No. ____ Date ____ Date ____ Map No. ____ Indexed C. J. Gillis Date ____

F.B. 3211 Pg. 29

STATION	B. S.	H. I.	F. S.	ELEV.	Left	℄	Right
		812.83					
4+00			6.4	806.43	34° Bot Brk.		
			2.5	807.33	42° Top Brk		
			4.5	808.33	54° Bot Brk W. Edge Pavement		
			2.9	809.93	81° E Edge Pavement		
			3.5	809.33	93° Bot Bank		
			+1.7	814.53	102° Top "		
			+11.3	824.13	150° - Sidehill		
			14.3	798.53			19° W Edge Creek
			11.7	801.13			54° Bot Brk
			6.2	806.63			61° Top Brk
			2.0	810.83			148° Toe Slope
4+33.69			3.29	809.54	36° Top LVMWD Sewer MH.		
4+60			15.2	797.63		℄	Bot. Creek W. Side
			14.5	798.33	8° E. Edge Creek		
			11.8	801.03	10° Top Brk		
			7.7	805.13	19° Top Brk		
			4.1	808.73	42° Top Brk		
			4.94	807.89	55° W Edge Pavement		
			3.17	809.66	81° E Edge Pavement		
X			4.0	808.83	93° Bot Brk		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 30 | Job No. 907528 Division No. | Profile
Survey of Corne // Road | Notes Red | Plotted | No.
Survey by R.C.D. | Notes R.C.D. | Date | Date | No. X-Sec.
Indexed [illegible] | Notes Chkd. | Checked
Date | Date | Date

STATION	B.S.	H.I.	F.S.	ELEV.	Left	℄	Right
		812.83					
4+50			1.8	811.03	100° Sidehill		
			+9.2	822.03	150° Sidehill		
			14.00	798.83			33½ Bot. Brk
			9.7	803.13			37½ Top Brk
			7.1	805.73			50° Flat
			6.4	806.43			100° Flat
			3.8	809.03			150°
5+00			14.6	798.23		℄	E. Edge Creek
			12.2	800.63	6½ Top Brk		
			7.3	805.53	30° Bot Brk		
			3.4	809.43	36½ Top Brk		
			4.84	806.00	49° W Edge Pavement		
			3.76	809.07	73½ E. " "		
			1.7	811.13	100° slope		
			0.5	812.33	112½ Bot Brk, Toe Slope		
			+3.5	816.33	120° Top Brk		
			+7.2	820.03	150° Sidehill		
			15.2	797.63			16½ W Edge Creek
			14.2	798.63			39½ Bot Brk
			10.3	802.53			41° Top Brk.

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No 07528 Division No. ____
No. ____ Date ____ Date ____ Survey of Cornell Road
X-Sec. ____ Notes Chkd. ____ Checked ____ Survey by RCDale Notes RCD Date 12-20-65
No. ____ Date ____ Date ____ Map No. ____ Indexed J. GALL Date ____

F.B. 327 / Pg. 31

STATION	B. S.	H. I.	F. S.	ELEV.	Left	℄	Right
		812 83					
5+00			8.0	804.83			50° Top Brk
			7.6	805.23			100° Flat
			7.9	804.93			150° Flat
5+60			12.0	800.83		℄	1 x 1
			10.2	802.63	20° Bot Brk		
			3.9	808.93	32' Top Brk		
			4.33	808.50	39½ W. Edge Pavement		
			3.82	809.01	67° E Edge Pavement		
			1.4	811.43	100° sidehill		
			+ 6.1	818.93	150° Sidehill		
			12.3	800.53			7½ Top Brk
			15.1	797.73			23° E Edge Creek
			15.4	797.43			45° W " "
			13.0	799.83			70° Bot Brk
			7.7	805.13			84 Top Brk
			8.0	804.83			100° Flat
			8.3	804.53			150° Flat
6+00			9.6	803.23		℄	Bot. Brk
			2.8	810.03	17½ Top Brk		
X			3.62	809.21	23½ W Edge Pavement		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 32 Job No. 0275.28 Division No. Notes Red Plotted Profile
Survey of Cornell 1200' Date Date No. X-Sec.
Survey by R.C. Dale Notes R.C.D. Notes Chkd. Checked No.
Indexed B. L. CALL Date Date Date

STATION	B.S.	H.I.	F.S.	ELEV.	Left	℄	Right
		B12 83					
6+00			3.00	809.78	53' E Edge Pavement		
			4.6	808.23	76° Bot Brk		
			2.1	810.73	100° Toe Slope		
			+8.0	820.83	140° Bot Brk		
			+14.1	826.93	150° Sidehill		
			11.2	801.63			21' Top Brk
			15.8	797.03			40' E Edge Creek
			16.3	796.53			84' W1 " "
			13.9	798.93			117' Brk
			11.4	801.43			150° Top Brk
6+46.94	7.10	818 69	1.24	811.59		℄	1x2 T F13
6+50			6.6	812.09		℄	Top Brk
			7.27	811.42	3' W Edge Pavement		
			7.68	811.01	37° E " "		
			8.5	810.19	46' Bot. Brk		
			0.3	818.39	63° Top Brk		
			1.7	817.00	82' Bot Brk		
			+5.6	824.29	100° Sidehill		
			+26.8	845.49	136° Top Brk		
			12.3	806.39			15' Bot Brk

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 007528 Division No.____
No.____ X-Sec. Notes Date____ Date____ Survey of Conrell Road
No.____ Date____ Notes Chkd.____ Checked____ Survey by R.C.D. Notes R.C.D. Date 12-21-65
Date____ Date____ Map No.____ Indexed G. J. GALL Date____

F.B. 3271 Pg. 33

STATION	B. S.	H. I.	F. S.	ELEV.	Left	&	Right
		818.69					
			15.0	803.69			50° Sidehill
			16.9	801.79			100° "
			17.9	800.79			150° "
T.P.	2.99	816 40	5 28	813.41			
7+00			3.37	813.03		&	Pavement
			4.64	811 .76	18^{3} E Edge Pavement		
			4.2	812.20	27^{2} Bot Bank		
			+4.3	820.70	35° Top Bank		
			+8.9	825.30	50° Sidehill		
			+18.8	835.20	76° Top Brk.		
			+20.3	836.70	102° Bot. Brk		
			+47.1	863.50	150° Sidehill		
			3.02	813.38			13^{3} W Edge Pavement
			2.2	814.20			18° Top Brk
			6.8	809.60			29^{8} Bot Brk
			8.3	808.10			50° Sidehill
			11.2	805.20			100° "
			12.4	804 .00			150° "
7+51			2.29	814 .11			42^{3} ER in LVMWD Sewer M.H.
	8.62	824.70	0.32	816.08			

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

Profile No. ____ X-Sec. No. ____
Plotted ____ Date ____ Checked ____ Date ____
Notes Red ____ Date ____ Notes Chkd. ____ Date ____
Division No. ____
Job No. 007528
Survey of Cornell Road
Survey by R C Dale Notes R C D
Indexed C. J. GALLI Date ____
F.B. 3271 Pg. 34

STATION	B. S.	H. I.	F. S.	ELEV.		
		824.70				
T.P.	9.42	833.91	0.21	824.49		
T.P.	9.33	842.98	0.26	833.65		
T.P.	9.64	852.40	0.22	842.76		
T.P.	10.56	862.58	0.38	852.02		
T.P.	2.78	863.37	1.99	860.59		
T.P.	0.27	852.58	11.06	852.31		
T.P.	0.03	842.46	10.15	842.43		
T.P.	0.37	831.64	11.19	831.27		
T.P.	0.40	821.95	10.09	821.55		
T.P.	2.31	813.69	10.57	811.38		
BM 66-3			6.06	807.63	BM 66-3 Elev = 807.659 Per FB 2896-91 Cornell Rd. about 1.5 mi N. of Mulholland Hwy or 1.1 Mi South of Ventura Blvd. at the NW Cor of Cornell Rd and a dirt Road (Silver Creek Rd) To Cornell Ranch Co., 12 ± ft N.W'ly of T.P. 844018E & 5' S.W'ly of the SW edge of pavement. A County Eng. Brass Cap Mon. Stamped BM 66-3 RE 5869, 1963. Per FB 2896-91	

X

F.B. 3271 Pg. 35

Profile No. ____ Notes Red ____ Plotted ____ Job No. 0075.28 Division No. ____
Date ____ Date ____ Survey of Cornell Road
X-Sec. No. ____ Notes Chkd. ____ Checked ____ Survey by R.C.D & C Notes RCD Date 12-21-65
Date ____ Date ____ Map No. ____ Indexed C. J. GALLI Date ____

CORNELL ROAD

JN 0075.28

PROFILE & CROSS SECTION

FROM 70+00 SLY TO STATION 87+00
STATIONING FOR PROFILE ONLY

STATION	B.S.	H.I.	F.S.	ELEV.
		REF FB 3271-16-18 FB 2896-90	PARTY R.C. DALE C.W. ADAMS B.R. JACKSON W.H. READ	

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76-L298 CE 307 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 36 | Job No. 007528 Division No. | Notes Red | Plotted | Profile
Survey of Cornell Road | Date | Date | No. | X-Sec.
Survey by BCD Notes RC Dale | Notes Chkd. | Checked | No.
Indexed C. J. GALLI Date | Date | Date | No.

STATION	B.S.	H.I.	F.S.	ELEV.	Left	℄ Right
BM 66-2	7.81	814.15		806.34	BM 66-2 Elev = 806.344 Per F.B. 2896-90 Cornell Road, on the East side about 1.7 mi. South of Ventura Blvd., 139.5 ft N'ly of P.P. 844003, 16.0 ft S'ly of T.P. 620309H. & 8.0 ft E. of E. Edge pavement. A County Engineer Brass Cap Mon. Stamped BM 66-2 R.E. 5869, 1963. Per F.B. 2896-90.	
T.P.	10.55	823.51	1.19	812.96		
T.P.	8.05	828.80	2.76	820.75		
T.P.	1.16	818.04	11.92	816.88		
T.P.	2.85	812.60	8.29	809.75		
70+00			5.27	807.33		℄ Pavement
			5.00	807.60	12° E Edge Pavement	
			6.0	804.60	16° Bot Brk	
			3.5	809.10	22° Top Brk	
			2.2	810.40	50° F/c ″	
			0.2	812.40	100° ″	
			+1.9	814.50	150° ″	
			6.35	806.25		13° W Edge Pavement
			3.1	809.50		29.3 Top Break
			3.9	808.70		50° F/c
			6.6	806.00		100° F/c
			9.1	803.50		150° ″
T.P.	7.83	820.07	0.36	812.24		
70+50			9.22	810.85		℄ Pavement
			9.09	810.98	4° E Edge Pavement	
			10.2	809.87	11° Bot Brk	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 07528 Division No.
No. Date Date Survey of Corner 11 Road
X-Sec. Notes Chkd. Checked Survey by R.C. Dake Notes R.C.D. Date 12-21-65
No. Date Date Map No. Index J. GALL Date

F.B. 3277 Pg. 37

STATION	B. S.	H. I.	F. S.	ELEV.	Left	℄	Right
		820 07					
			6.6	813 47	19$^{\frac{3}{4}}$ Top Brk		
			5.0	815 07	50° Flat		
			1.8	818 27	100° "		
			+0.8	820 87	150° "		
			11.22	808 85			22$^{\frac{5}{4}}$ W Edge Pavement
			11.1	808.97			50° Flat
			13.3	806.77			100° "
			17.8	802.27			150° "
71+00	7.96	822.40	5.63	814.44		℄	1 X 1
			4.3	818.10	50° Slope		
			0.2	822.20	100° "		
			+2.7	825.10	150° "		
			10.7	811.70			13$^{\frac{1}{4}}$ Bot. Brk
			9.70	812.70			19$^{\frac{1}{4}}$ E. Edge Pavement
			11.32	811.10			55$^{\frac{1}{4}}$ W " "
			9.7	812.70			68° Top Brk.
			12.3	810.10			76$^{\frac{2}{4}}$ Bot. Brk
			13.6	808.80			100° Sidehill
X			17.1	805.30			150° "
71+50			4.7	817.70		℄	Ground

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 38 | Job No 20752.8 | Division No. | Notes Red | Plotted | Profile
Survey of Carroll Road | Date | Date | No. | X-Sec.
Survey by R.C. Dale Notes R.C.A. | Notes Chkd. | Checked | No.
Indexed C. J. GALLI | Date | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.	Left ℄	℄ Right
		922.40				
71+50			1.1	821.30	50° Sidehill	
			4.9	817.50	100° "	
			9.5	812.90	150° "	
			7.7	814.70		50° Sidehill
			8.42	813.98		61½ E. Edge Pavement cut
			7.25	815.15		101½ W " "
			6.1	816.30		112½ Top Bank
			10.6	811.80		128½ Bot. Bank
			12.4	810.00		150° Sidehill
T.P.	10.98	832.84	0.44	821.96		
71+81			10.6	822.24		℄ Bot Breek
72+00			5.3	827.54		℄ 1x1
			2.6	830.24	50° Sidehill	
			0.4	832.44	100° "	
			+ 1.4	834.24	150° "	
			8.0	824.84		29½ Bot. Bank.
			8.0	824.84		63½ Top Bank.
			10.6	822.24		94½ Top Cut Bank "
			16.3	816.54		124° Bot. "
			15 20	817.64		142° E Edge Pavement

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red ____ Plotted ____ Job No. 2007-28 Division No. ____
X-Sec. No. ____ Date ____ Date ____ Survey of Corral Road
Notes Chkd. ____ Checked ____ Survey by R.C. Dale Notes R.C.D. Date 12-21-65
Date ____ Date ____ Map No. ____ Indexed ____ Date ____

F.B. 5271 Pg. 39

STATION	B. S.	H. I.	F. S.	ELEV.	Left	℄ Right
		832.84				
72+00			10.62	822.22		185° W Edge Pavement
T.P.	10.75	843.18	0.41	832.43		
72+50			7.4	835.78		℄ 1x1 Sidehill
			4.5	836.68	50° Sidehill	
			1.2	841.98	100° "	
			+1.5	844.68	150° "	
			5.8	837.38		29° Top Brk
			5.7	837.48		60° Sidehill
			7.7	835.48		100° Sidehill
			7.2	835.98		145° Top Cut Brk
T.P.	10.48	853.54	0.12	843.06		
73+00			4.7	848.84		℄ 1x1 Sidehill
			3.5	850.04	50° Sidehill	
			1.1	852.44	100° "	
			+2.7	856.24	150° "	
			11.2	842.34		24° Bot Brk
			4.8	848.74		78° Top Brk
			5.2	848.34		100° Sidehill
			5.8	847.74		120° Top Brk
			15.4	838.14		150° Top Cut Brk.

X

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 40
Survey at Covina Date ____ No. ____ Profile
Survey by S & D Notes RCD 2 1C Notes Chkd. ____ Checked ____ X-Sec.
Indexed C. J. GALLI Date ____ Date ____ No. ____
Job No. 007528 Division No. ____ Notes Red ____ Plotted ____

STATION	B. S.	H. I.	F. S.	ELEV.	Left ℄	Right ℄
		853.54				
T.P.	11.16	864.08	0.62	852.92		
73+50			10.2	853.88		℄ Sidehill
			1.7	862.38	50° Sidehill	
			-0.30	863.98	100° "	
			+7.1	871.18	150° "	
			14.9	849.18		30° Sidehill
			15.9	848.18		100° "
			14.9	849.19		125° Top Brk
			21.4	842.68		138° Top Cut Bank
T.P.	12.14	875.82	0.40	863.68		
74+00			13.00	862.82		℄ Sidehill
			6.4	869.42	144° Top Brk	
			8.5	867.32	56° Cut Bank	
			6.0	869.82	100° Sidehill	
			3.7	872.12	150° Bot Brk	
			21.6	854.22		50° Sidehill
			25.8	850.02		82.5 Bot Brk
			22.9	852.92		96.6 Top Brk
			27.9	847.92		112.2 Top cut Bank
			53.1	822.72		125.8 Bot " "

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No 007528 Division No
No. Date Date Survey of Correll & Dodd
X-Sec. Notes Chkd. Checked Survey by R.C. Dale Notes R.C.D. Date 12-22-65
No. Date Date Map No. Indexed J. GALL Date
F.B. 3271 Pg. 41

STATION	B. S.	H. I.	F. S.	ELEV.	Left	℄	Right
		875.82					
74+17 3			10.2	865.62		℄	Bot Brk.
T.P.	3.59	879 35	0.06	875.76			
74+50 12			0.50	878.85		℄	Spike in Top Spike FB 3271 pg 19
			+0.8	880.15	26 Top Brk		
			3.1	876.25	50 Sidehill		
			2.9	876.45	69 Bot Brk		
			+7.8	880.15	93 Top Brk		
			+10.9	890.25	150 Sidehill		
			13.4	865.95			25 Bot Brk
			14.8	864.55			42 Top Brk
			27.7	851.65			67 Top Cut Bank
			60.29	819.06			95 Bot Cut Bank
			60.50	818.85			107 Edge Pavement
			59.13	820.22			135 W. Edge Pavement
			57.59	821.76			145 Top Brk
			60.49	818.86			150 Sidehill Slope
TP	0.82	868.71	11.46	867.89			
74+79 5			5.8	862.91		℄	Bot Brk
75+00			8.5	860.21		℄	Top Brk
X			11 4	857.31	17 Bot Brk		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 42 Job No. 07528 Division No. Profile
Survey of Cornell Road No. X-Sec.
Survey by R.C. Dek Notes RCD Plotted Notes Red
Indexed Date Checked Notes Chkd.
Date Date Date

STATION	B.S.	H.I.	F.S.	ELEV.	Left	℄ Right
		868.71				
75+00			+14.38	883.09	72' Top Brk	
			+36.28	904.99	106' Top Brk	
			+49.3	909.01	150° Bot. Brk	
			13.8	854.91		23° Top Cut Bank
			53.81	814.90		50° Bot "
			52.61	816.10		69° E. Edge Pavement
			51.97	816.74		102° W. Edge "
T.P.	0.32	857.90	11.13	857.58		
T.P.	4.51	855.81	6.60	851.30		
T.P.	0.35	844.88	11.28	844.53		
T.P.	0.56	833.59	11.85	833.03		
TP	0.73	822.39	11.94	821.65		
T.P.	1.49	812.75	1.12	811.26		
T.P.	7.81	814.15	6.41	806.39		
T.P.	3.72	816.74	1.19	812.96		
75+50	0.55	814.34	2.95	813.79		℄ Bot cut Bank
			36.10	850.44	32' Top cut Bank	
			36.10	850.44	54' Bot Brk	
			82.80	897.14	112° Top Brk	
			108.40	922.74	150° Sidehill	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	Left	Right
		814.34				
75+50			2.45	811.89		9° Bot Break
			1.18	813.16		36° E. Edge Pavement
			0.84	813.50		65° W " "
			+0.5	814.84		74° Top Berm
			13.7	800.64		100° Side. Fill Slope
			36.7	777.64		150° Bo— Fi
76 + 00			3.8	810.54		& Eqpmt, Ditch
			4.6	809.74	27° Bot Brk	
			0.1	814.24	42° Bot cliff	
			32.97	947.31	61° Top cliff	
			32.97	847 31	81° Bot cut Bnk	
			75.27	889.61	150° side Cut Bnk	
			3.84	810.50		78° E Edge Road
			3.93	810.41		36° W " "
			2.2	812.14		45° Top Berm
			31.4	782.94		100° Bot. Fill slope
			41.9	77 244		150° Side hill
76 + 50			5.20	809.14		& Pavement
			5.22	809.12	17° E Edge Pavement	
X			5.5	808.84	48° Bot. Break	

Profile Notes Red ____ Plotted ____ Job No. 0075 28 Division No. ____
No. ____ X-Sec. ____ Date ____ Date ____ Survey of Carnell Road
No. ____ Date ____ Notes Chkd. ____ Checked ____ Survey by R.C. Dale Notes R.C.D. Date 12-27-65
Date ____ Map No. ____ Indexed J. GALL Date ____

F. B. 3271 Pg. 43

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

Profile No. ____ X-Sec. No. ____
Plotted ____ Date ____ Checked ____ Date ____
Notes Red ____ Date ____ Notes Chkd. ____ Date ____
Division No. ____
Job No. 007528
Survey of Cornell Road
Survey by R.C.D. Notes R.C. Dale Date
Indexed R. I. GALLI Date
F.B. 3271 Pg. 44

STATION	B.S.	H.I.	F.S.	ELEV.	Left ℄	℄ Right
		814.34				
76+50			0.0	814.34	66' Bot cut Bank	
			31.49	845.83	94' Top " "	
			40.47	854.81	150° Side hill	
			5.65	808.69		13.5' W Edge Pavement
			4.1	810.24		20° Top Berm
			20.9	793.44		50° Side Fill Slope
			29.4	784.94		21° Toe Fill
			34.2	780.14		100° Side Hill
			42.2	772.14		150° " "
76+75.03			6.19	808.15		℄ Spkw ℄ T Edge Pav. F.B. 3271
76+80°			6.39	807.95		℄ Bot Berm
76+95°			5.3	809.04		℄ Top Berm
77+00			6.8	807.54		℄ Side Fill Slope
			5.6	808.74	3° Top Berm	
			6.9	807.44	11° Bot Berm W Edge Pavement	
			6.5	807.84	38° E Edge Pavement	
			6.4	807.94	58.5' Bot Bank	
			0.0	814.34	78° Top Break	
			+4.5	818.84	100° Side hill	
			+18.0	832.34	150° Side hill	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 007512 Division No. ____
No. ____ Date ____ Date ____ Survey of Connell Road
X-Sec. Notes Chkd. ____ Checked ____ Survey by R.E. Davis Notes R.E.D. Date
No. ____ Date ____ Date ____ Map No. ____ Indexed R. J. GALLI Date ____

F.B. 3271 PG. 45

STATION	B. S.	H. I.	F. S.	ELEV.	Left	℄	Right
		814.34					
77+00			24.0	790.34			35° Toe Slope
			26.9	787.44			50° Sidehill
			34.4	779.94			100° "
			40.8	773.54			150° "
T.P.	2.62	808 96	8.00	806 34			
~~77+33~~			11.8	797.16		℄	Toe Slope
77 ± 50			12.9	796.06		℄	Sidehill
			12.9	796.06	2° Toe Slope		
			1.4	807.56	25° Top Berm		
			2.60	806.36	31E Bot. Berm w Edge Pavement		
			2.10	806.86	63E E. Edge Pavement		
			0.00	808.96	78E Bot. Cut Bank		
			+8.4	817.36	95E Top " "		
			+20.0	828.96	150° Sidehill		
			-21.4	787.56			50° Sidehill
			-29.0	779.96			100° "
			-35.8	773.16			150° "
78+00			13.2	795.76		℄	Sidehill
	3.03	809.37	2.62	806 34			
X			6.9	802.47	27E Bot Fill Slope		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 46 Job No. 003528 Division No. Notes Red Plotted Profile
Survey of Connell Road Date No. X-Sec.
Survey by RCE Notes RCE 215 Date
Indexed J. GALU Notes Chkd. Checked No.
Date Date Date

STATION	B. S.	H. I.	F. S.	ELEV.	Left ℄	Right
		809.37				
78+00			1.7	807.67	38° Top Berm	
			3.92	805.45	45⅝ W Edge Pavement	
			3.70	805.67	71½ E " "	
			3.6	805.77	79⅝ Bot. cut Bank	
			+7.2	816 57	93⅝ Top " "	
			+9.5	818 87	104° Bot. Brk.	
			+24.0	833.37	150° Sidehill	
			23.2	786.17		50° sidehill
			31.7	777.67		100° "
			38.0	771.37		150° "
T.P.	0 33	798.28	11.42	797.95		
78+50			6.72	791.56		℄ Sidehill
			+1.0	799.28	46⅛ Bot F. Ill Slope	
			+7.0	805.28	56⅝ Top Berm	
			+4.5	802.78	63⅝ W Edge Pavement	
			+6.0	804 28	86⅝ E " "	
			+7.2	805 48	90° Bot cut Bank	
			+22.6	820.88	105° Top. " "	
			+51.2	849.48	150° Sidehill	
(78+50) T.P.	0 09	791.65	6.72	791.56		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 207528 Division No. ____
No. ____ Date ____ Date ____ Survey of Carroll Road
X-Sec. Notes Chkd ____ Checked ____ Survey by R.C. Dale Notes R.C.D. Date 12-28-65
No. ____ Date ____ Date ____ Map No. ____ Indexed J. GALLI Date ____

F.B. 3271 Pg. 47

STATION	B. S.	H. I.	F. S.	ELEV.	Left	℄	Right
		791 65					
78+50			6.6	785.05		50°	Sidehill
			17.1	774.55		100°	"
			24.2	767.45		160°	"
79+00			5.6	786.05		℄	Sidehill
			+1.3	792.95	50° Toe fill slope		
			+12.0	803.65	69° Top Berm		
			+10.8	802.45	73° W Edge Pavement		
			+11.8	803.45	100° E "Base of cut" Bank		
			+27.8	819.45	117° Top cut Bank		
			+49.8	841.45	150° Sidehill		
			13.3	778.35		50°	Sidehill
			20.8	770.85		100°	"
			27.0	764.65	NOTE FOR X SECTIONS ON ℄ STATIONS 79+50 TO 87+00 SEE FB 3271-51-62	150°	"
T.P.	0.01	780.07	11.59	780.06			
79+50			0.95	779.12		℄	
80+00			2.15	777.92		℄	
80+50			5.07	775.00		℄	
81+00			9.64	770.43		℄	
81+28.98	P.I. #6		9.22	770.85		P.I. #6 P.O.T.	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 48 Job No. 80-25-28 Division No. Notes Red Plotted Profile
Survey of Cornell Road Date Date No. X-Sec.
Survey by R.C.D. Notes R.C.D. Notes Chkd. Checked No.
Indexed G. J. CALLI Date Date Date

STATION	B. S.	H. I.	F. S.	ELEV.	
		780.07			
82+00	10.44	786.11	4 40	775 67	T.P. 1X1
82+50			3 23	782 88	
T. P.	10 14	795.75	0 50	785 61	T.P 1 x 1
83+00			4 04	791 71	1 x 1
83+21 00			0 50	795 25	TOP BURM
83+27 82			1 12	794 63	1 x 2
83+45			1 00	794 75	EDGE ROAD
83+50			1 00	794 75	PAVEMENT
TP	1 24	795 99	1 00	794 75	1 x 1
84+00			3 04	792 95	PAVEMENT
84+50			7 16	788 83	"
85+00			12 11	783 88	"
T P.	0 49	784 20	12 28	783. 71	ROCK
85+50			5 26	778.94	PAVEMENT
86+00			9 70	774.50	"
T.P.	3 23	775 35	12 08	772. 12	ROCK
86+50			4 53	770 82	PAVEMENT
87+00			6 47	768 88	"
T.P.	10 52	785.00	0 87	774.48	ROCK
T.P.	10.96	795. 53	0. 43	784 57	1 x 1

X

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		795 53				
T.P.	11 74	805 99	1 28	794 25	ROCK	
T.P.	8 62	813 83	0 78	805 21	"	
T.P.	10 62	818 79	5 66	808 17	BOLT ON F.H. #14 (FLANGE)	
T.P.	9 79	827 20	1 38	817 41	SPK.	
T.P.	0 87	820 99	7 08	820 12	SPK	
T.P.	0 17	809 01	12 15	808 81	SPK.	
T.P.	0 94	798 40	11 55	797 46	SPK.	
BM 66-1			8 32	790 08	BM 66-1 ELEV. = 790.032 FB 2896-89 CORNELL ROAD ON EAST SIDE ABOUT 0.4 MI NORTH OF MULHOLLAND HWY. 98' SLY OF CL "543315, 95.5' SLY OF L.A.C.F.D. T.P. # 1847, 13.0' W. OF W. 10" OAK & 7.0' EAST OF EAST EDGE OF ROAD PAVEMENT. STAMPED "BM 66-1, RE 5869, 1963" F.B. 2896-89	

X

Profile Notes Red Plotted Job No. 03528 Division No.
No. Date Date Survey of Cornell Road
X-Sec. Notes Chkd. Checked Survey by E.C.D.& Notes B.R.T. Date 12-28-65
No. Date Date Map No. Indexed C. A. CALL Date
F.B. 3271 Pg. 19



Form 361 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Diaphragm	Stadia Distance	Stadia Rod	Horizontal Angle ° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	Rod Sight	+ −	Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
										1			775 6					
81+00	PI+6		132	17	270 0	113	+	22 00	819 7	2	+	44 1		+	45 8	T.C.		
			100	13 5	270 0	87	+	21 33	797 5	3	+	21 9		+	35 4	B.C.		
			94	11 5	270 0	81	+	21 32	796 1	4	+	20 5		+	32 0	E.R.T.		
			71	4 9	270 0	61	+	21 42	795 6	5	+	20 0		+	24 4	E.R.T.		
			65	0 9	270 0	56	+	21 40	796 0	6	+	20 4		+	21 3	T.F.		
			25	1 1	270 0	25	+	3 45	776 6	7	+	1 0		+	2 1	B.F.		
	PI+6		43	4 8	0 0	43	−	0 0	770 8	8		4 8		−	0 0	B.F. 1" I.P.		
			48	11 3	90 0	48	−	1 18	764 2	9		11 4		−	0 1	S.H.		
			100	10 5	90 0	99	−	4 18	757 6	10		18 0		−	7 5	S.H.		
			152	10 8	90 0	151	−	3 28	755 6	11		20 0		−	9 2	S.H.		
					X-SECTIONS				PI+6	12								
									770 9	13			770.9 3.8 (77.7)					
PI+6	84+00		144	10 8	79-06-12	143	−	3 40	765 4	14		2 13		−	10 5	S.H.		
			105	10 5	79-06-12	104	−	4 49	757 4	15		19 3		−	8 8	S.H.		
			53	11 3	79 06 12	53	−	3 46	761 9	16		14 8		−	3 5	S.H.		
			6	7 8	79 06 12	6	−	0 00	768 9	17		7 8		−	0 0	T.F.		
	81+00		43	6 2	158 12 23	43	−	0 00	770 5	18		4 2		−	0 0	℄		
			48	1 2	259-06-12	37	+	28 43	795 7	19	+	19 0		+	20 2	T.F.		
			54	4 7	259-06-12	42	+	28 44	799 8	20	+	18 1		+	22 8	E.R.T.		
7			78	13 8	259-06-12	60	+	28 49	795 7	21	+	19 2		+	33 0	E Rnt 4up ℄ B.C.		

Date: Notes Taken: Checked: Survey by: Map No. Date: Survey of: Record Data: Plotted: Date: Indexed: Date:

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
											776 I				
PB6	84+00		125	1 6	259-06-12	96	+ 28.54	827 8		+ 51 3		+ 52 9	T.C.		
			158	1 8	259-06-12	119	+ 29.39	842 9		+ 66 2		+ 68 0	S.H.		
				X	SECT 19	NS	82+90	775.7			775.7 (780.1)				
82+00	84+00														
	PI 6			9 2	180 0			770 9		9 2		0 0			
82+00	84+00		131	10 6	90 0	130	6.11	755 5		24 6		14 0	S H		
			99	11 5	90 0	98	7.11	756 3		23 8		12 3	S.H.		
			50	11 2	90 0	48	10.21	760 1		20 0		8 8	S.H		
			21	11 1	90 0	20	15.16	768 7		16 4		5 8	B.F.		
				X	= + 130'		Right of	℄		on	Section 775.5 (780.6)		82+00		
130' R	82+00		131	2 6	360 0	129	+ 7.50	775 2		+ 1.5 1		+ 17 7			
	"		164	1 8	360 0	155	+ 13.14	795 3		+ 34 2		+ 36 5	T.F.		
			169	2 6	360 0	160	+ 13.00	794 8		+ 34 2		+ 37 0	E.R.T		
			193	7 9	360 0	183	+ 13.11	795 5		+ 34 9		+ 42 8	E.R.T		
			198	8 0	360 0	188	+ 13.16	796 0		+ 36 2		+ 44 2	B.C		
			213	2 0	360 0	197	+ 15.58	814 5		+ 54 3		+ 56 3	T.C.		
			267	2 3	360 0	238	+ 19.12	841 2		+ 80 6		+ 82 9	T.B.		
			279	3 4	360 0	249	+ 19.05	843 4		+ 82 8		+ 86 2	T.Sp.		
			295	12 4	360 0	263	+ 19.18	844 2		+ 79 6		+ 92 8	S.H.		

Form 381 ISSUE 5-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 359° Right	Horiz. Distance	+	−	Vertical Angle	Elevation of Point	+ Rod Sight	+	−	Difference Elevation	Height of Instrument	+	−	Vertical Distance	REMARKS Station	REMARKS Left or Right
			X	SECTION		STATION				82+50										
											2				793.9			PI- FB 5271-78		
															784.6					
82+50	85+00		145	13 7	270 00	109			+ 29 38	835 7	3			+ 48 6			+	62 3	T.S.	P.+36 − 9 P.SH
			124	4 6	270 00	93			+ 29 56	836 6	4			+ 49 5			+	54 1	B.C.S.	
			90	5 3	270 00	54			+ 28 28	811 1	5			+ 24 0			+	29 3	T.C.	
			60	14 8	270 00	48			+ 26 31	796 3	6			+ 9 2			+	24 0	B.C	
			57	15 0	270 00	46			+ 26 31	795 7	7			+ 8 8			+	23 8	E.R.T	
			28	3 1	270 00	22			+ 26 42	795 2	8			+ 8 1			+	11 2	E.R.T	
			23	0 4	270 00	18			+ 26 44	795 9	9			+ 8 8			+	9 2	T.F.	
			50	5 2	90 00	39			− 28 05	761 1	10			− 26 0			−	20 8	B.F.	
			96	1 5	90 00	86			− 19 12	755 8	11			− 31 3			−	29 8	S.H	
			160	1 8	90 00	154			− 11 13	754 8	12			− 32 3			−	30 5	S.H.	
	83+00		82	4 2	0 00	50			+ 10 00	791 8	13			+ 4 7			+	8 9	S.H.	℄
			X	SECTION		STATION				83+00	14									
											15				791.7			PI- FB 5271-78		
															784.3					
83+00	83+50		50	1 5	0 00	50			− 0 00	794 8	16			− 1 5			−	0 0	Top Pavement	
			180	2 9	90 00	171			− 12 46	754 6	17			− 39.7			−	38 8	S.H	
			120	2 6	90 00	115			− 18 41	754 8	18			− 41 6			−	38 9	S.H	
			76	4 1	90 00	68			− 29 17	759 4	19			− 36 9			−	32 5	B.F.	
			5	0 7	270 00	5			− 0 00	795 6	20			− 0 7			−	0 9	T.F	
X			9	1 1	270 00	9			− 0 00	795 9	21			− 1 4			−	0 9	E.R.T	

Stadia Intervals

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference Elevation −	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
					° '		° '								
83+00	83+50		33	1 6	270 00	33	0 00	794 7		1 6	796 3	0 0	E P.T.		
			48	0 3	270 00	48	0 00	796 0		0 3		0 0	B.C.		
			55	0 3	270 00	49	+ 24 51	819 6		+ 20 1		+ 21 0	T.C.		
			76	3 4	270 00	59	+ 28 04	824 5		+ 28 2		+ 31 6	B.K.S.		
			100	7 5	270 00	79	+ 27 28	829 7		+ 33 4		+ 40 9	T.Sp.		
			120	14 6	270 00	105	+ 27 20	830 4		+ 34 3		+ 48 9			
			X	AT	105' LEFT	&	STATION		83+00						
											830 6 3.2				
											833 8				
	83+00		26	5 9	0 00	26	0 00	829 9		5 9		0 0			
			59	8 3	180 00	57	9 38	817 8		18 0		9 7			
			X	SECTIONS		STATION			83+50						
											794 9 5 4				
											800 2				
83+50	84+00		100	11 6	270 00	86	+ 21 55	823 3		+ 23 1		+ 34 6	T.Sp + − S.H.		
			43	0 2	270 00	38	+ 20 01	813 8		+ 13 6		+ 13 8	T.C.		
			27	5 2	270 00	27	0 00	795 0		5 2		0 0	B.C.		
			21	6 2	270 00	21	0 00	794 0		6 2		0 0	E P.T.		
	84+00		50	7 2	0 00	50	0 00	793 0		7 2		0 0	℄ STATION 84+00		
			25	5 4	90 00	25	0 00	794 8		5 4		0 0	E P.T.		
			85	4 9	90 00	85	0 00	795 3		4 9		0 0	T.F.		
			45	4 2	90 00	38	24 00	779 3		20 9		16 7	B F		
			111	5 5	90 00	97	20 40	758 0		42 3		36 7	T.S.		X

Form 301 IBM 3-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR ENCLOSED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intervals	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	+ − Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
B3+50	B4+00		169	2.8	90° 00'	157	−	15° 16'	7545		457	800.2		429			
					X SECTIONS			STATION		B4+00		793.0			P.T. FD 3271-48		
												798.4					
B4+00	B4+50		13	5.1	90 00	13	−	0 00	7933		51			00	E.R.T.		
			20	2.0	90 00	20	−	0 00	7964		20			00	T.C.		
			40	5.4	90 00	40	−	0 00	7930		54			00	T.B.		
			14	6.4	270 00	14	−	0 00	7920		64			00	E.P.T.		
			20	6.6	270 00	20	−	0 00	7918		66			00	B.C.		
			28	1.1	270 00	27	+	10 13	8022		38		+	49	T.C.		
			94	4.0	270 00	89	+	12 54	8194		160		+	205	T.Sp.		
			140	14.7	270 00	133	+	13 05	8146		162		+	309	S.H. +20'	5.3	
	B3+50		50	3.6	180 00	50	−	0 00	7948		36			00	℄		
					AT 40' RIGHT			℄ STATION		B4+00							
												793.0					
												798.4					
402 B4+00	B4+00		40	5.1	0 00	40			7930		51			00	℄ Station		
			30	5.1	180 00	25		23 20	7821		160			102	S.H.		
			97	3.6	180 00	82		23 19	7593		388			353	F.S.		
			166	5.8	180 00	157		13 34	7545		436			378	F.I.		
					X SECTIONS			℄ STATION		B4+50							
												798.8					
												797.2					
B4+50	B5+00		40	5.3	90 00	65	−	1 12	7870		72			12	T.B.		

Date Notes Rod Date Checked Date Plotted Job No.

Form 301 IBM 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle −	Elevation of Point	+ Back Sight	+ Difference − Elevation	Height of Instrument	+ Vertical Distance −	REMARKS Station	Left	Right
					° '		° '								
84+50	85+00										794.2				
			22	3 8	90 00	22	0 09	790.4		3 8		0 °	T.C.		
			14	5 3	90 00	14	0 00	788.9		5 3		0 °	E.P.T.		
			12	5 8	270 00	12	0 00	788.4		5 8		0 °	E.P.T.		
			19	5 9	270 00	19	0 00	788.3		5 9		0 °	B.C.		
			29	1 1	270 00	28	+ 7 54	799.1		+ 2 9		+ 4 0	T.C.		
			95	5 5	270 00	93	+ 8 14	805.0		+ 10 8		+ 16 3	T.S.		
			160	15 3	270 00	158	+ 7 00	798.3		+ 4 1		+ 19 4	S.H.		
									84+50						
					AT 65' RIGHT ℄ STATION						787.0				
											(794.2)				
84+50	84+50		65	3 2	0 00	65	0 00	788.8		3 2		0 °	℄		
			57	9 3	180 00	54	13 37	769.7		22 3		13 °	S.H.		
			87	11 4	180 00	81	15 15	758.5		33 5		22 1	T.S. (Edge Dirt Road)		
			100	9 5	180 00	94	14 24	758.4		33 6		24 1	T.B. (Edge Dirt Road)		
			114	10 5	180 00	107	14 41	753.5		38 5		28 °	T.S.		
					SECTIONS ℄ STATION				85+00						
											783.9				
85+00	86+00										(789.3)				
				0 4	180 00		0 00	788.9		0 4		0 °	℄ ST. 84+50		
			15	5 8	90 00	15	0 00	783.5		5 8		0 °	E.P.T.		
			22	4 7	90 00	22	0 00	784.6		4 7		0 °	T.B.		
			27	7 7	90 00	27	0 00	781.6		7 7		0 °	B.B.		

Form 381 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ −	Vertical Angle	Elevation of Point	+ Back Sight	− Difference Elevation	Height of Instrument	+ −	Vertical Distance	REMARKS Station	Left	Right
												7.80.0					
86+00	87+00																
			115	11 6	90 00	115	−	3 03	7623		1 72			6 1	BKS.		
			155	15 7	90 00	133	−	6 10	7499		3 01			14 9	SH +20' − 11 SH		
			50	2	180 00	50	−	0 00	7790		1 0			0 0	℄ station 85+50		
				X SECTIONS		℄ STATION				86+50							
												7.10.0					
86+50	87+00											7.76.2					
			50	1 7	180 00	50	−	0 00	7745		1 7			0 0	℄ STATION 86+00		
			13	5 7	90 00	13	−	0 00	7705		5 7			0 0	E.P.T.		
			19	4 8	90 00	19	−	0 00	7714		4 8			0 0	T.B.		
			29	10 3	90 00	29	−	0 00	7659		10 3			0 0	B.B.		
			65	10 6	90 00	65	−	0 00	7656		10 6			0 0	S.H.		
			116	11 6	90 00	116	−	0 25	7638		12 9			0 8	T.B.		
			141	11 5	90 00	141	−	5 31	7512		2 5 0			13 5	SH. +20 − 7 BD		
			12	5 8	270 00	12	−	0 00	7709		5 8			0 0	E.P.T.		
			20	7 2	270 00	20	−	0 00	7690		7 2			0 0	B.B.		
			25	4 8	270 00	25	−	0 00	7714		4 8			0 0	T.B.		
			57	3 1	270 00	57	−	0 00	7731		3 1			0 0	FI.		
			112	0 9	270 00	112	−	0 00	7753		0 9			0 0	FI.		
			154	3 8	270 00	154	+	2 18	7786		+ 2 9		+	6 2	FI.		

Add'l Intens.

Notes Rod. _____ Plotted _____ Job No. 635128 Division No. _____ T.B. 327 Pg. 61
Date _____ Date _____ Survey of Cornell Road
Notes Chkd. _____ Checked _____ Survey by R.C. Dale from R.C.D. Date 1-9-56
Date _____ Date _____ Field No. _____ Date _____

Form 301 10M 3-34

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
700 HALL OF RECORDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Transit at	Sight on	Stadia Intercepts	Stadia Distance	Stadia Rod—	Horizontal Angle 0° to 360° Right	Horiz. Distance	+ Vertical Angle —	Elevation of Point	+ Back Sight	+ Difference Elevation —	Height of Instrument	+ Vertical Distance	REMARKS Station	Left	Right
87+00			K	SECTIONS			℄ STATION		87+00		768.2 (774.4)				
			153	2 8	270 00	153	+ 1.36	775.9		+ 1 5		+ 4 3	FL.		
			106	3 5	270 00	106	+ 1.54	774.9		+ 0 0		+ 3 5	FL.		
			57	3 7	270 00	57	+ 1.32	772.2		2 2		+ 1 5	FL.		
			24	4 4	270 00	24	0 00	770.0		4 9		0 0	TB		
			18	7 1	270 00	18	0 00	767.3		7 1		0 0	BB		
			12	5 7	270 00	12	0 00	768.7		5 7		0 0	ERT		
			50	3 5	180 00	50	0 00	770.9		3 5		0 0	℄ Station 86+50		
			14	5 8	90 00	14	0 00	768.6		5 8		0 0	ERT		
			16	5 2	90 00	16	0 00	769.2		5 2		0 0	T.B.		
			25	9 7	90 00	25	0 00	764.7		9 7		0 0	Top 24" C.I. Culvert		
			30	9 1	90 00	28	13 19	758.6		15 8		6 7	FL. Line Bot 9ft.		
			60	5 3	90 00	58	9 12	759.6		14 8		9 5	T. Bank		
			86	4 4	90 00	84	7 47	758.4		16 0		11 6	B. Break		
			114	1 6	90 00	113	6 02	760.9		13 5		11 9	T. Break		
			135	1 7	90 00	134	5 42	771.4		3 0		11 3	T. Bank		
			152	11 7	90 00	151	5 42	761.2		13 2		1 5	S.H.		

Form No. 1 Inches.

Notes Ck'd by G. D. BAILEY	Survey of Cornell Road
Map No. 10-99-1	JN0075.28 Tape 115 Std 84 °F
Office Work G. H. BOYER	Surveyed by R.C.Dale
Checked G. D. BAILEY	Notes R.C.D. Date 4-21-66
Date MAR 27 '68	Indexed C. J. GALLI MAR 31 '68

F. B. 3274 PG. 63

CORNELL ROAD

JN 0075.28

APRIL 21 1966

PROPOSED CENTER LINE FROM PI #6 SOUTH TO INTERSECTION WITH MULHOLLAND HWY.

REF

FB 3271-5-62
FB 2242-16-17, 33-34, 61, 80-82

PARTY

RC DALE
CW ADAMS
TB JACKSON
MR NEVAREZ

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

70F309S CE #310 8-63

F. B. 3271 PG 64

W.S. 96-4-3



cont. TOP Pg #1/65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by G. D. BAILEY
Map No. B-1099-1
Office Work G. H. BOYER
Checked G. D. BAILEY
Date MAR 27 '68

Survey of Cornell Road
JN 007520 Tape 115 Std 84 °F
Surveyed by R C D / C
Notes R C D Date 4-22-66
Indexed C. J. GALLI

F. B. 3271 PG. 65

cont Bot Pg #64

20.68

Fd Sp KW & T
R-FB 2242-82

.01

92.48

92.48 @ Lev T = 76° - 92.48

Set Sq Hd & T

300.71 @ 5° 11' T = 72° = 299.46
300.55 @ 4° 48' T = 72° = 299.47
AVG = 299.46
41.45 @ Lev T = 72° = 41.45
340.91

340.91

ROAD

Set Sq Hd & T

CORNELL

300.54 @ 4° 43' T = 74° - 299.50
300.61 @ 4° 50' T = 74° = 299.50
AVG: 299.50
73.80 @ Lev T = 74° = 73.80
94.29 @ Lev T = 74° = 94.19
467.49

467.49

Fd Sp KW & T
(PI 38)
Per FB 3271-19
FB 2242-11,81
FB 631-141

282.25

282.27 @ Lev T = 72° - 282.25

cont TOP Pg #66

PLEASE RETURN to
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3099 CE #310 6-63

cont Bot Pg #65

F. B. 3271 PG 66

W.S. 9W, A.S.

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

282.25

Fd Sp KW & T
Dn 3" Pcr
FB 2242-81, 11
FB 631-141

140.41 @ Lev T=72°=140.40

140.40

ROAD

Fd Sp KW & T
Dn 3" Pcr
FB 2242-81, 11
FB 631-141

.03

175.38 @ Lev T=72°=175.37

175.37

CORNELL

Fd Sp KW & T
Dn 1" Pcr
FB 2242-80

.01

24.89 @ Lev T=72°=24.89

24.89

Fd Sp KW & T
Dn 1" Pcr
FB 2242-12, 80

189.10 @ Lev T=72°=189.09

189.09

33.61 @ Lev T=72°=33.61

PI 39A
Fd 3/4" I.P. conc
Plug & CE. T39
Dn 12" Pcr
FB 2242-80

33.61

cont Top Pg #67


Notes Ck'd by G. D. BAILEY
Map No. B-1099-1
Office Work G. H. BOYER
Checked G. D. BAILEY
Date MAR 27 '68
Survey of CORNELL ROAD
JN 007528 Tape 115 Std 94 °F
Surveyed by R.C. Dale
Notes R.C.D Date 4-25-66
Indexed C. J. GALLE
F. B. 327 Pg. 67
W.S. 90 A-3
Cont To Pg #66
RPPI #7 Set 1" I.P. conc Plug & CC T=9
166.87
166.88 @ Lev T=76° = 166.87
RPPI #7 Set 1" I.P. conc Plug & CC T=9
33.61
27" Bell
72.62 @ 6°17' T=78° = 72.18
72.68 @ 6°38' T=78° = 72.19
164.10 @ 3°37' T=76° = 163.76
164.17 @ 3°36' T=76° = 163.77
163.76
235.96
PI 30 = PI #7
Ed Set 3/4" I.P. Reset 3" I.P. conc Plug & CC T=9 17 inch on 3 Ads Cut Bank Pts
PB 22 42-12, 39
26.20 @ 17°51' T=78° = 24.94
26.41 @ 19°08' T=78° = 24.95
AVG = 24.94
191.13 @ Lev T=58° = 191.10
32.71 @ Lev T=58° = 32.750
248.74
G.D.B. 10-16-67
RPPI #7 Set 1" I.P. conc Plug & CC T=9
137.36 @ Lev T=58° = 137.34
2) 314-30-30
4) 269-01-00
6) 323-31-10
157°-15'-12"
216.14
216.15 @ Lev T=74° = 216.14
RPPI #7 Set 1" I.P. conc Plug & CC T=9
Set 1" I.P. conc Plug & CC T=9 10 ft
109.26
115.66 @ 19°08' T=72° = 109.26
115.91 @ 19°30' T=72° = 109.25
AVG = 109.26
Cont Top Pg #68
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
76F3095 CE #310 6-62

F. B. 3271 PG. 68

cont from Pg #67

109.26

Set 1" I.P. cone plug & C&T Top Slope

175.02 @ 17°22 T = 66° = 167.02
174.78 @ 17°08 T = 66° = 167.00 = 167.01
293.24 @ 13°05 T = 70° = 285.60
293.53 @ 13°20 T = 70° = 285.59 = 285.59

452.60

452.60

46.82 @ Lev T = 64° = 46.81

CORNELL ROAD (PROPOSED)

Set 1x2 ¢ T Top Brack

46.81

Set 1" I.P. cone plug & C&T Top Sidehill

56.68

56.69 @ Lev T = 62° = 56.68

Set 1x2 ¢ T Flat

154.31 @ 4°22 T = 64° = 153.84
154.21 @ 3°50 T = 64° = 153.84
AVG = 153.84

154.84

X

cont from Pg #69

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 90, A-3

Notes Ck'd by	G. D. BAILEY	Survey of	CORNELL ROAD
Map No.	B-1099-1	JN 0075.28 Tape	115 Std 84 °F
Office Work	G. H. BOYER	Surveyed by	R. C. DALE
Checked	G. D. BAILEY	Notes	R.C.D. Date 4-22-46
Date	MAR 27 '68	Indexed	C. J. GALLI

F. B. 3271 PG. 69

Cont Bot Pg #68

137.84 @ 10°33' T=62°=135.52
137.69 @ 10°08' T=62°=135.52 ✓
AVG=135.52

103.28 @ 25°00' T=46°=93.59 ✓
103.75 @ 25°33' T=46°=93.59 ✓
AVG=93.59 ✓

24.33 @ 29°04' T=56°=21.27 ✓
24.56 @ 29°58' T=56°=21.28 ✓
AVG=21.27 ✓

135.52

38° - 47'

153.84 ✓

93.59 ✓

21.27 ✓

79.16 ✓

139.58 ✓

94.32 ✓

RPPI #8 Set 1" I.P. conc Plug & CE Tag

RPPI #8 Set 1" I.P. conc Plug & CE Tag

RPPI #8 Set 1" I.P. conc Plug & CE Tag

PI #8 Set 2" I.P. conc Plug & CE Tag.

Set 1/2" I.P.

Set 1" I.P. conc Plug & CE Tag Top N Side Spur

B.D.B. 23" adj 0.7' ✓

2) 77-33-20
4) 165-08-30
6) 232-42-40 ✓
38° 47' 07" ✓

81.15 @ 12°41' T=58°=79.16 ✓
81.32 @ 13°12' T=58°=79.16 ✓
AVG=79.16 ✓

139.11 @ 16°12' T=82°=133.59 ✓
139.29 @ 16°28' T=82°=133.58
AVG 133.58 ✓

94.32 @ Lgt T=84°=94.32 ✓

CORNELL ROAD

Cont Top Pg #70

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 C.E. #310 A-62

F. B. 3271 PG. 70

W.S.90A-3

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

94.32

180.57

314.58

109.81

150.03

86.64'

198.82 @ 24°45' T=86° = 180.56
198.55 @ 24°34' T=86° = 180.58
AVE = 180.57

295.13 @ 4°55' T=84° = 294.04
295.05 @ 4°48' T=84° = 294.02
AVE = 294.03
20.55 @ Lev T=84° = 20.55
314.58

150.30 @ 4°45' T=84° = 149.78
150.35 @ 4°55' T=84° = 149.80
AVE 149.79
36.28 @ Lev T=84° = 36.28
186.07

Set 1" I.P. conc Plug & CE Tag Top & Side Spk

2) 93-44-50
4) 187-29-40
6) 281-14-50
46°-52'-28"

Set 1x2 & T Low Spk

Fd. Spk w/ BT

30° adj

46°-52'-28"

113.97

CORNELL ROAD

P3

85.46

Fd Spk w/ BT Ref. FB 2242-16

Set 1x2 & T Top Brk.

PI 46A
Fd 3/4" I.P. conc Plug & Wire DnB' Ref FB 2242-16

PI 47
Fd 3/4" I.P. Plug & T Ref FB 2242-17
Reset 2" I.P. conc Plug & CE Tag Dn 12"

113.97 @ Lev T=80° = 113.97
85.46 @ Lev T=80° = 85.46
150.03 @ Lev T=90° = 150.03
149.98 @ Lev T=80° = 149.98

W.S. 90, A-3

Notes Ck'd by G. D. BAILEY	Survey of CORNELL ROAD
Map No. B-1099-1	JN 007528 Tape 115 Std 84 °F
Office Work G. H. BOYER	Surveyed by R. C. DALE
Checked G. D. BAILEY	Notes RCD Date 4-21-66
Date MAR 27 '68	Indexed C. J. GALLI

F. B. 3271 Pg. 71

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

CORNELL ROAD

MULHOLLAND

HWY

Cont Bot Fig #70

Fd Sp K W & T Per FB 2242-17
39.41 @ Lev T = 72° = 39.41

Fd Sp K W & T Per FB 2242-17
180.05 @ Lev T = 72° = 180.04
65.31 @ Lev T = 72° = 65.30

Fd 3/4" I P Plug & T Per FB 2242-33

Fd Sp K W & T Per FB 2242-17 33

2) 182-48-20
4) 365-36-40
6) 182-24-50
9) 182-24-08

Fd 1x2 & T Per FB 2242-61 Dn 8"

Fd Sp K W & T Per FB 2242-33

Fd 1 1/2" I P, Cond Plug, Copper Disc & T. Dn 8"

Fd Sp K W & T Per FB 2242-33

Fd Sp K W & T Per FB 2242-33

Fd Sp K W & T Per FB 2242-33

407.01 @ Lev T = 76° = 406.99
186.32 @ Lev T = 68° = 186.30

70.47 @ Lev T = 74° = 70.47
170.52 @ Lev T = 74° = 170.51
203.23 @ Lev T = 76° = 203.22

78F3095 C.F. #310 6-62

Notes Ck'd by	Survey of CORNELL ROAD	F. B. 3271 Pg. 73
Map No.	JN 007528 Tape 0255 Std 68 °F	
Office Work	Surveyed by R.C. DALE	
Checked	Notes R.C.D Date 5-16-66	
Date	Indexed C. J. GALLI MAY 31 '66	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

CORNELL ROAD

JN 007528

MAY 1966

PROFILE

PROFILE ON PROPOSED CENTER-LINE CORNELL ROAD SHOWING LINES RUN, CURVE DATA AND LINES PREVIOUSLY RUN

REF
FB 3271-5-72

PARTY
R.C. DALE
C.W. ADAMS
B.R. JACKSON
M.R. NEVARES

78F3025 C.E. #310 6-62

F. B. 3271 PG. 74



NOTE
CURVE DATA & STATIONING FOR PROFILE USE ONLY

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Farnell Rd
Map No.	JN 00752B Tape 0255 Std 68 °F
Office Work	Surveyed by R.C. DZIC
Checked	Notes R C D Date 5-1946
Date	Indexed C. J. GALLI

F. B. 3271 Pg. 74

Bo. Pg #79

28+94.40 BC

CURVE #3
Δ = 26°-15'-47"
R = 1000'
T = 232.29
L = 458.38

33+52.78 EC

36+84.28 BC

CURVE #4
Δ = 39°-58'-02"
R = 1000
T = 363.65
L = 697.56

43+81.84 EC

NOTE
CURVE DATA & STATIONING FOR PROFILE USE ONLY

PI #5

76+00 Profile Pg #84

PROFILE & X SECTIONS Run FB 3271-36-42

Top Pg #76

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3093 C.E. #310 6-42

F. B. 3271 PG. 76

Profile & X Sections
FB 3271-36-62



old PI 6

New PI 6

9.00

87+00
PROFILE B/#62

87+00

BC 97+84.67

CURVE #7
Δ = 22°-14'-48"
R = 1200'
T = 241.38
L = 474.41

EC 102+61.08

NOTE
CURVE DATA &
STATION ING FOR
PROFILE USE ONLY

BC 106+32.62

CURVE 8
Δ = 38°-47'-07"
R = 12,001
T = 422.12
L = 812.32

EC 114+44.94

123+63.70
Intersection

MULHOLLAND HWY

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 3271 Pg. 77

Profile No. Notes Red Date Plotted Date Job No. 0075.28 Division No.
X-Sec. No. Notes Chkd. Date Checked Date Survey of Cornell Road
Survey by R.C. DALE Notes RCD Date 5-17-66
Map No. Indexed C. J. GALLI Date

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

CORNELL ROAD

JN 0075.28

PROFILE

FROM INTERSECTION OF CORNELL RD & KANAN RD. SLY. OVER PROPOSED ℄ OF CORNELL RD.

STATION	B.S.	H.I.	F.S.	ELEV.
			REF. FB 3271-5-78	

PARTY
R.C. DALE
CIN. ADAMS
B.R. JACKSON
M.R. NEVAREZ

76-1298 CE 307 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

Profile No. ____ Plotted ____ Date ____ Notes Red ____ Date ____ Notes Chkd. ____ Date ____ Division No. ____

X-Sec. No. ____ Checked ____ Date ____ Job No. 2007528

F. B. 32271 Pg. 78 Survey of Cornell 2020 Notes R. C. DALE Survey by R. C. D. Indexed C. J. GALLI

STATION	B. S.	H. I.	F. S.	ELEV.		
BM 66-4	4.84	815.23		810.39	BM 66-4 Elev = 810.389 Per FB 2896-92	
T.P.	5.76	817.08	3.91	811.32	cornell Rd, on East side, about 1.9 m. North of	
T.P.	5.94	819.64	3.38	813.70	Malibu Canyon Hwy, or 0.7 M. South of Old Ventura Blvd	
T.P.	3.99	823.59	0.04	819.60	185' N'ly of PP 5440276. 16.0 E'ly of east edge of Pav.	
T.P.	2.59	825.29	0.89	822.70	11.0 S'Ely of P.P. 5432284. A L.A. Co Brass cap monument	
T.P.	5.87	829.90	1.26	824.03	in rock. Stamped BM 66-4, RS 5869, 1963	
T.P.	6.07	835.91	0.06	829.84		
T.P.	5.87	841.56	0.22	835.69		
T.P.	2.41	843.45	0.52	841.04		
11+30			1.02	842.43	Pav. Intersection Cornell Rd & Kanan Rd	F.B. 33271-8
11+71.98 B.C.			1.50	841.95	Pavement B.C.	
12+27.52 EXT.			3.54	839.91	Pavement Ex Terra /	
T.P.	0.98	838.38	6.05	837.40		
12+83.07 EC			2.23	836.15	Pavement E.C.	
T.P.	0.18	832.64	5.92	832.46		
14+00			6.12	826.52	Pavement	
T.P.	0.65	827.11	6.18	826.46		
15+00			5.00	822.11	Pavement	
T.P.	2.47	823.59	5.99	821.12		
16+00			3.60	819.99	Pavement	
17+00			4.40	819.19	"	

76-L296 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		823 59				
18+00			4.66	818 93	℄ Pavement	
19+00			6.19	817.40	℄ Pavement	
T.P.	3 23	820 65	6.17	817.42		
20+00			4.69	815 96	℄ Pavement	
21+00			5.80	814.85	℄ Pavement	
T.P.	0 48	817.38	3.75	816.90		
22+00			3.30	814 08	℄ Pavement	
22+90.39			3.86	813 52	22+90.39 = 1+00 PI-I Pavement above PI. FB 3271-10, 23	
T.P.	3 28	815 20	5 46	811.92	Note Profile run from PI #1 S/4	
T.P.	2 49	812 88	4.81	810 39	To 7+00 shown in FB 3271-23-34	
T.P.	8 70	819.17	2 41	810.47		
7+00			6.14	813.03	Pavement 7+00 = 7+00 Profile per FB 3271-11	
7+50			6.16	813 01	Pavement	
7+68.3 Pot 794 46			6 10	813.07	Edge Pavement	
			5 82	813 35	1X2 ET Per FB 3271-11	
8+00			6.3	812 87	Ground	
8+12			5.0	814 17	Brk. Bot. cut Bank	
T.P.	10.15	827.26	2.06	817.11		
9+00			6.6	820 66	Side cut Bank	
9+58			8.7	818 56	Bot cut Bank	

Profile Notes Red Plotted Job No. 0838 Division No.
No. X-Sec. Date Date Survey of Gerrell Rose
No. Notes Chkd. Checked Survey by R.C. Dale Notes R.C.D. Date 5-17-66
Date Date Map No. Indexed G. J. GALLI Date

F.B. 3271 Pg. 29

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 80 Job No. 00252.28 Division No. Notes Red Plotted Profile
Survey of Corne 11 Co. Date No. X-Sec.
Survey by R.C. Dale Notes R.C. Date Notes Chkd. Checked No.
Indexed C. J. GALLI Date Date Date

STATION	B. S.	H. I.	F. S.	ELEV.		
		827.26				
10+00			8.6	818 66	Drain	
10+75			5.9	821.36	Bot cut Bank	
11+00			3.2	824.06	cut Bank	
T.P	11.85	838.15	0.96	826.30		
11+83 50 POT			11.6	826 55	Bot cut Bank	
11+91 50			11 54	826 61	1x2 & T Pol FB 3271-12	
12+93			3.4	834 75	Brk Top Burm	
13+00			3.5	834 65	Burm	
13+13			4.0	834. 15	Bot Drain	
T.P.	11 34	848.03	1 46	836.69		
13+72 84 B.C.			8.9	839 13	B.C. Side cut Bank	
14+00			7.1	840.93	cut Bank	
14+63			8.1	844.93	Top Brk	
15+00			8.0	845.03	Side Fill Slope	
T.P.	11.74	859.36	0 41	847.62		
15+19			11.5	848 ~~61~~ 7.86	Bot Brk	
15+30			8.3	851.06	Brk	
T.P.	11.81	870.59	0.58	858.78		
16+00			3.2	867 39	Top Brk.	
17+00	1.76	866 63	5 72	864.87		

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		866.63				
18+00			6.9	859 73		
T. P.	1.87	857.28	10.72	855.91		
18+75			1.88	855 40	Edge Pavement	
19+00			2.90	854 38	Pavement	
19+82.13 EC			6.76	850 52	Pavement	
20+00			7.58	849 70	"	
T. P.	1 42	847 60	11.10	846.18		
21 00			2.59	84501	Pavement	
22+00			7.46	840 14	Pavement	
T. P.	0 49	836 44	11.65	835.95		
23+00			2.65	83379	Pavement	
23+62.08			8.31	828 13	sg Hd ℄ T Per FB 3271-14	
T.P.	0.66	825 96	11,14	825,30		
24+00			1,60	824.36	Pavement	
25+00			11.56	81 4 40	"	
T. P.	0.42	814.64	11.74	814.22		
26+00			5.05	809 59	Pavement	
27+00			7,67	806 97	"	
BM 66-3			6.96	807 68	BM 66-3 Elev = 807.659 Per FB 2896-91 Cornell Rd about 1.5 mi. South of Ventura Blvd at NW Cor of Silver Creek Rd 12' N'ly of PP 8440 BSE & 5' SW'ly of SW. edge Pavement. A County Eng Brass Cap Mon stamped BM 66-3 RE 5869, 1963 Per FB 2896-91.	

Profile Notes Red Plotted Job No. 6175.28 Division No.
No. X-Sec. Date Date Survey of Cornell Rd. F.B. 3271 Pg. 81
No. Notes Chkd. Checked Survey by R.C.D. & L. Notes R.C.D. Date 5-18-66
No. Date Date Map No. Indexed C. J. Gray Date

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 82 Job No. 07529 Division No. Notes Red Plotted Profile
Survey of Corral Rd Date Date No. X-Sec.
Survey by R.C. Dale Notes R.C.D. Notes Chkd. Checked
Indexed C. J. CALL Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
Bm 66-3	3.33	810.99		807.66	BM 66-3 Elev = 817.659 Per FB 2896-91 Description On Pg # 81	
28+00 B.C.			5.49	805.50	Pavement	
28+94.40			4.94	806.05	Pavement	
29+00			4.86	806.13	Pavement	
30+00			2.02	808.97	"	
T.P.	10.37	820.59	0.77	810.22		
30+39			10.50	810.09	Edge Pavement	
30+87			8.7	811.89	Top Bnk	
30+91			9.2	811.39	Bot Drain	
31+00			9.0	811.59	Bot Drain Bot cut Bnk	
31+51			4.4	816.19	Top cut Bnk	
32+00			3.0	817.59	Flat	
32+77			2.9	817.69	Top cut Bnk	
33+00			5.0	815.59	Bot cut Bnk	
33+41			5.40	815.19	Edge Pavement	
E.C. 33+52.78			5.28	815.31	Pavement	
34+00			4.54	816.05	"	
T.P.	1.41	818.43	3.57	817.02		
34+56			2.86	815.57	Edge Pave.	
34+69.02			2.65	815.78	1" I.P. Per FB 3271-15	
34+75			2.5	815.93	Top Bnk.	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
		818 43			
35+00			9.2	809 23	Bot Brk.
T.P	3 53	813.18	8 78	809.65	
35+88			10.3	802 88	Bot Drow
36+00			9. 5	803 68	Top Brk
36+59			8 6	804 58	Bot Drow
BC. 36+84.28			8.8	804 38	S. do h. //
37 + 00			7.2	805. 98	"
T. P.	11 94	822.78	2.34	810. 84	
37+85			6 5	816 28	Bot Brk
38+00			2.7	820 08	
T.P.	11.09	833 47	0.40	822.38	
38+38			1.3	832 17	Top N. Side Small Spalk
38+66			1.7	831. 77	Top S. " " "
39+00	2.84	831 44	4.87	828. 60	
39+23			6.2	825 24	Top Brk
39+28			9.3	822 14	Bot Brk
39+40			9.2	822.24	Top Brk
T.P.	1 33	822.13	10.64	820.80	
39 + 55			4. 2	817.93	Bot Brk N. Edge Dirt Rd
X 39 + 73			4.4	817.73	S. Edge Dirt Rd.

Profile Notes Red Plotted Job No. 007528 Division No.
No. X-Sec. Date Date Survey of Cornell Rd
No. Notes Chkd. Checked Survey by R.C.Dake Notes R.C.D. Date 5-18-66
Date Date Map No. Indexed E.J. GALL Date

F.B. 3271 Pg. 83

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 84 Job No. 802528 Division No. Notes Red Date Plotted Profile
Survey of Cornell Rd Date No. X-Sec.
Survey by R.C.D. Notes R C Sec Notes Chkd. Checked
Indexed C. J. GALLI Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.	
		822 13			
39+79			5.5	816 63	Bot. Brk
40+00			7.2	814 93	Side Slope
T.P.	2.79	814 74	10.18	811.95	
41+00			4.4.	810 34	Flat
41+31			5.9	808 84	Bot Brk
41+72			4.6	810 14	Top Burm
42+00			4.90	809 84	Bot Brk. Edge Pavement
43+00			4.13	810.61	Pavement
EC 43+81 84			5.91	808 83	"
T.P.	0.93	808.57	7.10	807,64	
44+00			0.27	808 30	Pavement
45+00			4.01	804 56	"
46+00			6.54	802 03	"
46+38			6.70	801 87	Bot. Brk Pavement
46+86 15			5.86	802 71	46+86 15 = 70+00 Prof. & Rev FB 3271-35
T.P.	11.00	814.50	5.07	803.50	
T.P.	10 21	824,42	0.29	814.21	BM 66-2 Elev = 806.34 Rev FB 2896-90 Cornell Rd on East Side about 1.7 Mi. South of Ventura Blvd, 139.5 ft NLy of P.P. 844003, 16.0 ft. Sly of T.P. 620309H & 8.0 ft E of E edge pavement, A County Engineer Brass cap Mon Stamped BM 66-2 RE 5869 1963 Rev FB 2896-90
T.P.	9 58	821.31	3 69	820 73	
T.P.	2 88	813.66	10.53	810.78	
BM 66-2			7.30	806 36	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
BM66-2	1.57	807.91		806.34	BM 66-2 Elev = 806.344 Per FB 2892-90 Disc. on Pg # 84	
T.P.	3 19	800.40	10.70	797.21		
T.P.	1.09	793.68	7.81	792.59		
T.P.	0 87	782.66	11 89	781.79		
T.P.	4 78	778.19	9.25	773.41		
87+00			9 41	768 78	Bot. Swale Pavement + 9' East 87+00 Profile Pg # 62	
87+12.95			9 47	768 72	Sp hd & T Per FB	
88+00			6.49	771 70	Pavement.	
T P	11 85	789 74	0.30	777.89		
89+00			11.05	778 69	Pavement	
90+00			3.24	786 50	"	
T.P.	10.78	800.27	0 25	789.49		
91+00 P.O.T.			5.34	794 93		
	11 77	811.61	0.43	799 84	sp kw & T Dn 3" Per FB FB 3271-65	
92+00			10.57	801 04	Pavement	
93+00			7.26	804 35	"	
94+00			3.00	808 61	"	
T.P. P.O.T.	10 52	821.64	0 49	811.12		
94+62.69			10 28	811 36	sp kw & T Dn 3" Per FB 3271-66	
95+00			8.49	813 15		
96+00			5.43	816 21		

Profile Notes Red ____ Plotted ____ Job No. 0075.28 Division No. ____

No. ____ Date ____ Date ____ Survey of Cornell Rd

X-Sec. Notes Chkd ____ Checked ____ Survey by RCD & Ie. Notes RCD Date 5-19-66

No. ____ Date ____ Date ____ Map No. ____ Indexed J. GALLI Date ____

F.B. 3211 Pg. 85

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 86 Job No. Division No. Notes Red Plotted Profile
Survey of Compl. 2d Date Date No. X-Sec.
Survey by R.C.D.&C. Notes R.C.D Notes Chkd. Checked
Indexed C. J. GALLI Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		821.64				
P.O.T. 96+03.09			5.48	816.16	Spkw&T Dn 2" Per	FB 3271-66
97+00			3.92	817.72	Pavement	
BC 97+84.67			2.45	819.19	Pavement	
98+00			2.05	819.59	"	
T.P.	7.62	828.82	0.44	821.20		
99+00			6.07	822.75	Pavement	
100+00			3.90	824.92	"	
100+34			4.38	824.44	Edge Pavement	
100+78			7.1	821.72	Brk	
101+00			6.8	822.02	Flr	
T.P.1	7.24	825.22	10.84	817.98		
102+00			8.7	816.52	Flr	
102+45			7.8	817.42	Toe Slope	
EC 102+61.08			3.5	821.72	Sidehill	
T.P.	10.87	935.64	0.40	824.77		
T.P.	11.52	846.62	0.54	835.10		
103+00			10.2	836.42	sidehill	
103+24			2.5	844.12	Bot Brk	
T.P.	6.25	852.65	0.22	846.40		
103+45.10			0.95	851.70	1" I.P. Top Spike	FB 3271-68

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
		852 65				
103+71			9.7	842 95	Top Brk	
T.P	0.81	842.26	11.20	841.45		
103+92			4.6	837 66	Top Brk.	
104+00			11.1	831.16	side hill	
T.P.	1.03	831.91	11.38	830.88		
T.P.	045	821.31	11 05	820.86		
T P.	0.92	811 03	11.20	810.11		
10 4+40			4.0	807 03	Bot Brk Edge Dirt Road	
104+65			1.7	809 33	Top Brk " " "	
104+78			7.5	803 53	Bot Brk	
105+00			8.3	802.73	Flat	
106+00			7.5	803.53	Flat	
BC 106+32.62			4 7	806 33	Toe Slope	
T.P	11.76	819.32	3.47	807.56		
T.P.	11,43	830 10	0 65	818.67		
107+00			0.4	829 70	side hill	
T.P.	11 53	841 45	0.18	829.92		
T.P.	11.35	852.12	0,68	84077		
T P.	10.92	862.63	0,41	851.71		
X T P.	10.05	872.10	0.58	862.05		

Profile Notes Red ____ Plotted ____ Job No 007.5.18 Division No. ____
No. ____ Date ____ Date ____ Survey of Powell Rd
X-Sec. ____ Notes Chkd ____ Checked ____ Survey by R.C. Steele Notes R/C'd Date 5-18-66
No. ____ Date ____ Date ____ Map No. ____ Indexed C. J. GALLY Date ____

F.B. 3271 Pg. 87

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 88 Job No. 2675-88 Division No. Notes Red Plotted Profile
Survey of Connell Rd. Date Date No. X-Sec.
Survey by R.C. Dale Notes R.C.D Notes Chkd. Checked
Indexed S. J. Grilli Date Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
		872.10				
108+00			6.5	865.60	sidehill	
108+10			2.9	869.20	Top Brk.	
108+27			3.3	868.80	Bot. Brk	
T.P.	6.57	877.68	0.93	871.17		
T.P.	7.40	883.82	1.26	876.42		
108+59			5.4	878.42	Top Brk	
109+00			5.2	878.62	Flat	
109+00			3.9	879.92	Bot. Brk.	
T.P.	11.80	894.90	0.72	883.10		
109+81			3.6	891.30	Top Brk.	
110+00			1.8	893.10	Edge Dirt Rd.	
T.P.	11.61	905.16	1.35	893.55		
110+47			7.1	893~~.10~~ 8.06	Edge Dirt Rd, Bot. Brk	
T.P.	10.49	915.26	0.39	904.77		
111+00			1.4	~~913.06~~ 913.86	sidehill	
T.P.	11.26	926.25	0.77	914.49		
T.P.	11.92	937.69	0.48	925.77		
T.P.	4.75	941.95	0.49	937.20		
111+58			4.0	937.95	Top Ridge N Side	
112+00			4.6	937.35	Top Ridge	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 3027525 Division No.
No. X-Sec. Date Date Survey of Cerrell Rd.
Notes Chkd. Checked Survey by R C Dale Notes R C D Date 5-19-66
No. Date Date Map No. Indexed C. J. GALL Date

F.B. 3271 Pg. 89

STATION	B. S.	H. I.	F. S.	ELEV.		
		941.95				
112+67			4.1	937 85	Top Ridge S. Side	
T.P.	3 01	933.80	11.16	930.79		
T.P.	0.96	923.91	10.85	922.95		
113+00			7.6	916 31	steep Side hill	
T.P.	1.82	914.03	11.70	912.21		
T.P.	3.24	905.71	11.56	902.47		
T. P.	2.15	896.92	10.94	894.77		
T. P.	0 64	886.77	10.79	886.13		
T. P.	1.44	887.32	10.89	875.88		
T. P.	0.33	866 00	11.65	865.67		
13+59			11.5	859 50	Bot. Draw	
114+00			11 2	859 48	Side hill	
114+28 E.C.			7.4	858 60	Top Bnk Low Spur	
114+49.9			9.9	856 10	Low Spur	
T.P.	2.74	857 07	11.67	854.33		
115+00	0.76	846.01	11.82	845.25	Side hill	
T.P.	0.62	835.00	11.63	834,38		
T.P.	6 33	829 56	11.77	823.23		
115+69			7.0	822 56	Toe Slope	
X 116+00			8.7	826 86	Bnk.	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3271 Pg. 90 | Job No 80752.28 Division No. | Notes Red | Plotted | Profile
Survey of Cornell Rd. | Date | No. | X-Sec.
Survey by R.C. Dale Notes R.C.D. | Notes Chkd. | Checked | No.
Indexed C.J. GALLI Date | Date | Date | No.

STATION	B.S.	H.I.	F.S.	ELEV.	
		829.56			
116+17			9.6	819 96	Bot. Draw Toe Slope
T.P. 1	5.18	832.50	2.24	827.32	
117+00			3.4	829 10	sidehill
117+12			3.1	829 40	Top Brk
117+42 89			3.9	828 60	sidehill Rd 1X2 & T Per FB 3271-70
118+00			7.9	824 60	sidehill
T.P.	1.33	823 92	9.91	822.59	
118+80			6.6	817 32	Bot. Brk
119+00			6.9	817 02	Flat
119+08			6.4	817 52	Top Brk
119+28 96			11.56	812 36	Fd 2" I.P. Dn 12" Per FB 3271-70
119+59			10 8	813 12	Brk
119+91			8.7	815 22	Edge Pavement
120+00			8.25	815 67	Pavement.
120+78 94	11 60	833 46	2.06	821.86	Spk W & T Per FB 3271-71
121+00			9 79	823 67	
121+18 35			8 57	824 95	Spk W & T. Per FB 3271-71
122+00			4.21	829 25	Pavement
122+98 39	6.83	839 68	0.61	832.85	Spk W & T Per FB 3271-71
123+63 70			5 20	834 48	spk W & T in intersection Cornell Rd & Mulholland Hwy Per FB 3271-71

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
BM 58-48		839.68	1.69	837.99	BM 58-48 Elev = 837.982 Per FB 2836-57 AT Mulholland Hwy & Cornell Rd., 39.2 ft East of Painted white Line of Pavement of Cornell Rd. 61.7 ft South of Painted white Line of Mulholland Hwy. 8.8 ft Southeast of P.P. 1045755E, 8.3 ft South of a deadman. 9.6 ft. N. of Wly cor. of a 3½ ft Board Rail fence, & 33.2 ft Southwest of the easterly cor. of a board fence. A Co. Engineer brass cap stamped "BM 58-48 RE 5869, 1961 Set in a 12" Sq. conc. Pad 6" above Surface. Per FB 2836-57	

Profile Notes Rod No. X-Sec. Notes Chkd. Date

Plotted Date Checked Date Map No.

Job No. 007528 Division No. 20
Survey of Cornell Rd.
Survey by RCE Dz/Se Notes RCE Date 5-19-66
Indexed C. J. GALLI Date

F.B. 3271 Pg. 91

Notes Ck'd by G. D. BAILEY
Map No. B-1099-1
Office Work G. H. BOYER
Checked G. D. BAILEY MAR 27 '68
Date

Survey of CORNELL ROAD
JN 007528 Tape 234 Std 99'T
Surveyed by R C DALE
Notes R C D Date 12-6-67
Indexed H. E. OTT DEC 15 '67

F.B. 3271 Pg. 93

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend ink side of this line.

7572005 CK #310 8-66

CORNELL ROAD

JN 007528

DEC. 1967

NEW INTERSECTIONS ON CORNELL ROAD AT KANAN ROAD AND CORNELL RD. AT SILVER CREEK RD

REF

FB 3271-5-10
FB 2242-87-88
FB 631-50
RDFB 362-100-106

PARTY

R C DALE
R J ALMANZAN
M. R. NEVAREZ
V. L. HUCKABY

F.B. 3271 Pg. 94

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do Not Extend This Side Of This Line.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

W.S. 90, A-2

Notes Ck'd by G. D. BAILEY	Survey of CORNELL ROAD
Map No. B-1099-1	JN 00775.23 Tape 234 Std 84 °F
Office Work G. H. BOYER	Surveyed by R. C. DALE
Checked G. D. BAILEY	Notes R. C. D. Date 12-6-67
Date MAR 27 '68	Indexed H. E. CIT

F. B. 3271 Pg. 95
CONT B.O.T. PG 96

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Set 1x1 ET

Set LACO Eng Tag in conc by Intersection Dn 6"

116.25 @ Lev T = 62° = 116.23 ✓

Fd 1½" I.P. conc Plug & T Flush Per FB 3271-8 RDFB 362-101

172.75 @ Lev T = 46° = 172.71 ✓
83.27 @ Lev T = 46° = 83.25 ✓
38.48 @ Lev T = 46° = 38.47 ✓
51.18 @ Lev T = 46° = 51.17 ✓

Fd 1½" I.P conc Plug & T. Top Bank. Dp 3" Per FB 3271-7 RDFB 362-100

2) 307-17-20
4) 254-34-40
6) 201-52-00 ✓
153-38-40' ✓

Fd ¾" I.P. conc Plug & T. Flush Per RD FB 362-100

Fd 2" R.D. Brass Cap Mon Set in Conc Dn 6" Per RDFB 362-101

L.A. CO. RD. DEPT.

E.C.
Fd LACO R.D. 2" Brass Cap Mon Set in Well & Cover Dn 6" Per RDFB 362-100

180.55 @ Lev T = 60° = 180.52 ✓
55.09 @ 11° 29' T = 60° = 53.98 ✓
47.70 @ Lev T = 60° = 47.69 ✓
357.66 @ Lev T = 66° = 357.62 ✓

PI #1
Fd 1½" I.P. conc Plug & R.D. Tag Dn 14" Per RDFB 362-100

ROAD
KANAN

76F309S CE # 310 3-61

1

F. B. 3271 Pg. 96



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this site of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 90, A-2

Notes Ck'd by	G. D. BAILEY	Survey of	CORNELL ROAD
Map No.	B-1069-T	JN	00538 Tape 234 Std. 94°F
Office Work	G. H. BOYER	Surveyed by	R.C.D.L.E.
Checked	G. D. BAILEY	Notes	R.C.D.L.E. Date 12-5-67
Date	MAR 27 '68	Indexed	

F.B. 3271 Pg. 97

Cont Bef Pg 98

Fd 3/4" I.P. No Plug Per FB 2242-88 R.D.F.B. 362-102

Fd 3/4" I.P. wood Plug & Tack Per FB 631-50 FB 2242-88 FB 3271-9 R.D.F.B. 362-102

Fd Spike & T Dn 3" Per FB 3271-9 FB 631-50 FB 2242-88 R.D.F.B. 362-102

Fd B.T. Spike Per F.B. 3271-9 (Point Headed Nail)

Set 8" No. 4

17.08'

30.00'

200.06'

39.90'

.05

.04

CORNELL ROAD

17.08 @ Lev T=42° = 17.08 ✓

30.32 @ 8°19' T=60° = 30.00 ✓

31.11 @ 15°59' T=45 = 29.90 ✓

200.09 @ Lev T=60° = 200.06 ✓

41.66 @ Lev T=58° = 41.65 ✓

254.30 @ 2°03' T=40° = 254.10 ✓

254.38 @ 2°32' T=40° = 254.09 ✓

AVG = 254.09 ✓

240.15' @ Lev T=44° = 240.12 ✓

74.39 @ Lev T=62° = 74.38 ✓

548.54 ✓

Cont Top Pg 96

Note: Any Additions or Changes on this Sheet Must be Made or Caused to Be Ink With Date and Name of Person Making Change

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER. 403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

70230S CK #310 R-66

F.B. 3271 Pg. 98


W.S. 9044-2
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Changes
P.I. 6A
Fd 3/4" I.P. Wood Plug
& T. Dn 12" Pr-
FB 2242-87
RD FB 362-102
Fd 3/4" I.P. wood plug
& T. Flush Per
FB 3271-10
FB 631-50
FB 2242-87
RD FB 362-102
Fd Spkw & T
Dn 3" Pr-
FB 3271-10
FB 631-50
FB 2242-87
RD FB 362-102
Fd 3/4" I.P. Wood
Plug & T. Flush
Per FB 3271-10
FB 631-50
FB 2242-87
RD FB 362-102
NEW P.I. #1
Fd 1" I.P. conc Plug
& Lead Sinker Tag Dn 12"
B'S Spkw & T Ties
Pr- FB 3271-10
RD FB 362-102
Fd Spkw & T
Flush Pr-
FB 3271-10
FB 2242-87
RD FB 362-102
Fd Spkw & T
Dn 3" Pr-
FB 3271-10
FB 631-50
RD FB 362-102
CORNELL ROAD
.02
.02
.01
155.93
206.69
182.32
299.95
N 20° 16' 09" E
N 69° 43' 51" W
S 20° 16' 09" W
S 69° 43' 51" E
299.95 @ Lev T=60° = 299.95 ✓
155.96 @ Lev T=62° = 155.93 ✓
206.72 @ Lev T=60° = 206.69 ✓
30.08 @ 4°16' T=60° = 30.00 ✓
37.99 @ Lev T=62° = 37.96 ✓
182.35 @ Lev T=62° = 182.32 ✓
cont. to Pg 97

Notes Ck'd by G. D. BAILEY
Map No. B-1099-1
Office Work G. H. BOYER
Checked G. D. BAILEY
Date MAR 27 '68

Survey of CORNELL ROAD
JN 00 75 3 Tape 234 Sht 99-1
Surveyed by: E. C. DAVE
Notes E.C.D.
Indexed

F.B. 327 Pg. 99

W.S. 99-1-2

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

235.20 @ 0°42' T=74° = 235.16 ✓
235.23 @ 1°02' T=74° = 235.17 ✓
168.84 @ 6°25' T=74° = 167.79 ✓
168.67 @ 6°51' T=74° = 167.78 ✓ 167.78
402.95 ✓

296.26 @ 0°52' T=68° = 296.19 ✓
296.29 @ 1°19' T=68° = 296.18 ✓
296.18 ✓

110.15 @ Lev T=69° = 110.13 ✓

44.46 @ Lev T=76° = 44.46 ✓

Fd 1½" I.P. conc plug
Pluck & Brass Tag Dn 12"
Pr-RDFB 362-105

INT.
Set 2" I.P. conc Plug
& Lead Tag Dn 12"
94 in Tangent
Set Spike & Tack

42.28 @ 12°51' T=64° = 41.21 ✓
42.05 @ 11°23' T=64° = 41.21 ✓
41.21 ✓

Fd Spike & T
Pr-#13327.1-14
RDFB 362-105

Set #12 & T

Fd & T
Stone NW Wall
Pr-RDFB 362-105

RP #3
Fd 1" I.P. conc Plug
& Lead & Tack
Dn 12" RM
FB 327.1-14
Set X Tics

41.21
14.80
11.51
402.95 ✓
Set Spike
296.18
110.13
CORNELL ROAD
Fd Nail
RP to E
Fd Spike
Dn 1" Iron
FB 327.1-14
RDFB 362-105
2) 123-14-40
4) 26-29-20
6) 219-44-10 ✓
96-37-22 ✓
279.33 @ 195 T=72° = 279.16 ✓
279.33 @ 195 T=72° = 279.17 ✓
AVG. 279.16 ✓
SILVER CREEK ROAD
RP #2
Fd 1" I.P. conc Plug
& Lead & Tack
Ellis Pipe EB
327.1-14
Fd Nail & T
To-#7499 SH
Fd & T
12" W.W.
Pr-RDFB 362-105
23.11
24.24
Fd Spike & Washer
in wood Cover
Pr-RDFB 362-105
Dn 5"
Fd & T
W. W.
Pr-RDFB 362-105
448.35
(40)
(40)
CONT TOP RG 100

Jacobs CK #310 5-68

F.B. 3271 Pg. 100

CONT. FROM BOOK PG 99



290.14 @ Δ 31' R=70 = 240.11'
240.17 @ 1 PI R=70' = 240.10'
208.26 @ Lcv R=70° = 208.24'
448.35'

136.32 @ Lcv R=70° = 136.31'

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this area or this line

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by R. HILARIO	Survey of CORNELL RD
Map No. B-1099-1	JN 0075.28 Tape 2 Std 89 °F
Office Work B. TABATA	Surveyed by R. C. DALE
Checked R. HILARIO	Notes R. C. DALE Date 3-9-71
Date OCT. 12, 1972	Indexed G. C. GALEY APR 6

F. B. 3271 PG. 101

CORNELL ROAD

JN 0075.28

MARCH 9 1971

PROPOSED CENTERLINE FROM STATION 160+00 SLY. TO MULHOLLAND HWY. PER SURVEY DIV FILE MAP NO H-201-SHEET #3

REF

FB 3271-13-71
FB 2242-11-63
FB 631-21-141

PARTY

R.C. DALE
C.W. ADAMS
J.D. MAHER
R.D. PULSIFER

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

F. B. 3271 PG. 102

INDEX



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by R. HILARIO	Survey of CORNELL ROAD
Map No. B-1099-1	JN 00758 Tape #2 Std 84 °F
Office Work B. TABATA	Surveyed by R. C. DALE
Checked R. HILARIO	Notes R. C. DALE Date 3-19-71
Date OCT. 12, 197[illegible]	Indexed G. C. BAILEY APR 6 '[illegible]

F. B. 3271 PG. 103

W.S. 90.4.3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

RPPI #4
Fd 1" I.P. conc Plug
& L.A. Co Eng Tag
Flush & Pt
FB 3271-15

87.43
FB 3271-15

102.20
FB 3271-15

PI #4
Fd 1" I.P. conc Plug
& LACO Eng Tag
Dn 12" Pt
FB 3271-15

CORNELL ROAD

839.96 PT
FB 3271-15-16

Old PI #88
Fd 3/4" I.P. Plug
Dn 12"
Pt FB 3271-16
FB 631-181

RPPI #5
Fd 1" I.P. conc
Plug & LACO Eng
Tag Flush &
Pt FB 3271-16

PI #5
Fd 1" I.P. conc
Plug & LACO
Eng Tag Dn 16"
Pt FB 3172-16

85.00
FB 3271-16

101.72
FB 3271-16

99.70
FB 3271-16

171.03 @ 9°40' T=80' = 168.60
170.97 @ 9°33' T=80' = 168.60
AVG = 168.60

RPOP ℄ 3

168.60

CONT TOP Pg #104

F. B. 3271 PG. 104



Cont B.O.T.
Pg # 103

168.60

P.O.T.
Set 1/2" I.P.
Top Brass

116.12

P.O.T.
Set 1" I.P. Conc
Plug & L.A.C.O.
Eng. Tag Flush
Top of Curb

CORNELL
(EXIST)
ROAD

89.46

P.O.T.
Set 1/2" I.P.
Edge Road

116.17 @ 1°45' T=80° = 116.12
116.20 @ 2°10' T=80° = 116.12
AVG = 116.12

97.89 @ 23°59' T=84° = 89.45
97.59 @ 23°32' T=84° = 89.47
AVG = 89.46

290.87 @ 9°24' T=84° = 286.96
291.32 @ 9°55' T=84° = 286.97
AVG = 286.96

CORNELL RD
(PROP.)

286.96

P.O.T.
Set 1/2" I.P.
Flat

506.12 @ Left T=80° = 506.11

301.95 Calc.
Prop. R/W

506.11

CONT TO
Pg # 105

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. HILARIO
Map No. B- 1094-1
Office Work B. TABATA
Checked R. HILARIO
Date OCT. 12, 1972

Survey of CORNELL ROAD
JN 0075.28 Tape 2 Std. 84 °F
Surveyed by R. C. DALE
Notes R. C. DALE Date 3-18-71
Indexed E. L. GALEN APR 6 '71

F. B. 3271 Pg 105

Cont Bot Pg # 104

PROP. B.C. NOTHING SET

2) 276-46-00
4) 193-32-05
6) 110-18-05
138-23-01 "

POST
Set 1" I.P. 10DC Plug & LACO Eng Tag Flush Top Bank

CORNELL ROAD (P20P.)

204.26 CALC. & P20P. 306.11

160.90 @ 4°47' T=76 = 160.33
160.87 @ 4°39' T=76 = 160.33
AVG: 160.33
53.42 @ Lev T=76 = 53.42
213.75

RPPI 5A
Set 1" I.P. conc Plug & LACO Eng Tag Top Bank W. Edge Dirt Road

CURVE DATA
Δ = 36° 22' 10"
R = 1100.34
361.34
698.24
T = 356.67

213.75

87.28

90.46 @ 15° 15' T=76 = 87.27
90.66 @ 15° 45' T=76 = 87.28
AVG = 87.28

PROP. B.C. NOTHING SET.

P.O.S.I.
PROP. RPPI 5A
Set 2" I.P. conc Plug & LACO Eng Tag in Bot. of Creek

23'

130'

PROP. ℄

236.16 @ 4°29' T=76 = 235.43
236.33 @ 4°55' T=76 = 235.45
AVG = 235.44

242.39 @ Lev T=76 = 242.39

℄ LINE

Cont Top Pg # 106

PROP. ℄ 242.39

235.44

RPPI 5A
Set 1" I.P. conc Plug & LACO Eng Tag Flush on Fence Line

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68


F. B. 3271 PG. 106
cont Left Pg # 105
PROP. ℄ ANG. CURVE Δ=26°22'10" R=1100.34 T=258.24 L=506.39
242.39
set 1½ ø T
297.52 @ 2°37' T=74' = 297.19
297.47 @ 2°28' T=74' = 297.17
AVG = 297.18
80.25 @ Lev T=74° = 80.24
377.42
PROP. E.C.
NOTHING SET
125.22 calc
PROP. ℄
EST. BY INT. 2
NOTHING SET
LVMWD Sewer M.H.
113.93
SEWER LINE
2.72
set 1" I.P. conc Plug & LA CO Eng Tag Top Pink
ROAD
(PROP)
1147.63
LVMWD. Sewer M.H.
24.47
227.99
℄ LINE
35 calc
set 1½ ø T
228.00 @ Lev T=76° = 227.99
257.75 @ Lev T=76° = 257.74
72.47 @ Lev T=76° = 72.47
2) 326 - 32 - 50
4) 293. 05 - 45
6) 259 - 38 - 30
163° - 16' - 25"
668
8"
72.97
set 1" IP conc Plug & LA CO Eng Tag Intersection PROP. ℄ & ℄ LINE
℄ LINE
267.74
cont TOP Pg # 109
PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

Notes Ck'd by R. HILARIO
Map No. B-1099-1
Office Work B. TABATA
Checked R. HILARIO
Date OCT 12, 1972

Survey of CORNELL ROAD
JN 00752 Tape 2 Std 84 °F
Surveyed by R. C. DALE
Notes R. C. DALE Date 3-15-71
Indexed R. C. DALL

F. B. 327 PG. 107

Cont Bot
Pg # 108

668.35 calc

PROP. B.C. NOTHING SET

℄ LINE

257.74

Lv. M.W.D. Sewer M.H.

PROPOSED P.I. NOTHING SET

PROP. ℄ CURVE DATA
Δ = 11°29'00"
R = 1800.00
L = 360.72

10.00

4.03

set 1x2 ℄ T

338.41

338.44 @ Lev T=72 = 338.41
PROP. E.C. NOTHING SET

set 1x2 ℄ T

SEWER ℄ LINE

CORNELL ROAD (PROP.)

PROPOSED ℄ ℄ LINE

171.56

171.58 @ Lev T=70 = 171.56

set 1x2 ℄ T

355.94 @ Lev T=70 = 355.91

355.91

Cont TOP
Pg # 108

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

F. B. 327 Pg. 108



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by R. HILARIO
Map No. B-1099-1
Office Work B. TABATA
Checked R. HILARIO
Date OCT. 12, 1972

Survey of CORNELL ROAD
JN 00752 Tape 2 Std. 84 °F
Surveyed by R. C. DALE
Notes R. C. DALE Date 3-12-71
Indexed L. GALEY APR 6 '71

F. B. 3278 PG. 109

cont Right Pg 108

30°-41'-32" Calc

211.52

3) 71-35.00
4) 143.10-20
6) 214.45.10
35°-47'-32"

Old PI 44
Fd 3/4" I.P. Plug & T
Dn 12" Pol
FB 631-116
FB 2242-18

29.24 @ 18°3' T=58° = 27.27
28.93 @ 16°22' T=58° = 27.76
27.76

27.76

Set 1x2 & T
Edge Rd.

318.26 @ Lev T=58° = 318.21

318.21

Ex 16 ST E

CORNELL ROAD
(EXIST)

Fd Lg Sp K (1" Dia)
Dn 3"

190.68 @ 2°27' T=56° = 190.48
190.72 @ 2°40' T=56° = 190.48
AVG = 190.48

190.48

.06

Fd Sp Kwd T
Dn 3"
Pc. FB 2242.16
FB 631.118

239.20 @ 5°35' T=54° = 238.02
239.09 @ 5°17' T=54° = 238.02
AVG = 238.02

238.02

PI 46 D
Fd 3/4" I.P. Plug & (pr) wire
Dn 8" Pol
FB 3271-70
FB 2242-16

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

JeF 3095 C.E. #310 3-68

F. B. 3271 PG. 110

cont Bot Right Pg 108

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

246.66

CURVE DATA
Δ = 01° 07'
R = 6000.286
T = 1956.13
L = 1956.29

PROP. Δ = 6000 286
R = 1956.13
T = L =

249.36 @ 4°10' T=68°: 248.67
249.42 @ 4°25' T=68°: 248.65
AVG: 248.66

21.57 @ Lev T=68°: 21.57

POST Set 1/2 ET Flat

POST Set 1/2 ET

POST Set 1" I.P. conc Plug & L.A.Co Eng Tag on Cut Bank

1=1325.06

2512.51

2562.29

PROP E.C NOTHING OF 1

POST Set 1/2 IN Well Center Exist Road

508.07

R2202

295.62 @ 5°04 T=66°: 294.43
295.52 @ 4°51 T=66°: 294.43
AVG: 294.43
213.66 @ Lev T=68°: 213.64
508.07

ROAD (Road) CENTER

298.41 @ 1°35' T=64°: 298.26
298.40 @ 1°26' T=64°: 298.26
AVG: 298.26
34.65 @ Lev T=64°: 34.65
332.91

332.91

cont Top Pg 111

Notes Ck'd by R. HILARIO
Map No. B-1090-1
Office Work B. TABATA
Checked R. HILARIO
Date OCT. 12, 1972

Survey of CORNELL ROAD
JN0075.28 Tape 2 Std. 84 °F
Surveyed by R. C. DALE
Notes R. C. DALE Date 3-9-71
Indexed R. E. GALLI

F. B. 3271 PG. 111

M S 90 43

cont Bot Pg # 110

Set N&T TP # 6203231

Old PI 47 Fd 2" I.P. conc Plug & LA Co Eng Tag Dn 12' P.K. FB 3371-70 FB 2242-17

90° 38' 53"

122.15

S 22° 21' E 122.91

Set N&T 40' OAK

PCOP PI 8A set 2" I.P. conc Plug & LA Co Eng Tag Dn 12' Set 4 Sq H&T X Ties

28.76

145.92 @ 4°19' T: 64 = 145.49
145.85 @ 3°59' T: 64 = 145.78
AVE = 145.49

2) 19-19-40
4) 38-35-20
6) 57-53-20
9° 38' 53"

2) 306-00-00
4) 252-00-00
6) 198-00-00
153° 00' 00"

54.42

N 0° 21' E

Set N&T P.P. 4-270-H Lip 3"

CORNELL ROAD (PROP)

85.11

S 67° 38' 53" E 145.49

10 ft. S of Sq Kw & T by Intersection

85.12 @ Lev T=64° = 85.11
43.97 @ Lev T=64° = 43.96

149.20 @ 2°30' T: 66 = 149.04
149.23 @ 2°54' T: 66 = 149.02
AVE = 149.03

43.96

149.03

cont Top Pg # 112

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68


cont Bot Pg # 111
F. B. 3271 / Pg. 112
W 590, A-3
43.96
149.00
Fd Spk W & T
PK - FB 3271-71
FB 2242-17
CORNELL ROAD
Set 1/2" I.P. Plug & L.S. 10 Eng Tag Dn 12" Calc Dist (49.00) From 0.00 I.P. set Spk & Wshr x Ties
Set 1/2" I.P. Plug & L.S. 10 Eng Tag Dn 12" Edge Rd
245.82
Fd 1/2" I.P. conc Plug Copper Disc & T Dn 8" PC - FB 3271-71
set NAIL P.P. No Num.
Fd Spk W & T's PK FB 3271-71 FB 2242-33
MULHOLLAND HWY
12.51
36.49
337.13
55.52
39.99
63.09
CYPRUS
set NAIL RP. 520325H
set NAIL RP. 1045755E
S.I. NAIL 8" Pine
Fd 3/4" I.P. Plug & T Dn 8" PC FB 3271-71 FB 2242-33
2) 177-12-00
4) 354-23-50
6) 171-36-00
88-36-01"
2) 196-30-00
4) 33-00-00
6) 229-30-00
98-15-00"
143.45 @ 3°24' T=64° = 143.18
143.40 @ 2°59' T=64° = 143.19
143.18
245.63 @ 2°46' T=66° = 245.31
245.60 @ 2°33' T=66° = 245.33
AVG = 245.32
337.18 @ Elev T=62° = 337.13
36.50 @ Elev T=62° = 36.49
PLEASE RETURN TO COUNTY OF LOS ANGELES DEPARTMENT OF COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by LMM	Survey of CORNELL RD.
Map No. B-5382	JN 1500.1A Tape 0151 Std 60 °F
Office Work G. MASUDA	Surveyed by M.E. WACKER
Checked	Notes M.E.W. Date 3-20-80
Date	Indexed HOLMAN MAR 26 1980

F. B. 3271 PG. 113

J.N. 1500.1A

CORNELL ROAD

REALINEMENT AND MONUMENTING P.I. # 3A, AND P.I. # 4A

REF:
F.B. 3271
O.S.B. 1099-1
C.S. 5382

PARTY
WACKER
COBLE
BANKSON

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

F. B. 3271 PG 114

INDEX



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by LINN	Survey of CORNELL RD
Map No. B-5382	JN 1500.44 Tape 0151 Std 68 °F
Office Work G. MASUDA	Surveyed by M.E. WACKER
Checked	Notes M.E.W. Date 3-21-80
Date	Indexed H. HOLMAN MAR 26 1980

F. B. 3271 PG. 115

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink. With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

FD. N. + TIN P.P. #844018E F.B. 3271-99

50.91'

SILVER CREEK RD.

INTERSECTION FD. L.S.# 2718 IN PVMT. HELD TO SAME AS TIES FIT + DIST SOUTH TO PI #3 & R.P.'s F.B. 3271-99-14

89.06

N 2° 16' E

FD. L + T. IN ROCK + CONC HD. WALL F.B. 3271-99

FD. N. + T. IN P.P. #764951H F.B. 3271-99 THIS P.P. MAY BE MOVEING SO. WEST.

CORNELL RD.

362.64' = R + M.

R.P. TO PI #3 FD. 1" I.P. & C.E. TAC FLUSH PER. F.B. 3271-14

18.53'

P.I. # 3 SET P.M. ON FD. SQ. HD. PER TIES F.B. 3271-14

0.02'

FD. SQ. HD. + TIN NO REF. ON LINE

E.D.M. 362.72 C1°12'05" = 362.64'

38.74'

TOP PG-116

16F309S CE#310 3-69

F. B. 3271 PG. 116

BTM. PG-115



① D. 00-00-21
R. 180-00-17

D. 149-19-19
R. 329-19-18

② R. 270-05-34
D. 90-05-34

R. 59-24-59
D. 239-24-43

M=149-19-03

38.74'

R=1,150.00'

149.32'

71.38'

CORNELIA RD.

839.54'

TOP PG-117

P.I. 3A
SET 1" I.P.
CONC. PLUG
± L.A.Co. E.
TAC FLUSH
IN PVMT.
PER C.S.B.
1099-J
5382

38.74 @ Lev.
F=38.74
=38.74

71.38 @ Lev.
F=70
=71.38

R.P. TO P.I. 3
ED. 1" I.P. ±
L.A. CO. E. TAC
FLUSH PER
F.B. 3271-14
HELD TO SAME
FOR LINE ±
DIST NORTH

E.P.M.
839.35
0.0-18'35"
=839.54

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by LINN	Survey of CORNELL RD.
Map No. B-5382	JN 1500.14 Tape 0151 Std. 66 °F
Office Work G. MASUDA	Surveyed by M.E. WACKER
Checked	Notes M.E.W. Date 3-21-80
Date	Indexed H. HOLMAN

F. B. 3271 PG. 117

MAR 26 1980

R.P. HAS BEEN HIT N.G.

R.P. TO P.I. #A, FD. 1" I.P., DN. 2" PER. F.B. 3271-15

P.I. # A
SET C.E. BRASS CAP MON. UP 3" IN BED ROCK PER C.S.B. 1099-15382 MON MKD. AS SHOWN.

COUNTY ENGINEER P.I.-A RE 22726

P.I. # 4
FD. 1" I.P. + L.A. CO. E. TAG DN. 12" PER F.B. 3271-13 HELD TO SAME

D. 00° 00' 24"
R. 180° 00' 18"

D. 135° 36' 36"
R. 315° 36' 30"

R. 110° 07' 18"
D. 290° 07' 12"

R. 245° 43' 33"
D. 65° 43' 29"
= 135° 36' 13" ✓

T = 70.
28.12 @ Lev
= 28.12

74.06 @ Lev
= 74.06

TOP PG-118

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309 CER310 3-69

F. B. 3271 PG. 118

BTM. PG-117

E. D. M.
924.96
@ 0° 10' 15"
=924.96'

CORNELL ROAD

℄

924.96

P.I. #5
FD. 1" I.P.
L.A. Co. E.
TAG ON 16"
PER F.B.
3271-16
HELD TO
SAME.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.