Survey of
JN Tape Std °F
Surveyed by
Notes Date
Indexed

F.B. 3293 Pg.

Job	Description
	W.W. No. 36 2408.14
Index	
C.L.	Rerun of Hasley Cn. Rd. from Del Valle Rd. to Romero Cn. Rd.
Topo	Loc. of Imp. same as above
Sec. Li.	Survey of Sec. 27, T5N R17W
Elev.	Elevs. on 2 possible tank sites
Ease.	Loc. of prop. Waterline ease. in the vic. of HasleyCn. & Romero Cn. Rds.
Sec. Li.	Sec. breakdown NW ¼ Sec. 34 T5N
Bdry.	Bdry of prop. Res. Site in Sec. 7
Sec.Line of.XSec	Survey of W. Line of Sec. 4, T4N R17W E-W ¼ Sec. line in above Sec.
Elev.	C.L. elev. on HasleyCn. Rd.
B.M.	Bench levels fr. Hasley N'ly up Romero Cn.
Index	
C.L.	Prop. C.L. from Hasley Cn., W'ly to E.W. center of Sec. 27, T5N., R17W.

Microfilmed Jan 85

Notes Ck'd by	Survey of HASLEY CN. ROAD
Map No.	JN 2408.14 Tape 69 Std. 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 10-7-66
Date	Indexed C. J. GALLI NOV 25 66

F. B. 3293 PG. 5

HASLEY CANYON ROAD

J.N. 2408.14

W.W. DIST. Nº 36

SURVEY TO LOCATE CENTERLINE AND LOCATION OF EDGES OF EXISTING PVMT. OF HASLEY CANYON ROAD FROM INTERSECTION OF HASLEY CANYON ROAD AND DEL VALLE ROAD. WLY. TO A POINT 200'± WLY. OF ROMERO CANYON ROAD

OCT. 1966

REF.

F.B. 1493
F.B. 3166
RD. DEPT. FQ 824
RD. DEPT. SUR. M. T: 63-1
F.B. 2901
RD. DEPT. FQ 140
C.S.B. 1092-1
C.S.B. 1226

PARTY

L.V. SMITH
J.P. MCCALL
V.L. HUCKABY
L.C. LOVE
M.R. NEVAREZ

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61

F. B. 3293 PG. 6

INDEX

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date OCT 2 3 '86

Survey of HASLEY CN. RD.
JN 2408 1/4 Tape 169 Std 84 °F
Surveyed by L-V. SMITH
Notes L-V. SMITH Date 10-11-66
Indexed C. J. GALLI NOV 25 '86

F. B. 3293 PG. 7

W.S. 63, C-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

SEC. 2
T-4 N.
R. 17 W.

REMOVED 3/4" I.P. & REPLACED BY SPK. W. & TIN WITH 2" I.P. & CONC. PLUG & L.A.CO. ENGR. TAG DN. 7" IN WELL WITH CAP 2-16-67

0+00

INTERSECTION
FD. BT. SPK. W. & TIN DN. 0.10' UNDER NEW PAVING PER F.B. 3166-96
SET 3/4" GI. PIPE SPK. & TIN TIES

FD. 3/4" I.P. & SPK. DN. 12" PER CO. RD. DEPT. F.B. 824-10 & F.B. 3166-96

FD. 1X2 ENAIL ON RIDGE PER F.B. 1493-141 & F.B. 3166-95

FD. 3/4" I.P. CONC. PLUG & CPR. WIRE DN. 10' PER F.B. 1493-141-142 & F.B. 3166-96

P.I. "A"
FD. LG. BT. SPK. W. & TIN PER F.B. 3166-97

0.14
43.38'
0.13'
34.59'
0.08'

SECTION LINE

HASLEY CANYON RD.

DEL VALLE ROAD

SEC. 3

89° 56' 05"

35° 22' 52"

514.90'

1) 89° 56' 30"
4) 357 44 30
6) 179 36 30
89° 56' 05"

1) 35° 22' 45"
4) 141 31 30
6) 212 17 15
35° 22' 52"

TOP PG 8

F. B. 3293 PG. 8

BOT. PG. 7

514.90' @ LEV.
T = 84° = 514.90'

1) 161° 06' 30"
4) 284 26 30
6) 246 39 30
161° 06' 35"

514.90'

5+14.90
P. I. 13+87
FD. 3/4" I. P.
& SPK. WITH
PUNCH MRK.
DN. 6" PER
RD. DEPT.
FB. 824-10
SET 3 FT. SURFACE
TIES - SM. BT. SPK.
& TINS IN PVMT.

40" Adj.

161° 06'

1) 15° 14' 15"
4) 60 57 30
6) 91 26 15
15° 14' 22"

LINE

15° 14'

839.49'

20" Adj.

HASLEY CYN. ROAD

NOTE
SET WELL 4 IRON PIPE
IRON AND 3/4" I.P.
SPK. WITH PUNCH MARK 3+20-L.C.L.

RIGHT
PG. 24 CLOSURE

(20') TOP PG. 9

(20')

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of HASLEY CN. ROAD
JN 2408.14 Tape 169 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 10-17-66
Indexed C. J. GALLI

F. B. 3293 PG. 9

BOT. PG. 8

839.48 @ LEV.
T = 86° = 839.49'

1) 169° 13' 45"
2) 316 55 30
3) 295 23 00
169° 13' 50"

839.49'

50'

13'

169

13+54.39

P.I. 14-A
FD. 2X2 & NAIL
DN. 6" IN GOOD CONDITION-REPLACED NAIL WITH L.A.CO. TAG & BRASS NAIL
SET SM. BT. SPK. & TIN 3 FT. SURFACE TIES

NOTE
SET 3" L.P. CONC. PLUG & L.A.CO. ENGR. TAG ON 7" IN WELL WITH CAP IN PLACE OF 2X2 & NAIL
3-14-67 L.V.S.

764.74'

HASLEY CN. ROAD

(20)

TOP PG. 10

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 3293 PG. 10

764.77 @ LEV.
T = 78° = 764.74'

BOT. PG. 9

(20')

(20')

SET N-E TIN IN GUY POLE # 726020E

21+19.13'

P.I. 15 17
FD. OLD 1x2" ⊄ NAIL DN. 8" PERRD. DEPT. SUR. M.T-63-1 SET 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ON 8" IN POSITION OF NAIL. SET SM. BT. SPK. & TIN SET. SURFACE TIES.

SET N. & TN. IN P.P. # 726019E

52.64'

52.69'

84.76'

50'

10' Adj.

168'

168° 50' 30"
315 20 30
293 00 30
168° 50' 05" ✓

SET L.A. CO. ENGR. TAG IN LEAD IN CULVERT HEADWALL

NOTE
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG IN WELL WITH CHIP 5-14-67 L.M.S.

CN. ROAD

HASLEY

436.11'

436.09' @ LEV.
T = 92' = 436.11' ✓

TOP PG. 11

W.S.63, B-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of HASLEY CN. ROAD
Map No.	JN 2408/4 Tape 169 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 10-19-66
Date	Indexed C. J. GALLI

F. B. 3293 PG. 11

BOT. PG. 10

SET N. & TIN IN P.P. #452976H

(20')

(20')

25+55.24
P.I. 16-A
FD. REMAINS OF ROTTED 1X2 ON. 12" REPLACED 1X2 WITH 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG DN. 12" PER CO. RD. DEPT. SURV. M. T-63-1
SET SM. BT. SPK. & TIN SURFACE TIES 3.00'

SET N. & TIN IN GUY POLE # 726023E

SET N. & TIN IN P.P. NO NUMBER

436.11'

46.63'

33.77

37.01'

87.77'

8" 10" Adj.

NOTE
REPLACED 1" I.P. WITH 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG DN. 8" IN WELL WITH CAP 3-21-67 L.V.S.

SET NAIL & TIN IN 32" OAK

26'

159°

1) 159° 26' 00"
4) 277 44 30
6) 236 56 30
159° 26' 05"

HASLEY CANYON ROAD

611.84'

TOP PG. 12

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3095 CE # 310 3-81

F. B. 3293 PG. 12

BOT PG. 11

(20')

(20')

ROAD

611.89' @ LEV.
T = 72° = 611.84'

W.S. 63 13-1

1) 93° 52' 30"
2) 87 45 00
93° 52' 30"

314 67.08'

P.I. #17 SEARCHED FOR 1X2 ENAIL PER CO. RD. DEPT SUR. M. T-63-1 FD. NOTHING. SET 1" I.P. CONC. PLUG #L.A.CO. ENGR. TAG DN. 12" RECORD DISTANCE OF 34.68' FROM NAIL SET IN CTR. OF OLD 2x2 R.P.P.I. @ 186.30' FROM CENTER OF ROTTED 1X2 AT P.I.-18'

SET NAIL & TIN IN 14" OAK

611.84'

93°

52'

30"

NOTE

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG DN. 8" IN PLACE OF 1" I.P. SET WELL AND CAP 3-27-67 LWS.

45' 40' Adj.

26.88'

34.68'

21.03'

0.05'

SET NAIL & TIN 12" OAK

30.27'

172°

83.76'

1) 172° 21' 45"
2) 329 27 15
3) 314 16 30
172° 21' 45" ✓

R.P.P.I. #17 FD. REMAINS OF OLD 2x2 NO NAIL DN. 8" PER CO. RD. DEPT. SUR. M T-63-1 SET NAIL IN CENTER OF 2x2'S AND HELD RECORD DISTANCE OF 34.68' TO SET P.I. FROM NLY. 2x2.

35.38' @ 11°23' = 34.68'
T = 84° = 34.68' ✓

186.31' @ LEV.
T = 72° = 186.30' ✓

HASLEY CANYON

186.30'

TOP PG. 13

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of HASLEY CN. ROAD
Map No.	JN 2408-14 Tape 69 Std 84 °F
Office Work	Surveyed by L. V. SMITH
Checked	Notes L. V. SMITH Date 10-21-66
Date	Indexed C. J. GALLI

F. B. 3293 PG. 13

BOT. PG. 12

(20') (20')

SET N & TIN IN 12" OAK

1) 162° 51' 00"
2) 291 24 00
3) 257 06 15
162° 51' 02"

00" Adj.

180-30'

87.22'

51'

39.39'

57.48'

33+53.38'
P.I. #18
FD. REMAINS OF OLD 1X2 - NO NAIL
REPLACED 1X2 WITH 1½ I.P. CONC. PLUG & L.A. CO.
ENGR. TAG - USED CTR. OF 1X2 AS P.I. - PIPE ON 12".
1X2 FD. PER CO. RD. DEPT. SUR. MT. T-63-1. SET SM. BT. SPK. & TIN. 3 FT SURFACE TIES

NOTE
WELL & CAP
3-21-67 L.V.S.

SET N. & TIN IN P.P. # 726025E

SET N & TIN 36" OAK

162°

HASLEY CN. ROAD

S 35° 11' 19" W

TOP PG. 14

W 3293

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F309S CE # 310 3-81

F. B. 3293 PG 14

BOT. PG. 13

535.77' @ LEV.
T = 90° = 535.79'

535.79'

NOTE
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ON 6" N. WELL WITH CAP OVER 1½" I.P.
3-13-67 L.V.S.

38 + 89.17'
P.T. # 19
FD. 1½" I.P. CONC. PLUG & NAIL ON 24" CO. RD. DEPT. SUR. M.T.-63-1 CALLS FOR 1 X 2" N. & E. TIES - SIG. BT. SPKS. & TINS.

SET N. & E. TIN IN P.P. # 726028E

25' 30" Adj.

30"

48'

48'

159°

159°

26.14

22.50'

SET N. & E. TIN IN P.P. NO. NUMBER

HASLEY CN. ROAD

216.23' RECORD PROPORTION LINE 216.23'

1)	159°	48'	30"
4)	279	14	00
6)	238	57	00
	159°	48'	30"

1)	159°	48'	30"
3)	279	13	30
6)	238	50	30
	159°	48'	30"

216.23' @ LEV.
T = 84° = 216.23'

TOP PG. 15

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of HASLEY CN. RD.
JN 2408.14 Tape 169 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 10-25-66
Indexed C. J. GALLI

F. B. 3293 PG. 15

216.23' @ LEV.
T = 84° = 216.23'

1) 159° 51' 00"
2) 279 24 00
3) 239 06 00
159° 51' 00" /

1) 159° 51' 00"
2) 279 23 45
3) 239 05 45
159° 50' 58" /

(20')

BOT. PG 14

(20')

216.23'

216.23'

SET NAIL & TIN IN 30" OAK

55" Adj.
56"

50'

51' 00"

159°

49.17'

0.005'

RECORD R.I. #20 SEARCHED FOR 1x2 & NAIL & 2x2 R.P.I.S PER CO. R.D. DEPT. SUR. M-T-63-1 FD. NOTHING. SET NAIL ON RECORD ANGLE & DISTANCE FROM B.T. #19 PER CO. R.D. DEPT. SUR. M-T-63-1

SET NAIL & TIN IN TWIN PRONGED 24" OAK

26.52'

60.47'

41+05.40

PROPORTIONED R.I. #20 SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG DN. 12" ON PROPORTIONED ANGLE & DISTANCE. SET 3FT. SMALL BT. SPK. & TIN TIES IN PVMT.

NOTE

SET WELL & CAP AT P.I. 20 3-21-67 L.V.S.

SET N. & TIN IN R.P.N. 726029E.

284.10' @ LEV.
T = 84° = 284.10'

RECORD 284.10'

PROPORTIONED 284.10'

HASLEY CN. ROAD

TOP PG. 16

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-81

F. B. 3293 PG. 16

W.S. 63, B-1

BOT PG. 15

43+89.50 =
P.I. # 21
FD. OLD NAIL & TIN ON 1/2" IN PVMT. PER FX 21 - 22 & F.B. 2901 - 20
SET 1" I.P. CONC PLUG & L.A. CO. ENGR. TAG ON 6" SET 3 FT. SURFACE TIES SM. BT. SPK. & TINS IN PVMT.

RECORD P.I. #21
SET MARK REC. ANGLE & DIST. FROM RECORD P.I. #20 PER RD. DEPT. SUR. M. T-63-1

284.10' RECORD

284.10'

284.10' @ LEV

T = 84° = 284.10'

171°

20'

12.03

0.015'

42.62'

171° 20' 30"
325 22 00
308 03 00
171° 20' 30" ✓

FD. N. & TIN IN W. SIDE T.P. # 452980H PER F.B. 2901-20

FD. N. & TIN IN NLY. SIDE P.P. # 726030E. F.B. 2901 - 20

NOTE
REPLACED 1" I.P. WITH 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ON 7" IN WELL WITH CAP
3-16-67 L.V.S.

HASLEY CYN. ROAD

454.41'

(20')

(20')

TOP PG. 17

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of HASLEY CN. ROAD
JN 2408 14 Tape 169 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 10-26-66
Indexed C. J. GALLI

F. B. 3293 PG. 17

BOT PG. 16

P.I. #17
FD. 3/4" I.P CONC. PLUG & NAIL DN. 6" PER F.B. 2901 PG. 21

454.39' @ LEV.
T=90° : 454.41'

454.41'

SET NAIL & TIN IN E. SIDE OF ELY. 12" OAK OF CLUMP OF 5 OAKS.

OLD SLOAN CYN. RD.
F.B. 2901 - 20, 21

45.36'
0.10'

FD 1½" I.P. CONC. PLUG & L.A.CO. ENGR. TAG DN. 6" NER F.B. 2901 PG. 20. PIPE REMOVED TO SET 2" I.P. 0.10' NLY.

14.47'

FD. N. & TIN IN T.P. # 452981H F.B. 2901-20

44.001'

48+43.91
INTERSECTION
SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG DN. 12" BY INTERSECTION BETWEEN FD. N. & TIN IN P.I. 21 ELY. & FD. 1X2 & NAIL AT P.I. #22 WLY. ON HASLEY CN. ROAD AND FD. 1½" I.P. PER F.B. 2901-20 & FD. 3/4" I.P. AT P.I. #17 OLD SLOAN CYN. ROAD F.B. 2901-21. SET 3 FT. SURFACE TIES. SM. BT. SPK. & TIN IN PVMT.

523.19' @ LEV.
T=74° = 523.16'

1) 100° 45' 00"
4) 42 59 30
6) 244 28 45
100° 44' 48"

48" 41" Adj.

NOTE
SET WELL & CAP AT INTERSECTION 3-14-67 L.V.S.

523.16'

HASLEY CYN. ROAD

(20')
TOP PG. 18
(20')

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 63, B-1

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 3293 PG. 18

NOTE
SET WELL AND CAP AT P.I. 22 3-21-67 L.V.S.

BOT. PG. 17

SET N. & T. IN T.P. #45298 2H.

53+67.07
P.I. # 22
FD. OLD 1X2 & NAIL DN. 10". CO. RD. DEPT. S.M. T-63-1 CALLS FOR 2X2. HELD TO 1X2 & NAIL AFTER FINDING ROTTEN 2X2 R.P.P.I. SLY. ON SPLIT OF RECORD ANGLE. REPLACED 1X2 C.N. WITH 2" I.P. CONC. PLUG & L.A.CO. ENGR. TIES DN. 10" SET 3 FT. SURFACE TIES SM-BT-SPK-& TIN.

1) 156° 28 30"
2) 265 53 30
3) 218 50 15
156° 28 23.1'

523.16'

SET N. & T. IN BUY ROLE #45298SH

76.13'

23.6' 17" NLY

28

63.53'

SET N. & T. IN P.P. #72603 4E

21.31'

32.85'

15.11'

78° 14'

R.P.P.I. FD. ROTTEN 2X2 NO NAIL DN. 6". SET NAIL IN CTR. FOR CHECK OF ∠ & DISTANCE PER RD. DEPT. S.M. T-63-1

HASLEY CN. ROAD

566.70'

566.69' @ LEV
T = 86° = 566.70'

(20')

(20')

1) 78° 14 15
2) 156° 28 30"
78° 14' 15"

TOP PG. 19

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of HASLEY CN. ROAD
Map No.	JN 2408/14 Tape 169 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 10-28-66
Date	Indexed C. J. GALLI

F. B. 3293 Pg. 19

BOT. PG. 18

(R/W) (20')

1) 77° 25' 15"
2) 154 50 30
77° 25' 15"

1) 154° 50' 30"
2) 259 21 30
3) 209 02 30
154° 50' 25"

SET N. ⅜ TIN IN TEL. POLE #492677H

R.P.I.
FD. 1½" I.P. NO. PLUG FLUSH PER RD. DEPT. FQ 440-1. SET CONC. PLUG & L.A. CO. ENGR. TAG ON SPLIT OF X & ON REC. DIST. PER FQ 440-1

20' Adj.
25'

566.70'

HASLEY CYN. ROAD

50'
154°
25' 15"
35.03'
48.10'
15.71'
280.82'

59+ 33.77
P.I. # 23
FD. 1½" I.P. WOOD PLUG & NAIL ON. 12" PER RD. DEPT. FQ 440-1. REPLACED WOOD PLUG & NAIL WITH CONC. PLUG & L.A. CO. ENGR. TAG. SET 3 FT. SURFACE TIES. SM. BT. SPK. & TINS IN PVMT.

BOT. RIGHT PG. 20

SET N. ⅜ TIN IN I.P. #726036 E.

280.83' @ 0° 44' = 280.81'
280.84' @ 0° 36' = 280.82'
T = 92° = 280.82' ✓

280.81' — 280.81' —

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

76F3095 CE # 310 3-61

F. B. 3293 PG 20

BOT PG. 21

BOT PG. #23

W.S. 63, B-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not attend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

1) 20° 51° 30"
4) 83 26 30
6) 125 09 45
20° 51' 38"

SEC. 3
T. 4 N.
R. 17 W.

297.28' @ 0°01' = 297.28'
297.30' @ 0°30" = 297.30'
215.61' @ LEV. = 215.61'
Δ = 90° = 512.90'

20° 51' 38" Adj. 43"

512.92'

SECTION LINE

45-50

SET N. & TIN IN P.P. & 726037 E.

92.47

NOTE
REPLACED LG. BT. SPK. W. & TIN WITH 2 1/2 R CONC. PLUG. L.A. CO. ENGR. TAG DIA. 7" IN WELL WITH CAP 3-21-67 L.V.S.

HASLEY CYN ROAD

INTERSECTION SET LG. BT. SPK. W. & TIN FLUSH IN PVMT. BY INTERSECTION

SEC. 4
T. 4 N.
R. 17 W.

SET N. & TIN IN T.P. IN 553436H

906.42

LEFT PG. 19

280.82

(20')

(20')

1/4 SEC. COR. FD. STD. CO. SUR. BRASS CAP MON. IN CONC. UP 6" MON. MARKED 1/4 S SHOWN. CS. B-1092-1
SEE FD 579 PG 239 which agrees with as shown on NCG's 2/7/67 and
Discription marked in red W.S.C 12-21-67

COUNTY SURVEYOR
T. 4 N.
R. 17 W.
RETN. 74 Calc. RE 213'

12/12/67

Total - 906.61 = 0.19

325 [illegible]

[illegible]

Notes Ck'd by	Survey of HASLEY CYN. RD.
Map No.	JN 2408.14 Tape 169 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 10-28-66
Date	Indexed C. J. GALLI

F. B. 3293 PG. 21

399.22' @ LEV
T=92°: 399.24'
67+27.51

P.I. #24
SEARCHED FOR 2x2 PER RD. DEPT. FQ 440-1. FD. NOTHING. SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG DN. 10" SET FROM SWLY. R.P.P.I. SET 3FT. SURFACE TIES SMALL BT. SPK. & TINS IN PVMT.

NOTE
SET WELL & CAP 3-20-67 L.V.S.

BOT. PG. 22

(20')
HASLEY CYN. ROAD
(20')

399.24'

166° 00' 50"

50.00'
49.63'
6.09'
4.25'
43.96'
512.92'

SET N. & T. IN P.R. 1381950E.

R.P.P.I.
FD. 1/2" I.P. WOOD PLUG & NAIL FL. PER RD. DEPT. FQ 440-1 HELD TO THIS POINT TO SET P.I. #24. REPLACED WOOD PLUG WITH CONC. PLUG & L.A. CO. ENGR TAG

SET N. & T. IN P.R. 1378786E.

1)	166°	00' 45"
4)	304	03 30
6)	276	05 00
	166°	00' 50"

TOP PG. 20

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 2293 PG. 22

W.S. 63, B-1

P.I. #26
SEARCHED FOR P.I.
& R.P.P.I. S PER
RD. DEPT. F-Q 440-2
FD. NOTHING

RECORD
P.I. 25-A
SEARCHED FOR 2x2
PER F.Q. 440-2 FD.
NOTHING. SET 2" I.P.
CONC. PLUG & L.A. CO.
ENGR. TAG DN. 10"
ON RECORD ANGLE
& DISTANCE FROM
P.I. #24.

SET NAIL & TIN
IN GUY POLE
H 726042 E
UP 5 FT.

BOT.
PG. 24

SET N. & TIN
IN 14" OAK

45.12'

18.37'

CLOSING LINE

HIGHWAY

55' ADJ.

J6° 45"
28 00
42 00
76° 37'

76.

30.11

32.33'

72°

77° 38' 30"
2 135° 17' 00"
77° 38' 30"

77° 38' 30"

SET N. & TIN
IN P.K.
726041 E

399.24

(20')

(20')

TOP
LEFT
PG. 21

R.P.P.I.
SEARCHED FOR 2" I.P.
PLUG & TACK PER RD.
DEPT. F.Q. 440-2 FD.
CLEAR OUTLINE OF RUST
LINED HOLE WHERE
I.P. HAD BEEN. ANGLE
& DISTANCE FROM
RECORD P.I. 25-A FALLS
IN CENTER OF HOLE.
R.P.P.I. TO NORTH
HAS BEEN DISCED OUT.
FD. PIPE IN HORIZONTAL
POSITION DN. 6" IN
APPROX. LOCATION
PER RD. DEPT. F.Q. 440-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of HASLEY CYN. RD.
JN 7408 V4 Tape 169 Std. 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 1-3-66
Indexed C. J. GALLI

F. B. 3293 Pg. 23

FD. 3/4" I.P. & CAP STAMPED A-9 PER F.B. 2901-165-8

W.S. 17, 4-4

SURVEYOR
COUNTY
T.5N.
R.17W.
33 | 34
4 | 3
T.4N.
SEC. COR.
R.E. 2177

33 | 34
3

128.00'

15.11'

2A

83°

1) 83° 24' 15"
3) 333 36 45
6) 140 25 30
83° 24' 15"

185.08 @ 1°45' = 184.99
185.13 @ 2°12' = 184.99 = 184.99
13.02 @ LEV. 13.02
198.01

T = 76° = 198.00'

SECTION CORNER
FD. C.S. BR. CAP
MON. IN CONC.
DN. 18" PER
F.B. 2901-9-165
C.S.B. 1092-1
C.S.B. 1226 MON
MARKED AS SHOWN

SET 1x2 & NAIL

176.56' @ 3°05' = 176.30
176.58' @ 3°16' = 176.29 = 176.29
169.78 @ 1°48' = 169.70
169.76 @ 1°38' = 169.69 = 169.69
345.98

T = 74° = 345.96'

345.96' SECTION

SET 1x2 & NAIL

SEC. 4
T. 4 N.
R. 17 W.

207.70' @ 2°51' = 207.44
207.66' @ 2°39' = 207.44 = 207.44
195.25' @ 0°47' = 195.23
195.29' @ 1°15' = 195.24 = 195.23
402.67

T = 70° = 402.63'

402.63' LINE

SEC. 3
T. 4 N.
R. 17 W.

SET 1x2 & NAIL

119.28 @ 1°31' = 119.24
119.34 @ 0°51' = 119.23 = 119.23
248.46 @ 1°45' = 248.34
248.44 @ 1°39' = 248.34 = 248.34
367.57

T = 88° = 367.58'

367.58'

FD. 1½" I.P. CONC. PLUG & L.S. TAG #3041

115.62' @ LEV. = 115.62
299.89' @ 0°39' = 299.87
299.92' @ 0°55' = 299.88 = 299.87
415.49

T = 80° = 415.50'

415.50'

TOP PG. 20

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this time.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 2-61

F. B. 3293 Pg. 24

BOT. LEFT PG. 8

CLOSING LINE FOR X'S

SET 1X2 & NAIL ON SPUR FOR PT. FOR CLOSING ANGLES ALONG HASLEY CYN. RD.

47"

58'

117°

1) 117° 58' 45"
4) 111 55 00
6) 347 52 45
117° 58' 47" ✓

CLOSING LINE FOR X'S

RIGHT PG. 22

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of HASLEY CN. RD.
Map No.	JN 24084 Tape 169 Std. 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 10-18-66
Date NOV 25 '68	Indexed C. J. GALLI NOV 25 '68

F. B. 3293 PG. 25

0100
INTERSECTION
FD. B.T. JPK. W. & TN.
PG. 7

(20') (20')

NOTE
TELEPHONE POLES ALONG N'LY. SIDE OF HASLEY CYN. RD. FROM 0+00 W'LY TO 5+10 ± ARE POSTED WITH SIGNS WARNING OF UNDERGROUND CABLE IN THIS AREA.

12°

HASLEY CN. ROAD

DEL VALLE ROAD

0+50 11°

0+65 26°

0+74 12°

ROCK & OIL PMNT.

1+54° 11° 1+41°

10° 1+50

17°

BLACKTOP DRIVE

15° 1+74°

TOP PG. 26

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

BOT. PG. 25

F. B. 3293 PG. 26



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of HASLEY CN. ROAD
JN 2408-14 Tape 169 Std 84 °F
Surveyed by L-V-SMITH
Notes L-V-SMITH Date 10-18-66
Indexed C. J. GALLI
F. B. 3293 PG. 27
BOT. PG. 26
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
76F3095 CE # 310 3-61
ROCK & OIL PVMT.
HASLEY CN.
RD.
10+00
11+00
12+00
12+50
13+00
13+50
13+54.39
P.I. 14-17
FD. 2x2 41.11
CO. TAG DN
6" PG 9
13+75
14+00
14+50
15+00
16+00
17+00
TOP RIGHT PG. 28

F. B. 3293 PG. 28



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of HASLEY CN. ROAD
Map No.	JN 2408-14 Tape 169 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 10-18-66
Date	Indexed C. J. GALLI

F. B. 3292 PG. 29
BOT. PG. 28

HASLEY CN. ROAD

25+55.24
P.I. 16-17
F.O. 1" I.P. CONC. PLUG & L.A. CO. ENGR. TAG DN 12" PG. 11

10± 9± 24+50
9± 10± 25+00
7± 13± 25+25
3 1/6 16 3/4 25+50
6 5/8 15± 25+75
9 5/8 12 3/4 26+00
10± 10± 26+50
9 3/4 10 1/4 27+00
(20') (20')
10 5/8 10 5/8 28+00

ROCK & OIL PVMT.

TOP PG. 30

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 3293 PG. 30

BOT. PG. 29



31+67.08
P.I.
#17
FD. 1" I.P. CONC. PLUG F.L.A. CO. ENGR. TRG DIV. 12" PG. 12

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of HASLEY CN ROAD
Map No.	JN 240814 Tape 69 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 10-21-66
Date	Indexed C. J. GALLI

F. B. 3293 Pg. 31

BOT. PG 30

CN. RD.

HASLEY

12° 10° 33+00

13 B1 33+25

33+53.38
P.I. #18
FD. 1" I.P. CONC.
PLUG & L.A. CO.
ENGR. TAG ON
12" PER PG 13

16 4 B 33+50

15 5 7 L 33+75

13 2 8 1 34+00

11° 9 8 34+25

9 8 9 4 34+50

9° 10 4 35+00

20' ROCK ℄ OIL PVMT.

(20')

TOP PG. 32

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 3293 Pg. 32



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of HASLEY CN. RD.
JN 2408/4 Tape 69 Std 84 °F
Surveyed by L-V. SMITH
Notes L-V. SMITH Date 10-24-66
Indexed C. J. GALLI

F. B. 3293 PG. 33



Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61

F. B. 3293 PG 34

BOT. PG. 33

(20')

(20')

ROCK

OIL PVMT.

10°

10½

42+75

43+06

DIRT ROAD

SLOAN CN. MWY.

11½

10°

43+00

43+44

11½

8°

43+25

43+89.50
P.I. ℄
F.D. 1" I.P. CONC.
PLUG & L.A. CO.
ENGR. TAG ON
6" PG. 16

12½

43+50

7½

14°

43+75

7½

14½

44+00

8°

13°

44+25

11½

12°

44+50

9½

10½

45+00

8½

10½

46+00

HASLEY CN. RD.

TOP PG. 35

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of HASLEY CN. ROAD
Map No.	JN 2406A Tape 169 Std 84 °F
Office Work	Surveyed by L-V. SMITH
Checked	Notes L-V. SMITH Date 10-31-66
Date	Indexed C. J. GALLI

F. B. 3293 Pg. 35
BOT.
PG. 34

(20')
(20')
(30')
(30')
OLD SLOAN CYN. ROAD
8 ±
11 ±
47+00
ROCK & OIL PVMT.
9 ±
12 ±
48+00
48+43.91'
INTERSECTION
FD. 2" I.R CONC.
PLUG & L.A.CO.
ENGR. TAG DN. 12"
PG. 17
7 ±
13 ±
49+00
49+40
49+56
DIRT DRIVE
5 ±
13 ±
50+00
5 ±
14 ±
51+00
HASLEY CYN. RD.
TOP
PG. 36

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 3293 PG. 36

BOT. PG. 35

(20') ROCK & OIL PMT. (20')

5± 15± 52+00

7± 15° 52+50

7± 15° 52+85 52+75

7± 13° DIRT DRIVE 53+00

53+05

53+67.07
P.I. #22
FD. 2" I.P. CONC.
PLUG & L.A. CO.
ENGR. TAG DN.
10" PG 18

9± 11± 53+25

14° 8° 53+50

15± 112' 5± 53+75

9± 8± 54+00

9± 9± 10± 54+25

7± 13° 54+50

8± 12± 55+00

56+00

HAILEY CYN. ROAD

TOP RIGHT PG. 37

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of HASLEY CYN. RD.
Map No.	JN 2408.A Tape 169 Std 84 °F
Office Work	Surveyed by L-V-SMITH
Checked	Notes L-V-SMITH Date 10-28-66
Date	Indexed C. J. GALLI

F. B. 3293 Pg. 37
BOT. LEFT PG. 36



NOTE

TELEPHONE POLES ALONG NLY. SIDE OF HASLEY CYN. ROAD FROM 0+00 TO 59+10 ± ARE POSTED WITH SIGNS WARNING OF UNDERGROUND CABLE IN THIS AREA. ON TEL. POLE # 4926 77H AT 59+10.3 THE CABLE LEAVES THE GROUND AND CROSSES OVER THE ROAD AND IS SUSPENDED BY POWER POLES ON S.WLY. SIDE OF ROAD

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.


LEFT PG. 37
(70')
(70')
10'
10'
10'
10'
ROCK & OIL PVMT.
C.I.N. ROAD
HASLEY
12'
12'
10'
10'
10

Notes Ck'd by	Survey of HASLEY CYN. RD.
Map No.	JN 2408 14 Tape 169 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 8-31-66
Date	Indexed G. J. CALLI

F. B. 3293 PG. 39

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

(20') (20')

70+00 69+00 68+03

12° 10° 9° 11° 10° 10° 10.5° 11° 8°

ROMERO (CYN.) ROAD DIRT

67+27.51
P.I. #24
FD. 2" I.P. CONC. PLUG
L.A. CO. ENGR. TAG DN. 10"
PG. 21

ROCK & OIL PVMT.

68+50 68+00 67+75 67+50 67+25 67+00 66+75 66+50 66+00 65+75 65+50 65+00

67+31

11° 11.5° 8° 6.8° 13.3° 15° 9° 12° 11° 24.5° 10.6° 10° 66+26 12° 12° 9° 12.5° 12.8° 9°

66+91.5
P.P. # 13989 86 E

BLACK TOP DRIVE TO MOBILHOME PARK

NOTE
POWER POLE # 13989 86 E AT 66+91.5 IS POSTED WITH SIGN WARNING OF UNDERGROUND TELEPHONE CABLE IN THIS AREA

HASLEY CYN. ROAD

TO P. PG. 38

76F3095 CE # 310 3-61

Notes Ck'd by	Survey of SECTION LINES	F. B. 329 J Pg. 41
Map No.	JN 0302.01 Tape 169 Std 84 °F	
Office Work	Surveyed by L.V. SMITH	
Checked	Notes L.V. SMITH Date 12-22-66	
Date FFG 4-67	Indexed C. J. GALLI DEC 22 '66	

SECTION LINES
J.N. 0302.01

SURVEY OF SEC. 27 T.3 N. R.11W. TO ESTABLISH E. 1/4 1/4 OF S.W. 1/4 SECTION CORNER

DEC. 1966

REF.
C.S.B. 122C
F.B. 512
F.B. 2907

PARTY
L.V. SMITH
J.P. McCALL
V.L. HUCKABY
L.C. LOVE
M.R. NEVAREZ

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S CE # 310 3-61

F. B. 3293 Pg. 42

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of SECTION LINES	F. B. 3293 Pg. 43
Map No.		JN 0302-01 Tape 69 Std 84 °F	
Office Work		Surveyed by L.V. SMITH	
Checked		Notes L.V. SMITH Date 11-21-66	
Date FEB 6 '67		Indexed C. J. GALLI DEC 22 '66	

W.9.17, C-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

199.00' @ 5°22' = 198.13'
199.06' @ 5°33' = 198.13'
T = 68° = 198.11'

BOT. PG. 42

198.11'

SEC. 27
T. 5 N.
R. 17 W.

W-2
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON RIDGE

51.33' @ 15°39' = 49.43'
51.12' @ 14°47' = 49.43'
149.85' @ 13°52' = 145.48'
149.97' @ 14°02' = 145.47'
194.91'
T = 74° = 194.90'

194.90'

W-1
SET 1x2 & NAIL FLUSH

SECTION LINE

Rec'd C.S.B. 1226
91°08'20" Calc bearings

229.78' @ 11°41' = 225.02'
229.69' @ 11°34' = 225.02'
T = 74° = 225.01'

225.01'

LEFT PG. 54

28 | 27
33 | 34

SEE PG. 79

SECTION CORNER
FD. STD. CO. SURVEYOR BRASS CAP MON. IN CONC. UP 8" PER C.S.B. 1226 & F.B. 512 PG. 240. MON. MARKED AS SHOWN. SET 2" I.P. GUARD PIPE UP 3 FT. 5 FT. SLY.

COUNTY SURVEYOR
T. 5 N.
R. 17 W.
28 | 27
33 | 34
SEC. COR.
R.E. 2177

76F309S CE # 310 3-61

F. B. 3293 Pg. 44

CONT-
BOT. PG 45

236.74' @ 8°32' = 236.29'
236.79' @ 8°40' = 236.31'
T = 74° = 236.28' / 236.30

236.28'
172.25'

W-6
SET 1x2 & NAIL
ON SPUR
FLUSH

170.96' @ 4°54' = 170.33'
171.07' @ 5°22' = 170.32' / 170.32
T = 76° = 170.31

170.31'

LINE

W-5
SET 1x2 & NAIL
ON SPUR - FLUSH

SEC. 27
T. 5 N.
R. 17 W.

279.85' @ 9°11' = 276.26'
279.87' @ 9°12' = 276.27'
T = 76° = 276.25' / 276.26

276.25'

SECTION

W-4
SET 1x2 & NAIL
FLUSH

88.31' @ 8°53' = 87.25'
88.21' @ 8°28' = 87.25'
T = 74° = 87.24'

87.24'

SEC. 28
T. 5 N.
R. 17 W.

W-3
SET 2" I.P. CONC.
PLUG & L.A. CO. ENGR.
TAG FLUSH ON
RIDGE

198.11'

TOP
PG. 43

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 2202-01 Tape 169 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 11-21-66
Date	Indexed C. J. GALLI

F. B. 3293 PG. 45

W.S. 17, C-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

99.54' @ 22°44' = 91.81' ✓
99.21' @ 22°16' = 91.81' ✓
T = 58° = 91.78' ✓

BOT. PG. 46

91.78' LINE

W-8
SET 1X2" NAIL FLUSH

SEC. 27
T. 5 N.
R. 17 W.

287.01' @ 9°09' = 283.36' ✓
286.87' @ 8°58' = 283.36' ✓
T = 72° = 283.34' ✓

283.34' SECTION

W-7
SET 1X2" NAIL ON SPUR FLUSH

SEC. 28
T. 5 N.
R. 17 W.

COUNTY ENGINEER
T. 5 N.
R. 17 W.
S. E. 5869
1/4 COR.
SEC. 28
SEC. 27

46.12' @ 15°47' = 44.38' ✓
45.81' @ 14°21' = 44.38' ✓ 44.38'
19.66' @ LEV. = 19.66
64.04

T = 62° = 64.03' ✓

64.03'

56.98'

1/4 1/4 SEC. LINE

BOT. PG. 58

1/4 1/4 SEC. CORNER SET STD. CO. ENGR. BRASS CAP MON. IN CONC. UP 4" BY PROPORTION BETWEEN SEC. COR. S.L.Y. E 1/4 COR. N.L.Y. MON. MARKED AS SHOWN. 3 FT. GUARD PIPE SET 3 FT. N.WLY.

236.28'

88°

1) 88° 52' 00"
4) 355 28 45
6) 173 13 30
88° 52' 15" ✓

172.25' ✓

172.26' @ LEV.
T = 74° = 172.25' ✓

TOP PG. 44

76F3095 CE # 310 3-61

F. B. 3293 Pg. 46

297.42' @ 17°58' = 282.94'
297.27' @ 17°52' = 282.93' = 282.93'
T = 52° = 282.87'

282.87'

BOT. PG. 47

W-12
SET 1X2 & NAIL FLUSH ON SPUR

SEC. 27
T 5 N.
R 17 W.

53.37' @ 15°34' = 51.41'
53.18' @ 14°50' = 51.41' F 51.41'
99.02' @ 16°23' = 95.00' 95.00'
99.18' @ 16°41' = 95.00'
146.41'

T = 58° = 146.37'

146.37'

W-11
SET 1X2 & NAIL FLUSH

292.45' @ 10°21' = 287.69'
292.28' @ 10°09' = 287.71' = 287.70'
T = 60° = 287.64'

287.64'

LINE

W-10
SET 1X2 & NAIL FLUSH

168.84' @ 5°27' = 168.08'
168.87' @ 5°33' = 168.08'
T = 60° = 168.04'

168.04'

SECTION

W-9
SET 1X2 & NAIL ON SPUR FLUSH

SEC. 28
T 5 N.
R 17 W.

91.78'

TOP PG. 45

X

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN0302-01 Tape 169 Std 84 °F
Office Work	Surveyed by L. V. SMITH
Checked	Notes L. V. SMITH Date 1-21-66
Date FEB 6 '67	Indexed C. J. GALLI

F. B. 3293 PG. 47

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

W.S. 17, C-4

SECTION CORNER
FD. STD. CO. SURVEYOR BRASS CAP MON. IN CONC. DN. 2" IN MOUND OF ROCK. PER C.S.B. 1226 & F.B. 512-237 MON. MARKED AS SHOWN. SET 2" MARKER PIPE UP 3FT. 4'±S.ELY.

COUNTY SURVEYOR
T. 5 N.
R. 17 W.
21 22
28 27
SEC. COR.
R.E. 2177

LEFT PG. 52

900'± NW

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ON HIGH RIDGE

1) 91° 07' 15"
2) 04 29 15
3) 186 44 15
91° 07' 22" ✓

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH ON RIDGE IN RING OF ROCK.

243.02' @ 12°38' = 237.14'
242.82' @ 12°26' = 237.13'
T = 68° = 237.10'

196.42'

1/4 SECTION CORNER
FD. STD. CO. SURVEYOR BRASS CAP MON. IN CONC. LEANING SWLY 0.4' OFF LINE BETWEEN SEC. COR. SLY. & NLY. & 0.6 SLY. OF CALC. DISTANCE FROM FD. 3"x3" PER F.B. 512-239. RESET MON. ON LINE BETWEEN SEC. CORNERS & CALC. DIST. OF 198.27 FROM 3"x3" STAKE.

211.02' @ 20°00 = 198.29'
211.31' @ 20°13 = 198.29'
T = 68° = 198.27'

210.64' @ 21°09 = 196.45 196.46
210.19' @ 20°49 = 196.47
T 52° = 196.42'

1/4 SEC LINE

LEFT PG. 52

COUNTY SURVEYOR
T. 5 N.
R. 17 W.
SEC. 28
SEC. 27
R.E. 2177

SET 1x2 4'N. ON SEC. LINE PROD. FOR ANGLE

RY 44.5
FD. ROTTEN 1x2 NO NAIL PER F.B. 512-239. PULLED DISTANCE TO CTR. OF STAKE FOR CHECK ON RESETTING OF 1/4 SEC. COR.

1) 35° 40' 45"
2) 71 21 30
35° 40' 45"

07'
237.10'
282.87'
198.27'
26 Ag
35° 40' 45"

FD. 3x3 & NAIL UP 8" PER F.B. 512-239 HELD TO CALC. DIST. OF 198.27 BETWEEN 3"x3" & 1/4 SEC. COR. TO RESET 1/4 COR.

TOP PG. 46

76F3095 CE # 310 9-61


F. B. 3293 Pg. 48
1) 137° 06' 40"
4) 188 26 55
6) 102 40 25
137° 06' 44"
BOT. PG. 49
W.S. 17, C-4
408.86'
44.42
137° 06'
E-2
SET 1x2 & NAIL FLUSH ON SPUR
S.W. 1/4
SEC. 27
T. 5 N.
R. 17 W.
S. E. 1/4
SEC. 27
T. 5 N.
R. 17 W.
257.83' @ 4°32' = 257.02'
257.88' @ 4°41' = 257.02'
T = 72° = 257.00'
Calc.
42°53'16"
257.00'
LINE
690.81'
Calc.
E-1
SET 1x2 & NAIL FLUSH ON SPUR
269.11' @ 15°29' = 259.34'
268.98' @ 15°24' = 259.32'
259.33'
T = 72° = 259.31'
1/4 SECTION
RIGHT PG. 54
88°
Calc.
259.31'
Calc. 470.29'
RIGHT PG. 54
SECTION LINE
1/4 SECTION CORNER
FD. STD. CO. SURVEYOR
BRASS CAP MON. IN
CONC. UP 6" PER
C.S.B. 1226 - MON. MARK-
ED AS SHOWN.
COUNTY SURVEYOR
T. 5 N.
SEC. 27
SEC. 34
R. 17 W.
1/4 COR.
R.E. 2177
SEC. 34
T. 5 N.
R. 17 W.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 0302-01 Tape 169 Std 84 °F
Office Work	Surveyed by L. V. SMITH
Checked	Notes L. V. SMITH Date 12-1-66
Date FEB 6 '67	Indexed G. J. GALLI

F. B. 3293 PG. 49

BOT. PG. 50

83.48'

E-6
SET 1X2 & NAIL FLUSH ON SPUR

S.E. 1/4
SEC. 27
T. 5 N.
R. 17 W.

60.36' @ 9°41' = 59.50 ✓
60.28 @ 9°13' = 59.50 ✓
T = 66° = 59.49 ✓

59.49'

S.W. 1/4
SEC. 27
T. 5 N.
R. 17 W.

E-5
SET 1X2 & NAIL FLUSH ON SPUR

52.52' @ LEV.
T = 72° = 52.52 ✓

52.52'

LINE

E-4
SET 1X2 & NAIL ON SPUR

152.58' @ 6°41' = 151.54' ✓ 151.54'
152.71' @ 7°05' = 151.54' ✓
49.63 @ 7°58' = 49.15' ✓ 49.15'
49.73' @ 8°43' = 49.16' ✓
200.69

T = 72° = 200.67 ✓

200.67'

1/4 SECTION

E-3
SET 1X2 & NAIL ON SPUR

298.84' @ 15°42' = 287.69' ✓ 287.68'
298.54' @ 15°30' = 287.68' ✓
126.91' @ 17°14' = 121.21' ✓ 121.21'
126.77' @ 17°01' = 121.32' ✓
408.89'

T = 72° = 408.86' ✓

408.86'

TOP PG. 48

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE # 310 3-61


F. B. 3293 Pg. 50
4-20-71
WIT. COR
SET L.A. CO. ENG BR. CAP MON IN CONC. UP 4" SIDE HILL C.W.A. & SET MKR P.P.C.
COUNTY ENGINEER CTR W.I.C. R.E. SEC 27 7078
T = 54°
248.81 @ 5°07 = 247.77
248.74 @ 4°56 = 247.77
0.45 @ LEV = 0.45
C.W.A. 248.22
248.22
412.29
E-9 SET 1X2 & NAIL FLUSH
W.S. 17, C-4
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
PLEASE RETURN TO
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
160.47' @ 8°12' = 158.83
160.40' @ 8°03' = 158.82
300.38' @ 12°24' = 293.37
300.13' @ 12°10' = 293.39
40.96' @ 20°36' = 38.34
41.41' @ 22°12' = 38.34
158.82
293.38
38.34
490.54
T = 78° = 490.52'
490.52'
155.55' @ 4°52' = 154.99'
155.52' @ 4°42' = 154.98'
154.98
T = 70° = 154.97'
E-8 SET 1X2 & NAIL FLUSH
1) 91° 13' 30"
4) 04 54 00
6) 181 21 00
91° 13' 30"
158.41' @ 2°51' = 158.21'
158.46' @ 3°09' = 158.22'
158.21'
T = 70° = 158.20'
91°
13'
30"
154.97'
SET 1X2 ON LINE PROD. FOR X
1) 143° 10' 00"
2) 286 20 00
143° 10' 00"
00"
10'
158.20'
229.59'
RIGHT PG. 55
142°
3.23'
E-7 SET 1X2 & NAIL
COUNTY ENGINEER T-5N. NE 1/4 1/4 OF S.W. 1/4 SEC. 27 R.E. 586
V/V SECTION COR. SET STD. CO. ENGR. BRASS CAP MON. IN CONC. UP 4" BY PROPORTION BETWEEN CTR. SEC. NLY & VAL COR. SLY. MON. NOT MARKED AS SHOWN.
P.T. #1 PROPOSED TANK SITE SET 1X2
109.1
S 74°01'A
83.48
83.41' @ 12°10' = 83.49'
85.35' @ 11°58' = 83.49'
83.49'
T = 70° = 83.48'
TOP PG. 49
1

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 2302.01 Tape 169 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 2-7-66
Indexed C. J. GALLI

F. B. 3293 Pg. 51

N.E. 1/4
SEC. 27
T. 5 N.
R. 17 W.

BOT. PG. 52

N.W. 1/4
SEC. 27
T. 5 N.
R. 17 W.

FD. 2X2 R.E. TAG # 917

0.67'

21.00' Chord

CTR. SECTION SET CO. ENGR. BRASS CAP MON. IN CONC. 1/2" SET BY INTERSECTION BETWEEN 1/4 CORNERS. MON. MARKED AS SHOWN

46.76 @ 13°05' = 45.55
46.88 @ 13°43' = 45.54 45.54
34.65 @ LEV. 34.65
80.19

T = 64° = 80.18 80.18

RIGHT PG. 47

7.75'

1/4 SECTION LINE

LEFT PG 53

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FL. ON RIDGE

COUNTY ENGINEER R. 17 W. T. 5 N. CTR. SEC. 27 R.E. 5869

18.33' @ LEV.
T = 72° = 18.33

18.33'

88° 46' 51"

S.W. 1/4
SEC. 27
T. 5 N.
R. 17 W.

E-11 SET 1x2 & NAIL FLUSH

250.85' @ 7°54' = 248.47
250.91' @ 8°00' = 248.47
T = 72° = 248.45

248.45' LINE

S.E. 1/4
SEC. 27
T. 5 N.
R. 17 W.

E-10 SET 1x2 & NAIL FLUSH

1) 88° 46' 45"
4) 355 07 00
6) 172 40 40
88° 46' 47"

157.27' @ 1°56' = 157.18
157.25' @ 1°45' = 157.18 157.18
256.20' @ 5°12' = 255.14
256.29' @ 5°25' = 255.14 255.14
412.32

T = 72° = 412.29

412.29' SEC. 1/4 348.22'

TOP PG. 50

W.S. 17, C-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE # 310 3-61

F. B. 3293 PG. 52

SEC. 22
T. 5 N
R. 17 W.

SET 1 X 2 ON LINE PROD. FROM SOUTH FOR ANGLE

1) 88° 48' 10"
4) 355 12 20
6) 172 48 40
88° 48' 07" ✓

07"
48'
88°

RIGHT
PG. 47

SECTION LINE

1/4 SECTION CORNER
FD. STD. CO. SURVEY.
BRASS CAP MON. IN
CONC. IN MOUND OF
ROCK. PER C.S.B.
1226. MON. MARKED
AS SHOWN. SET 2"
GUARD PIPE 3 FT TALL
3 FT N-WLY.

100.87 @ 4°11' = 100.60'
100.81 @ 3°40' = 100.60'
T: 66° : 100.59'

COUNTY SURVEYOR
T. 5 N.
SEC 22
SEC. 27
W. L.
1/4 SEC. COR.
R.E. 2177

100.59'

SET 2" I.P. CONC.
PLUG & I.R. CO. ENGR.
FLUG UP 0.1' IN
MOUND OF ROCK

COUNTY ENGINEER
CTR.
W.C.
SEC 27
R.E. 7078

4-2071 WIT. COR.
SET L.A. CO ENG
BR. CAP MON. IN
CONC. UP 4"
SIDE HILL C.W.G.
E MKR. PIPE

1/4 SECTION LINE

N.W. 1/4
SEC 27
T. 5 N.
R. 17 W.

N.E. 1/4
SEC. 27
T. 5 N.
R. 17 W.

C.W.G.

T = 50
220.25 @ 9°46 = 217.01
220.12 @ 9°35 = 217.00

TOP
PG. 51

W.S. 17, C-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 0302-01 Tape 169 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 12-14-66
Date	Indexed C. J. GALLI

F. B. 3293 PG. 53

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W. S. 17, C-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

FD. 3/4" I.P. & CAP PER F.B. 2901-42

1/4 1/4 SECTION CORNER FD. STD. CO. ENGR. BR. CAP MON. IN CONC. PER F.B. 2901-41

P-30 FD. 1x2 ⅝ N. ON SPUR PER F.B. 2901 PG. 40

1) 158° 38' 15"
4) 274 32 55
6) 231 49 20
158° 38' 13" ✓

1) 110° 02' 25"
4) 80 09 55
6) 300 14 45
110° 02' 25" ✓

158° 38' 13"

110° 02' 28"

Calc. 21° 21' 41"

456.36' F.B. 2901-40

SECTION LINE

88° 40' 41" Calc.

69° 57' 32" Calc.

RIGHT PG. 51

¼ SECTION LINE

176.98' M

SET 2" I.P. CONC. PLUG & L.A.CO. ENGR TAG ON RIDGE.

¼ SECTION CORNER FD. STD. CO. SUR. BR. CAP MON. IN CONC. FLUSH PER F.B. 2901 PG. 40 - MON. MARKED LS SHOWN. SET 2" I.P. GUARD PIPE UP 3' ET. 3' S. ELY.

S. ELY ¼
SEC. 27
T. 5 N.
R. 17 W.

198.59 @ 26°58" = 177.00
198.89 @ 27°08" = 177.00

T = 64° = 176.98'

COUNTY SURVEY
R. 17W. T. 5 N.
SEC. 27 | SEC. 26
¼ COR.
R.E. 2177

76F3095 CE # 310 3-61

F. B. 3293 Pg. 54

S.W. 1/4
SEC. 27
T. 3 N.
R. 17 W.

1)	131°	39'	25"
2)	166	37	30
3)	69	55	40
	131°	39'	17" ✓



N.W. 1/4
SEC. 34
T. 3 N.
R. 17 W.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by		Survey of SECTION LINES	F. B. 3293 PG. 55
Map No.		JN 2302.01 Tape 169 Std 84 °F	
Office Work		Surveyed by L.V. SMITH	
Checked		Notes L.V. SMITH Date 12-19-66	
Date		Indexed C. J. GALLI	

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

H-23
FD. 3/4" I.P. & DRILLED CAP STAMPED H 23 ON RIDGE PER F.B. 2901 - 163

GEODETIC LINE

1) 72° 31' 40"
4) 290 07 25
6) 75 11 05
72° 31' 51"

217.86' @ 17° 49' = 207.41'
217.74' @ 17° 42' = 207.43'
22.29' @ 5° 10' = 22.20'
22.38' @ 7° 11' = 22.20'
207.42'
22.20'
229.62'

T = 66° = 229.59'

72° 31' 51"

INT.
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG BY INTERSECTION BETWEEN H-18 & H-23 ON 1/4 SECTION LINE.

360.69' 12.08' 229.59'

TOP PG. 56

A-1
SET 1x2 & NAIL ON WLY SIDE OF RIDGE. FL.

1/4 SEC. LINE

LEFT PG 50

12.08' @ LEV.
T = 64° = 12.08'

50.28' @ 3° 28' = 50.19'
50.37' @ 4° 54' = 50.19'
T = 64° = 50.18'

50.18'

H-18
FD. 3/4" I.P. & DRILLED CAP STAMPED H-18 UP 2" ON TOP OF KNOLL PER F.B. 2901 - 157

F. B. 3293 PG. 56

LEFT PG. 55

137.77' @ 22°20' = 127.44
137.37' @ 21°56' = 127.43 = 127.43
233.63' @ 3°00' = 233.31
233.65' @ 3°06' = 233.31 = 233.311
360.74

T = 62° = 360.69

360.69'

A-2
SET 1 x 2 & NAIL FLUSH ON SPUR

33.63' @ 16°46' = 32.20
33.84' @ 17°54' = 32.20

T = 70° = 32.20

32.20'

A-3
SET 1 x 2 & NAIL FLUSH ON SLOPE

97.74' @ 22°44' = 90.15
97.35' @ 22°10' = 90.15 = 90.15
286.07' @ 10°43' = 281.08
286.21' @ 10°52' = 281.08 = 281.08
371.23

T = 68° = 371.19

371.19'

1/4 SEC. LINE

A-4
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH 20' ± W'LY OF TRAVELED DIRT ROAD

126.33' @ 0°48' = 126.32
126.35' @ 1°03' = 126.33 = 126.32
167.12' @ 1°40' = 167.05
167.18' @ 2°22' = 167.04 = 167.04
293.36

T = 72° = 293.34

293.34'

A-5
SET 1 x 2 & NAIL FLUSH ON FLAT

12.03 8 PM 6-8-67

189.49'

1/4 1/4 SEC. LINE

TOP PG. 57

SET BY B. BEMENT SEE PG. 10

COUNTY ENGINEER T 1 S R 13 E S 1/4 1/4 SEC. 12

W. S. 17, C-4

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by J. A. CHURCH
Map No.
Office Work
Checked
Date FEB 6 '67

Survey of SECTION LINES
JN 0202.01 Tape 169 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 2-10-66
Indexed G. J. GALLI

F. B. 3293 PG. 57

BOT-
PG. 56

200.31' @ 18°55' = 189.49'
200.43' @ 19°00' = 189.51' = 189.50'
T = 74° = 189.49'

189.49'

A-6
SET 1x2 & NAIL
FLUSH ON SPUR

S. 1/2
S.W. 1/4
SEC. 27
T. 5 N.
R. 17 W.

69.01' @ 21°17' = 64.30'
68.66 @ 20°31' = 64.30'
T = 72° = 64.29'

64.29'

A-7
SET 2" I.P. CONC.
PLUG & L.A. CO. ENGR.
TAG FLUSH ON
SHARP SPUR

88.15' @ LEV-
T = 74° = 88.14'

N. 1/2
S.W. 1/4
SEC. 27
T. 5 N.
R. 17 W.

88.14'

1/4 1/4

A-8
SET 1x2 & NAIL
FLUSH ON SPUR

196.24' @ 16°10' = 188.48'
196.02' @ 15°56' = 188.49' = 188.48'
161.59' @ 20°44' = 151.13'
161.43' @ 20°34' = 151.14' = 151.13'
339.61'
T = 72° = 339.58'

339.58'

A-9
SET 1x2 & NAIL
FLUSH ON SPUR

145.11'

TOP
PG. 58

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE # 310 3-61

F. B. 3293 Pg. 58

146.95' @ 9°03' = 145.12'
146.74' @ 8°30' = 145.13' = 145.12'
T = 70° = 145.11'

BOT.
PG. 57

145.11'

17-10
SET 1X2 & NAIL
FLUSH ON SMALL
SPUR

154.35' @ 13°29' = 150.10'
154.06' @ 13°02' = 150.09'
194.91' @ 10°39' = 191.55' = 191.551
194.81' @ 10°29' = 191.56'
341.64

T = 72° = 341.61'

341.61'

LINE

9-11
SET 1X2 & NAIL
FLUSH ON ELY.
SIDE SPUR

103.75' @ 19°16' = 97.94'
103.87' @ 19°28' = 97.93' = 97.93'
T = 70° = 97.92'

97.92'

SECTION

1/4 1/4

S. 1/2
S.W. 1/4
SEC. 27
T. 5 N.
R. 17 W.

N. 1/2
S.W. 1/4
SEC. 27
T. 5 N.
R. 17 W.

17-12
SET 1X2 & NAIL
FLUSH

57.73' @ 9°15' = 56.98'
57.60' @ 8°22' = 56.99' = 56.98'
T = 80° = 56.98'

56.98'

RIGHT
PG. 45

+

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 3293 Pg. 59

Profile No. _____ Notes Red _____ Plotted _____ Job No. 2408.14 Division No. 11
Date _____ Date _____ Survey of W.W. DIST. # 36
X-Sec. No. _____ Notes Chkd. _____ Checked _____ Survey by L.V. SMITH Notes J.P.Mc Date 12/21/66
Date _____ Date _____ Map No. _____ Indexed G. J. GALLI Date _____

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.

CO. WTR. WORKS DIST. NO. 36
C.I. 2408
LEVELS
FOR PROPOSED TANK SITE
IN
E 1/4 1/4 OF S.W. 1/4 SEC. 27
T 5 N R 17 W

DEC. 1966

L.V. SMITH
J.P. McCALL
V.L. HUCKABY
M.R. NAVAREZ

75-L298 CE 307 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

12-21-66

F.B. 3293 Pg. 60 Profile
Survey of W.W. DIST. # 36 Job No. 2A08.14 Division No. 11 Notes Red Plotted No. X-Sec.
Survey by L.Y. SMITH Notes J.P. McCALL Date Notes Chkd. Date Checked Date No.
Indexed C.J. Date Date Date

STATION	B.S.	H.I.	F.S.	ELEV.	SEC. 27, T5N, R17W (PROPOSED TANK SITE)
H-18	1.12	1856.52		1855.40	H-18 EL = 1855.40 F.B. 2901-157
T.P.	0.68	1845.91	11.29	1845.23	3/4" I.P. & CAP STMPD. "H-18" UP 2"
T.P.	3.20	1837.68	11.43	1834.48	
PT #1	2.67	1834.80	5.55	1832.13	PT #1 EL = F.B. 3293-60 1X2 ¢ NAIL
T.P.	0.95	1824.88	10.87	1823.93	FLUSH (PROPOSED TANK SITE)
T.P.	0.78	1814.02	11.64	1813.24	
T.P.	0.53	1802.78	11.77	1802.25	
T.P.	1.00	1791.91	11.87	1790.91	
T.P.	3.75	1784.10	11.56	1780.35	
1/4 1/4 COR.			7.44	1776.66	1/4 1/4 COR. EL = F.B. 3293-50 STD. B.C. MON. IN ROCK MD. MKD.: E 1/4, S.W. 1/4 SEC. 27 T5N R17W.

TRANSIT AT 1/4 1/4 COR F.B. 3293-50 H.I. +4.80							ELEV. 1776.66
SIGHT ON	ROD	+ VERT. - ANGLE	HORIZONTAL DISTANCE	+ DIFFERENCE - ELEVATION			
CTR-SEC. 27	-4.80	+4° 51' 50 +4 52 30					
		+4° 52' 10"	1324.56	+112.84			+112.88
TRANSIT AT CTR. SEC. 27 F.B. 3293-51 H.I. 4.62							1889.54
1/4 1/4 COR	4.62	-4° 52' 50 -4° 51 55			112.84 112.92		
		-4° 52' 22"	1324.56	-112.92	AV. 112.88		
H-18	4.62	-1° 25' 00 -1 23 50					
		-1° 24' 25"	1384.64	-34.01			-34.01
							1855.53

Notes Ck'd by	Survey of W.W. DIST. Nº 36
Map No.	JN 0302.01 Tape 169 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 2-1-67
Date	Indexed C. J. GALLI FEB 14 '67

F. B. 3293 Pg. 61

WATERWORKS DISTRICT Nº 36

J.N. 0302.01

FLAGGING ON SECTION LINES IN SEC. 27 & 34 T.5N. R17W TO SHOW LOCATION OF PROPOSED WATERLINE EASEMENTS IN VICINITY OF HASLEY CÑ. ROAD & ROMERO CÑ.

FEB. 1967

REF.
C.S.B. 1226

PARTY
L.V. SMITH
J.R. McCALL
V.L. HUCKABY
M.R. NEVAREZ

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

INDEX

F. B. 3293 Pg. 62



Notes Ck'd by	Survey of W.W. DIST. Nº 36
Map No.	JN 0302.01 Tape 169 Std 84 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 2-1-67
Date	Indexed C. J. GALLI

F. B. 3293 PG. 63

BOT. PG. 64

P.I. 424
FD. NAIL IN PVMT.
CHECKED 3 FT. SURFACE TIES PER F.B. 3293 PG. 21

PROPOSED WATERLINE
1315.00 CALC.

NOTE
SET YELLOW FLAGS ON 200 FT. STATIONS ALONG PROPOSED WATERLINE BY STADIA DISTANCE

SEC. 4
T. 4 N.
R. 17 W.

SECTION LINE

SEC. 3
T. 4 N.
R. 17 W.

HASLEY CANYON ROAD

58.46'

152° 04' 09"

1) 152° 04' 10"
4) 248 16 35
6) 192 24 55
152° 04' 09" ✓

454.51' @ LEV.
T = 68° = 454.46' ✓

454.46'

7+79.17
SET LG. DT. SPK. W. & TIN ON SECTION LINE PROD FROM N. 1/4 SEC. COR. 33-34-4-3 T. 4 & 5 N. R. 17 W. & LINE FROM 1/4 SEC. COR. 33-34 T. 5 N. R. 17 W. TO INTERSECT ℄ OF HASLEY CYN. ROAD

INTERSECTION OF SECTION LINE & ℄ OF HASLEY CYN. ROAD, FD LG. DT. SPK. W. & TIN IN PVMT. PER F.B. 3293-20

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 2-61

F. B. 3293 Pg. 64

46 + 48.11
1/4 SECTION CORNER
FD. CO. SURVEYOR
BRASS CAP MON. IN
CONC. PER. C.S.B.
1236. MON. MARKED
AS SHOWN.

COUNTY SURVEYOR
T. 5 N.
R. 17 W.
SEC. 33
SEC. 34
R.E. 1/4 COR.
2177

737'± STADIA
LEFT
PG 65

SET 1 x 2
FOR X

1) 89° 34' 05"
2) 179 08 20
89° 34' 10"

89° 34' 10"

C.S.B. 1236
WATER LINE
PROPOSED
2648.11 PER

NOTE
SET YELLOW FLAGS
ON 200 FT. STATIONS
ALONG PROPOSED
WATER LINE & RED
& YELLOW FLAGS AT
1/16 CORNERS - 1/4
CORNERS - SECTION
CORNERS OR ANGLE
POINTS. SET BY
STADIA DISTANCE

20+00
SECTION CORNER
FD. C.S. BRASS CAP
MON. IN CONC. DN.
18" PER F.B. 3293
PG 23

COUNTY SURVEYOR
T. 5 N.
R. 17 W.
33 | 34
4 | 3
R. T. 4 N.
SEC. COR.
R.E. 2177

33 34
4 3

1315.00 CALC.

TOP
PG 63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of W.W. DIST. N° 36
Map No.	JN 2302 01 Tape Std °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 2-1-67
Date	Indexed C. J. GALLI

F. B. 3292 PG. 65

N.E. 1/4
N.W. 1/4
SEC. 34
T. 5 N.
R. 17 W.

BOT. PG. 66

N.W. 1/4
N.W. 1/4
SEC. 34
T. 5 N.
R. 17 W.

7/+13'± SET RED & YELLOW FLAG ON 1/16 SEC. LINE ON ANGLE POINT OF PROPOSED WATERLINE LOCATION.

34°

155°

281'± STA 01A

NOTE
SET YELLOW FLAGS ON 200 FT. STATIONS ALONG PROPOSED WATERLINE LOCATION & RED & YELLOW FLAGS AT ANGLE POINTS IN PROPOSED LINE. SET BY STA 01A DISTANCE

1/16 CORNER FD. 2" I.P. & L.S. TAG 3041

1/16 SEC. LINE

1738'± STA 18 PROPOSED WATERLINE

S.W. 1/4
N.W. 1/4
SEC. 34
T. 5 N.
R. 17 W.

S.E. 1/4
N.W. 1/4
SEC. 34
T. 5 N.
R. 17 W.

68° 00'

737'± STA 01A

RIGHT PG. 64

1/4 SECTION LINE

53+85 SET RED & YELLOW FLAG ON ANGLE POINT OF PROPOSED WATER LINE LOCATION

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE # 310 3-61

F. B. 3293 Pg. 66

NOTE
SET YELLOW FLAGS ON 200FT. STATIONS ALONG PROPOSED WATERLINE LOCATION AND RED & YELLOW FLAGS AT 1/16 SEC. COR. SET BY STADIA DIST.

1/16 COR.
94 + 84.5
FD. I.P. & TAG
L.S. 3041

S.W. 1/4
S.W. 1/4
SEC. 27
T. 5 N.
R. 17 W.

1/16 SEC. LINE
PROPOSED WATERLINE

S. E. 1/4
S.W. 1/4
SEC. 27
T. 5 N.
R. 17 W.

SECTION LINE

182°

178°

1/16 COR.
81 + 58.1
FD I.P. & TAG
L.S. 3041

N. W. 1/4
N. W. 1/4
SEC. 34
T. 5 N.
R. 17 W.

1/16 SEC. LINE

N. E. 1/4
N.W. 1/4
SEC. 34
T. 5 N.
R. 17 W.

TOP PG. 65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 100 Std. 64°F
Surveyed by J.P. MENNE
Notes S.P.M. Date 5-42
Indexed C.J. GALLI Sep 12 '42

F.B. 3293 Pg. 67

SECTION LINES

0302.01

SECTIONS 4-34-27

T 5N R 17W
T 4N R 17W

FOR

WATER WORKS No. 36

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this Tie.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
402 LOS ANGELES COUNTY ENGINEERING BLDG.

Zaspas CK #310 8-05

F.B. 3243 Pg. 68

T5N
T4N

SEC. 34

SEC. 3

SEC. 33

SEC. 4

(34)

(31)

(29)

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do Not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 8302 01 Tape 180 Std 84 °F
Surveyed by J.P.M. & W.K.
Notes J.P.M. Date 6-67
Indexed C.J. GALLI

F.B. 3293 Pg. 69

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
ATTN: LOS ANGELES COUNTY ENGINEERING BLDG.

7812098 CR #310 8-68

SEC 27
CTR
SW 1/4 SEC 27
T-5-N
NW 1/4 SEC 34
T-5-N
27
34
SEC 34
CTR
ROMERO CYN ROAD
EASEMENT LINE
28
33

Notes Ck'd by	Survey of SEC. 34 T5N R17W	F. B. 3293 PG. 71
Map No.	JN 3302.05 Tape 180 Std 84 °F	
Office Work	Surveyed by J.P. MENNE	
Checked	Notes J.P.M Date 5-16-67	
Date OCT 23 '67	Indexed C.J. GALLI SEP 12 '67	

WATERWORKS DIST. NO. 36

J.N. 2408.14

SECTIONAL BREAKDOWN

NORTHWEST QUARTER

OF

SECTION 34

T 5N R 17 W

B. JACKSON
T. OHASHI

J.P. MENNE
E. SHOEMAKER
V. LIEBER
R.S. RODRIGUEZ

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

76F3095 CE#310 1-65

2

To Bottom of Pg. 73

F. B. 3293 PG. 72

W.S. 17, C-4

WEST 1/2 of E-W CENTER LINE SEC. 34

T = 96° + 0.02
294.69 @ 5°-31' = 293.33
294.64 @ 5°-22' = 293.35

293.36

A-2
2 + 98.65
SET 1x2 @ N. (FLUSH) TOP Sm. SPUR

T = 96° + 0.01
134.11 @ 5°-48' = 133.42
133.97 @ 5°-11' = 133.42

1/4 SEC. LN.

133.43

E.W. CEN. SEC. LN.

S 1/2 SEC. 34

N.W. 1/4

A-1
1 + 65.22
SET 2" I.P & L.A. Co. ENG. TAG (FLUSH) TOP Sm. SPUR (WIGGLE POINT)

T = 96° + 0.01
169.81 @ 13°-21' = 165.22
169.52 @ 12°-57' = 165.21

165.22

N. 1/2 SEC. 34 T 5N R 17W

89° 33' 58"

0 + 00 EAST 1/4 SEC. COR. FD. L.A. CO. SUR. MON. (FLUSH) C.S.B. - 1220

PG. 89
243.63

SECTION LN.

89-34-00 ①
358-16-00 ④
177-23-45 ⑤
89°-33-58 ⑧

COUNTY SURVEYOR
T 5 N
R 17 W
SEC. 34

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

To Bottom of Pg. 89

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Sec. 34 T5N R17W
JN 0302.01 Tape 180 Std 84 °F
Surveyed by J.P. MENNE
Notes J.P.M. Date 5-14-67
Indexed C. J. GALLI

F. B. 3293 PG. 73

TO BOTTOM OF PG. 74

TO BOTTOM OF PG. 75

26- 25- 30 ①
105- 42- 30 ④
158- 33- 30 ⑥
26°- 25'- 35" ✓ Ⓐ

26° 25' 35"

R. LN.

289.43

4-15.71 GPM.
SET 2" I.P. &
L.A. CO. ENG.
TAG. (UP 2")

16.09 LEV.

A-4
7+50.00
SET 2" I.P. & L.A. CO.
ENG. TAG (FLUSH)

PG. 111
522.25
PROPOSED WATER LINE EASEMENT LN.

1110 PG.

R.

25°

T = 96° = +0.01
157.98 LEV. = 157.99

157.99

1/4 SEC. LN.

E. J. CEN. SEC. LINE

S 1/2
SEC. 34

N. 1/2
SEC 34
T 5N
R 17W

N.W. 1/4

A-3
5+92.01
SET 1+28 N (FLUSH)

293.36

EDGE OF
MAIN CANYON

TO TOP OF PG. 72

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F309S CE#310 1-65

To Bottom of Pg. 75

F. B. 3293 PG. 74

144.27

T = 90° = +0.01
146.29 @ 9°-34' = 144.26
146.10 @ 9°-04 = 144.27

A-6
13 + 80.09
SET 1/2" I.D. (FLUSH)

N 1/2
SEC. 34
T 5 N
R 17 W

N.W. 1/4

340.66

SEC. LI.

S 1/2
SEC. 34

T = 90° = 0
22.83
22.80
64.65
114.28 LEV.

114.28
226.38
340.66

1/4 SEC. LI.

E.W. CEN. SEC. LI.

T = 90° = +0.01
229.08 @ 8°-48' = 226.38
228.85 @ 8°-28' = 226.36

A-5
10 + 39.43
SET 1/2" I.D. (FLUSH)

289.43

T = 88° = 0
165.02 @ 4°-15' = 164.57
164.93 @ 3-48 = 164.57

T = 88° = 0
124.86 LEV. = 124.86

164.57
124.86
289.43

To Top of Pg. 73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by:
Map No.
Office Work
Checked
Date

Survey of SEC. 34 T5N R17W
JN 058201 Tape 100 Std 74 °F
Surveyed by J.P. MENNE
Notes J.P.M. Date 5-17-74
Indexed C.J. GALLI

F.B. 3293 Pg. 75

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

Do not extend this title of this line.

W.S. 17, 2-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7625DS CE #210 8-68

L.W. T-90°-40.01
32.72
283.13
315.85

To Bottom of Pg. 76

113-41-45 (1)
94-46-30 (2)
327-10-00 (3)
113°-41-40" (A)

L 1/2
SEC. 34
T 5N R 17W

SET 2" I.P. & L.A. CO. ENG. TAG (FLUSH) TOP SOUR

315.85

1/4 SEC. LINE

144.27

65.49

E-W CEN. SEC.

A-8
L.S. + 24.36
SET 2" I.P. & L.A. CO. ENG. TAG IN TOP SOUR WELL POINT

CITY ENGINEER
T 5 N
R 17 W
SEC. 34
E 5869

N.W. 1/4

1/4 1/4 SEC. LINE

(CALC.) 364.51

To Bottom of Pg. 94

113-41-40

T=88°
S.4A LEV.
60.00
5.49
65.49

T=94°-0
68.83 @ 29°-03" = 60.00
68.91 @ 29°-21" = 60.00

T=88°-0
80.13 @ 10°-32" = 78.78
79.86 @ 9°-27" = 78.78

To Top of Pg. 73

To Top of Pg. 74

A-7
1.4 + 58.97
1/4 1/4 CORNER
SET 2" ENG. MON. (LEAD & TACK) @ MID-POINT BE-TWEEN CEN. SEC. 34 & 1/4 SEC COR. TO THE WEST. MARKED — SET 2" MARKER PIPE 2' SOUTH

S.4A
60.00
18.98
144.95

S 1/2
SEC. 34

To Bottom of Pg. 77

F.B. 3293 Pg. 76

NW 1/4

T-86°=0
60.29
82.09
142.38'

E 1/2
Sec. 34
T5N
R17W



T-90°=+0.01
288.55 @ 3°-40' = 287.56'
288.05 @ 3°-23' = 287.55'

T-90°=+0.01
278.23 @ 15°-40' = 267.89'
278.42 @ 15-49 = 267.88'

287.56'
267.89'
555.45'

S 1/2
Sec. 34

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

To Top of Pg. 75

Notes Ck'd by	Survey of SEC 34 T5N R17W
Map No.	JN 0302.01 Tape 180 Std 84°F
Office Work	Surveyed by J.P. MENNE
Checked	Notes J.P.M Date 5-19-69
Date	Indexed C. J. GALLI

F.B. 3293 Pg. 77

To Bottom of Pg. 78

W.S. 17, C-4

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
402 Los Angeles County Engineering Bldg.

7EP208 GR #310 8-68

T 1/2
SEC 34
T 5 N
R 17 W

1/4 SEC. LN.
167.70
E.
CEN. SEC. LN.

S 1/2
SEC 34

T = 84° = 0
169.16 @ 7°-31 = 167.71'
169.11 @ 7°-26 = 167.69'

25 + 44.02
FD. 2" I.P. @ L.A. CO. ENG. TAG. (JAN. 14')
P-45 - F.B. 2911
PG. 25

MONUMENT LINE

NW 1/4 @ R/W 12-69

0.02
5.97

T = 86°
5.97 CEN.

A-11
25 + 38.05
SET 1/2" & PLUG (FLUSH)

142.38

To Top of Pg. 76

F.B. 3293 Pg. 78



W.S. 117 2-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side or this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

COUNTY SURVEYOR
RECEIVED
SEP 3 1954

F.B. 3293-85
F.B. 2901-14

N-S. CEN. SEC. LN.

29 + 17.74
CENTER SECTION
34
T 5N R 11W
FD. CO. SUR.
MON. (FLUSH)
F.B. 657-60
F.B. 2901-14
C.S.B. 1226
SET MARKER
PIPE 5' L.F.
OF MON.

80°

20' Adj.

84-07-30 ①
336-30-00 ④
144-45-00 ⑥
84-07-30 Ⓐ

T = 84°

216.46 @ 17°-52' = 206.02
216.15 @ 17°-36' = 206.03

N 1/2
SEC. 34
T 5N
R 11W

E-W CEN. SEC. LN.

1/4 SEC. LN.

A-12
27 + 11.72
SET IXTOB
(FLUSH) ON
SIDE WALL

S 1/2
SEC. 34

TO TOP OF PG. 77

Notes Ck'd by	Survey of SEC. 34 T5N R17W
Map No.	JN 0302.1 Tape 100 Std 85°F
Office Work	Surveyed by J.P.MENOR
Checked	Notes J.P.M Date 5-23-67
Date	Indexed C.J.GALLI

F.B. 3293 Pg. 79

Notes: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

W.S.17, C-4

Do Not Extend This Side of This Line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Jepsons Ck #510 8-66

WEST 1/2 OF NORTH LINE OF SEC. 34

To Bottom of Pg. 80

J.P. MENOR
B. JACKSON
R.S. RODRIGUEZ
T. OHASHI

S.W. 1/4
SEC. 27

108.86
235.58
344.44

T=86°-0
99.32 @ 5°-12 = 108.87
100.12 @ 3°-58 = 108.86
T=86°-0
239.83 @ 10°-47 = 235.59
239.72 @ 10°-46 = 235.58

SECTION L.2

371.43

344.44

B-1
3+44.44
Set 1/2" I.P. (FLUSH)
Sm. Spurk

90-25-45 (1)
01-43-00 (2)
182-34-30 (3)
90-25-45 (4)

SEC. 34
T 5 N
R 17 W

20' Adj.
91°-08'-35"
91.84
90°
P6.43
225.01
P2.93
209.83

To Point on Pg. 43

To Point on Pg. 93

To 0+00 EAST

SECTION COR.
F.S. L.A.Co. Surv.
Mon. (DP B")
C.S.B. 1226
& 2' MARKER
DPE S' SLY

REGISTERED LAND SURVEYOR
STATE OF CALIFORNIA
28 T 5N
33 34
3 2 SECTIONS

To Bottom of Pg 81

F.B. 3293 Pg. 80

T-90° = +0.01
LEV.
80.23
74.93
155.16

SEC. 27

T-90° = +0.01
221.37 @ 11°-01' = 217.29'
221.27 @ 10°-53' = 217.29'

T-90° = +0.01
215.54 @ 3°-54' = 215.04'
215.63 @ 4°-17' = 215.03'

T-90° = 0
75.74 LEV = 75.74

T-90° = +0.01
295.97 @ 2°-33' = 295.68'
295.99 @ 2°-34' = 295.69'

75.74
295.69'
371.43'



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

To Top of Pg 79

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Sec. 34 T5N R17W
JN 03270 Tape 88 Std 55°F
Surveyed by J.P. MENNE
Notes J.P.M. Date 5-29-07
Indexed C. J. GALLI

F.B. 3293 Pg. 81

To Bottom of Pg. 82

13+12.47

COUNTY ENGINEER
S 1/4 14
SEC. 27 SEC. 34
T 4 N T 5 N
R 17 W
1966

91-11-15 ①
04-44-30 ④
187-07-15 ⑥
91-11-12 Ⓐ'
434.01

87-16-00 ①
349-04-00 ④
163-36-00 ⑥
87-16-00 Ⓐ

1/4 1/4 COR.
FD 1/2" I.P. & L.S. 3041
REPLACED WITH L.A.CO.
BRASS MON. (FLUSH) @
MID-POINT BETWEEN
N.W. COR. SEC. 34 &
NO. 1/4 COR SEC. 34
SET 2 MARKER PIPE
2' SOUTH

B-6
13+24.34
SET 1"x2" L (FLUSH)

87°
11.87
0.11
0.11
0.11

To Bottom of Pg. 83

F.B. 3293 Pg. 82

T = 96° = 0

50.47 @ 8-39 = 49.90

50.28 @ 7-08 = 49.89

T = 96° = 0

LEV 25.55

3.77 289.75

11.78 31.09

25.55 346.39

T = 96° = +0.02

298.78 @ 14°-08 = 289.74

298.61 @ 14°-01 = 289.72

T = 90°

31.09 LEV = 31.09

564.27

295.41

138.60

434.01

T = 90° = +0.01

143.80 @ 15-21 = 138.60

144.13 @ 15°-57 = 138.58

T = 90° = +0.01

297.97 @ 7°-31 = 295.41

297.78 @ 7°-15 = 295.40



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this page.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

To Top of Pg. 81

Notes Ck'd by	Survey of SEC. 34 T5N R17W
Map No.	JN 03020 Tape 180 Std 84 °F
Office Work	Surveyed by J.P. MENNE
Checked	Notes J.P.M. Date 9-13-07
Date	C. J. GALLI Indexed

F.B. 3293 Pg. 83

SEE PG. 17

COUNTY SURVEYOR
PLS 7777
SEC. 27
SEC. 34
1/4 COR.
RENEWAL

1/4 CORNER
26 + 24.94
FD. L.A. CO. SUR. MON.
(UP 4") INSIDE CORRAL
SET 2" MARKER PIPE
2' SOUTH

1/4 SEC. LN.

1/4 SEC. LN.

S 45° W 1345.00' (M)

S 88° 22' 23" W 2693.48' (M)

S 89° 57' W 2688.00' (M)

SEC. 27

SEC. 34
T 5 N
R 17 W

257.12
30.93
288.05

T-96° = +0.09

274.89 @ 20-44 = 257.19
274.70 @ 20-37 = 257.11

T-96° = 0

32.95 @ 20-09 = 30.93
33.50 @ 22-34 = 30.93

T-96° = +0.01

187.35 @ 13-24 = 182.75
187.03 @ 12-58 = 182.76

1827.29

B-10
23 + 36.89
FD. 1" I.P. LEVELED
TOP SM. SPIKE

1/4

To Top of Pg. 87

To Top of Pg. 82

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

W.S. 17, C-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
ATTN: SURVEY RECORDS
900 SOUTH FREMONT AVENUE
ALHAMBRA, CA 91803-1331

DO NOT ERASE THIS SIDE OF THIS LINE.

402 LOS ANGELES COUNTY ENGINEERING BLDG.

Zephyr CE #310 8-66

Notes Ck'd by:	Survey of SEC. 34 T5N R17W
Map No.	JN 0302.01 Tape 180 Std 84.7
Office Work	Surveyed by J.P. MENNR
Checked	Notes J.P.M. C.J. GALLI Date 5-2564
Date	Indexed

F.B. 3293 Pg. 85

NORTH 1/2 OF N.-S. CENTER LINE SEC. 34

To Bottom of Pg. 86

1/4 1/4 SEC. COR. SET FROM FOUND POINTS IN F.B. 2901-15-16-17

N.W. 1/4 SEC. 34 T 5 N R 17 W

1/4 SEC. LINE

N.E. 1/4 SEC. 34

B-14 30+96.17 F.B. 2901-15

FD. 1/2" I.P. NO TAG

SEC. LINE

T. 5 N.

90° Adj.

1331.00 (CALC.)

R=800.00'

206.07'

TO TOP OF PC 78

E.-W. CEN. SEC. LN.

CENTER SECTION 34

26+60.62 F.B. 2901-14-15 = 0+00 NORTH

COUNTY SURVEYOR T 5 N CENTER SEC. 34 1972

FD. L.A.C. SUR. MON. (FLUSH) F.B. 2901-14 SET MARKER PIPE & TAG

Please Return To
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this Title.

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

W.S. 17, 2-4

782-3058 CK #310 8-68

F.B. 3293 Pg. 84

To Bottom of Pg. 85

W.S.17.C-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Last Addition or Change on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side or this line.

T.1.E. 1/4
SEC. 34

41+45.97
F.B. 2901-16
F.D. 2" I.P. & L.A.
CO. ENG. TAG.
(FLUSH)

13+31.00
F.B. 2901
39+91.62
1/4 1/4 CORNER
SET L.A. CO. ENG.
MON.
@ MID-POINT
BETWEEN CENTER
OF SEC. 34 &
NO. 1/4 COR. TO
THE NORTH.
SET 2" MARKER
PIPE

T.1.S. R.11.W.
SEC. 34
1/4 SEC.

SET 2" I.P. & L.A.
CO. ENG. TAG. (FLUSH)
WEST EDGE TOP OF BANK

1100' ±

1/4 1/4 SEC. LN.

84-09-15 ①
336-29-00 ②
144-43-30 ③
84°-09'-15" ④

T.1.S. R.11.W.
SEC. 34
1/4 SEC.

4 ALC.
1331.00
1/4 SEC. LN.
280.93
154.35
87.92

T= 80° = ∅
LEV.
30.00
87.92
154.35

39+03.10
SET 1/2" I.P.
(FLUSH) @
90° TO F.D.
1/2" I.P. ON
30' OFF L.N.

4 ALC.
1331.00

90°-00'

F.D. 1/2" I.P.
30' OFF L.N.
F.B. 2901-16

COUNTY ENGINEER
T.1.S. R.11.W.
SEC. 34
R.E. 5869

To Top of Pg. 84

To Top of Pg. 85

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SEC. 34 T5N R17W
JN 0302.01 Tape 180 Std 59°F
Surveyed by J.P. MENNE
Notes J.P.M. Data 9-15-69
Indexed C.J. GALLI

F.B. 3297 Pg. 87

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

W.S. 17 C-4

To Top of Pg. 85

53+22.62
P.B. 2901-17 =
2462.00

SEC. LN.
2.88.05

1/4 CORNER

COUNTY SURVEYOR
T5N
SEC. 27
SEC. 34
1/4 COR
R16 R17

95-52-45 ①
23-30-45 ②
21S-16-00 ③
45°-52-40 ④ ✓

950.52 Adj.

300.41

FD. L.A. CO. SUR. MON. (up 4") IN S.B.E. CONCRETE - SET 2" MARKER PIPE

SET 2" I.P. & L.A.C. ENG. TAG (FLUSH) Head Sm. Spur.

T. 3. 1/4 SEC. 34 T 5 1 R17W

CALC 1331.00

N1/8 1/4 SEC. 34

T.S. CEN. SEC. LN.

B-19
44+66.90
P.B. 2901-16
FD. 1X2 B.M. (FLUSH)

T-76°-10.01
221.72 @ 8°-08' = 259.09
221.58 @ 7°-51' = 259.07

21.86 HEU.

259.07
21.86
280.93

2280.00

To Top of Pg. 86

7693DSS CK #310 8-68

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not detach this side of this file.

Notes Ck'd by: _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of SEC. 34 T5N R17W
JN 3302.01 Tape 180 Std 24.0°F
Surveyed by J.P. MEHTA
Notes J.P.M. Date 9-1-69
Indexed C.J. GALLI

F.B. 3293 Pg. 89

NORTH 1/2 OF WEST LINE OF SECTION 34

To Bottom of Pg. 90

T-68° = -0.03
279.42 @ 8°-58' = 276.06
279.52 @ 9°-02' = 276.05

T-74° = 0
56.84 @ 7°-44' = 56.32
56.74 @ 6°-51' = 56.33

276.02
56.32
332.34

SEC. 33

T-74° = -0.02
246.44 @ 8°-37' = 243.66
246.52 @ 8°-46' = 243.64

0+00 NORTH

SECTION 34
332.34
243.63

C-1
2+43.63
SET 1½ B.W. (FLUSH)
FOR SM. SQUR.

N.W. COR. SEC. 34
T. 5 N.
R. 17 W.

N.W. COR. SEC. 34
1/4 SEC. LN.

89° 34' 05" 1165.22'

PG. 92
166.22

To Bottom of Pg. 92

COUNTY SURVEYOR
FD L.A.CO. SUR
MON. (FLUSH)
C.S.B. 1226

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

W.S. 17, C-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

DO not extend this side of this line.

7623DS CK #sid 8-68

F.B. 3293 Pg. 90

To

To Bottom of Pg. 91

T = 66° = −0.03

286.50 Elev. = 286.47

SEC. 33

T = 64° = −0.04

296.39 @ 8-44 = 296.35

296.28 @ 8-35 = 296.24

N.W. 1/4
SEC. 34
T 5 N
R 11 W

N - 3
8 + 68.88
SET
TOP SPUR

N - 2
5 + 75.97
SET
(FLUSH)

To Top of Pg 89

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of Sec. 34 T5N R17W
Map No.	JN 9312.1 Tape 80 Std 84 "F
Office Work	Surveyed by S.P. MENNE
Checked	Notes S.P.M. Date 6-26-69
Date	Indexed C.J. GALLI

F.B. 3243 Pg. 91

TO BOTTOM OF PG. 92



TO TOP OF PG. 90

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

W.S. 17, C. 4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this file.

Zaspos CE #310 4-68

22

To Bottom of Pg. 93

F.B. 3293 Pg. 92

T = 72° = -0.02

293.30 @ 3°-01' = 292.90

293.23 @ 2°-48' = 292.88

Sec. 33

T = 70° = -0.01

138.30 @ 10°-14' = 136.10

138.47 @ 10°-38' = 136.09

T = 76° = 0

24.07 @ 19°-04' = 23.01

24.44 @ 19°-46' = 23.00

T = 74° = -0.02

299.08 @ 6°-23' = 297.23

299.17 @ 6°-33' = 297.22

T = 74° = 0

31.43 LEV

T = 66° = -0.03

298.98 @ 18°-08' = 284.13

298.64 @ 17°-54' = 284.13

9

31.43

136.08

23.00

297.20

487.71

N.W. 1/4

Sec. 34

T 5 N

R 17 W

292.72

SET Tack

487.71

C-8

20+98.73

SET 1X2 & N.

Top Spike

C-7

16+11.02

SET 1X2 & N.

Top Sm. Spike

284.13

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do Not Extend This Side of This Line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

To Top of Pg. 91

Notes Ck'd by	Survey of SEC. 34 T5N R17W
Map No.	JN 0302-01 Tape 180 Std 94°F
Office Work	Surveyed by J.P. MENNE
Checked	Notes J.P.M Date 6-2-69
Date	Indexed C. J. GALLI

F.B. 3243 Pg. 93

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

W.S. 17, C-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
ROOM 900 LOS ANGELES COUNTY ENGINEERING BLDG.

26+48.42 — To Bottom of Pg. 43

SECTION COR.

COUNTY SURVEYOR T5N R17W 28 27 33 34 SEC. COR. R.E. 2177

FD L.A.Co. SUR. MON. (OP 8") C.S.B. 7226

FD 2" MARKER PIPS S 5' SLY.

91-08.30 ①
04-34-30 ④
180-51-30 ⑤
91-08-35 Ⓐ

N 0°-08' E 2642.72

SECTION LINE

344.44
PC. 79

To Bottom of Pg. 79

SEC. 33

SECTION LINE

T = 80° = 0.01
220.45 @ 19°-31' = 207.84
221.28 @ 20°-06' = 208.67
.33

C-10
24+40.59
SET 1"x2" BN
.5' SLY. IN LY

N.W. 1/4 SEC. 34 T5N R17W

T = 80° = 0
49.53 @ 8°-23' = 49.09 ✓
49.41 @ 7°-28' = 48.99 ✓

C-9
23+91.60
SET 1"x2" BN.
TOP SAWK

To Top of Pg. 92

7APAGE CK #310 8-68

TO RIGHT OF PG. 81

F.B. B293 Pg. 94



N.W. 1/4
S.W. 1/4
SEC. 34

87-15-45 (1)
349-03-30 (4)
163-35-00 (6)
87°-15'-50" (A)

POS 13.2 S. L.
23-24-35-26
B-4-S-6

S.W. 1/4
SEC. 34

1/4 1/4 SEC. L.

50.55' MEAS.

90°

S.E. 1/4
S.W. 1/4
SEC. 34

TO RIGHT OF PG. 81

TO RIGHT OF PG. 91

1/4 1/4 COR.

L.A. COUNTY ENGINEER
STA.
N.W. 1/4 1/4
SEC. 34
R.E. 5869

SET L.A.C. ENG. MON. BY INTERSECTION BETWEEN 1/4 1/4 CORNERS TO THE NORTH - SOUTH - EAST & WEST (UP 4") ON SIDE HILL 20' SO. OF TOE OF SLOPE.
SET MARKER, PIPE & S.E.

S.W. 1/4
N.W. 1/4
SEC. 34

S.E. 1/4
N.W. 1/4
SEC. 34
T 5N
R 11W

W.S.17, C-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

DO NOT extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

TO RIGHT OF PG. 81

TO LEFT OF PG. 115

Notes Ck'd by	Survey of WATERWORKS #36
Map No.	JN 0302.01 Tape 189 Std. 84 °F
Office Work	Surveyed by J. TERRANOVA
Checked	Notes J.T. Date 5-11-67
Date	Indexed C. J. GALLI SEP 12 '67

F.B. 3293 Pg. 95

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

Do not extend this title of this file.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

WATERWORKS #36

SECTION LINES

SURVEY OF SEC. 27 T5N R17W. TO ESTABLISH W. 1/4-1/4 & E. 1/4-1/4 CORS. ALONG 1/4 SEC. LINE FROM CENTER OF SEC.

J.N. 0302.01

MAY 1967

REF.
F.B. 3293.

PARTY
J. TERRANOVA
C. YASUI
G. MASUDA
A. MITCHELL

7625005 CE #310 8-66

F.B. 2293 Pg. 96

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of WATERWORKS # 34
JN 0302 01 Tape 157 Std 32 °F
Surveyed by L. FRANCHI
Notes I.T. Date 5/17/67
Indexed C. J. GALLI

F.B. 3293 Pg. 97

BT. PT. 98

22.03

S-2 - SET (1½") E NL.
E. EDGE OF RIDGE
2+03.68

N.W. 1/4 SEC. 27
T5N - R17W.

T = 64
66.91 @ 5-15 = 66.62 - 66.62
67.00 @ 6-03 = 66.62
24.73 @ 0-00 = 24.73 - 24.73
91.35

91.35

S-1 - SET (1½") E NL.
W. EDGE OF RIDGE
1+12.33

1/4 SEC. LINE

S.W. 1/4 SEC. 27
T5N - R17W.

112.33

SURVEYOR
T.5N. 27.375
+
R.17W. 82.375
2177

T = 62
115.61 @ 13-40 = 112.36 - 112.33
115.96 @ 13-19 = 112.37

1/4 SECTION CORNER
ED. STD. CO. SURVEYOR
BRASS CAP NOW IN CONC.
U.S.N. & SLOAT HILL
F.B. 3293-47
9+00 E.

W.S. 17, C-4

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
402 LOS ANGELES COUNTY ENGINEERING BLDG.

Zerboss CK #310 8-66

BT. PG. 99

F.B. 3293 Pg. 98

187.32

3-5 - SET (1X2) & LL.
TOP OF BREAK
8+42.44

T = 90

120.22 @ 22 - 26 = 111.12 - 111.12
120.07 @ 22 - 16 = 111.12
20.53 @ 0 - 00 = 20.53 - 20.53
131.65

131.65

1/4 SEC. LINE

5-4 - SET (1X2) & LL.
SIDEHILL
7+10.79

T = 90

295.02 @ 14 - 45 = 286.08 - 286.08
295.73 @ 14 - 41 = 286.08

286.08

N.W. 1/4 SEC. 27
T5N. - R17W.

S.W. 1/4 SEC. 27
T5N - R17W

3-3 - SET (1X2) & LL.
SIDEHILL
4+24.71

T = 66

20.33 @ 24 - 30 = 18.56 - 18.50
20.05 @ 22 - 38 = 18.51
230.83 @ 28 - 39 = 202.54 - 202.53
231.33 @ 28 - 53 = 202.52
221.03

221.03

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

TP PG. 97

Notes Ck'd by	Survey of WATERWORKS #36
Map No.	JN 2320.01 Tape 189 Std 84 °F
Office Work	Surveyed by J. TERRAZAS
Checked	Notes J.T. Date 5-17-84
Date	Indexed C. J. GALLI

F.B. 3249, Pg. 99

LT. PG. 100

S-8 - SET (1X2) $ NAIL IN SIDEHILL
13+11.36

1/4-1/4 SEC. CORNER SET MAG. C.E. SCRIBE ON N. END OF HALF DISTANCE BETWEEN W. 1/4 CORNER & CENTER OF SEC. TAG A - SIDEHILL MID. AS SHOWN

13+10.04

SET 2" I.P. FLUSH IN CONC. 3 FT. - 3 FT. ELY.

S-7 - SET (1X2) $ NAIL IN FLAT SPUR
12+51.30

NW 1/4 SEC 27
T5N - R17W

S-6 - SET (1X2) $ NAIL IN BEAR
10+29.76

1/4 SEC. LINE

88-49-45 ①
355-19-30 ④
72-59-00 ⑤
88-49-30 ⑥
@ 6-9-67

T = 88

61.46 @ 12:16 = 60.06
61.28 @ 11:26 = 60.06

FD. 6"x8" WOOD MRK. POST
FLUSH

0.32

63.63

13+98.9

1/4 1/4 SEC LINE

T = 90

1.32 @ 0-00 = 1.32
58.74 @ 0-00 = 58.74

T = 74° 0

63.63 LEW. = 63.63

SET 2 I.P.
L.A. Co. ENG. INC. (PLUGGED) FLUSH
@ 90 degrees
6-9-67

T = 88

221.86 @ 3-02 = 221.55
221.58 @ 3-16 = 221.53

S.W. 1/4 SEC. 27
T5N - R17W

T = 90

187.39 @ 1-33 = 187.33
187.35 @ 1-21 = 187.32

TP. PG. 98

To LEFT of Pg. 100

W.S.17, C-4

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Jacobs ck #310 8-68

BT. PG. 101

F.B. 3293 Pg. 100

133.46

S-11 - SET (1X2) ℄ W.L.
BREAK
17+52.87

T = 98
113.47 @ 5-30 = 112.96
113.51 @ 5-41 = 112.92
112.96

112.96

S-10 - SET (1X2) ℄ W.L.
SIDE HILL
16+39.88

NW. 1/4 SEC. 27
T5N - R17W

T = 90
268.95 @ 12-26 = 262.65
269.14 @ 12-38 = 262.63
262.64

SW. 1/4 SEC. 27
T5N - R17W

S-9 - SET (1X2) ℄ W.L.
BREAK
13+77.24

1/4 SEC. LINE

T = 88
66.61 @ 8-29 = 65.88
66.52 @ 7-54 = 65.89
65.88

TR. PG. 99

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this line or this line.

RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE

Notes Ck'd by	Survey of WATERWORKS #36
Map No.	JN 0302.01 Tape 187 Std 27 °F
Office Work	Surveyed by J. TERRAZAS
Checked	Notes J.T. Date 7-19-67
Date	Indexed C. I GALLI

F.B. 3292 Pg. 101

BT. PG. 102

N.W. 1/4 SEC. 27
T 5 N - R 17 W

236.58

1/4 SEC. LINE

S-13 - SET (1x2) ⊄ N.L.
FLAT

19+26.77

T = 96
40.47 @ 0-00 = 40.47'

40.47'

B.M. #2 - F.D.C.E.
BOTTOM TIP TOP NUT
AS SHOWN - J.T. 8-7-67
F.B. 3293 -

CITY ENGINEER
COUNTY
R.E. 5869

S-12 - SET (1x2) ⊄ N.L.
FLAT

18+86.30

26.21

133.46

T = 96
143.94 @ 22-01 = 133.46'
143.61 @ 21-40 = 133.47' 133.46

S.W. 1/4 SEC. 27
T 5 N - R 17 W

TP. 194 - 109

Notes: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Tabbies cat #310 3-68

BT. PG. 103

F.B. 3293 Pg. 102

S-16 - SET (1x2) ℄ N.L. SIDEWALK
23+50.85

189.82' 1/4 SEC. LINE

T = 86
73.62 @ 6.15 = 73.18'
73.74 @ 7.02 = 73.18' 73.18'

4-20-71
WIT. COR. CWO
SET L.A. CO. ENG
BR. CAP MON IN
CONC UP 1' SPUR
& SET
mkd PIPE

73.18'

S-15 - SET (1x2) ℄ N.L. BREAK
22+76.90

1.52'

COUNTY ENGINEER
C.T.R.
W.C. 27
R.E. 702 9

NW. 1/4 SEC. 27
T5N - R17W

T = 84
117.61 @ 15.06 = 113.55'
117.53 @ 14.58 = 113.54' 113.55'

113.55'

S.W. 1/4 SEC. 27
T5N - R17W

S-14 - SET (1x2) ℄ N.L. TOP BREAK
21+63.35

T = 84
241.16 @ 11.12 = 236.57'
241.35 @ 11.24 = 236.57' 236.58'

236.58'

TP PG. 101

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this map.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of WATERWORKS # 36
JN 3302 01 Tape 189 Std 34 "F"
Surveyed by J. TERRONEA
Notes J.T. Date 5-19-87
Indexed C. J. GALLI

F.B. 3293 Pg 103

BT. PG. 104

COUNTY ENGINEER T.5 N. R. 17 W. SEC. 27 1988

W.S. 17, C-4

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
ATTN: MAP SECTION
900 S. FREMONT AVE.
ALHAMBRA, CA 91803-1331
(626) 458-4921

Do not extend this title or this line.

S-18 = CTR. SECTION
FD. 4" DIA. ENGR. BRASS CAP MON. IN CONC. W/D 4" - 5 DE HILL
A.B. 3293 - S1

26+20.08 = 0+00.E

FD. 6"x8" WOOD GUARD POST 6 FT. HIGH

26+17.7

T = 88

55.36 @ 0.16 = 53.11 = 53.11
55.68 @ 0.17.27 = 53.12
27.07 @ 0.0.06 = 27.07 = 27.07
80.18

LINE OF FN. POSTS APPROX. 4 FT. HIGH NO WIRE

80.18

NW 1/4 SEC. 27
T5N - R17W

SW 1/4 SEC. 27
T5N - R17W

S-17 - FD. 3" I.P. CONC. PLUG & L.A.CO. ENGR. TAG FLUSH ON RIDGE
A.B. 3293 - S1

25+39.90

1/4 SEC. LINE

25+29.0

T = 88

178.15 @ 25.22 = 160.97 = 160.96
178.58 @ 25.40 = 160.96
28.86 @ 0.-60 = 28.86 = 28.86
189.82

FD. 2"x4" FENCE POST W/D 4 FT. NO WIRE END OF FN. POSTS

5.1

189.82

TP. PG. 102

F.B. 3293 Pg. 104

BT. PG. 105

5-21 - SET (1x2) ℄ N.L.
SIDEHILL
5+97.33

T = 82
298.61 @ 15-15 = 288.10
298.73 @ 15-20 = 288.10 + 288.10

247.14

5.5'

288.10

1/4 SEC. LINE

5-20 - SET (1x2) ℄ N.L.
SIDEHILL
3+09.23

LINE OF FN. POSTS
APPROX. 3 FT HIGH
NO WIRE

T = 80
242.32 @ 18-54 = 229.24
242.63 @ 19-08 = 229.22
229.23

W.C. 1" DIA
SET L.A. CO
ENG. BR CAP
MON. IN CONC.
UP 4" SIDE
& SET NAIL PAPE 4" LL

229.23

S.E. 1/4 SEC. 27
T.5N - R.17W

70.00

T = 54°
73.84 @ 18°32 = 70.00
74.06 @ 19°02 = 70.00

S-19 - SET (1x2) ℄ N.L.
SIDEHILL
0+80.00

T = 80
79.04 @ 18-30 = 74.81
79.23 @ 19-16 = 74.79
5.20 @ 0-00 = 5.20
74.80
5.20
80.00

N.E. 1/4 SEC 27
T5N - R17W

80.00

TR. PG. 103

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by		Survey of WATERWORKS # 36	F.B. 3293 Pg. 105
Map No.		JN 0302.01 Tape 152 Std 37 'F	
Office Work		Surveyed by J. TERRANOVA	
Checked		Notes J.T. Date 5-22-67	
Date		Indexed C. J. GALLI	

BT. Sta. 106

S-24-5ET(1X2) ℄ NL.
TOP SPUR
12+88.35

N.E. 1/4 SEC. 27
T5N - R17W

24.81
27.87

307.37 1/4 SEC. LINE

S.E. 1/4 SEC. 27
T5N - R17W

T=82

272.75 @ 9-23 = 288.83 - 288.84
272.66 @ 9-18 = 288.94
18.55 @ 0-00 = 18.55 - 18.55
307.37

S-23-5ET(1X2) ℄ NL.
WEST CORNER
9+80.98

COR. OF FW. POST LINE

8.4

8+79.0

T=84

142.15 @ 16-12 = 136.51
142.49 @ 16-00 = 136.50 - 136.51

136.51

S+28-SET(1X2) ℄ NL.
SIDEWALK
8+44.77

T=86

FW. POSTS ACROSS LINE
@ 6+90.0

247.18 @ 1-06 = 247.13
247.22 @ 1-21 = 247.15 - 247.14

247.14

TO PG. 104

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do Not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
402 Los Angeles County Engineering Bldg.

7-63 2000 CR #310 B-66

F.B. 5293 Pg. 106

BT. PG. 107

S-26 - SET (1x2) ⊄ N.L.
SIDEHILL
16+03.82

119.28

T = 86
300.39 @ 14-37 = 290.67
300.02 @ 14-21 = 290.66 = 290.66

N.E. 1/4 SEC. 27
T5N - R17W

S.E. 1/4 SEC. 27
T5N - R17W

1/4 SEC. LINE

S-25 - SET (1x2) ⊄ N.L.
SIDEHILL
13+13.16

FD. 1½ I.P. - Conc. Plug
⊄ L.S. 7066 ⊄ 3041
13+10.80
Removed to set 1/4

0.04

2.94

1/4-1/4 SEC. CORNER
SET A STD. C.E. BRASS CAP MON.
AT HALF DISTANCE BETWEEN
CENTER OF SEC. & E. 1/4 CORNER
4D - 2" SIDEHILL - SET 2"
I.D. GUARD PIPE 5 FT. ±S.L.Y.
13+10.22

T = 80
24.81 @ 0-00 = 24.81

24.81

21.87

T = 80
2.94 @ 0-00 = 2.94
21.87 @ 0-00 = 21.87

COUNTY ENGINEER
T5N
1/4 C
SEC. 27
R17W
R.E. 5866

TP. PG. 105

W.S. 17, C-4

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red. Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of WATERWORKS # 36
Map No.	JN 0302 01 Tape 189 Std 24 "T
Office Work	Surveyed by J. TERRANOVA
Checked	Notes J.T. Date 5-23-67
Date	Indexed C. J. GALLI

F.B. 3293 Pg. 107

BT. PG. 108

S-29-T5S-R17W (1/2) ℄ N.L.
W. ED. OF RD.
20+82.32

3 STRAND B.W. AL.
3 SPANISH
20+75.1

T=84
88.95 @ 0-00 = 88.95

312.54

88.95

1/4 SEC. LINE

S-28-T5S-R17W (1/2) ℄ N.L.
FLAT
19+93.37

SEE Pg # 243 for Intersection

Pipeline Shown On
N.E. 1/4 SEC. 27
T5N - R17W

T=84
270.85 @ 3-44 = 270.28
270.86 @ 3-49 = 270.26

270.27

Pipeline Shown On
S.E. 1/4 SEC. 27
T5N - R17W

270.27

S-27-T5S-R17W (1/2) ℄ N.L.
SURFACE
17+23.10

T=84
120.02 @ 6-24 = 119.27
120.10 @ 6-43 = 119.28

119.28

TO PG. 106

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
ATTN: Los Angeles County Engineering Bldg.
Do not detach this side of this line.

Terrabase ck #310 8-68

F.B. 3293 Pg. 108

S-32 - FD. 1/4 SEC. CORNER
STD. CO. SUR. BR. CAP IN MON. IN
CONC. - FLUSH - SURFACE -
DIA. I.P. GUARD PIPE UP 3 FT.
BFT. 3 S. ELLY.
F.B. 3293 - 53

26+20.45

S-31 - FD. 2" I.P. W/ CONC. PL.
AL. A. CO. ENGR. TEST - FLUSH
ON RIDGE
F.B. 3293 - 53

24+43.48

S-30 - SET (1X2) F NL.
TOP SPUR

23+94.83



178.97

48.65 SEC. LINE

312.51

T = 82
178.48 @ 26-55 = 176.98
178.81 @ 27-07 = 176.96 = 176.97

T = 84
48.65 @ 0-00 = 48.65

T = 84
286.81 @ 11-21 = 281.20
286.97 @ 11-31 = 281.19 = 281.20
31.31 @ 0-00 = 31.31
312.51

N.E. 1/4 SEC. 27
T5N - R17W

S.E. 1/4 SEC. 27
T5N - R17W

W.S. 17, C-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

TP. PG. 107

Notes Ck'd by.	Survey of SEC. 27 T5N R17W
Map No.	JN 0302.51 Tape 180 Std 84 °F
Office Work	Surveyed by J.P. MENZIE
Checked	Notes SPM Date 6-8-69
Date	Indexed C. J. GALLI

F.B. 3293 Pg. 169

SEE PG 56

SET L.A.C. ENG. MON. BY INTERSECTION BETWEEN 1/4 1/4 COURSES TO THE NORTH - SOUTH - EAST & WEST (COD 2") ON FLAT AREA - SET MARKER PIPE 3' N.W.

1/4 1/4 COR.

SEE PG. 56

W.S.17, C-4

COUNTY ENGINEER
T.S.I. SW 1/4 1/4 SEC. 27
LIC. R.E. 5800

30' Adj.

PG. 56 293.34 1/4 1/4 SEC. LN.

12.08

A-5
FD 1X2 & 4 (FLUSH)
F.B. 3293-56

30.01 1/4 1/4 SEC. LN. LEV.

TO LEFT OF PG. 81

TO RIGHT OF PG. 99

P.O.M.
A-6
SET 2" I.P.
& L.A.C. FLUSH
TAG (SP 2")

91-11-00 (C)
04-43-00 (A)
187-04-15 (B)
91-10-42 (A)

189.49 PG. 57

177.46

A-6
FD 1X2 & 4 (FLUSH)
F.B. 3293-57

T. 12° = -0.01
189.02 @ 20°-08' = 177.47
LEV. = 172.03

64.29 PG. 57

SEE PG. 57

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
402 Los Angeles County Engineering Bldg.

DO NOT extend this line of this line.

7DP3DS CR #310 8-68

Notes Ck'd by	Survey of WATERWORKS # 36
Map No.	JN 2408.4 Tape 185 Std 68 °F
Office Work	Surveyed by J.P.MENUZ
Checked	Notes J.P.M Data 6-12-67
Date	Indexed C. J. GALLI

F.B. 3293 Pg. 111

PROPOSED WATER LN. 249.95
EASEMENT LN. IN 166.27
ROMERO CANYON. 416.22

T=60°=-0.04

250.30 @ 2°-51' = 249.99

T=62°=-0.07

162.33 @ 1°-14' = 166.29
166.35 @ 1°-30' = 166.29

T=62°=-0.04

285.44 @ 3°-01' = 285.04
285.39 @ 2-46 = 285.06

T=62°=-0.03

237.37 @ 1°-42' = 237.27
237.41 @ 2°-00' = 237.27

285.01
237.24
522.25

To Bottom of Pg. 112

416.22

ROMERO CANYON

R=95

P-1

SET 1½" I.P. (FLUSH) EDGE OF DIRT ROAD

N.W. 1/4 SEC. 34 T 5 N R 11 W

111°-14'-30" ①
84°-57'-30" ④
307°-26'-30" ⑤
111°-14'-25" ⑧

PROPOSED WATER LINE EASEMENT 12'

522.25

111°-14'-25"

47+05.46

E.W. CEN. SEC. LN. 1/4 SEC LN.

150.90
PG. 72-73

FD. 2" I.P.B.
L.A. CO. ENG.
TAC.
PG. 73

FD. L.A.CO. SURV. MON. PG. 72

COUNTY SURVEY
N 1/4 SEC. 33
S 1/4 SEC. 34
T 5 N R 11 W
F.B. 277

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Okeyed in Red Ink With Date and Name of Person Making Change

Do not detach this side of this title.

7284bs CK #310 F-66

To RIGHT of Pg. 113

F.B. 3293 Pg. 112







J.W 116
SEC. 34
T 5 S
R 11 W

Δ. 2

SET 1728 L. (FLUSH)

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

To Top of Pg. 111

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of WATERWORKS # 36
JN 2409.14 Tape 100 Std 68.7°
Surveyed by J.P. MAYNE
Notes J.P.M. Date 4-13-65
C. J. GALLI
Indexed

F.B. 3293 Pg. 113

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this title of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

To Bottom of Pg 114

T. 60°: -0.04
281.00 @ 3°-22 = 280.91
280.91 @ 2-58 = 280.53

280.48

1/4 1/4 Sec. Lw.

T-62°: -0.03
133.19 @ 10-21 = 131.02
132.87 @ 9-34 = 131.02

4-16-1 gpm.
SET 2" I.P. & L.A.Co. ENG. TAG 402"

SET 2" I.P. & L.A. Co. ENG. TAG (FLUSH) 3' E. of C. to 3rd R.O.W. - on 1/4 1/4 Ln

Proposed Easement

Sec. 34 T. 5 S. R. 17 W.

1/4 1/4 Sec. Ln.

COUNTY ENGINEER
SEC. 34
T. 5 S. R. 17 W.
S.B.M.

F.B. U.A.C.; Eng. M.J.
Pg. 94

103° 33' 45" ①
114° 15' 00" ④
261° 22' 30" ⑤
103° 33' 45" Ⓐ

68° 45' 45" ①
215° 07' 00" ④
52° 34' 30" ⑤
68° 45' 45" Ⓐ

Pg 112

F.B. 3293 Pg 114



T- 60° = -0.07
135.80 @ 3°-04' = 135.61'
135.86 @ 3°-30' = 135.61'

T-02° = -0.03
174.18 @ 5°-20 = 173.43'
174.08 @ 4-58 = 173.43'

163-42-15 ①
294-49-15 ④
262-13-30 ⑥
163°-42'-15" Ⓐ

T+00° = -0.01
36.91 ELEV. = 36.90'

T-60° = +0.04
263.09 @ 1°-50' = 262.95'
263.12 @ 2°-20' = 262.92'

T-02° = -0.02
166.81 @ 2°-15' = 166.66'
166.82 @ 2°-32' = 166.65'

36.90'
262.91'
166.63'
466.44'

To Bottom of Pg 115

To Left of Pg 113

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of WATERWORKS # 36
JN 2208.14 Tape 180 Std 84 °F
Surveyed by J.D. MENUZ
Notes SDM Date 6-1947
Indexed C.J. CALL

F.B. 3293 Pg. 115

To Bottom of Pg. 116

T-64° = -0.07

174.17 LEV. = 174.10

T-62° = -0.02

157.30 LEN. = 157.28

T-62° = -0.02

107.56 LEN. = 107.54

T-60° = -0.05

297.25 @ 0-29 = 297.24

297.24 @ 0-41 = 297.22

107.54
297.18
404.72

PROPOSED WATER L.U. EASEMENT LN.
1/4 1/4 SEC. LN.
@ 157.28
174.10
404.72

P-7
SET 1x2 B.V. (FLUSH)

L.A. 114
SEC. 34
T. 5 N
R 17 W

P-6
FD 1½" I.P.B
L.S. 3041

To Top of Pg. 114

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Zapsosa ck #310 8-48

To Bottom of Pg 117

F.B. 3293 Pg. 116

T = 68° = +0.02
217.03 @ 4°-12' = 216.45'
217.00 @ 4°-02' = 216.46'

T = 76° = +0.02
288.24 @ 2-47 = 287.90'
288.34 @ 3°-05' = 287.92'

T = 76° = -0.01
254.86 @ 2-48 = 254.56'
254.90 @ 2-57 = 254.56'

T = 76° = -0.03

Lgv. 30
192.40
167.74
360.14 = 360.11'
.04 = 360.01'

254.55
360.11
614.66 (56)

614.32

216.43'
287.89
504.32

P-8
SET 1x2 IN (PLUGGED)
S.W. 1/4
SEC. 27

Pg. 81
20.96
1/4 1/4 SEC. LN.

1/4 1/4 COR.

COUNTY ENGINEER
T 5 S
R 11 W
SEC. 27
SEC. 34
R.E. 5809

Ft. L.A. Co. Eng. Mon.
Pg. 81

Proposed Water Easement

1/4 1/4 SEC. LN.

Pg. 81
111.87

S.W. 1/4
SEC. 34
T 5 S
R 11 W

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this Title.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

To Top of Pg. 115

Notes Ck'd by	Survey of WATERWORKS # 36
Map No.	JN 2409 Tape 180 Std 94 °F
Office Work	Surveyed by P.M. ELLIS
Checked	Notes P.M. Date 6-12-65
Date	Indexed

F.B. 3243 Pg. 119

To Bottom of Pg 118

T = 72° = 0.01
170.70 @ 5°-44' = 169.85'
170.81 @ 6°-05' = 169.85'

129.84

Sta 88+04

Pg. 109
177.46

1/4 1/4 Sec. Ln.
172.03
Pg. 109

1/4 1/4 Cor

COUNTY ENGINEER
SEC. 5 T. 1 S. R. 14 W.
S.B.B.M.
R.E. 5869

T = 64° = 10.03
206.13 @ 4°-26' = 205.51'
206.06 @ 4°-07' = 205.53'

205.49

W. L. A. Co. Eng.
Mon.
Pg. 109

P-9

SET 1"ø & N. C. (FLUSH)
FLAT AREA

504.37

PROPOSED WATER LY. EASEMENT
& 1/4 1/4 SEC. LN.

To Top of Pg. 116

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

Do not detach this side of this line.

76P30ss CK #310 8-68

To RT. BOTT. OF PG. 119

F.B. 372 93 Pg. 118

1/4 1/4 COR.

A.D. L.A.C.O. ENG. mon. PG. 89

COUNTY ENGINEER T. 5 S. R. 14 W. Sec. 27 R.E. 5869

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

T=78°=+0.01

221.14 @ 1°-12' = 221.29

4-16-71 9PM. SET 2" I.P. & L.A.C.O. ENG. TAG (FLUSH)

SKW. L.J.

1/4

meas 90.00

221.68 LEV. 0.23 221.91

4-16-71 9PM SET 2" I.P. & L.A.C.O. ENG. TAG (FLUSH)

P-13 SET 1x2 B.T. (FLUSH)

221.14

90°-00'-00"

P=11 1/4 POINT SET 2" I.P. & L.A.C.O. ENG. TAG (FLUSH)

15.00

50.00

59.00

15.00

90°-00'-00"

SET 1x2 B.T.

90.00

90.00

90.00

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of WATERWORKS P 36
JN 2408.4 Tape 180 Std 90°F
Surveyed by J.P. MENNE
Notes J.P.M. Date 6-14-67
Indexed C. J. GALLI

F.B. 3893 Pg. 119

To Bottom of Pg. 120

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink with Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

DO NOT extend this side of this file.

7-67 2088 CK #310 8.68

67.15
29.70
96.85

T = 86° 30'
68.31 @ 10°-35' = 67.15'
68.43 @ 11°-05' = 67.15'

29.70 Rev. = 29.70'
195.77'
225.47'

T = 86° 30'
196.00 @ 2°-41' = 195.77'

(2) 90°-00'-00" (1)
360°-00'-00" (4)
180°-00'-00" (3)
90°-00'-00" (A)

T = 78° 30'
$0.28 @ 6°-00' = $0.00
$0.34 @ 6°-38' = $0.00

90°-00'-00"

151.67' Proposed Water Ln. Easement Ln.

P-15
SET 1"x2" I (FLUSH) @ Top of Slope

225.47'

X PT.
P-14
SET 2" I.P. & L.A.C. ENG. TAC. (FLUSH)

9+47.04
221.91
15.00

P-13
SET 2" I.P. & L.A.C. ENG. TAC. (FLUSH)

600 ±

P-12
SET 1"x2" I (FLUSH)

P-11
SET 2" I.P. & L.A.C. ENG. TAC. (FLUSH)

50.00

P-10
SET 1"x2" I (FLUSH)

36.34

1/4 1/4 Sec. Ln.

SET 1"x2" I. BY INTERSECTION

To Top of Pg. 118

F.B. 3293 Pg. 1120

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
409 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side or this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

SET 1/2" @ T.P. (FLUSH)

65° - 00' - 00" (1)
260 - 00 - 00 (4)
30 - 00 - 00 (6)
65° - 00 - 00" (A) ✓

WOOD FENCE

SET 2" I.P. & L.A. TAG (FLUSH)

CONC. WALL

SET 2" I.P. & L.A. TAG (FLUSH)

S 50° - 00' - 00" E

N 43° 44' W

DIRT ROAD

S 1.5 PROPOSED EASEMENT

T = 80° = 10.01

2345 LEW = 243.44

Top of Pg. 119

Top of Pg. 121

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of WATERWORKS # 36
JN 2458.14 Tape 190 Std 64° F
Surveyed by J.P. MENNA
Notes J.P.M. Date 6-14-67
Indexed C. L. GALLI

F.B. 3293 Pg. 121

TO BOTTOM OF PG 122

160° - 00' - 00" (1)
280° 00' 00" (4)
240° 00' 00" (5)
160° - 00' - 00" (2)

151.27

29.45

39+55.70

P.T.

SET 2" I.P & L.A. CO. ENG. TAG. CLEWS H

RP GWA SET 2" I.P. CONC. & L.A. CO. ENG. TAG UP 2"

2053

RP GWA SET 2" I.P. CONC. & L.A. CO. ENG. TAG UP 2"

160° 00'

101.27 LEV

TO LEFT OF PG. 120

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

DO NOT ERASE THIS SIDE OF THIS LINE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
603 LOS ANGELES COUNTY ENGINEERING BLDG.

7282006 CR #310 8-66

To Bottom of Pg. 123

F.B. 3293 Pg. 122

LEV T. 80

161.86 = 161.86

R.P.S
SET 2" I.P.
CONC. & L.A.CO
ENG. T.C. UP 2"
S.W.Q.



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do Not extend this side of this line.

To Top of Pg. 121

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of WATERWORKS # 36
JN 2445.14 Tape 100 Std 68°F
Surveyed by J. P. MENKE
Notes S.P.M. Date 6-16-67
Indexed C. J. GALLI

F.B. 3293 Pg. 123

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do Not Extend this Side of this Line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7823088 CE #310 8-68



F.B. 3293 Pg. 124

E-W. CEN. SEC. LN.
1/4 SEC. LN.

1/4 1/4 COR.

COUNTY ENGINEER
L.S.
1/4 1/4
SEC.
SEC. 27
R.E. 5869

FD C.E. MON.
PG. 99

Pg. 99
63.63

FD 2" I.P &
L.A. CO. ENG. TAG
PG. 99

35.43

SET IXCB
(FLUSH)
SIDE HILL

T = 74° ± 0

37.20 @ 16-38 = 35.64

36.94 @ 15°-17' = 35.63

165.76
230.21
395.97

Sec. Ln.

1/4 1/4

395.97

SET IXCB
(FLUSH)
IN SIDE

T = 72° ± 0.01

175.17 @ 18°-52' = 165.76

174.83 @ 18°-31' = 165.78

T = 82° ± 0

238.97 @ 15°-33' = 230.22

238.75 @ 15°-22' = 230.21

211.80

SET IXCB
(FLUSH)
FLAT AREA

T = 78° ± 0.01

212.15 @ 3°-13' = 211.81

212.20 @ 3°-25' = 211.82

T = 78° ± 0

36.34 LEV. = 36.34

36.34

To Left Bottom of Pg. 119

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this map.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by M. ASHLEY	Survey of SEC. 4 T4N R17W
Map No. R1092-1	JN 3607-01 Tape 180 Std 68°F
Office Work	Surveyed by J.P. MEANS
Checked	Notes 4-PM Date 6-24-47
Date	Indexed G. J. GALLI

F.B. 3293 Pg. 125

WEST LINE
OF
SECTION 4
T 4 N R 17 W

NECESSARY TO CLOSE SECTION 4. SO W.M. T3N
CAN DETERMINE LOCATION OF EASEMENT
ON HASLEY CANYON ROAD AND ROMERO
CANYON ROADS W.S.C.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

7826DS Cat #510 8-48

To Bottom of Pg. 127

F.B. 3793 Pg. 126

82° ± 0
373.31 L&U

84-34-45 ①
338-19-00 ④
147-28.15 ⑥
84°-34'-42" Ⓐ

9.96 offset Ln.

Boe Dam Motorway

373.31

4' Juven Wall

A-1
0+33.90

SET 1" I.P.
& LG. BT. STK
L.S. L.S.A.B.

SEC. 5

SEC. 4
T 4 S
R 17 W

SET 1½" B.N.
(FLUSH)

E.A. 1" I.P. L.A.Co.
Ang. Tag Top Spuk
F.B. 3166-8

9.96

37.95

CALC. 33.90

0+00 ±
SEC. COR
FD. BLAZED
OAK TREE
0.95 CALC.
C.S.B. 1092-1

800'±
SEC. LN.

C.S.B. 1092-1
19.17

8

9

4

5

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do Not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

W.S. 63 B-1

COUNTY SURVEYOR
T 4 N
R 17 W
SEC. 6
SEC. 8
F.B. 217

+1/4 SEC. COR
FD. L.A.Co. SUK.
mon. (Dug. 0.3')
& MARKER PIPE
5' ±N.
F.B. 3166-7
C.S.B. 1092-1

COUNTY SURVEYOR
T 4 S
R 17 W
SEC. COR
F.B. 217

WITNESS COR.
FD. L.A.Co. SUK.
mon. (FLUSH)
F.B. 3166-8
C.S.B. 1092-1

Notes Ck'd by M. ASHLEY
Map No. 81092-1
Office Work
Checked
Date

Survey of SEC. 4 T4N R17W
JN 0302.01 Tape 180 Std 84°F
Surveyed by J.P. MENNE
Notes J.P.M Date 4-27-84
Indexed C. J. GALLI

F.B. 3293 Pg. 127

To Bottom of Pg. 128

T = 88° = D

95.46 @ 8°-37' = 94.38'
95.52 @ 8°-52' = 94.38'

94.38
21.15
295.46
410.99'

T = 86° = D

21.15 LEV.

T = 86° = D

298.56 @ 8.16 = 295.46
298.34 @ 7°-58' = 295.46'

410.99 ASCENT

7+25 TOE SLOPE

SIDE FLAT DRAW N 11° E

6+96 TOE SLOPE

11 73° ℄ SPUR

SM.

A-3
10+97.76
SET 1/2" I.P.
(FLUSH)
TOE SM. SPUR

SEC. LN.

T = 84° = D

196.12 @ 12°-25' = 190.56
194.95 @ 12°-12' = 190.55

190.55

373.31

SEC. 5

42°

SEC. 4
T 4 N
R 17 W

A-2
4+07.21
SET 1/2" I.P.
(FLUSH)
TOE SLOPE

To Top of Pg. 126

Note: Any Addition or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
402 Los Angeles County Engineering Bldg.

Do not extend this side of this file.

Zebra ck #510 3-85

To Bottom of Pg. 129

F.B. 3293 Pg. 128



35.37
294.61
329.98

T-94°20'

35.37 Lev.

T-94° = +0.02

298.72 @ 9°-32' = 294.59'

298.48 @ 9°-15' = 294.60'

SEC. 5

T 4 N

R 19 W

15'

N

CABIN
APPROX. 10 YRS
OLD

T-96° = +0.01

201.70 @ 6°-56' = 200.23'

201.77 @ 7°-05' = 200.23'

T = 86°20'

207.69 Lev.

200.24
207.69

407.93'

16+50

15+50

14+16.68

A-5

SET 1"I.P. & L.A.
(FLUSH)
ON
Sm. SPUR

WIDE FLAT
→ RAW

N 85° E 329.98

14+90

N 89° E
Sm. SPUR

TOE SLOPES

105°-13'

SEC. 4

13+69

S 51° E

360

12+97

S 61° E
Sm. SPUR

10+90

S 67° E

S 61° E
Sm. SPUR

N 21° W 407.93

SEC. LINE

A-4

10+08.75

SET 1" I.P. & L.A.
ON ENG. TAC
(FLUSH)

To Sm. Spur

410.90

SEC. 4

To Top of Pg. 127

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by: M. ASHLEY	Survey of SEC 4 T 4N R 17W
Map No. B 1092-1	JN 63B2-01 Tape 180 Std 99.9°F
Office Work	Surveyed by: J.P. MEUNIER
Checked	Notes S.P.M. Date 6-27-67
Date	Indexed C. J. GALL

F.B. 3293 Pg. 129

To Bottom of Pg. 130

T = 94° = +0.01

217.76 @ 11°-50' = 213.13'

218.04 @ 12°-12' = 213.11'

213.13

21+00

SLOPE

0.11

FD PK'D 18" E.C. (FLUSH)

A-7

20 + 01.90

SET 1/2" B.M. (FLUSH) TOP SAW SPUR

SEC. 5

T 4 N

R 17 W

2.46

SEC. 4

19+42

S 58° E

T = 94°

255.07 @ 6°-50' = 255.21'

256.92 @ 6°-35' = 255.23'

255.24

N 46° E

SPUR

A-6

17 + 46.66

SET 1" I.P. & L.A. CO. ENG. TAG ON SPUR (FLUSH)

329.98

SEC. LN.

To Top of Pg. 128

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7sp305 ck #310 8-68

To Bottom of Pg. 131

F.B. 3293 Pg. 130

T = 86° = .0
76.57 @ 9°-08' = 75.60'
76.39 @ 8°-16' = 75.60'

SEC. 5
T 4 N
R 17 W

T = 96° = +0.02
238.85 @ 10°-01' = 235.21'
238.97 @ 10°-10' = 235.21'

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

To Top of Pg. 129

Notes Ck'd by M. ASHLEY
Map No. 210927
Office Work
Checked
Date

Survey of SEC. 4 T4N R17W
JN 1302.01 Tape 180 Std 84°F
Surveyed by V.P. MCNAIR
Notes J.P.M. Date 6-27-67
Indexed C. J. GALLI

F.B. 3293 Pg. 134

NOTE TO BOTTOM OF PG. 132

THIS POINT FALLS AT APPROX. PROPORTIONED DISTANCE 25+91.33 MEAS. 25+91.81 PROP., ALSO J.W. BATTY EVIDENTLY IS ACCEPTING AS 1/4 COR.- BATTYS NOTES WERE DESTROYED., ALSO UNION OIL CO. IS ACCEPTING THE POSITION OF THIS POINT (25+91.39) FOR RIGHT OF WAY EASEMENT THRU THIS AREA. - THEREFORE I ACCEPT THIS POINT FOR THE 1/4 SEC. COR. BETWEEN SEC. 4 & 5. AS THE LOGICAL POSITION FOR THIS COR.

T-86°-0
138.13 @ 35°-20' = 112.69'
137.51 @ 34°-51' = 112.71'

T. 86°-0
65.47 CHD.

SEC. 5
T. 4 N.
R. 17 W.

112.21

T. 85°-47'

SEC. LINE

T. 85°-60'

1/4 SECTION CORNER
25+91.33
FD. 4" x 4" WOOD POST (#4454) & NAIL & TIN & L.S. 2313 - AT BOTTOM OF SM. DRAW AND PORTION OF ROCK MOUND 3' SO. EAST OF COR. PER C.S. 9046-9
REPLACED WITH L.A. CO. ENG. MON. MARKED
Set 2" yellow Curved post 3' West

COUNTY ENGINEER
T4N R17W
1/4 SEC. 4
1972

A+10
25+25.86
SET IRON & L.S. (#5511) ON SIDE HILL

SEC. 4

TO TOP OF PG. 130

W.S. 63, 8-1

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do Not Extend This Side of This Line.

7682088 CK #310 8-68

To Bottom of Pg. 133

F.B. 3293 Pg. 132

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this map.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

23-37-30 ①
94-30-30 ④
141-45-45 ⑥
23°-37'-37" Ⓐ

Sec. 5
T 4 S
R 17 W

T = 90° to

67.13 @ 32°-00' = 56.93'
67.26 @ 32-10 = 56.94'



To Top of Pg. 131

Notes Ck'd by M. ASHLEY
Map No. R 1092-1
Office Work
Checked
Date

Survey of SEC. 4 T4N R11W
JN 0302.01 Tape 100 Std 84 °F
Surveyed by J.P. MENNE
Notes J.P.M. Date 4-24-84
Indexed G. J. GALLI

F.B. 3243 Pg. 133

To Bottom of Pc. 134

36° - 33 - 30 (1)
144 - 14 - 30 (4)
219 - 21 - 45 (C)
36° - 33 - 37 (A)

62° - 40 - 45 (1)
250 - 43 - 30 (4)
14 - 05 - 00 (C)
62° - 40 - 52 (A)

47+43.39
A-15
SET 1" I.P. & L.A. Co. Eng. TAC (FLUSH) Top Stake.

SET 1x2 & 4 FOR ANGLE @ SW COR. Top Stake

A-14
SET 1" I.P. & L.A. Co. Eng. TAC. (FLUSH) Top Stake

BASE LINE
552.63
SEE PG. 134

4.62
39+19.14
A-13
SET 1x2 BN. (FLUSH) Top Stake

SET 3/4" CHISELED Pipe on Stake (FLUSH)

51° - 07 - 45 (1)
228 - 31 - 30 (4)
342 - 47 - 30 (C)
51° - 07' - 55" (A)

99° - 14 - 30 (1)
36 - 57 - 45 (4)
235 - 26 - 45 (C)
99° - 14' - 28" (A)

SEC. 5

SEC. 4
T 4 N
R 11 W

To Top of Pg. 132

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
900 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

7838DS CK #510 8-68

F.B. 3293 Pg. 134


Sec 32
Sec 33
Sec 4
Sec 5
1436' stadia
1485' stadia
1113' stadia
Ft. 1" Spenar Plug top of cut Mark w/ spike at Dirt rd
Ft. CS Mon on SOE of slope 60' E. of spur Mk'd as shown
COUNTY SURVEYOR T-5-N
32 | 33
5 | 4
T4N
MONUMENT
CSB1092-1
N 10° 23' W
S 1° 37' E
S 1° 37' E
S 1° 37' E

Notes Ck'd by M. ASHLEY
Map No. 8-1092-1
Office Work
Checked
Date

Survey of SEC 4 T4N R17W
JN 0302.01 Tape 205 Std 32 °F
Surveyed by AC GUARASCIO
Notes ACG Date 12/5/67
Indexed C. J. GALLI

F.B. 3293 Pg 135

T4N

SEC 5

offset
4/7
pg 126

1) 84-08-10"
A) 336-32-50
6) 144-49-00
84°-08'-16½"

10.00' offset in prog

A-3 5+97.76
Fd 1x2 B&W Flush
Pg 127

A-2 4+07.21
Fd 1x2 B&W Flush
Pg 127

SEC 4

A-1 0+33.90
Fd 1" IP & Lg Pt spk
in Ld Flush
Pg 126

SET CE
Mon Mkd
as Shown
on 3" BW
Sec Ln

COUNTY ENG
T4N
R17W
5 | 4
8 | 9
WC
SEC COR
R.E. 5.69'

SET "L" in
NO. SIDE OF
CONC. MON. (Grid)

FB 3293

50.00 adj in field
Pg 126

Sec Ln

Fd 1/2" IP
FB 3293-126
0.29

Fd 1/2" IP
FB 3293-126
0.21

Fd 1/2" IP
FB 3293-126
0.02

Sec Ln

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

W.S. 63, B-1



7ap3088 CE #310 8-68

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

Notes Ck'd by M. ASHLEY
Map No. 8107271
Office Work
Checked
Date

Survey of SEC 4 T4N R17W
JN 430201 Tape 2.25 Std. 66.0'
Surveyed by Cruz-Avila AC
Notes
Indexed by G. de GALLI DE 2 1 87

F.B. 329 Pg. 134

SEC 32 | SEC 33 | SEC 5 | SEC 4

T5N | T4N

FD C.S. MON
MUD GAS SHOWN

FD C.S. MON
CEMENTED IN
MOUND OF ROCKS
NAILS AS SHOWN

COUNTY SURVEYOR'S
T5N
R17W
32 | 33
5 | 4
T4N
MONUMENT
CSB 1092-1

SEC LN

1485'± Stadia

1113'± Stadia

960'± Stadia

1030 Stadia

N 10°W

SEC LN

FD 1/2" I.P. SET NAIL & WASHER LINE

FD 1/2" I.P. SET NAIL & WASHER ON LINE

FD C.S. MON
MUD GAS SHOWN

COUNTY SURVEYOR
T5N
R17W
SEC 33
SEC 4
T4N
VACK
BERTY
CSB 1092-1

R17W

85°-09'-55"

96°-23'-10"

1376.44 Rec FB 134

1) 85°-10'-00"
4) 340-09-40
6) 150-59-30
85°-09'-55"1

1) 85°-23'-20"
4) 340-09-40
6) 150-59-30
96°-23'-10"

SEC 5

SEC LN

N 15-47-43.29 E

FD 1" I.P.
L.A.C. Engr. 7196
Rec. on FB 134

SEC 4

T4N

Notes Ck'd by	Survey of WATERWORKS #36
Map No.	JN 2409-1A Tape 187 Std 57 °F
Office Work	Surveyed by J. TEDESCHI
Checked	Notes M.T. Date 5/22/67 SEP 12 '67
Date	Indexed C. I. GALLI

F.B. 3293 Pg. 145

WATERWORKS #36

PROPERTY LINES FOR
PROPOSED PES. SITE
(SUBJECT TO CHANGE).

J.N. 2409-1A

M.T. 1/31/67

REF.
F.B. 3293

PLOTTED
J. TEDESCHI
9/4/93-AP
A. MITCHELL

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7852098 CK #510 4-66

F.B. 3293 Pg. 146

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of WATERWORKS # 34
Map No.	JN 2908.14 Tape 139 Std. 27 °F
Office Work	Surveyed by J. TERHAAR/14
Checked	Notes J.T. Date 5-28-67
Date	Indexed C. J. GALLI

F.B. 3293 Pg. 147

W.S.17, C-4

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Jacobs Ck #310 8-68

270.00
90.00
SET (1x2) F&T FLUSH
SET (1x2) F&T FLUSH
T = 54
139.54 Δ 23-09 = 128.28
139.52 Δ 23-25 = 128.28
127.12 Δ 23-15 = 116.78
127.50 Δ 23-38 = 116.79
24.94 Δ 0-00 = 24.94
270.00
128.28
116.78
24.94
FD. 2" P. CONC. PLUG & L.A.C.S. TAG FL. ON STONE FB: 3293-51
T = 58
178.18 Δ 25-22 = 160.97
178.61 Δ 25-40 = 160.96
28.86 Δ 0-00 = 28.86
160.97
160.96
28.86
189.82
189.82
80.18
80.00
℄ SEC. LINE
CTR. SEC. 27
FD. L.A. E.M.C. BRASS CAP IN MAN. IN CONC. UP 1' SIDEWALK F.B. 3293-51
15.33(R)
SET (1x2) F&T FLUSH
E 11 - FD. (1x2) F&T FLUSH - 2.25 N. F.B. 3293-51
2) 177-33-50
4) 355-27-30
6) 172-41-00
88-46-50
T = 62
122.59 Δ 18-55 = 122.59
122.58 Δ 18-57 = 122.58
27.42 Δ 0-00 = 27.42
122.58
27.42
150.00
SET (1x2) F&T FLUSH - TOP SPUR
270.00
90.00
℄ SEC. LINE
T = 88
55.36 Δ 16-23 = 53.11
55.48 Δ 17-27 = 53.12
27.07 Δ 0-00 = 27.07
53.11
53.12
27.07
133.30
T = 80
153.31 Δ 23-11 = 151.34
153.13 Δ 23-47 = 151.33
119.35 Δ 11-15 = 117.05
119.25 Δ 10-58 = 117.06
1.60 Δ 0-00 = 1.60
151.34
151.33
117.06
1.60
270.00
E = 19
FD. (1x2) F&T FLUSH
FB. 3293-51
2) 177-33-50
4) 355-07-10
6) 172-41-00
88-46-50
T = 62
16.78 Δ 0-00 = 16.78
16.78
COUNTY ENGINEER
T 5 N.
R 17 W.
S.B.B. & M.
SEC. 27
R. E. 5869

F.B. 3273 Pg. 48

T = 64
82.67 @ 16-30 = 79.26
82.45 @ 16-00 = 79.25 - 79.25
0.75 @ 0-00 = 0.75 - 0.75
80.00

SET (1x2) ¢ N&L FLUSH

80.00

T = 64
104.28 @ 21-43 = 96.87
104.07 @ 21-25 = 96.87 - 96.87
53.14 @ 0-00 = 53.13 - 53.13
150.00

150.00

T = 80
79.04 @ 18-50 = 74.81 - 74.80
77.23 @ 19-16 = 74.79
5.20 @ 0-00 = 5.20 - 5.20
80.00

SET (1x2) ¢ N&L FLUSH

80.00

¼ SEC. LINE

T = 60
253.06 @ 8-52 = 250.00
252.92 @ 8-37 = 250.00 + 250.00

250.00

80.00

T = 82
64.12 @ 20-36 = 64.70 - 64.69
68.92 @ 20-11 = 64.69
15.31 @ 0-00 = 15.31 - 15.31
80.00

SET (1x2) ¢ N&L FLUSH

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this map.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by		Survey of WATERWORKS #36	F.B. 3293 Pg. 149
Map No.		JN 2408.14 Tape	Std °F
Office Work		Surveyed by J. TERRANOVA	
Checked		Notes J.T. Date 6-7-67	
Date		Indexed C. J. GALLI	

WATERWORKS # 36

PROFILE & CROSS SECTIONS OF E-W 1/4 SEC. LINE OF SEC. 27-T5N-R17W. - STARTING AT CENTER OF SEC. & GOING EAST & WEST.

J.N. 2408.14

JUNE 1967

REF.
F.B. 3293

PARTY
J. TERRANOVA
C. GABAI
G. HASUDA
A. MITCHELL

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7-63 DSB CK #310 8.68

F.B. 3293 Pg. 150

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 2493.1 Division No. ____
No. ____ Date ____ Date ____ Survey of WATER WORKS #36
X-Sec. Notes Chkd. ____ Checked ____ Survey by J.T. Notes J.T. Date 6-7-67
No. ____ Date ____ Date ____ Map No. ____ Indexed C.J. GALLI Date SEP 12 '67

F.B. 3293 Pg. 151

STATION	B. S.	H. I.	F. S.	ELEV.	E-W 1/4 SEC. LINE OF SEC. 27	
					LEFT & SOUTH	RIGHT & NORTH
CTR. SEC. 27					CTR. SEC. 27 - FD. CO. ENG. & BRASS CAP MON. IN CONC.	
T S.W. P.I. = 0+00 W	12 30	1901 84		1859 54	UP 4' FB. 3293-103, 60	
			13 4	884	15' SIDEHILL	
			13 5	883		15' SIDEHILL
0+36			15	1900 3	℄ SIDEHILL (BREAK)	
			20	1899 8	15' SIDEHILL	
			36	982		15' SIDEHILL
T.P.	7 41	1909 04	0 21	1901 63	T.P.	
0+50			62	028	℄ EAST BR. OF SPUR	
			65	025	15' " " " "	
			69	021		15' EAST BR. OF SPUR
0+68.5			45	045	℄ TOP OF SPUR	
			49	041	15' " " " "	
			58	032		15' TOP OF SPUR
1+00			74	016	℄ WEST BREAK	
			76	014	15' " "	
			70	020		15' WEST BREAK
1+09.7			101	1898 9	℄ BREAK	
			105	985	15' BREAK	
			93	997		15' BREAK

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3293 Pg. 152 | Job No. 2948.4 | Division No. | Notes Red | Plotted | Profile
Survey of WATERWORKS #36 | Date | Date | No.
Survey by J.T. | Notes J.T. | Notes Chkd. | Checked | X-Sec.
Indexed C.J. GALLI | Date 6-7-67 | Date | Date | No.

STATION	B.S.	H.I.	F.S.	ELEV.	E.W. 1/4 SEC. LINE OF SEC. 27	
		1909 04			LEFT & SOUTH	RIGHT & NORTH
T.P.	3 21	1901 19	11 06	1897 98	T.P.	
T.P.	4 61	1894 46	11 34	1889 85	T.P.	
T.P.	0 38	1883 42	11 42	1883 04	T.P.	
1+50			92	742	℄ SIDEHILL	
			91	743	15' "	
			55	779		15' SIDEHILL
T.P.	1 80	1873 93	11 29	1872 13	T.P.	
T.P.	0 02	1862 66	11 29	1862 64	T.P.	
2+00	6 25	1856 73	12 18	1850 48	℄ SIDEHILL	
			129	439	15' DE. BOTTOM	
			+33	600		15' SIDEHILL
T.P.	0 64	1845 89	11 48	1845 25	T.P.	
T.P.	0 73	1836 11	10 51	1835 38	T.P.	
2+50			52	309	℄ SIDEHILL	
			126	235	15' SIDEHILL	
			+23	384		15' SIDEHILL
T.P.	0 52	1825 09	11 54	1824 57	T.P.	
2+70			18	233	℄ SIDEHILL (BREAK)	
			90	161	15' SIDEHILL	
			+58	309		15' SIDEHILL

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red ____ Plotted ____ Job No. 2498-X Division No. ____
X-Sec. No. ____ Date ____ Date ____ Survey of WATER WORKS 536 F.B. 3293 PG 153
Notes Chkd. ____ Checked ____ Survey by J.T. Notes J.T. Date 6-7-67
No. ____ Date ____ Date ____ Map No. ____ Indexed C.A.GALL Date ____

STATION	B. S.	H. I.	F. S.	ELEV.	E.-W. 1/4 SEC. LINE OF SEC. 27	
		182509			LEFT & SOUTH	RIGHT & NORTH
3+00			64	18187	℄ SIDEHILL	
			28	123	15' SIDEHILL	
			31	220		15' TOP SPUR
3+20			100	151	℄ TOP SPUR (S. SIDE)	
			144	107	15' SIDEHILL	
			87	164		15' TOP SPUR (N. SIDE)
T.P.	0 79	181451	11 37	181372	T.P.	
3+ 50			23	122	℄ TOP SPUR (N. SIDE)	
			45	100	15' SIDEHILL	
			52	093		15' SIDEHILL
3+70			73	072	℄ SIDEHILL	
			54	091	15' TOP SPUR	
			18	027		15' SIDEHILL
T.P.	0 58	180345	11 64	180287	T.P.	
4+00			46	17989	℄ SIDEHILL	
			00	18035	15' SIDEHILL	
			10 2	17933		15' SIDEHILL
T.P.	1 70	179358	11 57	179188	T.P.	
4+ 50			77	859	℄ SIDEHILL	
			07	929	15' SIDEHILL	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3293 Pg. 154 | Job No. 2405.4 Division No. | Notes Red | Plotted | Profile
Survey of Waterworks #36 | Date | Date | No.
Survey by J.F. | Notes | Notes Chkd. | Checked | X-Sec.
Indexed C.J. GALLI | Date 6-7-67 | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.	E-W. 1/4 SEC. LINE OF SEC. 27	
		1793 58			LEFT & SOUTH	RIGHT & NORTH
4+50			13 7	1779 3		15' SIDEHILL
T.P.	1 04	1782 67	11 95	1781 63	T.P.	
T.P.	0 23	1771 26	11 64	1771 03	T.P.	
5+00			4 6	667	℄ SIDEHILL	
			0 6	707	15' SIDEHILL	
			7 9	635		15' SIDEHILL
T.P.	0 67	1760 59	11 34	1759 92	T.P.	
5+24			3 9	567	℄ SIDEHILL (BR.)	
			6 1	545	15' SIDEHILL	
			5 4	552		15' SIDEHILL
T.P.	0 93	1747 82	11 70	1743 89	T.P.	
5+50			10 5	393	℄ SIDEHILL	
			15 4	344	15' SIDEHILL	
			3 9	409		15' SIDEHILL
T.P.	1 62	1739 38	12 56	1737 76	T.P.	
5+72.5			10 9	285	℄ (BR. TO DRAIN)	
			12 2	272	15' " " "	
			9 8	296		15' BR. TO DRAIN
5+82			14 9	295	℄ DR. BOTTOM	
			15 5	239	15' " "	

76L298 307 5-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red. ____ Plotted ____ Job No 2408.14 Division No. ____
X-Sec. No. ____ Notes Chkd. ____ Date ____ Checked ____ Date ____ Survey of WATERWORKS #36 Survey by J.T. Notes J.T. Date 6-7-67
Date ____ Date ____ Map No. ____ Indexed [illegible] Date ____

F.B. 3293 PG. 155

STATION	B. S.	H. I.	F. S.	ELEV.	E-W. 1/4 SEC. LINE OF SEC. 27	
					LEFT & SOUTH	RIGHT & NORTH
		1739 38				
5+82			15 0	1724 4		15' DR. BOTTOM
5+89			12 1	27 3	℄ (BR. TO DRAIN)	
			12 0	27 4	15' " " "	
			11 7	27 7		15' BR. TO DRAIN
6+00			11 4	28 0	℄ SIDEHILL	
			11 1	28 3	15' "	
			11 3	28 1		15' SIDEHILL
6+18.5			7 6	31 8	℄ EAST EDGE OF RD.)	
			7 8	31 6	15' " " " "	"
			7 6	31 8		15' EAST ED. OF RD.
6+36			7 9	31 5	℄ WEST EDGE OF RD	
			8 1	31 3	15' " " " "	"
			7 8	31 6		15' WEST ED. OF RD.
6+44.5			6 5	32 9	℄ TOP OF BANK	
			7 0	32 4	15' " " "	
			5 7	33 7		15' TOP OF BANK
6+50			6 0	33 4	℄ FLAT	
			6 8	32 6	15' "	
			5 7	33 7		15' FLAT
7+00			4 5	34 9	℄ FLAT	

76L298 307 5-49

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
726 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No.____ X-Sec. No.____
Plotted____ Date____
Notes Red.____ Date____
Notes Chkd.____ Checked____ Date____
Division No.____
Job No 2408.14
Survey of WATERWORKS #36
Survey by J.T.
Notes J.T.
Indexed C.J. GALLI
Date 6-7-67
F.B. 3293 PG. 154

STATION	B. S.	H. I.	F. S.	ELEV.	E. W. ¼ SEC. LINE OF SEC. 27	
		173938			LEFT & SOUTH	RIGHT & NORTH
7+00			53	1734 1	15' FLAT	
			37	357		15' FLAT
S-12						
7+33.78			373	1735 65	& FLAT F.D. (1X2) & M/L. F.B. 3293-101	
			45	349	15' FLAT	
			30	364		15' FLAT
				CHECK		
CTR. SEC. 27 T5N-R17W.	10 58	1900 12		1889 54	CTR. SEC. 27 - FD. CO. ENGR. BRASS CAP MON. IN CONC. UP 4" F.B. 3293-60	
T.P. S-17 2" I.P.	912	1908 97	027	1899 85	T.P. S-17 - FD. 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FL. ON RIDGE F.B. 3293-103	
			481	1904 16		
TRANSIT SIGHT ON	@ S-12 · F.B. 3293-101 ROD	+ VERT - ANGLE	HORIZ. DISTANCE		H.I = 4.75 + DIFF. - ELEV.	ELEV = 1735.65
S-17	4.75	+ 14-27-00 + 14-28-00	653.60		+ 168.53	+ 168.53
		+ 14-27-30				S-17 = 1904.18
						ELEV. RUN BY BELOW LEVEL = 1904.16 (SEE ABOVE)

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red ____ Plotted ____ Job No. 2408 14 Division No. ____
X-Sec. No. ____ Date ____ Date ____ Survey of [illegible] Date 6-8-67
Notes Chkd. ____ Checked ____ Survey by [illegible] Notes [illegible] 436
Date ____ Date ____ Map No. ____ Indexed C.J. Date ____
F.B. 3293 Pg. 57

STATION	B. S.	H. I.	F. S.	ELEV.	E-W 1/4 SEC. LINE OF SEC. 27	
					LEFT ℄ NORTH	RIGHT ℄ SOUTH
CTR. SEC. 27 T5N R17W = 0+00 E.	0.64	1890.18		1897.54	CTR SEC. 27 FD. CO. ENGR UP 4" F.B. 3293 - 103	BRASS CAP MON. IN. CONC. 60
T.P.	0.71	1879.54	11.35	1878.83		
0+50			5.1	74.4	℄ BREAK	
			4.9	74.6	15° SIDE HILL	
			8.3	71.2		15° SIDE HILL
T.P.	0.48	1868.87	11.15	1868.39	T.P.	
T.P.	1.32	1858.50	11.69	1857.18	T.P.	
1+00			2.5	56.0	℄ SIDE HILL	
			0.9	57.6	15° " "	
			4.7	53.8		15° SIDE HILL
T.P.	0.90	1847.90	11.50	1847.00	T.P.	
1+50			11.0	36.9	℄ SIDE HILL	
			10.1	37.8	15° " "	
			12.1	35.8		15° SIDE HILL
T.P.	1.11	1837.40	11.61	1836.29	T.P.	
T.P.	0.93	1826.83	11.50	1825.90	T.P.	
2+00			9.0	17.8	℄ SIDE HILL	
			9.0	17.8	15° " "	
			10.2	16.6		15° SIDE HILL

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3293 Pg. 158
Survey of W.S.75 Profile No.
Survey by J.T. Notes C.J. Date 5-8-67 X-Sec. No.
Indexed C.J. GALLI Date Checked Date
Job No. 24334 Division No. Notes Red Date Notes Chkd. Date Plotted Date No.

STATION	B.S.	H.I.	F.S.	ELEV.	E.-W. 1/4 SEC. LINE OF SEC. 27	
					LEFT & NORTH	RIGHT & SOUTH
		1826.83				
T.P.	0.76	1816.29	11.30	1815.53	T.P.	
T.P.	043	1805.36	11.36	1804.93	T.P.	
2+50			3.3	021	℄ SIDE HILL	
			2.9	025	15° " "	
			4.1	013		15° SIDE HILL
T.P.	039	1794.18	11.57	1793.79	T.P.	
3+00			5.6	886	℄ SIDE HILL	
			5.7	885	15° " "	
			6.0	882		15° SIDE HILL
T.P.	0.74	1783.51	11.41	1782.77	T.P.	
3+50			9.5	740	℄ SIDE HILL	
			9.5	740	15° " "	
			9.4	741		15° SIDE HILL
T.P.	042	1772.52	11.41	1772.10	T.P.	
3+72			5.3	672	℄ BREAK	
			5.7	668	15° SIDE HILL	
			5.4	671		15° SIDE HILL
T.P.	093	1761.93	11.52	1761.00	T.P.	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 24008.14 Division No. ____
No. ____ Date ____ Date ____ Survey of WATERWORKS #36
X-Sec. ____ Notes Chkd. ____ Checked ____ Survey by J.T. Notes C.H. Date 8-8-67
No. ____ Date ____ Date ____ Map No. ____ Indexed C.J.GALL Date ____

F.B. 32293 Pg. 159

E-W. 1/4 SEC. LINE OF SEC. 27

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT & NORTH	RIGHT & SOUTH
		1761.93				
4+00			5.7	56.2	℄ SIDE HILL	
			5.5	56.4	15° " "	
			5.7	56.2		15° SIDE HILL
T.P.	.052	1751.46	10.99	1750.94	T.P.	
T.P.	.020	1740.41	11.25	1740.21	T.P.	
4+50			1.0	39.4	℄ SIDE HILL	
			1.8	38.6	15° " "	
			1.1	39.3		15° SIDE HILL
T.P.	0.56	1729.58	11.39	1729.02	T.P.	
5+00			4.5	25.1	℄ SIDE HILL	
			4.3	25.3	15° " "	
			3.3	26.3		15° SIDE HILL
T.P.	0.60	1718.91	11.27	1718.31	T.P.	
5+50			4.9	14.0	℄ SIDE HILL	
			5.8	13.1	15° " "	
			3.8	15.1		15° SIDE HILL
T.P.	.038	1707.82	11.47	1707.44	T.P.	
6+00			2.9	04.9	℄ SIDE HILL	1x2
			3.6	04.2	15° " "	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3293 Pg. 1 Job No 3408.14 Division No. #36 Notes Red Date Notes Chkd. Date Plotted Date Checked Date Profile No. X-Sec. No.

Survey of WATER WORKS

Survey by J.F. Notes C.J.

Indexed C.J. GALLI Date 6-8-67

STATION	B.S.	H.I.	F.S.	ELEV.	E.W. 1/4 SECTION LINE OF SEC. 27	
					LEFT & NORTH	RIGHT & SOUTH
		1707 82				
			2.4	05.4		15° SIDE HILL
T.P.	036	1705.34	2.84	1704.98	T.P	
6+39			6.7	1698.6	℄ TOP BANK	
			5.9	99.4	15° " "	
			8.0	97.3		15° TOP BANK
6+50			10.4	94.9	℄ SIDE BANK	
			8.7	96.6	15° " "	
			11.5	93.8		15° SIDE BANK
6+63			15.3	90.0	℄ DRAIN	
			15.1	90.2	15° "	
			15.5	89.8		15° DRAIN
7+00			6.0	99.3	℄ TOP BANK	
			5.4	99.9	15° " "	
			6.6	98.7		15° TOP BANK
7+23			2.5	1702.8	℄ BREAK	
			1.3	04.0	15° "	
			4.5	00.8		15° BREAK
7+50 T.P.	11.34	1715 33	1.35	1703.99	T.P. ℄ GRADUAL SLOPE	
			9.2	06.1	15° " "	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No.____ Notes Red____ Plotted____ Job No. 2408.4 Division No.____
X-Sec. No.____ Date____ Date____ Survey of W. [illegible] Notes____
Notes Chkd.____ Checked____ Survey by____ Date____
Date____ Date____ Map No.____ Indexed C.J. [illegible] Date____

F.B. 32093 Pg. 161

STATION	B. S.	H. I.	F. S.	ELEV.	E-W 1/4 SEC. LINE OF SEC. 27	
					LEFT & NORTH	RIGHT & SOUTH
		1715.33				
7+50			12.1	1703.2		15° GRADUAL SLOPE
8+00			7.4	07.9	℄ GRADUAL SLOPE	
			5.8	09.5	15° " "	
			9.0	06.3		15° GRADUAL SLOPE
8+50			2.5	12.8	℄ GRADUAL SLOPE	
—			1.2	14.1	15° " "	
			3.9	11.4		15° GRADUAL SLOPE
T.P.	11.30	1725.74	0.89	1714.44	T.P.	
8+90			7.9	17.8	℄ BOTTOM BREAK	
			5.7	20.0	15° " "	
			8.4	17.3		15° BOTTOM BREAK
9+00			5.2	20.5	℄ SIDE HILL	
			3.5	22.2	15° " "	
			6.3	19.4		15° SIDE HILL
T.P.	11.35	1736.88	0.21	1725.53	T.P.	
T.P.	11.59	1747.66	0.81	1736.07	T.P.	
9+50			8.2	39.5	℄ SIDE HILL	
—			6.8	40.9	15° " "	
—			8.8	38.9		15° SIDE HILL

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3293 PG. 102 Job No. 3408.14 Division No. Notes Red Plotted Profile
Survey of W.T. Espinosa's #36 Date Date No. X-Sec.
Survey by J.T. Notes Notes Chkd. Checked
Indexed C.J. GALLI Date 6-8-67 Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.	E.W. 1/4 Sec. Line Of Sec. 27	
					LEFT & NORTH	RIGHT & SOUTH
		1747.66				
T.P.	11.76	1759.10	0.32	1747.34	T.P.	
9+81			4.7	54.4	℄ TOP BREAK	
			3.2	55.9	15° " "	
			7.0	52.1		15° TOP BREAK
T.P.	8.07	1766.78	0.39	1758.71	T.P.	
10+00			9.2	57.6	℄ TOP RIDGE	
			4.8	62.0	15° " "	
			14.2	52.6		15° TOP RIDGE
10+13			8.9	57.9	℄ TOP BREAK	
			4.3	62.5	15° " "	
			14.3	52.5		15° TOP BREAK
T.P.	7.32	1762.70	11.40	1755.38	T.P.	
10+50			10.3	52.4	℄ SIDE HILL	
			4.1	58.6	15° " "	
			16.8	45.9		15° SIDE HILL
T.P.	3.40	1754.74	11.36	1751.34	T.P.	
11+00			8.9	45.8	℄ SIDE HILL	
			6.8	47.9	15° " "	
			12.0	42.7		15° SIDE HILL

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red ____ Plotted ____ Job No. 2408.4 Division No. ____
X-Sec. No. ____ Date ____ Date ____ Survey of [illegible] F.B. 3292 Pg. 143
Notes Chkd. ____ Checked ____ Survey by [illegible] Notes [illegible] Date 6-4-57
Date ____ Date ____ Map No. ____ Indexed C.J. GRILL Date ____

STATION	B. S.	H. I.	F. S.	ELEV.	E-W. 1/4 SEC. LINE OF SEC. 27	
					LEFT & NORTH	RIGHT & SOUTH
		1754.74				
T.P.	8.52	1751.86	11.40	1743.34	T.P.	
11+45			13.8	38.1	℄ SIDE HILL	
			17.8	34.1		15° DRAIN
			8.0	43.9	15° SIDE HILL	
11+53			14.7	37.2	℄ DRAIN	
11+60			11.3	40.6	℄ SIDE HILL	
			11.7	40.2	15° DRAIN	
			8.3	43.6		15° SIDE HILL
T.P.	10.76	1762.03	0.59	1751.27	T.P.	
12+00			2.2	59.8	℄ SIDE HILL	
			4.1	57.9	15° "	
			2.1	59.9		15° SIDE HILL
T.P.	10.87	1772.55	0.35	1761.68	T.P.	
T.P.	11.08	1782.95	0.68	1771.87	T.P.	
T.P.	11.96	1793.71	1.20	1781.75	T.P.	
12+50			4.9	88.8	℄ SIDE HILL	
			4.1	89.6	15° "	
			4.8	88.9		15° SIDE HILL
T.P.	10.76	1802.50	1.97	1791.74	T.P.	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 32793 Pg. 164 Job No. 2438.4 Division No. Profile
Survey of WATERFORD Notes Red No. Plotted
Survey by J.T. Notes Date No. Date
Indexed C.J. GALLI Date 6-9-67 Notes Chkd. X-Sec. Checked
Date No.

STATION	B.S.	H.I.	F.S.	ELEV.	E-W ½ Sec. Line of Sec. 27	
					LEFT & NORTH	RIGHT & SOUTH
		1802.50				
T.P.	8.42	1810.51	0.41	1802.09	T.P.	
12+85			3.0	07.5	℄ Top Break	
			3.6	06.9	15° " "	
			4.1	06.4		15° Top Break
13+00			2.6	07.9	℄ Top Ridge	
			2.6	07.9	15° " "	
			4.0	06.5		15° Top Ridge
13+10			5.0	05.5	℄ Top Break	
			5.5	05.0	15° " "	
			6.4	04.1		15° Top Break
T.P.	0.72	1800.11	11.12	1799.39	T.P.	
13+50			7.2	92.9	℄ Side Hill	
			8.3	91.8	15° " "	
			8.5	91.6		15° Side Hill
T.P.	0.30	1788.85	11.56	1788.55	T.P.	
T.P.	0.12	1777.57	11.40	1777.45	T.P.	
14+00			3.8	73.8	℄ Side Hill	
			3.4	74.2	15° " "	
			2.9	74.7		15° Side Hill

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	E. W. 1/4 SEC. LINE OF SEC. 27	
					LEFT & NORTH	RIGHT & SOUTH
		1777.57				
T. P.	0.64	1766.62	11.59	1765.98	T. P.	
14+50			8.7	57.9	℄ SIDE HILL	
			11.8	54.8	15° " "	
			8.5	58.1		15° SIDE HILL
T. P.	0.76	1756.51	10.87	1755.75	T. P.	
15±00			9.9	46.6	℄ SIDE HILL	
			12.1	44.4	15° " "	
			9.0	47.5		15° SIDE HILL
T. P.	0.82	1745.64	11.69	1744.82	T. P.	
15+50			7.9	37.7	℄ SIDE HILL	
			10.8	34.8	15° " "	
			5.2	40.4		15° SIDE HILL
T. P.	2.55	1736.96	11.23	1734.41	T. P.	
16+00			5.4	31.6	℄ SIDE HILL	
			8.1	28.9	15° " "	
			2.7	34.3		15° SIDE HILL
16+50			11.5	25.5	℄ SIDE HILL	
			13.7	23.3		
			10.3	26.7		

Profile No. ____ Notes Red ____ Plotted ____ Job No. 5408 Division No. ____
X-Sec. No. ____ Date ____ Date ____ Survey of WATERWORKS #35
Notes Chkd. ____ Checked ____ Survey by ____ Notes ____ Date 6-9-67
Date ____ Date ____ Map No. ____ Indexed C. J. GALLI Date ____

F.B. 32293 Pg. 115

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3293 Pg. 166 Job No 2408.14 Division No. Notes Red Plotted Profile
Survey of WATER WORKS #30 Date Date No. X-Sec.
Survey by J.F. Notes E.W. Notes Chkd. Checked No.
Indexed C.J. GALLI Date 6-9-61 Date Date

STATION	B.S.	H.I.	F.S.	ELEV.	E-W 1/4 SEC. LINE OF SEC. 27	
					LEFT & NORTH	RIGHT & SOUTH
		1736.96				
T.P.	0.85	1726.13	11.68	1725.28	T.P.	
17+00			6.7	19.4	℄ SIDE HILL	
			8.3	17.8	15° " "	
			5.8	20.3		15° SIDE HILL
T.P.	4.15	1719.46	10.82	1715.31	T.P.	
17+23			4.5	15.0	15° BRK. TO DRAIN	
17+31			4.5	15.0	℄ " " "	
17+42			9.7	09.8	15° DRAIN	
17+50			7.6	11.9		15° BRK TO DRAIN
+55			12.8	06.7	℄ BOTT. DRAIN	
			9.1	10.4	15° TOP BANK	
+63			14.2	05.3		15° BOT. DR.
+78			11.2	08.3	℄ TOP BANK	
18+00			11.1	08.4	℄ FLAT	
			12.3	07.2		15° TOP BANK
			10.3	09.2	15° FLAT	
T.P.	1.33	1709.33	11.46	1708.00	T.P.	
18+50			4.0	05.3	℄ FLAT	
			3.5	05.8	15° "	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. Division No.
No. X-Sec. Date Date Survey of WATER WORKS 36
No. Notes Chkd. Checked Survey by J.T. Notes C.J. Date 6-4-37
Date Date Map No. Indexed Date

F.B. 3295 Pg. 167

STATION	B. S.	H. I.	F. S.	ELEV.	E.-W. 1/4 SEC. LINE OF SEC. 27	
					LEFT & NORTH	RIGHT & SOUTH
		1709.33				
18+50			4.6	1704.7		15° FLAT
19+00			7.0	02.3	℄ FLAT	
			7.0	02.3	15° "	
			7.4	01.9		15° FLAT
19+50			8.9	00.4	℄ FLAT	
			8.8	00.5	15° "	
			9.9	1699.4		15° FLAT
20+00			10.3	99.0	℄ FLAT	
			9.8	99.5	15° "	
			11.0	98.3		15° FLAT
T. P.	3.07	1702.27	10.13	1699.20	T. P.	
20+29			4.4	97.9	℄ TOP DRAIN	
			5.7	96.6	15° " "	
			3.6	98.7		15° TOP DRAIN
20+47			7.7	94.6	℄ DRAIN	
			6.7	95.6	15° "	
			10.9	91.4		15° DRAIN
20+64			4.4	97.9	℄ TOP DRAIN	
			3.7	98.6	15° " "	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3273 PG. 168

Job No. 5408.4 Division No. ____ Notes Red ____ Plotted ____ Profile ____
Survey of Water Works D-36 Date ____ No. ____ X-Sec. ____
Survey by ____ Notes ____ Notes Chkd. ____ Checked ____ No. ____
Indexed C. J. GALLI Date 6-9-47 Date ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.	E.-W. Int. Sec. Line NE Cor. Sec. 27	
					LEFT & NORTH	RIGHT & SOUTH
		1702.27				
20+64 S-29 T.P.			4.9	1697.4	S-29 Fd. 1X2 & NL F.B.	15° Top Drain
20+82.32	5.84	1704.89	3.22	1699.05		
T.P.	3.85	1700.51	8.23	1696.66	T.P.	
T.P.	5.23	1698.05	7.69	1692.82	T.P.	
T.P.	1.25	1692.39	6.91	1691.14	T.P.	
T.P.	4.24	1685.43	11.20	1681.19	T.P.	
T.P.	2.86	1679.43	8.86	1676.57	T.P.	
B.M. P-34A			4.51	1674.92	B.M. P-34A & Fd. C.E. Brass Cap Mon. Elev = 1674.915 Per F.B. 2901-90	

Profile No. ____ X-Sec. No. ____

Notes Red ____ Date ____ Plotted ____ Date ____ Job No. 2408.14 Division No. ____

Notes Chkd. ____ Date ____ Checked ____ Date ____ Survey of W.W. DIST. No. 36 HASLEY CN. ROAD

Survey by J.P. MENNE Notes J.P.M Date 5-4-67

Map No. ____ Indexed C.J. GALLI Date SEP 12 '67

F.B. 3293 PG. 169

WATER WORKS DISTRICT No. 36

J.N. 2408.14

CENTER LINE ELEVATIONS
ON
HASLEY CANYON ROAD

FROM

DEL VALLE ROAD 0+00 W TO ROMERO CN. ROAD 67+27.51 P.I. No. 24

F.B. 3293 PGS TO 40

STATION	B.S.	H.I.	F.S.	ELEV.
			J.P. MENNE	
			V. LIEBER	

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76-L-298 CE 307 2-63

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3293 Pg. 170 | Job No. 24-8.14 | Division No. | Notes Red | Plotted | Profile
Survey of N.W. DIST. Jo. 36 HASLEY CN. RD. | Date | No. | X-Sec.
Survey by S.P. MENNE Notes J.P.M. | Notes Chkd. | Checked | No.
Indexed C.J. GALLI | Date | Date | Date

STATION	B.S.	H.I.	F.S.	ELEV.		
B.m. P-70				1217.99	B.m. P-70 EL. = 1217.993 F.B. 2901-103 INT. HASLEY CN. RD. & DEL VALLE RD. - 200' N.W. OF & ON NO. SIDE OF HASLEY CN. RD. 10.5' S.E. OF P.P. 726014 E - FD. C.I.S. MON. UP 6"	
ALL ELEVS. TAKEN ON A.C. PUMIT.						
0+00				1209 59	INTERSECTION OF DEL VALLE RD. & HASLEY CN.	FD. 2" I.P. IN WELL F.B. 3293-7-1
2+57				1216 12		
4+02				1220 73		
5+14.90				1223 28	P.I. 13-A Pg. 8	
8+15				1231 38		
11+15				1238 53		
13+54.39				1245 04	P.I. 14-A Pg. 9	
14+74				1248 32		
17+74				1255 08		
20+74				1263 82		
21+19.13				1265 22	P.I. 15-A Pg. 10	
24+19				1274 23		
25+55.24				1277 47	P.I. 16-A Pg. 11	
26+30				1279 50		
29+30				1289 76		
31+67.08				1298 74	P.I. 17 Pg. 12	
33+16.00				1300 23		
33+53.38				1303 56	P.I. 18 Pg. 13	
35+26				1308 63		

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	
37 +31				1311 70	
38+89.17				1315 67	P.I.-19 Pg. 14
39 +67				1318 88	
41 +05. 40				1323 50	P.I. 20 Pg. 15
41+75				1323 74	
43 +89.50				1328 82	P.I. 21 Pg. 16
45 +39				1333 15	
46 ± 89				1335 74	
48+ 43.91				1339 19	INTER. HASLEY CN. RD. & SLOAN CN. RD. Pg. 17
49 +54				1341 92	
51+00				1345 01	
52 +65				1350 28	
53+67.07				1353 45	P.I. 22 Pg. 18
54 +47				1355 39	
56 + 57				1365 24	
59 + 33.77				1379 09	P.I. 23 Pg. 19
61 +00				1380 93	
62+ 14. 59				1380 20	INTER. HASLEY CN. RD. & SEC. LN. Pg. 20
63+ 64				1377 98	
65 ± 44				1382 18	
67 + 27.51				1388 16	P.I. 24 Pg. 21

Profile Notes Red. Plotted Job No. 2408.14 Division No.
No. X-Sec. Date Date Survey of L.A. Co. Dist. No. 36 HASLEY CN. RD.
Notes Chkd. Checked Survey by S.P. MENNE Notes S.P.M. Date 5-4-67
No. Date Date Map No. Indexed C.J. GALL Date

F.B. 3293 Pg. 191

76-L-298 CE 307 2-83

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

F.B. 3293 Pg. 172 | Job No. 2804.14 Division No. Notes Red Plotted Profile
Survey of W.W. DIST. No. 36 Date Date No. X-Sec.
Survey by MENUK Notes J.P.M. Notes Chkd. Checked No.
Indexed C.J. GALLI Date Date Date

Do not extend notes this side of this line.

STATION	B.S.	H.I.	F.S.	ELEV.		
B.M. 56-A				1337.63	B.M. 56-A EL.= 1337.63 F.B. 2901 - 100 HASLEY CN. ROAD. S.W. SIDE NEAR SLOAN CAN. RD. INTER. 5' WEST OF P.P. NO. 726031E - FD. L.A.C. ENG. B.M. MON. (UP 6")	

Notes Ck'd by	Survey of WATERWORKS #36
Map No.	JN 0301.02 Tape Std °F
Office Work	Surveyed by E. J. ASH
Checked	Notes C.Y. Date 7-67
Date	Indexed C. J. CALL

F.B. 3293 Pg. 173

WATERWORKS #36

SELECT LEVELS FROM HADLEY
CYN. RD. NW. OF TOYON CYN.
PER 1901 CAM. TO B.M. P-34-A
F.B. 2901-90 IN SEC. 27 T 5N
R17W IN SLOAN CANYON

J.N. 030102

JULY 1967

REF: F.B. 2901
2993

PARTY
C. YEE
E. ASH
R. SMITH

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
603 Los Angeles County Engineering Bldg.

7GP3098 CK #310 8-66

F.B. 3293 Pg. 174

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED_____ JOB NO. 0301.02 SURVEY OF W.W. # 36
DATE_____ SURVEY BY T.B.R. RAMOS A
NOTES CHK'D_____ NOTES BY Y. ASUI DATE 7-67
DATE_____ INDEXED_____ DATE_____

F.B. 3243 PG. 115

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
B.M. P56A	1337.631					B.M. P-56A ELEV. = 1337.231 FD. C.E. BUTTON MON. 2" I.P. & BRASS CAP SET CONC. UP 6 50' W. OF P.P. # 72C031E ON S.W. SIDE OF HASLEY CYN RD. PER F.B. 2901-100
+	5.034		4.644			
K	1342.665	+1.665	+1.666	1.664		
−	3.369		2.978			
T.B.M.	1339.296				1339.295	T.B.M. ELEV. = ~~1339.311~~ FD. BT. SPK. IN EAST SIDE TEL. POLE #45298 1H C.E. SIDE HASLEY CYN RD. PER F.B. 2901-100
+	8.533		8.615			
K	1347.829	+7.756	+7.755	7.755		
−	0.777		0.860			
T.P.	1347.052					
+	9.552		9.834			
K	1356.604	+8.889	+8.888	8.888		
−	0.663		0.946			
T.P.	1355.941					
+	9.390		9.453			
K	1365.331	+8.740	+8.737	8.739		
−	0.650		0.716			
T.P.	1364.681					
+	11.958		12.006			
K	1376.639	+11.616	+11.614	11.615		
−	0.342		0.392			
T.P.	1376.297					
+	9.076		9.156			
K	1385.373	+2.580	+2.577	2.579		
−	6.496		6.579			
T.P.	1378.877					
+	4.789		4.863			
K	1383.666	+4.062	4.063	4.061		
−	0.727		0.800			
T.P.	1382.939					

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 03101.02 SURVEY OF W.W. # 36 NOTES RED. DATE
SURVEY BY TERRANOVA
NOTES BY YASUI DATE 7-67 NOTES CHKD. DATE
INDEXED C.J. GALLI DATE

F.B. 3243 Pg. 176

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1382.939					
+	7.677		7.772			
=	1390.616	+4.461	+4.461	4.460		
−	3.216		3.311			
T.B.M.#1	1387.400				1387.392	T.B.M.#1 = P.I. #24 = ELEV. =
+	5.079		4.907			F.D. & L.P. IN C.L. & C.E. IN 24"
=	1392.479	−0.692	−0.690	.693		DIA. CMP STD C.E. WELL & CAP
−	5.771		5.597			F.B. 3243-21
T.B.M.#2	1386.708					T.B.M. #2 - ELEV. = 41 FT. ±
+	2.766		3.009			S.E.LY. OF P.I. #24 - F.D. & T. IN
=	1389.474	−0.524	−0.523	.525		S.W. SIDE OF P.I. #1386.95 ON
−	3.290		3.532			N.E.LY. SIDE OF HASLEY CAN. RD.
T.P.	1386.184					60 ± FT.
+	6.108		5.943			
=	1392.292	+5.693	+5.691	5.692		
−	0.415		0.252			
T.P.	1391.877					
+	6.083		6.066			
=	1397.960	+4.945	+4.947	4.944		
−	1.138		1.119			
T.P.	1396.822					
+	5.988		5.909			
=	1402.810	+4.803	+4.800	4.802		
−	1.185		1.109			
T.P.	1401.625					
+	6.011		5.876			
=	1407.636	+4.836	+4.829	4.829		
−	1.181		1.047			
T.P.	1406.455					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 0301.02 SURVEY OF W.W. # 36
DATE SURVEY BY S. TERRAZAS/VA
NOTES CHKD. NOTES BY JASU DATE 7-67
DATE INDEXED DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P	1406.455					
+	5.701		5.588			
=	1412.156	+4.768	+4.769	4.767		
−	0.933		0.819			
T.P.	1411.223					
+	5.962		5.916			
=	1417.185	+5.754	+5.756	5753		
−	0.208		0.160			
T.P.	1416.977					
+	6.089		5.952			
=	1423.066	+5.322	+5.319	5321		
−	0.767		0.633			
T.P.	1422.299					
+	5.999		5.818			
=	1428.298	+5.434	+5.435	5433		
−	0.565		0.383			
B.M.-1	1427.733			—	1427.715	B.M.-1 ELEV. = 3'W. & 2'S. OF S.W. COR. OF SEC. 34-T5N-R17W. FD. A.C.E. BUTTON TYPE MON.-UP 4" MKD. R.E. 5869
+	6.199		6.095			
=	1433.932	+5.559	5.558	5558		
−	0.640		0.537			
T.P.	1433.292					
+	6.196		6.051			
=	1439.488	+3.501	+3.501	3500		
−	2.695		2.550			
T.P.	1436.793					
+	5.772		5.814			
=	1442.565	+3.350	+3.351	3349		
−	2.422		2.463			
T.P.	1440.143					

F.B. 3743 Pg. 17

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 030102 SURVEY OF L.W. # 36 NOTES RED
SURVEY BY TERRAMOVA DATE
NOTES BY YASUI DATE 7-67 NOTES CHKD.
INDEXED C.J. GALLI DATE

F.B. 3243 Pg. 178

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1440.143					
+	6.184		6.049			
X	1446.327	+4.775	+4.774	4.774		
−	1.409		1.275			
T.P.	1444.918					
+	6.141		6.037			
X	1451.059	+4.580	4.579	4579		
−	1.561		1.458			
T.P.	1449.498					
+	6.212		6.092			
X	1455.710	+5.059	+5.060	5.058		
−	1.153		1.032			
T.P.	1454.557					
+	6.108		5.919			
X	1460.665	+4.629	+4.630	4.628		
−	1.479		1.289			
T.P.	1459.186					
+	5.877		5.699			
X	1465.063	+2.806	+2.799	2.799		
−	3.077		2.900			
T.P.	1461.986					
+	6.194		6.049			
X	1468.180	+5.955	+5.957	5.954		
−	0.239		0.092			
T.P.	1467.941					
+	5.826		5.999			
X	1473.767	+2.619	+2.621	2.618		
−	3.207		3.378			
T.P.	1470.560					

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

NOTES RED. JOB NO 0301.02 SURVEY OF W.W. # 36
DATE SURVEY BY T. ERR. ANOVA DATE 7-67
NOTES CHKD NOTES BY YASUI DATE
DATE INDEXED DATE

F.B. 3743 PG. 139

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1470.560					
+	5.657		5.581			
=	1476.217	+2.673	+2.673	2.672		
−	2.984		2.908			1473.233
TBM #3	1473.233				1473.204	T.B.M. #3 - ELEV. = 0.3 MI. N. OF
+	2.942		2.879			S.W. COR. SEC. 34 - T5N - R17W. @
=	1476.175	-0.070	-0.071	.071		E. ED. OF DIRT RD. SET LG. BT.
−	3.012		2.950			SPK. W. & T. IN CYPOTCH 9 = 3
T.P.	1473.163					PRONG 24" OAK
+	6.205		6.092			
=	1479.368	+4.976	+4.975	4.975		
−	1.229		1.117			
T.P.	1478.139					
+	5.589		5.283			
=	1483.728	+4.097	+4.094	4.096		
−	1.492		1.189			
T.P.	1482.236					
+	6.192		6.162			
=	1488.428	+5.611	+5.611	5.610		
−	0.581		0.551			
T.P.	1487.847					
+	6.232		6.188			
=	1494.079	+4.150	+4.147	4.149		
−	2.082		2.041			
T.P.	1491.997					
+	6.176		6.108			
=	1498.173	+3.865	3.866	3.864		
−	2.311		2.242			
T.P.	1495.862					

769420 8 & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0301.07 SURVEY OF W.W. # 36 NOTES RED.
SURVEY BY TERRAMAR A DATE
NOTES BY YASUI DATE 7-67 NOTES CHKD
INDEXED C.J. GALLI DATE DATE

F.B. 3743 Pg. 160

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1495.862					
+	5.953		5.909			
⌅	1501.815	+4.690	+4.690	4.689		
−	1.263		1.219			
T.P.	1500.552					
+	6.153		6.123			
⌅	1506.705	+4.755	+4.755	4754		
−	1.398		1.368			
T.P.	1505.307					
+	6.087		6.012			
⌅	1511.394	+4.421	+4.418	4420		
−	1.666		1.594			
T.P.	1509.728					
+	6.175		6.092			
⌅	1515.903	+5.459	+5.456	5456		
−	0.718		0.636			
¼ COR.	1515.185				1515.146	¼ COR. ELEV.= WEST ¼ COR. SEC. 34 - T5N - R17W. FD. C.S. 4/64 FLUSH F.B. 3293 - 72
+	6.020		6.077			
⌅	1521.205	+3.536	+3.535	3535		
−	2.484		2.542			
T.P.	1518.721					
+	6.229		6.172			
⌅	1524.950	+5.661	+5.663	5.660		
−	0.568		0.509			
T.P.	1524.382					
+	6.175		6.139			
⌅	1530.557	+6.012	+6.011	6.011		
−	0.163		0.128			
T.P.	1530.394					

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T. P.	1530.394					
+	6.137		6.180			
=	1536.531	+6.090	+6.087	6.089		
−	0.047		0.093			
T. P	1536.484					
+	5.993		5.960			
=	1542.477	+5.656	+5.656	5.655		
−	0.337		0.304			
T. P.	1542.140					
+	6.120		6.172			
=	1548.260	+6.039	+6.039	6.038		
−	0.081		0.133			
T. P	1548.179					
+	6.129		6.081			
=	1554.308	+4.520	+4.519	4.519		
−	1.609		1.562			
T.B.M #4	1552.699				1552.693	T.B.M. #4 - ELEV. = 165 FT ± E. OF W. 1/4 COR. SEC. 34. FD. 2" I.P. W/C.E. TAG. FLUSH. F.B. 3293-72
+	0.211		0.171			
=	1552.910	-5.823	-5.823	5824		
−	6.034		5.994			
T. P.	1546.876					
+	0.316		0.277			
=	1547.192	-5.597	-5.598	5.598		
−	5.913		5.875			
T. P.	1541.279					
+	0.615		0.587			
=	1541.894	-5.371	-5.370	5.372		
−	5.986		5.957			
T. P.	1535.908					

NOTES RED. JOB NO. 0301.072 SURVEY OF W.W. #36
DATE SURVEY BY T. ERCANWA
NOTES CHKD. NOTES BY Y. ASUI DATE 7-67
DATE INDEXED DATE

F.B. 3743 PG. 181

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0301.07 SURVEY OF W.W. #36
SURVEY BY TERRAVISTA
NOTES BY YASUI DATE 7-67
INDEXED G.J. GALATI DATE
NOTES RED. DATE
NOTES CHKD. DATE

F. B. 3243 Pg. 182

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1535.908					
+	0.304		0.279			
=	1536.212	-5.767	-5.768	5.768		
−	6.071		6.047			
T.P.	1530.141					
+	0.145		0.244			
=	1530.286	-5.774	-5.775	5.775		
−	5.919		6.019			
T.P.	1524.367					
+	0.253		0.300			
=	1524.620	-5.708	-5.707	5.709		
−	5.961		6.007			
T.P.	1518.659					
+	0.501		0.484			
=	1519.160	-5.394	-5.394	5.395		
−	5.895		5.878			
T.P.	1513.265					
+	5.725		5.699			
=	1518.990	+3.154	+3.156	3153		
−	2.571		2.543			
T.P.	1516.419					
+	4.779		4.756			
=	1521.198	+1.354	+1.354	1.353		
−	3.425		3.402			
T.B.M. #5	1517.773				1517.718	T.B.M. #5 - ELEV. = 750 ± E.
+	6.180		6.154			OF W 1/4 COR. SEC. 34 - FD 2" I.P.
=	1523.953	+4.258	4.256	4257		W/C.E. TAG - FLUSH. FB. 3293-73
−	1.922		1.898			
T.P.	1522.031					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0301.02 SURVEY OF W.W. # 36
DATE _____ SURVEY BY T.T. KIRANIVA
NOTES CHKD _____ NOTES BY Yasui DATE 7-67
DATE _____ INDEXED _____ DATE _____

F.B. 3743 Pg. 14 & 15

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1522.031					
+	6.231		6.212			
=	1528.262	+5.161	+5.163	5.160		
-	1.070		1.049			
T.P.	1527.192					
+	6.058		6.026			
=	1533.250	+4.464	+4.464	4.463		
-	1.594		1.562			
T.P.	1531.656					
+	5.997		6.041			
=	1537.653	+4.288	+4.288	4.287		
-	1.709		1.753			
T.P.	1535.944					
+	6.183		6.144			
=	1542.127	+5.954	+5.953	5.953		
-	0.229		0.191			
T.P.	1541.898					
+	6.186		6.141			
=	1548.084	+4.036	+4.034	4.035		
-	2.150		2.107			
T.P.	1545.934					
+	5.853		5.869			
=	1551.787	+5.393	5.396	5.392		
-	0.460		0.473			
T.P.	1551.327					
+	6.203		6.148			
=	1557.530	+5.203	5.205	5.202		
-	1.000		0.943			
T.P.	1556.530					

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 4301.02 SURVEY OF W.W. # 36 NOTES RED.
SURVEY BY TERRANOVA DATE NOTES CHKD
NOTES BY YASUI DATE 7-67 DATE
INDEXED C.J. GALLI DATE

F.B. 3293 Pg. 164

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1556.530					
+	6.080		5.998			
⌅	1562.610	+5.548	+5.546	5547		
−	0.532		0.452			
T.P.	1562.078					
+	6.081		6.040			
⌅	1568.159	+4.760	+4.758	4.759		
−	1.321		1.282			
T.P.	1566.838					
+	6.151		6.102			
⌅	1572.989	+4.049	+4.051	4.048		
−	2.102		2.051			
T.P.	1570.887					
+	4.589		4.533			
⌅	1575.476	+3.050	+3.048	3.049		
−	1.539		1.485			
T.P.	1573.937					
+	5.657		5.587			
⌅	1579.594	+3.431	+3.430	3.430		
−	2.226		2.157			
T.B.M. #6	1577.368		-		1577.300	T.B.M. #6 - ELEV. = 131.' W. OF N.W. 1/4-1/4 COR. SEC. 34 - FD. 2" I.P. W/C.E. TAG - FLUSH - F.B. 3293-113
+	6.147		6.131			
⌅	1583.515	+5.914	+5.914	5.913		
−	0.233		0.217			
T.P.	1583.282					
+	6.115		6.216			
⌅	1589.397	+6.059	6.058	6058		
−	0.056		0.158			
T.P.	1589.341					

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T. P.	1589.341					
+	5.974	1	6.028			
=	1595.315	+5.558	+5.558	5.551		
-	0.416		0.470			
T. P.	1594.899					
+	5.220		5.210			
=	1600.119	+3.720	3.721	3.719		
-	1.500		1.489			
N.W. 1/4-1/4	1598.619				1598.541	N.W. 1/4-1/4 SEC. 34 - ELEV. =
+	0.544	1	0.511			FD. C.E. H/H. - UP 4"
=	1599.163	-5.437	-5.436	5.438		F.B. 3293 - 94, 113
-	5.981		5.947			
T. P.	1593.182					
+	2.136		2.076			
=	1595.318	-1.661	-1.661	1.662		
-	3.797		3.737			
T. P.	1591.521					
+	6.023		5.914			
=	1597.544	+4.782	+4.784	4.781		
-	1.241		1.130			
T. P.	1596.303					
+	6.077	1	6.021			
=	1602.380	+1.263	1.261	1.261		
-	4.814		4.760			
T.B.M. #7	1597.566				1597.489	T.B.M. #7 - ELEV. = 454 FT. ±
+	6.095	1	6.001			N. OF N.W. 1/4-1/4 SEC. 34. FD.
=	1603.661	+4.211	4.211	4.210		2" I.P. W/ C.E. TAG - FLUSH -
-	1.884		1.790			F.B. 3293 - 114
T. P.	1601.777					

NOTES RED. JOB NO. 030102 SURVEY OF W.W. # 36
DATE SURVEY BY TERRANOVA
NOTES CHKD. NOTES BY YASUI DATE 7-67
DATE INDEXED. C.J. GALU DATE

F.B. 3293 pg. 105

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO 0301.02 SURVEY OF W.W. # 36
SURVEY BY TAKAHASHI DATE 7-67
NOTES BY YASUI DATE
INDEXED C.J. GALLI DATE
NOTES RED. DATE
NOTES CHKD DATE
F.B. 3293 Pg. 186

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	1601.777					
+	6.060	1	6.009			
=	1607.837	+2.622	+2.622	2.621		
-	3.438		3.387			
T.P.	1604.399					
+	6.218		6.198			
=	1610.617	+6.045	+6.044	6.044		
-	0.173		0.154			
T.P.	1610.444					
+	6.169	1	6.125			
=	1616.613	+5.750	+5.750	5.749		
-	0.419		0.375			
T.P.	1616.194					
+	4.797		4.767			
=	1620.991	+4.476	+4.477	4.475		
-	0.321		0.290			
T.P.	1620.670					
+	6.164		6.109			
=	1626.834	+4.064	+4.063	4.063		
-	2.100		2.046			
T.P.	1624.734					
+	1.848		1.900			
=	1626.582	-1.427	-1.429	1.429		
-	3.275		3.329			
W. 1/4-1/4	1623.307				1623.222	W. 1/4-1/4 SEC. 27/34 - ELEV. = FD. C.E. M/M. FLUSH. F.B. 3293 81, 116
+	6.416		6.324			
=	1629.723	+2.544	-2.545	2.543		
-	3.872		3.779			
T.P.	1625.851					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0301.07 SURVEY OF W.W. #36
DATE _____ SURVEY BY T. BARRAZA
NOTES CHKD _____ NOTES BY N. ASH DATE 7-67
DATE _____ INDEXED _____ DATE _____

F.B. 3743 Pg. 167

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	1625.851					
+	6.757	1	6.827			
=	1632.608	+4.289	+4.288	4.288		
-	2.468		2.537			
T.P.	1630.140					
+	8.904		8.973			
=	1639.044	+8.455	+8.457	8.454		
-	2.449	1	0.516			
T.B.M. #8	1636.595				1638.507	T.B.M. #8 - ELEV. = 500 FT ± N. & 35 FT ± E. OF W¼-¼ COR. SEC. 32, SET LG. BT. SPK. W. & T. IN STOCK OF 4 PRONG 24" OAK. ETLY OF DRAIN BOTTOM.
-	7.225		7.090			
+	1645.820	+4.491	+4.490	4490		
-	2.734	1	2.600			
T.P.	1643.086					
+	10.337	1	10.330			
=	1653.473	+3.198	+3.197	3.197		
-	1.189		1.132			
T.P.	1652.284					
+	11.175		11.100			
=	1663.459	+3.889	+3.891	3.888		
-	1.256	1	1.209			
T.P.	1662.173					
+	10.350		10.324			
=	1672.523	+3.634	+3.633	3.633		
-	0.716		0.691			
T.P.	1671.807					
+	11.279		11.319			
=	1683.086	+3.372	+3.371	3.371		
-	1.907	1	1.948			
T.P.	1681.179					

768420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO 3012 SURVEY OF W.W. # 36 NOTES RED
SURVEY BY TERRAJUNA DATE
NOTES BY YASUI DATE 7-67 NOTES CHKD
INDEXED C.J. GALLI DATE

F.B. 3293 Pg. 108

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	1681.179					
+	9.221		9.188			
=	1690.400	+7.839	+7.840	7.838		
-	1.382		1.348			
S.W. 1/4-1/4	1689.018				1688.124	S.W. 1/4-1/4 SEC. 27 - ELEV.=
+	10.811		10.781			FD. C.E. H/OW. UP 2" F.B. 3293 -
=	1699.829	+8.799	+8.799	8.798		109, 117
-	2.012		1.982			
T.O.	1697.817					
+	11.551		11.443			
=	1709.368	+8.237	+8.288	8.286		
-	3.264		3.155			
T.P.	1706.104					
+	10.301		10.250			
=	1716.405	+7.950	+7.949	7.949		
-	2.351		2.301			
T.B.M. #9	1714.054				1713.957	T.B.M. #9 - ELEV. = 300 FT. ± N. OF
+	3.353		3.311			S.W. 1/4-1/4 SEC. 27. FD. 2" I.P. W/ C.E. TAG
=	1717.407	-4.045	-4.044	4.046		FLUSH - F.B. 3293 - 118
-	7.398		7.355			
T.B.M. #10	1710.009				1709.911	T.B.M. #10 - ELEV. = 300 FT ± N. &
+	6.739		6.688			50 FT. ± E. OF S.W. 1/4-1/4 SEC. 27.
=	1716.748	+5.264	+5.262	5.263		FD. 2" I.P. W/ C.E. TAG - FLUSH
-	1.475		1.426			F.B. 3293 - 118
T.P.	1715.273					
+	8.489		8.514			
=	1723.762	+7.916	+7.915	7.915		
-	0.573		0.574			
T.P.	1723.189					

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 0301.07 SURVEY OF W.W. #36
DATE _____ SURVEY BY T. REGALADO
NOTES CHKD _____ NOTES BY V. ASUI DATE 7-67
DATE _____ INDEXED C. J. GALLI DATE _____
F.B. 3213 Pg. 189

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	1723.189					
+	7.564		7.608			
=	1730.753	+4.911	+4.910	4.910		
-	2.653		2.698			
T.B.M. #11	1728.100				1727.999	T.B.M. #11 - ELEV. = 580 FT. ±
+	4.732		4.702			N. & 50 FT ± E. OF S.W. 1/4 - 1/4
=	1732.832	-6.866	-6.867	6.86		SEC. 27, FD. 2" I.P. W/ C.E. TAG
-	11.598		11.569			FLUSH - F.B. 3293 - 119
T.P.	1721.234					
+	2.755		2.699			
=	1723.989	-8.068	-8.068	8.069		
-	10.823		10.767			
T.P.	1713.166					
+	0.707		0.784			
=	1713.873	-5.230	-5.232	5231		
-	5.937		6.016			
T.B.M. #12	1707.936				1707.834	T.B.M. #12 - ELEV. = 590 FT. ±
+	6.592		6.821			N. & 343 FT ± E. OF S.W. 1/4 - 1/4 - FD.
=	1714.528	+6.109	+6.111	6.108		2" I.P. W/ C.E. TAG FLUSH F.B. 3293-120
-	0.485		0.710			
T.B.M #13	1714.045				1713.939	T.B.M. #13 - ELEV. = 4 PT IN
+	6.369		6.332			PROPOSED W. LINE - FD. 2" I.P. W/
=	1720.414	+0.977	+0.975	967		C.E. TAG - FLUSH - F.B. 3293 - 121
-	5.392		5.357			
T.B.M #14	1715.022				1714.915	T.B.M. #14 - ELEV. = 4 PT. IN
+	8.751		8.737			PROPOSED W. LINE - FD. 2" I.P. W/
=	1723.773	+7.481	+7.483	7.480		C.E. TAG - FLUSH - F.B. 3293 - 122
-	1.270		1.254			
T.B.M. #15	1722.503				1722.395	T.B.M. #15 - ELEV. = 4 PT IN
						PROPOSED W. LINE - FD. 2" I.P. W/ C.E.
						TAG - F.B. 3293 - 123

766420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. DATE
NOTES CHKD. DATE

JOB NO. 0361.07 SURVEY OF W.W. # 36
SURVEY BY TERRAZAS
NOTES BY YASUI DATE 7-67
INDEXED C.J. GALLI DATE

F.B. 3293 Pg. 190

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.B.M. # 15	1722.503					
+	10.131	1	10.169			
=	1732.634	+8.632	+8.630	8,631		
-	1.499		1.539			
T.P.	1731.135					
+	6.611	1	6.567			
=	1737.746	+4.326	+4.328	4,325		
-	2.285		2.238			
T.B.M. # 16	1735.461				1935.351	T.B.M. # 16 - ELEV. = INT. OF PROPOSED W. LINE & E.W. 1/4 SEC. LINE OF SEC. 27. FD. 2" I.P. W/ C.E. FLUSH. F.B. 3293 - 123
+	6.099	1	6.153			
=	1741.560	+2.525	+2.522	2,523		
-	3.574		3.631			
B.M. - 2	1737.986				1737.874	B.M. - 2 · ELEV. = 760 FT. I.W. OF CENTER SEC. 27 T5N - R17W. SET # C.E. BUTTON TYPE MON. UP 4" MKD. R.E. 5869 - F.B. 3293 - 101
+	1.319	1	1.450			
=	1739.305	-8.113	-8.113	8,114		
-	9.432		9.563			
T.P.	1729.873					
+	3.155		3.108			
=	1733.028	-8.518	-8.516	8,519		
-	11.673		11.624			
T.P.	1721.355					
+	2.229	1	2.268			
=	1723.584	-4.732	-4.731	4.733		
-	6.961		6.999			
T.P.	1716.623					
+	2.459	1	2.483			
=	1719.082	-1.329	-1.330	1.330		
-	3.788		3.813			
T.P.	1715.294					

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO. 0301.07 SURVEY OF W.W. #36
DATE _____ SURVEY BY T.E. REANNA
NOTES CHKD _____ NOTES BY _____ DATE 7-67
DATE _____ INDEXED _____ DATE _____

F.B. 3293 Pg. 191

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	1715.294					
+	0.779		0.824			
⊼	1716.073	-6.156	-6.156	6.157		
−	6.735		6.980			
T.P.	1709.138					
+	9.682		9.734			
⊼	1718.820	+8.419	+8.418	8418		
−	1.263		1.316			
T.P.	1717.557					
+	9.464		9.500			
⊼	1727.021	+8.566	+8.567	8.565		
−	0.898		0.933			
T.P.	1726.123					
+	11.602		11.649			
⊼	1737.725	+10.018	+10.018	10.017		
−	1.584		1.631			
T.P.	1736.141					
+	11.624		11.663			
⊼	1747.765	+9.009	+9.010	9006		
−	2.617		2.653			
T.P.	1745.148					
+	11.911		11.890			
⊼	1757.059	+11.566	+11.567	11.565		
−	0.345		0.323			
T.P.	1756.714					
+	11.728		11.815			
⊼	1768.442	+11.372	+11.373	11.371		
−	0.356		0.442			
T.P.	1768.086					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. DATE
NOTES CHKD. DATE 3-11-67

JOB NO. 030162 SURVEY OF W.W. #36
SURVEY BY TERAJIMA
NOTES BY YASUI DATE 7-67
INDEXED C.J. GALLI DATE

F.B. 3293 PG. 142

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	1768.086					
+	11.383		11.428			
℄	1779.469	+10.283	+10.283	10,282		
−	1.100		1.145			
T.P.	1778.369					
+	11.797		11.857			
℄	1790.166	+10.483	+10.483	10,482		
−	1.314		1.374			
T.P.	1788.852					
+	11.794		11.820			
℄	1800.646	+11.425	+11.426	11,424		
−	0.369		0.394			
T.P.	1800.277					
+	10.829		10.974			
℄	1811.106	+4.945	+4.944	4,944		
−	5.884		6.030			
T.P.	1805.222					
+	0.380		0.423			
℄	1805.602	-10.971	-10.973	10,973		
−	11.351		11.396			
T.P.	1794.251					
+	1.054		1.072			
℄	1795.305	-10.438	-10.438	10,439		
−	11.492		11.510			
T.P.	1783.813					
+	4.343		4.413			
℄	1788.156	-6.836	-6.836	6,837		1/4-1/4 COR. - S.W. 1/4 SEC 27-T5N-R7W
−	11.179		11.249			ELEV. = 1776.66 - FD. A. STD. BRASS
1/4-1/4	1776.977				1776.846	CAP H/ON. IN ROCK H/D. - F.B. 3293-60

768420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED _____ JOB NO 6301.02 SURVEY OF W.W. # 36 F.B. 3243 Pg. 193
DATE _____ SURVEY BY T. & LEANN A
NOTES CHKD _____ NOTES BY Y. ASUI DATE 7-67
DATE _____ INDEXED C.J. GALLI DATE

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	1776.977					
+	0.683		0.671			
⊼	1777.660	-11.167	-11.167	11.168		
−	11.850		11.838			
T.P.	1765.810					
+	0.482		0.680			
⊼	1766.292	-10.951	-10.952	10.957		
−	11.433		11.632			
T.P.	1754.859					
+	0.242		0.360			
⊼	1755.101	-11.566	-11.565	11.567		
−	11.808		11.925			
T.P.	1743.293					
+	0.415		0.447			
⊼	1743.708	-10.949	-10.949	10.950		
−	11.364		11.396			
T.P.	1732.344					
+	0.360		0.382			
⊼	1732.704	-11.427	-11.427	11.429		
−	11.787		11.809			
T.P.	1720.917					
+	0.369		0.309			
⊼	1721.286	-11.382	-11.383	11.383		
−	11.751		11.692			
T.P.	1709.535					
+	0.322		0.379			
⊼	1709.857	-11.477	-11.478	11.418		
−	11.799		11.857			
T.P.	1698.058					

765420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 0301.02 SURVEY OF W.W. # 36
SURVEY BY TERRAJUNA
NOTES BY YASUI DATE 7-67
INDEXED C.J. GALLI DATE
NOTES RED. DATE
NOTES CHKD. DATE

F.B. 3243 PG. 194

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	1698.058					
+	0.276		0.367			
∧	1698.334	-11.290	-11.290	11,291		
−	11.566		11.657			
T.P.	1686.768					
+	0.288		0.368			
∧	1687.056	-10.889	10.888	10890		
−	11.177		11.256			
T.P.	1675.879					
+	0.392		0.600			
∧	1676.271	-9.841	-9 842	9843		
−	10.233		10.442			
T.P.	1666.038					
+	0.740		0.518			
∧	1666.778	-11.036	-11.036	1037		
−	11.776		11.554			
T.P.	1655.002					
+	0.485		0.575			
∧	1655.487	-9.672	-9.673	9673		
−	10.157		10.248			
T.P.	1645.330					
+	0.514		0.631			
∧	1645.844	-8.277	-8.278	8.279		
−	8.791		8.909			
T.P.	1637.053					
+	5.293		5.341			
∧	1642.346	+3.836	+3.838	3835		
−	1.457		1.503			
T.P.	1640.889					

769420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
	1640.889					
+	11.182		11.218			
=	1652.071	+9.442	+9.443	9.441		
−	1.740		1.775			
T.P.	1650.331					
+	8.693		8.745			
=	1659.024	+3.213	+3.214	3212		
−	5.480		5.531			
T.P.	1653.544					
+	10.729		10.810			
=	1664.273	+7.032	+7.034	7031		
−	3.697		3.776			
T.P.	1660.576					
+	6.661		6.694			
=	1667.237	+5.828	+5.827	5827		
−	0.833		0.867			
T.P.	1666.404					
+	9.428		9.474			
=	1675.832	+8.663	+8.663	8862		
−	0.765		0.811			
B.M.P34A	1675.067				1674.915	B.M. P-34A - ELEV. = 1674.915 - FD. A STD. C.E. BRASS CAP M/H. M.C. B.M. P34A F.B. 2901-90

NOTES RED _____ JOB NO. 0307.01 SURVEY OF W.W. #36
DATE _____ SURVEY BY T. BERGANZA
NOTES CHKD _____ NOTES BY V. ASOI DATE 7-67
DATE 7-11-67 INDEXED C.J. GALLI DATE

F.B. 3793 PG. 19

F. B. 3293 PG. 196

JOB NO. 0301.02 SURVEY OF W.W. #36 NOTES RED.
SURVEY BY TORRANCE A DATE
NOTES BY YASUI DATE 7-67 NOTES CHKD. CHURCH
INDEXED DATE DATE

PROFILE

ROMERO CANYON

PGS. 197 TO 218

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

768420 S & E-383-8-58

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	PROPOSED W. LINE (ROMEPOCYM) LEFT & WEST	RIGHT & EAST
T.B.M. #1	NOTE.			1337 40	T.B.M. #1 = P.I. #24 - FD. 2" I.P. & COND. PL. & 9E. T24. DIM. 10" IN STD. C.E.	
LG. BT. SPK. @ 0+00 IS 58.4L S.E. OF P.I. #24					WE-L & CAP. F.B. 3293-21	
0+00 M.				1386 21	FD. LG. BT. SPK. W/ & TAG ON SEC. & NE SHOP. FD. #4 N.E. COR. TABLEY 1/4 CO. & F.B. 3293-63	
				86 52	20'. POINT	
				86 01		13' N. ED. CO.
				83 3		32' BT. BANK
				80 2		INT W/E. LINE SEC. 4
0+21				86 91		N. ED. CO.
0+38				87 0		TOP OF BK.
0+71				85 0		BT. OF BANK
1+00				84 5		FLAT
				85 6	9' BT. BANK	
				89 2	23' TOP BANK	
				89 1	33' E. ED. DIRT RD.	
				81 0		INT W/E LINE SEC 4
2+00				85 3		FLAT
				86 5	33' TOP OF BANK	
				85 9	39' E. ED. DIRT CO.	
				82 7		INT W/E LINE SEC. 4

Profile Notes Red Plotted Job No. 2408.1K Division No.
No. X-Sec. Date Date Survey of WATERWORKS #36
No. Date Notes Chkd. Checked Survey by J.T. Notes C.J. Date 5-14-67
Date Map No. Indexed C.J. GALLI Date
F.B. Pg. 197

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 32993 PG. 198

Survey of WATERWORKS #36 Division No. Job No. 2408-K Notes Red Date Plotted Date Profile No.
Survey by J.T. Notes J.T. Date 8-14-57 Notes Chkd. Checked Date X-Sec. No.
Indexed C. J. GALLI Date Date

STATION	B. S.	H. I.	F. S.	ELEV.	PROPOSED W. LINE (POMERO CYN.) LEFT & WEST	RIGHT & EAST
3+00				1398 1		FLAT
				88 6	23' TOP BUCK	
				88 1	30' E. ED. DIRT CO.	
				87 3		INT W/E. LINE SEC. 4
4+00				92 2		FLAT
				92 3	13' TOP BUCK	
				91 4	20' E. ED. DIRT CO.	
				90 5		INT W/E. LINE SEC. 4
5+00				75 7		FLAT
				96 2	9' TOP BUCK	
				74 5	22' E. ED. DIRT CO.	
				73 6		INT W/E. LINE SEC. 4
6+00				78 2		FLAT
				98 3	12' TOP BUCK	
				97 5	20' E. ED. DIRT CO.	
				95 7		INT W/E. LINE SEC. 4
7+00				140 0		FLAT
				01 1	14' TOP BUCK	
				00 8	25' E. ED. DIRT CO.	
				1399 8		INT W/E. LINE SEC. 4

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. ____ Notes Red ____ Plotted ____ Job No. 548.14 Division No. ____
X-Sec. No. ____ Date ____ Date ____ Survey of WATERWORKS F.B. 2293 Pg. 199
Notes Chkd. ____ Checked ____ Survey by ____ Notes ____ Date ____
Date ____ Date ____ Map No. ____ Indexed C.J. CALL Date ____

STATION	B. S.	H. I.	F. S.	ELEV.	PROPOSED W. LINE (POMEPO CAN.) LEFT & WEST	RIGHT & EAST
8+00				4[illegible]5		FLAT
				040	19' Top Bank	
				[illegible]	26' E. Ed. Dist Co.	
				030		To M/E. Line Sec 4
9+00				037		FLAT
				035	5' Top Bank	
				073	7' Bot. Bank	
				032	19' E. Ed. Dist Co.	
				034		To M/E. Line Sec 4
10+00				135		FLAT
				136	14' Top Bank	
				132	19' E. Ed. Dist Co.	
				128		To M/E. Line Sec 4
11+00				181		FLAT
				184	12' E. Ed. Dist Co	
				174		26' FLAT
12+00				224		FLAT
				227	9' E. Ed. Dist Co	
				221		14' FLAT

HIGH RD. LEVELED

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3293 Pg. 2.0

Job No. 4408.4 Division No. Notes Red Plotted Profile
Survey of WATERWORKS #30 Date Date No. X-Sec.
Survey by J.T. Notes Notes Chkd. Checked
Indexed C.J. GALLI Date 3-14-67 Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.	ROADWAY (PAVED)
					LEFT & WEST
13+00				426 0	
13+15.00 TO S.W. COR. OF SEC. 34 F.B. 3293-64					FLAT
				35 7	10' W. ED. DIRT RD
				26 1	27' W. " " "
				26 0	
14+00				30 3	4' E. FLAT
				30 0	FLAT
				30 0	8' E. ED. DIRT RD.
				30 0	27' W. " " "
15+00				34 4	
				34 2	FLAT
				34 2	5' E. ED. DIRT RD.
				34 2	25' W. " " "
15+36				33 9	
				35 0	LOW SPOT
				35 2	7' E. ED. DIRT RD
16+00				36 5	25' W. " " "
				36 1	FLAT
				36 4	6' E. ED. DIRT RD
17+00				38 0	25' W. " " "
				38 1	FLAT
				38 2	6' E. ED. DIRT RD.
				40 9	21' W. " " "
18+00					FLAT

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red Plotted Job No. 2498.4 Division No.
No. X-Sec. Date Date Survey of WOODSTOCK & 36
No. Date Notes Chkd. Checked Survey by J.T. Notes J.T. Date 8-13-61
Date Date Map No. Indexed Date

F.B. 3273 Pg. 201

STATION	B. S.	H. I.	F. S.	ELEV.	PROPOSED W. LINE	ROMERO CYN.
					LEFT & WEST.	RIGHT & EAST
18+00				40 7	5' E. ED. DIRT RD.	
				40 8	5' W. " " "	
19+00		4.8 ED		45 0		FLAT
				44 2	4' E. ED. DIRT RD.	
				44 1	25' W. " " "	
20+00				47 9		FLAT
				47 3	5' E. ED. DIRT RD.	
				47 1	25' W. " " "	
20+31		RD		48 2		W. BANK OF DR.
				48 3	6' E. ED. DIRT RD.	
				48 1	26' W. " " "	
				45 7		6' DR. BOTTOM
20+58				47 0		DR. BOTTOM
				49 1	8' ED. DIRT RD.	
				49 2	27' W. ED. DIRT RD	
				46 4		10' E. ED. DR. BT.
20+90		4.7 CYN		48 4		HD. OF DR.
				49 8	9' E. ED. DIRT RD.	
				50 1	25' W. " " "	
				47 9		17' E. ED. DR. BT.

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3293 PG. 202 Job No. 2208.4 Division No. Profile
Survey of WESTFIELD SAN GABRIEL No. X-Sec.
Survey by C. J. GALLI Notes Date 3-15-61 Checked Date
Indexed Date Notes Red Date Notes Chkd. Date

STATION	B. S.	H. I.	F. S.	ELEV.	PROPOSED W. LINE LEFT & WEST	(ROJERO CYN.) RIGHT & EAST
21+00				1448 6		W. ED. OF DR.
				50 0	8' E. ED. DIRT RD.	
				50 3	25' W. " " "	
				48 2		12' E. ED. OF DR.
21+18				51 6		N. BK. TO DRAIN
				50 4	1' E. ED. DIRT RD.	
				50 7	23' W. " " "	
				51 7		10' FLAT
22+00				53 7		FLAT
				53 8	4' E. ED. DIRT RD.	
				53 3	25' W. " " "	
				53 9		10' FLAT
23+00				58 8		TOP BURM
				58 0	4' E. ED. DIRT RD.	
				57 8	24' W. " " "	
				57 8		4' BT. BURM
				57 7		10' FLAT
24+00				61 1		TOP BURM
				60 3	6' E. ED. DIRT RD.	
				60 4	24' W. " " "	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No 2733.4 Division No. ____
No. ____ Date ____ Date ____ Survey of WATERWORKS 2 ____
X-Sec. Notes Chkd. ____ Checked ____ Survey by J.T. Notes ____ Date ____
No. ____ Date ____ Date ____ Map No. ____ Indexed ____ Date ____

F.B. 3273 PG. 203

STATION	B. S.	H. I.	F. S.	ELEV.	PROPOSED W. LINE (ROMERO CANYON)	
					LEFT & WEST	RIGHT & EAST
24+00				1459.8		7' BT. SLOPE
				59.2		15' FLAT
24+74				60.5		LOW SPOT
				61.3	6' E. ED. DIST ED.	
				61.4	25' W. " " "	
				60.5		15' LOW SPOT
25+00				61.6		FLAT
				61.6	7' E. ED. DIST ED.	
				61.9	35' W. " " "	
				61.7		15' FLAT
25+56				64.7		FLAT
				63.9	7' E. ED. DIST ED.	
				63.8	37' W. " " "	
				63.5		15' FLAT
26+00				65.6		FLAT
				64.9	9' E. ED. DIST ED.	
				64.6	28' W. " " "	
				64.6		15' FLAT
27+00				68.0		FLAT
				69.0	9' BT. TO ED.	

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3293 Pg. 264 | Job No. 3293 | Division No. [illegible] | Notes Red ____ Date ____ | Notes Chkd. ____ Date ____ | Plotted ____ Date ____ | Checked ____ Date ____ | Profile No. ____ | X-Sec. No. ____

Survey of [illegible] Survey by [illegible] Notes [illegible] Indexed [illegible]

STATION	B. S.	H. I.	F. S.	ELEV.	[illegible]	[illegible]
27+00					[illegible]	[illegible]
				[illegible]	[illegible]	
				[illegible]	[illegible]	
				66.7		15' FLAT
29+00				68.6		& FLAT
				68.3		15' FLAT
				69.9	21' TOP BERM	
				69.1	23' E ED. DIRT RD	
				69.8	42' W " " "	
29+00				71.2		& FLAT
				70.8		15' FLAT
				71.8	35' TOP BERM	
				70.2	37' E ED DIRT RD	
				71.1	52' W " " "	
30+00				74.1		& FLAT
				73.9		15' FLAT
				73.7	20' LOW SPOT	
				75.1	35' TOP BERM	
				74.2	37' E ED DIRT RD	
				73.9	57' W " " "	
31+00				1477.5		& FLAT

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red. Plotted. Job No. 2405.1 Division No.
No. X-Sec. Date Date Survey of WATERWORKS # 36
No. Notes Chkd. Checked Survey by MENNE Notes BJT Date 8-29-67
Date Date Map No. Indexed C. J. GALLI Date

F.B. 3293 Pg. 25

PROPOSED W LINE (ROMERO CANYON)

STATION	B. S.	H. I.	F. S.	ELEV.	LEFT & WEST	RIGHT & EAST
31+00				1477.1		10' BRK.
				1476.1		5' LOW SPOT
				78.2	30' TOP BERM	
				77.5	31' E ED DIRT RD	
				78.2	53' W " " "	
31+73				80.1		℄ TOP BURM. FLAT
31+75				79.4		℄ E ED DIRT RD
				79.8		15' FLAT
				79.6	28' W ED DIRT RD	
32+00				80.2		℄ W ED DIRT RD
				80.2		15' E ED DIRT RD
				80.0	25' W ED DIRT RD	
33+00				82.6		℄ FLAT
				82.8		15' FLAT
				81.9	12' E ED DIRT RD	
				81.9	19' W " " "	
33+85				84.9		℄ BRK.
				85.1		15' FLAT
				86.1	3' TOP ~~BRK~~.	
				85.6	18' E ED DIRT RD	

LENKER ROD USED

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3293 Pg 106 | Job No. 2408.14 | Division No. | Notes Red | Plotted | Profile
Survey of WATERWORKS #36 | Date | Date | No.
Survey by J.M. Notes B.J. | Notes Chkd. | Checked | X-Sec.
Indexed C.J. GALLI | Date | Date | No.

STATION	B.S.	H.I.	F.S.	ELEV.	PROPOSED WEST LINE (ROMERO GN.) LEFT & WEST	RIGHT & EAST
33+85				1485 6	20' WED DIRT RD.	
34+00				89 5	℄ SIDE HILL	
				86 8		7½' BOT BRK
				86 3		15' FLAT
				90 3	2' TOP BRK	
				89 7	8' E ED DIRT RD	
				89 7	18' W " "	
34+90				1507 7	℄ TOP BRK	
				03 7		15' SIDE HILL
				03 5	4' BOT BRK & E. ED DIRT RD.	
				03 7	15' W ED DIRT RD	
35+00				07 0	℄ SIDE HILL	
35+94				1496 1	℄ BOT BRK	
				95 8		15' FLAT
				96 4	10' E ED DIRT RD	
				96 6	19' W " " "	
36+00				96 5	℄ FLAT	
37+00				1501 1	℄ FLAT	
				01 2		15' FLAT
				00 8	8' E ED DIRT RD	

LENKER ROD USED

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 2408.14 Division No. ____
No. ____ Date ____ Date ____ Survey of WATERWORKS #35
X-Sec. ____ Notes Chkd. ____ Checked ____ Survey by J.P.M. Notes R.I. Date 8-29-67
No. ____ Date ____ Date ____ Map No. ____ Indexed C.J.C. Date ____

F.B. 3293 Pg. 27

STATION	B. S.	H. I.	F. S.	ELEV.	PROPOSED WEST LINE (ROMERO CYN)	
					LEFT & WEST	RIGHT & EAST
37+00				1501 0	16' WIDED DIRT RD.	
38+00				064	& FLAT	
				060		15' FLAT
				060	5' E ED DIRT RD	
				066	14' W " " "	
39+00				1512 0	& FLAT	
				1511 3		15' FLAT
				115	7' E. ED DIRT RD	
39+63		USED		119	16' W " " "	
1/4 COR	(4 POINT)			1515 10	EL. 1515.185 & W1/4 CORNER FB. 3293-72	
T.B.m. #4					SEC. 34-T5N-R17W -180	
		LENKER ROD		151	15' FLAT	
					(PROPOSED & LINE)	& RIGHT & SOUTH
40+00				1514 1		& FLAT
				136		15' FLAT
40+15				155		& TOE BRK.
				147		15' SIDE HILL
41+00				441		& SIDE HILL
				449		15' SIDE HILL
41+31				525		TOP BRK

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3293 Pg 108 | Job No. 2408.14 | Division No. #36 | Notes Red | Date 8-29-67 | Plotted | Profile | No.
Survey of WATERWORKS | Notes B.T. | Notes Chkd. | Date | Checked | X-Sec. | No.
Survey by T.P.M. | Notes | Date | Date | Date
Indexed C.J. GALLI

STATION	B.S.	H.I.	F.S.	ELEV.	PROPOSED S. LINE (ROMERO CYN)
					℄ RIGHT & SOUTH
41+31				1550 6	15' SIDE HILL
42+00				1537.8	BOT. BRK
				1533.5	15' & SM. DRAW
42+61				413	TOP BRK
				383	5' TOE BRK.
				378	15' FLAT
43+00				316	SIDE HILL
				294	15' SIDE HILL
43+50				139	BOT BRK
				136	15' FLAT
44+00				144	FLAT
				132	15' FLAT
45+00				153	FLAT
				144	15' FLAT
46+00				171	FLAT
				161	15' FLAT
47+00				179	FLAT
				171	15' FLAT
47+13				151776	2" IP & CO. ENG. TAG
T.B.M. #5		4 POINT			FB 3293-73 & 111-182

LENKER ROD USED

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 2408.14 Division No.____
No.____ X-Sec. Date____ Date____ Survey of WATERWORKS #36
No.____ Date____ Notes Chkd.____ Date____ Checked____ Date____ Survey by JPM Notes B.T. Date 8-31-67
Map No.____ Indexed C.I. Date____

F.B. 32933 Pg. 109

STATION	B. S.	H. I.	F. S.	ELEV.	PROPOSED W. LINE (ROMERO GYN) LEFT & WEST	& RIGHT & EAST
48+00				1521 6		FLAT
				21 5	7½ FLAT	
				21 4		7½ FLAT
49+00				25 4		℄ FLAT
				25 3	7½ FLAT	
				26 5		7½ FLAT
50+00				29 5		FLAT
51+00		LENKER ROD USED		32 8		℄ E. ED DIRT RD
52+00				37 1		℄ W. " " "
53+00				42 1	7½ FLAT	℄ 7½ FLAT
54+00				44 8	"	"
55+00				47 2		℄ W. ED DIRT RD
				47 9		25' E. ED DIRT RD
56+00				52 2	7½ FLAT	℄ 7½ FLAT
57+00				56 7	"	℄ "
58+00				62 9	"	℄ "
59+00				68 1	"	℄ "
60+00				71 0	"	℄ W. ED. DIRT RD
				71 7	"	25' E. " " "
61+00				74 1	"	℄ E. " " "

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3293 Pg. 210

Job No. 24061 Division No. Profile
Survey of WATERWORKS #36 Notes Red Plotted
Survey by TPM Notes B.I. Date 8-31-67 Date X-Sec.
Indexed C.J. GALLI Date Notes Chkd Checked
Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.	PROPOSED W LINE (ROMERO CYN) LEFT & WEST	& RIGHT & EAST
61+00				1579 1		7E SIDE HILL
				74 2	25' W. ED DIRT RD	
61+33 79				1577 39		℄ (2" IP TBM* & FB 3293 113-184)
62+00				79 2		℄ E. ED. DIRT RD.
				79 1	25' W. ED. DIRT RD.	
				80 7		7E BANK
63+00				84 4		℄ E. ED DIRT RD
				84 0	25' W. ED. DIRT RD	
				85 5		7E BANK
63+70				85 4		℄ E. ED. DIRT RD.
				87 4		7E BANK
64+00				87 4		℄ SIDE HILL
				89 5		7E SIDE HILL
				85 2	7E W. ED. DIRT RD	
65+00				90 2		℄ SIDE HILL
				92 5		7E SIDE HILL
				88 3	7E SIDE HILL	
66+00 23 ℄	X-POINT	LENKER ROD USED		1597 55		℄ TBM #7 2" IP FB 3293-
				99 0		7E SIDE HILL
				96 4	7E SIDE HILL	

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 24-66.14 Division No.____
No.____ X-Sec. Date____ Date____ Survey of WATERWORKS #26
Notes Chkd.____ Checked____ Survey by MENNE Notes B.T. Date 8-31-67
No.____ Date____ Date____ Map No.____ Indexed C.J.CAIN Date____

F.B. 3293 Pg. 211

STATION	B. S.	H. I.	F. S.	ELEV.	PROPOSED W. LINE (ROMERO CYN)	
					LEFT ℄ WEST	℄ RIGHT ℄ EAST
67+00				16039		℄ SIDE HILL
				066		75 SIDE HILL
				018	75 SIDE HILL	
68+00				038		℄ E ED DIRT ROAD
				046		75 SIDE HILL
				035	25' E. ED DIRT RD.	
69+00		LEVELING ROD USED		16039		℄ W. ED DIRT RD
				044		25' E. ED DIRT RD.
				027	75 FLAT	
70+00				072	75 FLAT	℄ 75 FLAT
71+00				070	"	"
72+00				1596	"	℄ "
73+00				1999	"	℄ "
74+00				170	"	℄ "
74+71 PC				162331	1/4 · 1/4 SEC 27/34	℄ CEMON FB 3293-15-186
75+00				236		℄
				228	15' FLAT	
76+00				257		℄
				254	15' FLAT	
76+65				257		℄ F.D. SM. DRAIN

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK. WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 3293 Pg. 2 12 | Job No. 2400.14 | Division No. | Notes Red. | Plotted | Profile
Survey of WATERWORKS #36 | Date 4-1-67 | Date | No. | X-Sec.
Survey by MENNE | Notes B.R.J. | Notes Chkd. | Checked | No.
Indexed C.J. GALEN | Date | Date | Date

STATION	B.S.	H.I.	F.S.	ELEV.	PROPOSED W. LINE (ROMERO GTN) LEFT & WEST	RIGHT & EAST
76+65				1624.9	15' DRAIN	
77+00				27.0		℄ GTR. DRAIN
				27.7	15' DRAIN	
78+00				30.1		℄ FLAT
				30.3	15' FLAT	
78+45				30.2		℄ WED SM DRAIN
78+50				29.0		℄ DRAIN
78+70				31.5		℄ E.ED SM DRAIN
79+00				33.5		℄ FLAT
				33.6	15' FLAT	
79+75				34.8		℄ BRK (BOT BANK)
79+80				38.7		℄ " (TOP ")
80+00				39.7		℄ FLAT (" ")
				40.0	15' FLAT	
80+15				39.1		℄ W ED. BANK (DRAIN)
80+35				36.3		℄ DRAIN BOTT
80+45				36.4		℄ BRK (BOT BANK)
80+52				39.3		℄ " (TOP ")
81+00				43.4		℄ FLAT
				43.6	15' FLAT	

LENKER ROD USED

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. Notes Red Plotted Job No 2408.14 Division No.
X-Sec. No. Date Date Survey of WATERWORKS #36
Notes Chkd. Date Checked Survey by MEANS Notes RT Date 9-6-67
Date Map No. Indexed C.J. GALLI Date

F.B. 3293 Pg. 13

STATION	B. S.	H. I.	F. S.	ELEV.	PROPOSED W LINE (ROMERO CYN) LEFT & WEST	RIGHT & EAST
81+15				1643.6		℄ BRK (TOP BANK)
81+45				43 2		℄ BOT DRAIN
81+70				46 5		℄ BRK (TOP BANK)
82+00				48 6		
				48 0	15' FLAT	
82+85				49 2		℄ BRK
83+00				51 3		℄ FLAT
				52 6	15' FLAT	
84+00				59 8		℄ FLAT
				59 6	15 FLAT	
85+00				1666 1		℄ FLAT
				66 4	15' FLAT	
86+00				73 0		℄ FLAT
				73 2	15' FLAT	
87+00				80 0		℄ FLAT
				80 0	15' FLAT	
87+96.29				1689.01		℄ SW 1/4 1/4 FB 3293-117-188
88+00				89 2		℄
				90 7	15 SIDEHILL	
89+00				96 1		℄

LENKLER ROD USED

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F.B. 32973 PG. 214 | Job No. 2408.14 Division No. ____ Notes Red ____ Plotted ____ Profile ____
Survey of WATERWORKS #36 Date 9-6-67 Date ____ No. ____ X-Sec. ____
Survey by MENNE Notes B.T. Notes Chkd. ____ Checked ____ No. ____
Indexed C.J. GALLI Date ____ Date ____ Date ____

STATION	B.S.	H.I.	F.S.	ELEV.	PROPOSED W. LINE (ROMERO CYN) LEFT & WEST	RIGHT & EAST
89+00				16968	15' FLAT	
89+20				987		℄ BRK
				993	15' FLAT	
89-66.13 P-10				17084		℄ TOP SM. SPUR
				17108	15' SIDEHILL	
90+00				048		℄ BRK
				078	15' SIDEHILL	
90+10				071		℄ BRK
		LENKER ROD USED		078	15' FLAT	
TBM #9 90+96.29	4 POINT			171405		℄ 2" IP & PT P-11 FB 3293-188 118
TBM #10 91+46.29	4 POINT			171000		℄ & PT P.12 FB 3293-188 ℄ 2" IP 50' E of 90196.29
91+71				109		℄ BRK
				112	7½ FLAT	
				105		7½ FLAT
92+05				17112		℄ TOP SM. SPUR
				132	7½	
				094		7½ SIDEHILL
92+75				082		℄ BRK
				074	7½ FLAT	
				083		7½ FLAT

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red ____ Plotted ____ Job No. 2408.14 Division No. ____
No. ____ Date ____ Date ____ Survey of WATERWORKS #36
X-Sec. Notes Chkd. ____ Checked ____ Survey by MENNE Notes B.T. Date 9-6-67
No. ____ Date ____ Date ____ Map No. ____ Indexed C.J.GAI Date ____

F.B. 32913 Pg. 2,15

STATION	B. S.	H. I.	F. S.	ELEV.	PROPOSED W LINE (ROMERO CYN) LEFT & WEST	RIGHT & EAST
93+00				171953		℄ FLAT
				208	7± SIDEHILL	
				188		7± FLAT
94+00				263		℄ FLAT
				266	7± FLAT	
				258		7± FLAT
TBM #11 94+22.26	4 POINT	LENKER ROD USED		172807		℄ 2" IP & PT. D-14 FB 3293 - 119 - 189
					PROPOSED S LINE (ROMERO CYN) LEFT & NORTH	RIGHT & SOUTH
94+45				262		℄ BRK
94+65				228		℄ BOT. DRAW
95+00				225		℄ " "
				233	7± FLAT	
				214		7± FLAT
95+25				235		℄ BRK
96+00				215		℄ SIDEHILL
				236	7± SIDEHILL	
				198		7± SIDEHILL
96+60				182		℄ BRK
97+00				17910		℄ " MED. DIRT RD

76-L-298 CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F. B. 3293 Pg. 21L | Job No. 24608.1 | Division No. | Notes Red. | Plotted | Profile
Survey of WATER WORKS #36 | Date 9-6-67 | Date | No. | X-Sec.
Survey by WAYNE Notes P. J | Notes Chkd. | Checked | No.
Indexed C. J. GALLI | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.	PROPOSED S. LINE (ROMERO C/L)	
					LEFT & NORTH	RIGHT & SOUTH
97+00				1719 2	7E FLAT	
				19 1		7E FLAT
TBM #12						℄ 2" IP & PT P-16
97+19.91	4 POINT			170790		℄ FB 3293-120-189
					PROPOSED W LINE	(ROMERO C/L)
					LEFT & WEST	RIGHT & EAST
98+00				17086		℄
				085	5' W. ED. DIRT ROAD	
				083		12' E. ED. DIRT RD.
99+00				11 0		℄
				10 8	10' W. ED. DIRT RD	
		ROD USED				8' E. ED. DIRT RD
TBM #13						& PT 2" IP P-17
99+63.35	4 POINT	LENKEN		17140 0		℄ FB 3293-121-189
100+00				15 5		℄ E. ED. DIRT RD
				15 1	20' W. ED. DIRT RD	
101+00				14 0		℄
				14 2	7' W. ED. DIRT RD	
				13 3		10' ED. DIRT RD
TBM #14						& PT P-18. 2" ID
101+24 62	4 POINT			171499		℄ FB 3293-122-189.
102+00				1718 5		℄ FLAT
				18 8	7E FLAT	

CE 307 2-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No 2488.14 Division No.____
No.____ X-Sec. Date____ Date____ Survey of WATERWORKS #36
No.____ Notes Chkd.____ Checked____ Survey by MENNE Notes Red Date 9-6-67
Date____ Date____ Map No.____ Indexed C.J.CALL Date____

F.B. 3293 Pg 21

STATION	B. S.	H. I.	F. S.	ELEV.	PROPOSED W. LINE (ROMERO CYN) LEFT & WEST	RIGHT & EAST
102+00				1718.0		7E FLAT
TBM #15						2" IP & PT P-19
102+86.48		4 POINTS		1722.47		℄ FB 3293-123 -189
103+22				24.1		℄ BRK
		LEANER ROD USED		26.2	7E SIDEHILL	
				23.0		7E SIDEHILL
103+53				1730.4		℄ BRK
104+00				31.8		℄ FLAT
				32.5	7E FLAT	
				31.2		7E FLAT
TBM #16					END EASE	FB 3293-101
105+05.58				1735.44		℄ 2" IP ON 1/4 SEC LN. 3293-101
S-12				58.0		1X2 ℔ N1 ON EW SEC. LINE
BM #2				1737.96		FB-3293-190

Notes Ck'd by W. EDMONDSON	Survey of SLOAN-VIOLIN CN. RD.	F. B. 3293	Pg. 219
Map No. B-5001	JN 0095.33 Tape 189 Std. 84 °F		
Office Work M. HAMASU	Surveyed by J. TERRANOVA-HENNE		
Checked W. EDMONDSON	Notes J.T. Date 12-67		
Date NOV 29 '68	Indexed [illegible] DEC 31 '67		

CAMINO DEL VALLE

SLOAN-VIOLIN CANYON RD.

PROPOSED CENTERLINE SLOAN VIOLIN CANYON RD. - FROM INT. HASLEY CYN. RD., N.L.Y. TO E.W. CENTER OF SEC. 27-T5N-R17W.

J.N. 0095.33

DEC. 1967

REF.
F.B. 3293
F.B. 2901
C.S.B. 1226

PARTY
J. TERRANOVA
C. YASUI
G. MASUDA
M. MITCHELL
J. HENNE
B. JACKSON
E. RODRIGUEZ
T. OHASHI

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F2095 CE #310 6-63

F. B. 3293 PG 220

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd By	W. EDMONDSON	Survey of	SLOAN-VIOLIN CAN. RD.
Map No.	B-5001	JN	0095.33 Tape 189 Std. 89 °F
Office Work	M. HAMASU	Surveyed by	J. TERRANOVA - HENN#
Checked	W. EDMONDSON	Notes	J.T. Date 12-67
Date	NOV 29 '68	Indexed	

F. B. 3298 PG. 221

INDEX

241

CTR. SEC. 27-T5N R17W

238

236

SEC. 27 T5N-R17W

SEC. 34 T5N-R17W

236

SLOAN VIOLIN CYN. RD.

234

233

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3093 CE #310 6-63

Notes Ck'd By: W. EDMONDSON	Survey of SLOAN - VIOLIN CN. & F.B. 3293 Pg. 223
Map No. B-5001	JN 0095 33 Tape 100 Std 84°F
Office Work M. HAMASU	Surveyed by J.P. MENNE
Checked W. EDMONDSON MAY 29 '86	Notes J.P.M. Date 9-87
Date	Indexed C. J. G.L.

N

P.I. NO. 20
FD. 2" I.P. & L.A.
CO. ENG. TAG IN
WELL & COVER
F.B. 3293-15

61° 26' 00" ①
245° 43' 00 ④
08° 34' 30 ⑤
61° 25' 45" Ⓐ

SET 5m. BT SPK & T.H ON T.P.#
TL2151H

SET LE. BT. SPK. W. BT. @ INTERSECTION

SET 5m. BT SPK & T.H ON T.P.#
TL2151H

SET 1" I.P & L.A. CO. ENG. TAG (FLUSH) TOP EAST BANK OF TAIL PROD. ℄

SLOAN - VIOLIN ROAD

TO RIGHT OF PG. 224

T = 80° 1' 0"
44.66 @ 22° 21' = 40.69'
44.05 @ 22° 34' = 40.68'
T = 88°
LEVEL
105.19'
63.64'
178.91'

P.I. NO. 21
FD. 2" I.P & L.A. CO. ENG. TAG IN WELL & COVER
F.B. 3293-16

Note: Any Additions or Changes on this Sheet Must be Made or Closed in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

W.S. 63, 8-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
ATTN: MAP SECTION
900 LOS ANGELES COUNTY ENGINEERING BLDG.

7826088 CK #310 8-88

See FB 3445-147

2

F.B. 3293 Pg 224

T = 84° 10'

CALC'D	
136.33	38.97'
59.30	69.96
352.00	31.03
57.62	38.92

67-21-45 ①

269-26-30 ②

44-10-00 ③

67°-21-40" ④



Notes Ck'd by W. EDMONDSON
Map No. B-5001
Office Work M. HAMASU
Checked W. EDMONDSON
Date MAY 29 '68

Survey of SLOAN/VIOLIN CN. RD.
JN 00535.33 Tape 1.99 Std. 84 °F
Surveyed by J. TERRANOVA
Notes J.T. Date 12-67
Indexed G. J. GALL

F. B. 3293 PG. 225

BT. PG. 286

318.21 @ 0-00
T=84=318.21

318.21 - ℄

SET (1x2) ℄ NL. FLUSH

SLOAN VIOLIN CANYON RD.

329.87 @ 0-00
T=84 = 329.87

329.87 -

(50) (50)

SET (1x2) ℄ NL. FLUSH

59.30 -

SEC. 3
T-4N - R17W

LT. PG. 224

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

78F309S CE#310 1.65


W.S. 63 B-1
F.B. 3293 Pg. 226
B.T. Pg. 227
T.P. Pg. 225
R.P.P.I. SET 1" I.P. W/ CONC. PL. & C.E. TAG
SET 1" I.P. W/ CONC. PL. & C.E. TAG - FLUSH
T=60
64.96 @ 0-00 = 64.95'
74.78 @ 0-00 = 74.77'
92.06 @ 0-00 = 92.05'
SET (1X2) & N.C. FLUSH
R.P.P.I. SET 1" I.P. W/ CONC. PL. & C.E. TAG - FLUSH TAN. PROD.
R.P.P.I. - SET 2" I.P. W/ CONC. PL. & C.E. TAG - FLUSH - TAN. PROD
P.I. - 109
SET 2" I.P. W/ CONC. PL. & C.E. TAG FLUSH - SET 2" MARKER PIPE 2FT. W.
℄ Curve Data
Δ=39°47'42"
R=1500.00'
T=542.91'
L=1041.83'
SET 1" I.P. W/ CONC. PL. & C.E. TAG - FLUSH
346.05 @ 0-00
T=58 = 345.99'
196.95 @ 0-00
T=58 = 196.92'
SET 1" I.P. W/ CONC. PL. & C.E. TAG - FLUSH
SEC. 3
T4N - R17W
92.05
110.28
74.77
222.39
320.52
64.95
345.99
196.92
318.21
SLAUGHTERHOUSE CANYON
℄
N.C.
B.C.
(50)
(50)
140° - 12' - 18"
T=56
D 1-45 = 246.64
246.80
D 1-24 = 246.65
246.76
73.88
D 0-00 = 73.88
73.89
320.52
2) 280-24-40
200-49-10
01 21 - 13 - 550
140 - 12 - 18
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by W. EDMONDSON
Map No. B-5001
Office Work M. HAMASU
Checked W. EDMONDSON
Date MAY 29 '68

Survey of SLOAN/TOWN CYN. RD.
JN 0095.33 Tape 189 Std. 84 °F
Surveyed by J. TERRANOVA
Notes J.T. Date 12-67
Indexed

F. B. 3293 PG. 227

BT. PG. 228

SET (1x2) ⊄ N.L. FLUSH

281.38

T=70
143.09 Δ 2-20 = 142.96
143.05 Δ 1-43 = 142.98
142.97

142.97

SLOAN VALLEY CANYON RD.

T-66
183.10 Δ 2-00 = 182.97
183.16 Δ 2-24 = 182.98
98.41 Δ 0-00 = 98.40
281.38

SET (1x2) ⊄ N.L. FLUSH

110.29 Δ 0-00
T=68 = 110.28

(50)

(50)

110.28

SEC. 3
T4N-R17W

TP. PG. 226

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE#310 1-65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 17, C-4 & W.S. 63, B-1



Notes Ck'd W. EDMONDSON
Map No. B-5001
Office Work M. HAMASU
Checked W. EDMONDSON
Date MAY 29 '68

Survey of SLOAN VIOLIN CYN. RD.
JN 00 95 33 Tape 189 Std 84 °F
Surveyed by J. TERRANOVA
Notes J.T. Date 12-67
Indexed C. J. GALLI

F. B. 3293 PG. 229

BT. PG. 230

SET (1x2) & NL. TOP CUT

252.44

T = 50
156.38
96.06
252.44

156.41
96.08
T = 50
20.00
20.00

T = 50
121.05
119.12
20.00
20.00
= 121.02
= 119.09
240.11

240.11

SLOAN VIOLIN CYN. RD.

SET (1x2) & NL. TOP BANK

T = 50
140.84
140.88
31.56
32.27
= 140.73
= 140.72
140.73

(50)

(50)

140.73

SEC. 34
T.5N.-R.12W.

TP. PG. 228

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE#310 1-65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd by W. EDMONDSON	Survey of SLOAN VIOLIN CYN. RD.
Map No. B-5001	JN 0095-33 Tape 189 Std 84 °F
Office Work M. HAMASU	Surveyed by J. TERRANOVA
Checked W. EDMONDSON	Notes J.T. Date 12-67
Date MAY 29 '68	Indexed C. J. GALL

F. B. 3293 PG. 231

BT. PG. 232

SET 2" I.P. W/ CONC. PL. & CE. TAG — TOP RIDGE

215.76

(50) (50)

214.10

SET (1x2) & NL. TOP SPUR

191.11

191.10 = 191.11
191.12 = 191.11

214.09 = 214.10
214.10 = 214.10

215.76 = 215.76
215.76 = 215.76

T = 50
25° 58' -10" =
40° 06' -31" =

T = 50
5° 10' 39" "
5° 10' 28" "

T = 50
0° 58' 05" "
0° 58' 16" "

192.
192.

217.
217.

217.
218.

SET (1x2) & NL. W. ED. DIST RD.

20.00

SET (1x2) & NL. 20 FT. S/S LINE

105.01 = 104.99
90° 34' 00" = 90.32
89° 17' 00" = 89.69
285.00

T = 54
40° 00' 00"
40° 00' 00"

SLOAN VIOLIN CYN. RD.

285.00

30 FT. S/S LINE

SEC. 34
T5N - R17W

TP. PG. 230

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 1-65

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S.17, C-4



Notes Ck'd W. EDMONDSON	Survey of SLOAN/VIOLIN CYN. RD.
Map No. B-5001	JN 0095.33 Tape 189 Std 84 °F
Office Work M. HAMASU	Surveyed by J. HENKE
Checked W. EDMONDSON	Notes C.T. Date 12-67
Date NOV 29 '68	Indexed C.J. GH.T.

F. B. 3293 PG. 233

BT PG. 234

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 1-65

SET (1X2) ℄ NL. TANG. PROD.

SET (1X2) ℄ NL. FLUSH.

① 11-33-30
② 46-13-30
③ 69-20-30
11-33-25

37.02 @ 0-00
-.54
=37.01

P.I.-107- SET 2"I.P. W/CONC. PL. ℄ C.E. TAG - ~~BLUE~~ SET 2" MARKER PIPE 2FT ± W.

R.P.P.I - SET 2"I.P. W/CONC. PL. ℄ C.E. TAG - FLUSH

SET 1"I.P. W/CONC PL. ℄ C.E. TAG - FL.

P.I.-SET 2"I.P. W/CONC. PL. ℄ C.E. TAG - FLUSH

295.58'

117.57

(50)

(50)

283.34

37.01

300 FT ±

N 11°-33-25 E

152.97

130.37

50.98

E.C.

SET 1"I.P. W/CONC. PL. ℄ C.E. TAG - FLUSH

SLOAN/VIOLIN CYN. RD.

T=50
1-50 = 130.37
2-38 = 130.37
130.37

T=52
1-46 = 152.97
2-46 = 152.97
152.97

153.43 Δ 11°-33-25
153.33 Δ 11°-33-25

Curve Data
Δ = 11°33'25"
R = 2800.00
T = 283.34
L = 564.78

B.C.

Prop.

T=50
219.63 Δ 2-09 = 219.63
219.88 Δ 2-30 = 219.62
63.73 Δ 0-00 = 63.72
295.65 Δ 0-00 T=50 = 295.58

SEC. 34
T.5 N. - R.17 W.

TP. PG. 232

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd W. EDMONDSON
Map No. B-5001
Office Work M. HAMASU
Checked W. EDMONDSON
Date MAY 29 '68

Survey of SLOAN/YOUNG CYN. RD.
JN 0095.33 Tape 189 Std. 94 °F
Surveyed by J. TERRAZAS
Notes I.T. Date 12-67
Indexed C. J. GALLI

F. B. 3293 PG. 235

BT. PG. 236

243.99 @ 0-00
T = 58 = 243.95

243.95

P.C.
~~P.O.L.~~
SET 1" I.P. W/ CONC.
P.C.C. TAG
FLUSH

P.C.C.
W.E. 1-19-68

248.95 @ 0-00
T = 58 = 248.91

248.91

SLOAN/YOUNG CYN. RD.

211.80 @ 2-57 = 211.53
T = 92 = 218.28
218.27 @ 0-00 = 429.81

SET (1X2) F.H.

429.81

(50) (50)

SEC. 34
T5N - R17W

TP. PG. 234

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F3095 CE#310 1-65

F. B. 3293 Pg. 236

SEC. 27
TSN - R17W

T = 90
57.76 @ 0-00 = 57.74'
119.74 @ 0-00 = 119.71'
95.60 @ 0-00 = 95.57'

302.96 @ 0-00
T = 58 = 302.91'

BT. PG. 237

W.S. 17, C-4

LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PLEASE RETURN TO

Do not extend this side of this line.

Note: Any Additions or Changes or This Sheet Must be Made or Circled in Red Ink. With Date and Name of Person Making Change.

R.P.P.I. SET CMS X TOP OF 2" RISER

57.74

302.91

SLOAN VIOLIN CYL. R.P.

R.P.P.I. SET CMS X TOP OF 2" RISER

P.I.-106 - SET 3/4" I.P. W/ CONC. PL. & C.E. TAG FLUSH. SET 3" MARKER PIPE 2 FT. WEST
1) 157-10-00
2) 268-40-00
3) 223-00-00
157-10-00

95.57

"I.P."

58.97 @ 0-00
T = 58 = 58.96'

R.P.P.I. - SET 1" I.P. W/ CONC. PL. & C.E. TAG FLUSH - TANG. TO RAD.

P.O.C. Curve Data
Δ = 220-00-00"
R = 1500.00'
ART = 5571.72'

1) 101-08-30
4) 44-33-30
5) 246-50-30
101-08-30

SET (1x2) P.K.L. BY INT.

58.96

119.71

(50)

(50)

F.B. 2991-59
2335 10' CALC.

289.23

SEC LINE

243.95

"I.P."

101-08-30

T = 90
111.42 @ 3-38 = 111.20' - 111.20
111.54 @ 4-26 = 111.21
181.05 @ 2-31 = 178.03 - 178.03
181.13 @ 4-47 = 178.03
289.23

COUNTY SURVEYOR
TSN
SEC. 27
SEC. 34
1/4 COR.
R.P. 2177

COUNTY SURVEYOR
TSN
27 | 26
34 | 35
SEC. COR.
R.P. 2177

SEC. 34
TSN - R17W

1/4 COR. Found Sloan F.B. 3293-87

F.D. C.S. 1/4 COR. Found Sloan F.B. 2991-50

TP. PG. 235

Notes Ck'd W. EDMONDSON
Map No. B-5001
Office Work M. HAMASU
Checked W. EDMONDSON
Date MAY 29 '68

Survey of SLOAN VIOLIN CYN. RD
JN 0095 33 Tape 189 Std 84 °F
Surveyed by J. TERKAYOUE
Notes J.T. Date 12-67
Indexed C. J. GILL

F. B. 3293 Pg. 237

BT. PG. 238

SET (1½) ⌀ NC. FLUSH

(50)

(30)

84.09

482.90

336.35

SLOAN VIOLIN CYN. RD.

P.O.B. E.C. SET 1 J.P. W/CONC. PL. ⌀ C.E. TAG FLUSH

302.91

0.03

E.C. - W.E. 1-19-68

T=68
235.35 26-16 = 233.92 — 233.92
235.50 26-35 = 233.73 — 188.98
189.00 20-27 = 188.98 — 422.90
189.00 20-30 = 188.97

T=68
138.38 20-00 = 138.36 — 138.36
198.10 21-39 = 198.00 — 197.99
198.12 21-49 = 197.99 — 336.35

1 EC

SEC. 27 T5N-R17W

TP. PG. 236

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #310 6/63

F. B. 5893 PG 238

SEC. 27 T5N-R17W

BT. PG. 239

237.68'

SET 1" I.P. W/ CONC. PC. & C.E. TAG 1" FLUSH

P.O.S.T.

217.83 @ 0-00
T = 56 = 217.79

59.99 @ 0-00
T = 56 = 59.98

109.19 @ 0-00
T = 56 = 109.17

0.08'

0.10

P.I. - 105 - SET 2" I.P. W/ CONC. PC. & C.E. TAG - FLUSH - SET 2" MARKER PIPE 2ft± WEST

Prop. ℄ Curve Data
Δ = 5°32'30"37"
R = 4500.00'
T = 217.79'
L = 435.39'

W.E. 1-19-68

27 - 30

T = 52
2-2 @ 137.03
137.03
80.76

T = 52
0-00 = 84.09

84.11 @ 0-00 = 84.09

137.18 @ 2-2 = 137.03
137.13 @ 1-56 = 137.02
80.78 @ 0-00 = 80.76

217.79

217.79

217.79

59.98

109.17

90°

0.10

0.08'

P.O.S.T.
SET 1" I.P. W/ CONC. PC. & C.E. TAG 1" FLUSH

R.P.A.I. - SET 1" I.P. W/ CONC. PC. & C.E. TAG FLUSH

SLOAN VIOLIN GVN. RD.

84.09

(50) (50)

2) 348-55-00
3) 337-50-00
4) 326-45-00
174-27-30

2) 180-00-00
3) 360-00-00
4) 180-00-00
90-00-00

TP. PG. 237

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76F3095 CE #310 6-63

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.



Notes Ck'd W. EDMONDSON
Map No. B-5001
Office Work M. HAMASU
Checked W. EDMONDSON
Date MAY 29 '68

Survey of SLOAN VIOLIN CYN. RD
JN 009533 Tape 1892 Std. 64 °F
Surveyed by J.T. & E.M.
Notes
Indexed Date 12-67

F. B. 3292 PG. 238

T=56
140.46 @ 2-04 = 140.34
140.49 @ 2-33 = 140.32 = 140.33
213.48 @ 2-48 = 213.19
213.42 @ 2-32 = 213.17 = 213.18
353.51

T=56
223.28 @ 2-28 = 223.03 = 223.03
223.23 @ 2-15 = 223.02

T=60
126.80 @ 3-28 = 126.55 = 126.54
126.88 @ 2-04 = 126.54
111.71 @ 0-00 = 111.57
J.T. 12-13-67
111.39
237.93

T=60
126.80 @ 3-28 = 126.55 = 126.54
126.88 @ 2-04 = 126.54
111.16 @ 0-00 = 111.14
111.14
237.68

BT. PG. 241

F. B. 3293 PG. 240

34.16

SET (1x2) ℄ NL. FLUSH

246.02 @ 0-45
T = 76 = 245.99

245.99

SET 1" I.P. W/ CONC. PL. ℄ C.E. TAG. - FLUSH

112.37 @ 3-45
T = 76 = 112.13

112.13

SET (1x2) ℄ NL. SIDEHILL

223.03

(50)

(50)

SLOAN VIOLIN GYM. RD.

SEC. 27
T5N - R17W

TP. PG. 239

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd W. EDMONDSON	Survey of SLOAN Jct. - JOYCE RD
Map No. B-5001	JN 0095-83 Tape 189 Std 84 °F
Office Work M. HAMASU	Surveyed by J. TERRANOVA
Checked W. EDMONDSON	Notes J.T. Date 12-67
Date MAY 29 '68	Indexed

F. B. 3293 PG. 241

BT. PG. 243

W.S. 17 C-4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

SET (1x2) ℄ NL
TANG PROD.

SET 2" I.P.W/CONC.
PL. ℄ C.E. ITAF
BY INTER.

S-28, N.C.
F.B. 3293-107

61°
61° 33' 40"
8 P.O.B.
8 P.M. 1-15-67
N 28° W
500'±
40

83.05

EW. CEN. SEC. ET
187.22 calc

S-27
F.B. 1x4 Pg 107
① 61-34-00
② 246-14-30
③ 09-22-00
61-33-40

235.77 @ 0-00
T=50 = 235.72'

83.07 @ 0-00
T=50 = 83.05'

P.O.B.M. 1-15-67
61-33-30 ①
246-13-30 ②
09-20-30 ③
61°-33-25" A

235.72

SET (1x2) ℄ NL
FLUSH

SLOAN VIRGIL CYN. RD

SEC. 27
T5N-R17W

34.17 @ 0-00
T=50 = 34.16

(50) 34.16 (50)

TP. PG. 240

76F3095 CE #310 6-63

F. B. 3293 PG 242

W.S.17, C-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SEC. 34 T5N-R17W

0.03

1/4 SEC. COR. ∅
FD. C.S. MON. ∅
FN. COR. - FLUSH
IN MAIN CANYON
C.S.B. 1226
F.B. 2901-6-12
MKD. AS SHOWN

COUNTY SURVEYOR'S MONUMENT
SEC. 34 T5N R17W
SEC. 3 T4N

33.00

ANGLE POINT IN SECTION LINE HERE C.S.B. 1226

SEC. 3 T4N-R17W

32.36

TOWNSHIP LINE

WITNESS CORNER TO 1/4 SECTION CORNER
FD. C.S. MON. - FLUSH. - OH
FN. LINE IN MAIN CYN.
C.S.B. 1226
F.B. 2901-6
MKD. AS SHOWN

SET 2" I.P. W/ CONC. PLUG & C.E. TAG UP 3" - NEAR FN POST - TOP SPUR

T = 82
34.50 @ 0-00 = 34.50'
7.92 @ 0-00 = 7.92
33.00 @ 0-00 = 33.00

34.50

T = 82
287.32 @ 18-54 = 271.83 = 271.82
288.23 @ 19-26 = 271.81
52.18 @ 18-18 = 49.54 = 49.54
51.77 @ 16-50 = 49.55 = 321.36

SET (1x2) & LC FLUSH

7.92

RT. PG. 228

Notes Ck'd W. EDMONDSON
Map No. B-5001
Office Work M. HAMASU
Checked W. EDMONDSON
Date MAY 29 '68

Survey of Grand Day Tract
JN 009533 Tape 205' Std 24 °F
Surveyed by Guerrero & C
Notes ACC Date 12/67
Indexed H. E. 07 JAN '68

F.B. 3293 Pg. 243

to B'tm pg 244

SEC 27
T5N R17W

T=66
17.08 @ LEV = 17.08'
188.58 @ 25°13' } = 170.58'
188.76 @ 25°20' }

T=76
172.87 @ 13°34' } = 168.04'
173.22 @ 14°02' }

355.70 corr'

T=62
370.71 @ LEV = 370.66'

T=62
292.40 @ 2°40' = 292.08' } 292.07'
292.13 @ 2°52' = 292.06' }

228.73 @ LEV = 228.73'
520.80'
- 0.07'
520.73'

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

762S09S CK #310 8-66



F.B. 3293 Pg 244

T 5N

W.S. 17, C-4

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Cleared in Ink With Date and Name of Person Making Change

T=60°
237.67 @ 3°13'
237.74 @ 3°26'
= 237.31
- 0.04
237.27

N 1/4 cor
Fd CE MON
MK as shown
FB 2901-41
Up 2"

Fd 1x2 BN Flush
FB 2901-41

7.81

COUNTY ENGINEER
T 5N
R 13 W
Sec 24
1/4 cor
R.E. 5869

Removed 1 tie
& set 2 tie pts
L.A. Co. Eng.

Flush
Bdm 1-15-67

237.27

T=70°
90.89 @ 9°00'
91.05 @ 9°27'
1.64 @ Lev.
89.77
1.64
91.41
- 0.01
91.40

Post
Set 1x2 BN
Flush

Set 1x2 BN
Flush

91.40

0.00

℄ LINE

2251.99

15" Adj

112° - 41' - 43"
4) 70 - 47 - 10
6) 316 - 10 - 20
112° - 41' - 43⅓"

Proposed ℄
Reduced N'ly

82° - 55' - 30
4) 331 - 41 - 30
6) 137 - 32 - 20
82° - 55' - 23⅓"

112° - 41' - 00 (1)
90 - 44 - 30 (4)
316 - 46 - 30 (6)
112° - 41' - 05" (A)

98.m.
1-15-67

From top
of 243

Fd 1x2 BN Flush
Top Spun
7462 BN
FB 2901-40

Fd 1x2 BN Flush
Top Spun
4462 BN
FB 2901-40

Notes Ck'd by W. EDMONDSON
Map No. C.S.B-5001
Office Work M. HAMASU
Checked W. EDMONDSON
Date MAY 29 '68

Survey of Camino del Valle
JN 0075.33 Tape 205 Std 24 °F
Surveyed by Gutzeit & AC
Notes ACG Date 12/28/67
Indexed H. E. OTT

F.B. 3293 Pg. 245
T = 68

285.97@1°36' = 285.88
285.99@1°34' = 285.88
203.11@4°16' = 202.50
203.07@4°16' = 202.51

488.33
+ 28.35
516.68

488.38
- 0.05
488.33

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change
Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76P3098 CE #210 5-66

POST
P5:5
FD 1" IP &
LACoENGR TAG
Flush - Hold to
This Point For
Proposed ℄ 3E'ly of
Parker Rd
FB2901-223

P-11
FD 1X2 EN Flush
Top SPUR
FB2901-54

P-9
FD 2" IP &
LACo ENGR TAG
FB2901-54, 223
Flush

T53'
FB2901-223

SEC 26
T5N R17W

150-10-20
4) 200-41-50
6) 301-02-40
50°-10-26½"

66°-35'-00"
26-20-20
6) 39-30-30
66°-35'-05"

50.10

Set 1X2 EN Flush
N ℄ edge of
dirt road

28.35

POST
SET 1" IP conc
Plug & LACoENGR
Tag ±0.12'

East line

Dirt road

N LINE

2251.99'

T=70°

218.14@4°16' = 217.54
218.27@4°43' = 217.53

212.64@4°48' = 211.93
212.49@4°48' = 211.92

299.38@3°01' = 298.96
299.47@3°19' = 298.97

204.46@3°35' = 204.05
204.49@3°51' = 204.03

298.26@4°02' = 297.52
298.37@4°20' = 297.52

299.47@4°16' = 298.68
299.41@4°00' = 298.68

1528.67
- 0.14
1528.53

T=56°

298.96@3°12' = 298.49
299.06@3°31' = 298.50

299.27@3°40' = 298.66
299.34@3°53' = 298.65

126.44@LEV = 126.44

723.59
- 0.131
723.46
+ 1528.53
2251.99

Proposed ℄
PARKER Cyn
Rd

TO TOP
PG 246

F.B. 3293 Pg. 246



SEC 26
T5N
R17W

SET 1X2 hub & tack

SET 1X2 FLUSH Top of Ridge

SET 1X2 FLUSH Top of Spur

SET 1X2 Top of Ridge Backsight

POST
SET 1" IPE & LAC'd ENGR TAG FLUSH ON SEC LN FOR NEW PROPOSED SEMI TANGENT OF PARCEL EXH Rd. SEE FB2901-225

(29+90.91)
E-10
FD 1" IPE
LAC'd ENGR
TAG FLUSH
FB2901-225

PS #1
FD 1" IPE & LAC'd
ENGR TAG FLUSH
FB2901-225

(38+72.04)
E13
FD 1X2 FLUSH
Top Spur
FB2901-225

T=64
293.22 @ 0°35' = 293.21
293.23 @ 0°44' = 293.21
88.73 @ LEW = 88.73
381.94
- 0.05
381.89

T=56
235.48 @ 6°26' = 232.93
235.20 @ 7°58' = 232.93
244.76 @ 10°52' = 244.37
244.88 @ 11°01' = 244.37
473.30
- 0.08
473.22

T=58
186.20 @ 13°29' = 181.08 Corr
186.59 @ 13°55' = 181.08 Corr

1) 55°59'40"
4) 223-58-50
4) 335-58-20
55°59'43½"

~1000' M ±

Please Return To
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by	Survey of SLOAN CN. ROAD
Map No.	JN 0095.33 Tape 190 Std 64 °F
Office Work	Surveyed by J.P.MENUT
Checked	Notes J.P.M Date 67
Date	Indexed C.J.GALLI

F. B. 3293 PG. 247

( )

CONTROL

FOR

NEW P.I of SLOAN

CANYON ROAD

FROM

STAKING SHEETS E-174 ETC.

ALL DISTANCES WERE SCALED

FROM PHOTO MAP 200' = 1"

TO SET P.I.'S

SEPT. TO NOVEMBER

1967

( )

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE #310 6/63

F. B. 3293 PG 248

F.B. 3293-241
SET 2" I.P.
FOR L.W.

1/4 COR.

E.W. CEN. SEC. 27

710.14

27

SLOAN CN. ROAD

936'

P-33
1X284
F.B. 2901-59

P-38
2" I.P.
F.B. 2901-61

50'

P.I. 105
SET 2" I.P.
F.B. 3293-238

P.I. 106
SET 2" I.P.
ON PROJ FROM
SOUTH
F.B. 3293-236

588.9'

1/4 COR

289.23

SET 1/2
FOR LINE

SEC. COR

SEC. 27

SEC L.W.

SEC. 34

TO TOP OF PG 249

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SLOAN CN. ROAD
Map No.	JN 0095.33 Tape 190 Std 84 °F
Office Work	Surveyed by J.P.MENNA
Checked	Notes J.P.M. Date 67
Date	Indexed C.J. GALLI

F. B. 3293 PG. 234

TO BOTTOM OF PG. 248

SLOAN CN. RD.

P-38
2" I.P.
F.B. 2901-61

P.I. LOT
SET 2" I.P. & T
INTERSECTION
F.B. 3293-233

SET 2" I.P.
FOR LN.
ORIGINAL
P.I.

120'

19'

NOTE
THIS LINE
CHANGED 4
TIMES TO
ACCOMMODATE
PROPERTY
OWNERS

CENTER
SEC. 34

E-W. CEN
SEC. 34

P-45
2" I.P.
F.B. 2901-61

25'

TO TOP OF PG. 250

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

74F3099, CE #310 6-63

F.B. 3293 PG 250

TO BOTTOM OF PG. 249

P-46-A
1 1/4" I.P.
F.B. 2901-62

SET 1x2 LM

1/4 COR.

TOWNSHIP LINE

58.03±

A-3
FD. 2" I.P.
F.B. 2901-6

38'

65'

SET 1x2 FOR LM

28.65

P-49
2" I.P.
F.B. 2901-62

P.I. 108
SET 2" I.P.
ON LM. PROD
FROM NORTH
F.B. 3293-228

SLOPY LM. ROAD

SET 2" I.P.
FOR LM.
ORIGINAL
R1

LINE CHANGED
TWICE TO
ACCOMMODATE
PROP. OWNERS

65'

78'

P-49
2" I.P.
F.B. 2901-62

P.I. 109
SET 2" I.P. 65'
SOUTH OF ORIGINAL
R1.
F.B. 3293-226

690'

P-55
2" I.P.
F.B. 2901-20

30°-38'-30"

MEAS. 30°-38'-30"
FOR DIRECTION OF
THIS LINE

TO TOP OF PG. 251

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SLOAN CN. ROAD
JN 00953 Tape 190 Std. 84 °F
Surveyed by J.P. MENNE.
Notes J.P.M. Date 69
Indexed C. L. GALLI JAN 11 '68

F. B. 3293 PG. 25

To Bottom of Pg. 250



Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76F309S CE#310 1-65

Notes Ck'd by	Survey of WATER WORKS 36
Map No.	JN 2408.1A Tape Std °F
Office Work	Surveyed by J.P. MENNE
Checked	Notes J.P.M Date 12-3-71
Date	Indexed C. J. GALLI

F. B. 3293 PG. 253

LOCATION

OF

EDISON CO. POWER POLE

NO. 12615SIE

J.P. MENNE

M. NUAREZ

R. PULSIFER

T. DONLEVY

F. MUNOZ

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

F. B. 3293 PG. 254



T. 54° = -0.03

163.75 @ 6°-08' = 162.81
163.84 @ 6°-26' = 162.81 = 162.78

T = 60° = -0.04

250.10 @ 4°-33' = 249.31 = 249.27
250.17 @ 4°-45' = 249.31

T = 60° = -0.02

114.05 CEN. = 114.03

526.08

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of W W DIST # 36
Map No.	JN 5369.35 Tape Std °F
Office Work	Surveyed by J. C. PIERCE
Checked	Notes J. C. P. Date 1-22-80
Date	Indexed H. HOLMAN JAN 28 1980

F. B. 3293 Pg. 255

J. N. 5369.35

WATERWORKS DIST # 36

LOCATION OF FIRE HYDRANTS IN HASLEY CANYON ROAD.

PIERCE
ALBRIGHT
TALBOT

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

7EF3093 CE #310 1-65

F. B. 3293 Pg. 256



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of WW DIST #36
JN 536935 Tape Std °F
Surveyed by J. C. PIERCE
Notes J. C. P. Date 1-22-80
Indexed H. HOLMAN JAN 28 1980

F. B. 3293 Pg. 257

25+55.24
P.I. L&A
FD. 2" I.P. CEM PL
& CO. ENG'R. TAG
IN HANDHOLE
F.B. 3293 - 11

(20)

WATER VALVE COVER
17.8 → 26+41.0

26+58.7
13.8 → 4" IRON GUARD POST

14.1 — 3.5 —
13.3 — 2.5 — 6.1 m
14.1 —

26+61.2
6" FIRE HYD
W/ CONC. SLAB

14.2 → 26+64.2
4" IRON GUARD POST

4" IRON FENCE

18.3 → 26+68.4
4" IRON GUARD POST

HASLEY CYN. RD.

℄

EDGE PVMT.

(20)

31+67.08
P.I. 4 L7
FD. 2" I.P. CEM PL. &
CO. ENG'R. TAG IN
HANDHOLE
F.B. 3293 - 12