Notes Ck'd by	Survey of E½ T6N, R17W	F. B. Pg.
Map No.	JN 0302.01 Tape "C" Std 84 °F	
Office Work	Surveyed by Burkholder	
Plotted	Notes D.L.B. Date 3-74	
	Indexed	

J.N. 0302.01

E½ T6 N. R17.W

Sec. Line Ties to

TEMPLIN HWY

Burkholder
Beasley
Boxett
Wensel

erences

B. 3108
B. 3208

P.M. file Feb '86

Microfilmed Jan '85

76F3085 5-81 3-80

PWFB 3208

374

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T6N R17W
JN 0302.01 Tape "C" Std 84 °F
Surveyed by Burkhalder
Notes D.L.B. Date 3-74
Indexed

F. B. 3820 PG. e

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

L.A. RD. 1969

℄ Curve data
Per R.D. F.B. 3208-279
Δ = 63°-07-59"
R = 900
T = 552.96
L = 991.69

P.C. = 49+42.98
Fd. Br. Cap Mon. in H.H. Mkd. as shown Per R.D. F.B. 3208-279

D 115°-22-40"
D 101-31-00
D 332-16-20
115-22-43

399.28 ℄ 3°-13'-40" T=74' = 398.53
399.39 ℄ 3-25-35 " = 398.64

℄ Templin Hwy

P.I. (Not set)

115°-22'-43"

Long chord 398.63 GrAdj.

942.28 Rec.

Sec. Line 10+77.12: 44+56.98E Set Bt. Spk. w&T, by Calc. Inter.

NA 4+10+51.74 Fd. Sq. Hd. Spk. Per F.B. 3820-23 Sly edge Prm-t

CCM 25.38

West Line Sec. 34

94.50

172.72

NA 6+13+18.96 Fd. 1x2 Nail Per F.B. 3820-24 (Top Spur)

Int. Long Chord & Sec. Line, Set 1x2 & Nail by Int.

543.63 GrAdj.

NA 2+64+05.59 Fd. 1x2 Nail Per F.B. 3820-23

B.C. = 39+51.29
Fd. Br. Cap Mon. in H.H. Mkd. as shown Per R.D. F.B. 3208-279

97.35 ℄ 13°-52'-30" T=64' = 94.50
97.60 ℄ 14-26-40 " = 94.50

33.09 Len T=62° = 33.09

118.37 ℄ 17°-06'-40" T=64' = 113.12
118.08 ℄ 16-38-40 " = 113.12

33.09
144.21
26.51
172.72

26.51 Len T=64' = 26.51

45.50 ℄ 25°-01'-00" T=62' = 41.22
35.17 ℄ Len T=62° = 35.17
24.17 ℄ Len T=62 = 24.17
443.07

454.07 ℄ 12°-36'-05" T=76' = 443.05
454.52 ℄ 12-52-05 " = 443.08
Avg = 443.07

543.63

LA RD.

1969

PWFB 3208 375, 376

F. B. 3820 PG. 3



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER.
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3208 377, 378

Notes Ck'd by	Survey of E½ T6N R17W
Map No.	JN 03020 Tape 13 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 6-18-74
Date	Indexed

F. B. ~~3820~~ PG. 4

P.I. #6
Fd. Br. Cap Mon. in H.H.
(Mkd as shown)
Per R.D.F.B. 3208-283

L.A.CO.RD. 1969

℄ Old Ridge Route

Per Rd. Dept. 291.47

Int
Fd. Br. Cap Mon. in H.H. (Mkd as shown) per RD F.B. 3208-283

L.A.CO.RD. 1969

ED-9
1/4 Cor.
Fd. C.S. Mon.
Per F.B. 3820-49

1006.19 Hwy

ED-5A = 16+39.43
Fd. Conc. Nail
Per F.B. 3820-47

1.88 Lev. T=68°=1.88

39.35 Lev. T=68°=39.35

39.35

1.88

ED-6 = 16+80.66
Fd 1x2 & Nail
Per F.B. 3820-48

No Line Sec. 34

Int
Set Log Bt. Spk
& Washer, by Int.

119-20-49

205.91

Δ 119°-20-50"
Δ 117-23-20
Δ 356-04-55
119-20-49

206.31 C 3°-30'-00" T=68°=205.91

707.37 Lev. T=68°= 707.30

299.12 C 2°-03'-20" T=68°=298.89
299.13 C 2-12-10 " =298.88
Avg: 298.89
707.30
1006.19

℄ Templin

E.C. = 66+00.91
Fd. Br. Cap. Mon. in H.H.
(Mkd as Shown)
Per R.D.F.B. 3208-282

L.A.CO.RD. 1969

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

Notes Ck'd by	Survey of SECTION LINE
Map No.	JN 0302.01 Tape 238 Std 64 °F
Office Work	Surveyed by L. V. SMITH
Checked	Notes L. V. SMITH Date 5-21-70
Date	Indexed

F.B. 3820 Pg. 5

SECTION LINES

J.N. 0302.01

SURVEY TO RESET SECTION CORNER ON SOUTH LINE SEC. 33 & 34 T. 5 N. R. 12 W. & CLOSING CLOSING CORNER SEC. 4 & 5 T. 5 N. R. 12 W. AFTER STATE HWY. CONSTRUCTION

MAY - 1970

REF.

STATE HWY. ALA 005N
PG 247
CSB 1606

PARTY

L. V. SMITH
B. R. JACKSON
V. L. HUCKABY
R. BLANCHA

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

76P308 CE #310 8-65

PWFB 3108

79

F.B. 1340 Pg. 16

INDEX



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: All Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3108

80

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E. ½
JN 302-01 Tape 100' Std 84°F
Surveyed by L-V. SMITH
Notes L-V. SMITH Date 1-25-70
Indexed

F.B. 3220 Pg. 7

LEFT
PG. 10

1) 66° 02' 00"
4) 204 08 20
6) 36 12 10
66° 01' 02"

766.66'
CALC.

02' 02"

W.S. 305-077, A-2, W.S. 17-3

BOT.
PG. 8

6

0.11

FD. STATE HWY BRONZE DISK PER CALIF. STATE HWY NOTES ALSO 0.21 N

SEC. 33
T. 4 N.
R. 17 W.

SEC. 5
T. 3 N.
R. 17 W.

LINE POINT-N-2
FD. STD. CO. SURVEYOR
BRASS CAP MON. IN
CONC. ON HIGH RIDGE
PER C.S.B. 1606
CALIF. STATE HWY
NOTES 0.11 OOS N.
0.21 T. TIED TO THIS
POINT FOR LINE

COUNTY SURVEYOR
T.3N.
SEC. 33
N.11.08
N12.04
E.
S.W. SEC. 32
T.4N.
R.17W.
S.B.M.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
402 LOS ANGELES COUNTY ENGINEERING BLDG.

PWFB 3108

F.B. 3220 Pg. 6

81

W.17 C-3, 309-077, A-1 of A-2

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

COUNTY SURVEYOR
T-6N
R-17W
338-34
4 COR 11
R. E. 21

1/4 SEC. CORNER
FD. STD. COUNTY
SURVEYOR BRASS
CAP. MON. IN CONC.
PER C.S.B. 160 &
STATE HWY. NOTES
17LA 005N — 0.247
MON. MARKED
PLS SHOWN

FD. STATE HWY.
BRONZE DISK
PER STATE HWY.
NOTES 17LA 005N
0.247. HELD TO
THIS POINT FOR
PROJ'NG LINE
SLY. FROM 1/4 SEC.
COR. NLY.

NOTE
SEE PG. 16
FOR
CHAINING
HWY. TO 1/4
SECTION
CORNER

005

590.62

298.28	@	0°00'	= 295.38	295.38
298.22	@	1°55'	= 295.38	
295.97	@	3°59'	= 295.26	295.25
296.01	@	4°07'	= 295.25	

590.63

T = 80° = 590.62'

D	24°	34'	30"
4)	98	18	20
6)	147	27	10
	24°	34'	32"

24°34'32"

LEFT PG. 7

TOP PG. 9

PWFB 3108

82 83

Notes Ck'd by	Survey of E½ T.6N. R.17W.
Map No.	JN0702-01 Tape 238 Std. 84°F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 5-25-70
Date	Indexed

F.B. 3120 Pg. 9

BOT PG. 8

SET 1X2 & NAIL FLUSH

590.62'

157.59'

SECTION LINE

157.62 @ 1°05' = 157.59'
157.60 @ 0°46' = 157.59'
T = 80° 157.59'

SET 1X2 & NAIL FLUSH

228.01'

BASIS

228.21 @ 2°34' = 228.01'
228.21 @ 2°25' = 228.01'
T = 82° = 228.01'

SET 1X2 & NAIL FLUSH

SEC. 34
T. 6 N.
R. 17 W.

SEC. 33
T. 6 N.
R. 17 W.

112.22	@ 1°37' = 111.86	=	111.86'
112.15	@ 1°12' = 111.86		
293.08	@ 2°01' = 292.90	+	292.90
293.14	@ 2°15' = 292.91		404.76

T = 80° 404.75'

404.75'

TOP PG. 10

Note: Any Additions or Changes on this Sheet Must be Made or Checked in Red Ink With Date and Name of Person Making Change.

Do Not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.
900 LOS ANGELES, CALIFORNIA

Pattern Co. #310 Made

PWFB 3108

84

F.B. 3820 Pg 16

WS 17, C-3, WS 300-0.72 N 2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on this Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

SET 1 X 2 & NAIL FLUSH

SEC. 33
T. 6 N.
R. 17 W.

409.75'

SECTION LINE

226.38

226.42 @ 0°52' = 226.37 : 226.38'
226.41 @ 1°08' = 226.40'
T = 80° = 226.38'

SET 2" I.P. & TAG REMOVED WHEN 2" I.P. WAS SET ON SECTION LINE

81.54 @ 18°57' = 77.12'
81.82 @ 19°31' = 77.12'
T = 80° = 77.12'

77.12'

1.36'

73.55'

BOT
PG 8

11	97°	16'	00"
43	79	04	20
6	225	36	40
	97°	16'	01"

SEC. 34
T. 6 N.
R. 17 W.

97° 16' 0"

SET 2" I.P. CONC. PLUG L.A. CO. ENGR. TAG FLUSH ON BENCH OF 2" I.P. GUARD STAKE 1.00 ELY.

BOT
PG. 11

19.80'

96.49'

766.66'
CALC.

INTERSECTION
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG IN INTERSECTION PER STATE HWY ALA 005 N - 0246

SEC 5
T. 5 N.
R. 17 W.

SECTION CORNER
SET STD. CO. BRASS CAP MON. IN LIEU IMPROPORTION BETWEEN STATE HWY BRONZE DISK IN CONC. & ON LINE BETWEEN 1/4 SEC COR. SEC. 33 & WITNESS COR. SEC. 33 T. 6 N. R. 17 W. N. 2 PER C.S.B. 160, STATE HWY NOTES: ALA 005 N - 024 T. MON. MARKED AS SHOWN. 2" GUARD PIPE

78.49' @ 20°25' = 73.54'
78.16' @ 19°47' = 73.55'
T = 86° = 73.55'

COUNTY ENGINEER
T 6 N.
R 17 W.
33 34
SEC COR
T 5 N.
R 17 W.
1956

PWFB 3108

85

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
IN 202.01 Tape 238 Std 84°F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 5-19-76
Indexed

F.B. 3820 Pg 11

BOT.
PG-12

225.16 @ 5°08' = 224.26'
225.08 @ 4°54' = 224.26'
251.64 @ 20°50' 235.19' = 235.19'
251.90 @ 20°59' 235.20'
459.45

T = 60° = 459.38'

459.38'

SET 1X2 ' N. FLUSH

SEC 4
T.5N.
R.17W.

78.43 @ 3°52' = 78.25'
78.50 @ 4°52' = 78.25'

T = 78° = 78.25'

78.25'

SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG UP 2" ON BENCH. 2' GUARD PIPE SET 1/2 ELY.

79.32 @ 18°17' = 75.32'
79.00 @ 17°33' = 75.32'

T 94° = 75.33'

SEC. 34
T.6N.
R.17W.

75.33'

96.49'

COUNTY ENGINEER
L.A. CO. SURVEY
R.17W. T.6N.
SEC. 34
1966

19.80' @ LEV.

T = 94° = 19.80'

19.80'

SECTION CORNER SET STD. CO. ENGR. BRASS CAP MON. IN CONC. ON RECORD DISTANCE OF 19.80' FROM SECTION CORNER 33-34 PER C.S.B. IC.06 STATE HWY NOTES RLA005N-0247 MON. MARKED AS SHOWN

100.77 @ 16°17' = 96.50' = 96.49'
100.58 @ 16°24' = 96.49'

T = 80° = 96.49'

RIGHT
PG. 10

US-12 C-3

309-677 4-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
405 LOS ANGELES COUNTY ENGINEERING BLDG.

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

78P308 CK #310 8-68

PWFB 3108

86 87

F.B. 3820 Pg. 12

B07 PG. 13

207.16 @ 3°08 = 206.85
207.12' @ 2°54 = 206.85
T = 68° = 206.83'

206.83

SEC. 4
T. 5 N.
R. 17 W.

SEC. 34
T. 6 N.
R. 17 W.

SET 1X2 ENAIL FLUSH ON SPUR

SECTION LINE

280.16

180.19 @ LEV.
T = 66° = 280.16'

SET 1X2 & N.

181.77 @ 4°09 = 180.72'
181.67' @ 5°53 = 180.75 = 180.72'
T = 66° = 180.70

180.70

45°30

SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG EL. ON TOP OF CUT SLOPE

D	06°	37'	30"
A)	36	52	00
6)	39	45	00
	06°	37'	30"

RIGHT
PG. 10

06° 37' 30"

TOP
PG. 11

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PWFB 3108

88

89

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T.6N. R.17W.
JN 0302.01 Tape 2.38 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 5-19-72
Indexed

F.B. 3120 Pg. 13

BOT. PG. 14

170.29 @ 1°18' = 170.25
170.27 @ 1°03' = 170.24
T = 64° = 170.22'

170.22

SET 1X2 & N FLUSH

187.13 @ 6°11' = 186.04' = 186.03
187.29 @ 6°39' = 186.03
252.38 @ 7°43' = 254.06' = 254.06
256.20 @ 7°25' = 254.06
440.09

T = 64° = 440.03'

FD. STATE HWY. BRONZE DISK IN CONC. PER RIA 005N 10.24'. HELD TO THE POINT FOR DISTANCE IN PROPORTIONING SEC. COR. WLY.

NOTE
COULD NOT HOLD TO THIS POINT TO SET SECTION CORNER SLY. AS THIS AREA HAS MOVED WLY.

440.03'

0.06'

SECTION LINE

SEC. 1
T. 5 N.
R. 17 W.

291.48 @ 8°56' = 287.94'
291.60 @ 9°05' = 287.94
76.40 @ 5°50' = 76.00
76.49 @ 6°28' = 76.00
363.94

T = 70° = 363.91'

363.91'

SET 1X2 & NAIL ON SPUR FLUSH

206.83'

SEC. 34
T. 6 N.
R. 17 W.

TOP PG. 12

W.S. 17, E-3, MS 209-0.72, A2

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7-69 2058 CK #310 R-68

PWFB 3108

90

F.B. 3820 Pg. 14

BOT PG. 15

FD. 2"x2" CUP TACK PER STATE HWY. NOTES ALA 00SN 0247

8.67'

SET 2" I.P. CONC. PLUG & L.A.CO. ENGR. TAG FLUSH

8.10'

2 60.30' @ 16°29' = 249.60'
2 60.55' @ 16°40' = 249.68'
T = 70° = 249.58'

249.58'

SET 1"x2" NAIL FLUSH

35.89' @ 15°11' = 34.64'
35.68' @ 13°51' = 34.64'
T = 70° = 34.64'

FD. 2"x2" CUP TACK PER STATE HWY. NOTES ALA 00SN 0247

0.04'

34.64'

SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG ON BROAD RIDGE

4.41'

FD. U.S. GENERAL LAND OFFICE IRON POST & BRASS CAP PER C.S.B. 1106

6.54'

6.53'

170.22'

SEC. 4
T. 1 N.
R. 17 W.

SEC. 34
T. 2 N.
R. 17 W.

TOP PG. 13

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this Tie.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PWFB 3108

91

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T.6N. R.17W. F.B. 3920 Pg. 18
JN 0102-91 Tape 238 Std 84.°F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 5-19-16
Indexed

B-2

WS 17-C-3, WS 304-077,

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

SEC. 34
T. 6 N.
R. 17 W.

COUNTY SURVEYOR
T.6N. SEC. 34
S.C.
R.E.
1/4 COR.

VA SECTION CORNER
FD. STD. COUNTY
SURVEYOR BRASS
CAP MON. IN CONC.
PER C.S.B. 1606 &
STATE HWY NOTES
ALA-005N-0247
HELD TO THIS POINT
FOR LINE

99.09' @ 32.23' = 83.68'
99.53' @ 32.47' = 83.68'
T = 74' = 83.67'

83.67'

TOP
PG. 14

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7-62308 CR #310 3-66

PWFB 3108

92 93

F.B. 3820 Pg. 46

309-077, A-2, WS 17, C-3

134.75' @ 20°08' = 126.52'
134.35' @ 19°40' = 126.51'
T = 92° = 126.52

BOT PG. 17

126.52'

SET NAIL IN BOULDER

100.54' @ 11°32' = 98.51' = 98.51'
100.36' @ 11°00' = 98.52'
T = 90° = 98.51'

98.51'

LINE

SET 2" I.P. CONC. PLUG L.A.CO. ENGR TAG UP 4" ON RIDGE

40.09' @ LEV.
T = 88° = 40.09'

SECTION

40.09'

SEC 33
T. 6 N.
R. 17 W.

SET 1X2 & NAIL ON RIDGE = FLUSH

83.35' @ 12°47' = 81.28'
83.15' @ 12°09' = 81.29'
T = 90° = 81.28'

81.28'

SEC 34
T. 6 N.
R. 17 W.

FD. STATE HWY BRONZE DISK SEE PG 8

0.50'

SEE PG. 8

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PWFB 3108

94

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T.6N.R.17W. F.B. 3820 Pg. 17
JN0202.91 Tape 238 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 5-19-70
Indexed

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

BOT PG. 18

28.51' @ LEV
T = 92° = 28.51'

28.51'

SET NAIL IN SPNO STONE ROCK

285.15 @ 30° 50' = 244.85
285.70 @ 31° 01' = 244.85
T = 94° = 244.87

244.87'

SEC. 33
T. 6 N.
R. 17 W.

SET 1X2 & NAIL IN DRIVIN

SEC. 34
T. 6 N.
R. 17 W.

135.27' @ 24° 39' = 122.94'
134.90' @ 24° 18' = 122.95' = 122.94'
T = 92° = 122.95'

122.95'

SET 1X2 & NAIL ISLUSH

126.52'

TOP PG. 16

76P308 CK #210 8-68

PWFB 3108

F.B. 3220 Pg. 40

95

304-677/A-1 M.S. 17 C-3 Do not extend this side of this line.

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

1/4 SECTION CORNER
PO STANDARD CO.
SURVEYOR BRASS
CAP MON IN CONC
UP 1" PER C.S.B.
1606 & STATE HWY.
NOTES! ELEVATION
0247 MON MARKED
AS SHOWN

COUNTY SURVEYOR
T. 6N
R. 17W
S. 33 34
1/4 CORN
R.E.

254.78 @ 1°12' = 252.78 = 252.78
254.94 @ 1°27' = 252.79
T = 72° 252.76'

252.76'

SET 1/2" NAIL FLUSH SIDE HILL

SEC. 33
T. 6 N.
R. 17 W.

SEC. 34
T. 6 N.
R. 17 W.

28.51'

TOP
PG. 17

PWFB 3408 001

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T6N R17W
JN 0302.01 Tape Std °F
Surveyed by Burkholder
Notes DLB Date 2-1-74
Indexed

F.B. 3026 Pg. 19

JN 0302.01

E½ T6N. R17W

SECTION LINES

Feb 1, 1974
Burkholder
McCall
Bozeth
Wensel
Beasley
Jones 10-22-75
Lund
R.R. Rodriguez

Ref
C.S.B. 1606
F.B. 3454
F.B. 3216
C.S.B. 1709
C.S.B. 1226
F.B. 512

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7SP308 CK #310 8-68

PWFB 3408

002

F.B. 382 Pg. 20

INDEX



LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PWFB 3108

99

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN 9302.01 Tape Std 'F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 2-79
Date	Indexed

F.B. 3854 Pg. 24

INDEX

R16W R17W

NW NV NU

NQ NP NN

NJ NH NG

NC NB NA

Sec. 24 Sec. 25 Sec. 36

Sec. 23 Sec. 26 Sec. 35

Sec. 22 Sec. 27 Sec. 34

EK EG EC

EJ EF EB

EH ED EA

T5N T4N

TS FB

F.B. 3154

To RH Pg# 20

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

7693095 CK #310 8-68

PWFB 3108

96
97

F.B. 3820 Pg 22

To Bot Pg 23

WS 309+07.7, A=1

T1N R17W SBBM

57.30

59.82 @ 16°-39' T = 44° = 57.30
59.85 @ 16-45 " = 57.30

NA-1A = 6+05.59
Set Conc Nail in
Lge Boulder

484.38

Sec Line

485.63 @ 3°-56' T = 56° = 484.40
485.63 @ 4-05' " = 484.37
Avg = 484.38

S 33-34

W1/2 Sec 33

N 33-34

NA-1 = 1+21.21
Set 2" I.P. Conc
Plug C.C.E. Tag
(Tan Spvr)

121.21

128.32 @ 9°-08' T = 56° = 121.21
127.84 @ 18-30 " = 121.21

COUNTY SURVEYOR

T6N

R17W

33 — 34

Y4 COR.

RE 2177

1/4 Sec. Cor.
Found 1/2" Iron
Fd C.S. Mon. UP 1"
(Mkd as shown) Per
C.S.B. 1606
Fd 2" Mkr Pipe
3-S w/ Y
See F.B. 3820-18.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of the title.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PWFB 3108

Notes Ck'd by	Survey of E½ T5N R16W
Map No.	JN 0302.01 Tape Std °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 2-74
Date	Indexed

F.B. 3860 Pg. 25

To Bot Pg 24

49.07

49.08 @ Lev. T=64°=49.07

NA-4 = 10+51.74
Set Sq hd in Pvmt.
Sly edge Templin Hwy

106.46 @ 4°-02' T=62°=105.84
106.63 @ 6-54 " =105.84

105.84

T6N R17W Sec. 33

NA-3 = 9+45.90
Set 1x2" Nail
(Top Spur)

T6N R16W Sec. 34

283.01 Sec. Line

283.00 @ 3°-40' T=62°=283.00
283.01 @ 5°-24 " =283.01

NA-2 = 6+05.59
Set 1x2" Nail
(Top Spur)

57.30

To Top pg 22

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

7-73 3098 CK #310 8-65

F.B. 3820 Pg. 24

To Bot pg# 25

94.86

94.87 @ Lev. T=64° = 94.86

Whistle Pt.

NA-7 + 17 + 82.67
Set 2" I.P. Conc.
Plug & C.E. Tag
(Top Spun) Set
2" Mkr. pipe 3' Elx.

466.33 @ 6°-01' T=64° = 463.70
466.38 @ 6°-03' = 463.72
Avg = 463.71

463.71

NA-6 + 13 + 18.96
Set 1x2 & Nail
(Top Spun)

Sec. 33 T2N R11W

Sec. 34 T3N R11W

Sec. Line 3

94.16 @ 19°-39' T=62° = 90.55
96.05 @ 15°-28' = 90.55

131.24 @ 13°-29' T=62° = 127.60
131.36 @ 13°-41' = 127.61

90.55
127.60
218.15

218.15

NA-5 + 11 + 00.81
Set Sq. hd. Spk & T
N'ly edge Hvmt.
Tompkin Hwy

49.07

To Top pg# 23

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PWFB 3208

380 381

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E & T6N, R17W
JN 0302.81 Tape "C" Std 84 °F
Surveyed by Burkholder
Notes D.L.B. Date 2-74
Indexed

F. B. 3220 PG. 25

To Bol pg* 26

Wiggle Pt.
NA-11 = 26+58.02
Set 2" I.P. Conc. Plug
C.E. Tag (Top brk)
Set 2" Mkr. Pipe
3= E'ly

NA-10 = 26+50.53
Ed. 2x2 (No. Ref.)
Set Nail in 2x2
(Top brk)

21.39
7.49

25 26C 35°-27'-20" T=52° = 21.38
25 89C 34-06-20 " = 21.39

7.49 Lev. T=52° = 7.49

449.78C 6°-12', T=64° = 447.09
449.93C 6-22 " = 447.10

709.03

262.37C 3°-02', T=52° = 261.95
262.24C 2-36, " = 261.92
Avg = 261.93
447.10
709.03

Sec. 33

T6N R17W

NA-9 = 19+41.50
Set 1x2 & Nail
(Top brk)

390-21'-55" Meas

To ED-2 PS* Alg

Sec. 34

T6N R17W

63.97

Sec. Line

63.98C Lev. T=64° = 63.97

D 34°-22'-00"
B 137-27-40
C 206-11-30
34-22-55

Wiggle pt.
NA-8 = 18+77.53
Set 2" I.P. Conc.
Plug & C.E. Tag
(Top Spun) Set
2" Mkr. pipe 3=E'ly

94.86

To Top pg* 24

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

16F309S CE#310 3-69

PWFB 3208 To Bot. pg# 27

382

F. B. 3220 Pg. 26

NB-1 = 0+85.69
Set 1x2 & Nail
(Top Spud)

365.16
626.64

366.80 C 5°-19' T= 60° = 365.16
366.67 C 5.06 = 365.16

264.04 C 7°-54' T= 62° = 261.49
264.30 C 8-19 = 261.49
365.16
626.64

85.69

86.03 C 5°-00' T= 58° = 85.69
86.27 C 6.34 = 85.69

90°-19'-51" Calc.

89°-19'-48" Calc.

133.09
Sec. Line

To Bot pg# 46

21.39
Sec. Line

To Top pg# 25

Sec. 28

Sec. 27

Sec. 33

Sec. 34

T6N R17W

Sec. Cor. = 26+79.41
Fd. C.S. Mon. Mkd as Shown Per C.S.B. 1606
Set Mkr. Pipe 2.5E ly
Cor. falls in bottom of Sm., Steep, drain

COUNTY SURVEYOR
T6N
R17W
28 | 27
33 | 34
SEC. COR
RE 2177

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3208

383

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN 0302.01 Tape "C" Std. 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 2-74
Date	Indexed

F. B. 3826 Pg. 27

To Bof. pg #28

Wiggle Pt.

NB-2=7+18.08
Set 2" I.P. Conc.
Plug & C.E. Tag
Set 2" Mkr.
Pipe 2.5 E'ly
(Top Sm. Knoll)

433.81

22.86 Lev. T = 62° = 22.86

413.04 C 5°-42', T = 62° = 410.94
413.18 C 5-52 " = 410.96
Avg = 410.95
22.86
433.81

5.75

Sec. Line

5.75 Lev. T = 60° = 5.75

Sec. 28 T6N R17W

Sec. 27 T6N R17W

0.12

7+12.33
Fd. 2x2 ¢ Cup Tack,

Meas.
34°-46'-27"

To ED-2, Pg #40

261.48

626.64

34°-46'-30"
139-05-50
208-38-40
34-46-27

Ch. Pt.

365.16

To Top pg # 26

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

26F309S CE#310 3-69

PWFB 3208 To Bot pg# 29

384

385

F. B. 3826 PG 28



NB-3 = 24+63.64
Set 2" I.P. Conc.
Plug & C.E. Tag
(N. Edge flat spur)
Set 2" Mkr. Pipe
3' E'ly

215.30

216.23 @ 5°-15', T = 68° = 215.30
216.33 @ 5-34, " = 215.29

24+39.47
FD 2x2 & cup tack
No Ret.

24.17'
.06

412.01 @ 1°-58', T = 62° = 411.71
412.03 @ 1-57, " = 411.73
Avg = 411.72

423.12 @ 0°-36', T = 62° = 423.06
423.15 @ 0-42, T = 62° = 423.08
Avg = 423.07
411.72
834.79

79

834.85

NB-4 = 16+28.85
Set 1x2 & Nail
(Top spur)

Sec. 28

R17W

T6N

476.96

Sec. Line

477.05 @ 0°-41', T = 60° = 476.95
477.08 @ 0-44, " = 476.97
Avg = 476.96

Sec. 27

R17W

T7N

NB-3 = 11+57.89
Set 1x2 & Nail
(Top spur)

433.81

To Top pg# 27

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3208

386

Notes Ck'd by	Survey of E½ T6N R17W
Map No.	JN 0302.01 Tape "C" Std 84 °F
Office Work	Surveyed by Burkholder,
Checked	Notes D.L.B. Date 2-74
Date	Indexed

F. B. ~~3820~~ Pg ~~25~~

To Bot. pg# 30

309.77 A

Wiggle pt.
NB-7: 30+33.86
Set 2" I.P Conc.
plug & C.E. Tag
Set Mkr. pipe
3± East

541.37

224.21 Lev. T=46° = 224.15
317.31 @ 0°-38', T=52° = 317.22
317.33 @ 0-59, " = 317.21

317.22
224.15
541.37

354.92

246.26 @ 4°-27', T=46° = 245.46
246.28 @ 4-28, " = 245.47

109.53 @ 1°-28', T=46° = 109.46
109.55 @ 1°-54, " = 109.46

245.46
354.92

T6N R17W Sec. 28

T6N R17W Sec. 27

179°-59'-27"

1/4 Sec. Cor. = 26+78.94
Fd. C.S. Mon. Mkd as
Shown, per C.S.B. 1606
Set 2" Mkr. pipe 3' Ely

1) 179°-59'-30"
2) 359-57-40
3) 359-56-40
179-59-27

COUNTY SURVEYOR
T6N
R17W SEC. 28 SEC. 27
1/4 COR.
RE 2177

215.30
Sec. Line

To Top pg# 28

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

PWFB 3208

387

388

F. B. ~~3220~~ PG ~~30~~

To Bot. pg# 31

297.03

298.06 @ 4°-36', T=48° = 297.03
297.99 @ 4-24 " = 297.04

NB-10 = 41+03.76
Set 1x2 & Nail
(No. edge dirt Rd)

403.64 @ 3°-02', T=54° = 402.99
403.56 @ 2-50, " = 402.99

402.99

Sec. Line

Sec. 28

T 6 N

R 11 W

Sec. 27

T 6 N

R 11 W

NB-9, 37+00.77
Set 1x2 & Nail
(Top spud)

125.54

125.65 @ 02°-02', T=54° = 125.55
125.60 @ 01-29, " = 125.54

NB-8 = 35+75.23
Set 1x2 & Nail
(Top spud)

541.37

To Top pg# 29

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFR 3208

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN0302.01 Tape "C" Std 89 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B Date 2-74
Date	Indexed

F. B. 3820 PG. 31

389
390

To Bot. Pg# 32

481.38

187.84 ℄ 6°-22', T = 50° = 186.64
187.89 ℄ 6-32-30 " = 186.63

142.09 ℄ 6°-43'-30" T = 50° = 141.08
142.13 ℄ 6-52-40" " = 141.08

154.91 ℄ 7°-11'-48" T = 52 = 153.66
155.09 ℄ 7-41-00 " = 153.67
141.08
186.63
481.38

Wiggle Pt.
NB-13 = 46+20.78
Set 2" I.P. Conc.
Plug & C.E. Tag
N. (Top ridge)
Set 2" Mkr pipe
3± E'ly

T6N R17W Sec. 28

Sec. 27 R17W T6N

207.16

Sec. Line

207.69 ℄ 3°-53', T = 50° = 207.16
207.66 ℄ 3-47 " = 207.16

NB-12 = 44+13.62
Fd N&T in Pvmt.
Old Ridge Route

0.03

12.83

12.83 Lev. T = 48° = 12.83

NB-11 = 44+00.79
Fd N&T, in Pvmt.
Old Ridge Route

0.03

297.03

To Top pg# 30

X

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309s CE#310 3-69

PWFB 3208

391

F. B. 3820 PG. 32

90°-20'-30"
01-21-20
182-02-00
90-20-20

Sec. Cor.: 53+58.25
C.S. Mon per C.S.B. 1606 has been badly damaged (Br. cap is gone) Set C.E. Mon. Mkd as Shown, 50.00 on prod. tr. sq. fr. Witness cor. 12dn. Set 2" Mkr pipe 3± N'ly

COUNTY ENGINEER
T6N
R17W | 21 | 22 / 28 | 27
SEC. COR.
R.E. 7078

Wiggle Pt
Witness Cor.: 53+08.25
Fd. C.S. Mon. Mkd. as Shown, Per C.S.B. 1606 (Used for Line Sq.) Set 2" Mkr. pipe 3± S'ly

COUNTY SURVEYOR
T6N
R17W | 21 | 22 / 28 | 27
W/4 SEC COR
RE 277

Wiggle Pt
NB-14 = 51 + 02.16
Set 2" I.P. Conc. Plug & C.E. Tag fl. (Top brk) Set 2" Mkr. pipe 3± E'ly

T16N R17W Sec. 28

Prod. from Sec. 2

Sec. Line

90°-20'-20" N

268.91

Sec. Line

To Bot. pg# 33

50.00

89°-39'-40" Calc.

53.06 @ 31°-07'-40" T=66° = 45.41
4.59 Lcr. T=66° = 4.59
50.00

206.09

Sec. Line

189.99 @ 23°-16'-50", T=54° = 174.49
190.25 @ 23°-27-10", " = 174.50

36.90 @ 31°-06'-00", T=54° = 31.59
36.42 @ 29-50-10" " = 31.59
179.50
206.09

481.38

To Top pg# 31

T6N R17W Sec. 27

W 5 11 C-3

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3208

392

Notes Ck'd by	Survey of E½ T6N R17W
Map No.	JN 0302.01 Tape "C" Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 2-74
Date	Indexed

F. B. 3260 PG. 35

To Bot. pg# 34

EH-3 = 7+21.70
Set 1x2 & Nail
(Top Spur)

359.09

398. 26°25°-37-20" T=76° = 359.08
398. 48°25-40-35 " = 359.11
Avg = 359.09

440. 13°21°-21'-40", T=78° = 409.87
439. 75°21-14-10 " = 409.87

T6N R17W Sec. 22

EH-2 = 3+11.83
Set 1x2 & Nail
(Top brk)

409.87

T6N R17W Sec. 27

42.92

42.92 Lev. T=78° = 42.92

Sec. Line

Wiggle Pt.

EH-1 = 2+68.91
Set 2" I.P. Conc. plug
& C.E. Tag (Top Ridge)
Set 2" Mkr Pipe
3± S'ly

223. 02°7°-56'-00", T=78° = 220.88
223. 20°8-17-40 " = 220.86
Avg = 220.87
48.04 Lev. T=78° = 48.04
268.91

268.91

To Rt. pg# 32

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

PWFB 3208

393

F. B. ~~3820~~ PG. ~~34~~ 35

To Bot. pg# 35

221.30

Templin Seepg#

186. 94 @ 1°-57'-40" T=60' = 186.80
186. 90 @ 1°-9'-40" " = 186.79
34.5 Lev. T=60' = 34.50
221.30

EH-6 = 12+94.78
Int. Sec. Line & Long Chord. Set 3" I.P. Conc. plug & C.E. Tag by Intl. Set Mkr pipe 3± N.Ly

Hwy

8.19 Lev. T=64°= 8.19

169. 84 @ 27°-18'-40" T=58° = 150.88
170. 46 @ 27-43-00 " = 150.87
8.19
159.06

159.06

Sec Line

T6N R11W Sec. 22

T6N R11W Sec. 27

EH-5 = 11+35.72
Set Sq. hd Spk & T E. edge pvmt.

55. 00 @ 2°-45' T=64° = 54.93
55. 05 @ 3-33 " = 54.93

54.93

EH-4 = 10+80.79
Set Sq. hd Spk & Tin Wi edge pvmt. Templin Hwy

359.09

To Top pg# 33

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3208

394

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E2 T6N, R17W
JN 0302.011 Tape "C" Std 89 °F
Surveyed by Burkholder
Notes D.L.B. Date 4-74
Indexed

F. B. 3806 Pg. 75

To Bot. Pg# 36

96.68

97.02 @ 4°-45', T = 66° = 96.68
56.92 @ 4-01 " = 96.67

drain

Conc.

EH-8 = 22+17.35
Set Ld & C.E Tag
W. edge Conc drain

T6N R17W Sec 22

T6N R17W Sec 27

701.27
Sec. Line 3

200.86 @ 2°-54-30, T = 62° = 200.57
200.90 @ 3-07-20 " = 200.57

499.20 @ 6°-15-45", T = 62° = 496.15
499.30 @ 6-20-20 " = 496.18
Avg = 496.16
4.54 Ler. T = 62° = 4.54
200.57
701.27

EH-7 = 15+16.08
Set 1x2 & Nail
(Top Spur)

221.30

To Top pg# 34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

PWFB 3208

395

F. B. ~~3810~~ Pg. ~~36~~ To Bot. Pg# 37

457.30 @ 5°-28'-30" T=50° = 455.11
457.43 @ 5-37-45 " = 455.12

191.47 @ 10°-38'-45" T=52° = 188.13
191.78 @ 11-07-40 " = 188.13
455.11
643.24

643.24

EH-11 = 26+47.72
Set 1x2 & Nail
(Top Sm. Spur)

5.70

1/4 Sec. Cor. = 2642.02
Set C.E. Mon. (Mkd. as shown)
4" UP by Proportion
Per R.S.B. 1606
Set 2" Mkr pipe 3' S.E'ly

5.70 Lev. T= 78° = 5.70

325.61 @ 17°-23'-20" T=50° = 310.66
325.30 @ 17-13-10 " = 310.65

310.66

T6N R17W Sec 22

EH-10 = 23+37.06
Set 2" I.P. Conc
Plug & C.E. Tag
(Top terraced
hillside) Set Mkr
Pipe 3' S'ly

23.03
Sec. Line

T6N R17W Sec 27

EH-9 = 23+14.03
Set 1x2 & Nail

23.03 Lev. T= 62° = 23.03

96.68

To Top Pg# 35

W S 17 C-3

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3208

396

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T6N R17W
JN 0302.01 Tape "C" Std 84 °F
Surveyed by Burkholder
Notes D.L.B. Date 4-74
Indexed

F. B. 3820 Pg. 87

To Bot. Pg# 38

Wiggle Pt.
EH-14, 35+67.23
Set 2" I.P. Conc. Plug & C.E. Tag (Top Spun)
Set 2" Mkr Pipe 3± S'ly

13.18

13.18 Lev. T=58° = 13.18

0.10

Fd. 2x2 & Cup tack

0.51

86.95

86.96 Lev. T=58° = 86.95

T6N R17W Sec. 22

T6N R17W Sec. 27

EH-13 = 34+80.28
Set 1x2 & Nail
(No. edge dirt road)

189.32

Sec. Line

98.16 C 13°-23'-00", T=56° = 95.47
98.29 C 13-42-10 " = 95.47

95.07 C 9°-01'-40", T=56° = 93.85
94.92 8-34-30 " = 93.84

93.85
95.47
189.32

EH-12 = 32+90.96
Set 1x2 & Nail
(sidehill)

643.24

To Top Pg# 36

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

PWFB 3208

397

F. B. 3220 PG. 38

To Bot. Pg # 39

575.48

7.78 Lev. T = 60° = 7.78

295.63 @ 25°-51'-30" T = 62° = 265.99
295.23 @ 25-42-10 " = 265.98

Wiggle pt.

EH-17 = 47+08.56
Set 3" I.P. Conc. plug
& C.E. Tag (Top spun)
Set 2" Mkr pipe 3' Sly

189.99 @ 20°-24-35 T = 66° = 178.04
190.00 @ 20-24-50 " = 178.05
265.98
7.78
123.67
575.48

135.36 @ 23°-57'-45" T = 66° = 123.67
135.76 @ 24-20-45 " = 123.67

294.29

282.21 @ 4°-39'-20" T = 60° = 281.24
282.14 @ 4-26-30 " = 281.25

13.04 Lev. T = 60° = 13.04
281.35
294.29

EH-16 = 44+14.27
Set 1"x2" & Nail
(E. Side Terraced
Sidehill)

I 6N R 11W Sec 22

I 6N R 11W Sec 27

168.67 @ 38°-12-00" T = 60° = 132.52
168.25 @ 38-00-20" " = 132.54
Avg = 132.53

298.43 @ 30°-13'-30" T = 64° = 257.82
299.12 @ 30-26-40" " = 257.84
Avg = 257.83

127.60 @ 13°-05'-30" T = 64° = 124.26
127.53 @ 12-56-10 " = 124.27

833.86

Sec. Line

230.73 @ 12°-54'-00" T = 62° = 224.88
230.51 @ 12-38-50" " = 224.89

96.38 @ 11°-42'-45" T = 58° = 94.35
96.26 @ 11-20-45 " = 94.36

132.53
257.83
124.26
224.89
94.35
833.86

EH-15 = 35+80.41
Set 1"x2" & Nail
(Top brk)

13.18

To Top Pg # 37

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3208

398

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN0302.01 Tape "C" Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 4-74
Date	Indexed

F. B. 3820 Pg. 39

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

T6N R17W Sec. 23

T6N R17W Sec. 22

T6N R17W Sec. 27

T6N R17W Sec. 26

To Bot. Pg# 83

Witness Cor. Wiggle H.
EJ-1 = 0+33.04
Fd. C.S. Mon. Mkd. as Shown, Per C.S.B. 1606 Set 2" Mkr Pipe (Used for Line E&W)

2325.66

33.04 Sec. Line

COUNTY SURVEYORS T6N 22|23 27|26 W/4 SEC. COR. MLIR RE. MONUMENT

34.70 @ 17°-42'-50" T 68° = 33.06
34.85 @ 18°-28'-20" T 68° = 33.05

33.04 Lev. T=68° = 33.04

33.05 Sec. Line

534.90

To Top Pg# 45

Sec. Cor. 23|26 / 22|27 = 52+84.04 fr. West. Set C.E. Mon. Mkd. as shown, by Inter. Using Witness Cors Per C.S.B. 1606 C.S.B. 1709

90°-50'-50" 50'

90°-50'-50"
3-23-20
185-05-00
94-50-50

Witness Cor. NH-17 = 53+24.16 Fd. C.S. Mon. Mkd as Shown, Per C.S.B. 1606, Set 2" Mkr. Pipe (Used for Line Fr. So)

COUNTY ENGINEER T6N 22|23 27|26 SEC. COR. RE 7618 MLIR

Prod. fr. East

575.48

Sec. Line

COUNTY SURVEYORS T6N 22|23 27|26 2177 W/4 SEC. COR. MLIR RE. MONUMENT

To Top Pg# 38

16F309S CE#310 3-69

PWFB 3208

399

F. B. 3826 Pg 40 To Bot. Pg# 41

Δ 91°-01'-00"
Δ 04-09-00
Δ 186-06-20
91-01-03

278.03 @ 17°-47'-50" T=78°=264.71
278.11 @ 17-50-50 " = 264.72

NH-1 = 0+17.02
Set 1x2 & Nail
(Top brk)

D 89°-09-40'
Δ 356-39-00
Δ 174-58-20
89-09-43

360.04 Sec. Line

T6N R17W Sec. 27

T6N R17W Sec. 26

S 89°-57'-57" E 2639.05

17.02 Lev. T=59°=17.02

89°-09'-43"

91°-01'-03"

17.02

To Top Pg# 52

To Bot Pg# 68

819.96

264.72

Sec. Line

30.18 Sec. Line

Wissle pt.
ED-18 = 50+67.42
Set 3/4" I.P. Conc.
Plug & C.E. Tag
(Top Main ridge)
Set Mkr. pipe
3± S'ly

Sec. Cor. = 0+00 North.
53+56.20 fr. So. 53+32.14 fr. W.
Fd. C.S. Mon. (Mkd as Shown)
Per C.S.B. 1606, F.B. 3454-97
Fd. 2" Mkr. pipe 3± W'ly
(Top of ridge)

0°-09'-22"

1336.21 per F.B. 3454-96

Sec. Line

89°-39'-57"

T6N R17W Sec. 34

T6N R17W Sec. 35

COUNTY SURVEYOR
T6N
R17W
27 26
34 35
SEC. COR.
RE 2177

Fd. Ld. & C.E. Tag
(Top cb) per
F.B. 3454-96

Fd. Ld. & C.E. Tag
Per F.B. 3454-96

455

D 89°-40'-00"
Δ 358-39-50
Δ 177-59-40
89-39-57

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3208

400 401

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN 0302.01 Tape 13 Std 84 °F
Office Work	Surveyed by Burkhalter
Checked	Notes D.L.B Date 4-74
Date	Indexed

F. B. 38[illegible] Pg. 94

Rinse Pt
NH-1 = 1+04.81
Set 2" I.P. Conc. Plug
&C.E. Tag, (Top Spud)
Set Mkr. Pipe 3± W'ly

To Bot. pg# 42

Set 1x2 & Nail on 15 offset for Chaining only

15.00

198.44

17.88 Lev. T = 60° = 17.88

298.59 @ 4°-38'-00", T = 58° = 297.56
298.45 @ 4-18-30 " = 297.56

43.46 Lev. T = 58° = 43.45
17.88
297.56
358.89

358.89

Sec. Line

T6N R17W Sec. 27

NH 3A
Set 1x2 & Nail
(Top brk)

727.75

T6N R17W Sec. 26

118.09 @ 16°-19'-10" T=62° = 113.31
117.82 @ 15-51-40 " = 113.31

260.29 @ 10°-55'-00", T=60° = 255.54
260.24 @ 10-49-40 " = 255.57
Avg = 255.55
113.31
368.86

368.86

NH-2 = 3+77.06
Set 1x2 & Nail
(Top spur)

15.00

Set 1x2 & Nail on 15' offset for Chaining only

135.86 @ 13°-58'-05", T=60° = 131.82
136.25 @ 14-34-50 " = 131.84
Avg = 131.83

264.74 @ 30°-26'-00" T=54° = 228.21
265.34 @ 30-39-10 " = 228.21
131.83
360.04

360.04

To Top pg# 40

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

PWFB 3208

F.B. 3220 Pg. 42 To Top pg* 43

402 403

70.08 @ 23°-58'-10" T=80° = 64.04
69.64 @ 23-08-40 " = 64.04

287.91 @ 17°-18'-25" T=78° = 274.86
288.21 @ 17-29-50 " = 274.86
64.04
338.90

338.90

NH-7 = 20+18.31
Set 1x2 & Nail
(Top brk)

155.40 @ 12°-33'-30" T=80° = 151.69
155.61 @ 12-53-40 " = 151.69

151.69

Sec. Line

T6N R11W Sec. 27

NH-6 = 18+66.62
Set 1x2 & Nail
(Top brk)

T6N R11W Sec. 26

47.74 Len T=80° = 47.74

230.74 @ 14°-19'-30" T=76° = 223.56
231.04 @ 14-35-15 " = 223.58
Avg = 223.57

297.33 @ 10°47'-30" T=80° = 292.06
297.13 @ 10-36-00 " = 292.05

47.74
223.57
292.06
563.37

563.37

Wiggle pt.
NH-5 = 13+03.25
Set 2" I.P. Conc. Plug
P.C.E. Tag (Top brk)
Set 2" Mkr pipe 3' W'ly

199.94 @ 7°-00-20" T=74° = 198.44
199.88 @ 6-52-00 " = 198.44

198.44

To Top pg* 41

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3208

404 405

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN 0302.01 Tape 13 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 4-74
Date	Indexed

F.B. 3900 Pg 93

To Bot. pg# 44

334.48

NH-10 = 26+96.80
Set 1x2 & Nail
(Top brk)

128.06 Ⓒ 33°-40'-50", T=82° = 106.56
129.36 Ⓒ 34-32-00 " = 106.57

236.15 Ⓒ 15°-11'-10", T=88° = 227.91
236.46 Ⓒ 15-29-00 " = 227.92

106.56
334.48

18.04 Lev. T=84° = 18.04

Δ 180°-00'-00"
Ⓒ 359-58-00
R 359-57-20
179-59-33

18.04

179.59'.33"

T6N R17W Sec. 27

T6N R17W Sec. 26

1/4 Sec. Cor. = 26+78.76
Fd. C.S. Mon. Mkd. as
Shown Per C.S.B. 1606
Set ¾" Mkr. Pipe
3± W'ly

COUNTY SURVEYOR
T6N
R17W
SEC. 27
SEC. 26
¼ COR
RE 2177

321.55

Sec. Line

NH-8 = 23+57.21
Set 1x2 & Nail

239.43 Ⓒ 1°-27'-30", T=82° = 239.35
239.41 Ⓒ 1-16-00 " = 239.35

83.24 Ⓒ 9°-03'-10", T=84° = 82.20
83.34 Ⓒ 9-26-55 " = 82.21

239.35
82.20
321.55

338.90

To Top pg 42

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

309-177 B-1

76F309S CE#310 3-69

PWFB 3208

406

407

F. B. 3200 PG 44 To Bot. pg# 45

739.14

274.70 @ 22°-13'-30", T = 72° = 254.27
274.26 @ 21-59-40 " = 254.28

266.33 @ 8°-25'-50", T = 74° = 263.44
266.13 @ 8-06-50 " = 263.46
Avg = 263.45

NH-13 = 36+79.01
Set 1x2 & Nail
(No edge dirt rd.

83.91 @ 20°-42'-10", T = 76° = 78.49
84.20 @ 21-13-40 " = 78.49

148.59 @ 15°-51'-30", T = 76° = 148.92
148.85 @ 16-11-50 " = 142.93
254.27
263.45
78.49
739.14

392.53

58.03 Len. T = 88° = 58.03

272.72 @ 32°-59'-00", T = 88° = 228.78
273.72 @ 33-18-15 " = 228.78

106.70 @ 7°-43'-00", T = 90° = 105.73
106.60 @ 7-21-20 " = 105.72
228.78
58.03
392.53

T6N R11W Sec. 27

NH-12 = 32+86.48
Set 1x2 & Nail
(Top spud)

T6N R12W Sec. 26

255.20

Sec. Line

44.40 @ 12°-00'-45", T = 90° = 43.43
44.26 @ 11-05-00 " = 43.43

212.27 @ 3°-57'-20", T = 90° = 211.77
212.34 @ 4-14-15 " = 211.77
43.43
255.20

NH-11 = 30+31.28
Set 1x2 & Nail

334.48

To Top pg# 43

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3208

408 409

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T6N, R17W
JN 030201 Tape 13 Std 84 °F
Surveyed by Burkhalder
Notes D.L.B. Date 5-74
Indexed

F. B. 3820 Pg. 45

To Rt. Pg# 39

Wiggle Pt.
NH-16 = 47+89.26
Set 2" I.P. Conc. plug & C.E. Tag (Top ridge No. of Penstocks) Set 2" Mkr pipe 3' w'ly

534.90

129.66 @ 32°-28'-20" T=78° = 109.38
129.20 @ 32-08-30 " = 109.39

141.89 @ 30°-34'-15" T=80 = 122.17
141.27 @ 30-08-20 " = 122.17

275.97 @ 18°-44'-00" T=80 = 261.34
276.32 @ 18-56-10 " = 261.36
Avg = 261.35

42.55 @ 9°-11'-00" T=80 = 42.00
42.68 @ 10-12-50 " = 42.00
261.35
122.17
109.38
534.90

T6N R17W Sec. 27

NH-15 = 44+40.01
Set 2" I.P. Conc. Plug & C.E. Tag (Top ridge So. Penstocks) Set 2" Mkr. Pipe 3' w'ly

349.25

279.00 @ 2°-59'-35" T=76° = 278.61
278.97 @ 2-49-15 " = 278.62

70.63 Lev. T=78° = 70.63
278.62
349.25

T6N R17W Sec. 26

21.86
Sec. Line

NH-14 = 44+18.15
Set 1x2 & Nail (So. edge ridge)

21.86 Lev. T=76° = 21.86

739.14

To Top pg# 44

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

PWFB 3208

410

F. B. 3210 Pg. 16

To Bot. pg# 47

Wiggle Pt.
ED-3 = 6+19.26
Set 2" I.P. Conc.
Plug & C.E. Tag
(Top Main ridge)
Set 2" Mkr. pipe
3± N'ly

494.64

199.01 @ 9°-48'-30", T = 72° = 196.08
198.73 @ 9-19-50, " = 196.08

301.00 @ 7°-15'-10", T = 70° = 298.56
300.78 @ 6-56-00, " = 298.55

298.56
196.08
494.64

118.62

119.09 @ 5°-00'-55", T = 58° = 118.62
119.14 @ 5-12-10, " = 118.63

Wiggle Pt.
ED-2 = 500.64
Set 2" I.P. Conc.
Plug & C.E. Tag
(Top brk) Set
2" Mkr. pipe
3± S'ly

T6N R11W Sec 27

T1N R11W Sec 34

To NA 9 Pg# 25

To NB 2, Pg# 27

Meas. 54°-53'-42"

Meas. 56°-18'-17"

1) 54°-54'-40"
2) 219-35-00
3) 329-22-10
54-53-42

367.55

Sec. Line

149.40 @ 15°-44'-35", T = 56° = 143.77
149.19 @ 15-26-30, " = 143.77

231.98 @ 15°-14'-25", T = 52° = 223.77
231.54 @ 14-49-50, " = 223.78
143.77
367.55

1) 56°-18-10"
2) 225-13-05
3) 337-49-40
56-18-17

Wiggle Pt.
ED-1 = 1+33.09
Set 2" I.P. Conc.
Plug & C.E. Tag
(Top brk) Set
2" Mkr. Pipe
3± N'ly

133.09

8.92
15.53
24.45 Lev. T = 52° = 24.44
7.61 Lev. " = 7.61

109.44 @ 22°-32'-50" T = 52° = 101.05
109.17 @ 22-13-40, " = 101.04
24.44
7.61
133.09

To Rt. pg# 26

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFR 3208

411

Notes Ck'd by	Survey of E½ T6N R17W
Map No.	JN 0302.01 Tape 13 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 5-74
Date	Indexed

F. B. 3820 Pg 41

To Bot. pg# 48

41.23

41.23 Lev. T=72° = 41.23

ED-5A=16+39.43
Set Conc. Nail
Near ℄ Templin
Hwy

79.74

85.95 @ 21°-53'-20" T=72°=79.74
85.49 @ 21-05-50 " =79.75

ED-5=15+59.69
Set 1x2 & Nail
(Top Cut bank)

T6N R17W Sec. 27

T6N R17W Sec. 34

445.79

Sec. Line

50.31 @ 19°-24'-30" T=76°=47.45
49.90 @ 18-01-30 " =47.45

299.02 @ 18°-17'-10" T=76°=283.90
299.48 @ 18-33-00 " =283.90

11.5.20 @ 6°-32'-20" T=72°=114.44
11.4.94 @ 5-18-00 " =114.44
283.90
97.45
445.79

ED-4=11+13.90
Set 2" I.P. Conc.
Plug & C.E. Tag
(Top spud) Set
2" Mkr. pipe
3' N'ly

494.64

To Top pg# 46

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 3820 Pg 46 To Bot pg# 49

235.22 C 5°-27'-00" T=78° = 234.15
235.24 C 5-31-20 " = 234.14

234.14

ED-8 = 24+31.54
Set 1x2 & Nail
(Top Spud)

300.18 C 14°-44'-30" T=78° = 290.29
300.32 C 14-49-25 " = 290.31
Avg = 290.30

59.44 C 13°-59'-38" T=78° = 57.68
59.18 C 12-56-00 " = 57.68
290.30
347.98

347.98

ED-7 = 20+83.56
Set 1x2 & Nail
(Top Spud)

T4N R11W Sec. 34

T4N R11W Sec. 3

300.18 C 9°-23'-20" T=80° = 296.15
300.08 C 9-16-50 " = 296.14

122.72 C 29°-33'-20" T=80° = 106.75
122.23 C 29-08-50 " = 106.75
296.15
402.90

402.90

Sec. Line 3

ED-6 = 16+80.66
Set 1x2 & Nail
(E Side Templin Hwy)

41.23

To Top pg# 47

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3208

413

Notes Ck'd by	Survey of 4½ T6N, R17W
Map No.	JN 030201 Tape 13 Std 84° °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 5-74
Date	Indexed

F.B. 3820 Pg. 15

To Bot. pg# 50

D 180°-00-00"
1 359-58-45
2 359-57-55
179-59-39

193 86 e 9°-47-00" T=84°=191.04
194 06 e 10-05-00" " =191.06
Avg = 191.05

98.25 e 9°-15-35" T=82°= 96.97
98.01 e 8-21-30" " = 96.97
191.05
288.02

288.02

179°-59'-39"

ED-9 = 26+65.68
V4 Sec. Cor
Fd. C.S. Mon. Mkd
as shown, Per
C.S.B. 1606, Set 2"
xMkr pipe 3' N'Ly
(Cor. Near Bot Sm.
drain Coursing S.W.)

T6N R17W Sec. 27

T6N R17W Sec. 34

Sec. Line

COUNTY SURVEYOR T6N 27 + 34 R17W V4 COR RE. 2177

234.14

To Top pg# 48

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PWFB 3208

414

F. B. 3820 PG 60

To Bot. pg #51

329.85

222.98 Lev. T=60°=222.95

107.06 @ 3°-02'-30" T=64° = 106.90
107.11 @ 3-36-50 " = 106.89

106.90
222.95
329.85

ED-12 = 33+59.63
Set 1x2 & Nail
E. edge old Ridge
Route

92.49

92.50 Lev. T=60°=92.49

ED-11A = 32+67.14
Set Sq hd Spk
Near Ctr. Old Ridge
Route pvmt.

T 6N R 11W Sec 27

285.00

Sec. Line J

T 6N R 11W Sec 34

299.31 @ 17°-41'-30" T=80° = 284.99
299.12 @ 17-39-50 " = 285.01
Avg = 285.00

Wiggle pt.
ED-11 = 29+82.14
Set 2" I.P. Conc.
Plug & C.E. Tag
(Top main ridge
& Steep Cut W.
of Old Ridge Route)
Set 2" Mkr. pipe
3± N'ly

28.44

28.44 Lev. T=80°=28.44

ED-10 = 29+53.70
Set 1x2 & Nail
(Top ridge)

288.02

To Top pg #49

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink with Date and Name of Person Making Change.

PWFB 3208

415

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T6N, R17W
JN 0302.01 Tape "D" Std. 84 °F
Surveyed by Burkholder
Notes DLB Date 5-74
Indexed

F. B. 3920 Pg. 1

To Bot. pg# 52

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

T6N R17W Sec. 27

526.87

Sec. Line

499.40 @ 23°-29'-30" T=54°=457.91
499.90 @ 23-37-50 " =457.88
Avg = 457.89

80.91 @ 31°-29'-00" T=52°=68.98
80.55 @ 31-04-55 " =68.97

68.98
457.89
526.87

T6N R17W Sec. 34

ED-14 = 37+82.23
Set 1x2 & Nail
(Top Spur)

92.75

99.69 @ 21°-29'-10" T=70°=92.75
99.79 @ 21-37-00 " =92.76

ED-13 = 36+89.48
Set 1x2 & Nail
E. edge old Ridge Route

329.85

To Top pg# 50

16F309S CE#310 3-69

PWFB 3208

416 417

F. B. ~~3210~~ PG 72

To Lt. PS# 40

58.23 @ 5°-45-30" T=74° = 57.94
58.29 @ 6-19-30 " = 57.94

24.02 Len T=74° = 24.02
57.94
81.96

81.96

ED-17 = 48+85.46
Set 1x2 & Nail
(W. side Main Ridge)

156.94

160.74 @ 12°-26'-35", T=66° = 156.94
160.59 @ 12-11-50 " = 156.94

ED-16 = 48+28.52
Set 1x2 & Nail
(Sidehill)

T6N R11W Sec. 27

T6N R11W Sec. 34

519.42 Sec. Line

384.67 @ 10°-27'-05", T=64° = 378.24
384.57 @ 10-21-10 " = 378.26
Avg = 378.25

142.99 @ 9°-08'-15", T=66° = 141.16
143.14 @ 9-28-20 " = 141.17
378.25
519.42

ED-15 = 43+09.10
Set 1x2 & Nail
(Top Spur)

526.87

306.92

317.31 @ 14°-39'-25", T=62° = 306.93
317.63 @ 14-53-10 " = 306.92

40+02.18
Fd. 1½" I.P. Wood
Plug & L.S. Tag
#2372 VP 6" Leaning S.E'ly

0.11

To Top PS# 51

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3108

100

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN 9302.01 Tape "D" Std. 89 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B Date 5-74
Date	Indexed

F. B. 3820 Pg. 53

To Bot. pg# 54

WS 309-077 A-2

W.S. 17C-3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

T6N R17W Sec. 34

T5N R17W Sec. 4

Fd. 2" I.P. Conc. Plug & C.E. Tag Per F.B. 3820-14

Per F.B. 3820-14
83.67

Per F.B. 3820-14
284.22

Fd. 2" I.P. Conc. Plug & C.E. Tag (on Broad rise) used to prod line E'ly to Meas. ✗

Sec. Line

Per F.B. 3820-13
610.25

Fd. State Hwy. Bronze disc. in Conc. per F.B. 3820-13

0.06

Used this pt for Line to prod E'ly

16F309S CE#310 3-69

PWFB 3108

F. B. 3820 Pg. 54

101

To Bot. pg # 55

MS 1763 WS 309-077

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

419.50 C 13°-00'-50" T = 84° = 408.73
419.04 C 12-45-30 " = 408.69
Avg = 408.71

175.04 C 31°-28'-30" T = 86° = 149.29
174.71 C 31-17-00 " = 149.31
Avg = 149.30
408.71
558.01

548.11
558.01

9.90 Lev. T = 80° = 9.90

9.90

EA-2 =
Closing 1/4 Sec. Cor
Fd. C.S. Mon. Flush,
Mkd as shown per
C.S.B. 1606, C.S.B. 1226
State Mkr. 2' So.

COUNTY SURVEYOR
C.C.
SEC. 4
1/4 COR.
T 5 N
R E 2177
MLIR

EA-1
Std. 1/4 Sec. Cor.
Fd. C.S. Mon. Mkd.
as shown per
C.S.B. 1606, C.S.B. 1226
F.B. 3820-15
Fd Mkr. Pipe 3± N'ly

COUNTY SURVEYOR
T 6 N
SEC. 34
S.C.
1/4 COR.
T 6 N
R E 2177
MLIR

T 6 N R 11 W Sec 34

T 5 N R 11 W Sec 4

8367 Rec.
Sec. Line

To Top pg # 53

PWFB 3108

102

Notes Ck'd by	Survey of E½ T6N R17W
Map No.	JN 0302.01 Tape "D" Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 5-74
Date	Indexed

F. B. 3820 Pg. 85

To Bot. pg #56

EA-5 = 8+42.56
Set 1x2 & Nail
4" Sq. of 6"x4"x4"
Post. (Top brk)

444.23

456.60 C 13°-22'-10" T=84° = 444.24
456.69 C 13-25-40 " = 444.22
Avg = 444.23

130.23 C 11°-44'-30" T=84° = 127.50
130.28 C 11-51-40 " = 127.50

127.50

EA-4 = 7+15.06
Set 1x2 & Nail
(Top brk)

T6N R17W Sec. 34

T5N R17W Sec. 4

163.61 C 16°-16'-20" T=84° = 157.06
163.39 C 16-01-00 " = 157.05

157.05

Sec. Line

EA-3 = 5+58.01
Set 1x2 & Nail
(Top brk)

548.11

558.01

To Top pg #54

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. ~~3820~~ PG ~~56~~

To Bot. pg* 57

235.49 Len. T = 90° = 235.50

408.14 C 28°-35'-30", T = 90° = 358.39
407.76 C 28-30-00 " = 358.37
Avg = 358.38
235.50
593.88

593.88

EA-~~10~~ 9 = 16+00.12
Set 1x2 & Nail
Top brk

57.99 C 23°-32'-40", T = 84° = 53.16
57.51 C 22-24-10 " = 53.17

53.17

EA-8 = 15+46.95
Set 1x2 & Nail
(E. edge broad ridge)

130.92 C 7°-24-40", T = 86° = 129.8
130.77 C 6-53-50 " = 129.8

129.82

T6N R17W Sec. 34

Wiggle Pt.

EA-7 = 14+17.13
Set 2" I.P. Conc
Plug & C.E. Tag
Set 2" Mkr. Pipe
3± N/L
(Top broad ridge)

T5N R17W Sec. 4

130.34 C Len. T = 86° = 130.34

130.34

Sec. Line

EA-6 = 12+86.79
Set 1x2 & Nail
W. edge broad ridge)

444.23

To Top pg* 55

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3108

104

Notes Ck'd by		Survey of E½ T6N, R17W	F. B. 3820 Pg. 57
Map No.		JN 0302 01 Tape "D" Std. 84 °F	
Office Work		Surveyed by Burkholder	
Checked		Notes D.L.B. Date 5-74	
Date		Indexed	

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

W.J.17 C-3 W.S. 30 9.077, B-2

T6N R17W Sec. 35

T6N R17W Sec. 34

T6N R17W Sec. 3

T6N R17W Sec. 4

2,389.40 Per. F.B. 3454-92

A-5 = 23+89.46 fr. S. Fd. 2" I.P. Cone. Plug & C.E. Top w/Mkr. Pipe 2½" E. (Top Spur) Per F.B. 3454-92

89°-52'-02"

447.74

2.5 Old Adobe Hse

EA-10 = 21+94.00 Set 1"x2" & Nail

Sec. Cor. = 26+41.74 fr. W. Fd. C.S. Mon. (Mkd as shown) Per C.S.B. 1606, C.S.B. 1326 F.B. 3454-90

COUNTY SURVEYOR T6N 34 35 SEC. COR. T5N R2W MLI

44.05 Ⓒ 17°-24'-40" T = 84° = 42.03
44.18 Ⓒ 17-53-50 " = 42.04

415.93 Ⓒ 12°-44'-00", T = 84° = 405.70
415.89 Ⓒ 12-42-10 " = 405.71
42.03
447.74

D 89-52-00"
359-28-10
179-12-10
89-52-02

593.88

To Top pg # 56

F. B. 3820 PG 58

To Bot. Pg # 59

W.S.17, C-5, MS. 307-B9, B-2

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

136.05 @ 24°-14'-20", T = 64° = 124.04
135.81 @ 24-00-00 " = 124.05

124.04

EB-2 = 0+89.60
Set 1x2 & Nail
Top brd

88.71 @ 20°-26'-40" T = 66° = 83.11
88.95 @ 20-49-25 " = 83.13
Avg = 83.12

83.12 Sec. Line

1/4 Sec. Cor.
EB-1 = 0+6.48
Fd. C.S. Mon. (Mkd as Shown) Per C.S.B. 1606
F.B. 3216-89, C.S.B. 1226

COUNTY SURVEYOR T6N C.C. 3 COR SEC 35 1/4 T5N RE 2177

T6N R17W Sec. 35

T5N R17W Sec 3

6.48 Ler. T = 64° = 6.48

6.48

1/4 Sec. Cor.
0+00 East.
Fd. C.S. Mon. (Mkd as Shown) per C.S.B. 1606
F.B. 3216-89, C.S.B. 1226
Mkr Pipe 2± N

COUNTY SURVEYOR T6N SEC. 35 S.C. 1/4 COR T5N RE 2177 M17W

Ptr. F.B. 3216-89
72.83

Fd. 2" I.P. Conc. plug
& C.E. Tag (Top Sm. Spur)
Per F.B. 3216-89

PWFB 3109

48

Notes Ck'd by	Survey of E½ T6N R17W
Map No.	JN 0302.01 Tape "D" Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B Date 6-74
Date	Indexed

F. B. ~~3820~~ Pg. ~~57~~

To Bot pg* 60

448.04 @ 6°-43'-30" T=88° = 444.97
448.27 @ 6-56-00 " = 445.00
Avg = 444.98

444.98

EB-5 = 13+82.72
Set 1x2 & Nail
(Sidehill)

562.48

EB-4 = 8+20.24
Set 1x2 & Nail
(Sidehill)

216.24
390.36
606.60

243.02 @ 27°-08-00" T=66° = 216.25
242.45 @ 26-52-30" " = 216.23
Avg = 216.24

412.46 @ 18°-48-40" T=66° = 390.38
412.74 @ 18-56-10" " = 390.35
Avg = 390.36

231.62 @ 12°-34'-30" T=66° = 226.03
231.55 @ 12-28-30" " = 226.05
Avg = 226.04

337.86 @ 5°-11'-40" T=64° = 336.43
338.02 @ 5-27-40" " = 336.45
Avg = 336.44
226.04
562.48

606.60

Sec. Line 3

EB-3 = 2+13.64
Set 1x2 & Nail
(Sidehill)

124.04

To Top pg* 58

T6N R17W Sec. 35

T5N R17W Sec. 3

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 3820 PG 60 To Bot. pg# 61

65.16

65.16 @ Lev. T = 74° = 65.16

EB-8, = 25+70.56
Set 1x2 & Nail

181.82

183. 80 @ 8°-25'-00", T = 78° = 181.81
183. 74 @ 8-14-40 " = 181.83
Avg = 181.82

EB-7, = 23+88.74
Set 1x2 & Nail
(Top brk)

T5N R11W Sec 35

561.04

Section Line

131. 94 @ 12°-29'-00", T = 80° = 128.82
131. 78 @ 12°-12'-00" " = 128.80
Avg = 128.81

212. 26 @ 11°-42'-00", T = 80° = 207.84
212. 14 @ 11-32-30 " = 207.84

228. 61 @ 11°-02'-00", T = 84° = 224.39
228. 99 @ 11-30-26 " = 224.39
207.84
126.81
561.04

EB-6, = 18+27.70
Set 1x2 & Nail
(Top spur)

444.98

To Top pg# 59

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309s CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

W.S. 17, C-3 & WS 309-077, C-2

PWFB 3109

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T6N, R17W
JN 0302.01 Tape 'D' Std 84 °F
Surveyed by Burkholder
Notes D.L.B. Date 6-74
Indexed

F.B. 3820 PG. 61

50

T6N R17W Sec. 35

To Bot. Pg# 79

T6N R17W Sec. 36

To Top Pg# 60

To Bot. Pg# 62

T5N R17W Sec. 3

T5N R17W Sec. 2

89°-32'-10"
358.07
177.45
89-31-58

90°-22'-00"
90-28-25
182.12
90-22-06

152.97
Sec. Line

89°-31'-58"

90°-22'-06"

EC-1 = 0+72.92
Fd. C.S. Mon. (Mkd.) as shown) Per F.B. 3454-11
C.S.B. 1226
C.S.B. 1606
Fd. 2" Mkr. Pipe 3'± N'ly

EC-2 = A-1 = 2+31.26
Fd 2½ & Nail
Per F.B. 3454-11

COUNTY SURVEYOR
T6N
R17W
C.C. 3 | 2
SEC. COR.
T5N
R.E. 2177

65.16
Sec. Line

Per F.B. 3454-11
12.92
231.26
Per F.B. 3454-11

157.46
Sec. Line

COUNTY SURVEYOR'S
T6N
R17W
35 | 36
S.C.
R.E. SEC. COR 62
MONUMENT

Sec. Cor. 24+35.72
Fd. C.S. Mon. (Mkd.) as shown) Per C.S.B. 1606 C.S.B. 1226
F.B. 3454-11
Fd. Mkr. Pipe 3'± N'ly

PWFB 3109

51

F. B. 3456 PG. 62 To Bot. pg# 63



Per F.B. 3454-12

433.06

Wiggle Pt.
EC-5=
A-4=7+69.09
Fd. 2" I.P. Conc. plug
& C.E. Tag (Top Sm. Spud)
Per F.B. 3454-12
Fd. 2" Mkr pipe 2' N'ly

Per F.B. 3454-12

148.52

16N R11W Sec. 36

T5N R16W Sec. 2

Wiggle Pt.
E.C.-4=
A-3=6+20.57
Fd. 2" I.P. Conc. plug
& C.E. Tag (Top Sm. Spud) Per F.B. 3454-12
Fd. 2" Mkr pipe
2' N'ly

Fd. 3/4" I.P w/1" B.r. Plug
Stmpd. "C.R. 24, 1971"
UP 3"

0.09

144.22 C 7°-20'-55" T=89°=143.04

Per F.B. 3454-12

231.91

Sec. Line 143.04

Fd. 2" I.P. Conc. plug &
L.S. Tag #3280.
"L.A. POWER SYSTEM"

0.08

10.83

10.83 Lev. T=89° = 10.83

EC-3=
A-2=3+88.66
Fd. 1x2 & Nail
Per F.B. 3454-12

Per F.B. 3454-11/12

157.40

To Top pg# 61

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3109

52

Notes Ck'd by	Survey of E½ T6N R17W
Map No.	JN0302.01 Tape "D" Std 89 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 6-74
Date	Indexed

F. B. 3820 Pg. 65

To Bot. pg # 64

644.05

472.69 @ 19°-05'-55", T = 96° = 446.71
472.42 @ 19-00-30 " = 446.70

204.71 @ 15°-25'-00", T = 94° = 197.35
204.47 @ 15-11-10 " = 197.34
446.71
644.05

E.C.-7 = 19+38.36
Set 1x2 & Nail
(Top Spun)

T6N R17W Sec. 36

T5N R17W Sec. 2

736.21

52.80 @ 10°-10'-90", T = 98° = 51.97
52.71 @ 9-32-40 " = 51.97

239.43 @ 28°-31'-50" T = 96° = 210.37
239.17 @ 28-24-35 " = 210.39
Avg = 210.38

489.39 @ 21°-36'-35", T = 96° = 454.99
489.07 @ 21-31-50 " = 454.80
210.38
18.88 Lev. T = 98° = 18.88 51.97
18.88
736.21

Sec. Line

Wiggle Pt.
E.C.-6 =
A-5 = 12+02.15
Fd. 2" I.P. Conc. plug
C.E. Tag (Top brk)
per F.B. 3454-13
Fd. 2" Mkr pipe
2' N'ly

per F.B. 3454-13

433.06

To Top pg # 62

X

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

PWFB 3109

53

F. B. ~~3820~~ PG. 44

To Bot. pg# 65

W.S. 17, C-2, & W.S. 309-077, C-2

283.60 @ 26°-46-20" T=96° = 253.22
283.93 @ 26-54-00" " = 253.23

439.04 @ 26°-11-50" T=84° = 393.04
439.35 @ 26-16-40" " = 393.95
253.22
647.17

647.17 Sec. Line

11.04 Lev. T=96° = 11.04

EC.-9 = 25+93.45
Set 1x2" Nail
(Top Spun)

T 6N R 11W Sec. 36

11.04

T 5N R 16W Sec. 2

V4 COR
EC-8 = 25+82.41
Fd. C.S. Mon. (Mkd. as Shown) per C.S.B. 1606
C.S.B. 1226
Mrk pipe 2' N.E'ly
(Top Spun)

179°-51'-34"

COUNTY SURVEYOR T 6N SEC. 36 T 5N V4 COR. R 11 W RE 2177

179°-51'-40"
359-26-15
359-08-25
179-51-34

644.05

To Top pg# 63

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink. With Date and Name of Person Making Change.

PWFB 3109

Notes Ck'd by	Survey of E½ T6N R17W
Map No.	JN 9302.01 Tape "D" Std 89 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 6-74
Date	Indexed

F. B. 3820 Pg. 65

To Bot. pg# 66

478. 35 e 1°-00'-20" T=84° = 478.28
478. 32 e 0-55-00 " = 478.26
Avg = 478.27

372. 32 e 2°-03'-45" T=90° = 372.09
372. 23 c 1-41-00 " = 372.08

243. 35 e 4°-56-00" T=92° = 242.46
243. 40 c 5-04-50 " = 242.45
372.09
478.27
1092.81

1092.81

EC.-11 = 36+61.71
Set 1x2 & Nail
(Flat area below forebay dam, this Area will eventually be part of Castaic Lake)

T6N R17W Sec. 36

421.09 Lev. T=84° = 421.09

421.09 Sec Line

T5N R16W Sec. 2

EC.-10 = 32+90.62
Set 1x2 & Nail
(Graded area 10± West of rock lined Spillway Area)

Witness Cor & Bearing Tree per C.S. 1606 have been Covered over during forebay dam Construction

647.17

To Top pg# 64

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S C6#310 3-69

PWFB 3109

55 56

F. B. 3820 PG. 46



WS 77, A-3

Township Cor. - 53+03.41 Ahd
Fd. U.S. Gen. Land office
Pipe & Cap (Mkd as shown)
Set in rock & Conc, Up 10"
Leaning N.W'ly
Per F.B. 3454-42
C.S.B. 1606

See F.B. 3454-42
Range Line

383.45

Per F.B. 3454-42
89°-48'-42" Meas

To Bot. Pg #81

T6N R11W Sec 36

Δ 89°-48'-55"
2355-15-35
Δ 178-53-40
89-48-55

548.89

Sec. Line

278.00 Δ 6°-00'-30" T=94' = 276.49
278.07 Δ 6-09-40 " = 276.48

275.73 Δ 8°-56-40' T=98' = 272.91
275.83 Δ 9°-05-50' " = 272.99
Avg = 272.40
276.49
548.89

T5N R11W Sec 2

E.C. -12=47+54.52
Set 1x2 & Nail
(Toe of Slope)

1092.81

To Top Pg #85

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309s CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 17 ℄ -J, WS 301.77, ℄J

PWFB 3208

419

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T5N R16W
JN 0302.01 Tape "D" Std 84 °F
Surveyed by Burkhalder
Notes D.L.B. Date 6-21-74
Indexed

F. B. 3826 Pg. 67

54.06 25°-27'-T=84°=49.60

Std. Sec. Cor. Fd. U.S.Gen. L.O. Mon. In Conc. Mkd. as shown per F.B. 512-176 F.B. 3454-45, C.S. 9396-4 C.S.B. 1606

Int. (Fd. North) Reset 1x2 & Nail Rec. dist. (12.51)ft. S.C. to North, Per F.B. 512-176 (Used for Line W)

12.51

90°-27'-17"M
90-27-10 Rec.

Fd. C.S. Mon 1/4 Cor 25 & 26 Per F.B. 512-179 (Used for Line S)

Rh 22W Fd. Remains of Paint Mk. 2x2 & Nail Per F.B. 512-216 (Used for Line E) (Replaced 1" I.P. & C.E.Tag)

M & Rec Calc. 54.50

D 90°-27'-20" Rec 90-49-05 S 182-43-40 W 50-27-17

Wash pt. Set 1x2 & N. Top ridge

U.S. GENERAL LAND OFFICE SURVEY T6N R17W S 25 S 36 T6N R16W S 30 1922

227.64
52.99 RL 12W
181.56 RL 11W Fd. Noth. Per F.B. 512-176

49.60 M 49.37 Rec.

Random Line Per F.B. 512

Sec. Cor. RL 18W Fd. C.S. Mon. (Mkd. as Shown) Washed out of original Position, Reset Same Mon. @ Int. of Random Lines Per F.B. 512-179 & 245 See C.S.B. 1606

Fd. C.S.Mon Sec. cor. 34/25 34/35

Per F.B. 512-186 F.B. 3820-46
56.10 ℄ 13°-42'-20"T=80°=54.50

D 89°-59'-30" 3175-59-00 89-59-30

Set 1x2 & Mk. pipe See F.B. 3820-73

COUNTY SURVEYOR T6N R17W 26 | 25 35 | 36 SEC. COR. R.E. 62

2 DT 7 lie -24°-54-20"T=84°= 179.88 = 227.64 4776 Lev. T= 84°

12.51 Lev. T=84°=12.51

RL 5E Fd. outline of 1x2 Per F.B. 512-246, 179 Set 1x2 & Nail in Ctr.

RL 85=6E Fd outline of 2x2 per F.B. 512-246 Set 1x2 & Nail in Ctr. (Used for Line to North)

RBM 89.59=30

RBM 30.61

30.61 Lev. T=80°=30.61

107.50M 107.89 R Calc.

Fd. C.S.Mon. (Std. Sec. Cor) per F.B. 512-197 F.B. 3820-61 35 | 36 S C. Sec cor.

S.G.L.O. T6N R17W S 36 T6N S 30 S 31 R16W C.C. 1922

Approximate Fd. U.S. Gen. L.O. Mon. in Concrete (Mkd. as Shown) Per F.B. 512-176 F.B. 3454-45 C.S. 9396-4 C.S.B. 1606 Learning 5.5E W. Mkr. Pipe

PWFB 3208

420

F. B. 3820 PG. 68

To Bot. pg#69

105. 88 C 31-14-30, T=98' = 90.54
105. 72 C 31-05-55 " = 90.53

248. 70 C 26-41-40, T=94' = 222.21
249. 69 C 27-08-20 " = 222.22

251. 27 C 2-58-20, T=92' = 250.94
251. 17 C 2-34-20 " = 250.93
222.22
90.54
563.69

563.69

EF-3 = 3+62.24
Set 1x2 & Nail
(Top brk)

80'

219. 21 C 28-54-00, T=98' = 192.46
220. 57 C 29-15-30 " = 192.45

17.14 Level. T=86' = 17.14
192.45
209.59

209.59

EF-2 = 1+52.65
Set 1x2 & Nail
(Top brk)

T4N R1W Sec 26

T4N R1W Sec 35

135. 30 C 25-09-35, T=96' = 122.47
135. 24 C 25-06-45 " = 122.47

122.47

EF-1 = 0+30.18
Set 1x2 & Nail
(Top brk)

31. 52 C 16-45-15, T=94' = 30.18
31. 88 C 18-49-00 " = 30.18

30.18

To R# pg#40

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3208

421

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of	E½ T6N R17W
JN	0302.01 Tape "D" Std 84 °F
Surveyed by	Burkholder
Notes	D.L.B. Date 6-74
Indexed	

F. B. 3820 PG. 65

To Bot Pg#70

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

T6N R17W Sec. 26

635.73

473.38 @ 6°-01'-30" T=96°=470.81
473.53 @ 6-11-00 " =470.81

165.04 @ 2°-25-28" T=98° =164.91
165.08 @ 2-37-30 " =164.93
Avg = 164.92
470.81
635.73

E.F.-4A = 11+69.09
Set 1x2 & Nail
(Top Spud)

T6N R17W Sec. 35

243.16

Sec. Line 3

244.17 @ 5°-13-50" T=96°=243.11
244.37 @ 5-45-50 " =243.15
Avg = 243.16

EF-4 = 9+25.93
Set 1x2 & Nail
(Top Spud)

563.69

To Top Pg#68

76F309S CE#310 3-69

PWFB 3208

F. B. ~~3220~~ PG. 70

To Bot. pg# 71

422

423

63.22

64.05 C 9°-17'-20" T=104° = 63.22
64.12 C 9-39-50 " = 63.22

EF-7 = 25+94.63
Set 1x2 & Nail
(Top Spur)

344.29

247.84 C 1°-58'-30" T=104° = 247.72
247.82 C 1-57-00 " = 247.71

101.26 C 17°-30'-00" T=104° = 96.58
101.64 C 18-13-05" " = 96.56
Avg = 96.57
247.72
344.29

T6N R17W Sec 26

EF-6 = 22+50.34
Set 1x2 & Nail
(Top Spur)

445.52

183.02 C 22°-04'-30" T=104° = 169.62
182.83 C 21-56-00 " = 169.62

276.24 C 2°-57'-40" T=104° = 275.9
276.17 C 2-44-20 " = 275.89
Avg = 275.90
169.62
445.52

Sec. Line

T6N R17W Sec 35

EF-5 = 18+04.82
Set 1x2 & Nail
(may be west
R/W Line of
MWD Tower Line)

635.73

To Top pg# 69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3209

19

Notes Ck'd by	Survey of E ½ T6N, R17W
Map No.	JN 0302.01 Tape 29 Std 24 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B Date 6-74
Date	Indexed

F. B. 3820 PG. 71

To Bot. Pg# 72

W.S. 17, C-7, W.S. 309-097, B-1

Ø	180°-04'-00"
	000-15'-20"
	180-03-50

1141.17

180°-03'-50"

EF-8
¼ Cor. = 26 + 57.85 fr. West
Fd. C.S. Mon. (Mkd as Shown)
Per C.S.B. 1606
Set 2" Mkr. Pipe 3' N'ly (on east Slope of Spur)

T6N R17W Sec. 26

T6N R17W Sec. 35

COUNTY SURVEYORS
T6N
26
35
¼ COR.
MONUMENT
RE 2177
R17W

63.22
Sec. Line 3

To Top Pg# 70

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

PWFB 3209

F.B. 3820 PG. 72

20

21

To Lt. Pg# 73

Graded Rd

236.05 @ 6°-59', T=84 = 234.30
236.21 @ 7-15 " = 234.32
Avg = 234.31

51.69 @ 25°-29', T=84° = 46.66
51.22 @ 24-22 " = 46.66
234.31
280.97

280.97

Wiggle Pt.
EF-10 = 50+36.66
Set 2" I.P. Conc. Plug
& C.E. Tag, Set 2" Mkr.
Pipe 3± S'ly
(Top Spur)

T=70°, Press.=719, P.P.M.=+20
1261.045 @ 11°-03'-18" = 1237.64

T6N R17W Sec. 26

1237.64

Sec. Line

T6N R17W Sec 35

Wiggle Pt.
EF-9 = 37+99.02
Set 2" I.P. Conc.
Plug & C.E. Tag, 2" UP
Set 2" Mkr Pipe 3±S'ly
(Top N.E'ly Spur)

T=68°, Press.=721, P.P.M.=+19
1158.841 @ 10°-01'-10" = 1141.17

1141.17

To Top Pg# 71

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3209

22

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T6N R17W
JN 0302.01 Tape 29 Std. 84 °F
Surveyed by Burkholder
Notes D. L. B. Date 5-75
Indexed

F. B. 3820 Pg. 73

To Bot. pg # 82

T=78°, Press. 721, PPM=+23

26 37.365 @ 00°-58'-00" = 2636.99

D 90°-21'-30"
D 01-27-00
D 182-10-30
90-21-45

D 90°-19'-10"
D 01-16-20
D 181-54-30
90-19-05

T6N R17W Sec. 25

T6N R17W Sec. 26

2636.99 H.P. Sec. Line

90°-21'-45" Meas.

90°-19'-05" Meas.

89°-38'-15" Calc.

280.97 Sec. Line

Sec. Line 2627.25 Per. 3301.89 M

CSB. 1606

℄ Line Proj. To E. Side Lake.

To Top pg # 72

To Bot. pg # 77

T6N R17W Sec. 35

T6N R17W Sec. 36

89°-53'-49" Calc.

90°-08'-52" Meas.

90°-06'-11" Meas.

53+17.63 fr. West

Sec. Cor.
Fd. C.S. Mon. (Mkd as shown)
(Previously Reset by method
Shown in F.B. 3820-67)
Per F.B. 512-179 & 245
See C.S.B. 1606, Mkr Pipe
3± S. E'ly

580.53 Sec. Line

D 90°-08'-50"
D 00-35-15
180-53-15
90-08-52

D 90°-06'-05"
D 00-24-30
180-37-05
90-06-11

COUNTY SURVEYOR
T6N
R17W
26 | 25
35 | 36
SEC. COR
RE 62

To Top pg # 76

W.S. 17, E-3, W.S. 30 & 77 E-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

26F3095 CE#310 3-68

F. B. 3820 Pg. 74

To Bot Pg # 75

Wiggle Pt.
NN-3 = 18+14.99
Set 2" I.P. Conc. Plug & C.E. Tag (No. Edge Spur)
Set 2" Mkr. Pipe 3± E'ly

72.82

T=74°, Press. = 717, P.P.M.=+24
299.755 @ 1°-06'-42" = 299.70

299.70 (Sec. Line)



T 6N R 17W Sec 35

Fd. Dept. Water Resources Br. Cap Mon. (C) 13 W. of Line Set 2" Mkr. Pipe 3± E'ly

Wiggle Pt
NN-2 = 15+17.29
Set P.M. in Fd. Dept. Water Res. Br. Cap 125± N.W'ly of Telephone Relay Sta. Top of Main N.-S. Ridge

0.13

18.53

Fd. 3/4" I.P. w/ plug & drill hole. 8" dn
Possible replacement of N.W. Cor. Pacific Tel & Tel Lot Per Unrecorded R.S. Map by Schoonmaker, R.C.E. 4720, 1942

0.09

Tape # 28
18.53 Lev. T=88°=18.53

T 6N R 17W Sec 36

1364.32

166.73

T=74°, Press.=717, P.P.M.=+24
1367.424 @ 2°-55'-55" = 1365.634
- 1.31
1364.324

0.23

Fd. 2" I.P. wood plug & Nail & Cuptack, S.W. Cor. Pacific Tel & Tel Lot, Per Unrecorded R.S. Map by Schoonmaker R.C.E. 4720, 1942

Wiggle Pt.
NN-1 = 1+52.97
Set 2" I.P. Conc. Plug & C.E. Tag
Set Mkr Pipe (Top E-W Spur)
Set Mkr Pipe 3± E'ly

65.72 @ 4°-06', T=68° = 65.54
101.26 @ 1°-56', T=68° = 101.19
166.73

81.48 @ 18°-35', T=88° = 77.23
81.08 @ 17-43' " = 77.23

152.97

77.03 @ 10°-27', T=88° = 75.75
77.21 @ 11°-11', " = 75.74
77.48
152.97

To Lt. Pg # 61

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3109 73

62

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E ½ T6N R17W
JN 0302.01 Tape 29 Std 84 °F
Surveyed by Burkholder
Notes D.L.B. Date 6-75
Indexed

F. B. 3820 PG. 75

To Bat pg# 76

58.09

Set 1X2 & Nail
Steep N'ly Slope

213.01 @ 32°-03' T=64°=180.52
212.33 @ 31-46, T=64°=

180.51

T6N R17W Sec. 35

Wiggle Pt.
NN-5 = 24+28.82
Set 2" I.P. Conc.
Plug & C.E. Tag
(Top N.E'ly Spur)
Set 2" Mkr. Pipe
3'± W'ly

T6N R17W Sec. 36

T=68°, Press=28.76, PPM=+18
589.135 @ 23°-48'-25" = 539.01

539.01
Sec. Line

Wiggle Pt.
NN-4 = 18+89.81
Set 2" I.P. Conc.
Plug & C.E. Tag
Set 2" Mkr. Pipe
3'± E'ly
(Top brk)

76.27 @ 17°-17', T=88° = 72.83
76.04 @ 16-44, " = 72.82

72.82

To Top pg# 74

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

16F3095 CE#310 3-68

PWFB 3109

F. B. 3820 PG. 76

63

To Bot. pg# 73

T=78°, Press.=721, P.P.M.=+23
600.273 @ 14°-44'-12" = 580.53

580.53

Sec. Line

NN-7 = Set 2" I.P. Conc. Plug & C.E. Tag (E. Slope Sidehill) Set Mkr Pipe 3± E'ly

T6N R11W Sec 35

2086.89

T=64°, Press=745, P.P.M.=+8
2092.514 @ 4°-12'-05" = 2086.89

T6N R11W Sec 36

26+67.42
1/4 Sec. Cor. (Fd. Noth. this area) C.S. Mon. Possibly destroyed by Constr. underground Telephone Cable. Set 2" I.P. Conc. Plug & C.E. Tag Slush by Single Proberton between N.W. & S.W. Sec. Cor. per C.S.B. 1606 Set 2" Mkr Pipe 2' S.E. (Steep N'ly Slope of E'ly Spur near bottom)

58.09

71.785 @ 35°-58' T=64° = 58.09
71.53 @ 35-41' T=64° = 58.09

To Top pg# 75

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3209

24

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN 0302.01 Tape 29 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B Date 6-75
Date	Indexed

F. B. 3820 Pg. 77

To Bot. Pg# 78

T=98°, Press = 729, PPM=+30
1752.869 @ 10°-02'-37" = 1726.01

1726.01

Fd. 2" I.P. Conc. Plug & C.E. Tag (Top Spun) & MKr Pipe, per F.B. 3454-46

674.76 Per F.B. 3454-46,47

Sec. Line

T6N R17W Sec. 25

T6N R17W Sec. 36

3301.89 M

V/4 cor. per C.S.B. 1606 & F.B. 3454-47 is now under water (DWR Forebay)

T=98°, Press.=729, PPM.=+30
3301.913 @ 0°-13'-02" = 3301.89

2627.25 Per C.S.B. 1606

To N.W. Cor Sec. 36

To Rt. Pg# 73

W.S. 17C-3 +445 309-077 JC

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

PWFB 3209

F. B. ~~3826~~ Pg ~~78~~

25

89°-37-05"
358-28-15
177-42-36
89-37-06

Pond

89°-37'-06"

Section Cor
Fd. U.S. Gen. Land
office Mon. in Conc.
Per F.B. 3454-45
F.B. 512-176
C.S.B. 1606
Fd. Mkr Pipe 3' N'ly
(Est'ly Side Hill)

GENERAL LAND OFFICE
T6N R16W
S.R.T.S.W.
S 25 S 30
S 36 S 31
1922 SURVEY

49.52

Sec. Line

54.77 @ 25°-18' T=84° = 49.52
54.37 @ 24-22 " = 49.53

To Top pg#79

T6N R16W Sec. 30

T6N R17W Sec. 25

44.38 Lev. T = 84° 183.05 - 44.38 = 227.43

203.95 @ 26°-10' T = 84° = 183.05
204.43 @ 26°-26' " = 183.06

227.43

Sec. Line

T6N R16W Sec. 36

Wiggle Pt.
Fd. 2" I.P. Conc.
Plug & C.E. Tag
& Mkr Pipe
Top Spur
Per F.B. 3454-46

1726.01

To Top pg#77

T6N R17W Sec. 31

To Top pg#80

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3209

26

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN 0302.01 Tape 29 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 6-75
Date	Indexed

F. B. 3820 PG. 79

27

To Rt. Pg# 78

T6N R16W Sec. 30

49.52

T = 90°, Press = 721, P.P.M. = +29

1318.635 00°-15'-10" = 1318.62

Closing Sec. Cor.
Fd. L.A. Co. Engr. Mon.
Per F.B. 3454-45
Fd. 2" Mkr. Pipe

COUNTY ENGINEER
T6N
R17W 36 30/31 R16W
SEC. COR.
R.E. 586

T6N R17W Sec. 36

1318.62

Sec. Line

A-4=
Fd. 2" I.P. Conc. Plug
& C.E. Tag & Mkr
Pipe, Per F.B. 3454-45
(Top brk, N a edge
of Tree Farm)

444.17

T6N R16W Sec. 31

To Top pg# 80

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line W.S. 17 C-3 W.S. 27 A-3

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

F. B. 3820 PG. 80 To Bot. pg# 79

444.12 Lev. T=100° = 444.17

444.17

Set 1x1 & Nail (In tree farm)

198.18 Lev. T=100° = 198.20

198.20

Set 1x1 & Nail (In tree farm)

158.63 @ 2°-24', T=100 = 158.51
158.68 @ 2°-47', T=100° = 158.51

143.19 @ 2-21', T=100° = 143.08
143.23 @ 2-42', T=100 = 143.08

56.80 @ Lev. T=100° = 56.81
358.40

358.40

T6N R11W Sec. 36

T6N R11W Sec. 31

A-2A =
Fd. 2" I.P. Conc.
Plug & C.E. Tag
Per F.B. 3454-44
Fd Mkr. Pipe 2'-0" W/L
(So. edge Tree farm)

59.82 Lev. T=84° = 59.82
75.42 @ 5°-30', T=84° = 75.07
105.92 @ 11°-48', T=84° = 103.68
83.99 @ 16°-26', T=84° = 80.56
319.13

319.13

To Top Pg# 81

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3109

66

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN 0302.01 Tape 29 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 6-75
Date	Indexed

F. B. ~~3820~~ Pg 81

To Bot. pg #80

W 517 C-3, WS. 77, A-3

T6N R17W Sec. 36

T6N R16W Sec. 31

COUNTY ENGINEER T6N R17W Sec. 31 R16W 1/4 COR R.E. 5869

1/4 Cor. Sec. 31
Fd. L.A.Co. Engr.
Mon. Mkd as Shown
Per F.B. 3454-43
Fd. Mkr. Pipe

319.13

19.80 Lev. T=84° = 19.80

19.80

¼ Cor. Sec. 36
Fd. L.A.Co. Engr.
Mon. Mkd as Shown
Per F.B. 3454-43
Fd. Mkr. Pipe

COUNTY ENGINEER T6N R17W SEC. 36 ¼ COR R16W R.E. 5869

T=98°, Press.=725, P.P.M.=+32
394.840 @ 13°-47'-40" = 383.45

2221.07M

T=98°, Press.=725, PPM.=+32
2222.608 @ 2°-08'-02" = 2221.07

Wiggle Pt
A-1
Fd. 2" I.P. Conc.
Plug S.C.E. Tag
Fd. Mkr. Pipe

Pred.?

00°-01'-35"
00°-06'-10"
00°-09'-10"
00°-01'-32"

383.45

0°-01'-32"

To R.F. pg # 66

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS.17, C-3 +309-077, C-

T6N R17W Sec. 25

2636.99 H.P.

Sec. Line

To Top Pg #73

1/4 Sec. Cor. Mon. 3" U.P. Fd. C.S. (Mkd as shown) Per C.S.B. 1206

COUNTY SURVEYORS MONUMENT

T6N R17W SEC 26 SEC 25

62

1/4 COR.

RE

T6N R17W Sec 26

F. B. 3820 Pg 82

Last # 04

PWFB 3209

29

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T6N R17W
JN 03202 Tape 28 Std. 84 °F
Surveyed by Burkholder
Notes D.E.B. Date 11-75
Indexed

F.B. 3820 Pg. 83

Note: Any Additions or Changes on this Sheet Must be Made or Closed in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
402 LOS ANGELES COUNTY ENGINEERING BLDG.

7813008 CK #310 8-68

W.S. 17 & 3

T6N RIW Sec 23

1/4 Sec Cor
Fd C.S. Mon. 3" UP
(Mkd as shown)
Per C.S.B. 1606

130.89 @ 15°-58' T = 90° = 125.85
131.12 @ 16°-18' = = 125.86
189.48 @ 22°-00' T = 90° = 175.69
189.31 @ 21°-52' = = 175.70
125.66
301.55

Witness Cor to 1/4 Sec Cor
Fd C.S. Mon. 2" Up
(Mkd as shown)
Per C.S.B. 1606
on Rocky Spur East of dirt road

301.55

2325.66
Sec Line

COUNTY SURVEYOR T6N
SEC 23
SEC 26
1/4 COR.
RE 62
M.L.M.

COUNTY SURVEYOR T6N
SEC 23
SEC 26
W.C. 1/4 COR 62
RE MONUMENT
M.L.M.

T = 90°, Press = 725, PPM = +28
2325.958 @ 0°-55-12" = 2325.66

To Top pg # 39

T6N RIW Sec 26

PWFB 3209

30

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T6N R17W
JN 0302.01 Tape 28 Std 84 °F
Surveyed by Burkholder
Notes D.L.B. Date 3-76
Indexed

F. B. 3820 PG. 85

To Bot pg #86

W.S.17 C3, W.S. 77 A-3

T6N R17W Sec. 25

T6N R17W Sec. 36

8689.14 H.P.

F.B. 3820-78
Sec. Line

Per F.B. 3820-79
49.52

Per F.B. 3820-79
1318.62
Sec. Line

0+00 N'ly

Found U.S.G.L.O. Brass Cap
Per F.B. 3820-79

Found U.S. General Land Office Monument Conc.
F.B. 3454-45
3820-79

Enclosing Sec. Cor
Per L.A. Co. Engr. Mon.
F.B.
3820-79

A-4
Fd. 2" I.P. Conc.
Plug t.c.E. Tag, &
Mkr. Pipe
Per F.B. 3454-45
F.B. 3820-79

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this tick of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 3820 Pg. 86

To Bot. pg# 87

T=72°, Press.=759, E.C.=+7

1510.152e 21°-08'-00"=1408.58

1408.58 H.P.

58708.01
Set 1x2 & Nail
Left Mkr pipe
Searched 528 so
for N. E cor 25
Left Mkr pipe
@ 52+80

8689.14

T=64°, Press.=29 7/8, E.C.=+03

8860.958 @ 11°-18'-05"=8689.143

T6N R11W Sec 25

To Top pg# 85

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

3209-97 **PWFB 3209** 32

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T6N R17W
JN 030201 Tape 28 Std 84 °F
Surveyed by Burkholder
Notes D.L.B. Date 3-76
Indexed

F. B. 3820 PG. 87

To Bot. pg #88

T= 68°, Press.= 29.8, E.C.= +05

3241.233 @ 5°-33'-45" = 3225.970

74+07.14
Set 1X2 & Nail
Searched 513± No.
for E. ¼ Cor. Sec. 24
Left Mkr pipe

3225.97

86.14

86.15 @ 00°-34', T=68° = 86.14

T6N R17W Sec. 24

P-1 = 73+21.00
Set 1X2 & Nail
Top E-W Spur.
Left Mkr pipe

104.41

107.73 @ 14°-14', T=70° = 104.41

8689.14

72+16.59
Set 1X2 & Nail
Top brk, So. side
Spur

1408.58 N.P.

To Top pg #86

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 C.E.#310 3-68

3309-18

F. B. 3820 Pg. 88 To Bot pg 89

T=76°, Press. .749, E.C. -.12

9733.158 @ 1°-57'-00" = 9696.857

9686

9696

P-3 = 107+56.71
Set 1x2 & Nail
So. Side fire brk.

209.74

P-2 = 105+46.97
Set 1x2 & Nail
W'ly of rock outcrop
Searched for N.E. Cor 24

151.00 @ 8°-57' T=78° = 149.15
151.17 @ 9-24' " = 149.13
Avg = 149.14
60.60 Lev. T=76° = 60.60
209.74

3225.97 H.P.

To Top pg # 87

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3309

5

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T6N, R17W
JN 0302.01 Tape 28 Std 89 °F
Surveyed by Burkholder
Notes D.L.B. Date 3-76
Indexed

F. B. ~~3820~~ PG. 89

To Bot pg# 90

T6N R17W Sec. 13

Upton No Search
E¼ Sec 13

—9696.86—

To Top pg# 88

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

3309-78 **PWFB 3309** **6**

F. B. ~~3826~~ Pg. ~~20~~

To Bot pg# 91

158+40
No Search
N.E. Cor Sec. 13

98.96

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

To Top pg# 89

3309-98 **PWFB 3309** 7

Notes Ck'd by	Survey of E ½ T6N R17W
Map No.	JN 0302.01 Tape 28 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.I.B. Date 3-76
Date	Indexed

F. B. 3820 Pg. 91

To Bk. pg# 92



189+09
Searched for
W.C. to E¼ Sec. 12

T6N R17W Sec. 12

9696.86

2253.60 H.P.

T = 74°, Press.= 27¾, E.C.= +27
2256.883 @ 3°-05'-25" = 2253.602

P-3A = 181+99.97
Set 1x2 & Nail
(Top E-W Spur)

T = 74°, Press.= 705, E.C.= +27
2256.884 @ 3°-05'-25" = 2253.602

To Top pg# 90

X

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

3409 - 18

F. B. 3820 PG. 92

To Bot Pg # 93

T=74°, Press.=705, E.C.=+27
5002.274 @ 1°-48-30" = 4999.783

211+20
Partial Search for N E. Cor Sec 12

4999.783

2680.27 H.P.

P-4=204+53.57
Set 1X2 & Nail
(W. edge of Saddle)

2253.60 H.P.

9696.86 H.P.

X

To Top Pg # 91

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

3409 - 48 PWFB 3409 2

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN 0302.01 Tape 28 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D. L. B. Date 3-76
Date	Indexed

F. B. 3820 PG. 93

To Bot. Pg# 94

T=90°, Press.=714, E.C.=+32
972.628e 9°-49'-12"=958.378

4999.783

958.38 H.P.

T6N R17W Sec 1

P-5=231+33.84
Set 1x2 & Nail
(W. Side of NE-SW Spur)

2680.27 H.P.

T=84°, Press.=716, E.C.=+28
2698.945e 6°-44'-40"=2680.268

To Top pg# 92

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

3409 - 58

PWFB 3409

To Bot. pg # 95

3

F. B. 3820 PG. 94

P-5A = 240+92.22
Set 1x2 & Nail
(E. Sidehill)

107.84 @ 14°-48', T=80° = 104.26
73.66 @ 27°-20' T=74° = 65.44

104.26

258.38 H.P.

239+87.96
Set 1x2 & Nail
(E. Sidehill)

65.44

239+22.52
Set 1x2 & Nail
(Top brk)

T6N R12W Sec 1

194°-09'-50"

125.47 @ 33°-57', T=78° = 104.08

104.08 M

100.92 Calc

238+21.60
Set ch "t" Top Lge Rock, w/fd. RK mnd. on Top, in bottom of Burro Cyn.
May be w.c. to
¼ Cor. Sec. 1

Calc 25.47

4999.78 Z

To Top pg # 93

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

3409-68 PWFB 3409

4

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN 030201 Tape 28 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 5-76
Date	Indexed

F. B. 3820 Pg. 95

To Bot. Pg# 96

525.99 Calc.
4929.25 H.P.

P-7 = 260+72.94
Set 1" I.P. Conc. plug
& C.E. Tag, (Top low
N.W.-S.E. Spud)
Check Line

T=76°, P=26½, E.C.=+37
5678.993 @ 12°-17'-25" = 5548.840

T=76°, P=26½, E.C.=+37
5095.439 @ 14°-40'-25" = 4929.249

5548.84 H.P.

619.59 Calc.

T6N R17W Sec. 1

P-6 = 254+53.35
Set 1x2 ℄ Nail (Top Spud)
(E. Slope of E-W Spud)
Check Line

4999.783

To Top pg# 94

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 3820 PG. 96

P-8 = 310+02.19
Set 1x2 & Nail
So. edge NW-S.E
ridge

Set 1x2 & Nail
Top NW-SE. ridge
Line only

400±

D	34°-46-50
D	139-06-40
	208-40-00
	34-46-40

T6N R17W Sec 36

4929.25 H.P.

5548.84 H.P.

T=70°, Press=26 7/16, E.C.=+36
573.281 C 6°-19'-47" = 569.786

T=76°, P=26¼, E.C.=+37
4801.009 C 1°-50'-00" = 4798.551

4798.55

34°-46-40" Meas.

Missile Pt
Set 1x2 & Nail
Top Spur, East Slope

4403.265 calc.

Identical

To Top pg #97

124°-53-33" Meas

569.79

90°-06-53" calc.

36.04

3062.08 calc.

105+47.32 fr. W.
265+92.90 fr So.
Noth Set
Noth face
turn the corner

74+85.24 fr. W.
Set 1x2 & N
East edge
N-S fire brk.

19+20
Set 1x2 & N
East edge
N-S fire brk.

525.99 calc.

T6N R17W Sec 1

D	124°-53-40"
D	90°-06-53
	1-20
	124-53-33

To Top Pg #95

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3409 009 010

3109
10

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of E½ T6N, R17W
JN0302.01 Tape 28 Std 84 °F
Surveyed by Burkholder
Notes D L B Date 5-76
Indexed

F. B. ~~3820~~ Pg. 97

To Lt. pg# 96

36.04 Lev. T=76' = 36.04

T6N R17W Sec. 1

T6N R17W Sec. 36

74+49.20 fr. W.
Set 1x2 & Nail
West edge N-S
firebrk

36.04

T = 78°, p = 26 5/8, E.C. = +38
2308.800 Δ 22°-33'-20" = 2132.195

5628.28 H.P.

2132.20 H.P.

53+17.00 fr. W.
Set 1x2 & Nail
Top N.W.-S.E. Spur
N.W. Slope.
Searched for W.C.
To Sec. Cor. Noth fd.
Steep rocky

T2N R17W Sec. 35

To Top pg# 98

T6N R17W Sec. 2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PWFB 3409 011

F. B. 2820 PG. 98

To Bot pg# 97

T=94°, P=26 3/4, E.C.=+45
5695.502C 8°-48'-43"=5628.275

26+40
Searched for 1/4 cor
North to
Almost Inaccessable, Partial
Sheer rock face

ITN RTW Sec 35

ITN RTW Sec 2

5628.28 H.P.

18+20.92 fr. W.
Set 1x2 & Nail
Top Sm. N-S Spur
So. of Lge rock
out crop

2170.762 H.P.
1820.92 calc.

T=88°, P= 28 1/8, E.C.=+30
2233.358C 13°-35'-50"=2170.762

To Top pg# 99

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3408 003

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN 0302.01 Tape 28 Std 89 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B Date 5-76
Date	Indexed

F. B. ~~3820~~ PG. ~~89~~

To Bot pg# 98

T7N R17W Sec 35

T6N R17W Sec 2

1820.92 calc.

8+09 E
Set 1x2 N&T

Searched for NE Cor 3 rd North

2745.78 H.P.

To Top pg# 111

T=48', P=27½', E.C.=+12

354.711 C 9°-30'-30" = 349.838

2170.762 H.P.
349.84 H.P.

90°-00'-00"

W. 19 ft.
3749.84 fr. E.
Set 1x2 Nail
Top N-S Saddle

90°-00'-00"
360-00-00
180-00-00
90-00-00

T7N R17W Sec 34

T6N R17W Sec 3

1533.41 H.P.

To Top pg# 100

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PWFB 3408 004 005

F. B. ~~2820~~ Pg. ~~100~~

To Bot Pg# 99

T = 48°, Press. = 27 5/16, E.C. = +12
1560.837 C 10°-45'-22" = 1533.414

1533.41 H.P.

Set 1x2 & Nail
So. side E-W spur
50± So. of dirt Rd.

T = 52°, Press. = 28 1/4, E.C. = +10
820.683 C 9°-49'-27" = 808.649

808.65 H.P.
660.97 calc.

T = 108", Press. = 27 5/16, E.C. = +40
1645.700 C 8°-04'-05" = 1629.411

1629.41 H.P.

W.C. to 1/4 Cor. Sec. 3
Fd. C.S. Mon. (Mkd as shown) 4 p 3" in Sm. Rk. mnd.
Per F.B. 652-198
F.B. 1315-76
F.D. 9184-1
Set 2" Mkr Pipe 2½' N'ly

95.70

1/4 Sec. Cor.
0+00 West
Fd. Noth, Set Noth

147.68 M

157.58 C 20°-23'-30", T = 52° =
= 147.68

0+51.98
Set 1x2 & Nail
on E. slope

calc 820.76

COUNTY SURVEYOR
T 7N
SEC. 34
SEC. 3
W.C. 1/4 SEC. COR.
T 6N
R.E. 2177
MLIR

To Top Pg# 106

27 Lm 1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

RWFB 3308 108 109

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN 03020 Tape 28 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D. L. B. Date 5-76
Date	Indexed

F. B. 3820 PG. 101

To Bot. PS# 102

R.L.#14N
71+42.43 Meas.
71+42.16 Rec.
Fd. White 2x2 & Nail
Poor Condition, Leaning
W'ly, Per F.B. 652-208, 209

1574.67 H.P.

0.32

121.36 @ 36°-10', T = 62° = 97.96

D 61°-27-10"
Δ 245-48-35
08-43-00
61-27-10

0.15

71+42.28 Meas.
Set 1" I.P. Conc. Plug & C.E. Tag (Top Spur on Steep West Slope)

T = 80°, P = 28 ⅞, E.C. = +21
1792.826 @ 13°-31'-28" = 1793.111

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

53+52.36 No. Rec.
W.C. Sec. Cor. 15 14
22 23
Searched 4" dr. for C.S. Mon. fd. Nrly. Set 2" Pipe also Washed Loose Earth from Mon. Per F.B. 652-208 See F.B. 1315-176 C.S. 9222-2, 3 & 4

R.L.#13N
53+39.17 No. R&M
Fd. Cut Spk. & T., 0.10 W. of Line, on Steep West Slope
Per F.B. 652-207

1743.11 H.P.

Random Line
F.B. 512/652

0.10

Set Conc. Nail

97.96 R&M

610-27-10 R&M

96.81

86.05

193.99 R&M

52+05.18 No. Rec.
R.L.# 12N.
Fd. L.S. & T. (Top of high rock outcrop) 0.04 W. of Line
Per F.B. 652-207

0.04

198.50 @ 12°-16', T = 42° = 193.99

52+80.93 So.
Cor. #22
Fd. I.P. Conc. plug
C.E. Tag
Per F.B. 3820-67
See F.B. 512-186, 216
Held for Line to No.

X

75F309S CE#310 3-68

PWFB 3308 110 111

To Bot. Pg #103

F. B. 3820 Pg. 102



89+54.67 Meas.
Set Nail in road
by Proportion
between RL #14N &
RL 23N
Per F.B. 652-208-212

D 90°-00'-00"
360-00-00
R 180-00-00
90-00-00

97.06 Calc.

90°-00'-00"

133.13 R&M

702.33 H.P.

Fd. Noth, (destroyed by road const)
Set 2" I.P. Conc. Plug & C.E. Tag, by Proportion between RL 14N & RL 23N. & Rec. R+M tie per F.B. 652-208-212.
This pt. is 105 North of Vertical bluff. Accepted as being Norway traverse Pt. 54.20 chs No. of Sec. Cor 14/15/22/23. Witness tree 1.54 chs So. of Pipe (at foot of Mtn.) & 12.66 chs No. of 1/4 Cor Sec. 14&15 is gone.
Per F.B. 1315-71
C.S. 9222-3

110.22 C 14°-13', T=78° = 106.84

2.78 Len T=78° = 2.78
33.13 Len T=78 = 33.13

2.78 M.

106.84 M.

89+44.89 Meas.
Set 1x2 & Nail
So. side road

T=61°, P=29, E.C.=+8
363.585 C 22°-57'-35" = 334.782

334.78 H.P.

227.94 Calc.

87+16.95 Meas.
Set 1x2 & Nail
Top E-W Cliff
So. Castaic Creek

Random Line
EB. 512-652

T=80°, P=28 3/6, E.C.=+21
1792.826 C 13°-31'-28" = 1743.111

611.798 C 4°-28'-35" = 609.932

T=76°, P=28 1/6, E.C.=+19
466.424 C 10°-15'-03" = 458.979

520.579 C 13°-42'-08" = 505.763

600.693

1574.674

1574.67 H.P.

To Top Pg #101

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3308 112 113

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN 0302.01 Tape 22 Std 24 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 6-76
Date	Indexed

F. B. 3826 PG. 103

To Bot. pg# 104

Wiggle Pt
98+48.34 Meas
Set 1x2 & Nail
Top E-W Spur.

To RP #25 N
4533.60 H.P.
3450.17 Calc.

143.62 C 15°-28', T=96°=138.43

T=80°, P=28 5/16, E.C.=+25
4537.843 C 2°-28'-40" = 4533.600

138.43 M

Wiggle Pt
97+09.91 Meas.
Set 1" I.P. & C.E.
Tag, Top E-W Spur

Random Line
F.B. 512 & 652

62.69 M

69.74 C 26-00, T=96°=62.69

96+47.22 Meas
Set 1x2 & Nail
So. edge rocky E-W
Spur

595.49 Calc.

702.33 H.P.

T=86°, P=29.0, E.C.=+22
828.227 @ 32°-06-20" = 702.334

90+51.73 Meas.
Set 1x2 & Nail
No. of Castaic Crk.

106.84 M

97.06 Calc.

334.78 H.P.

To Top pg# 102

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309s CE#310 3-69

PWFB 3308 114

F.B. 3820 PG. 104

To Bot Pg# 105

Random Line Per F.B. 512 & 652

To R.L. 23N.

759.68 calc.

134+09.38 Meas.
This Pt established by Proportion between R.L. 14N & R.L. 23N per F.B. 652-208, 212 Offset (74.444) Calc. from tie ∠ (49°-32'-05") & dist. (97.85) per F.B. 652-212. (Unable to occupy this pt, the W.C. was set from the pt. 110.87 So.)

74.444 calc. for Tie dist.

U.C.S. to X4 Cor Sec 10 & 11 Creek Bot, Set Nail Laying 12 Below Rock Mnd top of bank. Set 2½" I.P. Conc. Plug 4 E of R.L. 23N & R.L. 14N & 1.9 S. of Prop. Pt. Per F.B. 652-208, 212 Ex Rec. Pt. Tie dist. (74.444) Per F.B. 652-212 Set Nail & Tag in Top of 15" C.M.P. Pipe 22 W, 1.5 S. 22 E. 3.4

1) 33°-52'-46"
2) 135-31-00
3) 203-16-30
33-52-45

165.08 @ 36°-00', T=70° = 133.54

870.55 H.P. To R.L. #23N

110.87 calc.

33°-52'-46"

133.54 C&M

Set 1x2 & Nail Steep N. Ely Slope

3450.17 Calc.

To Top Pg# 103

E-2 7/SM

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3408 006

Notes Ck'd by	Survey of E½ T6N R17W
Map No.	JNO30201 Tape 28 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 6-76
Date	Indexed

F. B. ~~3820~~ PG. 105

144+32.23 Meas.
144+31.20 Rec.
R.L.*26N. Fd. 2x2
broken off, No nail
Per F.B. 652-213
Replaced w/1" I.P.
Conc. plug & C.E.
Tag. (Top high Knob)
Held for Line So.

50.29 R&M

50.30 Lev. T=48°= 50.29

R.L.*25N
Fd. Noth
Set 1x2 & Nail

4533.60 H.P.

91.15 R&M

91.73 C 6°-21', T=48°=91.15

Random Line
F.B. 512 & 652

R.L.*24N
Fd. Noth.
Set 1x2 & Nail

121.73 R&M

129.29 C 29°-39', T=48°=121.73

141+69.06 Meas
141+68.03 Rec.
R.L.*23N. Fd
remains of old 1x2
no nail, Per F.B. 652-212
Replaced w/1x2 & Nail
(Top brk So edge
high knob.)

870.55 H.P.

759.68 calc

T=70°, P=28 5/8, E.C.=+18
943.055 C 22°-36'-50"=870.550

To Top pg #104

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

PWFB 3408 007 008

F. B. ~~3820 Pg 106~~

To Bot. pg# 100

820.76 Calc.
1629.41 H.P.

8+72.74
Set 1x2 & Nail
Top N-S Spur

T=108°, Press.=27 5/16, E.C.=+40
1708.990 @ 7°-41'-30" = 1693.614

1693.61 H.P.

25+66.35
Set 1x2 & Nail
on So. Slope

51.72M

51.72 Lev. T=84°=51.72
21.93 Lev. T=84°=21.93

26+18.07
Set 1x2 & Nail
So. Slope

21.93M

1077.13 H.P.

T=82°, Press.=28 3/16, E.C.=+27

26+40.00
Set 1x2 & Nail
So Slope

Fd. Noth.
N.W Sec. Cor. 3

To Top pg# 107

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 5408 009

Notes ck'd by	Survey of E½ T6N, R17W 010 F. B. 324 Pg. 707
Map No.	JN 0302.01 Tape 28 Std 89 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 7-76
Date	Indexed

To Bot. pg# 106

33+83
Top N-S Spur
Govt. Notes

1077.13 H.P.

260'

36+43.48
Set 1x2" Nail
Top N-S Spur

193.87 C 4°43' T = 82° = 193.21
193.91 C 4°43' = = 193.23
Avg = 193.22

193.22 NA

38+36.70
Set 1x2" Nail
in N.E.-S.W. Saddle

T = 86°, Press. = 28⅛, E.C. = +29
664.032 C 7°-56'-15" = 657.670

657.67 H.P.

T = 84°, Press. = 28 3/16, E.C. = +27
2823.548 C 8°-39'-07" = 2791.417

2791.42 H.P.

44+94.37
Set 1x2" Nail
Top N-S Spur

53.5'

Trough Cyn

Ed North No. 4 cor 4

2133.75 Calc.

To Top pg# 108

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 3820 Pg 108

To Bot. Pg# 107



66+28.12
Set 1" I.P. & C.E. Tag
Flush, E. edge N.W.-
S.E. Ridge

2133.75 calc
2791.42 H.P.

162.45

162.50 @ 1°-36', T = 90° = 162.45
139.89 @ 1°-19', T = 92° = 139.86

67+90.57
Set 1X2 & Nail
Top ridge

139.86

69+30.43
Set 1X2 & Nail
W. Side ridge

T = 92°, Press. 27 5/8, E.C. = +37
5355.711 @ 1°-58'-20" = 5352.538

5352.54 H.P.

To Top pg# 109

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3407 005 006

Notes Ck'd by	Survey of E½ T6N R17W
Map No.	JN 0302.01 Tape 28 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.I.B Date 7-76
Date	Indexed

F. B. 3820 PG. 109

To Bot. pg #108

5352.54 H.P.

122+82.97
Set 1" I.P. Conc.
Plug & C.E. Tag
E. Side NE-SW
Spur

T=92°, Press.=27 5/16, E.C.=+38
5118.073 @ 3°-44'-18" = 5107.183

5107.18 H.P.

173+90.15
Set 1" I.P. Conc.
Plug & C.E. Tag
Flush, Top ridge

To Top pg # 110

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

PWFB 3408 011 012

Notes Ck'd by	Survey of E½ T6N R17W
Map No.	JN0302.01 Tape 28 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D. L. B. Date 5-76
Date	Indexed

F. B. ~~3820~~ PG. 111

To R+ pg#99

Search & Set ¼ Cor Sec 1

2745.78 H.P.

T=54°, Press.=28 1/16, E.C.=+14
2748.050 ∠ 2°-13'-42" = 2745.781

Set 1x2 N&T Flush, Top E-W ridge

1892.82 H.P.

T=54°, Press.=28 1/16, E.C.=+14
1899.624 ∠ 4°-51'-07" = 1892.817

Set 1x2 & Nail Top NW-SE spur 100± W of dirt Rd.

844.88 H.P.

T=84°, Press.=28¼, E.C.=+27
851.036 ∠ 6°-53'-40" = 844.882

To Top pg# 112

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

PWFB 3408

013

F. B. ~~3820~~ Pg. ~~112~~

To Bot. Pg# 111

T = 88°, Press. = 28 5/16, E.C. = +28

637.098 C 2°-00'-35" = 636.706

1636.71 H.P.

D 90°-00'-00"
360-00-00
6 180-00-00
90-00-00

Set 2" LP. Conc. Plug & C.E. Tag Flush, No. Sidehill

90°-00'-00"

To Top Pg# 113

126.87

52.84

Prod 300+

Set 1x2 & Nail No. Sidehill

54.51 C 14°-12', T = 88° = 52.84

129.12 C 10°-42', T = 88° = 126.87

844.88 H.P.

208.17 calc

Set 1X2 N&T Top Knob

T = 84°, Press. 28 1/4, E.C. = +27

1378.208 C 0°-50'-20" = 1378.060

1378.06 H.P.

To Top pg# 113

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3308 115

Notes Ck'd by	Survey of E½ T6N, R17W,
Map No.	JN0302.01 Tape 28 Std 89 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 6-76
Date	Indexed

F. B. 3820 PG. 113

To Bot. pg# 112

1378.06 H.P.

Set 2" I.P. Conc. Plug & C.E. Tag flush Top high knoll.

74.44

Set 1x2 N&T So. Slope

79.87 C 6°-09', T=90°=74.44

113.05

Set 1x2 N&T So. Slope

116.64 C 14°-15', T=90°=113.05

61.86

Set 1x2 N&T So. Slope

66.50 C 21°-32', T=90°=61.86

768.15 H.P.

T=94°, Press. 28 3/4, E.C.=+27

876.940 C 28°-50'-35" = 768.151

To Top pg# 114

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

PWFB 3308

116

F. B. 3820 PG. 114



To Bot. pg #113

S18°15'W 78.69 H.P.

WC to 1/4 Cor. Sec. 10 & 11
Fd. 2" I.P. Conc. Plug & C.E.
Tag Per F.B. 3820-104
Mkr. Pipe 2± W. Ly
Hold for Line

83.60 E 23°-27'-20", T=88°= 76.69

Set 1x2 & Nail
No. Slope

E-1757

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 3408 015 016

Notes Ck'd by	Survey of E½ T6N, R17W
Map No.	JN 0302.01 Tape 28 Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 5-76
Date	Indexed

F. B. 3820 PG. 115

To Lt. Pg# 112

W.S. 17 C-3

Set 1x2 & Nail flush top NW-SE Spur.

126.87

T=98°, Press. 28¼, E.C.= +34

1041.462 @ 8°-09'-40" = 989.580

989.58 H.P.

W.C. to Sec. Cor 3/12/10/11

Fd. C.S. Mon. (Mkd as Shown) Per F.B. 652-214 C.S.B. 1709-1

COUNTY SURVEYOR T6N 3/12 10/11 M.L.I. W.C. SEC COR R.E. 2177

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
409 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

xtend thi his line.

3820

F. B. ____ Pg. ____