Recorded by R. HILARIO
MC. 12-9-71
Plotted by M. HAMASU
R. HILARIO
7-22-72

Survey of Knollwood Golf Course
JN 0055.39 Tape 182 Sta 84.7
Surveyed by Manke & Jr.
Notes E.T.M. - I.P. Date 6-29-70
Indexed

F.B. 3826 Pg 5

JN 0055.39

KNOLLWOOD GOLF COURSE

PROPERTY SALE

For

DEPARTMENT OF REAL ESTATE MANAGEMENT

FILE Nº P-55

Manke & Jr.
Jones
H.B. Mitchell
Masuda

Rd. Dept. File, July '85

Microfilmed Jan '85

F.B. 3826 PG 6

INDEX MAP



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do Not Detach This Page Or Any Item

Note: Any Additions or Changes on this Sheet Must Be Made By Circled Ink With Date And Name of Person Making Change

Notes Ck'd by	Survey of Knollwood Golf Course
Map No.	JN 0055.39 Tape 7 Std 84 °F
Office Work	Surveyed by R.L. Strader
Checked	Notes R.L.S. Date 6-4-75
Date	Indexed T. S. OCT 3 75

F. B. 3826 PG. 9

KNOLLWOOD GOLF COURSE

J.N. 0055.39

RE-ESTABLISHMENT OF DESTROYED BOUNDARY CORNERS RELATED TO PERIMETER DEVELOPMENT FOR NEW CHAIN LINK FENCING.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

REFERENCE

F.B. 2398
C.S.B. 2742

SURVEY PARTY

R. STRADER
R. DOVER
G. TOLLISON
H. MITCHELL

76F309S CE#310 3-68

1

F.B. 3826 Pg. 10



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes C'd by R. HILARIO
MAD. No. RC. 18991
Office Work M. HAMASU
Checked R. HILARIO
Date 7-22-70

Survey of Hollywood Golf Course
JN 6055.39 Tape 182 Sht 084°T
Surveyed by Mankeydr
Notes C Trusik Date 5-7-70
Indexed

F.B. 38 26 Pg 1

Note: Any Additions or Changes on this Sheet Must be Made or Closed in Red Ink With Date and Name of Person Making Change

Do not extend this line of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
402 LOS ANGELES COUNTY ENGINEERING BLDG.

P.74 Fd.
2 1/2" I.P. Conc. Plug
R.E. 7967, 4.5 n., 2.0 e.
F.B. 2398-89.
reset marker 1.0 s. & 2.0 e. of I.P.

Set 1"x2" Stk & nail on ret. in no mound

N.E. Cor. Lot 12
Set 1" I.P. Conc. Plug & C.C.S. Tag flush, by Proportion

Set 1"x2" Stk & nail on R.E. 7967 Line

Set 1"x2" Stk & nail on Tangent

Set 1"x2" Stk & nail on Radial

Set 1"x2" Stk & nail on Radial

Set 1"x2" Stk & nail on Radial

F.B. 3826 Pg 8


N.E. Cor. Lot 12 Fd a I" P. Conc. Plug & C.E. Tag per F.B. 3826 -7 Elev 34
Set 2" I.P. & Conc. Plugs & C.E. Tags, 6" dmp
30.33
28.95
161.03
160.95
160.94
17.78
17.96
17.94
28.95
32.11
32.52
32.52
48.61
48.59
48.59
47.71
61.76
27.93
27.61
27.61
LOT 12
LOT 11
LOT 13
Line
177.32
177.32
47.71
61.76
48.53
26.64
26.64
S.E. Cor. P.P. 74 Fd a 2" I.P. Conc. Plug & C.E. 1847 per F.B. 3826 -7
Set 2" I.P.'s Conc. Plugs & C.E. Tags, 6" dmp
1) 51° 11' 55"
4) 204° 47' 40"
6) 307° 11' 25"
51° 11' 54"
1) 88° 18' 35"
4) 353° 14' 50"
6) 169° 52' 15"
88° 18' 43"
1) 101° 39' 20"
4) 46° 37' 40"
6) 249° 56' 30"
101° 39' 25"
1) 8° 04' 03"
4) 32° 16' 20"
6) 48° 24' 20"
8° 04' 03"
1) 40° 20' 30"
4) 161° 22' 20"
6) 242° 03' 30"
40° 20' 35"
1) 165° 51' 10"
4) 303° 24' 30"
6) 275° 06' 30"
165° 51' 05"
1) 163° 40' 10"
4) 294° 46' 30"
6) 262° 00' 45"
163° 40' 08"
1) 168° 14' 00"
4) 312° 56' 35"
6) 289° 24' 55"
168° 14' 05"
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Knollwood Golf Course
JN 00529 Tape 1 Sta 84+F
Surveyed by K.L. Strader 6-75
Notes K.L.S. Date 6-75
Indexed F. S. TELLEZ 00 3-76

F.B. 3826 Pg. 11

1) 76°56'45"
4) 30°47'00"
76°56'45"

Set 1X2 & nail flush
calc. record distance from Southwest

T=88°
94.63 @ Level = 94.63

Set 1X2 & nail flush

T=88°
262.16 @ Level = 262.17

TRACT NO. 22826

TRACT NO. 22829

76° 56' 45" Rec. & Meas.

Set 1X2 & nail flush

Set 1X2 & nail flush

T=88°
297.40 @ 90°37' = 297.39
297.41 @ 90°35' = 297.40

Set 1X2 & nail @ calc. dis. of 92.39 for 90.00 offset

Searched T. 2 feet deep, nothing found. Set 2" I.P. cem. pl. & L.A.Co. Eng'r. tag @ Calc. rec. brok & distance from P.U. per F.B. 2398-71 Marker pipe 2ft. S'ly.

T=86°
66.89 @ 263°00' = 66.39
66.84 @ 263°18' = 66.38

T=86°
3.10 @ Level = 3.10

66.39
3.10
69.49

T=86°
98.71 @ 110°00' = 92.39
98.82 @ 110°46' = 92.40

Set 1X2 & nail flush
Searched for 1X2 & nail per F.B. 2398-71 in this vicinity, nothing found

T=88°
88.89 @ 281°13' = 87.19
88.97 @ 281°27' = 87.20

Bot. Pg. 10

Notes: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this area of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

JR 2008 EE# 310 2-67

F.B. 3886 Pg 19

Ref Pg 13

T = 74°
735.62 @ 265°11' = 234.77
235.57 @ 265°26' = 234.77

LWS 56 C-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend this side of this line.

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Set 1x2 & nail flush 0.1' W'ly of chain link fence

T = 74°
299.11 @ 94°30' = 298.28
299.33 @ 94°47' = 298.27

T = 74°
298.13 @ 268°32" = 298.01
298.10 @ 268°41' = 298.00

298.28
298.01
596.29

TRACT NO. 22828

WESTERLY BOUNDARY

596.29

TRACT NO. 22829

20.00 OFFSET LINE

Set 1x2 & nail flush, sidehill

Set 1x2 & nail flush, sidehill

P: "P"
Ed. 2" I.P. conc. plug & nail dn. 2" in conc. (fence post) footing. A 2" diameter marker pipe is 1' East
E: Y
F.B. 3886-68

T = 76°
151.29 @ 88°39' = 151.24
151.31 @ 88°17' = 151.24

151.24

Set 1x2 & nail flush in graded area

20.00

NOT CONTINUED

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Knollwood Golf Course
JN 0055.39 Tape 7 Std 84 °F
Surveyed by R.L. Strader
Notes R.L.S. Date 7-9-75
Indexed F. S. TELLEZ 10 3 75

F. B. 3826 PG. 13

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Bot Pg 14

T=86°
219.45 @ Level = 219.45

219.45 RECORD PER F.B. 2398-67

79.47 WESTERLY

T=90°
79.47 @ Level = 79.47

Set 1x2 & nail flush in rough of No. 16 Fairway

Set 1x2 & nail flush in rough of No. 16 Fairway

BOUNDARY

T=84°
212.49 @ 268°06' = 212.37
212.47 @ 268°12' = 212.37

T=84°
82.89 @ Level = 82.89

212.37
82.89
295.26

T=70°
212.51 @ 92°07' = 212.35
212.50 @ 92°02' = 212.35

T=70°
82.90 @ Level = 82.89

212.35
82.89
295.24

295.24

295.26

16TH

80 =

TRACT
No. 22828

TRACT
No. 22829

COUNTY ENGINEER
R. O.
L. A. CO.
R. E. 5869

R.O.
Ed. Co. Engr.
Brass Cap Mon
flush w/marker
Pipe 2 feet
Ely per
FB 2398-67
Marked as
shown -
Held for
going North

30 =

32'

29'

1) 160°29'30"
4) 281°58'00"
6) 242°57'00"
160°29'30"

1) 160°32'10"
4) 282°08'00"
6) 243°12'00"
160°32'00"

.09

.09

20.00

90°

Set 1x2 & nail flush w/ly edge of 16th fairway

AIRWAY

234.77

Top Pg 12

78F3085 CE#310 3-68

F. B. 3826 Pg. 14



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Knollwood Golf Course
Map No.	JN 00553 Tape J Std 84 °F
Office Work	Surveyed by R.L. Strader
Checked	Notes R.S. Date 7-9-75
Date	Indexed F. S. TELLEZ OCT 3 '75

F. B. 3826 PG. 15

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Set 1X2 & nail flush
V.00

P.-L.
Fd. 2" I.P. conc. plug
& R.E. #1967 tag
flush - Good condition
per F.B. 2398-66
A 2" diameter marker
pipe is 2± feet
E'ly.

T=96°
291.36 @ 91°46' = 291.24
291.33 @ 91°37' = 291.23

TRACT NO. 22828

P.-M.
Fd. 2" I.P. conc. plug
& L.A. Co. Eng'r tag
Up 0.2' on slope
per F.B. 2398-66
T=94°
23.81 @ Level = 23.81
22.76 @ Level = 22.76
T=80
31.72 @ Level = 31.72

90°
WESTERLY BOUNDARY
240.62 rec.
7.00 OFFSET line
240.61 meas.
7.00
0.89
79°46'
23.81
22.76
31.72
P.-L.
90°

T=90°
86°03' = 113.87
86°10' = 113.86
127.62 @ 264°17' = 127.59
T=94°
264°31' = 127.01
127.01
240.61
113.80
Set 1X2 & nail, Ft. in Lo. 22829

TRACT

Record P.-M. from South
Set 1X2 & nail flush, sidehill
1) 79°46'
2) 159°32'
79°46'

Set 1X2 & nail, Ft. in, by Inter.

1) 162°54'46"
4) 291°38'20"
6) 25°27'40"
162°54'37"

Set 1X2 & nail flush, sidehill
292.49
175.06
467.55

T=80
292.56 @ 271°13' = 292.48
292.58 @ 271°19' = 292.49
T=78
175.23 @ 272°25' = 175.06
175.25 @ 272°38' = 175.05

T=88
184.22 @ 272°02' = 184.10
184.18 @ 271°48' = 184.09
T=96°
18.05 @ Level = 18.05
184.10
18.05
202.15

Set 1X2 & nail flush, sidehill
T=78°
158.57 @ 265°21' = 158.04
158.53 @ 265°32' = 158.04

TOP Pg. 14

76F3095 CE#310 3-68

Notes Ck'd by	Survey of KNOLLWOOD GOLF C.
Map No.	JN 0055.39 Tape 7 Std 84 °F
Office Work	Surveyed by R. DOVER
Checked	Notes R. DOVER Date AUG 75
Date	Indexed F. S. TELLEZ 10 3 75

F. B. 3876 PG. 17

W.S.S.G.C.3

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

FOUND LEAD & CO ENGR'S TAG FLUSH IN SIDEWALK PER F.B. 2398-84

17.79 CALC. & MEAS.

NOTHING SET

2.38

NOTHING SET

9.57

1.69

1.00

15.00

NOTHING SET

54.30 F.B. 2398-84

T=90°

241.06 @ -3°14' = 240.69

241.01 @ -3°04' = 240.67

M = 240.68

57°-27'-55"

FOUND P-65 CO. ENGR'S MON. PER F.B. 2398-84

5TH

491.78 Rec. C.S.B. 2742

491.78

240.68

BOUNDARY

15.00 OFFSET LINE

TRACT Nº 22829

TRACT Nº 22830

WESTERLY

℄ LINE

SET 1X2 & NAIL FLUSH

0.30

14.70

15.00

SET NAIL

T=92°

117.50 @ -1°51' = 117.44

117.54 @ -2°25' = 117.44

117.44

TO TOP PAGE 18


SEARCHED FOR P-63 & BELIVED REMOVED BY CONST. OF SWIM POOL
REPLACED WITH C.E. MON AS SHOWN.
REC. DIST FROM NORTH & REC. ℄ FROM SOUTH FLUSH AND ± "42" BELOW CONC. BLOCK WALL (TOP)
P-63
CONCRETE BLOCK WALL
4"x8"x16"
CUT X"
CUT X"
CUT X"
5.00
5.00
1.45
5.19
5.22
DETAIL
COUNTY ENG. R.E. 7078 P-63 K.G.C. PROP. COR.
F.B. 3816 PG. 18
TRACT Nº 22830
SET TRIAL POINT 1X2 & NAIL FLUSH "REMOVED" 8-13-75
491.78 PER. CSB. 2742 & F.B. 2398-79
474.91 ON OFFSET LINE
475.06
BOUNDARY
5TH FAIRWAY
WESTERLY
97.03 Lev T=84 = 42.48
42.48 Lev T=84 = 97.03
TO TOP PAGE 19
SET 1X2 STK & NAIL FLUSH BY INTER2. 8-12-75
REMOVED 8-13-75
14.38
15.00
173°-11'-27" PER ADJ. & F.B. 2389-79
15.00
TO BOT PAGE 17
1X2 STK & NAIL
117.44
97.41
℄ LINE
41.18
0.98
1X2 STK & NAIL FLUSH
144.25
℄ LINE
0.57
10' OFFSET LINE
SET NAIL
0.62
97.03
15' OFFSET LINE
SET 1X2 STK & NAIL BY INTERSECTION
40.52
491.78
SET 1X2 STK & NAIL FLUSH
TRACT Nº 22829
173°-11'-27" TURNED
173°-11'-30" = ADJ. REC.
173°-11'-17" MEAS.
1) 173° 11' 20"
2) 332-45-00
3) 319-07-40
M= 173°-11'-17"
@ T=98° = 97.41 Level
@ T=98° = 41.18 Level
@ T=98° = 144.25 Level
PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

76F3095 CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

6358 E-3

TRACT Nº 22830

P-62

FOUND A 2" I.P. CEM CTR & RE TAG # 6956 FLUSH AT APPROX TOP SLOPE IN A HEDGE WITH 2" MARKER PIPE I 2' EAST OF PIPE PER. F.B. 2398-78

TO TOP PAGE 20

666.87

WESTERLY BOUNDARY 6TH

475.06 → F.B. 2398-78

WESTERLY BOUNDARY 5TH FAIRWAY

TO BOT PAGE 18

T= 106°
115.04 @ 1° 40" = 115.00 ✓
115.05 @ 2° 00" = 114.99

T= 106°
203.49 @ 4° 05" = 203.00
203.44 @ 3° 57 = 202.99

17.86 LEU T= 106°
= 17.86

1) 55°-10'-00"
2) 110-20-00"

331.16 REC. & MEAS.

11.63

10.00

17.86

202.99

115.00

9741

10' OFFSET LINE

5.95

NOTHING SET.

SET 1X2 STK & NAIL

32.00

20.00

SET NAIL

97.03

SET NAIL

SET 1X1 STK & NAIL

27.36

38.98

120° 26' -20 REC & MEAS

TRACT Nº 22829

32' OFFSET LINE

229.97

22.27

SET 1X1 STK & NAIL

666.82 Meas.

1) 120° 26' 20"
2) 121 45 20
3) 02 38 00

M = 120-26-20

55-10-00 DOUBLED

55-10-00 M. REC.

80.36

CEM NAIL FLUSH IN CART PATH

211.82 MEAS

TO CUT X F.B. 2398-101 & 210

Notes Ck'd by

Map No.

Office Work

Checked

Date

Survey of KNOLLWOOD GOLF COURSE
JN 00533 Tape 7 Std 84 °F
Surveyed by R. DOVER
Notes R. Dover Date 8-75
Indexed F. S. TELLEZ OCT 3 75

F. B. 3824 PG. 19

F. B. 3826 PG. 20

BOT PAGE 19

TRACT NO 22830

TRACT NO 22829

T=86°

230.03 −1° 16′ = 229.97 ✓

230.07 −1° 38′ = 229.98

229.97

NAIL

136.90 Level T=86°

= 136.90 ✓

136.90

1X2 STK #N.

666.87 PER. F.B. 2398-77

666.82 MEAS.

T=86°

278.60 −5° 07 = 277.53

278.52 −4° 53′ = 277.51

M = 277.52 ✓

277.52

SET NAIL

0.16

236.66 LEV T=84°

= 236.66

22.41

TO TOP PAGE 21

236.66

12.98

SEARCHED 18" DEEP FOR 1X2 STK PER F.B. 2398 77 & 106

SEARCHED FOR CO. ENGRS MON ±3′ DEEP FOUND "NOTHING" SET 1X2X18 STK FLUSH WITH P/L MARKER NO ATTEMPT TO SET MON.

P61

FOUND A CO. ENGR'S MONUMENT DN 12" APROX 18" AWAY FROM FENCE COR & NORTH 1' SET 2" MARKER PIPE 1' SOUTH & APROX ON LINE WITH P/L NORTH.

±18"

COUNTY ENGINEER

DEC

K.G.C.

PROP. COR.

R. E. 5869

W 5.50 C-3

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

4556 C-3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of KNOLLWOOD GOLF COURSE
JN 00556.39 Tape 7 Std. 84 °F
Surveyed by R. DOVER
Notes R. DOVER Date 8-75
Indexed F. S. TELLEZ 10/3/75

F. B. 3226 Pg. 21

P-126

FOUND NAIL IN SLOPING MAC. RETAINER WALL FOR FENCE ON PVT. PROP. WOULD UNDERMINE FENCE AND YARD AT THIS POINT TO UNEARTH 2" I.P. @ THIS POINT USED NAIL

TRACT Nº 22830

F.B. 2398-75
268.95 REC.
268.90 MEAS.

SOUTH BDRY

70.49

16°-34'-43" REC.
16°-29'-10" MEAS

463.10 F.B. 2398-76

FAIRWAY #7

20.08

67.57

90°

SET BT SPK W&TN ON LINE FLUSH IN MAC PAV. OF CART PATH WASHER MARKED "L.A. CO. ENG"

230.61

10.00

20' OFFSET LINE

463.02 MEAS.

TRACT Nº 22829

TO TOP PAGE 22

85°-44'-35" REC.
85°-47'-15" MEAS

FAIRWAY #6

WEST BDRY

666.87

24.97

19.98

P-61

SEE PAGE 20

32' OFFSET LINE

SET NOTHING

TO BDY PAGE 20

20.00

20.05

85°-47'-15"

22.41

90°

32.09

20' OFFSET LINE

1.49

SET CONC. NAIL FLUSH IN MAC WALK

SET CONC NAIL FLUSH IN MAC WALK

SET IXI STK & NAIL FLUSH @ INTER

67.57 LEV
T=84° = 67.57

70.49 LEV
T=84° = 70.49

232.41
230.61
463.02 MEAS
463.10 REC.

231.09 @ 266°26'
T=86° = 230.62

231.18 @ 265°58'
T=86° = 230.61

232.41 LEV
@ 86° = 232.41

32.09 LEV
T=84° = 32.09

TRACT Nº 22830

F. B. 3826 PG. 22

P-125

FOUND A 2" I.P. CEM CTR
RE. TAG #6956 PER F.B. 2398-74
DOWN 3'± AT BASE OF FENCE POST
REPLACE WITH A 2" I.P. 18" LONG AT SURFACE
REPLACED 2" MARKER PIPE ALSO

INTER.

SET 1X1 STK & PENCIL "X"
BY INTERSECTION ± 5" OUTSIDE
FENCE LINE. (GATE)



TRACT Nº 22829

1) 16°-29'-20"
4) 65°-56'-40"
6) 98°-54'-55"
M=16-29-10"

TO BOT PAGE 21

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by T. ABE	Survey of Knollwood Golf Course F. B. 3826 Pg. 23
Map No.	JN 0055.39 Tape 020 Std 68 °F
Office Work	Surveyed by Tom Mankey
Checked	Notes Tom M. Date 6-77
Date	Indexed T. M. PALMERI JUN 23 1977

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

J.N. 0055.39

KNOLLWOOD GOLF COURSE

EXCESS PROPERTY SALE

PORTION LOT 126, TR. 22829

Mankey
Dover
Lund
Scherb

X

F. B. 3826 PG 24

INDEX MAP

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

1

Notes Ck'd by T. ABE
Map No.
Office Work
Checked
Date

Survey of Knollwood Golf Course
JN 00556.39 Tape 020 Std @ 68 °F
Surveyed by Tom Mankey
Notes Tom M. Date 6-77
Indexed T. M. PALMER JUN 23 1977

F. B. 3826 PG. 25

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F308S CE#310 3-69

MS 56, C-2

To Spk & Tin at COLUENSOR
City Eng. P.E. 20 S21

P.I. Fd. a Spk. & Tin, Flush, by tie S in City F.B. P.E. 20 S25

126.03 N.W.

2806

LOT 58

Fd. Chis't in c/o on lot ln. prod. W'ly

N86°12'20"E 115.14
LOT LN. 2 SEE PG. 28
(140.42 TR. REC.)
140.34'
10' off ln.

PG. 26

TO LT.

LOT 59

95.02 Δ=70° =95.02
61.16 Δ=70° =61.16
33.86 Δ=70° =33.86

95.02 R.
95.02 M.

61.16'

Set nail

Set nail

10.01'

AVE

35.86'

PAULETTE PL.

(21)

140.34 Δ=72° =140.34

93°07'46"

± INT Fd. P.M.'s in M.H. Rim pcd City Eng. P.E. 20 S21

(21)

N 0°39'54" W

McLENNAN

(25)

(25)

T. P.M.'s in M.H. Rim at Jeanine Pl.

TR

1) 93°07'45"
4) 12°31'00"
6) 198°46'35"
93°01'46"


F. B. 3826 PG 26
300' steel tape #101 Std. 84°
26.53' T=72° 26.53' Δ=258°27' = 25.99'
26.43' T=72° 26.43' Δ=259°34' = 25.99'
33.64' @ T=72° = 33.64'
32.07' T=72° 32.07' Δ=254°35' = 30.92'
31.81' T=72° 31.81' Δ=256°20' = 30.91'
64.55'
67.60' @ T=72° = 67.59'
12.75' @ T=72° = 12.75'
10.19' @ T=72° = 10.19'
Note: Golf Course Spkr. Lines very very close to Fence in this Area.
Dotted Middle of Reint
Fence
GOLF COURSE
T. 0 R. 24 Rg. 27
TR 22829
Set 2"x2" Stk. & C.E. Tag, 1" up removed 7-6-77 T.M.
Note: Wrought Iron fence appears to have been built by Lot 58
LOT 58
Tract Rec
N86° 12' 20" E 115.14'
49.78 Calc.
℄ See Pg 28 - Lot Lu.
℄ Wrought Iron fn.
Int. set 1"x2" Stk. & nail
140.42' Tr. Rec.
140.34'
℄ 10' off fn.
21.54
25.99
Pt A
LOT 59
Int. Fd. 1"x2" & Nail per F.B. 3826-27
Set 2"x2" Stk. & C.E. Tag 1" up (Middle of Pt)
LOT 126
TR 22829
Tr. Rec. S 29° 53' W 345.55'
88° 18' 18"
101°
67.59'
35.00' C.L. fn.
28° 40' 30"
1) 88° 18' 20"
4) 353° 18' 20"
6) 169° 49' 50"
88° 18' 18"
1) 28° 40' 30"
4) 114° 42' 00"
6) 172° 03' 00"
28° 40' 30"
1) 101° 01' 50"
4) 44° 07' 30"
6) 246° 11' 20"
101° 01' 53"
1) 138° 36' 00"
4) 194° 23' 40"
6) 111° 35' 30"
138° 35' 55"
Set 2"x2" Stk. Nail & C.E. Tag 1" up replaced with a 1" IP conc. Plug & C.E. Tag 1" up 7-6-77 T.M.
Fence
SET 2X2
#1
#2
#3
#4
To P-22
To P-24
Rg. 27
PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by T. ABE
Map No.
Office Work
Checked
Date

Survey of Knollwood Golf Course
JN 0055.39 Tape 020 Std. 68 °F
Surveyed by Tom Mauke-y
Notes Tom M. Date 6-77
Indexed E. M. PALMER JUN 2 3 1977

F. B. 3826 PG. 27

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

P-24 fd. a 2" I.P. Conc. plug & R.C.E. Tag 7967 Perf. B. 2398-33 NOTE: New G.C.L. Fw. has been built 6" from this point on course. Could have been disturbed

F.B. 2398 167.67 Rec.

300 Tape #101 Std. 84°
200.11 T=84°
200.11' ∠=88°02' = 199.99'
200.13 T=84°
200.13' ∠=87°57' = 200.00'
8.78 @ T=84° = 8.78
208.78

208.78'
669.85' c. from Mea.
669.99 Calc. from Rec.

P-23 falls Under conc. deck not recovered

21.54 @ T=72° = 21.54'

0.28' T.C.

Lot Ln. See Pg. 28

Calc. 21.54

140.34'

10' off ln.

Cont. Pt. "A" Set a 1x2" Stk & nail along 10' off ln. prod E'ly to see P-22 & P. 28

1) 170° 32' 40"
4) 322° 09' 45"

6) 303° 14' 40"
170° 32' 27"

Int. set a 1x2" stk & nail, flush, a calc. dist. 21.54' West from control pt. "A"

89° 01' 47"

512.40' F.B. 2398 Rec. 463.17 Calc.

463.03'

170° 32' 27"

300' Tape #101 Std. 84°

239.63 T=84°
239.63 ∠=94°50' = 238.78'
239.55 T=84°
239.55 ∠=94°34' = 238.79'

90.55' T=84°
90.55 ∠=88°45' = 90.53'
90.56 T=84°
90.56 ∠=88°35' = 90.53'

133.72 @ T=84° = 133.72
463.03'

Calc. from F.B. 2398-32 Rec. & 1977 Meas

2°39'54"
2°56'09"

Calc. from 1977 Meas

1) 89° 01' 50"
4) 356° 07' 10"

6) 174° 10' 40"
89° 01' 47"

P-22 fd. a 2" I.P. conc. plug & L.S. Tag #2602, flush, & w/ top of new fence. Perf. F.B. 2398-32

76F309S CE#310 3-69

F. B. 3826 PG. 28



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.