Survey of SECTION LINES
JN 0302.01 Tape — Std — °F
Surveyed by C.K. LIND
Notes LIND Date
Indexed

F. B. 3840 Pg. 11
H.P. #1

J.N. 0302.01

SECTION LINES

RUN OF SECTION LINE BETWEEN SEC. 18/19 R.18 W S.B.M. AND THE 1/4 COR. NORTH & SOUTH COR. 13/18 24/19 T1S R18W S.B.M. WITH ZONE 7 TO DUNE POINT I-1 & SOLSTICE A-4

DECEMBER 1971

CE

1290-1
2005-223-227
1833-204

PARTY

C.K. LIND
R. DOVER
G. TOLLISON
J. MA

P.M. file o.k. Jan 86

Microfilmed Jan 85



F.B. 3013 PG. 12

PWFB 1304

369

Note: Any Additions or Changes on This Sheet Must be Made or Checked in Red

PLEASE RETURN TO
COUNTY OF LOS ANGELES

PWFB 1304

371

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.04 Tape 164 Std 84 °F
Surveyed by LIND
Notes LIND Date 12-71
Indexed C. J. GALLI JAN 1 '72

F. B. 3840 Pg. 12
H.P. #1



N, 4,139,315.80
E, 4,047,874.96
FOUND L.A. CO. TRI.
MON. MARKED
SOLSTICE CYN. A-4
PER F.B. 2458-145
PER F.B. 2443-77

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
108 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

PWFR 1304

To LT. PAGE 13

372 373 374

F. B. 3840 Pg. 44

12937 B-1 W.S. 92A1

0+00.00 WEST

SEC. 20

FD L. E. 3/2 BRASS CAP MON. FLUSH PER R.B. 2605-223 AND MARKED AS SHOWN

COUNTY ENGINEER 18 17 19 20 T 1 S R. E. 580

SEC. 17

N. 4,139,841.55'

E. 4,046,423.31'

E.M. 1540.09 PER R.B. 1328-10 TRAV. LINE

SEC. 20

T-1-S R-18-W

SEC. 18

SEC. 19

16 1328-10

15 BZ. E.M. PER R.B. 1328-10

161° 05' 53" PER R.B. 1328-24

15+82.16 W. PT. # 1 SET A 2" I.P. LEM. PLUG AND L.A. CO. ENGR. TAG FLUSH

N. 4,139,849.35'

E. 4,044,841.59'

782.26 E.M. FD 1328-11

SEC. LINE

PLEASE RETURN TO COUNTY OF LOS ANGELES DEPARTMENT OF COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

To To PAGE 15

76F3095 CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 92-A-1, 129-037, A-1

PWER 1304

SEC. 18

T. 1 S. 12 18 W

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 03202.4 Tape 154 Std 24 °F
Surveyed by L. IND Date 12-71
Notes
Indexed C. J. GALLI Jan 19 72

N. 4,139,899.64
E. 4,044,059.39

Z8 + 50. 14 WEST
1/4 SEC. 4012.
FOUND L. S. BRASS CAP MON. FLUSH PER F.B. 2805-223 MARKED AS SHOWN

PROD NO 1
SET 3/4" CAPPED IRON PIPE FLUSH ON SPUR ON SECTION LINE PROD.

COUNTY SURVEYOR'S 1/4 SEC. 18 — 19 T. 1 S. R. 12 W. MONUMENT

N 4,139,891.64
E 4,043,573.93
1327 44 42

E. M. PER FBG

485.58

PROD

SEC. LINE

80.36

485.72

E.M. F.B.G. 1328 - 11

1° 57' 05"
PER F.B.G. 1328-22

SEC. LINE

782.26
E.M. F.B.G. 1328 - 11

36° 50' 36"
F.B.G. 1328 - 20

TO POT # 1.0

ANGLE LOT LINE

N. 4,139,283.10
E. 4,044,059.52

Z3 + 64.42 W.
POT NO 2
FOUND 3/4" I.P. CEM. PLUG AND L.A. CO. ENGR TAG FLUSH ON TOP SPUR PER F.B. 2805-223

F. B. 3942 PG. 55
H.P. # 1

To T 1 S R 12 W Page 16

To Bott Pg. 14

SEC. 19

To 12T. PAGE 23

375

PWFB 1304

To Bott. PAGE 15

376

F. B. ~~3240~~ Pg. ~~16~~

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

SEC. 18
T. 1 S.

E.M. Pen F.B. & 1227 288.64

43-44

33

1. TAPED LBV.

Sec. Line

E.M. Pen F.B. & 1327 42 & 44

80.36

0.02

94.98

0.02

30+25.48 W.
POT 4-A
SET 1"X2" FLUSH

30+26.81
POINT Nº 4
FOUND 3/4" I.P. CEM. PLUG & L.A. CO. ENGR TAG FLUSH WITH 15' HIGH POLE, 18" I.P. SET IN CONC.

NOT ABLE TO SET REFLECTOR OVER THIS POINT

SEC 19
R. 18 W.

24+30.50 West
POINT Nº 3
FOUND 3/4" I.P. CEM. PLUG AND L.A. CO. ENGR TAG FLUSH ON SIDE HILL 12ft. E. 13.2605-2223

To To P PG 17

76F309S CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PWFB 1304

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302 Tape Tape Std 8" °F
Surveyed by L.N.D
Notes
Indexed C. J. GALLI JAN 19 '72
Date 12-71

F. B. 3040 PG 377
H.P. # 1

T = 84°
95.78 LEV = 95.78

SEC. 18 T. 15.

E.M. FBG 1327-44

E.M. FBG 1327-43-44

95.78 TAPED

653.09

288.64

SEC. LINE

0.04

0.14

To Top 12 & 18

To Butt 12 & 18

39+68.54 WEST
POINT No 6
FOUND 3/4" I.P.
CEM. PLUG AND
L.A. Co. ENGR
TAG FLUSH ON
N.W. SIDE OF
CAMERA TRUCK
TRAIL PER
F.B. 2605-224
F.B. 1833-204

33+15.45 WEST
POINT No 5
FOUND 3/4" I.P.
CEM. PLUG AND
L.A. Co. ENGR
TAG FLUSH AT
TOP OF SPUR
PER F.B. 2605
-224

SEC. 19 R-18-W

378

PWFB 1304

To Bot. PAGE 17

379

380

F. B. 3048 PG. 14

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

40 + 44.32 West
1/16 Corner
Found 2" I.P. Cem. Plug and L.S. Tag No. 1521 Set in Lead, Up 1.8" per F.B. 1933 p. 204

0.14

95.78 TAPED

S. 18° 12' W.

Sec. 18 T 1 S

931.91

0.10

E.M. per F.B. 1327 Pages 40-45

296.67

Sec. Line

N. 4,139,856.27
E. 4,041,428.36

49+96.23 West
Point No 7
Found 3/4" I.P. Cem. Plug and Cast Iron Shell per F.B. 2605-227

To Rt. PAGE 19

PWFB 1304

381

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302-a Tape 164 Std 84 °F
Surveyed by LIND
Notes LIND Date 12-71
Indexed C. J. GALLI JAN 19 '72

F. B. 3645 Pg 15
H.P. #1
SEC. 18
T 1 S R 18 W

US 92A-1

139-0377-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

TO BOTT. PG. 21

SEC. 13
T-1 S R 19 W

10° 21' 53" MEAS.
PER FBG 1328 - 28

SEC. LINE PROJ

SEC. LINE

2768.36
E.M. PER F.B.G. 1327-50

2122.13
PER FBG 1328-15
E.M.

88°

48.

00" CALC.

N 4,139,851.38
E 4,041,131.76

PG 20

E.M. PER FBG 1327 PAGES 40 - 45

PROJ SEC. LINE

521.57

296.67

TO RT

TO BOTT. PG 18

RANGE LINE

92° 33' 50" CALC.

547.68
E.M. PER FBG 1328 - 15

SEC. LINE

26 + 63.21 NORTH
52 + 92.90 WEST
SECTION CORNER

FOUND 1 1/2" I.P. CEM. PLUG AND L.A. CO. RD. DEPT. TAG SET IN CONC. PER L.A. CO. RD.
F.B. 1304 - 52 A

L.S. MON. DESTROYED BY NEW ROAD CONST. LOC. RESET BY RD. DEPT.

SEC 24
T. 1 S. R. 19 W.

SEC 19
T 1 S R 18 W

TO TOP PAGE 22

26F309S CE#310 3-68

PWFB 1304

382

F. B. 3240 PG. 26

To 130 T. PG 25

To LT. PG. 21

SEC 13
T. 1 S.
R 19 W

To 1/4 Cor. 13 18

LINE

39° 54' 29"
PER F.B.G.

PER F.B.G.
N 55° 57' 47 E
1327.47

TRAV. LINE

ANGLE CUT

78° 10' 25"
1324.3

E.M. F.B.G. 1327 PAGES 40-45

521.57

SEC. LINE PROJ.

S 05° 34" E
F.B.G. 1328-3

TRAV. LINE

E.M. F.B.G. 1327-49
72.84.55

To LT 24.42

SEC 24
T 1S R 19 W.

58 + 14.47 WEST
PROJ. N° 2
SET A 3/4"
LAPPED I.P.
ON SECTION
LINE PROJ.
FROM THE EAST
ON TOP OF RIDGE

N 4,139,842.78
E 4,040,610.31

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F3095 CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 92, A-1, WS 129-037 A-1

To Top Page 20

To Prod #2

10° 37' 21"

Per FBG 1324-26

Angle

Water Line

Lap Line

2768.36
E.M. Per F.B.G. 1327-50

Sec. Line

Range Line

Sec 13
T 1 S R 19 W

County Survey Monument
13
R/4 Cor Sec 13
T 1 S

Route

2122.13
E.M. Per FBG 1328-15

Sec. Line Prod

± 20'

Prod #3
Set 3/4" Capped Iron Pipe on Prod. from Sec. Line South

N 4,142,619.41
E 4,041,144.12

1/4 Sec. Cor.
Found U.S. Brass Cap. Mon. in Wood. Stamped "N. 1/4 Cor." Per U.S.B.L.O. 1390-1 and Marked as Shown

To Top Page 19

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Section Lines
JN 3142.67 Tape 164 Std. 8 ft °F
Surveyed by Lind
Notes Lind Date 1-72
Indexed C. J. GALLI JAN 19 '72

F. B. 3240 Pg. 21
H.P # 1
Sec. 18
T. 1 S. R. 18 W.

PWFB 1304

383

384

F. B. 3810 PG. 22

TO BOT. PG. 19

SEC. 24
T-1-S 12-19-W

SEC. 19
T 1 S R 18 W



TO TOP PAGE 23

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1304

385

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SECTION LINES
JN 0302.01 Tape 64 Std 24 °F
Surveyed by LIND
Notes LIND Date 1-72
Indexed C. J. GALLI JAN 19 72

F. B. 3448 Pg. 25
H.P. #1
SEC. 19
T. 1 S. R. 18 W.

TO BOTT. PAGE ZZ

TO ET MAPS 15

SEC. 24
T-1-S
R-19-W

10' OFFSET LINE

50° 35' 38" PER F136 1328-20

1308.60 E.M. PER F86 1328-16

0.25

2.14

ANGLE

LINE

SET 1"X2" IRON NAIL ON 10' OFF. LINE AND 90° TO PT #10

10.00

FOUND 3/4" I.P. NO PLUG UP 4" NO REF

N. 4,137,580.01
E. 4,041,067.43

3+90.69
POT #10
SET A 2" I.P. CEM. PLUG & L.A. CO. ENGR TAG UP 2"

54.70 1322-14

3+35.99
POT #11 ON 10' OFF SET LINE
SET LEAD WASHER C.E. TAG WITH FORMING NAIL IN TOP ROCK.

65.04 E.M. FD4 1328-13

RANGE LINE

SEC. LINE

TO TOP PG 24.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

16F3095 CE#310 3-68

PWFB 1304 To Bk. Pg 23 386

F. B. ~~3240~~ Pg. ~~24~~

SEC. 24
T-1-S
R-19-W

65 04 E.M. FOR 1328-12

RANGE LINE

SEC. 19
T.-1-S.
R 18 W

SET 1"X2' ½ N. FLUSH 0 2 10' OFF SET LINE AND AT 90° TO BT SPK.

10.00

2+70.95
POT #12
SET A SMALL BT. SPK. FLUSH IN RALLY AREA

10' OFFSET LINE

270.95 E.M. FOR 1328-12 SEC. LINE

NOTHING SET

10.00

0+00 NORTH ¼ SEC. COR.
FOUND L.S. BRASS CAP MON. UP 3" ON SIDE HILL IN GOOD COND. PER L.S.B. 1390-1 AND MARKED AS SHOWN

N 4,137,189.52
E 4,041,056.37

COUNTY SURVEYOR
SEC. 19
T-1-S
R-18-W
1/4 COR.
R.E. 2177

END SURVEY

12-637, A-2, WS, 92, 1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1403

140

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 0301.01 Tape 164 Std 84 °F
Office Work	Surveyed by LIND
Checked	Notes LIND Date 1-72
Date	Indexed C. J. GALLI JAN 19 1972

F. B. 3240 PG. 25
H.P. #1

DUME POINT I-1
N. 4 147. 324.64
E. 4 036. 458.80
FOUND L. A. CO.
TRI- DISK IN
TOP OF WEST
PEAK OF SADDLE
ROCK EB. 1652-239

SEC. 12
T-1-S R 19 W

E.M. 13 946.96 MEAS.
PER F.B. 1027-48
BASE LINE

TRAV. LINE

8557.47
E.M. PER
F.B. & 1327-47

25° 55' 27"
PER FBG
1328-1

TO TAP PAGE 13

TO TAP PG. 20

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

26F3095 CE#310 3-68

PWFB 1306

T.1.S. R.18W

19

Notes Ck'd by	Survey of S LN SEC. 23
Map No. B-5386	JN0302.01 Tape — Std — °F
Office Work G. MASUDA	Surveyed by B.R. JACKSON
Checked	Notes B.R.J. Date 7/73
Date	Indexed J. M. PALMER OCT 8 1974

F. B. 3840 PG. 27

SECTION LINES

T.1.S. R.18W SEC. 23

J.N. 0302.01

JULY '73

REPLACEMENT OF S.W. COR. OF SECTION 23

T.1.S R.18W.

REF

F.B. 210
F.B. 1493
TR.NO. 7959

PARTY

B.R. JACKSON
V.L. HUCKABY
L. KEISNER

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PWFB 1306

F. B. ~~3845~~ Pg ~~38~~

20 21 22



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1306

TIS R18W

23

Notes Ck'd by D. SAPPELL	Survey of S. LINE SEC. 23	F. B. 3840	Pg. 35
Map No. C.S.B - 5386-1	JN0302 01 Tape ____ Std ____ °F		
Office Work G. MASUDA	Surveyed by B.B. JACKSON		
Checked ____	Notes B.R.J. Date 7/73		
Date ____	Indexed I. M. PALMERI OCT 8 1974		

129-05-21 A-2

W 5811 A-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

T.1S. R.18W.
23

SURVEYOR T.1S. 23 26 1/4 SEC. COR. MONUMENT 3818

FD. 1/4 COR. MARKED AS SHOWN. GOOD CONDITION, SIDE HILL. F.B. 1493-189

0+00.00

SET 2" I.P., CONC. PLUG AND L.A. CO. ENG'RS TAG. 15' OFF AND 90° TO 1/4 CORNER. (FLUSH)

B/W FNC.

15.00

H.P. DIST.
200.024

SECTION LINE

TRACT 10610-2
1280.84
MEAS. 1282.257

15' OFFSET LINE

200.024
ELEC. MEAS.

26

4 STRD. B/W FNC.

2+00.024

19.0

13.7

SET 2" I.P., CONC. PLUG AND L.A. CO. ENG'RS TAG (FLUSH - SIDE HILL)

H.P. DIST.
767.853
767.832
M = 767.842

1082.249
1082.218
M = 1082.233

767.842

1082.233

TOP PG 30

76F309S CE#310 3-69

PWFB 1306

24

F. B. ~~3846~~ PG ~~36~~

BOT. PG. 29

129-05 / A-2 / W.S. 11 A-2

T.1S. R.10W

23



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFR 1306 T1S R18W 25

Notes Ck'd by D. SAPPELL	Survey of S. LINE SEC. 23
Map No. C.S.-5386-1	JN 0302.01 Tape L Std. 84 °F
Office Work G. MATSUDA	Surveyed by B.P. JACKSON
Checked	Notes B R J Date 7/73
Date	Indexed L. M. PALMERI OCT 8 1974

F. B. 3816 Pg. 31

BOT. PG. 30

SEARCHED FOR 3/4" I.P. PER F.B. 1493-189. FD. NOTH. RESET 2" I.P., CONC. PLUG & L.A. CO. ENG. RS TAG AT 40.00 AND ON LINE FROM N.W. CORNER. DWN 12"

T1S. R18W.

SECTION LINE

23

26

25.00

191.00

SET N.I.

18.23

18.79

18.43

15' OFFSET LINE

5.80

12.82

14+73.347

40.00

40.00

7.76

17.31

21.22

16.25

16.49

15.00

25.00

SET N.I.

229.375 ELEC. MEAS.

FD. 3/4" I.P.'S CONC. PLUG & WIRE DWN. 6" TOPS BENT OVER. HELD TO BOTTOMS AND REPLACED WITH 2" I.P.S., CONC. PLUG AND L.A. CO. ENGR'S TAG DWN 12" SET MARKER PIPES ON INSIDE CORNERS

FD. 3/4" I.P., CONC. PLUG & WIRE, UP 6" IN CUT BANK. PER F.B. 1493-189. HELD TO FOR LINE. REPLACED WITH 2" I.P., CONC. PLUG AND L.A. CO. ENG'RS TAG. (FLUSH)

ALL DISTANCES LEVEL AT 80°

● = L.A. CO. ENG'R TAGS IN LEAD IN CONC. FIRE CISTERN

TOP PG 32

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

PWFB 1306

F. B. 3340 PG 3

BOT. PG. 31

26 27

SET LG BT. BRK. W/T., FLUSH IN PAVED ROAD

LOCKWOOD ROAD

T. 1S. R. 10W

23

T=68°
46.23 LEI
102.88 LEI = 102.87

8.75

S.T.L.

17+02.672

SET 2" I.P. CONC. PLUG AND L.A.CO. ENG'RS TAG DWN 12", SET MARKER PIPE 1½", S WLY

15.00

SET 2" I.P. CONC. PLUG AND L.A.CO. ENG'RS TAG FLUSH IN PAVED ROAD

19+49.657

15.00

SET CO. ENG'RS TAG IN LEAD IN BOTTOM CONC. STEP TO HSE. NO 26303 LOCKWOOD

46.23

102.87

STONE WALL

SET CHISELED CROSS AND PUNCH MARK IN F.H., N. SIDE OF ROAD

SECTION LINE

NOTE: ALSO SEE PAGE 71 GEO TIE

15 OFFSET LINE

229.325 ELEC. MEAS.

SET 1X2 N1 FLUSH TOP HILL

H.P. DIST
246.991
246.980
M = 246.985

246.985 ELEC. MEAS.

SET 1X2 N1 FLUSH TOP HILL

H.P. DIST
480.479
480.488
M = 480.484

480.484 ELEC. MEAS.

26

TOP PG 33

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1306

28

T.1S R.18W.

Notes Ck'd by D. SAPPELL
Map No. C.S.B - 5386-1
Office Work G. MASUDA
Checked
Date

Survey of S. LINE SEC. 23
JN 0302.01 Tape Z Std 84 °F
Surveyed by B.R. dACKSON
Notes B.R.J. Date 7/73
Index E. M. PALMER OCT 8 1974

F. B. ~~3840~~ PG. ~~35~~

BOT. PG. 32

T.1S. R.18W.

23

26

SECTION LINE

480.484 ELEC. MEAS.

SET CHISLED CROSS AND PUNCH MARK UP 1'

SET NAIL & TN IN P.P. NO. 1868130E UP 1'

14.21

7.51

GUARD POSTS

24+30.141

SET 2" I.P., CONC. PLUG & L.A.CO. ENG'RS TAG. FLUSH IN PAVED ROAD

T=76°(-01)

104.10 @ 7.04' = 103.30 = 103.29
103.89 @ 6.04' = 103.30

103.29

25+33.431

SET 1 X 2 IN. FLUSH TOP BANK

0.52

30.90

31.14

TOP PG. 34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

6F309S CE#310 3-69

PWFB 1306

F. B. ~~3846~~ PG ~~34~~

BOT. PG 33

29

T1S R10W

23

SET LG BT. SPK W/T PAINED ROAD (E 1/4)

SECTION LINE

30.90

31.14

11.58

28.37

0.24

0.52

T=68°
30.41 @ 19°-39' = 28.63
30.98 @ 22°-26' = 28.64
2.27 LEV
28.63
2.27
30.90

26

25+64.331
TEMP. SEC. CORNER

SET 2" I.P., CONC. PLUG AND L.A. CO. ENG'RS TAG, AT 1282.07' FROM 2" I.P. PER F.B. 1493-189 AND ON LINE FROM FOUND PIPES, PER F.B. 1493-189. AND 1/4 SECTION CORNER

FD 2" IP
NO PLUG, DWN 8"
NO RECORD

T=76°
32.77 @ 18°-08' = 31.15
33.15 @ 22°-03' = 31.15

T=68°
29.43 @ 15°-27' = 28.37
29.22 @ 13°-51' = 28.37
11.58 LEV

NOTE:
RECORD DIST FROM 1/4 1/4 COR, PG
TRACT NO. 7959-2 = 1280.84
F.B. 493-189 = 1282.07
MEAS. = 1282.07

22

27

129 057.4-2 WSW 1.2

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1305

68

Notes Ck'd by
Map No. B-5386
Office Work G. MASODA
Checked
Date

Survey of SECTION LINE
JN 0302.01 Tape A Std 62 °F
Surveyed by C. K. LIND
Notes M. E. W. Date 8-73
Indexed J. M. PALMER OCT 8 1974

F. B. 3840 PG. 30

H P #3

T.N. 0302.01

SECTION LINES

MALIBU AREA DIV. #2

SEC. 21, 28, 27

T-1-S, R-18-W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

REFERENCE:

C.S.B. 733
F.B. 2605
F.B. 2787
F.B. 2781
C.S. 9167
R.S. 3014
R.S. 5233
F.B. 463

PARTY:

LIND
WACKER
TOLLISON
MITCHELL
RODGERS

76F3095 CE#310 3-68

PWFR 1305

69

F. B. 3840 Pg. 32



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PWFB 1305

70 71

Notes Ck'd by D. SARPELL
Map No. C.S. B-5386-3
Office Work G. MASUDA
Checked
Date

Survey of SEC. LINE
JN 030201 Tape Std °F
Surveyed by C.K. LIND
Notes M.E.W. Date B-73
Indexed L. M. PALMERI OCT 8 1974

F. B. 3840 PG. 57

L.T. PG-52

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

P.O.T. 2+49.39
F.D. 3/4" I.P. WITH CAP FLUSH ON TOP OF SPUR. A MARKER PIPE 3' NORTH. PER. F.B. 2781-175

SET 2" MKR. PIPE 2 FT NORTH.

249.39
F.B. 2781-172

240.21
F.B. 2781-175

1447.46 CALC.
F.B. 2781-179

13" Adj.
L.F. Calc.

58° 179.213
F.B. 2781-179

1069.31 CALC.
F.B. 2781-210

P.O.T. 11+89.60
F.D. 3/4" I.P. WITH CAP ON RIDGE FLUSH A 2" MARKER PIPE 3' NORTH. F.B. 2781-176

SET 2" MKR. PIPE 2 FT NORTH

11A 5.49 DOR.
26°-39'-05" FROM EAST
27+16.09 FROM WEST
FD. U.S. BRASS CAP MON. FLUSH. MARKED AS SHOWN; AT 2' MARKER DIPPED 2' FT NORTH. F.B. 2781-175

COUNTY SURVEYOR'S MONUMENT
T.1-S R.18-W
21 28
1/4 SEC. CORN.

SEC. 21
T.1-S

SEC.

TOP PG-40

SEC. 28
R-18-W

12S-037 C-2

W.S. 92 B-2

76F309S CE#310 3-68

PWFB 1305

F. B. ~~3840~~ PG 40

72 73

BTM. PG-39

N

SEC. 21
T-1-S

SEC. 28
R-18-W

C.L.

669.31
F.B. 2781-210

RIDGE
20+46.78
FD. 2" I.P. CONC.
PLUG. NAIL & L.A.
CO. ENGR. TAG
ON. 8" ON WEST
EDGE OF RIDGE.
PER. F.B. 2781-210

SET 2" MKR. PIPE
3EE 30. EAST.

T-2 RUN UP
1ST POS. 147°02'23"
2ND POS. 147°02'22"
MEAN = 147°02'22"

1192.41
F.B. 2781-208

147° 02' 22"

CORVAIR
8+54.37
FD. 2" I.P. CONC.
PLUG NAIL & L.A.
CO. ENGR. TAG
ON NORTH EDGE
OF DIRT RD.
[redacted] PER.
F.B. 2781-208

SET 2" MKR. PIPE
3EE So. WEST.

854.37
F.B. 2781-207

S88.

RT. PG-41

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1305

74

75

Notes Ck'd by D. SAPPELL
Map No. C.S.B-5386-3
Office Work G. MASUDA
Checked
Date

Survey of SEC. LINE
JN 0302.01 Tape Std °F
Surveyed by C. K. LINO
Notes M. E. W. Date 8-73
Indexed T. M. PALMER OCT 8 1974

F. B. 3810 Pg 47
SEC. 21
R-18-W

SEC. 20
T-1-S

BTM. PC-A2

T-2 RUN UP
1ST. POS. 121° 22' 26"
2ND. POS. 121° 22' 26"
MEAN: 121° 22' 26"

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

B-2 4918-2

20-037

SEC. LN.

1768.27 F.B. 2787-19, 22

121°

22'

26"

21+36.00
P.O.T.
FD. 2" I.P. CONC. PLUG. NAIL & L.A. CO. ENGR. TAG ON SIDE HILL UP 2" PER F.B. 2787-24

SET 2" MKR. PIPE 3FT. WEST

544.38 F.B. 2787-24, 26

88°

24'

48" CALC.

SEC. LN.

26+80.38 FROM NORTH
SEC. COR.
FD. C.S. BRASS CAP MON. FLUSH. MON. MARKED AS SHOWN. A 2" MKR PIPE 5' EAST.
F.B. 2781-143, 207
F.B. 2787-24

COUNTY SURVEYOR'S MONUMENT
T-1-S
R-18-W
20 21
29 28

685.37
F.B. 2781-207

BTM. PC-40

6F309S CE#310 3-68

PWFB 1305

F. B. 3840 PG. 42

76

BTM. PG-43



124-037, B-2 INS. 07, B-2

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1305

77 78

Notes Ck'd by D. SAPPELL
Map No.
Office Work
Checked
Date

Survey of SEC LINE
JN 03202 Tape A Std B2 °F
Surveyed by O. K. LIND
Notes M. E. W. Date 8-73
Indexed K. M. PALMER OCT 8 1974

F. B. 3946 PG. 45

BTM. PG-A2

232.27'

P.O.T.
F.D. L&T. + L.A.
CO. ENGR. TAC.
IN TOP OF LG.
BOULDER REF.
F.B. 2787-71

685.442'

BLEC. DIST.
719.062 @ 72°24'37"
= 683.442

P.O.T.
F.D. 1" I.P. CONC.
PLUG NAIL & L.A.
CO. ENGR. TAC. ON
2" ON SIDE HILL
F.B. 2787-69

219.144'

BLEC. DIST.
231.182 @ 19°48"
= 219.144

SEC.

SEC. 20
T-1-S

TOP PG-A2

SEC. 21
R-18-W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

PWFB 1305

79 80

F. B. ~~3940~~ PG. ~~44~~

RT. PG-45

628.62'

P.O.T.
SET 2" I.P. CONC. PLUG FORMING N. & L.A.CO. ENGR. TAG UP 2" ON RIDGE. A 2" MARKER PIPE 3 EI EAST. 2" I.P. PER RB 2787. TA WAS REMOVED BY BULL-DOZER.

15'±

BALLER

FIRETRUCK TRAIL

614.58'

ELEC. DIST.
622.38'@S2°52'25"W
= 616.58'

P.O.T.
SET 2" I.P. CONC. PLUG FORMING N. & L.A. Co. ENGR. TAC UP 2". A 2" MARKER PIPE 3 EI EAST.

232.27'

556.

ELEC. DIST.
237.00'@N01°27'52"W
= 232.27'

SEC. 20
T-1-S

TOP PG-A3

SEC. 21
R-16W

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309S CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

WS 92, B-1; 129-037 B-1

PWFB 1305

81

SEC-17

SEC-16
T-1-S
R-18-W

FD. COUNTY SURVEYORS BRASS CAP MON. FLUSH ON EAST SIDE OF RIDGE. MARKED AS SHOWN. A 2" MARKER 3 FT SOUTH
F.B. 2787-75
F.B. 2605-229
C.S.B. 733

COUNTY SURVEYOR'S MONUMENT T-1-S R-18-W 17 16 20 21 SEC. COR.

582.83' SEC. LINE

S.T.M. Pg. 44

89° 45' 20" 18" Adj.

628.62'

ELEC. DIST.
629.57' @ 86° 51' 05"
= 628.62'

T-2 RUN UP
1ST. POS. 89° 45' 21"
2ND POS. 89° 45' 20"
MEAN = 89° 45' 20"

SEC. 20

TOP Pg-44

SEC. 21

Notes Ck'd by D. SARPELL
Map No. S.S.B. 5386-2
Office Work C. MATSUDA
Checked
Date

Survey of SEC. LINE
JN 03020 Tape # Std 84 °F
Surveyed by C. K. LUND
Notes M. E. K. Date 8-23
Indexed M. M. PALMERI OCT 8 1974

F. B. 3240 PG. 45

PWFB 1305

82

F. B. 3840 Pg. 46

BTM. PG-47

SEC. 21 T-1-S R-11R-W

SEC. 16

266.36' M.

P.O.T.
SET 2" I.P. CONC.
PLUG FORMING
NAIL & C.E. TAG
UP 2" ON RIDGE.
A 2" MARKER
PIPE 3 FT SOUTH.
1" I.P. PER F.B.
2605-229 WAS
REMOVED BY BULL-
DOZER.

ELEC. DIST.
A05.714 @ 102°-02'-20"
= 396.79'

396.79'

P.O.T.
SET 2" I.P. CONC.
PLUG FORMING
NAIL & C.E. TAG.
UP 2" ON SPUR
A 2" MARKER PIPE
3 FT SOUTH.

FD. 3/4" I.P. &
CAP FLUSH
REMOVED SAME
F.B. 2787-70

0.10

582.837'

ELEC. DIST.
606.138 @ 285°-56'-18"
= 582.837'

TOP PG-45

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1305

83 84

Notes Ck'd by D. SAPPELL
Map No. C.S.B-5386-3
Office Work G. MASUDA
Checked
Date

Survey of SEC. LINE
JN 030201 Tape 4 Std 80 °F
Surveyed by C.K. LINO
Notes M.E.W. Date 8-73
Indexed L. M. PALMERI OCT 8 1974

F. B. 3840 Pg. 47

BTM. PC-46

SEC. 16

#32
FD. 1x2 + NAIL
FLUSH PER
F.B. 463-115

12.89

N. 1429.34

P.O.T.
FD. REMAINS OF
1x2 + NAIL, NOT
ABLE TO FIND
1" I.P. PER F.B.
2605-229
SET 2" I.P. CONC.
PLUG FORMING M.
+ L.A. CO. ENGR.
TAG UP 2" ON
RIDGE. A 2"
MARKER PIPE
3 FT. SOUTH.

3.05

SEC. 21
T-1-S
R-13-W

ELEC. DIST.
1271.383 @ 277°02'02"
= 1261.815

1261.815

P.O.T.
FD. 1" I.P. + C.E.
TAC ON SIDE HILL
F.B. 2605-229
REPLACED WITH
2" I.P. CONC. PLUG
FORMING NAIL +
L.A. CO. ENGR. TAC.
UP 2". A 2"
MARKER PIPE
3 FT. SOUTH.

SEC.
266.367

ELEC. DIST.
266.65 @ 272°39'36"
= 266.367

TOP PC-46

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

PWFB 1305

85

F. B. 3240 PG. 48

BTM. PG-49

SEC. 16

SEC. 21

T-1-S

R-18-W

129+037 C-1 W 592 B-1

SET 1x2 # N LN. PROD. FROM WEST.

2°28'42" Adv.

T-2 RUN UP
1ST POS. 2°28'39"
2ND POS. 2°28'41"
MEAN = 2°28'40"

415.428

DRAW

25'

28" 18" Adv.

137°

37'

136

79

149.34

SEC.

FD. U.S. BRASS CAP MON ON EAST SIDE OF SPUR, ON SIDE HILL FLUSH. MARKED AS SHOWN. 2" MARKER 5' FT. SOUTH AND 5' FT. EAST. PER. F.B. 463-115 F.B. 2605-229 C.S.B. 733 SEARCHED FOR GOVT. PITS & MOUND PER F.B. 9219 UNSUCCESSFUL.

COUNTY SURVEYOR'S MONUMENT T-1-S R-18-W 1/16 21 1/4 SEC. COR.

SEARCHED FOR 1x2 PER. F.B. 463-115. NOT ABLE TO FIND.

TIE BK.
56.71 @ 32°10' = 48.01
56.48 @ 31°48' = 48.00
112.58 @ 25°49' = 101.34
112.24 @ 25°27' = 101.35
48.00 + 101.34 = 149.34

TOP PG-47

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1305

86 87

Notes Ck'd by D. SAPPELL
Map No C.S.B-5386-2
Office Work G.MASUDA
Checked
Date

Survey of SEC. LINE
JN 0302.01 Tape 4 Std 84 °F
Surveyed by C.K. LIND
Notes M.E.W. Date 8-73
Indexed T. M. PALMERI OCT 8 1974

F. B. 3840 PG. 49

Ct. Pg-30

SEC. 16

SEC. 21 T-1-S R-11B-W

159.259'

P.O.T.
FD 1" I.P. + L.A.CO. ENGR. TAC ON RIDGE REPLACED WITH 2" I.P. CONC. PLUG FORMING NAIL + L.A. CO. ENGR. TAG. UP 2". A MARKER PIPE 3FT SOUTH. PER. F.B. 2605-230

ELEC. DIST.
159.56 @ 86°28'24"
= 159.259

2089.240'

ELEC. DIST.
2089.28 @ 89°38'40"
= 2089.240

P.O.T.
FD 1" I.P. + L.A. CO. ENGR. TAG ON RIDGE. REPLACED WITH 2" I.P. CONC. PLUG FORMING N. + L.A. CO. ENGR. TAG. UP 2". A MARKER 3 FT. SOUTH. PER. F.B. 2605-229

415.428'

SEC.

ELEC. DIST.
415.634 @ 271°48'09"
= 415.428

TOP Pg-48

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

PWFB 1305

88

89

F. B. ~~3845~~ PG. 50

DIRT RD. ON RIDGE

BTM. PG. 75

S.C. EDISON TOWER 2-4

SEC. COR. FD. C.S. BRASS CAP MON FLUSH ON SOUTH OE RIDGE AND 60'± SOUTH OF S.C. EDISON TOWER MARKED AS SHOWN. A 2" MARKER PIPE 5' NORTH. PER F.B. 2605-330, 240 C.S.B. 735

COUNTY SURVEYOR'S MONUMENT T-1-S R-18-W SEC. 15 & 22 SEC. COR.

I = 78°
77.05 @ 294°49' = 69.93
77.29 @ 296°12' = 69.93
13.28 @ LEV = 13.28
69.93 + 13.28 = 83.21

FD. 3/4" I.P.L.A. Co. ENGR TAG ON 2" ϕ LEANING SOLY. PER F.B. 2605-191

A.L.C.-17 FD. S.C.E. BRASS CAP MON FLUSH R.C.E. # 7211 F.B. 8234-5A

SET 1X2 L.N. ON L.N. PROJ. FROM WEST

S 29°05'41" W 1295.71

17.47

0.02

PROD.

83.21

SEC. L.N.

90°

35.10

300'±

0.26

SEC. LN.

159.259

TOP PG-49

2308.69±

87° 05' Adj.

43" Adj.

ELEC. D.S. 2334.730 @ 8°33'54" = 2308.69±

T-2 RUNS
1ST POS. 87°05'40"
2ND POS. 87°05'42"
MEAN = 87°05'41"

255.26°

P.O.T. SET 2" I.P. CONC. PLUG N.T.L.A. Co. ENGR. TAG UP 2" ON SPUR. A 2" MKR. PIPE 3' EAST

ELEC. D.S. 257.338 @ 7°17'11" = 255.26°

SEC. 21 T-1-S

TOP PG-51

SEC. 22 R-18-W

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PWEB 1305

90

Notes Ck'd by D. SAPPELL
Map No. CSB-5386-2
Office Work G. MASUDA
Checked
Date

Survey of SEC. LINES
JN 0302.01 Tape A Std. B.B. °F
Surveyed by C.K. LIND
Notes M.E. WALKER Date 7-73
Indexed L. M. PALMERI OCT 8 1974

F. B. 3000 Pg. 87

B.M. Pg-50

WS 12 9-5-2, WS 93 E-2,

T-Z RUNS
1ST For. 37°27'08"
2ND POS. 37°27'12"
MEAN = 37°27'10"

BEARING TREE FD. 18" OAK BURNED OUT CTR. CONDITION POOR. MADE SEARCH FOR MARKINGS FD. NOTHING.

SET 4 FT. I.D.A.CO. ENGR. TAC. IN TOP OF 3" x 6" x 6" CONC. MON. IN GENERATE ROCK.

1/4 SEC. COR. FD. ON 'X' ON TOP OF 20" x 12" x 8" S.S. ROCK WITH 1/4 COR. MARKED ON WEST FACE PER. O.S. 9167-19

REPLACED STONE WITH A STD. C.E. BRASS CAP MON. FLUSH IN ROCK MOUND. A 2" MARKER PIPE 3' EAST. MON. IS STAMPED AS SHOWN.

COUNTY ENGINEER T-1-S R-18-W 21 22 1/4 COR. RE. 7078

T-Z RUNS
1ST POS. 179° 30' 00"
2ND POS. 179° 30' 00"
MEAN 179° 30' 00"

SET L.F.T. I.L.A.CO. ENGR. TAC. IN TOP OF 1" x 2" S.S. ROCK.

SEC. 21
T-1-S

TOP Pg-52

SEC. 22
R-18-W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309 CE#310 3-69

PWFB 1305

91

F. B. ~~384~~ Pg ~~42~~

SEC. 21

BTM. PG-51

SEC. 22

P.O.T.
SET 2" I.P. L.A. Co. ENGR. TAG IN EAST BERM OF DIRT RD. ON TOP OF RIDGE. A 2" MKR. PIPE 2' WEST. 27'± TO EDISON TOWER.

SEC. LN.

2289.490

ELEC. DIST.
2292044 05°13'31"
= 2289.490

129.95 A-2 W.S.02 1.C.2

DIRT RD.

FD. C.S. MON. DN. 2° 10'± SO. W. OF DIRT RD. MARKED AS SHOWN. A MKR. PIPE 5' SO. EAST OF MON. PER. F.B. 2781-172

COUNTY ENGINEER
T-1-S
21/22
28/27
R-18-W
SEC. COR.
R. E. 5869

234.505

ELEC. DIST.
237695 09°23'52"
= 234.505

89° 00' 58"

SEC. LN.

249.39
F.B. 2781-172

27.51

27.57

FD. L.J.T. + L.A. CO. ENGR. TAGS IN CONC. BASE OF EDISON TOWER # 1-3 PER F.B. 2781-172
F.B. 8234-3A

100 PL-39

T-2 RUN UP
1ST POS. 89° 00' 55"
2ND POS. 89° 01' 01"
MEAN = 89° 00' 58"

SEC. 28
T-1-S

SEC. 27
R-18-W

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1305

92

Notes Ck'd by	Survey of SEC. 23 T.1S.R.18W F. B. 3840 PG. 58
Map No.	JN 0302.01 Tape 2 Std. 64 °F
Office Work	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 10-15-73
Date	Indexed M. PALMER OCT 8 1974

SECTION LINE SURVEY

J.N. 0302.01

SURVEY TO ESTABLISH CO-ORDINATES ON CORNERS OF SECTION 23 T. 1 S. R. 18 W.

OCT. 1973

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

REF.
F.B. 210
T.B. 7959
F.B. 580

PARTY
L.V. SMITH
B.R. JACKSON
V.L. HUCKABY
R.S. SCHERB

76F3095 CE#310 3-68

F. B. ~~3840~~ PG. ~~54~~

INDEX



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1306

31

Notes Ck'd by D. SAPPELL
Map No. 6.S.6-5386-1
Office Work G. MASUDA
Checked
Date

Survey of SEC. 23 T.1S.-R.18W. F. B. 3840 PG. 85
JN 0302.01 Tape 2 Std. 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 8-73
Index M. PALMER OCT 8 1974

1) 95° 46' 00"
4) 23 04 20
6) 214 36 20
95° 46' 03"

FD. 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH IN PVMT. PG. 32

09" ADJ.

46'

95°

BOT. PG. 58

CUT OFF LINE FOR ANGLES

24+30.141

FD. 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH IN PVMT. PG. 33

SEC. 23
T. 1 S.
R. 18 W.

91° 13' 14"

231'

BOT. PG. 56

209.85'

22 23 24 26

25+64.331'
FD. 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG IN TEMP. SEC. CORNER PER F.B. 3840-34

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

PWFB 1306

F. B. ~~3840~~ Pg. ~~56~~

BOT.
PG. 57

ELECT. MEA.
367.524' @ 02°38'50"
= 367.132'
FB 3630-97
2425.962' @ 03°06'15"
= 2422.402'
PER FB 3630-95

661.100' @ 5°19'40"
= 658.244
PER. F.B. 3630-96

SEC. 22
T. 1 S.
R. 18 W.

367.132'

FD. 2x2 &
L.S. 2743
TAG NO
REF.

2422.402'
658.244'

14.51'

20.23'

W-1 A
SET CONC. NAIL
IN PVMT.

SEC. 23

291.11'
calc.

W-1
SET LG. BT. SPK.
W. S. T. FLUSH IN
SLY. EDGE OF
CORRAL CYN. ROAD

209.85' @ LEV.
T: 86° = 209.85'

209.85'

LEFT
PG. 55

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1306

33

Notes Ck'd by D. SARPELL
Map No. LS-5386-1
Office Work G. MASUDA
Checked
Date

Survey of SEC. 23 T. 1S. R. 18W
JN 0302.01 Tape 1 Std. 84 °F
Surveyed by L. V. SMITH
Notes L. V. SMITH Date 9-73
Indexed L. M. PALMER OCT 8 1974

F. B. 3810 PG. 57

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

BOT. PG. 58

FD. 2 x 2 & L.S. TAG UP 8" - TAG # 2572 NO EVIDENCE OF SANDSTONE MONUMENT PER TR. 7959

2.08' 326.54'

815.612'

9.68'

SET W-3 1 x 3 & NAIL FLUSH

318.82'

0.85'

439.386'

ELECT. MEA.
448.262' @ 11° 25' 15"
= 439.386'
FB. 3630 - 96

FD. 2" I.P. NO PLUG I.P. 6" TR. 7959 CALLS FOR 1" I.P. 0.91 SLY. ON SEC. LINE

815.926' @ 01° 35' 20"
= 815.612'
FB. 3630 - 95

SEC. 22.

120.57'

SEC. 23
T. 1 S.
R. 18 W.

127.14' @ 18° 29' = 120.58'
T = 74° = 120.57'

SET W-2 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH

658.244'

367.132'

TOP PG. 56

X

16F309S CE#310 3-68

PWFB 1306

F. B. 2910 PG. 58

Tap 66

34

129-057, A-2, MS #1A-2

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

2812.99

1/4 SECTION COR. FD. STD. COUNTY SURVEYOR BRASS CAP MON. IN CONC. ON SLY. SLOPE OF SPUR 90'± FROM TOP OF SPUR. PER F.B. 210-272. MARKER PIPE 3.1 SLY. SEE PG 65 FOR ZONE 7 TIES.

SEC 23
T. 1 S.
R. 18 W.

"04"

54' calc.

179°

COUNTY SURVEYOR
R. 18 W. T. 1 S.
S. 22 | S. 23
1/4 COR.
R. E. 2177

SEC. 22

W 4
SET 2" I.P. CONC. PLUG L.A. CO. ENGR. TAG FLUSH ON RIDGE. SET GUARD PIPE 2.1 WLY.

2422.402'

1)	04°	32'	50"
4)	18	12	00
6)	27	18	00
	4°	33'	00"

TO 24+30.14

366.54 calc

815.612'

00" 55" adj

04° 33' 32'

TOP PG. 57

LEFT PG. 55

PWFB 1305

94

Notes Ck'd by D. SAPPELL	Survey of SEC. 23 T.1S. R.18W.
Map No. 8-5386	JN 2202.01 Tape 2 Std. 84 °F
Office Work G. MASUDA	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 10-9-73
Date	Indexed J. M. PALMER OCT 8 1974

F. B. 3840 PG.

LEFT PG. 61

ELECT. MEA.

8632.428 @ 04°49'40"
= 8601.802 F.B. 3630-83
+ .30
8602.102

8632.980 @ 04°49'40"
= 8602.352
+ .30
8602.652
- .575
8602.077

MEAN = 8602.089'

SOLSTICE CYN. E-5
FD. STD. CO-ENGR. TRIANG. STA. DISC. MARKED "SOLSTICE E-5 1966 R.E. 5869" PER F.B. 2458-159-160
See PG 66, 81

TO SOLSTICE CYN. I-3-A

1) 24° 54' 20"
4) 99 37 00
6) 149 25 20
24° 54' 13"

24° 54' 13"

TO TRACIE

LEFT PG. 64

10507.362'

28.

1) 28° 37' 00"
4) 171 28 20
6) 171 42 50
28° 37' 08"

28° 37' 08"

09 ADJ.

8602.089'

1) 98° 42' 50"
4) 34 51 50
6) 52 17 50
08° 42' 58"

TO "PUERCO"

LEFT PG. 60

TO SANDY

LEFT PG. 62

8° 42' 58" 04" ADJ 8° 42' 43"

ELECT. MEA.

10507.132' @ 00° 12' 40" = 10507.061
+ .30
10507.361

10507.718 @ 00° 12' 40" = 10507.647
+ .30
10507.947
- .585
10507.362

F.B. 3630-82

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F.B. 3840 Pg 60

RIGHT PG. 64

RIGHT PG. 61

1) 73° 37' 06"
4) 294 27 30
6) 81 41 30
73° 36' 55"

TO "TRACIE" 60 69.116 F.B. 3630-75

TO SOLSTICE CYN. I-3-A 10299.411 F.B. 3630-78

45° Adj.

9° 34' 43"

1) 09° 34' 43"
4) 336 18 40
6) 317 28 20
9° 34' 43"

SOLSTICE CYN. K-6

"QUERCO" E.Q. U.S.G.S. TRIANGULATION STATION BRASS CAP MON. IN CONC. MON. MARKED "U.S. GEOLOGICAL SURVEY B.M. QUERCO RS. 1928" F.B. 925 61 & 62

ELECT. MEA.

10309.852' @ 2° 36' 55" = 10299.114
+ 30
10299.414

10289.844' @ 2° 37' 20" = 10289.844
+ 30
9.265
10299.409

10300.630' @ 2° 37' 20" = 10299.411

MEAN = 10299.411'
F.B. 3630-78

55"
36'
72°

TO SOLSTICE CYN. F-5

RIGHT PG. 59

30" A.M.

17° 35' 22"

TO SANDY 4314.000' F.B. 3630-80

TO RIGHT PG. 62

ELECT. MEA.

4354.366' @ 7° 50' 05" = 4313.720
+ 28
4314.000'

F.B. 3630 — 80

4348.840' @ 7° 50' 40" = 4308.145
+ 28
+ 5.575
4314.000'

6071.538' @ 1° 37' 00" = 6069.121

6063.400' @ 1° 37' 00" = 6060.986
+ 8.125
6069.111

1) 17° 35' 20"
4) 70 21 20
6) 105 32 10
17° 35' 22"

MEAN: 6069.116
F.B. 3630-75

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1406

34

Notes Ck'd by D. SAPPELL
Map No. B-5386
Office Work G. MASUDA
Checked
Date

Survey of SEC. 23 T.1S-R.18W
JNO302-01 Tape 2 Std. 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 10-9-73
Indexed T. M. PALMER OCT 8 1974

F. B. 3840 PG. 64

1) 13° 10' 20"
4) 52 42 40
6) 79 03 50
13° 10' 38"

ELECT. MEA

4441.420' @ 3° 53' 15" = 4431.200'
+ 28
4431.480

4435.512' @ 3° 53' 25" = 4425.292'
+ 5.930
4431.492

MEAN = 4431.486'
F.B. 3630-79

SOLSTICE CYN. I-3-A
FD. L.A. CO. SURVEY CONTROL
TRIANGULATION STA
PER F.B. 245B-161

See PG 80

LA COUNTY SURVEY CONTROL SYSTEM
SOLSTICE 434
LA CO ENGR F.B. 5869 PG 4

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

TO SOLSTICE F-5

TOP PG. 59

1) 93° 12' 20"
4) 12 49 50
6) 199 14 20
93° 12' 23"

1) 37° 55' 50"
4) 151 43 30
6) 227 35 40
37° 55' 57"

TO SCOTT

TOP PG. 63

1) 59° 05' 00"
4) 236 20 10
6) 354 30 20
59° 05' 03"

TO SANDY

TOP PG. 62

1) 24° 45' 20"
4) 99 01 30
6) 148 32 30
24° 45' 25"

TO 4431.486' F.B. 3630-79

13° 10' 38"

TOP PG. 64

TO TRACIE

TO = PUERCO

10299.411'

2261.756' F.B. 3630-72

93°

12'

59°

37°

55'

24° 45'

23"

05' 00"

55" Adj

57" Adj

51" Adj

26" Adj

TOP PG. 60

76F309S CE#310 3-69

F. B. 3840 PG 62

1) 62° 28' 50"
4) 249 56 40
6) 14 54 50
62° 29' 08"

1) 61° 15' 10"
4) 245 00 20
6) 07 30 40
61° 15' 07"

BOT PG. 61

TO SOLSTICE - I-5 - F

25° 17' 09" Adj. 12"

BOT PG. 64

1) 25° 17' 00"
4) 101 08 40
6) 151 43 10
25° 17' 12"

TRACT

1) 91° 12' 00"
4) 04 50 00
6) 187 14 40
91° 12' 27"

13" Adj. 07

15'

FB 3630-72

9261.756'

FB 3630.77

6377.500'

RIGHT PG 63

61°

TO SCOTT

35° 57' 53" 6 216

02" Adj. 08

29'

91°

12'

3979.322'

62°

24" Adj. 27

FB 3630-80

4314.000'

TO PUERCO

TO RIGHT PG. 59

8602.089'

FB 3630.83

TO SOLSTICE E-5

LEET. PG. 60

SANDY
SET 2" I.P. CONC. PLUG
L.A. CO. ENGR. TAG
FLUSH ON WLY SIDE
OF FIRE TRUCK RD.
400' ± N.ELY OF ¼ SEC.
COR. SEC. 26 & 25
T. 7 S. R. 18 W.

ELECT. MEA.

9316.660' @ 6° 34' 35" = 9255.357
+.28
+6.11
9261.747

MEAN = 9261.756'

9322.596' @ 6° 33' 50" = 9261.486
+.28
9261.766

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1306

36

Notes Ck'd by D. SAPPELL
Map No.
Office Work
Checked
Date

Survey of Sec. 23 T.1S. R.18W
JN 0202-01 Tape 2 Std 84 °F
Surveyed by L-V-SMITH
Notes L.V. SMITH Date 10-15-73
Indexed M. PALMER OCT 8 1974

F. B. 3840 PG. 65

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

ELEC. MEAS.

6577.482 @ 10°-01'-00" = 6477.223
+.300
6477.523

6578.052 @ 10°-01'-00" 6477.784
+.300
6478.084
−.550
6477.534

MEAN = 6477.528
F.B. 3630-91

SCOTT
SET 2" I.P. CONC. PLUG
EX. CO. ENGR. TAG
FLUSH ELY SIDE OF
NEWELL AVE.

ELEC MEAS.

5727.598 @ 08°-28'-00" = 5665.177
+.300
5665.477

5727.852 @ 08°-28'-06" = 5665.428
+.300
5665.728
−.265
5665.463

MEAN = 5665.470'
F.B. 3630-92

SET LG. BT. SPK
W&T. FLUSH
IN PVMT.
NEWELL ROAD

NOT TO TRACT

2671

24.62

ELECT. MEA.

3980.090' @ 01° 07' 15" = 3979.328'
3973.770' @ 01° 08' 20" = 3972.985'
+6.330
3979.315

MEAN = 3979.322'
PER 3630-77

BOT. PG 61

TO SOLSTICE CYN
E-3-A

6477.528
F.B. 3630 91

1) 42° 08' 00"
4) 168 35 20
6) 252 33 20
42° 08' 53"

LEFT PG. 64

42° 08'

TO TRACT 5665.470
F.B. 3630-92

80°

1) 80° 43' 50"
4) 322 56 00
6) 124 23 40
80° 43' 57"

44 43'

00' 43" E.

TO SANDY
3979.322
F.B. 3630-77

LEFT PG. 62

76F309S CE#310 3-69

PWFB 1306

37

F. B. 3810 PG. 64



ELEC. MEAS.

6423.250 @ 06-50-25 = 6371.529

6416.570 @ 06-51-10 = 6370.730

+ 6.740

6377.470

MEAN = 6377.500

FB 3630-71

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1306

38

Notes Ck'd by D. SAPPELL
Map No. 6.5.B-5386-1
Office Work G. MASUDA
Checked
Date

Survey of SEC. 23 T-1S. R18W
JN 2202-01 Tape 2 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 10-11-73
Indexed T. M. PALMERI OCT 8 1974

F. B. 3940 PG. 60

W. 1/4 SEC. COR. SEC. 23 T 1S. R. 18 W

1/4 SECTION CORNER
FD. STD. COUNTY SURVEYOR
BRASS CAP MON. IN CONC.
ON S'LY. SLOPE OF SPUR
90'± FROM TOP OF SPUR
PER F.B. 210 - 192-193-187
SET 2" MARKER PIPE
3'± S'LY.

COUNTY SURVEY
T.1S.
R.18W.
S.22
S.23
1/4 COR.
R.E. 27

SOLSTICE CYN.
I-3-A
PG. 61

1) 57° 45' 00"
4) 231 01 10
6) 346 31 50
57° 45' 18"

17" Adj
57° 45' 18"
2812.99
80
34' calc.
132°
32.47' M.
N 23° 02' 32" E
99.73
F.B. 3630-73

2422.402 PG. 56-58

2" I.P. SCOTT
P.L.S. CO. ENGR TAG
PG. 63

W-1
FD. LG. BT.
SPK. W. &
TIN PG 56

ELECT. MEA

3255.890' @ 3° 31' 55" = 3249.706
+ 28
3249.986

3250.536' @ 3° 32' 05" = 3244.352
+ 28
+ 5.38
3250.012

MEAN = 3249.999'
F.B. 3630-73

W.S. 91, A. 2, WS. 129-37, A. 2

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this sign of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 3840 Pg. 66

N.W. SEC. COR. SEC. 23 T. 1S. R. 18W

SECTION CORNER
FD. COUNTY SURVEYORS
BRASS CAP IN MON. IN
CONC. PER F.B. 210-271
MON. MARKED AS
SHOWN

COUNTY SURVEYOR'S
T. 1S.
15 14
R. 18W
22 23
SEC. COR.
MONUMENT

1)	38°	55'	40"
4)	155	43	30
6)	233	35	00
	38°	55'	50"

1)	35°	57'	00"
4)	143	23	40
6)	215	05	30
	35°	50'	55

15 14
22 23

calc. 25°31'43"

calc. 2812.99

calc. 50°28'43"
51' 08"
35°50'55" Adj.

To PG 67

calc. 2583.22

SOLSTICE CYN.
I-3-A
PG. 67

18°51'27" Adj.

5553.789
F.B. 3630-76

FB. 3630-74
9373.866

38° 55' Adj.

"SCOTT"
1" I.P. CONC. PLUG
L.A. CO. ENG TAG
PG. 63

SOLSTICE CYN.
P.E. 59, 81

To Top PG 58, 65

"SANDY"
2" I.P. CONC. PLUG
L.A. CO. ENGR.
TAG PG. 62

W.S. 129-057, A-1 W.S. 91, A-1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

ELECT. MEA.

9374.400' @ 00° 46' 00" = 9373.561
+ .30
9373.861

9369.020' @ 00° 46' 25" = 9368.166
.30
5.405
9373.871

MEAN = 9373.866
F.B. 3630-74

5557.262 @ 02° 07' 00" = 5553.470
+ .30
5553.770

5552.070' @ 02° 07' 00" = 5548.282
+ .30
+ 5.225
5553.807

F.B. 3630-76

MEAN = 5553.789

PWFB 1306

40

Notes Ck'd by D. SAPPELL	Survey of SEC. 23 T.1S.-R.18W.
Map No. L.S.B.-5386-1	JN 0702.0 / Tape 2 Std 84 °F
Office Work G. MASUDA	Surveyed by L.V. SMITH
Checked	Notes L.V. SMITH Date 10-9-73
Date	Indexed M. PALMER OCT 8 1974

F. B. ~~3810~~ Pg. ~~67~~

1) 24° 07' 00"
4) 96 27 10
6) 144 41 10
24° 06' 52"

N. 1/4 SEC. COR. SEC. 23 T.1S. R.18W.

FD. CO. SUR. MON. PER F.B. 210 PG. 193

COUNTY SURVEYOR'S MONUMENT 1/4 COR S-14 S-23 T.1S. R.18W.

calc. 59°04'55"

SOLSTICE CYN. I.3TH FD. L.A. CO. TRIANG. STH. PG. 61

11°58'47" calc.

2585.92 calc.

To PG 68 LFT

2583.22 calc.

FB 3630-81 4513.754

To RT. PG 66

92°59'09" calc.

FB 3630-84 4783.683

75°01'23" calc.

08°10'27"

24°06'55" Adj.

TRACE FD. 3" I.P. CONC. PLUG L.A. CO. ENGR. TAG PG. 64

1) 08° 10' 30"
4) 32 42 00
6) 49 02 40
08° 10' 27"

SCOTT FD. 2" I.P. CONC. PLUG L.A. CO. ENGR. TAG PG. 63

N 51, 14-1/2 W 5-057 A-1

ELECT. MEA.

4803.986' @ 05° 18' 30" = 4783.383' + .30 = 4783.683

4804.088' @ 05° 18' 30" = 4783.484 + .30 = 4783.784 − .10 = 4783.684

MEAN = 4783.683'
F.B. 3630 - 84

4531.102' @ 05° 03' 30" = 4513.455 + .30 = 4513.755

4531.190 @ 05° 03' 30" = 4513.543 + .30 = 4513.843 − .09 = 4513.753

MEAN: 4513.754'
F.B. 3630 - 81

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309 CE#310 3-69

PWFB 1306

41

F. B. ~~38 10~~ Pg. ~~60~~

N.E. SEC COR. SEC. 23 T.1.S. R.18 W.

SOLSTICE CYN.
I-3-A
FD. L.A.CO. TRIANG. STA.
PG. 61

SECTION CORNER
FD. STA. CO.
SURVEYOR MON.
BRASS CAP IN
CONC. PER
F.B. 580-144

From RT.
PG 67

calc.
2585.92

1) 20° 53' 00"
4) 83 31 20
6) 125 17 00
20° 52' 50"

21°09'104" calc

20° 52' 50"

63° 56' 37" calc

46.1' Adj

1°16'33" calc.
9.40.47"

1) 09° 40' 40"
4) 38 43 20
6) 58 04 40
09° 40' 47"

SCOTT
FD. 2" I.P.
CONC. PLUG
L.A.CO. ENGR.
TAG. PG. 63

5317.689
FB 3630-90

31° 04' 30" calc.

7274.143
FB 3630-89

SANDY
FD. 2" I.P. CONC.
PLUG & L.A. CO.
ENGR. TAG. PG. 62

calc.
2383.92

TOP
TO PG 69

ELEC. MEAS

7278930 @ 2°08'20" = 7273.859
+.300
7274.159

7279.460 @ 20-08-20 7274.388
+.300
7274.688
-.560
7274.128

MEAN = 7274.143
FB. 3630-89

5329.104 @ 3°48'00" - 5317.388
.300
5317.688

5329.452 @ 3°48'00" 5317.735
.300
5318.035
-.345
5317.690

MEAN = 5317.689
FB. 3630-90

25-05-28-1 WS #1A-1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1306

42

Notes Ck'd by D. SAPPELL
Map No. C.S.B.-5386-1
Office Work G. MASUDA
Checked
Date

Survey of SEC. 23 T.1S. R.18W
JN 030201 Tape 2 Std 84 °F
Surveyed by L.V. SMITH
Notes L.V. SMITH Date 10-15-73
Indexed L. M. PALMER OCT 8 1974

F. B. ~~3840~~ PG. ~~64~~

E. 1/4 SEC. COR. SEC. 23 T.1S. R.18W

From 60H PG 68

SOLSTICE CYN.
I-3-A
FD. L.A.CO. TRIANG. STA. PG. 64

1) 41° 28' 20"
2) 65 52 00
3) 248 48 30
41° 28' 05"

1) 77° 40' 10"
2) 310 40 40
3) 196 01 20
77° 40' 13"

TRACIE
FD. 2" I.P.
CONC. PLUG &
L.A.CO. ENGR.
TAG. PG. 64

SCOTT
FD. 2" I.P.
CONC. PLUG
EL.A. CO. ENGR.
TAG. PG 63

77.40' 13"
2383.92 calc.
FB 3030-80
FB 3630
3499.224
51°25' 24" calc.
2701.19 calc.
41° calc
2820.
13"
128°
53°21' 32"
54°56'
12° calc.
1/4 SECTION COR.
FD. STD. CO. SURVEYOR BRASS CAP MON. IN CONC. PER F.B. 580-144 - GUARD PIPE S. 1 S. ELY.

TO TOP LFT PG 70

ELECT. MEA.

2335.126' @ 21° 54' 40" = 2166.446
+ .300
2166.746

2335.008' @ 21° 54' 40" = 2166.366
+ .300
+ .090
2166.756

MEAN = 2166.751'

3499.020' @ 00° 26' 00" = 3498.920
+ .300
3499.220

3492.760' @ 00° 25' 00" = 3492.668
.300
6.260
3499.228

MEAN = 3499.224'

WS 91, A-7, 159-057, B-2

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-69

F. B. 3840 Pg. 70



ELECT. MEA.

2784.788' @ 01° 11' 40" = 2784.183'
+ .30
2784.483

2784.866' @ 01° 11' 40" = 2784.261
+ .30
2784.561
- .085
2784.476

MEAN = 2784.479'
FB. 3630. 85

2559.740' @ 01° 53' 50" = 2558.337'

129-057, A-2, B-2 W.S. 9, A-2

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1306

SECTION 23

44

Notes Ck'd by D. SAPPELL	Survey of T.1S. R.1W.
Map No.	JN 030201 Tape — Std — °F
Office Work	Surveyed by B.R. JACKSON
Checked	Notes B.R.J. Date 10/73
Date	Index J. M. PALMER OCT 8 1974

F. B. 3840 PG. 71

GEODETIC TIE TO 2" I.P., 19+49.657 F.B. 3840 - 32

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 Los Angeles County Engineering Bldg.

1) 67-50-10
4) 271-21-00
6) 47-01-40
67°-50'-17"

Sol. I-3A F.B. 3840-61

FD 2"IP 17+02.672 F.B. 3840-32

14" Adj.

67°-50'-17"

SECTION LINE

ELEC. MEAS.

7469.150 @ 6°-21'-40" = 7423.143 + .300 = 7423.443

7469.760 @ 6°-21'-40" = 7423.771 + .300 = 7424.071 − .570 = 7423.481

MEAN = 7423.473
F.B. 3630-93

7423.473 F.B. 3630-93

50" Adj.

37"

12'-

FD 2" I.P. 19+49.657 F.B. 3840-32

110°-12'-40"

3569.540 F.B. 3630-94

1) 110-12-40
4) 80-50-40
6) 301-15-40
110°-12'-37"

ELEC. MEAS.

3603.072 @ 7°-51'-30" = 3569.236 + .300 = 3569.536

3603.282 @ 7°-51'-30" = 3569.444 + .300 = 3569.744 − 2.00 = 3569.540

MEAN = 3569.540
F.B. 3630-94

FD 2" I.P. TEMP. SEC. CORNER F.B. 3840-34

Sol. F.S. F.B. 3840-39

F&E 3095, CE#310.1-65

PWFB 1305

95

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SEC. LINE
JN 0302.01 Tape 2 Std. 0.0 °F
Surveyed by M.E. WACKER
Notes M.E.W Date 4-74
Indexed M. PALMERI OCT 8 1974

F. B. ~~1010~~ Pg. ~~75~~
H.P. # 3

J.N. 0302.01

SECTION-LINE

△ TIES

MALIBU AREA DIV. # 2

SEC. 21, 22, 15, 16

T-1-S R-18-W

REF.

F.B. 2605
F.B. 8234 = SO. CAL. EDISON CO.
F.B. 2639
F.B. 463

PARTY

WACKER
MCCALL
HUCKABY
DIETZ

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PWFB 1305

F. B. ~~3850~~ PG. ~~74~~

96 97 98

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1305

99

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of 382.16-16 SEC. LINE, T-1-S, R-14-W F. B. 3840 Pg. 70
JN 0302.01 Tape 2 Std 64 °F
Surveyed by M.E. WACKER
Notes M.E.W. Date 4-23-74
Indexed T. M. PALMER OCT 8 1974

ELECT. DIST. PG-87
3357.020 @ 1°57'45"
= 3352.533
F.B. 3840-87

RT PG-76

ELECT. DIST. PG-88
446.955 @ 6°38'20"
= 444.033
2053.840 @ 2°00'30"
= 2052.578
F.B. 3840-88

3352.533

444.033

P.O.T. # 2
SET 2" I.P. + L.A. CO. ENGR. TAC FLUSH ON NLY EDGE OF RIDGE. A 2" MARKER PIPE EAST 3FT

47.47

29.06

T-1-S
R-14-W

L.C. - 20
FD. S.C.E. BRASS CAP MON FLUSH
E.B. 8234 -
TOWER # 3-1

SEC. 16
T-1-S

T. LINE

2052.578

P.O.T. # 1
SET 2" I.P. + L.A. Co. ENGR TAC FLUSH ON TOP OF RIDGE. THIS PT. IS SET ON LINE PROD BY PRODUCEING LN BETWEEN SEC. 21 + 22 NORTH BETWEEN SEC. 15 + 16

20.2

25.19

4.87

S.C. EDISON TOWER 2-4

L.C. - 18
FD. S.C.E. BRASS CAP MON FLUSH
R.C.E. 7211
E.B. 8234 -

17.47

T = 78°
17.47 @ LPV
= 1747

TOP PG-60

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3093 CE#310 3-69

13

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

129-057, A-1, W.S. 92, C-1

PWFB 1405



PWFB 1305

100'

Notes Ck'd by
Map No. GS.B-5386-2
Office Work G. MASUDA
Checked
Date

Survey of SEC. LINE SEC. 21, T-1-S, R-10-W
JN 0302.01 Tape Std °F
Surveyed by M.E. WACKER
Notes M.E.W Date 4-74
Indexed J. M. PALMER OCT 8 1974

F. B. 3840 PG. 71

ELECT. DIST. PG-87
4257.854 C 2°42'30
= 4253.098
F.B. 3840-87

1) 54° 10' 40"
4) 216° 43' 30"
6) 325° 05' 20"
= 54° 10' 53"

W592 B-1 1290-037, C-1

BTM. RT. PG-76

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line

4253.098
To P.O.T. #4

54° 10' 53"

SEC. LN.

33° 26' 13"

DRAW.

3621.563
To C-29

25'

1) 33° 26' 20" RT. PG-78
4) 213° 43' 00"
6) 200° 32' 20"
= 33° 26' 13"

1) 33° 54' 30"
4) 215° 36' 20"
6) 323° 24' 30"
= 53° 54' 05"

54° 53' 25"

CENTRE PK.
to 2292.947

SEC. LN.

TOP RT. PG-79

¼ SEC. COR.
ED. C.S. BRASS CAP
MON. ON EAST SIDE
OF SIDE HILL RUSH
MARKED AS SHOWN. A
2" MKR. PIPE 5' SO.
& 5' EAST OF COR.
PER. F.B. 3840-48

SURVEYOR'S
COUNTY
T-1-S
R-10-W
16
21
¼ SECTION
CORNER

76F309S CE#310 3-69

F. B. 3840 PG. 76

BTM. PG-80

BTM. PG-76

To E-34

812.310

To P.O.T. & 4

P.O.T. SET 2"
E.P. L.A. CO. ENGR.
TAG FLUSH, TOP
OF FIRE BREAK

ELECT. DIST. PG-86
1543.254 E 6°49'50"

1532.300
F.B. 3840-86

1532.300

52° 07' 16"

88° 13' 47"

9804.324

To E-5

LT. PG-81

3621.563
To 1/4 SEC. COR.

LT. PG-77

C-2D
FD. 3/4" CAP PIPE
FLUSH ON SO. ELY.
SIDE OF RIDGE
PER F.B. 2639-A2
REPLACED WITH A
BUTTON BRASS CAP.
MON. STAMPED C-2D
RE TO TB, A 2" N.C.R.
FIE. 3' N. ELY.

3850.077
To CASTRO PK.

89° 08' 35"

TOP LT. PG-79

ELECT. DIST. PG-85
3860.803 E 4°16'40"

=3850.077
F.B. 3840-85

1) 52° 07' 20"
2) 208° 28' 50"
3) 312° 43' 35"
= 52° 07' 16"

1) 88° 13' 50"
2) 352° 55' 30"
3) 169° 22' 40"
= 88° 13' 47"

1) 89° 08' 40"
2) 356° 34' 35"
3) 174° 51' 30"
= 89° 08' 35"

ELECT. DIST. PG-85
3656.177 E 7°57'25"

=3621.563
F.B. 3840-85

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1405

Notes Ck'd by
Map No. B-5386
Office Work G. MASUDA
Checked
Date

Survey of SEC. LINE SEC. 21, T-1-S, R-18-W
JN 0302.01 Tape Std °F
Surveyed by M.E. WACKER
Notes M.E.W Date 4-74
Indexed T. M. PALMER OCT 8 1974

F. B. 3940 PG. 74

BTM. PC-78

BTM. PC-80

1) 35° 29' 22"
A) 141° 56' 30"
6) 212° 54' 30"
= 35° 29' 05"

1) 36° 57' 20"
A) 147° 49' 20"
6) 221° 43' 40"
= 36° 57' 17"

BTM. LT PC-77

P.O.T. SET 2" I.P. CONC. PLUG L.A. CO. ENGR. TAG ON SO. ELY EDGE OF FIRE BREAK

39.70 OTT To C-29

To E-34

35° 29' 05"

6022.947 To 1/4 SEC. COR.

To E-5

BTM. LT PC-81

36° 57' 17"

1017.429

O N I 26.4 CASTRO PEAK

CASTRO PX. O N I 2.64 FD. 2½" BRASS DISK IN CONC. U/G". MARKED AS SHOWN F.B. 3840-90

ELECT. DIST. PC-84
6081.766 @ 7°58'30"
= 6022.947

1018.539 @ 2° 40' 30"
= 1017.429
F.B. 3840-84

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76309S CE#310 3-69

PWFB 1406 15

36

F. B. 3[illegible] Pg. 00



PWFB 1305

101

Notes Ck'd by
Map No. LLS.B-5386-2
Office Work G. MASUDA
Checked
Date

SEC. LINE
Survey of SEC. 21, T-1-S, R-10-W
JN 0302-01 Tape Std °F
Surveyed by M.E. WACKER
Notes M.E.W. Date 6-74
Indexed I. M. PALMERI OCT 8 1974

F. B. 3B 50 Pg 64

SOLSTICE E-5
FD. L.A. CO. SURVEY
CONTROL SYSTEM
BRASS CAP MON.
MARKED AS SHOWN.
F.B. 2458-159, 160

L.A. COUNTY SURVEY CONTROL SYSTEM
TRIANGULATION STATION
SOLSTICE E-5
1966
SET BY L.A. CO. ENGR. RE 59
FOR INFORMATION SEE COUNTY ENGINEER

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

DTM. RT. PG-80

TO T-3A

1) 71° 23' 50"
2) 285° 36' 20"
3) 68° 24' 25"
= 71° 24' 04"

1) 90° 01' 40"
2) 00° 07' 10"
3) 180° 10' 40"
= 90° 01' 47"

71° 24' 04"
90° 01' 47"
50' 43"

RT. PG-78

R-29
9804.32A

RT. PG-79

CASTRO PK.

1) 136° 50' 50"
2) 187° 22' 40"
3) 101° 04' 20"
= 136° 50' 43"

ELECT. DIST. PG-83
9819.265 @ 3°09'40"
= 9804.32A
E.K. 3844.65

SEC. COR.

2079.917

RT. PG-82

76F309S CE#310 3-69

PWFB 1305

102

F. B. ~~3840~~ PG. ~~82~~



P.O.T.
FD. 2" I.P. +
L.A. CO. ENGR.
TAC AS PER
F. B. 3840-52

SEC. LINE

234.505

1) 88° 20' 05"
2) 363° 20' 20"
3) 170° 00' 30"
=88° 20' 05"

FD. C.S. MON. DN.
2 EI. AS PER
F.B. 3840-52

88° 20' 05" Adj.

To E-5

2079.917

18-Pd. Wlp

21 22 28 27

EDISON TOWER
#1-3 PER
F.B. 3840-52
F.B. 8234-34

ELECT. DIST. PG-83
2088.000 C5° 02' 35"
=2079.917
F.B. 3840-52

129 OS 34A-2, WS 92, 2-2

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SEC. LINE, SEC. 21 T-1-S, R-10-W F.B. 3840 PG. 83
Map No.	JN 0302-01 Tape ____ Std ____ °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M.E.W Date APRIL-25-74
Date	Indexed T. M. PALMERI OCT 8 1974

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD −BACK	ELEV.
3800A	SOLSTICE E-5	3840-81	McCALL	5.18		
REFLECTOR	C-29	3840-78	HUCKABY	5.27		

VERTICAL ANGLE

D	86° 50' 20"
R	273° 09' 40"
S	360° 00' 00"
M	3° 09' 40"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
58°	28.3	+15

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 9819265

HORIZONTAL DISTANCE: 9804324

CORRECT HORIZ. DIST.:

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.:

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD −BACK	ELEV.
3800A	SOLSTICE E-5	3840-81	McCALL	5.18		
REFLECTOR	SEC. COR. 21/22 27/28 T-1-S R-10-W	3840-82	DIETZ	4.97		

VERTICAL ANGLE

D	95° 02' 40"
R	264° 57' 30"
S	360° 00' 10"
M	5° 02' 35"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
62°	28.3	+18

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 20880000

HORIZONTAL DISTANCE: 20799171

CORRECT HORIZ. DIST.:

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.:

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

Notes Ck'd by	Survey of SEC. 4 N. T-1-S, R-18-W (SEC-21)
Map No.	JN 0302-01 Tape Std °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M.E.W. Date 4-74
Date	Indexed T. M. PALMER OCT 8 1974

F.B. 3840 PG. 84

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD −BACK	ELEV.
3800A	CASTRO PK. 264	3840-79	McCALL	5.30		
REFLECTOR	1/4 SEC. COR 19/21	3840-77	HUCKABY	5.80		

VERTICAL ANGLE

D	97° 59' 00"
R	262° 02' 00"
S	360° 01' 00"
M	7° 58' 30"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. Cor.
78°	30.4	+05

VERTICAL ANGLE

D	
R	
S	
M	

.99032880

SLOPE DISTANCE (FEET) 6081766

HORIZONTAL DISTANCE 6022947

CORRECT HORIZ. DIST.

SLOPE DISTANCE (FEET)

HORIZONTAL DISTANCE

CORRECT HORIZ. DIST.

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD. −BACK	ELEV.
3800A	CASTRO PK. 264	3840-79	MIYAHIRA	5.30		
REFLECTOR	P.O.T. BETWEEN CASTRO & C-29	3840-79	WACKER	4.35		

VERTICAL ANGLE

D	92° 41' 00"
R	267° 20' 00"
S	360° 01' 00"
M	2° 40' 30"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	PPM. COR.
78°	30.4	+05

VERTICAL ANGLE

D	
R	
S	
M	

.99891033

SLOPE DISTANCE (FEET) 1018539

HORIZONTAL DISTANCE 1017429

CORRECT HORIZ. DIST.

SLOPE DISTANCE (FEET)

HORIZONTAL DISTANCE

CORRECT HORIZ. DIST.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

Notes Ck'd by	Survey of SEC. LINE, T-1-S, R-1-W SEC.
Map No.	JN 030201 Tape Std °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M.E.W. Date 5-74
Date	Indexed L. M. PALMER OCT 8 1974

F.B. 3840 PG. 85

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD −BACK	ELEV.
3800A	C-29	3840-78	McCALL	5.28		
REFLECTOR	P.O.T. BETWEEN CASTRO & C-29	3840-79	MIYAHIRA	4.35		

VERTICAL ANGLE

D	85° 43' 40"
R	274° 17' 00"
S	360° 00' 40"
M	4° 16' 40"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
92°	30.9	+08

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 3860833

HORIZONTAL DISTANCE: 3850077

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.:

CORRECT HORIZ. DIST.:

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD. −BACK	ELEV.
3800A	C-29	3840-78	McCALL	5.28		
REFLECTOR	1/4 SEC. COR. 16/31	3840-77	HUCKABY	5.80		

VERTICAL ANGLE

D	97° 57' 50"
R	262° 03' 00"
S	360° 00' 50"
M	7° 57' 25"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	PPM. COR.
92°	30.9	+08

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 3656770

HORIZONTAL DISTANCE: 3621563

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.:

CORRECT HORIZ. DIST.:

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

Notes Ck'd by	Survey of SEC. LINE, SEC. 21 T-1-S, R-18-W
Map No.	JN 0302-01 Tape Std °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M. E. W Date 4-74
Date	Indexed T. M. PALMER OCT 8 1974

F.B. 3840 PG. 86

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD −BACK	ELEV.
3800A	C-29	3840-78	McCALL	5.28		
REFLECTOR	P.O.T. BETWEEN LINE PROD. & C-29	3840-78	MIYAHIRA	4.71		

VERTICAL ANGLE

D	96° 50' 00"
R	263° 10' 20"
S	360° 00' 20"
M	6° 49' 50"

.99290222

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. Cor.
92°	30.9	+08

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 15432.54

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE: 15323.00

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.

CORRECT HORIZ. DIST.

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD. −BACK.	ELEV.
3800A	SEC. LN. PROD. P.O.T. - 4	3840-76	McCALL	5.65		
REFLECTOR	P.O.T. BETWEEN LN. PROD & C-29	3840-78	MIYAHIRA	4.71		

VERTICAL ANGLE

D	81° 30' 10"
R	278° 32' 00"
S	360° 02' 10"
M	8° 30' 55"

.98897642

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
94°	28.1	+34

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 8213.65

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE: 8123.10

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.

CORRECT HORIZ. DIST.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

Notes Ck'd by	Survey of SEC. LINE, SEC. 21, T-1-S, R-18-W
Map No.	JN 8302-01 Tape Std °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M.E.W Date 5-74
Date	Indexed T. M. PALMER OCT 8 1974

F.B. 3840 PG. 87

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD −BACK	ELEV.
3800A	SEC. LN. PROD P.O.T. # 4	3840-76	Mc CALL	5.60		
REFLECTOR	1/4 SEC. COR	3840-77	HUCKABY	5.80		

VERTICAL ANGLE

D 92° 42' 50"
R 267° 17' 50"
S 360° 00' 40"
M 2° 42' 30" .99888301

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
94°	28.1	+34

VERTICAL ANGLE

D
R
S
M

SLOPE DISTANCE (FEET) 4257854

HORIZONTAL DISTANCE 4253098 ✓

SLOPE DISTANCE (FEET)

HORIZONTAL DISTANCE

CORRECT HORIZ. DIST.

CORRECT HORIZ. DIST.

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD. −BACK	ELEV.
3800A	SEC. LN. PROD P.O.T. #4	3840-76	Mc CALL	5.65		
REFLECTOR	P.O.T. # 1	3840-75	HUCKABY	5.00		

VERTICAL ANGLE

D 92° 58' 30"
R 267° 03' 00"
S 360° 01' 30"
M 2° 57' 45" .99866307

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	PPM. COR.
84°	28.0	+30

VERTICAL ANGLE

D
R
S
M

SLOPE DISTANCE (FEET) 3357020

HORIZONTAL DISTANCE 3352533 ✓

SLOPE DISTANCE (FEET)

HORIZONTAL DISTANCE

CORRECT HORIZ. DIST.

CORRECT HORIZ. DIST.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/7

Notes Ck'd by	Survey of SEC. LINE, T-1-S, R-18-W SEC. 16
Map No.	JN 0302.01 Tape Std °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M. E. W. Date 5-74
Date	Indexed E. M. PALMERI OCT 8 1974

F.B. 3840 PG. 88

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD −BACK	ELEV.
3800A	P.O.T.-2	3840-75	McCALL	5.10		
REFLECTOR	P.O.T.-3	3840-76	MIYAHIRA	4.83		

VERTICAL ANGLE

D	96° 33' 20"
R	263° 26' 40"
S	360° 00' 00"
M	6° 33' 20"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
72°	28.3	+24

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 4469.55

HORIZONTAL DISTANCE: 4404.33 ?

CORRECT HORIZ. DIST.:

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.:

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD. −BACK	ELEV.
3800A	P.O.T. #2	3840-75	McCALL	5.10		
REFLECTOR	P.O.T. #1	3840-75	HUCKABY	4.60		

VERTICAL ANGLE

D	88° 00' 00"
R	272° 01' 00"
S	360° 01' 00"
M	2° 00' 30"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
72°	28.3	+24

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 2053840

HORIZONTAL DISTANCE: 2052578 ?

CORRECT HORIZ. DIST.:

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.:

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

Notes Ck'd by	Survey of SEC. LINE, T-1-S, R-18W SBB.&M.
Map No.	JN 0302.01 Tape 151 Std. 68 °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M.E.W. Date 5-74
Date	Indexed T. M. PALMER OCT 8 1974

F. B. 3840 PG. 89

SEC. LINE

Δ TIES

CASTRO PEAK

J.N. 0302.01

REF.

F.B. 3840
F.B. 933
F.B.

PARTY:

WACKER
McCALL
HUCKABY

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PWFB 1405

F. B. 3840 PG 70

16



F.D. L.A. CO. SURVEY CONTROL SYSTEM TRIANGULATION STA. F.B. 933-53



F.D. BRASS CAP MON. AS PER F.B. 3840-79

SET 2" I.P. L.A. Co. ENGR. TAG IN CONC. ON. 2" BY INTERSECTION

10.025

41.535

T=L&B"
10.025 @ Lev
=10.025

41.535 @ Lev
=41.535

To Sta. C.L. A-A

71° 23' 03"

To Sta. C.L. E-5

1) 71° 23' 00"
2) 285° 32' 10"
3) 68° 18' 20"
= 71° 23' 03"

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F.B. 3840 PG. 91

Profile No. ____ Notes Red ____ Plotted ____ Job No. 03020' Division No. ____
Date ____ Date ____ Survey of SEC. 4N, SEC. 16, T-1-S, R-18-W
X-Sec. No. ____ Notes Chkd. ____ Checked ____ Survey by M.E.W. Notes M.E.W Date MAY · 74
Date ____ Date ____ Map No. ____ Indexed T. M. PALMERI Date OCT 8 1974

BENCH LEVELS

CASTRO PEAK

△ STA.

J.N. 0302.01

REF. . .
F.B. 2458

PARTY:
WACKER
McCALL
HUCKABY

STATION	B.S.	H.I.	F.S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

76-L296 CE 307 3-61

76-L298 CE 307 3-61

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

F. B. 3840 Pg. 92 | Job No. 63020 Division No. 11 Notes Red Plotted Profile
Survey of SEC. LN. SEC. 16, 21, T-5-N. R-9-W Date JUNE - 74 Date No. X-Sec.
Survey by M. E. W. Notes M. E. WALKER Notes Chkd. Checked
Indexed by L. PALMER Date OCT 8 1974 Date Date No.

STATION	B. S.	H. I.	F. S.	ELEV.		
SOLSTIC B-2				2826.3	SOLSTICE B-2	ELEV=2826.3
					A 3/4" COPPER BOLT IN 36" TRIANGULAR CONC. PAD, UP 6" IN 60" TRIANGULAR CON. PAD 15" ABOVE GROUND. UNDER LOOK OUT TOWER. F.B. 2458 - 147 TO 156	
	1.48	2827.78				
T.P.			4.45	2823.33		
	0.34	2823.67				
CASTRO ECC-2			5.16	2818.51	CASTRO ECC. #2, ELEV=2818.5	
					1 A" L.A. CO. SUR. CONT. SYSTEM BRASS TRIAN. DISK. STAMPED "CASTRO ECC. NO. 2 1948"	
					COUNTY SURVEYOR RE. 329. F.B. [redacted] 2458-147 to 156	
CASTRO PK O.N.I. 264	3.50	2822.01				
			8.27	2813.74	CASTRO PEAK, O.N.I. 264	
					A BRASS DISK IN CONC. STAMPED AS SHOWN PER. F.B. 3840 - 79, 90	
	10.22	2823.96				
T.P.			0.64	2823.32		
	4.58	2827.90				
SOLSTICE B-2			1.60	2826.30	SOLSTICE B-2	ELEV=2826.3

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of SEC. LN. SEC. 22 T-1-S, R-18-W
JN 0302.01 Tape 2 Std. 84 °F
Surveyed by M. E. WACKER
Notes M. E. W Date MAY-74
Indexed M. PALMER OCT 8 1974

F. B. 3840 PG. 93

H. D. # 3

J.N. 0302.01

SECTION LINES

MALIBU AREA DIV. # 2

SEC. # 22 T-1-S R-18-W

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

REF:

F.B. 210
F.B. 463
F.B. 3840
C.S.B. 693-1
R.S. 30-14

PARTY:

WACKER
McCALL
HUCKABY

76F309S CE#310 3-69

PWFB 1305

103

F. B. 3845 PG. 94

N

95

98

100

51

SEC-22
T-1-S, R-12-W

105

101

103

104

105

Scott

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PWFB 1305

104

Notes Ck'd by D. SARPELL
Map No. C.S.B. - 5386-2
Office Work G. MASUDA
Checked
Date

Survey of SEC. LN. SEC. 22 T-1-S, R-18-W
JN 0302-01 Tape Std °F
Surveyed by M.E. WACKER
Notes M.E.W. Date MAY. 74
Indexed M. PALMERI OCT 8 1974

F.B. 3040 PG. 97

ATM. PG. 96

T-1-S

R-18-W

947.42'

N-1
SET 2" I.P. & L.A. CO. ENGR. TAC ON RIDGE. A 2" MKR. PIKE 2' NORTH

ELECT. MEA.
319.650 @ 8" 14' 20"
= 316.351
F.B. 3040-107

1) 92° 58' 50"
2) 11° 55' 00"
3) 191° 53' 10"
= 92° 28' 40"

316.35'

SURVEYOR'S
T-1-S
16/15
2/122
R-18-W
SEC. COR.
MONUMENT

FD. C.S. BRASS CAP MON PUNCH ON S. SIDE OF PIPE AS PER F.B. 3840-50 & F.B. 3210-174, 226

SEC.

SEC. 22

SEC. 27

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of the line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

WS. 129-059 A-1 C-1

PWFB 1306

105 106

F. B. ~~3840~~ PG. ~~96~~

BTM. PG-97



89.781

N-3
SET 2" I.P. &
L.A. Co. ENGR.
TAG ON [redacted]
RIDGE. A 2" MKR.
PIPE 2' NORTH

ELECT. MEA.
931.846 @ 2°58'20"
= 930.592
F.B. 3840-108

930.592

FD. REMAINS OF
OLD 1x2 & ROCK
MOUND. NO REF.

0.3

FD. 2x2 & NAIL
FLUSH IN GOOD
CONDITION. NO.
REF.

3.0

0.32

1.45

N-2
SET 2" I.P. &
L.A. Co. ENGR.
TAG FLUSH ON
SOUTH SIDE OF
RIDGE. A 2" MKR.
PIPE 2' NORTH

ELECT. MEA.
948.278 @ 2°26'10"
= 947.421
F.B. 3840-107

947.421

SEE

TOP PG-95

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1305

107 108

Notes Ck'd by D. SAPPELL
Map No. 45B-5386-2
Office Work G. MASUDA
Checked
Date

Survey of SEC. LN. T.1-S. R.10-W. SEC. 2
JN 03202.01 Tape 2 Std. 84 °F
Surveyed by M. E. WACKER
Notes M. E. W. Date MAY. 74
Indexed M. PALMERI OCT 8 1974

F. B. 3840 PG. 97

ATM. PG-98

T: 82°
44.22 @ 37°15' = 35.20
44.54 @ 37°49' = 35.20
= 35.20

35.20 L.N.

N-5
SET 2" I.P. + L.A. CO. ENGR. TAG FLUSH ON SIDE HILL. A 2" MKR. PIPE 2 FT. NORTH

2781.874 To SEC. COR.

202.099

ELECT. MEA.
217.999 @ 22°01'05"
= 202.099
F.B. 3840 - 109

N-4
SET 2" I.P. + L.A. CO. ENG'R. TAG ON 2" ON EAST SHOULDER OF CORRAL CYN. RD.

ELECT. MEA.
92.258 @ 13°17'30"
= 89.787
F.B. 3840 - 108

89.787

15'±

CORRAL CYN. RD.

TOP PG-96

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

129057 A-1; W.S 92, C-1

109

PWFB 1306



PWFB 1306

48 49

Notes Ck'd by D. SAPPELL
Map No. B-5386
Office Work G. MASUDA
Checked
Date

Survey of SEC. LN. T-1-S, R-10-W SEC. 22
JN 0302 01 Tape 2 Std 84 °F
Surveyed by M.E. WACKER
Notes M.E.W. Date MAY-74
Inked by M. PALMERI OCT 8 1974

F. B. 3840 PG. 99

BTM. PG-100

379.846 CALC.

P.O.T. N-6
SET 2" I.P. L.A.
CO. ENGR. TAG
& FORM NAIL
FLUSH ON TOP
OF RIDGE, +
ROCK MOUND

FROM N-4 2781.874 TO SEC. COR.
2164.729

ELECT. MEA.
2211.620 @ 11°49'10"
= 2164.729
F.B. 3840-110

SEC.

Top PG-98

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

129-057 A-1

50

PWFB 1306

F. B. 3840 PG 110


FD. COUNTY SURVEYOR'S BRASS CAP MON ON SIDE HILL. PER F.B. 3840-66 F.B. 210-171, 271 C.S.B. 693
COUNTY SURVEYORS
T-1-S
R-8-W
15,14
22,23
SEC. COR.
MONUMENT
CURVE TABLE
Δ = 112° 33' 53"
Δ = 90° 15' 20"
Δ = 3/5° 23' 40"
Δ = 112° 34' 00"
R = 1145.92
R = 2812.99
R = 1145.92
L = 2253.78
L = 2253.78
L = 1809.78
L = 1809.78
25° 31' 43"
46° 45' 00"
46° 45' 00"
110'±
379.84 = CALC.
N.4 2781.874
SEE R-16-W
SEE R-16-W
SEE R-99
SEE R-99
SEE R-99

PWFB 1305

110

Notes Ck'd by D. SAPPELL	Survey of SEC. LN. T-1-S, R-10-W SEC. 22
Map No. C.S.B-5381-2	JN 030201 Tape ____ Std ____ °F
Office Work G. MASUDA	Surveyed by M.E. WACKER
Checked ____	Notes M.E.W. Date MAY-24
Date ____	Indexed L. M. PALMER OCT 8 1974

F. B. 3840 Pg. 101

BTM. PG-102

SEC. 22
T-1-S

SEC. LN.

1) 90° 43' 40"
2) 02° 54' 20"
3) 184° 21' 05"
= 90° 43' 31"

2195.381 FB 3840-113 R.S. 6-11-74

23" Adj.
31"

43'

90°

SEC.

LN.

SEC. COR.
FD. C.E. BRASS CAP
MON. DN 24" MRK.
AS SHOWN PER
F.B. 3840-62-82
F.B. 2781-172

SEC. 27

SEC. 26

COUNTY ENGINEER
T-1-S
21 22
28 27
R. 10 W. SEC. COR. R. 11 W.
58 E 66

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

112

111

PWFB 1305

F. B. 3840 PG.

P.O.T. SET 2" I.P. L.A. CO. ENGR. TAG & FORMING NAIL UP 1" ON SIDE HILL. A MARKER PIPE 22' NORTH

FD. 1" I.P. NO NAIL OR PLUG UP 2". NO REF.

0.15

2.30

GMT 6/11/74

361.694 FB 3840-113 B. JNVSON 6-11-74

2195.381 FB 3840-113
B.E.S. 6-11-74

BTM. PG-103

TOP PG-101

ELECT. MEA.

F.B. 3840-111

76F309S C.E.#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line

W.S.42, C-2 129-057, 1-2

PWFB 1305

113

Notes Ck'd by D. SAPPELL
Map No. C.S.B.-5386-2
Office Work G. HASSUDA
Checked
Date

Survey of SEC. LN. SEC. 22
JN 2302 Tape Std °F
Surveyed by M.E. WACKER
Notes M.E.W. Date MAY-74
Indexed J. M. PALMER OCT 8 1974

F. B. 3840 Pg. 109

ELECT. MEA.
~~380.526 C/L 35.50~~
~~Z.C.L.~~
F.B. 3840-111

FD County Surveyors BRASS CAP MON UP 4" ON NORTH EDGE OF RIDGE. MARKED AS SHOWN. PER R.S. 30-14, 145, 147

COUNTY SURVEYORS 1-1-5 22/27 (NW 8-1-R) 1/4 SEC. COR. MONUMENT

361.694 FB 3840-113
B. JACKSON 6-11-74
~~361.603~~

2472.598

~~SEC.~~ ~~S.L.~~

STM. PE-102

TOP PE-102

177° 50' 52" Adj
51" 00"

1) 177° 50' 50"
2) 351° 23' 20"
3) 347° 05' 10"
= 177° 50' 52"

PWFB 1306

F. B. 3840 PG 104

SEC. COR.
FD. 2" I.P. CONC.
PLUG & L.A. CO. ENGR.
TAG. TEMP. SEC.
COR. PER F.B. 3840-
34, 55

2632.25

SEC. LINE

S01-24' W.

87°

46'

17" Adj.
25"

2472.598

1) 87° 46' 20"
4) 351° 05' 40"
6) 166° 38' 30"
= 87° 46' 25"

ELECT. MEA.
2499.07 2.8'20'50"
= 2472.598
F.B. 3840-109

SEC. LINE

TOP PM-103

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

12-057-2 WS 9 A-L

PWFB 1306

52

D. SAPPELL

Notes Ck'd by	Survey of SEC. LN. SEC-22, T-1-S, R-10-W
Map No. 5.58-5386-1	JN 0302.01 Tape ____ Std ____ °F
Office Work G. MASUDA	Surveyed by M.E. WACKER
Checked ____	Notes M.E.W Date JUNE-74
Date ____	Indexed M. PALMERI OCT 8 1974

F. B. 3840 PG. 105

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this sign of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

RT. PG-100

1) 21° 54' 10"
2) 87° 36' 10"
3) 131° 24' 00"
= 21° 54' 00"

COUNTY SURVEYOR
T-1-S
R-10-W
S.22
S.23
1/4 COR.
R. E. 2177

1/4 SEC. COR.
ED. STD. C.S. ADASS
CAP MON. IN CONC. ON
SOUTH SLOPE, 90± FROM
TOP OF RIDGE, PER.
F.B. 210-272, 185, 187
F.B. 3840-63

C21C
2812.99

R=80

132° 53' 55"

21° 54' 40"

FD. 3840-66

555.189

S 68° 00' 00" E

2632.25

47° 20' 32"

'SCOTT'
FD. 2" I.P.
L.A. CO. ENGR
TAC PER.
F.B. 3840-63,
66.

1) 47° 20' 30"
2) 189° 22' 00"
3) 284° 03' 10"
= 47° 20' 32"

SEC. 22
T-1-S
R-10-W

SEC. 23
T-1-S
R-10-W

L.T. PG-104

SEC.

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of SEC. 4 N. SEC. 22, T-1-S R-10-W F.B. 384 - 2 PG. 107
JN 0302-01 Tape _____ Std _____ °F
Surveyed by M. E. WACKER
Notes M.E.W Date MAY-74
Indexed by M. PALMERI OCT 8 1974

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD -BACK	ELEV.
3800A	P.O.T. N-1	3840-95	McCALL	4.95		
REFLECTOR	34 C. COR. 1-6 1-5 20 22	3840-95	WACKER	4.25		

VERTICAL ANGLE

D	261° 46' 00"
R	98° 14' 40"
S	360° 00' 40"
M	8° 14' 20"

.98947920

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. Cor.
70°	28.2	+22

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 3 1 9 6 5 0

HORIZONTAL DISTANCE: 3 1 6 3 5 1

CORRECT HORIZ. DIST.

SLOPE DISTANCE (FEET): --

HORIZONTAL DISTANCE: 1

CORRECT HORIZ. DIST.

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD. -BACK	ELEV.
3800A	P.O.T. N-1	3840-95	McCALL	4.95		
REFLECTOR	P.O.T. N-2	3840-96	HUCKABY	5.30		

VERTICAL ANGLE

D	87° 34' 10"
R	272° 26' 30"
S	360° 00' 40"
M	2° 26' 10"

.99909674

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
70°	28.2	+22

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 9 4 8 2 7 8

HORIZONTAL DISTANCE: 9 4 7 4 2 1

CORRECT HORIZ. DIST.

SLOPE DISTANCE (FEET)

HORIZONTAL DISTANCE

CORRECT HORIZ. DIST.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of EC LN. SEC. T-1-S R-18-W F.B. 3840 PG. 108
JN 0302.01 Tape _____ Std _____ °F
Surveyed by M. E. WACKER
Notes M.E.W. Date MAY-74
Indexed M. PALMERI OCT 8 1974

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD -BACK	ELEV.
3800A	P.O.T. N-3	3840-96	McCALL	5.35		
REFLECTOR	P.O.T. N-2	3840-96	HUCKABY	5.30		

VERTICAL ANGLE

D	87° 02' 20"
R	272° 59' 00"
S	360° 01' 20"
M	2° 58' 20"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
78°	28.2	+30

VERTICAL ANGLE

D	
R	
S	
M	

99865479

SLOPE DISTANCE (FEET): 9 3 1 8 4 6

HORIZONTAL DISTANCE: 9 3 0 5 9 2 ✓

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.:

CORRECT HORIZ. DIST.:

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD. -BACK	ELEV.
3800A	P.O.T. N-3	3840-96	McCALL	5.35		
REFLECTOR	P.O.T. N-4	3840-97	HUCKABY	5.00		

VERTICAL ANGLE

D	103° 17' 40"
R	256° 42' 40"
S	360° 00' 20"
M	13° 17' 30"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
78°	28.2	+30

VERTICAL ANGLE

D	
R	
S	
M	

92251232

SLOPE DISTANCE (FEET): 9 2 2 5 8

HORIZONTAL DISTANCE: 8 9 7 8 7 ✓

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.:

CORRECT HORIZ. DIST.:

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of SEC LINE, SEC. 22, T-1-S R-18-W F.B. 3840 PG. 109
JN 0302-01 Tape _____ Std _____ °F
Surveyed by M. E. WACKER
Notes M. E. W. Date MAY-74
Indexed T. M. PALMER OCT 8 1974

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD −BACK	ELEV.
3800A	P.O.T. N-4	3840.97	McCALL	5.85		
REFLECTOR	P.O.T. N-5	3840-97	HUCKABY	5.75		

VERTICAL ANGLE

D	112° 01' 40"
R	247° 59' 30"
S	360° 01' 10"
M	22° 01' 05"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
80°	28.2	+25

VERTICAL ANGLE

D	
R	
S	
M	

92706576

SLOPE DISTANCE (FEET) 2179.99

SLOPE DISTANCE (FEET)

HORIZONTAL DISTANCE 2020.99

HORIZONTAL DISTANCE

CORRECT HORIZ. DIST.

CORRECT HORIZ. DIST.

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD. −BACK	ELEV.
3800A	SEC. COR. 22 | 23 / 27 | 26	3840-104	McCALL	6.45		
REFLECTOR	1/4 SEC. COR 22 / 27	3840-103	HUCKABY	4.82		

VERTICAL ANGLE

D	81° 39' 40"
R	278° 21' 20"
S	360° 01' 00"
M	8° 20' 50"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
62°	28.6	+13

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET) 2499.072

SLOPE DISTANCE (FEET)

HORIZONTAL DISTANCE 2472.598

HORIZONTAL DISTANCE

CORRECT HORIZ. DIST.

CORRECT HORIZ. DIST.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

Notes Ck'd by	Survey SEC. LINE, SEC. 22, T-1-S, R-10-W F.B. 3840 PG. 110
Map No.	JN 0302.01 Tape ___ Std ___ °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M.E.W. Date JUNE-74
Date	Indexed T. M. PALMERI OCT 8 1974

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD −BACK	ELEV.
3800A	1/4 SEC. COR. 13/22	3840-98	DOVER	5.04		
REFLECTOR	N-6 P.O.T.	3840-99	MITCHELL	4.41		

VERTICAL ANGLE

D	101° 49' 10"
R	258° 10' 50"
S	360° 00' 00"
M	11° 49' 10"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
62°	28.2	+18

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 2211620

HORIZONTAL DISTANCE: 2164729

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.:

CORRECT HORIZ. DIST.:

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD. −BACK	ELEV.
3800A	N-4 P.O.T.	3840-97	DOVER	4.90		
REFLECTOR	SEC. COR. 13/14 22/23	3840-100	MC CALL	4.00		

VERTICAL ANGLE

D	103° 04' 20"
R	256° 55' 40"
S	360° 00' 00"
M	13° 04' 20"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	PPM. COR.
60°	28.0	+18

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 2855882

HORIZONTAL DISTANCE: 2781874

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.:

CORRECT HORIZ. DIST.:

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey SEC. LINE, T-1-S, R-18-W SEC. 22
JN 0302.01 Tape H.P. #3 Std _____ °F
Surveyed by M. E. WACKER
Notes M. E. W. Date JUNE 74
Indexed T. M. PALMERI OCT 8 1974

F.B. 3840 PG. 111

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD −BACK	ELEV.
3800A	P.O.T.	3840-102	McCALL	4.95		
REFLECTOR	WIG. PT. 3 SEC. COR. 21/22 21/27	3840-101	HUCKABY	5.70		

VERTICAL ANGLE

D	93° 54' 40"
R	266° 05' 10"
S	359° 59' 50"
M	3° 54' 45"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
54°	28.2	+15

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET) 2199062 SEE PG 113

HORIZONTAL DISTANCE 2SEE PG 113

SLOPE DISTANCE (FEET)

HORIZONTAL DISTANCE 113

CORRECT HORIZ. DIST.

CORRECT HORIZ. DIST.

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD. −BACK	ELEV.
3800A	P.O.T.	3840-102	McCALL	4.95		
REFLECTOR	WIG. PT. 1/4 SEC. COR. 22/27	3840-103	HUCKABY	4.82		

VERTICAL ANGLE

D	102° 36' 00"
R	257° 24' 20"
S	360° 00' 20"
M	12° 35' 50"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	PPM. COR.
54°	28.2	+15

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET) 3705222

HORIZONTAL DISTANCE 3611603 SEE PG 113 FOR

SLOPE DISTANCE (FEET)

HORIZONTAL DISTANCE SEE PG 113

CORRECT HORIZ. DIST.

CORRECT HORIZ. DIST.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

T-1-S, R-18-W
Survey of SEC. LINES, SEC-21-23-23 F.B. 3, 40 PG. 112
JN 0302.01 Tape _____ Std _____ °F
Surveyed by M. E. WACKER
Notes M. E. W. Date JUNE-74
Indexed T. M. PALMER OCT 8 1974

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD −BACK	ELEV.
3800A	SOLSTICE I-3A	3840-	MC CALL	4.90		
REFLECTOR	SOLSTICE F-5	3840-	HUCKABY	4.82		

VERTICAL ANGLE

D	92° 06' 25"
R	267° 54' 15"
S	360° 00' 40"
M	2° 06' 05"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
68°	31.0	-05

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 9288450

HORIZONTAL DISTANCE: 9282204

SLOPE DISTANCE (FEET): ~~9288~~

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.

CORRECT HORIZ. DIST.

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD. −BACK	ELEV.
3800A						
REFLECTOR						

VERTICAL ANGLE

D	
R	
S	
M	

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET)

HORIZONTAL DISTANCE

SLOPE DISTANCE (FEET)

HORIZONTAL DISTANCE

CORRECT HORIZ. DIST.

CORRECT HORIZ. DIST.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

Notes Ck'd by	Survey of SECTION 22 T1S. R18W. F.B. 3840 PG. 113
Map No.	JN 0302.01 Tape H.P. #3 Std — °F
Office Work	Surveyed by W.E. WACKER
Checked	Notes B. JACKSON Date 6-11-74
Date	Indexed T. M. PALMER OCT 8 1974

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD −BACK	ELEV.
3800A	P.O.T	3840-102	JACKSON	4.83		
REFLECTOR	S1/4 S-22	3840-103		4.00		

VERTICAL ANGLE

D	102-43-00
R	257-17-00
S	360-00-00
M	−102° 43'-00"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
78°	28.2	+25

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 3705.02

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE: 3614.14

HORIZONTAL DISTANCE:

BRACKET: +280

CORRECT HORIZ. DIST.: 3616.94

CORRECT HORIZ. DIST.:

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD. −BACK	ELEV.
3800A	P.O.T.	3840-102	R.P. RODRIGUEZ JACKSON	4.83		
REFLECTOR	SW COR. S-22	3840-101		5.63		

VERTICAL ANGLE

D	93-56-30
R	266-06-30
S	360-03-00
M	3° 55'-00"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
78°	28.2	+25

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 22005.20

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE: 21953.81

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.: 21953.81

CORRECT HORIZ. DIST.:

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3035-4/73

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 0302.01 Tape 211 Std 21 °F
Office Work	Surveyed by R C DALE
Checked	Notes R.C.D. Date 4-3-75
Date	Indexed G.D. BAILEY

F. B. 3840 PG. 114

SECTION LINES

JN 0302.01

APRIL 3 1975

WEST LINE OF THE SOUTH WEST 1/4 OF SECTION 16 T.1S. R18W.

REF	PARTY
FB 3840 - 45, 46	R.C. DALE
FB 463 - 107	L. JONES
FB 2605 - 183, 215, 239	V. HUCKABY
CS B 733	T. MIYANIR

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309s CE#310 3-69

PWFB 1305

114

F. B. ~~3815~~ PG ~~115~~

INDEX

SECTION 16
T. 1 S.
R. 18 W.

PG 116

PG 117

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 1405

18 19 20

Notes Ck'd by
Map No. B-5386
Office Work G. MASUDA
Checked
Date

Survey of SECTION LINES
JN 1302.01 Tape 211 Std 69 °F
Surveyed by R.C. DALE
Notes R.C. DALE Date 4-3-75
Indexed G.D. BAILEY

F. B. 3840 Pg. 116

1/4 SEC. COR FD STD CS BRASS CAP MON SET IN CONC PER FB 463-107 FB 2605-215, 183, 239 CS 8735.

SEE PG 118 RCD.

1493.106 M 1492.806

T.1.S. R.18W. 17+16 1/4 SEC COR. MONUMENT

ELECT. MEASUREMENTS

1499.978 @ 5°-36'-18" = 1492.806 +.30
619.009 @ 6°-38'-38" = 619.852
328.160 @ 16°-48'-30" = 314.044

SET 2" I.P. CONC PLUG & L.A. CO ENG. TAG TOP N. SIDE RIDGE.

SECTION 17
T.1.S.
R18W

SECTION 16
T.1.S.
R.18.W.

619.852 SECTION

SET 2" I.P. CONC PLUG & L.A. CO ENG TAG TOP, S. SIDE RIDGE

314.044 TRUE

CONT TO P PG 117

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PWFB 1305

CONT BOT PG # 116

F. B. 3840 PG. 44

314.044 LINE

ELECT. MEASUREMENT

227.250 @ -21°-55'-42" = 210.808

SECTION 16
T.1.S.
R.18.W.

SET 2" I.P. CONC PLUG & LA COENG. TAG. TOP SPUR.

SECTION 17
T 1S
R 18 W

210.808 TRUE SECTION

89°-52'-25"

FD 2" I.P. CONC PLUG & LA CO ENG TAG TOP SPUR PER FB 3840-46

582.837 PER =FB 3840-45

1) 89-52-25
4) 359-29-30
6) 179-14-30
89°-52'-25"

SEC. COR
FD STD CS BRASS CAP MON SET IN CONC. PER FB 3840-45 FB 2787-75 FB 2605-229 CSB 733

COUNTY SURVEYOR'S MONUMENT
T.1S.
R.18.W.
17 | 16
20 | 21
SEC. COR.

SECTION 20
T.1S.
R.18.W.

SECTION 21
T.1S.
R.18.W.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of SECTION LINES	F.B. 3840 PG. 118
Map No.	JN 0302.01 Tape	Std °F
Office Work	Surveyed by R.C. DALE	
Checked	Notes R.C.D. Date 4-3-75	
Date	Indexed G. D. BAILEY APR 9 '75	

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD −BACK	ELEV.
3800A	2" I.P.	3840-116	L. JONES			
REFLECTOR	¼ COR	3840-116	MIYANIRA			

VERTICAL ANGLE

D	95-36-30
R	264-23-55
S	360-00-25
M	5-36-18

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
70°	28.6	+16

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET) 1499978

HORIZONTAL DISTANCE 1492806

POLE BRACK USED +0.30 0300

CORRECT HORIZ. DIST. 1493106

SLOPE DISTANCE (FEET)

HORIZONTAL DISTANCE

CORRECT HORIZ. DIST.

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD. −BACK	ELEV.
3800A	2" I.P.	3840-116	JONES			
REFLECTOR	2" IP	3840-116	HUCHABY			

VERTICAL ANGLE

D	96-38-50
R	263-21-35
S	360-00-25
M	6°-38'-38

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
70°	28.6	+16

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET) 6190099

HORIZONTAL DISTANCE 6148552

CORRECT HORIZ. DIST. 6148352

SLOPE DISTANCE (FEET)

HORIZONTAL DISTANCE

CORRECT HORIZ. DIST.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

Notes Ck'd by	Survey of SECTION LINES
Map No.	JN 0302.01 Tape 2.. Std 99 °F
Office Work	Surveyed by R. C. DALE
Checked	Notes R C D.. Date 8-3-75
Date	Indexed G. D. BAILEY APR 9'75

F.B. 3840 PG. 119

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD −BACK	ELEV.
3800A	2" I.P.	3840-117	JONES			
REFLECTOR	2" I.P.	3840-116	HUCKABY			

VERTICAL ANGLE

D	73-11-35
R	286-48-35
S	360-00-10
M	16°-48'-30"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G	P.P.M. COR.
68°	28 6	+16

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 3281600

HORIZONTAL DISTANCE: 3140447

CORRECT HORIZ. DIST.: 3140447

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.:

	STATION	F.B.	OBSERVER	H.I.	ECCENTRICITY +AHD. −BACK	ELEV.
3800A	2" I.P.	3840-117	JONES			
REFLECTOR	SEC COR	3840-117	MIYAHIRA			

VERTICAL ANGLE

D	111-55-55
R	248-04-30
S	360-00-25
M	21°-55'-42"

METEOROLOGICAL DATA

TEMP. °F.	PRESS. IN H.G.	P.P.M. COR.
68°	28 6	+16

VERTICAL ANGLE

D	
R	
S	
M	

SLOPE DISTANCE (FEET): 2272250

HORIZONTAL DISTANCE: 2108008

CORRECT HORIZ. DIST.: 2108008

SLOPE DISTANCE (FEET):

HORIZONTAL DISTANCE:

CORRECT HORIZ. DIST.:

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

914-736 Capt Phil Weber
MR. Bowers

(1)

SEC 21 T-1S R-18-W

F.B. 3840

Basis Bearings Assumed Line bet. W1/4 Cor & N.W. Cor To be North



(2)

5 5 3 3 3

89-45-20
177-31-20
92-54-19
180-40-00
89-00-58
181-58-15
88-24-48
179-45-11
1080-00-11

180
6
1080

+11" OK -1½

North
S 89°45-20E
2-28-40
S 87 16 40 E
87 05 41
S 0-10-59 E
N 40 W
S 0 50 59 E
89 00 58
N 89 51 57 W
1 58 15
S 91-50-13 W
N S 88-09-47 W E
88 24 48
N 0 15 01 W

COUNTY OF LOS ANGELES ROAD DEPARTM

SURVEY BY C.F. Hodgkiss DATE 11-

Section Corner

Set 1/2" IP w/some disk
E 120. fnd [illegible]
dist. 200 [illegible] from fd
1" IP Rad 0.3 [illegible]
SCSFB 2[illegible]
from fd [illegible]
Ref BDFB [illegible]-1126
(Locn [illegible] d by Tenuecsa)
obscd

[illegible] 1.31 N.
41, [illegible] E 3 RBDFB 536-1126
①

51° 04' 32" Meas
51° 04' 32" Rad BDFB 536-1126

4 @ 18.6.

① 87° 58' 18"

② 351° 53' 12" = 87° 58' 18"

③ 167° 49' 36" = 87° 58' 18"

(87° 58' 00" Rad BDFB [illegible]-1126)

87° 58' [illegible]
BDFB 536-1126

[illegible] IP w/[illegible]
[illegible] BDFB 536-1126

9,[illegible]6.63 N.
1,0[illegible]3.22 E.
ZONE 7

fd [illegible] w/[illegible]
[illegible] BDFB
[illegible]-1126
[illegible]6.5[illegible]
8.[illegible]

Changed to RDFB 1304-52 NEW

200' Tape Std. @ 77°

296.69	@ 77°	= 296.69
618.60	@ 76°	= 618.53
122.23	@ 77°	= 122.23

(122.31 Per RDFB 1404-1)

75 1/2 Sec Cor
Fd C.S. Br Cap
Mon Per RDFB
536 - 1126

(Pipe has been disturbed)
Fd 1 1/2" I.P. w/cone plug
& br. Per RDFB 1404-1

E 19.4 N.

88° 48' 39" Adj. Per RDFB 536-1126

13 18

122.23 Meas.

24 19

618.46 Tape

3/4 Sec Cor.
88° 48' 56" Meas.
(88° 48' 39" Per RDFB 536-1126)

40 Cor
149° 21' 21" Meas.
(149° 21' 13" Per RDFB 536-1126)

See Sheet #27 (Not Reviewed)
for Monument & Ties

99,856.11 N.
41,928.41 E.
ZONE

Los Angeles

DATE 11-10-71

Room 144 – 1540 Alcazar Street

CHECKED BY