PWFB 2818

215

Plotted by
Control by
Checked by
Drawn by
Traced by
Date

Survey of Agua Dulce Cyn Rd
JN 0095.44 Tape 136 Std 84 °F
Surveyed by WJ Voge
Notes Voge Date 5-11 71
Indexed J. BALLS JUN 15 71

F. B. ~~3864~~ PG. 5

AGUA DULCE CYN RD

JN 0095.44

REFERENCES USED: FB 1476

PARTY:
VOGE
VAN NESS
HILL
SIDWELL

P. W. file Feb. '86

Microfilmed Jan '88

PWFB 2818

216

F. B. 3864 PG. 6

INDEX



PWFB 2818

217

W.S.78, D-6

Notes Ck'd by D. SAPPELL
Map No. B-5100
Office Work S. KURACHI
Checked K. C. MURPHY
Date AUG 5 1977

Survey of Agua Dulce Cyn Rd
JN 0095.44 Tape 144 Std 84 °F
Surveyed by WJ Voge
Notes Voge Date 5-11-71
Indexed G. L. GAUN 15 71

F. B. 386E PG. 7

To bet pg 8

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

1360.01 Per FB 1476-250 & 251.

SEC. LINE

Set N&T in 4"x6" fence post.

Fd. N&T in 4" Juniper

8.2

17.12

Fd. N&T in PP #676396E

1.84

1/4 COR.
Fd. Co. Sur. brass cap mon. (flush) per FB 1476-243E 250, marked as shown.
Monument has been damaged, replaced with Co. Engr. brass cap mon. (flush) marked as shown.

COUNTY SURVEYOR T.5.N. R.14W. 27 34 1/4 COR. R.E. 21 TH

Removed

COUNTY ENGINEER T.5.N. R.14W. 27 34 1/4 Cor. R.E. 707 8

Set

76F3095 CE#310 3-68

PWFB 2818

218, 219

F. B. 3864 Pg. 8

W.S. 78, D-6



D 00 01 18
D 180 01 21 20
D 91 14 23
R 271 16 22 22 02

D 90 05 35
R 270 05 30 36
D 181 20 34
R 01 20 39 36 00

Δ = 91°15'01"

Pg 8

Pg 7

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2818

220

Notes Ck'd by D. SAPPELL		Survey of Agua Dulce Cyn. Rd.	F. B. 3864 Pg. 9
Map No. B-5100		JN 00 95 44 Tape 144 Std 84 °F	
Office Work S. KURACHI		Surveyed by WJ Voge	
Checked K. C. MURPHY		Notes Voge Date 5-14-71	
Date AUG 5 1977		Indexed L. GALLI JUN 15 71	

To Right pg. 8

T=84°
469.61 @ Elev. = 469.61 ✓

H D 00 00 33
R 180 00 45 39"
D 175 33 50
R 355 33 57 54" 15" ✓

H D 90° 05' 15"
R 270° 05' 23" 19"
D 265° 38' 30"
R 85° 38' 33" 32" 13" ✓

M = 175° 33' 14"

Fd NAT in PP # 1216618E

469.61

Fd C+H (+) in 3" fence post

Pt. # 13 Adj.

87.45

84.41

Pt. # 22 A1 set bt spk W & T (flush) set 2-3 spk ET ties.

Set Nail @ Calc. dist from PI #17

L = 77.60

90° 00' 00"

31.36 ✓

Δ = 4° 26' 47"
R = 1000
T = 38.82

175°

68.00

49.79

Fd Co. Engr brass cap mon. BM NC 1050

261.11

434.10

Fd NAT in 4" fence post.

AGUA DULCE CYN. RD.

Proposed ℄

T = 80°
261.12 @ Elev. = 261.11 ✓
31.36 @ Elev. = 31.36 ✓

Pt #17
Fd 3/4" I.P. Wood plug & Nail Per FB 1476-91 & 242. See FB 1476-242 for ties.

To Top pg. 10

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

76E3095 CE#310 3-68

PWFB 2818

221

F. B. 3864 PG 10



W.S. 78, D-6

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2818

222

Notes Ck'd by D. SAPPELL
Map No. B-5100
Office Work S. KURACHI
Checked K. C. MURPHY
Date AUG 5 1971

Survey of Agua Dulce Cyn Rd
JN 0095.44 Tape 144 Std 84 °F
Surveyed by W. J. Yoge
Notes Yoge Date 5-13-71
Indexed G. L. GALLI JUN 15 71

F. B. ~~3864~~ PG. ~~1~~

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

To bot. Pg. 10

T=84°
418.96@LEV.=418.96 ✓

418.96 ✓

AGUA DULCE CYN. RD.

Proposed ℄

490.32 ✓

Set 1"x2" Nail (Flush) Top of spur

PI #20 Per FB 476-94

T=84°
57.30@277°57'=56.75 ✓
7°57'
57.42@81°24'=56.77 ✓ } 56.76 ✓
8°36'

T=84°
300.01@100°05'=295.37 ✓
10°05'
299.74@99°48'=295.37 ✓ } 295.37 ✓
9°48'

T=84°
138.19@LEV.=138.19 ✓

5676
29537
138.19
490.32 ✓

To Top Pg. 12

16F3095 CE#310 3-68

PWFB 2818

223

F. B. 3864 Pg. 42

To bot pg 11

W.S. 78-D-6

PI #21
Fd cut spk N&T (dn. 14") Per FB 1476-240 See FB 1476-240 for ties.

AGUA DULCE CYN. RD

Proposed ℄

490.32

T = 80°
31.94 @ Lev. = 31.94
12.00 @ Lev. = 12.00

Set N&T in 8" x 8" Post (Guard Rail)

PI #20 A1
Set 2" I.P. Conc. Plug & C.E. Tag (dn. 6") Set 2-3 Spk & T. ties.
CALC DIST. FROM P.I. 22

I D 00 00 30
R 180 00 26 28

D 146 24 44
R 326 24 45 44" 41 6"

II D 90 05 32
R 270 05 29 30

D 236 29 47
R 56 29 47 47" 17"

M = 146°24'16"

292

Δ = 32°35'45"
R = 1000
T = 301.88
L = 568.36

146°

24'

16" 41

Set Nail @ calc dist. from P.I. #22

31.94

754

34.04

PI #22
Fd 3/4" I.P. Wood plug & Nail, Per FB 1476-240. See FB 1476-240 for ties.

Set N&T in P.P. #710801E

770.37

T = 76°
300.20 @ 94°45' = 299.17
(40 45)
300.15 @ 265°26' = 299.20 } 299.16
(4° 34')

T = 76°
253.81 @ 273°55' = 253.22
(3° 55')
253.75 @ 273°45' = 253.21 } 253.21
(3° 45')

T = 76°
218.73 @ 94°40' = 218.00
(4° 40')
218.65 @ 265°38' = 218.02 } 218.00
(4° 22')

299.16
253.21
218.00
770.37

To top pg 13

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2818

224

Notes Ck'd by D. SAPPELL		Survey of Agua Dulce Cyn Rd	F. B. 386 PG. 73
Map No. B-5100		JN 0095.44 Tape 144 Std 80 °F	
Office Work S. KURACHI		Surveyed by W J Yoge	
Checked K. C. MURPHY		Notes Yoge Date 5-18-71	
Date AUG 5 1977		Indexed C. J. GALEN JUN 15 '71	

W.S. 78, D-6

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

D bot Pg 12

N

I D 00 00 26
R 180 00 24 25"
D 22 08 36
R 202 08 33 34" 09"

II D 90 05 21
R 270 05 28 22"
D 112 13 29
R 292 13 28 28" 06"
M = 22° 08' 08"
T = 74°
107.29 @ 94°16 = 106.99
107.24 @ 266°06 = 106.99 & 106.98
3°54

PI #23
Fd 3/4" I.P., wood plg & Nail (dn 14") per FB 1476-239
See FB 1476-239 for ties.

Proposed ℄ AGUA DULCE CYN. RD.

772.37

Δ = 22°08'09"
R = 1000
T = 195.61
L = 386.34

22° 08' 08"

Prod.

T = 84°
176.79 @ LEV. = 176.79
5.90 @ LEV. = 5.90

R.P. Set 1" I.P. Conc. plug & C.E. tag (Flush)

106.98

90°

Set Nail @ Calc dist from PI #24

5.90

PI #19A1
Set 2" I.P. Conc plug & C.E. tag (dn 12")
Set 2-3 Spk & T ties.
CALC. DIST. FROM PI 24

267.09

176.79

127.94

Prod. Set 1" I.P. Conc plug & C.E. tag (Flush)

T = 74°
267.39 @ 92°36 = 267.11
2°36
267.36 @ 267°30 = 267.11
2°30
& 267.09

PI #24
Fd Spk W & T (dn 20") Per FB 1476-239
See FB 1476-239 for ties.

To Top Pg. 14

16F3095 C.E.#310 3-68

PWFB 2818

225

F. B. ~~3864~~ PG. ~~44~~

To bot Pg 13

T=84°
130.14 @ 100°33'(10°33') = 127.94
129.99 @ 259°49'(10°11') = 127.94
127.94

Set 1" I.P. Conc plug & C.E. tag (Flush) Top of Spur.

T=84°
290.16 @ 94°24'(4°24') = 289.30
290.03 @ 265°52'(4°08') = 289.28
289.29

T=84°
108.88 @ 264°42'(5°18') = 108.41
108.85 @ 95°06'(5°06') = 108.42
108.42

T=84°
235.01 @ 263°39'(6°21') = 233.57
234.84 @ 96°01'(6°01') = 233.55
233.56

T=84°
207.54 @ 261°52'(18°03') = 205.45
207.45 @ 98°01'(8°01') = 205.42
205.44

T=84°
36.95 @ LEV. = 36.95

Set 1x2 & Nail Prod.

PI #18A1
Set 2" I.P. Conc plug & C.E. tag (illegible) CALC. DIST. FROM P.I. 24

4.83

Set Sml. bt. Spk. in rock out-cropping.

4.38

119°16'20"
117°04'50"
355°37'20"
119°16'13"

T=84°
93.74 @ 9°13' = 92.53
93.53 @ 8°22' = 92.53
92.53

To Top Pg 15

W.S.78.D-6

PROPOSED AGUA DULCE

℄

℄ RD

CYN.

127.94

289.29
109.42
233.56
205.44
36.95
873.66

① 1° 51' 30"
④ 7° 25' 10"
⑥ 11° 07' 50"
1° 51' 18"

873.66

PI #25
R.3/8" I.P. Wood plug & Nail PSF
FB 1476-238
For Ties See FB 1476-238.

T=84°
33.64 @ LEV. = 33.64
48.63 @ LEV. = 48.63

Set Prod. Set Nail @ Calc. dist. from PI #25.

Δ = 58°52'14"
R = 1000
T = 564.28
L = 1027.49

Set 1" I.P. Conc plug & C.E. tag (flush) Top of Spur.

1633.21

119°16'

88°

119.16

34.46

48.63

33.64

90°

121.0

92.53

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Ink With Date and Name of Person Making Change.

PWFB 2818

226

Notes Ck'd by D. SAPPELL
Map No. B-5100
Office Work S. KURACHI
Checked K. C. MURPHY
Date AUG 5 1977

Survey of Agua Dulce Cyn Rd
JN 0095.44 Tape 136 Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 5-2-71
Indexed G. J. GALLI JN 15 71

F. B. ~~3864~~ PG. ~~15~~

To bot Pg 14

T = 84°
142.91 @ 7°27' = 141.70
142.86 @ 7°15' = 141.72 } 141.71

T = 84°
299.54 @ 8°49' = 296.00
299.63 @ 8°55' = 296.01 } 296.00

T = 80°
121.37 @ ELEV. = 121.37

T = 80°
294.59 @ 5°32' = 293.22
294.65 @ 5°37' = 293.24 } 293.22

T = 80°
245.72 @ 7°00' = 243.89
245.84 @ 7°09' = 243.93 } 243.90

T = 80°
300.48 @ 2°49' = 300.12
300.45 @ 2°43' = 300.11 } 300.11

T = 80°
235.15 @ 1°22' = 235.08
235.17 @ 1°31' = 235.09 } 235.07

T = 80°
1.83 @ ELEV = 1.83

141.71
296.00
121.37
293.22
243.90
300.11
235.07
1.83
1633.21

AGUA DULCE Proposed & CYN RD.

1633.21

℄

PI #27
Per F.B. 1476-101

PI #28
Rd Lg Lt. Spk
W&T Per
FB 1476-102

To Left Pg. 16

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

16F3095 CE#310 3-68

PWFB 2818

227, 228, 229

F. B. 3864 PG. 16

TIES PER FB 1476-103

1" IP, cone plug & C E tag

24.26

19.65

1" IP Cons plug & C E tag

90°

1329.36 PER FB 1476-237

SEC LINE

STATE OF CALIFORNIA DEPARTMENT OF PUBLIC WORKS DIVISION OF HIGHWAYS T. S.N. SEC. 34 3S 13W M COR T. 4 N.

SEC COR Fd Div. of Hwys brass cap mon (flush) in C&T bank per FB 1476-103 & 237

Fd 1" IP Conc. plug & C E tag (flush) Per FB 1476-237

T = 80°

35.85 @ LEV. = 35.85

35.76 @ LEV = 35.76

Set 1" IP Conc plug & C E tag (dn 1.1') w/ int set 2-3' SPK

143.65

41.69 det PT

PT. TIES

35.85

Proposed & Existing ℄

1633.21

RD

CYN

DITCH

AGUA

PB 15

35.76

113°

48' 55"

① 113° 48' 40"

④ 95° 15' 50"

⑥ 322° 53' 30"

113° 48' 55"

Fd 1" IP Conc. plug & C E tag (flush) per FB 1476-237

1250.03 PER FB 1476-237

1/4 COR Fd. Co. Surv. brass cap mon. (up 6") per FB 1476-104 & 237

2" IP, cone plug & L.A. Co. Engr. tag

70.71

P.M. in top of steel fence post

TIES PER FB 1476-104

45°

58.85

70.71

2" IP, cone plug & C.E. tag.

COUNTY SURVEYORS MONUMENT T. S.N. SEC 34 SEC 3 & 1/4 SEC. COR T. 4 N.

NW 5-78 D-5

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2818 230

W.S. 78.D-6

Notes Ck'd by D. SAPPELL
Map No. B-5100
Office Work S. KURACHI
Checked K. C. MURPHY
Date AUG 5 1977

Survey of Agua Dulce Cyn Rd
JN 009544 Tape 136 Std 84 °F
Surveyed by WJ Voge
Notes Voge Date 5-24-71
Indexed J. GALLI JUN 15 71

F. B. 3864 PG. 17

TO Right Pg. 16

T=64°
143.67 @ ELEV. = 143.65 ✓

T=68°
120.01 @ ELEV = 120.00 ✓

AGUA DULCE CYN. RD.

143.65 ✓

0.03

120.00 ✓

Fd Div. of Hwys brass cap mon. in well (no punch) Used surface spk & T Ties per FB 1476-105.

A. V. FREEWAY

℄

Fd. Lg Lt spk (flush) W&T Per FB 1476-105 & 237

Proposed ℄ Existing ℄

124.97 ✓

T=64°
124.99 @ ELEV = 124.97 ✓

T=64°
240.55 @ ELEV = 240.52 ✓

240.52 ✓

Fd Div of Hwys brass cap mon. in Well (no punch) Used surface spk & T Ties per FB 1476-105

TO TOP Pg 18

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

PWFB 2818

231

F. B. ~~3864~~ PG ~~18~~



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2818

232

W.S. 79-B-1

Notes Ck'd by	D. SAPPELL	Survey of	Agua Dulce Cyn Rd
Map No.	B-5100	JN 0095.44 Tape	136 Std 84 °F
Office Work	S. KURACHI	Surveyed by	W. J. Voge
Checked	K. C. MURPHY	Notes	Voge Date 5-24-71
Date	AUG 5 1977	Indexed	J. GALIU JUN 15 '71

F. B. ~~3869~~ Pg. ~~19~~

To bot Pg 18

AGUA DULCE CYN. RD.

768.5 Proposed ℄

℄

T = 84°
30.78 @ Lev. = 30.78
5.97 @ Lev. = 5.97

Ⓑ 172° 54' 00"
Ⓟ 331° 36' 00"
Ⓒ 317° 23' 40"
172° 53' 57"

Set NAT in 8"x8" guard rail

8.74

PI # 16 A1
Set 2" I.P., conc plug ℄ CE tag Exp. 12-3
Set 2-3' spk & T ties.

172°

Set ℄H(A) in gate post.

Δ = 7° 06' 05"
R = 1000
T = 62.04
L = 123.91

59.43

Set Nail @ calc dist from PI #30

90°

30.78

5.97

54.84

PI #30
Fd 1" I.P., conc plug & CE tag (Rush) per FB 1476-235.
See FB 1476-235 for ties.

T = 88°

Set NAT in 8"x8" guard rail

300.17
46.65
281.13
627.95

627.95

300.66 @ 3°17' = 300.17
300.62 @ 3°14' = 300.14 300.17
46.65 @ Lev. = 46.65 (T=88°)
T=88°
282.00 @ 4°32' = 281.12
281.97 @ 4°27' = 281.12 281.13

To top Pg. 20

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 C.E.#310 3-68

PWFB 2818

233

F. B. 3864 PG. 20

TO bot. Pg 19



T = 92°

92.97 @ 7°28' = 92.18
92.90 @ 7°09' = 92.18
92.18 ✓

4.86 @ LEV = 4.86 ✓

1.80 @ LEV = 1.80 ✓

92.18
4.86
97.04 ✓

T = 80°

170.59 @ 9°26' = 168.25
170.73 @ 9°42' = 168.29
168.28 ✓

@ 151°10'40"
@ 244°43'20"
@ 187°05'20"
151°10'53" ✓

168.28
186.18
50.74
107.06
175.85
144.13
832.24 ✓

T = 90°

186.17 @ LEV. = 186.18 ✓

T = 90°

54.56 @ 21°35' = 50.73
54.73 @ 21°59' = 50.75
50.74 ✓

T = 90°

107.69 @ 6°09' = 107.07
107.64 @ 6°00' = 107.05
107.06 ✓

T = 90°

176.95 @ 6°26' = 175.84
177.13 @ 6°54' = 175.85
175.85 ✓

T = 90°

146.52 @ 10°22' = 144.13 ✓
146.45 @ 10°13' = 144.13
144.13 ✓

W.S. 79.8-1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2718

143 144

W.S. 79, B-1

Notes Ck'd by D. SAPPELL
Map No. B-5100
Office Work S. KURACHI
Checked K. C. MURPHY
Date AUG 5 1977

Survey of Agua Dulce Cyn Rd
JN 0095.44 Tape 136 Std 84°F
Surveyed by W J Voge
Notes Voge Date 5-25-71
Indexed J. GALLI JUN 15 71

F. B. 3868 PG. 84

To bot Pg 20

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

T = 80°
40.35 @ LEV. = 40.35

283.64
117.78
401.39

PI #32
Per FB 1476-111

T = 60°
299.07 @ 18°27' = 283.70
299.31 @ 18°37' = 283.65 } 283.61
299.44 @ 18°43' = 283.65

T = 60°
117.30 @ LEV. = 117.78
Ⓓ 169° 32' 50"
Ⓐ 318° 11' 6"
Ⓒ 297° 16' 40"
169° 32' 47"

Set Sm. bt spk ℄T in 24" @ Hanwood

T = 64°
24.53 @ LEV. = 24.53
18.34 @ LEV. = 18.34

T = 60°
299.93 @ LEV. = 299.88

T = 64°
282.83 @ 2°39' = 282.53 } 282.50
282.88 @ 2°45' = 282.55

299.88
282.50
582.38

582.38

DULCE CYN RD.

832.24

Set 1" IP, Conc plug & C.E tag (flush) top of spur (N. side)

AGUA DULCE

40.35 Proposed

Set 1" IP, Conc plug & C.E tag (flush) top of spur (S. side)

401.39

℄

Set C.E tag ℄ TK in conc Headwall

PI #14A1
Set 2" IP, Conc plug & C.E tag (dn 12")
Set 2-3" spk ℄T ties.

4" x 6" Adj.

137.38

169° 32'

Δ = 100° 27' 14"
R = 1000
T = 91.48
L = 182.45

PI #33
FD. 3/4" IP, Wood plug & Nail (flush) Per FB 1476-233. See FB 1476-233 for ties.

18.34

24.53

90°

Set Nail @ calc'd dist. from PI #33

77.04

Set N℄T in 4" conc

TO TOP Pg. 22

16F3095 C.E.#310 3-68

PWFB 2718

145

F. B. ~~3964~~ PG. ~~22~~

To bot. Pg. 21

W.S. 79B-1



To Top Pg. 23

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2718

146 , 147

Notes Ck'd by D. SAPPELL
Map No. B-5100
Office Work S. KURACHI
Checked R. C. MURRAY
Date AUG 5 1977

Survey of Agua Dulce Cyn Rd
JN 0095 44 Tape 136 Std 94 °F
Surveyed by W J Voge
Notes Voge Date 5-26-71
Indexed G. J. GALLI JUN 15 71

F. B. ~~3864~~ PG. ~~23~~

To bot pg 22

T=66°
24.22 @ LEV = 24.23 ✓

T=66°
274.38 @ 3°51' = 273.76 } 273.72 ✓
274.33 @ 3°46' = 273.74 }

T=66°
300.58 @ 1°25' = 300.49 } 300.44 ✓
300.56 @ 1°16' = ~~300.48~~ }

24.23
273.72
300.44
598.39 ✓

34 Adj.
598.39

PROPOSED ℄

PI #35
Fd 3/4" IP Wood plug & Nail (in 21") per FB 1476-231
See FB 1476-231 for Ties.

Set bf spk W&T (Flush)

AGUA DULCE CYN. RD.

256.12
294.81
550.93 ✓

T=70°
256.21 @ 1°33' = 256.12 } 256.12 ✓
256.23 @ 1°26' = 256.15 }

T=70°
300.10 @ 10°45' = 294.93 } 294.81 ✓
299.95 @ 10°35' = 294.85 }

-.88 Adj.
550.93

℄

To Top Pg 24

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

16F309S CE#310 3-68

PWFB 2718 148, 149 P bot Pg 23

W.S.72.B-1

F. B. ~~3864~~ PG. ~~24~~

Prod
Fd 1" I.P. Conc plug & C.E. tag (top of spur)
Per FB 1476-231

PI # 12A1
Fd 2" I.P. Conc plug & C.E. tag (top of spur)
Per FB 1476-231.

Prod.
Fd 1" I.P. Conc plug & C.E. tag
Per FB 1476-231.

P.O.S.T. 36A
Fd 3/4" I.P., wood plug & tack, per FB 1476-231

PI # 36
Per FB 1476-231.

Proposed "A1"

550.88

21.44

13.64

118.98 M.C.&B.

4.71 Calc.

110.26 C.L.

90°

67°55'40"

116.00

① 116° 00' 20"
④ 104° 01' 10"
⑥ 336° 01' 40"
116° 00' 17"

Δ = 63°59'42"
R = 1000
T = 624.81
L = 1116.92

T = 66°

126.88 @ 20°18' = 119.00
127.04 @ 20°31' = 118.98 } 118.98

95444

AGUA DULCE C/M

R.D.

T = 72°
59.62 @ 14°00' = 57.85
59.50 @ 13°33' = 57.84 } 57.84

T = 72°
261.01 @ 11°19' = 255.95
261.30 @ 11°38' = 255.93 } 255.92

T = 70°
640.74 @ LEV. = 640.68

57.84
255.92
640.68
95444

TO TOP PG. 26

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2718

150

W.S. 79-B-1

Notes Ck'd by D. SAPPELL
Map No. B-5100
Office Work S. KURACHI
K. C. MURPHY
Checked
Date AUG 5 1977

Survey of Agua Dulce Cyn. Rd
JN 009544 Tape 136 Std 84 °F
Surveyed by W. J. Voge
Notes Voge Date 6-2-71
Indexed C. J. GALLI JUN 15 71

F. B. ~~3964~~ PG. ~~25~~

To Left pg. 26

53.01

SEC. LINE

Fd 1" I.P. Conc Plug & C.P. Tag (flush) per FD 1476-230.

T = 59°

162.89 @ 19°17' = 153.75
162.62 @ 19°00' = 153.76
153.78

153.73

1/4 COR.
Fd Co. Surv. brass cap mon. (flush) per FB 1476-230
Marked as shown.

COUNTY SURVEYORS MONUMENT
T.4N. R.14W.
SEC. 3 & SEC. 10

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F309S CE#310 3-68

PWFB 2718

151

F. B. ~~3864~~ PG. ~~26~~

To bet. Pg. 24



W.S. 79, B-1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2718

152

W.S. 79,B-1

Notes Ck'd by D. SAPPELL	Survey of Agua Dulce Cyn Rd
Map No. B-5100	JN 0095.44 Tape 136 Std 84 °F
Office Work S. KURACHI	Surveyed by W.J. Voge
Checked K. C. MURPHY	Notes Voge Date 6-1-71
Date AUG 5 1977	Indexed E. J. GALLI JUN 15 '78

F. B. ~~2864~~ PG. ~~27~~

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



26F3085 CE#310 3-68

PWFB 2718

153

To bk. pg 27

F. B. ~~3864~~ Pg. ~~28~~

T = 62°

60.39 @ 22°12' = 55.91
60.05 @ 21°24' = 55.91
5.20 @ LEV = 5.20

55.90
5.20
61.10

55.90

Set NAT in PP #771690H

T = 62°

42.93 @ 13°42' = 41.71
42.55 @ 11°21' = 41.72
2.22 @ LEV = 2.22

41.71
2.22
43.93

41.71

54.68

Set CH (+) in 36" Conc. I.P. drain

Δ = 9°21'04"
R = 1000.49
T = 170.29
L = 337.26

Set Nail @ calc. dist. from PI #40

90°

43.93

61.10

PI #10 A1
Set 2" I.P. Conc. plug & tag stamped "LS 6722" @ calc. dist. from P.I. 40.

Set 2-7' spkd T ties.

41.84

160°

PI #40
Fd. 3/4" I.P. Wood Plug & Nail, (flush) per FB 1476-229

PI #27A
per FB 1476-229

Proposed ℄

348.60'

Set Sm. bk. spk & T in 10" pepper

@ 160°38'50"
@ 282°35'30"
@ 243°53'30"
160°38'55"

AGUA DULCE CYN RD

℄

To top pg 29

X

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2718

154, 155, 156

W.S. 79, B-1

Notes Ck'd by D. SAPPELL	Survey of Agua Dulce Cyn. Rd.
Map No. B-5100	JN 0095.44 Tape 136 Std 84 °F
Office Work S. KURACHI	Surveyed by W.J. Voge
Checked K. C. MURPHY	Notes Voge Date 6-3-71
Date AUG 5 1977	Indexed G. J. GALLI JUN 15 71

F. B. ~~3864~~ Pg. ~~89~~

To bot pg 28

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

AGUA DULCE CYN. RD.

Proposed ℄

T = 80°
50.36 @ L x V. = 50.36

T = 72°
300.07 @ 13°09' = 292.20
300.13 @ 13°11' = 292.22 } 292.18
300.24 @ 13°19' = 292.17

T = 72°
6.06 @ ELEV. = 6.06

Set 1" IP Conc plug & C/E tag (ASSN) top of cut.

5036
292.18
6.06
348.60

348.60

PI #41 per FB 1476-122

T = 72°
253.68 @ 10°01' = 249.81
253.95 @ 10°18' = 249.86 } 249.84
253.86 @ 10°10' = 249.87

T = 78°
180.58 @ 13°15' = 175.77
180.75 @ 13°31' = 175.74 } 175.75

808.89

PI #42
Fd. 1" IP, Conc plug & C.E. tag (illegible) per FB 1476-829

T = 78°
300.32 @ 3°20' = 299.81
300.30 @ 3°13' = 299.83 } 299.81

T = 80°
83.49 @ ELEV. = 83.49

249.84
175.75
299.81
83.49
808.89

℄

To top pg 30

76F309S CE#310 3-68

PWFB 2718 157, 158

F. B. 3864 PG. 30 to bot. Pg. 29

W.S. 79, B-1



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2718

159, 160

Notes Ck'd by D. SAPPELL		Survey of Agua Dulce Cyn Rd	F. B. 3864 PG. 31
Map No. B-5100		JN 0095.44 Tape 136 Std 94 °F	
Office Work S. KURACHI		Surveyed by W J Voge	
Checked K. C. MURPHY		Notes Voge Date 6-7-71	
Date JUL 1 1971		Indexed J. GALLI JUN 15 71	

W.S. 79B-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



76F309S CE#310 3-68

PWFB 2718

161, 162

F. B. ~~2864~~ Pg ~~32~~

WS 79, B-1

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.



PWFB 2918

120

Notes Ck'd by E. DUVERNAY	Survey of T5N, R14W
Map No.	JN0302.01 Tape "D" Std 84 °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 10-10-72
Date 1/6/77	Indexed J. M. PALMERI NOV 22 1972

F. B. ~~3864~~ PG. 45

JN 0302.01

T5N R14W

Chaining Along So. Line Sec. 21
to Check Govt. Calls per

Burkholder
McCall
Scherb
Munoz

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

PWFB 2918

121, 122, 123, 124

F. B. ~~3864~~ PG. ~~46~~

INDEX



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2917

26, 27

Notes Ck'd E. DUVERNAY
Map No.
Office Work
Checked
Date 11/6/72

Survey of T5N, R14W Sec. 21
JN 0302.01 Tape "D" Std. 84 °F
Surveyed by Burkholder
Notes D.L.B. Date 10-19-72
Indexed T. M. PALMERI NOV 22 1972

F. B. 3864 Pg. 47

To Bot. Pg 48

W5 18 C-5

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

T5N R14W Sec. 21

T5N R14W Sec. 28

117.08

118.93 @ 10°-05', T=66° = 117.08
119.00 @ 10-17 " = 117.08

Wiggle Pt.
1+44.73
Set Nail in Fd. 1x2
(Top brk)

162.36 @ 26°-56', T=66° = 144.73
162.25 @ 26-51' " = 144.74

144.73

114.25 @ 22°-19', T=72° = 105.68
113.92 @ 21-54' " = 105.69

97.82 @ 7°-14', T=70° = 97.03
97.85 @ 7-24' " = 97.02

166°-30'-30"
306-03-30
279-05-00
166-30-50

166°-30'-50"

N 9° W

drain

0+00 East
Sec. Cor. (Per C.S.B. 900)
Fd. C.S. Mon. flush (on Sidehill, 14' west of bot. drain) Mkd as shown Per C.S.B. 900
Set Mkr. Pipe 3' W'ly

105.68

202.77

197.12 Calc.

Set 1x2 & Nail, (1.93' E of P.I.)

97.03

Calc 47.27

Fd. 2" I.P. & 3" Br. Cap (Mkd as shown) 6" up in rock Mnd. (on sidehill) Appears to be replacement of 4x4 Post per C.S.B. 900

U.S. DEPT. OF THE INTERIOR
UNLAWFUL TO DISTURB
T5N R14W
S20 S21
S29 S28
1967
CADASTRAL SURVEY
BUR. OF LAND MANAGEMENT

COUNTY SURVEYOR
T5N
R14W
20 21
29 28
SEC. COR.
RE 2.1'T
USMS 01-1

76F3095 CE#310 3-69

PWFB 2917 28 , 29

F. B. ~~3864~~ PG. ~~48~~ To Bot. pg^m 49

478.02

0.04

6+54.93
Fd. 2x2 & L.S. Tag "3199
(West slope)

N17°E

drain

366.94

2.52

373.56 @ 10°-47' T=78°=366.95
373.35 @ 10-38, " =366.93
Avg = 366.94

Sec 21

2+87.99
Set 1x2 & Nail
(Top brk)

R14W

26.18

26.18 Lev. T=70°=26.18

Sec 28

R14W

T5N

Fd. old 1x2 & Nail
(in Rk. mnd)

0.04

2.57

0.1

Fd. 1x2 No Nail

Wiggle pt.
2+21.81
Set 2" I.P. Conc.
Plug & C.E. Tag, 1" Up
(Top Spur)
Set Mkr. Pipe 3' No.

N 4° W

Spur

2.57 Lev. T=66°=2.57

117.08

To Top pg^m 47

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2917

30, 31, 32, 33

Notes Ck'd by E. DUVERNAY
Map No.
Office Work
Checked
Date 11/6/72

Survey of T5N, R14W, S.B. Line Sec. 21
JN 0302.01 Tape "D" Std. 84 °F
Surveyed by Burkholder
Notes D.L.B. Date 10-11-72
Indexed T. M. PALMERI NOV 22 1972

F. B. ~~3864~~ PG. ~~49~~ 47

To Bot. Pg# 50

N&S Dirt Road

192.39

201.84 @ 17°-34' T = 74° = 192.38
201.46 @ 17-15 " = 192.39

0.1

Fd. 1x2 No Nail

3Z

N23°W

Spur

9+76.40
Set 1x2 & Nail
(Top Spur)

Sec. 21 | Sec. 28

T5N | R14W

210.39

N26°W

drain 8+68±

212.25 @ 7°-34' T = 74° = 210.39
212.31 @ 7-41 " = 210.39

102±

N28°E

Spur

7+66.01
Set 1x2 & Nail
(Top Spur)

478.23 @ 1°-36' T = 74° = 478.02
478.18 @ 1-25 " = 478.01

478.02

To Top Pg# 48

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PWFB 2917

34 , 35

F. B. ~~3864~~ PG ~~50~~

To Bot. Pg# 51



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2918

125

Notes Ck'd by E. DUVERNAY
Map No.
Office Work
Checked
Date 1/6/77

Survey of T5N, R14W, S line 21
JN 0302 01 Tape "D" Std 84 °F
Surveyed by Burkholder
Notes D.L.B. Date 10-12-72
Indexed I. M. PALMERI NOV 22 1972

F. B. 3864 Pg. 54

To Bot. pg# 52

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Sec. 21 T5N R14W

Sec. 28 T5N R14W

438.44

397.43

115°

20+13.66
Set 1x2 & Nail
(E. Slope)

Fd. 1x2
No Nail

25

43.3

44.01 Δ 21°-16', T=66°=41.00
43.80 Δ 20-31 " =41.01

41.01

Wiggle Pt.
19+72.65
Set 2" I.P. Conc.
Plug & C.E. Tag
Up under
fence (Top spur)
Set Mkr. pipe
3± S'ly

19+72.65
Set 1x2 & Nail
on 2' offset line.

90° spur

2.06

N16°W

2' offset Line

258.18

4 Strand barb
Wire fence
on Line

drain

N26°W

265.12 Δ 13°-06', T=68°=258.19
265.34 Δ 13-19 " =258.18

666.34

125°

N58°W

17+14.47
Set 1x2 & Nail
(Top spur)

spur

137.08

87°±

140.64 Δ 12°-54', T=72°=137.08
140.86 Δ 13-18 " =137.07

Top Slope
Leave Canada

16+27±

To Top pg# 50

16F309S CE#310 3-69

PWFB 2918

126

F. B. ~~786~~ 1 Pg. ~~52~~

To Bot pg # 53

00°-00'-15"
00°-00'-45
00-01-15
00-00-13

Fd 1x2 & Nail
00°-00'-13" Prod fr. West

505.75

COUNTY SURVEYOR
T 5 N
Sec. 21
Sec. 28
1/4 COR.
R 14 W
RE 2177

U.S. MINERAL SURVEY
W.C. 1
021

1/4 Sec. Cor.
26+20.95
Fd. C.S. Mon. (Mkd. as shown) 2" UP
Per C.S.B. 300
@ fence cor.

26+20.95
Fd. 1½" I.P. & disc.
Mkd. as shown.
8" Up.

26+20.95
Set Pencil Mk
@ Rt 2.5 & 2.00 fr.
C.S. Mon.

4 strand barb. Wire fence on Line

Sec 21
R 14 W
T 5 N

209.86

210.59 @ 4°-40' T=70°=209.87
210.46 @ 4-15 " =209.86

Sec. 28
R 14 W
T 5 N

Wiggle Pt.
24+11.09
Set 2" I.P. Conc. Plug & C.E. Tag 2" Up. (under fence) Pipe set leaning N'ly. Set Mkr. Pipe 3± S'ly

24+11.09
Set 1x2 & Nail
(Top Spur)

N 78° W

110±

N 18° W

drain

187.28 @ 4°-22' T=78°=186.73
187.18 @ 4-02 " =186.71
Avg = 186.72

438.44

N 23° W

Spur

397.43

70±

N-S

drain

218.08 @ 6°-30' T=74°=210.71
211.97 @ 6-14 " =210.71
186.72
397.43

115±

To Top pg # 51

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2918

127

Notes Ck'd by E. DUVERNAY
Map No.
Office Work
Checked
Date 11/6/72

Survey of T5N, R14W, S.Line 21
JN 0302.01 Tape "D" Std 84 °F
Surveyed by Burkholder
Notes D.L.B. Date 10-13-72
Indexed T. M. PALMERI NOV 22 1972

F. B. ~~3864~~ PG. ~~53~~

To Bot. Pg #54

Wiggle Pt
35+52.33
Set 2" I.P. Conc.
Plug & C.E. Tag
1" up (Top Spur)
Set Mkr pipe
3± No.

249.24

250.77 @ 6°-15', T=60° = 249.24
250.69 @ 6-06, " = 249.23

Sec. 21

Sec. 28

R14W

T5N

208.32

208.51 @ 2°-15' T=60° = 208.32
208.55 @ 2-28, " = 208.33

N-S

Main ridge

Wiggle Pt
33+44.01
Set 2" I.P. Conc.
Plug & C.E. Tag
2" up (Top Main ridge) in Saddle
Set Mkr pipe
3± No.

217.31

212.21 @ 17°-33' T=58° = 202.29
212.07 @ 17-25 " = 202.31
Avg = 202.30
15.01
217.31

15.01 Len. T=58° = 15.01

31+26.70
Set 1X2 ¢ Nail
(Top Sm. Spur)

251.40 @ 6°-29', T=56° = 249.74
251.44 @ 6-36 " = 249.72
Avg: 249.73

263.23 @ 13°-25', T=58° = 256.01
262.87 @ 13-04, " = 256.02
249.73
505.75

505.75

Toe Slope

To Top Pg #52

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-69

PWFB 2918

F. B. ~~3004~~ Pg. 54 To Bot. pg 55

683.35

33.88 4' offset Line

W1926 Pt 45+58.43 Set 2" I.P Conc. Plug & C.E Tag, 2" up W. Side Spur @ Northedge Rd Set Mkr Pipe 2± No.

N 28° W Spur

25.2±

4.00

45+58.43 Set Spk on 4' offset for Chaining

drain N 31° W

Sm Spwy N 35° W

48.8± drain N 44° W

72.2± Sm Spwy N 49° W

410.34

229.21 @ 5°-44' T=64°=228.03
229.14 @ 5.35 " =228.02

182.42 @ 1°-40' T=64°=182.32
182.49 @ 1-58 " =182.31
228.03
410.34

Sec 21 T5N R14W

Sec 28 T5N R14W

41+48.09 Set 1x2 & Nail (Top Sm. Spur)

108.2±

273.76 @ 3°-24' T=60°=270.04
273.88 @ 3.35 " =270.02
Avg: 270.03
76.49
346.52

76.50 Len T=60°=76.49

346.52

Fd. 1½" I.P. No plug (used ctr) 4" up (Bot. drain) Per C.S.B. 900

0.25

15±

Fd. 6" diam Vert. hole in ground hazardous (20' deep Approx.)

125.93

38+01.57 Set 1x2 & Nail (Top Spur)

Sm Spur N 60° W

130.17 @ 14°-39' T=60°=125.92
130.03 @ 14.23 " =125.94
Avg=125.93

249.24

To Top pg 53

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2918

129

Notes Ck'd by E. DUVERNAY
Map No.
Office Work
Checked
Date 11/6/72

Survey of T5N, R14W, S. Line 21
JN 0302.01 Tape "D" Std 84 °F
Surveyed by Burkholder
Notes D.L.B. Date 10-17-72
Indexed T. M. PALMERI NOV 22 1972

F. B. 3864 PG. 55

LS 7 D-5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

COUNTY SURVEYORS MONUMENT
T5N R14W
21 22 27 28
1926

52+41.78
Sec. Cor.
Fd. C.S. Mon. 6" dn
in H.H. w/Lid CMkd.
as shown) per
C.S.B. 900

52+41.78
Set Conc. Nail
@ Rt ∠ 4.00
fr. C.S. Mon.

4.00

Sec. 21 T5N R14W

Sec. 28 T5N R14W

175±

Paved Road

683.35

649.47

4' Offset Line
for Chainings only

175.05 @ 3°57' T=68°=174.61
175.19 @ 4-36 " =174.61

181.22 @ 5°-01' T=68°=180.51
181.36 @ 5-28 " =180.51

298.33 @ 9°-20' T=66°=294.35
298.39 @ 9-24 " =294.41
180.51
174.61
649.47

45+92.3
Set 1x2 L Nail

45+84.7
1½" I.P. Gone,
Per C.S.B. 900

33.88

33.88 Lev. T=66°=33.88

To Top pg 54

16F309S CE#310 3-69

PWFB 2919

73

Notes Ck'd by J. F. MUNOZ	Survey of ESCONDIDO CYN. RD
Map No. B-5270-1-2	JN 0098.26 Tape 205 Std 84 °F
Office Work J. ALFRED	Surveyed by BITTEL
Checked J. F. MUNOZ	Notes BITTEL Date 12/74
Date 1-12-76	Indexed T. M. PALMERI JAN 22 1975

F. B. ~~3864~~ PG. ~~57~~

J. N. 0098.26

ESCONDIDO CANYON ROAD

℄ SURVEY

FROM: 1/4 MILE EAST OF AGUA DULCE CYN. RD.

TO : EAST LINE OF SEC. 26

REFERENCES

F.B. 3208

F.B. 1476

R.D.F.B. 2918

R.D.F.B. 2919

PARTY

BITTEL

RITTER

SIDWELL

X

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PWFB 2919

74

F. B. ~~3564~~ PG ~~58~~



SEC. 26

R. 14 W.

T. 5 N.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2918

130

Notes Ck'd by J. F. MUNOZ
Map No. B 5270 - 1, 2
Office Work J. ALFRED
Checked J. F. MUNOZ
Date 1-12-76

Survey of ESCONDIDO CYN. RD.
JN 0098.26 Tape 205 Std 84 °F
Surveyed by BITTEL
Notes BITTEL Date 12/74
Indexed T. M. PALMERI JAN 22 1975

F. B. 3864 PG. 59

U.S. 78, D-5

N&T. CONT.

(20) (20)

AGUA DULCE CYN. RD.

FD. N.&T. IN P.P. # 676332E

FD. N.&T. IN P.P. # 676323E

FD. N.&T. IN POLE NO NUMBER

FD. N.&T. IN GUY POLE # 695484 E

93.05

83.85

62.40

69.79

90° 39' 47" PER RB. 3208-60

ESCONDIDO

(50)

1242.80

AGUA DULCE CYN. RD.

(20)

CON NOT

17.28

20.05

TO BOT. PE 60

FD. N.&T. IN P.P. # 1482947E

1/4 COR FD, C.E. MON. IN H.H. PER FB 1476-254 MARKED

COUNTY ENGINEER T.5 N. R.1 W. 27 26 1/4 COR. R.E. 5889

WITNESS COR. FD. C.S. MON., DOWN 15" PER FB 1476-254 MARKED

COUNTY SURVEYOR'S MONUMENT WIT. 1/4 COR. 27 26

H. P. # 2

1242.80 @ 90-00-45 = 1242.80

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO COUNTY OF LOS ANGELES DEPARTMENT OF COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

16F3095 CE#310 3-68

F. B. 3864 PG. 60

TO BOT. PG. 61

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W3.7 B, 0-5

H.P. #2
91.37 @ 91-11-55 = 91.35
86.52 @ 91-37-55 = 86.48

1/16 COR.
FD. 1½" I.P., CONC. PLUG & C.E. TAG, DOWN 8" PER RB. 3208-60 REPLACED WITH C.E. MON. SET H.H., MON. UNMARKED

COUNTY ENGINEER
T. 5 N
W. 1/16
SEC. 26
R. E. 70

86.48
91.35
29.43
SET N&T. IN FENCE POST
SET CHIS. CROSS IN GAS CO. MARKER
POST 33A-A
FD. S, W. & T. FLUSH PER RDFB 2918-39
43.29
CANYON ROAD
ESCONDIDO
1242.80
(50)
(50)
27.66
27.68
FD. N&T IN P.P. # PS2626
FD. N. & T. IN T.P. # 728069 H

TO RT. PG. 59

16F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

W.J. 76, P-5

PWFB 2919

Notes Ck'd by J. F. MUNOZ
Map No. B-5270-1-2
Office Work J. ALFRED
Checked J. F. MUNOZ
Date 1-12-76

Survey of ESCONDIDO CYN. RD.
JN 0098, Tape 205 Std. 84 °F
Surveyed by BITTEL
Notes BITTEL Date 12/24
Indexed L. M. PALMER JAN 22 1975

F. B. 3064 PG. 61

H.P. # 2
603.49 @ 91-44-40 = 603.21 ✓

P.I. 33 A
F.B. 3/4" I.P., CONC.
PLUG & C.E. TAG DOWN 20"
PER F.B. 3208-80

① 154-00-30
② 256-02-10
③ 204-03-15
154-00-32½ ✓

ESCONDIDO CYN. RD.

(30) (15) (45)

TO BOT. PG. 62

OLD ℄ ↘
OLD SEMI TAN ↘
PROPOSED ℄ ↘
PROPOSED SEMI TAN ↘

640.98 ✓
PER F.B. 3208-80

603.21 ✓

L = 589.70 R = 1300

154° 00' 35" Adj. 33"

150 ↘

248.07 ✓

℄ SEC. LINE ↘

34.23 ✓

86.48 ✓

54.61

28.15

12.6.64

TO BOT PG. 73

(50) (50)

TO TOP PG. 60

SET 1" I.P., CONC
PLUG & C.E. TAG
1" UP, PROD

SET N.T. IN
FENCE POST

P.I. "A"
SET 2" I.P., CONC. PLUG
& C.E. TAG, DOWN 12"
PER RD. DEPT. MAP #
PD 1023

SET 1" I.P., CONC
PLUG & C.E. TAG
1" UP, PROD.

34.23 @ 74° = 34.23 ✓

T. 5 N. R. 14 W. SEC. 26

PG. 61

76


PWFB 2919
77
78
F. B. 3864 Pg. 62
TO LT. PG. 63
TO BOT. PG. 64
NOT MEASURED
16.57 @ 68° = 16.57
INT.
FD. SPK & W. FLUSH
PER F.B. 3208-80
See also F.B. 3864-80
SET 1" I.P. CONC. PL. & C.E. TAG, 1" UP.
FD. N. & T. IN GUY POLE # 676315E
ESCONDIDO
CANYON ROAD
(30)
(15)
(45)
640.98
PER F.B. 3208-80
603.21
207.62
PER F.B. 3208-80
394.28
182.34
PER F.B. 3208-80
85.80
104.29
15.00
53.82
62.24
16.57
64°-53'-00" RT.
243.83
OLD ℄
PROPOSED ℄
℄
INT.
SET 5 & W. FLUSH
SET BY INTERSECTION
1/64 SEC. LINE
E. C.
FD. S, W. & T. FLUSH
PER RD. F.B. 2919-37, 38
FD. N. & T. IN P.P. # 676314E
H.P. # 2
244.96 @ 84-30-20 = 243.83
① 64-53-00
Ⓗ 259-32-05
Ⓒ 29-18-15
64-53-02½
TO TOP PG. 61
TO LT. PG. 73
T. 5 N.
R. 14 W.
SEC. 26
S-0 BLCH
PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PWFB 2919

79

Notes Ck'd by J. F. MUNOZ
Map No. B-5270-1-2
Office Work J. ALFRED
Checked J. F. MUNOZ
Date 1-12-76

Survey of ESCONDIDO CYN. RD.
JN 0098.26 Tape 205 Std 84 °F
Surveyed by BITTEL
Notes BITTEL Date 12/74
Indexed J. M. PALMER JAN 22 1975

F. B. ~~3864~~ PG. ~~63~~

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

P.I. 32A
SET 1" I.P., CONC. PL. & C.E. TAG, DOWN 12" SET FROM TAN. TIES PER F.B. 3209-80

FD. 2X2 & N. PER F.B. 3208-80 REPLACED WITH 1" I.P., CONC. PLUG & C.E. TAG, 1" UP, TAN.

41.96
32.04
47.12
15.25

446.16 ✓
PER F.B. 1657-69, 70

OLD SEMI TAN.
PROPOSED SEMI TAN.
OLD ℄
PROPOSED ℄
15.00
(30)
(45)

310.29 ✓

78.16
80.85
89.08
24 I.F.M.
182.44
PER F.B. 3208-80
OLD SEMI TAN.
15.00
℄ PROPOSED SEMI TAN.
394.28 ✓
8.16

SET N. & T. IN GUY POLE # 676315E

L = 407.56
R = 1300
159° - 20' - 36"
43°14'48"

ROAD
CYN.

FD. 2X2 & N PER F.B. 3208-80, REPLACED WITH 1" I.P., CONC., PL. & C.E. TAG, UP 1", TAN.

TO TOP PG. 62

ESCONDIDO

SET N. & T. IN P.P. # 676314E

P.I. "B"
SET S.W. & T., FLUSH PER RD. DEPT. MAP # PD 1023

① 159-20-20
② 277-22-20
③ 236-03-35
159-20-35 5/6 ✓

H.P. # 2
394.49 @ 91-52-45 = 394.28 ✓
310.33 @ 89-01-50 = 310.29 ✓

15.25 @ 68° = 15.25 ✓

TO LT. PG. 65

T. 5 N. R. 14 W. SEC. 26

76F309S CE#310 3-69

PWFB 2919

80, 81

F. B. ~~3864~~ PG ~~64~~

T. 5 N.

R. 14 W.

SEC. 26

N 57 D-5



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2919

82

Notes Ck'd by J. F. MUNOZ
Map No. B-5270-1-2
Office Work V. ALARED
Checked J. F. MUNOZ
Date 1-12-76

Survey of ESCONDIDO CYN. RD
JN 0098.26 Tape 205 Std 84 °F
Surveyed by BITTEL
Notes BITTEL Date 1/75
Indexed T. M. PALMER JAN 22 1975

F. B. ~~2864~~ PG. ~~65~~

TO BOT. PG. 66

T. 5. N. R. 14 W. SEC. 26

① 94-23-20
④ 17-33-35
⑥ 206-20-15
94-23-22½

U.S. 78 D-5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

TO RT. PG. 63

TO LT. PG. 67

1/4 SEC. LINE 2177.85

R.P. SET 1" I.P., CONC. PL. & C.E. TAG, VP 1" ON LINE

15" ADJ

94°23'

(30) 446.16 (30)

(45) 15.00 ℄ OLD ℄ 45.13 15.00 OLD SEMI TAN (15)

℄ PROPOSED ℄ 310.29 ℄ PROPOSED SEMI TAN 135.74

(45) ESCONDIDO CANYON ROAD (45)

45.13 ℄

INT. 1/4 SEC. LINE & PROP. ℄
SET 2" I.P., CONC. PLUG, & C.E. TAG, DOWN 12", SET BY INTERSECTION

R.P. SET 1" I.P., CONC. PL. & C.E. TAG, FLUSH, ON LINE

H.P. # 2

135.75 @ 90-37-10 = 135.74 ✓
2179.18 @ 87-59-50 = 2177.85 ✓
285.48 @ 92-19-15 = 285.25 ✓

1/4 SEC. LINE 285.25

TO LT. PG. 74

76F309S CE#310 3-69

PWFB 2919

83

F. B. ~~3864~~ PG. ~~66~~

W 576 D-5



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2919

84, 85

Notes Ck'd by J. F. MUNOZ
Map No. B5270-1-2
Office Work J. ALFRED
Checked J. F. MUNOZ
Date 1-12-76

Survey of ESCONDIDO CYN. RD.
JN 0098, 26 Tape 205 Std 84 °F
Surveyed by BITTEL
Notes BITTEL Date 12/74
Indexed T. M. PALMERUAN 23 1975

F. B. 3864 PG. 64

T. 5 N. R. 14 W. SEC. 26

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

P.I. 31 A
FD. 1" I.P., NO PLUG, DOWN 18"
PER F.B. 1657-69 & R.D. F.B. 2919-41, 42
SET CONC. PL. & C.E. TAG
FROM TAN. TIES.

159-01-55
276-08-35
234-13-00
159-02-10

ESCONDIDO CYN. ROAD

1787.46
PER F.B. 1657-69
OLD SEMI TAN.
PROPOSED SEMI TAN.
1960.19
PROPOSED SEMI TAN.
OLD SEMI TAN.
446.16
PER F.B. 1657-69, 70
OLD SEMI TAN.
PROPOSED SEMI TAN.
135.74
TO RT. PG. 65 (30) (15)
TO RT. (45)
TO BOT. PG. 68 (30) (45)
02' ADD.
15.00
59°
126.89
41.07
32.48
13.35
29.68
52.68

FD. CHIS. X ON SIDE OF 8" I.P. SEALED WELL CASING

SET 1" I.P., CONC. PL. & C.E. TAG, UP 1", PROD

SET 1" I.P., CONC PL. & C.E. TAG, UP 1", PROD

FD. N. & T. IN P.P. #676313E

FD. 2X2 & N., PER RP.F.B. 2919-41, 42 REPLACED WITH 1" I.P. CONC. PL. & C.E. TAG, FLUSH

P.I. "C"
SET 2" I.P., CONC. PLUG, & C.E. TAG, DOWN 12"
PER RD. DEPT. MAP # PD 1023

15.25 @ 68° = 15.25

76F309S CE#310 3-69



PWFB 2919

86

W.S. 79, D-5

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2919

87

Notes Ck'd by J. F. MUNOZ
Map No. B-5270-1-2
Office Work J. ALFRED
Checked J. F. MUNOZ
Date 1-12-76

Survey of ESCONDIDO CYN. RD.
JN 0098.26 Tape 205 Std 84 °F
Surveyed by BITTEL
Notes BITTEL Date 1/75
Indexed J. M. PALMERI JAN 22 1975

F. B. ~~3062~~ Pg. ~~69~~

H. P. # 2

645.70 @ 92-58-15 = 644.83'

FD. 1" I.P., CONC. PLUG & SHELL CASING, FLUSH, PER F.B. 1657-210

SET NET, P.P. #676 3.07E

ESCONDIDO CYN. ROAD

105.29'

644.83'

30.00

30.00

30.54

(30)

(30)

(30)

(30)

℄ SEMI TAN.

TO TOP PG. 68

TO LT. PG. 70

FD 1" I.P., CONC, PL. & SHELL CAS, FLUSH, PER F.B. 1657-210

B.C.

SET S.W. & T., FLUSH, SET BY TAN. TIES PER F.B. 1657-210

T. 5 N. R. 14 W. SEC. 26

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PWFB 2919

88

F. B. ~~3864~~ PG. ~~70~~



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

2 SG 44 A-51

90-57-20
273-49-05
185-43-30
90-57-15

T. 5 N.
R. 14. W.
SEC; 26

T. 5 N.
R. 14 W.
SEC. 25

PWFB 2919

89

Notes Ck'd by J. F. MUNOZ
Map No. B-5270 1-2
Office Work J. ALFRED
Checked T. F. MUNOZ
Date 1-12-76

Survey of ESCONDIDO CYN. RD.
JN 0098.26 Tape 205 Std 84 °F
Surveyed by BITTEL
Notes BITTEL Date 1/75
Indexed T. M. PALMER JAN 22 1975

F. B. ~~3864~~ PG. ~~71~~

H. P. #2

139.07 @ 85-24-00 = 138.62 ✓

FD, 1" I. P. CONC. PLUG & SHELL CASING, UP 1", PER F.B. 1657-209

ESCONDIDO

(30) TO RT. PG. 70

138.62 ✓

30.00

209.46 ✓

(30) TO LT. PG. 72

SEMI TAN.

CANYON ROAD

(30)

(30)

30.00

E. C.

SET S.W. & T., FLUSH
SET BY TAN. TIES
PER F.B. 1657-209

FD, 1" I. P. CONC. PLUG & SHELL CASING, FLUSH PER F.B. 1657-209

209.48 @ 70° = 209.46 ✓

T. 5 N. R. 14 W. SEC. 25

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PWFB 2919

90

F. B. ~~3864~~ Pg ~~72~~

W 5C4, A-5

P.I. 11-C

SEARCHED TO DEPTH OF 2' FOUND NOTHING SET NOTHING

209.46'

(E)

SEMI TAN.

TO RT. (30)

ESCONDIDO CANYON ROAD

SEMI TAN.

(30)

(30)

NOT CONT'D

T. 5. N.

R. 14 W.

SEC. 25

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

76F309S CE#310 3-69

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

U.S. 78/D.5

PWFB 2919 91

Notes Ck'd by J. F. MUNOZ
Map No. 5250
Office Work C. MOTEN
Checked J. F. MUNOZ
Date

Survey of ESCONDIDO CYN. RD.
JN 0098.26 Tape 205 Std. 84 °F
Surveyed by BITTEL Date 12/74
Notes
Indexed J. M. PALMERI JAN 23 1975

F. B. 3864 PG. 73

TO RT. PG. 62

H. P. # 2

578.19 @ 89-05-15 = 578.12'

POL TO P.I. "A" 635.94 @ 92-53-00 = 635.13' 635.13

POL TO POL 388.08 @ 94-09-20 = 387.06' - 387.06

POL TO 1/64 COR 90.91 @ 102-01-25 = 88.92' 248.07'

298.14'

1/64 SEC. LINE

243.83

FD. L & C.E. TAG ON TOP OF ROCK
F.B. 3208-78
F.B. 3864-79

30" adj.

89-07-34 PER F.B. 3208-78

20.52

FD. CONC. NAIL IN ROCK

0.65

FD. L & C.E. TAG REMOVED

FD. 3/4" I.P. NO PLUG UP 6", ON LINE

0.23

0.44

TO TOP PG. 61

TO BOT. PG. 74

℄ 1/4 SEC. LINE

248.07'

298.14'

88.92'

578.12'

8.55

16.27

SET N. & T. IN 6" JUNIPER

FD. P.K. NAIL IN ROCK

P.O.L.
SET 1" I.P., CONC. PLUG & C.E. TAG UP 1"

1/64 COR.
FD. L. & C.E. TAG ON S. FACE OF ROCK OUTCROP PER F.B. 3208-77
see also 3864-79

P.O.L.
SET L. & C.E. TAG ON TOP OF ROCK

20.53 @ 44° = 20.52 ✓

T. 5 N. R. 14. W. SEC. 26

PWFB 2919

92

F. B. ~~3864~~ PG. ~~74~~

TO LT. PG. 76

W 574 D-5

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

2661.04
PER F.B. 3208-20-23

CTR. SEC. 26
FD. C.E. MON. UP 4"
PER F.B. 3208-20
MARKED

COUNTY ENGINEER
T5N
CENTER
SEC. 26
R.E. 5868

TO BOT. PG. 65

285.25

180.72

1/4 SEC. LINE

P.O.L.
FD. IRON PIN, FLUSH, PER
F.B. 3208-16, REPLACED
WITH 1" I.P. CONC.
PL. & C.E. TAG, FLUSH

SET 2" I.P. 0.1' ABV.
CONC., PL. & C.E. TAG, UP 2"

50.00

25.00

578.12

1/4 SEC. LINE

H.P. #2
181.00 @ 93-12-40 = 180.72

① 87-03-30
② 356-13-20
③ 174-20-05
89-03-20½

TO TOP PG. 73

PWFB 2919

93

Notes Ck'd by J. F. MUNOZ
Map No. B-5270-1-2
Office Work
Checked J. F. MUNOZ
Date

Survey of ESCONDIDO CYN. RD.
JN 0098.26 Tape 205 Std 84 °F
Surveyed by BITTEL
Notes BITTEL Date 1/75
Indexed T. M. PALMERI JAN 22 1975

F. B. ~~3864~~ PG. ~~75~~

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

US. C 9, A 15

NOT CONT (50) (50)

FD. 1" IRON PIN P.M. IN CTR., FLUSH

FD. 1" IRON PIN P.M. IN CTR, FLUSH

AVE.

ST. W.

W.

℄ SEC. LINE

NOT CONT (50)

(50) NOT CONT.

13.29

10.82

9.57

45.99 CALC.

3.00

SEC. COR
53+65 51
PER F.B. 3208-37
FD. C.E. MON., FLUSH
PER F.B. 3208-37
MARKED

COUNTY ENGINEER
T 5 N
R 14 W
23 24
26 25
SEC. COR.
R. E. 5869

P.O.L.
53+19 52
(PER F.B. 3208-36)
FD. 1X2 ¼ N., FLUSH, PER
F.B. 3208-36, REPLACED
WITH 1"I.P., CONC. FL. C.E. TAG, FL.

3' OFFSET

SEC. LINE
1333.94 CA LC.
PER F.B. 3208-34-37

102 ND

(50) (50)

TO TOP PG. 70

76F309S CE#310 3-69

PWFB 2919

94

F. B. ~~3064~~ PG ~~76~~



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2919

95

Notes Ck'd by J. F. MUNOZ
Map No. B 5270-1,2
Office Work
Checked J. F. MUNOZ
Date

Survey of FIRE STATION # 81
JN 7572.02 Tape 205 Std 84 °F
Surveyed by BITTEL
Notes BITTEL Date 12/74
Indexed T. M. PALMERI JAN 22 1975

F. B. ~~3864~~ PG. 77

J.N. 7572.02

FIRE STATION SITE NO. 81

PROPERTY SURVEY

REFERENCES

F.B. 3208
F.B. 3864
O.R.D. 3651-282

PARTY
BITTEL
RITTER
SIDWELL

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

PWFB 2919

96, 97

F. B. ~~3864~~ PG ~~78~~



SEC. 26

R. 14 W.

T. 5 N.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2919

98

Notes Ck'd by J. F. MUNOZ
Map No. B 5250
Office Work C. MOTEN
Checked J. F. MUNOZ
Date

Survey of FIRE STATION # 81
JN 7572.02 Tape 205 Std 84 °F
Surveyed by BITTEL
Notes BITTEL Date 12/74
Indexed L. M. PALMERI JAN 22 1975

F. B. ~~3864~~ Pg. ~~79~~

US 78, D-5

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

TO BOT. PG. 80

FIRE STATION SITE #81

1/64 SEC. LINE

180.26

P.O.L.
SET 1" I.P. CONC. PLUG & C.E. TAG, 1' UP

13.87

∠ CALCULATED FROM ∠ @ S.W. COR.
180-00-00
- 90-52-28
89-07-32 ✓

07-30 Adj.
07-32"

P.O.L.
FD. L. & C.E. TAG ON TOP OF ROCK
PER F.B. 3208-78

FD. CONC. NAIL IN ROCK

89°

CALC.

0.65

20.52

1/4 SEC. LINE

150.02

88.92

To RT. PG. 81

P.O.L.
FD. L. & C.E. TAG
PER F.B. 3864-73

8.55

6.27

FD. N. & T. IN 6" JUNIPER

FD. P.K. NAIL IN ROCK

1/64 COR & S.E. COR FIRE LOT
FD. L. & C.E. TAG IN S. FACE OF LARGE ROCK, PER F.B. 3208-80
ALSO SEE F.B. 3864-73

20.53 @ 44° = 20.52 ✓

H.P. # 2

195.02 @ 84-31-40 = 194.13 ✓

180.37 @ 72-01-45 = 180.26 ✓

13.87 ✓

T. 5 N. R. 14 W. SEC. 26

16F309S CE#310 3-69

PWFB 2919

99

F. B. ~~3864~~ PG. ~~80~~

T. 5 N. R. 14 W. SEC. 26

INT. OLP ℄ ℄ 1/4 LINE
FD. S. & W., FLUSH
PER F.B. 3208-80
& F.B. 3864-62

INT. PROP. ℄ ℄ 1/4 SEC. LINE
F.D. S. & W., FLUSH, PER 3864-62

FD. 1" I.P. CONC. PL. & C.E. TAG, 1" UP

165.69 @ 58° = 165.66 ✓
49.71 @ 58° = 49.70 ✓
16.57 @ 58° = 16.57 ✓

42.98
53.88
62.06
16.57 ✓
49.70

(30)
(15)
(54)

ROAD

OLD ℄
PROPOSED ℄
45.00
165.66 ✓

ESCONDIDO CANYON

64°-53'-03"
64.15

(30)
(15)
(45)

TO RT. PG. 82

SET N.℄ T. IN
PP #676316E

N.E. COR. FIRE LOT
SET 2" I.P., CONC.
PL. & C.E. TAG, FLUSH.

P/L
165.66
H.P.

① 64-53-00
② 259-32-05
③ 29-18-15
64-53-02½ ✓

H.P. #2
165.71 @ 91-23-20 = 165.66 ✓

1/4 SEC. LINE
180.26 ✓

FIRE STATION
SITE # 81

TO TOP PG. 79

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PWFB 2919

100

Notes Ck'd by J. F. MUNOZ	Survey of FIRE STATION # 81
Map No. 8 5250	JN 757202 Tape 205 Std 84 °F
Office Work C. MOTEN	Surveyed by BITTEL
Checked J. F. MUNOZ	Notes BITTEL Date 12/74
Date	Indexed I. M. PALMERI JAN 22 1975

F. B. ~~3864~~ Pg. ~~81~~

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

TO BOT. PG. 82

FIRE STATION SITE # 81

WESTERLY LINE OF EASTERLY 150' OF PARCEL 1 OF ORD. 3651-282

142.02

P.O.L.
SET 1" I.P. CONC. PLUG & C.E. TAG, 1" UP

H.F. #2

142.12 @ 92-07-25 = 142.02
388.08 @ 94-09-20 = 387.06
148.19 @ 88-14-25 = 148.12 / 238.94
90.91 @ 102-01-25 = 88.92 / 150.02

① 90-52-30
② 363-29-50
③ 185-14-50
90-52-28 1/3

32.04

90°-52'-28"

1/4 SEC. LINE

148.12'

150.02'

TO LT. PG. 79

P.O.L.
FD. 1" I.P. CONC. PL. & C.E. TAG, UP 1" PER F.B. 3864-73

13.70

S.W. COR. FIRE LOT # 81
SET 2" I.P., CONC. PLUG & C.E. TAG, 2" UP.

SET C.E. TAG IN CONC., ON TOP OF ROCK, PROD.

T. 5 N. R. 14 W. SEC. 26

76F309S CE#310 3-69

PWFB 2919

101

F. B. ~~3864~~ PG ~~82~~

T. 5N. R. 14 W. SEC. 26



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this title of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

7572.02

F. B. 3864 PG. 83

Profile No. ____ Notes Red ____ Plotted ____ Job No. ____ Division No. ____
Date ____ Date ____ Survey of FIRE LOT #81
X-Sec. No. ____ Notes Chk'd. ____ Checked ____ Survey by HCH Notes HCH Date Dec 74
Date ____ Date ____ Map No. ____ Index R. M. PALMER Date JAN 22 1975

JN 7572.02

BENCH LEVELS
FOR
FIRE LOT #81

STATION	B. S.	H. I.	F. S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

76-L-298 CE 307 5-66

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 3864 Pg. 84 | Job No. 7572.02 | Division No. | Notes Red | Plotted | Profile
Survey of FIRE LOT #81 | Date 1-6-75 | Date | No.
Survey by HCM. | Notes HCM | Notes Chk'd. KURATA | Checked | X-Sec.
Indexed T. M. PALMER | Date JAN 22 1975 | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.		
BM# VR 2				2488.715	FD. BM # VR2 ELEV. 2488.715 F.B. 3208-137	
					INT. AGUA DULCE CYN. RD. & ESCONDIDO CYN. RD. 0.28 MI. E'LY ALONG ESCONDIDO, 25' ± S. OF ℄ TOP E. END CONC. & ROCK HD. WALL, 18" CSPK. IRON CULVERT FD. "PE" CONC. NAIL IN CHISELED SQUARE. FIELD ADJ.	
+	10.795					
⊼		2499.510				
−			4.930			
S.W. COR. LOT.				2494.580	FD. S.W. COR. LOT ELEV. FD. 2" IP ℄ CIR. TAG. 2" UP. PER F.B.	F.B. 3864-84
+	6.735					
⊼		2501.315				
−			0.890			
N.W. COR. LOT				2500.425	FD. N.W. COR. LOT ELEV FD. 2" IP ℄ C.E. TAG. 1" UP PER F.B. 3864 - 32	F.B. 3864-84
+	8.970					
⊼		2509.395				
−			5.210			
N.E. COR. LOT				2504.185	FD. N.E. COR. LOT ELEV FD. 2" IP ℄ C.E. TAG 1" UP PER F.B.	F.B. 3864-84
+	2.190					
⊼		2506.375				

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.		
–			8.350			
T.B.M. #1				2498.025	FD. TBM #1 FLEV. FD. 1" I.P. W/ CE TAG. 1' UP. PER F.B.	F.B. 3864-85 1' N. OF S.E. COR OF LOT.
+	5.800					
⊼		2503.825				
–			3.000			
T.P.				2500.825		
+	7.100					
⊼		2507.925				
–			0.320			
T.P.				2507.605		
+	10.955					
⊼		2518.560				
–			3.905			
T.P.				2514.655		
+	11.330					
⊼		2525.985				
–			6.270			
T.P.				2519.715		
+	10.340					
⊼		2530.055				

Profile Notes Red Plotted Job No. 7572.02 Division No.
No. X-Sec. Date Date Date Survey of FIRE LOT # 81
No. Notes Chk'd. Checked F. MUNOZ Survey by HCH Notes HCH Date DEC. 26-74
Date Date 1-6-75 Map No. Index M. PALMER Date JAN 28 1975

F.B. 3864 PG. 85

F. B. 3864 PG. 86

7572.02

Job No. _____ Division No. _____ Notes Red _____ Plotted _____ Profile

Survey of FIRE LOT #81 Date _____ Date _____ No. _____

Survey by HCH Notes HCH Notes Chk'd. G. KURATA Checked _____ X-Sec.

Indexed T. M. PALMER JAN 22 1975 Date 1-16-75 Date _____ No. _____

STATION	B. S.	H. I.	F. S.	ELEV.	
BM#VR3					
			2.515	2527.540	FD BM#VR3
					ELEV 2527.537 FB 3208-139

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Notes C'k'd by	Survey of FIRE STATION #81
Map No.	JN 7572.02 Tape 205 Std 84 °F
Office Work	Surveyed by BITTEL
Checked	Notes BITTEL Date 2/75
Date	Indexed G. D. BAILEY FEB 26 1975

F. B. 3864 Pg. 87

J.N. 7572.02

FIRE STATION #81 WATER STORAGE TANK

ESTABLISHING P-LINES "F.L.-1" & "F.L.-2"
& LOCATION OF IMPROVEMENTS

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

PARTY
BITTEL
RITTER
SIDWELL

76F3095 CE # 310 3-61


F. B. 3864 PG. 88
TO BOT. PG. 89
(20)
(30)
EDGE PAV.
6 STRAND BARB WIRE FENCE 52" HIGH
(30)
(20)
12" CASING CAPPED WELL
3' X 3' CONC. STAND ON TOP OF PAD
1" PIPES
CONC. WELL PAD
3" WATER PIPE 45° RISER
6" C.P.D. W.T.R. RISER
7+27.0
7+15.0
7+14.0
6+95.2
6+40.4
6+30.4
5+94.3
5+90.8
5+80.7
5+23.8
5+20.7
5+08.8
4+97.9
3+98.9
3+02.0
2+08.8
1+23.8
30.0
30.5
37.5
13.2
11.0
9.2
21.0
12.0
11.1
9.7
20.7
33.2
31.6
31.8
32.5
12.3
10.0
10.1
11.5
10.4
10.8
32.8
11.0
10.2
11.8
ROCK & MORTAR HEADWALL
18" CULVERTS
6" C.P.D. WTR. RISER
ROCK & MORTAR HEADWALL
18" CULVERTS
3" WATER PIPE 45° RISER
WELL PAD
3' X 3' CONC. STAND ON TOP OF PAD, IN CTR.
CAPPED WELL 16" CASING
PROPOSED R/W
EXISTING R/W
ESCONDIDO CANYON ROAD
℄ LINE "E-1"
EDGE PAV.
EXIST R/W
PROPOSED R/W
6" CAPPED WATER RISERS
AGUA DULCE
℄ CYN. RD.
1+00 F.D. C.E. MON. PER PG. 59
AGUA DULCE CYN. RD.
(20)
(20)
(20)
(20)
(30)
(30)
(20)
(20)
(20)
(20)
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of FIRE STAT. #81 - WATER LINE
JN 7572.02 Tape 205 Std 84 °F
Surveyed by BITTEL
Notes BITTEL Date 2/75
Indexed G. D. BAILEY FEB 26 1975

F. B. 3864 Pg. 89

TO BOT. PG. 90

(20) (30) (30) (20)

14+00 8° 22°

13+50 11½ 18½

POST 33A
13+42.80
FD. S.W.I.T., FL.
PER PG. 60
13+40.5 27³ T.P.

13+26.8 25² D.M.

P-LINE "FL1" EDGE PAV. 6 STRAND BARB WIRE FENCE 3'± HIGH EXISTING R/W PROPOSED R/W

13+00 11⁴ 18⁸
12+00 11⁰ 17²
11+00 11⁹ 16⁶
10+00 11⁷ 14⁵

9+31.2 26²

9+22° 40° 3⁵X 3⁵ STONE GATE PILLARS, 8' HIGH

10' WIDE DIRT ROAD

9+07° 40° 3⁵X3⁵

PROPOSED R/W EXISTING R/W

ESCONDIDO CANYON ROAD

8+84.2 26⁵

8+74.5 34⁹

7+97.5 12² 11³ 10°

(20) (30) (30) (20)

TO TOP PG. 88

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3085 CE # 310 3-61

F. B. 3864 PG 90
TO BOT. PG. 91

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

ROAD
CANYON
ES CONDIDO

15+54.86
FD. 2" I.P.
PER PG. 61
P.I. "A"

15+26.2
51.8
15+93.3
15+75
15+00
14+58
14+34.15
FD. C.E. MON.
PER PG. 60
1/16 COR.
14+25
14+34.5

GAS H.H. WITH
2" PIPE GUARD RAIL

6 STRAND BARB WIRE FENCE, 3½' HIGH

℄ P-LINE "F.L."

EDGE PAV.

PROPOSED R/W
EXISTING R/W
EXISTING R/W
PROPOSED R/W

(VARIES) (30) (30) (VARIES)

TO TOP PG. 89

Notes Ck'd by	Survey of FIRE STAT. 81-WATER TANK
Map No.	JN 7572.02 Tape 205 Std. 84 °F
Office Work	Surveyed by BITTEL
Checked	Notes BITTEL Date 2/75
Date	Indexed G. D. BAILEY FEB 28 1975

F. B. 3864 PG. 91

TO LEFT PG. 92


(30)
(15)
(15)
(30)
PROPOSED R/W
ESCONDIDO CANYON ROAD
EXISTING R/W
EXISTING 6" C.I. WATER MAIN
PROPOSED 8" W.L.
EXISTING 8" W.L.
EXISTING 6" C.I. WATER MAIN
PROPOSED 8" W.L.
EXISTING 8" W.L.
EXISTING 6" C.I. WATER MAIN
EXISTING 8" W.L.
PROPOSED

F. B. 3864 PG 92

① 44-57-30
② 179-50-00
③ 269-45-00
44-37-30

INT. W. LOT LINE OF FIRE STAT. SITE #81 & PROPOSED ℄, FD. S.&W., FLUSH, PER PG. 82

18+10.41
SET 1" I.P. CONC. PL, ℄ C.E. TAG, DN. 2"

ESCONDIDO CYN. ROAD

EXISTING R/W

EXISTING ℄

PROPOSED ℄

182.00

EXISTING R/W

PROPOSED R/W

(30) (15) (15) (30) (15) (15) (30)

2+42.62
N.W. LOT COR.
FD 2" I.P. PER PG 82

2+26.5

2+20.2

1+86.3

1+83.5

14+300

TO TOP PG. 91

18+32.8

44°-57'-30"

182

24" GROUP OF 3 JUNIPER BUSHES 6' SPREAD

JUNIPER BUSH 6' SPREAD

P-LINE F.L.

1 STRAND CABLE FENCE 2½ HIGH

18+50

18+65.2

18+68.2

18+16.8

20

8

6

10' SPREAD JUNIPER BUSH

20FT. SPREAD JUNIPER BUSH

19+12.5

135

78

18

JUNIPER BUSH 6' SPREAD

10' DIA. JUNIPER

19+47.0

19+26.8

19+29.3

19+59.8

12+57.5

PROPERTY LINE

FIRE STATION SITE #81

1+71.5

15°

43.5

09'-30"

1 STRAND FENCE (CABLE 2½ HIGH)

19+85.5 E'LY
=1+55.00 N'LY
SET 1" I.P. CONC. PL
℄ C.E. TAG UP 1"

50°

1+47.4

12" DIA. JUNIPER

1+45.8

1+22.2

EDGE PAV.

5x5 ROCK

ROCK

1+13.1

1+01.0

TO WTR. TANK

1+00 N'LY
S.W. COR. FIRE LOT
FD. 2" I.P. PER PG. 81

① 70-09-50
② 280-38-00
③ 40-57-00
70-09-30

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of FIRE STAT. #81 - WATER TANK
Map No.	JN 7572.02 Tape 205 Std. 84 °F
Office Work	Surveyed by BITTEL
Checked	Notes BITTEL Date 2/75
Date	Indexed G. D. BAILEY FEB 26 1975

F. B. 3864 PG. 93

TO RIGHT PG. 91



① 132-55-30
② 171-42-20
③ 77-33-30
132-55-35

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309s CE#310 3-69

F. B. 3864 PG. 95

Profile No. | Notes Red | Plotted | Job No. 7572.02 | Division No.
Date | Date | Survey of FIRE STAT # 81 WATER TANK
X-Sec. No. | Notes Chk'd. | Checked | Survey by BITTEL | Notes BITTEL | Date 2/75
Date | Date | Map No. | Index L. D. BAILEY | Date FEB 26 1975

J.N. 7572.02

FIRE STATION #81 WATER STORAGE TANK

CROSS SECTIONS

ON

P-LINES "F.L.-1" & "F.L.-2"

PARTY

BITTEL
RITTER
SIDWELL

STATION	B.S.	H.I.	F.S.	ELEV.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

Do not extend notes this side of this line.

76-L-298 CE 307 8-70

76-L-298 CE 307 8-70

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 3864 Pg. 96

Job No. Z5722 Division No. Profile
Survey of FIRE STAT. 81 - WATER TANK Notes Red Plotted
Survey by BITTEL Notes BITTEL Date X-Sec.
Indexed G. D. BAILEY Date FEB 26 1975 Notes Chk'd. Checked No.

STATION	B. S.	H. I.	F. S.	ELEV.	P- LINE "FL-1"	
FD. T.B.M. N 1047A				2485 62	T.B.M. N 1047A ELEV = 2485.622 F.B. 3208-134 ℄ INT. AGUA DULCE CYN. RD. & ESCONDIDO CYN. RD. FD. CO. ENGR MON., 2" I.P. & BRASS CAP SET IN CONC. PN. 8" IN WELL & COVER 1/4 COR. SEC. 26, T5N R14W F.B. 1476-178 ADJ. ELEV. 2485.622	
2+00				82 55	℄	
				82 43	10.4 R. EDGE PAV.	
				82 8	12.3 R. TOP BRM.	
				76 8	23.2 R. BOT. BRM.	
				75 7	50.0 R.	
3+00				80 70	℄	
				80 69	11.3 R. EDGE PAV.	
				81 0	15.0 R. TOP FILL	
				76 6	23.2 R. BOT. FILL	
				75 6	50.0 R.	
4+00				79 58	℄	
				79 54	12.3 R. EDGE PAV.	
				79 5	16.3 R. TOP FILL	
				76 2	23.3 R. BOT. FILL	
				2474 7	50.0 R.	

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile No. Notes Red Plotted Job No. 7572.22 Division No.
X-Sec. No. Date Date Survey of FIRE STA. #81 - TANK & EASEMENTS
Notes Chk'd. Checked Survey by BITTEL Notes BITTEL Date 2/75
No. Date Date Map No. Index D. D. BAILEY Date FEB 26 1975

F. B. 3864 Pg. 97

STATION	B. S.	H. I.	F. S.	ELEV.	P-LINE "FL-1"
5+00				2478 66	℄
				78 54	13.2 R, EDGE PAV,
				789	17.2 R, TOP FILL
				761	23.3 R, BOT, FILL
				747	50.0 R,
5+08.8				7481	31.8 R, N.W, COR. WELL PAD
5+84.5				7823	℄
				7525	21.7 R, ℄ CULVERT
5+87.7				7823	℄
				7531	21.7 R, ℄ CULVERT
6+00				7826	℄
				7816	12.6 R, EDGE PAV,
				773	20.2 R, TOP FILL
				761	24.1 R, BOT. FILL
				750	50.0 R,
6+33.4				7805	℄
				7559	22.0 R, ℄ CULVERT
6+37.4				7804	℄
				7556	22.0 R, ℄ CULVERT
7+00				7757	℄
				2477 50	13.9 R, EDGE PAV,

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 Los Angeles County Engineering Bldg.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 3864 Pg. 98 | Job No. 7572.04 Division No. | Notes Red | Plotted | Profile
Survey of FIRE STATION #81 - WATER TANK | Date | Date | No. | X-Sec.
Survey by BITTEL Notes BITTEL | Notes Chk'd. | Checked | No.
Indexed G. D. BAILEY Date FEB 26 1975 | Date | Date

STATION	B. S.	H. I.	F. S.	ELEV.	P-LINE "FL-1"
7+00				2476 8	21.0 R. FLOW LINE
				75 4	50.0 R
7+15				7605	30.5 R. N.W. COR. WELL PAD
8+00				77 11	℄
				7696	12.2 R. EDGE PAV.
				768	20.3 R. FLOW LINE
				753	50.0 R.
9+00				7750	℄
				77,30	12.9 R. EDGE PAV.
				76.4	20.7 R. FLOW LINE
				75 1	50.0 R.
10+00				79 34	℄
				79 22	11.7 R. EDGE PAV.
				790	20.9 R. TOP FILL
				761	26.5 R. BOT FILL
				750	50.0 R.
11+00				81 56	℄
				81 57	11.0 R. EDGE PAV.
				818	18.7 R. TOP FILL
				797	24.1 R. BOT. FILL
				2477 9	50.0 R.

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	P-LINE "FL-1"
12+00				2484 29	℄
				84 32	11.0 R. EDGE PAV.
				85 0	19.4 R TOP FILL
				82 2	25.2 R BOT. FILL
				80 9	50.0 R.
13+00				87 71	℄
				88 06	11.4 R, EDGE PAV,
				88 7	18.2 R. BOT. CUT
				90 4	2.66 R. TOP CUT
				89 6	50.0 R.
13+50				89 18	℄
				89 63	11.4 R. EDGE PAV.
				89 8	19.5 R. BOT. CUT
				92 1	27.0 R. TOP CUT
				91 8	50.0 R.
14+00				90 37	℄ OF P-LINE
				90 53	7.8 R EDGE PAV.
				90 6	22.7 R END CUT
				91 3	28.5 R BREAK
				88 1	50.0 R
				2490 18	4.1 L. CENTER OF PAV,

Profile Notes Red Plotted Job No. 7572.02 Division No.
No. Date Date Survey of FIRE STATION #81 WATER TANK
X-Sec. Notes Chk'd. Checked Survey by BITTEL Notes BITTEL Date 2/75
No. Date Date Map No. Index G. D. BAILEY Date FEB 26 1975

F. B. 3864 PG. 97

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F.B. 3864 Pg. 100 Job No. 7512.02 Division No. Notes Red Plotted Profile
Survey of FIRE STATION #81 WATER TANK Date Date No. X-Sec.
Survey by BITTEL Notes BITTEL Notes Chk'd. Checked No.
Indexed G. D. BAILEY Date FEB 26 1975 Date Date

STATION	B. S.	H. I.	F. S.	ELEV.	P-LINE "FA-1"
14+50				249126	℄ OF P-LINE
				9130	2,0 R. EDGE PAV,
				915	7,1 R. TOP FILL
				899	13,5 R, BOT. FILL
				897	23,2 R. TOP BRK,
				875	29.6 R. BOT BRK.
				864	50,0 R,
				9088	10,4 Lt. CENTER OF PAV,
15+00				913	℄ P-LINE (SLOPE)
				879	7.9 R. BOT FILL
				875	22.8 R. TOP BRK,
				865	27.2 R. BOT, BRK,
				852	50.0 R,
				919	1.8 Lt. TOP FILL
				9165	7.0 Lt, EDGE PAV,
				9128	18.9 Lt, CENTER OF PAV,
15+50				863	℄ P-LINE & BOT. FILL
				842	50.0 R,
				925	13.7 Lt, TOP BRM,
				920	15,3 Lt FLOW LINE
				24918	19.2 Lt, EDGE PAV,

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	P-LINE "F.L.-1"
15+50				2491 71	30, 3 Lt CENTER OF PAV.
FD. T.B.M. V R 2				2488 72	T. B. M. V, R, 2 ELEV = 2488, 715 F.B. 3208-135 INT. AGUA DULCE CYN. RD & ESCONDIDO CYN. RD, 0.28 MI. E'LY ALONG ESCONDIDO CYN. RD. 25FT. ± S. OF ℄, TOP E. END CONC. & ROCK HD. WALL 18" CORR. IRON CULVERT, SET "PK" CONC, NAIL IN CHISELLED SQUARE FIELD ADJ. ELEV. 2488 715
15+60				865	℄ P-LINE & BOT FILL
				842	50,0 R.
16 +00				881	℄ P-LINE (SLOPE)
				857	6,9 R, BOT. FILL
				844	50,0 R.
				924	8,8 L, TOP BRM.
				923	9,8 L, FLOW LINE
				9234	12,2 L. EDGE PAV.
				9214	24,6 L. CTR. OF PAV.
16+124				8518	5,5 R. FLOW LINE CULVERT
16+50				909	℄ P-LINE (SLOPE)
				867	8,0 R. BOT FILL
				857	50,0 R,
				934	4,5 L, TOP BRM
				24930	6.0 L. FLOW LINE

Profile Notes Red Plotted Job No. 7522 Division No.
No. Date Date Survey of FIRE STAT. # 81 TANK & EASEMENTS
X-Sec. Notes Chk'd. Checked Survey by BITTEL Notes BITTEL Date 2/75
No. Date Date Map No. Index G. D. BAILEY Date FEB 26 1975

F. B. 3864 Pg. 101

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 3864 Pg. 102 Job No. 75Z02 Division No. Notes Red Plotted Profile No.
Survey of FIRE STAT #81 WATER TANK Date Date No. X-Sec.
Survey by BITTEL Notes BITTEL Notes Chk'd. Checked No.
Indexed D. BAILEY Date FEB 26 1975 Date Date

STATION	B. S.	H. I.	F. S.	ELEV.	P-LINE "F.A.-1"
16+50				2493 05	7.0 L. EDGE PAV
				92 75	19.2 L, CENTER OF PAV,
17+00				93 2	℄ P-LINE (SLOPE
				90 5	6.0 R BOT. FILL
				90 2	19.6 R,
				92 2	50.0 R,
				94 2	2.2 L, TOP BRM.
				93 8	3.8 L, FLOW LINE
				93 75	4.5 L, EDGE PAV.
				93 65	16.8 L, CTR OF PAV,
17+50				94 4	℄ P-LINE ℄ END OF FILL
				93 3	10.0 R,
				93 3	25.0 R.
				92 8	50.0 R,
				94 44	3.5 L. EDGE PAV,
				94 23	15.2 L. CTR. OF PAV,
18+00				95 4	℄ P-LINE
				95 2	10.2 R.
				94 2	16.2 R,
				94 1	31.5 R.
				2495 63	3.0 L, EDGE PAV,

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

Profile Notes Red____ Plotted____ Job No. 757402 Division No.____
No.____ Date____ Date____ Survey of FIRE STATION # 81 WATER TANK
X-Sec. Notes Chk'd.____ Checked____ Survey by BITTEL Notes BITTEL Date 2/75
No.____ Date____ Date____ Map No.____ Indexed G. D. BAILEY Date FEB 26 1975

F.B. 3864 Pg. 103

STATION	B. S.	H. I.	F. S.	ELEV.	P-LINE "FL-1"	
18+00				2495 41	15.0 L. ℄ PAV,	
18+10 HI				2495 8	℄ P-LINE (X PT.) (GRD.)	
18+22				956	℄ P-LINE (TOP BRK.)	
				9631	14.5 L, EDGE PAV,	
				9645	32.2 L, CTR PAV,	
18+40				9400	℄ P-LINE (BOT BRK)	
				9300	20.0 R,	
				966	23.0 L. TOP BRK,	
19+00				938	℄ P-LINE	
				932	20.0 R,	
				945	20.0 L,	
19+29.3				9424	℄ P-LINE (W. EDGE ROAD)	
19+57.6				9482	℄ P-LINE (E EDGE ROAD)	
19+66				9370	℄ P-LINE (BRK)	
FD. N, W, COR, LOT.				2500 43	N. W. COR. LOT ELEV = 2500.425 F.B. 3864-84 FD. 2" I.P. & C.E. TAG 1" UP PER F.B. 3864-82	

76-L-298 CE 307 5-66

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

F. B. 3864 PG. 104 | Job No. 7572.02 Division No. | Notes Red | Plotted | Profile
Survey of FIRE STATION #81 WATER TANK | Date | Date | No.
Survey by BITTEL Notes BITTEL | Notes Chk'd. | Checked | X-Sec.
Indexed G. D. BAILEY Date FEB 26 1975 | Date | Date | No.

STATION	B. S.	H. I.	F. S.	ELEV.	P-LINE "FL-2"
FD. TBM VR-2				2488 72	T, B, M. V.R.2 ELEV.=2488.715 F.B. 3208-135 INT. AGUA DULCE CYN. RD. & ESCONDIDO CYN. RD. 0.28 MI. E'LY ALONG ESCONDIDO CYN. RD. 25 FT. ± S. OF ℄, TOP E, END CONC. & ROCK HD. WALL 18" CORR. IRON CULVERT; SET "PK" CONC. NAIL IN CHISELLED SQUARE FIELD ADJ. ELEV = 2488.715
0+96.7				937	℄ P-LINE (TOP FILL)
1+00				914	℄ P-LINE (SLOPE) (DIRT)
1+06.6				886	℄ P-LINE (BOT FILL)
1+36				877	℄ P-LINE
				852	20.0 R
				897	20.0 L
1+52				891	℄ P-LINE
				867	5½ R
				855	20° R
				903	3° L,
				892	9° L,
				906	20° L,
1+65				880	℄ P-LINE
				856,	20° R,
				904	20° L,
1+85				882	℄ P-LINE (TOP BRK)
				24866	4.5 R BOT BRK

76-L-298 CE 307 8-70

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

STATION	B. S.	H. I.	F. S.	ELEV.	P-LINE "F.L.+2"
1+85				2486 3	20.0 R.
				88 3	8.0 L.
				89 2	20.0 L
2+00				87 1	℄ P-LINE
				86 5	20.0 R.
				88 2	20.0 L
2+28				87 4	℄ P-LINE
—				87 1	11.6 L. (EDGE PLANTER AREA)
				87 4	20.0 L,
2+33				86 8	℄ P-LINE (EDGE PLANTER)
				86 4	20.0 R,
				87 1	20.0 L.
2+53				86 5	℄ P-LINE
				86 3	20.0 R.
				87 1	15.0 L.
2+56 96				86 8	℄ P-LINE (GROUND)
FD, T.B.M. V.R. 2				2488 72	T.B.M. V.R. 2 ELEV. = 2488.715 F.B. 3208-135 INT. AGUA DULCE CYN. RD. & ESCONDIDO CYN. RD. 0.28 MI. E'LY ALONG ESCONDIDO CYN. RD. 25 FT. ± S. OF ℄, TOP E. END CONC. & ROCK HD. WALL 18" CORR. IRON CULVERT. SET "PK" CONC. NAIL IN CHISELLED SQUARE FIELD ADJ. ELEV. 2488 715

Profile Notes Rel____ Plotted____ Job No. 2672.02 Division No.____
No.____ Date____ Date____ Survey of FIRE STATION #81 WATER TANK
X-Sec. Notes Chk'd.____ Checked____ Survey by BITTEL Notes BITTEL Date 2/75
No.____ Date____ Date____ Map No.____ Indexed R.D. BAILEY Date FEB 26 1975

F. B. 3864 PG. 105

Notes Ck'd by	Survey of AGUA DULCE CANYON RD
Map No.	JN 00954 Tape 240 Std 84 °F
Office Work	Surveyed by K.L. STRADER
Checked	Notes R.L.S. Date 7-7-77
Date	Indexed L. M. PALMER JUL 18 1977

F. B. 3864 Pg. 107

AGUA DULCE CANYON ROAD

J.N. 0095.44

Location of abandoned water well near Agua Dulce Canyon Road and Southerly of Antelope Valley Freeway.

July 7, 1977

Reference

F.B. 1476

Survey Party

R. Strader
J. Falsey
E. Moya
P. Boyeth

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

F. B 3864 Pg 108

INDEX MAP



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of AGUA DULCE ROAD
JN 009544 Tape 240 Std 84 °F
Surveyed by K.L. STRADER
Notes K.L.S. Date 7-7-77
Indexed JUL 18 1977

F. B. 3864 PG. 109