Notes Cmld by
Map No.
Office Work
Checked
Date

Survey of K.W.D. #29 Winding Way
JN 0303.00 Tape 4 Std 84 °F
Surveyed by Tom Mankey
Notes Tom Date 6-8-77
Indexed D. BAILEY MAY 22 1978

F. B. 3886 PG. 5

J.N. 030300

WATER WORKS DIST. NO 29

CENTERLINE IN

WINDING WAY from

A POINT 1500± EAST OF

DEBUTTS TERRACE E'LY

TO END OF WINDING WAY

Mankey Jr.
Dover
Maher
Davis

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not detach this label

76F309S CE#310 3-68

Microfilmed June 83

F. B. 3886 Pg 6

INDEX MAP



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of W.W.O. #29 Winding Way
JN0303.00 Tape 4 Std. 84 °F
Surveyed by Tom Mankey
Notes Tom Dated 6-9-72
Indexed G. D. BAILEY MAY 23 1972

F. B. 3886 Pg. 7

BOT Pg. 14

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

64.63 @ T-66° = 64.62
299.57 @ T-66° = 299.53
7.28 @ T-66° = 7.28
371.43
2.95 @ T-66° = 2.95
374.38

24.79
155.37
223.09
403.25
2.95
400.30

Perf. B.3143-196 Fd. Ch. point

2.95 @ T-66° = 2.95

91.88' T-66°
91.87' Δ=104°08' = 89.09'
92.13' T-66°
92.12' Δ=104°44' = 89.09
4.16 @ T-68° = 6.16
95.25

69.86' T-78°
69.86' Δ=95°59' = 69.48'
2.35 @ T-78° = 2.35
71.83

72.19' T-78°
72.19' Δ=95°44' = 71.83'

183.40' T-78°
183.39' Δ=91°46' = 183.31
183.38' T-78°
183.37' Δ=91°27' = 183.31
255.14'

Set nothing at 90° to it

1) 92° 35' 30"
4) 14° 22' 00"
6) 195° 33' 00"
92° 35' 30"

(LOT COR. & TR. LN. & PT. Fd. 2" I.P. Conc. Plug & R.E. #759, Fl, per R. 12935 & F.B. 3143-196

5.00

1/4 270.02

1209.35

LOT COR. & PT. of Beginning for O.R. 20193-345 established by Single Proportion along Tract Ln. at 270 x 774.68 = 270.02 774.62 Nothing Set

5' Offset Line

374.48'

LOT 8

LOT 9

INT. of 5' offset lines set a 1"x2" Stk. & nail, Flush.

Deed Ln. & O.R. 20195-371

O.R. 20193-345 Sewer Deed

N37° 57' 23" W 310.01'

5' off of Deed Ln.

302.22 Calc. #M

92° 35' 30"

95.25

TRACT LINE

S 81° 32' 47" W

504.66

443.62

55.61

P.O.T. Set a 1"x2" Stk. & nail Flush

INT. of S'off. Ln. & that certain course in O.R. 20193-345 that reads "thence N 8° 02' 43" W 321.80" Proded S'ly. Set a 1"x2" Stk. & Nail

To Bot. of Pg. 8

N 8° 02' 43" W 255.14'

400.30

94.49' T-66°
54.48 Δ=274°53' = 54.28'
1.33 @ T-66° = 1.33
55.61'
55.94' T-66°
55.93' Δ=83°53' = 55.61'

From Top Pg. 13

76F3095 CE#310 3-68

F. B. 3886 PG 8

92.35 T=70°
92.34 Δ=95°41' = 91.89'
92.25 T=70°
92.24 Δ=94°57' = 91.89'

58.76 @ T=70° = 58.75
150.64

To Bot. PG. 9

150.64'

N 5° 08' 57" E 140.00'

1) 166° 48' 10"
A) 307° 12' 40"

6) 280° 49' 00"
166° 48' 10"

Fd. a 2" I.P. no plug, 6" up usual ctr., no ref. Good Cond.

5' Offset Ln. & Pt. Set a 1x2" 3th & nail, flush, the O.R. 20193-345 record from the South

4.55'

88° 02'

166° 48' 10"

O.R. 20193-345

O.R. 20195-371

323.71'

5' offset Ln.

N 8° 02' 43" W 321.80'

169.91 T=84°
169.91 Δ=84°47' = 169.21'
3.76 @ T=84° = 3.76
172.97

173.77 T=84°
173.77 Δ=275°30' = 172.97

151.36 T=84°
151.36 Δ=275°09' = 150.75'
151.40 T=84°
151.40 Δ=275°22' = 150.74'
323.71

150° 05' 08"

72° 18'

6.36'

Fd. a 2" I.P., conc. plug, tag impression, # nail, flush, no ref. Good cond.

5' off Ln. & Pt. Set a 1x2" 3th & nail the O.R. 20193-345 record from the South

1) 150° 05' 20"
A) 240° 20' 40"

6) 180° 30' 45"
150 05 08"

N 37° 57' 22" E 310.01'

302.29' Calc. Mea.

1552.14'

To LT. PG. 7

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.


Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of W.W.D. '29 Winding Way
JN 0303.00 Tape 4 Std 84 °F
Surveyed by Tom Maulkey
Notes Tom M. Date 6-7-72
Indexed G. D. BAILEY MAY 23 1973
F. B. 3886 PG. 9
W.S. 92, B-4
POST Set a 1"x2" stk & nail, flush, per the calc position from the South (O.R. 20193-345 replaced with lip Plug & Tag
1) 147° 49' 50"
4) 231° 19' 20"
6) 166° 59' 00"
147° 49' 50"
93.28 @ T=76° = 93.28'
B.C. Set a 1" I.P. at calc dist 93.28' from P.O.S.T. along tan. & conc. plug & C.C. Tag 8"dn.
266.96'
93.28'
L= 58.70'
R= 55.45'
WAY
102.41' long Chord
20.22'
112° 38' 37"
Set a 1" I.P. Conc. Plug & C.C. Tag 12"dn.
Top Pg. 10
Set a 1"x2" stk & nail, Flush, the O.R. 20193-345 record from the South
O.R. 20193-345 & Curve Data
Δ= 60° 39' 14"
R= 55.45'
L= 58.70'
1) 26° 25' 20"
4) 105° 41' 20"
6) 158° 31' 40"
26° 25' 17"
1) 112° 38' 40"
4) 90° 34' 30"
6) 315° 51' 40"
112° 38' 37"
102.42' @ T=74° = 102.41'
Tan. Pg. 27
Prod.
O.R. 20195-371 & Curve Data
Δ= 74° 02' 18"
R= 55.45'
L= 71.65'
Fd. 2" I.P. Conc. Plug & nail, fl. per no ref.
1.8' Lt.
S 0° 09' 07" E 140.00'
S. Offset Ln.
150.64'
O.R. 20193-345
O.R. 20195-371
Total & Curve Data
Δ= 134° 41' 32"
R= 55.48'
L= 130.35'
T= 132.84'
Adj. Total & Curve Data
Δ= 134° 42' 46"
R= 55.48'
T= 33.00'
L= 130.44'
147.80' T=70°
147.79' Δ=79° 39' = 145.39'
147.94' T=70°
147.94' Δ=79° 22' = 145.39'
73.70' @ T=70° = 73.69'
2908
From Top Pg. 8
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.
PLEASE RETURN TO COUNTY OF LOS ANGELES DEPARTMENT OF COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.
76F3095 CE#310 3-68

W.S. 92, B-4

F. B. 3886 Pg 10

1) 155° 40' 30"
4) 262° 42' 00"
6) 214° 03' 00"
155° 40' 30"

1 266.81' T-68°
266.78' Δ-88°13' = 266.65'
0.31 @ T-68° = +.31
266.96

267.13' T-68°
267.10' Δ-88°09' = 266.96

From Lt. Pg. 9

WAY
266.96'
S 10° 54' 00" W 133.68'

O.R. 20193-345
& Curve Data
Δ = 24° 19' 30"
R = 185.60'
T = 40.00'
L = 78.80'

30'
40'
155°
(C0)
(C0)

Set 1" I.P., conc. Plugs & C.E. Tags, 12" dn.

L = 78.80
T = 40.00
113° 49'
15.25'
9.24'
38.42'
R = 185.60'

Fd. Sq. Hd. Spk's & Tins, Tied per F.B. 3143 - 186

P.I. Set a 1" I.P., conc. plug & C.E. Tag, 3" dn, the O.R. 20193-345 record from the North lies offedge of pav, not as shown

WAY
S 35° 13' 30" W 54.42'
124.42'

To Top of Slope

O.R. 20193 - 345

122.61 @ T-68°
1.82 @ T-68° = 122.60 + 1.82
124.42

124.44' T-68°
124.43' Δ-89°13' = 124.42

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of W.W.D. #29 Winding Way
Map No.	JN 0303.00 Tape 4 Std. 84 °F
Office Work	Surveyed by Tom Maukey
Checked	Notes Tom Date 6-72
Date	Indexed G. D. BAILEY MAY 23 1973

F. B. 3886 PG. 11

From Lower Lt. Pg. 10



O.R. 20193-345

146.16' T-68°
146.14' Δ = 89° 12" = 146.12'
3.03' @ T-68° = 3.03'
149.21' T-68°
149.19' Δ = 88° 40" = 149.15'

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

F. B. 3886 Pg 12

1) 154° 05' 50"
4) 256° 23' 20"
6) 204° 35' 00"
154° 05' 50"

From Lt. Pg. 11

W.S. 93-4

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

O.R. 20193-345
℄ Curve Data
Δ = 25° 54' 10"
R = 173.93'
T = 40.00'
L = 78.63'

108.08' @ T-68°
= 108.07'

N 57° 51' 10" W 79.15'
N 57° 51' 10" W 149.15'

L = 78.63

(R) (R) 103.24'

Set nail, C.E. Tag & Tin, 3' up in P.P.

Set nail, C.E. tag & tin, 12" up in a 12" Cum tree

Fd. Sq. Hd. Spk's & Tins) Per F.B. 3145, 183

18.46'

18.53'

N.W. Cor. O.R. 20193-345 Set a 1" I.P., Conc. plug & C.E. Tag, 2' dn., the O.R. 20193-345 record from the East

P.I. Set a 1" I.P., Conc. Plug & C.E. Tag, 8' dn., the O.R. 20193-345 record from the East (lies on edge of road)

R = 173.93'

Set Sq. Hd. Spk. & Tin, 0.9' dn. Road.

79.02'

108.07'

N 38° 45' 20" W 68.07'

O.R. 20193-345
1) 72° 34' 45"
4) 290° 19' 00"
6) 75° 28' 30"
72° 34' 45"

F.B.

4.58'

Set Sq. Hd. Spk. & Tin, flush

3.36'

72° 34' 45"

Set 1" I.P., Conc. Plug & C.E. Tag, 12' dn.

61.23'

S 23° 39' 55" E 550.68'

545.42'

Set nail, C.E. Tag & Tin, 3' up in P.P. No. none

To Lt. Pg. 13


Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of W.W.O. 29 Winding Way
JN 0303.00 Tape 4 Std 84 °F
Surveyed by Tom Mankey
Notes Tom Date 6-72
Indexed G. D. BAILEY MAY 23 1973
F. B. 3886 PG. 13
W.S. 92, B-4
To B.O.T. Pg. 7
1) 108° 12' 30"
4) 72° 50' 20"
6) 289° 15' 20"
108° 12' 33"
O.R. 20193-345
108° 12' 33"
Per F.B. 3143-196
443.62'
443.62' more or less To Pt. at beginning
284° 32' 47" E
NOTE: O.R. 20193-345 is Senior deed to adjoiners and closes within its self. All angle pts, & curves etc. pgs 7 thru 13 from pt. of beginning will be adjusted to this point.
Adjoiners O.R. 20193-371 & O.R. 20234-88 will share common adjusted S Bdy's
S 23° 39' 55" E
545.42'
550.68'
5.26
From B.O.T. Pg. 12
INT. Set a 1"x2" Stk. & nail, flush, by Int.
S. of L.L.
400.30
61.05
61.06 @ T=68° = 61.05'
S.W. COR. O.R. 20193-345 Established 443.62' S 84° 32' 47" W of Pt. of Beg. set a 1" I.P. Conc. Plug & C.E. Tag, flush.
O.R. 20234-89
Set nothing on 90° to fd. 1½" I.P.
5.00
N.E. COR. LOT 10 T.R. 12935 Fd a 1½" I.P. Conc. Plug & R/E #759 Per T.R. #12935 & F.B. 3143-184, flush
11.91 @ T=68° = 11.91'
299.43' T=68°
299.40' Δ=97°31' = 296.83'
299.33' T=68°
299.30' Δ=97°22' = 296.83'
61.87 @ T=68° = 61.86'
175.33' T=68°
175.31' Δ=85°44' = 174.82'
175.37' T=68°
175.35' Δ=85°33' = 174.82'
545.42
T 1 S R 9 W
PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
76F3095 CE#310 3-68

F. B. 3886 PG. 14

To Bot. Pg. 15

201.11 T=70°
201.09 Δ=268°27 = 201.01
201.10 T=70°
201.08 Δ=268°27 = 201.01

19.01 @ T=70° = 19.01

P.O.T. Set a 1"x2" stk. & Nail at 90° to the fd. 2" I.P., I.L.P

201.01

19.01

0.63

0.81

Fd. a 2" I.P., Wd. plug & R.C.E. 472, flush

LOT 6

LOT 7

P.O.T. set a 1"x2" stk. & nail, flush, at 90° to fd. 2" I.P.

Ret. of 10 offset Ln. 237.42

Ret. of 10 offset Ln. 199.96

161.60 T=70°
161.59 Δ=88°09 = 161.51
161.63 T=70°
161.62 Δ=87°52 = 161.51

75.92 @ T=70° = 75.91
23742

P.O.T. Set 1"x2" stk. & N flush,

P.O.T. set a 1"x2" stk. on adj. 9.96' off set i-a

0.50

2369

281.63 T=70°
281.60 Δ=86°52 = 281.18
281.71 T=70°
281.68 Δ=86°37 = 281.19

81.86 T=70°
81.85 Δ=24°00 = 80.84
81.75 T=70°
81.74 Δ=24°30 = 80.84
362.02

Q TR. L.J.

362.02

Set a 1"x2" stk. & nail, fl., 90° to 2" I.P.

Tr. Lu. & Lot Cor. fd. a 2" I.P., conc. plug, & R.E. #759, fl., bear Tr. 12935 & 6844/43 Pg. 196 & F.B. 3886-7

9.96

10.00

LOT 7

LOT 8

Set a 1"x2" stk. & nail 90° to 2" I.P., fl., removed

1) 161° 28' 25"
A) 285° 54' 00"

6) 248° 51' 10"
161° 28' 32"

1) 161° 24' 00"
A) 285° 36' 10"

6) 248° 24' 20"
161° 24' 03"

161° 28' 32"

24.03'

29.72

31.36

INT. Set a 1"x2" stk. & nail the calc. dist. W. of Tr. Lot. to fall on 10' off & Ln. at int. with Tr. Ln. Adj. off set = 9.96'

31.36 @ T=70° = 31.36
29.72 @ T=70° = 29.72

19.00

10.00

P.O.T. fd. a 1"x2" stk. & nail fl. on 5' off Ln. per Pg. 7

Set a 1"x2" stk. & nail 90° to fd. 1"x2" stk. (, fl.)

To top Pg. 7

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of W.O. #29 Winding Way — F. B. 3886 PG. 15
JN 030300 Tape #4 Std. 84 °F
Surveyed by Tom Mankey
Notes Tom M. Date 6-72
Indexed G. D. BAILEY MAY 23 1973

To Bot Pg 16

1984 7-32

O.R.

Point of Beginning Established between nearest fd original monuments by simple proportion
1000 / 2662.01 x 2661.50 = 999.81' from West
nothing set, lies against post

Ret. P.O.T. set a 1"x2" stk & nail flush

N 65° 56' 50" E 470.00

469.45

0.19

11.69

0.36

LOT 5
LOT 6

1) 79° 20' 10"
4) 317° 20' 40"
6) 116° 00' 50"
79° 20' 08"

3.98

1.38

10.65

Fd a 1½" IP, wd. plug L.S. 2572, ft., not original I.P., not held

Deed Ln
N 44° 48' 27" W
722.43

P.O.T. set a 1"x2" stk & nail at int with Deed Ln, flush

90.35 T=70°
90.34 ÷ 99°30' = 89.10
90.25 T=70°
90.24 ÷ 99°06' = 89.10

109.19 T=70°
109.18 ÷ 105°45' = 105.08
5.37 @ T=70° = 5.37
110.45

114.46 T=70°
114.45 ÷ 105°12' = 110.45

89.10
10.46
199.55

199.55' to ℄

Offset Ln

Ret. of 10 offset Ln

Adj. 9.96 offset Ln

377.59

T.R. Ln

Ret. P.O.T. Set a 1"x2" Stk & nail, flush

11.73

0.09

Fd a 2" I.P. Counc. Plug & R.E. 2088, 2" up

To Bot Pg 18

79° 20' 08"

Z 01.01

19.01

677.29

℄ T.R. Ln

1 OT of 9.96 offset Ln ≠ that certain course in O.R. 19847-321 that reads "N 13° 23' 10" W 212.112' " proded S 13° 23' 10" E to int. set a 1"x2" stk & nail

Assumed Coordinates for Deed Adj. N 3853.65 E 3647.70

O.R. 20298

From Top Pg. 14

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE#310 3-68

F. B. 3886 PG 16

To Bot. Pg. 17

286.22 T=70°
286.19 Δ=97°23' = 283.82'
286.15 T=70°
286.12 Δ=97°17' = 283.81'

Ret. P.O.T. Set a 1"x2" stk. & nail at 90° to 2" I.P.

(Fd. 2" I.P., no plug, used ctr., 2" up

12.35'

12.49

112.53 T=78°
112.53 Δ=271°29' = 112.49
112.55 T=78°
112.55 Δ=271°48" = 112.49

112.49
167.15
279.64

163.18 T=78°
163.17 Δ=92°30 = 163.01'
4.14 @ T=78° = 4.14
167.26 T=78°
167.25 Δ=92°01' = 167.15'

Ret. P.O.T. Set a 1"x2" stk. & nail, Fl. at 90° to & 2" I.P.

Ret. of 10.0 off Adj. Trav. Line

279.64'

Adj. Trav. Line

Fd. 2" I.P., Cone Plug & R.C.E. # 2088, 1/2" up (not original tag)

Deed Coords for 9.96 off set Lin. N 4201.43 E 4426.94

Int. set a 1"x2" Stk. & nail by Int. Adj. Trav. Coords N 4201.56 E 4427.13

From Bot. Pg. 23

2.71 Ln

657.28'

Deed Ln.

Lot 4
Lot 5

12.03'

50.05 @ T=76° = 50.05

Established by the O.R. 19847-321 Tract Ln. of 470.00' from Beginning. Nothing set

rec. along 165.56' S 0°56' E to Point of

12.12'

16°04'40"

12.17'

Fd. 2" I.P. Wd. plug & L.S. 2572, 6" up, leaning S.Ly not held

Ret. P.O.T. set a 1"x2" stk. & nail flush at 90° to Fd. 2" I.P.

O.R. 19847-321

1) 101° 04' 40"
4) 44° 18' 30"
6) 246° 28' 00"
101° 04' 40"

70.32 T=68°
70.31 Δ=70°39 = 66.34'
70.05 T=68°
70.04 Δ=71°17 = 66.34'

1) 101° 05' 20"
4) 44° 21' 20"
6) 246° 32' 20"
101° 05' 23"

62.11 T=68°
62.10 Δ=96°06 = 61.75'
62.18 T=68°
62.17 Δ=96°43 = 61.74'

299.16 T=68°
299.13 Δ=84°30 = 297.75'
299.05 T=68°
299.02 Δ=84°46 = 297.77'
43.61 @ T=76° = 43.61'
469.45

S 69°45' E 469.45

N 69°56' E 470.00

From Top Pg. 15

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of W.W.D. 29 Winding Way
Map No.	JN 0303.00 Tape 4 Std 84 °F
Office Work	Surveyed by Tom Mankey
Checked	Notes Tom M. Date 6-72
Date	Indexed G. D. BAILEY MAY 23 1973

F. B. 3886 PG. 17

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Ret. P.O.T. set 1"x2" stk. & nail, Fl. sly 90° to Ed. 2' I.P.

13.42

T.R. OR Fd. Orig. 2" I.P. Lead Plug, 0.59 Dep. T.T. 129 35, 6 OP in good cond. hold

36.87 @ T=70° = 36.87

145.13 T=70°
145.12 Δ=2°46' = 144.62
145.22 T=70°
145.21 Δ=27°51' = 144.62

183.14 T=66°
183.12 Δ=95°31' = 182.27
183.00 T=66°
182.98 Δ=95°01' = 182.28

131.54 T=66°
131.52 Δ=88°07' = 131.45
131.58 T=66°
131.56 Δ=87°38' = 131.45

83.35 @ T=66° = 83.34

578.55

578.55 offset line

Ret. of 10 offset line

Adj. 9.96

LOT 2
LOT 3

Searched 5' dia., 1.2' dn., fd. nothing, lies in plowed field

Ret. P.O.T. Set 1"x2" stk & nail, fl.

2.72

93.53

17.62

Fd. 1½" I.P., Lone Plug in L.S. 2743, 2' dn.

2.60

283.81

From 100 Pg. 16

76F309S CE#310 3-68

F. B. 3886 PG. 18

To Rt. of Pg. 19

1) 6° 00' 50"
4) 24° 03' 30"
6) 36° 05' 20"
6° 00' 53"



From Lt. Pg. 15

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Winding Way
JN 0303.00 Tape 74 Std. 84°F
Surveyed by Tom Manley
Notes Tom M. Date 7-72
Indexed G. D. BAILEY MAY 23 1973

F. B. 3886 PG. 19

To Bott. Pg. 20

O.R. 19847-321
℄ Curve Data
Δ = 36°14'25"
R = 91.68'
T = 30.00'
L = 57.99'

L=519.69'

118.45 T=64°
118.43 Δ=277°25" = 117.44'
1.29 @ T=64° = 1.29
119.80 T=64°
119.78' Δ=277°36" = 118.73'

O.R. 19847-321

(20) WAY (20)

88.72' R
118.73'

WINDING

105° 41' 03"
105° 40' 33"

1) 105° 41' 00"
4) 62° 44' 20"
6) 274° 06' 20"
105 41 03"
1) 105° 40' 40"
4) 62° 42' 20"
6) 274° 03' 20"
105° 40' 33"

N 7° 22' E

Dead Angle Pt. ℄ C.
Coord's N 4967.49
E 3409.62
Set 5/8" I.P. Conc.
Plug & C.E. Tag, Bdy

N45°E
0.07

10' W Dead Ln.
250.65'
T=L=250.65'

R=77.22'
L=73.42'

O.R. 20298

O.R. 20298
Curve Data
Δ = 54°28'30"
R = 77.22'
T = 39.75'
L = 73.42'

Set 1"x2" Stk
w/ nail, fl. the O.R.
19847-321 cor.
from the So.
adj. trav. Coords
N 4967.44
E 3409.57

39.75'

To Rt. Pg. 32

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 3886 Pg. 20

To Bo/T. Pg. 21



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Ink With Date and Name of Person Making Change.

O.R. 19847-320


Notes Ck'd by
Map No.
Office Work
Checked
Date
Survey of Winding Way
JN 0303.00 Tape A Std 84 °F
Surveyed by Tom Mankey
Notes Tom M. Date 7-72
Indexed G. D. BAILEY MAY 23 1973
F. B. 3886 PG. 21
WS.92.B-4
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
To Lower Lt. Pg. 22
From Top Pg. 20
1) 52°41'40"
4) 210°47'00"
6) 316°10'00"
52°41'40"
1) 27°18'20"
4) 149°13'40"
6) 49°50'00"
127.18'20"
S82°53'E 0.08'
Detail 2"stk. incl. the O.R. 19847-320 ref. from the S.W. adj. Prop. Coords. N 5224.96 E 3745.01 removed
R=181.72'
L=167.13'
52°41'40"
1,566°39'50" W
341.77'
234.28 T·70°
234.26 Z·26625 = 233.80
234.24 T·70°
234.22 Z·266°36 = 233.81
107.98 @ T·70° = 107.97
341.77
O.R. 19847-320
℄ Curve Data
Δ = 52°41'40"
R = 181.72'
T = 90.00'
L = 167.13'
P.I. per O.R. 19847-320 Deed Coords = N 5224.95 E 3745.09 Set 2" I.P., Conc. Plug & C.E. Tag 12' dn.
(20')
(20')
12°
18'
20'
℄ Line
S 60°38'30" E 58.85'
173.85'
L=58.63' R=112.24'
O.R. 19847-320
172.97 T·70°
172.95 Δ = 99°47 = 170.43
3.42 @ T·70° = 3.42
173.85
176.52 T·70°
176.50 Δ = 99°56 = 173.85
76F309S CE-310 3-68

F. B. 3886 Pg. 22



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Winding Way
Map No.	JN 0303.00 Tape 4 Std. 84 °F
Office Work	Surveyed by Tom Mankay
Checked	Notes Tom M. Date 7-72
Date	Indexed G. D. BAILEY MAY 23 1973

F. B. 3886 PG. 23

From R. Pg. 22

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.
Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

O.R. 19847-320

S 11° 41' 30" E 173.77'

S 31° 17' 30" W

S 31° 17' 30" W

151° 16' 22"

Set 1"x2" stk. & nail, Fl. to be O.R. 19847-320
Rec. From the South
Adj. Traw. Coord's.
N 4841.99
E 4279.58

S 11° 18' W 0.15

Angle Pt.
Deed Coords.
N 4841.84
E 4279.55
Set a 1"x2" stk. & nail, Fl.

Fd. a 2" I.P., wd. plug & L.S. 2572, leaning E'ly, poor cond.

0.96

0.22

1) 151° 16' 22"
4) 245° 05' 30"
6) 187° 38' 20"
151° 16' 22"

E 657.28

Deed Ln.

657.20

S 12° 57' 30" W 667.28

59.91 @ T 70° = 59.90
131.04 T 70°
131.03 Δ 104° 15' = 127.00
131.15 T 70°
131.14 Δ 104° 26' = 127.00

272.03 T 72°
272.01 Δ 99° 36' = 268.20
271.83 T 72°
271.81 Δ 99° 19' = 268.22

123.38 T 74°
123.37 Δ 86° 41' = 123.16
123.42 T 74°
123.41 Δ 86° 15' = 123.15

77.76 T 74°
77.75 Δ 100° 04' = 76.55
77.65 T 74°
77.64 Δ 99° 41' = 76.53
2.40 @ T 74° = 2.40
657.20

TO L.T. Pg. 16

76F309S CE#310 3-68

F. B. 3886 Pg. 24


Pt. of Beginning equals N.E. Cor Lot 7 established by prop. along tract line from W. to East
600 x 2661.50 = 599.89'
2662.01
nothing set
INT. of 9.96' offset Ln. fd. 1"x2" stk & nail per R.S. 15 basis of assumed coordinates N 3853.65 E 3647.70
O.R. 20298 pg. 15
Lot 6
Lot 7
Record Line N 41° 38' 21" W 662.97'
Adj. Deed Ln.
0.45
0.14
Fd. a 2" I.P. wd. Plug & R.C.E. 7477, fl., Pcv F.B. 3886-14
INT of 9.96' offset Line & record deed ln. N'ly set nothing Adj. Coords. N 3844.80 E 3627.87
471.70 Calc.
9.96' offset ln. Per Pg 14-19
L.N.E.
S 65° 56' E
599.89 per pg. 14
Rec. Deed & Pt. set nothing the O.R. 20195-371 Rec. from the South
INT. of 9.96' offset line & record deed ln. N'ly set nothing Adj. Coords. N 3852.85 E 3197.13
S 41° 54' 35" W 487.22'
S 56° 11' W 0.16
record ln.
N 0° 12' 30" E 173.23'
Adj. deed l'n.
Deed & pt. established by a compass Rule adj. nothing set
Deed & Pt. per O.R. 20195-371 Established the deed call of 120.54' from the S.W. nothing set & no search
O.R. 20195-371
120.54
Tr. L.N. & Pt. & Lot Cor. fd. a 2" I.P. Conc. plug, & R.E. 7559, Fl., Pcv Pg. 14
To Set Pg. 25
To Set Pg. 23
HANSEN ST.
PLEASE RETURN TO COUNTY OF LOS ANGELES DEPARTMENT OF COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Winding Way
JN 0303.00 Tape 4 Std 84 °F
Surveyed by Tom Mankey
Notes Tom M. Date 7-72
Indexed G. D. BAILEY MAY 28 1973

F. B. 3886 Pg. 25

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

To Top Pg 26

To Top

Deed Rec. E.C. set nothing the O.R. 20195-371 record from the East N 4324.81 E 2927.50

S56°11W 0.75

To Top

S56°11W 0.69'

Deed Rec & Pt. set nothing the O.R. 20195-371 rec. from the South N 4332.13 E 2940.59

(R) E=33.91 L=15.33'

182.26

(R) W.A.V.

Adj. Deed & Pt. established by a Compass rule adj.; nothing set N 4331.75 E 2940.02

Rec. S48°00'10"W 120.88'

Adj. S48°00'10"W 227.18

W.A.V.

Adj. Deed Lv. N

Rec. Deed Lv. N

Rec. S48°00'10"W 140.00'

S56°11W 0.56

O.R. 20195-371

Adj. Deed E.C. established by a Compass rule adj. N 4324.39 E 2926.88

Deed Rec. & Pt. set nothing the O.R. 20195-371 rec. from the So.

Adj. & Pt. set nothing by a Compass rule adj.

From Lower Lt. Pg. 24

76F3095 CE#310 3-68

F. B. 3886 PG. 26



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Winding Way
Map No.	JN 0303.00 Tape 4 Std 84 °F
Office Work	Surveyed by Tom Mankey
Checked	Notes Tom M. Date 7-72
Date	Indexed G. D. BAILEY MAY 23 1973

F. B. 3886 Pg. 22

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

1) 112° 38' 40"
4) 90° 34' 30"
6) 315° 51' 50"
112° 38' 38"

E.C. established at 90° to Rad. Pt. Set 1" I.P. (Conc. plug & C.E. Tag 8' Sp. the adj. long chord from West

WINDING

S56° 11' W 1.22'

Deed Rec. B.C. Set nothing the O.R. 20195-371 record from the S.E. N. 4413.19 E 2594.13

Chord Prod set a 1" I.P. Conc Plug & C.E. Tag, 12' Sly in Bank 3 above road

WAY

R=55.45'

L=71.65'

R=55.48'

0.03'

Rec. N 34° 01' W

Total adj. ℄ Curve Data
D=134° 42' 46"
R=55.48
L=130.44
T=133.00

112° 38'

90° 0'

N 34° 27' 43" W 291.52'

N 22° 37' 28" W 185.08'

102.41' long chord

From R.P. 9.9

Set 1" I.P. (Conc. plug) 12' Sly. & C.E. Tag

Adj. B.C. Set nothing by a compass rule adj. N. 4412.51 E 2593.12

From 1st

Calc falling S56° 11' W 1.24'

Deed Rec. Rad. Pt. per O.R. 20195-371 nothing set the record O.R. 20195-371 From the East N 4381.86 E 2548.38

NOTE: To avoid creating a gap between O.R. 20193 senior deed & O.R. 20195 junior deed a Compass rule adj. has been made from the N.W. Cor. Lot 8, Blk 1, Tr. 12935 to the N.E'ly Cor. O.R. 20193 ⊥ perp'g Deeds will share in the E'ly line of O.R. 20193 per grantors intent.

E.C. Radial ℄ Held per 9.9

N 21° 26' 36" W Meas 99.14, 7, 8, 9 Rec.

N 21° 16' 15" W 179.20' Rec.

Deed Rec. Rad. Pt. per O.R. 20193-345 & tied into Control & Assumed coord. system pgs 14, 7, 8, 9 N 4381.15 E 2547.32

O.R. 20193-345

0.03' Radially from West

Rad. Pt. established radial from West and 55.48' at 90° to both tangents

O.R. 20195

76F3095 CE#310 3-68

F. B. 3886 PG 28

181.49' T=70°
181.47' Δ=272°15' = 181.33'
0.87' @ T-70° = 0.87
182.20

182.41' T=70°
182.39' Δ=272°38' = 182.20'

137.13' T=70°
137.12' Δ=88°03' = 137.04'
1.89' @ T=70° = 1.89
138.93'
139.02' T=70°
139.01' Δ=88°07' = 138.93'



X To Top Rt. Pg. 25

30 - Pg. 29

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink - With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Winding Way
JN 0303.00 Tape 4 Std 84 °F
Surveyed by Tom Markey
Notes Tom M Date 7-72
Indexed G. D. BAILEY MAY 23 1973

F. B. 3886 PG. 29

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

To Bot. Pg. 30

(20') WAY (20')

N89°44'40"E 34.00' Rec.

Adj. N89°44'40"E 74.99'

O.R. 20298-316

Deed Rec. & Pt. Set nothing the O.R. 20298-316 record from the S South N 4340.27 E 3187.37

Rec. Line N41°38'21"W 662.97'

Adj. Ln. 3

S65°57'W 0.04'

Adj. Ln. 195.44

Adj. Deed & Pt. established by a Compass rule adj. N 4340.27 E 3187.33 Set a "I.P. Conc. Plug # C.E. Tag, flush thru pvmt.

From Upper Lt. Pg. 24

1) 143°37'06"
4) 214°28'30"
6) 141°42'50"
143°37'08"

143.08'

143.30'

Set sq. Hd spike & tag

5.00'

5.00'

N12°29'E 0.04'

Adj. Ln. & Pt. set a I.P. Conc. Plug # C.E. Tag, flush by a Compass rule adj. between E.C. pg. 27 & P.I. pg. 32

Ret. & Pt. Ln. set a 1"x2" stk & nail at calc. adj. position From West, removed

70.56'

Set nail, C.E. Tag & Tin Slug in P.P. # name

Winding Way

Adj. Ln. 138.93'

194.05 T=76°
194.04 Δ=272°20' = 193.88'
1.56 @ T=76° = 1.56
195.44

195.56 T=76°
195.55 Δ=88°04' = 195.44

To Rt. Pg. 28

76F309S CE#310 8-68

F. B. 3886 PG 30



From Top of Pg. 29

Notes Ck'd by	Survey of Winding Way
Map No.	JN 0303.00 Tape 14 Std 84 °F
Office Work	Surveyed by Tom Mankay
Checked	Notes Tom M. Date 7-72
Date	Indexed G. D. BAILEY MAY 23 1973

F. B. 3886 PG. 31

Note: Any Additions or Changes on this Sheet Must be Made or Circled in red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

To Bot. Pg 32

Rec. N 12°28'40" E 81.81'

Adj. P.I. established by a compass rule adj. N 4794.20 E 3338.14 Set 1" I.P., Conc. Plug & C.E. Tag, 8 dn. By compass rule adj. Between Rec. Pg 27 & P.I. Pg 32

Set I.P. Conc. Plug & C.E. Tag, 12 dn. to Adj. P.I.

Adj. N 12°28'33" E 161.54'

158°

36'

Set sq. hd. Spk. & Tin in pvmt. 90° to Adj. P.I.

Rec. & Curve Data
Δ = 21°23'10"
R = 211.83'
T = 40.00'
L = 79.07'

11.60

Deed Rec. P.I. set nothing the O.R. 2098 - 316 record from the South N 4794.21 E 3338.22

N 12°29' E 0.09'

S 65°51' W 0.08'

7.84'

9.27'

Ret. P.I. set a 1"x2" Stk. nail, fl. the calc. adj. record from the south removed

Adj. & Curve Data
Δ = 21°23'23"
R = 211.80'
T = 40.00' held
L = 79.07'

20.54'

Set nail, C.E. Tag & Tin 30" up in P.P. 899808E

Set I.P. Conc. Plug & C.E. Tag, 12 dn. on line prod.

1) 158°36'37"
4) 274°26'30"
6) 231°39'40"
158°36'37"

N 23°23'23" E Record 141.51'

0.42 S

N 22°36'37" W 221.66' Adj.

Fd. nail & tin, flush, no record N

219.73 T-74°
219.72 Z .8861 = 219.59'
1.91 @ T-74° = 1.91
221.50
221.66 T-74°
221.66 Δ = 87°57' = 221.56

(20)

Set 6" Bt. Spk., C.E. Washer & Tin 5' above road

20.55'

Adj. P.I. established by a compass rule adj. N 4575.37 E 3372.46 Set a 1" I.P. Conc. Plug & C.E. Tag, 8 dn. By a Compass Rule Adj.

Rec. & Curve Data
Δ = 37°40'10"
R = 117.27'
T = 40.00'
L = 77.10'

Set 6" Bt. Spk., C.E. Washer & Tin, 3' above road

19.76'

Deed Rec. P.I. nothing Set the O.R. 2072 - 318 record from the West N 4575.37 E 3372.56

S 65°57' W 0.06'

N 12°29' E 0.07'

Adj. & Curve Data
Δ = 37°40'24"
R = 117.25'
T = 40.00' Held
L = 77.09'

1) 142°19'36" Set 6" Bt. Spk., C.E. Washer & Tin 4' above road
4) 209°18'30"
6) 33°57'40"
142°19'37"

35.18'

Winding Way

142°

Ret. P.I. set on a 1"x2" Stk. & nail, fl., the calc. adj. record from the South removed.

Rec. N 28°49'36" E 238.50'

Rec. N 28°49'36" E 238.50'

Rec. N 28°49'36" E 157.50'

From Top Pg. 30

F. B. 3886 PG 32



PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

W.S. 92, B-4

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of Winding Way
JN 0303.00 Tape 4 Std 84°F
Surveyed by Tom Mankey
Notes Tom. M. Date 7-72
Indexed G. D. BAILEY MAY 23 1973

F. B. 3886 Pg. 33

Fd. 1"x2" stk. & nail, fl., 3886-22

P.I. set a 1"x2" stk. & nail, fl., Backed in from West per O.R. 20282-192 Call

18.26

100.00' ↑ L.W.

To Bot. Pg. 34

101.60 T=78°
101.59 Δ=100°10=100.00
101.42 T=78°
101.41 Δ=99°35=100.00

18.26 @ T=78° = 18.26

To O.W. 30'

O.R. 20282-192
& Curve Data
Δ=102°56'30"
R = 79.62'
T = 100.00'
L = 143.05

1) 77°03'30"
4) 308°14'00"
6) 102°21'00"
77°03'30"

129.08

O.R. 20282-192

179.61 ↑ L.W.

E.C. Backed in From N.E'ly Cor. O.R. 19847-320, Set a 1"x2" stk. & nail fl.,

(Set nail, C.E. Tag & Punch 12" up in P.P. none)

(Course per O.R. 20282-192 reads, "thence tangent N66°39'50"W 79.6' more or less to an angle point in the N.E'ly Bdry of the 18.2 Acre parcel of land described in Bk. 19847-320 O.R.

Set Sq. Hd. Spk. & Tin. fl. & 90° to Apt.

Angle Pt. & N.E. Cor. O.R. 19847-320, fd. a 1" I.P. Conc. Plug & C.E. Tag, 6" dn., Per F.B. 3886-22

(20.)

N66°39'50"W 79.61'

64.92'

79.62' @ T=74° 79.61

From Mid. 09.22

8.33'

7.24'

179.71 T=78°
179.70 Δ=88°09=179.61

(Set a 1" I.P. Conc. Plug & C.E. Tag, 12" dn. in bank & 90° to Apt.)

O.R. 19847-320

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-68

F. B. 3886 PG 34



From Top Pg. 33

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

F. B. 3886 Pg. 35

NOTES RED. JOB NO. 2503.13 SURVEY OF NN "29 WINDING WAY
DATE SURVEY BY TOM MANKEY
NOTES CHKD. NOTES BY MAHER DATE 7-24-72
DATE INDEXED G. D. BAILEY DATE MAY 23 1973

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION

J.N. 2503.13

WATER WORKS DIST. No. "29

T.B.M.s IN

WINDING WAY FROM

DE BUTTS TERRACE E'LY

TO END OF WINDING WAY

MANKEY JR.
DOVER
MAHER
DARVIS

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 4-54

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

15, 35...

Do not extend notes this side of this line

JOB NO. 2503.13 SURVEY OF W.W. #29 WINDING WAY NOTES RED. DATE
SURVEY BY TOM MANKEY DATE
NOTES BY MAHER DATE 7-24-72 NOTES CHKD. DATE
INDEXED G.D. BAILEY DATE MAY 23 1973

F.B. 3886 Pg. 36

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TBM #3 (Fd)	237.74					TBM #3 ELV. 237.74 F.B. 3143-126
B.S.	0.725					Winding Way & De Butts Terr.
H.I.	238.465					S.E. Cor. 6" BT. SPK in W. side
F.S.	10.817					PP #711065E 40 ± So + 12 'E ±
T.P.	227.648					of INT.
B.S.	1.663					
H.I.	229.311					
F.S.	11.175					
T.P.	218.136					
B.S.	0.122					
H.I.	218.258					
F.S.	3.472					
T.P.	214.786					
B.S.	11.017					
HI	225.803					
FS	0.586					
T.P.	225.217					
B.S.	10.755					
H.I.	235.972					
F.S.	0.255					
TBM "X" (Fd)	235.717					TBM "X" UNADJUSTED EL = 235.78
BS	6.813					PER FB 3143-191 SQ. HD. SPK.
HI	242.530					3' RIGHT AT STA 9+69 ±
FS	5.470					
TBM #10 (SET)	237.060					TBM #10 EL = SET L.S. BT spk
B.S.	5.000					IN N. side OF PP 20'± So.
H.I.	242.060					OF WINDING WAY AND 0.2 MI E. OF
F.S.	9.987					DE BUTTS TERRACE
TBM #11 (SET)	232.073					TBM #11 EL SET L.S. BT spk IN
B.S.	0.480					PP No. 10' ± S. OF WINDING WAY AND

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line.

NOTES RED. JOB NO. 2503.13 SURVEY OF WW #29 Winding Way
DATE SURVEY BY TOM MANKEY
NOTES CHKD. NOTES BY MANKEY DATE 7-24-72
DATE INDEXED G.D. BAILEY DATE MAY 23 1973

F.B. 3886 PG. 37

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
H I	232.553					
F.S.	6.225					
T.P.	226.328					
B.S.	1.695					
H.I.	228.023					
F.S.	0.431					
T.P.	227.592					
B.S.	9.587					
H.I.	237.179					
F.S.	3.063					
TBM #12 (SET)	234.116					TBM #12 ELEV = SET Lg BT spk
B.S.	12.008					IN N. side of P.P. No ⁴ 5' W. of
H.I.	246.124					DR. WY. To HOUSE AT 27580 Winding
F.S.	0.284					WAY. 0.35 MI. E of DE BUTTS
T.P.	245.840					TERRACE
B.S.	8.029					
H.I.	253.869					
F.S.	2.416					
T.P.	251.453					
B.S.	8.964					
H I	260.417					
F S	5.702					
TBM #13 (SET)	254.715					TBM #13 ELEV. = SET Lg BT spk
B.S.	5.665					IN S. side of PP No ⁴ 12' I No. of
H.I.	260.380					Winding Way AND 0.42 MI E. of
F.S.	0.243					DE BUTTS TERRACE
T.P.	260.137					
B.S.	11.248					
H.I.	271.385					
F.S.	2.308					

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 2503.13 SURVEY OF WW #29 Winding Way NOTES RED. DATE
SURVEY BY Tom Mankey DATE 7-24-72 NOTES CHKD. DATE
NOTES BY Mankey DATE MAY 23 1973
INDEXED G.D. BAILEY

F.B. 388 Pg. 28

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	269.077					
B.S.	11.851					
H.I.	280.928					
F.S.	0.830					
T.P.	280.098					
B.S.	7.653					
H.I.	287.751					
F.S. (SET)	1.571					
TBM #14	286.180					TBM #14 EL: SET L, BT spk IN So. side of PP #899808 E 12' ± N. OF WINDING WAY AND 0.55 mi. E OF DE BUTTS TERRACE
B.S.	2.634					
H.I.	288.814					
F.S.	5.747					
T.P.	283.067					
B.S.	11.761					
H.I.	294.828					
F.S. (SET)	7.089					
TBM #15	287.739					TBM #15 EL: SET L, BT spk IN Top OF CUT OFF P.P. No # 15' ± S. OF WINDING WAY AND 0.6 mi. E OF DE BUTTS TERRACE
B.S.	11.925					
H.I.	299.664					
F.S.	0.568					
T.P.	299.096					
B.S.	12.150					
H.I.	311.246					
F.S.	4.124					
T.P.	307.122					
B.S.	0.121					
H.I.	307.243					
F.S.	11.678					
T.P.	295.565					
B.S	0.464					

769420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 2503.13 SURVEY OF WW #29 WINDING WAY
DATE SURVEY BY Tom MARKEY
NOTES CHKD. NOTES BY MARKEY DATE 7-24-72
DATE INDEXED G.D. BAILEY DATE MAY 23 1973

F.B. 388 Pg. 39

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
H I	296.029					
F.S.	11.083					
TBM #16 (SET)	284.946					TBM #16 EL = SET Lg BT spk up 1' IN S side OF P.P. No # 10'± N. OF WINDING WAY AND 0.67 MI. E OF DE BUTTS TERRACE
B.S.	0.057					
H.I.	285.003					
F.S.	10.427					
T.P.	274.576					
B.S.	2.527					
H.I.	277.103					
F.S.	11.626					
T.P.	265.477					
B.S.	2.419					
H.I.	267.896					
F.S. (SET)	8.118					
TBM #17	259.778					TBM #17 EL = SET Lg BT spk IN No. side OF P.P. No # 15'± So. OF WINDING WAY AND 0.75 MI E. OF DEBUTTS TERRACE
B.S.	2.965					
H I	262.743					
F.S.	11.979					
T.P.	250.764					
B S	0.896					
H.I.	251.660					
F.S.	7.828					
T.P.	243.832					
B.S.	5.660					
H.I.	249.492					
F.S. (SET)	3.708					
TBM #18	245.784					TBM #18 EL = SET Lg BT spk IN No. side OF PP # 899812E 70'± S.W. OF GATE AT THE END OF WINDING WAY AND 0.8 MI E OF DEBUTTS TERRACE
B.S.	0.528					
H.I.	246.312					
F.S.	12.123					

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2503.13 SURVEY OF WW "27 Windsor Way NOTES RED. _____ DATE _____
SURVEY BY Tom Manker NOTES CHKD. _____
NOTES BY MANER DATE 7-24-72 DATE _____
INDEXED G.D. BAILEY DATE MAY 23 1973

F.B. 3886 PG. 40

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
T.P.	234.189					
B.S.	1.619					
H.I.	235.808					
F.S.	7.959					
T.P.	227.849					
B.S.	7.880					
H.I.	235.729					
F.S.	0.602					
T.P.	235.127					
B.S.	10.689					
H.I.	245.816					
F.S.	0.952					
T.P.	244.864					
B.S	11.320					
H.I.	256.184					
F.S.	0.113					
T.P.	256.071					
B.S	11.607					
H.I.	267.678					
F.S.	0.248					
T.P.	267.430					
B.S.	11.673					
H.I.	279.103					
F.S.	0.363					
T.P.	278.740					
B.S.	12.107					
H.I.	290.847					
F.S.	0.178					
T.P.	290.669					
B.S.	11.581					

76S420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

NOTES RED. JOB NO. 2503.13 SURVEY OF WNO #29 WINDING WAY
DATE SURVEY BY TOM MANKEY
NOTES CHKD. NOTES BY MAHER DATE 7-24-72
DATE INDEXED G.D. BAILEY DATE MAY 23 1973

F.B. 3886 PG. 41

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
H.I.	302.250					
F.S.	0.197					
T.P.	302.053					
B.S.	11.383					
H.I.	313.436					
F.S.	11.844					
T.P.	301.592					
B.S.	0.944					
H.I.	302.536					
F.S.	11.825					
T.P.	290.711					
B.S.	3.238					
H.I.	293.949					
F.S.	7.784					
T.P.	286.165					
B.S.	0.432					
H.I.	286.597					
F.S.	11.118					
T.P.	275.479					
B.S.	0.913					
H.I.	276.392					
F.S.	8.856					
T.P.	267.536					
B S	0.815					
H I	268.351					
F S	11.764					
T P	256.587					
B S	3.395					
H I	259.982					
F S	11.888					

765420 S & E-353 4-54

PLEASE RETURN TO
LOS ANGELES COUNTY SURVEYOR
725 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

JOB NO. 25313 SURVEY OF WW #29 WINDING WAY NOTES RED
SURVEY BY Tom Mankey DATE
NOTES BY MANKEY DATE 7-24-72 NOTES CHKD.
INDEXED G.D. BAILEY DATE MAY 23 1973

F.B. 3886 PG. 42

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
H.I.	248.094					
B.S.	1.141					
H.I.	249.235					
F.S.	11.685					
T.P.	237.550					
B.S.	0.142					
H.I.	237.692					
F.S.	10.134					
T.P.	227.558					
B.S.	4.592					
H.I.	232.150					
F.S.	0.118					
T.P.	232.032					
B.S.	8.060					
H.I.	240.092					
F.S. (FI)	4.417					
TBM "X"	235.675					T.B.M. "X" UNADJUSTED EL. = 23.78 PER FB 3143-191 SQ. HD. SPK. 3.5' RIGHT AT STA 9+69 ±

Notes Ck'd by	Survey of TR 12935 Malibu
Map No.	JN 2503.13 Tape 197 Std 84 °F
Office Work	Surveyed by Tom Mankey
Checked	Notes Tom M. Date 10-73
Date	Indexed G. D. BAILEY FEB 7 1974

F. B. 3886 PG 43

J.N. 2503.13

TRACT Nº 12935

BOUNDARY RETRACEMENT

&

TIE TO PACIFIC COAST HWY

Mankey
Dover
Derby
H. Jackson

Note: Any Additions or Changes on this Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F309S CE#310 3-69

F. B. 3886 Pg 44

INDEX MAP

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of TR 12935 Malibu
JN 2503.13 Tape Std °F
Surveyed by Tom Mauker
Notes Tom M. Date 10-73
Indexed G. D. BAILEY FEB 7 1974

F. B. 3886 PG. 45

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink, With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

203.51 T=74°
203.50 Δ=111°07' = 189.83'
203.89 T=74°
203.88 Δ=111°24' = 189.82'

209.00 T=76°
208.99 Δ=99°26' = 206.22'
209.21 T=76°
209.20 Δ=99°39' = 206.24'

Set 1"x2" stks & nails, Flush

Ret. P.O.T. fd. 1"x2" stk & nail, Flush, at 90° to 2" I.P. Per F.B. 3886-17

3.46
9.96
10.04
3.17

189.83

IRLD Ret Ln. P.O.T. Set a 1"x2" stk & nail, Flush

0°03'57" Calc

206.23' ± To Top of Pg. 46

107° 40' 35" Calc

107° 40' 35"

N.E. COR. TR 12935 Fd. O.G. 2" I.P. Conc. Mon. in R.C.E. #20088, 4' Deep per F.B. 3886-17 & 18 Set P.K. Nail & Tag in Top of Conc. Plug

9.96' Offset Ln. per Pgs. 14 thru 17

Line Tan

1) 107° 40' 35"
4) 70° 42' 20"
6) 286° 03' 30"
107° 40' 35"

Fd. a 2" I.P. Conc. Plug & R.C.E. #20088, 4' Deep per F.B. 3886-18

Set nail at 90° to 2" I.P. at calc. offset, 10.04', to fall on 9.96' offset Line

10.04'

TR 12935

Lot 1 of TR 4

76F309 CE#310 3-69

From N Rt. Pg 45

F. B. 3886 PG. 46



40.0'

Fd. nothing on surface near fm. post on steep side Hill

206.23'

P.O.T. set a 1"x2" stk. & nail, flush

76.27' T=76°
76.27' Δ=103°22' = 74.20'
76.15' T=76°
76.15' Δ=102°55' = 74.22'
211.90' T=76°
211.89' Δ=102°55' = 206.53'
212.02' T=76°
212.01' Δ=103°04' = 206.52'
37.91' T=70°
37.91' Δ=109°27' = 35.75'
37.95' T=70°
37.95' Δ=109°34' = 35.76'

N 12° 35' E

74.21'

206.53'

R.S. 3dry LOT 17

0.06

0.48'

N 3° W

R.S. Cor. Fd. a 1½" I.P. Wd. Plug w/L.S. 2572 Pipe in good cond. per R.S. 73-41

Rad Ln.

TR. Ln.

TR

P.O.T. set a 1"x2" stk. & nail, flush.

N 5° E

210.54' T=70°
210.52' Δ=108°38' = 206.90'
210.82' T=70°
210.80' Δ=101°04' = 206.88'

206.89'

35.69' Calc. to

Fd. a 2"x2" stk. & L.S. Tag #2572, 3" up

2.14'

1.41'

To Top

Pg 47

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of T.12935 Malibu
JN 2503.3 Tape 239 Std 68 °F
Surveyed by Tom Mankey
Notes Tom M. Date 1-74
Indexed G. D. BAILEY FEB 7 1974

F. B. 3886 PG. 47

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Name of Person Making Change

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

From Bat.Pg.

Ret. Ln. P.O.T. Set a 1"x2" Stk. & nail, 1.1'

9.01 @ Lt. 70° = 9.01

1) 39° 26' 30"
4) 157° 48' 15"
6) 236° 42' 15"
39° 05' 03"
27'

206.89'

9.01'

0.94'

52.93'

58.68'

Tr. Ln. Prod. N'ly set a 1"x2" Stk. & N., 1' up, on high ridge

Set N & T 12" up in So. Side of F.P.

MOST. ELY COR. Lot 1 - Tr. 12935, Fd. 2" I.P., Conc. plug & R.E. Tag 759, 12" Dia. in 9000 Cond. per T. 12935; Held

Tr. Ln. Prod. Set a 6" St. Spk. W & in 1' Fl. in edge pav. A.C.

Fd. a 1/2" I.P. Wd. plug & L.S. #2512, 3" up 1.04' E. of Ln.

Fd. a 1/2" I.P., Wd. plug & nail & no ref. 3" up 1.02' E of Ln.

1.04

1.02

86.19'

20.00'

Tr. Ln. Prod. Set a 6" St. Spk. W & in 1' Fl. in top A.C. Cb.

(20') (20')

DR.

SYCAMORE MEADOWS (Pvt. St.)

1089.74 Rec.
1089.52 M.

Tr. Ln.

T. 1 S.

R. 5 W.

TR.

To Lt. Pg. 48

76F309S CE#310 3-68

F. B. 3886 PG. 48

R. S. 43-41

Set a Sq. Hd. Spk. & Tin. Fl. by Int. of Tr. Line & road on Tr. Line & 30' off In. Prod. E'ly

Set a Sq. Hd. Spk. & Tin. Fl. at 90° to

Set a nail 30' off & 90° ± to D-9

Bot. from Pg 47

1089.74 Rec.

2163.39 Perf. B.C. 1344-10
993.58 " "
1169.81
80.29
1089.52

S.C. CORTR. #12935
Fd. a 2" I.P. Conc. plug
R.C.E. Tag #7559
10 ds. in good Cond.,
per Tr. 12935

B.C.
State Hwy. Sta. 681+05.48
fd. a Std. 4" Br. Cap
Mon. Trav. Station
Solstice Cal. E-9C
to be Reset 1966
Per F.B.
set in L.H.
Protected by a Cast
Iron Cover

3) 90°00'55"
4) 360°03'20"
6) 180°05'05"
90°00'51"

12 9

T R

HWY

50'

COAST

50'

PACIFIC

1190.85 per Geo. Cord

2 Tk. Ln.

30.00

90°±

90°00'55"

30.00

79.99

90°

90°

90°

80.29 @ L-6°

62.08 = T-4°49'59"

49.99 @ T-4°49'59"

TRAV. STA. Sol. Cn.
D-9
Std. 4" Br. Cap Mon
L.A. Co. Trav. Sta.
in Conc. Ds. 0.0'
stamped Solstice
Cal. D-9 1950, R.E. 329,
P.S. F.B. 1652-127 &
F.B. 2962-194

HOLIDAY HOUSE

114-037, C-2

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of WINDING WAY W.W.D. #29
JN 2503.14 Tape 197 Std 84 °F
Surveyed by Tom Mankey
Notes Tom M. Date 1-[illegible]-74
Indexed G.D. BAILEY FEB 7 1974

F. B. 3886 Pg. 49

JN 2503.14

WINDING WAY & DE BUTTS TERR.

DEED RETRACEMENT N.E.LY

from

FD. 1"x2" STK. & NAIL IN WINDING WAY PER F.B. 3886-34

AT END OF PVMT. TO END

OF

PROPOSED PROJECT

Mankey
Maher
Tollison
H. Jackson

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

76F3095 CE-431.0 3-69

F. B. 3886 PG. 50

1) 171° 36' 57"
4) 326° 28' 05"
6) 309° 42' 05"
171° 37' 01"

1) 142° 59' 20"
4) 211° 57' 20"
6) 137° 56' 05"
142° 59' 21"

148.25' T=68°
148.23' Δ=4°47' = 147.71
7.74' @ T-68° = 7.74
155.45

155.925' T=68°
155.905' Δ=4°22' = 155.45

269.16' @ T=68°
= 269.14'

107.86' T=68°
107.85' Δ=104°42' = 104.32'
108.03' T=68°
108.02' Δ=105°04' = 104.31'
373.45

To Bdy. 91.87' ±
N66°58'30"E
P.O.T. 91.88' @ T-68° = 91.87'
142° 59' 21"
N29°57'50"E 155.45'
171° 37' 01"
WAY
±Deed & Pt. (backed in) Sta. 18+10.66 fd horiz. remains of stk. Set a 1"x2" stk & nail, fl., the O.R. 20282-192 record from S.W.
±Deed Ln. & Pt. Fd. a 1"x2" stk. & nail, fl., per F.B. 3886-34 Sta. 16+55.21 N.E.
(20') edge pav.
N10°23'40"E 270.09'
(20') edge pav.
373.45' S.
373.43' S. Stk.
N38°20'53"E
WINDING
E.C. Knocked out
P.I. Knocked out
Angle Pt. & N.E. Cor. O.R. 19847-328
Fd. a 1" I.P., Conc. Plug & E.C. Tag, 6" dn., Per F.B. 3886-22 & 33

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Note: Any Additions or Changes on This Sheet Must Be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Winding Way W.O.# 29
Map No.	JN 2503.14 Tape 197 Std 84 °F
Office Work	Surveyed by Tom Mauke
Checked	Notes Tom M. Date 1-74
Date	Indexed G. D. BAILEY FEB 7 1974

F. B. 3886 PG. 51

1141-037, C-1

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

To Bot Pg. 52

Set nail, C.B. Tag & Tin, 30" up in 2 prong oak

± Deed Ln. & Pt. (Backedin) sta. 21+60.83 (Fd. nothing) Set a 1"x2" stk. & nail, Ft.) + the O.R. 20282 - 192 record from the S.W.

N 65° 03' 00" E 140.93'

26.50'

Set nail, C.B. Tag & Tin 4" up in 30" oak

75.03'

34.4'

47'

124.4'

1) 124° 47' 30"
4) 139° 10' 15"
6) 28° 45' 25"
124° 47' 33"

N 19° 50' 30" E 109.50'

1) 163° 00' 10"
4) 252° 00' 35"
6) 258° 01' 00"
63° 00' 10"

R = 163.00'

110.22' Δ = 96° 33' = 109.50
110.45' Δ = 97° 32' = 109.50

T = 78°

WINDING WAY

(N.)

(N.)

N 26° 50' 20" E 148.80'

± Deed Ln. & Pt. (Backedin) sta 20+51.33 (Fd. nothing) Set a 6" Bt. 3 pk. W. (Mkd. "Co. Eng.") & -1 in, +1.) + the OR 20282-192 record from S.W.

148.81' @ T-70° = 148.80'

1) 139° 51' 53"
4) 199° 27' 25"
6) 119° 11' 15"
139° 51' 53"

Ln. Prod, Set a Chis "+" in top of rock wall

± Deed Ln. & Pt. (Backedin) sta. 19+02.53 (Fd. nothing) Set a 1"x2" Stk. & nail, Ft.) + the O.R. 20282-192 record from S.W.

3.05'

1.98'

N 66° 58' 30" E 91.87'

Ln. Prod set a Chis "+" in top of rock wall

From Top Pg. 50

76F309S CE#310 3-68


F. B. 3886 PG 52
To B.O.T. Pg. 53
N24°45'39"E 314.57'
N22°29'43"E 309.47'
Course per Inverse Calc. based on O.R. 20282-192
Course per R.S. 73-40 Sheet 1
S26° 57' 37"E 95.28'
70, search in this area, Vertical rock wall
1) 146° 38' 59"
4)
6)
±Deed Ln. & Pt. (Backed in) Fd. nothing, Sta. 24+98.83 Set a 3/4" 2' 5th & tail in benched area, 6' above road, the O.R. 20282-192 record from the S.W.
1) 144° 23' 13"
4) 217° 33' 30"
6) 146° 20' 15"
144° 23' 37"
±Deed Ln. & Pt. (Backed in) Fd. nothing, Sta. 23+80.98 N.E.ly, Set a C.O.T. 3pk., W. (mkd. "L.A. Co. Eng.") & Tin, 2' dn., the O.R. 20282-192 record from the S.W.
1) 165° 07' 20"
4) 300° 29' 15"
6) 270° 43' 55"
165° 07' 19"
±Deed Ln. & Pt. (Backed in) Fd. nothing set a 1"x2" 5th & nail, Fl., the O.R. 20282-192 record from the S.W. Sta. 23+01.76 N.E.ly
142.23' T-60°
142.21' ∆ = 97° 41' = 140.93
142.30' T-56°
142.27' ∆ = 97° 53' = 140.93
Road
WAY
Dirt
WINDING
117.85'
N58°06'30"E
172° 03' 50"
118.52' T-58°
118.50' ∆ = 96° = 117.85'
118.60' T-58°
118.58' ∆ = 96° 22' = 117.86'
17.70'
10.57'
(20')
(20')
Set Chis't's in face of rock outcrop, 4' up
1) 172° 03' 50"
4) 328° 15' 15"
6) 312° 23' 10"
172° 03' 52"
N50°10'20"E 79.22'
79.78' T-60°
79.77' ∆ = 96° 44' = 79.22'
79.88' T-60°
79.87' ∆ = 97° 19' = 79.22'
165° 07' 19"
N68°03'00"E 140.93'
From Top of RT Pg 51
PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend this side of this line.
Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Notes Ck'd by	Survey of Winding Way W.W.D. #29
Map No.	JN 2503.14 Tape 197 Std 84 °F
Office Work	Surveyed by Tom Mankey
Checked	Notes Tom M. Date 1-74
Date	Indexed D. BAILEY FEB 7 1974

F. B. 3886 PG. 53

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend this side of this line.

Fd. a 2" I.P. Wd. Plug #L.S. 2572, 2' up in good cond. ties at find of fd. from s.t. W. line

Set nothing at calc. inverse position from S.W.

Per O.R. 20282-197

N77°49'16"W 903.51

Old Fn. Ln.

2.90

67°26'

2.68'

82.60

P.O.T. Set a 1"x2" stk. + tack 1 ft. in edge of road

Dirt Rd.

(20.)

N22° 29'43"E 309.17'

22657

WINDING WAY

(20.)

N22°45'29"E 314.57'

82.61 @ 44°
= 82.60

Note: Fd. a 2"x2" stk. & nail about 500± S. W'ly & Fd. a 2" I.P. Conc. Plug & impression of tack w/ tiny nail, 0.4' angle pt. in fn. Ln. 903'± S.W.

227.11 T-64°
227.08 Δ 93°33' = 226.56
227.18 T-64°
227.15 Δ 94°04' = 226.58

From Top Pg. 52

76F309S CE#310 3-68

PLEASE RETURN TO
COUNTY OF LOS ANGELES
DEPARTMENT OF COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Note: Any Additions or Changes on This Sheet Must be Made or Circled in Red Ink With Date and Name of Person Making Change.

Do not extend this side of this line.

F. B. 2886 Pg. 54

NOTES RED. JOB NO. 2503.14 SURVEY OF Winding Way W.W. #29 | F. B. 3886 PG. 55

DATE SURVEY BY T. Mankey

NOTES CHKD. NOTES BY J. Maher DATE 1-74

DATE INDEXED G. D. BAILEY DATE FEB 7 1974

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

765420 S & E-353 9-55

DESCRIPTION	ADJ. ELEV.	3RD RUN	2ND RUN	DIFF.	1ST RUN	B.M.
J.N. 2503.14						
WINDING WAY & DE BUTTS TERR.						
T. B. M.'s						
from						
END OF PVMT. TO END OF PROJECT						
VERTICAL CONTROL FOR TOPOG SHTS H239-7, 8&9						

76S420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2503.14 SURVEY OF Winding way W.W. #24 NOTES RED. DATE
SURVEY BY T. Mankey NOTES CHKD. DATE
NOTES BY J. Maher DATE 1-24
INDEXED G. D. BAILEY DATE FEB 7 1974

F.B. 3886 PG. 56

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TBM-17 Fd.	259.778					TBM-17 ELV 259.778 Per F.B. 3886-39
+	0.847					Winding Way, 0.75 mi E. of De Butts
H.I.	260.625					Terrace. Lg. DT. spk. in RP. no# 15's
-	10.608					of winding way
T.P.	250.017					
+	1.198					
H.I.	251.215					
-	5.426					
T.B.M. 18 Fd.	245.789					TBM-18 ELV. 245.784 Per F.B. 3886-36
+	0.956					Winding way 0.8 mi E. of DeButts Terrace
H.I.	246.745					70± S.W. of Gate at end of winding
-	12.254					way pavement. Lg. BT. Spk. in RP. 899812E
T.P. 2	234.491					
+	2.340					
H.I.	236.831					
-	10.166					
T.P. 3	226.665					
+	0.577					
H.I.	227.242					
-	9.388					
T.P. 4	217.854					
+	3.683					
H.I.	221.537					
-	3.227					
T.B.M. 19 SET	218.310					TBM-19 ELV=
+	1.126					Winding Way 240'± from end of pavement.
H.I.	219.436					Set. "X" in rock & conc. wall 1.98 from P.I.
-	10.839					Per F.B. 3886-51
T.P. 5	208.597					
+	0.491					

76S420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
H.I.	209.048					
-	11.469					
T.P.-6	197.579					
+	0.764					
H.I.	198.343					
-	2.800					
SET TBM 20	195.543					TBM-20 ELV =
+	1.234					winding way 520'± E. of pvmt end.
H.I.	196.777					Set Lg. BT. Spk. in 14" oak up 3' ± W.E.
-	10.915					of P.I. 52, 14' N. of winding way
T P 7	185.862					
+	1.628					
H.I.	187.490					
-	11.311					
T.P. 8	176.179					
+	0.742					
H.I.	176.921					
-	11.218					
T.P. 9	165.703					
+	0.682					
H. I.	166.385					
-	10.585					
T.P. 10	155.800					
+	0.562					
H.I.	156.362					
-	9.808					
SET TBM-21	146.554					TBM-21 ELV =
+	9.332					Set CALS "B" on top of 6' C.M.P. culvert pass-
H.I	155.886					ing under winding way 980'± from end
-	8.844					of pvmt & 12' S. of traveled way.

NOTES RED. JOB NO. 2503.14 SURVEY OF Winding way W.W. #27 F.B. 3886 PG. 57
DATE SURVEY BY T. Mankey
NOTES CHKD. NOTES BY J. Mahler DATE 1-24
DATE INDEXED G.D. BAILEY DATE FEB 7 1974

76S420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

JOB NO. 2503.14 SURVEY OF winding way WW #29 NOTES RED. DATE
SURVEY BY T. Makey NOTES CHKD. DATE
NOTES BY V. Maher DATE 1-74
INDEXED G.D. BAILEY DATE FEB 7 1974

F.B. 3886 PG. 58

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
TBM-22 SBT	147.042					T.B.M. 22 Elev=
+	9.089					winding way 40'± E. of 8"dia C.M.P.(TBM-21)
H.I.	156.131					& 20'± S. of Traveled way Set Lg. B.T. spk.
−	1.350					up 3' in 20" oak
T.P. 11	154.781					
+	11.912					
H.I.	166.693					
−	0.528					
T.P. 12	166.165					
+	11.251					
H.I.	177.416					
−	0.587					
T.P. 13	176.829					
+	11.871					
H.I.	188.700					
−	1.300					
T.P. 14	187.400					
+	11.526					
H.I.	198.926					
−	0.406					
T.P. 15	198.520					
+	12.119					
H.I.	210.639					
−	0.807					
T.P. 16	209.832					
+	9.402					
H.I.	219.234					
−	0.920					
T.P. 17	218.314					
+	9.229					

76S420 S & E-353 9-55

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
700 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK, WITH DATE AND NAME OF PERSON MAKING CHANGE.

Do not extend notes this side of this line

B.M.	1ST RUN	DIFF.	2ND RUN	3RD RUN	ADJ. ELEV.	DESCRIPTION
H.I.	227.543					
−	0.038					
T.P. 18	227.505					
+	12.003					
H.I.	239.508					
−	0.908					
T.P. 19	238.600					
+	9.047					
H.I.	247.647					
−	1.860					
TBM-18 Rd.	245.787					TBM-18 Elv = 245.787 Per FB 3886-39 winding way 0.8 mi E. of DeButts terr. 70'± S.W. of Gate at end of pvmt. Lg. BT. spk in P.P. #899812E

NOTES RED. JOB NO. 2503.17 SURVEY OF winding way WN #2
DATE SURVEY BY T. Manley
NOTES CHKD. NOTES BY J. Maher DATE 1-24
DATE INDEXED G. D. BAILEY DATE FEB 7 1956

F. B. 3886 PG. 59