INDEXED
STATION CARD POSTED
NOTES CHECKED BY
INST. NO. NASM 48, #227
OBSERVER

B NAME HACIENDA AREA
JOB NUMBER 0303.00
CHIEF OF PARTY FE Brooks
RECORDER
DATE June 1976 — Sept 77

F. B4355 PG. 5

℄

~~GEODIMETER NOTES~~

PWFB 1029

480

HACIENDA AREA STREET CENTERLINES DIVISION 5

J.N. 0303.00

DATE June 1976 — Sept 77

See Pages 247, 248, 249, 250 for description of procedure for survey.

PARTY

FE Brooks
ED Smith, J. Crowder
MA Walsh, R. Clifford
C. Dominguez, A. Goble
R Krohn, R. Siemann
G. Bradley, KM Kapp
W. Lieber

CALIBRATION CHART NO.-

AREA BY QUAD NAME-

NOTES OR PURPOSE OF SURVEY-

Microfilmed 10-9-84.

PWFB 1029 - 481, 482, 483, 484

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of HACIENDA AREA & DIVS F.B. 4355 PG. 7
JN 0703.00 Tape Std °F
Surveyed by F E BROOKS
Notes FEB Date June 96 -
Indexed H. HOLMAN DEC 1, 1919

RED FB 4355
YELLOW FB 4405



CONT RT PG 8

CONT TOP PG 10

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
493 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend

CENTERLINE NO.
CE 310
76F-3095-4/73

PWFB 1029

F.B. 4355 PG. 8

485

RED FB 4355
YELLOW FB 4405



CONT TOP PG 11

CE 310
76F 309

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not ex...otes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by	Survey of HACIENDA AREA & DIVS F.B. 4355 PG. 9
Map No.	JN 0507.00 Tape Std °F
Office Work	Surveyed by F E Brooks
Checked	Notes FEB Date June 96 -
Date	Indexed HOLMAN DEC 17 1996

RED FB 4355
YELLOW FB 4405

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE
CE 310
76F3095-4/73



CONT TOT PG 12

CONT FR PG 8

PWFB 0929

F.B. 4355 PG. 10

196

RED FB 4355
YELLOW FB 4405

CONT BOT PG 7



PWFB 0929

197

Notes Ck'd by	Survey of HACIENDA AREA & DIVS
Map No.	JN 0363.00 Tape Std °F
Office Work	Surveyed by FEB books
Checked	Notes FEB Date SUMM 76 —
Date	Indexed H. HOLMAN DEC 1 1979

F.B. 4355 PG. 44

RED FB 4355
YELLOW FB 4405

CONT BOT PG 8



CONT TOP PG 14

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NO
CE 310
76F3095-4/72

F.B. 4355 PG. 12

RED FB 4355
yellow FB 4405

CONT BOT PG 9



CONT TOP PG 13

CE 310
76F3095

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

11 PSI 12 NOT

PWFB 0929

198, 199, 200, 201

Notes Ck'd by

Map No.

Office Work

Checked

Date

Survey of HACIENDA AREA & DIVS F.B. 4355 PG. F9

JN 0303.00 Tape Std °F

Surveyed by FEBrown

Notes FEB Date June 7 -

Indexed L.H. HOLMAN DEC 17 1979

RED FB 4355

YELLOW FB 4405

CONT BOT PG 10



CONT RT PG 14

CENTERLINE NOTES
CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes across this line

F.B. 4355 PG. 14

RED FB 4355
YELLOW FB 4405

CONT BOT PG 11



CONT RT PG 13

CONT RT PG 11

CE 310
76F309F 3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 4355 PG. 15
Map No.	JN 0303,00 Tape Std °F
Office Work	Surveyed by F E Brooks
Checked	Notes FEB Date Jun 76 –
Date	Indexed H. HOLMAN DEC 7 1976

RED FB 4355
YELLOW FB 4405

CONT BOT PG 12

CONT RT PG 16

CONT RT PG 14



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F-3095-4/73

F.B. 4355 PG. 16

RED FB 4355
YELLOW FB 4405



CE 310
76F3095-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PWFB 1029

486

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5
Map No.	JN 0303.00 Tape 0199 Std 28 °F
Office Work	Surveyed by F E Brooks
Checked	Notes FEB Date 28 June 76
Date	Indexed H. HOLMAN DEC 17 1979

F.B. ~~4375~~ PG. 77

CONT BOT PG 18

Semi Tan

130.11 150Z

HACIENDA

O/M

Fd a Lg BT Spk W&T 2"dn. Ref F.B. 2932-124

1) 129-19-30
2) 158-17-50
129-19-27½
3) 55-56-40
129-19-26½

#0220 39.56 T=60= 39.56

Made no search C.S.B 150Z coil for nothing.

NOTE. see Pgs. 247 To 250 F.E.B.

131.46 150Z

Searched for P.I.P. per R.S.. 46-40 Fd no evidence of pipe 18"dn.

SKYLINE

B.C.

Semi Tan

0.20

14.82

M= 125.99

CONT

0.19

℄ LINE FWD

M= 39.56

M= 142.80

PT. Fd a Lg BT Spk W&T 2"dn. Ref. F.B. 2932-124

Fd a Lg BT Spk W&T 2"dn. Ref. F.B. 2932-125 Spk was tagged.

Fd a 2½" Brass Disk Set in cone 4" dn. Ref. C.S.B. 450Z F.B. 2932-126

COUNTY SURVEYOR RE 2177

M= 142.77

BLVD

Semi Tan

CONT TOP PG. 19

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

W5 384.5

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

099-297 A-3

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 1029

F.B. ~~1029~~ PG. ~~15~~

487

CE 310
76F309
73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

LS 89A-5

099-29A-3

~~Do not extend notes this side of this line~~

NOTE,
See Pgs 247 To 250
FEB

COUNTY SURVEYOR
RE 2179

PI. Fd a 2½" Brass Disk
3.+ in Conc. ½" dn. in a
well Ref. C.S.B. 1502
C.S.B. 5797-5

HAGUE NO'D

Comm. Tan

L.G.B.M.

130.17 P.I. C.S.B. 1502

BLVD

℄ Curve Data
per C.S.B 1502

Δ 19° 29' 00
R 200.00
T 130.17
L 250.08

CONT TO P PG 17

PWFB 1029

488

3

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~4355~~ PG. 49
Map No.	JN 0303.00 Tape 0199 Std 68 °F
Office Work	Surveyed by FEB, wks
Checked	Notes FEB Date 29 June 76
Date	Indexed H. HOLMAN DEC 17 1979

1) 145 - 24 - 40
4) 221 - 38 - 50
145 - 24 - 42 1/2
6) 152 - 26 - 10
145 - 24 - 41 2/3

NOTE
See pgs 247 To 250
FEB

1) 158 - 20 - 40
4) 283 - 22 - 00
158 - 20 - 30
6) 230 - 93 - 10
158 - 20 - 31 2/3

1) 148 - 55 - 20
4) 235 - 41 - 00
148 - 55 - 15
6) 173 - 31 - 50
148 - 55 - 18 1/3

Fd a 3/4 bd spk & T
2"dn. Ref
FB 2932 - 123.
Replaced 3/4 hd. with a
Lg. Bt. Spk. W & T.
set 2-3/4 hd spk Ties

Fd a 2" I.P. Conc. Plug
& Tag RE 2317 14"dn.
Ref. RS. 46-39 set P.M.
on T.in.

Curve Data
per C.S.B. 1992
Δ = 71° 04' 10"
R = 400.00
T = 111.19
L = 216.91

Fd a Lg. Bt. Spk w&T
4"dn. Ref. FB. 2932-123.
set a Br. Nail

Set a Lg Bt Spk.
& W Flush.

Fd a L&T in.
head wall. no
Ref.

Fd a Lg. Bt. Spk w&T
3"dn. Ref. FB. 2932-124
Set a Br. Nail.

Fd a 2" I.P. Conc. Plug & Tag
RE 2317 14"dn. Ref. RS. 46-39.
Set Br. Nail.

#0199
147.34 T= 94° = 143.36
143.34 T= 94° = 143.36
125.98 T= 94° = 125.99
125.98 T= 94° = 126.00
M = 125.99

HP 3800

PI #47 — BC ARC 8

T 17°C
Bar 762mm EV 420

Inst Ht @ PI #47	5.20
Target Ht @ BC ARC 8	4.30
mean Vir ∠	- 0° 51' 30"
machine dist.	1386.700
corrected dist.	1386.543

P.I. #47 per FB 2932-124
Fd a 1" I.P. Conc. Plug
& Co Engr Tag 12" dn.
Ref. FB 2932-124

CONT TOP PG 47

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

WS 3824

Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

092-2714-3

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 1029

489

F.B. ~~4755~~ PG. ~~20~~

NOTE
See Pgs 247 To 250
FEB

R-17

#202

163.00 @ 3° 17' 15" = 162.731
159.09 @ 3° 48' 10" = 162.730

Level — M= 162.73 / 65.53 / 228.26 T=94° = 228.27

#0226 — 30.46 T= 72° = 30.45

Total = 258.72

ON



CE 310
76F 309

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PWFB 1029

490 , 491

Notes Ck'd by	Survey of HACIENDA AREA K DIV 5 F.B. 4355 PG. 27
Map No.	JN 1707.00 Tape 202 Std 84 °F
Office Work	Surveyed by FEBrooks
Checked	Notes FEB Date 1 July 74
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
see pgs 247 To 249
FEB

#402 T=90°
234.52 (234.57) @ 3°06'30" = 234.224
234.68 (234.63) @ 3°31'30" = 234.236
M = 234.23
11.21 T=80° = 11.21
Total = 245.44

1) 158 - 19 - 50
4) 273 - 19 - 20
158 - 19 - 50
6) 229 - 59 - 00
158 - 19 - 50

D-17

Fd a 3/4 hd spk
ET 1' dn. Ref.
FB. 2932 - 123
Replaced 3/4 hd. with
Lg. Bt. Spk in b.t.t flush.
Set 2-3' 3/4 hd Spk Ties

O.M.

SKYLINE

D.R.

0.38

Sami Tan

0.04

CHORD

M = 258.72

M = 245.44

M = 158.

19'

50'

Fd a 2" I.P. Cap Plug & Tag
RE 2317 .12' dn. Ref.
R.S. HL-39
Set Bc. No. 1.

R.S. HL-39 calls for
a 2" I.P. 12" dn.
Fd nothing 24" dn.

HL-39

R5

E.C.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

099-297A-3

(W.S. 38A-5)

CENTERLINE NO1
CE 310
76F3095-4/73

PWFB 1029

F.B. ~~1705~~ PG. ~~44~~

NOTE 492

See pgs 247 To 250 F.E.B.

1) 173 - 00 - 50
4) 332 - 02 - 50
173 - 00 - 42 1/2
6) 318 - 04 - 10
173 - 00 - 41 1/2



CE 310
76F3095[14] '73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 1029

493

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~4255~~ PG. ~~43~~
Map No.	JN 0307.00 Tape 202 Std 84 °F
Office Work	Surveyed by FEBrowlis
Checked	Notes FEB Date 1 July 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To ~~250~~
FEB

#202 T=80°

B.C. 249.61 (249.60) @ 2° 05' 10" = 249.474
249.69 (249.68) @ 2° 29' 25" = 249.444

M = 249.44

15.17 T=80 = 15.17
Total = 264.61

70.59 T=84° = 70.59
69.54 T=84° = 69.54

OM

2-17

24

PG.

SKY LINE

0.015

M = 264.61

M = 70.59

M = 69.54

0.43

0.85

40

40

DR.

IN

PG.

CONT

CONT IN

Fd a sq hd spk 3" dn. Ref. FB 2932-121

Fd a Lg. Bl. Spk W&T 3" dn. Ref. F.B. 2932-121

Fd a sq hd spk & T 3" dn. Ref. F.B. 2932-121

RS

46.39

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 1029

F.B. ~~1255~~ PG. ~~24~~

NOTE
Sec Pgs 247 To 250
F.E.B.

494

#202
154.58 T= 82° = 154.58

1) 161 - 08 - 50
4) 294 - 35 - 00
161 - 08 - 45
6) 246 - 52 - 20
161 - 08 - 43 1/2

161 - 09 - 10
294 - 37 - 10
161 - 09 - 17 1/2
246 - 65 - 50
161 - 09 - 18 1/2

#0216
70.27 T=84° = 70.28

161° 08' 43"

POST.
Fd a Sq hd Spk & T
3" dia. Ref.
F.B. 2932-120
Set a Sq hd Spk w&T
Flush.
Set 2-3' Sq hd Spk Tie

161° 09' 18"

N= 254.58

℄ LINE

Semi Tans

N= 264.61

N= 70.59

P.I. #50 A 1" I.P.
and Co. Engr Tag 12"
dia. per F.B. 2932-120.
This location is down
a steep bank. The
point is of doubtful
value did not search for
it.

POST.
Fd a Sq hd Spk & T
3" dia.
Ref.
F.B. 2932-121
Set 2-3' Sq hd Spk Tie

38 A-5 05-257 A-3

Do not extend notes this side of this line

CE 310
76F3095 73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 1029

495

9

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 4365 PG. 65
Map No.	JN 1707.00 Tape 0202 Std 84 °F
Office Work	Surveyed by FEBrooks
Checked	Notes FEB Date 7 July 76
Date	Indexed HOLMAN DEC 17 1979

1) 90-00-00
4) 360-00-00
90-00-00
6) 180-00-00
90-00-00

NOTE
see Pgs 249 TO 250
FEB

Fd a 2" I.P. Conc Plug & Tag RE 2317 20" dn. Ref. R.S. 46-39. Used for line of ARDSHEAL DRIVE. Set a Lg Bt Spk. W. of T Flush. set 2-3' sq hd spk Tics

#
P.I.
50.43 T=84° = 52.44
238.12 T=78° = 238.14

Fd a sq hd spk & T 3" dn. Ref. FB. 2932-120 Replaced sq hd. with a Lg Bt spk W of T Flush.

Fd a sq hd spk 3" dn. Ref. FB. 2932-119 Replaced sq hd with a Lg Bt. Nail. Flush.

Fd a 2" I.P. Conc Plug & Tag RE 2317 14" dn. Ref. R.S. 46-39 Set Bt. Nail on surface

M=21.80
M=90.00
M=163.86
M=52.44
M=70.20
0.64
0.54
60°
DR.
DR.
E.C.1
B.C.
ARDSHEAL
MONT TOP RT.
MONT TOP RT.
SKYLINE
Sim. Xing
Sim. Xing
Sim. Xing

PWFB 1029

F.B. ~~1255~~ PG. ~~46~~

496 , 497

NOTE
See pgs 247 To ~~250~~
FEB

1) 195-26-00
4) 341-44-50
195-24-12 1/2
4) 332-37-30
175-26-15

N= 175.

RL.

15'.

N45

44.45

BK. LINE

60'

01

Point.
Fd a sq hd spk & T.
H. dp. Ref.
F.B. 2932 - 118.
set a 5/8 Bt. Pk. w&T.
on the surface.

R = 43.77

ENGLAND

NEW

OM

2-17

40

D12

N=278.14

40

52

43.77

#202
43.77 T=86° = 43.77

RS

46-39

CE 310
76F3095 13

403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER

W.S. 28, A-5
099-297, A-3

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWEB 1029

498 , 499

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 435 PG. 27
Map No.	JN 1303.00 Tape 202 Std 84 °F
Office Work	Surveyed by FEB Brooks
Checked	Notes FEB Date 8 July 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 TO 259 FEB

PI #2
Fd a 3/4" I.P. Conc. Plug & Br. No. 1
Ref. F.B. 2932 - 117
PM. 2152
pipe is 6" dp in a well
per PM 2152

N

M = 451.72

SKYLINE

Edge of Pvmt

M = 150.

123

54"

ENGLAND

1) 150 - 23 - 55
4) 241 35 35
150 23 53 3/4
6) 102 23 25
150 23 54 1/2

NEW

#202
244.46 T = 86° = 244.46
244.44 T = 86° = 244.44
M = 244.45

M = 244.45 ST

40

40

Edge of Pvmt

DIL.

HP 3800
PI #2 To POT.

T	=	96°
BAV	=	29.1
EV	=	+2
Inst HI @ PI 2	=	5.03
Target HI @ POT	=	5.33
Mean Vert ∠	=	-0° 42' 00
Inclined Dist.	=	451.758
Corrected Dist.	=	451.724

B.C.

CONT LT PG

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes to this side of this line

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 1029

F.B. ~~4835~~ PG. ~~28~~

500

NOTE
See pgs 247 To 250
FEB



CE 310
76F309

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES
ON THIS SHEET MUST BE MADE OR
CIRCLED IN RED INK WITH DATE AND
NAME OF PERSON MAKING CHANGE

PWFB 1029

501

28 17

Notes Ck'd by	Survey of HACIENDA AREA MP 382
Map No.	JN 07003.00 Tape Std °F
Office Work	Surveyed by FE Brooks
Checked	Notes FEB Date 25 Jan 79
Date	Indexed H. HOLMAN DEC 17 1979

F.B. 1355 PG. 89

NOTE: See Pgs 247 To 250 FEB

PM 2152

CURVE CA1
& data per Accessor Map 8240-3

Δ 58° 41' 30"
R 75.00
T 42.17 Calc.
L 76.83

1) 150-39-15
4) 242-37-00
150-39-15
6) 183-53-30
150-39-15

#01651
32.58 T= 88° = 32.58
73.50 T= 94° = 73.51
39.99 T= 88° = 40.00

1) 183-51-45
4) 15 27 40
183 51 55
6) 183 51 54 1/2

1) 90° 00 00
4) 360 00 00
90 00 00
6) 180 00 00
90 00 00

1) 150-39-15
4) 242 37 00
150 39 15
6) 183 53 30
150 39 15

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

WS 38 A-5

SKYLINE

Found Dr. I.C.

Searched for 2" I.P. per P.M. 2152 Fd nothing.

INTERSECTION
Set a Lg Bt Spk W of Rec. on line between PI's #243 and at Acc. Dist. (451.72) from PI #2 per Co. Assessor Map #8240-4

POT. Set a Sq hd Spk.

Fd a N. no Ref.

Fd a Nail no Ref.

Fd a N. no Ref.

BC CA 2

EC CA 1

NEW ENGLAND

CONT RT PS 30

CONT RT PS 17

CONT RT PS

CASA LERO Private

House #2780

House #2782

Set a Lg Bt Spk W of at Calc. ⊥ (150° 39' 15") and Calc. Chord (73.51) from BC. CA 2 per Assessor Map 8240-3

Set a Lg Bt Spk W of at Rec. ⊥ (90° 00' 00") and dist. (40.00) from INTER at SKYLINE DR. per Assessor Map 8240-3

P.I. CA 1 not set. Location in Large Shrub.

PWFB 1029

F.B. ~~4264~~ PG. ~~30~~

502

NOTE
See Pgs 247 To 250
FEB

#0151 T=B6
43.49 (43.50) @ 14°38' 50" = 42.089
43.89 (43.90) @ 16°30' 55" = 42.089


PAVED
DRIVE
M= 44° 52' 00"
17.70 Calc.
38.19 calc.
M= 42.09
Semi Tan
P.P. # 1530475E
PI #3
Fd a 1/2" I.P.
Cone Plug &
Tag RE 2317
3rd Ur. Ref.
F.B. 2932-115
Did not shoot sunglet through
SKYLINE
ENGLAND
PT. 'B'
Set a 1X2&N Flk, L.
P.T. 'A'
Set a 1X2 &N
Flk L.H.
M = 282.14
M= +176° 08' 04"
29.2 Calc.
PI
PC
PT
PC
PT
PI
DR
DR
DR

PWFB 1029

503

L-62
15

Notes Ck'd by	Survey of HACIENDA AREA & DIVS F.B. ~~4395~~ PG. 27
Map No.	JN 0707.00 Tape 202 Std 84 °F
Office Work	Surveyed by FEB + vols
Checked	Notes FEB Date 12 July 76
Date	Indexed N. HOLMAN DEC 17 1979

NOTE
See pgs 247 TO 250
F.E.B. 9

CONT BOT PG. 25

AR-1

PI # AR 1
RS 46-39 calls for a 2X2 12" dwy
Fd no evidence of 2x2 to a depth of
24". Set a 2" I.P. conc Plug
& Ca Engr Tag 14" dn. with a
1X2 ON Flush. at Reg. ∠ (90°)
and Rec Dist. (163.86) from
the 2" I.P. at SKYLINE DR.

N

20

DRIVE

Semi Tan

163.86

N11°

6.61

0.33

0.38

0.14

Set Lg Bar Spks. W.S.
& Ts at 90° to
Lock Semi tan.

Fd no evidence
Did not run.

ON
Road w'y
of

Fd a 1½" I.P. Conc Plug & Tag
L.S. 4178 Flush. Pipe in
Crack in earth and very
Loose. Pipe set as a
Corner of Property of
Anthony A. Cassens 2LL9
ARDSHEAL DR.

Fd a new 1X2 4'
Cup Tack Flush
no Ref.

PROD set a Sq hd.
Spk. in driveway.

#202 T= 94°
185.24 (185.25) @ 5°38'15" = 184.354
185.09 (185.10) @ 5°05'20" = 184.370
M = 184.36
Level = 20.50
diff. = 163.86

#207
110.57 T=78° = 110.57

R-S

1) 140-46-05
4) 203-04-20
140-46-05
6) 124-36-30
140-46-05

M = 110.57

Semi Tan

ARDSHEAL

N

140°

46-39

CURVE AR-1

R data per RS 46-39

Δ 39° 13' 55"
R 310.24
T 110.57
L 212.43

16

CONT TOP PG. 32

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

side of this line WS 38 4-S

Do not extend

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

09-197, 4-2

CENTERLINE NC
CE 310
76F3095-4/7

1

PWFB 1029

F.B. ~~4305~~ PG. ~~32~~

504

CONT BOT PG 31

NOTE
See Pgs 247 To ~~250~~
FEB

M= 110.57

R5 46-39 Calls for a 2" IP Conc Plug & Tag 12" dn. Fd no evidence of pipe dug a hole 36" deep by 30" dia.

Set a lg Bt Spk W & T at Rec Dist (110.57) from P.I.
Set 2 - 3" sq hd spk Ties

E.C.
AR 1

25.22

0.22

Fd 1 ½" I.P. Conc Plug & Tag L.S. 4178 Flush.
Corner of Property of Anthony A. Cassens 2619 ARDSHEAL DRIVE

DRIVE

49.93

46-39

#202
197.82 TE Co° = 197.80

25

25.21

N

R-5

197.80

N = _____

ARDSHEAL

CONT TOP PG. 33

CE 310
76F3095

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 1029

505, 506

Notes Ck'd by	Survey of HACIENDA AREA 2 DIV 5 F.B. ~~1255~~ PG. ~~37~~
Map No.	JN 0307.00 Tape 202 Std 84 °F
Office Work	Surveyed by F.E. Brooks
Checked	Notes FEB Date 12 July 76
Date	Indexed M. HOLMAN DEC 17 1979

NOTE
see Pgs 247 To 250
FEB

CONT BOT PG. 32

Fd a ¾" I.P. Conc Plug & Tag RE 2317 14" dg. Ref. RS 46-39 Set a Br. Nail flush.

N= 197.80

Set a Lg B.t. Spk w&T by Rec. ∠ (140°46'05") and D. 37 (308.37) from PI #AR1

#202
127.69 T=84° = 123.69
158.85 T=84° = 158.85

1) 162-32-35
4) 290-10-10
162-32-32½
6) 255-14-50
162-32-28½

1) 158-40-00
4) 276-00-00
158-40-00
6) 232-00-00
158-40-00

1) 137-20-00
4) 109-20-00
137-20-00
6) 104-00-00
137-20-00

R-5

ARDSHEAL

CURVE AR-2

R Data per RS 46-39

Δ 85° 20' 00"
R 170.00
T 156.69
L 253.19

46-39

N.d Pt. of Curve Set a Lg Bt Spk w&T Flush Lg Tack ∠ (158°40'00") and Dist. (123.69) from B.C. Set 2-3" Sq hd Spk Tied

N= 137.

N= 123.69

39.63

semi Tan

semi Tan

PI #AR 2
Location in a house no search for ¾" I.P. per RS 46-39

Fd a 2" I.P. Conc Plug & N. 12" dia. Tag gone but pipe appears to have had one once. Pipe accepted as Cor of Lots 11 & 12 per RS 46-39

Fd a 1" I.P. Conc Plug & Tag L.S. 2495 8" d.n. no Ref a 1½" metal pipe on N side

LOT 12

LOT 11

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

WS 384-5

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

099-29 7A-3

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 1029

F.B. ~~4315~~ PG. ~~34~~

507, 508

NOTE
See Pg 247 To 250
FEB

1) 158 - 40 - 00
4) 276 - 00 - 00
158 - 40 - 00
6) 232 - 00 - 00
158 - 40 - 00

E.L. AT Z

#202
123.69 TE 84° = 123.69

Fd a N&T 2"d/n.
no Ref. set a
Conc N. Flush.

Fd a Lg Bt spk
2"d/n. no Ref.
set a N Flush.

158° 40' 00".

N_1

N_2 123.69

Chord

set a Le Co
Engr Tag.

CONT AT PS

Semi Tan

ARDSHEAL

N_3 = 140.73

SE 52nd ST

DRIVE

set a Lg
Bt spk W&T
flush.

Set a Lg Bt spk W&T
Flush. by Calc. Δ (137° 20' 00")
& Dist (123.69) from mid point
of Curve.
set 2-3" sq hd spk Ties

Fd a 3/4" Conc
Plug & Tag LS 2495
4" up no ref.

Fd a 2" I.P. Conc Plug & Tag.
RE 2317 18"d/n. Ref.
RS 46-39 set a Bt.
Nail on surface.

0.15
0.47
25
30'
25.02
0.23
0.05
0.06
25
0.45

Please return to
Los Angeles County Engineer
403 Los Angeles County Engineering Bldg.

Do not write notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

CE 310
76F309F 3

PWFB 1029

509

19

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 430-5 PG. 52
Map No.	JN 0707.00 Tape 202 Std 84 °F
Office Work	Surveyed by FEB Proctor
Checked	Notes FEB Date 11/14/79
Date	Indexed R HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250
FEB

#202
140.73 T=80° = 140.73

Fd a 2" I.P. Cons. Plug & Tag RE 2317 10'dn. Ref. P.S. 44-39 set a BL Nail on the surface.

Fd a Nail flush no ref. set a Nail flush.

Fd a 3/4 bd spk at 2'dn. no ref. set a Cons Nail flush.

Set a Lg Bt spk W&T Flush Ay Calc ∡ (150° 40' 00") & Rec. Dist. (140.73) From E.C. of Curve AR 2. set 2-3" lg bd. spk Tie

Set a Lg Bt spk a.w.

ARDSHEAL

DRIVE

Semi Tan

Chord

M=140.73

M=221.13

0.08

0.04

0.35

0.00

80.0

Set a L&C. Engr Tag

30"

1) 171-52-30
2) 327-30-00
3) 171-52-30
4) 31-15-00
5) 171-52-30

POINT OF BEG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend hose across this side of this line

CENTERLINE NOTES
CE.310
76F3095-4/73

PWFB 1029

F.B. ~~4355~~ PG. ~~34~~

510

NOTE
See pgs 247 To 250
FEB

CE 310
76F309E 13

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

#2012 Δ = 64°
223.80 (223.71) @ 1°38'30" = 223.678
223.78 (223.75) @ 1°23'30" = 223.684

M = 223.68
Level = 2.45
Total = 226.13

245

1) — 163 - 45 - 00 — 115 - 25 - 30 — 33 - 04 - 50 — 30 - 08 - 50
4) — 296 - 00 - 00 — 101 - 42 - 20 — 132 - 19 - 20 — 120 - 35 - 50
163 - 45 - 00 . 115 - 25 - 35 . 33 - 04 - 50. 30 - 08 - 59½
6) — 262 - 30 - 00 — 332 - 33 - 40 — 198 - 29 - 00 — 180 - 53 - 50
163 - 45 - 00 115 - 25 - 36⅔ 33 - 04 - 50 30 - 08 - 58⅓

#0157
37.51 Δ = 64° = 37.51

Mid pt. of curve
set a Lg Bt spk w
#T Flush & cale.
Sq (181° 52' 30") and dist.
(226.13) from B.C. of
curve AR 3. set
2-3' sq hd spk Ties

1) 89 - 33 - 40
4) 358 14 40
89 37 40
6) 179 22 00
89 33 40

P.I. AR 3
Fd a 2" I.P. Conc
Plug & Tag RE 2317
10 dn. Ref RS 46-39
Pipe is located in the
center of a large
Oleander Hedge. not
Practical to occupy.

Fd a 2" I.P.
Conc. Plug & Tag
RE 2317 6" dn.
Ref. RS. 46-39

PT. on Chord.
Set a R" I.P. Conc. Plug
& Co Engr Tag. 6" dn.
Set 2-4' Lg Bt spk
w BT Ties.

Fd a 2" I.P.
conc plug & Tag
RE 2317 6" dn.
Ref. RS 46-39

Set a LB
& Engr Tag.

CONT RT

CONT TOP

ARDSHEAL

DRIVE

Semi Tan

Chord

M = 33° 04' 50"

M = 37.51

M = 226.13

M = 115°

M = 80° 55'

M = 16.7

M = 446.

M = 30° 08' 58"

38.92

26.24

65.79

52.45

25.04

90°

chord

969.14
pm PG 160

CURVE AR 3
& data per RS 46-39

Δ 32° 30' 00"
R 800.00
T 233.18
L 453.79

#3173
38.92 Δ = 70° = 38.92
26.24 Δ = 70° = 26.24
65.79 Δ = 70° = 65.79
52.45 Δ = 70° = 52.45

Point on Chord.
Set a 1x2 B.N.
Flush.

CONT TOP PG 158

PWFB 1029

511

21

Notes Ck'd by	Survey of HACIENDA AREA 2 DWG F.B. 4350 PG. 77
Map No.	JN 2707.00 Tape 0173 Std 68 °F
Office Work	Surveyed by FEB rook3
Checked	Notes FEB Date 15 July 76
Date	Indexed H. HOLMAN DEC 17 1979

#0173
226.11 T=84° = 226.13
#202
119.33 T=84° = 119.33

LOT 2

LOT 3

NOTE
See pgs 247 To 250 FEB

Fd a 2" I.P. conc Plug & Tag RE 2317 11" dn. no Ref. To this pipe on R.S. 46-39. The lot line is shown on the map.

Semi Tan

CONT

Δ = 16° 06' 39"

Chord

M = 226.13

119.33

Fd sq hd spk & T Flush no Ref. set N & Flag.

Fd a 2" I.P. conc Plug & Tag RE 2317 28" dn. Ref. RS 46-39 set Bc Nail.

Fd a Lg BT + spk 2" dn. no Ref. set nail.

Fd a 2X2 & N 3" dn. no Ref. set conc Nail.

ARC 3 WEAK

0.18
0.19
0.03
0.04
0.02
0.10
0.16
0.18
0.22

Δ = 65° 47' 00"

M = 65.47

EC AR 3

30'

Fd a Sq hd spk & T 2" dn. no Ref. set shingle Nail.

Set a Lg BT Spk w & T Flush By calc Δ (163° 45' 00") and dist. (226.13) from mid point of curve AR 3. set 2-3" sq hd spk ties.

Fd a Sq hd spk & T Flush no ref. set a Nail.

Fd a 2" I.P. conc Plug & Tag RE 2317. 10" dn. Ref. RS 46-39. set Bc Nail.

Fd a 2X2 & N 5" dn. no ref. set conc Nail.

DRIVE

B.C. AR 4

Fd a Sq hd spk & T 2" dn. no ref. set. Single Nail.

0.17
0.02
0.10
0.08
0.02
0.02
0.02
0.30

Set a Lg BT spk w & T Flush at Rec. Dist. (65.47) from EC. AR 3 set 2-3' sq hd spk Ties

1)	171-52-30	16-06-30
2)	327-30-00	64-26-30
3)	171-52-30	16-06-35
4)	341-15-00	96-39-40
	171-52-30	16-06-36.73

#0173
65.47 T=74° = 65.47
75.47 T=74° = 75.47

M = 75.47

Semi Tan

CONT

TR 2 PG. 18

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOT
CE 310
76F3095-4/73

PWFB 1029

F.B. ~~1355~~ PG. ~~78~~

NOTE 512

See Pgs 247 To 250 FEB

CONT BOT PG 37

CURVE AR-4

℄ data per RS 46-39

Δ 17° 10' 00"
R 500.00
T 75.47
L 149.81

ARDSHEAL

M = 42.70

M = 75.47

set a Ld. Co Engr Tag

50

46-39

00

℄ Sym. Tan

P.I. AR 4
set a Lg B+ spk w BT at Tan dist (75.47) from BC AR 4.
set 2-3 spkd spk Tirs.
Fd nothing, 24" dn.

R-5

1) 162-50-00
4) 291-20-00
2) 162-50-00
3) 357-00-00
162-50-00

set a Ld Co. Engr Tag

M = 75.47

DRIVE

#0173
75.47 T=68° = 75.47

CE 310
76F309t
73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 1029

513

Notes Ck'd by	Survey of HACIENDA AREA E DIV 5 F.B. ~~1255~~ PG. ~~39~~
Map No.	JN 0303.00 Tape 0193 Std CB °F
Office Work	Surveyed by FEB + WICS
Checked	Notes FEB Date 19 July 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
see pgs 247 To 256 FEB



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes across this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 1029

F.B. ~~4885~~ PG. 40

514 , 515

NOTE
See pgs 247 To 250
FEB

46 - 39

R-S

0177
37.30 T = 80° = 37.30



CE 310
76F3095, '73

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

M.S. 38A-5 239.277, A-3

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 1029

516

25

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 4755 PG. 47
Map No.	JN 0397.00 Tape 202 Std 84 °F
Office Work	Surveyed by F.E.B. + Wks
Checked	Notes FEB Date 20 July 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 To 250
FEB

CURVE AR-5

46-39

R-5 #202 T=80°

165.88 @ 6° 34' 45" = 164.181
165.11 @ 6° 05' 05" = 164.179
M = 164.18
Level = 11.30
Total = 175.48

POST AR 5-A
Set a Lg Bt Spk W. of RR. & on curve AR 4. (162.50.00")

POINT OF BEG.

ARROYA SECA

M = 147.30

M = 154° 02' 30"

PI AR 5 not set, over side of hill and location in deep hole

M = 24° 08'

47.

M = 175.48

LOT 3

LOT 4

LOT

Fd a 2" I.P. Enc. Plug & Tag RE 2317 60' dn. Ref.
R-5 46-39
RS 46-48

1) 156-02-30
4) 204-09-50
156-02-27½
6) 216-15-00
156-02-30

1) 156-02-30
4) 204-09-50
156-02-27½
6) 216-15-00
156-02-30

24-08-40
96-35-00
24-08-45
144.52.40
24-08-46½

POST AR 5-B
Set a Lg Bt Spk 4' ± T. by calc. ∠ (152° 02' 30") and dist. (175.48) from POST AR 5-A

46-40

R-5

CURVE AR 5
Ø data per RS 46-39
RS 46-40

Δ 47° 55' 00"
R 300.00
L 250.89

M = 152° 02' 30"

DRIVE

CONT TOP PG. 46

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

WS 38A-5

Do not extend notes this side of this line

099-29 A-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 1029

F.B. ~~4795~~ PG. 40

NOTE
See Pgs 247 To 250 F.E.B.

517

#017.3

37.30 T = 72° = 37.30

167.45 T = 72° = 167.45

92.53 T = 76° = 92.53

CONT BOT

PG. 41

Edge of Pvmt

Set a Lg BT SPK WITH
Calc ∡ (156° 02' 30") and calc
dist (37.30) from POST AR 5B.
SEARCHED 36" FOR 2 I.P.
PER RS. 46-40
NOTHING FOUND

Set a 5m BT SPK & T in a Stump

11.25

26.72

Set a 5m BT SPK & T in a 10" ENCA

EC AR 5

ARDSHEAL

Set a Lg BT. SPK Flush.

HOUSE # 2454

1) 166 - 37 - 30
4) 306 - 29 - 50
16C - 37 - 27 1/2
2) 279 - 45 - 00
166 - 37 - 30

BC AR 6

Set a Lg BT STK WHT
By Calc ∡ (156° 02' 30") from
POST AR 5B and Dist
(167.45) from EC AR 5

SEARCHED 36' FOR 2 I.P.
PER RS 46-40
NOTHING FOUND.
EXCEPT GAS LINE
@ 36"

DRIVE

92.53

Simi Fan

Chino

CONT TOP PG. A3

CE 310
7GF3095 4-73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 1029

518

27

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~425~~ PG. 47
Map No.	JN 0307.00 Tape 0173 Std 68 °F
Office Work	Surveyed by F.E. Brooks
Checked	Notes FEB Date 21 July 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250
FEB

CURVE AR-6

PG. 47

CONT BOT

ARDSHEAL

CURVE AR-6
& data per RS 46-40

Δ	24° 45' 00"
R	430.00
T	95.11
L	186.95

1) 52-49-40
4) 224-54-00
52-43-30
6) 340-21-00
52-49-30

1) 166-37-30
4) 306-30-00
166-37-30
6) 279-45-00
166-37-30

Semi Tan

N = 92.53

AR

#0173
92.53 T = 76° = 92.53

PT on chord: set
x sq hd spk.

P.I. Falls on deep fill
in center of large hedge.
Under a water pipe.
no search made.

Cemented a Tack & B. & Engr Tag in brick headwall

Set a 5m BT: Spk & T in Trans. P.P. # 608425E

Chord

N = 92.53

Semi Tan

54° 43' 30"

Edge of Pvmt

DRIVE

N = 166° 37' 30"

38.89

34.68

Fd a 2" I.P. Conc Plug & Tag RE 2317 18" Dn. Ref. RS. 46-40

Set ~ Lg BT SPK W+T By calc ∠ (166° 37' 30") and Calc Dist. (185.06) from BC AR 6

SEARCHED 36" FOR 2" I.P. PER RS 46-40 NOTHING FOUND EXCEPT GAS LINE @ 36"

Set a 5m BT spk & T in guy pole # W 71433Y

LOT 9

LOT 8

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 48 1029

519

F.B. ~~4365~~ PG. ~~44~~

NOTE

See pgs 247 To 250 F.E.B.

202

109.83 T= 90° = 109.83

134.40 T= 90° = 134.41

134.40 T= 90° = 134.41



CE 310
76F309

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PG.

ARDSHEAL

N1= 119.83

POT set a Tg hd Spk

LOT 8

LOT 7

A Large Tree in location for 2" I.P. per RS 46-40.

DRIVE

N1= 134.41

RS 46-40

X

PWFB 0929

202

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 4950 PG. 42
Map No.	JN 0303.00 Tape 0199 Std 68 °F
Office Work	Surveyed by F.E.B. + OOKES
Checked	Notes R.D. Smith Date 26 July 76
Date	Indexed H. HOLMAN DEC 17 1979

CURVE AR-7

NOTE

See Pgs 247 TO 250 F.E.B.

CURVE AR 8
Δ data per RS 46-40
Δ 29° 00' 00"
R 250.00
T 64.25
L 126.54

M = 165.

30.

ARDSHEAL

M = 172.

House # 2402

House # 2407

0.55

12.10

0.11

Edge of Pavement

M = 195.19

7.86

Set a Lg BT Spk & W Flush.

Set a Lg BT Spk & Tack Flush. by Calc Δ (166° 37' 30") and Rec Dist. (244.24) from E.C. AR 6

Set a small spk & Tin. P.P.O. 608424 E

Found 2" I.P. conc plug & RE Tag # 2817 per R.S. 46-40. Set brass NAIL ON SURFACE

DRIVE

Closed

Simi Tan

1) 165 - 30 - 00
4) 302 00 00
6) - 75 30 00
213 00 00
45 30 00

125.18 @ 78° = 125.19
125.18 @ 78° = 125.19

P.I. AR 7
dug dn. 3' found no evidence of pipe per RS. 46-40

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4755~~ G. 40

203

NOTE
See Pgs 247 To 250
FEB



1)	165	30	00
4)	302	00	00
	75	30	00
4)	27	00	00
	45	30	00

CE 310
76F309

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

204

31

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 495 PG 47
Map No.	JN 0303.00 Tape 0199 Std 68 °F
Office Work	Surveyed by FEB + HOLS
Checked	Notes RD Smith Date 29 Sept 76
Date	Indexed H. HOLMAN DEC 17 1979

1) Lo - 19 - 40
4) R4 - 11 - 20
Lo - 19 - 50
6) 361 - 48 - 50
Lo - 17 - 48 1/2

CONT BOT PG. 19

NO EVIDENCE C 48" OF 2" I.P. PER RS 46-40

CURVE A2-8

Note
See Pgs 247 To 250 FEB

SET L9 BT SPK W+T
131 CALC ∠ 164° 47' 22"
AND RECORD DIST 89.38
FROM EC. AR-7

HP 3800

T Box

Inst HI @
Forget HI @

Mean Vert ∠

Machine dist
Corrected dist

See Pg 3

EV

P.I. FALLS IN DEEP FILL
NO SEARCH

N

W 40

N 60° 19' 48" W 89.38 RAD

EDGE OF PVMT

20.15

IRON HEAD

164°

Set L+T Edge Tangent

HOUSE # 2845

EDGE A7'

17.91

22

MEAS

EDGE OF PVMT

Semi Tans

N

CHORD 131.18 CALC ∠ N

DRIVE

1. 164 47 22
4 999 09 20
- 74 47 20
6 268 44 10
- 44 47 21 1/2

CURVE DATA
Δ 30° 25' 15"
R 250'
T 67.97
L 132.74

131.17 C 80° = 131.18
131.17 C 80 = 131.18

CURVE AR 8
data per RS 46-40
Δ 30° 25' 15"
R 250.00
T 67.97
L 132.74

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

CENTERLIN
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4355~~ PG. ~~48~~

NOTE 205

See Pgs 247 To 250 F.B.



CE 310
76F3095

403 LOS ANGELES COUNTY ENGINEERING BLDG.
LOS ANGELES COUNTY ENGINEER
PLEASE RETURN TO

MP 28-A-3

Do not ~~ex~~ notes this side of this line 099-2797A-3

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

206

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of HACIENDA AREA E DIV 5 F.B. 4355 PG. 49

JN 0303.00 Tape 0199 Std CB °F

Surveyed by F.E. Brooks

Notes R.D. Smith Date 3 AUG 79

Indexed H. HOLMAN DEC 17 1979

NOTE
SEE PGS 247 TO 250 FEB

CURVE AR-9A AND AR-9B SET L9 BT SPK W/T

85.14 @ 80° = 85.15
85.14 @ 30° = 85.15
85.15 @ 04° = 85.16
85.13 @ 84° = 85.14 BY CALC ∡ 164 47 22
= 85.15 REC DIST 161.97 FR.
E.C. AR-8 PER
R.S. 46-40

FOUND 2" I.P. CALC
PLUG + R.E. TAG 2317 DN 24"
PER R.S. 46-40 SET
1 BRASS NAIL ON SURFACE
P.O.C.
SET L9 BT SPK W/T
BY CALC ∡ 159 57 12
AND CALC DIST
85.15 FR B.C. AR-9A

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE BY THE LOS ANGELES COUNTY ENGINEER AND CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes across this line

W3 3841.5

099-2971.3

CENTERLINE DATA CE 310 76F3095-4/73

1 159 57 12
4 279 48 50
= 69 57 12½ CALC
6 239 43 15
= 39 57 12½ CALC

CURVE DATA AR9A PER R.S. 46-40
Δ 80° 11' 15"
R 124.20
L 173.82

1. 139 54 24
4. 199 37 40
= 49 54 25
6 119 26 25
= 19 54 23½ CALC

CURVE DATA AR 9B
Δ = 39° 50' 00"
R = 124.20
L = 86.35

1. 140 02 12
4 200 08 50
= 50 02 12½
6 120 13 10
= 20 02 11½ CALC

NO P.I. SET PER R.S. 46-40

NO P.I. SET PER R.S. 46-40

NO EVIDENCE @ 36" OF FOUND 2" I.P. PER R.S. 46-40

NO EVIDENCE @ 36" OF SET 2x2 PER R.S. 46-40

SET L9 BT SPK W/T BY CALC ∡ 139 54 24 DIST 85.15 FROM P.O.C.

NO EVIDENCE @ 36 OF 2" I.P. PER R.S. 46-40 SET L9 BT SPK W/T @ CALC ∡ (139° 54' 24") + CALC DIST 85.15 ON FROM P.O.C.

PWFB 0929

F.B. ~~4755~~ PG. 60

207

NOTE
SEE PGS 241 TO 250
FEB

46-40

CURVE AR 9B
Δ data per RS 46-40 ON 2-28
Δ 39° 50' 00"
R 174.20
T 45.00
L 80.33

AR-9B

FOUND 2" I.P. CONC CORE
+ RE.TAC 2317 PER
RS 46-40 SET BRASS
NAIL ON SURFACE

84.62 @ 72 = 84.62
84.63 @ 72 = 84.63
= 84.62

131.68 @ 72 = 131.68
131.68 @ 72 = 131.68

62.00 @ 72 = 62.00
62.00 @ 72 = 62.00

1. 160 05 00
4. 280 20 00
= 70 05 00
6. 240 30 00
= 40 05 00

SET Sq HD SPK + P.M.
CALC DIST FROM
E.C. AR9B PER PARCEL
MAP 3493

SET Lq BT SPK W/T
BH CALC Δ 140 02 12
AND DIST FROM E.C. AR9A
+ BC AR 9B PER
RS 46-40

ARDSHEAL

DRIVE

84.62 CHORD

131.68 CALC MEAS

62.00 C+M

FOUND 3/4" I.P. + L.S. TAC # 2495
PER PARCEL MAP 3493
EXCEPT PARCEL MAP CALLS
IT 1" I.P. + L.S. TAC 2495

FOUND 2" I.P. U/P 10
PER RS 46-40
NO CORE OR TAC
USED CTR

Q-29

OM

3493

P. M.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

CE 310
76F309 5-73

PWEB 0929

208

Notes Ck'd by	Survey of HACIENDA AREA & DN 5
Map No.	JN 0303.00 Tape 0789 Std 68 °F
Office Work	Surveyed by F.E. Brooks
Checked	Notes R.D. Smith Date 5 Aug 76
Date	Indexed H. HOLMAN DEC 11 1979

F.B. ~~4955~~ PG. ~~61~~

NOTE See Pgs 247 To 250 F.E.B.

CURVE AR-10

℄ data per RS 46-40 ORM 2-28

Δ 36° 04' 30"
R 122.83
T 40.00
L 77.34

R=5.

ORM

1.161 57 45
4 287 51 00
= 71 57 45
6 251 46 30
= 41 57 45

Z-28

EC AR 10

(NOTHING CALLED FOR PER O.M 2-29 NO SEARCH)

SET Lg BT SPK W/T BY CALC ∡ 161 57 45 AND DIST FROM B.C AR-10 PER R.S. 46-40

ARROYO AVE

S 1.82

161

45

20

Set a 1" I.P. in fn post

Pump House

76.06 C/L CHORD

Semi Fens

FD 2" I.P. CONC CORE & TAG RE 2317 PER RS 46-40 SET BRASS NAIL & SURFACE

DRIVE

161 57

45

0.91

62.00 C/L

0.61

Lg BT SPK W/T

Set a Sm BT Spk W/T in P.P. # gone

SET Lg BT SPK W/T BY CALC ∡ 160 05 00 AND DIST 193.68 FROM E.C. AR-98 PER RS 46-40

3493

76.06 @ 72° = 76.06
76.06 @ 72° = 76.06

PM

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 31 0929 NOTE 209

F.B. ~~4855~~ PG. ~~54~~ See pgs 247 To 250 F.E.B.

AR = 11

Set L&PC Engr Tags in Conc buttress for Conc wall.

11-19

(NOTHING CALLED FOR PER OM 2-29)
NO SEARCH
SET L&PC SPK W/ T
BY CALC # 161 57 45 AND.
RECORD DIST FROM E.C.
AR-10 PER OM 2-29

51.82 @ 72° = 51.82
51.82 @ 72° = 51.82
77.27 @ 72 = 77.27
77.27 @ 72° = 77.27
114.12 @ 72 = 114.12
114.13 @ 72 = 114.13
= 114.12

HOUSE # 2249

ON

Edge of Pvmt

DRIVE

(NOTHING CALLED FOR PER OM 2-29)
NO SEARCH
SET
BY CALC # 120 50 30
AND DIST 77.27 FROM
BC AR-11 PER OM 2-29

51.82

Edge of Pvmt.

77.27 CHORD

BC AR 11

EC AR 11

CURVE AR 11
& data PI 118° 19' OM 2-29
Δ 45.00
T 75.36
L 92.93

1. 94 31 00
4. 18 04 10
= 4 31 02½
6 207 06 00
= 34 31 00

1. 120 50 30
4. 123 21 50
= 30 50 27½
6 05 03 00
= 00 50 30

Set L&PC Engr Tag in top conc block wall

9.88

5pm Top

114.12 CHORD

PM

3493

TW

CONT AT PG 53

CE 310
78F3095

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

WS 38A5

Do not ex notes this side of this line

099-222A5

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929 - 210

37

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~1355~~ PG. 53
Map No.	JN 2303.00 Tape 0199 Std 68 °F
Office Work	Surveyed by F.E. B Lucks
Checked	Notes RD Smith Date 9 Aug 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 To 250 FEB

3493

PM

CURVE AR 12
℄ data pm OM 2-28

Δ 52° 39' 00"
R 128.67
T 67.66
L 118.24

1. 161 17 00
4. 285 08 10
= 71 17 02½
6 247 42 00
= 41 17 00

141.63 @ 78° = 141.64
141.63 @ 78 = 141.64

(NOTHING CALLED FOR PER OM-229)
NO SEARCH
SET LQ BT SR W/T
BY CALC ≠ 94 31 00
AND DIST 114.12
BCAR-12 PER
O.M. 2-29

ARDSHIEL
114.12 C/L
CHORD

Set a Std
BT spk ⊕ T in
TT & W-13804-Y

DRIVE

141.64 C/L
CHORD

Set a P.M. in
end of R. Bar.

conc. block wall

OM

BC AR 13

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes to this side of this line

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 38 0929

F.B. 4955 PG. 54

NOTE 211

See Pgs 247 To 250 F.E.B.

PM

3403

65.25 @ 78° = 65.25

65.25 @ 78° = 65.25

(NOTHING CALLED FOR PER OM 2-28)
(NO SEARCH)

SET LG IST SPK W.I.T.
BY CALC & 161 17 00"
AND DIST 141.64 FROM
B.C AR-13 PER
OM 2-29

CONT RT PG 55

ARD HEAD

141.64 C.M.

CHORD

10 min Tans

N.L.

20

20

172

23

30

65.25

R.M. #2

55

39

DRIVE

NOT TAKEN

OM

CURVE AR 13
2 data per OM 2-28

Δ 15° 13' 00"
R 534.90
T 71.45
L 142.06

1.172	23	30	
Δ 329	34	00	
= 82	23	30	
6 314	21	00	
= 52	23	30	

EC AR 13

CE 310
76F3095 3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

212

39

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5
Map No.	JN 07057.00 Tape 0179 Std CE °F
Office Work	Surveyed by FEB Wooley
Checked	Notes RD Smith Date 10 AUG 76
Date	Indexed M. HOLMAN DEC 17 1979

F.B. 4995 PG. 78

NOTE
See pgs 247 TO 250
FEB



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

MS 38 1.5

Do not extend notes this side of this line

099.29TA03

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4956~~ PG. 56

NOTE

See pgs 247 To 250 FEB

213

CE 310
76F3095-4/73
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes this side of this line



Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~4755~~ PG. 57
Map No.	JN 0307.00 Tape 0199 Std 68 °F
Office Work	Surveyed by FEB + OKS
Checked	Notes FEB Date 18 Aug 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 To 250
FEB

#0199
33.89 TE NL = 33.89
50.26 TE NL = 50.26
63.39 TE NL = 63.39

Set a Lg Bt spk w&T Flush by Rec ∠ (173° 32' 00") and Rec dist (33.89) from PI AR 15 per O.M. 2-29

Set a Lg Bt spk w&T Flush by Rec ∠ (173° 32' 00") from PI AR 15 and Rec dist (50.26) from EC AR 15 per OM 2-29.

DRIVE
Dirt Drive
Gate
ARBSHEAL
LOT 68
LOT 69
NL
M=
50.26
EC AR 15
2-29
OM
EC AR 16

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4755~~ PG. ~~58~~

215, 216

1) 162° 54' 00"
4) 291 36 00
2) 162 54 00
4) 257 24 00
162 54 00

NOTE
See Pgs 247 To 250 FEB

PI AR 16
Set a Lg Bt Spk w&T Flush by Rec ∠ (153° 32' 00") from PI AR 15 and Rec dist. (63.39) from BC AR 16 per OM 2-29

set a Sm Bt Spk &T in Conc Curb

set a Sm Bt Spk &T in P.R. # W-12382-Y

Set a Lg Bt Spk w&T Flush by Rec ∠ (162° 54' 00") and Rec Dist. (63.39) from PI AR 16 per O.M. 2-29

#0199
63.39 T = 72° = 63.39
61.81 T = 72° = 61.81

1) 153 48 00
4) 255 12 00
153 48 00
2) 202 48 00
153 48 00

CURVE AR 16
Z data per OM 2-28
Δ 17° 06' 00"
R 421.64
T 63.39
L 125.84

CONT TOP PG 59

W.S. 38, A-5

CE 310
76F3095-73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

217

Notes Ck'd by	Survey of HACIENDA AREA & DU 5
Map No.	JN 0303.00 Tape 2199 Std 68 °F
Office Work	Surveyed by FEBrooks
Checked	Notes FEB Date 19 Aug 76
Date	Indexed H. HOLMAN DEC 17 1979

F.B. 1365 PG. 39

NOTE
See pgs 247 to 250 FEB

CONT BOT PG 58

CURVE AR17
& data per DM 2-28

Δ 52° 24' 00"
R 70.00
T 34.47
L 64.02

PT AR 17 falls over the bank not accable nothing set

Semi Tan

Chord

1) 153 - 48 - 00
4) 255 - 12 - 00
153 - 48 - 00
4) 207 - 48 - 00
153 - 48 - 00

M = 11.91

M = 11.91

BOUNDARY

2-28

ON

EC AR 17

48.00'

Set a Lg Bt Spk W&T Finish Lg Calc & (153°-48'-00") and Calc Dist (41.81) from the EC AR 16 BC AR 17

ON

20

20

M = 11.91

DRIVE

CONT TOP PG 60

44

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend note this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 44 0929

F.B. 4355 PG. 60

NOTE

218

See pgs 247 To 250 F.E.B.



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

CE 310
76F 3095-3

PWFB 0929

219

Notes Ck'd by	Survey of HACIENDA AREA 4 DIV 5 F.B. 4305 PG. 64
Map No.	JN 0303.10 Tape 0199 Std 68 °F
Office Work	Surveyed by F.E. Brooks
Checked	Notes FEB Date 19 Aug 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
SEE PGS 247 TO 250
FEB

CURVE AR 19
Data per OM 2-28
Δ 43° 14' 30"
R 203.00
T 80.48
L 153.25

#0199
149.63 T = 82° = 149.64
149.63 T = 82° = 149.64

Set a Lg Bt. Spk & W Flush

1) 158 22 45
4) 273 31 00
158 22 45
4) 270 10 30
158 22 45

1) 68 03 10
4) 272 12 30
68 03 07½
4) 48 18 30
68 63 45

Fd a N&T Flush. no Ref.

Set a L&T.

PI AR 19
Location over edge not useable nothing set.

#0199
107.17 T = 82° = 107.18
107.17 T = 82° = 107.18

Set a Lg BT Spk W&T Flush by calc Δ (158° 22' 45") and calc dist (149.64) from EC AR 18 BC AR 19 Ref. OM Z-29

Fd a ¾" I.P. & Tag L.S. 2231 Flush. no Ref.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4355~~ PG. ~~64~~

NOTE
See pgs 247 To 250

220

F.E.B.
2-29

1)	152	56	15
4)	251	45	00
	152	56	15
L	197	37	30
	152	56	15

1)	152	56	15
4)	251	45	00
	152	56	15
L)	197	37	30
	152	56	15

O.M.

Set a ⅝ Bt Spk w/ T Flush by Calc ∠ (152° 22' 45") and Rec. Dist. (107.18) from EC. AR 19 per O.M. 2-29



CE 310
7GF 3095 3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929 NOTE See Pgs 247 To 250 FEB 221

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 427-5 PG. 63
Map No.	JN 0303.00 Tape 0199 Std 68 °F
Office Work	Surveyed by F.E.B/Lodi
Checked	Notes FEB Date 23 Aug 96
Date	Indexed H. HOLMAN DEC 17 1979

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES CE 310 76F3095-4/73

MS 38, A-5

#0199 T= 72°

20.19 @ 12° 19' 50" = 19.926
26.62 @ 16° 55' 30" = 19.926 = 19.93

21.63 @ 14° 49' 25" = 20.910
22.04 @ 18° 24' 50" = 20.911 = 20.91

20.67 T= 72° = 20.67

20.67 T= 72° = 20.67

1) 145 - 37 - 00
4) 272 - 28 - 10
145 - 37 - 00
6) 163 - 42 - 00
145 - 37 - 00

35 - 25 - 30
141 - 40 - 40
35 - 25 - 10
212 - 30 - 50
35 - 25 - 08 1/2

Set a 2" I.P. Conc plug & Co. Engr Tag 4" dn. by Calc. & Rec. Dist (28.18) and E.C. AR 20. per ONM 2-29

CURVE AR 21
R data per ONM 2-28
Δ 34° 23' 00"
RT LC. 81
T 20.67
L 40.09

BC AR 21
EC AR 21

Fd Ns Tags & Tj. L.S. 2231 Flush. no Ref.

PI. AR 21
Set a Lg 8d spk w/d T. Flush by calc & (B2° 56' 15") from E.C. AR 20 and Rec. Dist. (20.67) from BC. AR 21. per ONM 2-28

Set a 1" I.P. Conc plug & Co. Engr. Tag 3" dn. by Rec & (145° 37' 03") and Rec. Dist. (20.67) from PI. AR 21. per ONM 2-28

CONT BOT PG. 47

1) 91 - 03 - 20
4) 314 - 13 - 30
91 - 03 - 22 1/2
6) 186 - 20 - 00
91 - 03 - 20

1) 91 - 50 - 30
4) 317 - 22 - 10
91 - 50 - 32 1/2
6) 191 - 03 - 00
91 - 50 - 30

Fd 2" I.P. & Wood plugs & Remains of nail 3" up no Ref.

1) 91 - 03 - 00
4) 314 - 12 - 00
91 - 03 - 00
6) 182 - 18 - 10
91 - 03 - 01 1/2

EDGE OF PAVMT

ARDSHEAL

M= 28.18

M= 91° 03' 20"

M= 91° 50' 30"

19.91

19.87

M= 91° 03' 20"

Fd a N&T. no Ref.

0.10

0.34

M= 91° 03' 20"

0.34

Tennis Courts

M= 20.67

20.67

M= 287.58

M= 35° 25' 08"

DRIVE

HOUSES 2040 - 2044

Set a 3/4" I.P. & Tag RCE 42507 Flush. no Ref.

M= 26.36

Grnd. Sl.

DRIVE

Z-30

CONT TOP PG. 64

48

42507

PWFB # 0929

F.B. ~~1956~~ PG. ~~64~~

222

NOTE
See pgs 247 To 250
FEB

CONT BOT PG 63

#0226
21.36 T= 76° = 21.36
287.54 T= 90° = 287.58
287.54 T= 90° = 287.58
51.05 T= 90° = 51.06
77.89 T=90° = 77.90

DRIVE
HOUSE 2053
DRIVE
M= 21.36
POT Set a
¾ hd spk.
18.45
1.33
12.40
1.04
287.58
M
20
20
Fd a 2" I.P.
Wad Plug & N
4" up. leaning
westerly. no Ref.
Fd a 2¼"x2¼" stake
flush no Ref.
Fd a 1x2 & Cap Tack
2" dn. no Ref.
Fd a 1" I.P. Cone Plug &
Tag LS 22231 flush.
no Ref.
0.24
Fd a NAIL flush
no Ref
0.32
M= 51.06
M= 39.40
Fd a 2x2 & Cup Tack
flush no Ref.
ARBS HE 45°
#1711 T= 80°
128.50 @ -3° 50' 40" = 128.210
128.41 @ -3° 11' 30" = 128.210
39.40 T= 80° = 39.40
1) 74-58-20
2) 299-54-50
74-58-42½
3) 89-52-30
74-58-45
Set a Lg BT Spk W
& T Flush by Rec. ∡
(145° 37' 00") and
Rec D.st. (287.58)
from PI AR 21 per
DM 2-28.
58'
45°
Edge of Pvmt
M= 73.90
74°
M= 128.21
M= 39.99
BC
AR
N
CONT TOP PG 65

CE 310
76F3095 #3
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
Do not extend notes this side of this line
NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

223

49

Notes Ck'd by	Survey of HACIENDA AREA & DWS F.B. 4365 PG. 65
Map No.	JN 0303.00 Tape OZCC Std 68 °F
Office Work	Surveyed by F.E. Brooks
Checked	Notes FEB Date 25 Sept 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250 FEB.

#OZCC
39.97 T=70° = 39.97
39.97 T=70° = 39.97
104.60 T=74° 104.60

CONT BOT PG 48

C4
1) 27-19-20
4) 109-17-10
27-19-17½
6) 163-53-50
27-19-18½

N

N= 27° 19' 18"

DRIVE

1) 150-09-30
4) 240-30-00
150-09-30
6) 180-57-00
150-09-30

P.I. AR 22
Set a 2" I.P. Conc Plug
& Co Engr Tag Flush
Ky Calc Δ (145° 37' 00")
from PI AR 21 and
Rec dist (39.97) from
B.O. AR 22

M= 39.97
M= 108.21
Edge of Pvmt
Edge of Pvmt
28.71
30"
09'
150°
20
20
M= 39.97
M= 104.60
ARROYO HEAD
50
106

Set a Lg Bt Spk w&T
Cut bank 2.3 ft.
above edge of Pvmt

CURVE AR 22
Curve Data per OM2-28
Δ 39° 50' 30"
R 150.00
T 39.97
L 72.13

Set a Sm Bt Spk
&T in PP #

Set a Lg Bt Spk w&T
Flush Ky Calc Δ
(150° 09' 30") and
Rec Dist (39.98)
from PI AR 22

EC AR 22

CONT TOP PG 66 - 122

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. 4353 PG. 66

NOTE 224, 225

See pgs 247 To 250 F.E.B.

CONT 130T PG

CONT 130T PG

CE 310
76F3095-4/73

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not ex[illegible] notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

WS 38 A-5

Fd a Nail Tag & W Flush. RCE 15873 no Ref.

Z-30

20

20

20

20

11.18

GLENHAVEN DRIVE

ARGOS HEAL

Fd a 2X2 & Tag RCE 15873 Flush. no ref.

ENCANADA

Spt AR 23 Set a 2" I.P. mag Plug & Engr Tag Flush on hillside by Calc & (150° 09' 30") from PI AR 22 and Rec. Dist. (104.60) from B.C. AR 22 Set 2-6' Lg Bt Spk & W Tics.

19.68

0.31

C.63

0.42

0.35

90°

2.52

19.68

Fd a Nail & Tag no number no Ref

Set a L&C Engr Tag

Fd a 1X2 & Cup Tack flush no Ref.

Fd a L&T no Ref.

1) 167-26-00
2) 308-44-00
127-22-00
3) 284-36-00
167-26-00

1) 100-29-00
2) 44-56-00
100-29-00
3) 242-54-00
100-29-00

SEE 122 PAGES

Set a L&C Engr Tag in conc base of gate post

INTER. Set a Lg Bt Spk W&T Flush by Calc & (142° 24' 00") and Rec. Dist. (74.80) from & PI AR 23

M=32.88

M=100.00

Spt EN 8 Set a Lg Bt Spk W&T Flush Lg Calc & (100° 29' 00") and Rec. Dist (32.88) from INTER

Removed 23 Sept 1976

0266
70.99 T=90°=70.80

Z-31

HOUSE #344

Fd N&Tag RCE 15873. no Ref.

CONT

TOP

49

65

L.71
L.62
4.39

4.46
19.99
57

PWFB 0930

215

Notes Ck'd by	Survey of HACIENDA AREA Q Div 5
Map No.	JN 0303.00 Tape 0211 Std 68 °F
Office Work	Surveyed by F.E. Brooks
Checked	Notes FEB Date Augt 76
Date	Indexed H. HOLMAN DEC 17 1979

F.B. ~~4955~~ PG. ~~62~~ 51

NOTE
See Pgs 247 TO 258 F.E.B.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F-3095-4/73

WS 38 A-5

CONT BOT PG 94

58

HACIENDA

C.S.B. 5197-3

COUNTY SURVEYOR
RE 2177

Fd a 2½" Brass Disk
15' dn. Ref. CSB 5197-3

1) 94-49-50
2) 19-20-10
94-50-02½
3) 209-00-10
94-50-01½

Fd a Lg Bt Spk W&T hd Flush. Ref.

Ø

21.41

3.32

1.22

M=241.60

DRIVE

20.02

ENCANADA

20

IN

Set a Sq hd Spk

50'

02"

Fd a 2½" Brass Disk Set in the Top of a 6" Conc post. Flush. Ref. F.B. 1575-11 CSB 2214

COUNTY SURVEYOR
COR 11
RE 329

#0211
21.41 T=80° = 21.41
241.50 T=61° = 241.50
241.50 T=11° = 241.50

PARK

HACIENDA

BLVD

C.S.B. 5197-3

CONT TOP PG 77

52

PWFB 0930

F.B. 4365 PG. 66

216

NOTE
See pgs 247 To 250
F.B.

#0ZLL
28.90 T=88° = 28.90

1) 141 - 05 - 50
4) 204 - 23 - 50
141 - 05 - 57 1/2
4) 12L - 35 - 30
141 - 05 - 55

N 30

Fd a 3/4" I.P. wood plug & N. 14" dn. Ref. F.B. 1575-11 CSB 2214 set a Lg Bt Spk w&T Flush.

HOUSE #129

#0ZLL
28.89 T=44° = 28.89
47.59 T=44° = 47.59

ON

Set a Lg Bt Spk & W Flush.

PI EN 1
Fd a Lg Bt Spk w&T 2" dn. Ref. F.B. 1575-11 CSB 2214

DRIVE

M= 241.50

M= 28.90

20.19

19.98

0.03

Fd a 1X2&N Flush. no Ref.

Pvmt

Tan

Pvmt

C.S.B. 2214 and F.B. 1575-11 call for a Q Sur. Mon. Fd no evidence of mon. 29' dn.

M= 28.89

20.3'

0.02

19.96

Fd a Lg Bt. Spk w&T 3" dn. Ref. F.B. 1575-11 CSB 2214

30.80

55'

05'

Set a lg. Bt. Spk w&T Flush.

M= 141°

Bk of Sdwk

EC EN 1

BC EN 1

20

20

M=47.59

ENCANADA

CURVE EN 1
Δ data per CSB 2214 Δ data per ON-2-30

Δ	38° 52' 25"	Δ	38° 41' 00"
R	81.90	R	82.33
T	28.90	T	28.90
L	55.57	L	55.59

PARK

Fd a 1 1/2" Brass Disk set in a 1" Iron Post. 18" dn. Ref. F.B. 1575-11 CSB 2214

COUNTY SURVEYOR
BR 9
RE 329

HACIENDA

CONT RT PG. L9

CE 310
76F3091
3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0930

217

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~4305~~ PG. 69
Map No.	JN 0303-00 Tape OZLC Std CB °F
Office Work	Surveyed by F.E.Brooks
Checked	Notes FEB Date 13 Sept 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250 F.E.B.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes to this side of this line
W.S. 39 A-5

CENTERLINE NOTES
CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.



PWFB 0930

218

F.B. ~~4755~~ PG. ~~70~~

NOTE #0226

sec pgs 247 To 250 48.71 T= 66° = 48.71

F.E.B. 81.36 T= 66° = 81.36

ON

END

2.30

Co. Surv. Brass Disk

Fd 2X2 ±N 6"dn. Ref. CSB 2214 FB 1575-8 removed

0.01

Fd Sq hd Spk & T 3 dn. no ref. removed

0.01

0.07

0.03

0.03

Fd W Flush Removed no Ref.

DETAIL

N

MF 381A-5

COUNTY SURVEYOR

RE 329

Set a 1" I.P. in hinge Post 18" up.

Fd a 2½" Brass Disk set in the top of a 6" Conc. Post 21" dn. Ref FB. 1575-8 CSB. 2214 Set a Kg Bt Spk W & T 2-3' Flush with Bt Spk Ties.

2) 168 - 38 - 00
M) 84 - 19 - 00

Fd a Kg Bt Spk W & T 3' dn. Ref. CSB 2214. FB 1575-8 Set a Sq hd Spk Flush.

Edge of Pvmt

0.06

0.07

M= 81.36

M= 43.47

M= 48.71

Edge of Pvmt

DRIVE

ENCANADA

84° 19' 00"

Fd a 2½" Brass Disk set in conc Flush with the Top of headwall. Ref. CSB 2214 FB 1575-8

C.S. Mon. per C.S.B. 2214 & FB 1575-8 Fd laying on its side.

Fd a Sq hd spk 2" dn. No Ref. Removed.

PARK

HACIENDA

ON

CE 310
7GF3095 1173

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

Do not ex notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0930

219

Notes Ck'd by	Survey of HACIENDA AREA L DN 5 F.B. ~~4955~~ PG. 71
Map No.	JN 0303.00 Tape 0266 Std 68 °F
Office Work	Surveyed by F.E.Brooks
Checked	Notes F.E.B Date 14 Sept 76
Date	Indexed H. HOLMAN DEC 17 1979

1)	129	44	00
4)	158	56	00
	129	44	00
6)	50	14	00
	129	44	00

1)	151	21	30
4)	245	26	00
	151	21	30
6)	180	09	00
	151	21	30

NOTE
See Pgs 247 To 250
F.E.B

CONT BST PG 70

ENTRANCE

M = 151°

M = 180.89'

3.81' offset LINE

79.89' to pnt 2

Edge of Pvmt

M = 110°

79.77'

M = 129° 44' 00"

3.81' offset LINE

#0266 T=68°
79.99 @ 2° 44' 50" = 79.894
80.06 @ 3° 40' 40" = 79.895
M = 79.89
Level = -0.12
diff = 79.77

set Lg Bt spks & w/s Flush

3.00

M = 48.41

DRIVE

Pvmt

Edge of Pvmt

⊕ Pt EN 4
Location on side hill nothing set or found

Offset ⊕ PT EN 4
set a Lg Bt Spk w/ tack by calc ∠ (129° 44' 00") and calc dist (79.77) from offset ⊕ PT EN 3

⊕ Pt EN 3
Location on side hill nothing set or found

Offset ⊕ PT EN 3
set a 1X2 ⊕N on line prod from Mon. at Intyr. Replaced 1X2 ⊕N with a 2" I.P. Conc Plug & Cap. Engr Tag. Set Lg Bt Spk & w/ 3' Ties.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

W538 A-5

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0930

F.B. 4356 PG. 72

220

CE 310
76F3095 5433

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

NOTE
See Pgs 247 TO 250 FEB

1) 141 02 30
4) 204 10 00
141 02 30
6) 126 15 00
141 02 30

COUNTY SURVEYOR
RE 329

PI EN 5
Fd a 2½" Brass Disk set in a 6" conc post. 10" dn. Ref.
FB 1575 - 15
CSB 2214

Offset RI EN 5
set a 2" IP conc Plug & Tag L.S. (151) "21.30" dn. Calc ⊥ dist & calc dist (1L0.84) from Offset ⊥ PT EN 4

0.065

CURVE EN 5
℄ data pcl OM 2-30
CSB 2214
Δ 38° 57' 30"
R 50.00
T 17.69
L 34.80

EC EN 5
BC EN 5

#0262C
174.80 T= 76° = 174.81
174.81 T= 76° = 174.82

#177 T= 70°
142.13 (142.12) @ 5° 53' 50" = 141.368
142.25 (142.24) @ 6° 19' 40" = 141.373
M = 144.37
Level = 19.49
Total = 160.86

3.81' offset LINE

Edge of Pvmt

DRIVE

CONT TOP PG 71

PWFB 0929

226

57

Notes Ck'd by	Survey of HACIENDA AREA 2 DIV 5
Map No.	JN 0307.00 Tape 022C Std 68 °F
Office Work	Surveyed by F.E. Brooks
Checked	Notes FEB Date 21 Sept 76
Date	Indexed H. HOLMAN DEC 1 1 1979

F.B. ~~1575~~ PG. ~~73~~

1)	63	35	20
4)	254	21	20
	63	35	20
4)	21	32	00
	63	35	20

0.44 S
0.70 E

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

WS 34 A-5

Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

60

CONT BOT PG 76

NOTE
See pgs 247 TO 250
F.E.B.

O.M.

ENCANADA

N1= 93.48 Ent of Prod

Prod set a ⅝ Lg Bt spk w&T Flush

Inter. Set a Lg Bt Spk & W Flush by Rec & (141° 02' 30") and cale. dist (174.81) from offset PI. ENS per C.S.B. 2214

1)	125	32	20
4)	142	09	40
	126	32	25
4)	33	14	30
	125	32	25

Inter Set a ⅝ Bt Spk. Flush.

set 4 & Co Engr Tags.

43.96

TANK

0.11

43.28

0.09

1.20

0.65

Fd a 2½" Brass Disk Set in a 6" conc post 10" d in. Ref. FB. 1575-15 CSB 2214 set Br N. on surface.

DRIVE

Set a Br. No. 1 at Rec & (141° 15' 30") and dist (93.48) from PI. ENC per OM 2-30

N1= 63° 35' 00"

209.37

20

20

TRAVESIA

LOT 91

LOT 92

Fd ± 2" I.P. no plug or Nail 4" dn. no Ref. used Ctr.

19.91

0.19

Pot set a sq hcl spk

SEE PAGES 119

CONT TOP PG 109

OM

2-32

93

PWFB 0930 58

F.B. 4355 PG. 74

221

NOTE

See Pgs 247 To 250

FEB



℄ Curve data per CSB 5197-3

Δ 7° 24' 30"
R 599.31
T 38.80
L 77.49

WS 39 A-5

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

CE 310
76F3095 3

51

PWFB 0929

227

59

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 4753 PG. 75
Map No.	JN 0507.00 Tape 0226 Std 68 °F
Office Work	Surveyed by FE BROOKS
Checked	Notes FEB Date 12 Sept 76
Date	Indexed L. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250
FEB

CENTERLINE NOTES
CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
463 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend note this side of this line

CONT BOT PG 66

#0226

257.49 T = 90° = 257.53
257.49 T = 90° = 257.53

135.45 T = 70° = 135.45
135.45 T = 70° = 135.45

1) 166° 14 30
2) 304 58 00
3) 166 14 30
4) 197 29 00
166 14 30

ENCANADA

N 71° E

251.53

70'

30'

SEE PAGES 121 R-30

Set a Lg Bt spk & W in R R Tie. retaining wall

HOUSE # 335

Edge of Pvmt

Fd a Cut Tack Flush. no Ref.

0.43

Fd a Nail Flush No Ref.

0.05

0.73

12.97

23.68

Set PT. EN 7 Fd a Lg Bt Spk with Flush Lead & (Lat. 21° 49' 00") and Rec Dist. (251.53) from PT AR 23 per ON 2-30

Set a Lg Bt spk & W in R R Tie-retaining wall

Set a Lg Bt Spk & W in the end of a 10" post 2' high

HOUSE # 318

DRIVE

5' Chain link fence

N 71° E 134.45

POT Set a Lg Bt Spk & W Flush Removed FEB 23 Sept 76

N 34.47

CONT TOP PG 76

60

PWFB 0929

F.B. ~~#355~~ PG. ~~76~~

59

NOTE 228

Sec Tgs 249 To 250

#0226 F.E.B.

CONT BOT PG 75

34.67 T=70° 34.67

N= 34.67

64.80 T=70° = 64.80

93.48 T=70° = 93.48

Set a ½ Bt Spkw in end of guard post.

1) 143 15 30
4) 313 02 00
143 15 30
C 39 33 00
143 15 30

HOUSE # 311

5' chain link fn.

CURVE ENG
data per OM 2-30

Δ 36° 44' 30"
R 90.00
T 29.89
L 57.11

N=

109.49=N

143°

Edge of Pvmt

15'

30'

PI ENG
Set a 2" I.P. Cone Plug & B. Engr Tag Flush at Rec ☒ (126° 14' 30") and dist (234.92) from 4 Pt ENG per OM 2-30

Semi Tan

N=

50'

93.48

DRIVE

S 57 E

S 55

B-3

120

SEE PAGES

CONT TOP

X

CE 310
76F 309E

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0930

222

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 435-5 PG 99
Map No.	JN 0303.00 Tape —— Std —— °F
Office Work	Surveyed by F E Brooks
Checked	Notes FEB Date 8 Sept 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pg 247 TO 250
FEB



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0930

F.B. 4955 PG. 76

223, 224

NOTE

see Pgs 247 TO 250 FEB

CONT BOT PG 77



CE 310
76F3095 '73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

W.S. 38 A-5

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB [redacted] 1029

520

63

Notes Ck'd by	Survey of HACIENDA AREA K DIV 5 F.B. 435 PG. 99
Map No.	JN 0303.20 Tape 0202 Std CB °F
Office Work	Surveyed by FEB (OOK)
Checked	Notes FEB Date 29 JUNE 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 TO 250
FEB

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

CONT FROM PG 17

HACIENDA

#0202
162.75 T=84°= 162.77

Semi tan N= 162.77

P.I.
A. B. Engr. Mon. Per C.S.B. 1502 did not dig through pavement

PROD
Fd a 2½" Brass Disk set in conc 16" dn in a well
Ref. C&B 1502

SURVEYOR
COUNTY
RE 2197

Prod set a ½ hd stk in edge of pavmt

BLVD

CE 310
76F309
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
PLEASE RETURN TO
Do not extend notes this side of this line
NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

NOTE
See pgs 247 TO 250 FEIB

CONT 130' PG 81

1)	140	30	00
4)	282	00	00
	140	30	00
6	247	00	00
	140	30	00

1)	72	27	30
4)	289	50	00
	72	27	30
6)	74	45	00
	72	27	30



PWFB 0929

230

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 — F.B. 4755 PG. 81
Map No.	JN 0307.00 Tape 0226 Std CE °F
Office Work	Surveyed by FEB Looks
Checked	Notes FEB Date 27 Sept 76
Date	Indexed H. HOLMAN DEC 5 7 1979

NOTE
see Pgs 247 TO 250
FEB

#0226

247.03 T = 78° = 247.05
269.03 T = 78° - 269.05

N

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend lines beyond this side of this line

CENTERLINE NOTES
CE 310
76F3095-4/73

ENCANADA

Girard Rd.

PI EN 9
Location on hillside
in heavy brush.
nothing set

Edge of Pvmt

Edge of Pvmt

Edge of Pvmt

M = N47°05'W

O M

CURVE EN 9
& data per OM 2-28

Δ 39° 00 00
R 400.00
T 141.65
L 272.37

DRIVE

NNT TOT PG 80

PWFB 0929

F.B. ~~1356~~ PG. ~~82~~

NOTE - 231

See Pgs 247 To 250

FEB

CE 310
76F3095 '3

403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER

WD 39 A-2

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

CURVE EN 10
Δ data per ON 2-28

Δ	50°	30'	00
R	230.00		
T	108.48		
L	202.72		

#0266

108.47 T=80°=108.48
108.47 T=80°=108.48

D	160	30	00	129	30	00
A)	282	00	00	158	00	00
	160	30	00	129	30	00
L	343	00	00	57	00	00
	160	30	00	129	30	00

CURVE EN 10
Δ data Per ON 2-28

Δ	50°	30'	00
R	230.00		
T	108.48		
L	202.72		

Set a Sm Bt Spk ⊕W in ⊕ 20" Eva.

ENTRADA

N= 120.

N= 108.47

Set a lg Bt Spk W⊕T (Lo. 30' 00") By Calc ∡ (Lo. 30' 00") and Dist (267.05) from BC EN 9 Per ON 2-28

PI EN 10 Set a 2" I.P. Bnc Plug ⊕ Ca. Engr Tag dn. by Calc ∡ (120° 30' 00") and Rec. Dist. (108.48)' from PRC EN 9, 10 per ON 2-28

Set ½" in fn. post.

searched Fd nothing

Fd a Nail no Ref.

searched Fd nothing

DRIVE

N= 202.72

N= 267.05

Chord

4' Rail fence

E. Cl. EN 9

ON

WELLS #1 & #1A

PWFB 0929

232

Notes Ck'd by	Survey of HACIENDA AREA & DIVS F.B. 4765 PG. 80-87
Map No.	JN 0307.00 Tape OZLC Std CB F
Office Work	Surveyed by F.E.D Woolley
Checked	Notes FEB Date 20 Sept 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 TO 250
FEB

CONT BOT PG 84

ENCINITA

Fd a 2" I.P. no plug 4" ds. no Ref.

Fd a 1" I.P. Conc Plug & Tag L.S. 1102 Flush. no Ref. Pipe appears to be leaning SE'ly.

Pat Set a sq hd spk

#OLLC
108.17 T=70° = 108.17
108.17 T=70° = 108.17

161.22 T=70° = 161.22
161.22 T=70° = 161.22

99.66 T=70° = 99.66
99.66 T=70° = 99.66

HOUSE 530

E.C. EN 10

Fd Nails Flush no Ref.

Fd a 2" I.P. Wood Plug no nail used center no Ref. pipe Flush

Sawcut Fd nothing

POT Set a Sq hd spk

3' Rail fn.

DRIVE

CONT TOP PG 82

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~1255~~ PG. ~~84~~

NOTE - 233, 234
see pgs 247 TO 250
PEB

1	118	15	00
A	112	00	00
	118	15	00
L)	349	30	00
	118	15	00

0.56 S. of line

Fd a 1"1/2" I.P. Conc Plug & Tag L.S. 4178 Flush. no Ref.

PI EN 11
set a 2" I.P. Conc Plug & Lo Engr Tag at Rec ∠ (129° 30' 00") and dist (109.24) from PI EN10 per OM 2-28 pipe set 4" dn.

Fd a 2" I.P. Conc plug & Tag L.S. 4178 Flush. no Ref.

ENCANADA

Edge of Pvmt

M=165.52

M=44.16

set a Lg Nail Spk & w Flush

Set a sq hd spk Flush.

Fd a Sq Hd Spk & T Flush no Ref

Edge of Pvmt

M=118.

Searched Fd nothing

Fd a PK spk no Ref.

Set a Sm. Bt Spk & T in PP W111957

M=40.19

M=99.66

Fd a 2" I.P. Conc Plug & Tag L.S. 4178 Flush no Ref.

HOUSE 601

HOUSE 595

HOUSE 600

DRIVE

POT
Set a Sq hd spk.

Searched Fd nothing

CURVE EN 11

Δ Data per OM 2-28
Δ 61° 45' 00"
R 60.00
T 35.87
L 64.66

#0266
40.19 T=70° = 40.19
42.16 T=80° = 42.16

CONT TOP PG 83

CB 310
76F3095 3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

W 538 A-5 099-297 A-5

Do not exte[illegible] notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929 NOTE See Pgs 247 TO 250 FEB. 235

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 4755 PG. 86
Map No.	JN 4307.00 Tape 22LL Std 68 °F
Office Work	Surveyed by FEB Hooks
Checked	Notes FEB Date 28 Sept 76
Date	Indexed H. HOLMAN DEC 17 1979

1) 159 06 30
4) 276 46 00
159 06 30
4) 234 39 00
159 06 30

2) 169 03 30
79 31 45
split at ⊥



#0224

165.51	T = 80°	= 165.52
165.51	T = 80°	= 165.52
46.94	T = 68°	= 46.94
50.53	T = 74°	= 50.53
114.04	T = 74°	= 114.04
114.03	T = 74°	= 114.04
93.12	T = 74°	= 93.12
93.13	T = 74°	= 93.13

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F-3095-4/73

PWFB 0929

236

F.B. ~~4755~~ PG. ~~86~~

NOTE
see pgs 247 TO 250
FEB

CONT FROM PG 87

#02LL
40.29 T=74° = 47.29
84.75 T=76 = 84.75
68.17 T=78° = 68.17



Fd a 1½" I.P. Conc
Plug & Tag L.S. 4178
Flush no Ref.

1)	155	26	30
4)	241	46	00
	155	26	30
6)	212	39	00
	155	26	30
2)	155	26	30
	79	43	15 split of 4

Fd a 1½" I.P. Conc
Plug & Tag LS 4178
Flush no Ref.

ENCANADA

N 15° W 68.17

24.94

0.04

0.02

0.20

Fd a PK spk & T no Ref

POT
Set a sq hd spk & T

N 155°

Set a Sm Bt spk & T in PP # 20623596

HOUSE 112

N 84.75

77° 43' 15" split of 4

71.18 spk to 2 bolts

Searched Fd nothing

5' chain link fn.

Fd a Nail.

0.09

0.16

Edge of pvmt

1.14

20.95

0.15

N 41.29

Edge of pvmt

Pvmt 75.90

Set a Sm Bt spk & T in P.P. # 20623586

24.01

set a 1" iron fn. post.

Fd sq hd spk & T.

0.17

N 43.18

DRIVE

T.C.

POT Set a sq hd spk

Fd a Nail no Ref.

X PT EN 13
Set a Lg Bt spk W & T at Rec ∡ (159° 08' 30") and 8 ist. (304.38) from X PT EN 12 Pac
OM 2-28

X

CE 310
76F309t ∗ 3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

237

Notes C'k'd by	Survey of HACIENDA AREA & DIV 5 F.B. 455 PG. 87
Map No.	JN 1307.00 Tape 0766 Std 68 °F
* Office Work	Surveyed by F.E.B. + Crews
Checked	Notes FEB Date 30 Sept 76
Date	Indexed H. HOLMAN DEC 17 1979

1) 149 35 30
4) 148 22 40
149 35 30
6) 147 37 40
149 35 30

2) 149 35 30
74 47 45 at split

NOTE
See pgs 247 TO 250
FEB

CONT BOT PG 88

ENCANADA

N 33.59 W = 149.

20 — 20

N = 149.

Fd a 2" I.P. Wood Plug & tin 20" out of ground, leaning at a 45° ∠ toward the road.

Fd a 2" I.P. dist plug and Flag no tin 4" dn. no Ref. R" marker Pipe 2" N'ly.

Fd a No. 1.

Set a 5/8 in Bt spk ∠T in P.P. ★. 20 L 2360 E

Fd a sqhd spk ∠T no Ref.

split of ∠

20.60

20.52

8.64

0.46

0.04

0.55

Set a 5/8 in Bt spk ∠T in guy pole # 76 L 64 5 E

Fd a 1½" I.P. Penc Plug & Tag RS 4128 Flush. no Ref.

∠PT EN 14
Set a lg Bt spk. with 2½" brass tag stamped RCE 30455 at Rec. ∠ (455° 2½" 30" and Dist (206.09) from ★ PT EN 13 per O/M 2-28

N 54.17 W

25.00

0.54

POT Set a sqhd spk.

DRIVE

N 40.17 W

5' chain link Fn.

CONT TOP PG 86

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

09-227 1-3

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4755~~ PG. ~~84~~

238

NOTE
See Pgs 247 To 250
FEB

2-22

47.67
1.33

CE 310
76F3095 53

WS 284-5

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

OM

#0266
50.35 T 84° = 50.36
55.89 T = 84° = 55.90
49.00 T = 60° = 49.00
172.18 T = 78° = 172.19
172.18 T = 78° = 172.19

set a Lg Bt Spk W
at Calc. ~~Sta~~
(142° 13' 45") and
Dist (49.00) from
BC EN 15, per
OM 2-28

Scarified
Fd nothing

Set a Sm
Bt Spk & T
in 14" Palm

Fd a ¾" I.P. Tonc
RE 2317 12" dni.
Plug & Tag
no Ref.

ENCANADA

HOUSE
697

PI EN 15
Location in a
busy driveway
set nothing.

Semi
Tons

Set a ⊣ in the
Top of Fire Hyd.

Set a Lg Bt Spk W
at Rock
(149° 35' 30") and
Dist (106.26) from
xPT EN 14 per
OM 2-28

Ohead

Scarified
Fd nothing

BC
EN 15

CURVE EN 15
& Data per OM 2-28

Δ 75° 32' 30"
R 40.00
T 31.00
L 52.74

Edge of Pvmt

Fd a badly battered
2" I.P. Remains of
wood plug ⊗N. Flush.
pipe bent and twisted
horizontal to ground.
not useable.

Fd a 1½" I.P. Conc
Plug & Tag L.S. 4178.
Flush. no Ref.

OM

PUT
Set a Sq Hd Spk

DRIVE

Edge of Pvmt

1)	142	13	45
4)	208	55	00
	142	13	45
6)	133	22	30
	142	13	45

1)	142	13	45
4)	208	55	00
	142	13	45
6)	133	22	30
	142	13	45

CONT TOP PG 87

CONT TO PG 89

71

PWFB 0929

239

43

Notes Ck'd by	Survey of HACIENDA AREA & DIVS F.B. 1335 PG. 87 89
Map No.	JN 0307.00 Tape 22C Std CB °F
Office Work	Surveyed by FEB Hooles
Checked	Notes FEB Date April 76
Date	Indexed H. HOLMAN DEC 17 1979

9n-04-00

NOTE
See pgs 247 TO 256
FEB

Fd a 2" I.P. Wood Plug & N. L&Lc. 28" long laying Hrz. Horizontal. no Ref.

R - 22

Set a Lg Bt Spk w/ ⊕T at Calc ∠ (142° 13' 45") and Rec. Dist (172.19) from EC EN 15 per OM R-28.

Searched Fd nothing.

Searched Fd nothing.

Fd a 3/4" I.P. no plug 24" Up. no Ref. Fd a lath marked Prop Int.

P.I. EN 16 location in heavy brush, nothing set.

Set a Lg Bt Spk w/T at Calc ∠ (138° 48' 45") and dist. (48.38) from EC EN 16 per OM R-27.

Fd a 2" IR wood plug & N 5' Up. no Ref.

Fd a 1" I.P. Corner Plug & Tag L.S. 2408 level with edge of pvmt no Ref.

CURVE EN 16
& data per OM R-27
R-22

Δ	82° 22' 30
R	36.73
T	32.14
L	52.81

#0716
48.37 T=8.6° = 48.38
112.43 T=88° = 112.44
112.43 T=88° = 112.44

CONT TOP PG 90

74

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4756~~ PG. ~~89~~ 90

240

NOTE
See Pgs 247 TO 250
FEB

CONT BOT PG 89



CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not exte notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

241

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 4755 PG. 91
Map No.	JN 0307.00 Tape 0266 Std CE °F
Office Work	Surveyed by F E Bluhks
Checked	Notes FEB Date 6 Oct 76
Date	Indexed H. HOLMAN DEC 17 1979

Z-17

Note
See Pgs 247
To 250
FEB

CURVE EN 18
℄ Data per ON Z-27

Δ 170° 40' 30"
R 250.00
T 39.87
L 77.12

1) 162 19 30
4) 289 18 00
162 19 30
4) 253 57 00
162 19 30

Fd a 2" I.P. Wood Plug & N Flush. no Ref.

ON

Edge of Pvmt

Edge of Pvmt

DRIVE

Edge of Pvmt

Edge of Pvmt

Searched Fd nothing

CONT ENCANADA

0266
62.51 TE 76° = 62.57

PI EN 18
Set a Lg Pt Spk W ST
at Rec ∠ (141° 52' 30")
and Distance (175.95)
from PI EN 17 per
ON R-82

Z-27

ON

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929 06

F.B. ~~4355~~ PG. ~~92~~

NOTE

See pgs 247 TO 250

242, 243

FEB CONT BOT PG. 151

#0226

81.53	T= 90°	= 81.53
2.26	T= 90°	= 2.26
19.23	T= 90°	= 19.23
30.52	T= 66°	= 30.52

ONM

1)	137	22	30
4)	189	34	00
	137	22	30
6)	104	15	00
	137	22	30

INT. Set a Lg Bt Spk W&T Flush at Rec. & (162° 19' 30") and Dist. (64.00) from PI EN 18 per ONM Z-27

INT. Set a Lg Bt Spk W&T by intersection.

Set a Lg Bt Spk W&T Flush at Rec. & (121° 20' 30") and dist. (30.52) from Intr. at Encanada Dr. per ONM Z-22

Z-22

HOUSE #2212

Fd a Lg Bt Spk W&T ¼" dn. Ref. RDFB. 0929-12C set Br. N on surface.

Fd no evidence of 2" I.P. per RDFB 0929-12C dug dn 25"

Set a 1" I.C. Engr Tag

Edge of Pvmt

FIRE HOUSE

No evidence of 2" I.P. per RDFB 0929-12C dug dn 30"

Set a Sm Bt. Spk & Tag in PP # 195 0529

DRIVE

Set a 1" I.C. Engr Tag

DRIVE WAY

ENCANADA

no search set a Sm Bt Spk & Tag in Rec

Fd a 2" I.P. Wood Plug & N 6" dn. no Ref.

Set a Sq hd Spk at Rec. & Dist. (44.70) from PI VI 19 per ONM Z-27

Set a Br. N at Rec. & (145° 41' 30") and Dist. (81.53) from PI VI 19 per ONM Z-27.

ONM

Set a Sq hd Spk Straddler.

E.C. VI 19

Fd a 2" I.P. Wood Plug & N. 12" dn. Ref. RDFB 0929-12C

Fd a 2" I.P. Wood Plug & Nail. Set N. in Centr. no Ref. Pipe 10" dn.

Fd a 2" I.P. Wood Plug no nail 10" dn. no Ref. Set N. in Center.

Fd a Lg Bt Spk W&T ¼" dn. Ref. RDFB 0929-12C set a Br. N on surface.

Z-27

1)	81	23	10
4)	325	37	30
	81	23	22½
6)	120	20	10
	81	23	21½

1)	121	20	30
4)	133	22	00
	121	20	30
6)	30	83	00
	121	20	30

CONT TOP PG. 150

WS 384-5

099-297A-3

CE 310
76F3095-3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PWFB 0929

244

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 4955 PG. 93
Map No.	JN 9307.20 Tape 0226 Std 68 °F
Office Work	Surveyed by FEBrooks
Checked	Notes FEB Date 6 Oct 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250
FEB

0226
186.25 To 84° = 186.27
186.25 T= 84° = 186.27

236.28 T= 76° = 236.29
236.28 T= 76° = 236.29

1) 147 49 00
4) 231 16 00
147 49 00
4) 126 54 00
147 49 00

1-27

O NM

FI EN 19
Set a 4g Rt Spk
W&T flush at Rec
∠ (162° 19' 30") and
dist. (248.78) from
PI EN 18 per
OM 2-22

Fd a 2" I.P. Wood Plug no No.! Flush. Used center. no Ref.

HOUSE BZL

Set L&C Engr Tags.

Edge of pvmt

Searched no evidence

0.07

0.43

N= 186.27

DRIVE

Edge of pvmt

22.96

23.56

0.46

Fd a 1" I.P. Cone. Plug & Tag RE 8244 no Ref. 8244

Fd PK spks 2" dn. in holes. no Ref

N= 236.29

Searched no evidence

ENCANADA

N= 147° 49'

CURVE EN 19
∆ data per OM 2-27

Δ	32° 11' 00"
R	80.00
T	23.08
L	44.94

2-27

O NM

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
463 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4733~~ PG. 94

NOTE 245

See Pgs 247 TO 250 FEB



1)	179	51	30
4)	359	24	00
L)	179	51	30
	359	09	00
	179	51	30

1)	45	48	00
4)	213	17	50
	45	48	12 ½
L)	34	49	00
	45	48	10

1)	45	35	00
4)	212	20	00
	45	35	00
L)	33	30	00
	45	35	00

CE 310
76F3095
3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

VS 384-5

Do not write notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

039-297 A-3

PWFB 0929

246

Notes Ck'd by	Survey of HACIENDA AREA & DN 45 F.B. 1253 PG. 247
Map No.	JN 0705.00 Tape 0222 Std 68 °F
Office Work	Surveyed by FEB books
Checked	Notes FED Date 7 Oct 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 To 250 FEB

A-21

CURVE EN 20
℄ data per ON 2-27
Δ 86° 11' 00"
R 110.00
T 95.38
L 60.27

ON

#0220

CP 12 T 88° = CP 13
221.42 T 88° = 221.45
221.42 T 88° = 221.45

1) 153 49 00
4) 255 11 00
153 49 00
6) 302 54 00
153 49 00

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE MONUMENTS
CE 310
76F3095-4/73



A-22

ON

PWFB 0929

F.B. ~~4955~~ PG. ~~96~~

NOTE 247, 248

See pgs 247 To 250 FEB

2-21

#0266

77.83 T=88°=77.84

1) 135 13 00
4) 180 52 00
135 13 00
4) 91 18 00
135 13 00

2) 241 28 40
120 44 20

0 N



CE 310
76F3095

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

WS 38A-5 & 099-297, A-3

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

249

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. [illegible] PG. 97
Map No.	JN 0303.80 Tape 025L Std 68 °F
Office Work	Surveyed by FE Brooks
Checked	Notes FEB Date 4 NOV 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 To 254
FEB

CONT TOP PG 96

1) 158 07 30
4) 272 30 00
1) 158 07 30
4) 228 45 00
1) 158 07 30

14" PALM
Set Sm Bt Spk ET

#0226
60.05 T=38' = 67.06

Searched no evidence

Set a Lg Bt Spk W&T Rec R (158° 13' 00") and distance (71.84) from PI EN 21 to ONT 2-27

Set a Sm Bt Spk BT in a 16"

Searched no evidence

Edge of Pvmt

Edge of Pvmt

Shed

Sch

Curb

Curb

Driveway

ENCH WALL

CURVE EN 22 & data per ONT 2-27

Δ 43° 45' 00"
R 90.00
T 35.13
L 68.72

P.I. location in a large shrub. not usable at present time nothing set.

Set a Lg Bt Spk W&T by calc R (158° 07' 30") and calc dist (67.06) from B.C. EN 22 to ONT 2-27

1) 158 07 30
4) 272 30 00
1) 158 07 30
4) 228 45 00
1) 158 07 30

Set a Sm Bt Spk & T in PP in gore

Searched no evidence

Searched no evidence

Set a Br Nail in door frame of garage. Grade floor

CL 79

HOUSE # 953

CONT TOP PG 98

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. 4955 PG. 96

250

NOTE
See Pgs 247 TO 250 FEB

CONT BOT PG 97

ENCANADA

Set a Sq hd spk at Rec dist (35.61) from PI EN 23 per OM 2-27

Heavy Shrubs no search.

Set a 5/8 rebar & tag "LS 5555" at Rec dist (35.61) from PI EN 23 per OM 2-27

Set a sm flat spk flush in PP# W 11476

PI EN 23
Set a 2" I.P. Conc Plug & Co Engr Tag. at Calc ∠ (158° 07' 30") and Rec. Dist. (160.19) from EC. EN 22 per OM 2-27

Set a 5/8 rebar & tag "LS 5555" at Rec dist (35.61) from PI EN 23 per OM 2-27

Set a sq hd spk flush in Fire Hyd.

Searched no evidence

Searched no evidence

Searched no evidence

BC EN 23

EC EN 23

CURVE EN 23
& data per OM 2-27

Δ	31° 48' 00"
R	255.00
T	35.61
L	69.38

N 148 12 00
a) 272 48 00
148 12 00
b) 109 12 00
148 12 00

#202 T=70°
159.71 (159.70) @ 4° 33' 35" = 159.194
159.83 (159.82) @ 5° 05' 40" = 159.191
M = 159.19
Level = 1.00
Total = 160.19

DRIVE

CE 310
76F3095

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

251

63

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~4265~~ PG. 99
Map No.	JN 0303.00 Tape 202 Std 84 °F
Office Work	Surveyed by FE Woods
Checked	Notes FE 13 Date 1st Nov 74
Date	Indexed E. HOLMAN DEC 11 1974

NOTE
See Pgs 247 To 250 FEB

202 To 740
148.80 (148.79) @ 2° 48' 10" = 148.612
148.88 (148.87) @ 3° 22' 05" = 148.612
M = 148.61
Level = 7.62
Total = 156.23

A) 131 - 36 - 30
B) 104 - 24 - 00
C) 131 - 36 - 30
D) 49 - 39 - 00
131 - 36 - 30

Fd a 2" I.P. Conc. Plug & Tag RCE 7211 24" dn. no Ref.

PI EN 24 Set a Lg BT spk W&T Flush at Rec. ∠ (148° 12' 00") and dist (152.23) from PI EN 23 per OM 2-27

Searched no evidence

Set a P.M. in Re Bar.

Set a 3g Ld spk Rec. Dist (22.44) from PI EN 24 per OM 2-27

1 Ft brick well

HOUSE # 973

CURVE EN 24 data per OM 2-27
Δ 48° 23' 30"
R 50.00
T 22.44
L 42.23

Searched no evidence

RM in Re Bar

EC EN 24

Fd a 2" I.P. Wood plug & N. 3" up. no ref.

Searched Fd. nothing

Set a 3g Ld spk Rec. Dist (22.44) from PI EN 24 per OM R-27

HOUSE # 1000

DRIVE

OM

CENT TAP PG 100

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes this side of this line
W.S. 284-5

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. 4955 PG. 100

83

NOTE - 252

See Pgs 247 To 250

FEB

CONT BOT PG 99

ENCANADA

# 02.LL		
132.04	T=88° =	132.05
132.04	T=88° =	132.05
198.47	T=90° =	198.50
198.47	T=90° =	198.50

Searched Fd nothing

Fd a 1/2" I.P. Conc Plug & Tag RCE 12588 2" dn. no Ref. 2-3/4 marker pipe near pipe

Searched Fd nothing

BC EN 25

132.05

18.51

4.13

29.34

Set a Sq hd spk at Rec. Dist. (29.34) from PI EN 25 per OM 2-27

Set a Sno Bt spk & T in P.P. # 475859E

Semi Ton

CURVE EN 25 & data per OM 2-27

Δ	23° 40' 30"
R	140.00
T	29.34
L	57.85

OM

PI EN 25

Set a Lg. Bt spk w/ T Flush at Rec. ∡ (131° 36' 30") and dist (132.05) from PI EN 24 per OM 2-27

Edge of Pvmt

EC EN 25

Searched Fd nothing

Searched Fd nothing

Set a Sq hd spk at Rec. Dist (29.34) from PI EN 25 per OM 2-27

1)	156	19	30
4)	265	18	00
	156	19	30
6)	217	37	00
	156	19	30

DRIVE

CONT TOP PG 101

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not exi notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

CE 310
76F309E 3

PWFB 0929 - 253

B5

Notes Ck'd by	Survey of HACIENDA AREA & DRIVE F.B. 4355 PG. 101
Map No.	JN 0305.00 Tape 02CC Std 60 °F
Office Work	Surveyed by FEB rookies
Checked	Notes FEB Date 16 NOV 1976
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 TO 250
FEB

CONT BAT PG 100

1)	151	09	00
4)	244	32	00
	151	09	00
6)	181	54	00
	161	09	00

ENCINADA

HOUSE #10020

BC EN 26

CURVE EN 26
& data per OM 2-27
Δ 28° 51' 00"
R 185.00
T 47.59
L 93.15

Cut bank no search

Very heavy & thick Shrubs no search made

Set a sq hd spk at rec dist (47.59) from PI EN 26 per OM 2-27

Set a sq hd spk in PP# 475B20E

Semi Jons

Fd a 2" I.P. W/ lead plug & N 3" cm. no Ref.

Fd 3 cobs spk

Set a sq hd spk set in a 8" Orange

PI EN 26
Set a Lg BT spk W&T at Rec. Δ (156° 19' 30") Anal dist. (198.50) from PI EN 25 per OM 2-27

Set a sq hd spk at rec dist (47.59) from PI EN 26 per OM 2-27

Searched Fd nothing

DRIVE

CONT BAT PG 102

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4905~~ PG. ~~107~~

NOTE - 254

See Pgs 247 TO 250 FEB

#0LL

135.29 T=88° = 135.31
135.29 T=88° = 135.31

143.22 T=88° = 143.24
143.22 T=88° = 143.24



CE 310
76F3095-1/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

255

67

Notes Ck'd by	Survey of HACIENDA AREA L DIV 5 F.B. 4955 PG. 107
Map No.	JN 07.00 Tape OZLC Std LB °F
Office Work	Surveyed by FE Brooks
Checked	Notes FEB Date 17 Nov. 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 TO 250
FEB



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

W.S. 38.A.5

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of the line

CENTERLINE NOTES
CE 310
76F-3095-4/73

PWFB '09 29

F.B. 4755 PG. 104 89

NOTE - 256, 257
See Pgs 247 To 250 FEB

#0266
211.32 Te 82° = 211.34
211.32 Te 82° = 211.34

135.51 Te 82° = 135.52
135.52 Te 82° = 135.53
M= 135.52

CONT BOT

PG 103

ENCANADA

P.O.T. Set a Sq hd spk

M.H.

M.H.

Fd nothing

20

Edge of Pvmt

Edge of Pvmt

M.H.

M= 135.52

Brick wall

DRIVE

2-25

LOT 78

LOT 79

OM

no search

HOUSE #

Set a Sq hd Spk.

No Search

Drive way

Conc. wall

82.50

R semi rad

CONT TOP

PG 105

89

BC ENDS

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not ex notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CE 310
76F3095-4/73

PWFB 0929 258, 259

89

Notes Ck'd by	Survey of HACIENDA AREA & DIVS F.B. 4355 PG. [illegible]
Map No.	JN 0307.00 Tape 0266 Std 08 °F
Office Work	Surveyed by FEBrooks
Checked	Notes FEB Date 18 NOV 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 TO 250
FEB

CONT BOT PG 104

N = 135.52

CURVE EN 28
@ data per OM 2-27
Δ N 07° 00"
R 135.00
T 32.54
L 63.09

PI EN 28
Set a Lead Engr Tag
w/ Rec # (157 13' 00")
and dist. (344.06') from
PI EN 28 per
OM 2-27

Fd a old 2" I.P.
Dirt plug ⊥N.
4" dia. no Ref.

EC
EN 28

Set a Sp hd
Spk at Rec.
Dist (32.54) from
PI EN 28 per
OM 2-27

1)	152	53	00
4)	251	37	00
	152	53	00
4)	198	18	00
	152	53	00

House
1128

Semi Tens

Comc Wall

Edge of Pvmt

32.54

Edge of Pvmt

19.78

20.47

20.16

No Search.

Fd a 1" I.P. no plug 2" up no Ref.

DRIVE

N = 216.57

ENCANADA

CONT TOP PG 106

9a

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~#355~~ PG. ~~106~~

NOTE - 260, 261
89 See Pgs 247 To 250
FEB

CONT BOT PG 105

#0226
216.56 Tie Rec. = 216.57
216.56 Tie Mr. = 216.57

Set a Sm Br. Spk & Tin P.T. # 321547E

HOUSE # 1145

EDGEMARA

HOUSE # 1149

Garage

N11°E 216.57

Set a Lg Bt Spk W&T at Rec. (152° 53' 00") and Dist (216.57) from PI EN 28 per OM 2-27

N11°E 116.

HOUSE # 1160 1/2

OM

LOT 79

LOT 78

20

50.52

18.11

Conc Retaining wall

Set a Br. Nail in brick wall

16.72

22.

BC

EN 29

Searched Fd nothing

Searched Fd nothing

Point of Edge

L-33

1)	166	38	22
2)	306	33	30
3)	166	38	22 1/2
4)	279	50	10
5)	166	38	21 1/2

HOUSE # 1159

LOT 78

LOT 80

Edge Point of

N11°E 98.43

Set a L&S Engr Tag

Garage

DRIVE

OM

HOUSE # 1160

CONT TOP PG 107

91

X

CE 310
76F3095-1773

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

262

91

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 1955 PG. 107
Map No.	JN 0305.00 Tape 0266 Std 68 °F
Office Work	Surveyed by F E Brooks
Checked	Notes F E B Date 19 NOV. 1976
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250
F E B

90

CONT BOT PG 106

#0266

92.42 T=78° = 92.43
92.42 T=78° = 92.42

92.42 T=86° = 92.43
92.42 T=86° = 92.43

1) 153 16 45
4) 253 07 00
153 16 45
6) 199 40 30
153 16 45

#0167

15.31 T=68° = 15.31

1) 58-29-40
4) 233-59-20
58 29 47½
6) 350 58 40
58 29 46½

ENCANADA

Set a L.A. Co. Eng. Tag

HOUSE #1160

CURVE EN 29
& data per ON 2-33

Δ 53° 26' 30"
R 200.00
T 100.28
L 186.55

MID PT. of CURVE
set a lg BT spk w/ T
Flush at Co/L & (108° 38' 22" and dist (92.43) from
B.C. EN 29 per
ON 2-33

Point on Chord
Set a lg BT spk
w/ BT

Fd a chis't replaced with a L.A. Co Engr Tag.

P.I. EN 29
Location on a steep bank behind heavy shrubs, not readily useable nothing set.

HOUSE #1165

Set a Sm. BT spk
ET in Trans. P.P.
#954295E

Ptr Pg 100

CONT TOP PG 221

CONT TOP PG 108

92

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4755~~ PG. ~~108~~

NOTE 263

See pgs 247 TO 250 FEB

1)	166	38	22
4)	70L	37	30
	146	38	22 ½
6)	279	50	10
	166	38	21 ½

#0266

47.15 T = 82° = 47.15



CE 310
76F3095 4-73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

11.13

PWFB 0929

264

93

Notes Ck'd by	Survey of HACIENDA AREA & DIVS F.B. 4755 PG. 102
Map No.	JN 0303.00 Tape 0226 Std CB °F
Office Work	Surveyed by FEBrooks
Checked	Notes FEB Date 21 Sept 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See 993 247 To 250
FEB

57 -103

CONT BOT PG 93-119

#0226

456.20 T= 46° = 456.20
456.20 T= 46° = 456.20

500.10 T= 46° = 500.10
500.10 T= 46° = 500.10

Δ = 31

O.M.

DRIVE

M= 162.20

Set a Sq hd Spk.

Lot 89

Lot 91

0.49

0.17

19.88

Fd a N & Tag
L.S. 1339 no ref.

Fd a 2x2 & Tag
L.S. 1338 2" up.
no Ref.
F.B. 1575-14 & C.S.B.
2214 Call for a
2" I.P. & Tack.

20

20

43.19

Δ = 19

Fd a R' I.P. Welded to
8" d/h. Ref. F.B. 1575-14.
L.S.B. 2214
no useable point in top
used center.

0.19

20.08

EL TRUENO
M= 500.10

Fd a PK Spk
no Ref.

Lot 91

Lot 90

O.M.

CONT TOP PG 110

94

X

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.
403

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929 - 265

F.B. ~~4350~~ PG. ~~110~~ NOTE See Pgs 247 TO 252 CONT BOT PG 109 FEB

1) 164 46 45
4) 299 07 00
164 46 45
6) 268 40 30
164 46 45

X PT ELT 1
Set a BT spk & W
by Rec ∡ (63° 35' 20")
and Rec. Dist (1156.30)
S'ly from Intsr. of
ENCANADA DR. per
C.S.B. 2214.
Set 2-3" Sq hd Tirs.

Set a Sq. hd spk

Fd a 1" IP & Tag L.S. 2048 no. Ref. pipe L'dn.

DRIVE

500 10

0.98

20.28

N

W.S. 38A-5

32

168.87

Set a L & Co Engr Tag.

HOUSE # 1701

HOUSE # 1710

LOT 92

LOT 93

3.99

0.98

22.04

Fd a chiseled X in stonal pipe Ref. F.B. 1575-14

0.52

85.12

LOT 90

LOT 217

F.B. 1575-14 & C.S.B. 2214 call for a 2" welded I.P. Fd a 1" I.P. w/ Plug & N with a 3" flange 4" dn.

0.94

90.44

HOUSE # 1706

Fd a 2 1/2" Brass Disk set in a 6" conc post 10" dn. Ref. F.B. 1575-14 C.S.B. 2214 set a dg BT spk w & T on the surface with R-3" sq hd Tirs.

Set a La Co Engr Tag.

TRAVERSE M = 352 03

COUNTY SURVEYOR

RE 329

CONT TOP PG 111

L-19

CE 310
76F3095-A-73

403 LOS ANGELES COUNTY ENGINEERING BLDG.
LOS ANGELES COUNTY ENGINEER

PLEASE RETURN TO

Do not ~~ex~~ notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

266, 267

Notes Ck'd by	Survey of HACIENDA AREA E DIV 5 F.B. ~~4265~~ PG. 111
Map No.	JN 0307.00 Tape 0266 Std 68 °F
Office Work	Surveyed by FEB TOOKS
Checked	Notes FEB Date ~~21 Sept 76~~
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 To 250
FEB

CONT BOT PG 110

#0266

352.03 T=66° = 352.03
352.03 T=66° = 352.03

495.39 T=66° = 495.38
495.37 T=66° = 495.36
M = 495.37

D.RIVE
M = 352.03

0.56
Fd a Nail
no Ref.
0.08
0.07
Fd a sq hd spk
& T Flush.
no Ref.
20.31
1.56
Set a sq hd
spk.
Fd a 2" I.P. with
tin welded Tag Flush.
Ref. FB. 1503 -
CSB 2214.
LOT 218
LOT 218
20
20
EL TRANCESIA
M = 493.37
CONT TOP PG 112

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~1155~~ PG. ~~112~~

NOTE 268

See pgs 247 To 250 FEB NMT BOT PGS 111



CE 310
76F3095

WS38 A-5

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not exte notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

269

97

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 4355 PG. 43
Map No.	JN 0307.20 Tape 0246 Std 68 °F
Office Work	Surveyed by F E Brooks
Checked	Notes FEB Date 20 Sept 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
see Pgs 247 To 250
FEB

#0246

$\frac{646.46}{246.46} \angle 68° = \frac{646.46}{646.46}$

N

Conc

L-18

Cont. Pt. 112

M = 646.46

WEST

Edge of Pvmt

Edge of Pvmt

25

25

R.D.

Cont. Pt. 114

Conc

L-34

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0930
F.B. 1355 PG. 114

NOTE
See Pgs 247 to 250 F.E.B.

225

RE 2197
CO SURV +
66.29

1) 54 01 40
4) 216 06 20
54 01 25
6) 324 09 40
54 01 36 4/3

1-19

W 38 A-6



CE 310
76F 3095-4-73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0930

226

99

Notes Ck'd by	Survey of HACIENDA AREA & DVS F.B. 4355 PG. 116
Map No.	JN 0307.00 Tape Std °F
Office Work	Surveyed by F.E.B. Books
Checked	Notes FEB Date 20 Sept 19
Date	Indexed H. HOLMAN DEC 17 1919

NOTE
See Pgs 247 to 250
FEB



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 10 0929

F.B. 4955 PG. 116

270

NOTE

See pgs 247 To 250 FEB

COUNTY SURVEYOR RE 2177

P.I. For a 2½" Brass Disk set in a 6" conc post 14" dn. Ref.

FB 7[illegible]4 - 56

FB 5120 - 143, 22C

FB 3848 - 18

CSB 5197 - 2



W 5 W 8 A - 6

CE 310
76F3095-A 73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

271

101

Notes Ck'd by	Survey of HACIENDA AREA & DIVS F.B. 4755 PG. 117
Map No.	JN 0303.00 Tape 0266 Sta CB °F
Office Work	Surveyed by FE Brooks
Checked	Notes FEB Date 23 Nov 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 TO 250
FEB

2-32

OM

#0466
223.68 T= 90° = 223.71
223.68 T= 80° = 223.70
M= 223.70

446.92 T= 68° = 446.92
446.92 T= 60° = 446.92

DOT
Set a 5/8 hd spk.
Flush.

WEST
Edge of Pvmt
M= 446.92
Edge of Pvmt

RD

M= 223.70

OM

2-34

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWEB 0929

F.B. ~~4355~~ PG. ~~48~~

CONT TBOT PG 124

NOTE 272, 273

See Pgs 247 To 250 FEB



CE 310
76F3095 '73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

274

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 4955 PG. 119
Map No.	JN 0303.00 Tape 0266 Std 68 °F
Office Work	Surveyed by F E Brooks
Checked	Notes FEB Date 23 Sept 76
Date	Indexed H. HOLMAN DEC 17 1979

1)	170	53	00
4)	323	32	00
	170	53	00
6)	305	18	00
	170	53	00

NOTE
See Pgs 249 To 250 FEB



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

W.O. 39 05

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4355~~ PG. ~~170~~

275

CONT BOT PG 124

POT - Set a Sm Bt Spk ⊄T Flush. NOTE see pgs 248 TO 250

FEB

#0266
93.48 T= 72° = 93.48
234.91 T= 72° = 234.92
234.91 T= 72° = 234.92

1)	143	15	30
2)	213	12	00
	143	15	30
3)	139	33	00
	143	15	30

ENCANTA DR

N= 234.92

98.39

HOUSE #311

℄ ENG

CURVE ENG
℄ data per OM 2-30

Δ	36° 44' 30"
R	90.00
T	29.89
L	57.71

N=

15'

20'

EDGE of PVMT

PI ENG
Set a 1" I.P. Conc Plug & Co. Engr Tag at Rec ∡ (170° 53' 00") and distance (93.48) from Inter. at EL TRAVESIA DR per OM 2-30

Sm. Tack

0.05

0.96

2" I.P. Conc Plug & Co. Engr Tag per PG. 76

93.48

DRIVE

POT set a Sm Bt Spk ⊄T Flush.

CONT

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CE 310
76F3095-3

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PWFB 0929

276

105

Notes Ck'd by

Map No.

Office Work

Checked

Date

Survey of HACIENDA AREA & DIV 5 F.B. 4955 PG 171

JN 0707.00 Tape 0266 Std LB °F

Surveyed by F.E. Brooks

Notes FEB Date 23 Sept 76

Indexed H. HOLMAN DEC 17 1979

NOTE
see pgs 247 TO 250
FEB

106

CONT BOT PG 122

1) 146 14 30
4) 304 58 00
146 14 30
4) 277 27 00
146 14 30

180.72 T= 80° = 180.77
180.72 T= 80° = 180.73

ENCINADA AV

N1= 20 180.19

Lg Bt Spk & W in RR Tie retaining wall see pg 75

HOUSE #335

Cup Tack see Pg. 75.

Nail see Pg. 75.

Lg Bt Spk & W in the end of a 10" Post 2½' high see Pg. 75

1.19

0.27

13.69

26.59

0.76

0.63

0.63

Lg Bt Spk & W in RR Tie retaining wall see Pg. 75

N1= 180.19

30"

Lg Bt Spk w BT Finish see pg. 75

DRIVE

HOUSE #318

N= 334.42

R-31

R-30

CONT TOP PG 140

108

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F 3095-4/73

PWFB 0929

F.B. ~~1955~~ PG. ~~186~~

277, 278

NOTE see pgs 247 TO 250 FEB

CONT BOT PG 65

CE 310
76F3095

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

W538, A-5

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line



PWFB 0929

279

Notes Ck'd by	Survey of HACIENDA AREA 2 DIV 5 F.B. 4365 PG. 183
Map No.	JN 0307.00 Tape 0226 Std CB °F
Office Work	Surveyed by FE Brooks
Checked	Notes FEB Date 23 Nov 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 TO 250 FEB



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4995~~ PG. ~~127~~

280, 281, 282, 283

CONT BOT PG 125

NOTE
Sec Pgs 247 To 250
FEB

1)	139	19	30
4)	197	18	00
	139	19	30
6)	115	57	00
	139	19	30


Lg. Century Plant no search.
Set a 5m BT spk ET in pp# w Lobby
PI SU1
Set a Lg Bt spk w&T at 90° and 10' from Working P.I.
Set a sq hd spk at Rec Dist (27.80) from PI SU1
Bamboo Plant no search.
CURVE SU1
& data per OM L-33
Δ 40° 40' 30"
R 75.00
T 27.80
L 53.24
EC SU1
BC SU1
Set 2 5m BT spks & TS in 10" Euc.
Set a 5m BT spk ET in 10" Euc.
Working PI.
set a sq hd spk at Rec. ∠ (90° 00' 00") and calc. dist (165.98) per OM 2-32, 33, 34
Searched Fd nothing
set a sq hd spk at 90° and 10' To ∠ PT.
Searched Fd nothing
#0226
138.12 T=TC° = 138.13
138.12 T=76° = 138.13
10.00 T=76° = 10.00
27.80 T=76° = 27.80
APN
set a Lg BT spk w&T at calc dist (138.13) from intsc. of West Rd. and Subtropic Dr. per OM 2-32, 33, 34
N77°E 149.25
SUBTROPIC
N=
E=
S88°
W=
N0°
N77°E 138.13
PT
POB
POC
Euc. at Point
Euc. at Point
Edge of Road
Semi Tan
Semi Tan
10.00
10.00
10.00

PWFB 0929

284

Notes Ck'd by

Map No.

Office Work

Checked

Date

Survey of HACIENDA AREA 2 DIV 5 F.B. ~~1254~~ PG. ~~TOP~~

JN 0303.00 Tape 02LL Sta 60 °F

Surveyed by FEBrooks

Notes FEB Date 27 NOV 79

Indexed H. HOLMAN DEC 17 1979

NOTE
see PW 247 TO 250
FEB

CONT BOT DG 12L

1) 149 51 30
4) 139 00 00
5) 149 51 30
6) 149 00 00
149 57 30

Fd a 2" I.P. Wood Plug #N 4" dn. No Ref.

Fd a 2" I.P. Wood plug #N 4" dn. no Ref

Set a Sq hd spk Flush. at Rec. Dist. (21.93) from PI SU2 per OM 2-33

PI SU 2
Set a Lg Bt spk w/ ST flush at Rec ∠ (139° 19' 30") and Dist (140.25) from PI SU3 per OM 2-33

Set a Sq hd spk at Rec. Dist. (21.93) from PI SU2 per OM 2-33

Searched nothing Fd

Set a 5m Bt spk & T in L.F.W.

Set a 5m Bt spk & T in F.F. # w/ Lady

Searched nothing Fd

CURVE SU 2
d Data per OM 2-33
Δ 30° 08' 30
R 100.00
T 21.93
L 52.61

EC SU2

EC 40

#02LL
140.25 T=68° = 140.25
140.25 T=68° = 140.25

HOUSE #313

CONT TOP PG 124

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F 3095-4/73

PWFB 0929

F.B. ~~[illegible]~~ PG. ~~[illegible]~~

NOTE
See pgs 247 TO 250 - FEB

285


CONT BAT PG 107
SUBTROPIC
Edge of Pvmt
Edge
Pvmt
Tans
Edge
DRIVE
HOUSE
EC SU 3
BC SU 3
Searched nothing Fd
Searched nothing Fd.
Searched nothing Fd.
Set a 5mm BT spicot in Trans P. # WL05Y
Set a sq hd spk at Rec Dist. (26.93) from PI SU 3 per ONM 2-33
PI SU 3 set a lg nail spk w/ T Flag at Rec Δ (149° 51' 30") and dist. (152.54) from PI SU 2 per ONM 2-33
Set a lg BT spk sw
Set a sq hd spk at Rec dist (26.93) from PI SU 3 per ONM 2-33
True no search.
CONT BAT PG 107
CONT TOP PG 125
N
40
51
20
40
40
40

PWFB 0929

286

Notes Ck'd by	Survey of HACIENDA AREA 2 DIV 5 F.B. 4355 PG. 187
Map No.	JN 0307.00 Tape 02LL Std CB °F
Office Work	Surveyed by FEB rooks
Checked	Notes FEB Date 29 Dec 76
Date	Indexed H. HOLMAN DEC 7 1979

1)	82	29	30
4)	339	58	00
	82	29	30
4)	134	57	00
	22	29	30

CONT BOT PG 161

NOTE
See Pgs 247 TO 250 FEB

N

N = 110.10 ALL

Stone Ridge

N = 84.

49.

30.

sat a L&C Engr Tag

No search

Edge of Pavmt

56

30.

30.61

N = 44.74

ALL

49.80

WIRAZON DR.

CONT TOP PG 126

no search

Filled Area

R.R. Tie Retaining wall

Conc Block Retaining wall

ALL

Sat a Sq hd spk in PP & W 6.04

53.

49.

20

10

ALL

N

Point of Curve

Edge

DRIVE

N = 191.13

Point of Curve

Edge

X Pt. to INTER. set a 2" I.P. Conc Plug & Tag Engr Tag 4"dn. By Rad to (149° 07' 40") and dist (180.43) from PI Sta 3 per and 2-33 Set 2-5/8" Bf. Sqk w & T Ties.

1)	47	53	10
4)	227	32	40
	47	53	10
4)	47	19	00
	47	53	10

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

287

F.B. ~~4955~~ PG. ~~148~~

CE 310
76F3095-4733

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

1)	148	07	00
4)	232	28	00
	148	07	00
6)	148	42	00
	148	07	00

CURVE VI 1
2 data per OM 2-33

Δ	63°	46'	00"
R	60.00		
T	37.72		
L	66.78		

NOTE
See pg. 247 To 250 FEB

#OZLC
44.74 T= 64° = 44.74
63.38 T= 74° = 63.38



PI VI 1 location on a side bank in an area of heavy brush, paint not viscable nothing set.

PWFB 0929

288

Notes Ck'd by	Survey of HACIENDA AREA 2 DIV 5 F.B. ~~4305~~ PG. ~~129~~
Map No.	JN 0307.00 Tape OZCC Std 60 °F
Office Work	Surveyed by FEBrooks
Checked	Notes FEB Date 1 Dec 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 244 To 250 FEB

CONT FROM PG 130

1) 148 07 00
4) 232 28 00
~~148~~ 07 00
6) 60 42 00
148 07 00

OZCC

142.74 T=84° = 142.75
142.73 T=84° = 142.74
M= 142.74

Searched Fd nothing

17.41

Set a Sq hd spk at Rec Dist. (17.21) for OM 2-33

Searched Fd nothing

DRIVE

S 17.96 Alt

OM 2-33

20

20.56

Fd a 1" I.P. Conc plug # Tag RE 2317 Flush no Ref.

OM HOUSE # 1715

Edge of Pvmt

VIRAZON

M= 142.94

Edge of Pvmt

Set a Lg Bt spk # W

Set a Sm Bt spk at 1½ P.P.

00°

Searched nothing Fd

07

Note PVT direct to 3 bobx high at spk W.T.

17.37

-18.52

Set a Lg Bt Spk W.T. by Calc ∠ (148° 07' 00") and dist. (17.38) from B.C. V.I. for OM 2-33

M=148°

M=17.38

Chord

Alt

Semi Tan

10.29

1.29

Fd a 2" I.P. Wood Plug & N. Flush.

BMT

RT

PG

128

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
433 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~#705~~ PG. ~~130~~

NOTE 289
See Pgs 249 TO 250
FEB

CONT BOT PG 131

1) 170 10 00
4) 320 40 00
170 10 60
C) 301 00 00
170 10 00



#0216

209.59 T= Calc = 209.59
209.60 T= Calc = 209.60

CURVE VI 2
2 data per OM Z-33

Δ 9° 50' 00"
R 200.00
T 17.21
L 34.32

CE 310
76f 3095-4,73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

290

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of HACIENDA AREA & DIV 5 F.B. 4355 PG 134

JN 03 07.00 Tape 200' Std CB °F

Surveyed by FEB-Wolfe

Notes FEB Date 6 Dec 76

Indexed H. HOLMAN DEC 17 1979

NOTE

SEE PGS 247 TO 250 FEB

CONT BOT PG 132

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes across this side of this line

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG

CENTERLINE NOTES CE 310 76F3095-4/73



PWFB 0929

F.B. ~~1935~~ PG. ~~132~~

NOTE 291, 292

See pgs 247 TO 250

FEB

3)	120	45	00
4)	123	00	00
	120	45	00
6)	4	30	00
	126	45	00
1)	167	25	00
4)	309	40	00
	167	25	00
6)	204	30	00
	167	25	00

CE 310
76F3096-A23

60 27 30

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

W5W84-5

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

OM

2-41

LOT 96

LOT 94

N

2-33

Fd a 2" I.D Conc Plug & Tag RCE 12502 Flush No Ref.

0.98

VIRAZON

Edge of Pvmt

Chord

M1 = 43.27

Edge of Pvmt

Edge of Pvmt

20'

15'

40"

1.01

HOUSE 1779

Fd a Bent 2" I.P. wood Plug #N 2" dn. no Ref.

OM

Set a L2 Bt spk w&T flush at calc. ∡ (120° 45' 00") and dist (84.04) from Mid Point MI & per OM 2-33

#0226

84.03 T=77°=84.04
84.03 T=78°=84.04

84.03 T=80°=84.04
84.03 T=80°=84.04

CURVE VI 4
∡ data per OM 2-33

Δ	118° 30' 00"
R	85.00
T	142.87
L	175.80

MID. PT of CURVE VI 4 set a L2 Bt spk w&T Ly calc. ∡ (150° 12' 30") and dist (84.04) from BC VI 4 per OM 2-33

Chord

set a L2 & Enger Tag

set a L2 Bt spk w

31.83

Note Pull direct spk to spk

set a Sun Bt spk & Tin Tele Pole W 18424

10.95

M1 = 84.04

HOUSE # 1779

120°

45°

60°

40.48 = M4

Chord

DRIVE

Pvmt

Top of 4" dia metal conduit from Top of Light Pillar

38.94

MONT TOP PG 131

HOUSE # 1770

PWFB 0929

293

Notes Ck'd by	Survey of HACIENDA AREA 2 DIV F.B. 4335 PG 122
Map No.	JN 0307.00 Tape DLL Std 68 °F
Office Work	Surveyed by FEB works
Checked	Notes FEB Date 8 Dec 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See 993 247 TO 250
FEB

CONT BOT PG 134

Mozzi
73.27 T=66° = 73.27
73.27 T=66° = 73.27

357.24 T=76° = 357.26
357.25 T=76° = 357.27

1) 145 55 00
4) 227 40 00
175 55 00
4) 154 30 00
145 55 00

1) 162 57 30
4) 291 50 00
162 57 30
6) 254 45 00
162 57 30

L-33

L-34

Location under a large shrub. no search made

Fd a lg hd spk & T Flush.

Set a L & Co Engr Tag.

HOUSE #1801

HOUSE #1800

Mid PT of curve VI 5 set a lg BT spk W & T at Calc ∠ (N47° 25' 00"W) and dist (73.27) from PRC VI 4, VI 5 per OM L-33

Set a Lg BT spk & W

CURVE VI 5
data per OM L-33
Δ 28° 10' 00
R 125.00
T 84.50
L 148.72

OM

HOUSE #1801

Set a Sm BT Tele Pole # WL 9283 Y

Set a Lg BT spk & W Flush.

10NT LT PG 132

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
463 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~414~~ PG. ~~57~~

294

CONT BOT PG 135

NOTE
See Pgs 247 TO 250
FEB

1)	166	50	00
4)	307	20	00
	166	50	00
6)	281	00	00
	166	50	00

CE 310
76F 3095 4773

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not write notes this side of this line

VIRAZON

HOUSE # 1840

HOUSE # 1843

HOUSE # 1839

Set a Sq hd spk at Rec. Dist. (37.74') from PI VI C per OM Z-31

Fd a Sq hd spk ⊙T Flush no Ref.

CURVE VI C
℄ data per OM Z-31
Δ 13° 10' 00"
R 327.00
T 37.74
L 75.15

Fd a Sq hd spk ⊙T Flush no Ref.

Searched nothing Fd.

Searched nothing Fd.

Fd a Sq hd spk no Ref.

PI VI C Set a Kg Bt spk with T at Calc. ∠ (142° 59' 30") and Rec. Dist (358.2C') from EC VI C per OM Z-33 & Z-31

Set a 5m Bt spk ⊙T in Tile Paint with Ribbon

Set a-i- in fm. post

Fd a 2" I.P. Wood Plug ⊙N. no Ref.

Set a Sq hd Spk at Rec. Dist. (37.74') from PI VI C per OM Z-31

3" chain link fn.

Lot 84
Lot 97

OM

Z-33

CONT FOR PG 133

PWFB 0929

295

Notes Ck'd by	Survey of HACIENDA AREA 2 DIV 5 F.B. ~~4355~~ PG. ~~135~~
Map No.	JN 01303.00 Tape 0226 Std 68 °F
Office Work	Surveyed by FEBrook
Checked	Notes FEB Date 9 Dec 76
Date	Indexed HL HOLMAN DEC 17 1979

NOTE
sec Pgs 247 TO 250
FEB

CONT BOT PG 136

Set a 5m Bt
Spk & T in
Telx Pole # W1485 y

Searched nothing Fd.

Searched nothing Fd.

Searched nothing Fd.

Set a 5m Bt Spk B.T in 14" Pepper.

Set a Lg. Bt. Spk W&T at Rad x (Lc = 50.00') and dist. (388.95) from PI VI G per OM 2-31

Set a 5m Bt Spk & T in R.P. # 6529 GOE

Lg. Banana Tree no Search

House #1867

#0226

388.97 T=60° = 388.95
388.96 T=60° = 388.96
82.13 T=60° = 82.13

1)	132	50	00
4)	131	20	00
	130	50	00
1)	97	00	00
	132	50	00

CONT TOP PG 134

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4255~~ PG. ~~136~~

NOTE 296 , 297

see Pgs 247 TO 250

FEB

1)	132	50	00
4)	171	20	00
	132	50	00
6)	97	00	00
	132	50	00

#0266

LL.58 T=60° = LL.58

CE 310
76F 3095-4173

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

W330A-5

ON

N

Set a Lg Bt Spk W & T "L" Calc ∡ (132° 50' 00") • and dist (82.13) from BC VI 7 per ONM 2-31

PI VI 9
Location on hillside in heavy brush. nothing mat.

Set a L & Co. Engr Tag.

Fd a 2" I.P. wood plug Nail 6" dn.

DRIVE

Edge of Pvmt

Edge of Pvmt

Sam. Tan

Edge of Pvmt

VIRGINIA

M= LL.58

A/L

39.09

14.18

No search

Set a L & Co Engr Tag

M= Bt. 13

M= 132°

Chord

50'

House #1900

Fd a 2" I.P. wood plug & N. 6" dn.

3.37

CONT TOP PG 135

CURVE VI 7
& data per ONM 2-31

Δ 94° 20' 00"
R 57.00
T 60.41
L 96.20

EOC VI 7

Set 1/2" I.P. 1.0' dn. Tag illegible

Set 1/2" I.P. 1.0' dn. Tag illegible

PWFB 0929

298

Notes Ck'd by	Survey of ENCINO AREA & DIV 5
Map No.	JN 030100 Tape 0266 Std 60 °F
Office Work	Surveyed by FEB books
Checked	Notes FEB Date 10 Dec 76
Date	Indexed H. HOLMAN DEC 17 1979

F.B. 4365 PG. 55

NOTE
See pgs 247 To 250
FEB

CONT BOT PG 138

CURVE VI 8
& data per ORM 2-31

Δ 90 00 00
R 47.00
T 47.00
L 73.83

1) 135 00 00
4) 180 00 00
135 00 00
4) 90 00 00
135 00 00

1) 135 00 00
4) 180 00 00
135 00 00
4) 90 00 00
135 00 00

#0226
66.49 T+66=66.47

Set a Lg Bt Spk W of T at Calc Δ (135°00'00") and Dist. (66.47) from EC VI 8 per ORM 2-31

EC VI 8

ORM

BC VI 8

HOUSE #1929

M=87.83

DRIVE

BRICK WALL

no search

Set a Sm Bt spk at in AR #6

1.27

1.43

1.08

0.76

Fd a N. no Ref.

135'

M=

1.07

Fd a 2" I.P. Conc. Plug stmp RE #919 Flush

Set a Lg Bt spk W of T Flush at Calc Δ (132°58'00") and Rec dist. (66.58) per ORM 2-31

Set a Lg Bt spk W.

Brick wall

Prod Sq hd spk

Large Tree

Searched. Fd nothing

M=135

M=66.58

1.12

1.35

1.28

Fd a N no Ref

Fd a 2" I.P. Wad & Plug & AA 4" dn. no Ref

Set a Sm. Bt. Spk at in 14" Pepper Tree

PI VI 8
Searched for a P.I. Fd nothing. Set nothing for True Blanks View to North.

Set a Sm Bt Spk at in 24" Truck 3' up.
Note Pull direct from tree to a 3.5' high at street

LOT BC

LOT DA

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4375~~ PG. ~~178~~

HOUSE #1950

NOTE 299 , 300
See pgs 247 TO 250 FEB

Semi Tan Z

Set a L & C Engr Tag 3' from edge of Drive.

MID PT of CURVE VI 9 set a Lg Bt spk w/ T at Calc x (N4° 00' 00" E) and dist (59.27) from BC VI 9 per OM 2-31

Prod. Set a Sq hd spk

VIRAZON

25.54

18.90

13.90

Semi Tan Z

Obsvd N1= 59.27

Set a Sm. Bt. spk w/ T in PP # 339739E

Prod Set a 1" I.P. Cone Plug & Co Engr Tag 10" dn.

N1= 295.79

102' Rd LT Line

N1= 112.

N1= 59.27

Edge of Pmt

N1= 25.57

N1= 10.

Prod set a Sq hd spk

#0226
59.27 T= 74° = 59.27
59.27 T= 72° = 59.27
18.22 T= 72° = 18.22

#187
25.07 T= 72° = 25.07

EC VI 9

BC VI 9

Searched nothing Fd

CURVE VI 9
* data per OM 2-31

Δ	136	00	00
R	53.00		
T	131.18		
L	125.20		

Set a Lg Bt spk. W/ T at Calc. & (135° 00' 00") and Rec. Dist. (83.83) from EC VI 9 per OM 2-31

Fd a N. no. Ref.

Fd a 2x2 w N 18" dn in E:11. no Ref.

Prod set a Sq hd spk

DRIVE

Edge of Pmt

N1= 83.83

End of Pmt Z

CONT TOP PG 137

1)	146	00	00	112	00	00
4)	224	00	00	88	00	00
	146	00	00	112	00	00
6)	156	00	00	332	00	00
	146	00	00	112	00	00

1)	100	24	40
4)	41	39	00
	100	24	45
6)	242	28	30
	100	24	45

CE 310
76F3095-#773

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

WP 30A-5

PLEASE RETURN TO

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

136

PWFB 0929

301

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~4335~~ PG. 779
Map No.	JN 0707.00 Tape OLLC Std CB °F
Office Work	Surveyed by F.E. Brooks
Checked	Notes FEB Date 13 Dec 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 To 250
FEB

CURVE VI 10
& data per OM 2-31
Δ 53° 00' 00"
R 80.00
T 42.66
L 79.55

Set a Lg Bt Spk W&T at Calc ℄ (N2° 00' 00" E) and dist. (59.28) from Mid Pt. of curve VI 9 frm OM 2-31

#OLLC
N. 75 E = 64° = N. 75

Searched nothing Fd.

Set a Sm Bt Spk & Tin Cap inc. Note: pull direct to 3.0' high at Lg Bt Spk W&T

Searched Fd nothing.

M = 59.27

M = 76.75

M = 172.30

Set a Sm Bt Spk & T in 20" Pepper

Searched nothing Fd.

Set a Lg Bt Spk W&T at Calc ℄ (172° 30' 00") and dist. (76.75) from PRC VI 9 - VI 10 per OM 2-31.

PI VI 10
Location on side hill with tree and power pole interference. nothing set.

DRIVE

VIRAZON

1)	172°	30'	00"	136	55	00
4)	330	00	00	193	40	00
	172	30	00	136	55	00
6)	315	00	00	101	30	00
	172	30	00	136	55	00

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes to this side of this line

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4255~~ PG. ~~140~~

302

NOTE
see pgs 247 TO 250 FIELD



CE 310
78F 3095 .73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PWFB 0929

303

Notes Ck'd by	Survey of HACIENDA AREA 2 DIV 5
Map No.	JN 0703.00 Tape 02LL Std 68 °F
Office Work	Surveyed by F.E.BROOKS
Checked	Notes FEB Date 14 Dec 76
Date	Indexed H. HOLMAN DEC 17 1979

F.B. 4355 PG. 144

NOTE:
Set #'s 247 To 250
FEB.

CONT BOT PG 142

1) 161 58 30
4) 287 54 00
161 58 30
6) 287 51 00
161 58 30

1) 161 58 30
4) 287 54 00
161 58 30
6) 287 51 00
161 58 30

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

Set a Lg Bt Spk W&T at Calc. ∠ (161° 58' 30") and dist. (21.89) from EC VI 12 per OM 2-31

Fd a 2" I.P. Wood Plug & N 8" dn. No Ref. replaced Nail.

Fd a 1½" I.P. Conc Plug & Tag L.S. 2408 no Ref.

PI VI 12 on side hill in brush nothing set.

Set a Lg Bt Spk W&T at Calc. ∠ (163° 25' 00") and Rec. dist. (53.03) from EC VI 11 per OM 2-31

Set a L&C Co Engr Tag.

Fd a 1½" Lg wood stake & N 8" dn. no evidence of a pipe. No Ref.

CURVE VI 12
∠ date per OM 2-31
Δ 36° 03' 00"
R 100.00
T 32.54
L 62.92

#0LL
21.89 TEC 68° = 21.89

Fd an old 2" I.P. Wood plug & nail 13" dn. no Ref.

Set a L&C Co Engr Tag.

Note: drawing not to scale
Scratched
Edgething
This area just off edge of driveway.

HOUSE # 1961

HOUSE # 1976

DRIVE

LOT 77

LOT 85

LOT 71

LOT 70

LOT 69

LOT 14

VIEA ZONE

Chord

Tan

EC VI 12

PI VI 11

PI VI 10

PI VI 9

PI VI 8

PI VI 7

PI VI 6

PI VI 5

PI VI 4

PI VI 3

PI VI 2

PI VI 1

M=161°

N=161°

N=21.89

N=24.80

N=53.03

N 31

N 30

N 40

N 50

N 60

N 70

N 80

N 90

N 100

N 110

N 120

N 130

N 140

N 150

N 160

N 170

N 180

N 190

N 200

N 210

N 220

N 230

N 240

N 250

N 260

N 270

N 280

N 290

N 300

N 310

N 320

N 330

N 340

N 350

N 360

N 370

N 380

N 390

N 400

N 410

N 420

N 430

N 440

N 450

N 460

N 470

N 480

N 490

N 500

N 510

N 520

N 530

N 540

N 550

N 560

N 570

N 580

N 590

N 600

N 610

N 620

N 630

N 640

N 650

N 660

N 670

N 680

N 690

N 700

N 710

N 720

N 730

N 740

N 750

N 760

N 770

N 780

N 790

N 800

N 810

N 820

N 830

N 840

N 850

N 860

N 870

N 880

N 890

N 900

N 910

N 920

N 930

N 940

N 950

N 960

N 970

N 980

N 990

N 1000

N 1010

N 1020

N 1030

N 1040

N 1050

N 1060

N 1070

N 1080

N 1090

N 1100

N 1110

N 1120

N 1130

N 1140

N 1150

N 1160

N 1170

N 1180

N 1190

N 1200

N 1210

N 1220

N 1230

N 1240

N 1250

N 1260

N 1270

N 1280

N 1290

N 1300

N 1310

N 1320

N 1330

N 1340

N 1350

N 1360

N 1370

N 1380

N 1390

N 1400

N 1410

N 1420

N 1430

N 1440

N 1450

N 1460

N 1470

N 1480

N 1490

N 1500

N 1510

N 1520

N 1530

N 1540

N 1550

N 1560

N 1570

N 1580

N 1590

N 1600

N 1610

N 1620

N 1630

N 1640

N 1650

N 1660

N 1670

N 1680

N 1690

N 1700

N 1710

N 1720

N 1730

N 1740

N 1750

N 1760

N 1770

N 1780

N 1790

N 1800

N 1810

N 1820

N 1830

N 1840

N 1850

N 1860

N 1870

N 1880

N 1890

N 1900

N 1910

N 1920

N 1930

N 1940

N 1950

N 1960

N 1970

N 1980

N 1990

N 2000

N 2010

N 2020

N 2030

N 2040

N 2050

N 2060

N 2070

N 2080

N 2090

N 2100

N 2110

N 2120

N 2130

N 2140

N 2150

N 2160

N 2170

N 2180

N 2190

N 2200

N 2210

N 2220

N 2230

N 2240

N 2250

N 2260

N 2270

N 2280

N 2290

N 2300

N 2310

N 2320

N 2330

N 2340

N 2350

N 2360

N 2370

N 2380

N 2390

N 2400

N 2410

N 2420

N 2430

N 2440

N 2450

N 2460

N 2470

N 2480

N 2490

N 2500

N 2510

N 2520

N 2530

N 2540

N 2550

N 2560

N 2570

N 2580

N 2590

N 2600

N 2610

N 2620

N 2630

N 2640

N 2650

N 2660

N 2670

N 2680

N 2690

N 2700

N 2710

N 2720

N 2730

N 2740

N 2750

N 2760

N 2770

N 2780

N 2790

N 2800

N 2810

N 2820

N 2830

N 2840

N 2850

N 2860

N 2870

N 2880

N 2890

N 2900

N 2910

N 2920

N 2930

N 2940

N 2950

N 2960

N 2970

N 2980

N 2990

N 3000

N 3010

N 3020

N 3030

N 3040

N 3050

N 3060

N 3070

N 3080

N 3090

N 3100

N 3110

N 3120

N 3130

N 3140

N 3150

N 3160

N 3170

N 3180

N 3190

N 3200

N 3210

N 3220

N 3230

N 3240

N 3250

N 3260

N 3270

N 3280

N 3290

N 3300

N 3310

N 3320

N 3330

N 3340

N 3350

N 3360

N 3370

N 3380

N 3390

N 3400

N 3410

N 3420

N 3430

N 3440

N 3450

N 3460

N 3470

N 3480

N 3490

N 3500

N 3510

N 3520

N 3530

N 3540

N 3550

N 3560

N 3570

N 3580

N 3590

N 3600

N 3610

N 3620

N 3630

N 3640

N 3650

N 3660

N 3670

N 3680

N 3690

N 3700

N 3710

N 3720

N 3730

N 3740

N 3750

N 3760

N 3770

N 3780

N 3790

N 3800

N 3810

N 3820

N 3830

N 3840

N 3850

N 3860

N 3870

N 3880

N 3890

N 3900

N 3910

N 3920

N 3930

N 3940

N 3950

N 3960

N 3970

N 3980

N 3990

N 4000

N 4010

N 4020

N 4030

N 4040

N 4050

N 4060

N 4070

N 4080

N 4090

N 4100

N 4110

N 4120

N 4130

N 4140

N 4150

N 4160

N 4170

N 4180

N 4190

N 4200

N 4210

N 4220

N 4230

N 4240

N 4250

N 4260

N 4270

N 4280

N 4290

N 4300

N 4310

N 4320

N 4330

N 4340

N 4350

N 4360

N 4370

N 4380

N 4390

N 4400

N 4410

N 4420

N 4430

N 4440

N 4450

N 4460

N 4470

N 4480

N 4490

N 4500

N 4510

N 4520

N 4530

N 4540

N 4550

N 4560

N 4570

N 4580

N 4590

N 4600

N 4610

N 4620

N 4630

N 4640

N 4650

N 4660

N 4670

N 4680

N 4690

N 4700

N 4710

N 4720

N 4730

N 4740

N 4750

N 4760

N 4770

N 4780

N 4790

N 4800

N 4810

N 4820

N 4830

N 4840

N 4850

N 4860

N 4870

N 4880

N 4890

N 4900

N 4910

N 4920

N 4930

N 4940

N 4950

N 4960

N 4970

N 4980

N 4990

N 5000

N 5010

N 5020

N 5030

N 5040

N 5050

N 5060

N 5070

N 5080

N 5090

N 5100

N 5110

N 5120

N 5130

N 5140

N 5150

N 5160

N 5170

N 5180

N 5190

N 5200

N 5210

N 5220

N 5230

N 5240

N 5250

N 5260

N 5270

N 5280

N 5290

N 5300

N 5310

N 5320

N 5330

N 5340

N 5350

N 5360

N 5370

N 5380

N 5390

N 5400

N 5410

N 5420

N 5430

N 5440

N 5450

N 5460

N 5470

N 5480

N 5490

N 5500

N 5510

N 5520

N 5530

N 5540

N 5550

N 5560

N 5570

N 5580

N 5590

N 5600

N 5610

N 5620

N 5630

N 5640

N 5650

N 5660

N 5670

N 5680

N 5690

N 5700

N 5710

N 5720

N 5730

N 5740

N 5750

N 5760

N 5770

N 5780

N 5790

N 5800

N 5810

N 5820

N 5830

N 5840

N 5850

N 5860

N 5870

N 5880

N 5890

N 5900

N 5910

N 5920

N 5930

N 5940

N 5950

N 5960

N 5970

N 5980

N 5990

N 6000

N 6010

N 6020

N 6030

N 6040

N 6050

N 6060

N 6070

N 6080

N 6090

N 6100

N 6110

N 6120

N 6130

N 6140

N 6150

N 6160

N 6170

N 6180

N 6190

N 6200

N 6210

N 6220

N 6230

N 6240

N 6250

N 6260

N 6270

N 6280

N 6290

N 6300

N 6310

N 6320

N 6330

N 6340

N 6350

N 6360

N 6370

N 6380

N 6390

N 6400

N 6410

N 6420

N 6430

N 6440

N 6450

N 6460

N 6470

N 6480

N 6490

N 6500

N 6510

N 6520

N 6530

N 6540

N 6550

N 6560

N 6570

N 6580

N 6590

N 6600

N 6610

N 6620

N 6630

N 6640

N 6650

N 6660

N 6670

N 6680

N 6690

N 6700

N 6710

N 6720

N 6730

N 6740

N 6750

N 6760

N 6770

N 6780

N 6790

N 6800

N 6810

N 6820

N 6830

N 6840

N 6850

N 6860

N 6870

N 6880

N 6890

N 6900

N 6910

N 6920

N 6930

N 6940

N 6950

N 6960

N 6970

N 6980

N 6990

N 7000

N 7010

N 7020

N 7030

N 7040

N 7050

N 7060

N 7070

N 7080

N 7090

N 7100

N 7110

N 7120

N 7130

N 7140

N 7150

N 7160

N 7170

N 7180

N 7190

N 7200

N 7210

N 7220

N 7230

N 7240

N 7250

N 7260

N 7270

N 7280

N 7290

N 7300

N 7310

N 7320

N 7330

N 7340

N 7350

N 7360

N 7370

N 7380

N 7390

N 7400

N 7410

N 7420

N 7430

N 7440

N 7450

N 7460

N 7470

N 7480

N 7490

N 7500

N 7510

N 7520

N 7530

N 7540

N 7550

N 7560

N 7570

N 7580

N 7590

N 7600

N 7610

N 7620

N 7630

N 7640

N 7650

N 7660

N 7670

N 7680

N 7690

N 7700

N 7710

N 7720

N 7730

N 7740

N 7750

N 7760

N 7770

N 7780

N 7790

N 7800

N 7810

N 7820

N 7830

N 7840

N 7850

N 7860

N 7870

N 7880

N 7890

N 7900

N 7910

N 7920

N 7930

N 7940

N 7950

N 7960

N 7970

N 7980

N 7990

N 8000

N 8010

N 8020

N 8030

N 8040

N 8050

N 8060

N 8070

N 8080

N 8090

N 8100

N 8110

N 8120

N 8130

N 8140

N 8150

N 8160

N 8170

N 8180

N 8190

N 8200

N 8210

N 8220

N 8230

N 8240

N 8250

N 8260

N 8270

N 8280

N 8290

N 8300

N 8310

N 8320

N 8330

N 8340

N 8350

N 8360

N 8370

N 8380

N 8390

N 8400

N 8410

N 8420

N 8430

N 8440

N 8450

N 8460

N 8470

N 8480

N 8490

N 8500

N 8510

N 8520

N 8530

N 8540

N 8550

N 8560

N 8570

N 8580

N 8590

N 8600

N 8610

N 8620

N 8630

N 8640

N 8650

N 8660

N 8670

N 8680

N 8690

N 8700

N 8710

N 8720

N 8730

N 8740

N 8750

N 8760

N 8770

N 8780

N 8790

N 8800

N 8810

N 8820

N 8830

N 8840

N 8850

N 8860

N 8870

N 8880

N 8890

N 8900

N 8910

N 8920

N 8930

N 8940

N 8950

N 8960

N 8970

N 8980

N 8990

N 9000

N 9010

N 9020

N 9030

N 9040

N 9050

N 9060

N 9070

N 9080

N 9090

N 9100

N 9110

N 9120

N 9130

N 9140

N 9150

N 9160

N 9170

N 9180

N 9190

N 9200

N 9210

N 9220

N 9230

N 9240

N 9250

N 9260

N 9270

N 9280

N 9290

N 9300

N 9310

N 9320

N 9330

N 9340

N 9350

N 9360

N 9370

N 9380

N 9390

N 9400

N 9410

N 9420

N 9430

N 9440

N 9450

N 9460

N 9470

N 9480

N 9490

N 9500

N 9510

N 9520

N 9530

N 9540

N 9550

N 9560

N 9570

N 9580

N 9590

N 9600

N 9610

N 9620

N 9630

N 9640

N 9650

N 9660

N 9670

N 9680

N 9690

N 9700

N 9710

N 9720

N 9730

N 9740

N 9750

N 9760

N 9770

N 9780

N 9790

N 9800

N 9810

N 9820

N 9830

N 9840

N 9850

N 9860

N 9870

N 9880

N 9890

N 9900

N 9910

N 9920

N 9930

N 9940

N 9950

N 9960

N 9970

N 9980

N 9990

N 10000

PWFB 0929

F.B. ~~4265~~ PG. ~~Info~~

NOTE 304

see pgs 247 TO 250 FEB



CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

305

Notes Ck'd by	Survey of HACIENDA AREA 8 DIV 5 F.B. 435-5 PG. 143
Map No.	JN 0303.00 Tape 0266 Std 68 °F
Office Work	Surveyed by F.E. Brooks
Checked	Notes FEB Date 16 Dec 76
Date	Indexed by H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 TO 250 FEB

2-27

ON

CONT. Bldg 144

HOUSE # 2044

no search.

Fd a Bathead 2" I.P. Wood Plug + N. C'dn. no Ref.

Searched Fd nothing.

Edge of Pavement

Edge of Pavement

DRIVE

Set a sq hd spk at Rec dist. (C1.56) from PI VE 14 per ON 2-27

POT Set a sq hd. spk.

ON

#0266

183.24 T= 79° = 187.25
187.24 T= 79° = 187.25

132.29 T= 68° = 132.29
132.29 T= 68° = 132.29

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

WS 30A-5

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4755~~ PG. ~~444~~

NOTE 306

See pgs 247 To 250 FEB

A)	162	30	00
B)	290	00	00
	162	30	00
C)	255	00	00
	162	30	00

#0266
170.88 T = 71' = 170.89
170.89 T = 71' = 170.90

Fd a W spk & T. Flush. no Ref.

Fd a 2" I. P. Rotted wood plug no nail" no Ref.

Set a Lg Hd spk at Rec Dist (L.N.56) from PI VI14. per OM 2-27

Fd a W Spk & T Flush no Ref.

PI VI 14
Set a Lg Bt Spk W & T Flush at Rec # (150° 00' 00") and dist (315.54) from PI VI 13 per OM 2-31, OM 2-27

Set a 3m Bt spk & T. in P.P. # 148C220 E

Scorched Fd. nothing.

Set a LS & C Engr Tag

HOUSE # 2059

Fd a 2" I.P. Rotted Plug No Nail "dn." no Ref.

CURVE VI 14
& data per OM 2-27,

Δ 17° 30' 00"
R 400.00
T 61.56
L 122.17

OM

Please return to
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

CE 310
76F3095-4/73

PWFB 0929

307

Notes Ck'd by	Survey of HAVENDA AREA & DIV 5 F.B. ~~496-5~~ PG. ~~195~~
Map No.	JN 0501.00 Tape 02.CC Std CE °F
Office Work	Surveyed by FEB rooks
Checked	Notes FEB Date 06 Dec 79
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 TO 250
FEB



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes across this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4365~~ PG. ~~145~~

308

NOTE
See Pgs 247 TO 250
FEB

CE 310
76F3095-'3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line.

#0266
99.82 T=CD = 99.82



1)	151	52	00
4)	247	28	00
	151	52	00
C)	191	12	00
	151	52	00

CURVE VI 16
∠ curve data per OM 2-27

Δ	28° 08' 00"
R	150.00
T	37.58
L	79.25

PWFB 0929

309

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. [illegible] PG. [illegible]
Map No.	JN 0309.00 Tape 02LC Std 68 °F
Office Work	Surveyed by FE Brooks
Checked	Notes FEB Date 17 Dec 76
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See P93 247 TO 250
FEB



#02LC
165.89 T= 72° = 165.89
165.89 T= 72° = 165.89
100.92 T= 72° = 100.92
100.92 T= 72° = 100.92

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~1955~~ PG. ~~149~~

NOTE 310, 311

See Pgs 247 TO 250 FEB

CONT BAT PG 149



PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CE 310
76F3095 3

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PWFB 0929

312, 313

Notes Ck'd by	Survey of HACIENDA AREA L DIV 5
Map No.	JN 4303.00 Tape 0211 Std 68 °F
Office Work	Surveyed by F.E. BROOKS
Checked	Notes FEB Date 20 Dec 1971
Date	Indexed H. HOLMAN DEC 17 1971

F.B. 4355 PG. 149

NOTE
see pgs 247 TO 250 FEB

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

CONT TOR PG 150

1) 171° 21. 00
4) 325 24 00
171 21 00
6) 308 06 00
171 21 00

#0266
237.37 T= 68° = 237.37
237.37 T= 68° = 237.37

187.54 T= 68° = 187.54
187.54 T= 68° = 187.54

N = 187.54

VIRAZON

N = 171°

21.00

HOUSE #

10

10

Set a Sm Bt spk @ T in PP #

EAST 33.10 at

EAST 23.36 at

PM 77.4

DM

Searched Fd nothing

Fd a 2" J.P. Wood Plug no Nail Flush no Ref.

31.31

PT VI 18 Set a Lg Bt spk w/ T Flush of Rec. & (154° 37' 00") and Dist from PT VI 17 per ONM 2-27

set a Sm Bt spk w/ T in 8" walnut

N = 237.37

DRIVE

CONT TOR PG 148

PWFB 0929

F.B. ~~1555~~ PG. ~~150~~

314

NOTE
See Pgs 247 To 250
FEG

1) 165 44 30
4) 302 40 00
~~44~~ 41 30
3) 274 09 00
165 41 30

CONT BOT PG 92

CE 310
76F3095-473

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

165-41-30

CURVE VI 19
Ø data Per OM 2-27
Δ 14° 18' 30"
R 390.00
T 49.70
L 97.90

PI VI 19
Set a lg BT spk w&T at Rec Δ (14° 21' 00") and Dist (187.54) from Ø Pt VI 18 per OM 2-27

Set a sm BT spk ≡ T in P.P. # 1950770 E

Set a Lacо Engr Tag.

Searched Fd nothing

HOUSE #2150

Set a sq hd spk at Rec dist (47.70) from PI VI 19 per OM 2-27

Searched Fd nothing

CONT TOP PG 149

PWFB 0929

315

Notes Ck'd by	Survey of HACIENDA AREA F DIV 5
Map No.	JN 0303.00 Tape 02CC Std 68 °F
Office Work	Surveyed by FEB rocki
Checked	Notes FEB Date 22 Dec 78
Date	Indexed H. HOLMAN DEC 17 1979

F.B. ~~4365~~ PG. 75T

NOTE
See Pgs 247 TO 250
F.E.B.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE-310
76F3095-4/73

CURVE VI21
℄ data per ONT 2-22

Δ 13 30 00
R 180.00
T 21.30
L 89.27

Δ 144 07 30
(A) 216 30 00
144 07 30
(D) 144 45 00
144 07 30

#02CC
81.22 TE 72° = 81.22
81.22 T = 72° = 81.22
42.31 TE 68° = 42.31

CURVE VI20
℄ data per ONT 2-22

Δ 05 15 00
R 60.00
T 55.22
L 89.27

CONT FROM PG 152

CONT TO PG 92

Set a Lg Bf Spk w. ℄ T. of Calc. ∠ (137° 22' 30") and dist. (81.22) from BC VI20 per ONT 2-22

Fd a 2" I.P. Wood plug & N. C" KP Ref RDFB 0929-12C Pipe is leaning S Ely.

Set a Sm Bf Spk ℄ T in Trans KP. # gone

PROD Set a 3g Nail Spk

Fd a Lg Bf Spk W&T 4" d/n. Ref RDFB 0929-12C

Fd a 2" I.P. Wood plug & N. & 6" d/n. Ref RDFB 0929-12C

Set a Sm Bf. Spk & T in 12" Trunk of a 3" Trunk Pepper Tree

FI VI21 nothing set

FI VI20 nothing set

VIRA 20 L

DRIVE

ONT

Edge of Pavmt

Edge of Trans

Semi Tan

Chord

Rad

0.91

21.74

13.74

0.57

0.04

0.28

PWFB 0929

316

F.B. ~~4305~~ PG. ~~107~~

NOTE
See Pgs R47 To R50
FEB

BC V122 / EC V121

CURVE V122
Ø det. per OM 2-22

Δ	13	00	00
R	440.	00	
T	50.13		
L	99.63		

1)	162°	37'	30"	1)	166	45	00
4)	290	30	00	4)	307	00	00
	162	37	30		166	45	00
6)	255	45	00	6)	280	30	00
	162	37	30		166	45	00

153

M = 162°

37'

30"

M = Chord 99.47

79° 07' 30"

Limitation

SEMI TANG RT

CONT RT

RDFB 0929-126 calls for a 2" I.P. plug & Tack flush. This area on steep cut bank no evidence of pipe.

20.40

1.78

0.50

0.27

Set a Lg Bt spk w&T at calc ∠ (166° 45' 00") and dist (99.62) from P.C.C. V121, V122 per OM 2-22

Fd a Lg Bt spk w&T 4' dn Ref. RDFB 0929-126

Set a Sm Bt spk ⊥ in P.P. # W1487

VIRA20.2

Fd a 2" I.P. wood plug & N Flush Ref RDFB 0929-126

M = 99.62

Chord

Semi Tang

ALL

PI V122 nothing set

OM

#0226
99.62 T 166° = 99.62
99.62 T 14° = 99.62

Searched for pipe per RDFB 0929-126. Fd nothing 4' dn.

V121 / V122

BC 46

M = 166° 45' 100°

Edge of Pvmt

Edge of Pvmt

DRIVE

0.44

Chord

M = 42.31

0.37

ALL

Set a Lg Bt spk w&T at calc ∠ (144° 07' 30") and dist. (42.31) from PRC V120, V121 per OM 2-22.

Fd a Lg Bt spk w&T 6" dn. Ref. RDFB 0929-126 Set By N. on surface

CONT RT

CE 310
76F3095.473

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PWFB 0929

317

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of HACIENDA AREA & DIV 5 F.B. ~~4935~~ PG. ~~152~~
JN 0705.00 Tape OLL Std 68 °F
Surveyed by F.E.B. - Wolks
Notes FEB Date ~~12 Dec 76~~
Index HL HOLMAN DEC 17 1979

NOTE
See Pgs 247 TO 250
FEB

CONT BOT PG 154

VIRGZON

Fd a 2" I.P. Wood plug & N 12" up. No Ref. pipe is leaning S.E.ly.

1)	158	15	00
4)	279	00	00
	158	15	00
6)	229	30	00
	158	15	00

S 22° 58' 27" E 109.43

Chord

CURVE VI 23
& data per OM 2-22
Δ 43° 30' 00"
R 290.00
T 115.80
L 220.18

#OLL
109.43 T= 44° = 109.43
109.44 T= 54° = 109.44

109.44 T= 54° = 109.43
109.45 T= 64° = 109.44

HOUSE # 2244

Set a Sm Bt spk at T in 10" Tree

Mid Pt CURVE VI 23 set a Lg Bt spk w/T at Tela # (162.77', 78") and dist (109.43) from PCC VI 22 - VI 23 per OM 2-22

Notes Pull Ties to 3 bobs high at Mid pt. spk

Gravel Drive

Set a Sm Bt Spk at T in 8" Tree.

Chord

DRIVE

PI VI 23 not visable nothing set

CONT

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes to this side of this line
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~XXX~~ PG. ~~XXX~~

318

NOTE
See Pgs 247 To 250
FEB



CE 310
76F 3095-4773

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

0929-2924-2

29.90

PWFB 0929

319

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5
Map No.	JN 0303.00 Tape 0266 Sta 68 °F
Office Work	Surveyed by FEB books
Checked	Notes FEB Date 5 JAN 77
Date	Indexed H. HOLMAN DEC 17 1979

F.B. ~~4365~~ PG ~~156~~

NOTE
SEE PGS 247 TO 250
FEB

#0266
132.52 T 54' = 132.51
132.52 T 54' = 132.51



ROFB 0929-127
Calls for a 2x2 @ Tack
Flush.
Far 2" I.P. wood
plug 6" dn.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4350~~ PG. ~~456~~

320

NOTE
sec Pgs 247 TO 250
FEB



1)	172	05	00
4)	328	20	00
	N7	05	00
4)	312	30	00
	172	05	00

CURVE VI 25
Δ data per OM 2-22

Δ	15° 50' 00"
R	374.26
T	52.04
L	103.42

CE 310
76F3095 '73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

321

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~1705~~ PG. ~~147~~
Map No.	JN 0307.00 Tape 0211 Std 68 °F
Office Work	Surveyed by FEBradley
Checked	Notes FEB Date 19 Jan 77
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250
FEB

CURVE VI 26
& Curve data per OM 2-22

Δ 33° 10' 00"
R 205.00
T 61.05
L 118.68

#0211
103.11 T=54° = 103.10
103.12 T=54° = 103.11
61.05 T=68° = 61.05

Fd a 2" I.P. Wood plug
No. 1 Ref. RDFB
1029 - 249
250
Top of Pipe Very Rotted

Set a 5/8 rbd
Spk & T in Tele
Pole # WA10301

Set a 5/8
Bt Spk & T
in 10" Ebk.

VARAZONA

Edge of Pvmt

Edge of Pvmt

Set a ±/- in
fn. post.

Set a 5/8
Bt Spk & T
in 30" Acacia

Fd a 2" I.P. no plug
Ref. RDFB
1029-249
250
Top of Pipe
appears to have
rusted away.
Set N in center

Set a 2" I.P. Conc Plug
& Co Engr Tag 2" below
edge of Pvmt at
Cala 4 (172° 05' 00")
and dist (103.10) from
BC VI 25 per OM 2-22

PI VI 26
Set a 2" I.P. Conc
Plug & Co Engr Tag
flush with road
Surface at Cala 4
(172° 05' 00") and
Rec. Dist (61.05) from
PRC VI 25, 26 per
OM 2-22

Fd a 2" I.P. no
Plug c" ap. Ref.
RDFB 1029-249
250

1) 41-12-30
2) 82-25-00
41-12-30

1)	172	05	00	146	50 00
4)	328	20	00	227	20 00
	172	05	00	146	50 00
4)	312	30	00	141	00 00
	172	05	00	146	50 00

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes this side of this line
4/5 30 A-5

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
099 297 A-3

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~1035~~ PG. 158

322

CONT BOT PG 3C

NOTE
See pgs 247 To 250 FEB

1) 138 - 24 - 00
2) 193 36 20
3) 138 24 05
4) 110 24 40
5) 138 24 06 2/3

Set a Lg Bt Spk W&T at Rec ∡ (146° 50' 00") and Dist (204.65') from PI U I ZL per ORM 2-22.

RDFB 1029-249 250 calls for a 2" I.P. Searched Fd nothing.

ORM

07"

24'

138°

M"

#211
204.65 T= 70° = 204.65
204.65 T= 70° = 204.65

#0151
23.48 T= 64° = 23.48

P.O.T. Set a Lg Bt Spk W&T.

Searched Fd nothing

VIRAZON

Edge of Pvmt

N=204.65

Edge of Pvmt

Set a Lg hd Spk at Rec. Dist. (41.05') from PI U I ZL per ORM 2-22

Fd a 2" I.P. Wood Plug & N Finish Ref. RDFB 1029-249 250

RDFB 1029-249 250 Calls for a 2" I.P. Found 3 Nails no Ref.

Lg Bt Spk & W.

Garage

IDENTICAL

Fd Nails.

0.25
0.05
0.04
0.22
0.22

61.05'
20.64
0.54

N=48.9.74 per R3-160

N=23.48

DRIVE

20.64

CE 310
76F3095.4'73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

59-2974

PWFB 0929

323

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~4765~~ PG. ~~237~~
Map No.	JN 0703.00 Tape Std °F
Office Work	Surveyed by F E Brooks
Checked	Notes FEB Date 29 Jan 77
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250
FEB





NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4[illegible]~~ PG. ~~[illegible]~~

324

NOTE
See pgs 247 TO 250
FEB

#1 Tie from ARDSHEAL DR To VIRAZON DR. Pgs 36 & 158

T = 86°
Bar = 29.3
EV = +20

Inst. HI @ Virazone 5.20
Target HI @ ARDSHEAL 4.75

Mean Ver. ∠ 8° 42' 12"
machine dist. 981.232
Corrected dist. 969.739

#2 TIE from ENCANDA DR To WEST RD. Pgs 107 & 221

T = 88°
Bar = 29.4
EV = +20

Inst HI @ Encanada 5.22
Target HI @ West 4.65

Mean Ver ∠ 9° 27' 07"
machine Dist. 1195.552
Corrected Dist. 1179.320

CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

325

Notes Ck'd by	Survey of HACIENDA AREA & DN 5
Map No.	JN 0705.00 Tape Std °F
Office Work	Surveyed by FEB works
Checked	Notes FEB Date 10 Jan '77
Date	Indexed H. HOLMAN DEC 17 1979

F.B. ~~4726~~ PG ~~047~~

NOTE
See Pgs 247 TO 250
FEB

CONT BOT PG 162

0211
110.12 T= 44° - 110.10
110.13 T= 44° = 110.11

236.26 T= 42° - 236.22
236.27 T= 42° = 236.23

Searched Fd nothing

Set a 3q hd spk at Rec dist (22.88) from PI SU 4 per OM 2-33

Set a 5/8 BT spk w/T in P.P. ± 0.19 ft E

Searched Fd nothing

PI SU 4
Set a Lg Bt spk w/T at Rec ∠ (182° 29' 30") and dist (110.10) from Intsc at Subtropica Drive and Vista Drive per OM 2-33

EC SU 4

CURVE SU 4
@ curve data per OM 2-33

Δ	30° 07' 30"
D	85.00
T	22.88
L	44.69

1) 149 52 30
2) 239 30 00
149 52 30
3) 179 15 00
149 52 30

BC SU 4

Set a 3q hd spk at Rec dist (22.88) from PI SU 4 per OM 2-33

Searched Fd nothing

Looked under deck saw nothing

ONM

CONT TOP PG 124

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. 4356 PG. 42

NOTE 326

See Pgs 247 To 250 FEB



1) 173 51 00
4) 335 24 00
173 51 00
6) 173 84 00
173 51 00

1)
2) 173 51 00
84 55 30

CE 310
7GF 3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

327

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~1967~~ PG. ~~167~~
Map No.	JN 0503.20 Tape 0211 Std CB °F
Office Work	Surveyed by FEB. rooks
Checked	Notes FEB Date 10 Jan 77
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250
FEB

Fd a 2" I.P. Wood plug.
0.N 18" el n. no Ref.

1.03

19.18

CONT TOP PG 164

Searched Fd nothing

EC SU5

N

1) LLC 44 00
4) 306 56 00
NLC 44 00
2) 280 24 00
166 44 00

60.21 M=N

SUBTROPIC

M= LLC

CURVE SU5
& data per
ONM 2-33

Δ 13° 46' 00"
R 400.00
T 46.52
L 92.62

Set a Sq hd spk at Rec. Dist (46.52) from PI SU5 per ONM 2-33

0.40

#0211
123.92 FLC = 123.92
123.92 T=42° = 123.92

set a Sm Bt spk RT in TT & TLC 40E

PI SU5
Set a Lg Bt Spk WHT at R.C. & (173° 51' 08") and dist (123.92) from TT pt. LU 4A per ONM 2-33

BC SU5

Searched Fd nothing

Searched Fd nothing

Set a Sq hd SPK at Rec. Dist (46.52) from PI SU5 per ONM 2-33

CONT TOP PG 162

X

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend note to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F-3095-4/73

PWFB 0929

F.B. ~~4955~~ PG. ~~164~~

NOTE
See Pgs 247 TO 250
FEB

328 , 329

0211

112.09 T= 64° = 112.09
112.09 T= 64° = 112.09

79.04 T= 68° = 79.04
79.04 T= 68° = 79.04



CE 310
76F3095-A'73

LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO

LMS 384-5

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE.

PWFB 0929

330

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~4395~~ PG ~~146~~
Map No.	JN 0307.00 Tape 0211 Std CB °F
Office Work	Surveyed by FEB rooks
Checked	Notes FEB Date 17 Jan 77
Date	Indexed H. HOLMAN DEC 17 1979

1)	158	10	00
4)	272	40	00
	158	10	00
6)	229	00	00
	158	10	00

CONT BOT PG 166

NOTE
See Pgs 247 TO 250
FEB

Fd a 2" I.P. wood plug @ Tag RE 2317 Flush.
no Ref.

EC SU

Searched Fd nothing

Set a Sq hd Spk at Rec. Dist (30.0L) from PI SU 7 per ONM 2-33

CURVE SU 7
& data per ONM 2-33

Δ	21°50'00"
R	160.00
T	30.81
L	60.97

Set a Sm BT Spk at T in Thick

Fd a 2" I.P. Wood Plug & N 9" Dia. no Ref.

Note Pull direct from pipe to 3 Bolts at PI SU 7

PI SU 7
Set a 2" I.P. Cover Plug & Rebar Tag at Rec Δ (182° 33' 00") and dist (89.14) from PI SU 7 per ONM 2-33

ONM

Set a Sm BT Spk at in PP & 20625.87E

Set a Sq hd Spk at Rec Dist (30.0L) from PI SU 7 per ONM 2-33

Searched Fd nothing

Fd a 2" I.P. Wood plug & N. no Ref.

DRIVE

CONT TOP PG 164

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4955~~ PG. ~~167~~

331

NOTE
see pgs 249 To 250
FEB

CONT BOT PG 167



CONT TOP PG 165

CE 310
76F3095-A 73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PWFB 0929

332

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of HACIENDA AREA & DIV 5
JN 0303.50 Tape 0211 Std CE °F
Surveyed by FEB. HOOKS
Notes FEB Date 18 Jan 77
Indexed H. HOLMAN DEC 17 1979

F.B. ~~4985~~ PG ~~167~~

NOTE
SEE PGS 249 TO 250
FEB



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F-3095-4/73

PWFB 0929

F.B. ~~1955~~ PG. ~~168~~

NOTE
See Pgs 247 To 250
FEB

333

CE 310
76F3095-4'73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE



PWFB 0929

334

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~1275~~ PG. 169
Map No.	JN0303.60 Tape 0211 Std 60 °F
Office Work	Surveyed by FEB. Works
Checked	Notes FEB Date 21 Jan 77
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250
FEB

CONT BOT PG 170

Set a Sq hd SpK at Rec Dist (47.62) from PI SU 10 per ON 2-31

E.C. SU 10

Set a 5m 13# SpK & T in P.P. # 1993 717 E

Fd a 2" I.P. Wood Plug + Al Flush no Ref.

0.91

19.

N 54.10 W

ON

CURVE SU 10
& data per ON 2-33

Δ 14° 28' 30"
R 375.00
T 47.62
L 94.74

N 145°

D	165	31	30
PI	307	06	00
	165	31	30
Q	273	09	00
	165	31	30

Set a Bt Nail in conc Joint 3' above pvmt.

24.70

Conc Drain Pipe

ON

PI SU 10
Set a 2" I.P. conc Plug & Eng Tag 1" below Pav. Surface at Rec & (160° 41' 00") and Dist. (231.33) from PI SU

Set a Sq hd SpK at Rec Dist (47.62) from PI SU 10 per ON 2-33

Searched Fd nothing

R-33

Searched Fd nothing

R-31

#0211
131.78 T=60°-131.77
131.78 T=60°-131.77

CONT TOP PG 168

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

335

F.B. ~~4355~~ PG. ~~172~~

NOTE
See Pgs 247 To 250
FEB

CE 310
76F3095-4173

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE



PWFB 0929

336

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 4754 PG. 171
Map No.	JN 0303.00 Tape 0211 Std CB °F
Office Work	Surveyed by F.E. Brooks
Checked	Notes FEB Date 28 Jan 77
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250
FEB

CONT BOT PG 172

1) 15L 16 00
4) 24S 04 00
15L 16 00
4) 24S 36 00
15L 16 00

SUBSTABLE

M=50.40

M=156.16

searched
Fd. nothing

Set a Lg Bt spk
w/BT at Calc. ℄
(15L° 16' 00") and
dist. (144.89) from
BC SU 12 per
ONM 2-33

searched
Fd nothing

EQ. of Part 2

#0211
144.89 T= 72°= 144.89
144.89 T= 72°= 144.89

EC SU 12

CURVE SU 12
℄ data per ONM 2-83

Δ	47° 28' 00"
R	180.00
T	79.14
L	149.12

1) 15L 16 00
4) 24S 04 00
15L 16 00
4) 24S 36 00
15L 16 00

BC 14
SU

M=144.89

Chord

steel post

PI SU12
location on side
hill approx 12' lower
than roadway not
useable nothing set

M=15L.

graded driveway

searched
Fd nothing

set a 5m BT
spk at in
6" pine

NOTE
PUN tie direct from
Tree to 3 links high
at BC spk

M=137.42

DRIVE

Set a Lg Bt Spk W/
BT at Rec ℄ (15L° 24' 00")
and dist (127.21) from
PT SU 11 per ONM 2-33.

Set a 5m BT
Spk BT in PP
#997119E

CONT TOP PG 170

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
463 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~1755~~ PG. ~~178~~

337

NOTE
Set pgs 247 To 250 FEB



CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

H5394-5

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

338

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~#2955~~ PG. ~~144~~
Map No.	JN 0307.00 Tape 0211 Std 68 °F
Office Work	Surveyed by FEB walcs
Checked	Notes FEB Date 24 Jan 77
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250
FEB
2-27

1)	135	25	30
4)	181	42	00
	135	25	30
6)	92	33	00
	135	25	30

OM

#0211
165.95 T = 42° = 165.94
165.96 T = 62° = 165.95

CURVE SU 14
& data per OM 2-27
Δ 144° 34' 30"
R 100.00
T 140.99
L 98.80

Searched Fd nothing

NE = 135°

25'

30'

Set 3m Bt Spk & T in 8" tree

Set a sq hd Spk at Rec. dist (40.99) from PI SU 14 per OM 2-27

Set 3m Bt Spk & T in 8" tree

Searched Fd nothing

Searched Fd nothing

Set a Sq hd Spk at Rec Dist (40.99) from PI SU 14 per OM 2-27

OM

Note Fd 11 direct from Tree to 36 Cols high at PI Spk

PI SU 14
Set a 2" I.P. Conc Plug & Co. Engr Tag at Rec. Δ (84° 09 00") and dist. (101.94) from PI SU 13 per OM 2-33

Fd @ 2" I.P. Wood Plug & N # "on" ma. Ref.

2-33

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4555~~ PG. 154

339

NOTE
See Pg# 247 To 250
FEB



CE 310
76F 3095 '73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

340

Notes Ck'd by	Survey of HACIENDA AREA E DIV 5 F.B. 4355 PG. 42
Map No.	JN 0307.00 Tape 0211 Std 68 °F
Office Work	Surveyed by F.E.Brooks
Checked	Notes FEB Date 26 Jan 77
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 To 250
FEB



1)	154	08	00
4)	256	32	00
	154	08	00
6)	204	48	00
	154	08	00

#0214
121.28 T= 66° = 121.28
121.27 T= 66° = 121.27

E.C. SU 16

CURVE SU 16
@ data per OM 2-27
Δ 25° 52' 00
R 155.00
T 35.59
L 69.98

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes beyond this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F-3095-4/73

PWFB 0929

F.B. ~~4955~~ PG. ~~146~~

NOTE

341

See pgs 247 To 250
FEB

CE 310
76F3095-4F13

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

1)	15L	5L	00
4)	219	44	00
	15L	5L	00
4)	271	3L	00
	15L	5L	00

#0211
135.19 T=69° = 135.19
135.19 T=60° = 135.19



CONT TOP PG 175

PWFB 0929

NOTE sec pgs 247 TO 250 FEB

342

Notes Ck'd by

Map No.

Office Work

Checked

Date

Survey of HACIENDA AREA & DIV 5

JN 0303.00 Tape 0211 Std 68 °F

Surveyed by FEBrooks

Notes FEB Date 24 Jan 79

Indexed H. HOLMAN DEC 17 1979

F.B. ~~4305~~ PG ~~4444~~

1) 157 57 00
2) 241 18 00
3) 157 57 00
4) 287 42 00
5) 157 57 00

DO NOT DOT PG 170

0211

333.52 T=70° = 333.52
333.52 T=70° = 333.52

Fd an Old 2" I.P. Cone Plug & Tag "RE 2318 L.C." dn. No. Ref

0.37

SUB TRAFFIC

66.89

N= 333.52

N=

157°

57.

00"

CURVE SU 1B
& data prv OM 2-27

Δ 22° 03 00"
R 155.00
T 30.20
L 59.65

Searched Fd nothing

Set a 3/4 bd spk at Rec. Dist. (30.20) from PI SU 1B prv OM 2-27

30.20

20

Edge of

Set a LOT

40.63

COURT YARD

HOUSE # 1965

OM

PI SU 1B
Set a Lg Bt Spk w&T Flush at Rec. Δ (157° 57' 00") and dist. (155.19) from PI SU 1B prv OM 2-27

155.19

Searched Fd nothing

Set a LOT

Set a 3/4 bd spk at Rec dist (30.20) from PI SU 1B prv OM 2-27

Edge of DRIVE

HOUSE # 1965

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes past this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4355~~ PG. ~~178~~

343

NOTE
See pgs 247 To 250
FEB

CONT BOT PG 179

1)	176	19	00
4)	345	16	00
	176	19	00
6)	337	54	00
	176	19	00

#0211
227.88 T= 56° = 227.86
227.88 T= 56° = 227.86

88 09 30

N

CE 310
76F3095 4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

88 A-5

N = 176°

N = 227.86

Scorched Fd nothing

Set a ~~1~~ in gate post

88

09

30

SUBTROPIC

LOT

LOT

Note
Pull dist. from gate post to 3 bobs high at ℄ Pt.

Fd a Nail no Ref.

Fd a 2" I.P. Rolled plug and Nail 8" dn. no Ref.

Fd a badly rusted 2" I.P. broken conc. Plug & Tag RE 2318 flush.

0.80

split of ℄

℄ PT SU 19
set a lg Bt spk w ℄T at Rec ℄ (157°57'00") and dist (333.52) from PI SU 18 per OM 2-27

Edge of pvmt

Set a 5m Bt spk ℄T in P.P. 199+09.7E

A-27

OM

N = 333.852

1.55

HOUSE #2000

DRIVE

Fd a 2" I.P. old wood plug & no. nail 6" dn. no. Ref.

Fd a Nail no Ref.

Set a sq hd. spk.

CONT TOP PG 179

PWFB 0929

344) 345

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. PG. 178
Map No.	JN 0303.00 Tape 0211 Std 68 °F
Office Work	Surveyed by FEB Brooks
Checked	Notes FEB Date 28 Jun 77
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 To 250
FEB

1) 168 19 00
4) 373 16 00
168 19 00
c) 289 54 00
168 19 00

0211
151.71 T=66°



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes past this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4756~~ PG. ~~100~~

346

1 94 10 70

1)	165	41	30
4)	302	42	00
	165	41	30
4)	274	09	00
	165	41	30

NOTE
See Pgs 247 TO 250
FEB

CE 310
76F3095 '73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

CURVE SU 21
& data per ON 2-27

Δ 14 18 30
R 190.00
T 23.85
L 47.45

#0211
CL 23 T = 66° = 11.23

94

PG

BOT

CONT

13.85

M = 165°

M = 11.23

SUB TRAFFIC

H'

set a Sm Bt Spk ⊙T in 24" EVIC.

30"

2.02

Fd a N ⊙T no Ref.

28.67

0.46

Prod

Bt 21 34

20

13.85

PI SU 21
set a Lg Bt Spk W & T at Rec ∠ (168° 19' 00") and dist. (151.71) from PI SU 20 per ON 2-27

Prod

Scorched Fd Nothing

2-27

Prod
Set a L & Co Engr Tag

ON

no search

M = 151.71

Prod

DRIVE

Set a 3/4 hd Spk on Rec ∠ at dist (23.85) from PI SU 21 per ON 2-27

PG 179

MNT

TAR

PWFB 0929

347

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5
Map No.	JN 0307.00 Tape 0211 Std 68 °F
Office Work	Surveyed by FEB Woolls
Checked	Notes FEB Date 21 Jan 77
Date	Indexed H. HOLMAN DEC 17 1979

F.B. ~~1395~~ PG ~~104~~

NOTE
See Pgs 247 To 250
FEB

#0211
134.54 T=68° 134.54
134.54 T=68° 134.54

CONT BOT PG 182

1) 162 30 00
4) 290 00 00
5) 162 30 00
6) 255 00 00
162 30 00

SUBTROPIC

E Line Lot 1 Tract

20

Prod set a L&C Engr Tag

Set a sq hd spk at Rec. Dist (46.17) from D.I. SU 22 per ONM 2-21

#0211
116.66 T=62°= 116.66
116.66 T=62°= 116.66

Searched Fd nothing

CURVE SU22
& data per ONM 2-21
Δ 17 30 00
R 300.00
T 46.17
L 91.63

Set a sq hd spk in 8" Euk stump

PI SU22
Set a 2" I.P. Conc Plug and L&C Engr Tag 4" dn. at Rec. Δ (15° 35' 00") and dist (116.66) from inter of SubTropic Drive and Fuenanda Drive per ONM 2-21

PRIVE

CONT TOP PG 94

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

348

F.B. ~~1305~~ PG. ~~18~~

NOTE
See pgs 247 TO 250 FEB

1) 124 33 30
4) 138 14 00
124 33 30
6) 20 21 00
124 33 30

#0211
128.71 T=58° = 128.70
128.71 T=58° = 128.70



CE 310
76F3095/173

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

349

Notes Ck'd by

Map No.

Office Work

Checked

Date

Survey of HACIENDA AREA & DIV 5

JN 0309.00 Tape 0211 Std GB °F

Surveyed by F E Brooks

Notes FEB Date 1 Feb 77

Indexed H. HOLMAN DEC 17 1979

F.B. [redacted] Pg. [redacted]

NOTE
See pgs 247 To 250
FD 4 FEB

CURVE SU 24
Adata per ONT 2-21
Δ 24° 20 00
R 110.00
T 23.72
L 46.72

1) 155 40 00
4) 262 40 00
3) 155 40 00
2) 314 00 00
155 40 00

CONT

184

PG

AH

M = 207.44

Edge of pvmt

SWITZ ROPE CO

Location on steep side bank in heavy brush no search made

Set a Sq hd spk at Rec. Dist. (23.72) from PI SU 24 per ONT 2-21

0211
207.45 T=62° = 207.44
207.45 T=62° = 207.44

M = 155°

40.00

Edge of pvmt

23.72

Semi Tan

Semi Tan

Fd a 2" I.P. Wood Plug 4N 12" up on side bank no Ref.

0.20

18.48

128.70

searched Fd nothing

searched fd. no evidence of 2" I.P. per T12 13142

DRIVE

PI SU 24
Set a 2" I.P. Conc Plug & Co Engr Flush in burm at Rec. ∠ (124° 33' 30") and dist. (128.70) from PI SW 23 per ONT 2-21

Set a Sq hd spk at Rec. Dist. (23.72) from PI SU 24 Per ONT 2-21.

2-21

2" I.P. Pvt TR 13142 gone

ONT

CENTERLINE NOTES
CE 310
76F-3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PWFB 0929

F.B. ~~1355~~ PG. ~~184~~

NOTE See Pgs 247 TO 250 FEB

350



PWFB 0929

351

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. [illegible] PG. [illegible]
Map No.	JN 0509.00 Tape 0184 Std 68 °F
Office Work	Surveyed by F E Brooks
Checked	Notes FEB Date 2 Feb 1977
Date	Indexed H. HOLMAN DEC 1 7 1979

NOTE
See pgs 247 To 250
FEB

#0184
117.82 T=66° = 117.82
152.50 T=66° = 152.50
152.50 T=66° = 152.50

Fd a battered and crushed 2" I.P. 6"dn. no Ref.

1.14

LOT 15

LOT 24

CENT 27 PG 81

CENTERLINE

R=152.50

Edge of Pvmt

Edge of Pvmt

R=117.82

DRIVE

P.O.T. set a Sq hd Spk.

13 1.42

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes past this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4565~~ PG. ~~184~~

NOTE 352

See pgs 247 TO 250 FEB

CONT BOT PG. 202



CURVE SU 2L

& data Per ORM R-21

Δ 25 47 30
R 230.00
T 52.65
L 103.53

& data per TR 13142

Δ 25 47 15
R 234.00
T 52.65 calc.
L 103.52

TR

13142

W.O. 30A-5

CE 310
76F3095 ~~-3~~

403 LOS ANGELES COUNTY ENGINEERING BLDG.
LOS ANGELES COUNTY ENGINEER
PLEASE RETURN TO

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

353, 354

Notes Ck'd by	Survey of HACIENDA AREA & DIVS F.B. PG.
Map No.	JN 0309.00 Tape 0184 Std 68 °F
Office Work	Surveyed by EE Bowles
Checked	Notes FEB Date 3 Feb 1977
Date	Indexed H. HOLMAN DEC 1 7 1977

1) 160 - 30 - 45
4) 282 03 00
160 30 45
4) 247 04 30
160 30 45

NOTE
Sec typ 247 TO 250
FEB

#0184
209.37 T= 16° = 209.37
209.38 T= 16° = 209.38

113.88 T= 74° = 113.88
113.88 T= 74° = 113.88

R-21

ONA

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NO.
CE 310
76F3095-4/73

PI SU 27
Set a Lg Bt. Spk W. BT
at Rec. Δ (154° 12' 45").
and Dist (209.37) from
PI SU 26 per TR 13142

Set a Sq hd Spk
at Rec. Dist (63.54).
from PI SU 27 per
TR 13142

Fd a 2" I.P. 6" dn.
Ref TR 13142.
Fd a Flag nail in
dist plug

Set Sm Bt Spks & Ts
in fm. past.
Note: Tin Tie To
3 Holes high at
SU 27

Searched
Fd nothing.

SUBTROPIC

Edge of Pvmt 2

DRIVE

Semi Tan

N=113.88

63.54

209.37

0.10

1.56

0.07

Searched.
Fd nothing.

Fd a W. Spk
W.B.T. no Ref.

Set a Sq hd spk
at Rad. Dist.
(63.54) from
PI SU 27 per
TR 13142

160.

30.

45.

CURVE SU 27
Δ data for ONA R-21

Δ 19 29 00
R 380.00
T 63.54
L 125.82

Δ data per TR 13142

Δ 19° 29' 15"
R 370.00
T 63.54 calc.
L 125.84

TR

13142

EC SU 27

BC SU 27

X

PWFB 0929

F.B. ~~4660~~ PG. ~~100~~

NOTE
See Pgs 247 To 250 FEB

355

N- 21

CE 310
70F 3095-4773

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

CURVE SU 29
Δ data per OMZ-21

Δ	11	14	00
R	124.36		
T	12.23		
L	24.38		

Δ data per TR 13142

Δ	11°	14'	30"
R	124.36		
T	12.24	calc.	
L	24.40		

OM

1) 168 - 45 - 30
4) 315 02 00
168 45 30
4) 292 33 00
168 45 30

#0184
39.10 T = TK = 39.10

PI SU 28
Set a Lg Bt spk W&T at Rec Δ (160° 30' 45") and distance (113.88) from PI SU 27 per TR 13142

Set a Sm Bt spk & T in g w/s Pole # W 2907 S

Set a Sq hd spk at Rec. Dist. (12.24) from PI SU 29 per TR 13142

Fd a 1" I.P. Wood Plug no Nail Ref. TR 13142

Set a Sq Bt spk at Rec. Dist. (26.86) from PI SU 28 per OMZ-21 & TR 13142

Set a Sq hd spk at Rec. Dist. (26.86) from PI SU 28 per OMZ-21 & TR 13142

Fd a W spk W&T no Ref.

Set a Sm Bt spk & T in 12" Orange

Searched Fd nothing

Set a Br. N. in Conc. of Frame Bldg. 4.5 above ground.

P.I. SU 29
Set a Lg Rt spk W&T at Rec. Δ (169°03'30") per OMZ-21 & TR 13142 and Rec dist (39.10) per TR 13142 from PI SU 28

Fd a N spk W&T no Ref.

1) 169 - 03 - 30
4) 316 14 00
169 03 30
4) 294 21 00
169 03 30

TR

CURVE SU 28
Δ data per OMZ-21 & TR 13142

Δ	10	56	30
R	280.00		
T	26.86		
L	53.47		

13142

EC - SU 29

BC - SU 28

EC - SU 28

PWFB 0929

356

Notes Ck'd by	Survey of HACIENDA AREA 6 DIV 5 F.B. ~~4333~~ PG ~~108~~
Map No.	JN 0303.00 Tape 2184 Std CO °F
Office Work	Surveyed by F.E.Brooks
Checked	Notes FEB Date 4 Feb. 1972
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 To 250
FEB

R-21



#0184

158.05 T= CO° = 158.05
158.06 T= CO° = 158.06

208.66 T= 90° = 208.66
208.66 T= 90° = 208.66

13142

TR

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4355~~ PG. ~~190~~

NOTE
See Pgs 244 TO 250 FEB

357

CONT BOT PG 235

OM

R-21

1) 96 - 36 - 40
4) 24 24 40
96 36 40
6) 219 40 00
96 36 40

N

LAS PALOMAS

Edge of Pvmt

N = 135.27

Set a Br. No. 1 at Rec & (168°45'30") and distance (366.71) from PI SUZ9 per TR 13142

Set a Co. Engr Tag in brick wall

Graded and Paved drain area no search made

DRIVE

SUBTROPIC

R-20

N = 1.15

#0151
1.15 T=68° = 1.15

N = 208.66

23.39

4" chain link fence

1.38
0.10
0.04
0.18

25.17

Fd a NAIL in Guy pole # gone

TR 13142 calls For ½" I.P.s Fd nothing

Set a Sm. Bt Spk ET in PP. # 12C 41 25 E

Fd a sq hd spk w&T. 1.18 offset no Ref

Fd a Rotted 2x2 no nail 18" dn. Ref. RDFB 0929 Pg 123 0.92 off set, set N on surface.

Fd a 2x2 B N 6" dn. no Ref. 0.96 off set. set Br. N. on surface.

Fd a 2x2 B N 22" dn Ref. RDFB 0929-123 1.00 offset. set N. on surface.

INTER
Set a Lg Bt Spk W&T by inter.

N = 135.22

Edge of Pvmt

DRIVE

13142

TR

CONT TOP PG. 200

CE 310
76F30950-3

WS384-5

403 LOS ANGELES COUNTY ENGINEERING BLDG.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

358

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~4255~~ PG. 191
Map No.	JN 0303.00 Tape 0184 Std 68 °F
Office Work	Surveyed by FEBrooks
Checked	Notes FEB Date 4 Feb 1977
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 To 250
FEB

CURVE CA 1
& data per TR 13142
Δ 79 49 10
R 167.58
T 140.00 calc.
L 233.18



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F-3095-4/73

PWFB 0929

359

F.B. ~~4355~~ PG. ~~198~~

NOTE
See Pgs 247 To 250
FEB

0184
114.25 T=68° = 114.25
114.25 T=68 = 114.23



CE 310
76F3095

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES
ON THIS SHEET MUST BE MADE OR
CIRCLED IN RED INK WITH DATE AND
NAME OF PERSON MAKING CHANGE

PWFB 0929

360, 361

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~1235~~ PG. ~~144~~
Map No.	JN 0303.00 Tape 01 84 Std 60 °F
Office Work	Surveyed by FEB & Crews
Checked	Notes FEB Date 7 Feb 77
Date	Indexed H. HOLMAN DEC 17 1919

NOTE
See Pgs 247 To 250
FEB

1) 167-52-15
4) 311 29 00
6) 144 52 15
287 13 30
144 52 15

1) 160 - 02 - 40
4) 280 10 40
140 02 40
6) 240 X 00
120 02 44 1/2

Set a Lg BT Spk
W of ~~BT~~ Calc. ~~X~~ &
(160° 02' 44") and
Rec. dist (23.82) from
EC CA 1 per TR 12142

Set a Lg BT Spk
W of BT Calc. X &
(160° 02' 44") and
Rec. dist (23.82) from
EC CA 1 per TR 12142

Searched Fd nothing

Semi Tan

Chord

M = 149.20

CANONITA

Edg. of Pvmt

M = 23.82

160° 02'

Searched Fd nothing

DRIVE

39.31

124.29

Set LA Co Engr Tag

Searched Fd nothing

Set LA Co Engr Tag

22.47

23.25

Edg of Pvmt

M = 114.25

Chord

Sem. Tan

Searched Fd nothing

Set Lg BT Spk

Set a Lg BT Spk
W of Calc. X &
(140° 05' 25") and
(114.25) from Mid point
of Curve CA 1 per
BT 142

0184
23.82 T= 76° = 23.82
149.19 T= 76° = 149.20
149.19 T= 76° = 149.20

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4356~~ PG. ~~194~~

362

NOTE
See P93 247 To 250
FEB

1) 155 - 44 - 30
4) 362 58 00
155 44 30
6) 214 27 00
155 44 30

#0151

149.21 T= 56' = 149.20
149.21 T= 56' = 149.20

13142



MID PT CA 2
Set a Lg BT spk in ST at Calc ∆ (46° 52' 15") and dist (149.20) from P.C. CA 1 per TR 13142

CURVE CA 2
data per TR 13142

∆	48	31	00
R	357	51.05	
T	160.00		
L	300.65		

CE 310
76F3095 '73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

363

Notes Ck'd by	Survey of HACIENDA AREA & DIVS F.B. 430 PG. 46
Map No.	JN 0303.00 Tape 0151 Std CB °F
Office Work	Surveyed by FEB rooks
Checked	Notes FEB Date Feb 1979
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250
FEB

1) 167 - 52 - 15
4) 311 29 00
167 52 15
4) 287 13 30
167 52 15

#0151
161.77 T = CC = 161.77
161.77 T = CC = 161.77

TR



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to the side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG

CENTERLINE TIES
CE 310
76F-3095-4/73

PWFB 0929

F.B. ~~4365~~ PG. ~~196~~

364

NOTE
See pgs 247 To 256
FEB



CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

365

Notes Ck'd by	Survey of HACIENDA AREA & DIVS F.B. ~~4750~~ PG. ~~197~~
Map No.	JN 0303.00 Tape 0157 Std CB °F
Office Work	Surveyed by FEB HOOLS
Checked	Notes FEB Date 8 Feb 1977
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs. 247 TO 250 FEB

1) 157 - 34 - 00
4) 270 10 00
157 34 00
6) 225 14 00
157 34 00

CURVE CA 3
& data for TR 13142

Δ 22 26 00
R 493.27
T 97.82
L 197.13


N
TR
00"
34'
157'
M4
CANONITA
97.82
N= 137.82
Edge of Pmt
CONC DRIVE
#2273
MAC DRIVE
#2283
SET L.A.CO ENGR TAC IN LEAD
SEI L.A.CO ENGR TAC IN LEAD
2.03
5.0' Face
10.1'
14'
CONC DRIVE
Edge of Pmt
CONC DRIVE
Edge of Pmt
CONC DRIVE
Edge of Pmt

PWFB 0929

366

F.B. ~~4955~~ PG. ~~198~~

NOTE
See pgs 247 TO 250 FEB

1)	166	46	00
4)	307	04	00
	166	46	00
6)	280	25	00
	166	46	00

#0151
CO.00 T=68'=CO.00



CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

367

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5
Map No.	JN 0303 00 Tape 0151 Std 68 °F
Office Work	Surveyed by F.E.B. rocks
Checked	Notes FEB Date 8 Feb 1977
Date	Indexed H. HOLMAN DEC 17 1979

F.B. ~~1356~~ PG. ~~[illegible]~~

NOTE
See pgs 249 To 250
FEB

1) 89-52-00
4) 359-27-30
89-51-52½
6) 179-11-10
89-51-51½

CONT BOT PG 200

Set a 3/4 hd spk at Rec. Dist (40.00) from PI CA 4 per TR 13142

Searched Fd nothing

Searched Fd nothing

Set a Br. Nail at Rec. Z (166° 44' 30") and dist. (60.00) from TI CA 4 per TR 13142

Set a Sm. Bt spk & T in 16" Fir

INT. Set a Lg Bt Spk W ⊙ by inter.

CANOLITA

40.00 semi-tan

M=40.00

DRIVE

CONT

Searched Fd nothing

Fd a Nail 4"dn Ref. RDFB 0929-124

Searched Fd nothing

Set a ⊙ in Fire Hyd.

Fire Hyd

Searched Fd nothing

CONT TOP PG 234

#0151
168.39 T=42°= 168.38
168.40 T=42°= 168.39
0.91 T=42° = 0.91
100.44 T=94° = 100.44

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

MN 38A-5

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes to this side of this line

CENTERLINE NOTES
CE 310
76F3096-4/73

PWFB 0929

F.B. ~~4955~~ PG. ~~[illegible]~~

368

NOTE
See pgs 247 To 250
FEB

1) 118 - 50 - 00
4) 315 20 00
168 50 00
6) 297 10 00
128 50 00

CONT BOT PG 190


House # 2141
PALOMAS
Ave
Ln
TR
137.52'
30
M = 118°
20
0.11
0.18
0.75
26.21
Edge of Pvmt
DRIVE
Hwy 101 = 1W
Edge of Pvmt
2-20
00"
0
0
0

PWFB 0929

369, 370

Notes Ck'd by _____
Map No. _____
Office Work _____
Checked _____
Date _____

Survey of HACIENDA AREA 2 DIV 5
JN 0303.000 Tape 177 Std 84 °F
Surveyed by FE B walks
Notes FEB Date 27 Dec 76
Indexed H. HOLMAN DEC 17 1979

F.B. 4375 PG. 84

NOTE
See Pgs 248 To 250
FEB

T= 68° #177
164.72 (164.70) @ 30-13-55 = 142.299
163.78 (163.76) @ 29-40-15 = 142.288 M = 142.29

T= 76° 165.15 (165.13) @ 21-37-55 = 153.500 M = 153.50
165.91 (165.89) @ 22-16-30 = 153.510

Total 295.79

198.80 T= 68° = 198.78



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes past this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4355~~ PG. ~~102~~

371

NOTE
See Pgs 247 To 250
FEB

#1151
CC.2L T=68° = 4L.2L
74.90 T=72° = 74.90
74.90 T=72° = 74.90



CE 310
76F3095-A173

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PWFB 1029

521

Notes Ck'd by	Survey of HACIENDA AREA 4 DIV 5 F.B. ~~4295~~ PG. 203
Map No.	JN 8303.00 Tape 0157 Std 68 °F
Office Work	Surveyed by FEB rodks
Checked	Notes FEB Date 10 Feb 77
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
see pgs 247 To 250
FEB

2-18

#0151
44.18 T=82° = 44.18
44.18 T=82° = 44.18

1) 146-28-45
4) 225-55-00
146-28-45
6) 168-57-30
146 28 45

112-57-30
91 50 00
112 57 30
317 45 00
112 57 30

OM

Set a Lg Bt Spk w&T at Calc. Δ (112° 57' 30") and d.s.t. (44.18) from Mid. Pt. Curve EM2 per OM 2-21.

Fd a 2" I.P. Wood Plug & N Flush no Ref.

M= 201.94

0.84

EL

EM DING

Edge of Pvmt

Searched Fd nothing

MID PT CURVE EM2
Set a Lg Bt Spk w&T at Calc. Δ (160° 56' 45") and d.s.t. (44.18) from PRC EM 1,2 per OM 2-21

Set a Sm Bt Spk & T in 14" Tree

Fd a 2" IP Wood Plug & N 15" dia. no Ref.

M= 146.28.45

Chord

Edge of Pvmt

Gate

Note
Pull Tie to 3 Lbs high at PRC EM 1,2

Set a Sm Bt Spk in gate post.

CURVE END
& data per OM 2-21

Δ 134 05 00
R 90.00
T 94.42 (calc.)
L 93.21

1) 160-56-15
4) 283-45-00
160 56 15
6) 245 37 30
160 56 15

Searched Fd nothing

Set a Lg Bt Spk w&T at Calc. Δ (151° 05' 00") and dist. (94.90) from Mid Pt. EM 1 per OM 2-21.

M= 160° 56' 15"

Chord

Searched Fd nothing

CONT TOP PG 202

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

099-292A-3.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 1029

F.B. ~~4955~~ PG. ~~244~~

NOTE
See pgs 247 To 250
FEB

522, 523

CE 310
76F 3095-473

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line



PWFB 1029

524

Notes Ck'd by	Survey of HACIENDA AREA C DIV 5 F.B. [illegible] PG. [illegible]
Map No.	JN 8305.00 Tape 9451 Std 68 °F
Office Work	Surveyed by FEB Notes
Checked	Notes FEB Date 11 Feb 1977
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See Pgs 247 To 250
FEB

R-1B

D 117 - 25 - 00
T 109 40 00
L 144 25 00
R 144 30 00
117 25 00

EC EM 3

CURVE EM 3
Ø data per OM 2-21
Δ 62° 35' 00
R 120.00
T 72.94
L 131.07

Fd a 2" IP w/ lead plug in N 3" up no Ref.

Set a 3g hd spk at Rec. Dist. (72.94) from PI EM 3 per OM 2-21

Fd a 2" I.P. Wood no Nail, rusted ch. 12" up. no Ref.

PI EM 3
Set a 1g Bt spk & w/ at Calc. Δ (146° 28' 45") and Rec. dist (201.94) from EC EM 2 per OM 2-21

#0151
192.23 T=78° = 192.24
192.24 T=78° = 192.25

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F 3095-4/73

PWFB 1029

525

F.B. ~~4955~~ PG. ~~206~~

CONT BOT PG 207

NOTE

See pgs 247 To 250 FEB



CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PWFB 1029

NOTE See pgs 247 To 250 FEB 526

Notes Ck'd by	Survey of HACIENDA AREA 8 DIV 5 F.B. 4525 PG. 4967
Map No.	JN 0307.00 Tape 0151 Std CB °F
Office Work	Surveyed by FEB rooks
Checked	Notes FEB Date 14 Feb 1977
Date	Indexed H. HOLMAN DEC 17 1979

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

WP 30 A-5

MID PT of EM 5
set a Lg BT Spk W&T at Calc Δ (140° 07' 30") and dist (89.76) from B.C. EM 5 per OMZ-21

set a -I- in gate post

OM

EL

EM 5 NO

CONT TO PG 205

searched Fd nothing

set a L&C Engr Tag in Conc. water meter box.

searched Fd nothing

M= 89.76 chord

1) 100-15-00
2) 41-00-00
3) 100-15-00
4) 241-30-00
100-15-00

1) 140-07-30
2) 200-30-00
3) 140-07-30
4) 120-45-00
140-07-30

#0151
89.75 T=84° = 89.76
89.75 T=84° = 89.76

Set a -I- in Fire hyd.

BC EM 5

CURVE EM 5
& data per OMZ-21
Δ 159° 30' 00"
R 70.00
T 387.11 (calc)
L 194.87

Fd a 1" I.P. Wood Plug no nail 12" dm. no Ref.

Set a Sm BT Spk & T in P.P. #8697555E

OM

Set a Lg BT Spk W&T at Rec Δ (135° 20' 00") and dist (232.30) from PT EM 4 per OMZ-21

Fd a 2" I.P. Wood plug dm. flush in edge of cut bank. no Ref.

CONT TO PG 206

CENTERLINE NOTES
CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes to this side of this line

PWFB 1029

527

F.B. ~~1005~~ PG. ~~200~~

NOTE
See Pgs 247 To 250
FEB

1) 157-02-30
4) 268 10 00
157 02 30
4) 222 15 00
157 02 30

#0151
87.28 T= 82°= 87.29

N 18

87.29 chord



CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 1029

528

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5
Map No.	JN 0309.00 Tape 0151 Std 68 °F
Office Work	Surveyed by FEB Brooks
Checked	Notes FEB Date 15 Feb 1977
Date	Indexed H. HOLMAN DEC 17 1979

F.B. 4355 PG. 209

NOTE
See pgs 247 TO 250
FEB

2-18

CURVE EM 7
& data for ONM 2-21

Δ 43 40 00
R 35.00
T 43.96
L 82.35

1) 130 - 20 - 00
4) 161 20 00
130 20 00
6) 62 00 00
130 20 00

1) 163 - 05 - 00
4) 292 20 00
163 05 00
6) 258 30 00
163 05 00

ONM

#0151
43.95 T = 92° = 43.96


N= 130° 20' 00"
N= 163° 05' 00"
N= 111.55
N= 43.96
N= 82.35 chord
searched Fd nothing
searched Fd nothing
searched Fd nothing
Edge of Pvmt
Edge of Pvmt
Edge of Pvmt
DRIVE
EMPINO
chain link fn.
semi
semi
Joint
Joint
20
20
20
20
EM 7
EM 6
EM 5
EM 4
EM 3
EM 2
EM 1
BM
BM
BM

PWFB 1029

F.B. ~~4355~~ PG. ~~64~~

529

NOTE
See pgs 247 To 250
FEB

2-18

OM

#0151
111.54 T=80° = 111.55
111.55 T=80° = 111.56



OM

2-21

CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 1029

530

Notes Ck'd by	Survey of HACIENDA AREA 2 DIV 5 F.B. 4955 PG. 24
Map No.	JN 2307.00 Tape 0151 Std CB °F
Office Work	Surveyed by FEB tanks
Checked	Notes FEB Date 16 FEB 1977
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 247 To 250
FEB

1) 152 - 00 - 00
2) 240 - 00 - 00
3) 152 00 00
4) 192 - 00 - 00
5) 152 . 00 . 00

2-18

ONA

Set a Sq hd spk at Rad dist (37.40) from PI EM 8 per ONA 2-21

Very Steep Cut bank no search

R/W

EL

ENPINO

Edge of Pvmt

N

M= 133.77

Semi Tan

37.40

Edge of Pvmt

CONT

C'chain link fn

Location in fenced area with locked gates patroled by dogs. Owner not home no search made.

Set +/- marks in fn. Post marked with Red paint

Note: Tic pulled to 3 Locks high at PI EM 8

Set a Sq hd spk at Rad dist (111.55) from PI EM 7 per ONA 2-21

DRIVE

Semi Tan

M= 111.55

23.57

37.40

CONT

EM 7

EM 8

152° 00' 00"

177 T=80°

123.04 @ 7° 17' 00" = 122.047
123.17 @ 7° 44' 30" = 122.047 = 122.05
Level = 11.72
Total = 133.77

ONA

CURVE EM 8
2 data per ONA 2-21

Δ 28 00 00
R 150.00
T 37.40
L 73.30

2-21

EL EM 8

CENTERLINE NOTES
CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes this side of this line

PWFB 1029 NOTE See pgs 249 To 250 FEB

531

F.B. ~~435~~ PG. ~~216~~

CE 310
76F 3095-4173

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

CURVE EM 9
Edata per OM 2-21

Δ	45° 00' 00"
R	100.00
T	41.42
L	78.54

OM

1) 135 - 00 - 00
4) 180 00 00
135 00 00
6) 90 00 00
135 00 00

EC EM 9

EM 8

2 - 18

N

Set a Sq hd spk at Rec. dist. (41.42) from PI EM 9 per OM 2-21

Set a Sq hd spk at Rec. Dist. (41.42) from PI EM 9 per OM 2-21

EMBDNO

CENT RT

Edge of Pvmt

M = 135° 00'

M = 132

M = 133.77

Scorched Fd nothing

Very Steep cut bank no search.

Location on wall no search

BRICK Wall

Edge of Pvmt

Semi Tan

41.42

14.70

11.41

20

DRIVE

11 FT

#2779

#2787

Set L & C Engr Tags.

PI EM 9
Set a 2" I.P. Conc. plug & Co Engr Tag Level with the pavement at Rec. ∡ (152° 00' 00") and dist. (133.77) from PI EM 8 per OM 2-21

OM

C'chain link fn.

Location in fenced area with locked gates patrolled by dogs Owner not made no search made

Gate

2 - 21

PWFB 1029 NOTE Sec pgs 247 To 250 FEB

532

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 435-5 PG. 247
Map No.	JN 2307.00 Tape 0151 Std CB °F.
Office Work	Surveyed by F.E.Brooks
Checked	Notes FEB Date 16 FEB 1977
Date	Indexed H. HOLMAN DEC 17 1979

Δ 154° 30' 00"
4) 258 00 00
154 30 00
4) 207 00 00
154 30 00

CONT B&T pg 214

Set a Sq hd spk on Rec. Dist. (45.26) from PI EM 10 per ONM 2-21

EL

EM 10

EL

M = 101.94

Edge of mat'l ENTRANCE

Searched Fd nothing

CURVE EM 10
& data per ONM 2-21
Δ 25° 30' 00"
R 200.00
T 45.26
L 89.01

Searched Fd nothing

M = 13 ft.

45.26

Set a Sm Bt spk & T in top of a 10" sq Post.

Set a Sm Bt spk & T in top of 10" sq post

steel guard rail

PI EM 10
set a Lg Bt Spk
W & T Flush at
Rec ∡ (135° 00' 00")
and dist. (132.37)
from PI EM 9 per
ONM 2-21

13.05

Edge of Pvmt

Searched Fd nothing

#177 T=90°
132.31 (132.32) @ 5° 50' 00" = 131.634
132.48 (132.49) @ 6° 30 00 = 131.638
M. = 131.64
Level = 0.73
Total = 132.37

#0155 T=
84.41 (84.42) @ 4° 49' 00" = 84.171
84.55 (84.56) @ 5° 50' 00" = 84.122
M = 84.12
Level = 17.80
Total = 101.92

0.94

Fd a 1" I.P. Wood Plug & N 5' up. no Ref.

Set a Sq hd spk on Rec. Dist. (45.26) from PI EM 10 per ONM 2-21.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NO S
CE 310
76F 3095-4/73

PWFB 1029

F.B. ~~4755~~ PG. ~~247~~

533

NOTE
See pgs 247 TO 250 FEB

2-19

1) 149 - 42 - 30
4) 238 - 49 - 50
149 - 42 27½
6) 178 - 15 - 00
149 - 42 - 30

1) 76 - 28 - 00
4) 305 - 52 - 50
76 28 12½
6) 98 49 00
76 28 10

ON

Set a 2" I.P. Cone Plug & Co Engr Tag at Calc. ∠ (149° 42' 30") and dist (75.66) from BC EM 11 per ONM 2-21

Fd a New 2" I.P. Conc Plug & Tag RE 2317, 8" dn. no ref.

LOT 3

LOT 10

DRIVE

M= 231.83

#0151 T= 80°
77.65 (73.66) @ 4°32'00" = 77.429
77.79 (73.80) @ 5°45'00" = 73.428
M= 73.43
Levc l = 2.23
Total = 75.66

PT PG 215

PI EM 11
Location over the edge on steep hillside not useable nothing set or found.

CONT

1.67

19.63

17.02

6.50

Fd a 2" I.P. dirt plug & N 4" dn. no Ref.

EC EM 12

ON

Searched Fd nothing

Chord 75.66

Tan

M= 76° 29.10"

20

20

M= 149°

BC EM 12
EC EM 11

BC EM 11

Large Shrub

Set a 2" IP Cone Plug & Co Engr Tag by Rec ∠ (154° 30' 00") and dist. (701.92) from P.I. EM 10 per ONM 2-21.

ON

Searched Fd nothing

CURVE EM 11
R data per ONM 2-21

Δ 60° 15' 00"
R 75.00
T 43.81
L 79.30

21.64

1.25

Fd a 2" I.P. Wood Plug & N 4" up. no Ref.

M= 101.94

Tan

EC EM 10

CONT TOP PG 213

2-18

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CE 310
76F3095-1-3

34.40
45.72
80.06

N 53° 30' 45" E

N

PWFB 1029

534

Notes Ck'd by	Survey of HACIENDA AREA & DN's
Map No.	JN 0305.00 Tape 0151 Std CB °F
Office Work	Surveyed by FEBrooks
Checked	Notes FEB Date 25 April 72
Date	Indexed H. HOLMAN DEC 17 1979

F.B. ~~4355~~ PG. ~~244~~

NOTE
See Pgs 247 To 250
FEB

#192

TE 64° 228.85 (228.82) C 22-23-50 = 21.658
228.33 (228.30) C 22-05-05 = 21.549 = 211.55

#0157 Level 22.28 TE 64° = 20.28

Total 231.83

N

CONT RT Pg 238

N = 231.83

CONT RT Pg 214

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes past this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F 3095-4/73

X

F.B. 4355 PG. 216

NOTE
See pgs 247 To 250
FEB

2-33

ON

0184
398.54 T= 58° = 398.51
398.55 T= 58° = 398.52

261.47 T= 74° = 261.48
261.47 T= 74° = 261.48

set a Sq hd spk at Rec. Dist. (58.24) from PI WE 2 per OM 2-33

PI WE 2
Set a 2" I.P. Cone Plug & Co. Engr Tag at Rec. Δ (137° 27' 30") and dist. (398.51) from PI WE 1 per OM 2-34.
Pipe set 6" dn.

#353

Set a Sm Bt Spk & W in a 8" lomon

8.88

9.78

Set a Sm Bt Spk & W in 12" fir

1) 90-00-00
4) 360-00-00
90-00-00
4) 180-00-00
90-00-00

searched Fd nothing

semi tan 1

N= 261.48

58.24

0.80

set a Sq hd Spk at Rec. Dist. (58.24) from PI WE 2 per OM 2-33.

semi tan 2

58.24

0.45

WEST

Edge of pvmt

CONT 12' PG

6.87

0.45

N= 90-00-00"

searched Fd nothing

Fd a Sq hd spk & T no Ref.

Fd a No 1 no Ref.

searched Fd nothing

no search made

Fd a Pk spk no Ref.

0.49

0.36

EC WE 2

BC WE 2

N= 398.51

Edge of pvmt

ROAD

no search made

2-35

CURVE WE 2
& data per OM 2-33

Δ 90 00 00
R 58.24
T 58.24
L 91.48

ON

LOT 3

LOT 4

2-34

ON

CONT TOP PG 123

CE 310
76F3095-'3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
463 LOS ANGELES COUNTY ENGINEERING BLDG.

W 5294-6

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

373

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. ~~4355~~ PG. ~~84~~
Map No.	JN 0303.00 Tape Std 68 °F
Office Work	Surveyed by F.E.Beasley
Checked	Notes FEB Date 22 Feb 77
Date	Indexed H. HOLMAN DEC 17 1979

NOTE
See pgs 249 TO 250
FEB

A-33

CURVE WE3
℄ data per ONM 2-35
Δ 43 N 30
R 60.00
T 23.75
L 45.23

ONM
1) 136 - 48 - 30
2) 187 14 00
136 48 30
3) 100 51 00
136 48 30

#0151
202.32 T=N6° = 202.33
202.32 T=S6° = 202.33

Fd a W. spk W & T No Ref.

Set a Sq hd Spk at Rec. Dist. (23.75) from PI WE3 per ONM 2-35

Fd nothing on Cut bank

Set a Sun Bt Spk & T in P.P. #116407.2E

Fd nothing on Cut bank

Fd a Sq hd Spk no Ref.

Edge of Pvmt

ROAD

Fd a Sq hd Spk no Ref.

RD FB 2-2 - 22A
Coll. for a 2" I.P. Fd a 2" I.P. Conc Plug & Tag RCE 8244 S'ly a.

Set a Sq hd Spk at Rec dist (23.75) from PI WE3 per ONM 2-35

Ground has been filled for driveway, would require a 4' dig did not search for pipe

Fd a 2" I.P. Dirt plug no nail Flush. Ref RD FB 2-2 - 22A

Set a Sun Bt Spk & T in P.P. #382.179E

PI WE3
Set a Lg Bt Spk W & T at Rec. ∠ (92° 00' 00") and dist. (24.48) from PI WE2 per ONM 2-35

2-33

ONM
House # 374

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

374

F.B. ~~4735~~ PG. ~~48~~

NOTE
See pgs 247 TO 250 FB3

CE 310
76F3095.4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE



PWFB 0929

375 , 376

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5
Map No.	JN 0367.00 Tape 0157 Std CB °F
Office Work	Surveyed by FEBrooks
Checked	Notes FEB Date 25 Feb 77
Date	Indexed HL HOLMAN DEC 17 1979

F.B. ~~4375~~ PG. ~~219~~

NOTE See Pgs 247 To 250 FEB

CURVE WES
& data per OM 2-35

Δ 24 12 00
R 200.00
T 42.88
L 84.47

1) 155 - 48 - 00
4) 263 - 12 - 00
165 - 48 - 00
6) 214 - 48 - 00
155 - 48 - 00

Fd a NAT

N 159.74

Searched Fd nothing

Set a 5m Bt Spk & T in a 14" avacado

Edge of Pvmt

Fd a 2" IP. no Plug or Nail 12" dn. Ref. RD FB Z-2, 22

Set a Sq hd Spk. Dist. (42.88) from PI WES per OM 2-35

Searched Fd nothing

N 346.80

0.07

Fd a 2" IP. no plug or Nail. Ref. RD FB Z-2, 22 pipe Flush.

PI WES
Set a 2" I.P. Cone Plug & (B Engr. Tag at Rec. Δ (121° 53' 00") and dist. (368.50) from PI WES per OM 2-35
Set R - 5 Lg Bt Spk & W Tics.

Set a 5m Bt Spk & T in a 16" avacado

Edge of Pvmt

0157
159.73
159.74

TE 60° = 159.72
TE 60° = 159.73

Set a Sq hd Spk at Rec. Dist. (42.88) from PI WES per OM 2-35

Cont. at 248

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F 3095-4/73

PWFB 0929

377

F.B. ~~4955~~ PG. ~~220~~

NOTE
Sec PGS 247 TO 250
FEB

2-26

ONM

PI WEG
Set a 2" I.P. conc Plug
& LS Engr Tag, 10 "dp"
at Rec ∠ (165° 48' 00")
and dist (159.82) from
PI WES per ONM 2-35

UNION
OIL
#459

Set a Sq hd spk
at Rec Dist (55.36)
from PI WEG per
ONM 2-35

Set a Sq
Bt spk & T
14" Avocado

Set a Sq hd spk
at Rec Dist (55.36)
from PI WEG per
ONM 2-35

Searched
Fd nothing

POST
Set a L&S Co
Engr Tag.

9.46

56.92

Searched
Fd nothing

set a L&
Co Engr Tag

no search
made under
pipe

Searched
Fd nothing

WEST

EOC
WEG

BC
WEG

EDGE of PAVT ROAD

PAVT

1) 96° 46' 30"
4) 27 06 00
96 46 30
2) 220 39 00
96 46 30

#0151
181.80 T= 74° = 181.81
181.80 T= 74° = 181.81

CURVE WEG
∠ data per ONM 2-35

ONM

Δ 83 13 30
R 62.33
T 55.36
L 90.54

2-35

CE 310
76F3095-4 '73
PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.
Do not extend notes this side of this line
NOTE: ANY ADDITIONS OR CHANGES
ON THIS SHEET MUST BE MADE OR
CIRCLED IN RED INK WITH DATE AND
NAME OF PERSON MAKING CHANGE

PWFB 0929

NOTE Sec 378 247 TO 250 FEB

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of MACHADO AREA & DIV 5
JN 0303.00 Tape 0151 Std CB °F
Surveyed by FEBlanks
Notes FEB Date 2-14-1977
Indexed H. HOLMAN DEC 7 1978

F.B. 4454 PG. 2-27

CONT BOT PG 107

Z-26

PI WET = PI LPI
Set a Lg Bt Spk WET at Rec Dist (2.44, 30") and dist C ABV. (81) from PI WEC per OM Z-35

1)	39	20	50
4)	159	23	30
	39	20	52 ½
6)	23	05	20
	39	20	53 ½

1179.71
160

OM

Set a Sq hd Spk at Rec Dist (39.10) from PI L.P.1 per OM Z-25

Fd a 2" I.P. no plug, 18" dn, no Ref. Pipe leaning E'ly.

Fd the remains of a 2x2 20" dn. no Ref.

Set a Sq hd Spk at Rec. Dist. (39.10) from PI WET per OM Z-35

Set a Sm Bt Spk & T in Fld P. ⊕ W 1798 y

Searched Fd nothing

Note: Hold at 360.6' high PI WET

Fd a 3/4" I.P. Conc Plug & N. 6" dn. no Ref.

Fd a 3/4" I.P. Conc Plug & N. 2" dn. no Ref.

Fd a 2" I.P. Wood Plug & N. 2" dn. no Ref.

Set a Lead Engr Tag

EC L.P.1

CURVE L.P.1 R data per OM Z-25

Note: Hold 3 calls PI WEC

Set a Sm Bt Spk & T in 8" Avocado

Fd a 3/4" I.P. Conc Plug & N 2" dn. no Ref.

BC L.P.1

Set a Sq hd Spk at Rec Dist (38.10) from PI WET, LPI per OM Z-35 & Z-25

CONT TOP PG 222

Fd a 2" I.P. no plug or Mon. Ref. RD FB Z-2, 21 20A pipe 6" dn.

Fd a N. no Ref.

EC WET

Searched Fd nothing

CURVE WET R data per OM Z-35

Δ	115	07	00
R	50.85		
T	39.10		
L	66.48		

1)	104	53	00
4)	59	52	00
	104	53	00
6)	249	18	00
	104	53	00

Z-35

1)	103	49	00
4)	295	42	00
	103	49	00
6)	247	54	00
	103	49	00

OM

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

WS38 A-6

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

379

F.B. ~~4365~~ PG. ~~221~~



CE 310
76F3095.173

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

380

Notes Ck'd by	Survey of HACIENDA AREA R DIV 5
Map No.	JN 030300 Tape 0184 Std CB °F
Office Work	Surveyed by FEBrooks
Checked	Notes FEB Date 11 Apr 77
Date	Indexed H. HOLMAN DEC 17 1979

F.B. ~~435~~ PG. ~~279~~

NOTE
See Pgs 249 TO 250
FEB

0184
587.48 TE LL°= 587.47
587.43 T= LL°= 587.45

HOUSE #1745

CONT BOT PG 224

Fd a 2" I.P. w/ lead plug 12" dn. no Ref.

LOT 50

LOT 55

19.03

PALOMAR DRIVE

CONT TO PG 221

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~4955~~ PG. ~~224~~

NOTE
See Pgs 247 To 250 FFB

381 , 382

1) 161 - 35 - 00
4) 286 - 20 - 00
16 - 35 - 00
6) 249 - 30 - 00
161 - 35 - 00

BC LP 3

ON

#0151
205.68 T=68° = 245.68
205.68 T=68° = 205.68

N

Z-26

Fd a Sq hd Spk
BT Flush.
no Ref.

Searched
Fd nothing

Set a Sq hd Spk at
Rec dist (102.84) from
PI L.P. 2 per
ONM 2-2L

CONT

BOT

275

PG

LAS

M= 205.

1.05

0.1V

LB

18.88

Fd a 1x2
BN.

0.0N

PALOMAS

Prod. set a
Sq hd Spk

102.84

Edge

semi-tan

20

P.I. L.P. 2
Set a Lg Bt Spk w BT
at Rec ∠ (163° 49' 00")
and dist (587.47) from
PI L.P. 1 per ON
2-25

FC
SV
LP

ON

M= 161°

21.04

Set a Sm Bt
Spk & T in
PP # 784030E

Set a Sm Bt Spk
& T in 20" Euk.

Cone Block
Wall

UNION
OIL

102.84
semi-tan

Edge of

Searched
Fd nothing

CURVE LP 2
& data per ONM 2-2L

Δ 18 25 00
R 634.37
T 102.84
L 203.91

35

OD

M=

Set a Sq hd Spk
at Rec Dist (102.84)
from PI L.P. 2 per
ONM 2-2L

587.47

P.I. L.P. 2

85.47

DRIVE

Z-25

Searched
Fd nothing

BC
LP 2

CONT TOT PG 223

CE 310
76F3095-73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

383

Notes Ck'd by	Survey of HACIENDA AREA & DIVS
Map No.	JN 0303.00 Tape 0157 Std CB °F
Office Work	Surveyed by FEB + WKS
Checked	Notes FEB Date 12 April 77
Date	Indexed H. HOLMAN DEC 17 1979

F.B. ~~4335~~ PG. ~~220~~

NOTE
see pgs. 247 To 250
FEB



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 0929

F.B. ~~1155~~ PG. ~~22C~~

NOTE
See pgs 247 To 250

384

FEB



CE 310
76F 3095-A-3

20.41
0.96 E.

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

385, 386

Notes Ck'd by	Survey of HACIENDA AREA E DIV. 5
Map No.	JN 0703.00 Tape 0151 Std 28 °F
Office Work	Surveyed by FEBrock
Checked	Notes FEB Date 12 APRIL 77
Date	Indexed H. HOLMAN DEC 17 1979

F.B. 4405 PG. 22-4

NOTE
See PG 3 247 To 250
FEB

c) 174 - 33 - 00
d) 338 - 12 - 00
174 - 33 - 00
c) 327 - 18 - 00
174 - 33 - 00

1) 89 - 16 - 30
2) 194 - 33 - 00
89 - 16 - 30

1) 87 23 00
4) 337 32 40
84 23 10
c) 141 18 50
84 23 08

1) 137 30 00
4) 190 00 00
137 30 00
c) 105 00 00
127 30 00

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

CURVE PI 1
Δ data per OM 2-25
TR 25141

Δ 185 55 30
R 25.00
T 81.13
L

B259 T=79°
52.41 @ 16°01'20" = 50.35
57.61 @ 16°49'30" = 50.35
M = 50.36
Level = .43
diff. 49.93

CURVE PI 2
Δ data per OM 2-25
TR 25141

Δ 42 30 00
R 170.00
T 66.11
L 122.10

PI PI 2
Set a ⅝" I.P. Cone Plug & Co Engr Tag on line at 4.11 at Rec. ∡ (162° 20' 00") and dist. (81.65) from P.I. PI 3 per OM 2-25 TR 25141

#0856
66.11 T = TR = 66.11

CONT TOP PG. 38 of F.B. 4405

Searched Fd nothing

Fd a RR spk & W RCE 18473 no Ref.

Set a Lg BT spk W & T at Rec. ∡ (162° 07' 00") and dist. (845.04) from PI L.P. 3 per OM 2-26.

Set a L & C Engr Tag

Set a L & C Engr Tag in Conc Footing

Fd Battered I.P. Rattled wood plug no Nail 12" dn. no Ref.

Set a Lg BT spk W & T at Rec. ∡ (137° 30' 00") and dist. (66.11) from PI. PI 2 per OM 2-25 TR 25141

Set a Sq hd spk at Calc. ∡ (87° 02' 15") and dist. (49.93) from PRC PI 182 per OM 2-25 TR 25141

INTER. Set a Sq hd spk by inter.

Searched Fd nothing

Searched Fd nothing

HOUSE #18CK

CONT

CONT

PWFB 0929

387

F.B. ~~4955~~ PG. ~~220~~

NOTE
See Pgs 247 TO 250 FEB

#0157

296.52 T= 74° = 296.53
296.53 T= 74° = 296.54

180.26 T= 74° = 180.27
180.27 T= 74° = 180.28



CE 310
76F3095-4/73

1.62
1.63

3.18
2.51

1.09

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929

388

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5
Map No.	JN 4303.00 Tape 0151 Std 68 °F
Office Work	Surveyed by F E Blanks
Checked	Notes FEB Date 13 Apr 1977
Date	Indexed H. HOLMAN DEC 17 1979

F.B. ~~4355~~ PG. ~~224~~

NOTE
See Pgs 247 TO 250
FEB



NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F-3095-4/73

PWFB 0929

F.B. ~~4905~~ PG. ~~5230~~

389

NOTE
See Pgs 247 To 250
FEB

6151

391.54 T= 70° = 391.55
391.54 T= 70° = 391.55



CE 310
76F 309a 3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929 NOTE Sec Pgs 242 To 250 FEB 390

209-27-40
4-22-20

Notes Ck'd by	
Map No.	
Office Work	
Checked	
Date	

Survey of HACIENDA AREA & DIV 5 F.B. ~~4355~~ PG. 231

JN 0703-00 Tape 0151 Std CE °F

Surveyed by FEB Books

Notes FEB Date 14 APR 77

Indexed H. HOLMAN DEC 17 1979

1) 60 51 00
4) 243 24 00
60 51 00
6) 5 06 00
60 57 00

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER
463 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

CONT FROM PG 232

#0151
12.45 T=CB = 12.45
2.00 T=CB = 2.00
3.22 T=CB = 3.22
80.37 TE 70° = 80.37

Edge of Pvmt

Did not find Pipe per Rd. Dept. FB 0929 - 120

Fd a 3/4 bd spk & T 3" dn. Ref. RDFB 0929-120

Did not find 2x2 per RDFB 0929-120

Fd a Lead Ref RDFB 0929 -120

Searched Fd nothing

Set a Sm Bt Spk & T in PP 206.26 48 E

Fd a Lg Bt Spk & W 3" dn. Ref RDFB 0929 Pg 120. Tie intersect. line on weyhr. 0.10 E. of Spk. Set a Sm Bt Spk & W over intsc.

CURVE L.P.C & data per RDFB 0929-120 & data per OMZ-22

Δ 43° 58' 00"
R 200.00
T 80.29
L 153.39

Δ 43 58 00
R 200 00
T 80.74
L 153.47

Rd. Dept P.I. RDFB 0929-120 calls for nothing Fd. Fd a RR Spk & W RCE 18473 1/4 dn.

Nothing Set.

Set a Lg Bt Spk w & T by intsc.

Set a Sm Bt Spk & T in PP W 2.40 B y.

Set a Br. Nail at Rec. ∠ (168° 11' 00") and dist. (391.58) from PI LP5 per OMZ-22. Location of PI L.P.C by Rec. ∠s and distances.

1) 135-59-10
4) 183-59-20
135-59-20
6) 95-56-00
135-59-20

RDFB 0929-120 calls for a Spk & T. Fd R.R. Spk & W RCE 18473 3" dn.

Fd a new 2" I.P. no plug Flush. no Ref.

PROD Fd a Lead Ref RDFB 0929-120

Set a Sq Hd Spk at Rec. dist. (80.74) from Rec. ∠ and dist. PI L.P.C.

Searched Fd nothing

5' Wire Fence

CONT

PWFB 0929

391

F.B. ~~4356~~ PG. ~~230~~

NOTE
See Pgs. 247 To 250
FEB

CONT BOT PG 13

LA 2

PALOMAR

ONT

ONT

Fd a 2" I.P. conc plug & Tag RCE 18473 Flush no Ref.

Set a L&Co. Engr Tag in Chis + Fd per RDFB 0929-121, 122

1) 151-05-00
4) 244-20-00
151-05-00
6) 186-30-00
151-05-00

R=1916.00

9.99

0.03

Fd a RR spk BW RCE 18473 3"dn no Ref.

Searched Fd nothing

Edge of Pvmt

HOUSE #2030

HOUSE #2029

Searched Fd nothing

Searched Fd nothing

#0151
51.57 T=28°=51.57

ECU
L.P.9

CURVE LP 7
& data Ref RDFB 0929-121 and 122

Δ 28 55 00
R 200.00
T 51.57
L 100.94

PI L.P. 7
Fd no evidence of 2X2 per RDFB 0929 pg 121, 122 set a 2" I.P. Conc plug & Co Engr Tag 3" dn. at Rec. dist. (51.57) from Rec. LP 7 and RDFB 0929-121 122

Wire fence

40.21

11.86

Set a 5m BT spk & T in a 16" Tree

Fd a L&T Ref. RDFB 0929 Pgs. 121 122

Edge of Pvmt

181.82 T=70°=181.82
181.82 T=70°=181.82

RDFB 0929-120 121 122 Calls for a 2X2. Fd nothing

RDFB 0929-120 121 122 Calls for a spk w&T Fd a TCR spk ow 2"dn. RCE 18473

RDFB 0929-120 121 122 Calls for a 2" I.P. Fd nothing

DRIVE

BC
L.P.7

CONT TOP PG 231

CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 0929 NOTE Sec pgs 242 TO 250 FEB 392, 393

Notes Ck'd by
Map No.
Office Work
Checked
Date

Survey of HACIENDA AREA L DIV 5 F.B. 425 PG 237
JN 0303.00 Tape 0151 Std CB °F
Surveyed by FE Brooks
Notes FE B Date 18 Apr 1979
Indexed H. HOLMAN DEC 1 1979

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES CE 310 76F3095-4/73

Set a Lg Bt Spk W&T of Rec. ∡ (123° 47' 00") and dist. (106.83) from PI L.P.B per OMB-20

CONT BOT PG 234

M= 194.54 House #2013

Fd a Sq hd spk in Driveway Ref. RDFB 0929 L 121

Fd a Sq hd Spk & T d'dn. Ref. RDFB 0929-121 122

Set a Br. Nail on surface

Fd a N&T in PP #13052.04E Ref RDFB 0929 pg 121

Searched Fd nothing

HORSE CORRAL

Set a Sim Bt spk & T in ℄ 10" Tree

D)	123	47	00
4)	135	00	00
	123	47	00
C)	222	47	00
	123	47	00

#0151
194.60 T= 70° = 194.60
194.61 T= 70° = 194.61

106.83 T= 72° = 106.83
106.83 T= 72° = 106.83

D)	158	35	30
4)	274	22	00
	158	35	30
C)	231	33	00
	158	35	30

PI L.P.B Set a 1" I.P. One Plug & 18 Engr Tag 12" dn. at Rec. ∡ (151° 05' 00") and dist. (196.60) From PI LP 7 per OM R-20

CURVE L.P.B ∡ data per OM R-20 RDFB 0929-121, 122

Δ	56 13 00
R	200.00
T	106.83
L	196.23

Set Lg Bt Spk W&Ts.

Fd The rotted remains of a 2x2 16" dn. Ref RDFB 0929-121 122

Set a Sq hd Spk at Rec. Dist. (106.83) from PI LP 8 per OM R-20

Fd an Old ½" I.P. Wood plug and nail chunk. no Ref.

Fd a Sq hd Spk & T 3" dn. Ref. RDFB 0929-121 122

Set a Br. No. 1 Flush

House # 2029

Searched Fd nothing

CONT TOP PG 232

PWFB 0929

F.B. 4955 PG. 234

394

NOTE

See Pgs 248 TO 250 FEB

HOUSE #2115

CONT FROM PG 199

CONT TOP PG 233

Set a Lg Bt Spk W ⊥T at Calc. ∠ (158° 35' 30") and Chord (194.54) from PRC LRB, LP9 per OMZ-21

Fd a NAT in P.P. #Gone Ref RDFB 0929 - 121 122

Searched Fd nothing

Fd a Sq hd Spk ⊥T 1" dia. Ref. RDFB 0929 - 123

Searched Fd nothing

Fd a Lg Bt Spk & W 3" dia no Ref.

6' Redwood fence

Fd a L&T Ref RDFB 0929 - 121 122

Conc Block wall

no search made for 2x2 PI per RDFB 0929 - 121 122

HOUSE #2072

TR 13142 calls for a 2" I.P. Flush. Area covered by heavy plastic sheet and gravel. would require destroying the plastic to search and with no pipe locator to spot the pipe no search made.

R-21

CURVE L.P. 9
data for OMZ-21 & RDFB 0929 - 121 122

Δ	42° 49' 00"
R	266.49
T	104.48
L	199.15

1) 158 - 35 - 30
4) 274 22 00
158 35 30
6) 231 33 00
158 35 30

#0151

194.53 T = 72° = 194.54
194.53 T = 72° = 194.54

LAS PALOMAS DRIVE

EC L.P. 9

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CE 310
76F 3095-4 '73

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PWFB 0929

395

Notes Ck'd by

Map No.

Office Work

Checked

Date

Survey of HACIENDA AREA E DIV 5 F.B. 4355 PG. 235

JN 0307.00 Tape 0151 Std GE °F

Surveyed by FEBrook

Notes FEB Date 20 Apr 77

Indexed H. HOLMAN DEC 17 1979

NOTE
see pgs 247 TO 250
FEB

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

Set a Sq hd Spk at Rec dist. (58.23) from PI LP 11 per OMZ-21

Fd a Sq hd Spk W&T no Ref.

Fd a 2" I.P. Wood plug & N 6" dn. no Ref.

Fd a Sq hd Spk W&T Flush. no Ref.

1) 147 - 32 - 00
4) 230 08 00
4) 147 32 00
4) 165 12 00
149 32 00

HOUSE #22200

PT L.P. 11
Set a Lg Bt Spk W&T at Rec. Sta (168.50.00") and dist. (26.8.49) from & Pt LP 10 per OMZ-21

Fd no evidence at ZXZ per RDFB 0929-123

Fd a 2" I.P. Wood plug & N 6" dn. Ref RDFB 0929-123

CURVE LP 11
& data per OMZ-21
& RDFB 0929-123

Δ 32 28 00
R 200.00
T 58.23
L 113.33

#0151

153.26 T=80° = 133.27
133.26 T=80° = 133.27

Searched Fd nothing

no search

HOUSE #22200

Set a Sq hd Spk at Rec dist. (58.23) from PI L.P. 11 per OMZ-21

CONT TOP PG 190

PWFB 0929

F.B. ~~4355~~ PG. ~~436~~

396

NOTE
See pgs 247 To 250 FEB

544.93 T= 78° = 544.97
544.93 T= 78° = 544.91



CONT

231

PG

LA 5

PALOMA 4

E-18

RDFB 1029-243
244
Calls for a 2" I.P. Flush
Fd nothing.

544.91

Edge of Pvmt

LOT 10

LOT 12

E-21

ALLEY

RDFB 1029-243
244
Calls for a 2" I.P. 18" dn.
Fd. nothing.

LOT 8

LOT 9

DRIVE

ONT

CONT TOP PG 235

E-20

CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWEB 1029

535

Notes Ck'd by	Survey of HACIENDA AREA 2 DIV 5 F.B. 4755 PG 237
Map No.	JN 0303.00 Tape 0151 Std LB °F
Office Work	Surveyed by FE Brooks
Checked	Notes FEB Date 21 Apr 77
Date	Indexed E. HOLMAN DEC 17 1979

NOTE
see pgs 249 To 250
FEB

1) 179.50-00
4) 180 20 00
159 50 00
6) 119 00 00
159 50 00

CONT BOT PG 236

Set a Sq hd spk at Rec dist. (73.12) from PI L.P.12 per OM2-19.

HOUSE #2301

HOUSE #2310

searched Fd nothing

EC L.P.12

CURVE L.P.12
Δ data per OM2-19
Δ 40 10 00
R 200.00
T 87.12
L 140.21

#0151
412.44 T=70° = 412.45
412.45 T=70° = 412.46

set a -/- in Fire Hyd.

set t in cb.

12.67

PI LP12
set a Lead Rt Spk & Tack at Rec. (147.37.00") and dist. (544.97) from PI LP11 per OM2-19

6.15

HOUSE #2261

searched Fd nothing

HOUSE #2250

Fd a Sq hd spk illegible no Ref.

Set a Sq hd spk at Rec. dist. (73.12) from P.I. L.P. 12 per OM2-19

searched Fd nothing

CONT

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

WS38A5

Do not extend notes past this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.
108

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 1029

F.B. ~~4825~~ PG. ~~248~~

NOTE
See pgs 247 To 250 FEB

536

searched Fd nothing

CURVE LP 14
& data per OMZ-19

Heavy shrubbery. didn't butcher this shrubs. Fd nothing.

Δ 43° 15' 00"
R 75.00
T 29.73
L 56.61

PI L.P. 14
Set a Lg Bt spk W & T at Rec. ∡ (88° 33' 00") and dist. (70.76) from PI L.P. 13 per OMZ-19

Set a Sq hd spk at Rec. Dist. (41.03) from PI L.P. 13 per OMZ-19

searched Fd nothing

M= 231.83

M= 0° 19' 15"

M= 70.76

41.03

29.73

PALOMOS

LOT 3

LOT 19

HOUSE #2340

HOUSE 2450, 2454

S15° 01' 17" W 138.45

PI LP 13
Set a Lg Bt Spk W & T at Rec ∡ (139° 50' 00") and Dist (412.45) from PI LP 12 per OMs 2-21 & 2-19

Fd a 1½" I.P. W bod plug ¼N ¼" up no Ref

searched Fd nothing

Set a Sq hd spk at Rec. dist. (41.03) from PI LP 13 per OMZ-19

Conc wall

RDFB 1029-243 244

Calls for a 2" I.P. 12" up. Fd a 1" I.P. & Tag. Ls. 2408. 14" dn.

CURVE LP 13
& data per OMZ-19

Δ 91° 27' 00"
R 40.00
T 41.03
L 63.84

1)	88	33	00	1)	136	45	00
4)	354	12	00	4)	181	00	00
	88	33	00		136	45	00
6)	171	18	00	6)	100	00	00
	88	33	00		136	45	00

#0151

70.75 T = 82° = 70.76

69.89 T = 82° = 69.90

1) 6° 19' 20"
4) 15° 17' 00"
6 19° 15'
4) 37 55' 30"
6 19 15

CONT TOP PG 237

CE 310
76F3095
3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

W.138.A-5

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 1029

537

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5
Map No.	JN 0307 20 Tape 21.57 Std 68 °F
Office Work	Surveyed by FEB/BROOKS
Checked	Notes FEB Date 21 Apr 77
Date	Indexed H. HOLMAN DEC 17 1979

F.B. ~~435~~ PG ~~437~~

NOTE
See pg 247 To 256
FEB

CURVE LP 15
℄ data per ONM 2-19

Δ 24° 30' 00"
R 195.00
T ~~40.17~~
L 79.11

PT LP 16 set a 1x2 #N at Rec ∡ (155° 30' 00") and dist (94.99) from PT L.P. 15 per ONM 2-19.
Replaced 1x2 #N with ⌀

1)	155	30	00
4)	202	00	00
	155	30	00
6)	313	00	00
	155	30	00

1)	107	40	00
4)	72	40	00
	107	40	00
6)	286	00	00
	107	40	00

Fd a 2" I.P. Conc plug Flush at Sta 3+20 Look at Ref.

Set a Sq Hd Spk at Rec Dist (40.17) from PT LP 15 per ONM 2-19

Searched Fd nothing

Set Lg Bt Spks w/ #T's on split of ℄.

Set a -i- in top of Fire Hyd.

PT LP 15
Set a Lg Bt spk w/ #T at Rec ∡ (72° 20' 00") and dist. (69.90) from PT L.P. 14 per ONM 2-19

Searched Fd nothing

Searched Fd nothing

Searched Fd nothing

EC LP 16

CURVE LP 16
℄ Data per ONM 2-19

Δ 72° 20' 00"
R 75.00
T 54.02
L 94.68

#0151

245.35 TE 82° = 245.37
245.36 TE 82° = 245.38

CONT TOP PG 240

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 1029

F.B. ~~1255~~ PG. ~~240~~

538

NOTE
See pgs 247 To 250
FEB

CONT BOT PG 239

1) 170 - 10 - 00
4) 320 40 00
170 10 00
6) 301 00 00
170 10 00

ON

DR.

M = 245.37

20

Fd a 2" I.P. Conc Plug & Tag RE 2317 Flush no Ref.

Wood fence

27.86

36.58

BC LP 17

Searched Fd nothing

Set a 5/8 hd spk at Rec. dist. (24.95) from PI L.P. 17 per ONM 2-19

CURVE LP 17
& data per ONM 2-19

Δ 8 50 00
R 290.00
T 24.95
L 49.47

PI L.P. 17
Set a Lg. Bt. spk W & T at Rec. (107° 10' 00") and dist. (245.37) from P.I. LP 16 per ONM 2-19.

Edge of Pvmt.

Edge of Pvmt.

EC LP 17

Searched Fd nothing

Searched Fd nothing

L.P. 17

Set a 5/8 hd spk at Rec. Dist. (24.95) from PI L.P. 17 per ONM 2-19

CONT TOP PG 241

CE 310
76F3095 4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 1029

539

Notes Ck'd by	Survey of HACIENDA AREA E DIV 5 F.B. 4395 PG. 241
Map No.	JN 0907.00 Tape 0151 Std 68 °F
Office Work	Surveyed by F.E. BLOOKS
Checked	Notes FEB Date 14 April 77
Date	Indexed H. HOLMAN DEC 17 1970

NOTE
See Pgs 249 To 250 FEB

CONT BOT PG 240

#0151

160.94 T= 30°= N.0.95
160.94 T= 80°= N.0.95

1) 132 - 30 - 00
4) 170 - 00 - 00
6) 132 - 30 - 00
132 - 30 - 00

OM

DR

Lot B

Lot A

160.95

Prop. ℄

Searched Fd nothing

M"

EAST

20'

70'

Prop ℄

30'

00"

Edge

Searched Fd nothing

Searched Fd nothing

132.00'

M'

PALOMOS

M= 103.72'

Chord

Set a dg Bt spk W of at Acc ℄ (170° 10' 00") and dist. (160.95) from PI L.P. 17 per OM 2-19

2-20

CONT ON PG 242

2-19

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of the line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 1029

F.B. ~~1826~~ PG. ~~242~~

540

CE 310
76F3095 '73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

NOTE
See pgs 249 To 250 FFB

CURVE LP 18
& data per ONM 2-19

Δ 95 00 00
R 70.00
T 76.39
L 116.06

1) 132 - 30 - 00
4) 170 - 00 - 00
132 30 00
4) 75 00 00
132 ~~20~~ 00

#6151
106.41 T = 64° = 106.41
106.41 T = 64° = 106.41

107.22 T = 64° = 107.22
103.23 T = 64° = 103.23

Set a Lg B+ Spk w&T at Calc. Δ. (132° 30' 00") & nal Calc. chord (103.22) from B.C. L.P. 18 per ONM 2-19.

BC LP 19
EC LP 18

N

N = 132° 30' 00"

Fd a No. 1 no Ref.

Searched Fd nothing

N = 103.22

CONT BOT PG 241

CONT PG 243

CONT N = 106.41

Ochord Edge of pvmt

pvmt & DR.

0.39

1.10

LA5

PALOMOS

0.08

8.76

8.31

1.78

Fd a 2" I.P. dish plug & N. 12" dn. leaning Ref. R.D.F.B. 1029-246

Fd a 2" I.P. Cone Plug & Tag L.S. 4264 10' dn. no Ref.

Fd a 2" I.P. Cone Plug & Tag L.S. 2495 10' dn. no Ref.

PI L.P. 18
Location falls in an orchard on a hillside lower than roadway. not useable. nothing set.
Searched for 2x2 per R.D.F.B. 1029 pg 246 Fd. nothing.

ONM

ONM

LOT 4

LOT 1

1-20

PWFB 1029

541

Notes Ck'd by	Survey of HACIENDA AREA L DIV 5
Map No.	JN 0303.00 Tape 0151 Std CE °F
Office Work	Surveyed by FEB Works
Checked	Notes FEB Date 26 April 77
Date	Indexed H. HOLMAN DEC 17 1913

F.B. 4356 PG. 249

NOTE
see pgs 247 TO 250
FEB



1) 155 - 00 - 00
4) 210 00 00
155 00 00
6) 210 00 00
155 00 06

#0151
155.23 T= 174° = 155.24
155.24 T= 174° = 155.25

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F 3095-4/73

PWFB 1029

F.B. ~~1365~~ PG. ~~247~~

NOTE
See PGS 247 TO 250 FEB

542

1) 161-00-00
4) 284 00 00
161 00 00
6) 246 00 00
161 00 00

1) 120-15-00
4) 121 00 00
120 15 00
6) 1 30 00
120 15 00

CURVE LP 21
℄ data per OM 2-19

Δ 19 00 00
R 250.00
T 41.84
L 82.80

#0151
90.67 T=72° = 90.67

1) 90-00-00
4) 360-00 00
90 00 00
6) 180 00 00
90 00 00

#0151
117.19 T=64° = 117.19
117.20 T=64 = 117.20

PI L.P. 20
Set a 2" I.P. in Bench Area on hill side 1 foot above pvmt by Rec ∠ (155° 00' 00") and dist. ( ) from PI L.P. 19 per OM 2-19

PI L.P. 21
Set a 2" I.P. Conc Plug ⊗ Co Engr Tag. 4" dn. at Rec ∠ (120° 15' 00") and dist. (90.67) from PI LP 20 per OM 2-19

Set a Sm Bt Spk & T in guy pole # W 1398 Y

Set a Sq hd Spk at Rec. dist. (48.83) from PI LP 20 per OM 2-19

C. chain link fn

Searched Fd nothing

Set Sm Bt Spk & T in Tele Pole # W 2056 Y

Set Lg Bt Spks W's & Ts

searched Fd nothing

18' offset line

Fd a 2" I.P. dirt plug & N on side bank. Pipe had been struck and was loose in ground. Stood it upright over its base. Ref. RDFB 1029-246

Set Lg Bt Spks W's & Ts

Set Sm Bt Spk & T in P.P. # 774973 E

Set a Sq hd Spk at Rec. dist. (41.84) from PI LP. 21 per OM 2-21

Fd a New 2" I.P. Conc Plug & Tag LS 4264 2" up. no Ref.

Conc Block Retaining wall

CURVE LP 20
℄ data per OM 2-19

Δ 59 45 00
R 85.00
T 48.83
L 88.64

CE 310
76F3095 '73

W5384

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PWFB 1029

543

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5
Map No.	JN 6303.00 Tape 0151 Std 68 °F
Office Work	Surveyed by FEB rookis
Checked	Notes FEB Date 27 Apr 79
Date	Indexed M. HOLMAN DEC 17 1979

F.B. ~~1336-5~~ PG. ~~Empty~~

NOTE
See Pgs 247 To 250
FEB

#0151
76.79 T= 64° = 76.79

Fd a 2" I.P. Wood plug ⊥N
4"dm. Ref.
RDFB 1029-247

Offset point
Set a Lg Bt spk w&T
at 90° to POT 'A'.

POT
Set a Lg Bt Spk
W&T.

4 chain link fm.

M= 126.93
38.91
M= 76.79
18' offset line
18.00
M= 117.19

LAS PALMAS DR.

3/16" steel Plate retaining wall with 5"x2" steel Post supports

Cone Block Retaining wall

DRIVE

ASPHALT

Did not cut the line through the Trees and heavy Shrubs.

HOUSE #2475

POINT OF BEG

POINT OF BEG

POINT OF BEG

POT 'A'
Set a Lg Bt Spk W&T
at Rad. to (N1° 00' 00"E)
from PI L.P 21 per
OM 2-19.

1) 90-00-00
2) 360 00 00
90 00 00
3) 270 00 00
90 00 00

#0151
126.93 T= 68° = 126.93
126.94 T= 68° = 126.94

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

PWFB 1029

F.B. ~~4355~~ PG. ~~246~~

544

NOTE
See pgs 247 TO 250 FEB

CONT BOT PG 27
of FB 4405

Fd a 2" I.P. Wood Plug & N
6" up. Ref. RDFB 1029-247
RDFB 0929-130

#192-T=68°
143.70 (143.69) @ 11°31'10" = 140.795
143.58 (143.57) @ 11°15'50" = 140.804
M = 140.80

24.83 T=70° = 24.83

0
0
0
0
0
0
0

6' chain link fence

Edge of Pvmt

Edge of Pvmt

M = 250.54

R 11W

83.53

R 10W

LAS PALOMAS DR.

PROD.
Set a Lg Bt
Spk w/ Washer

139.70

M = 140.80

M = 126.93

18' offset line

#192
T=74° 101.94 (101.93) @ 16°53'40" = 101.315
107.07 (107.06) @ 17°07'40" = 101.311 M = 101.31

RDFB 1029-247
Calls for a 2" I.P.
Fd. nothing 10" dn. T=66° 93.56 (93.55) @ 11°22'55" = 91.910
93.50 (93.49) @ 11°11'35" = 91.911 M = 91.71

56.53 T=66° 56.52

Total = 250.54

M = 24.83

M = S32°10'39"E

Set a 2" I.P. Conc Plug & Co.
Engr Tag on Structural area on
N'ly side of Ped. dist. (320.91)
from PI. Fd. 1.P.2) in ONE-19.

Set a 2" I.P. Conc Plug & Co.
Engr Tag by inters.

M = 108.05

22' offset LINE

WHITTIER

LOS ANGELES

OF CITY OF CO

TR

50

Large Fill
no search made

2-19

1) 92 19 40
4) 92 19 40
6) 193 57 55
92 19 39 1/2

Searched
Fd nothing

Terrace
no search made

LOT 4

LOT 5

CONT TOP PG 75
of F.B. 4405

CE 310
76F309F

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

WS38A-5

Do not

otes this side of this line

NOTE: ANY ADDITIONS OR CHANGES
ON THIS SHEET MUST BE MADE OR
CIRCLED IN RED INK WITH DATE AND
NAME OF PERSON MAKING CHANGE

PWFB 0929

397

Notes Ck'd by	Survey of HACIENDA AREA & DIV 5 F.B. 4355 PG. 247
Map No.	JN 0303.00 Tape Std °F
Office Work	Surveyed by FE BROOKS
Checked	Notes FEB Date JUNE 1976 – July 77
Date	Indexed H. HOLMAN DEC 17 1979

J.N. 0303.00

HACIENDA AREA & DIVISION 5

Procedure for Survey

HACIENDA BLVD.
pgs 17, 18, 79
pgs 67, 74, 77, 78
pg 114, 115, 116

Original ℄ as shown on C.S.B. 5197-1 to 6 was used for control. The only points occupied or used were the ones required for control at SKYLINE DRIVE, ENCANADA DRIVE, and WEST ROAD.

SKYLINE DRIVE
pgs 17 To 30

Retraced F.B. 1932, which is a retracement of C.S.B. 1502, from HACIENDA BLVD To CASALERO DRIVE.

ARDSHEAL DRIVE
pgs 25 To 66

Retraced by record ℄s and distance the ℄ of RS 46-39 and RS 46-40, and the center of the 40 foot strip marked as reserved for road purposes shown on OM 2-28, OM 2-29, OM 2-30. From SKYLINE DRIVE to ENCANADA DRIVE.

EL TRAVESIA DRIVE
pgs 73, 119, 109, 110, 111, 112

Retraced by Record ℄s and distance the ℄ shown on C.S.B. 2214, from ENCANADA DRIVE To WEST ROAD.

ENCANADA DRIVE
pg 66 to ~~me~~ 75
pgs 119 To 122
pg 80 To 108

Retraced the monumented ℄ from HACIENDA BLVD to Westerly boundary of HACIENDA PARK per C.S.B. 2214. Then by Record ℄ and distance to EL TRAVESIA DRIVE per C.S.B. 2214. The center of the 40 foot strip marked reserved for road purposes on OM 2-30, OM 2-32, OM 2-28, OM 2-22, OM 2-27, OM 2-21, and OM 2-33 was retraced by record ℄s and distance from EL TRAVESIA DRIVE to the end of the street.

WEST ROAD
pgs 112, 113, 114, 117, and 118, 123

Retraced ℄ from HACIENDA BLVD. to 1st P.I. West of SUBTROPIC DRIVE. by record ℄s and distances per C.S.B. 2214; CSB 5197-2; OM 1-19, and OMs 2-32, 2-33, 2-34.

SUBTROPIC DRIVE
pgs. 118, 124 To 127
pgs 161 To 180
pg 94
pgs 181 To 190

The center of the 40 foot strip marked reserved for road purposes on OMs 2-32; 2-33; 2-34; 2-31; and 2-27 was run by record ℄s and distance from WEST ROAD To ENCANADA DRIVE. Line was corrected to ℄ point established on ENCANADA DRIVE when ENCANADA DRIVE was Run. The center of the 40 foot strip was then run by record ℄s and

F.B. 4355 PG. 248

SUBTROPIC DRIVE CONT.

distances per OM 2-21; and 2-22 To TR. 13142 The line was then run by record ₺s and distance per TR 13142; and OMs 2-21; 2-22 To intersection at LAS PALOMES DRIVE.

VIRAZON DRIVE
Pg 127 to 150
Pg 92
Pgs 151 To 159

The center of the 40 foot strip marked reserved for road purposes on OMs 2-33; 2-31; and 2-28 was run by record ₺s and distance from SUBTROPIC DRIVE to intersection with ENCANADA DRIVE. The center of the 40 foot strip was then run from a point in ENCANADA DRIVE established at record distance from the 1st P.I. east of VIRAZON DRIVE by record ₺s and distance per OMs 2-22 To the end of existing street.

CAÑONITA DRIVE
Pgs 184, 191 To 199

The center of the 64 foot strip marked CAÑONITA DRIVE on TR. MAP 13142 was run by record ₺s and distances from the intersection of CAÑONITA DRIVE and SUBTROPIC DRIVE (established at record distance (22.81) per TR. from P.I. in SUBTROPIC DRIVE) to intersection with LAS PALOMAS AVE.

EL EMPINO DRIVE
Pgs 186, 202 To 214

The center of a 40 foot strip marked reserved for road purpose on OMs 2-21, 2-22, 2-18 was run by record ₺s and distance from calc. intersection with SUBTROPIC DRIVE To the end of existing st.

WEST ROAD.
Pgs 183, 216 To 221

Retraced ℄ from 1st P.I. west of SUBTROPIC DRIVE To LAS PALOMAS DRIVE. per OMs 2-33, 2-34, 2-35, 2-26, and PM 2312

LAS PALOMAS DRIVE
Pgs 221 To 231
Pgs 231 To 246

The center of the 40' strip marked reserved for road purpose on OMs 2-25, 2-26, 2-23 was run by record ₺ and distance from the common PI at WEST ROAD till intersection was made with a ℄ per L.A.Co. Rd. Dept. at LAS PALOMAS DR and EL CASONITA DRIVE. Attempted to Retrace the ℄ of LAS PALOMAS DRIVE from EL CASONITA DRIVE to SECTION LINE per Rd. Dept. notes. The notes fell apart and evidence on the ground did not fit notes from 1st P.I. North of EL CASONITA DRIVE. Reverted back to Record ₺s and distance ptr OMs 2-23, 2-26, 2-21, 2-19 at this point. Located all points shown on Rd. Dept notes that could be found.

WEST RD.
Pg 221 - 222

Retraced ℄ from LAS PALOMAS DRIVE to the 2nd PI South of LAS PALOMAS DRIVE per OMs 2-25 and 2-35.

PWFB 0929

399

Notes Ck'd by	Survey of HACIENDA AREA & DIVS F.B. 4355 PG. 249
Map No.	JN 1303.09 Tape Std °F
Office Work	Surveyed by FEBrooks
Checked	Notes FEB Date 29 Nov 1977
Date	Indexed H. HOLMAN DEC 17 1978

The record bearings, lengths of line and curve data as shown on the OFFICIAL MAPS of the COUNTY of LOS ANGELES Regions 45-46, Maps OM 2-1 To OM 2-42 were used as the bases for control of the streets in the interior of the area bounded by HACIENDA BLVD. on the East. SKYLINE DR. on the North. And the WHITTIER CITY LIMITS on the West and South.

The official maps were prepared from surveys made under the supervision of ALEX M. MORRISON Civil Engineer. These maps show the bearings, length of lines, curve data and widths of strips of land surveyed for road purposes.

Most of these strips have now become roads. A search was made at the BCs and ECs on the edge of the R/Ws, and at the intersection of the R/W lines and the property lines of the original lots.

A large number of 2" IPs were found. A few of the pipe are new, with conc. plugs & Tags or new wood plugs & Tags. The rest of the pipe are old. Some have no plugs, some have wood plugs and some have wood plugs and nails. All of these pipe appear to be of the same age and were probably set at the time the original surveys were made though the OM maps make no mention of these pipe. The private surveyors are using these pipe as the bases of their lot splits and subdivisions.

Some of the old pipe have 3x3 or 4x4 wood guard post. the post are in good to poor quality. The guard post are scribed. The scribing is difficult to read and does not seem to relate to the lot numbers as shown on the OM maps.

THESE NOTES ARE NOT COMPLETE
Some of the blocks have not been closed
The notes have not been fully field checked.

FEB
18 May 1978

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NO
CE 310
76F3095-4/73