Notes Ck'd by H. SPRIGGS	Survey of Fire Sta. No 65
Map No. 8-5252	JN 7550.02 Tape 197 Std 84 °F
Office Work R. BRIONES	Surveyed by Tom Mankey
Checked C. HUMPHRI	Notes Tom M. Date 1- '75
Date 5-16-75	Indexed T. M. PALMERI JAN 14 1975

F.B. 4358 PG. 5

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES CE 310 76F3095-4/73

J.N. 7550.02

FIRE STATION No 65

AGOURA



INDEX MAP

Mankey
Maher
Tollison
Rodgers
H. Jackson

F.B. 4358 PG. 6

CE 310
76F 309F
3

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not exceed notes this side of this line



To Top Pg. 7

Notes Ck'd by H. SPRIGGS	Survey of Fire Sta. No 65
Map No. B-5852	JN 7550.02 Tape 197 Std 87° F
Office Work R. BRIONES	Surveyed by Tom Mauker
Checked G. KURACHI	Notes Tom M. Date 1-75
Date 5-16-75	Indexed T. M. PALMER JAN 17 1975

F.B. 4358 PG. 7

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend note across this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F-3095-4/73

To Bot. Pg. 6

(P.O.T. Set Sq. Hd. Spk & Tin, Flush

37.84 @ 77.2° = 37.84'

Deed Ln. Prod. S'ly, Set Sq. Hd. Spk & Tin

1) 89° 49' 20"
4) 359° 17' 40"
6) 178° 56' 30"
89° 49' 25"

149.75'

50.00'

89° 49' 25" 37.84'

S.O.E. Prop. Cor. Set 1" I.P. Tower Plug & C.E. Tag 3' dn. replaced I.P. with C.E. Cap mon. as shown 3-5-75 EJM

Br. Stamped 6" dn

To Bot. Pg. 11

COUNTY ENGINEER R.E. 7078

80.00'

80.00' @ 77.2° = 80.01'

Var. Rd. Bzzd. 8" Blue Gum

(20)

(30)

(50)

80.00'

RD.

(Set nail Tow 3' off line

S.O.W. Prop. Cor. Set a C.E. Tag in Conc. base Tow Tw. Cor.

3.00' off line

200.00'

Lot Ln. Prod. S'ly, set nail by prop. for int with ℄ 123.00 x 793.03 = 121.78 794.11 Set Sq. Hd. Spk & Tin

LOT 12
LOT 11
44.8'

20.00'

30.00'

3.00'

AGOURA

121.78 @ 82° = 121.78'

Lot Cor. est. by Proportion E. 44. 123.21 x 794.04' = 122.99 Fd. a 1/2" I.P. at this Position Per F.B. 3150-43 Nothing set in Ctr.

B.C. Per C.S.O. 3018-1

Angle Point Set nail by proportion E & W along Agoura Rd. Det. when adjudicated by P.L.S. in agreement with I.P.'s F.B. 2242 89 & 91 Set 2-3.00' Sets Ties

(20)

(30)

Fd. Chis. + in Ctr. of Conc. Drive to Bldg. Material Yard Rd. F.B. 1605-179

S 0° 05' 36" E 121.78'

Angle Point Fd. a C.E. Tag 2' dn. by ties in Rd. F.B. 1605-179 C.E. Tag is Per F.B. 3150-43 & 98 & F.B. 2242-89 F.B. 3144-7

This position not in agreement with local access ties or C.S.B. 3018

Set 2-2.00' Sets

1) 89° 49' 15"
4) 359° 17' 10"
6) 178° 55' 55"
89° 49' 18"

(5' Sta. 28 (5' 2.72' P.O.T.)

Fd. Nail, 2" up in PIPE BOLARD AM per Rd. F.B. 1605-179

33.25' R.M.

175° 39' 10" 175.39' M/Calc

44.74' (L 508) R.O.

Vac. Brooker

Fd. Chis. + 2" up in S.W. Guard Rail per Rd. F.B. 1605-179

1) 175° 39' 05"
4) 342° 36' 15"
6) 333° 54' 25"
175° 39' 04"

deletions by HHS 7-20-75

To Top Pg. 8

F.B. 4358 PG. 8

To Bot. Pg. 7



To Top Pg. 9

CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not ex[illegible] notes this side of this line

Notes Ck'd by H. SPRIGGS	Survey of Fire Sta 105 AGOURA F.B. 4758 PG 9
Map No. 8-5252	JN 7550.02 Tape 197 Std 84 °F
Office Work R. BRIONES	Surveyed by Tom Mankey
Checked G. KURACHI	Notes Tom M. Date 1-75
Date 5-16-75	Indexed T. M. PALMER JAN 17 1975

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
463 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

To Bot. Pg. 8

130.01 L.T. 72°
130.00 @ 2°56 = 129.83
129.95 L.T. 72°
129.94 @ 2°56 = 129.82

15-8,9

Proposed Ord. C.S. B3018-1

Fd. 1/2" I.P. in (Ltg. P.B. 1605-181 R.2. P.B. 1605-181

(20')

(30')

(50')

129.83'

RD.

(50')

Fd. 1/2" I.P. Ltg. P.B. 1605-181 R.2. P.B. 1605-181

60.48'

96.21'

KANAN

(50')

53.69'

0.13' W.

RD.

(50')

S.

Fd. Bull'n Hd. Spk. Tie, 2 1/2" in RP mouse, R.2. P.B. 1605-181

374.23'

AGOURA

(20')

(30')

(50')

Fd. 6" Bt. Spk. flush w/ground, 3' dia., Set by State Hwy ALA 101F 0006 tied out in Rd. F.B. 1605-181 & surveyed RO. F.B. 1605-113 & C.E.F.B. 3929-16 5& 2-200 SETTS

E.W.T. Est. by the Rd. Dept. Rec. Dist. 0.13' West of s. tie & is in agreement with dist. W. from Fd. 2" I.P. (O.D.) at old Kanan Dr. (1294 & Dist. E. from P.I. on W. (374.23 M. & 374.20 F.B. 3144-7)

To Top Pg. 10

F.B. 4758 PG. 10

To Bot. Pg. 9



CE 310
76F 3095

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not ex... notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by H. SPRIGGS	Survey of Fire Sta. No 65
Map No. B 5858	JN 7550.02 Tape 197 Std 84 °F
Office Work R. BRIONES	Surveyed by Tom Manley
Checked G. KURACHI	Notes Tom M. Date 1-75
Date 5-16-75	Indexed T. M. PALMER JAN 17 1975

F.B. A358 PG. 11

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend note this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F-3095-4/73

Set a 1"x2" stk, tag (illegible) at 90° to a Fd. 1" I.P. flush

3.17

3.20

N.E. Cor. Parcel 23, Assessors M.B. #206 - 61, fd. a 1" I.P., plug & L.S. Tag 8718, dn. 2". pipe bent & leaning N'ly, fair condition.

Deli
Facing Roadside
Dr. at 30. Side
Ventura Fwy.

181.32 @ T=64°
=181.30

3.30

Owner of Deli unable to verify sideline offset

181.30

15 - 8, 9

190.12 T-64°
190.10 & 1°27' = 190.04
190.08 T-64°
190.04 & 0°40" = 190.03

L. S.

Probable Lot 11 Lot 12

Nothing fd to 20. Dn at 90° to 1"x2" stk

Set a 1"x2" stk. tag illegible the Co. Assessors M.B. #206 1-61 dist from the 30., 190 for the S.E. Cor. Parcel 22

3.32

Owner of Bldg Materials lot testifies that large bldg was held 3' to E. inside of that small office bldg was set right against it. based on evt. survey by Ragnow

Replaced I.P. with a C.E. Be Cap Mon. stamped as shown Flush, 3-5-75 EJM

COUNTY ENGINEER
R.E. 7078

1) 90° 00' 00"
4) 359° 59' 40"
6) 179° 59' 50"
89° 59' 58"

Prop. Cor. Set a 1" I.P., Conc. Plug & C.E. tag, the Deed Dist. 170.00' No. from S.W. Cor. Lot 12 4 dn.

Prop Cor Set a 1" I.P., Conc. plug & C.E. Tag the Deed Dist. 180.00', from the West, 6' dn.

Replaced 1" I.P. with a C.E. Be Cap Mon. stamped as shown, 3-5-75 EJM

Set 1"x2" stk & nail

80.00 @ T 80°
=80.00

3.00

80.00

A GOURA BLDG
Stucco Bldg.
15' ± Set

190.03

2.30 ± Set

90.00.00
89° 59' 59"

200.00

200.00 @ T 84°
=200.00

1) 90° 00' 00"
4) 359° 59' 50"
6) 179° 58' 40"
89° 59' 51"

3.35

22.2

3.03

OFFICE BLDG
Stucco
25.3

3.10

44.8

149.75

101.94 T-72
101.93 & 1°58" = 101.
101.94 T-72
101.95 & 2°11" = 101.

47.88 @ T-72°
= 47
149.

TO LT. PG. 7

NOTES RED. _____ JOB NO. 7550.02 SURVEY OF Fire Sta. No 65 Agoura | F.B. 4358 PG. 13

DATE _____ SURVEY BY Tom Mankey

NOTES CHKD. _____ NOTES BY Tom M. DATE Jan 1975

DATE _____ INDEXED T. M. PALMER DATE JAN 17 1975

B.M.	1st RUN	DIFF.	2nd RUN	3rd RUN	ADJ. ELEV.	DESCRIPTION

J.N. 7550.02

FIRE STATION No 65

AGOURA

BENCH LEVELS

Mankey
Maher
H. Jackson

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

BENCH MARK LEVEL NOTES
CE 353
76S420-4/73

F.B. 4358 PG. 14

JOB NO. T550.02 SURVEY OF Fire Sta. No 65 NOTES RED.

SURVEY BY Tom Mankey DATE

NOTES BY Tom M DATE Jan. 1975 NOTES CHKD. H. SPRIGGS

INDEXED E. M. PALMERI DATE JAN 17 1975 DATE 2-20-75

B.M.	1st RUN	DIFF.	2nd RUN	3rd RUN	ADJ. ELEV.	DESCRIPTION
						BM 65-8A 1970 Adj. El. = 887.816 F.B. 2896-157 Kanan Rd. & Ventura Freeway, at the S.E. Cor. of the overpass bridge, 12.5' West of the S. end of a S' Conc. Walkway, 25' West of the E. side of the bridge, set flush in ctr. of the S'Wk. Aud L.A. Co. Survey Control Traverse Sta. Disk. Mk'd. "Sewinole E-7 1960 & F.B. 5869"
(Fd) BM 65-8A	887.816					
+	2.131					
=	889.947					
−	8.508					
T.P.	881.439				881.438	
+	2.719					
=	884.158					
−	8.178					
T.P.	875.980				875.979	
+	7219					
=	883.199					
−	2.495					
						R.O.B.M. BY 9052 1972 EL = 880.746 Pg. 29
R.O.B.M. BY 9052	880.704				880.702	R.O.B.M. Tag in Conc. Slab S.W. Cor. Agoura Bldg. Materials Yard, 30' N. of E. Agoura Rd. & 275' East of Kanan Rd.
+	5.079					
=	885.783					
−	4.749					
						T.B.M. EL = 881.03 F.B. 4358-14
(Set) T.B.M.	881.034				881.032	At S.E. Cor. Agoura Bldg Materials Yard & S.W. Cor. Fire Sta. No 65 a Co. Eng Tag in lead, loc. F.B. 4358-7
+	4.603					
=	885.637					
−	6.233					
						T.B.M. EL = 879.404 F.B. 4358-14
(Set) T.B.M.	879.404				879.401	At S.E. Cor. Fire Sta. No 65 ± 50' No of E. Agoura Rd, a 1" I.P. conc. plug & C.C. Tag. location F.B. 4358-7
+	6.185					
=	885.589					
−	4.843					
T.P.	880.746				880.742	
+	1.868					
=	882.614					
−	6.132					
T.P.	876.482				876.476	
+	7.903					
=	884.385					
−	2.865					
T.P.	881.520				881.514	
+	8.352					
=	889.872					
−	2.049					
(Fd) BM 65-8A	887.823				887.816	BM 65-8A 1970 EL = 887.816 F.B. 2896-157 (See Above)

{See Pg 16 for additional B.M.'s 3-5-75 EJM}

CE 353
76R420-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

76L268 Cdb 8-69

LOS ANGELES COUNTY LETTERGRAM

TO	Tom Mankey	FROM	The Phantom

Subject | Date | No.



NOTES RED. _____ JOB NO. 0039.21 SURVEY OF Fire Sta. No65 Agoura | F.B. 4358 PG. 15

DATE _____ SURVEY BY Tom Mankey

NOTES CHKD. _____ NOTES BY Tom M. DATE 3-5-75

DATE _____ INDEXED T. M. PALMERI DATE MAR 13 75

B.M.	1st RUN	DIFF.	2nd RUN	3rd RUN	ADJ. ELEV.	DESCRIPTION

J.N. 003921

FIRE STATION No65

AGOURA

BENCH LEVELS

Mankey
Maker
H. Jackson
C. Johnson

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

BENCH MARK LEVEL NOTES
CE 353
766420-4/73

F.B. 4358 PG. 16

JOB NO. 0039.21 SURVEY OF Fire Sta. No 65 Agoura NOTES RED.

SURVEY BY Tom Mankey DATE

NOTES BY Tom M. DATE 3-5-75 NOTES CHKD.

INDEXED I. M. PALMERI DATE MAR 12 '75 DATE

B.M.	1st RUN	DIFF.	2nd RUN	3rd RUN	ADJ. ELEV.	DESCRIPTION
						RD.B.M.BY 3052 1972 EL=880.746 P6 79
RdBMBY3052 (Fd)	880.704	(Unadjusted Elev. per	Pg. 1A)		880.702	RD B.M. Tag in conc. Slab, S.W. Cor. Agoura Bldg. Materials Yard, 50' No. of ℄ Agoura RD. ℄
+	4.910					275' East of Kanan Rd.
⊼	885.614					
−	4.575					T.B.M. EL. 881.03' F.B. 4358-14
S.W. T.B.M. (Fd.)	881.039				881.036	At S.E. Cor. Agoura Bldg. Materials Yard ℄ S.W. Cor. Fire Sta. No 65 a Co. Eng Tag in lead, location F.B. 4358-7
+	4.810					
⊼	885.849					
−	6.335					N.W. T.B.M EL.=879.514' F.B 4358-16
N.W. T.B.M. (Set)	879.514				879.513	N.W. Prop. Cor a Co. Eng. Br. Cap Mon., Flush
+	4.167					Location F.B. 4358-11
⊼	883.681					
−	9.728					N.E. T.B.M. EL.=873.953' F.B. 4358-16
N.E. T.B.M. (Set)	873.953				873.951	N.E. Prop Cor a Co. Eng Br. Cap Mon, 6" dn
+	9.450					Location F.B. 4358-11
⊼	883.403					
−	4.227					S.E. T.B.M EL.=879.176' F.B 4358-16
S.E. T.B.M. (Set)	879.176				879.173	S.E. Prop. Cor. a Co Eng Br. Cap Mon, 6" dn
+	6.330					Location F.B. 4358-7
⊼	885.506					
−	4.470					T.B.M. EL. 881.03' F.B. 4358-14
S.W. T.B.M. (Fd.)	881.036				881.032	At S.E. Cor. Agoura Bldg. Materials Yard ℄ S.W. Cor. Fire Sta. No 65, a Co Eng. Tag in lead, location F.B. 4358-7

CE 353
7/68 20 4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not exceed notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by	Survey of Fire Sta. #7 - Pt. Vicente F.B. 4359 PG. 21
Map No.	JN 0038.63 Tape 265 Std 68 °F
Office Work	Surveyed by English
Checked	Notes Ed. Date 5-76
Date	Indexed T. M. PALMER MAY 14 1976

FIRE STATION NO. 7
POINT VICENTE.

J. N. 0038.63.

Boundary
Survey.

May 5, 1976.
English
Caro
Stroud
Bradley

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend note this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F-3095-4/73

F.B. 4358 PG. 22

INDEX MAP



CE 310
76F 3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not exter notes this side of this line

Notes Ck'd by	Survey of Fire Sta. #1-Ft. Vicente F.B. 4358 PG. 23
Map No.	JN 0638.63 Tape 012 Std 84 °F
Office Work	Surveyed by English
Checked	Notes Ed. Date 5-76
Date	Indexed T. M. PALMERI MAY 14 1976

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
493 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F-3095-4/73

Cont. fr. Pg. 24

T-62° 339.54 Lev. = 339.49

339.49 P.O.T.

1 - 89 58 30
4 - 359 53 30
6 - 179 50 30
Av. 89° 58' 25"

Adopted Property Line per C.S. 1-36.

Set Bt. S.W.L.T. flush. 3.00 Offset

90° 3.00

Set Bt. S.W.L.T. flush. in mac pvmt.

T-60° 23.62 @ 19° 51' = 23.88

391.75 Lev. = 391.75

T-58° 116.22 Lev. = 116.20

R.&M. Prod. 2.99

1.42 R&M.

90°

Fd. 3/4" I.P. C.S. 1-36. Prod. 2.99

Fd. 3/4" I.P. Corr. Bur. 1.99. No ties. Fd. Old 8" I.P. with punch mark in top. Condition questionable. F.B. 2291-54.

Top of Concr. Bunker.

24.2 18.8 27.7

2.99 90° 0.12 3.26 90°

Prod. 24.18

T-58° 154.85 @ 12° 54' = 150.91

T-Line F.B. 2291-54.

Fd. Nothing F.B. 2291-54. Set 1x2 & N. flush. C&M. (69.35) from P.O.T. as shown.

T=84° 69-35 Lev. = 69.35

C&M. 69.35

P.O.T. - Fd. Bt. S.W.L.T. flush, 1' No. of S. edge of Mac. Rd. F.B. 2291-54.

24.2 2.7

6" Ch. Lk. fn.

Fd. 1x2 & N. 1" I.P. Very Old. F.B. 2291-54.

T-58° 55.47 @ 26° 17' = 49.90

5.83 1.20

90°

Fd. Bt. S.W.L.T. flush. F.B. 2291-54.

Fd. Nothing. Set 1x2 & N. flush. C&M. F.B. 2291-54. Prod. 1.19 No. Tie.

R.A. = 86° 07' (Doubled)

Set 1x2 & N. flush. C&M. F.B. 2291-54.

57.84 @ 10° 09' = 57.82

T-58°

P.O.T. - Set 1x2 & N. flush.

1 - 90 52 00
4 - 359 55 00
6 - 180 00 00
Av. 90° 00' 00"

Cole 396.69

0.03 dn. 6"

Fd. L.A. Co. C.E. Bv. C.P. mon. F.B. 2291-55.

Set 1x2 & N. flush. F.B. 2291-55.

T-Line

18.95

0.09 flush

F.B. 4358 PG. 24

Con't. Pg. 25



Con't. Pg. 23

CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by	Survey of Five Sta. #7-Pt. Vicente F.B. 4358 PG. 25
Map No.	JN 0038.63 Tape 012 Std 84 °F
Office Work	Surveyed by English
Checked	Notes Ed. Date 5-76
Date	Indexed S. M. PALMER MAY 14 1976

VV 527 A5

1-44.15.20
4-17.01.30
6-39.53.20
Av. 44°15'23"

Set B.T. S.W. & T. Flush. By int.

Fd. Sq. hd. S. & W. Flush. R.D. F.B. 0216-151

Set L & C. E. Tag.

76.81

HAWTHORNE

77.72 Rad.

71.10

Curve #67. R.D. F.B. 0216-150 Δ = 101-13-17 R = 500.20

BLVD. (50) (50) ℄

44°15'23"

Set L.& C.E. Tag.

180.05

204.50 To: P.C.C. R.D. F.B. 0216 -156

23.1

Conc. Dr.

10.5

13.8

2.5'

P.O.S.T. Fd. L. & R.D. Tag. in curb. R.D. F.B. 0216-151.

To: P.I. Curve #67

Note: All meas. Lev. T=84°. on this page.

N

S

31' Offset

115.0 = P.C.C. Sta. 68+39.53

68.80

6" Ch. Lk. Fn. ↗

June 4, 1976 Adopted Property Line E.P.L. Line per O.R. 20216-103.

Cont'd Pg. 24

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend notes this side of this line

L. M. PALMER JUN 9 1976

F.B. 4358 PG. 26

CE 310
76F3095 4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Lot Relocation

See pg. 24 for old location of lot.

Proposed Fire Sta. #7 — Point Vicente.



Notes Ck'd by	Survey of PLACERITA CYN RD. F.B. 4358 PG. 27
Map No.	JN 0208.21 Tape EDM Std °F
Office Work	Surveyed by Burkholder
Checked	Notes DLB. Date 12-81
Date	Indexed H. HOLMAN DEC 28 1981

JN. 0208.21

PLACERITA CYN. ROAD

Realignment W'ly of Sand cyn Rd.

Burkholder
Goble
Sidwell

Reference:
CSB. 5409
Tr 32050-2
F.B. 3239

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

F.B. 4358 PG. 28

INDEX



CE 310
76F 3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES
ON THIS SHEET MUST BE MADE OR
CIRCLED IN RED INK WITH DATE AND
NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

Notes Ck'd by R. PILLARIO	Survey of Placerita Cyn. Rd.
Map No.	JN 02082.21 Tape EDM Std °F
Office Work	Surveyed by Burkholder
Checked	Notes D2.B Date 12-81
Date	Indexed H. HOLMAN DEC 28 1981

F.B. 4358 PG. 29



Bot Pg# 30

Bot. Pg #31

Line obstructed by house

60°-13'-40"

1" I.P. Gone 18" dn

379.90 ℄ Line 2

43529 RD

90.10

Set Ch "t" 30" Up 5' Ch. Link Fence Cor.

320.27

P.I. 14-X Set Lge Bt. Spk W&T. Flush. (91.77 from Bt. Spk W'ly)

91.77

42.73

98.18

Set Sq Spk & Tin, 12" Up P.P. No No.

0.06

65.00

Fd. L&T. Top Conc. Hd wall

Fd. Lge Bt. Spk W&T Flush. per C.S.B. 5909 F.B. 3239-118

Fd. P.K. Nail & Tin, 2" dn

688.30

PLACERITA CYN

Fd North. Set Nath

Fd. Sq hd Spk & Tin Flush Per C.S.B. 5409 F.B. 3239-117

221.94

Fd. L&T. Top Conc. Hd wall Per F.B. 3239-117

20.62

12.14

Fd. L&T. Top Conc. Hd wall Per F.B. 3239-117

(30) (30)

00-00-07
180-00-04

162-10-55
342-10-51

270-05-43
90-05-40

72-16-33
252-16-37
M=162-10-50

00-00-23
180-00-21

60-14-07
240-14-01

270-05-20
90-05-14

330-18-58
150-18-52
M=40-13-40

91.77 Lev = 91.77

65.00 Lev. = 65.00

688.71 @ 91-58-50 = 688.30

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend note to this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

F.B. 4358 PG. 30

CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line



Notes Ck'd by R. HILARIO	Survey of Placerita Cyn Rd.
Map No.	JN 0208.21 Tape EDM Std °F
Office Work	Surveyed by Burkholder
Checked	Notes D.L.B. Date 12-81
Date	Indexed H. HOLMAN DEC 28 1981

F.B. 4358 PG. 31

Bot. Pg # 32

(30) (30)

Ec

R.D.

282.43

Set N&T 18" UP PP # 2139917E

P.I. 16-Z Set Lge Bt Spk W&T Flush (282.43 from PK & T, to East)

38.14

90.75

53.53

Set N&T 48" UP PP # 2139918E

0.09 N 11.5 W

Fd Nail & LS Tag #4318 Flush

Fd L&T Conc. Hdwall

235.06

12' o/s Line

Sec. Line

415.47

Set Sq Spk 12' o/s Line

Set "C" Nail 12' o/s Line

12.00

379.90

Set Sq. Spk by Int.

Top Lt Pg #29

Top Pg #30

00-00-07
180-00-05

143-42-16
323-42-18

270-05-22
90-05-24

53-47-12
233-47-38
M = 143-42-14

3 RC # 12/29/81

143° 42' 14" 240.42'

00-00-12
180-00-08

99-31-43
279-31-35

270-05-33
90-05-37

09-37-06
189-37-08
M = 99-31-30

99° 31' 30" 378.45'

PLACERITA CYN

235.06 @ 90-17-21 =
= 235.06

Fd 1" I.P. Conc Plug & L.A.Co. Engr Tag 2" Up Per C.S.B. 5409 F.B. 3239-57, 120

415.52 @ 90-55-03 =
= 415.47

380.40 @ 87-03-30 =
= 379.90

Fd 2" I.P. Conc Plug & L.A.Co. Engr Tag Flush Per C.S.B. 5409 F.B. 3239-119

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F-3005-4/73

F.B. 4358 PG. 32

WS.249-157, A-3 (2)



Set 1x2 & Nail on 12' O/S Line.

12.00

15.00

15.00

Lge Bt. Spk W&T
F.B. 3239-120

RD.

91.23

Fd. 1" I.P. Conc. Plug
L.A. Co. Engr. Tag
14" dn. Set Lge Bt. Spk
W&T, Flush
Per C.S.B. 5409
F.B. 3239-7
Tr. 32050-2

89.28

231.57

Set N&T 12" UP
P.P. # 1560928E

Set "C" Nail

91.23 Lev. = 91.23 ✓
231.57 C 90-04-12 = 231.57 ✓
125.97 C 90-58-05 = 125.96 ✓

RD.

125.96

Fd. Ld. & RCE Tag 10533
Per C.S.B. 5409
Tr. 32050-2

0.03

12' O/S Line

PLACERITA CYN.

139.83

Fd. Spk & Washer Stmpd.
"RCE 10533"
Per C.S.B. 5409
Tr. 32050-2

0.03

139.84 C 90-45-07 =
= 139.83 ✓

456.52

Fd. P.K. Nail & Tin, 2" dn
Per C.S.B. 5409
F.B. 3259-57
Tr. 32050-2

456.62 C 88-49-19 =
456.52 ✓

282.43

282.43 Lev = 282.43 ✓

(30) (30)

Top pg # 31

CE 310
76F 3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

SECTION LINE

Notes Ck'd by	Survey of SEC. 21-22, T-2-N, R-17-W F.B. 4358 PG 33
Map No.	JN 0208.11 Tape EAM Std °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M.E.W. Date JAN-83
Date	Indexed H. HOLMAN DEC 7 1983

J.N. 0208.11

SECTION LINE SEC. 21, 22, 27, 28

T-2-N, R-17-W

REPLACEMENT OF CLOSING CORNER TO SECTION 22-27 ON BOUNDARY OF RANCHO SAN FERNANDO.

REF.

F.B. 1608
F.B. 544
C.S.B 1015-1
C.S.B 711-2

PARTY.

WACKER
FALSEY
MANLEY

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
LOS ANGELES COUNTY ENGINEERING BLDG.
403

CENTERLINE NOTES
CE 310
76F 3095-4/73

F.B. 4358 PG. 34

CE 310
76F 3095 4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

SEC. 23
MANOR DR.
22
LAKE
CHATSWORTH RESERVOIR
VALLEY CIRCLE
CYN.
L.A. CITY
L.A. COUNTY
TOPANGA CANYON
SEC. 22 M-17-W
SEC.
CYN.
VENTURA CO.
LOS ANGELES CO.
SEC. 21
WOOLSEY
SEC. 28 M-17-W
VENTURA COUNTY

SECTION LINE

Notes Ck'd by R. HILARIO	Survey of SEC. 21 & 22, T. 2 N., R. 17 W.
Map No.	JN 0208.11 Tape E.D.M. Std °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M.E.W. Date JAN. 83
Date	Indexed M. HOLMAN DEC 7 1983

F.B. 4350 PG. 35

BTM PG. 36

WOOLSEY

CYN.

D. 00° 00' 04"
R. 180° 00' 08"

D. 179° 16' 52"
R. 359° 16' 56"
= 179° 16' 48" ✓

611.98

1/4 SECTION CORNER
FD. C. E. BRASS CAP
MON. FLUSH PER
C.S.B. 711-2
MON. MARKED AS
SHOWN. SET MARKER
POST 2 FT. NORTH
FB. 1608-87

ENGINEER
T.2.N
SEC. 21
SEC. 28
1/4 COR
M-41-X
1600

2.42

48"

P.K. NAIL & SHLF
SET N. AT ULT
6" IN NO. FACE

E. D. M.
221.00 @ 87° 03'
= 220.71 ✓

611.40 @ 93° 54'
= 612.98 ✓

D. 00° 00' 06"
R. 180° 00' 10"

D. 90° 20' 05"
R. 270° 20' 11"
= 90° 20' 00" ✓

220.71

90° 20' 00"

SEC. 21
T. 2 N.

SEC. 28
R. 17 W.

BTM. PG. 48

4-STRAND BARB WIRE FENCE

L. A. COUNTY LINE

2.0

396.37

OLOSING SECTION COR.
FD. C.S. BRASS CAP MON
ON 2" IPER C.S.B. 711-2
MON MARKED AS SHOWN
SET MARKER POST 2 FT.
NORTH. FB. 1608-86

SOUTH FORK
T2N
R17W
SEC 21
SEC 28
ON LINE
M-41-X
1600
MONUMENT

EASTERLY BOUNDARY
RANCHO SIMI AND
VENTURA CO. LINE

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

SHEET 1 of 89-077, B-2

Do not extend note across this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F 3095-4/73

F.B. 4358 PG. 36

BTM. PG-37

SEC. 21
T-2-N

SEC. 28
R-17-W



E.O.M.

744.01 C 95°49'30"
744.15 ✓

342.63 C 96°49'30"
=340.20 ✓

316.46 C 96°36'40"
=314.36 ✓

274.00 C 84°39'
=272.81 ✓

270.96 C 85°40'
=270.19 ✓

TOP PG-35

CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Z-8 770-681

Do not ex notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

SECTION LINE

Notes Ck'd by R. HILARIO	Survey of SEC. 21 + 22, T-2-N, R-12-W F.B. 4358 PG. 37
Map No.	JN 0208.11 Tape EDM Std F
Office Work	Surveyed by M.E. WACKER
Checked	Notes M.E.W. Date JAN. 83
Date	Indexed M. HOLMAN DEC 7 1983

SEC. 21
T. 2 - N.

E. O. M.

985.58 C 96° 36' 30"
= 979.03 ✓

300.84 C 85° 44'
= 300.01 ✓

120.47 C 98° 00'
= 119.30 ✓

BTM PG. 38

SEC. 28
R - 17 - W

979.03

300.01 ✓

119.30 ✓

FD. 1 1/2" I.P. CONC. PLUG + L.S. 2430 IN TRIANGULAR CONC. PAD W/ 1" PER. F.D. 1608 - 106

FD. PK ON TOP OF 10" HIGH S.S. BOULDER PER F.B. 1608 - 89 + 106

FD. PK IN S.S. BOULDER PER F.B. 1608 - 89

32.04

SET 2" I.P. CONC. PLUG + L.A. CO. ENGR. TAG FLUSH. SET MARKER POST 2.0' EAST NORTH OF PIPE

31.85

0.03

FD. 1" I.P. CONC. PLUG + L.A. CO. ENGR. TAG BR. 4" PER F.B. 1608 - 89 +, 0.03 SO. OF LINE

32.32

FD. PK + TIN IN S.S. BOULDER PER F.B. 1608 - 89 + 106

THIS LS

TOP PG. 38

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend notes this side of this line

187-0772 B-2

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

F.B. 4358 PG. 38

LT. PG-39

SEC. 22

SEC. 27

NOTE:
AN UNDERGROUND TELEPHONE CABLE IS GUARED ALONG THE E.W. SECTION LINE.

E.O.M.

745.17 C 279°03'
=735.89 ✓

1202.16 C 97°38'30"
=1191.48 ✓

716.34 C 84°25'
=712.94 ✓

735.89

1191.48

712.94

4 STRAND BARB WIRE FENCE

8.4

21.0

P.O.T.
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAC FLUSH IN ROCK MOUND ON SIDE HILL. SET MARKER POST 2.0 FT. NORTH.

P.O.T. HIGH RIDGE
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAC FLUSH IN ROCK MD. SET MARKER POST 2.0 FT SOUTH.

D. 00°00'08"
R. 180°00'14"
D. 179°47'14"
R. 359°47'24" ✓
=179°47'08" ✓

08"

17.8

SECTION COR.
FD. 2" I.P. CONC. PLUG L.S.# 2430 UP 1" IN 8" CONC. PAD WITH DATE 3-25-67. PER F.B. 1608-89+106
SET MARKER POST 2.0 FT. NORTH.

979.03

300.01

SEC. 21
T-2-N

TOP PG-37

SEC. 28
R-17-W

CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

2-8 LLO-621

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by R. HILARIO	Survey of SEC. 22, T-2-N, R-17-W F.B. 4358 PG. 39
Map No.	JN 0208.11 Tape E.D.M. 026 Std 68 °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M.E.W. Date JAN. 83
Date	Indexed H. HOLMAN DEC 7 1983

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
Do not extend note this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

SEC. 22
T-2-N, R-17-W

E.O.M.
529.71 C 87°22'
= 529.15

543.93 C 92°31
= 543.41

TAPE @ 026 T= 70°

38.32 C LEV

29.93 C 112°59' = 27.55
41.07 C LEV = 41.07
= 74.62

48.98 C 58°41' = 41.84

0° 00' 00" 30"
R. 180° 00' 38"

D. 179° 41' 00"
R. 359° 41' 10"
= 179° 40' 31"

1/4 SECTION COR.
FD. C.S. BRASS CAP MON. W/ 2" ON SMALL SPUR PER. C.S.B. 1015-1 F.B. 5444-87 MON. MARKED AS SHOWN. SET MARKER POST 2.2 FT. SOUTH.

COUNTY SURVEYOR
T-2-N
SEC. 22
SEC. 27
1/4 COR.
R 21 W

FD. 1½" I.P. NO PLUG & LEANING E'LY PER. C.S.B. 1015-1 ON TOP OF RIDGE. USED CTR.

BTM. PG - 41

74.62

FD. NAIL IN S.S. BOULDER PER. F.B. 5444-87 IN GOOD CONDITION. HELD TO SAME.

3.04

SET L.A.Co. ENGR. TAG IN 4 x 8 S.S. ROCK OUTCROP. SIDEHILL AT 90° TO NAIL HELD FOR DIST.

41.84

327.94

BLANK LINE
M.F. REILLY

40.1

19°

31'

135.89

529.15

TOP LT. 11-38

BTM LT. 11-40

0° 00' 00" 30"
R. 180° 00' 40"

D. 77° 42' 20"
R. 257° 42' 30"
= 77° 41' 50"

CLOSING CORNER SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG FLUSH WITH ROCK MOUND & MARKER POST 2FT SO. EAST. RECORD DIST FROM NORTH & ON LN. FROM THE SOUTH PER. C.S.B. 1015-1 & F.B. 5444-87. ALL CONDITIONS FIT.

FD. 1½" I.P. NO PLUG UP 6". PER. C.S.B. 1015-1. USED CENTER AND HELD FOR LN.

WEST BDY. OF RANCHO SAN FERNANDO

END SURVEY

CE 310
76F 3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

F.B. 4358 PG. 40

R.T. PG - 49

E.D.M.
1864.05 @ 85°35'
= 1858.51
335.41 @ 96°42'
= 333.12
599.63 @ 82°45
= 594.84
582.07 @ 92°22'
= 581.57

D 00° 00' 30"
R 180° 00' 22"
D 94° 41' 27"
R 274° 41' 75"
= 94° 41' 00"

581.57
94° 41' 00"
1945.68
R.T. PG - 41
N.F. REILLY C.S. 9367
200±
SET 1x2 ± N REC. DIST. FROM THE SOUTH PER. C.S. 9367 M.F. REILLY
333.12
1858.51
SET 1x2 ± N NORTH SIDE RIDGE

D 00° 00' 36"
R 180° 00' 40"
D 89° 56' 40"
R 269° 56' 36"
= 89° 56' 00"

E.D.M.
1794.83 @ 94°29'
= 1789.34
93.40 @ 93°23' = 93.24
235.04 @ 86°55' = 234.70
= 327.94

594.84
89° 56' 00"
327.94
R.T. PG - 39
1789.34
R.O.T.
SET CONC. NAIL ON TOP OF 4x5x2 FT S.S. BOULDER ON TOP OF SPUR.
SET 1" I.P. CONC. PLUG + L.A. CO. ENGR TAG ON 6" RECORD DIST. PER C.S. 9367 OF M.F. REILLY FROM BOUNDARY OF RANCHO SAN FERNANDO.

Notes Ck'd by R. HILARIO	Survey of SEC. 22, T-2-N, R-17-W E.D.M. F.B. 4358 PG 41
Map No.	JN 0208.11 Tape 026 Std 68° F
Office Work	Surveyed by M.E. WACKER
Checked	Notes M.E.W. Date APRIL-83
Date	Indexed H. HOLMAN DEC 7 1983

SEC. 22
T-2-N, R-17-W

S.F. #33
FD. NAIL IN 10 FT S.S. BOULDER AT FENCE COR. PER. FD. 5444.79 C.S.B. #-711-2, C.S.B. 1015-1

RD. EX MISSION DE SAN FERNANDO

FD. LD PLUG IN S.S. BOULDER

3.00

SET L.S.T. + L.A. CO. ENGR. TAG

S 0° E. 38

SET NAIL MADE CAREFUL SEARCH FOR 4X4 POST AT RECORD DISTANCE FROM THE EAST PER. C.S. 9367 M.F. REILLY WAS UNABLE TO FIND SAME. COVERED AN AREA OF 20 FT IN ALL DIRECTIONS.

96°

Δ. 00° 00' 31"
R. 180° 00' 35"

Δ. 96° 58' 42"
R. 276° 58' 50"
= 96° 58' 13"

1265.23 @ 92°02'
= 1264.43

TAPE 026 T = 72°
2.25 CLEV = 2.25
4.70 CLEV = 4.70

1945.48

M.F. REILLY C.S. 9367

SET NAIL I.N.J. MADE CAREFUL SEARCH FOR 4X4 POST, UNABLE TO FIND SAME

P.O.I. SET 2" I.P. CONC. PLUG + L.A. CO. ENGR. TAG FLUSH ON N'LY. SIDE OF RIDGE

2.55

FD. OLD 1X2 + NAIL NO REFE. ON LN.

4.70

WEST BDY. OF RANCHO SAN FERNANDO

TOP PG-39

TOP PG-40

BTM. PG-42

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

189-077, 8-1

Do not extend note this side of this line

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

F.B. 435B PG. 42

BTM. PC - 49



E.O.M. T = 70°

474.94 @ 88° 44' = 474.82
33.56 @ LEV = 33.56
= 508.38

22.38 @ LEV = 22.38

RT. PC - 41

CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

1-8-77-481

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by R. HILARIO	Survey of SEC-22, T-2-N, R-17-W F.B. 4358 PG. 43
Map No.	JN 0208.11 Tape Std °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M.E.W. Date APRIL-83
Date	Indexed H. HOLMAN DEC 7 1983

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE
184-D7

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend note this side of this line

CENTERLINE NOTES
CE 310
76F3096-4/73

LT. PG. 49

CLOSING COR.
FD. C.S. BRASS CAP MON. FLUSH PER C.S.B. 10/5-1. MON MARKED AS SHOWN.

SURVEYORS
T-2-N
SIMI RD.
ETC
22-23
R-17-W
COUNTY MONUMENT

LN. PROD. SET CONC. N. ON TOP OF GIANT S.S. BOULDER

EHLERS

280.00

1858.51 OR.

CTR. LN.

SET NAIL

22.0

100.0

D 00° 00' 18"
R 180° 00' 24"
D 89° 26' 46"
R 269° 26' 56"
= 89° 26' 30" /

E.P.M.
289.22 @ 75° 79' 40"
= 280.00
245.50 C 92° 59'
= 245.17 /

COUNTY

245.17

CO.

CO.

80.0

SET SQ. HD. AT 90° TO MON. ON 22'N OFF SET LINE No. EDGE OF PVMT.

22.0

1/2 MILE PT.
FD. BRASS CAP MON. IN CONC. W/ 18" PER. C.S.B. 10/5-1. MON MARKED AS SHOWN.

VENTURA COUNTY BOUNDARY

VENTURA

THOUSAND OAKS

L.A.

D. 00° 00' 16"
R. 180° 00' 10"
D. 179° 46' 14"
R. 359° 46' 12"
= 179° 46' 00" /

TOP PG. 44

F.B. 4358 PG. 44

BTM PG-43

E. O. M.
3436.81 @ 95°25"
= 3421.47

810.72 @ 73-31-40
= 777.45

810.55 @ 73-34.30
= 777.47

POWER POLES ON LINE

L.N. PROD. SET NAIL IN S.S. ROCK AT TOE OF BANK

3421.47

RD.

CANYON

BOX

PVMT.

1 MILE PT. FD. BRASS CAP MON. IN CONC. FLUSH PER. C.S.B. 101.5-1. A MARKER POST 1.5 FT SOUTH. MON. MARKED AS SHOWN. HELD TO SAME FOR LINE

VENTURA COUNTY
S 1/80
BOX
LA COUNTY

SET BT. SPK. + WASHER ON 1" AT 90° TO MON.

22.0

P. 00°00'26"
A. 180°00'36"

P. 00°23'56"
A. 180°24'02"
= 0°23'28"

LG. TREES ON LINE

777.77

777.77

0°23'28"

0.02

FD. L.S. # 2762 IN S.S. ROCK ON TOP OF BRK. 0.02 SOUTH OF LINE

SET 1x2 + N. ON L.N. PROD TOP OF BANK AT 90° TO L.S. TAG

22.0

5.31

SET 1x2 + NAIL

696.33

VENTURA

TOP PG-45

CE 310
76F-3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

L-3 LL0-191

Do not ex... notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Notes Ck'd by R. HILAND	Survey of SEC. 21 & 22, T-2-N, R-17-W F.B. 4358 PG. 45
Map No.	JN 0208.11 Tape EDM Std CB °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M. E. W. Date APRIL-83
Date	Indexed H. HOLMAN DEC 7 1983

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

Do not extend note this side of this line.

187-0716-1

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

CENTERLINE NOTES
CE 310
76F3095-4/73

BTM. PC - 44

E.O. C.S. BRASS DISK IN L.C. S.S. BOULDER 10 x 10 x 8 FT. NO REF. MON. MARKED AS SHOWN.



663.49

0.05

VENTURA CO.

939.51

CLOSING CORNER E.O. C.S. BRASS CAP MON IN ROCK OUTCROP ON TOP OF BAK. FLUSH. SET MARKER POST 2 FT. SO. ELY. PER. C.S.B. 1015-1 C.S.B. 711-2 MON MARKED AS SHOWN.



0.08

1094.15

L.A. CO.

E.O. C.S. BRASS DISK ON TOP OF HIGH RIDGE IN TOP OF A GIANT BOULDER PER. CSB 1015-1 C.S.B. 711-2 MON MARKED AS SHOWN.



0.09

933.11

E. O. M.

683.46 @ 103° 53'
= 663.49

1117.43 @ 78° 17'
= 1094.15

953.20 @ 80° 18'
= 939.51

TOP PC - 46

F.B. 4358 PG. 46

BTM. PG-45



CE 319
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not ex... notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

1/2 MILE POINT
FD. BRASS DISK
IN L.C. S.S. BOULDER
PER C.S.B. 1015-1
C.S.B. 911-2. MON.
MARKED AS SHOWN.
HELD TO SAME
FOR LINE. D PT.

VENTURA COUNTY
COUNTY
S 1/40
BOY
L.A. COUNTY

CO.

IAPE #0216, T=70'
40.77 @ 261°36' = 40.33
61.73 @ 119°40' = 53.64
= 93.97

84.00 @ 282°08' = 82.12
27.07 @ LEY = 27.07

E. D. M.
698.60 @ 95°48'
= 695.02

1-8-79-1981

D 00° 00' 06"
R 180° 00' 10"

D 00° 12' 47"
R 180° 12' 49"
= 0° 12' 40"

93.97

695.02

0° 12' 40"

D. 00° 00' 16"
R. 180° 00' 16"

D. 175° 26' 36"
R. 355° 26' 36"
= 175° 26' 20"

P.O.T.
FD REMAINS
OF OLD 2x2
PER F.B.
428-103
USED CTR.

P.O.T.
SET 1x2"
NAIL ON
TOP OF
RIDGE. A
MARKER POST
2 FT SOUTH

VENTURA

22.07

9.76

3.13

175°

SET NAIL ON TOP
OF S.S. BOULDER

E. D. M.
1863.84 @ 89°30'
= 1863.77

1871.88 @ 89°46'
= 1871.86

87.12

80.33

11° 58' 23"

1863.77

191° 58' 58"

1871.86

D. 00° 00' 31"
R. 180° 00' 35"

D. 11° 57' 54"
R. 191° 57' 58"
= 11° 57' 23"

17.04

FD. NAIL ON TOP
OF S.S. BOULDER
PER F.B. 428-103

RT. PG-47

Notes Ck'd by R. HILARIO	Survey of SEC. 21, 22, T-2-N, R-17-W EOM
Map No.	JN 0208.11 Tape 026 Std 68 °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M. E. W. Date Nov. 83
Date	Indexed M. HOLMAN DEC 7 1983

F.B. H.J.S.B PG. 47

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

PLEASE RETURN TO LOS ANGELES COUNTY ENGINEER 403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend notes this side of this line

CENTERLINE NOTES CE 310 76F3095-4/73

18-71-9-1

VENTURA CO.

STA. NO-9 - RD. 5 MI
FD. BRASS DISK IN
LC. S.S. BOULDER
PER. C.S.B. 1015-1
C.S.B. 711-2
MON. MARKED AS
SHOWN. HELD FOR
LINE.

VENTURA COUNTY
59
COUNTY BDY.
L.A. COUNTY

1863.77

I = 68°
76.90
CBG 19 = 76.74
41.70
CH 14 12 = 40.12
= 116.86

116.86

90° 55' 00"

D. 00° 00' 10"
R 180° 00' 16"
D 90° 55' 10"
R 270° 55' 16"
= 90° 55' 00"

32.00
ELEV = 32.00

CO.

D. 00° 00' 04"
R 180° 00' 10"
D 179° 27' 55"
R 359° 27' 59"
= 179° 27' 50"

5 MILE POINT
FD. C.S. BRASS
CAP MON. IN
ROCK MOUND
PER. C.S.B. 711-2
HELD FOR LN.
MON. MARKED
AS SHOWN.

COUNTY SURVEYOR'S MONUMENT
SIM RD. 5
SEC-21
S10/W00

32.00

179°

27' 50"

CO.

STA. NO. PC-46

1871.86

CUT OFF LN.

P.O.T.
SET L.A. CO. ENGR.
TAG IN GIANT S.S.
BOULDER TOP OF
BRK.

VENTURA

1091.01

94° 56' 20"

D. 00° 00' 20"
R. 180° 00' 24"
D. 94° 56' 40"
R. 274° 56' 44"
= 94° 56' 20"

TOP PG-48

F.B. 4358 PG. 48

BTM. PG-47

E.O.M.

1093.63 @ 86°02'
= 1091.01

HB4.01 @ 95°59'
= HB1.37

418.75 @ 100°49'
= 396.37

T = 70°

26.47 @ LEV.
= 26.47

92.73 @ 83°09'
= 92.06

C.O.

1091.01

HB1.37

26.47

92.06

396.37

P.O.T.
SET 2" I.P. CONC
PLUG + L.A. CO.
ENGR. TAC TOP
OF BAK.

FD. CONC. NAIL
IN FLAT S.S.
BOULDER. NO.
REF.

FD. C.S. BRASS
CAP MON. UP 10"
ON LINE TOP OF
RIDGE PER C.S.B.
711-2. MON.
MARKED AS
SHOWN.

COUNTY SURVEYOR'S
MONUMENT

P.O.T.
SET 1x2 + NAIL
ON SIDE HILL

VENTURA

LT. PG-35

CE 310
76F 3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Z1-9 L10-181

Do not exit notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES
ON THIS SHEET MUST BE MADE OR
CIRCLED IN RED INK WITH DATE AND
NAME OF PERSON MAKING CHANGE

Notes Ck'd by R. HILARIO	Survey of SEC. 22, T-2-N, R-17-W
Map No.	JN 020B.11 Tape COM 026 Std 6B °F
Office Work	Surveyed by M. E. WACKER
Checked	Notes M. E. W. Date NOV - 83
Date	Indexed M. HOLMAN DEC 7 1983

F.B. 4358 PG 49

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE

189-07 C-1

SEC. 22
T-2-N, R-17-W

T = 68°
82.12 @ LEV. = 82.12
6.17 @ LEV. = 6.17
28.24 @ LEV. = 28.24
113.93 @ LEV. = 113.93
179.37 @ LEV. = 179.37
135.50 @ LEV. = 135.50

BTM. PG - 50

CLOSING CORNER
FD. C.S. BRASS CAP MON. DN. 20' ON N. EDGE OF PVMT. PER C.S.B. 1015-1 C.S.B. 711-2. SET CAP AND WELL. MON. MKD. AS SHOWN.

SURVEY MONUMENT
T-2-N 22 C
R-17-W SF RD

0.10
P.C.
3408.17
208.17
FD. SQ. HD. + W.
FD. SQ. HD. + T.
P.T.
6.17
0.21
BY INT.
SET 2" I.P. CONC. PLUG & L.A. CO. ENGR. TAG DN. 12" ANA 3 FT. FROM NO. EDGE PVMT.
Δ 00° 00' 33"
R 180° 00' 38"
Δ 84° 36' 34"
R 264° 36' 43"
= 84° 36' 03"
BK. 36° 03"
29.24
10.045
1858.51
℄ LINE
581.57
BY INTERSECTION
SET SQ. HD. ON 10 FT OFF SET LINE IN PVMT.
113.93
MARINA
0.02
FD. SQ. HD. W. + TIN L.S. # 3479
179.37
0.01
155.50
OFFSET LN
LAKE
L.A. COUNTY
L.A. CITY
RT. PG - 43
TOP PG - 42
TOP PG - 40

CENTERLINE NOTES
CE 310
76F3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

Do not extend note this side of this line

F.B. 435B PG. 50



CE 310
76F 3095-4/73

PLEASE RETURN TO
LOS ANGELES COUNTY ENGINEER
403 LOS ANGELES COUNTY ENGINEERING BLDG.

1-2710-191

Do not extend notes this side of this line

NOTE: ANY ADDITIONS OR CHANGES ON THIS SHEET MUST BE MADE OR CIRCLED IN RED INK WITH DATE AND NAME OF PERSON MAKING CHANGE