P-2 84 543

Boundaries.

No	Course	Distance	No	Course	Distance.
1	N. 88° W.	3.84	123	S. 26½° E.	2.50
2	S. 4½ E	36.50	124	" 49 "	18.00
3	" 5 W	28.50	125	" 10½ "	11.50
4	" 8½ "	39.50	126	" 39 "	4.50
5	N. 81½ "	0.50	127	" 50½ "	7.50
6	S. 11 "	18.25	128	" 18½ "	9.50
7	" 20 "	12.00	129	" 53½ "	4.00
8	" 45½ "	5.50	130	" 85 "	7.00
9	" 85 "	5.50	131	N. 85 "	7.00
10	" 4½ E.	0.50	132	S. 69½ "	2.50
11	" 61½ W.	5.00	133	" 73½ "	15.00
12	" 48½ "	5.50	134	" 89 "	8.00
13	" 88½ "	8.00	135	" 58½ "	5.50
14	" 75½ "	2.00	136	" 42 "	8.50
15	" 66 "	7.00	137	" 59½ "	4.00
16	" 61½ "	15.00	138	" 76½ "	14.00
17	" 54½ "	4.00	139	" 47 "	5.50
18	" 43½ "	6.50	140	" 67 "	3.00
19	" 36 "	11.50	141	" 74 "	11.50
20	" 77 "	3.50	142	" 53½ "	16.00
21	" 41 E	7.00	143	" 71½ "	23.50
22	" 7½ "	8.50	144	N. 83 "	10.00
23	" 59½ "	1.50	145	S. 51½ "	10.00
24	" 34 "	6.00	146	" 87 "	4.50
25	" 8½ "	11.50	147	" 45 "	6.00
26	" 38½ W.	4.00	148	" 18 "	7.00
27	" 70½ "	7.50	149	" 65 "	7.00
28	" 65 "	24.50	150	" 14½ "	7.50
29	" 63 "	9.50	151	N. 65 "	11.50
30	" 50 "	15.00	152	S. 81 "	12.50
31	" 36½ "	8.00	153	" 57 "	12.00
32	" 48 "	14.00	154	" 69½ "	13.00
33	" 31 "	13.50	155	" 75 "	17.00
34	" 23½ "	7.00	156	" 63½ "	17.00
35	" 8 "	14.50	157	" 80½ "	14.50
36	" 46 "	19.00	158	East	4.00
37	" 32½ "	8.00	159	S. 55° E	11.00
38	" 33 E	4.50	160	" 2 "	4.50
39	" 53½ "	7.50	161	" 31½ "	6.50
40	N. 81 "	11.00	162	N. 39 "	4.00
41	S. 60 "	7.50	163	" 78 "	10.50
42	" 34½ "	8.50	164	S. 69½ "	4.00
43	" 8½ "	9.00	165	N. 76½ "	8.00
44	" 18½ W.	3.50	166	" 52 "	7.50
45	" 57 "	3.00	167	" 63½ "	5.50
46	" 50 "	5.00	168	" 59 "	3.00
47	" 72 "	6.00	169	" 10 "	4.00
48	" 16 E.	5.50	170	" 50 "	3.50
49	" 87½ "	4.00	171	" 11½ W.	2.50
50	N. 78½ "	2.60	172	" 22½ "	2.50
51	S. 46½ "	7.00	173	" 32 E.	4.00
52	" 16 W.	11.00	174	" 34 W.	9.50
53	" 57½ E	1.50	175	" 10 E.	3.50
54	" 71½ "	12.00	176	" 19½ "	4.00
55	N. 81 "	5.00	177	" 4½ W	1.50
56	S. 53 "	5.00	178	" 13 "	7.00
57	" 2 W	3.50	179	" 7 E	5.00
58	" 41½ "	6.50	180	" 20 "	2.00
59	" 6 "	2.00	181	" 15 "	8.00
60	" 53½ "	7.50	182	" 35 "	12.00
61	" 7½ E	9.50	183	" 28½ "	2.50
62	" 28 "	6.00	184	" 11 "	2.00
63	" 38 "	5.50	185	" 5 "	2.00
64	South	6.50	186	" 35 "	1.54
65	S. 55½ E	14.00	187	S. 70 W	20.22
66	" 14 W.	6.00	188	N. 20 "	21.00
67	" 53 "	7.00	189	" 70 E	20.23
68	" 48 E	6.00	190	" 4½ W.	6.00
69	" 29 "	7.50	191	" 18½ E	8.00
70	" 2 W.	5.50	192	" 46 "	10.00
71	" 17 "	9.50	193	" 58¾ "	12.50
72	" 23 E	4.00	194	" 68½ "	12.50
73	" 32½ "	9.00	195	" 67½ "	1.50
74	" 9½ "	2.50	196	" 18¾ "	2.00
75	" 45 "	9.50	197	" 4½ W	3.50
76	" 17 W	10.50	198	" 37 "	4.00
77	" 6 "	1.60	199	" 72½ "	4.50
78	" 86 E	10.00	200	" 7 "	10.00
79	N. 80 "	17.50	201	" 21½ "	10.50
80	S. 72 "	11.50	202	" 49½ "	1.50
81	" 39½ "	5.50	203	" 3½ "	18.00
82	" 7 W	6.50	204	" 21 E	9.50
83	" 49 E	2.00	205	" 29½ "	10.00
84	" 65 "	2.50	206	" 19½ "	13.00
85	" 68½ "	5.00	207	" 31 "	11.00
86	" 23 "	7.50	208	" 17½ "	3.42
87	" 45 "	6.00	209	" 83½ W	5.00
88	" 64½ "	3.00	210	S. 57½ "	5.50
89	N. 81 "	3.00	211	N. 52½ "	4.50
90	" 88 "	3.00	212	" 34 "	9.50
91	" 60½ "	3.50	213	" 51½ "	4.00
92	" 7 "	3.50	214	" 44 "	3.00
93	" 42½ "	7.00	215	" 69½ "	5.00
94	" 56 "	4.50	216	S. 33 "	4.00
95	S. 52 "	4.00	217	N. 36½ "	3.50
96	N. 21½ "	3.00	218	" 23 E	6.00
97	" 45½ "	4.50	219	" 78½ "	2.00
98	S. 65 "	14.00	220	" 21½ W.	4.00
99	N. 56 "	8.00	221	" 80 "	7.50
100	S. 36½ "	0.50	222	S. 65 "	14.50
101	" 70 "	3.50	223	N. 50½ "	22.50
102	N. 56½ "	10.50	224	" 4½ "	20.50
103	" 80 "	16.50	225	" 66 E	23.00
104	S. 72½ "	11.00	226	S. 63½ "	11.00
105	" 61 "	18.00	227	N. 50¾ "	9.00
106	" 35 "	7.50	228	" 80 "	4.00
107	" 46 "	4.50	229	" 54½ "	9.00
108	" 38 W.	6.00	230	" 41½ "	7.50
109	" 62½ E	6.00	231	" 18½ "	10.00
110	N. 14 W.	3.00	232	North	18.00
111	" 29 E	5.00	233	N. 42½ W.	4.00
112	" 83 "	10.50	234	" 4½ "	3.50
113	S. 71½ "	5.00	235	" 24 E	13.00
114	" 38 "	4.50	236	" 76 W	1.00
115	" 87½ "	4.40	237	" 23 "	6.00
116	N. 2 W.	3.00	238	" 27½ E	9.50
117	" 73½ E	5.50	239	" 7°32' W.	212.00
118	" 79 "	8.00	240	" 64¾ "	46.32
119	" 87 "	9.50	241	" 66½ "	104.61
120	S. 60 "	14.50	242	" 77½ "	138.50
121	" 76 "	5.50	243	" 84½ "	185.67
122	" 45 "	14.00	244	" 88 "	32.10
		967.69			1665.11
					967.69

Aggregate of Exterior Boundaries 2632.80 32 Miles 72 chs 80 lks

P-2-543

P-2-544



Plat of the RANCHO LOS PALOS VERDES

finally confirmed to

Jose Loretto Sepulveda et al.

surveyed under instructions from

The U.S. Surveyor General

by

Henry Hancock Dep. Sur.

September 1859.

Containing 31629 43/100 Acres.

Scale 40 chs. to 1 Inch.

Variation 13° 20' East.

Approved June 22nd 1880

J. A. Williamson,

Commissioner of the General Land Office

PATENTS 2

K

P-2-544


P-2-545
PEDRO
Plain
Hills
SAN PEDRO RANCHO
T. 4 S. R. 13 W.
T. 3 S. R. 13 W.
Sec 24
Sec 19
Sec 6
Sec 25
Sec 30
Lot No. 38
Lot No. 39
Dry Lake
Pile of Rocks
Rock Monument
Government Reserve
Warehouse
Sepulveda's Landing
Capt Ord's Mouth
Inner Bay of San Pedro
LA GOLETA
First Standard Line South
(Recorded Aug. 4th 1880. at 9 00 AM. at request of Thomas Hayes.)
PATENTS 2
K