Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









+ Data points shown are those exceeding the total coliform density of 1,000 MPN/100mL and with a ratio of fecal-to-total coliform greater than 0.1

Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **- - - - - Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.





Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









+ Data points shown are those exceeding the total coliform density of 1,000 MPN/100mL and with a ratio of fecal-to-total coliform greater than 0.1

Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **- - - - - Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.





Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









+ Data points shown are those exceeding the total coliform density of 1,000 MPN/100mL and with a ratio of fecal-to-total coliform greater than 0.1

Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **- - - - - Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **- - - - - Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.



Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









+ Data points shown are those exceeding the total coliform density of 1,000 MPN/100mL and with a ratio of fecal-to-total coliform greater than 0.1

Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **- - - - - Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.



Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









+ Data points shown are those exceeding the total coliform density of 1,000 MPN/100mL and with a ratio of fecal-to-total coliform greater than 0.1

Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **- - - - - Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.



Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









+ Data points shown are those exceeding the total coliform density of 1,000 MPN/100mL and with a ratio of fecal-to-total coliform greater than 0.1

Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.







Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









+ Data points shown are those exceeding the total coliform density of 1,000 MPN/100mL and with a ratio of fecal-to-total coliform greater than 0.1

Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









+ Data points shown are those exceeding the total coliform density of 1,000 MPN/100mL and with a ratio of fecal-to-total coliform greater than 0.1

Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **- - - - - Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









+ Data points shown are those exceeding the total coliform density of 1,000 MPN/100mL and with a ratio of fecal-to-total coliform greater than 0.1

Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **- - - - - Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









+ Data points shown are those exceeding the total coliform density of 1,000 MPN/100mL and with a ratio of fecal-to-total coliform greater than 0.1

Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **- - - - - Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.



Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









+ Data points shown are those exceeding the total coliform density of 1,000 MPN/100mL and with a ratio of fecal-to-total coliform greater than 0.1

Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.







Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









+ Data points shown are those exceeding the total coliform density of 1,000 MPN/100mL and with a ratio of fecal-to-total coliform greater than 0.1

Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.







Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









+ Data points shown are those exceeding the total coliform density of 1,000 MPN/100mL and with a ratio of fecal-to-total coliform greater than 0.1

Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

■ **Dry Weather Sample** ◆ **Wet Weather Sample** - - - - - **Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.









Figure 4-3. Comparison of Water Quality Results with Applicable Water Quality Standards

Dry Weather Sample **Wet Weather Sample** **- - - - - Basin Plan, Ocean Plan, or CTR* water quality standard**

* Note: The criteria for dissolved metals varies depending on hardness.