


**Debris Production Calculation Table**

Subarea	DPA	Total Area (ac)	Burned Area (ac)	% Burned	Total Adjusted Debris Production (CY)
1	3/5	141.9	44.0	31%	10,760
2	5	1.6	1.3	76%	190
3	5	2.9	1.3	45%	270
4	5	2.1	1.5	69%	230
5	5	1.7	0.7	41%	150
6a	5	1.7	0.9	32%	160
6b	5	0.5	0.7	46%	40
6c	5	0.3	0.1	26%	20
7	5	1.1	0.1	23%	130
8	5	1.3	0.8	57%	140
9	5	2.6	1.4	55%	260
10	3/5	2.3	1.8	76%	310
11	3	1.7	1.1	62%	300
12	3	0.4	0.4	100%	80
13	3	0.8	0.8	100%	173
14	3	0.3	0.3	98%	60
15	3/5	1.3	1.3	99%	270
16	3/5	2.4	2.4	98%	430
17	5	4.7	4.4	93%	590
18	3	0.9	0.6	69%	160
19	3/5	6.2	6.1	98%	1,160
20	3/5	7.7	7.6	98%	1,460
21	3	0.4	0.3	89%	80
22	3/5	35.6	31.0	87%	6,590

Notes:  
 FOR EMERGENCY PLANNING ONLY  
 Due to the method, procedure, and assumptions used to develop the mudflow areas, the limits of mudflow shown are approximate and should be used as a guideline for planning purposes. Actual mudflow areas will depend on actual storm conditions and may differ from the areas shown on the map. We make no warranties in relation to any future mudflow events.

**Legend**

- South Fire Boundary
- South Fire Subarea



## Attachment B

LOS ANGELES COUNTY  
DEPARTMENT OF  
PUBLIC WORKS

DATE  
6/13/2018

SCALE  
AS SHOWN

**SOUTH FIRE  
BURN AREA MAP**

**BURNED AREA: +/- 109 Acres**  
**DATE OF FIRE: 6/9/2018**