



South Coast Air Quality Management District  
21865 COPLEY DRIVE, DIAMOND BAR, CA 91765-4170

P 78293

# NOTICE OF VIOLATION

| DATE OF VIOLATION |     |      |
|-------------------|-----|------|
| Month             | Day | Year |
| 5                 | 7   | 22   |

|                  |                          |             |         |         |       |
|------------------|--------------------------|-------------|---------|---------|-------|
| Facility Name    | Chiquita Canyon Landfill | Facility ID | 119219  | Section | VB    |
| Location Address | 29201 Henry Mayo Dr.     | City        | Castaic | Zip     | 91384 |
| Mailing Address  | 29201 Henry Mayo Dr.     | City        | Castaic | Zip     | 91384 |

YOU ARE HEREBY NOTIFIED THAT YOU HAVE BEEN CITED FOR ONE OR MORE VIOLATIONS OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT (SCAQMD) RULES, STATE LAW OR FEDERAL LAW. IF PROVEN, SUCH VIOLATION(S) MAY RESULT IN THE IMPOSITION OF CIVIL OR CRIMINAL PENALTIES.

EACH DAY A VIOLATION OCCURS MAY BE HANDLED AS A SEPARATE OFFENSE REGARDLESS OF WHETHER OR NOT ADDITIONAL NOTICES OF VIOLATION ARE ISSUED.

## DESCRIPTION OF VIOLATIONS

| # | Authority*                                                                                                                                   | Code Section or Rule No. | SCAQMD Permit to Operate or CARB Registration No. | Condition No. (if Applicable) | Description of Violation                                                                                                                                                                           |
|---|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|---------------------------------------------------|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | <input checked="" type="checkbox"/> SCAQMD<br><input type="checkbox"/> CH&SC<br><input type="checkbox"/> CCR<br><input type="checkbox"/> CFR | 3002(c)<br>(1)           | Title V Permit<br>Section D<br>P/O G73696         | 12                            | Failure to notify South Coast AQMD at least seven (7) days prior to the date of source testing for flare 2. Failure to submit all testing and analytical methods to South Coast AQMD for approval. |
| 2 | <input type="checkbox"/> SCAQMD<br><input type="checkbox"/> CH&SC<br><input type="checkbox"/> CCR<br><input type="checkbox"/> CFR            | ↓                        | ↓                                                 | ↓                             |                                                                                                                                                                                                    |
| 3 | <input checked="" type="checkbox"/> SCAQMD<br><input type="checkbox"/> CH&SC<br><input type="checkbox"/> CCR<br><input type="checkbox"/> CFR | 3002(c)<br>(1)           | Title V Permit,<br>Section E                      | 8                             | Failure to submit a source test protocol to South Coast AQMD no later than 60 days before the proposed test date for flare 1 and 2                                                                 |
| 4 | <input checked="" type="checkbox"/> SCAQMD<br><input type="checkbox"/> CH&SC<br><input type="checkbox"/> CCR<br><input type="checkbox"/> CFR | 3002(c)<br>(1)           | Title V Permit<br>Section E                       | 9                             | Failure to submit a report no later than 60 days after conducting source test for flare 1                                                                                                          |
| 5 | <input checked="" type="checkbox"/> SCAQMD<br><input type="checkbox"/> CH&SC<br><input type="checkbox"/> CCR<br><input type="checkbox"/> CFR | 3002(c)(1)               | Title V Permit<br>Section K                       | 8                             | Failure to comply with regulatory requirements and all permit terms and conditions.                                                                                                                |

|           |                  |       |                                     |           |                                                                                       |                    |                 |
|-----------|------------------|-------|-------------------------------------|-----------|---------------------------------------------------------------------------------------|--------------------|-----------------|
| Served To | Steve Cassulo    | Phone | 661-371-9214                        | Served By | Christina Ojeda                                                                       | Date Notice Served | 10-31-23        |
| Title     | district manager | Email | steven.cassulo@wasteconnections.com | Phone No. | <input checked="" type="checkbox"/> 909-396-2475<br><input type="checkbox"/> 310-233- | Email              | cojeda@aqmd.gov |

\*Key to Authority Abbreviations:

SCAQMD - South Coast Air Quality Management District  
CCR - California Code of Regulations

CH&SC - California Health and Safety Code  
CFR - Code of Federal Regulations

Method of Service: email  
☐ In Person ☐ Certified Mail

ORIGINAL