



**Land Use Box Plots
1994-2000 Storm Seasons
Figure 4-1**

Total Dissolved Solids




Turbidity




Land Use Box Plots
1994-2000 Storm Seasons
Figure 4-1

Total Suspended Solids




Total Aluminum




**Land Use Box Plots
1994-2000 Storm Seasons
Figure 4-1**

Dissolved Copper




Total Copper




Land Use Box Plots
1994-2000 Storm Seasons
Figure 4-1

Total Lead




**Land Use Box Plots
1994-2000 Storm Seasons
Figure 4-1**



Dissolved Nickel



Nickel




**Land Use Box Plots
1994-2000 Storm Seasons
Figure 4-1**




Land Use Box Plots
1994-2000 Storm Seasons
Figure 4-1

Bis(2-ethylhexyl)phthalate




**Land Use Box Plots
1994-2000 Storm Seasons
Figure 4-1**

Phenanthrene




Pyrene




**Land Use Box Plots
1994-2000 Storm Seasons
Figure 4-1**

Dissolved Phosphorus




Total Phosphorus




Land Use Box Plots
1994-2000 Storm Seasons
Figure 4-1


NH₃-N




TKN



**Land Use Box Plots
1994-2000 Storm Seasons
Figure 4-1**



¹⁾ 10 and also must not exceed 5 when added to Nitrite-N



²⁾ 1 and also must not exceed 5 when added to Nitrate-N